

**Drug Abuse Treatment Outcome  
Study (DATOS), 1991-1994: [United  
States]**

*United States Department of Health and  
Human Services. National Institute on  
Drug Abuse*

Codebook for Intake 2 Data



## TABLE OF CONTENTS

INTRODUCTION .....	1
A. Background .....	1
B. Research Design .....	1
C. Program Sample .....	2
D. Instrumentation .....	3
E. Data Collection Procedures .....	3
F. Status of DATOS Study and Future Directions .....	4
G. SAMHDA Data Cleaning and Processing .....	5
H. User Responsibility .....	7
I. Processor Notes .....	7
FREQUENCIES .....	8
IDENTIFICATION .....	9
INTERVIEW INFORMATION .....	10
RECODED VARIABLES: CLIENT CHARACTERISTICS .....	11
RECODED VARIABLES: SUBSTANCE USE .....	16
RECODED VARIABLES: TREATMENT .....	23
INTERVIEW INFORMATION .....	24
DEMOGRAPHICS AND BACKGROUND .....	25
HEALTH .....	114
COGNITIVE IMPAIRMENT (TRAIL MAKING TEST) .....	157
RELIGIOSITY AND SELF-CONCEPT .....	160
ANXIETY .....	170
DEPRESSION .....	209
SEXUAL EXPERIENCES .....	334
BEHAVIORAL PROBLEMS .....	353
PSYCHOLOGICAL DISTRESS .....	386
MOTIVATION AND READINESS FOR TREATMENT .....	406
INTERVIEWER OBSERVATIONS .....	416
MINIMENTAL STATUS EXAM .....	434
RECODED TREATMENT VARIABLES .....	451
APPENDIX A: Publications .....	453



## **DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY**

### **INTRODUCTION**

#### **A. Background**

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

#### **B. Research Design**

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

### C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

## D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

**Intake 1.** The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

**Intake 2.** The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

**In-treatment.** Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

**Follow-up.** Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

## E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

## **F. Status of DATOS Study and Future Directions**

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

*For a more complete discussion of the DATOS methodology, see*

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

*For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>*

## G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

**City and program names:** The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

**Date of birth:** Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

**Age at time of ... :** Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

**Legal status (criminal involvement) at time of admission, "Other; specify":** The details provided in "specify" were deleted; value coded as "Circled."

**Have other health plan:** Plans offered in a limited geographic area were coded as "Other."

**Occupation:** Highly detailed occupation codes were combined into larger categories.

**Race:** These codes were re-coded as "White," "Black," "Hispanic," and "Other."

**Ethnicity:** Detailed ethnicity codes and variables were collapsed or deleted.

**Description of ethnic/cultural background (Hispanic):** Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

**What other languages do you speak:** Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

**Length of marital status in weeks:** Re-coded to years; top-coded as 21 or more.

**Length of time since divorce in months:** Re-coded to years; top-coded as 21 or more.

**Highest grade completed:** Top-coded as 21 or more.

**Type of school/training program attended:** Job corps and special education (very low frequencies) coded as "Other."

**Number of children:** Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

**Date of admission:** The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

**Date of interview:** This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

**ICD-9/DSM diagnosis codes:** These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

**Number of months currently pregnant:** Re-coded by trimester.

**Reason felt worthless/sinful/guilty:** This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

**Presence of a specific physical handicap:** Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

**Problems related to getting a job:** Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

**Questions respondent did not understand:** These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

**Administrative variables:** “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

**Other variables:** Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

## H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

## I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

**FREQUENCIES**

**IDENTIFICATION**

**CASEID                      CASE IDENTIFICATION NUMBER**

8,755 cases (Range of valid codes: 1-10010)

Data type: numeric

Columns: 1-5

**MODALITY                      DATOS TX MODALITY**

PCT VALID	PCT ALL	N	VALUE	LABEL
28.1	28.1	2,457	1	RESIDENTIAL
31.8	31.8	2,786	2	SHORT-TERM INPATIENT
15.3	15.3	1,340	3	METHADONE MAINTENANCE
24.8	24.8	2,172	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	8,755 cases		

Data type: numeric

Column: 6

**INTERVIEW INFORMATION**

<b>FORM</b>	<b>VERSION OF QUESTIONNAIRE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.8	3,136	1	NOV91
64.2	64.2	5,619	2	OCT92
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Column: 7



RACE	RACE/ETHNICITY RECODE			
------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.2	3,348	1	CAUCASIAN/WHITE
47.0	47.0	4,113	2	AFRO-AMERICAN/BLACK
12.3	12.3	1,080	3	HISPANIC
2.4	2.4	214	4	OTHER
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Column: 1778

RACESEX	RACE/GENDER COMBINATION			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.8	2,259	1	CAUCASIAN/WHITE MALE
30.4	30.4	2,664	2	AFRO-AMERICAN/BLACK MALE
8.3	8.3	724	3	HISPANIC MALE
1.6	1.6	137	4	OTHER MALE
12.4	12.4	1,089	5	CAUCASIAN/WHITE FEMALE
16.6	16.6	1,449	6	AFRO-AMERICAN/BLACK FEMALE
4.1	4.1	356	7	HISPANIC FEMALE
0.9	0.9	77	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Column: 1781

MSTAT	MARITAL STATUS AT INTAKE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	19.3	1,693	1	MARRIED
7.6	7.5	660	2	SEPARATED
14.1	14.1	1,234	3	DIVORCED
1.4	1.4	121	4	WIDOWED
12.2	12.2	1,067	5	LIVING AS MARRIED
45.3	45.2	3,961	6	NEVER MARRIED
	0.2	19	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1771-1772

<b>FTWORK</b>	<b>WKS FULL TIME WORK PAST YR</b>
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	48.0	4,204	0	NONE
12.7	12.5	1,096	1	1-13 WKS
17.6	17.3	1,518	2	14-39 WKS
20.9	20.5	1,798	3	40-52 WKS
	1.6	139	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1769-1770

<b>EDLEV</b>	<b>EDUCATIONAL LEVEL</b>
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.3	4.2	372	1	GRADE SCHOOL OR LESS
32.0	32.0	2,798	2	HIGH SCHOOL
38.1	38.1	3,338	3	HIGH SCHOOL DEGREE
17.1	17.1	1,493	4	SOME COLLEGE
4.1	4.1	363	5	JR COLLEGE/ASSOCIATE DEGREE
3.7	3.7	323	6	COLLEGE DEGREE
0.7	0.7	64	7	ADVANCED DEGREE
	0.0	4	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1779-1780

<b>HLTHINS</b>	<b>HEALTH INSURANCE</b>
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	47.8	4,185	0	NONE
19.6	19.3	1,688	1	PRIVATE/OTHER
31.8	31.3	2,737	2	PUBLIC
	1.7	145	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1784-1785

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	395	0	NO INCOME
44.4	42.1	3,690	1	LEGAL WORK
21.7	20.6	1,802	2	PUB ASSISTANCE
4.9	4.7	411	3	SOCIAL SECURITY
7.0	6.7	585	4	FAMILY/FRIENDS
15.6	14.8	1,294	5	ILLEGAL SOURCES
1.6	1.6	136	6	OTHER SOURCES
	5.0	442	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1786-1787

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.9	2,972	0	SELF(ONLY IF NO PRIM/SECONDARY MENTION)
3.0	3.0	261	1	MEDICAL SERVICE
6.2	6.2	544	10	COMMUNITY AGENCY
5.7	5.6	494	20	LEGAL SYSTEM
15.5	15.5	1,354	30	PROBATION/PAROLE
0.6	0.6	51	40	PRISON SYSTEM
31.2	31.2	2,728	50	FAMILY/FRIENDS
0.7	0.7	59	60	SCHOOL
2.3	2.3	202	70	EMPLOYER
0.2	0.2	21	80	VETERAN
0.6	0.6	49	90	OTHER
	0.2	20	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1788-1789

<b>CJ_STAT</b>	<b>CRIMINAL JUSTICE STATUS</b>
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	55.1	4,825	0	NO LEGAL STATUS
7.0	6.9	608	1	IN JAIL/DETENTION
22.4	22.3	1,955	2	PROBATION
8.8	8.8	770	3	PAROLE
6.6	6.6	577	4	CASE PENDING
	0.2	20	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1782-1783

<b>RESTRICT</b>	<b>WKS RESTRICTED PAST YR, BRACKETED</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	42.9	3,755	0	NO WKS RESTRICTED
20.7	19.9	1,741	1	1-4 WKS RESTRICTED
11.6	11.1	973	2	5-13 WKS RESTRICTED
9.8	9.4	827	3	14-26 WKS RESTRICTED
5.5	5.3	464	4	27-39 WKS RESTRICTED
3.1	2.9	258	5	40-50 WKS RESTRICTED
4.5	4.4	382	6	51-52 WKS RESTRICTED
	4.1	355	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1790-1791

<b>RECODED VARIABLES: SUBSTANCE USE</b>
---

PDRUG	PRIMARY DRUG PROB RECODE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	523	0	NO FAVORITE DRUG
12.3	12.1	1,058	10	ALCOHOL
3.2	3.1	271	20	MARIJUANA
1.6	1.5	134	30	HALLUCINOGEN
52.4	51.4	4,502	40	COCAINE/CRACK
18.8	18.5	1,618	50	HEROIN
2.3	2.2	194	60	NARCOTICS/OTHER OPIATES
0.9	0.8	73	70	SEDATIVES
2.2	2.2	192	80	AMPHETAMINES
0.2	0.1	13	90	OTHER
0.1	0.1	6	91	INHALANTS
	2.0	171	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1792-1793

PDRUGFRQ	FREQ OF USE PRIMARY DRUG			
----------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.7	413	0	NO USE
3.7	3.4	299	1	< ONCE/WK
7.2	6.6	582	2	1-3 TIMES/MONTH
11.8	10.9	953	3	1-2 TIMES/WEEK
13.3	12.2	1,069	4	3-4 TIMES/WEEK
5.6	5.1	448	5	5-6 TIMES/WEEK
25.4	23.4	2,047	6	DAILY OR ALMOST EVERY DAY
8.3	7.7	671	7	2-3 TIMES/DAY
19.6	18.1	1,581	8	4 TO MORE TIMES/DAY
	6.0	523	-9	NO PRIMARY DRUG DENOTED
	1.9	169	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1794-1795

FAVDRUG	FAVORITE DRUG PROB RECODE			
---------	---------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	432	0	NO FAVORITE DRUG
12.0	11.9	1,038	10	ALCOHOL
8.2	8.1	708	20	MARIJUANA
1.5	1.5	131	30	HALLUCINOGEN
46.2	45.7	4,002	40	COCAINE/CRACK
21.2	21.0	1,837	50	HEROIN
2.6	2.6	227	60	NARCOTICS/OTHER OPIATES
0.9	0.8	74	70	SEDATIVES
2.2	2.2	192	80	AMPHETAMINES
0.1	0.1	12	90	OTHER
0.1	0.1	5	91	INHALANTS
	1.1	97	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1796-1797

NDRUGS	# DRUGS USED WEEKLY			
--------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	1,059	0	
28.9	28.9	2,534	1	
34.9	34.9	3,053	2	
17.3	17.3	1,513	3	
4.6	4.6	406	4	
1.5	1.5	134	5	
0.4	0.4	35	6	
0.2	0.2	18	7	
0.0	0.0	3	8	
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Column: 1798

HVY_ALC	HEAVY ALCOHOL USER PAST YR
---------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	62.9	5,509	0	NOT A HEAVY USER
36.8	36.7	3,210	1	HEAVY ALCOHOL USER
	0.4	36	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1799-1800

DRUGPAT	DRUG USE PATTERN FOR DATOS
---------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.2	1,158	1	HEROIN/NARCOTIC/NO COKE
13.5	13.5	1,186	2	COKE W/HEROIN OR NARCOTICS
12.4	12.4	1,083	3	COKE ONLY
16.8	16.8	1,471	4	COKE AND ALCOHOL
13.6	13.6	1,195	5	COKE PLUS OTHER DRUGS
17.1	17.1	1,501	6	MARIJUANA AND/OR ALCOHOL
13.3	13.3	1,161	7	RESIDUAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Column: 1801

TOPS_PAT	TOPS DRUG USE PATTERN
----------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	379	1	HEROIN
17.8	17.8	1,557	2	HEROIN AND OPIOIDS
4.7	4.7	408	3	OTHER OPIOIDS
2.4	2.4	210	4	MULTIPLE NON-OPIOIDS
43.7	43.7	3,825	5	SINGLE NON-OPIOIDS
14.8	14.8	1,297	6	MARIJUANA AND/OR ALCOHOL
12.3	12.3	1,079	7	RESIDUAL/MINIMAL USE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Column: 1802



<b>CRKWK</b>	<b>CRACK-WEEKLY USE PAST YR</b>			
--------------	---------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	59.3	5,196	0	LESS THAN WEEKLY USE
40.4	40.2	3,516	1	WEEKLY OR MORE USE
	0.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1809-1810

<b>HERWK</b>	<b>HEROIN-WEEKLY USE PAST YR</b>			
--------------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	77.7	6,806	0	LESS THAN WEEKLY USE
22.1	22.1	1,936	1	WEEKLY OR MORE USE
	0.1	13	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1811-1812

<b>NARWK</b>	<b>NARCOTICS-WEEKLY USE PAST YR</b>			
--------------	-------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	90.6	7,935	0	LESS THAN WEEKLY USE
9.0	9.0	787	1	WEEKLY OR MORE USE
	0.4	33	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1813-1814



<b>INHWK</b>	<b>INHALANTS-WEEKLY USE PAST YR</b>			
--------------	-------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	99.5	8,707	0	LESS THAN WEEKLY USE
0.4	0.4	31	1	WEEKLY OR MORE USE
	0.2	17	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1821-1822

<b>HERHX</b>	<b>HISTORY OF HEROIN USE</b>			
--------------	------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	53.6	4,695	0	NEVER USED
11.3	11.3	991	1	USED 1-5 TIMES ONLY
5.5	5.5	485	2	USED SPORADICALLY OR MONTHLY
1.5	1.5	128	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
27.9	27.9	2,443	4	USED MORE THAN 4 WKS ON DAILY BASIS
	0.1	13	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1823-1824

<b>COCHX</b>	<b>HISTORY OF COCAINE USE</b>			
--------------	-------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	445	0	NEVER USED
6.7	6.7	587	1	USED 1-5 TIMES ONLY
12.6	12.6	1,100	2	USED SPORADICALLY OR MONTHLY
20.5	20.4	1,789	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
55.1	55.0	4,817	4	USED MORE THAN 4 WKS ON DAILY BASIS
	0.2	17	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1825-1826

**RECODED VARIABLES: TREATMENT****DRUGTX**                      **NUMBER OF PRIOR DRUG TXS**

8,755 cases (Range of valid codes: 0-106)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1827-1829

**DRGTXAGE**                      **AGE AT 1ST DRUG TX**

8,755 cases (Range of valid codes: 5-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1830-1831

**INTERVIEW INFORMATION**

**CDC\_M                      MONTH/DATE COMPLETED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	28.1	2,462	1	JAN.-MARCH
26.3	26.3	2,305	2	APR.-JUNE
23.9	23.9	2,090	3	JULY-SEPT.
21.6	21.6	1,893	4	OCT.-DEC.
	0.1	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 8-9

**CDC\_Y                      YR/DATE COMPLETED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	157	91	
55.2	55.0	4,817	92	
43.1	42.9	3,760	93	
	0.2	21	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 10-11

**CT\_L\_I                      MINUTES/TOTAL LENGTH OF INTERVIEW**

8,755 cases (Range of valid codes: 8-720)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 12-14

**DEMOGRAPHICS AND BACKGROUND**

**CA4 TYPE OF RESIDENCE/PLACE YOU LIVED IN**

At the time you were admitted to this program, what type of residence or place did you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	43.3	3,789	1	ONE-FAMILY HOUSE/DUPLEX/CONDO
2.0	2.0	178	2	MOBILE HOME/TRAILER
33.6	33.6	2,940	3	APT/MULTIPLE FAMILY BUILDING
1.9	1.9	164	4	HOTEL/ROOMING/BOARDING HOUSE
0.4	0.4	32	5	HOSPITAL/MEDICAL INSTITUTION
8.2	8.2	719	6	JAIL/PRISON/JUVENILE DETEN HOME
1.4	1.4	124	7	RESIDENTIAL DRUG TX PROG
3.3	3.3	291	8	OTHER GRP RES/HALFWAY HOUSE
2.4	2.4	209	9	HOMELESS SHELTER
2.6	2.6	228	10	ON THE STREET
0.8	0.8	66	11	OTHER
	0.1	10	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 15-16

**CA4\_A WAS RESIDENCE OWNED BY YOU/YOUR FAMILY**

Was this residence owned by either you or your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	30.8	2,697	1	YES
61.7	49.7	4,349	2	NO
	18.1	1,585	-9	LEGITIMATE SKIP
	1.4	123	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 17-18

CA5

## HOW SATISFIED W/PLACE YOU LIVED AT

How satisfied were you with the place you lived at the time you were admitted? Would you say you were...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	8.1	708	1	VERY DISSATISFIED
12.6	10.3	901	2	SOMEWHAT DISSATISFIED
28.0	22.8	2,000	3	SOMEWHAT SATISFIED
49.5	40.4	3,536	4	VERY SATISFIED
	18.1	1,585	-9	LEGITIMATE SKIP
	0.3	22	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 19-20

CA5\_A

## NOT SATISFIED W/PLACE/NOT AFFORD OTHER

Did your lack of satisfaction with the place you lived result mainly from your not being able to find other housing that you could afford (either better housing, more rooms, or a place of your own)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	27.5	2,410	1	YES
32.1	13.0	1,138	2	NO
	58.3	5,100	-9	LEGITIMATE SKIP
	1.2	106	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 21-22

<b>CA6_WKS</b>	<b>HOW LONG LIVED ON STREET (WKS)</b>
----------------	---------------------------------------

How long had you continuously lived (there/on the street) before you were admitted to this program?

8,755 cases (Range of valid codes: 0-2,860)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 23-26

<b>CA6_A</b>	<b>#PLACES YOU LIVED AT DURING 12 MOS</b>
--------------	---

At how many addresses, residences, or places did you live during the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.0	88	0	
18.8	10.4	913	1	
47.7	26.4	2,314	2	
18.0	10.0	874	3	
6.8	3.8	331	4	
2.8	1.6	138	5	
1.5	0.8	73	6	
0.9	0.5	45	7	
0.4	0.2	20	8	
0.2	0.1	8	9	
0.4	0.2	21	10	
0.1	0.0	3	11	
0.1	0.1	6	12	
0.1	0.0	4	15	
0.0	0.0	1	18	
0.1	0.1	7	20	
0.0	0.0	2	30	
0.0	0.0	1	33	
0.0	0.0	1	35	
0.0	0.0	1	37	
0.0	0.0	1	66	
0.0	0.0	1	92	
0.1	0.0	3	99	99 OR MORE
	43.4	3,799	-9	LEGITIMATE SKIP
	1.1	96	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-28

**CA7** **#DAY STAY OVERNIGHT/RESTRICTED SETTING**

In the 12 months before admission to this program, how many days did you stay overnight in a place where you could not come and go as you pleased, such as a jail, a hospital, or a therapeutic community?

8,755 cases (Range of valid codes: 0-366)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 29-31

**CA7\_A** **#DAYS/JAIL/PRISON/JUV DET**

During those 12 months, how many days did you stay overnight in a jail, in a prison, or in a juvenile detention home?

8,755 cases (Range of valid codes: 0-365)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 32-34

**CA7\_B** **#DAYS/INPATIENT DRUG PROG/THER COMM**

During those 12 months, how many days did you stay overnight in a therapeutic community or other inpatient drug or alcohol treatment program?

8,755 cases (Range of valid codes: 0-365)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 35-37

**CA7\_C** **#DAYS OVERNIGHT/IN HOSPITAL**

During those 12 months, how many days did you stay overnight in a hospital (for some other reason).

8,755 cases (Range of valid codes: 0-365)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 38-40

**CA7\_D #DAYS OVERNIGHT/OTHER PLACE**

During those 12 months, how many days did you stay overnight in some other kind of place where you could not come and go as you pleased?

8,755 cases (Range of valid codes: 0-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 41-43

**CA8 TRAVELED AROUND/A MONTH/WITHOUT PLAN**

Have you ever traveled around for a month or more without having any arrangements ahead of time and not knowing how long you were going to stay or where you were going to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	28.2	2,465	1	YES
71.8	71.6	6,272	2	NO
	0.2	17	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 44-45

**CA9 NO REG PLACE TO LIVE/1+ MOS/SINCE 18**

(Since you were 18), have you ever had no regular place to live for a month or more, or lived on the street or in a shelter for that long?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	27.6	2,416	1	YES
72.3	72.1	6,313	2	NO
	0.3	24	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 46-47

**CA10****YOUR MARITAL STATUS**

Now, I would like to ask about your marital status at the time you were admitted to this program. At the time you were admitted to this program, were you married, separated, divorced, widowed, living with someone as married (but not legally married), or had you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.1	1,498	1	MARRIED
9.6	9.6	839	2	LEGALLY SEPARATED
13.9	13.9	1,213	3	DIVORCED
1.4	1.4	126	4	WIDOWED
13.0	12.9	1,131	5	LIVING W/ONE AS MARRIED
44.8	44.6	3,908	6	NEVER MARRIED
	0.4	37	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

**CA10\_WKS****WKS IN MARITAL STATUS FROM A10**

Now, I would like to ask about your marital status at the time you were admitted to this program. At the time you were admitted to this program, were you married, separated, divorced, widowed, living with someone as married (but not legally married), or had you never been married?

8,755 cases (Range of valid codes: 0-3,640)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 50-53

<b>CA10_A</b>	<b>WERE YOU LIVING W/YOUR HUSBAND/WIFE</b>
---------------	--

Were you living with your (husband/wife)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	13.3	1,161	1	YES
23.0	4.0	346	2	NO
	82.1	7,187	-9	LEGITIMATE SKIP
	0.7	61	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 54-55

<b>CA10_B</b>	<b>WAS THIS A LEGAL SEPARATION</b>
---------------	------------------------------------

Was this a legal separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	3.3	289	1	YES
75.5	10.2	889	2	NO
	85.7	7,500	-9	LEGITIMATE SKIP
	0.8	74	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 56-57

CA10\_C

LIVING APART/NOT GET ALONG OR OTH REASON

Were you living apart because of not getting along or for other reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	5.9	515	1	NOT GETTING ALONG
42.3	4.3	378	2	OTHER REASONS
	88.8	7,777	-9	LEGITIMATE SKIP
	0.9	80	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 58-59

CA10\_D

WERE YOU SATISFIED W/RELATIONSHIP

Were you satisfied with your relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	23.3	2,044	1	YES
22.5	6.8	592	2	NO
	68.6	6,009	-9	LEGITIMATE SKIP
	1.1	100	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 60-61



<b>CA11_B</b>	<b>HAD PROB W/HUS/WIFE/BECAUSE DRUG USE</b>
---------------	---

Have you had any serious problems with your  
(husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	27.7	2,424	1	YES
29.9	11.8	1,032	2	NO
	55.0	4,811	-9	LEGITIMATE SKIP
	4.8	419	-8	BLANK
	0.0	4	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.7	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 66-67

<b>CA11_C</b>	<b>HUSBAND/WIFE PRESSURE YOU FOR DRUG TREAT</b>
---------------	---

Did your (husband/wife/partner) pressure you to get treatment  
for your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	17.8	1,561	1	YES
54.9	21.7	1,899	2	NO
	55.0	4,811	-9	LEGITIMATE SKIP
	4.7	414	-8	BLANK
	0.1	6	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.7	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 68-69

<b>CA11_D</b>	<b>WAS HE/SHE ABUSING DRUGS/PAST 12 MOS</b>
---------------	---

Was (he/she) abusing drugs in the 12 months before you entered this program? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	12.4	1,087	1	YES
68.1	26.5	2,317	2	NO
	55.0	4,812	-9	LEGITIMATE SKIP
	4.7	411	-8	BLANK
	0.0	4	-5	BAD DATA
	0.7	61	-4	DON'T KNOW
	0.7	63	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 70-71

<b>CA11_E</b>	<b>WAS THIS PERSON IN DRUG TREAT/12 MOS</b>
---------------	---

Was this person in drug treatment at any time during those 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	5.2	456	1	YES
86.6	33.7	2,951	2	NO
	54.9	4,810	-9	LEGITIMATE SKIP
	4.7	415	-8	BLANK
	0.0	4	-5	BAD DATA
	0.6	56	-4	DON'T KNOW
	0.7	63	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 72-73

**CA12****HOW MUCH YOUR HUS/WIFE CONCERNED OF YOU**

During the 12 months before you were admitted, how much would you say your (husband/wife/partner) was concerned, helpful, or supportive of you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	10.4	907	0	NOT AT ALL
23.2	10.5	918	1	SOMEWHAT
53.9	24.4	2,134	2	VERY MUCH
	48.9	4,284	-9	LEGITIMATE SKIP
	4.3	377	-8	BLANK
	0.1	6	-5	BAD DATA
	0.1	12	-4	DON'T KNOW
	1.3	116	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 74-75

**CA13****#TIMES YOU LEGALLY MARRIED**

How many times have you been legally married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	8.8	773	0	
65.9	36.3	3,178	1	
14.6	8.0	703	2	
2.7	1.5	131	3	
0.8	0.4	37	4	4+
	44.6	3,903	-9	LEGITIMATE SKIP
	0.3	30	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 76-77

<b>CA13_M</b>	<b>MOS SINCE DIVORCED</b>
---------------	---------------------------

When did you get divorced (the last time)? How many months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	13	0	0 MOS
7.5	0.9	79	1	1-12 MOS
5.3	0.6	56	2	13-24 MOS
6.1	0.7	64	3	25-36 MOS
5.7	0.7	60	4	37-48 MOS
6.4	0.8	67	5	49-60 MOS
6.9	0.8	73	6	61-72 MOS
5.9	0.7	62	7	73-84 MOS
5.3	0.6	56	8	85-96 MOS
4.6	0.5	48	9	97-108 MOS
5.9	0.7	62	10	109-120 MOS
5.3	0.6	56	11	121-132 MOS
4.8	0.6	51	12	133-144 MOS
4.6	0.5	48	13	145-156 MOS
3.3	0.4	35	14	157-168 MOS
2.7	0.3	28	15	169-180 MOS
3.1	0.4	33	16	181-192 MOS
2.1	0.3	22	17	193-204 MOS
2.9	0.4	31	18	205-216 MOS
1.8	0.2	19	19	217-228 MOS
1.9	0.2	20	20	229-240 MOS
6.6	0.8	70	21	241+ MOS
	86.8	7,595	-9	LEGITIMATE SKIP
	1.2	107	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 78-79

<b>CA13_A</b>	<b>#TIMES YOU BEEN DIVORCED</b>
---------------	---------------------------------

How many times have you been divorced?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	1.1	94	0	
60.2	8.1	712	1	
25.0	3.4	295	2	
5.2	0.7	61	3	
1.7	0.2	20	4	4+
	85.8	7,514	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 80-81

<b>CA13_B_1</b>	<b>WHEN DID YOU GET DIVORCED/LAST TIME</b>
-----------------	--

When did you get divorced (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	12	1	WITHIN MONTH BEF ADM
5.5	0.7	59	2	WITHIN PAST YR
93.4	11.4	1,001	3	MORE THAN 1 YR AGO
	86.8	7,595	-9	LEGITIMATE SKIP
	0.9	81	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 82-83

<b>CA14_WKS</b>	<b>LONGEST TIME MARRIED IN WKS</b>
-----------------	------------------------------------

What is the longest time that you have ever been legally married?

8,755 cases (Range of valid codes: 0-2,236)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 84-87



**CA15\_A SEPARATED >ONCE/NOT GET ALONG**

(Other than when you separated or just before a divorce,) did you separate more than once because of not getting along (counting all marriages)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	20.9	1,830	1	YES
24.7	6.9	600	2	NO
	71.4	6,249	-9	LEGITIMATE SKIP
	0.8	72	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 93-94

**CA15\_B\_1 WHEN DID YOU SEPARATE/LAST TIME**

When did you separate (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	1.6	142	1	WITHIN MONTH BEF ADM
16.8	4.7	409	2	WITHIN PAST YR
77.4	21.5	1,885	3	MORE THAN 1 YR AGO
	71.4	6,248	-9	LEGITIMATE SKIP
	0.8	68	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 95-96

**CA16 LIVED W/ONE AT LEAST A YR/AS MARRIED**

Have you ever lived with someone for at least a year as though you were married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	55.1	4,828	1	YES
40.9	38.1	3,335	2	NO
	5.8	512	-9	LEGITIMATE SKIP
	0.9	78	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 97-98

**CA16\_WKS LONGEST LIVING AS MARRIED (WKS)**

How long did you live with someone as though married (the longest time)?

8,755 cases (Range of valid codes: 0-1,352)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 99-102

**CA16\_M MOS AGO LIVED WITH SOMEONE AS MARRIED**

When was the last time you lived with someone as though married? How many months ago?

8,755 cases (Range of valid codes: 0-868)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 103-105

<b>CA16_A_1</b>	<b>WHEN LIVED W/ONE AS MARRIED/LAST TIME</b>
-----------------	--

When was the last time you lived with someone as though married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	9.8	858	1	WITHIN MONTH BEF ADM
15.3	8.4	735	2	WITHIN PAST YR
66.9	36.7	3,213	3	MORE THAN 1 YR AGO
	37.7	3,305	-9	LEGITIMATE SKIP
	7.3	641	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 106-107

<b>CA16_B</b>	<b>#TIMES LIVED W/ONE FOR 1 YR/AS MARRIED</b>
---------------	---

How many times have you lived with someone for at least a year as though married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.5	40	0	
51.1	31.3	2,736	1	
27.3	16.7	1,464	2	
12.4	7.6	665	3	
4.4	2.7	234	4	
2.4	1.4	126	5	
0.7	0.4	35	6	
0.4	0.2	19	7	
0.2	0.1	10	8	
0.1	0.0	4	9	
0.3	0.2	16	10	
0.0	0.0	2	12	
0.0	0.0	1	15	
0.0	0.0	2	20	
	38.0	3,323	-9	LEGITIMATE SKIP
	0.8	74	-8	BLANK
	0.0	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 108-109

**CA17 SEPARATED FOR A FEW DAYS/NOT GET ALONG**

Did you and the person(s) you lived with as married ever separate for a few days or longer because of not getting along?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	37.4	3,276	1	YES
39.1	24.0	2,101	2	NO
	37.7	3,297	-9	LEGITIMATE SKIP
	0.9	79	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 110-111

**CA17\_M MOS AGO LAST SEPARATE W/LIVE IN**

When did you separate (the last time)? How many months ago?

8,755 cases (Range of valid codes: 0-462)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 112-114

**CA17\_A SEPARATED >ONCE/WHEN LIVED AS MARRIED**

Did you separate more than once (counting all persons you lived with as married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	31.7	2,773	1	YES
15.6	5.8	511	2	NO
	61.6	5,389	-9	LEGITIMATE SKIP
	0.9	82	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 115-116

<b>CA17_B_1</b>	<b>WHEN DID YOU SEPARATE/LAST TIME</b>
-----------------	--

When did you separate (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	2.8	246	1	WITHIN MONTH BEF ADM
22.1	8.3	726	2	WITHIN PAST YR
70.4	26.4	2,315	3	MORE THAN 1 YR AGO
	61.5	5,387	-9	LEGITIMATE SKIP
	0.8	74	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 117-118

<b>CA18</b>	<b>HOW WELL YOU WERE DOING AS HUSBAND/WIFE</b>
-------------	--

Before admission to this program, how well were you doing as a (husband/wife/partner)? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	16.2	1,419	1	POOR
43.0	22.5	1,974	2	FAIR
26.1	13.7	1,200	3	WELL
	39.3	3,438	-9	LEGITIMATE SKIP
	4.6	399	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	10	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	3.5	303	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 119-120

**CA19 WALKED OUT ON SPOUSE/FOR SEVERAL WKS**

Did you ever walk out on any (spouse/partner with whom you were living as married) either permanently or for at least several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	34.1	2,989	1	YES
56.7	44.7	3,912	2	NO
	19.9	1,743	-9	LEGITIMATE SKIP
	1.3	110	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 121-122

**CA19\_A WALKED OUT ON MORE THAN 1 OCCASION**

Did you walk out on more than 1 occasion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	23.7	2,075	1	YES
29.7	10.0	877	2	NO
	63.5	5,557	-9	LEGITIMATE SKIP
	2.8	244	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 123-124

**CA20****HIT/THROW THINGS AT YOUR SPOUSE**

Did you ever hit or throw things at your  
(spouse(s)/partner(s))?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	40.7	3,563	1	YES
47.9	37.4	3,273	2	NO
	19.9	1,745	-9	LEGITIMATE SKIP
	2.0	171	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 125-126

**CA20\_A****YOU HIT/THROW THINGS AT SPOUSE 1ST**

Were you ever the one who hit or threw things first,  
regardless of who started the argument?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	27.6	2,419	1	YES
32.4	13.2	1,158	2	NO
	57.2	5,010	-9	LEGITIMATE SKIP
	1.9	163	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 127-128



CA21

#PERSONS WERE LIVING WITH YOU

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going. At the time you were admitted to this program, excluding yourself, how many people were living with you, either family or other members of your household?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	13.3	1,167	0	
23.2	19.5	1,710	1	
20.9	17.6	1,542	2	
17.0	14.3	1,249	3	
10.7	9.0	785	4	
5.8	4.9	429	5	
2.8	2.4	209	6	
1.5	1.3	113	7	
0.7	0.6	54	8	
0.4	0.4	31	9	
0.3	0.3	24	10	
0.1	0.1	9	11	
0.2	0.2	16	12	
0.0	0.0	3	13	
0.0	0.0	1	14	
0.1	0.0	4	15	
0.0	0.0	1	17	
0.0	0.0	1	19	
0.0	0.0	1	20	
0.0	0.0	1	21	
0.0	0.0	1	22	
0.0	0.0	1	24	
0.0	0.0	2	25	
0.0	0.0	1	28	
0.0	0.0	1	32	
0.0	0.0	1	34	
0.0	0.0	1	36	
0.0	0.0	1	37	
0.0	0.0	2	40	
0.0	0.0	1	64	
	15.4	1,344	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 136-137

<b>CA21_A</b>	<b>YOUR SPOUSE/PARTNER LIVED W/YOU</b>
---------------	--

Did your spouse/partner live with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	29.7	2,600	1	YES
56.6	38.7	3,388	2	NO
	28.5	2,498	-9	LEGITIMATE SKIP
	2.4	211	-8	BLANK
	0.7	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 138-139

<b>CA21B_01</b>	<b># OF YOUR CHILDREN</b>
-----------------	---------------------------

How many of these people were your children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	26.3	2,303	0	
20.7	11.3	991	1	
16.4	8.9	782	2	
9.1	5.0	437	3	
3.3	1.8	158	4	
1.3	0.7	62	5	
0.9	0.5	43	6	6+
	36.2	3,171	-9	LEGITIMATE SKIP
	9.2	808	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 140-141

<b>CA21B_02</b>	<b># OF YOUR PARENTS</b>
-----------------	--------------------------

How many of these people were your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	28.1	2,460	0	
27.0	14.2	1,240	1	
19.1	10.0	874	2	
0.2	0.1	8	3	
0.0	0.0	1	4	
0.0	0.0	1	5	
0.0	0.0	1	8	
0.0	0.0	1	12	
	36.2	3,170	-9	LEGITIMATE SKIP
	11.4	999	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 142-143

<b>CA21B_03</b>	<b># OF YOUR OTHER RELATIVES</b>
-----------------	----------------------------------

How many of these people were your other relatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	27.6	2,417	0	
24.2	12.8	1,124	1	
11.0	5.8	511	2	
5.8	3.0	267	3	
3.0	1.6	139	4	
2.0	1.1	95	5	
0.9	0.5	44	6	
0.8	0.4	39	7	7+
	36.2	3,169	-9	LEGITIMATE SKIP
	10.9	950	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 144-145

<b>CA21B_04</b>	<b># OF OTHER NONRELATIVES</b>
-----------------	--------------------------------

How many of these people were your other nonrelatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	33.4	2,922	0	
20.7	10.5	920	1	
6.1	3.1	271	2	
3.1	1.6	137	3	
2.0	1.0	87	4	
0.9	0.5	40	5	
1.4	0.7	62	6	6+
	35.9	3,144	-9	LEGITIMATE SKIP
	13.4	1,172	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 146-147

<b>CA22</b>	<b>HOW SATISFIED WERE YOU/LIVING W/PEOPLE</b>
-------------	---

How satisfied were you living with (this person/these people)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	5.4	474	1	VERY DISSATISFIED
12.4	8.7	764	2	SOMEWHAT DISSATISFIED
28.5	20.1	1,756	3	SOMEWHAT SATISFIED
51.5	36.3	3,177	4	VERY SATISFIED
	28.6	2,502	-9	LEGITIMATE SKIP
	0.9	81	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 148-149

**CA23\_1****MADE IMP DECISIONS/RESPONDENT**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	36.2	3,167	1	CIRCLED
	29.5	2,580	-9	LEGITIMATE SKIP
	34.3	3,001	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 150-151

**CA23\_2****MADE IMP DECISIONS/SPOUSE/PARTNER**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.4	1,787	2	CIRCLED
	29.7	2,600	-9	LEGITIMATE SKIP
	49.8	4,362	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-153

<b>CA23_3</b>	<b>MADE IMP DECISIONS/PARENT/IN-LAWS</b>
---------------	--

Who made the important decisions for your household, such as where you would live or how money would be spent?

Parent / in-laws.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.5	1,793	3	CIRCLED
	29.7	2,597	-9	LEGITIMATE SKIP
	49.8	4,359	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 154-155

<b>CA23_4</b>	<b>MADE IMP DECISIONS/OTHER FAMI/RELATIVE</b>
---------------	---

Who made the important decisions for your household, such as where you would live or how money would be spent?

Other family or relative.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.5	743	4	CIRCLED
	29.8	2,613	-9	LEGITIMATE SKIP
	61.6	5,393	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 156-157

**CA23\_5****MADE IMP DECISIONS/ROOMMATE/FRIEND**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Roommate / friend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	341	5	CIRCLED
	29.9	2,619	-9	LEGITIMATE SKIP
	66.1	5,789	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 158-159

**CA23\_6****MADE IMP DECISIONS/OTHER**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	149	6	CIRCLED
	29.7	2,601	-9	LEGITIMATE SKIP
	68.5	5,999	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 160-161

**CA24** **HOW WELL YOU DID AS A PART OF GROUP**

Before admission, how well did you do as a part of this group, that is, as a housemate or roommate? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	11.4	994	1	POOR
42.3	29.8	2,605	2	FAIR
41.6	29.3	2,566	3	WELL
	28.6	2,503	-9	LEGITIMATE SKIP
	0.9	80	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 162-163

**CA25\_A** **HOW OFTEN YOU/ARGUE/GET ANGRY W/PEOPLE**

While you lived there, how often did you argue or get very angry with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	15.2	1,331	1	NOT AT ALL
27.5	19.4	1,700	2	< ONCE/WK
33.4	23.6	2,063	3	AT LEAST ONCE/WK
17.5	12.4	1,084	4	ALMOST DAILY
	28.6	2,505	-9	LEGITIMATE SKIP
	0.8	69	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 164-165

**CA25\_B****HOW OFTEN YOU/RELY ON PEOPLE FOR CHORES**

While you lived there, how often did you have to rely on the people you lived with to do your share of the household chores or duties (such as cleaning, shopping, washing dishes)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	42.0	3,680	1	NOT AT ALL
11.4	8.0	702	2	< ONCE/WK
13.9	9.8	857	3	AT LEAST ONCE/WK
15.2	10.7	936	4	ALMOST DAILY
	28.6	2,504	-9	LEGITIMATE SKIP
	0.8	68	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 166-167

**CA25\_C****HOW OFTEN/PROB W/PEOPLE/YOUR DRUG PROB**

While you lived there, how often did you have problems with the people you lived with because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	25.0	2,190	1	NOT AT ALL
16.3	11.5	1,006	2	< ONCE/WK
24.0	17.0	1,484	3	AT LEAST ONCE/WK
24.2	17.1	1,498	4	ALMOST DAILY
	28.6	2,504	-9	LEGITIMATE SKIP
	0.8	69	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 168-169

<b>CA25_D</b>	<b>HOW OFTEN YOU CARE FOR ONE/HEALTH PROB</b>
---------------	---

While you lived there, how often did you care for someone who had serious health problems or disabilities that required a lot of extra care such as helping him or her dress, eat, or get medicine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	63.5	5,562	1	NOT AT ALL
1.6	1.2	101	2	< ONCE/WK
1.8	1.3	110	3	AT LEAST ONCE/WK
6.4	4.5	394	4	ALMOST DAILY
	28.6	2,504	-9	LEGITIMATE SKIP
	0.9	80	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 170-171

<b>CA25_E</b>	<b>PEOPLE STAY W/YOU LIMIT YOUR ABILITY</b>
---------------	---

How much did having to stay with (this person/these people) limit your ability to get out and do things? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	3.9	342	0	NOT AT ALL
34.0	2.9	253	1	SOMEWHAT
20.1	1.7	150	2	VERY MUCH
	91.4	7,998	-9	LEGITIMATE SKIP
	0.1	12	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 172-173

CA26

## WHO DID YOU LIVE WITH MOST/BEF ADM

During the 12 months before admission, who did you live with most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.4	1,697	1	W/SPOUSE/SEXUAL PARTNER/CHILDREN
12.4	12.2	1,066	2	W/SPOUSE/SEXUAL PARTNER, ONLY
4.7	4.6	406	3	WITH CHILDREN ONLY
7.5	7.4	646	4	WITH BOTH PARENTS
8.1	8.0	703	5	WITH MOTHER ONLY
1.5	1.5	127	6	WITH FATHER ONLY
3.6	3.6	311	7	PARENT(S) AND OWN CHILDREN
15.5	15.3	1,340	8	W/OTHER FAMILY/COMBI 01-07
3.6	3.6	311	9	WITH FOSTER PARENTS
2.5	2.5	217	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATE
3.6	3.5	309	11	W/FRIENDS/ROOMMATES ONLY
8.5	8.4	735	12	ALONE
6.9	6.8	594	13	INSTITUTION/CLOSED FACILITY
1.0	1.0	88	14	NO STABLE ARRANGEMENTS
0.9	0.9	76	15	OTHER
	1.0	85	-8	BLANK
	0.0	1	-7	REFUSAL
	0.5	42	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 174-175

<b>CA27</b>	<b>#CHILDREN YOU GIVEN BIRTH TO/FATHERED</b>
-------------	--

Next, I will ask about children. Altogether, at the time you were admitted, how many children had you (given birth to/fathered)? Do not count any stepchildren, foster children, or children who were adopted or born dead.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	32.7	2,866	0	
21.5	21.4	1,877	1	
19.7	19.7	1,722	2	
12.7	12.6	1,107	3	
6.7	6.7	588	4	
3.4	3.4	298	5	
1.5	1.5	134	6	
1.8	1.8	155	7	7+
	0.1	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 176-177

<b>CA27_A</b>	<b># OF THESE CHILDREN LIVING TODAY</b>
---------------	---

(Is that child/How many of these children are) living today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	2.9	258	0	
30.8	20.2	1,769	1	
28.6	18.8	1,643	2	
17.8	11.7	1,021	3	
9.5	6.2	544	4	
4.8	3.1	273	5	
2.0	1.3	113	6	
2.0	1.3	117	7	7+
	31.8	2,780	-9	LEGITIMATE SKIP
	2.5	221	-8	BLANK
	0.2	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 178-179

<b>CA28</b>	<b>#CHILDREN RAISED AS YOUR OWN</b>
-------------	-------------------------------------

How many (other) children have you raised as your own, such as stepchildren, foster children, or adopted children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	79.4	6,948	0	
8.2	8.2	716	1	
5.7	5.7	496	2	
2.7	2.7	238	3	
1.6	1.6	140	4	
0.7	0.7	57	5	
0.5	0.5	45	6	
0.6	0.6	53	7	7+
	0.7	61	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 180-181

<b>CA28_A</b>	<b># OF THESE CHILDREN LIVING TODAY</b>
---------------	---

(Is that child/How many of these children are) living today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	4.7	408	0	
32.2	7.5	653	1	
22.1	5.1	448	2	
11.6	2.7	235	3	
6.8	1.6	139	4	
3.0	0.7	61	5	
1.8	0.4	37	6	
2.4	0.6	49	7	7+
	74.9	6,557	-9	LEGITIMATE SKIP
	1.9	168	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 182-183

<b>CA29</b>	<b>#CHILDREN/OWN &amp; RAISED AS YOUR OWN</b>
-------------	---

ADD THE NUMBER OF CHILDREN RECORDED IN A27a AND A28a; ENTER BELOW.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	29.3	2,563	0	
18.6	18.5	1,620	1	
18.5	18.4	1,614	2	
13.4	13.3	1,166	3	
8.7	8.7	760	4	
4.7	4.7	411	5	
2.4	2.4	211	6	
1.6	1.6	143	7	
2.4	2.4	213	8	8+
	0.6	49	-8	BLANK
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 184-185

<b>CA30</b>	<b>CHILD &lt;18 YRS OLD/WHEN YOU ADM</b>
-------------	--

When you were admitted, was this child younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	22.0	1,922	1	YES
12.8	3.2	281	2	NO
	73.2	6,407	-9	LEGITIMATE SKIP
	1.6	144	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 186-187

CA30\_A

#CHILDREN/&lt;18 YRS OLD/OWN/RAISED

When you were admitted, how many of these children (either your own or those you were raising as your own) were younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	3.7	328	0	
12.8	6.4	556	1	
32.9	16.3	1,427	2	
22.2	11.0	965	3	
12.0	6.0	521	4	
5.7	2.8	246	5	
3.0	1.5	132	6	
3.9	1.9	168	7	7+
	49.9	4,372	-9	LEGITIMATE SKIP
	0.5	40	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 188-189

CA31

CHILDREN GOT IN SERIOUS TROUBLE

During the 12 months before admission, did (this child/any of these children) get in serious trouble, for example, with drugs, the police, or at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	6.3	555	1	YES
89.9	56.2	4,920	2	NO
	35.7	3,124	-9	LEGITIMATE SKIP
	0.9	76	-8	BLANK
	0.8	74	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 190-191

<b>CA32</b>	<b>#CHLDRN &lt;18 LIVD W/MOST 12 MOS BEF ADM</b>
-------------	--

(Has your child/How many of your children) under 18 lived with you most of the time in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	19.1	1,676	0	
21.1	8.6	749	1	
16.9	6.9	602	2	
9.2	3.7	327	3	
3.4	1.4	122	4	
1.4	0.6	49	5	
0.4	0.1	13	6	
0.4	0.2	14	7	7+
	35.8	3,130	-9	LEGITIMATE SKIP
	0.8	74	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
	22.8	1,996	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 192-193

<b>CA32YN</b>	<b>CHILD(REN) &lt;18 LIVE W/YOU PAST YR</b>
---------------	---

Has your child/How many of your children) under 18 lived with you most of the time in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	31.4	2,753	1	YES
68.6	68.6	6,002	2	NO
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Column: 194

CA32A_01	<18 YR CHILD/LIVED W/RESPONDENT
----------	---------------------------------

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	23.6	2,067	0	
68.2	50.6	4,429	1	
	25.8	2,257	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

CA32A_02	<18 YR CHILD/LIVED W/SPOUSE/SEX PARTNER
----------	---

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With spouse / sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.5	740	2	CIRCLED
	49.7	4,352	-9	LEGITIMATE SKIP
	41.7	3,653	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 197-198

<b>CA32A_03</b>	<b>&lt;18 YR CHILD/LIVED W/EX SPOUSE/SEX PART</b>
-----------------	---

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With ex-spouse / ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.6	2,064	3	CIRCLED
	49.7	4,349	-9	LEGITIMATE SKIP
	26.6	2,333	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 199-200

<b>CA32A_04</b>	<b>&lt;18 YR CHILD/LIVED W/OTHER RELATIVES</b>
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With other relatives(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.1	972	4	CIRCLED
	49.9	4,370	-9	LEGITIMATE SKIP
	38.9	3,404	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 201-202

CA32A\_05

&lt;18 YR CHILD/LIVED W/NONRELATIVES

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	285	5	CIRCLED
	50.3	4,404	-9	LEGITIMATE SKIP
	46.3	4,057	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

CA32A\_06

&lt;18 YR CHILD/LIVED IN INSTITUTION

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

In an institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	80	6	CIRCLED
	50.4	4,410	-9	LEGITIMATE SKIP
	48.6	4,256	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 205-206

<b>CA33</b>	<b># CHILDREN HAD LEGAL CUSTODY OF</b>
-------------	--

At the time of admission, (did you have legal custody of your child/how many of your children did you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	21.1	1,850	0	
19.3	7.9	688	1	
15.4	6.3	551	2	
8.5	3.5	305	3	
2.9	1.2	102	4	
1.4	0.6	49	5	
0.4	0.2	16	6	
0.3	0.1	12	7	7+
	35.7	3,128	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
	22.8	1,996	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 207-208

<b>CA33YN</b>	<b>LEGAL CUSTODY OF CHILD(REN) FLAG</b>
---------------	---

Who had legal custody of your (child/(other) children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	29.2	2,555	1	YES
70.8	70.8	6,200	2	NO
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Column: 209

**CA33A\_02****LEGAL CUSTODY OF CHILD/SPOUSE/SEX PART**

Who had legal custody of your (child/(other) children)?

Spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.5	831	2	CIRCLED
	49.4	4,327	-9	LEGITIMATE SKIP
	40.9	3,582	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 210-211

**CA33A\_03****LEGAL CUSTODY OF CHILD/EX-SPOUSE/EX-PART**

Who had legal custody of your (child/(other) children)?

Ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.6	2,070	3	CIRCLED
	49.1	4,298	-9	LEGITIMATE SKIP
	27.1	2,373	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 212-213

<b>CA33A_04</b>	<b>LEGAL CUSTODY OF CHILD/OTHER RELATIVES</b>
-----------------	---

Who had legal custody of your (child/(other) children)?

Other relative(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	819	4	CIRCLED
	49.4	4,323	-9	LEGITIMATE SKIP
	41.1	3,599	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 214-215

<b>CA33A_05</b>	<b>LEGAL CUSTODY OF CHILD/NON-RELATIVES</b>
-----------------	---

Who had legal custody of your (child/(other) children)?

Nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	259	5	CIRCLED
	49.7	4,349	-9	LEGITIMATE SKIP
	47.2	4,133	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 216-217

## CA33A\_06

## LEGAL CUSTODY OF CHILD/INSTITUTION/AGCY

Who had legal custody of your (child/(other) children)?

In an institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	123	6	CIRCLED
	49.7	4,355	-9	LEGITIMATE SKIP
	48.7	4,263	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 218-219

## CA34\_0

## STOP SEE CHILD/NOT LIVED W/YOU

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say not at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.0	965	0	CIRCLED
	49.8	4,363	-9	LEGITIMATE SKIP
	39.1	3,421	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 220-221

**CA34\_1                      SAW CHILD ONCE/MON/NOT LIVED W/YOU**

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say less than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.2	1,158	1	CIRCLED
	49.7	4,354	-9	LEGITIMATE SKIP
	37.0	3,238	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 222-223

**CA34\_2                      SAW CHILD ONCE/WEEK/NOT LIVED W/YOU**

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.2	1,071	2	CIRCLED
	49.7	4,351	-9	LEGITIMATE SKIP
	38.0	3,328	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 224-225

CA34\_3

SAW CHILD ALMOST DAILY/NOT LIVED W/YOU

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say almost daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	660	3	CIRCLED
	49.4	4,321	-9	LEGITIMATE SKIP
	43.0	3,769	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 226-227

CA35

DRUG TX WILL AFFECT CUSTODY OF CHILD

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	17.9	1,563	1	YES
68.0	42.7	3,741	2	NO
3.5	2.2	194	3	SOMEWHAT/MAYBE
	35.6	3,120	-9	LEGITIMATE SKIP
	1.4	122	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 228-229

<b>CA36</b>	<b>DRUG PROB/CONCERN LOSE CUSTODY OF CHILD</b>
-------------	--

At the time of admission, did you have any concerns about losing custody of (your child/any of your children) because of your drug problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	8.2	718	1	YES
73.8	23.1	2,026	2	NO
	68.1	5,962	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 230-231

<b>CA36_A</b>	<b>STAFF REPORT DRUG PROB/AFFECT CUSTODY</b>
---------------	--

Did you have any concerns that a staff person in this program might report your drug problem to someone who might take away custody of (your child/your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	1.4	120	1	YES
84.7	7.6	662	2	NO
	90.5	7,924	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 232-233

**CA37\_A****TIME SPENT W/CHILD/LEISURE ACTIVITY**

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) in leisure activities away from home - such as picnics, movies, or sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	3.5	305	1	NOT AT ALL
21.5	6.3	551	2	< ONCE/WK
43.7	12.8	1,121	3	AT LEAST ONCE/WK
23.0	6.8	591	4	ALMOST DAILY
	69.8	6,107	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.3	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 234-235

**CA37\_B****TIME SPENT W/CHILD/HOME PLAY TOGETHER**

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) at home working on a project or playing together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	2.9	255	1	NOT AT ALL
11.5	3.4	296	2	< ONCE/WK
26.5	7.8	681	3	AT LEAST ONCE/WK
52.1	15.3	1,340	4	ALMOST DAILY
	69.7	6,102	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.4	31	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

<b>CA37_C</b>	<b>TIME SPENT W/CHILD/HELP W/HOMEWORK</b>
---------------	---

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) helping with reading or homework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	4.9	425	1	NOT AT ALL
11.2	3.0	265	2	< ONCE/WK
19.1	5.2	454	3	AT LEAST ONCE/WK
51.9	14.1	1,232	4	ALMOST DAILY
	70.6	6,179	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	1.7	152	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 238-239

<b>CA37_D</b>	<b>TIME SPENT W/CHILD/EAT MEALS TOGETHER</b>
---------------	--

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) eating meals together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	2.2	189	1	NOT AT ALL
6.8	2.0	175	2	< ONCE/WK
12.0	3.5	308	3	AT LEAST ONCE/WK
73.9	21.7	1,899	4	ALMOST DAILY
	69.8	6,107	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 240-241

**CA38****HOW WELL YOU DID AS A PARENT/GUARDIAN**

Before admission, how well were you doing as a  
(parent/guardian)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	6.1	530	1	POOR
45.8	13.8	1,205	2	FAIR
34.0	10.2	894	3	WELL
	69.4	6,077	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 242-243

**CA39****HOW DIFFI FOR YOU TO FIND CHILDCARE**

Before admission, how difficult was it for you to go places  
or do things because of problems in finding someone to take  
care of your child(ren) or the child(ren) living with you?  
Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	20.4	1,785	0	NOT AT ALL
20.2	6.0	525	1	SOMEWHAT
11.3	3.3	293	2	VERY DIFFICULT
	69.6	6,095	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 244-245

**CA40 HAVE YOU LEFT YOUNG CHILD HOME ALONE**

Have you sometimes left young children under 6 years old at home alone while you were out shopping or doing anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	4.0	349	1	YES
92.9	63.2	5,535	2	NO
1.2	0.8	74	3	VOL: NEVER LIVED W/CHILD
	29.1	2,548	-9	LEGITIMATE SKIP
	2.8	246	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 246-247

**CA41 ONE FED/KEPT CHILD OVERNIGHT/YOU DIDN'T**

Have there been times when someone else fed a child (of yours/you were caring for) because you didn't cook or have food in the house, or has someone kept your child overnight because no one was taking care of the child at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	7.3	640	1	YES
89.2	60.2	5,269	2	NO
	29.9	2,620	-9	LEGITIMATE SKIP
	2.5	219	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 248-249

**CA42****SOC WKR SAID CHILD NOT FED/CARE/CLEAN**

Has a nurse, or social worker or teacher ever said that any child (of yours/you were caring for) wasn't being given enough to eat or wasn't being kept clean enough, or wasn't getting medical care when it was needed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.6	137	1	YES
97.7	65.8	5,759	2	NO
	29.9	2,622	-9	LEGITIMATE SKIP
	2.6	226	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 250-251

**CA43****RUN OUT OF FOOD MONEY/YOU SPENT FOR YOU**

Have you more than once run out of money for food for your family because you had spent the food money on yourself or on going out?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	16.8	1,475	1	YES
75.0	50.6	4,429	2	NO
	29.9	2,622	-9	LEGITIMATE SKIP
	2.5	223	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 252-253



CA45\_1

T SHEET X/PART B/YOU DID THESE/1ST

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET X, PART B]. When is the first time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.4	123	1	WITHIN MONTH BEF ADM
9.8	5.0	436	2	WITHIN PAST YR
87.4	44.2	3,874	3	MORE THAN 1 YR AGO
	49.0	4,290	-9	LEGITIMATE SKIP
	0.3	25	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

CA45A\_M

MOS AGO LAST DID ANY OF THESE

When is the last time you did (this/any of these)? How many months ago?

8,755 cases (Range of valid codes: 0-775)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 261-263

**CA45\_A\_1**                      **T SHEET X/PART B/YOU DID THESE/LAST**

When is the last time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	13.4	1,174	1	WITHIN MONTH BEF ADM
22.8	11.3	990	2	WITHIN PAST YR
50.2	24.9	2,181	3	MORE THAN 1 YR AGO
	50.0	4,380	-9	LEGITIMATE SKIP
	0.3	25	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 264-265

**CA45\_B**                      **T SHEET X/PART B/DID/AGE 18-25/SINCE 18**

Did you do this since you were 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	13.1	1,151	1	YES
61.4	20.9	1,832	2	NO
	64.1	5,611	-9	LEGITIMATE SKIP
	1.8	156	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 266-267

**CA46****YOU HAD A CLOSE PERSONAL RELATION W/ONE**

Now, I would like to ask about other relationships that you may have had during your lifetime. In the 12 months before admission, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	61.2	5,354	1	YES
38.0	37.5	3,281	2	NO
	1.3	118	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

**CA46\_A****#PEOPLE/YOU HAD A CLOSE RELATIONSHIP W/**

During that time, how many people did you have a close, long-lasting, personal relationship with?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271



**CA46\_D****1+ MOS/PROB GET ALONG W/FATHER/LIFETIME**

In your lifetime, have you had a period of 1 month or more in which you had serious problems getting along with your father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	29.2	2,558	1	YES
63.1	50.1	4,382	2	NO
	19.6	1,717	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.4	39	-4	DON'T KNOW
	0.6	55	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 276-277

**CA46\_E****1+ MOS/PROB GET ALONG W/FAM/FRI/LIFETIME**

In your lifetime, has there been a period lasting 1 month or more in which you have had serious problems getting along with other family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	38.7	3,387	1	YES
51.9	41.7	3,651	2	NO
	19.6	1,715	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 278-279

**CA47 PROBS W/FAMILY/FRIENDS DUE TO DRUGS/PAST**

Did you have any problems with family members and close friends because of your drug or alcohol use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	29.4	2,576	1	YES
38.7	18.5	1,623	2	NO
	0.1	10	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	51.9	4,544	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 280-281

**CA47\_A DRUG PROB CAUSED PROB W/FAMILY/FRIEND**

In those 12 months, how serious were these problems you had because of using drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	13.0	1,136	1	NOT AT ALL
36.5	29.7	2,596	2	SOMEWHAT
47.5	38.6	3,383	3	VERY MUCH
	18.4	1,610	-9	LEGITIMATE SKIP
	0.2	18	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 282-283

**CA48****HOW IMP/GET HELP/GET ALONG W/FAMILY/FRI**

How important to you now is counseling or professional help  
for getting along with family members and close friends?  
Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	22.0	1,923	0	NOT AT ALL
18.4	18.4	1,610	1	SOMEWHAT
59.6	59.5	5,207	2	VERY IMPORTANT
	0.1	10	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 284-285

**CA49****HOW MUCH CONTACT W/FAMILY/FRIEND/12 MOS**

During the 12 months before admission, altogether how much  
contact (mail, telephone, or in person) di you have with  
any family members or close friends? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	410	0	NONE
38.2	38.2	3,341	1	SOME
56.9	56.8	4,975	2	A LOT
0.2	0.2	14	93	IF VOL: NO FAMILY/FRIEND
	0.1	9	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 286-287

**CA50** **HOW OFTEN/TALK DEEPEST PROB W/FAMILY/FRI**

How often can you talk about your deepest problems with at least some of your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.4	1,960	1	NEVER/RARELY
38.7	38.5	3,372	2	SOME OF THE TIME
38.9	38.7	3,388	3	ALMOST ALWAYS
	0.1	7	-9	LEGITIMATE SKIP
	0.3	25	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 288-289

**CA51** **HOW OFTEN/FAMILY/FRI/HELP STOP USE DRUG**

How often do your family or close friends help or encourage you to stop using drugs?.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.5	1,010	1	NEVER/RARELY
21.0	20.8	1,825	2	SOME OF THE TIME
67.4	67.1	5,874	3	ALMOST ALWAYS
	0.1	7	-9	LEGITIMATE SKIP
	0.3	30	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 290-291

**CA52****HOW OFTEN/FAMILY/FRI HELP PROB W/JOB/LAW**

How often do you receive help or encouragement from your family or close friends with other kinds of problems such as with jobs, the law, and so on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	19.9	1,746	1	NEVER/RARELY
35.9	35.8	3,130	2	SOME OF THE TIME
44.0	43.8	3,835	3	ALMOST ALWAYS
	0.1	7	-9	LEGITIMATE SKIP
	0.4	33	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 292-293

**CA53****HOW OFTEN/FAMI/FRI HELP W/ERRAND/TRANSP**

How often do your family or close friends help you out with things such as providing transportation, running errands, or fixing things for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.3	2,131	1	NEVER/RARELY
37.2	37.0	3,236	2	SOME OF THE TIME
38.4	38.2	3,342	3	ALMOST ALWAYS
	0.1	7	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 294-295

**CA54** **HOW OFTEN/COUNT FAMILY/FRI IN EMERGENCY**

How often can you count on family or close friends to help you in an emergency in the middle of the night?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.7	1,116	1	NEVER/RARELY
21.4	21.3	1,863	2	SOME OF THE TIME
65.8	65.5	5,732	3	ALMOST ALWAYS
	0.1	7	-9	LEGITIMATE SKIP
	0.4	31	-8	BLANK
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 296-297

**CA55** **HOW YOU DID AS FAMI MEM/FRI/BEFORE ADMI**

Before admission to this program, how were you doing as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.5	2,322	1	POOR
46.0	45.6	3,990	2	FAIR
27.3	27.0	2,365	3	WELL
	0.1	7	-9	LEGITIMATE SKIP
	0.7	64	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 298-299

**CA56\_A****DID YOU DO PHYSICAL EXERCISE/12 MOS**

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you do physical exercise (such as play ball, do aerobics, dance, or lift weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	32.2	2,815	1	NOT AT ALL
18.8	18.8	1,645	2	< ONCE/WK
23.4	23.4	2,048	3	ONCE/WK
25.6	25.6	2,240	4	ALMOST DAILY
	0.1	6	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 300-301

**CA56\_B****DID YOU READ/DO HOBBIES/12 MOS**

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you read or do hobbies (such as fish, collect things, do crafts, or make things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	26.4	2,310	1	NOT AT ALL
18.3	18.3	1,599	2	< ONCE/WK
23.8	23.7	2,076	3	ONCE/WK
31.5	31.5	2,756	4	ALMOST DAILY
	0.1	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 302-303

**CA56\_C ATTEND PROG/MEETINGS/12 MOS**

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you attend meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.0	4,991	1	NOT AT ALL
15.1	15.1	1,319	2	< ONCE/WK
17.6	17.5	1,536	3	ONCE/WK
10.2	10.2	890	4	ALMOST DAILY
	0.2	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 304-305

**CA57\_A HOW MANY CLOSE PEOPLE USED DRUGS**

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	28.1	2,461	1	NONE
39.9	39.8	3,481	2	ONE OR A FEW
31.9	31.8	2,787	3	MANY
	0.1	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 306-307

## CA57\_B

## HOW MANY CLOSE PEOPLE DRANK ALCO HEAVY

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.7	2,250	1	NONE
39.7	39.6	3,463	2	ONE OR A FEW
34.5	34.3	3,005	3	MANY
	0.2	14	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.1	13	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

## CA57\_C

## HOW MANY CLOSE PEOPLE GOT ARRESTED

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	48.7	4,266	1	NONE
36.3	36.1	3,164	2	ONE OR A FEW
14.6	14.6	1,275	3	MANY
	0.2	17	-8	BLANK
	0.0	2	-7	REFUSAL
	0.3	26	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 310-311



CA57\_F

## HOW MANY CLOSE PEOPLE QUIT USING DRUGS

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	63.9	5,592	1	NONE
31.8	31.6	2,769	2	ONE OR A FEW
3.9	3.8	335	3	MANY
	0.2	16	-8	BLANK
	0.0	2	-7	REFUSAL
	0.4	35	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 316-317

CA58

## HOW WAS YOUR LIFE BEFORE ADM

Now, I would like to ask about any upsetting experiences you may have had. Please include experiences throughout your whole life, from the time you were a child until recently. Taking all things together, how would you say your life was before admission? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	31.4	2,745	1	VERY UNHAPPY
32.7	32.7	2,859	2	SOMEWHAT UNHAPPY
29.3	29.2	2,560	3	SOMEWHAT HAPPY
6.5	6.5	569	4	VERY HAPPY
	0.1	11	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 318-319

**CA59 THINGS BETTER/WORSE THAN 1 YR BEFORE**

At the time you were admitted, would you say things then were better or worse than they had been a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	53.4	4,678	1	WORSE
46.1	45.7	3,997	2	BETTER
	0.3	23	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.5	41	-5	BAD DATA
	0.1	11	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 320-321

**CA60 <AGE 15/FAIL TO GET IMP BASIC NEEDS**

(Before you were 15 years old), did you ever go without adequate food, shelter, or medical care, or fail to get other important physical or emotional needs met?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.9	1,304	1	YES
85.0	84.7	7,412	2	NO
	0.4	32	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 322-323

<b>CA61</b>	<b>&lt;AGE 15/RUN AWAY FROM HOME OVERNIGHT</b>
-------------	--

(Before you were 15), did you ever run away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.7	2,596	1	YES
70.1	69.7	6,100	2	NO
	0.7	59	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 324-325

<b>CA61_A</b>	<b>DID YOU RUN AWAY MORE THAN ONCE</b>
---------------	--

Did you run away more than once?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	20.5	1,797	1	YES
31.1	9.3	813	2	NO
	69.5	6,088	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 326-327

<b>CA61_B</b>	<b>RETURNED HOME TO LIVE AFTER RUN AWAY</b>
---------------	---

Did you return home to live after running away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	12.2	1,066	1	YES
10.5	1.4	125	2	NO
	85.7	7,504	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 328-329

<b>CA61_C</b>	<b>AGE/WHEN YOU 1ST RUN AWAY/OVERNIGHT</b>
---------------	--

How old were you when you first ran away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	9	1	
0.1	0.0	3	2	
0.2	0.0	4	3	
0.2	0.0	4	4	
0.5	0.1	13	5	
0.3	0.1	9	6	
1.1	0.3	29	7	
2.1	0.6	55	8	
3.3	1.0	84	9	
5.0	1.5	128	10	
6.1	1.8	157	11	
15.7	4.6	404	12	
26.2	7.7	676	13	
26.8	7.9	692	14	
10.0	2.9	257	15	
1.8	0.5	47	16	
0.4	0.1	10	17	
	69.6	6,096	-9	LEGITIMATE SKIP
	0.7	64	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 330-331

<b>CA62</b>	<b>ONE EVER FORCED YOU TO DO SEXUAL ACTS</b>
-------------	--

Has anyone ever forced you or pressured you to do any sexual acts against your will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	22.7	1,984	1	YES
77.3	77.1	6,749	2	NO
	0.1	13	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 332-333

**CA62\_M****MOS AGO LAST SEX AGAINST YOUR WILL**

Has anyone ever forced you or pressured you to do any sexual acts against your will? How many months ago?

8,755 cases (Range of valid codes: 0-597)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 334-336

**CA62\_A\_1****WHO ABUSED YOU SEXUALLY/A FAMILY MEMBER**

Who abused you sexually? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.9	782	1	CIRCLED
	77.1	6,748	-9	LEGITIMATE SKIP
	13.8	1,205	-8	BLANK
	0.2	15	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 337-338

**CA62\_A\_2****WHO ABUSED YOU SEXUALLY/ONE YOU KNEW**

Who abused you sexually? Was it someone else you knew (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.0	964	2	CIRCLED
	77.1	6,746	-9	LEGITIMATE SKIP
	11.7	1,027	-8	BLANK
	0.1	13	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 339-340

<b>CA62_A_3</b>	<b>WHO ABUSED YOU SEXUALLY/A STRANGER</b>
-----------------	---

Who abused you sexually? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	674	3	CIRCLED
	77.1	6,749	-9	LEGITIMATE SKIP
	15.0	1,314	-8	BLANK
	0.1	13	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 341-342

<b>CA62_B</b>	<b>#TIMES SEXUALLY ABUSED/BEFORE AGE 15</b>
---------------	---

How often did this happen before you were 15?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 343-344

CA62_C	#TIMES SEXUALLY ABUSED/AGE 15/OLDER
--------	-------------------------------------

How often did this happen since you were 15 or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	8.9	780	0	
18.1	4.0	351	1	
12.6	2.8	244	2	
6.3	1.4	121	3	
2.8	0.6	54	4	
3.8	0.8	73	5	
1.7	0.4	32	6	
0.7	0.1	13	7	
0.4	0.1	8	8	
0.2	0.0	4	9	
3.4	0.8	66	10	
0.1	0.0	1	11	
0.7	0.1	13	12	
0.1	0.0	1	14	
0.7	0.1	13	15	
1.2	0.3	24	20	
0.5	0.1	9	25	
0.9	0.2	17	30	
0.1	0.0	1	32	
0.2	0.0	4	40	
1.0	0.2	19	50	
0.1	0.0	1	60	
0.1	0.0	2	75	
0.1	0.0	1	80	
0.1	0.0	1	84	
1.8	0.4	35	90	
0.1	0.0	1	95	
2.4	0.5	46	99	99 OR MORE
	77.1	6,747	-9	LEGITIMATE SKIP
	0.3	29	-8	BLANK
	0.2	19	-7	REFUSAL
	0.1	6	-5	BAD DATA
	0.2	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 345-346

CA62_D	<b>#TIMES SEXUALLY ABUSED/PAST 12 MOS</b>
--------	---

During the 12 months before admission, how many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	11.6	1,015	0	
12.2	1.9	163	1	
3.8	0.6	51	2	
2.4	0.4	32	3	
1.1	0.2	15	4	
0.8	0.1	11	5	
0.5	0.1	7	6	
0.1	0.0	2	7	
0.3	0.0	4	8	
0.7	0.1	10	10	
0.2	0.0	3	12	
0.2	0.0	3	15	
0.4	0.1	6	20	
0.1	0.0	1	24	
0.1	0.0	2	25	
0.1	0.0	1	29	
0.3	0.0	4	30	
0.1	0.0	2	40	
0.2	0.0	3	50	
0.1	0.0	1	60	
0.1	0.0	1	90	
0.2	0.0	3	99	99 OR MORE
	83.6	7,321	-9	LEGITIMATE SKIP
	0.8	74	-8	BLANK
	0.2	14	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 347-348

<b>CA62_E_1</b>	<b>WHEN SEXUALLY ABUSED LAST TIME</b>
-----------------	---------------------------------------

When did this last happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	1.0	86	1	WITHIN MONTH BEF ADM
11.3	2.5	222	2	WITHIN PAST YR
84.3	18.9	1,652	3	MORE THAN 1 YR AGO
	77.1	6,748	-9	LEGITIMATE SKIP
	0.3	27	-8	BLANK
	0.2	14	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 349-350

<b>CA62_F</b>	<b>CONCERNED/ONE SEXUALLY ABUSED YOU AGAIN</b>
---------------	--

Are you concerned that someone may sexually abuse you, or anyone else in your household, again sometime soon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	2.5	218	1	YES
88.9	20.0	1,751	2	NO
	77.1	6,748	-9	LEGITIMATE SKIP
	0.3	24	-8	BLANK
	0.1	12	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 351-352



<b>CA63_A_1</b>	<b>WHO ABUSED YOU PHYSICALLY/FAMILY MEMBER</b>
-----------------	--

Who abused you physically? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	19.4	1,696	1	CIRCLED
	66.3	5,805	-9	LEGITIMATE SKIP
	14.2	1,241	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 360-361

<b>CA63_A_2</b>	<b>WHO ABUSED YOU PHYSICALLY/ONE YOU KNEW</b>
-----------------	---

Who abused you physically? Was it someone else you knew  
 (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.2	1,155	2	CIRCLED
	66.3	5,808	-9	LEGITIMATE SKIP
	20.3	1,780	-8	BLANK
	0.1	9	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 362-363

**CA63\_A\_3**                      **WHO ABUSED YOU PHYSICALLY/A STRANGER**

Who abused you physically? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	465	3	CIRCLED
	66.3	5,807	-9	LEGITIMATE SKIP
	28.2	2,471	-8	BLANK
	0.1	9	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 364-365

**CA63\_B**                      **#TIMES PHYSICALLY ABUSED/BEFORE AGE 15**

How often did this happen before you were 15?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 366-367

**CA63\_C**                      **#TIMES PHYSICALLY ABUSED/AGE 15/OLDER**

How often did this happen since you were 15 or older?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 368-369

CA63\_D

#TIMES PHYSICALLY ABUSED/PAST 12 MOS

During the 12 months before admission, how many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	18.6	1,630	0	
11.2	2.9	258	1	
6.0	1.6	139	2	
2.7	0.7	62	3	
1.4	0.4	32	4	
1.9	0.5	43	5	
0.7	0.2	15	6	
0.0	0.0	1	7	
0.5	0.1	11	8	
1.4	0.4	33	10	
0.2	0.1	5	12	
0.4	0.1	9	15	
0.0	0.0	1	16	
0.1	0.0	2	17	
0.8	0.2	18	20	
0.0	0.0	1	24	
0.2	0.1	5	25	
0.3	0.1	7	30	
0.1	0.0	2	40	
0.0	0.0	1	48	
0.3	0.1	8	50	
0.1	0.0	3	52	
0.0	0.0	1	70	
0.0	0.0	1	80	
0.1	0.0	3	90	
0.4	0.1	9	99	99 OR MORE
	72.5	6,344	-9	LEGITIMATE SKIP
	1.1	95	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 370-371

<b>CA63_E_1</b>	<b>WHEN PHYSICALLY ABUSED LAST TIME</b>
-----------------	---

When did this last happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	2.1	185	1	WITHIN MONTH BEF ADM
16.4	5.5	479	2	WITHIN PAST YR
77.3	25.8	2,256	3	MORE THAN 1 YR AGO
	66.3	5,804	-9	LEGITIMATE SKIP
	0.2	19	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 372-373

<b>CA63_F</b>	<b>CONCERN/ONE PHYSICALLY ABUSED YOU AGAIN</b>
---------------	--

Are you concerned that someone may physically abuse you, or anyone else in your household, sometime soon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	3.4	294	1	YES
89.9	29.9	2,616	2	NO
	66.3	5,804	-9	LEGITIMATE SKIP
	0.3	24	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 374-375

**CA63\_G****HOW MUCH DOES THIS WORRY YOU**

How much does this worry you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	0.6	51	1	NOT AT ALL
29.1	1.2	102	2	A LITTLE
56.3	2.3	197	3	A LOT
	95.6	8,373	-9	LEGITIMATE SKIP
	0.2	21	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 376-377

**CA64\_A****BECAME VICTIM OF ANY CRIME/12 MOS**

During the 12 months before admission, did you get robbed, assaulted, or become the victim of any other type of crime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	23.4	2,051	1	YES
76.6	76.5	6,697	2	NO
	0.1	6	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 378-379

**CA64\_B VICTIM OF VERY UPSETTING EVENT/12 MOS**

During the 12 months before admission, did you become the victim of any other unusual and very upsetting event such as fire, flood, or serious accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	835	1	YES
90.5	90.4	7,911	2	NO
	0.1	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 380-381

**CA65 STRICTER ABOUT RIGHT/WRONG THAN PEOPLE**

The first statement is: I think I am stricter about right and wrong than most people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	55.2	4,836	1	TRUE
44.5	44.3	3,878	2	FALSE
	0.1	6	-8	BLANK
	0.0	4	-7	REFUSAL
	0.4	31	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 382-383

CA66

I ACT ON MOMENT W/OUT STOPPING TO THINK

I often act on the spur of the moment without stopping to think.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	68.2	5,970	1	TRUE
31.8	31.7	2,779	2	FALSE
	0.0	3	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 384-385

CA67

I FEEL I HAVE DONE SOMETHING WRONG

I often feel as though I have done something wrong or wicked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	52.2	4,566	1	TRUE
47.8	47.7	4,179	2	FALSE
	0.0	4	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 386-387

**CA68** **WHEN IN TROUBLE/TRY TO DO RIGHT THING**

Even when I have gotten into trouble, I was usually trying to do the right thing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	60.0	5,250	1	TRUE
39.9	39.8	3,482	2	FALSE
	0.1	6	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 388-389

**CA69** **A PERSON SHOULD NOT TRUST ANYONE**

A person is better off not to trust anyone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.3	3,355	1	TRUE
61.6	61.4	5,376	2	FALSE
	0.1	8	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 390-391

**CA70****I HAVE RIGHT TO HURT PEOPLE FOR REASON**

I have a right to fight or hurt other people if I have a good reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	30.7	2,684	1	TRUE
69.3	69.1	6,051	2	FALSE
	0.1	5	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

**CA71****I HAVE RIGHT TO DAMAGE PROPERTY/GET BACK**

I have a right to damage property to get back at someone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	482	1	TRUE
94.5	94.4	8,263	2	FALSE
	0.1	5	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

**CA72 I NEED MONEY FOR FAMILY/RIGHT TO STEAL**

If I need money for my family, I have a right to steal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	710	1	TRUE
91.9	91.8	8,035	2	FALSE
	0.0	3	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 396-397

**CA73 NEED TO CARE OF MYSELF/EVEN IT HARMS ONE**

I need to take care of myself even if it harms other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	33.3	2,917	1	TRUE
66.5	66.1	5,789	2	FALSE
	0.1	11	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.4	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 398-399

<b>HEALTH</b>
---------------

<b>CB1</b>	<b>HOW WAS YOUR HEALTH/WHEN ADM</b>
------------	-------------------------------------

In this section, I want to ask some questions about your physical health. At the time you were admitted to this program, would you say that your health was . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.1	1,322	1	EXCELLENT
39.4	39.3	3,445	2	GOOD
32.3	32.3	2,827	3	FAIR
13.2	13.2	1,156	4	POOR
	0.0	3	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 400-401

<b>CB2</b>	<b>YOUR HEALTH/COMPARE TO YOUR AGE PEOPLE</b>
------------	---

Comparing your general health when you were admitted to that of other people your age, would you say your health was . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	12.2	1,065	1	MUCH BETTER
29.0	29.0	2,535	2	BETTER
37.6	37.5	3,285	3	THE SAME
17.7	17.7	1,549	4	WORSE
3.4	3.4	296	5	MUCH WORSE
	0.1	5	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 402-403

**CB3** **YOUR HEALTH/COMPARE TO 12 MOS BEFORE**

Would you say your health at admission was [READ CHOICES] than it was 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.2	977	1	MUCH BETTER
26.4	26.4	2,311	2	BETTER
33.7	33.7	2,948	3	THE SAME
23.7	23.6	2,070	4	WORSE
5.0	5.0	438	5	MUCH WORSE
	0.1	5	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 404-405

**CB4\_A** **HEALTH AFFECTED BY RESPIRATORY PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by respiratory system or breathing problems such as bronchitis, asthma, hay fever, pneumonia, emphysema, shortness of breath, or wheezing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.7	1,990	1	YES
77.2	77.2	6,755	2	NO
	0.1	8	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 406-407

**CB4A\_A****DR. DIAGNOSED/RESPIRATORY PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	17.6	1,537	1	YES
22.3	5.0	440	2	NO
	77.0	6,742	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 408-409

**CB4\_B****HEALTH AFFECTED BY TUBERCULOSIS**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	157	1	YES
98.2	97.8	8,566	2	NO
	0.3	30	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 410-411

**CB4A\_B****DR. DIAGNOSED/TUBERCULOSIS**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	1.7	145	1	YES
15.2	0.3	26	2	NO
	97.6	8,545	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 412-413

<b>CB4_C</b>	<b>HEALTH AFFECTED BY HEART PROB</b>
--------------	--------------------------------------

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by heart or circulatory system problems including high blood pressure, irregular heartbeats, palpitations, heart murmur, or heart disease?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.7	1,200	1	YES
86.3	86.1	7,537	2	NO
	0.2	17	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 414-415

<b>CB4A_C</b>	<b>DR. DIAGNOSED/HEART PROB</b>
---------------	---------------------------------

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	11.5	1,006	1	YES
15.7	2.1	187	2	NO
	86.0	7,526	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 416-417

**CB4\_D****HEALTH AFFECTED BY STOMACH PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by digestive system or stomach problems such as ulcers, colitis, nausea, vomiting, persistent diarrhea, or heartburn?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	1,619	1	YES
81.5	81.4	7,124	2	NO
	0.1	12	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 418-419

**CB4A\_D****DR. DIAGNOSED/STOMACH PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	12.1	1,061	1	YES
33.9	6.2	543	2	NO
	81.2	7,113	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 420-421

**CB4\_E HEALTH AFFECTED BY LIVER/KIDNEY PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by hepatitis, cirrhosis of the liver, jaundice, or kidney / liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	664	1	YES
92.4	92.1	8,059	2	NO
	0.4	31	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 422-423

**CB4A\_E DR. DIAGNOSED/LIVER/KIDNEY PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	7.1	621	1	YES
6.2	0.5	41	2	NO
	91.9	8,048	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 424-425

**CB4\_F****HEALTH AFFECTED BY BONE/MUSCLE PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by bone and muscle problems such as paralysis, bursitis, arthritis, or permanent stiffness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.4	1,257	1	YES
85.6	85.4	7,474	2	NO
	0.3	24	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 426-427

**CB4A\_F****DR. DIAGNOSED/BONE/MUSCLE PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	11.0	966	1	YES
22.2	3.2	276	2	NO
	85.2	7,461	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 428-429

<b>CB4_G</b>	<b>HEALTH AFFECTED BY NERVOUS SYSTEM PROB</b>
--------------	---

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by nervous system problems such as seizures, epilepsy, migraines, convulsions, or blackouts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.8	1,295	1	YES
85.1	84.8	7,422	2	NO
	0.4	36	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 430-431

<b>CB4A_G</b>	<b>DR. DIAGNOSED/NERVOUS SYSTEM PROB</b>
---------------	--

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	8.7	765	1	YES
40.0	5.8	509	2	NO
	84.6	7,404	-9	LEGITIMATE SKIP
	0.9	77	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 432-433

**CB4\_H****HEALTH AFFECTED BY FEMALE/GYNECO PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by (if female) a female gynecological problem like ovarian cysts, severe bleeding or severe cramps, endometriosis, fibroids, lower abdominal pain, breast lumps, or breast pain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	7.8	683	1	YES
79.7	30.6	2,678	2	NO
	60.8	5,327	-9	LEGITIMATE SKIP
	0.8	66	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 434-435

**CB4A\_H****DR. DIAGNOSED/FEMALE/GYNECO PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	6.3	555	1	YES
18.5	1.4	126	2	NO
	91.3	7,992	-9	LEGITIMATE SKIP
	0.9	81	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 436-437

**CB4\_I HEALTH AFFECTED BY PROSTATE PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by (if male) a prostate problem or problems with urinating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	1.8	158	1	YES
97.4	66.9	5,854	2	NO
	30.8	2,696	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 438-439

**CB4A\_I DR. DIAGNOSED/PROSTATE PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	1.1	98	1	YES
38.8	0.7	62	2	NO
	97.5	8,539	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 440-441

CB4\_J

## HEALTH AFFECTED BY VENEREAL DISEASE

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by venereal or sexually transmitted disease (STD) such as gonorrhea, syphilis, chlamydia, or herpes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	707	1	YES
91.9	91.5	8,013	2	NO
	0.4	34	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 442-443

CB4A\_J

## DR. DIAGNOSED/VENEREAL DISEASE

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	7.6	663	1	YES
4.6	0.4	32	2	NO
	91.3	7,995	-9	LEGITIMATE SKIP
	0.7	64	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 444-445

**CB4\_K HEALTH AFFECTED/OTHER PHYSI HEALTH PROB**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by any other specific health problem or illness that seriously affected your health [SPECIFY - if AIDS / HIV+ is mentioned, record "Immune Disorder"]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.1	882	1	YES
89.8	88.6	7,761	2	NO
	1.3	111	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 446-447

**CB4A\_K DR. DIAGNOSED/OTHER PHYSI HEALTH PROB**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	8.4	735	1	YES
9.4	0.9	76	2	NO
	88.4	7,738	-9	LEGITIMATE SKIP
	2.3	204	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 448-449

<b>CB5</b>	<b>EVER HAD A BLOOD TEST FOR HIV</b>
------------	--------------------------------------

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	72.3	6,330	1	YES
27.3	27.1	2,375	2	NO
	0.3	24	-8	BLANK
	0.3	26	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 450-451

<b>CB6</b>	<b>ARE YOU PREGNANT</b>
------------	-------------------------

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	2.0	176	1	YES
94.0	31.2	2,735	2	NO
	65.4	5,722	-9	LEGITIMATE SKIP
	1.2	103	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 452-453

<b>CB6A</b>	<b>PREGNANCY HAS BEEN VERIFIED</b>
-------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	1.7	152	1	YES
14.1	0.3	25	2	NO
	96.6	8,458	-9	LEGITIMATE SKIP
	1.4	120	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 454-455

<b>CB6_B_1</b>	<b>PREGNANCY VERIFIED BY DOCTOR</b>
----------------	-------------------------------------

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	112	1	CIRCLED
	96.9	8,483	-9	LEGITIMATE SKIP
	1.8	160	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 456-457



**CB6\_B\_4                      PREGNANCY VERIFIED BY/OTHER**

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	4	CIRCLED
	96.6	8,458	-9	LEGITIMATE SKIP
	3.3	292	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 462-463

**CB6\_C                              HOW MANY MOS PREGNANT ARE YOU**

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	0.7	60	3	1-3 MOS
41.4	0.8	70	6	4-6 MOS
23.1	0.4	39	9	7-9 MOS
	96.6	8,458	-9	LEGITIMATE SKIP
	1.4	122	-8	BLANK
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 464-465

**CB6\_D****PHYS DISCOMFORT DURING PREG**

During your pregnancy, would you say that your physical or bodily discomfort has been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.3	25	0	NONE
15.4	0.3	27	1	VERY MILD
44.0	0.9	77	2	MILD
18.9	0.4	33	3	MODERATE
7.4	0.1	13	4	SEVERE
	96.6	8,458	-9	LEGITIMATE SKIP
	1.4	122	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 466-467

**CB6\_E****PREGNANCY AFFECT/TO ENTER DRUG TREAT**

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	1.0	91	1	YES
47.1	0.9	81	2	NO
	96.6	8,458	-9	LEGITIMATE SKIP
	1.4	123	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 468-469



**CB6F\_3****PREG AFFECT TREAT/COST OF DRUGS**

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	3	CIRCLED
	97.5	8,540	-9	LEGITIMATE SKIP
	2.4	211	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 474-475

**CB6F\_4****PREG AFFECT TREAT/PRESSURE FROM OTHERS**

What about being pregnant affected your decision to enter drug treatment?

Pressure from others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	4	CIRCLED
	97.5	8,540	-9	LEGITIMATE SKIP
	2.3	205	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 476-477



CB6G

#TIMES SAW DOCTOR ABOUT PREGNANCY

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	0.2	21	0	
14.0	0.3	22	1	
10.8	0.2	17	2	
16.6	0.3	26	3	
7.6	0.1	12	4	
8.3	0.1	13	5	
8.9	0.2	14	6	
1.9	0.0	3	7	
3.8	0.1	6	8	
0.6	0.0	1	9	
2.5	0.0	4	10	
1.3	0.0	2	11	
2.5	0.0	4	12	
3.2	0.1	5	15	
1.3	0.0	2	16	
0.6	0.0	1	18	
0.6	0.0	1	20	
0.6	0.0	1	21	
0.6	0.0	1	25	
0.6	0.0	1	50	
	96.6	8,456	-9	LEGITIMATE SKIP
	1.6	141	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 482-483



**CB9****CURRENTLY TAKE PRESC MED FOR HEALTH PROB**

Are you currently taking any medication prescribed by a doctor for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	23.0	2,010	1	YES
77.0	76.7	6,719	2	NO
	0.3	26	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 488-489

**CB10\_A****LIMIT VIGOROUS ACTIVITY**

During the 12 months before admission, did your health limit the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	31.0	2,712	1	YES
68.9	68.7	6,012	2	NO
	0.4	31	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 490-491

**CB10A\_A**

**LIMIT VIGOROUS ACTIVITY/FOR 3 MON/MORE**

Did it limit the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	8.2	715	1	LESS THAN 3 MOS
73.2	22.3	1,948	2	3 MOS OR MORE
	68.5	5,996	-9	LEGITIMATE SKIP
	1.0	85	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 492-493

**CB10\_B**

**LIMIT MODERATE ACTIVITY**

During the 12 months before admission, did your health limit the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.2	1,155	1	YES
86.8	86.4	7,567	2	NO
	0.4	32	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 494-495

**CB10A\_B****LIMIT MODERATE ACTIVITY/FOR 3 MON/MORE**

Did it limit the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	4.0	350	1	LESS THAN 3 MOS
68.9	8.9	775	2	3 MOS OR MORE
	86.3	7,556	-9	LEGITIMATE SKIP
	0.8	69	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 496-497

**CB10\_C****LIMIT WALK UP HILL/CLIMB STAIRS**

During the 12 months before admission, did your health limit your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.5	1,183	1	YES
86.4	86.0	7,530	2	NO
	0.5	41	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 498-499

<b>CB10A_C</b>	<b>LIMIT WALK UP HILL/STAIRS/FOR 3 MON/MORE</b>
----------------	---

Did it limit your ability to walk uphill or to climb a few flights of stairs for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	3.9	342	1	LESS THAN 3 MOS
70.1	9.2	803	2	3 MOS OR MORE
	85.9	7,523	-9	LEGITIMATE SKIP
	0.9	82	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 500-501

<b>CB10_D</b>	<b>PREVENT YOU FROM BENDING/LIFTING</b>
---------------	---

During the 12 months before admission, did your health prevent you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.5	1,184	1	YES
86.4	86.0	7,529	2	NO
	0.5	40	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 502-503

**CB10A\_D****PREVENT YOU FROM BEND/LIFT/3 MON/MORE**

Did it prevent you from bending, lifting, or stooping for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	3.9	339	1	LESS THAN 3 MOS
70.2	9.1	797	2	3 MOS OR MORE
	86.0	7,526	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 504-505

**CB10\_E****LIMIT YOU TO WALK 1 BLOCK**

During the 12 months before admission, did your health . . . limit your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	400	1	YES
95.4	95.0	8,314	2	NO
	0.5	40	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507

**CB10A\_E                      LIMIT YOU TO WALK 1 BLOCK/FOR 3 MON/MORE**

Did it limit your ability to walk 1 block for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	1.9	164	1	LESS THAN 3 MOS
57.5	2.5	222	2	3 MOS OR MORE
	94.9	8,306	-9	LEGITIMATE SKIP
	0.7	62	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 508-509

**CB10\_F                      LIMIT YOU TO EAT/DRESS**

During the 12 months before admission, did your health limit your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	333	1	YES
96.2	95.7	8,376	2	NO
	0.5	44	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 510-511

<b>CB10A_F</b>	<b>LIMIT YOU TO EAT/DRESS/FOR 3 MON/MORE</b>
----------------	--

Did it limit your ability to eat, dress, or bathe, or use the toilet for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	1.7	148	1	LESS THAN 3 MOS
53.5	1.9	170	2	3 MOS OR MORE
	95.6	8,366	-9	LEGITIMATE SKIP
	0.8	70	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 512-513

<b>CB11</b>	<b>HOW IS YOUR HEARING</b>
-------------	----------------------------

How is your hearing (with a hearing aid if you use one)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	56	1	VERY POOR
3.2	3.2	277	2	SOMEWHAT POOR
9.9	9.9	865	3	A LITTLE LESS THAN AVERAGE
86.3	86.2	7,548	4	AVERAGE OR GOOD
	0.1	7	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 514-515

<b>CB12</b>	<b>HOW WELL DO YOU SEE</b>
-------------	----------------------------

How well do you see (with eyeglasses or contact lenses if you wear them)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	119	1	VERY POORLY
4.1	4.1	362	2	SOMEWHAT POORLY
11.8	11.8	1,030	3	A LITTLE LESS THAN AVERAGE
82.7	82.6	7,235	4	AVERAGE OR GOOD
	0.1	9	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 516-517

<b>CB13</b>	<b>HOW WELL CAN YOU MOVE YOUR ARMS</b>
-------------	--

How well can you move your arms?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	12	1	VERY POORLY
0.9	0.9	80	2	SOMEWHAT POORLY
2.6	2.6	224	3	A LITTLE LESS THAN AVERAGE
96.4	96.3	8,427	4	AVERAGE OR GOOD
	0.1	11	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 518-519

CB14

## HOW WELL CAN YOU MOVE YOUR HANDS

How well can you move your hands?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	20	1	VERY POORLY
1.0	1.0	91	2	SOMEWHAT POORLY
2.4	2.4	213	3	A LITTLE LESS THAN AVERAGE
96.3	96.1	8,417	4	AVERAGE OR GOOD
	0.1	9	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 520-521

CB15

## PHYSI HEALTH KEPT FROM WORK/SCHOOL

During the 12 months before admission, were there any days that your physical health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.9	2,615	1	YES
70.1	69.9	6,117	2	NO
	0.3	22	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 522-523



**CB17****#TIME TALKED W/DR. ABOUT PHYSI HEALTH**

Now, I would like to ask you about your use of medical services. First, I'd like to talk about visits to a doctor. During the 12 months before admission, how many times did you see or talk with a medical doctor about problems with your physical health (including pregnancy)? Do not count doctors you may have seen when you were in the hospital overnight or at a drug or other treatment program.

8,755 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 532-533

**CB17\_A****#TIME TALKED W/HEALTH PROF/PHY HEALTH**

During the 12 months before admission, how many times did you see or talk with another health professional, such as a nurse or physician's assistant, about problems with your physical health (including pregnancy)? Do not count health professionals you saw when you were in the hospital or at a drug or other treatment program.

8,755 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 534-535

**CB18 WHERE DO YOU GO FOR PHYSICAL HEALTH CARE**

When you want help with or care for a physical health problem, where do you usually go?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	292	0	NO CARE RECEIVED
30.4	30.1	2,632	1	PRIV PHYSICIAN
20.5	20.2	1,771	2	HOSPITAL CLINIC
27.8	27.5	2,404	3	HOSPITAL EMERGENCY ROOM
3.3	3.3	286	4	HMO/OTHER GROUP HEALTH PLAN
0.6	0.6	56	5	URGENT CARE CLINIC
4.3	4.3	374	6	COMMUNITY HEALTH CTR
6.1	6.0	526	7	PUB CLINIC
0.3	0.3	29	8	DRUG/ALCOHOL TX PROG
1.2	1.2	102	9	CLINIC/NURSE AT SCHOOL/WORK
2.1	2.1	184	10	OTHER
	0.3	27	-8	BLANK
	0.0	2	-7	REFUSAL
	0.8	66	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 536-537

**CB19 #TIME/IN LIFE/HOSP OVERNIGHT/HEALTH PROB**

Now, I'd like to talk about any times you have stayed overnight or longer in a hospital for a physical health problem. How many times in your life have you been hospitalized overnight or longer for physical health problems (including pregnancy)? Include health problems that resulted from drug or alcohol use like o.d.'s and d.t.'s, but do not include drug or alcohol treatment such as detox.

8,755 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 538-539

<b>CB19A_M</b>	<b>MOS AGO LAST HOSPITAL STAY</b>
----------------	-----------------------------------

For your most recent overnight hospital stay, tell me when it was. When were you admitted to the hospital the last time? How many months ago?

8,755 cases (Range of valid codes: 0-794)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 540-542

<b>CB19A_1</b>	<b>WHEN STAY IN HOSP OVERNIGHT/LAST TIME</b>
----------------	--

For your most recent overnight hospital stay, tell me when it was. When were you admitted to the hospital the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.2	367	1	WITHIN MONTH BEF ADM
17.0	13.3	1,168	2	WITHIN PAST YR
77.7	61.1	5,346	3	MORE THAN 1 YR AGO
	20.5	1,794	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	24	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

----- -----  
100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 543-544

<b>CB19_B</b>	<b>#NIGHTS/LAST HOSPITAL STAY</b>
---------------	-----------------------------------

During your last hospital stay, how many nights did you stay?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

<b>CB19_C</b>	<b>ADMITTED FOR/MEDICAL CODE-RECODED</b>
---------------	--

What were you admitted for then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
2.5	2.0	173	1	SUBSTANCE-RELATED DISORDERS
1.0	0.8	69	2	MENTAL DISORDERS
96.5	75.7	6,626	3	ALL OTHER DISORDERS
	20.5	1,798	-9	LEGITIMATE SKIP
	0.4	34	-8	BLANK
	0.1	8	-7	REFUSAL
	0.3	27	-5	BAD DATA
	0.2	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 547-548

<b>CB19_D</b>	<b>WAS IT RESULT FROM DRUG/ALC USE</b>
---------------	--

Was this a complication of, or did it in some way result from, your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	24.5	2,141	1	YES
68.6	53.5	4,681	2	NO
	20.6	1,801	-9	LEGITIMATE SKIP
	0.7	61	-8	BLANK
	0.0	2	-7	REFUSAL
	0.3	25	-5	BAD DATA
	0.5	44	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 549-550

CB20

#TIME HOSPITALIZE/PHY HEA PROB/NOT DRUG

Now, I would like to ask about any hospital stays not related to complications of drug or alcohol use that you may have had in the 12 months before your admission to this program. In the 12 months before admission to this program, how many times were you hospitalized for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	24.2	2,123	0	
23.8	8.4	733	1	
3.9	1.4	121	2	
1.5	0.5	46	3	
0.7	0.2	21	4	
0.2	0.1	6	5	
0.3	0.1	9	6	
0.1	0.0	4	7	
0.1	0.0	2	8	
0.1	0.0	2	9	
0.1	0.0	3	10	
0.1	0.0	2	12	
0.1	0.0	2	15	
0.0	0.0	1	25	
0.1	0.0	2	30	
	63.6	5,569	-9	LEGITIMATE SKIP
	0.9	81	-8	BLANK
	0.0	2	-7	REFUSAL
	0.3	24	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 551-552

CB21

#DAY HOSPIFOR PHY HEALTH PROB/NOT DRUG

In the 12 months before admission to this program, how many days were you hospitalized for a physical health problem not related to complications of drug or alcohol use?

8,755 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 553-555

**CB22 RECEIVED DISABILITY PAY/PHY HEALTH PROB**

Now, I'd like to ask some more questions about your health. At the time you were admitted to this program, were you receiving disability payments, benefits, or a pension for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.7	670	1	YES
92.3	91.6	8,017	2	NO
	0.7	62	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 556-557

**CB22A\_1 TYPE OF PENSION/SSDI**

What kind of a pension was that?  
 SSDI (Social Security Disability Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	187	1	CIRCLED
	91.6	8,017	-9	LEGITIMATE SKIP
	6.2	547	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 558-559

<b>CB22A_2</b>	<b>TYPE OF PENSION/SSI</b>
----------------	----------------------------

What kind of a pension was that?

SSI (Supplemental Security Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	335	2	CIRCLED
	91.6	8,017	-9	LEGITIMATE SKIP
	4.6	399	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 560-561

<b>CB22A_3</b>	<b>TYPE OF PENSION/WORKER'S COMP</b>
----------------	--------------------------------------

What kind of a pension was that?

Worker's comp.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	56	3	CIRCLED
	91.6	8,016	-9	LEGITIMATE SKIP
	7.8	679	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 562-563

<b>CB22A_4</b>	<b>TYPE OF PENSION/OTHER</b>
----------------	------------------------------

What kind of a pension was that?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	143	4	CIRCLED
	91.6	8,017	-9	LEGITIMATE SKIP
	6.8	591	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 564-565

<b>CB22B_1</b>	<b>CONDITION/RECEIVED PENSION-RECODED</b>
----------------	---

For what condition were you receiving this disability pension? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
17.0	1.2	109	1	SUBSTANCE-RELATED CONDITIONS
9.7	0.7	62	2	MENTAL HEALTH CONDITIONS
73.3	5.4	469	3	ALL OTHER CONDITIONS
	91.5	8,014	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.1	5	-7	REFUSAL
	0.1	7	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 566-567

CB22B_2	CONDITION/RECEIVED PENSION-RECODED
---------	------------------------------------

For what condition were you receiving this disability pension? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
29.5	0.5	43	1	SUBSTANCE-RELATED CONDITIONS
10.3	0.2	15	2	MENTAL HEALTH CONDITIONS
60.3	1.0	88	3	ALL OTHER CONDITIONS
	91.6	8,016	-9	LEGITIMATE SKIP
	6.7	590	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 568-569

CB22B_3	CONDITION/RECEIVED PENSION-RECODED
---------	------------------------------------

For what condition were you receiving this disability pension? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
26.3	0.1	10	1	SUBSTANCE-RELATED CONDITIONS
18.4	0.1	7	2	MENTAL HEALTH CONDITIONS
55.3	0.2	21	3	ALL OTHER CONDITIONS
	91.6	8,017	-9	LEGITIMATE SKIP
	8.0	697	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 570-571

**CB23 HOW TROUBLED WERE YOU BY MEDICAL PROB**

Overall, how troubled or bothered were you by medical problems in the 12 months before admission to this program? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	56.5	4,950	0	NOT AT ALL
28.8	28.5	2,491	1	SOMEWHAT
14.0	13.8	1,207	2	VERY MUCH
	1.2	101	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 572-573

**CB24 HOW IMP/TX NOW FOR MEDICAL PROB**

How important to you now is treatment or counseling for medical problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	37.6	3,288	0	NOT AT ALL
18.0	17.8	1,556	1	SOMEWHAT
44.0	43.4	3,802	2	VERY MUCH
	1.2	104	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 574-575

CB25

## HEALTH PROBS DUE TO ALCOHOL/DRUGS

Did you have any physical health problems because of your drug or alcohol use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	11.6	1,016	1	YES
75.6	35.9	3,143	2	NO
	1.1	98	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	51.3	4,492	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 576-577

CB25A

## WHAT EXTENT/PHY PROB CAUSED BY DRUG USE

In those 12 months, how serious were these problems you had because of using drugs or alcohol? Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	26.6	2,333	1	NOT AT ALL
28.9	18.1	1,583	2	A LITTLE
28.6	17.9	1,569	3	A LOT
	35.8	3,132	-9	LEGITIMATE SKIP
	1.4	119	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
	0.1	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 578-579



<b>CC4_A_S</b>	<b>#SECONDS/TIME FOR PART A</b>
----------------	---------------------------------

Trial Test A: On this page are numbers from 1 to 25. Do this the same way. Begin at number 1 and draw a line from 1 to 2, 2 to 3, 3 to 4, and so on, in order, until you reach the point marked END. Remember, work as fast as you can. Ready! Begin! Seconds?

8,755 cases (Range of valid codes: 0-95)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 584-585

<b>CC8_A_M</b>	<b>#MINUTES/TIME FOR PART B</b>
----------------	---------------------------------

Trial test B: On this page are both numbers and letters. Do this the same way. Begin at number 1 and draw a line from 1 to A, A to 2, 2 to B, B to 3, 3 to C, and so on, in order, until you reach the point marked END. Remember to work as fast as you can. Ready! Begin! Minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	29.0	2,541	0	
66.0	64.7	5,665	1	
3.3	3.2	279	2	
0.8	0.8	67	3	
0.1	0.1	11	4	
0.1	0.1	5	5	
0.0	0.0	2	6	
0.0	0.0	4	7	
0.0	0.0	1	10	
0.0	0.0	1	14	
0.0	0.0	2	20	
0.0	0.0	2	60	
	0.5	41	-9	LEGITIMATE SKIP
	1.4	126	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 586-587

<b>CC8_A_S</b>	<b>#SECONDS/TIME FOR PART B</b>
----------------	---------------------------------

Trial test B: On this page are both numbers and letters. Do this the same way. Begin at number 1 and draw a line from 1 to A, A to 2, 2 to B, B to 3, 3 to C, and so on, in order, until you reach the point marked END. Remember to work as fast as you can. Ready! Begin! Seconds?

8,755 cases (Range of valid codes: 0-95)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 588-589





CD5

## HOW OFTEN DO YOU WATCH RELIGIOUS PROG

How often do you watch or listen to religious programs on  
T.V. or radio or listen to religious tapes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	46.8	4,094	0	NEVER
13.4	13.4	1,170	1	LESS THAN ONCE/MONTH
7.6	7.6	664	2	ABOUT ONCE/MONTH
6.1	6.1	532	3	2 OR 3 TIMES/MONTH
16.4	16.3	1,427	4	ONCE/WK
9.5	9.4	825	5	MORE THAN ONCE/WK
	0.2	21	-8	BLANK
	0.1	11	-7	REFUSAL
	0.1	8	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-3	NOT APPLICABLE

-----  
100.0 100.0 8,755 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 598-599

CD6

## HOW OFTEN SEEK SPIRITUAL SUPPORT

When you have problems or difficulties in your work, family,  
or personal life, how often do you seek spiritual comfort and  
support? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.4	1,872	0	NEVER
13.6	13.5	1,182	1	RARELY
22.1	22.0	1,929	2	SOMETIMES
14.3	14.3	1,248	3	OFTEN
28.5	28.4	2,483	4	ALMOST ALWAYS
0.0	0.0	4	5	IF VOL: NEVER HAVE PROBS
	0.2	21	-8	BLANK
	0.1	11	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

-----  
100.0 100.0 8,755 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 600-601

**CD7** **YOUR BELIEVE/ABOUT PEOPLE AFTER DEATH**

Some people believe that people simply stop existing after death while others believe in an afterlife. Which comes closer to what you believe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	19.0	1,663	1	STOP EXISTING
73.4	73.0	6,388	2	AFTERLIFE
7.5	7.5	653	3	IF VOL: DON'T KNOW
	0.3	25	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 602-603

**CD7\_A** **AFTERLIFE UNITED W/LOVED ONE/AGREE/NOT**

In the afterlife, you will be reunited with your loved ones. Would you say you . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	33.5	2,935	1	STRONGLY AGREE
36.5	26.2	2,290	2	AGREE SOMEWHAT
9.6	6.9	601	3	DISAGREE SOMEWHAT
7.0	5.0	441	4	STRONGLY DISAGREE
	26.1	2,283	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.1	11	-7	REFUSAL
	1.7	147	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 604-605

CD7\_B

## PEOPLE UNJUSTLY/REWARDED IN AFTERLIFE

People who suffer unjustly in this life will be rewarded in the afterlife.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	29.8	2,609	1	STRONGLY AGREE
34.9	24.9	2,177	2	AGREE SOMEWHAT
13.0	9.3	813	3	DISAGREE SOMEWHAT
10.3	7.3	642	4	STRONGLY DISAGREE
	26.1	2,284	-9	LEGITIMATE SKIP
	0.6	51	-8	BLANK
	0.1	12	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	1.8	160	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 606-607

CD8

## HOW IMP/TURN LIFE/WILL OVER HIGH POWER

How important is it to you to turn your will and your life over to the care of a higher power? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	628	0	NOT AT ALL
19.1	18.8	1,649	1	SOMEWHAT IMPORTANT
73.7	72.8	6,376	2	VERY IMPORTANT
	0.8	69	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.2	18	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 608-609

**CD9 ALL IN ALL, I AM SATISFIED W/MYSELF**

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	825	1	STRONGLY DISAGREE
32.9	32.8	2,873	2	DISAGREE
39.7	39.5	3,461	3	AGREE
17.9	17.9	1,563	4	STRONGLY AGREE
	0.2	21	-8	BLANK
	0.1	5	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 610-611

**CD10 AT TIMES I THINK I AM NO GOOD AT ALL**

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	16.6	1,453	1	STRONGLY DISAGREE
37.8	37.6	3,294	2	DISAGREE
38.7	38.6	3,376	3	AGREE
6.8	6.8	595	4	STRONGLY AGREE
	0.3	28	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 612-613

**CD11****I FEEL I HAVE A LOT OF GOOD QUALITIES**

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	62	1	STRONGLY DISAGREE
3.3	3.3	292	2	DISAGREE
54.3	54.1	4,734	3	AGREE
41.6	41.5	3,629	4	STRONGLY AGREE
	0.3	29	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 614-615

**CD12****I AM ABLE TO DO THINGS WELL/OTHER PEOPLE**

I'm able to do things as well as most other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	108	1	STRONGLY DISAGREE
8.1	8.1	706	2	DISAGREE
53.6	53.4	4,678	3	AGREE
37.1	36.9	3,234	4	STRONGLY AGREE
	0.3	23	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-617

**CD13 I FEEL THAT I DON'T HAVE MUCH/PROUD OF**

I feel that I don't have much to be proud of.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.4	1,870	1	STRONGLY DISAGREE
48.1	47.9	4,190	2	DISAGREE
25.6	25.5	2,232	3	AGREE
4.9	4.9	428	4	STRONGLY AGREE
	0.3	26	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 618-619

**CD14 I FEEL USELESS AT TIMES**

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.3	1,249	1	STRONGLY DISAGREE
30.0	29.9	2,616	2	DISAGREE
49.3	49.1	4,302	3	AGREE
6.3	6.3	551	4	STRONGLY AGREE
	0.3	30	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 620-621

**CD15****I FEEL THAT I AM BASICALLY NO GOOD**

I feel that I'm basically no good.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	30.4	2,663	1	STRONGLY DISAGREE
55.2	54.9	4,810	2	DISAGREE
12.0	12.0	1,047	3	AGREE
2.3	2.3	200	4	STRONGLY AGREE
	0.3	28	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

**CD16****I WISH/HAVE MORE RESPECT FOR MYSELF**

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	946	1	STRONGLY DISAGREE
21.6	21.5	1,880	2	DISAGREE
51.8	51.7	4,522	3	AGREE
15.8	15.7	1,374	4	STRONGLY AGREE
	0.3	26	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

<b>CD17</b>	<b>ALL IN ALL, I FEEL THAT I AM A FAILURE</b>
-------------	---

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	26.4	2,307	1	STRONGLY DISAGREE
50.7	50.5	4,424	2	DISAGREE
18.9	18.8	1,650	3	AGREE
3.9	3.9	341	4	STRONGLY AGREE
	0.3	27	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 626-627

<b>CD18</b>	<b>I FEEL THAT I'M NOT IMP TO OTHERS</b>
-------------	--

I feel that I'm not important to others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	27.3	2,392	1	STRONGLY DISAGREE
51.1	50.9	4,459	2	DISAGREE
17.7	17.7	1,546	3	AGREE
3.7	3.7	327	4	STRONGLY AGREE
	0.3	24	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 628-629

ANXIETY
---------

CE1	HAVE YOU EVER HAD A SPELL/ATTACK
-----	----------------------------------

In this next set of questions, I'll ask about some problems or experiences that you might have had. Have you ever had times, such as a spell or attack, when all of a sudden you felt frightened, anxious, or very uneasy in a situation when most people would not be afraid or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	2,931	1	YES
66.4	66.1	5,790	2	NO
	0.3	29	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 630-631

CE1_A	WERE YOU NOT IN DANGER AT TIMES/SPELL
-------	---------------------------------------

Did this happen (at times) when you were not in any danger or not the center of attention or anything like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	22.3	1,951	1	YES
33.8	11.4	997	2	NO
	66.0	5,777	-9	LEGITIMATE SKIP
	0.3	27	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 632-633

<b>CE1_B</b>	<b>SPELL/WAS IT RELEVANT EXAMPLE</b>
--------------	--------------------------------------

Could you tell me about 1 spell or attack like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	12.9	1,133	1	RELEVANT EXAMPLE
42.6	9.6	841	2	NOT RELEVANT EXAMPLE
	77.1	6,746	-9	LEGITIMATE SKIP
	0.4	32	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 634-635

<b>CE1_C</b>	<b>TOLD DR. ABOUT YOUR SPELL</b>
--------------	----------------------------------

Did you tell a doctor about any spell or attack like this?  
 The term "doctor" includes psychiatrists, other medical doctors, osteopaths, students in training to be medical doctors or osteopaths, nurse practitioners, and physicians' assistants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	4.9	429	1	YES
62.9	8.3	727	2	NO
	85.9	7,520	-9	LEGITIMATE SKIP
	0.9	77	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 636-637

<b>CE1_D</b>	<b>WHAT WAS THE DIAGNOSIS/SPELL</b>
--------------	-------------------------------------

When you told the doctor, what was the diagnosis? (What did the doctor say was causing these spells or attacks?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	9	1	PHYS. ILL/INJ
15.9	0.8	68	2	MED/DRUG/ALC
73.1	3.6	312	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.9	0.4	38	4	NOTHNG/NO DEFINITE DIAGNOSIS
	94.2	8,247	-9	LEGITIMATE SKIP
	0.9	78	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

<b>CE1_E</b>	<b>DID DR. FIND ANYTHING ABNORMAL</b>
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	12	1	YES
85.7	0.8	72	2	NO
	98.1	8,590	-9	LEGITIMATE SKIP
	0.9	79	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 640-641

**CE1\_F TOLD OTHER PROFESSIONAL ABOUT SPELL**

Did you tell any other professional about any such spell or attack? The term "other professional" includes psychologists, social workers, counselors, nurses, clergy, dentists, chiropractors, and podiatrists.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	1.3	110	1	YES
85.1	7.2	628	2	NO
	90.3	7,902	-9	LEGITIMATE SKIP
	1.3	113	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 642-643

**CE1\_G DID YOU TAKE MEDICATION >ONCE/SPELL**

Did you more than once take medication for any such spell or attack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.4	37	1	YES
94.2	6.9	604	2	NO
	90.8	7,947	-9	LEGITIMATE SKIP
	1.9	164	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 644-645

CE1_H	SPELL/INTERFERE W/ LIFE/ACTIVITY A LOT
-------	--

Did any such spell or attack interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	1.7	145	1	YES
76.3	5.3	466	2	NO
	91.1	7,977	-9	LEGITIMATE SKIP
	1.9	165	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 646-647

CE1_I	SPELL/RESULT OF PHYSICAL ILL/INJ
-------	----------------------------------

Was a spell or attack ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.3	22	1	YES
92.8	3.2	283	2	NO
	95.5	8,358	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 648-649

<b>CE1_J</b>	<b>SPELL/ALWAYS RESULT OF PHYS ILL/INJ</b>
--------------	--

Were these spells or attacks always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	0.2	16	1	YES
69.8	0.4	37	2	NO
	98.4	8,613	-9	LEGITIMATE SKIP
	1.0	86	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 650-651

<b>CE1_K</b>	<b>SPELLS NOT PHYS ILL/ALWAYS RESULT OF MED</b>
--------------	---

When spells or attacks were not the result of a physical illness or injury, were they always the result of medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	0.2	21	1	YES
47.5	0.2	19	2	NO
	98.5	8,627	-9	LEGITIMATE SKIP
	1.0	86	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 652-653

<b>CE1_L</b>	<b>SPELL/EVER RESULT OF MED/DRUG/ALC</b>
--------------	--

Was the spell or attack ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	1.9	166	1	YES
39.6	1.2	109	2	NO
	95.8	8,391	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 654-655

<b>CE1_M</b>	<b>SPELL/ALWAYS RESULT OF MED/DRUG/ALC</b>
--------------	--

Was the spell or attack always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	1.8	154	1	YES
34.7	0.9	82	2	NO
	96.3	8,430	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 656-657

**CE1\_N SPELLS NOT MED/ALWAYS RESULT OF PHYS ILL**

You said that you sometimes had such a spell or attack when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had such a spell or attack always the result of physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	0.0	3	1	YES
86.4	0.2	19	2	NO
	98.7	8,641	-9	LEGITIMATE SKIP
	1.0	90	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 658-659

**CE2\_A BEING SHORT OF BREATH/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell were you short of breath - having trouble catching your breath?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	7.5	653	1	YES
43.1	5.6	494	2	NO
	85.9	7,521	-9	LEGITIMATE SKIP
	1.0	84	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 660-661

**CE3\_A****BOTHERED/BEING SHORT OF BREATH**

Were you ever bothered by being short of breath at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	3.5	303	1	YES
51.5	3.7	322	2	NO
	91.4	7,999	-9	LEGITIMATE SKIP
	1.5	130	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 662-663

**CE2\_B****YOUR HEART POUNDING/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did your heart pound?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	11.6	1,014	1	YES
11.7	1.5	135	2	NO
	85.9	7,520	-9	LEGITIMATE SKIP
	0.9	83	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 664-665

<b>CE3_B</b>	<b>BOTHERED/YOUR HEART POUNDING</b>
--------------	-------------------------------------

Were you ever bothered by your heart pounding at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	5.2	453	1	YES
51.6	5.5	483	2	NO
	87.4	7,656	-9	LEGITIMATE SKIP
	1.8	161	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 666-667

<b>CE2_C</b>	<b>FEELING DIZZY/WORST SPELLS</b>
--------------	-----------------------------------

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell were you dizzy or lightheaded?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	6.5	572	1	YES
50.1	6.6	574	2	NO
	85.9	7,521	-9	LEGITIMATE SKIP
	1.0	85	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 668-669

<b>CE3_C</b>	<b>BOTHERED/FEELING DIZZY</b>
--------------	-------------------------------

Were you ever bothered by feeling dizzy at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.4	3.3	289	1	YES
46.6	2.9	252	2	NO
	92.3	8,081	-9	LEGITIMATE SKIP
	1.5	131	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 670-671

<b>CE2_D</b>	<b>TIGHTNESS/PAIN IN CHEST/STOMACH/WORST SP</b>
--------------	---

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you have tightness, pain, or discomfort in your chest or stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	7.1	622	1	YES
45.8	6.0	526	2	NO
	85.9	7,521	-9	LEGITIMATE SKIP
	0.9	83	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 672-673



**CE2\_F****DIFFICULTY SWALLOWING/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you feel like you were choking or having difficulty swallowing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	3.9	339	1	YES
70.4	9.2	806	2	NO
	85.9	7,522	-9	LEGITIMATE SKIP
	1.0	85	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 678-679

**CE2\_G****FEELING FAINT/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you feel faint?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	5.1	443	1	YES
61.4	8.1	705	2	NO
	85.9	7,521	-9	LEGITIMATE SKIP
	0.9	82	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 680-681



**CE2\_J****HOT FLASHES/CHILLS/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you have hot flashes or chills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	6.5	567	1	YES
50.5	6.6	578	2	NO
	85.9	7,521	-9	LEGITIMATE SKIP
	0.9	83	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 686-687

**CE2\_K****THINGS SEEM UNREAL/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you or things around you seem unreal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	7.2	629	1	YES
45.2	5.9	519	2	NO
	85.9	7,520	-9	LEGITIMATE SKIP
	1.0	84	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 688-689



**CE2\_N****NAUSEA/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you have nausea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	4.1	356	1	YES
69.0	9.0	792	2	NO
	85.9	7,522	-9	LEGITIMATE SKIP
	0.9	82	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 694-695

**CE3\_N****BOTHERED/NAUSEA**

Were you ever bothered by nausea at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	2.6	229	1	YES
38.8	1.7	145	2	NO
	94.3	8,257	-9	LEGITIMATE SKIP
	1.4	123	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 696-697

<b>CE2_0</b>	<b>BELLY PAIN/WORST SPELLS</b>
--------------	--------------------------------

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you have belly pain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	3.4	302	1	YES
73.5	9.6	838	2	NO
	85.9	7,522	-9	LEGITIMATE SKIP
	1.0	89	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 698-699

<b>CE3_0</b>	<b>BOTHERED/BELLY PAIN</b>
--------------	----------------------------

Were you ever bothered by belly pain at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	2.2	189	1	YES
43.1	1.6	143	2	NO
	94.8	8,300	-9	LEGITIMATE SKIP
	1.4	120	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 700-701

**CE2\_P****FELT LIKE YOU WERE SMOTHERING/SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you feel like you were smothering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	5.3	468	1	YES
59.2	7.7	678	2	NO
	85.9	7,522	-9	LEGITIMATE SKIP
	1.0	84	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 702-703

**CE2\_Q****DRY MOUTH/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or very uneasy, did you ever notice that you had any of the following problems?

During this spell did you have a dry mouth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.9	7.8	682	1	YES
40.1	5.2	456	2	NO
	85.9	7,522	-9	LEGITIMATE SKIP
	0.9	81	-8	BLANK
	0.0	3	-7	REFUSAL
	0.1	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 704-705

**CE4** **TOT. OF 2+ 01/01\* CIRCLED IN E2A-Q**

ARE THERE A TOTAL OF 2 OR MORE 01s OR 01 \*s CIRCLED IN E2a-q,  
COLUMN E2?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	12.0	1,050	1	YES
8.1	1.1	92	2	NO
	85.9	7,520	-9	LEGITIMATE SKIP
	1.0	91	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 706-707

**CE5\_1** **WHEN WAS 1ST TIME YOU HAD SPELLS**

When was the first time you had any one of these sudden  
spells of feeling frightened or anxious and had problems like  
(READ TALLIED ITEMS FROM TALLY SHEET E)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.5	48	1	WITHIN MONTH BEF ADM
11.6	1.4	123	2	WITHIN PAST YR
83.8	10.1	886	3	MORE THAN 1 YR AGO
	87.9	7,693	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 708-709

**CE5\_M** **MOS AGO FIRST HAD ANXIOUS SPELL**

When was the first time you had any one of these sudden  
spells of feeling frightened or anxious and had problems like  
(READ TALLIED ITEMS FROM TALLY SHEET E)? How many months ago?

8,755 cases (Range of valid codes: 0-553)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 710-712

**CE5A\_M****MOS AGO LAST HAD ANXIOUS SPELL**

When was the last time (you had one of these spells)? How many months ago?

8,755 cases (Range of valid codes: 0-451)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 713-715

**CE5\_A\_1****WHEN WAS LAST TIME YOU HAD SPELLS**

When was the last time (you had one of these spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.0	441	1	WITHIN MONTH BEF ADM
29.2	3.5	309	2	WITHIN PAST YR
29.1	3.5	308	3	MORE THAN 1 YR AGO
	87.9	7,693	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
	0.0	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 716-717

**CE6****EVER HAD 4 SPELLS WITHIN 4 WKS**

Have you ever had 4 spells or attacks within a 4-week period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	3.9	339	1	YES
68.0	8.2	719	2	NO
	87.9	7,692	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 718-719

**CE7** **1+ MOS/AFRAID MIGHT HAVE OTHER ATTACK**

After having an attack, was there ever a month or more when you were constantly afraid that you might have another attack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	2.9	258	1	YES
65.1	5.5	482	2	NO
	91.5	8,012	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 720-721

**CE7\_A** **HAD MORE THAN ONE FRIGHTENED ATTACK**

Have you had more than one attack of feeling anxious or frightened when most people would not be afraid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	5.8	507	1	YES
31.4	2.6	232	2	NO
	88.1	7,710	-9	LEGITIMATE SKIP
	3.5	306	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 722-723

**CE8****ATTACK PROB BEGIN SUDDENLY/GET WORSE**

During at least several of your attacks of feeling very frightened or anxious, did some of these problems such as (READ UP TO 4 ITEMS TALLIED ON TALLY SHEET E) begin suddenly, and get worse within the first few minutes of the attack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	7.2	630	1	YES
27.1	2.7	234	2	NO
	90.1	7,886	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 724-725

**CE9****HAD 1+ MOS PERIOD/FELT WORRIED**

Now, I want to ask you about longer periods of feeling worried and anxious. Have you ever had a period of a month or more when most of the time you felt worried and anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	31.6	2,765	1	YES
68.1	67.6	5,916	2	NO
	0.8	70	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 726-727

**CE9\_A #MOS/YOU FELT WORRIED/ANXIOUS**

What is the longest period you've had of feeling worried and anxious?

Number of months.

8,755 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 728-729

**CE10 FOR 6+ MOS/WORRIED ABOUT THINGS**

During one of those periods of 6 months or more, were you worrying about things that were unlikely to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	4.4	381	1	YES
54.8	5.3	462	2	NO
	90.3	7,902	-9	LEGITIMATE SKIP
	0.1	9	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 730-731

**CE10\_A WORRIED GREAT/OVER THINGS NOT SERIOUS**

Were you worrying a great deal over things that were not really serious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	1.1	98	1	YES
79.6	4.4	382	2	NO
	94.4	8,264	-9	LEGITIMATE SKIP
	0.1	10	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 732-733

<b>CE11</b>	<b>TIME PERIOD/HAD DIFFERENT WORRIES</b>
-------------	--

During any of those periods, did you have different worries on your mind at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	8.6	752	1	YES
10.5	1.0	88	2	NO
	90.2	7,900	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 734-735

<b>CE11_A</b>	<b>WORRIED/OTHER PEOPLE MIGHT DO/HAPPEN TO</b>
---------------	--

Were any of your worries about what other people might do or what might happen to them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	6.8	599	1	YES
21.2	1.8	161	2	NO
	91.2	7,982	-9	LEGITIMATE SKIP
	0.1	12	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 736-737

<b>CE11_B</b>	<b>THINGS YOU WORRIED ABOUT</b>
---------------	---------------------------------

What sort of things did you worry about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	0.8	69	1	ONLY OWN SYMPTOMS/BEING OVERWEIGHT
68.3	1.7	149	2	ANYTHING ELSE
	97.3	8,522	-9	LEGITIMATE SKIP
	0.1	13	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 738-739

<b>CE12_A</b>	<b>BEING EASILY TIRED/WORRIED</b>
---------------	-----------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also easily tired?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	6.2	539	1	YES
35.1	3.3	291	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.1	12	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 740-741

**CE12\_B****BEING EASILY STARTLED/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also easily startled?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	5.3	468	1	YES
43.2	4.1	356	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,902	-9	LEGITIMATE SKIP
	0.2	19	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 742-743

**CE12\_C****FEELING TREMBLY/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also trembly or shaky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	4.3	373	1	YES
54.7	5.1	450	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.3	22	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 744-745

<b>CE12_D</b>	<b>FEELING RESTLESS/WORRIED</b>
---------------	---------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also restless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	7.9	692	1	YES
16.1	1.5	133	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,904	-9	LEGITIMATE SKIP
	0.1	11	-8	BLANK
	0.1	11	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 746-747

<b>CE12_E</b>	<b>BOTHERED BY TENSE/ACHY MUSCLES/WORRIED</b>
---------------	---

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also bothered by tense, sore, or aching muscles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	5.0	437	1	YES
47.0	4.4	388	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,902	-9	LEGITIMATE SKIP
	0.1	13	-8	BLANK
	0.1	12	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 748-749

**CE12\_F****TROUBLE KEEP MIND WHAT YOU DO/WORRIED**

When you were worried and anxious, were you also having a lot of trouble keeping your mind on what you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	7.9	690	1	YES
16.2	1.5	133	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,904	-9	LEGITIMATE SKIP
	0.1	13	-8	BLANK
	0.1	13	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 750-751

**CE12\_G****FEELING KEYED UP/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also keyed up or on edge?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	7.8	679	1	YES
17.7	1.7	146	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	15	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 752-753

<b>CE12_H</b>	<b>FEELING IRRITABLE/WORRIED</b>
---------------	----------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also particularly irritable (very grouchy or crabby)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	7.7	672	1	YES
18.4	1.7	152	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.1	11	-8	BLANK
	0.2	14	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 754-755

<b>CE12_I</b>	<b>SWEATING A LOT/WORRIED</b>
---------------	-------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also sweating a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	3.6	314	1	YES
61.9	5.8	510	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	16	-8	BLANK
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 756-757

CE12\_J

## YOUR HEART POUNDING/WORRIED

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also aware of your heart pounding or racing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	5.3	463	1	YES
43.8	4.1	361	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	16	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 758-759

CE12\_K

## COLD/CLAMMY HANDS/WORRIED

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having cold and clammy hands?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	3.5	306	1	YES
62.8	5.9	516	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	21	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 760-761

<b>CE12_L</b>	<b>FEELING DIZZY/LIGHT-HEADED/WORRIED</b>
---------------	---

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also feeling dizzy or light-headed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	3.7	327	1	YES
60.4	5.7	498	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	15	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 762-763

<b>CE12_M</b>	<b>HAVING A DRY MOUTH/WORRIED</b>
---------------	-----------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having a dry mouth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	4.3	373	1	YES
54.7	5.1	450	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.1	13	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 764-765

**CE12\_N****HAVING NAUSEA/DIARRHEA/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having nausea or diarrhea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	3.1	273	1	YES
66.7	6.3	548	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	19	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 766-767

**CE12\_O****HAVING TO URINATE TOO FREQUENTLY/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having to urinate too frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	3.2	283	1	YES
65.7	6.2	543	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	17	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 768-769

<b>CE12_P</b>	<b>HAVING HOT FLASHES/CHILLS/WORRIED</b>
---------------	--

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having hot flashes or chills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	3.5	306	1	YES
62.9	5.9	518	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	17	-8	BLANK
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 770-771

<b>CE12_Q</b>	<b>FEELING SHORT OF BREATH/WORRIED</b>
---------------	--

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also short of breath or feeling like you were smothering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	3.7	323	1	YES
60.8	5.7	500	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	17	-8	BLANK
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 772-773

**CE12\_R****HAVING TROUBLE SWALLOWING/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having trouble swallowing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	2.1	180	1	YES
77.9	7.3	635	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.6	7,932	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 774-775

**CE12\_S****TROUBLE FALL/STAY ASLEEP/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having trouble falling or staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	7.1	621	1	YES
24.5	2.3	201	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	18	-8	BLANK
	0.1	11	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 776-777

<b>CE12_T</b>	<b>HAVING DISCOMFORT IN STOMACH/WORRIED</b>
---------------	---

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having discomfort or pain in the stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	3.8	333	1	YES
59.5	5.6	489	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,905	-9	LEGITIMATE SKIP
	0.2	17	-8	BLANK
	0.1	10	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 778-779

<b>CE12_U</b>	<b>FEELING FAINT/UNREAL/WORRIED</b>
---------------	-------------------------------------

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also feeling faint or unreal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	3.3	292	1	YES
64.4	6.0	529	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	21	-8	BLANK
	0.1	8	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 780-781

**CE12\_V****FEELING LIKE MIGHT GO MAD/WORRIED**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also feeling like you might lose control or go mad?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	5.9	515	1	YES
37.4	3.5	308	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.3	7,903	-9	LEGITIMATE SKIP
	0.2	20	-8	BLANK
	0.1	8	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 782-783

**CE12\_W****DIFFICULTY CONCENTRATING DUE TO WORRY**

Next, I'd like to ask you about other problems you might have had when you were worried and anxious - problems that could not be entirely explained by a physical illness or any medication, drugs, or alcohol you had taken.

When you were worried and anxious, were you also having difficulty concentrating because of worrying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	5.3	461	1	YES
13.0	0.8	69	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	90.4	7,916	-9	LEGITIMATE SKIP
	0.1	6	-8	BLANK
	0.1	13	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	3.3	289	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 784-785



CE14\_1

## HOW LONG/LAST PERIOD/WORRIED FOR 6 MOS

How long has it been since your last period of 6 months or more of feeling anxious and having some of these other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	4.3	379	1	WITHIN MONTH BEF ADM
21.0	1.9	162	2	WITHIN PAST YR
29.8	2.6	230	3	MORE THAN 1 YR AGO
	91.0	7,964	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 794-795



<b>CF2_A</b>	<b>THAT PERIOD EVER LASTED FOR 2 YRS</b>
--------------	--

Did a period like that ever last 2 years without being interrupted by your feeling okay for 2 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	6.5	573	1	YES
68.0	13.9	1,220	2	NO
	78.4	6,866	-9	LEGITIMATE SKIP
	1.0	91	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 800-801

<b>CF2_B</b>	<b>TOLD DR. ABOUT FEELING DEPRESSED</b>
--------------	---

Did you tell a doctor about this period of feeling depressed or sad most days? The term "doctor" includes psychiatrists, other medical doctors, osteopaths, and students in training to be medical doctors or osteopaths, nurse practitioners, and physicians' assistants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	3.0	265	1	YES
54.8	3.7	321	2	NO
	92.3	8,078	-9	LEGITIMATE SKIP
	1.0	90	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 802-803

**CF2\_C TOLD OTHER PROFESSIONAL/FEELING DEPRESS**

Did you tell any other professional about this period of feeling depressed or sad most days? The term "other professional" includes psychologists, social workers, counselors, nurses, clergy, dentists, chiropractors, and podiatrists.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	0.5	48	1	YES
85.3	3.2	278	2	NO
	95.2	8,337	-9	LEGITIMATE SKIP
	1.0	91	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 804-805

**CF2\_D TOOK MEDICATION >ONCE/FOR DEPRESSION**

Did you more than once take medication for this period of feeling depressed or sad most days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	0.4	36	1	YES
87.3	2.8	248	2	NO
	95.7	8,378	-9	LEGITIMATE SKIP
	1.1	92	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 806-807

<b>CF2_E</b>	<b>DEPRESSED FEELING/INTERFERE W/LIFE</b>
--------------	---

Did this period of feeling depressed or sad most days interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	2.1	187	1	YES
25.8	0.7	65	2	NO
	96.1	8,411	-9	LEGITIMATE SKIP
	1.0	91	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 808-809

<b>CF2F_M</b>	<b>MOS AGO STARTED FEELING SAD 2YRS</b>
---------------	---

When did the first period of at least 2 years of feeling sad most of the time begin? How many months ago?

8,755 cases (Range of valid codes: 0-475)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 810-812

<b>CF2_F_1</b>	<b>WHEN/1ST PERIOD BEGIN/SAD FOR 2 YRS</b>
----------------	--

When did the first period of at least 2 years of feeling sad most of the time begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	13	1	WITHIN MONTH BEF ADM
2.1	0.1	12	2	WITHIN PAST YR
95.7	6.4	560	3	MORE THAN 1 YR AGO
	92.3	8,078	-9	LEGITIMATE SKIP
	1.0	90	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 813-814



<b>CF3</b>	<b>LOST YOUR APPETITE/2 WKS/LONGER</b>
------------	--

Has there ever been a period of 2 weeks or longer when you lost your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	31.7	2,775	1	YES
68.1	67.8	5,936	2	NO
	0.5	41	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 822-823

<b>CF3_A</b>	<b>TOLD DR./ABOUT LOSING APPETITE</b>
--------------	---------------------------------------

Did you tell a doctor about losing your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	6.8	593	1	YES
78.7	25.0	2,186	2	NO
	67.8	5,932	-9	LEGITIMATE SKIP
	0.5	43	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 824-825

<b>CF3_B</b>	<b>DIAGNOSIS FOR LOST APPETITE</b>
--------------	------------------------------------

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your loss of appetite?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	1.4	126	1	PHYS. ILL/INJ
24.9	1.7	147	2	MED/DRUG/ALC
43.0	2.9	254	3	NERVES/ANXIETY/STRESS/DEPRESSION
10.8	0.7	64	4	NOTHING/NO DEFINITE DIAGNOSIS
	92.6	8,111	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 826-827

<b>CF3_C</b>	<b>DID DR. FIND ANYTHING ABNORMAL</b>
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	0.2	17	1	YES
80.9	0.8	72	2	NO, NO EXAM, DK
	98.4	8,616	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 828-829

CF3\_D

LOST APPETITE/EVER RESULT OF PHYS ILL/IN

Was your loss of appetite ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	2.1	183	1	YES
91.7	23.0	2,012	2	NO
	74.3	6,501	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 830-831

CF3\_E

LOST APPETITE/ALWAYS RESULT OF ILL/INJ

Was losing your appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	1.7	149	1	YES
55.0	2.1	182	2	NO
	95.6	8,368	-9	LEGITIMATE SKIP
	0.6	55	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 832-833

**CF3\_F** **LOST APPE NOT PHYS/ALWAYS RESULT OF MED/**

When your loss of appetite was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	1.3	118	1	YES
34.4	0.7	62	2	NO
	97.3	8,515	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 834-835

**CF3\_G** **LOST APPE/EVER RESULT OF MED/DRUGS/ALC**

Was your loss of appetite ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	19.1	1,668	1	YES
16.3	3.7	324	2	NO
	76.2	6,674	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 836-837

CF3\_H

LOST APPE/ALWAYS RESULT OF MED/DRUGS/ALC

Was your loss of appetite always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	17.8	1,560	1	YES
14.9	3.1	273	2	NO
	78.1	6,842	-9	LEGITIMATE SKIP
	0.9	77	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 838-839

CF3\_I

LOST APPETITE NOT MED/ALWAYS RESULT OF I

You said that you sometimes lost your appetite when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you lost your appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	0.1	11	1	YES
62.1	0.2	18	2	NO
	98.6	8,634	-9	LEGITIMATE SKIP
	1.0	91	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 840-841

**CF4** **LOST WEIGHT W/O TRYING/FOR SEVERAL WKS**

Have you ever lost weight without trying - as much as 2 pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	42.9	3,757	1	YES
56.9	56.7	4,967	2	NO
	0.3	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 842-843

**CF4\_A** **TOLD DR./ABOUT YOUR WEIGHT LOSS**

Did you tell a doctor about losing weight without trying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	8.5	741	1	YES
80.3	34.5	3,017	2	NO
	56.6	4,958	-9	LEGITIMATE SKIP
	0.4	38	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 844-845

**CF4\_B****DIAGNOSIS FOR YOUR WEIGHT LOSS**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing the loss of weight?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	2.5	218	1	PHYS. ILL/INJ
31.8	2.7	236	2	MED/DRUG/ALC
26.3	2.2	195	3	NERVES/ANXIETY/STRESS/DEPRESSION
12.4	1.1	92	4	NOTHING/NO DEFINITE DIAGNOSIS
	90.9	7,962	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 846-847

**CF4\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	0.2	17	1	YES
85.6	1.2	101	2	NO, NO EXAM, DK
	98.1	8,587	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 848-849

<b>CF4_D</b>	<b>WEIGHT LOSS/EVER RESULT OF PHYS ILL/INJ</b>
--------------	--

Was losing weight without trying ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	2.1	186	1	YES
93.8	32.2	2,821	2	NO
	64.8	5,676	-9	LEGITIMATE SKIP
	0.8	69	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 850-851

<b>CF4_E</b>	<b>WEIGHT LOSS/ALWAYS RESULT OF PHY ILL/INJ</b>
--------------	---

Was losing weight without trying always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	2.7	238	1	YES
44.7	2.2	192	2	NO
	94.4	8,266	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 852-853

CF4\_F

## WEIGHT LOSS NOT PHYS/ALWAYS RESULT OF ME

When losing weight without trying was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	1.4	126	1	YES
28.8	0.6	51	2	NO
	97.1	8,500	-9	LEGITIMATE SKIP
	0.9	75	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 854-855

CF4\_G

## WEIGHT LOSS/EVER RESULT OF MED/DRUGS/ALC

Was the loss of weight without trying ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	29.4	2,577	1	YES
8.4	2.7	237	2	NO
	66.8	5,852	-9	LEGITIMATE SKIP
	1.0	88	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 856-857



<b>CF5</b>	<b>INCREASE APPETITE FOR 2 WKS</b>
------------	------------------------------------

Has there ever been at least 2 weeks when you had an increase in appetite other than when you were growing (or pregnant)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.6	3,555	1	YES
59.2	58.9	5,158	2	NO
	0.4	38	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 862-863

<b>CF5_A</b>	<b>TOLD DR. ABOUT YOUR INCREASE IN APPETITE</b>
--------------	---

Did you tell a doctor about your increase in appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	4.6	405	1	YES
88.6	35.9	3,142	2	NO
	58.9	5,155	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 864-865

**CF5\_B** **DIAGNOSIS FOR YOUR INCREASE IN APPETITE**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your increase in appetite?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	0.6	53	1	PHYS. ILL/INJ
43.0	2.0	176	2	MED/DRUG/ALC
19.6	0.9	80	3	NERVES/ANXIETY/STRESS/DEPRESSION
24.4	1.1	100	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.7	8,289	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 866-867

**CF5\_C** **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or x-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	10	1	YES
91.3	1.2	105	2	NO, NO EXAM, DK
	98.1	8,586	-9	LEGITIMATE SKIP
	0.6	53	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 868-869

CF5\_D

INCREASE APPETITE/EVER RESULT OF PHYS IL

Was your increased appetite ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.0	87	1	YES
97.2	34.8	3,050	2	NO
	63.4	5,551	-9	LEGITIMATE SKIP
	0.7	65	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 870-871

CF5\_E

INCRE APPET/ALWAYS RESULT OF PHY ILL/INJ

Was your increased appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	1.1	96	1	YES
42.2	0.8	70	2	NO
	97.4	8,531	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 872-873

**CF5\_F INCRE APPETITE NOT PHYS/ALWAYS RESULT OF**

When increased appetite was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	1.1	92	1	YES
35.7	0.6	51	2	NO
	97.6	8,545	-9	LEGITIMATE SKIP
	0.8	66	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 874-875

**CF5\_G INCRE APPET/EVER RESULT OF MED/DRUGS/ALC**

Was your increase in appetite ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	24.2	2,118	1	YES
29.5	10.1	888	2	NO
	64.9	5,683	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 876-877

CF5\_H

INCRE APPETITE/ALWAYS RESULT OF MED/DRUG

Was your increase in appetite always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	22.3	1,954	1	YES
14.3	3.7	327	2	NO
	73.1	6,403	-9	LEGITIMATE SKIP
	0.8	67	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 878-879

CF5\_I

INCREASE APPET NOT MED/ALWAYS RESULT OF

You said that sometimes your appetite increased when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when your appetite increased always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	0.1	5	1	YES
76.2	0.2	16	2	NO
	98.7	8,645	-9	LEGITIMATE SKIP
	1.0	87	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881

**CF6 INCREASE EATING/GAIN 2 LB/WK/SEVERAL WKS**

Have you ever had a period when your eating increased so much that you gained as much as 2 pounds a week for several weeks (without trying)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.2	2,820	1	YES
67.7	67.4	5,902	2	NO
	0.3	28	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 882-883

**CF6\_A TOLD DR. ABOUT YOUR WEIGHT GAIN**

Did you tell a doctor about this weight gain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	4.6	404	1	YES
85.7	27.6	2,415	2	NO
	67.3	5,893	-9	LEGITIMATE SKIP
	0.5	42	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 884-885

**CF6\_B****DIAGNOSIS FOR YOUR WEIGHT GAIN**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing this weight gain?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	0.7	63	1	PHYS. ILL/INJ
39.3	1.9	162	2	MED/DRUG/ALC
20.4	1.0	84	3	NERVES/ANXIETY/STRESS/DEPRESSION
25.0	1.2	103	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.8	8,297	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 886-887

**CF6\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	0.1	9	1	YES
92.4	1.2	109	2	NO, NO EXAM, DK
	98.1	8,591	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 888-889

<b>CF6_D</b>	<b>WEIGHT GAIN/EVER RESULT OF PHYS ILL/INJ</b>
--------------	--

Was weight gain ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.8	69	1	YES
97.1	26.8	2,344	2	NO
	71.9	6,292	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 890-891

<b>CF6_E</b>	<b>WEIGHT GAIN/ALWAYS RESULT OF ILL/INJ</b>
--------------	---

Was weight gain always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	1.1	93	1	YES
42.2	0.8	68	2	NO
	97.7	8,551	-9	LEGITIMATE SKIP
	0.5	42	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 892-893

**CF6\_F****WEIGHT GAIN NOT PHYS/ALWAYS RESULT OF ME**

When weight gain was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	0.6	51	1	YES
54.9	0.7	62	2	NO
	98.2	8,595	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 894-895

**CF6\_G****WEIGHT GAIN/EVER RESULT OF MED/DRUGS/ALC**

Was weight gain ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	17.6	1,541	1	YES
32.9	8.6	757	2	NO
	73.1	6,396	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 896-897



**CF7****TROUBLE FALLING ASLEEP/2 WKS/MORE**

Have you ever had 2 weeks or more when nearly every night you had trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	45.3	3,968	1	YES
54.5	54.3	4,752	2	NO
	0.4	32	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 902-903

**CF7\_A****TOLD DR. ABOUT TROUBLE FALLING ASLEEP**

Did you tell a doctor about trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	14.2	1,240	1	YES
68.7	31.1	2,726	2	NO
	54.2	4,744	-9	LEGITIMATE SKIP
	0.5	43	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 904-905



**CF7\_D****TROUBLE FALLING ASLEEP/EVER RESULT OF IL**

Was trouble falling asleep ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.9	163	1	YES
94.0	29.4	2,574	2	NO
	68.0	5,956	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 910-911

**CF7\_E****TROUB FALL ASLEEP/ALWAYS RESULT/ILL/INJ**

Was trouble falling asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	1.3	118	1	YES
58.9	1.9	169	2	NO
	96.0	8,406	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 912-913



CF7\_H

TROUB FALL ASLEEP/ALWAYS RESULT/MED/DRUG

Was your trouble falling asleep always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	22.4	1,965	1	YES
16.6	4.5	391	2	NO
	72.3	6,332	-9	LEGITIMATE SKIP
	0.7	65	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 918-919

CF7\_I

TROUB FALL ASLEEP NOT MED/ALWAYS RESULT/

You said that you sometimes had trouble falling asleep when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble falling asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	0.1	7	1	YES
72.0	0.2	18	2	NO
	98.6	8,631	-9	LEGITIMATE SKIP
	1.1	98	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 920-921

<b>CF8</b>	<b>TROUBLE STAYING ASLEEP/2 WKS/MORE</b>
------------	--

Have you ever had 2 weeks or more when nearly every night you had trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	21.0	1,842	1	YES
74.7	62.0	5,426	2	NO
	16.5	1,444	-9	LEGITIMATE SKIP
	0.5	42	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 922-923

<b>CF8_A</b>	<b>TOLD DR. ABOUT TROUBLE STAYING ASLEEP</b>
--------------	--

Did you tell a doctor about your trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	3.7	322	1	YES
82.5	17.3	1,518	2	NO
	78.4	6,867	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 924-925

**CF8\_B****DIAGNOSIS FOR TROUBLE STAYING ASLEEP**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble staying asleep?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.7	59	1	PHYS. ILL/INJ
45.5	1.7	146	2	MED/DRUG/ALC
26.2	1.0	84	3	NERVES/ANXIETY/STRESS/DEPRESSION
10.0	0.4	32	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.7	8,381	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 926-927

**CF8\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.0	1	1	YES
97.6	0.5	41	2	NO, NO EXAM, DK
	98.9	8,662	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 928-929

<b>CF8_D</b>	<b>TROUBLE STAYING ASLEEP/EVER RESULT OF IL</b>
--------------	---

Was trouble staying asleep ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.2	103	1	YES
93.2	16.2	1,416	2	NO
	82.0	7,181	-9	LEGITIMATE SKIP
	0.6	53	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 930-931

<b>CF8_E</b>	<b>TROUB STAY ASLEEP/ALWAYS RESULT/ILL/INJ</b>
--------------	--

Was trouble staying asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	1.1	99	1	YES
42.4	0.8	73	2	NO
	97.4	8,530	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 932-933

**CF8\_F****TROUB STAY ASLEEP NOT PHYS/ALWAYS RESULT**

When trouble staying asleep was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	0.8	74	1	YES
21.3	0.2	20	2	NO
	98.3	8,604	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 934-935

**CF8\_G****TROUB STAY ASLEEP/EVER RESULT/MED/DRUGS**

Was your trouble staying asleep ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	13.2	1,154	1	YES
17.9	2.9	251	2	NO
	83.3	7,293	-9	LEGITIMATE SKIP
	0.6	55	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 936-937



CF9

## TROUBLE WAKING UP TOO EARLY/2 WKS/MORE

Have you ever had 2 weeks or more when nearly every night you had trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	15.3	1,336	1	YES
80.8	64.4	5,638	2	NO
	17.0	1,486	-9	LEGITIMATE SKIP
	3.3	291	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 942-943

CF9\_A

## TOLD DR./ABOUT TROUBLE WAKE UP TOO EARLY

Did you tell a doctor about your trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	1.5	134	1	YES
89.9	13.7	1,199	2	NO
	81.3	7,122	-9	LEGITIMATE SKIP
	3.4	299	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 944-945

**CF9\_B** **DIAGNOSIS FOR TROUBLE WAKE UP TOO EARLY**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble waking up too early?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.3	22	1	PHYS. ILL/INJ
56.1	0.8	74	2	MED/DRUG/ALC
23.5	0.4	31	3	NERVES/ANXIETY/STRESS/DEPRESSION
3.8	0.1	5	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.0	8,321	-9	LEGITIMATE SKIP
	3.4	301	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 946-947

**CF9\_C** **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	11	2	NO, NO EXAM, DK
	96.4	8,443	-9	LEGITIMATE SKIP
	3.4	300	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 948-949

CF9\_D

TROUBLE WAKE UP TOO EARLY/EVER/ILL/INJ

Was trouble waking up too early ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.7	64	1	YES
94.7	12.9	1,133	2	NO
	82.9	7,256	-9	LEGITIMATE SKIP
	3.4	301	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 950-951

CF9\_E

TROUB WAKE UP TOO EARLY/ALWAYS/ILL/INJ

Was trouble waking up too early always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	0.6	50	1	YES
48.5	0.5	47	2	NO
	95.5	8,358	-9	LEGITIMATE SKIP
	3.4	299	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 952-953



CF9\_H

TROUB WAKE UP TOO EARLY/ALWAYS/MED/DRUG

Was your trouble waking up too early always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	10.2	892	1	YES
6.9	0.8	66	2	NO
	85.6	7,491	-9	LEGITIMATE SKIP
	3.5	304	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 958-959

CF9\_I

TROUB WAKE UP TOO EARLY NOT MED/ALWAYS/I

You said that you sometimes had trouble waking up too early when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble waking up too early always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	7	2	NO
	96.4	8,441	-9	LEGITIMATE SKIP
	3.5	306	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 960-961

<b>CF10</b>	<b>SLEEPING TOO MUCH/2 WKS/MORE</b>
-------------	-------------------------------------

Have you ever had 2 weeks or longer when nearly every day you were sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	37.6	3,292	1	YES
62.3	62.1	5,434	2	NO
	0.3	28	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 962-963

<b>CF10_A</b>	<b>TOLD DR. ABOUT SLEEPING TOO MUCH</b>
---------------	---

Did you tell a doctor about sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	5.4	471	1	YES
85.7	32.2	2,820	2	NO
	62.0	5,429	-9	LEGITIMATE SKIP
	0.4	34	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 964-965

**CF10\_B****DIAGNOSIS FOR SLEEPING TOO MUCH**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing sleeping too much?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	1.2	104	1	PHYS. ILL/INJ
22.4	1.2	106	2	MED/DRUG/ALC
46.9	2.5	222	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.7	0.5	41	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.1	8,241	-9	LEGITIMATE SKIP
	0.4	38	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 966-967

**CF10\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	0.2	16	1	YES
70.9	0.4	39	2	NO, NO EXAM, DK
	98.9	8,660	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 968-969

<b>CF10_D</b>	<b>SLEEPING TOO MUCH/EVER RESULT OF ILL/INJ</b>
---------------	---

Was sleeping too much ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	1.8	159	1	YES
94.3	30.3	2,650	2	NO
	67.3	5,895	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 970-971

<b>CF10_E</b>	<b>SLEEPING TOO MUCH ALWAYS RESULT ILL/INJ</b>
---------------	--

Was sleeping too much always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	1.8	160	1	YES
44.1	1.4	126	2	NO
	96.2	8,421	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 972-973

**CF10\_F****SLEEPING TOO MUCH NOT PHYS/ALWAYS RESULT**

When sleeping too much was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	1.1	95	1	YES
34.9	0.6	51	2	NO
	97.6	8,549	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 974-975

**CF10\_G****SLEEPING TOO MUCH/EVER RESULT MED/DRUGS**

Was sleeping too much ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	23.8	2,086	1	YES
20.7	6.2	546	2	NO
	69.2	6,061	-9	LEGITIMATE SKIP
	0.6	54	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 976-977



**CF11****FEEL TIRED OUT ALL THE TIME/2 WKS/MORE**

Has there ever been a period lasting 2 weeks or more when you lacked energy or felt tired out all the time, even when you had not been working very hard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	47.7	4,179	1	YES
52.1	52.0	4,551	2	NO
	0.2	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 982-983

**CF11\_A****TOLD DR. ABOUT TIRED OUT ALL TIME**

Did you tell a doctor about feeling tired out all the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	11.1	976	1	YES
76.6	36.5	3,198	2	NO
	51.9	4,541	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985



**CF11\_D****TIRED ALL TIME/EVER RESULT OF ILL/INJ**

Was feeling tired out all the time ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	2.9	257	1	YES
92.0	33.7	2,948	2	NO
	62.8	5,501	-9	LEGITIMATE SKIP
	0.5	44	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

**CF11\_E****TIRED ALL TIME/ALWAYS RESULT OF ILL/INJ**

Was feeling tired out all the time always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	4.7	410	1	YES
38.3	2.9	255	2	NO
	91.9	8,042	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 992-993



**CF11\_H****TIRED ALL TIME/ALWAYS RESULT OF MED/DRUG**

Was feeling tired out all the time always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	26.5	2,316	1	YES
12.7	3.9	338	2	NO
	69.1	6,051	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 998-999

**CF11\_I****TIRED ALL TIME NOT MED/ALWAYS RESULT OF**

You said that you sometimes felt tired out all the time when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt tired out always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	0.1	7	1	YES
68.2	0.2	15	2	NO
	99.1	8,673	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1000-1001

**CF12** **FELT VERY BAD WHEN GOT UP/2 WKS/MORE**

Did you ever have 2 weeks or more when you felt very bad when you got up but felt better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	46.8	4,101	1	YES
53.0	52.8	4,620	2	NO
	0.3	29	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1002-1003

**CF12\_A** **TOLD DR./ABOUT FELT BAD WHEN GOT UP**

Did you tell a doctor about feeling bad when you got up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	5.2	459	1	YES
88.8	41.4	3,626	2	NO
	52.7	4,613	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1004-1005

**CF12\_B****DIAGNOSIS FOR FELT BAD WHEN GOT UP**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to feel bad when you got up?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	1.6	141	1	PHYS. ILL/INJ
26.4	1.4	122	2	MED/DRUG/ALC
34.8	1.8	161	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.2	0.4	38	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.0	8,233	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1006-1007

**CF12\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	0.1	11	1	YES
79.6	0.5	43	2	NO, NO EXAM, DK
	98.7	8,643	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1008-1009

**CF12\_D** **FELT BAD WHEN GOT UP/EVER RESULT OF ILL/**

Was feeling bad when you got up ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	3.3	288	1	YES
92.1	38.3	3,357	2	NO
	57.8	5,063	-9	LEGITIMATE SKIP
	0.5	43	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1010-1011

**CF12\_E** **FELT BAD/GOT UP/ALWAYS RESULT OF ILL/INJ**

Was feeling bad when you got up always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	2.5	222	1	YES
49.3	2.5	216	2	NO
	94.4	8,266	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1012-1013

**CF12\_F****FELT BAD/GOT UP NOT PHYS/ALWAYS MED/DRUG**

When feeling bad when you got up was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	1.7	145	1	YES
39.1	1.1	93	2	NO
	96.7	8,464	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

**CF12\_G****FELT BAD/GOT UP/EVER MED/DRUGS**

Was feeling bad when you got up ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	31.7	2,778	1	YES
17.0	6.5	567	2	NO
	61.2	5,357	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1016-1017



CF13

TALK/MOVE SLOW THAN NORMAL/2 WKS/MORE

Has there ever been 2 weeks or more when nearly every day you talked or moved more slowly than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	20.8	1,819	1	YES
79.2	79.0	6,915	2	NO
	0.2	20	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1022-1023

CF13\_A

TOLD DR./TALKED/MOVED SLOW THAN NORMAL

Did you tell a doctor about talking or moving more slowly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	4.4	387	1	YES
78.6	16.3	1,424	2	NO
	78.9	6,910	-9	LEGITIMATE SKIP
	0.4	33	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1024-1025

**CF13\_B** **DIAGNOSIS FOR TALKED/MOVED SLOW**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing talking or moving more slowly?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	2.1	183	1	PHYS. ILL/INJ
21.6	0.9	83	2	MED/DRUG/ALC
26.3	1.2	101	3	NERVES/ANXIETY/STRESS/DEPRESSION
4.4	0.2	17	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.1	8,329	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1026-1027

**CF13\_C** **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.1	6	1	YES
78.6	0.3	22	2	NO, NO EXAM, DK
	99.2	8,689	-9	LEGITIMATE SKIP
	0.4	37	-8	BLANK
	0.0	1	-7	REFUSAL

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1028-1029

**CF13\_D****TALKED/MOVED SLOW/EVER RESULT OF ILL/INJ**

Was talking or moving more slowly ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	2.1	184	1	YES
87.1	14.2	1,243	2	NO
	83.3	7,289	-9	LEGITIMATE SKIP
	0.4	37	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1030-1031

**CF13\_E****TALKED/MOVED SLOW/ALWAYS ILL/INJ**

Was talking or moving more slowly always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	2.8	245	1	YES
32.3	1.3	117	2	NO
	95.4	8,351	-9	LEGITIMATE SKIP
	0.5	41	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1032-1033

**CF13\_F TALKED/MOVED SLOW NOT PHYS/ALWAYS MED/DR**

When talking or moving more slowly was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	0.9	82	1	YES
31.7	0.4	38	2	NO
	98.1	8,585	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1034-1035

**CF13\_G TALKED/MOVED SLOW/EVER MED/DRUGS**

Was talking or moving more slowly ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	12.8	1,121	1	YES
11.2	1.6	142	2	NO
	85.0	7,444	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1036-1037

CF13_H	TALKED/MOVED SLOW/ALWAYS MED/DRUG
--------	-----------------------------------

Was talking or moving more slowly always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	12.6	1,102	1	YES
8.2	1.1	98	2	NO
	85.7	7,504	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1038-1039

CF13_I	TALKED/MOVED SLOW NOT MED/ALWAYS ILL/INJ
--------	--

You said that you sometimes talked or moved more slowly when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you talked or moved more slowly always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.0	4	1	YES
55.6	0.1	5	2	NO
	99.3	8,691	-9	LEGITIMATE SKIP
	0.6	54	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1040-1041

**CF14 HAD TO BE MOVING ALL TIME/2 WKS/MORE**

Has there ever been 2 weeks or more when nearly every day you had to be moving all the time - that is, you couldn't sit still and paced up and down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	27.3	2,386	1	YES
72.6	72.4	6,336	2	NO
	0.4	32	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1042-1043

**CF14\_A TOLD DR. ABOUT NEED TO MOVE ALL TIME**

Did you tell a doctor about needing to be moving all the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	3.7	322	1	YES
86.5	23.5	2,059	2	NO
	72.3	6,333	-9	LEGITIMATE SKIP
	0.5	40	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1044-1045

**CF14\_B****DIAGNOSIS FOR CAUSING MOVE ALL TIME**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing moving all the time?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	0.4	35	1	PHYS. ILL/INJ
30.7	1.1	99	2	MED/DRUG/ALC
52.0	1.9	168	3	NERVES/ANXIETY/STRESS/DEPRESSION
6.5	0.2	21	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.8	8,388	-9	LEGITIMATE SKIP
	0.5	42	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1046-1047

**CF14\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.0	2	1	YES
94.4	0.4	34	2	NO, NO EXAM, DK
	99.1	8,673	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1048-1049



**CF14\_F****MOVING ALL TIME NOT PHYS/ALWAYS MED/DRUG**

When moving all the time was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	0.4	38	1	YES
19.1	0.1	9	2	NO
	98.9	8,663	-9	LEGITIMATE SKIP
	0.5	44	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1054-1055

**CF14\_G****MOVING ALL TIME/EVER RESULT MED/DRUGS**

Was moving all the time ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	18.5	1,619	1	YES
19.6	4.5	395	2	NO
	76.4	6,692	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1056-1057



**CF15****LESS INTEREST IN SEX/FOR SEVERAL WKS**

Has there ever been a period of several weeks when your interest in sex was a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	42.0	3,679	1	YES
57.6	57.4	5,025	2	NO
0.2	0.2	16	3	IF VOLUNTEERED NO INTEREST EVER
	0.3	28	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1062-1063

**CF15\_A****TOLD DR. ABOUT LESS INTEREST IN SEX**

Did you tell a doctor about your decreased interest in sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	3.6	312	1	YES
91.5	38.5	3,375	2	NO
	57.2	5,008	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1064-1065

**CF15\_B** **DIAGNOSIS FOR LESS INTEREST IN SEX**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing less interest in sex?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	0.6	56	1	PHYS. ILL/INJ
35.0	1.2	107	2	MED/DRUG/ALC
36.3	1.3	111	3	NERVES/ANXIETY/STRESS/DEPRESSION
10.5	0.4	32	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.7	8,375	-9	LEGITIMATE SKIP
	0.8	68	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1066-1067

**CF15\_C** **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.0	4	1	YES
90.7	0.4	39	2	NO, NO EXAM, DK
	98.7	8,639	-9	LEGITIMATE SKIP
	0.8	71	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1068-1069

**CF15\_D****LESS INTEREST IN SEX/EVER RESULT OF ILL/**

Was less interest in sex ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	2.1	185	1	YES
94.5	36.3	3,180	2	NO
	60.6	5,305	-9	LEGITIMATE SKIP
	0.9	83	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1070-1071

**CF15\_E****LESS INTEREST IN SEX/ALWAYS ILL/INJ**

Was less interest in sex always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	1.4	124	1	YES
49.8	1.4	123	2	NO
	96.1	8,415	-9	LEGITIMATE SKIP
	1.0	90	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1072-1073

**CF15\_F LESS INTEREST IN SEX NOT PHYS/ALWAYS MED**

When less interest in sex was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	1.2	103	1	YES
33.1	0.6	51	2	NO
	97.2	8,511	-9	LEGITIMATE SKIP
	1.0	89	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1074-1075

**CF15\_G LESS INTEREST IN SEX/EVER MED/DRUGS**

Was less interest in sex ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	29.6	2,593	1	YES
18.5	6.7	588	2	NO
	62.7	5,491	-9	LEGITIMATE SKIP
	0.9	79	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1076-1077

**CF15\_H****LESS INTEREST IN SEX/ALWAYS OF MED/DRUG**

Was less interest in sex always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	27.7	2,426	1	YES
9.9	3.0	267	2	NO
	68.2	5,975	-9	LEGITIMATE SKIP
	1.0	84	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1078-1079

**CF15\_I****LESS INTEREST IN SEX NOT MED/ALWAYS ILL/**

You said that you sometimes had less interest in sex when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had less interest in sex always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	4	1	YES
66.7	0.1	8	2	NO
	98.8	8,646	-9	LEGITIMATE SKIP
	1.1	95	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1080-1081

**CF16** **LOST INTEREST IN THINGS/2 WKS/MORE**

Has there ever been 2 weeks or longer when you lost interest in most things like work or hobbies or things you usually liked to do for fun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	48.9	4,279	1	YES
50.9	50.7	4,443	2	NO
	0.3	29	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1082-1083

**CF16\_A** **TOLD DR./LOSING INTEREST IN THINGS**

Did you tell a doctor about losing all interest in things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	4.6	403	1	YES
90.6	44.1	3,865	2	NO
	50.6	4,434	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1084-1085

**CF16\_B****DIAGNOSIS FOR LOSE INTEREST IN THINGS**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to lose all interest in things?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.4	35	1	PHYS. ILL/INJ
26.9	1.2	108	2	MED/DRUG/ALC
60.3	2.8	242	3	NERVES/ANXIETY/STRESS/DEPRESSION
4.0	0.2	16	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.7	8,295	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1086-1087

**CF16\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.0	1	1	YES
96.0	0.3	24	2	NO, NO EXAM, DK
	99.0	8,671	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1088-1089

<b>CF16_D</b>	<b>LOST INTEREST-THINGS/EVER RESULT OF ILL/</b>
---------------	---

Was losing all interest in things ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	2.0	178	1	YES
95.4	42.2	3,696	2	NO
	55.2	4,830	-9	LEGITIMATE SKIP
	0.6	50	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1090-1091

<b>CF16_E</b>	<b>LOST INTEREST-THINGS/ALWAYS ILL/INJ</b>
---------------	--

Was losing all interest in things always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	1.1	95	1	YES
57.6	1.5	129	2	NO
	96.8	8,478	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1092-1093

**CF16\_F****LOST INTEREST-THINGS NOT PHYS/ALWAYS MED**

When losing all interest in things was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	1.2	103	1	YES
30.4	0.5	45	2	NO
	97.6	8,546	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1094-1095

**CF16\_G****LOST INTEREST-THINGS/EVER MED/DRUGS**

Was losing all interest in things ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	37.8	3,312	1	YES
10.2	4.3	375	2	NO
	57.2	5,005	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1096-1097



<b>CF17</b>	<b>FELT WORTHLESS FOR 2+ WKS</b>
-------------	----------------------------------

Has there ever been 2 weeks or more when nearly every day you felt worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	31.1	2,721	1	YES
68.8	68.4	5,992	2	NO
	0.4	39	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1102-1103

<b>CF17_A</b>	<b>FELT SINFUL FOR 2+ WKS</b>
---------------	-------------------------------

Has there ever been 2 weeks or more when nearly every day you felt sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.1	2,896	1	YES
66.7	66.2	5,792	2	NO
	0.6	56	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1104-1105

**CF17\_B** **FELT GUILTY FOR 2+ WKS**

Has there ever been 2 weeks or more when nearly every day you felt guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	47.7	4,180	1	YES
51.9	51.6	4,517	2	NO
	0.6	55	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1106-1107

**CF18** **A REASON/FELT WORTHLESS/SINFUL/GUILTY**

Was there any particular reason for feeling (worthless/sinful/guilty)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	48.2	4,218	1	YES
8.4	4.4	387	2	NO
	45.2	3,954	-9	LEGITIMATE SKIP
	2.1	188	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1108-1109

**CF19****FELT YOU NOT GOOD AS OTHERS/2+ WKS**

Have there ever been 2 weeks or more when you felt that you were not as good as other people or inferior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	34.6	3,030	1	YES
65.2	64.9	5,685	2	NO
	0.4	35	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1110-1111

**CF20****HAD LITTLE SELF-CONFIDENCE/2+ WKS**

Has there ever been 2 weeks or longer when you had so little self-confidence that you wouldn't try to have your say about anything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	31.3	2,738	1	YES
68.5	68.1	5,965	2	NO
	0.6	50	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1112-1113

**CF21 MORE TROUBLE CONCENTRATING/2+ WKS**

Has there ever been 2 weeks or more when nearly every day you had a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	38.4	3,363	1	YES
61.5	61.2	5,361	2	NO
	0.3	27	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1114-1115

**CF21\_A TOLD DR./TROUBLE CONCENTRATING**

Did you tell a doctor about trouble concentrating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	5.0	434	1	YES
87.1	33.4	2,922	2	NO
	61.2	5,356	-9	LEGITIMATE SKIP
	0.5	42	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1116-1117

**CF21\_B****DIAGNOSIS/TROUBLE CONCENTRATING**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you trouble concentrating?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.6	52	1	PHYS. ILL/INJ
27.2	1.3	117	2	MED/DRUG/ALC
55.6	2.7	239	3	NERVES/ANXIETY/STRESS/DEPRESSION
5.1	0.3	22	4	NOTHING/NO DEFINITE DIAGNOSIS
	94.5	8,272	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1118-1119

**CF21\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.0	4	1	YES
88.2	0.3	30	2	NO, NO EXAM, DK
	99.0	8,670	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1120-1121

<b>CF21_D</b>	<b>TROUBLE CONCENTRATING/EVER ILL/INJ</b>
---------------	---

Was trouble concentrating ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.7	147	1	YES
95.0	31.6	2,769	2	NO
	66.0	5,782	-9	LEGITIMATE SKIP
	0.6	53	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1122-1123

<b>CF21_E</b>	<b>TROUBLE CONCENTRATING/ALWAYS ILL/INJ</b>
---------------	---

Was trouble concentrating always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.2	108	1	YES
50.0	1.2	108	2	NO
	96.9	8,483	-9	LEGITIMATE SKIP
	0.6	55	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1124-1125

**CF21\_F****TROUBLE CONCENTRATING NOT PHYS/ALWAYS ME**

When trouble concentrating was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	1.0	85	1	YES
32.5	0.5	41	2	NO
	97.9	8,568	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1126-1127

**CF21\_G****TROUBLE CONCENTRATING/EVER MED/DRUG**

Was trouble concentrating ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	27.1	2,369	1	YES
14.6	4.6	405	2	NO
	67.7	5,930	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1128-1129

<b>CF21_H</b>	<b>TROUBLE CONCENTRATING/ALWAYS MED/DRUG</b>
---------------	--

Was trouble concentrating always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	25.2	2,206	1	YES
11.0	3.1	274	2	NO
	71.1	6,222	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1130-1131

<b>CF21_I</b>	<b>TROUBLE CONCENTRATING NOT MED/ALWAYS ILL</b>
---------------	---

You said that you sometimes had trouble concentrating when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble concentrating always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	4	1	YES
75.0	0.1	12	2	NO
	99.1	8,679	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1132-1133

<b>CF22</b>	<b>THOUGHTS CAME MUCH SLOWER/2+ WKS</b>
-------------	---

Have you ever had 2 weeks or more when nearly every day your thoughts came much slower than usual or seemed mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	30.8	2,693	1	YES
69.1	68.8	6,023	2	NO
	0.4	35	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1134-1135

<b>CF22_A</b>	<b>TOLD DR./THOUGHTS CAME MUCH SLOWER</b>
---------------	---

Did you tell a doctor about thoughts coming slower or seeming mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	4.0	346	1	YES
87.1	26.8	2,343	2	NO
	68.7	6,019	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1136-1137

**CF22\_B** **DIAGNOSIS/THOUGHTS CAME MUCH SLOWER**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your thoughts coming slower?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.4	36	1	PHYS. ILL/INJ
34.9	1.4	120	2	MED/DRUG/ALC
50.0	2.0	172	3	NERVES/ANXIETY/STRESS/DEPRESSION
4.7	0.2	16	4	NOTHING/NO DEFINITE DIAGNOSIS
	95.5	8,359	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1138-1139

**CF22\_C** **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.0	1	1	YES
95.5	0.2	21	2	NO, NO EXAM, DK
	99.1	8,680	-9	LEGITIMATE SKIP
	0.6	52	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1140-1141

<b>CF22_D</b>	<b>HAD SLOWER THOUGHTS/EVER ILL/INJ</b>
---------------	---

Was having slower thoughts ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	1.0	87	1	YES
96.3	25.9	2,265	2	NO
	72.6	6,356	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1142-1143

<b>CF22_E</b>	<b>HAD SLOWER THOUGHTS/ALWAYS ILL/INJ</b>
---------------	---

Was having slower thoughts always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.7	59	1	YES
55.6	0.8	74	2	NO
	97.9	8,573	-9	LEGITIMATE SKIP
	0.5	48	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1144-1145

**CF22\_F**

**HAD SLOWER THOUGHTS NOT PHYS/ALWAYS MED/**

When having slower thoughts was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	0.7	63	1	YES
29.2	0.3	26	2	NO
	98.4	8,614	-9	LEGITIMATE SKIP
	0.6	51	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1146-1147

**CF22\_G**

**HAD SLOWER THOUGHTS/EVER MED/DRUG**

Was having slower thoughts ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	23.0	2,012	1	YES
11.0	2.8	249	2	NO
	73.6	6,446	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1148-1149

**CF22\_H****HAD SLOWER THOUGHTS/ALWAYS MED/DRUG**

Was having slower thoughts always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	22.1	1,938	1	YES
8.9	2.2	189	2	NO
	75.1	6,577	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1150-1151

**CF22\_I****HAD SLOWER THOUGHTS NOT MED/ALWAYS ILL/I**

You said that you sometimes had slower thoughts when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had slower thoughts always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.1	6	1	YES
40.0	0.0	4	2	NO
	99.2	8,683	-9	LEGITIMATE SKIP
	0.7	61	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1152-1153



**CF23\_B****DIAGNOSIS/UNABLE TO MAKE UP YOUR MIND**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your being unable to make up your mind?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	0.2	18	1	PHYS. ILL/INJ
31.4	0.8	74	2	MED/DRUG/ALC
55.5	1.5	131	3	NERVES/ANXIETY/STRESS/DEPRESSION
5.5	0.1	13	4	NOTHING/NO DEFINITE DIAGNOSIS
	96.7	8,465	-9	LEGITIMATE SKIP
	0.6	53	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

**CF23\_C****DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.0	1	1	YES
92.9	0.1	13	2	NO, NO EXAM, DK
	99.2	8,687	-9	LEGITIMATE SKIP
	0.6	53	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1160-1161

<b>CF23_D</b>	<b>UNABLE TO MAKE UP MIND/EVER ILL/INJ</b>
---------------	--

Was being unable to make up your mind ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.6	53	1	YES
97.2	21.2	1,860	2	NO
	77.5	6,784	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1162-1163

<b>CF23_E</b>	<b>UNABLE TO MAKE UP MIND/ALWAYS ILL/INJ</b>
---------------	--

Was being unable to make up your mind always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.4	33	1	YES
58.8	0.5	47	2	NO
	98.4	8,619	-9	LEGITIMATE SKIP
	0.6	55	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1164-1165

**CF23\_F****UNABLE/MAKE UP MIND NOT PHYS/ALWAYS MED/**

When being unable to make up your mind was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	0.6	56	1	YES
31.7	0.3	26	2	NO
	98.4	8,614	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1167

**CF23\_G****UNABLE/MAKE UP MIND/EVER MED/DRUG**

Was being unable to make up your mind ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	18.2	1,592	1	YES
14.1	3.0	262	2	NO
	78.3	6,851	-9	LEGITIMATE SKIP
	0.5	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1168-1169

**CF23\_H UNABLE/MAKE UP MIND/ALWAYS MED/DRUG**

Was being unable to make up your mind always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	16.8	1,467	1	YES
10.7	2.0	175	2	NO
	80.5	7,052	-9	LEGITIMATE SKIP
	0.7	60	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1170-1171

**CF23\_I UNABLE TO MAKE UP MIND NOT MED/ALWAYS IL**

You said that you sometimes were unable to make up your mind when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you were unable to make up your mind always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	YES
80.0	0.0	4	2	NO
	99.2	8,686	-9	LEGITIMATE SKIP
	0.7	63	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1172-1173

**CF24****THOUGHT A LOT ABOUT DEATH/2+ WKS**

Has there ever been a period of 2 weeks or more when you thought a lot about death - either your own, someone else's, or death in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.6	3,033	1	YES
65.3	65.1	5,696	2	NO
	0.3	24	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1174-1175

**CF25****FELT LIKE YOU WANTED TO DIE/2+ WKS**

Has there ever been a period of 2 weeks or more when you felt like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.0	2,013	1	YES
76.9	76.5	6,694	2	NO
	0.5	45	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1176-1177

**CF26** **THOUGHT ABOUT COMMITT SUICIDE/2+ WKS**

Have you ever felt so low you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.5	3,374	1	YES
61.3	61.0	5,341	2	NO
	0.4	37	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1178-1179

**CF27** **EVER ATTEMPTED A SUICIDE**

Have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	20.0	1,751	1	YES
79.9	79.3	6,944	2	NO
	0.6	56	-8	BLANK
	0.0	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1180-1181

**CF27A\_M** **MOS AGO SINCE 1ST SUICIDE ATTEMPT**

When was the first time you attempted suicide? How many months ago?

8,755 cases (Range of valid codes: 0-487)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1182-1184

<b>CF27_A_1</b>	<b>WHEN 1ST TIME YOU ATTEMPTED SUICIDE</b>
-----------------	--

When was the first time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.9	76	1	WITHIN MONTH BEF ADM
7.9	1.6	137	2	WITHIN PAST YR
87.8	17.5	1,531	3	MORE THAN 1 YR AGO
	79.2	6,938	-9	LEGITIMATE SKIP
	0.8	67	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1185-1186

<b>CF27B_M</b>	<b>MOS AGO SINCE LAST SUICIDE ATTEMPT</b>
----------------	---

When was the last time you attempted suicide? How many months ago?

8,755 cases (Range of valid codes: 0-407)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1187-1189

<b>CF27_B_1</b>	<b>WHEN LAST TIME YOU ATTEMPTED SUICIDE</b>
-----------------	---

When was the last time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	2.4	212	1	WITHIN MONTH BEF ADM
18.3	3.6	317	2	WITHIN PAST YR
69.4	13.7	1,199	3	MORE THAN 1 YR AGO
	79.3	6,941	-9	LEGITIMATE SKIP
	0.9	82	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1190-1191

**CF28 ITEMS CHECKED IN 3/> BOXES/TALLY SHEET F**

HAVE ITEMS BEEN CHECKED IN 3 OR MORE BOXES ON TALLY SHEET F?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	53.1	4,651	1	YES
46.4	46.1	4,034	2	NO
	0.8	69	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1192-1193

**CF29 IS F1 OR F16 CHECKED ON TALLY SHEET F**

IS F1 OR F16 CHECKED ON TALLY SHEET F?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	36.9	3,231	1	YES
30.0	15.8	1,385	2	NO
	45.5	3,981	-9	LEGITIMATE SKIP
	1.8	156	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1194-1195

CF30

## DEPRESSION/OTHER PROB/WITHIN SAME MONTH

You said you've had a period of feeling depressed or uninterested and also said you've had some other problems like (you/you had/you were) (READ BOXED ITEMS CHECKED ON TALLY SHEET F).

Has there ever been a time when the feelings of depression and some of these other problems occurred together - that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	32.6	2,850	1	YES
15.2	5.8	512	2	NO
	60.8	5,325	-9	LEGITIMATE SKIP
	0.8	66	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1196-1197

CF30\_A

## NEVER A PERIOD/DEPRESSED W/OTHER PROB

So, there's never been a period when you felt depressed (or uninterested) at the same time you were having some of these other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	5.1	448	1	NEVER BEEN A PERIOD
25.3	1.7	152	2	HAS BEEN A PERIOD
	92.3	8,083	-9	LEGITIMATE SKIP
	0.8	71	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199



<b>CF30_C_1</b>	<b>1ST TIME/2+ WKS/DEPRESS W/OTHER PROB</b>
-----------------	---

When was the first time you had a period of 2 weeks or more when you had some of these problems (and also felt depressed or uninterested)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.9	82	1	WITHIN MONTH BEF ADM
11.7	2.7	238	2	WITHIN PAST YR
84.3	19.6	1,714	3	MORE THAN 1 YR AGO
	75.7	6,629	-9	LEGITIMATE SKIP
	1.0	85	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1205-1206

<b>CF30D_M</b>	<b>MOS AGO SINCE LAST 2 WK DEPRESSION</b>
----------------	---

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed or uninterested? When did that last spell end? How many months ago?

8,755 cases (Range of valid codes: 0-308)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1207-1209

**CF30\_D\_1                      LAST TIME/2+ WKS/DEPRESSED W/OTHER PROB**

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed or uninterested? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	12.1	1,055	1	WITHIN MONTH BEF ADM
26.8	6.1	538	2	WITHIN PAST YR
20.6	4.7	414	3	MORE THAN 1 YR AGO
	75.8	6,633	-9	LEGITIMATE SKIP
	1.1	93	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	16	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1210-1211

**CF31                              SEVERAL PROB OCCURRED TOGETHER/SAME MONT**

You said you have had times when (you/you had/you were) (LIST BOXED ITEMS CHECKED ON TALLY SHEET F). Was there ever a time when several of these problems occurred together - that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	14.1	1,238	1	YES
31.6	6.5	572	2	NO
	60.4	5,287	-9	LEGITIMATE SKIP
	18.9	1,657	-8	BLANK
	0.0	1	-7	REFUSAL

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1212-1213

<b>CF31_A</b>	<b>FELT OKAY/GLOOMY/WHEN YOU HAD PROBS</b>
---------------	--

When you were having some of these problems, at about the same time were you feeling okay or were you feeling low, gloomy, blue, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	3.2	279	1	OKAY
77.7	11.1	971	2	GLOOMY, LOW, ETC.
	66.9	5,856	-9	LEGITIMATE SKIP
	18.8	1,648	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1214-1215

<b>CF31_B</b>	<b>FELT GLOOMY/W/PROB/LAST 2+ WKS</b>
---------------	---------------------------------------

Did this period of feeling gloomy, low, and at the same time having some of these other problems last 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	6.9	601	1	YES
38.4	4.3	375	2	NO
	70.0	6,127	-9	LEGITIMATE SKIP
	18.8	1,650	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1216-1217

<b>CF31C_M</b>	<b>MOS AGO 1ST 2 WK GLOOMY PERIOD</b>
----------------	---------------------------------------

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? How many months ago?

8,755 cases (Range of valid codes: 0-536)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1218-1220

**CF31\_C\_1                      1ST TIME/2+ WKS/FELT LOW W/OTHER PROB**

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.5	41	1	WITHIN MONTH BEF ADM
12.8	0.9	78	2	WITHIN PAST YR
80.5	5.6	492	3	MORE THAN 1 YR AGO
	74.2	6,498	-9	LEGITIMATE SKIP
	18.7	1,639	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1221-1222

**CF31D\_M                      MOS AGO LAST 2 WK GLOOMY PERIOD**

What about the last time you had 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? When did that last spell end? How many months ago?

8,755 cases (Range of valid codes: 0-362)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1223-1225

<b>CF31_D_1</b>	<b>WHEN LAST SPELL END/FELT LOW/OTHER PROB</b>
-----------------	--

What about the last time you had 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	3.9	341	1	WITHIN MONTH BEF ADM
20.7	1.4	123	2	WITHIN PAST YR
21.8	1.5	129	3	MORE THAN 1 YR AGO
	74.2	6,500	-9	LEGITIMATE SKIP
	18.9	1,657	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

-----  
100.0 100.0 8,755 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1226-1227

<b>CF32_WKS</b>	<b>LONGEST DEPRESSION SPELL (WKS)</b>
-----------------	---------------------------------------

What's the longest spell you've ever had when you felt depressed (or uninterested) and had several of these other problems at the same time?

8,755 cases (Range of valid codes: 0-4,680)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1228-1231

<b>CF33_M</b>	<b>MOS AGO 1ST 2 YR BLUE PERIOD</b>
---------------	-------------------------------------

When did you first have 2 years or more when you felt blue and had several of these other problems at the same time? How many months ago?

8,755 cases (Range of valid codes: 0-543)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1232-1234



**CF33\_A\_1****WHEN LAST SPELL END/FELT BLUE/OTHER PROB**

What about the last time you had 2 years or more when you felt blue and had several of those other problems at the same time? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	2.3	197	1	WITHIN MONTH BEF ADM
9.4	0.3	29	2	WITHIN PAST YR
26.4	0.9	81	3	MORE THAN 1 YR AGO
	96.3	8,433	-9	LEGITIMATE SKIP
	0.1	10	-8	BLANK
	0.0	4	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1240-1241

**CF33\_B****FELT WORRIED/DEPRESSED SAME TIME**

You said earlier that you have had a long period when you were anxious and worrying about several different things. Did this whole spell of feeling anxious and worried fall within a period when you were depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	4.7	408	1	YES
3.8	0.2	16	2	NO
	95.1	8,323	-9	LEGITIMATE SKIP
	0.1	8	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1243

**CF34 #SPELL/FELT DEPRESSED/W PROB/2+ WKS**

Now, I'd like to ask about spells when you felt both depressed and had some of these other problems like (READ ITEMS CHECKED IN A FEW OF THE BOXES ON TALLY SHEET F). In your lifetime, how many spells like that have you had that lasted 2 weeks or more?

8,755 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1244-1245

**CF34\_A BETWEEN SPELLS/FELT OKAY FOR SOME MOS**

Between (any of) these spells, were you feeling okay at least for some months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	17.4	1,524	1	OKAY SOME MOS
10.6	2.1	180	2	NO
	80.0	7,003	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1246-1247

**CF35 EVER IN HOSPITAL/SPELLS/FELT DEPRESSED**

Were you ever in a hospital overnight because of (that spell/any of those spells) of feeling depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	6.2	539	1	YES
73.8	17.3	1,515	2	NO
	76.1	6,660	-9	LEGITIMATE SKIP
	0.5	40	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1248-1249

**CF36****TOLD DR. ABOUT SPELLS**

Did you tell a doctor about (that spell/any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	5.3	466	1	YES
70.3	12.6	1,102	2	NO
	81.9	7,171	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1250-1251

**CF36\_A****TOLD OTHER PROFESSIONAL ABOUT SPELLS**

Did you tell any other professional about (it/any of them)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	2.0	177	1	YES
84.5	11.0	966	2	NO
	86.7	7,594	-9	LEGITIMATE SKIP
	0.2	17	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1252-1253

**CF36\_B** **TOOK MEDICATION >ONCE FOR SPELLS**

Did you take medication more than once because of (that spell/any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	3.9	343	1	YES
77.5	13.5	1,181	2	NO
	81.9	7,173	-9	LEGITIMATE SKIP
	0.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1254-1255

**CF36\_C** **SPELLS INTERFERE A LOT W/WORK/LIFE/ACTI**

Did (that spell/any of those spells) interfere with your life, work, or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	13.4	1,171	1	YES
22.9	4.0	348	2	NO
	81.9	7,174	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1256-1257

CF36\_D

BAD SPELL KEPT FROM WORK/FRIEND/REL

Was any spell so bad that it kept you from working or from seeing friends or relatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	11.5	1,005	1	YES
35.9	6.4	562	2	NO
	81.9	7,171	-9	LEGITIMATE SKIP
	0.2	16	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1258-1259

CF37

SPELL OCCUR/SOMEONE CLOSE TO YOU DIED

Did (this spell/any of those spells) occur just after someone close to you died?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	10.2	892	1	YES
57.1	13.5	1,185	2	NO
	76.0	6,654	-9	LEGITIMATE SKIP
	0.2	21	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1260-1261

**CF37\_A** **SPELL W/OTHER PROB/NOT DUE TO DEATH**

Have you had any spell of depression along with these other problems like (READ 3 BOXED ITEMS CHECKED ON TALLY SHEET F) at times when it wasn't just after a death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	8.3	728	1	YES, NOT ALL DUE TO DEATH
20.4	2.1	187	2	NO, ALL DUE TO DEATH
	89.3	7,816	-9	LEGITIMATE SKIP
	0.3	24	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1262-1263

**CF37\_B** **LAST YR SPELL/DUE TO CLOSE ONE DYING**

What about the spell or spells you had in the last year - (was that/were they all) due to someone close to you dying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.8	74	1	YES, ALL DUE TO DEATH
85.1	4.8	421	2	NO, NOT ALL DUE TO DEATH
	91.5	8,007	-9	LEGITIMATE SKIP
	2.9	252	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1264-1265

<b>CF38</b>	<b>&gt;1 SPELL CODED IN F34/TALLY SHEET F</b>
-------------	---

IS MORE THAN 1 SPELL CODED IN F34 (ON TALLY SHEET F)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	19.4	1,698	1	YES
18.1	4.3	375	2	NO
	76.0	6,655	-9	LEGITIMATE SKIP
	0.3	25	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1266-1267

<b>CF39</b>	<b>F32 ON T. SHEET F = LONGER THAN 52 WKS</b>
-------------	---

DOES F32 ON TALLY SHEET F = LONGER THAN 52 WEEKS (1 YEAR)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	1.6	140	1	YES
73.4	4.4	386	2	NO
	93.6	8,198	-9	LEGITIMATE SKIP
	0.4	31	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1268-1269

<b>CF40</b>	<b>AGE/DEPRESSED W/OTHER PROB FOR 2 WKS</b>
-------------	---

Now, I'd like to know about the time when you were feeling depressed for at least 2 weeks and had the largest number of these other problems at the same time. How old were you at that time?

8,755 cases (Range of valid codes: 1-59)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1270-1271

CF41\_3

## LOST YOUR APPETITE/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	6.3	555	1	YES, OCCURRED DURING THIS SPELL
14.4	1.1	93	2	NO, DID NOT OCCUR THEN
	76.3	6,683	-9	LEGITIMATE SKIP
	16.2	1,420	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1272-1273

CF41\_4

## LOST WEIGHT/NO TRY/2 LBS A WEEK/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose weight without trying to, as much as 2 pounds a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	4.6	401	1	YES, OCCURRED DURING THIS SPELL
26.0	1.6	141	2	NO, DID NOT OCCUR THEN
	76.3	6,684	-9	LEGITIMATE SKIP
	17.4	1,521	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1274-1275

CF41\_5

## HAD INCREASE IN APPETITE/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have an increase in appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	2.3	205	1	YES, OCCURRED DURING THIS SPELL
65.9	4.5	396	2	NO, DID NOT OCCUR THEN
	76.4	6,688	-9	LEGITIMATE SKIP
	16.7	1,459	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1276-1277

CF41\_6

## EATING INCREASED/GAIN 2 LBS A WK/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did your eating increase so much that you gained as much as 2 pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	2.1	182	1	YES, OCCURRED DURING THIS SPELL
65.8	4.0	350	2	NO, DID NOT OCCUR THEN
	76.4	6,689	-9	LEGITIMATE SKIP
	17.5	1,528	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1278-1279

**CF41\_7 HAD TROUBLE FALLING ASLEEP/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	9.9	870	1	YES, OCCURRED DURING THIS SPELL
7.7	0.8	73	2	NO, DID NOT OCCUR THEN
	76.3	6,679	-9	LEGITIMATE SKIP
	12.9	1,126	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1280-1281

**CF41\_8 HAD TROUBLE STAYING ASLEEP/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	2.8	246	1	YES, OCCURRED DURING THIS SPELL
20.1	0.7	62	2	NO, DID NOT OCCUR THEN
	76.4	6,690	-9	LEGITIMATE SKIP
	20.0	1,753	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1282-1283

CF41\_9

## TROUBLE WAKING UP TOO EARLY/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	1.8	156	1	YES, OCCURRED DURING THIS SPELL
39.8	1.2	103	2	NO, DID NOT OCCUR THEN
	76.4	6,692	-9	LEGITIMATE SKIP
	20.6	1,800	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1284-1285

CF41\_10

## WERE YOU SLEEPING TOO MUCH/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) were you sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	4.7	409	1	YES, OCCURRED DURING THIS SPELL
37.2	2.8	242	2	NO, DID NOT OCCUR THEN
	76.4	6,688	-9	LEGITIMATE SKIP
	16.1	1,409	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1286-1287

**CF41\_11                      FELT TIRED OUT ALL THE TIME/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel tired out all of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	7.8	680	1	YES, OCCURRED DURING THIS SPELL
14.2	1.3	113	2	NO, DID NOT OCCUR THEN
	76.3	6,679	-9	LEGITIMATE SKIP
	14.6	1,278	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1288-1289

**CF41\_12                      FELT VERY BAD/WHEN GOT UP/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel very bad when you got up but felt better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	5.6	490	1	YES, OCCURRED DURING THIS SPELL
24.5	1.8	159	2	NO, DID NOT OCCUR THEN
	76.3	6,683	-9	LEGITIMATE SKIP
	16.2	1,418	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1290-1291

CF41\_13

TALK/MOVE MORE SLOW THAN NORMAL/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you talk or move more slowly than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	2.8	247	1	YES, OCCURRED DURING THIS SPELL
32.0	1.3	116	2	NO, DID NOT OCCUR THEN
	76.4	6,692	-9	LEGITIMATE SKIP
	19.4	1,696	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1292-1293

CF41\_14

HAD TO BE MOVING ALL THE TIME/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have to be moving all of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	3.2	279	1	YES, OCCURRED DURING THIS SPELL
41.5	2.3	198	2	NO, DID NOT OCCUR THEN
	76.4	6,689	-9	LEGITIMATE SKIP
	18.1	1,584	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1294-1295

**CF41\_15 LESS INTEREST IN SEX THAN USUAL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) was your interest in sex a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	5.8	511	1	YES, OCCURRED DURING THIS SPELL
19.1	1.4	121	2	NO, DID NOT OCCUR THEN
	76.4	6,689	-9	LEGITIMATE SKIP
	16.4	1,432	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1296-1297

**CF41\_16 LOST INTEREST IN FUN THINGS/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose all interest in things like work or hobbies or things you usually liked to do for fun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	7.4	644	1	YES, OCCURRED DURING THIS SPELL
10.9	0.9	79	2	NO, DID NOT OCCUR THEN
	76.3	6,680	-9	LEGITIMATE SKIP
	15.4	1,351	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1298-1299

**CF41\_17****FELT WORTHLESS/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	15.0	1,312	1	YES, OCCURRED DURING THIS SPELL
9.3	1.5	134	2	NO, DID NOT OCCUR THEN
	76.1	6,662	-9	LEGITIMATE SKIP
	7.4	644	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1300-1301

**CF41\_17A****FELT SINFUL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	11.9	1,045	1	YES, OCCURRED DURING THIS SPELL
18.0	2.6	230	2	NO, DID NOT OCCUR THEN
	76.1	6,666	-9	LEGITIMATE SKIP
	9.3	811	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1302-1303

**CF41\_17B DID YOU FEEL GUILTY/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	17.6	1,543	1	YES, OCCURRED DURING THIS SPELL
8.6	1.7	145	2	NO, DID NOT OCCUR THEN
	76.0	6,656	-9	LEGITIMATE SKIP
	4.6	407	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1304-1305

**CF41\_19 FELT INFERIOR/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel inferior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	14.6	1,279	1	YES, OCCURRED DURING THIS SPELL
13.2	2.2	194	2	NO, DID NOT OCCUR THEN
	76.1	6,664	-9	LEGITIMATE SKIP
	7.0	615	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1306-1307

**CF41\_20****HAD LITTLE SELF-CONFIDENCE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have little self-confidence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	14.1	1,236	1	YES, OCCURRED DURING THIS SPELL
7.6	1.2	101	2	NO, DID NOT OCCUR THEN
	76.2	6,668	-9	LEGITIMATE SKIP
	8.5	748	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1308-1309

**CF41\_21****HAD LOT TROUBLE CONCENTRATING/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	7.3	635	1	YES, OCCURRED DURING THIS SPELL
9.3	0.7	65	2	NO, DID NOT OCCUR THEN
	76.3	6,680	-9	LEGITIMATE SKIP
	15.7	1,372	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1310-1311

**CF41\_22 THOUGHTS CAME MUCH SLOWER/MIXED/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did your thoughts come much slower or seem mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	4.9	429	1	YES, OCCURRED DURING THIS SPELL
13.5	0.8	67	2	NO, DID NOT OCCUR THEN
	76.4	6,686	-9	LEGITIMATE SKIP
	17.9	1,571	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1312-1313

**CF41\_23 UNABLE TO MAKE UP YOUR MIND/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) were you unable to make up your mind about things you ordinarily have no trouble deciding about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	4.6	403	1	YES, OCCURRED DURING THIS SPELL
14.4	0.8	68	2	NO, DID NOT OCCUR THEN
	76.3	6,684	-9	LEGITIMATE SKIP
	18.2	1,597	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1314-1315

CF41\_24

## THOUGHT A LOT ABOUT DEATH/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you think a lot about death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	13.4	1,176	1	YES, OCCURRED DURING THIS SPELL
17.4	2.8	248	2	NO, DID NOT OCCUR THEN
	76.2	6,668	-9	LEGITIMATE SKIP
	7.5	661	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1316-1317

CF41\_25

## FELT LIKE YOU WANTED TO DIE/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	11.8	1,034	1	YES, OCCURRED DURING THIS SPELL
13.0	1.8	154	2	NO, DID NOT OCCUR THEN
	76.2	6,669	-9	LEGITIMATE SKIP
	10.2	896	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1318-1319

**CF41\_26**

**THOUGHT ABOUT COMMITTING SUICIDE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel so low you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	12.8	1,120	1	YES, OCCURRED DURING THIS SPELL
20.8	3.4	294	2	NO, DID NOT OCCUR THEN
	76.1	6,666	-9	LEGITIMATE SKIP
	7.7	673	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1320-1321

**CF41\_27**

**DID YOU ATTEMPT SUICIDE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	5.7	500	1	YES, OCCURRED DURING THIS SPELL
40.4	3.9	339	2	NO, DID NOT OCCUR THEN
	76.2	6,674	-9	LEGITIMATE SKIP
	14.2	1,240	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1322-1323

<b>SEXUAL EXPERIENCES</b>
---------------------------

<b>CG1</b>	<b>HOW IMPORTANT YOUR SEX LIFE TO YOU</b>
------------	---

For the next series of questions, I'll be asking about your sexual experiences. In general, has your sex life been important to you, or could you have gotten along as well without it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	67.7	5,929	1	IMPORTANT
31.5	31.2	2,733	2	GOTTEN ALONG AS WELL WITHOUT IT
0.1	0.1	11	3	NO SEXUAL EXPERIENCE
	0.4	38	-8	BLANK
	0.4	31	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1324-1325

<b>CG2</b>	<b>DID R REFUSE G1?</b>
------------	-------------------------

DID R REFUSE G1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	55	1	YES
99.3	89.0	7,793	2	NO
	0.1	11	-9	LEGITIMATE SKIP
	10.2	892	-8	BLANK
	0.0	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1326-1327

<b>CG3</b>	<b>YOUR AGE/1ST HAD SEXUAL RELATIONS</b>
------------	--

How old were you when you first had sexual relations?

8,755 cases (Range of valid codes: 0-95)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1328-1329

<b>CG3_A</b>	<b>YOU FORCE ONE TO HAVE SEX/BEFORE AGE 15</b>
--------------	--

Before age 15, did you ever force someone to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	192	1	YES
97.7	94.6	8,281	2	NO
	0.1	12	-9	LEGITIMATE SKIP
	2.5	217	-8	BLANK
	0.6	51	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1330-1331

CG3\_B

## AGE/1ST TIME YOU FORCED ONE FOR SEX

How old were you the first time you forced someone to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	4	5	
4.3	0.1	8	6	
5.4	0.1	10	7	
6.5	0.1	12	8	
9.2	0.2	17	9	
6.5	0.1	12	10	
12.5	0.3	23	11	
11.4	0.2	21	12	
17.9	0.4	33	13	
19.0	0.4	35	14	
3.3	0.1	6	15	
0.5	0.0	1	16	
1.1	0.0	2	17	
	94.6	8,285	-9	LEGITIMATE SKIP
	2.5	219	-8	BLANK
	0.6	49	-7	REFUSAL
	0.2	15	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1332-1333

CG4

## HAD SEXUAL RELATION OUTSIDE MARRIAGE

During (any/your) marriage, did you have sexual relations outside of marriage with at least 3 different people?  
 [HOMOSEXUAL OR HETEROSEXUAL]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	15.1	1,318	1	YES
70.5	36.0	3,155	2	NO
	48.6	4,254	-9	LEGITIMATE SKIP
	0.2	15	-8	BLANK
	0.1	13	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1334-1335



<b>CG6_A</b>	<b>IS G4 OR G6 CODED 01 (YES)?</b>
--------------	------------------------------------

IS G4 OR G6 CODED 01 (YES)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	40.4	3,536	1	YES
57.5	54.7	4,790	2	NO
	0.1	12	-9	LEGITIMATE SKIP
	4.2	367	-8	BLANK
	0.5	48	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1340-1341

<b>CG6B_M</b>	<b>MOS AGO 1ST SEX W/10 DIFF PEOPLE</b>
---------------	---

You mentioned (having sexual relations outside of marriage/having sex with 10 different people). When is the first time you did (this/either of those things)? How many months ago?

8,755 cases (Range of valid codes: 0-892)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1342-1344

**CG6\_B\_1 1ST TIME/HAD SEX W/10 DIFFERENT PEOPLE**

You mentioned (having sexual relations outside of marriage/having sex with 10 different people). When is the first time you did (this/either of those things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	16	1	WITHIN MONTH BEF ADM
2.5	1.1	92	2	WITHIN PAST YR
97.1	40.8	3,574	3	MORE THAN 1 YR AGO
	54.7	4,789	-9	LEGITIMATE SKIP
	2.6	229	-8	BLANK
	0.5	48	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1345-1346

**CG6C\_M MOS AGO LAST SEX W/10 DIFF PEOPLE**

When is the last time you did (this/either of those things)?  
 How many months ago?

8,755 cases (Range of valid codes: 0-856)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1347-1349

CG6\_C\_1

LAST TIME/HAD SEX W/10 DIFFERENT PEOPLE

When is the last time you did (this/either of those things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	5.3	463	1	WITHIN MONTH BEF ADM
14.7	6.2	539	2	WITHIN PAST YR
72.7	30.4	2,665	3	MORE THAN 1 YR AGO
	54.8	4,794	-9	LEGITIMATE SKIP
	2.7	240	-8	BLANK
	0.5	47	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1350-1351

CG6\_D

SEX W/10 DIFFERENT PEOPLE/AGE 18-25

Did you do (this/either of those things) between the ages of 18 and 25?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	3.9	344	1	YES
66.5	7.8	683	2	NO
	38.4	3,365	-9	LEGITIMATE SKIP
	49.3	4,312	-8	BLANK
	0.5	48	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1352-1353

**CG7** **#DIFF WOMEN W/HAD VAGINAL INTERCOURSE-12**

First, I want to ask you about your sexual experiences with women in the 12 months before admission to the program. In those 12 months, about how many different women did you have vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.5	46	0	NEVER HAD VAGINAL INTERCOURSE
11.3	7.4	649	1	NONE
38.4	25.1	2,197	2	1 WOMAN
33.2	21.7	1,904	3	2-4 WOMEN
8.5	5.6	488	4	5-9 WOMEN
6.0	3.9	342	5	10-20 WOMEN
1.6	1.1	93	6	21-99 WOMEN
0.2	0.1	9	7	100+ WOMEN
	33.6	2,941	-9	LEGITIMATE SKIP
	0.6	49	-8	BLANK
	0.4	32	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1354-1355

**CG7\_A** **USED CONDOM/VAGINAL INTERCOURSE-12MOS**

In those 12 months, about how often did you use a condom or "rubber" when you had vaginal intercourse with the (woman/women)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	27.0	2,365	1	NEVER
24.1	13.9	1,220	2	SOMETIMES
11.3	6.5	569	3	USUALLY
17.8	10.3	899	4	EVERY TIME
	41.3	3,616	-9	LEGITIMATE SKIP
	0.6	55	-8	BLANK
	0.3	30	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1356-1357

CG8

#OF DIFF WOMEN W/HAD ANAL INTERCOURSE-12

In the 12 months before admission, about how many different women did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	55.0	4,818	1	NONE
10.5	6.8	599	2	1 WOMAN
4.1	2.7	236	3	2-4 WOMEN
0.7	0.5	41	4	5-9 WOMEN
0.2	0.1	10	5	10-20 WOMEN
0.1	0.1	5	6	21-99 WOMEN
0.0	0.0	1	7	100+ WOMEN
	33.7	2,948	-9	LEGITIMATE SKIP
	0.7	59	-8	BLANK
	0.4	36	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1358-1359

CG8\_A

USED CONDOM/ANAL INTERCOURSE W/WOMEN-12M

In those 12 months, about how often did you use a condom or "rubber" when you had anal intercourse with the (woman/women)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	6.1	531	1	NEVER
12.2	1.2	109	2	SOMETIMES
4.1	0.4	37	3	USUALLY
24.4	2.5	219	4	EVERY TIME
	88.5	7,749	-9	LEGITIMATE SKIP
	0.9	78	-8	BLANK
	0.4	32	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1360-1361

**CG9 WOMEN INTERCOURSE W/TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with in those 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	14.4	1,260	1	YES
74.5	42.1	3,683	2	NO
	40.7	3,559	-9	LEGITIMATE SKIP
	2.4	212	-8	BLANK
	0.3	29	-7	REFUSAL
	0.1	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1362-1363

**CG14 ONE GAVE YOU MONEY/DRUG/FOR INTERCOURSE**

At any time in the 12 months before admission, did anyone give you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	4.4	385	1	YES
93.0	58.5	5,126	2	NO
	33.5	2,936	-9	LEGITIMATE SKIP
	3.2	276	-8	BLANK
	0.3	30	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1364-1365

CG10

WOMAN SHOOT UP DRUG/YOU HAD INTERCO W/

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with in those 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	8.3	726	1	YES
85.3	48.0	4,199	2	NO
	40.7	3,560	-9	LEGITIMATE SKIP
	2.4	213	-8	BLANK
	0.3	30	-7	REFUSAL
	0.3	26	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1366-1367

CG11

#OF DIFF MEN W/YOU HAD ANAL INTERCOURSE-

Now, I want to ask about your sexual experiences with men in the 12 months before admission. In those 12 months, about how many different men did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	43.0	3,762	0	NEVER HAD SEX WITH A MAN
31.7	20.7	1,814	1	NONE
0.9	0.6	54	2	1 MAN
1.2	0.8	68	3	2-4 MEN
0.2	0.1	13	4	5-9 MEN
0.2	0.1	9	5	10-20 MEN
0.1	0.1	6	6	21-99 MEN
0.0	0.0	2	7	100+ MEN
	33.6	2,940	-9	LEGITIMATE SKIP
	0.6	54	-8	BLANK
	0.3	29	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1368-1369



**CG13****MAN SHOOT UP DRUG/YOU HAD INTERCOURSE W/**

To the best of your knowledge, had any man you had anal intercourse with in those 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	0.4	32	1	YES
78.7	1.3	118	2	NO
	97.2	8,512	-9	LEGITIMATE SKIP
	0.7	63	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1374-1375

**CG15****TESTED+/HAD AIDS/YOU HAD INTERCOURSE W/**

At any time in the 12 months before admission, did you have intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.0	90	1	YES
98.4	64.5	5,648	2	NO
	33.4	2,925	-9	LEGITIMATE SKIP
	0.7	57	-8	BLANK
	0.3	27	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1376-1377

**CG15\_A #PEOPLE TEST+/HAD AIDS/YOU HAD INTER W/**

During that period, how many people did you have intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	0.8	71	1	1 PERSON
19.4	0.2	18	2	2-4 PEOPLE
4.3	0.0	4	3	5+ PEOPLE
	97.9	8,570	-9	LEGITIMATE SKIP
	0.7	62	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1378-1379

**CG16 #OF DIFF MEN/YOU HAD VAGINAL INTERCO W/-**

I want to ask you about your sexual experiences with men in the 12 months before admission. In those months, about how many different men did you have vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	9	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
8.2	2.7	234	1	NONE
40.8	13.4	1,170	2	1 MAN
31.9	10.4	914	3	2-4 MEN
6.8	2.2	194	4	5-9 MEN
6.0	2.0	171	5	10-20 MEN
3.9	1.3	113	6	21-99 MEN
2.2	0.7	62	7	100+ MEN
	65.5	5,731	-9	LEGITIMATE SKIP
	1.3	118	-8	BLANK
	0.4	31	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.1	5	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1380-1381

## CG16\_A

## USED CONDOM/VAGINAL INTERCOURSE W/MEN-12

In those 12 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	13.5	1,178	1	NEVER
21.5	6.5	567	2	SOMETIMES
14.3	4.3	376	3	USUALLY
19.5	5.9	515	4	EVERY TIME
	68.1	5,964	-9	LEGITIMATE SKIP
	1.5	127	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1382-1383

## CG17

## #OF DIFF MEN/YOU HAD ANAL INTERCOURSE W/

In the 12 months before admission, about how many different men did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	11.9	1,040	0	NEVER HAD ANAL INTERCOURSE W/A MAN
50.7	16.6	1,457	1	NONE
9.3	3.0	266	2	1 MAN
3.0	1.0	87	3	2-4 MEN
0.3	0.1	8	4	5-9 MEN
0.2	0.1	7	5	10-20 MEN
0.2	0.1	6	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	65.4	5,729	-9	LEGITIMATE SKIP
	1.4	125	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1384-1385



**CG19****YOUR MAN SEX PARTNER TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any man you had (vaginal/anal) intercourse with in those 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	2.7	234	1	YES
90.9	26.8	2,345	2	NO
	67.9	5,946	-9	LEGITIMATE SKIP
	2.1	182	-8	BLANK
	0.3	27	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.2	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1390-1391

**CG20****ANY MAN GAVE YOU \$/DRUGS FOR INTERCOURSE**

At any time in the 12 months before admission, did any man give you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	10.3	900	1	YES
65.4	19.4	1,701	2	NO
	67.9	5,946	-9	LEGITIMATE SKIP
	2.0	179	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1392-1393

**CG21** **YOUR MAN SEX PARTNER SHOOT UP DRUGS-12MO**

To the best of your knowledge, did any man you had (vaginal/anal) intercourse with in those 12 months ever use a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	7.1	622	1	YES
75.9	22.4	1,964	2	NO
	67.9	5,946	-9	LEGITIMATE SKIP
	2.0	178	-8	BLANK
	0.3	27	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1394-1395

**CG22** **YOUR MAN SEX PARTNER/TESTED +/-HAD AIDS**

At any time in the 12 months before admission, did you have (vaginal/anal) intercourse with any man who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.5	47	1	YES
98.2	29.2	2,554	2	NO
	67.8	5,933	-9	LEGITIMATE SKIP
	2.1	183	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1396-1397

CG22\_A

#MEN TEST+/HAD AIDS/YOU HAD INTERCO W/

During that period, how many men did you have (vaginal/anal) intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	0.4	37	1	1 MAN
14.9	0.1	7	2	2-4 MEN
6.4	0.0	3	3	5+ MEN
	96.9	8,486	-9	LEGITIMATE SKIP
	2.2	194	-8	BLANK
	0.3	25	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1398-1399



CH3

GOT INTO PHYS FIGHT/YOU START/BEFORE 15

Before you were 15, did you often get into physical fights  
that you had started?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	27.9	2,441	1	YES
72.0	71.8	6,286	2	NO
	0.3	26	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1404-1405

<b>CH3_A</b>	<b>AGE/1ST TIME YOU STARTED PHYS FIGHT</b>
--------------	--

How old were you the first time you started a physical fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	3	0	
1.0	0.3	23	1	
0.3	0.1	8	2	
0.6	0.2	15	3	
1.8	0.5	43	4	
6.9	1.9	167	5	
9.1	2.5	221	6	
11.0	3.0	266	7	
12.5	3.4	301	8	
10.8	3.0	262	9	
14.3	3.9	345	10	
7.6	2.1	184	11	
10.6	2.9	255	12	
7.9	2.2	192	13	
4.0	1.1	96	14	
1.1	0.3	27	15	
0.2	0.1	5	16	
0.0	0.0	1	17	
0.0	0.0	1	21	
0.0	0.0	1	24	
	71.7	6,273	-9	LEGITIMATE SKIP
	0.3	29	-8	BLANK
	0.0	1	-5	BAD DATA
	0.4	36	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1406-1407

CH4

## USED WEAPON IN A FIGHT/THREATEN/AGE &lt;15

Did you more than once use a weapon in a fight or threaten someone with a weapon before you were 15?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.6	1,542	1	YES
82.3	82.1	7,185	2	NO
	0.3	27	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1408-1409

<b>CH4_A</b>	<b>AGE/1ST USE WEAPON IN FIGHT/THREATEN</b>
--------------	---

How old were you when you first used a weapon in a fight or threatened someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
0.3	0.0	4	1	
0.3	0.0	4	2	
0.1	0.0	1	3	
0.3	0.0	4	4	
1.6	0.3	24	5	
3.1	0.5	47	6	
3.8	0.7	59	7	
6.3	1.1	96	8	
7.7	1.3	118	9	
10.2	1.8	157	10	
6.9	1.2	106	11	
16.6	2.9	254	12	
22.9	4.0	352	13	
15.6	2.7	239	14	
2.9	0.5	45	15	
0.5	0.1	7	16	
0.4	0.1	6	17	
0.2	0.0	3	18	
0.1	0.0	2	19	
0.1	0.0	1	20	
0.1	0.0	2	21	
0.1	0.0	1	27	
0.1	0.0	1	31	
	82.0	7,181	-9	LEGITIMATE SKIP
	0.3	26	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1410-1411

CH5

TRIED TO PHYS HURT SOMEONE/AGE &lt;15

Before you were 15, did you sometimes try to physically hurt anyone? [IF H3=01: This could include starting a fight with them because you wanted to hurt them.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	24.2	2,117	1	YES
75.8	75.5	6,613	2	NO
	0.3	24	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1412-1413

CH5_A	AGE/1ST TRIED TO PHYS HURT SOMEONE
-------	------------------------------------

How old were you when you first tried to physically hurt someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	0	
0.5	0.1	11	1	
0.1	0.0	2	2	
0.4	0.1	9	3	
0.9	0.2	19	4	
3.7	0.9	77	5	
3.8	0.9	80	6	
5.9	1.4	125	7	
8.6	2.1	182	8	
8.6	2.1	181	9	
11.6	2.8	244	10	
8.4	2.0	177	11	
17.0	4.1	357	12	
16.7	4.0	351	13	
10.0	2.4	210	14	
2.8	0.7	60	15	
0.5	0.1	10	16	
0.3	0.1	6	17	
0.1	0.0	3	18	
0.0	0.0	1	19	
	75.5	6,608	-9	LEGITIMATE SKIP
	0.3	29	-8	BLANK
	0.1	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1414-1415

CH6

KILL/HURT ANIMAL ON PURPOSE/AGE &lt;15

Did you ever hurt or kill an animal on purpose before you were 15? Do not count hunting, fishing, or exterminating rats, mice, or insects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.2	1,241	1	YES
85.8	85.5	7,488	2	NO
	0.3	25	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1416-1417

<b>CH6_A</b>	<b>AGE/HURT ANIMAL ON PURPOSE/1ST TIME</b>
--------------	--

How old were you the first time you tried to hurt or kill an animal on purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	5	1	
0.2	0.0	2	2	
0.4	0.1	5	3	
0.9	0.1	11	4	
3.2	0.4	39	5	
4.2	0.6	52	6	
4.9	0.7	61	7	
9.2	1.3	114	8	
10.6	1.5	131	9	
17.8	2.5	220	10	
10.4	1.5	129	11	
14.4	2.0	178	12	
12.4	1.8	154	13	
7.9	1.1	98	14	
1.9	0.3	24	15	
0.9	0.1	11	16	
0.1	0.0	1	17	
0.2	0.0	2	18	
0.1	0.0	1	28	
	85.4	7,481	-9	LEGITIMATE SKIP
	0.3	26	-8	BLANK
	0.1	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1418-1419

CH7

## TOLD A LOT OF LIES/CHILD/TEENAGER

Of course, no one tells the truth all the time, but did you tell a lot of lies when you were a child or teenager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	47.5	4,156	1	YES
52.3	52.1	4,565	2	NO
	0.3	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1420-1421

<b>CH7_A</b>	<b>AGE/WHEN 1ST TOLD A LOT OF LIES</b>
--------------	--

How old were you when you first told a lot of lies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	4.4	388	1	1 OR DON'T KNOW, BUT UNDER 15
0.4	0.2	15	2	
0.8	0.4	33	3	
1.6	0.8	67	4	
5.5	2.6	225	5	
5.9	2.8	242	6	
7.9	3.7	326	7	
8.7	4.1	358	8	
6.2	2.9	254	9	
10.8	5.1	444	10	
4.9	2.3	203	11	
10.9	5.2	451	12	
9.7	4.5	398	13	
6.2	2.9	256	14	
5.0	2.4	207	15	
3.5	1.7	145	16	
1.1	0.5	47	17	
0.4	0.2	17	18	
0.1	0.0	4	19	
0.0	0.0	2	20	
0.0	0.0	1	21	
0.0	0.0	1	23	
0.9	0.4	38	95	DON'T KNOW, BUT 15 OR OLDER
	52.0	4,554	-9	LEGITIMATE SKIP
	0.4	37	-8	BLANK
	0.0	2	-5	BAD DATA
	0.4	39	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1422-1423

CH8

## STOLE THINGS &gt;1 FROM ANYONE/AS A CHILD

When you were a child, did you more than once swipe (or steal) things from a store or from other children or steal from your parents or from anyone else? [DO NOT COUNT STEALING CANDY.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	46.8	4,101	1	YES
53.0	52.8	4,627	2	NO
	0.3	24	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1424-1425

<b>CH8_A</b>	<b>AGE/WHEN YOU 1ST STOLE THINGS</b>
--------------	--------------------------------------

How old were you when you first stole things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	3.2	280	1	1 OR DON'T KNOW, BUT UNDER 15
0.2	0.1	10	3	
0.7	0.3	27	4	
3.0	1.4	125	5	
4.8	2.2	196	6	
8.0	3.7	328	7	
10.7	5.0	438	8	
9.3	4.4	381	9	
14.8	6.9	606	10	
8.0	3.7	327	11	
12.6	5.9	515	12	
9.4	4.4	385	13	
5.9	2.7	240	14	
3.6	1.7	147	15	
1.3	0.6	55	16	
0.4	0.2	18	17	
0.0	0.0	2	18	
0.0	0.0	1	19	
0.0	0.0	2	20	
0.0	0.0	1	21	
0.0	0.0	1	93	
0.3	0.1	13	95	DON'T KNOW, BUT 15 OR OLDER
0.0	0.0	1	96	
0.0	0.0	1	98	
	52.7	4,614	-9	LEGITIMATE SKIP
	0.3	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1426-1427

<b>CH9</b>	<b>DID YOU ROB/MUG ANYONE/BEFORE AGE 15</b>
------------	---

Before you were 15, did you ever rob or mug anyone or snatch a purse or threaten to hurt anyone if they didn't give you money or jewelry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	494	1	YES
94.3	94.0	8,234	2	NO
	0.3	25	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1428-1429

<b>CH9_A</b>	<b>AGE/1ST TIME YOU ROB/MUG ANYONE</b>
--------------	--

How old were you the first time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	4	1	
0.4	0.0	2	2	
0.6	0.0	3	6	
1.0	0.1	5	7	
1.2	0.1	6	8	
3.0	0.2	15	9	
6.2	0.4	31	10	
6.7	0.4	33	11	
12.7	0.7	63	12	
26.8	1.5	133	13	
31.5	1.8	156	14	
6.0	0.3	30	15	
1.6	0.1	8	16	
0.2	0.0	1	17	
0.6	0.0	3	18	
0.2	0.0	1	20	
0.2	0.0	1	24	
0.2	0.0	1	25	
	94.0	8,232	-9	LEGITIMATE SKIP
	0.3	26	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1430-1431

<b>CH10</b>	<b>DAMAGE SOMEONE'S PROPERTY/AGE &lt;15</b>
-------------	---

Before you were 15, did you ever intentionally damage someone's car or do anything else to destroy or severely damage someone else's property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	16.1	1,409	1	YES
83.9	83.6	7,319	2	NO
	0.3	25	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1432-1433

CH10\_A

AGE/1ST TIME DAMAGE ONE'S PROPERTY

How old were you when you first did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	11	1	
0.1	0.0	2	2	
0.2	0.0	3	3	
0.2	0.0	3	4	
0.5	0.1	7	5	
0.8	0.1	11	6	
1.8	0.3	25	7	
3.6	0.6	50	8	
3.7	0.6	52	9	
8.9	1.4	125	10	
8.1	1.3	114	11	
21.0	3.4	294	12	
23.0	3.7	323	13	
21.1	3.4	296	14	
4.8	0.8	67	15	
0.8	0.1	11	16	
0.2	0.0	3	17	
0.1	0.0	2	18	
0.1	0.0	2	20	
0.1	0.0	1	22	
	83.6	7,316	-9	LEGITIMATE SKIP
	0.3	30	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1434-1435

**CH10\_B INTENTIONALLY SET FIRE/AGE 15+**

What about later, at age 15 or after, did you intentionally set any fires or try to destroy something that belonged to someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.5	1,623	1	YES
81.3	80.5	7,052	2	NO
	0.9	77	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1436-1437

**CH11 INTENTIONALLY START FIRE/AGE <15**

Before you were 15, did you intentionally start any fires? Don't count fires that you were supposed to start like bonfires or fires in stoves or fireplaces.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.5	748	1	YES
91.4	90.9	7,960	2	NO
	0.5	44	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1438-1439

<b>CH11_A</b>	<b>AGE/1ST TIME/INTENTIONALLY START FIRE</b>
---------------	--

How old were you when you first did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	7	2	
0.1	0.0	1	3	
2.4	0.2	18	4	
4.3	0.4	32	5	
5.9	0.5	44	6	
8.1	0.7	61	7	
9.2	0.8	69	8	
8.5	0.7	64	9	
12.1	1.0	91	10	
7.1	0.6	53	11	
13.8	1.2	103	12	
12.0	1.0	90	13	
10.5	0.9	79	14	
2.4	0.2	18	15	
1.3	0.1	10	16	
0.7	0.1	5	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
0.1	0.0	1	21	
0.1	0.0	1	30	
	90.9	7,954	-9	LEGITIMATE SKIP
	0.5	43	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.0	4	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1440-1441

**CH12 HIT/SPANK ANY CHILD HARD/HAD BRUISES**

Have you ever spanked or hit any child, hard enough so that the child had bruises or had to stay in bed or see a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	303	1	YES
96.5	96.1	8,417	2	NO
	0.4	31	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1442-1443

**CH12\_A #TIME HIT/SPANK CHILD HARD**

How many times in the past year did you hit or spank a child hard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	2.4	210	0	
15.8	0.5	48	1	
6.9	0.2	21	2	
2.3	0.1	7	3	
1.6	0.1	5	4	
1.3	0.0	4	5	
1.0	0.0	3	6	
0.3	0.0	1	9	
1.0	0.0	3	10	
0.3	0.0	1	12	
0.3	0.0	1	20	
	96.1	8,412	-9	LEGITIMATE SKIP
	0.4	35	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1444-1445

<b>CH13</b>	<b>YOU BEEN IN &gt;1 FIGHT/SINCE AGE 15</b>
-------------	---

Since age 15, have you been in more than one fight that came to swapping blows (other than fights with your (spouse(s)/partner(s)))?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	62.8	5,502	1	YES
36.9	36.8	3,224	2	NO
	0.3	25	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1446-1447

<b>CH13_A</b>	<b>#TIMES YOU BEEN IN A FIGHT</b>
---------------	-----------------------------------

How many times in the past year have you been in such a fight?

8,755 cases (Range of valid codes: 0-999)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1448-1450

<b>CH14</b>	<b>EVER USED A WEAPON IN A FIGHT/SINCE 15</b>
-------------	---

Since you were 15, have you ever used a weapon like a stick, knife, or gun in a fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	2,931	1	YES
66.4	66.0	5,781	2	NO
	0.4	34	-8	BLANK
	0.1	5	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1451-1452

<b>CH14_A</b>	<b>#TIMES USED WEAPON IN FIGHT/PAST YR</b>
---------------	--

How many times in the past year have you used a weapon?

8,755 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1453-1455

<b>CH15</b>	<b>PHYS ATTACK ONE/SINCE 15/NOT FIGHTING</b>
-------------	--

Since you were 15, have you ever physically attacked anyone (other than while fighting)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.4	1,352	1	YES
84.5	84.0	7,356	2	NO
	0.5	42	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1456-1457

CH15_A	#TIMES YOU BEEN IN SUCH A FIGHT/PAST YR
--------	---

How many times in the past year have you been in such a fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	8.7	762	0	
18.1	2.8	243	1	
9.2	1.4	124	2	
4.6	0.7	62	3	
2.2	0.3	30	4	
2.5	0.4	33	5	
0.8	0.1	11	6	
0.8	0.1	11	7	
0.1	0.0	1	8	
0.2	0.0	3	9	
1.9	0.3	26	10	
0.3	0.0	4	12	
0.1	0.0	1	13	
0.3	0.0	4	15	
0.1	0.0	2	18	
0.4	0.1	6	20	
0.2	0.0	3	25	
0.2	0.0	3	30	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.2	0.0	3	50	
0.1	0.0	1	60	
0.1	0.0	1	90	
0.2	0.0	3	100	
0.1	0.0	1	150	
0.1	0.0	1	200	
0.1	0.0	1	350	
	83.8	7,336	-9	LEGITIMATE SKIP
	0.8	70	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	5	-4	DON'T KNOW

-----  
 100.0 100.0 8,755 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1458-1460

**CH16 IS H10B OR H15 TALLIED?**

IS H10b (DAMAGED OTHERS' PROPERTY) OR H15 (PHYSICALLY ATTACKED SOMEONE) TALLIED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.2	2,290	1	YES
73.2	71.6	6,268	2	NO
	2.2	195	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1461-1462

**CH17 DID BAD THINGS/OK?/YOU BEEN MISTREATED**

You mentioned [READ TALLIED RESPONSES FROM H10b AND H15]. Did you ever feel that doing (that/those things) was okay because you had been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	18.3	1,602	1	YES
29.3	8.3	725	2	NO
5.9	1.7	146	3	FELT BAD ABOUT SOME, NOT OTHERS
	70.2	6,142	-9	LEGITIMATE SKIP
	1.5	131	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1463-1464

**CH18****SUED FOR BAD DEBT/DIDN'T MEET PAYMENT**

Have you ever been sued for a bad debt or had things you bought taken back because you didn't meet the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	21.1	1,848	1	YES
78.8	78.4	6,861	2	NO
	0.5	44	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1465-1466

**CH18\_A****>2/SUED FOR DEBT/DIDN'T MEET PAYMENT**

Did this happen more than twice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	8.2	721	1	YES, MORE THAN TWICE
61.5	13.2	1,154	2	NO
	77.5	6,786	-9	LEGITIMATE SKIP
	1.1	92	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1467-1468

**CH19 STOLEN/ROBBED/THREATENED ONE/SINCE 15**

Since you were 15, have you stolen anything or robbed or threatened anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	53.3	4,663	1	YES
46.2	45.7	4,001	2	NO
	1.0	85	-8	BLANK
	0.1	5	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1469-1470

**CH19\_A #TIMES/STOLEN THINGS/ROBBED ONE/PAST YR**

How many times in the past year have you done these things (stolen anything, robbed, or threatened anyone)?

8,755 cases (Range of valid codes: 0-999)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1471-1473

**CH19\_B THEFT/THREATS OK BECAUSE MISTREATED**

Did you ever feel that doing that was okay because you have been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	8.1	707	1	YES
71.2	23.7	2,072	2	NO
4.5	1.5	131	3	FELT BAD ABOUT SOME, NOT OTHERS
	30.8	2,699	-8	BLANK
	0.1	5	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	35.8	3,136	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1474-1475

**CH20****MADE MONEY ILLEGALLY BY SELLING DRUGS**

Have you ever made money illegally by selling drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	60.6	5,303	1	YES
39.1	38.9	3,404	2	NO
	0.4	31	-8	BLANK
	0.2	17	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1476-1477

**CH20\_A****MADE MONEY ILLEGAL/BUY/SELL STOLEN GOODS**

Have you made money illegally in any other way such as buying or selling stolen goods or being part of a gambling or betting operation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	37.4	3,275	1	YES
62.0	60.9	5,334	2	NO
	1.5	134	-8	BLANK
	0.1	12	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1478-1479

**CH21 BEEN PAID FOR HAVING SEX W/SOMEONE**

Have you ever been paid for having sex with someone?  
 [INCLUDES HOMOSEXUAL OR HETEROSEXUAL]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	25.1	2,195	1	YES
74.8	74.4	6,512	2	NO
	0.4	39	-8	BLANK
	0.1	9	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1480-1481

**CH22 MADE MONEY/FIND CUSTOMER FOR PROSTITUTES**

Have you ever made money by finding customers for male or  
 female prostitutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	18.0	1,576	1	YES
81.9	81.4	7,130	2	NO
	0.4	37	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1482-1483

<b>CH23</b>	<b>USED ALIAS OR ASSUMED NAME</b>
-------------	-----------------------------------

Have you ever used an alias or an assumed name?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.1	2,023	1	YES
76.8	76.4	6,689	2	NO
	0.4	35	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1484-1485

<b>CH24</b>	<b>LIED PRETTY OFTEN/SINCE BEEN ADULT</b>
-------------	---

Have you thought that you lied pretty often since you have been an adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	50.5	4,421	1	YES
49.1	48.8	4,270	2	NO
	0.7	58	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1486-1487

**CH25 ANY RESPONSES TALLIED/STARTING W/H10B**

HAVE ANY RESPONSES BEEN TALLIED ON TALLY SHEET H STARTING WITH H10b?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	86.9	7,611	1	YES
9.5	9.2	803	2	NO
	3.9	340	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1488-1489

**CH26\_M MOS AGO FIRST DID TALLIED RESPONSES**

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET H]. When is the first time you did (this/any of these)? How many months ago?

8,755 cases (Range of valid codes: 0-892)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1490-1492

**CH26\_1 1ST TIME/DID THESE THINGS/T. SHEET H**

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET H]. When is the first time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	55	1	WITHIN MONTH BEF ADM
2.1	1.9	164	2	WITHIN PAST YR
97.2	87.7	7,681	3	MORE THAN 1 YR AGO
	8.9	779	-9	LEGITIMATE SKIP
	0.7	65	-8	BLANK
	0.1	5	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1493-1494



**CH26\_B** **DID THESE THINGS/AGE 18-25/T. SHEET H**

IF R OVER 25, ASK: Did you do (this/any of these) between 18 and 25? [IF RESPONDENT IS BETWEEN AGES 18 AND 25, ASK: Did you do this since you were 18?]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	33.5	2,930	1	YES
29.4	13.9	1,218	2	NO
	41.1	3,594	-9	LEGITIMATE SKIP
	11.5	1,004	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1500-1501

**CH27** **3+ RESPONSES TALLIED STARTING W/H10B**

HAVE 3 OR MORE RESPONSES BEEN TALLIED STARTING WITH H10b?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	66.2	5,799	1	YES
25.7	22.9	2,001	2	NO
	8.9	778	-9	LEGITIMATE SKIP
	2.0	172	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1502-1503

**CH28****TALK TO DR./THESE THINGS YOU DID**

Did you ever talk to a doctor about any of these things you did like [READ TALLIED RESPONSES]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	6.0	528	1	YES
91.0	61.1	5,350	2	NO
	31.6	2,765	-9	LEGITIMATE SKIP
	1.3	110	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1504-1505

**CH29****IS H26/H26A BETWEEN 18 & 25/H26B = 01**

IS H26 OR H26a BETWEEN 18 AND 25 OR DOES H26b EQUAL 01 (YES)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	58.6	5,128	1	YES
12.3	8.2	716	2	NO
	31.3	2,743	-9	LEGITIMATE SKIP
	1.9	164	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1506-1507

<b>CH30</b>	<b>REASON/YOU COULDN'T DONE THESE/AGE 18/25</b>
-------------	---

Was there some reason you couldn't have done these things between 18 and 25, for instance, because you were ill in bed that whole time (or in jail/not married/had no children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	1.2	103	1	YES, NO OPPORTUNITY
85.6	7.0	614	2	NO, HAD OPPORTUNITY
	89.8	7,859	-9	LEGITIMATE SKIP
	2.0	174	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1508-1509





<b>CJ1_E</b>	<b>BOTHERED/HEART POUNDING-1MO BEF ADM</b>
--------------	--

In the month before admission, how much were you distressed (bothered) by heart pounding or racing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.4	53.1	4,651	0	NOT AT ALL
23.1	23.0	2,017	1	A LITTLE BIT
9.4	9.4	820	2	MODERATELY
10.6	10.6	926	3	QUITE A BIT
3.4	3.4	299	4	EXTREMELY
	0.4	36	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1518-1519

<b>CJ1_F</b>	<b>BOTHERED/FEELING TENSE-1MO BEF ADM</b>
--------------	---

In the month before admission, how much were you distressed (bothered) by feeling tense or keyed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	33.2	2,910	0	NOT AT ALL
29.2	29.0	2,541	1	A LITTLE BIT
12.6	12.5	1,094	2	MODERATELY
18.1	18.0	1,577	3	QUITE A BIT
6.8	6.7	590	4	EXTREMELY
	0.5	41	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1520-1521

<b>CJ1_G</b>	<b>BOTHERED/SPELLS OF TERROR-1MO BEF ADM</b>
--------------	--

In the month before admission, how much were you distressed (bothered) by spells of terror or panic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	71.6	6,268	0	NOT AT ALL
14.3	14.3	1,248	1	A LITTLE BIT
5.0	4.9	431	2	MODERATELY
5.9	5.9	517	3	QUITE A BIT
2.7	2.7	239	4	EXTREMELY
	0.6	51	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1522-1523

<b>CJ1_H</b>	<b>BOTHERED/FEELING SO RESTLESS-1MO BEF ADM</b>
--------------	---

In the month before admission, how much were you distressed (bothered) by feeling so restless you couldn't sit still?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	45.1	3,949	0	NOT AT ALL
25.6	25.4	2,228	1	A LITTLE BIT
9.7	9.7	848	2	MODERATELY
13.3	13.2	1,159	3	QUITE A BIT
6.1	6.0	529	4	EXTREMELY
	0.5	40	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1524-1525

CJ1\_I

**BOTHERED/FEEL BAD THING GOING TO HAPPEN-**

In the month before admission, how much were you distressed (bothered) by the feeling that something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	42.4	3,708	0	NOT AT ALL
27.1	27.0	2,362	1	A LITTLE BIT
9.9	9.9	865	2	MODERATELY
13.7	13.7	1,199	3	QUITE A BIT
6.8	6.7	589	4	EXTREMELY
	0.4	32	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1526-1527

CJ1\_J

**BOTHERED/FRIGHTENING THOUGHTS-1MO BEF AD**

In the month before admission, how much were you distressed (bothered) by thoughts and images of a frightening nature?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	66.0	5,775	0	NOT AT ALL
16.2	16.0	1,405	1	A LITTLE BIT
6.1	6.0	527	2	MODERATELY
7.5	7.4	648	3	QUITE A BIT
3.9	3.9	342	4	EXTREMELY
	0.6	56	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1528-1529

**CJ2** **NONE/SOME/MOST PROB/RESULT OF DRUG/ALC**

In that month, would you say that none, some, or most of these problems were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	7.6	664	0	NONE
23.1	12.6	1,101	1	SOME
63.0	34.3	3,003	2	MOST
	43.9	3,845	-9	LEGITIMATE SKIP
	1.5	134	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1530-1531

**CJ3\_A** **BOTHERED/LOSS OF SEXUAL INTEREST**

In the month before admission, how much were you distressed (bothered) by loss of sexual interest or pleasure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	57.4	5,021	0	NOT AT ALL
19.2	19.0	1,662	1	A LITTLE BIT
7.0	6.9	604	2	MODERATELY
10.8	10.7	936	3	QUITE A BIT
5.2	5.2	452	4	EXTREMELY
	0.8	71	-8	BLANK
	0.1	5	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1532-1533

CJ3\_B

**BOTHERED/FEELING LOW IN ENERGY-1 MO BEF**

In the month before admission, how much were you distressed  
(bothered) by feeling low in energy or slowed down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.6	3,206	0	NOT AT ALL
30.5	30.3	2,649	1	A LITTLE BIT
11.8	11.7	1,028	2	MODERATELY
15.6	15.5	1,354	3	QUITE A BIT
5.2	5.1	449	4	EXTREMELY
	0.8	67	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1534-1535

CJ3\_C

**BOTHERED/CRYING EASILY-1 MO BEF ADM**

In the month before admission, how much were you distressed  
(bothered) by crying easily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	55.5	4,862	0	NOT AT ALL
17.9	17.8	1,557	1	A LITTLE BIT
8.1	8.0	701	2	MODERATELY
11.3	11.2	984	3	QUITE A BIT
6.6	6.6	574	4	EXTREMELY
	0.8	72	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1536-1537



CJ3\_F

BOTHERED/FEELING LONELY-1 MO BEF ADM

In the month before admission, how much were you distressed  
(bothered) by feeling lonely?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.3	2,131	0	NOT AT ALL
26.4	26.2	2,292	1	A LITTLE BIT
11.4	11.3	990	2	MODERATELY
22.8	22.6	1,982	3	QUITE A BIT
14.9	14.7	1,290	4	EXTREMELY
	0.8	66	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1542-1543

CJ3\_G

BOTHERED/FEELING BLUE-1 MO BEF ADM

In the month before admission, how much were you distressed  
(bothered) by feeling blue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	25.4	2,225	0	NOT AT ALL
28.8	28.6	2,505	1	A LITTLE BIT
11.9	11.8	1,034	2	MODERATELY
21.4	21.3	1,861	3	QUITE A BIT
12.2	12.1	1,059	4	EXTREMELY
	0.7	62	-8	BLANK
	0.1	9	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1544-1545



CJ3\_J

**BOTHERED/FEEL HOPELESS ABOUT FUTURE-1 MO**

In the month before admission, how much were you distressed  
(bothered) by feeling hopeless about the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.6	3,203	0	NOT AT ALL
23.3	23.0	2,017	1	A LITTLE BIT
9.9	9.8	856	2	MODERATELY
17.6	17.5	1,529	3	QUITE A BIT
12.3	12.2	1,064	4	EXTREMELY
	0.9	80	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1550-1551

CJ3\_K

**BOTHERED/FEEL EVERYTHING IS EFFORT-1**

In the month before admission, how much were you distressed  
(bothered) by feeling everything is an effort?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	32.3	2,830	0	NOT AT ALL
27.2	26.9	2,354	1	A LITTLE BIT
11.9	11.7	1,026	2	MODERATELY
18.4	18.2	1,595	3	QUITE A BIT
9.7	9.6	842	4	EXTREMELY
	1.1	96	-8	BLANK
	0.1	5	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1552-1553

**CJ3\_L** **BOTHERED/FEELING WORTHLESS-1 MO BEF ADM**

In the month before admission, how much were you distressed (bothered) by feeling worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	44.9	3,932	0	NOT AT ALL
23.1	22.9	2,001	1	A LITTLE BIT
8.7	8.6	755	2	MODERATELY
14.2	14.1	1,234	3	QUITE A BIT
8.6	8.5	743	4	EXTREMELY
	0.9	83	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1554-1555

**CJ3\_M** **BOTHERED/FEEL GUILTY/NOT YOUR FAULT-1 MO**

In the month before admission, how much were you distressed (bothered) by feeling guilty for things which may not be your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	40.5	3,550	0	NOT AT ALL
25.4	25.1	2,200	1	A LITTLE BIT
9.2	9.1	800	2	MODERATELY
14.9	14.7	1,289	3	QUITE A BIT
9.7	9.6	838	4	EXTREMELY
	0.8	73	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1556-1557

CJ3\_N

## BOTHERED/THOUGHTS OF ENDING YOUR LIFE-1

In the month before admission, how much were you distressed (bothered) by thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	72.1	6,308	0	NOT AT ALL
14.4	14.2	1,245	1	A LITTLE BIT
4.2	4.1	362	2	MODERATELY
5.2	5.2	453	3	QUITE A BIT
3.5	3.5	307	4	EXTREMELY
	0.9	76	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1558-1559

CJ4

## SOME/NONE/MOST PROB/RESULT OF DRUG/ALC

In that month, would you say that none, some, or most of the problems I've just described, such as [READ UP TO 3 ITEMS CODED "02" OR HIGHER], were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	10.1	881	0	NONE
25.7	19.0	1,666	1	SOME
60.8	45.0	3,944	2	MOST
	23.6	2,064	-9	LEGITIMATE SKIP
	2.2	196	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1560-1561



CJ5\_C

**BOTHERED/HAVING URGES TO BEAT/HURT ONE-1**

In the month before admission, how much were you distressed  
(bothered) by having urges to beat, injure, or harm someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	69.0	6,045	0	NOT AT ALL
15.9	15.8	1,385	1	A LITTLE BIT
4.9	4.8	424	2	MODERATELY
6.2	6.2	541	3	QUITE A BIT
3.8	3.8	329	4	EXTREMELY
	0.3	30	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1566-1567

CJ5\_D

**BOTHERED/HAVING URGES TO BREAK THINGS-1**

In the month before admission, how much were you distressed  
(bothered) by having urges to break or smash things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	64.9	5,684	0	NOT AT ALL
18.0	18.0	1,574	1	A LITTLE BIT
5.5	5.4	476	2	MODERATELY
7.2	7.1	625	3	QUITE A BIT
4.2	4.2	364	4	EXTREMELY
	0.4	32	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1568-1569



**CJ6****SOME/NONE/MOST PROB/RESULT OF DRUG/ALC**

In that month, would you say that none, some, or most of the problems I've just described, such as [READ UP TO 3 ITEMS CODED "02" OR HIGHER], were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	7.0	617	0	NONE
23.9	12.6	1,106	1	SOME
62.8	33.2	2,908	2	MOST
	45.7	4,005	-9	LEGITIMATE SKIP
	1.3	117	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1574-1575

**CJ7\_A****MY HOME LIFE WAS ALWAYS HAPPY**

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now. Would you say this statement is true for you or false for you?

My home life was always happy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	33.4	2,926	1	TRUE
66.5	66.2	5,800	2	FALSE
	0.3	24	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1576-1577

**CJ7\_B MOST TIME I FEEL HAPPY**

Next, I am going to read a series of statements to you.  
 Please listen to each statement carefully and decide whether  
 this statement is true for you or whether it is false for you  
 now. Would you say this statement is true for you or false for  
 you?

Most of the time I feel happy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	58.5	5,125	1	TRUE
41.3	41.1	3,600	2	FALSE
	0.3	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1578-1579

**CJ7\_C I'VE GONE AGAINST MY PARENTS' WISHES**

Next, I am going to read a series of statements to you.  
 Please listen to each statement carefully and decide whether  
 this statement is true for you or whether it is false for you  
 now. Would you say this statement is true for you or false for  
 you?

I have often gone against my parent's wishes.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	73.2	6,406	1	TRUE
26.4	26.2	2,294	2	FALSE
	0.3	25	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.2	14	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1580-1581

CJ7\_D

## I SEEM TO DO THINGS THAT I REGRET

Next, I am going to read a series of statements to you.  
Please listen to each statement carefully and decide whether  
this statement is true for you or whether it is false for you  
now. Would you say this statement is true for you or false for  
you?

I seem to do things that I regret more often than other  
people do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	62.3	5,455	1	TRUE
37.3	37.1	3,250	2	FALSE
	0.3	26	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1582-1583

CJ7\_E

## PEOPLE TALK ABOUT ME BEHIND BACK

Next, I am going to read a series of statements to you.  
Please listen to each statement carefully and decide whether  
this statement is true for you or whether it is false for you  
now. Would you say this statement is true for you or false for  
you?

People often talk about me behind my back.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	47.9	4,191	1	TRUE
50.4	48.6	4,256	2	FALSE
	0.4	34	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	3.1	271	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1584-1585

CJ7\_F

GAVE TEACHER LOT TROUBLE/AS CHILD

Next, I am going to read a series of statements to you.  
Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now. Would you say this statement is true for you or false for you?

As a child in school, I used to give the teachers lots of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	37.0	3,240	1	TRUE
62.9	62.6	5,484	2	FALSE
	0.3	28	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1586-1587

CJ7\_G

RIGHT PAY/LIKE TO TRAVEL W/CIRCUS

Next, I am going to read a series of statements to you.  
Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now. Would you say this statement is true for you or false for you?

If the pay were right, I would like to travel with a circus or carnival.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.8	2,348	1	TRUE
73.1	72.8	6,373	2	FALSE
	0.3	27	-8	BLANK
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1588-1589

<b>MOTIVATION AND READINESS FOR TREATMENT</b>
---

<b>CK1</b>	<b>MANY OUTSIDE PROB/PREVENT COMPLETE TX</b>
------------	--

Please tell me if you agree with each statement not at all, somewhat, or very much.

I have too many outside problems that will prevent me from completing treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	81.0	7,090	1	NOT AT ALL
15.3	15.2	1,332	2	AGREE SOMEWHAT
3.2	3.2	281	3	VERY MUCH AGREE
	0.3	30	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
	0.2	17	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1590-1591

<b>CK2</b>	<b>I NEED NO TX/FAMILY PRESSURE</b>
------------	-------------------------------------

Please tell me if you agree with each statement not at all, somewhat, or very much.

I really don't need treatment; I'm here because of pressure on me (family, legal).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	84.1	7,363	1	NOT AT ALL
9.1	9.1	795	2	AGREE SOMEWHAT
6.1	6.1	532	3	VERY MUCH AGREE
	0.4	31	-8	BLANK
	0.1	8	-6	MULTIPLE RESPONSE
	0.3	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1592-1593

**CK3 DRUG USE IS SERIOUS PROB IN MY LIFE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

My drug use is a very serious problem in my life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	566	1	NOT AT ALL
11.3	11.2	978	2	AGREE SOMEWHAT
82.2	81.6	7,140	3	VERY MUCH AGREE
	0.4	36	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.4	33	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1594-1595

**CK4 DRUG USE CAUSED PROB IN MOST AREAS OF LI**

Please tell me if you agree with each statement not at all, somewhat, or very much.

My drug use has caused problems in most areas of my life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	514	1	NOT AT ALL
15.2	15.1	1,320	2	AGREE SOMEWHAT
78.9	78.4	6,865	3	VERY MUCH AGREE
	0.4	32	-8	BLANK
	0.3	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1596-1597

**CK5****STAY OFF ALL DRUG/TO DO/I WANT IN LIFE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I have to stay off all drugs in order to do what I want to in life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	263	1	NOT AT ALL
8.2	8.1	711	2	AGREE SOMEWHAT
88.8	88.2	7,726	3	VERY MUCH AGREE
	0.4	34	-8	BLANK
	0.0	3	-4	DON'T KNOW
	0.2	18	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1598-1599

**CK6****MAKE CHANGES IN MYSELF/GET LIFE TOGETHER**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I know I have to make real changes in myself to get my life together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	122	1	NOT AT ALL
7.5	7.5	656	2	AGREE SOMEWHAT
91.1	90.5	7,927	3	VERY MUCH AGREE
	0.4	34	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	15	-3	NOT APPLICABLE

-----  
 100.0 100.0 8,755 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1600-1601

**CK7 MY DRUG USE/LIVING/HURT A LOT PEOPLE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I feel that my drug use and the way I've been living have hurt a lot of people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	525	1	NOT AT ALL
14.5	14.4	1,261	2	AGREE SOMEWHAT
79.4	78.9	6,904	3	VERY MUCH AGREE
	0.4	34	-8	BLANK
	0.4	31	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1602-1603

**CK8 MORE IMPORTANT TO ME/STOP USE OF DRUGS**

Please tell me if you agree with each statement not at all, somewhat, or very much.

It is more important to me than anything else that I stop using drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	177	1	NOT AT ALL
9.0	9.0	785	2	AGREE SOMEWHAT
88.9	88.1	7,715	3	VERY MUCH AGREE
	0.4	39	-8	BLANK
	0.4	39	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1604-1605

**CK9****NEED HELP W/OTHER PROB/NOT JUST DRUG**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I need help with other problems too, not just with my drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.4	996	1	NOT AT ALL
25.4	25.2	2,208	2	AGREE SOMEWHAT
63.2	62.8	5,494	3	VERY MUCH AGREE
	0.4	36	-8	BLANK
	0.2	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1606-1607

**CK10****I CAN STOP USE OF DRUGS ANYTIME I WANT**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I don't really believe that I have to be in treatment to stop using drugs; I can stop any time I want.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	79.2	6,933	1	NOT AT ALL
11.7	11.6	1,018	2	AGREE SOMEWHAT
8.4	8.3	725	3	VERY MUCH AGREE
	0.3	30	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.5	45	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1608-1609

**CK11 JOIN TX/READY TO DEAL W/MYSELF**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I cam to this program because I really felt that I am ready to deal with myself in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	446	1	NOT AT ALL
13.9	13.8	1,212	2	AGREE SOMEWHAT
80.9	80.4	7,036	3	VERY MUCH AGREE
	0.4	32	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1610-1611

**CK12 WILL DO ANYTHING/TO STRAIGHTEN MY LIFE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I'll do whatever I have to do to get my life straightened out.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	52	1	NOT AT ALL
10.3	10.3	900	2	AGREE SOMEWHAT
89.1	88.5	7,750	3	VERY MUCH AGREE
	0.5	41	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1612-1613

**CK13****ONLY THING WILL HELP ME/SOME TX**

Please tell me if you agree with each statement not at all, somewhat, or very much.

The only thing that will help me now is some kind of treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	467	1	NOT AT ALL
15.2	15.1	1,326	2	AGREE SOMEWHAT
79.4	78.8	6,903	3	VERY MUCH AGREE
	0.4	37	-8	BLANK
	0.1	5	-4	DON'T KNOW
	0.2	17	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1614-1615

**CK14****CAN'T GET HELP HERE/TRY OTHER TX PROG**

Please tell me if you agree with each statement not at all, somewhat, or very much.

If I can't get help here I will try some other treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.6	1,012	1	NOT AT ALL
16.7	16.5	1,446	2	AGREE SOMEWHAT
71.6	70.8	6,199	3	VERY MUCH AGREE
	0.5	40	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	13	-4	DON'T KNOW
	0.5	43	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1616-1617

**CK15 TIRE D OF USING DRUGS/WANT TO CHANGE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I am really tired of using drugs and want to change.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	127	1	NOT AT ALL
6.4	6.3	554	2	AGREE SOMEWHAT
92.1	91.0	7,968	3	VERY MUCH AGREE
	0.4	35	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.8	70	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1618-1619

**CK16 I CAN'T STOP USING DRUGS ON MY OWN**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I know I can't stop using drugs on my own.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.7	766	1	NOT AT ALL
12.4	12.3	1,073	2	AGREE SOMEWHAT
78.8	77.9	6,822	3	VERY MUCH AGREE
	0.4	33	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.7	59	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1620-1621

**CK17****STOP SEE PEOPLE/IF IT HELP ME IN TX**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I am willing to stop seeing some people I know for awhile if it will help me in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	255	1	NOT AT ALL
11.0	10.8	949	2	AGREE SOMEWHAT
86.1	85.1	7,453	3	VERY MUCH AGREE
	0.4	34	-8	BLANK
	0.0	3	-4	DON'T KNOW
	0.7	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1622-1623

**CK18****NEED TO BE DRUG FREE/WAY I WANT TO LIVE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I really do need to be completely drug free in order to live the way I want to.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	247	1	NOT AT ALL
7.4	7.3	640	2	AGREE SOMEWHAT
89.8	89.0	7,795	3	VERY MUCH AGREE
	0.4	36	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.4	35	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1624-1625

**CK19 I CAN'T DO/REQUIRED OF ME IN DRUG PROG**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I don't think I can do what's required of me in this program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	86.0	7,525	1	NOT AT ALL
9.9	9.8	856	2	AGREE SOMEWHAT
3.5	3.5	305	3	VERY MUCH AGREE
	0.4	37	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
	0.2	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1626-1627

**CK20 STAY IN PROG LONGER/FOR BETTER LIFE**

Please tell me if you agree with each statement not at all, somewhat, or very much.

I'll stay in this program as long as I have to in order to change my life for the better.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	333	1	NOT AT ALL
14.7	14.5	1,270	2	AGREE SOMEWHAT
81.5	80.7	7,065	3	VERY MUCH AGREE
	0.7	59	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.3	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1628-1629

INTERVIEWER OBSERVATIONS
--------------------------

<b>CL1</b>	<b>RESP'S GROOMING/NEATNESS/CLEAN</b>
------------	---------------------------------------

HOW IS RESPONDENT'S GROOMING, NEATNESS OF APPEARANCE, AND PERSONAL CLEANLINESS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	18	1	VERY POOR
1.5	1.5	129	2	SOMEWHAT POOR
9.4	9.2	808	3	A LITTLE LESS THAN AVERAGE
88.9	87.0	7,614	4	AVERAGE OR GOOD
	2.1	184	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1630-1631

<b>CL2</b>	<b>RESP'S SPEECH (CLEAR?)</b>
------------	-------------------------------

HOW IS RESPONDENT'S SPEECH, THAT IS, HOW CLEAR AND UNDERSTANDABLE IS IT TO MOST PEOPLE?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	8	1	VERY POOR
0.5	0.5	40	2	SOMEWHAT POOR
4.4	4.3	378	3	A LITTLE LESS THAN AVERAGE
95.0	92.9	8,134	4	AVERAGE OR GOOD
	2.2	194	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1632-1633

**CL3 RESP. USED MADE-UP WORDS**

DID THE RESPONDENT USE MADE-UP OR MEANINGLESS WORDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	17	1	YES
99.8	97.0	8,496	2	NO
	2.8	242	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1634-1635

**CL4 RESP/LACK OF LOGICAL ORGANIZATION**

DID THE RESPONDENT ANSWER QUESTIONS IN A WAY THAT SHOWED A LACK OF LOGICAL OR UNDERSTANDABLE ORGANIZATION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	172	1	YES
98.0	95.6	8,366	2	NO
	2.5	217	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1636-1637

**CL5 RESP. SHOW ANY EMOTION/INTERVIEW**

DID THE RESPONDENT SHOW ANY EMOTION DURING THE INTERVIEW SUCH AS SMILING, SADNESS, IRRITABILITY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	35.1	3,069	1	YES
63.6	61.4	5,373	2	NO
	3.6	313	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1638-1639

**CL6****RESP. SEEMED TO BE HALLUCINATING**

DID IT SEEM THAT THE RESPONDENT WAS HALLUCINATING (BEHAVING AS IF HEARING VOICES OR SEEING VISIONS, LIPS MOVING WITHOUT MAKING ANY SOUND)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	11	1	YES
99.9	94.8	8,303	2	NO
	5.0	441	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1640-1641

**CL7\_1****ABNORMALITY/GROSSLY OBESE**

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

GROSSLY OBESE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	62	1	CIRCLED
	98.1	8,593	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	1.1	97	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1642-1643

CL7\_2

## ABNORMALITY/VERY THIN/SKELETON-LIKE

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

VERY THIN, SKELETON-LIKE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	69	2	CIRCLED
	98.3	8,608	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.9	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1644-1645

CL7\_6

## ABNORMALITY/OTHER PHYS HANDICAP

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

OTHER PHYSICAL HANDICAP.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	77	6	CIRCLED
	98.2	8,600	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.9	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1646-1647

CL7_6_B	HOW SEVERE PHYS HANDICAP
---------	--------------------------

HOW SEVERE (OTHER PHYSICAL HANDICAP):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	0.3	25	1	VERY SEVERE
54.5	0.5	48	2	MODERATELY SEVERE
17.0	0.2	15	3	NOT SEVERE
	98.2	8,601	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.7	63	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1648-1649

CL7_7	ABNORMALITY/OTHER APPARENT ILLNESS
-------	------------------------------------

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

OTHER APPARENT ILLNESS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	29	7	CIRCLED
	98.9	8,655	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.8	68	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1650-1651

**CL7\_8 ABNORMALITY/DISFIGUREMENT**

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

DISFIGUREMENT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	46	8	CIRCLED
	98.7	8,638	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.8	68	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1652-1653

**CL7\_8\_B HOW SEVERE DISFIGUREMENT**

HOW SEVERE (DISFIGUREMENT):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	0.1	8	1	VERY SEVERE
44.4	0.3	28	2	MODERATELY SEVERE
42.9	0.3	27	3	NOT SEVERE
	98.6	8,629	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.7	59	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1654-1655

<b>CL8</b>	<b>RESP. ANSWERED ALL APPLICABLE Q.</b>
------------	---

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	93.3	8,172	1	YES
3.5	3.4	296	2	NO
	3.2	284	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1656-1657

<b>CL9</b>	<b>DID RESP. UNDERSTAND ALL Q. ASKED</b>
------------	--

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTION(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.3	8,347	1	YES
1.8	1.8	157	2	NO
	2.8	248	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1658-1659

CL9\_A #Q. RESP. DIDN'T UNDERSTAND

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	5	0	
48.6	0.6	51	1	
8.6	0.1	9	2	
8.6	0.1	9	3	
6.7	0.1	7	4	
4.8	0.1	5	5	
2.9	0.0	3	6	
1.0	0.0	1	7	
1.0	0.0	1	8	
1.9	0.0	2	9	
1.0	0.0	1	10	
1.9	0.0	2	11	
3.8	0.0	4	20	
1.0	0.0	1	22	
1.0	0.0	1	33	
1.0	0.0	1	50	
1.0	0.0	1	90	
1.0	0.0	1	300	
	95.2	8,337	-9	LEGITIMATE SKIP
	3.5	303	-8	BLANK
	0.1	9	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1660-1662

CL10\_1

INTELLECTUALLY UNABLE/NOT UNDERSTAND Q.

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	51	1	CIRCLED
	95.3	8,345	-9	LEGITIMATE SKIP
	4.1	358	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1663-1664

CL10\_1\_1

HOW SEVERE INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	0.4	39	1	MILD
24.2	0.2	15	2	MODERATE
12.9	0.1	8	3	EXTREME
	95.3	8,344	-9	LEGITIMATE SKIP
	4.0	348	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1665-1666



CL10\_3

PHYSICALLY UNABLE/NOT UNDERSTAND Q.

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	95.3	8,347	-9	LEGITIMATE SKIP
	4.6	407	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1671-1672

CL10\_3\_1

HOW SEVERE PHYSICAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	95.3	8,347	-9	LEGITIMATE SKIP
	4.6	407	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1673-1674

**CL10\_4 OTHER/NOT UNDERSTAND Q.**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	45	4	CIRCLED
	95.3	8,344	-9	LEGITIMATE SKIP
	4.2	364	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1675-1676

**CL10\_4\_1 HOW SEVERE THIS DIFFICULTY WAS**

HOW SEVERE WOULD YOU SAY THIS (OTHER) DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	0.2	20	1	MILD
34.9	0.2	15	2	MODERATE
18.6	0.1	8	3	EXTREME
	95.3	8,345	-9	LEGITIMATE SKIP
	4.2	366	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1677-1678

<b>CL11</b>	<b>WAS INTERVIEW A BREAK-OFF</b>
-------------	----------------------------------

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	212	1	YES
97.5	94.5	8,276	2	NO
	3.0	267	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1679-1680

<b>CL11_A_1</b>	<b>INTERVIEWER EMERGENCY/REASON/BREAK-OFF</b>
-----------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	4	1	CIRCLED
	94.5	8,276	-9	LEGITIMATE SKIP
	5.4	475	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1681-1682

<b>CL11_A_2</b>	<b>RESP. EMERGENCY/REASON/BREAK-OFF</b>
-----------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	26	2	CIRCLED
	94.5	8,273	-9	LEGITIMATE SKIP
	5.2	456	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1683-1684

**CL11\_A\_3                      RESP. TIRED/REASON/BREAK-OFF**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	3	CIRCLED
	94.5	8,276	-9	LEGITIMATE SKIP
	5.3	464	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1685-1686

**CL11\_A\_4                      RESP. ANGRY/QUES/REASON/BREAK-OFF**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	94.5	8,276	-9	LEGITIMATE SKIP
	5.5	478	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1687-1688

**CL11\_A\_5                    RESP. UPSET/QUES/REASON/BREAK-OFF**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	5	CIRCLED
	94.5	8,276	-9	LEGITIMATE SKIP
	5.4	474	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1689-1690

**CL11\_A\_6                    OTHER/REASON/BREAK-OFF**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	144	6	CIRCLED
	94.5	8,274	-9	LEGITIMATE SKIP
	3.8	337	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1691-1692



<b>CL13_A_H</b>	<b>#HRS/INTERVIEW/BEFORE INTERRUPTED</b>
-----------------	--

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED  
THE FIRST TIME? HOURS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	4.2	368	0	
20.9	1.2	102	1	
2.3	0.1	11	2	
0.4	0.0	2	3	
0.4	0.0	2	6	
0.2	0.0	1	20	
0.4	0.0	2	48	
	90.0	7,877	-9	LEGITIMATE SKIP
	4.4	388	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1697-1698

<b>CL13_A_M</b>	<b>#MINUTES/INTERVIEW/BEFORE INTERRUPTED</b>
-----------------	--

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED  
THE FIRST TIME? MINUTES?

8,755 cases (Range of valid codes: 0-88)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1699-1700

CL14

## HOW WAS RESP. PSYCHOLOGICALLY

PSYCHOLOGICALLY, WAS THE RESPONDENT?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	87.8	7,685	1	ESSENTIALLY NORMAL
6.5	6.2	546	2	A LITTLE ABNORMAL
1.5	1.4	123	3	VERY ABNORMAL
	4.5	397	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1701-1702

<b>MINIMENTAL STATUS EXAM</b>
-------------------------------

<b>CM1</b>	<b>EVER TALKED TO DR/MEMORY PROB?</b>
------------	---------------------------------------

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	1.2	108	1	YES
72.7	3.3	287	2	NO
	95.5	8,359	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1703-1704

<b>CM2</b>	<b>WHAT IS THE YR?</b>
------------	------------------------

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	4.3	380	1	CORRECT
2.8	0.1	11	5	ERROR/CANT DO/REFUSE
	95.5	8,361	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1705-1706

<b>CM3</b>	<b>WHAT SEASON OF THE YR?</b>
------------	-------------------------------

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	3.3	290	1	CORRECT
25.3	1.1	98	5	ERROR/CANT DO/REFUSE
	95.5	8,364	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1707-1708

<b>CM4</b>	<b>WHAT IS THE DATE?</b>
------------	--------------------------

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	3.6	317	1	CORRECT
17.9	0.8	69	5	ERROR/CANT DO/REFUSE
	95.6	8,366	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1709-1710

<b>CM5</b>	<b>WHAT IS THE DAY OF THE WEEK?</b>
------------	-------------------------------------

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	4.1	363	1	CORRECT
5.2	0.2	20	5	ERROR/CANT DO/REFUSE
	95.6	8,369	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1711-1712

<b>CM6</b>	<b>WHAT IS THE MONTH?</b>
------------	---------------------------

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	4.2	372	1	CORRECT
2.6	0.1	10	5	ERROR/CANT DO/REFUSE
	95.6	8,369	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1713-1714

**CM7** **WHAT STATE ARE WE IN?**

Can you tell me where we are right now? For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	4.2	366	1	CORRECT
3.9	0.2	15	5	ERROR/CANT DO/REFUSE
	95.6	8,371	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1715-1716

**CM8** **WHAT COUNTY ARE WE IN?**

What (county/parish) are we in?.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	3.6	311	1	CORRECT
20.1	0.9	78	5	ERROR/CANT DO/REFUSE
	95.5	8,362	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1717-1718

<b>CM9</b>	<b>WHAT CITY/TOWN ARE WE IN?</b>
------------	----------------------------------

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	3.9	344	1	CORRECT
8.3	0.4	31	5	ERROR/CANT DO/REFUSE
	95.6	8,374	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1719-1720

<b>CM10_A</b>	<b>WHAT FLOOR OF BUILDING ARE WE ON?</b>
---------------	--

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	4.2	365	1	CORRECT
3.9	0.2	15	5	ERROR/CANT DO/REFUSE
	95.6	8,372	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1721-1722



CM11\_B

## TABLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . "Apple" "Table" "Penny" Could you repeat the 3 items for me?

Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	4.4	389	1	CORRECT
2.3	0.1	9	5	ERROR/CANT DO/REFUSE
	95.4	8,355	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1727-1728

CM11\_C

## PENNY/3 OBJECTS/ REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . "Apple" "Table" "Penny" Could you repeat the 3 items for me?

Penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	4.5	391	1	CORRECT
1.8	0.1	7	5	ERROR/CANT DO/REFUSE
	95.4	8,355	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1729-1730



**CM12\_C****WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	1.9	168	1	CORRECT
38.6	1.5	133	5	ERROR
12.8	0.5	44	7	SAYS CANT DO
	95.8	8,390	-8	BLANK
	0.2	20	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1735-1736

**CM12\_D****WOULD YOU SUBTRACT 7 FROM 79**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	1.9	164	1	CORRECT
37.5	1.5	128	5	ERROR
14.4	0.6	49	7	SAYS CANT DO
	95.9	8,393	-8	BLANK
	0.2	21	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1737-1738



<b>CM14_A</b>	<b>APPLE/3 OBJECTS/REMEMBER OBJECTS</b>
---------------	---

Now, what were the 3 objects I asked you to remember?

Apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	4.0	346	1	CORRECT
12.6	0.6	50	5	ERROR/CANT DO/REFUSE
	95.5	8,357	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1743-1744

<b>CM14_B</b>	<b>TABLE/3 OBJECTS/REMEMBER OBJECTS</b>
---------------	---

Now, what were the 3 objects I asked you to remember?

Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	3.3	285	1	CORRECT
27.8	1.3	110	5	ERROR/CANT DO/REFUSE
	95.5	8,357	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1745-1746

**CM14\_C** **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	3.6	317	1	CORRECT
19.7	0.9	78	5	ERROR/CANT DO/REFUSE
	95.5	8,358	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1747-1748

**CM15\_A** **SHOW WRIST WATCH/ASK/WHAT IS THIS?**

What is this called? [SHOW WRIST WATCH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	4.5	394	1	CORRECT
0.5	0.0	2	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	95.5	8,357	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1749-1750

CM15\_B

SHOW PENCIL/ASK/WHAT IS THIS?

What is this called? [SHOW PENCIL]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	4.5	392	1	CORRECT
0.8	0.0	3	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	95.5	8,358	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1751-1752

CM16

REPEAT A PHRASE AFTER ME

I'd like you to repeat a phrase after me. The phrase is . . .  
 "No if's, and's or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	3.4	301	1	CORRECT
23.6	1.1	93	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	95.5	8,359	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1753-1754

**CM17** **HAND 'CLOSE YOUR EYES' CARD TO RESP.**

Read the words on this page and then do what it says.  
 [HAND "CLOSE YOUR EYES" CARD TO RESPONDENT]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	4.1	363	1	CORRECT
2.3	0.1	9	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
2.9	0.1	11	7	CANT READ ENGLISH
	95.6	8,370	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1755-1756

**CM18\_A** **TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKES PAPER IN RIGHT HAND.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	3.8	329	1	CORRECT
16.0	0.7	63	5	ERROR/CANT DO/REFUSE
0.3	0.0	1	6	HANDICAP
	95.5	8,359	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1757-1758

**CM18\_B****FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	4.2	368	1	CORRECT
5.9	0.3	23	5	ERROR/CANT DO/REFUSE
0.5	0.0	2	6	HANDICAP
	95.5	8,359	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1759-1760

**CM18\_C****PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	4.3	374	1	CORRECT
4.6	0.2	18	5	ERROR/CANT DO/REFUSE
0.3	0.0	1	6	HANDICAP
	95.5	8,359	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1761-1762

**CM19 WRITE COMPLETE SENTENCE ON PAPER**

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	3.9	339	1	CORRECT
7.7	0.3	29	5	ERROR/CANT DO
0.3	0.0	1	6	HANDICAP
2.6	0.1	10	7	CANT WRITE (ENGLISH)
	95.6	8,372	-8	BLANK
	0.0	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1763-1764

**CM20 COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper.  
 [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	3.1	270	1	CORRECT
25.1	1.0	91	5	ERROR/CANT DO
0.3	0.0	1	6	HANDICAP
	95.8	8,391	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1765-1766

CM21

12+ 05'S CODED IN M2-M11/M14-M20?

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	13	1	YES
96.3	3.9	342	2	NO
	95.9	8,398	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1767-1768



<b>MRTX3</b>	<b>MOVTIVATN/READINESS FACTOR-3</b>
--------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	16	5	
0.3	0.3	23	6	
0.9	0.9	75	7	
1.3	1.2	109	8	
2.4	2.4	206	9	
3.4	3.3	289	10	
4.5	4.4	388	11	
5.5	5.4	474	12	
11.7	11.5	1,004	13	
13.7	13.4	1,173	14	
56.1	54.9	4,806	15	
	2.2	192	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1836-1837

<b>MRTX4</b>	<b>MOVTIVATN/READINESS FACTOR-4</b>
--------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	73.5	6,433	2	
15.6	15.5	1,355	3	
8.1	8.0	700	4	
1.4	1.4	120	5	
0.7	0.7	58	6	
	1.0	89	-8	BLANK
-----	-----	-----		
100.0	100.0	8,755	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1838-1839

## APPENDIX A: Publications

### 1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research*, 34(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention*, 11(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence*, 57, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence*, 57, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence*, 57, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence*, 57, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse*, 25(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

### **1999 "In Press"**

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

**1998 Publications**

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

**1997 Publications**

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

### **1995-1996 Publications**

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.