

**Drug Abuse Treatment Outcome  
Study (DATOS), 1991-1994: [United  
States]**

*United States Department of Health and  
Human Services. National Institute on  
Drug Abuse*

Codebook for 3-Month Intreatment Data



## TABLE OF CONTENTS

INTRODUCTION .....	1
A. Background .....	1
B. Research Design .....	1
C. Program Sample .....	2
D. Instrumentation .....	3
E. Data Collection Procedures .....	3
F. Status of DATOS Study and Future Directions .....	4
G. SAMHDA Data Cleaning and Processing .....	5
H. User Responsibility .....	7
I. Processor Notes .....	7
FREQUENCIES .....	8
IDENTIFICATION .....	9
INTERVIEW INFORMATION .....	10
RECODED VARIABLES: CLIENT CHARACTERISTICS .....	11
RECODED VARIABLES: SUBSTANCE USE .....	16
RECODED VARIABLES: TREATMENT .....	23
INTERVIEW INFORMATION .....	24
DEMOGRAPHICS AND BACKGROUND .....	25
EDUCATION AND TRAINING .....	54
TREATMENT ACCESS .....	65
PSYCHOLOGICAL FUNCTIONING .....	83
TOBACCO, ALCOHOL, AND DRUG USE .....	107
SEXUAL EXPERIENCES .....	207
HEALTH .....	227
ILLEGAL INVOLVEMENT .....	250
EMPLOYMENT/SUPPORT STATUS .....	268
INCOME AND EXPENDITURES .....	302
INTREATMENT EXPERIENCE .....	314
MINIMENTAL STATUS EXAM .....	822
INTERVIEWER OBSERVATIONS .....	838
RESPONDENT CHARACTERISTICS .....	848
APPENDIX A: Publications .....	854



## **DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY**

### **INTRODUCTION**

#### **A. Background**

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

#### **B. Research Design**

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

### C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

## D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

**Intake 1.** The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

**Intake 2.** The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

**In-treatment.** Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

**Follow-up.** Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

## E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

## F. Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

*For a more complete discussion of the DATOS methodology, see*

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

*For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>*

## G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

**City and program names:** The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

**Date of birth:** Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

**Age at time of ... :** Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

**Legal status (criminal involvement) at time of admission, "Other; specify":** The details provided in "specify" were deleted; value coded as "Circled."

**Have other health plan:** Plans offered in a limited geographic area were coded as "Other."

**Occupation:** Highly detailed occupation codes were combined into larger categories.

**Race:** These codes were re-coded as "White," "Black," "Hispanic," and "Other."

**Ethnicity:** Detailed ethnicity codes and variables were collapsed or deleted.

**Description of ethnic/cultural background (Hispanic):** Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

**What other languages do you speak:** Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

**Length of marital status in weeks:** Re-coded to years; top-coded as 21 or more.

**Length of time since divorce in months:** Re-coded to years; top-coded as 21 or more.

**Highest grade completed:** Top-coded as 21 or more.

**Type of school/training program attended:** Job corps and special education (very low frequencies) coded as "Other."

**Number of children:** Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

**Date of admission:** The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

**Date of interview:** This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

**ICD-9/DSM diagnosis codes:** These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

**Number of months currently pregnant:** Re-coded by trimester.

**Reason felt worthless/sinful/guilty:** This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

**Presence of a specific physical handicap:** Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

**Problems related to getting a job:** Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

**Questions respondent did not understand:** These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

**Administrative variables:** “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

**Other variables:** Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

## H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

## I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

**FREQUENCIES**

**IDENTIFICATION**

**CASEID**                      **CASE IDENTIFICATION NUMBER**

3,180 cases (Range of valid codes: 1-9978)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

**MODALITY**                      **DATOS TX MODALITY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	38.8	1,234	1	RESIDENTIAL
5.8	5.8	183	2	SHORT-TERM INPATIENT
28.6	28.6	908	3	METHADONE MAINTENANCE
26.9	26.9	855	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Column: 5

INTERVIEW INFORMATION
-----------------------

FORM	VERSION OF QUESTIONNAIRE			
------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	30.8	979	1	NOV91
69.2	69.2	2,201	2	OCT92
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Column: 6



RACE	RACE/ETHNICITY RECODE			
------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.8	1,298	1	CAUCASIAN/WHITE
42.5	42.5	1,350	2	AFRO-AMERICAN/BLACK
14.5	14.5	461	3	HISPANIC
2.2	2.2	71	4	OTHER
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Column: 3287

RACESEX	RACE/GENDER COMBINATION			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	27.0	860	1	CAUCASIAN/WHITE MALE
27.7	27.7	880	2	AFRO-AMERICAN/BLACK MALE
9.5	9.5	302	3	HISPANIC MALE
1.5	1.5	47	4	OTHER MALE
13.8	13.8	438	5	CAUCASIAN/WHITE FEMALE
14.8	14.8	470	6	AFRO-AMERICAN/BLACK FEMALE
5.0	5.0	159	7	HISPANIC FEMALE
0.8	0.8	24	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Column: 3288

MSTAT	MARITAL STATUS AT INTAKE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.4	523	1	LEGALLY MARRIED
8.2	8.1	259	2	SEPARATED
14.6	14.5	462	3	DIVORCED
1.5	1.5	47	4	WIDOWED
12.9	12.8	408	5	LIVING AS MARRIED
46.4	46.3	1,473	6	NEVER MARRIED
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3289-3290

<b>FTWORK</b>	<b>WKS FULL TIME WORK PAST YR</b>
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	53.4	1,699	0	NONE
12.7	12.5	396	1	1 TO 13 WEEKS
16.4	16.1	511	2	14 TO 39 WEEKS
16.3	15.9	506	3	40 TO 52 WEEKS
	2.1	68	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3291-3292

<b>EDLEV</b>	<b>EDUCATIONAL LEVEL</b>
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.2	4.2	135	1	GRADE SCHOOL OR LESS
32.3	32.3	1,028	2	HIGH SCHOOL
39.1	39.1	1,242	3	HIGH SCHOOL DEGREE
16.1	16.1	513	4	SOME COLLEGE
4.0	4.0	127	5	JR COLLEGE/ASSOCIATE DEGREE
3.6	3.6	115	6	COLLEGE DEGREE
0.6	0.6	19	7	ADVANCED DEGREE
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3293-3294

<b>HLTHINS</b>	<b>HEALTH INSURANCE</b>
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	51.6	1,641	0	NONE
13.1	12.9	409	1	PRIVATE /OTHER
34.5	34.0	1,082	2	PUBLIC
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3295-3296

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	177	0	NO INCOME
40.0	38.1	1,212	1	LEGAL WORK
23.3	22.2	705	2	PUBLIC ASSISTANCE
4.6	4.4	140	3	SOCIAL SECURITY
6.7	6.4	204	4	FAMILY, FRIENDS
17.4	16.6	527	5	ILLEGAL SOURCES
2.0	1.9	62	6	OTHER SOURCES
	4.8	153	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3297-3298

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.6	1,101	0	SELF (ONLY IF NO OTHER PRIMARY OR SECOND
2.1	2.1	67	1	MEDICAL SERVICE
5.9	5.9	188	10	COMMUNITY AGENCY
6.7	6.7	212	20	LEGAL SYSTEM
20.3	20.3	646	30	PROBATION & PAROLE
0.7	0.7	22	40	PRISON SYSTEM
26.6	26.5	844	50	FAMILY OR FRIENDS
1.0	1.0	33	60	SCHOOL
1.4	1.4	43	70	EMPLOYER
0.3	0.3	11	80	VETERAN
0.3	0.3	9	90	OTHER
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3299-3300

<b>CJ_STAT</b>	<b>CRIM JUSTICE STATUS</b>
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	46.9	1,492	0	NO LEGAL STATUS
9.4	9.4	299	1	IN JAIL/DETENTION
27.0	27.0	858	2	PROBATION
10.6	10.6	337	3	PAROLE
6.0	5.9	189	4	CASE PENDING
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3301-3302

<b>RESTRICT</b>	<b>WKS RESTRICTED PAST YR, BRACKETED</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	38.2	1,215	0	NO WEEKS RESTRICTED
19.1	18.5	588	1	1 TO 4 WEEKS RESTRICTED
11.7	11.4	361	2	5 TO 13 WEEKS RESTRICTED
11.9	11.5	367	3	14 TO 26 WEEKS RESTRICTED
7.2	7.0	223	4	27 TO 39 WEEKS RESTRICTED
4.0	3.8	122	5	40 TO 50 WEEKS RESTRICTED
6.8	6.6	210	6	51 TO 52 WEEKS RESTRICTED
	3.0	94	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3303-3304

<b>RECODED VARIABLES: SUBSTANCE USE</b>
---

PDRUG	PRIMARY DRUG PROB RECODE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	252	0	NO FAVORITE DRUG
9.3	9.1	288	10	ALCOHOL
3.6	3.6	113	20	MARIJUANA
1.9	1.9	60	30	HALLUCINOGEN
41.6	40.6	1,291	40	COCAINE/CRACK
30.0	29.3	931	50	HEROIN
2.6	2.5	81	60	NARCOTICS/OTHER OPIATES
0.6	0.6	18	70	SEDATIVES
1.9	1.9	60	80	AMPHETAMINES
0.3	0.3	8	90	OTHER
0.0	0.0	1	91	INHALANTS
	2.4	77	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3328-3329

PDRUGFRQ	FREQ OF USE PRIMARY DRUG			
----------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.2	196	0	NO USE
4.0	3.6	115	1	LESS THAN ONCE A MONTH
6.6	5.9	189	2	1 TO 3 TIMES A MONTH
10.3	9.2	293	3	1 TO 2 TIMES A WEEK
10.4	9.3	296	4	3 TO 4 TIMES A WEEK
4.2	3.8	120	5	5 TO 6 TIMES A WEEK
25.3	22.7	721	6	DAILY OR ALMOST EVERY DAY
11.4	10.2	325	7	2 TO 3 TIMES A DAY
21.0	18.8	599	8	4 OR MORE TIMES A DAY
	7.9	252	-9	NO PRIMARY DRUG DENOTED
	2.3	74	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3330-3331

FAVDRUG	FAVORITE DRUG RECODE			
---------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	220	0	NO FAVORITE DRUG
9.2	9.1	289	10	ALCOHOL
7.4	7.3	231	20	MARIJUANA
1.8	1.8	57	30	HALLUCINOGEN
35.5	35.1	1,115	40	COCAINE/CRACK
33.7	33.3	1,059	50	HEROIN
2.6	2.6	82	60	NARCOTICS/OTHER OPIATES
0.7	0.7	22	70	SEDATIVES
1.8	1.8	58	80	AMPHETAMINES
0.2	0.2	5	90	OTHER
0.0	0.0	1	91	INHALANTS
	1.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3332-3333

NDRUGS	NUMBER DRUGS USED WEEKLY			
--------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	15.3	486	0	
26.9	26.9	856	1	
32.4	32.4	1,031	2	
18.2	18.2	578	3	
5.3	5.3	167	4	
1.4	1.4	44	5	
0.4	0.4	12	6	
0.2	0.2	5	7	
0.0	0.0	1	8	
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Column: 3363

HVY_ALC	HEAVY ALC USER PAST YR			
---------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	68.7	2,186	0	NOT A HEAVY USER
30.8	30.7	975	1	HEAVY ALCOHOL USER
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3340-3341

DRUGPAT	DRUG USE PATTERN FOR DATOS			
---------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	619	1	HEROIN/NARCOTIC/NO COKE
18.4	18.4	584	2	COKE W/HEROIN OR NARCOTICS
8.7	8.7	276	3	COKE ONLY
12.5	12.5	397	4	COKE AND ALCOHOL
10.9	10.9	347	5	COKE PLUS OTHER DRUGS
13.5	13.5	430	6	MARIJUANA AND/OR ALCOHOL
16.6	16.6	527	7	RESIDUAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Column: 3342

TOPS_PAT	TOPS DRUG USE PATTERN			
----------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	225	1	HEROIN
27.5	27.5	874	2	HEROIN AND OPIOIDS
3.3	3.3	104	3	OTHER OPIOIDS
1.9	1.9	60	4	MULTIPLE NON-OPIOID
32.6	32.6	1,036	5	SINGLE NON-OPIOID
12.1	12.1	384	6	MARIJUANA AND/OR ALCOHOL
15.6	15.6	497	7	RESIDUAL/MINIMAL USE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Column: 3364



<b>CRKWK</b>	<b>CRACK - WEEKLY USE IN PAST YR</b>			
--------------	--------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	67.7	2,154	0	LESS THAN WEEKLY USE
31.9	31.8	1,011	1	WEEKLY OR MORE USE
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3349-3350

<b>HERWK</b>	<b>HEROIN - WEEKLY USE IN PAST YR</b>			
--------------	---------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	65.4	2,079	0	LESS THAN WEEKLY USE
34.6	34.6	1,099	1	WEEKLY OR MORE USE
	0.1	2	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3351-3352

<b>NARWK</b>	<b>NARCOTICS - WEEKLY USE IN PAST YR</b>			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	89.3	2,839	0	LESS THAN WEEKLY USE
10.4	10.3	329	1	WEEKLY OR MORE USE
	0.4	12	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3353-3354



<b>HERHX</b>	<b>HISTORY OF HEROIN USE</b>
--------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	42.6	1,356	0	NEVER USED
10.4	10.4	330	1	USED 1-5 TIMES ONLY
4.4	4.4	140	2	USED SPORADICALLY OR MONTHLY
2.0	2.0	63	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
40.5	40.5	1,287	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3334-3335

<b>INHVK</b>	<b>INHALANTS - WEEKLY USE IN PAST YR</b>
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	99.5	3,163	0	LESS THAN WEEKLY USE
0.3	0.3	11	1	WEEKLY OR MORE USE
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3361-3362

<b>COCHX</b>	<b>HISTORY OF COCAINE USE</b>
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	171	0	NEVER USED
7.8	7.8	248	1	USED 1-5 TIMES ONLY
12.9	12.9	411	2	USED SPORADICALLY OR MONTHLY
18.9	18.8	599	3	USED MORE THAN 4 WEEKS ON WKLY BASIS
55.0	54.9	1,745	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 3336-3337

**RECODED VARIABLES: TREATMENT****DRUGTX**                      **NUMBER OF PRIOR DRUG TXS**

3,180 cases (Range of valid codes: 0-75)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3338-3339

**DRGTXAGE**                      **AGE AT 1ST DRUG TX**

3,180 cases (Range of valid codes: 8-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3365-3366

INTERVIEW INFORMATION
-----------------------

GDC_M	MONTH/DATE COMPLETED			
-------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	26.1	830	1	JAN.-MARCH
31.8	31.8	1,012	2	APR.-JUNE
22.8	22.8	726	3	JULY-SEPT.
19.2	19.2	611	4	OCT.-DEC.
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 7-8

GDC_Y	YR/DATE COMPLETED			
-------	-------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	41.9	1,332	92	
58.0	57.9	1,841	93	
	0.1	2	-8	BLANK
	0.2	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 9-10

GT_L_I	MINUTES/TOTAL LENGTH OF INTERVIEW			
--------	-----------------------------------	--	--	--

3,180 cases (Range of valid codes: 0-210)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 11-13



**GA3\_B****NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.  
Would you say you are...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
8.4	1.2	37	4	BLACK/AFRICAN AMERICAN
54.1	7.5	238	5	WHITE/CAUCASIAN
37.5	5.2	165	6	OTHER
	84.0	2,670	-9	LEGITIMATE SKIP
	2.2	70	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 18-19

**GA4****NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.  
Would you say you are...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
49.4	42.3	1,344	4	BLACK/AFRICAN AMERICAN
47.9	41.0	1,305	5	WHITE/CAUCASIAN
2.7	2.3	74	6	OTHER
	14.4	457	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 20-21

<b>GA5</b>	<b>RESIDENT/PLACE YOU USUALLY LIVED IN</b>
------------	--

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going during the past 3 months. During the past 3 months, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	26.6	845	1	ONE FAMILY HOUSE/DUPLEX/CONDO
1.0	1.0	33	2	A MOBILE HOME/TRAILER
25.1	24.9	793	3	APARTMENT/MULTIPLE FAMILY BUILDING
1.4	1.4	43	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.1	0.1	2	5	HOSPITAL/MEDICAL INSTITUTION
0.9	0.9	30	6	JAIL/PRISON/JUVENILE DETENTION HOME
37.7	37.5	1,193	7	RESIDENTIAL DRUG TREAT CTR
5.4	5.4	171	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.8	0.8	26	9	IN A HOMELESS SHELTER
0.3	0.3	9	10	ON THE STREET/NO REGULAR PLACE
0.5	0.5	16	11	OTHER
	0.5	17	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 22-23

GA6

## # WKS/YOU LIVED IN PLACE/JAIL/HOSPITAL

In the past 3 months, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a hospital, a therapeutic community, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	50.6	1,609	0	
1.8	1.8	56	1	
0.8	0.8	24	2	
1.0	1.0	32	3	
1.2	1.2	38	4	
0.3	0.3	9	5	
0.5	0.5	15	6	
0.1	0.1	4	7	
0.5	0.5	15	8	
0.2	0.2	7	9	
1.2	1.2	39	10	
1.9	1.9	61	11	
19.5	19.4	618	12	
20.3	20.2	642	13	
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 24-25

GA7

## YOUR MARITAL STATUS

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.9	473	1	MARRIED
9.6	9.6	304	2	SEPARATED
14.4	14.3	456	3	DIVORCED
1.6	1.6	50	4	WIDOWED
11.1	11.0	351	5	LIVE/W/SOMEONE AS MARRIED
48.4	48.2	1,533	6	NEVER MARRIED
	0.3	8	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 26-27

**GA8** **HOW HUSBAND/WIFE FELT/YOUR USE OF DRUG**

In general, in the past 3 months how has your (husband/wife/partner) felt about your use of drugs? Would you say that (he/she)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	17.8	565	1	HAS BEEN VERY MUCH OPPOSED
16.3	4.2	134	2	HAS BEEN SOMEWHAT OPPOSED
8.0	2.1	66	3	HAS NOT CARED ONE WAY/OTHER
3.0	0.8	25	4	APPROVED OF YOUR USE OF DRUGS
1.9	0.5	16	5	HAS NOT AWARE OF YOUR DRUG USE
1.8	0.5	15	6	NOT IN CONTACT WITH PARTNER
	73.1	2,325	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.4	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 28-29

**GA8\_A** **HOW IMP/WAY HE/SHE FELT/YOUR DRUG USE**

How important to you was the way (he/she) felt about your drug use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.3	40	1	NOT AT ALL
18.6	4.7	148	2	SOMEWHAT
76.3	19.1	606	3	VERY IMPORTANT
	74.1	2,355	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 30-31

**GA8\_B****SERIOUS PROB W/HUS/WIFE/YOUR DRUG USE**

Have you had any serious problems with your  
(husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	11.4	362	1	YES
54.6	13.7	436	2	NO
	74.1	2,355	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 32-33

**GA8\_C****HUS/WIFE PRESSURE YOU/STAY IN DRUG TX**

Has your (husband/wife/partner) pressured you to stay in  
treatment for drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	10.3	329	1	YES
58.6	14.7	466	2	NO
	74.1	2,355	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 34-35

<b>GA8_D</b>	<b>HE/SHE/BEEN ABUSING DRUG/NOT ALC</b>
--------------	---

Has (he/she) been abusing drugs in these 3 months? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	4.7	150	1	YES
81.2	20.3	646	2	NO
	74.0	2,354	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 36-37

<b>GA8_E</b>	<b>WAS THIS PERSON IN DRUG TX</b>
--------------	-----------------------------------

Has this person been in drug treatment at any time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	6.8	217	1	YES
72.8	18.3	581	2	NO
	74.0	2,354	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 38-39

**GA9****HUSBAND/WIFE/HOW CONCERNED OF YOU**

During the past 3 months, how much would you say your (husband/wife/partner) has been concerned, helpful, or supportive of you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	1.4	43	0	NOT AT ALL
18.6	4.7	151	1	SOMEWHAT
76.1	19.4	617	2	VERY MUCH
	73.5	2,338	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

**GA10****WITH WHOM YOU LIVED MOST OF TIME**

Who have you lived with most of the time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	394	1	WITH SPOUSE/SEXUAL PARTNER/CHILDREN
8.2	8.1	259	2	WITH SPOUSE/SEXUAL PARTNER ONLY
3.7	3.6	116	3	WITH CHILDREN ONLY
3.9	3.9	123	4	WITH BOTH PARENTS
2.8	2.7	87	5	WITH MOTHER ONLY
0.4	0.4	12	6	WITH FATHER ONLY
0.7	0.7	23	7	WITH PARENT(S) AND OWN CHILDREN
8.0	8.0	253	8	WITH OTHER FAMILY/ANY COMB 01-07
0.0	0.0	0	9	WITH FOSTER PARENTS
1.8	1.8	57	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATES
3.4	3.4	108	11	W/FRIENDS/ROOMMATES ONLY
9.1	9.0	287	12	ALONE
41.4	41.0	1,304	13	INSTITUTION/CLOSED FACILITY/HOSP
0.3	0.3	9	14	NO STABLE ARRANGEMENTS
3.7	3.7	118	15	OTHER
	0.7	22	-8	BLANK
	0.2	7	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 42-43

**GA11** **HOW SATISFIED HAVE YOU BEEN LIVING?**

How satisfied have you been living (alone/with this person/with these people)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	2.3	73	1	VERY DISSATISFIED
7.8	4.5	144	2	SOMEWHAT DISSATISFIED
26.4	15.4	489	3	SOMEWHAT SATISFIED
61.9	36.0	1,145	4	VERY SATISFIED
	40.9	1,301	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 44-45

**GA12** **#CHILDREN <18 YR OLD/YOU WERE RAISING**

During these 3 months, how many children, either your own or those you have been raising as your own, were younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	49.7	1,580	0	
19.7	19.7	627	1	
13.9	13.9	442	2	
9.7	9.7	308	3	
3.9	3.9	124	4	
1.9	1.9	61	5	
1.1	1.1	35	6	6+
	0.1	3	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 46-47

**GA13****# <18 CHILDREN LIVED W/YOU PAST 3 MONTH**

(Has your child/How many of your children) under 18 lived with you most of the time in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	18.9	601	0	
18.6	6.2	196	1	
12.4	4.1	130	2	
8.1	2.7	85	3	
2.7	0.9	28	4	
0.4	0.1	4	5	
0.8	0.3	8	6	6+
	49.2	1,565	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	17.2	548	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

**GA13A\_02****<18 YR OLD/LIVED W/SPOUSE/SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.7	214	2	CIRCLED
	61.7	1,962	-9	LEGITIMATE SKIP
	31.5	1,003	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 50-51

**GA13A\_03**                      **<18 YR OLD/LIVD W/EX-SPOUSE/EX-SEX PRTNR**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.4	457	3	CIRCLED
	61.8	1,964	-9	LEGITIMATE SKIP
	23.8	758	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 52-53

**GA13A\_04**                      **<18 YR OLD/LIVED W/OTHER RELATIVE(S)**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With other relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.4	331	4	CIRCLED
	61.9	1,967	-9	LEGITIMATE SKIP
	27.7	881	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 54-55

<b>GA13A_05</b>	<b>&lt;18 YR OLD/LIVED WITH NON RELATIVE(S)</b>
-----------------	---

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	79	5	CIRCLED
	61.9	1,970	-9	LEGITIMATE SKIP
	35.5	1,130	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

<b>GA13A_06</b>	<b>&lt;18 YR OLD/LIVED IN INSTITUTION</b>
-----------------	---

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

In an institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	26	6	CIRCLED
	62.0	1,972	-9	LEGITIMATE SKIP
	37.1	1,181	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 58-59

<b>GA14</b>	<b># CHILDREN HAVE LEGAL CUSTODY OF</b>
-------------	---

Currently, (do you have legal custody of your child/how many of your children do you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	15.2	484	0	
24.1	7.9	251	1	
15.0	4.9	156	2	
9.4	3.1	98	3	
3.2	1.0	33	4	
1.2	0.4	13	5	
0.6	0.2	6	6	6+
	49.2	1,566	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	17.2	548	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 60-61

<b>GA14A_02</b>	<b>LEGAL CUSTODY/CHILD/SPOUSE/SEX PARTNER</b>
-----------------	---

Who has legal custody of your (child/(other) children?

Spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.0	223	2	CIRCLED
	64.6	2,055	-9	LEGITIMATE SKIP
	28.3	901	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 62-63

GA14A\_03

LEGAL CUSTODY/CHILD/EX-SPOUSE/SEX PARTNR

Who has legal custody of your (child/(other) children?

Ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.8	440	3	CIRCLED
	64.6	2,053	-9	LEGITIMATE SKIP
	21.6	686	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

GA14A\_04

LEGAL CUSTODY OF CHILD/OTHER RELATIVES

Who has legal custody of your (child/(other) children?

Other relative(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	237	4	CIRCLED
	64.8	2,061	-9	LEGITIMATE SKIP
	27.7	881	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 66-67

**GA14A\_05                      LEGAL CUSTODY OF CHILD/NONRELATIVES**

Who has legal custody of your (child/(other) children?

Nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	49	5	CIRCLED
	64.9	2,063	-9	LEGITIMATE SKIP
	33.6	1,067	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 68-69

**GA14A\_06                      LEGAL CUSTODY/CHILD/INSTITUT/GOVT AGENCY**

Who has legal custody of your (child/(other) children?

An institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	6	CIRCLED
	64.9	2,063	-9	LEGITIMATE SKIP
	33.7	1,073	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 70-71

GA15\_00

HOW OFTEN SEE YOUR CHILD/NOT AT ALL

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?

Not at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.0	287	0	CIRCLED
	49.6	1,578	-9	LEGITIMATE SKIP
	41.3	1,312	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

GA15\_01

HOW OFTEN SEE YOUR CHILD/&gt; ONCE/WK

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?

Less than once a week.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.2	291	1	CIRCLED
	49.6	1,577	-9	LEGITIMATE SKIP
	41.2	1,309	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 74-75

<b>GA15_02</b>	<b>HOW OFTEN SEE CHILD/AT LEAST ONCE/WK</b>
----------------	---

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?

At least once a week.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.2	355	2	CIRCLED
	49.7	1,579	-9	LEGITIMATE SKIP
	39.1	1,243	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 76-77

<b>GA15_03</b>	<b>HOW OFTEN SEE YOUR CHILD/ALMOST DAILY</b>
----------------	--

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?

Almost daily.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	117	3	CIRCLED
	49.7	1,580	-9	LEGITIMATE SKIP
	46.5	1,480	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 78-79

**GA16****DRUG TX AFFECT CUSTODY OF CHILD**

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	8.6	275	1	YES
80.2	40.0	1,271	2	NO
2.4	1.2	38	3	SOMEWHAT/MAYBE
	49.3	1,569	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 80-81

**GA17****HOW WELL YOU WERE AS PARENT/GUARDIAN**

During these 3 months, how well have you been doing as a (parent/guardian)? Would you say..

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	5.7	181	1	POOR
30.8	15.1	480	2	FAIR
57.6	28.3	899	3	WELL
	49.4	1,571	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
	0.6	18	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 82-83

**GA18 HOW DIFFICULT FOR YOU TO FIND CHILD CARE**

During the past 3 months, how difficult has it been for you to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	40.8	1,297	0	NOT AT ALL
11.4	5.5	175	1	SOMEWHAT
4.4	2.1	67	2	VERY DIFFICULT
	49.4	1,571	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	1.4	44	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 84-85

**GA19 YOU HAD CLOSE RELATIONSHIP W/SOMEONE**

Now, I'll like to ask about other relationships that you may have had during the past 3 months. In the past 3 months, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	54.8	1,742	1	YES
44.4	43.7	1,390	2	NO
	0.6	20	-8	BLANK
	0.9	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 86-87

GA19\_A

#PEOPLE/YOU HAD RELATIONSHIP WITH

With how many people during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	
47.6	26.3	836	1	
14.9	8.2	261	2	
10.7	5.9	187	3	
7.4	4.1	130	4	
5.9	3.2	103	5	
3.0	1.7	53	6	
1.7	0.9	30	7	
0.9	0.5	16	8	
0.2	0.1	3	9	
3.6	2.0	63	10	
0.1	0.1	2	11	
0.8	0.4	14	12	
0.2	0.1	3	13	
0.7	0.4	13	15	
0.1	0.0	1	16	
1.0	0.6	18	20	
0.1	0.0	1	24	
0.3	0.2	6	25	
0.1	0.0	1	26	
0.1	0.1	2	30	
0.2	0.1	4	40	
0.1	0.0	1	45	
0.2	0.1	3	50	
0.1	0.0	1	80	
0.1	0.0	1	90	
	43.6	1,388	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.3	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 88-89

<b>GA19_B</b>	<b>SERIOUS PROB GET ALONG W/FAMILY/FRIEND</b>
---------------	---

In these 3 months, have you had serious problems getting along with family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	7.8	247	1	YES
85.6	46.2	1,468	2	NO
	43.5	1,382	-9	LEGITIMATE SKIP
	2.3	73	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.3	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 90-91

<b>GA20</b>	<b>HOW IMP/COUNSELING/GET ALONG PROB W/FAM</b>
-------------	--

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	30.3	963	0	NOT AT ALL
24.3	24.2	769	1	SOMEWHAT
45.3	45.1	1,435	2	VERY IMPORTANT
	0.3	10	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 92-93

**GA21****HOW MUCH CONTACT W/FAMILY/FRIENDS**

During the past 3 months, altogether how much contact (mail, telephone, or in person) have you had with any family members or close friend? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	146	0	NONE
38.1	38.0	1,208	1	SOME
57.1	56.9	1,809	2	A LOT
0.1	0.1	4	93	IF VOL: NO FAMILY/FRIENDS
	0.2	6	-8	BLANK
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 94-95

**GA22****HOW YOU DOING AS FAMILY MEMBER/FRIEND**

During the past 3 months, how have you been doing as a family member or friend? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	139	1	POOR
35.9	35.0	1,112	2	FAIR
59.6	58.1	1,849	3	WELL
	0.1	4	-9	LEGITIMATE SKIP
	1.8	56	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.6	19	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 96-97

**GA23\_A DO PHYSICAL EXERCISE/IN TYPICAL WK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	588	1	NOT AT ALL
12.0	12.0	382	2	LESS ONCE/WEEK
27.8	27.8	884	3	AT LEAST ONCE/WEEK
41.6	41.6	1,322	4	ALMOST DAILY
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 98-99

**GA23\_B READ/DO HOBBIES/IN TYPICAL WK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.6	433	1	NOT AT ALL
9.5	9.5	301	2	LESS ONCE/WEEK
23.9	23.9	760	3	AT LEAST ONCE/WEEK
52.9	52.8	1,680	4	ALMOST DAILY
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 100-101

**GA23\_C****ATTEND MTG OF CLUB/IN TYPICAL WK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	24.3	774	1	NOT AT ALL
5.8	5.7	182	2	LESS ONCE/WEEK
27.5	27.2	864	3	AT LEAST ONCE/WEEK
42.2	41.7	1,327	4	ALMOST DAILY
	0.3	9	-8	BLANK
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 102-103

**GA24\_A****ANY CLOSE PEOPLE USED DRUG/NOT IN TX**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	50.0	1,591	1	NONE
34.1	33.6	1,068	2	ONE OR A FEW
15.0	14.8	471	3	MANY
	0.2	7	-8	BLANK
	0.6	19	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105



**GA24\_D****CLOSE PEOPLE ENTERED JAIL/NOT IN TX**

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	73.9	2,351	1	NONE
18.8	18.5	588	2	ONE OR A FEW
5.8	5.7	181	3	MANY
	0.3	10	-8	BLANK
	0.8	26	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 110-111

**GA24\_E****ANY CLOSE PEOPLE ENTERED DRUG TX**

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	73.5	2,338	1	NONE
21.7	21.3	678	2	ONE OR A FEW
3.5	3.5	111	3	MANY
	0.3	9	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.6	19	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 112-113

<b>GA24_F</b>	<b>CLOSE PEOPLE QUIT USE DRUGS/NOT IN TX</b>
---------------	--

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	72.2	2,297	1	NONE
22.3	21.9	697	2	ONE OR A FEW
4.0	3.9	125	3	MANY
	0.3	9	-8	BLANK
	0.8	27	-4	DON'T KNOW
	0.8	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 114-115

<b>GA25</b>	<b>HOW WAS YOUR LIFE PAST 3 MOS</b>
-------------	-------------------------------------

Taking all things together, how would you say your life has been during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	93	1	VERY UNHAPPY
11.8	11.8	375	2	SOMEWHAT UNHAPPY
59.4	59.2	1,881	3	SOMEWHAT HAPPY
25.9	25.8	819	4	VERY HAPPY
	0.3	8	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 116-117

**GA26****THINGS BETTER/WORSE THAN A YR BEFORE**

Would you say things are better or worse than they were a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	256	1	WORSE
91.9	91.2	2,900	2	BETTER
	0.5	16	-8	BLANK
	0.1	3	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 118-119

**GA27****PROBS W/FAMILY/FRIENDS DUE DRUG USE**

In the past 3 months, have you had any problems with family members or close friends because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	6.1	195	1	YES
89.1	50.3	1,599	2	NO
	12.8	406	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 120-121

<b>GA27A</b>	<b>HOW SERIOUS PROBS DUE DRUGS/ALC</b>
--------------	--

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.3	8	1	NOT AT ALL
58.5	3.7	117	2	SOMEWHAT
37.5	2.4	75	3	VERY SERIOUS
	50.1	1,594	-9	LEGITIMATE SKIP
	12.8	406	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 122-123

EDUCATION AND TRAINING
------------------------

GB1	HIGHEST GRADE/SCHOOL YR ATTENDED
-----	----------------------------------

Another area I'd like to ask about is your education and training. What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	
0.2	0.2	5	3	
0.3	0.3	8	4	
0.2	0.2	5	5	
0.3	0.3	9	6	
1.2	1.2	38	7	
3.2	3.2	102	8	
7.0	7.0	223	9	
12.9	12.9	409	10	
17.4	17.3	551	11	
32.6	32.5	1,035	12	
6.3	6.3	199	13	
10.4	10.4	331	14	
2.9	2.9	91	15	
3.4	3.4	107	16	
0.7	0.7	21	17	
0.6	0.6	19	18	
0.1	0.1	4	19	
0.3	0.3	8	20	
0.2	0.2	7	21	21+
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 124-125

<b>GB1_A</b>	<b>DID YOU COMPLETE GRADE/YR</b>
--------------	----------------------------------

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	66.9	2,128	1	YES
32.8	32.7	1,041	2	NO
	0.3	10	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 126-127

<b>GB1_B</b>	<b>ARE YOU CURRENTLY IN SCHOOL?</b>
--------------	-------------------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	7.9	251	1	YES
86.2	49.5	1,573	2	NO
	11.9	377	-8	BLANK
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 128-129

GB1\_C

## KIND SCHOOL/TRAINING PROG ATTENDING

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MIDDLE SCHOOL (JUNIOR HIGH)
3.7	0.3	9	2	HIGH SCHOOL
4.5	0.3	11	3	JUNIOR (2-YR) COLLEGE
4.5	0.3	11	4	4-YR COLLEGE OR UNIVERSITY
9.8	0.8	24	5	TECHNICAL/TRADE/VOCATIONAL SCHOOL
0.0	0.0	0	6	JOB CORPS PROG
0.0	0.0	0	7	SPECIAL EDUCATION PROG
77.6	6.0	191	8	OTHER
	49.3	1,569	-9	LEGITIMATE SKIP
	12.1	385	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 130-131

GB1\_D

## PAST 3 MOS HOW HAVE GRADES BEEN

In the past 3 months, how have your grades been in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	2.4	76	1	BETTER THAN AVERAGE
60.4	4.5	142	2	AVERAGE
7.2	0.5	17	3	NOT SO GOOD
	49.3	1,569	-9	LEGITIMATE SKIP
	12.1	386	-8	BLANK
	0.3	8	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 132-133

**GB1\_E** **TEACHER THOUGHT YOU DID AS WELL AS COULD**

Did your teachers think you did as well as you could, or did they think you had the ability to do better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	0.8	25	1	DID AS WELL AS COULD
39.0	0.5	16	2	COULD HAVE DONE MUCH BETTER
	55.4	1,763	-9	LEGITIMATE SKIP
	12.3	391	-8	BLANK
	0.2	6	-4	DON'T KNOW
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 134-135

**GB1\_F** **FREQUENTLY IN TROUBLE W/TEACHRS/PRINCIPA**

In the past 3 months, have frequently gotten into trouble with your teachers or principal for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.2	7	1	YES
97.1	7.5	238	2	NO
	49.3	1,567	-9	LEGITIMATE SKIP
	12.1	386	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 136-137

<b>GB1_G</b>	<b># OF DAYS SKIPPED SCHOOL</b>
--------------	---------------------------------

In the past 3 months, how many days did you skip school or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	6.2	197	0	
4.8	0.4	12	1	
6.8	0.5	17	2	
2.8	0.2	7	3	
1.2	0.1	3	4	
0.8	0.1	2	5	
0.8	0.1	2	6	
0.4	0.0	1	7	
0.4	0.0	1	8	
0.4	0.0	1	10	
0.4	0.0	1	11	
0.4	0.0	1	12	
0.4	0.0	1	15	
0.4	0.0	1	20	
0.4	0.0	1	28	
0.4	0.0	1	30	
0.4	0.0	1	45	
	49.2	1,565	-9	LEGITIMATE SKIP
	12.0	383	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 138-139

<b>GB2</b>	<b>REC'D HIGH SCHOOL DIPLOMA/GED</b>
------------	--------------------------------------

During the past 3 months, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	145	1	YES
95.4	93.8	2,982	2	NO
	1.7	53	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 140-141

<b>GB2_A</b>	<b>DID YOU GET DIPLOMA/GED</b>
--------------	--------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	2.4	77	1	DIPLOMA
48.0	2.2	71	2	GED
	93.7	2,979	-9	LEGITIMATE SKIP
	1.7	53	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 142-143

<b>GB3_0</b>	<b>REC'D NO DEGREE</b>
--------------	------------------------

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	91.2	2,899	0	CIRCLED
	8.8	281	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 144-145

**GB3\_1****REC'D/JR COLLEGE/ASSOCIATE DEGREE**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Junior college degree or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	27	1	CIRCLED
	99.2	3,153	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 146-147

**GB3\_2****REC'D/BACHELOR'S DEGREE**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	24	2	CIRCLED
	99.2	3,156	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 148-149



GB3\_5

## REC'D/LICENSE TO PRACTICE TRADE

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

License to practice a trade.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	45	5	CIRCLED
	98.6	3,135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 154-155

GB3\_6

## REC'D/OTHER DEGREE/LICENSE, ETC.

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Other degree, license, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	34	6	CIRCLED
	98.9	3,146	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 156-157

**GB4** **YOU HAVE CURRENT VALID DRIVER'S LICENSE**

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.8	1,169	1	YES
63.1	63.0	2,002	2	NO
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 158-159

**GB4\_A** **STATUS OF YOUR DRIVER'S LICENSE**

Was your driver's license...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	12.3	392	1	EXPIRED
33.0	20.2	641	2	SUSPENDED
9.9	6.1	193	3	REVOKED
37.0	22.6	719	4	IF VOL: NEVER HAD ONE
	36.1	1,149	-9	LEGITIMATE SKIP
	2.4	77	-8	BLANK
	0.2	6	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 160-161

GB5

## A DEPENDABLE VEHICLE FOR YOU TO USE?

During the past 3 months, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for you to use...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	65.0	2,067	0	NONE
10.2	10.1	321	1	SOME
23.9	23.6	750	2	ALL OF THE TIME
	0.4	12	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
	0.8	27	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 162-163

**TREATMENT ACCESS**

**GC1 DO YOU HAVE ANY HEALTH INSURANCE/PLAN**

Next, I'd like to ask you about your current contacts with this program. Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	55.4	1,762	1	YES
44.0	43.5	1,383	2	NO
	1.0	33	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 164-165

**GC1\_A\_01 TYPE OF INSURANCE/B. CROSS B. SHIELD**

What type or health plan or insurance do you have? Any others?

Blue Cross / Blue Shield.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	70	1	CIRCLED
	43.5	1,383	-9	LEGITIMATE SKIP
	54.2	1,722	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 166-167

**GC1\_A\_02**                      **TYPE OF INSURANCE/OTHER PRIV INS**

What type or health plan or insurance do you have? Any others?

Other private insurance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	200	2	CIRCLED
	43.5	1,382	-9	LEGITIMATE SKIP
	50.1	1,593	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 168-169

**GC1\_A\_03**                      **TYPE OF INSURANCE/HEALTH PLAN/HMO/PPO**

What type or health plan or insurance do you have? Any others?

Health plan (HMO, PPO).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	105	3	CIRCLED
	43.5	1,383	-9	LEGITIMATE SKIP
	53.1	1,687	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 170-171

<b>GC1_A_04</b>	<b>TYPE OF INSURANCE/MEDICAID</b>
-----------------	-----------------------------------

What type or health plan or insurance do you have? Any others?

Medicaid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.6	1,036	4	CIRCLED
	43.3	1,377	-9	LEGITIMATE SKIP
	24.0	762	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 172-173

<b>GC1_A_05</b>	<b>TYPE OF INSURANCE/MEDICARE</b>
-----------------	-----------------------------------

What type or health plan or insurance do you have? Any others?

Medicare.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	83	5	CIRCLED
	43.5	1,383	-9	LEGITIMATE SKIP
	53.7	1,709	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 174-175

<b>GC1_A_06</b>	<b>TYPE OF INSURANCE/CHAMPUS/CHAMPVA</b>
-----------------	--

What type or health plan or insurance do you have? Any others?

CHAMPUS or CHAMPVA, The VA, or military health care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	6	CIRCLED
	43.4	1,381	-9	LEGITIMATE SKIP
	55.8	1,774	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 176-177

<b>GC1_A_07</b>	<b>TYPE OF INSURANCE/OTHER</b>
-----------------	--------------------------------

What type or health plan or insurance do you have? Any others?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.3	296	7	CIRCLED
	43.3	1,378	-9	LEGITIMATE SKIP
	47.2	1,501	-8	BLANK
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 178-179

<b>GC1_B</b>	<b>HEALTH PLAN IN YOUR NAME/FAMILY MEMBER</b>
--------------	---

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	52.7	1,677	1	OWN NAME
6.2	3.5	111	2	OTHER FAMILY MEMBER
	43.1	1,371	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 180-181

<b>GC1_C</b>	<b>COST/DRUG TX COVERED BY THIS PLAN</b>
--------------	--

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	43.2	1,374	1	YES
22.2	12.4	394	2	NO
0.3	0.2	6	3	PROG CHARGES NO FEES
	43.1	1,371	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 182-183

<b>GC1_D</b>	<b>COST COVER BY INSURANCE/FOR DRUG TX</b>
--------------	--

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.3	8	0	NONE
0.9	0.4	13	1	LESS THAN HALF
12.2	5.3	168	2	HALF OR MORE
86.1	37.4	1,189	3	ALL
0.2	0.1	3	4	PROG CHARGES NO FEES
	55.3	1,760	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 184-185

<b>GC1_E</b>	<b>PRIMARY FUNDS FOR TX/EXCLU INS</b>
--------------	---------------------------------------

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	18.4	584	1	SELF PAY
2.0	1.2	39	2	FAMILY/RELATIVES
0.2	0.1	3	3	WORKERS COMPENSATION
67.7	41.3	1,312	4	OTHER
	37.5	1,193	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.8	25	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 186-187



<b>GC3_A</b>	<b>HAS IT BEEN SOMEWHAT EASY/VERY EASY</b>
--------------	--

Has it been somewhat easy or very easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	21.5	683	1	SOMEWHAT EASY
65.3	40.4	1,285	2	VERY EASY
	37.1	1,181	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 192-193

<b>GC3_B</b>	<b>HAS IT BEEN SOMEWHAT/VERY DIFFICULT</b>
--------------	--

Has it been somewhat difficult or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	6.9	221	1	SOMEWHAT DIFFICULT
33.2	3.5	110	2	VERY DIFFICULT
	88.8	2,823	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 194-195

<b>GC4_00</b>	<b>CRIM CHARGE/NONE</b>
---------------	-------------------------

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

No.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	52.7	1,675	0	CIRCLED
	47.3	1,503	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 196-197

<b>GC4_01</b>	<b>CRIM CHARGE/PROBATION</b>
---------------	------------------------------

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	1,031	1	CIRCLED
	52.6	1,674	-9	LEGITIMATE SKIP
	14.9	473	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 198-199

**GC4\_02****CRIM CHARGE/PAROLE**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.5	333	2	CIRCLED
	52.7	1,675	-9	LEGITIMATE SKIP
	36.8	1,170	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 200-201

**GC4\_03****CRIM CHARGE/AWAITING TRIAL IN JAIL**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	3	CIRCLED
	52.7	1,675	-9	LEGITIMATE SKIP
	46.8	1,487	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 202-203



**GC4\_06****CRIM CHARGE/ON BAIL AWAITING TRIAL**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	41	6	CIRCLED
	52.6	1,674	-9	LEGITIMATE SKIP
	46.0	1,463	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 208-209

**GC4\_07****CRIM CHARGE/ON BAIL AWAIT SENTENCE**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	7	CIRCLED
	52.7	1,675	-9	LEGITIMATE SKIP
	46.8	1,488	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 210-211

**GC4\_08 CRIM CHARGE/RELEASE OWN RECOGNIZANCE**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Released on own recognizance, case pending.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	50	8	CIRCLED
	52.7	1,675	-9	LEGITIMATE SKIP
	45.7	1,453	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 212-213

**GC4\_09 CRIM CHARGE/OTHER STATUS**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	75	9	CIRCLED
	52.7	1,675	-9	LEGITIMATE SKIP
	44.9	1,428	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 214-215

<b>GC5</b>	<b>CRIM JUSTICE AWARE OF DRUG TX</b>
------------	--------------------------------------

Have any criminal justice (juvenile justice) authorities, such as a judge, a probation officer, or a parole officer, been aware of your drug problem or your treatment at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	44.1	1,402	1	YES
6.6	3.1	100	2	NO
0.5	0.3	8	3	UNCERTAIN
	52.4	1,667	-9	LEGITIMATE SKIP
	0.1	3	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 216-217

<b>GC5_A</b>	<b>FELT PRESSURE DRUG TREAT/AUTHORITY AWARE</b>
--------------	---

Since these authorities have been aware of your drug problem, have you felt any pressure to stay in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	19.2	612	1	YES
56.0	24.5	779	2	NO
	55.8	1,773	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 218-219

**GC6** **CRIM JUSTICE SUGGEST/REQ DRUG TX**

Has your participation in this program actually been required or suggested by the criminal (juvenile) justice system (i.e., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	18.7	594	1	YES
5.7	1.1	36	2	NO
	80.0	2,543	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 220-221

**GC6\_A** **PROG REQUIRED/SUGGESTED**

Has it been required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	15.9	505	1	REQUIRED, STIPULATED
14.8	2.8	88	2	SUGGESTED, ENCOURAGED
	81.1	2,579	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 222-223

**GC7****CRIM JUSTICE TESTED YOU FOR DRUG USE**

During the past 3 months, has anyone from the criminal (juvenile) justice system tested you for drug use or reviewed the results from drug tests that you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	11.3	360	1	YES
40.7	7.8	247	2	NO
	80.7	2,567	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 224-225

**GC7\_A****YOU BEEN CHECKED FOR DRUG/WHAT BASIS**

Have you been checked for drugs on a regular schedule, on a random basis, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	3.3	105	1	REGULAR
58.7	6.6	209	2	RANDOM
11.8	1.3	42	3	BOTH
	88.5	2,813	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 226-227

GC7_B_1	#TIMES TEST WERE DONE/PAST 3 MONTH
---------	------------------------------------

How often have the tests been done in the past 3 months?

Number of times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	5	0	
31.7	3.6	113	1	
19.3	2.2	69	2	
14.8	1.7	53	3	
6.4	0.7	23	4	
7.3	0.8	26	5	
6.4	0.7	23	6	
1.7	0.2	6	7	
0.8	0.1	3	8	
1.1	0.1	4	9	
2.5	0.3	9	10	
0.8	0.1	3	11	
3.1	0.3	11	12	
0.6	0.1	2	13	
0.3	0.0	1	15	
0.3	0.0	1	17	
0.3	0.0	1	24	
0.3	0.0	1	27	
0.3	0.0	1	36	
0.3	0.0	1	50	
0.3	0.0	1	60	
	88.5	2,814	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 228-229

GC7\_B\_2

HOW OFTEN TESTS DONE/PAST 3 MONTH

How often have the tests been done in the past 3 months?

Frequency of tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	3.2	101	1	PER WEEK
13.6	1.4	45	2	PER MONTH
56.0	5.8	186	3	TOTAL/ALTOGETHER
	88.4	2,812	-9	LEGITIMATE SKIP
	1.1	35	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 230-231



GD1\_B\_1

WHEN LAST PERIOD ENDED/ANXIOUS/TENSE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	1.0	31	1	LESS THAN ONE WEEK AFTER ADM
88.9	7.8	248	2	AT LEAST ONE WEEK AFTER ADM
	89.3	2,840	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
	0.2	7	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.3	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

GD1_B_2	#WKS AFTER ADM
---------	----------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	2	0	
3.8	0.3	10	1	
6.5	0.5	17	2	
3.8	0.3	10	3	
11.1	0.9	29	4	
2.3	0.2	6	5	
3.8	0.3	10	6	
1.1	0.1	3	7	
11.8	1.0	31	8	
1.1	0.1	3	9	
16.0	1.3	42	10	
12.6	1.0	33	11	
17.2	1.4	45	12	
3.1	0.3	8	13	
1.1	0.1	3	14	
2.7	0.2	7	16	
0.4	0.0	1	22	
0.4	0.0	1	30	
0.4	0.0	1	34	
	89.3	2,840	-9	LEGITIMATE SKIP
	2.0	65	-8	BLANK
	0.2	7	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 238-239

GD1\_C

THAT PERIOD DIRECT RESULT OF ALC/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	3.6	116	1	YES
65.1	6.8	216	2	NO
	89.3	2,839	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 240-241

GD2

YOU FELT SAD/BLUE/DEPRESSED FOR 2 WKS

In the past 3 months, have you had a least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	21.9	698	1	YES
78.0	77.6	2,469	2	NO
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 242-243



GD2\_C\_1

WHEN LAST PERIOD ENDED/FELT BLUE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	0.7	21	1	LESS THAN ONE WEEK AFTER ADM
94.8	12.0	383	2	AT LEAST ONE WEEK AFTER ADM
	84.7	2,693	-9	LEGITIMATE SKIP
	1.9	61	-8	BLANK
	0.3	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.3	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 248-249

GD2_C_2	#WKS AFTER ADM
---------	----------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	0	
4.0	0.5	16	1	
6.9	0.9	28	2	
4.7	0.6	19	3	
6.7	0.8	27	4	
3.0	0.4	12	5	
5.9	0.8	24	6	
2.0	0.3	8	7	
10.4	1.3	42	8	
4.2	0.5	17	9	
19.8	2.5	80	10	
10.4	1.3	42	11	
14.1	1.8	57	12	
1.5	0.2	6	13	
2.0	0.3	8	14	
1.0	0.1	4	15	
0.5	0.1	2	16	
0.2	0.0	1	18	
0.2	0.0	1	20	
0.2	0.0	1	21	
0.5	0.1	2	22	
0.2	0.0	1	23	
0.7	0.1	3	24	
0.2	0.0	1	31	
0.2	0.0	1	34	
	84.7	2,693	-9	LEGITIMATE SKIP
	2.1	68	-8	BLANK
	0.3	10	-5	BAD DATA
	0.1	4	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 250-251

GD2\_D

THAT PERIOD DIRECT RESULT OF ALC/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	4.7	148	1	YES
68.4	10.1	320	2	NO
	84.5	2,686	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 252-253

GD3

YOU THOUGHT A LOT ABOUT ENDING YOUR LIFE

In these 3 months, have you thought about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	137	1	YES
95.6	94.3	2,999	2	NO
	1.4	43	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 254-255

**GD3\_A THOUGHTS OF SUICIDE RESULT OF ALC/DRUG**

During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	1.4	44	1	YES
75.8	4.3	138	2	NO
	93.8	2,983	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 256-257

**GD4 DID YOU ATTEMPT SUICIDE**

In these 3 months, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	25	1	YES
99.2	98.5	3,133	2	NO
	0.7	22	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 258-259

**GD4\_A SUICIDE ATTEMPT RESULT OF ALC/DRUG USE**

During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	0.3	11	1	YES
77.1	1.2	37	2	NO
	98.3	3,127	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 260-261

GD5

## HAD TROUBLE CONTROLLING TEMPER

In the past 3 months, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	587	1	YES
81.5	81.1	2,579	2	NO
	0.4	14	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 262-263

GD5\_A\_1

## WHEN LAST PERIOD ENDED/TEMPER PROB

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	1.1	36	1	LESS THAN ONE WEEK AFTER ADM
93.1	15.4	489	2	AT LEAST ONE WEEK AFTER ADM
	81.0	2,577	-9	LEGITIMATE SKIP
	1.9	59	-8	BLANK
	0.2	6	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.4	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 264-265

GD5_A_2	#WKS AFTER ADM
---------	----------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.5	17	1	
6.1	1.0	32	2	
5.6	0.9	29	3	
5.6	0.9	29	4	
0.6	0.1	3	5	
4.2	0.7	22	6	
1.9	0.3	10	7	
12.3	2.0	64	8	
5.2	0.8	27	9	
13.4	2.2	70	10	
16.5	2.7	86	11	
17.8	2.9	93	12	
2.1	0.3	11	13	
2.1	0.3	11	14	
0.8	0.1	4	15	
1.0	0.2	5	16	
0.4	0.1	2	20	
0.2	0.0	1	22	
0.4	0.1	2	24	
0.2	0.0	1	25	
0.2	0.0	1	28	
0.2	0.0	1	30	
0.2	0.0	1	32	
	80.9	2,574	-9	LEGITIMATE SKIP
	2.2	71	-8	BLANK
	0.2	7	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.2	5	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 266-267

GD5\_B

## TEMPER PROB RESULT OF ALC/DRUG

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	4.0	126	1	YES
78.6	14.5	462	2	NO
	81.0	2,577	-9	LEGITIMATE SKIP
	0.3	11	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

GD6

## YOU FELT VERY SUSPICIOUS OF PEOPLE

In the past 3 months, have you felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	21.2	673	1	YES
78.8	78.7	2,503	2	NO
	0.1	3	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

GD6\_A\_1

WHEN LAST PERIOD ENDED/SUSPI OF PEOPLE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	1.3	42	1	LESS THAN ONE WEEK AFTER ADM
92.3	15.9	506	2	AT LEAST ONE WEEK AFTER ADM
	78.7	2,502	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	1.0	31	-5	BAD DATA
	0.5	16	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 272-273

GD6_A_2	#WKS AFTER ADM
---------	----------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	0.7	21	1	
6.7	1.1	36	2	
3.7	0.6	20	3	
7.9	1.4	43	4	
1.5	0.3	8	5	
3.9	0.7	21	6	
1.3	0.2	7	7	
6.7	1.1	36	8	
4.1	0.7	22	9	
11.1	1.9	60	10	
13.3	2.3	72	11	
23.7	4.0	128	12	
3.0	0.5	16	13	
2.6	0.4	14	14	
1.3	0.2	7	15	
1.7	0.3	9	16	
0.4	0.1	2	17	
0.6	0.1	3	18	
0.4	0.1	2	19	
0.4	0.1	2	20	
0.2	0.0	1	22	
0.2	0.0	1	23	
0.6	0.1	3	24	
0.2	0.0	1	25	
0.2	0.0	1	26	
0.4	0.1	2	27	
0.4	0.1	2	31	
0.2	0.0	1	39	
	78.6	2,499	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
	0.8	26	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.2	6	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 274-275

<b>GD6_B</b>	<b>SUSPICIOUS OF PEOPLE RESULT OF ALC/DRUG</b>
--------------	--

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	5.2	164	1	YES
75.2	15.7	498	2	NO
	78.6	2,498	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 276-277

<b>GD7</b>	<b>YOU HAD HALLUCINATIONS</b>
------------	-------------------------------

In the past 3 months, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	86	1	YES
97.3	97.2	3,090	2	NO
	0.1	3	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 278-279

GD7_A_1	WHEN LAST PERIOD ENDED/HALLUCINATION
---------	--------------------------------------

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	0.2	7	1	LESS THAN ONE WEEK AFTER ADM
91.0	2.2	71	2	AT LEAST ONE WEEK AFTER ADM
	97.1	3,088	-9	LEGITIMATE SKIP
	0.3	11	-8	BLANK
	0.1	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 280-281

GD7_A_2	#WKS AFTER ADM
---------	----------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	1	
4.1	0.1	3	2	
1.4	0.0	1	3	
8.1	0.2	6	4	
1.4	0.0	1	5	
5.4	0.1	4	6	
1.4	0.0	1	7	
14.9	0.3	11	8	
4.1	0.1	3	9	
13.5	0.3	10	10	
4.1	0.1	3	11	
20.3	0.5	15	12	
5.4	0.1	4	13	
2.7	0.1	2	14	
2.7	0.1	2	15	
4.1	0.1	3	16	
1.4	0.0	1	19	
2.7	0.1	2	26	
1.4	0.0	1	30	
	97.1	3,088	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 282-283

<b>GD7_B</b>	<b>HALLUCINATION/RESULT OF ALC/DRUG USE</b>
--------------	---

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	1.3	41	1	YES
52.9	1.4	46	2	NO
	97.1	3,087	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 284-285

<b>GD8</b>	<b>HAD TROUBLE CONCENTRATING/REMEMBERING</b>
------------	--

In the past 3 months, have you had trouble understanding, concentrating or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.8	631	1	YES
80.1	80.0	2,543	2	NO
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 286-287

GD8\_A

## TROUBLE CONCENTRATE/RESULT OF DRUG/ALC

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	10.3	329	1	YES
47.6	9.4	299	2	NO
	79.9	2,541	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 288-289

GD9

## REC'D PAYMENT FOR PSYCHI DISABILITY

During the past 3 months, have you received any disability payments, benefits, or a pension for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	109	1	YES
96.5	95.7	3,044	2	NO
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-291

**GD10** **TOOK PRESC MED FOR MENTAL PROB**

In the past 3 months, have you taken any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	257	1	YES
91.9	91.7	2,917	2	NO
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 292-293

**GD10\_A** **CURRENTLY TAKING MED FOR MENTAL PROB**

Are you currently taking any medications prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	7.2	230	1	YES
31.8	3.4	107	2	NO
	89.2	2,838	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 294-295

GD11

## HAD MENTAL PROB BECAUSE OF DRUG/ALC USE

In the past 3 months, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	256	1	YES
91.9	91.3	2,903	2	NO
	0.6	19	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 296-297

GD11\_A

## HOW SERIOUS PROB/BECAUSE OF DRUG/ALC USE

How serious were any problems you have had in these 3 months because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	1.4	43	1	NOT AT ALL
55.8	4.9	155	2	SOMEWHAT
28.8	2.5	80	3	VERY SERIOUS
	90.8	2,889	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 298-299

<b>GD12</b>	<b>HOW TROUBLED ARE YOU NOW/EMOTIONAL PROB</b>
-------------	--

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	65.2	2,074	0	NOT AT ALL
28.5	28.0	891	1	SOMEWHAT
5.2	5.2	164	2	VERY TROUBLED
	1.6	50	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 300-301

<b>GD13</b>	<b>I AM SATISFIED WITH MYSELF</b>
-------------	-----------------------------------

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	101	1	STRONGLY DISAGREE
9.9	9.9	316	2	SOMEWHAT DISAGREE
43.4	43.3	1,377	3	SOMEWHAT AGREE
43.5	43.5	1,382	4	STRONGLY AGREE
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 302-303

**GD14****AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	55.7	1,770	1	STRONGLY DISAGREE
21.7	21.6	687	2	SOMEWHAT DISAGREE
19.7	19.7	626	3	SOMEWHAT AGREE
2.8	2.8	88	4	STRONGLY AGREE
	0.2	7	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE

-----  
100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 304-305

**GD15****I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	17	1	STRONGLY DISAGREE
1.3	1.3	42	2	SOMEWHAT DISAGREE
27.0	26.9	857	3	SOMEWHAT AGREE
71.1	71.0	2,258	4	STRONGLY AGREE
	0.2	6	-8	BLANK

-----  
100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 306-307

**GD16 I FEEL USELESS AT TIMES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	46.4	1,474	1	STRONGLY DISAGREE
21.0	20.9	666	2	SOMEWHAT DISAGREE
29.1	29.0	921	3	SOMEWHAT AGREE
3.3	3.3	105	4	STRONGLY AGREE
	0.3	11	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 308-309

**GD17 I WISH I COULD HAVE > RESPECT FOR MYSELF**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	1,066	1	STRONGLY DISAGREE
13.6	13.6	432	2	SOMEWHAT DISAGREE
34.6	34.4	1,095	3	SOMEWHAT AGREE
18.2	18.1	576	4	STRONGLY AGREE
	0.2	7	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 310-311

**GD18****I FEEL THAT I AM A FAILURE**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	70.3	2,237	1	STRONGLY DISAGREE
17.5	17.4	554	2	SOMEWHAT DISAGREE
10.1	10.1	321	3	SOMEWHAT AGREE
1.9	1.9	60	4	STRONGLY AGREE
	0.2	6	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 312-313

**GD19****IMPORTANCE OF MENTAL HEALTH TX**

How important to you now is treatment or counseling for emotional, nervous, or mental health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	19.9	633	0	NOT AT ALL
22.6	12.8	406	1	SOMEWHAT
42.3	23.9	761	2	VERY IMPORTANT
	12.6	401	-8	BLANK
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-315

**TOBACCO, ALCOHOL, AND DRUG USE****GE1****#DAYS YOU DRANK ANY ALC**

Now, I'll like to ask about any alcohol, tobacco, and drugs you may have used during the past 3 months. Alcoholic beverages include beer, wine, and hard liquor, such as whiskey and mixed drinks. In the past 3 months, on how many days have you drunk any alcohol?

3,180 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 316-317

GE2

## #ALCOHOLIC DRINKS YOU HAVE ON EACH DAY

During the past 3 months, about how many alcoholic drinks  
have you usually had on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	6	0	
17.8	4.3	138	1	
27.5	6.7	213	2	
17.8	4.3	138	3	
10.2	2.5	79	4	
4.1	1.0	32	5	
8.8	2.1	68	6	
0.8	0.2	6	7	
1.3	0.3	10	8	
0.4	0.1	3	9	
1.8	0.4	14	10	
4.5	1.1	35	12	
0.1	0.0	1	13	
0.1	0.0	1	14	
0.1	0.0	1	15	
0.1	0.0	1	16	
0.1	0.0	1	17	
0.1	0.0	1	18	
1.6	0.4	12	20	
0.1	0.0	1	22	
0.9	0.2	7	24	
0.1	0.0	1	25	
0.3	0.1	2	30	
0.3	0.1	2	40	
0.1	0.0	1	60	
	75.4	2,397	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 318-319

GE3

YOU DRANK SEVERAL DAYS IN A ROW/3 MOS

During the past 3 months, have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	1.1	34	1	YES
95.5	22.7	723	2	NO
	75.5	2,400	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

GE4

#DAYS YOU BEEN DRUNK/PAST 3 MOS

On how many days have you been drunk during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	17.9	569	0	
9.3	2.2	71	1	
5.4	1.3	41	2	
2.6	0.6	20	3	
1.6	0.4	12	4	
1.4	0.3	11	5	
0.5	0.1	4	6	
0.3	0.1	2	7	
1.3	0.3	10	10	
0.1	0.0	1	12	
0.3	0.1	2	14	
0.3	0.1	2	15	
0.3	0.1	2	20	
0.1	0.0	1	21	
0.1	0.0	1	22	
0.1	0.0	1	24	
0.1	0.0	1	26	
0.1	0.0	1	27	
0.5	0.1	4	30	
0.1	0.0	1	35	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.3	0.1	2	60	
0.1	0.0	1	70	
0.1	0.0	1	75	
0.1	0.0	1	90	
0.1	0.0	1	91	
	75.5	2,401	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 322-323

**GE5** **YOU HAD ALCOHOL DELIRIUM TREMENS**

During the past 3 months, have you had alcohol d.t.'s (or Delirium Tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.3	8	1	YES
99.0	24.2	771	2	NO
	75.3	2,393	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 324-325

**GE6** **EVER HAD ANY PROB BECAUSE OF DRINKING**

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	8.3	265	1	YES
65.9	16.1	511	2	NO
	75.3	2,396	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 326-327

<b>GE7</b>	<b>HOW TROUBLED YOU BEEN BY ALC PROB</b>
------------	--

How troubled or bothered have you been in the past 3 months by an alcohol problem you may have? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	4.7	150	0	NOT AT ALL
31.7	2.7	86	1	SOMEWHAT
12.9	1.1	35	2	VERY TROUBLED
	91.3	2,902	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 328-329

<b>GE8</b>	<b>HOW IMP TO YOU/TX FOR ALC PROB</b>
------------	---------------------------------------

How important to you now is treatment or counseling for your alcohol problem? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	2.6	84	0	NOT AT ALL
24.8	2.1	67	1	SOMEWHAT
44.1	3.7	119	2	VERY IMPORTANT
	91.3	2,903	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 330-331

**GE9 YOUR CHANCES ARE OF NEVER DRINKING ALC**

What do you think your chances are of never drinking alcohol again? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	2.8	88	1	VERY POOR
46.1	3.9	124	2	FAIR
21.2	1.8	57	3	VERY GOOD
	91.3	2,903	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 332-333

**GE10 HOW DIFFICULT/STOP DRINK ALC COMPLETELY**

How difficult do you think it would be for you to stop drinking alcohol completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	1.6	51	0	NOT AT ALL
43.9	3.7	118	1	SOMEWHAT
37.2	3.1	100	2	VERY DIFFICULT
	91.3	2,903	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 334-335

<b>GE11</b>	<b>WHAT CHANCES/REDUCING THE AMT OF ALC</b>
-------------	---

What do you think your chances are of greatly reducing the amount of alcohol you drink? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.5	17	1	VERY POOR
27.1	2.3	73	2	FAIR
66.5	5.6	179	3	VERY GOOD
	91.3	2,903	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 336-337

<b>GE12</b>	<b>DO YOU CURRENTLY SMOKE CIGARETTES</b>
-------------	--

Now, I would like to ask about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	80.7	2,567	1	YES
18.9	18.9	600	2	NO
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 338-339



<b>GE13_A_2</b>	<b>DO YOU SMOKE PIPE</b>
-----------------	--------------------------

Which do you use? Pipe.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	2	CIRCLED
	94.2	2,997	-9	LEGITIMATE SKIP
	5.4	172	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 346-347

<b>GE13_A_3</b>	<b>DO YOU USE SMOKELESS TOBACCO/SNUFF</b>
-----------------	---

Which do you use? Smokeless tobacco or snuff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	3	CIRCLED
	94.2	2,997	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 348-349

<b>GE14</b>	<b>HAVE YOU USED MARIJUANA/HASHISH/THC</b>
-------------	--

Next, I'll like to ask about your use of drugs other than alcohol. During the past 3 months, have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.1	321	1	YES
89.9	89.8	2,856	2	NO
	0.1	2	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 350-351

<b>GE14_A_1</b>	<b>HOW LONG AFTER TX 1ST USE DRUG</b>
-----------------	---------------------------------------

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	3.3	104	1	LESS THAN ONE WEEK AFTER ADM
66.0	6.4	202	2	AT LEAST ONE WEEK AFTER ADM
	89.8	2,856	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 352-353

<b>GE14_A_2</b>	<b>#WKS AFTER ADM USED DRUGS</b>
-----------------	----------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.3	8	1	
22.0	1.5	47	2	
7.5	0.5	16	3	
25.2	1.7	54	4	
1.4	0.1	3	5	
5.6	0.4	12	6	
0.9	0.1	2	7	
13.6	0.9	29	8	
1.4	0.1	3	9	
8.4	0.6	18	10	
2.3	0.2	5	11	
5.1	0.3	11	12	
1.4	0.1	3	13	
0.5	0.0	1	15	
0.5	0.0	1	16	
0.5	0.0	1	24	
	89.8	2,855	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 354-355

<b>GE14_B_1</b>	<b>WHEN DID YOU LAST USE DRUGS</b>
-----------------	------------------------------------

When did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	5.1	163	1	MORE THAN ONE WEEK AGO
45.8	4.3	138	2	WITHIN THE LAST WEEK
	89.8	2,856	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 356-357

<b>GE14_B_2</b>	<b>#WKS AGO USE DRUGS</b>
-----------------	---------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.4	12	1	
29.7	1.6	52	2	
9.7	0.5	17	3	
25.7	1.4	45	4	
2.9	0.2	5	5	
5.7	0.3	10	6	
1.1	0.1	2	7	
8.0	0.4	14	8	
4.0	0.2	7	10	
1.7	0.1	3	11	
2.9	0.2	5	12	
0.6	0.0	1	13	
0.6	0.0	1	16	
0.6	0.0	1	80	
	89.8	2,856	-9	LEGITIMATE SKIP
	4.7	148	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 358-359

<b>GE14_C</b>	<b>HOW OFTEN USED DRUGS PAST 3 MOS</b>
---------------	--

How often have you used it during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	4.1	129	1	LESS THAN ONCE PER MONTH
25.2	2.5	81	2	1-3 TIMES/MO
20.6	2.1	66	3	1-2 TIMES/WK
5.6	0.6	18	4	3-4 TIMES/WK
0.9	0.1	3	5	5-6 TIMES/WK
5.0	0.5	16	6	DAILY OR ALMOST EVERY DAY
1.6	0.2	5	7	2 OR 3 TIMES A DAY
0.9	0.1	3	8	4+ TIMES A DAY
	89.7	2,854	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 360-361

<b>GE15</b>	<b>HAVE YOU USED COCAINE IN ANY FORM</b>
-------------	--

During the past 3 months, have you used cocaine, in any form, such as powder, "crack", free base, and cocoa paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	14.0	444	1	YES
86.0	86.0	2,734	2	NO
	0.0	1	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 362-363

<b>GE15_A_1</b>	<b>HOW LONG AFTER TX 1ST USED COCAINE</b>
-----------------	---

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	4.3	138	1	LESS THAN ONE WEEK AFTER ADM
67.4	9.0	285	2	AT LEAST ONE WEEK AFTER ADM
	85.9	2,733	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 364-365

<b>GE15_A_2</b>	<b>#WKS AFTER ADM USED COCAINE</b>
-----------------	------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
9.5	0.9	29	1	
20.1	1.9	61	2	
13.2	1.3	40	3	
18.8	1.8	57	4	
3.3	0.3	10	5	
7.9	0.8	24	6	
1.0	0.1	3	7	
10.9	1.0	33	8	
1.0	0.1	3	9	
7.9	0.8	24	10	
2.3	0.2	7	11	
2.6	0.3	8	12	
0.7	0.1	2	14	
0.7	0.1	2	16	
	85.9	2,732	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 366-367

<b>GE15_B_1</b>	<b>HOW LONG AGO DID YOU LAST USE COCAINE</b>
-----------------	--

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	8.0	255	1	MORE THAN ONE WEEK AGO
38.0	4.9	156	2	WITHIN THE LAST WEEK
	85.9	2,733	-9	LEGITIMATE SKIP
	1.1	36	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 368-369

<b>GE15_B_2</b>	<b>HOW MANY WKS AGO USE COCAINE</b>
-----------------	-------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.7	21	1	
22.2	2.0	63	2	
12.0	1.1	34	3	
19.0	1.7	54	4	
4.6	0.4	13	5	
9.9	0.9	28	6	
2.1	0.2	6	7	
13.7	1.2	39	8	
1.4	0.1	4	9	
4.6	0.4	13	10	
2.1	0.2	6	11	
1.1	0.1	3	12	
	85.9	2,733	-9	LEGITIMATE SKIP
	5.1	162	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 370-371

**GE15\_C****HOW DID YOU USUALLY TAKEN COCAINE**

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	1	BY MOUTH (EAT, CHEW)
38.8	5.4	172	2	BY SMOKING IT
17.6	2.5	78	3	BY INHALING/SNORTING/SNIFFING IT
40.6	5.7	180	4	BY INJECTING IT INTO A VEIN
0.2	0.0	1	5	BY INJECTING IT SOMEWHERE ELSE
2.0	0.3	9	6	BY FREEBASING
0.2	0.0	1	7	SOME OTHER WAY
	85.9	2,732	-9	LEGITIMATE SKIP
	0.1	2	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 372-373

**GE15\_D****HOW OFTEN USED COCAINE PAST 3 MONTH**

How often have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	5.1	163	1	LESS THAN ONCE PER MONTH
28.6	4.0	127	2	1-3 TIMES A MONTH
19.1	2.7	85	3	1-2 TIMES A WEEK
7.7	1.1	34	4	3-4 TIMES A WEEK
1.1	0.2	5	5	5-6 TIMES A WEEK
4.3	0.6	19	6	DAILY OR ALMOST EVERY DAY
1.1	0.2	5	7	2 OR 3 TIMES A DAY
1.4	0.2	6	8	4+ TIMES A DAY
	85.9	2,733	-9	LEGITIMATE SKIP
	0.1	3	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 374-375

<b>GE15_E</b>	<b>HOW OFTEN USED CRACK PAST 3 MONTH</b>
---------------	--

How often have you used crack in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	7.7	244	0	NOT USED
16.7	2.3	74	1	LESS THAN ONCE PER MONTH
12.6	1.8	56	2	1-3 TIMES A MONTH
7.2	1.0	32	3	1-2 TIMES A WEEK
3.6	0.5	16	4	3-4 TIMES A WEEK
1.1	0.2	5	5	5-6 TIMES A WEEK
2.5	0.3	11	6	DAILY OR ALMOST EVERY DAY
0.2	0.0	1	7	2 OR 3 TIMES A DAY
1.1	0.2	5	8	4+ TIMES A DAY
	85.9	2,732	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 376-377

<b>GE16</b>	<b>HAVE YOU USED HEROIN/ALONE/COMBINED</b>
-------------	--

During the past 3 months, have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.7	403	1	YES
87.3	87.1	2,771	2	NO
	0.2	5	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 378-379

<b>GE16_A_1</b>	<b>HOW LONG AFTER TX 1ST USED HEROIN</b>
-----------------	--

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	5.9	188	1	LESS THAN ONE WEEK AFTER ADM
50.1	5.9	189	2	AT LEAST ONE WEEK AFTER ADM
	87.1	2,771	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 380-381

<b>GE16_A_2</b>	<b>#WKS AFTER ADM USED HEROIN</b>
-----------------	-----------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.7	21	1	
17.5	1.2	38	2	
11.1	0.8	24	3	
19.8	1.4	43	4	
1.4	0.1	3	5	
8.3	0.6	18	6	
18.0	1.2	39	8	
2.3	0.2	5	9	
6.0	0.4	13	10	
1.8	0.1	4	11	
3.2	0.2	7	12	
0.5	0.0	1	13	
0.5	0.0	1	16	
	87.1	2,769	-9	LEGITIMATE SKIP
	6.0	192	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 382-383

**GE16\_B\_1                      HOW LONG AGO DID YOU LAST USE HEROIN**

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	7.0	223	1	MORE THAN ONE WEEK AGO
40.5	4.8	152	2	WITHIN THE LAST WEEK
	87.1	2,770	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 384-385

**GE16\_B\_2                      HOW MANY WKS AGO USE HEROIN**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.5	17	1	
20.8	1.6	52	2	
15.6	1.2	39	3	
24.8	1.9	62	4	
1.6	0.1	4	5	
4.8	0.4	12	6	
0.8	0.1	2	7	
14.0	1.1	35	8	
1.2	0.1	3	9	
6.0	0.5	15	10	
0.8	0.1	2	11	
2.0	0.2	5	12	
0.8	0.1	2	13	
	87.1	2,770	-9	LEGITIMATE SKIP
	5.0	158	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 386-387

**GE16\_C****HOW DID YOU USUALLY TAKEN HEROIN**

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	1	BY MOUTH (EAT, CHEW)
0.5	0.1	2	2	BY SMOKING IT
22.1	2.8	89	3	BY INHALING/SNORTING/SNIFFING IT
76.2	9.7	307	4	BY INJECTING IT INTO A VEIN
1.0	0.1	4	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	87.1	2,770	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 388-389

**GE16\_D****HOW OFTEN USED HEROIN PAST 3 MONTH**

How many times have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	4.3	138	1	LESS THAN ONCE PER MONTH
36.4	4.6	147	2	1-3 TIMES A MONTH
17.1	2.2	69	3	1-2 TIMES A WEEK
6.4	0.8	26	4	3-4 TIMES A WEEK
1.7	0.2	7	5	5-6 TIMES A WEEK
3.7	0.5	15	6	DAILY OR ALMOST EVERY DAY
0.5	0.1	2	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	87.1	2,770	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 390-391

<b>GE16_E</b>	<b>HOW OFTEN USED HEROIN/COCAINE TOGETHER</b>
---------------	---

How often have you used heroin and cocaine together in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	7.5	240	0	NOT USED
15.2	2.0	63	1	LESS THAN ONCE PER MONTH
15.7	2.0	65	2	1-3 TIMES A MONTH
7.0	0.9	29	3	1-2 TIMES A WEEK
1.9	0.3	8	4	3-4 TIMES A WEEK
0.7	0.1	3	5	5-6 TIMES A WEEK
1.2	0.2	5	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.2	0.0	1	8	4+ TIMES A DAY
	86.8	2,760	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 392-393

<b>GE16_F</b>	<b>HOW DID YOU USUALLY TAKE COCAINE/HEROIN</b>
---------------	--

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
1.8	0.1	3	2	BY SMOKING IT
10.1	0.5	17	3	BY INHALING/SNORTING/SNIFFING IT
87.5	4.6	147	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.6	0.0	1	7	SOME OTHER WAY
	87.1	2,771	-9	LEGITIMATE SKIP
	6.1	195	-8	BLANK
	0.3	8	-6	MULTIPLE RESPONSE
	1.2	38	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 394-395

**GE17****DR.PRESCRIBE NARCOTICS FOR MEDICAL PROB**

Now, I'd like to ask about some drugs that can be legally prescribed. In the past 3 months, has a doctor prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	147	1	YES
95.4	95.2	3,028	2	NO
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 396-397

**GE17\_A****#PRESCRIPTIONS FOR NARCOTICS**

How many prescriptions for narcotics or opiates did you get in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	0	
59.1	2.8	88	1	
20.8	1.0	31	2	
11.4	0.5	17	3	
1.3	0.1	2	4	
2.0	0.1	3	5	
0.7	0.0	1	7	
0.7	0.0	1	8	
0.7	0.0	1	10	
1.3	0.1	2	12	
0.7	0.0	1	20	
0.7	0.0	1	30	
	95.2	3,028	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 398-399

<b>GE17_B_1</b>	<b>CODE/PRESCRIBED NARCOTICS</b>
-----------------	----------------------------------

Which narcotics or opiates have been prescribed in the past 3 months? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	2	0	NONE
6.2	0.3	8	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.8	0.0	1	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
14.7	0.6	19	6	PERCODAN
3.1	0.1	4	7	DEMEROL
3.1	0.1	4	8	DILAUDID
49.6	2.0	64	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
5.4	0.2	7	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.8	0.0	1	17	MORPHINE
11.6	0.5	15	18	METHADONE
0.0	0.0	0	19	STADOL
3.1	0.1	4	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	95.2	3,028	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
	0.4	13	-5	BAD DATA
	0.1	4	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 400-401

GE17_B_2	CODE/PRESCRIBED NARCOTICS
----------	---------------------------

Which narcotics or opiates have been prescribed in the past 3 months? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	22	0	NONE
3.0	0.0	1	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
6.1	0.1	2	7	DEMEROL
3.0	0.0	1	8	DILAUDID
9.1	0.1	3	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
3.0	0.0	1	17	MORPHINE
3.0	0.0	1	18	METHADONE
0.0	0.0	0	19	STADOL
6.1	0.1	2	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	95.2	3,028	-9	LEGITIMATE SKIP
	3.6	113	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 402-403

GE17_B_3	CODE/PRESCRIBED NARCOTICS
----------	---------------------------

Which narcotics or opiates have been prescribed in the past 3 months? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.7	22	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
4.2	0.0	1	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
4.2	0.0	1	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	95.2	3,028	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 404-405

**GE17\_C****#WKS USED PRESCRIBE NARCOTICS**

In these 3 months, about how many weeks have you used narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.5	17	0	
38.4	1.8	56	1	
10.3	0.5	15	2	
8.2	0.4	12	3	
3.4	0.2	5	4	
1.4	0.1	2	5	
2.1	0.1	3	6	
1.4	0.1	2	7	
1.4	0.1	2	8	
2.1	0.1	3	10	
19.2	0.9	28	12	
0.7	0.0	1	13	
	95.2	3,027	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-407

**GE18****HAVE YOU USED NARCOTICS W/O PRESCRIBE**

During the past 3 months, have you used narcotics or opiates or street methadone on your own without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	69	1	YES
97.8	97.7	3,106	2	NO
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 408-409

<b>GE18_A_1</b>	<b>HOW LONG AFTER TX 1ST USE NARCOTICS</b>
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	0.6	19	1	LESS THAN ONE WEEK AFTER ADM
72.1	1.5	49	2	AT LEAST ONE WEEK AFTER ADM
	97.6	3,105	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 410-411

<b>GE18_A_2</b>	<b>#WKS AFTER ADM USED NARCOTICS</b>
-----------------	--------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.1	2	1	
18.4	0.3	9	2	
4.1	0.1	2	3	
16.3	0.3	8	4	
2.0	0.0	1	5	
8.2	0.1	4	6	
2.0	0.0	1	7	
16.3	0.3	8	8	
8.2	0.1	4	10	
8.2	0.1	4	11	
10.2	0.2	5	12	
2.0	0.0	1	16	
	97.6	3,105	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 412-413

<b>GE18_B_1</b>	<b>HOW LONG AGO DID YOU LAST USE NARCOTICS</b>
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.4	44	1	MORE THAN ONE WEEK AGO
33.3	0.7	22	2	WITHIN THE LAST WEEK
	97.6	3,105	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 414-415

<b>GE18_B_2</b>	<b>HOW MANY WKS AGO USED NARCOTICS</b>
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.2	5	1	
17.4	0.3	8	2	
15.2	0.2	7	3	
17.4	0.3	8	4	
2.2	0.0	1	5	
8.7	0.1	4	6	
21.7	0.3	10	8	
4.3	0.1	2	10	
2.2	0.0	1	11	
	97.7	3,106	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 416-417



**GE18\_E****HOW OFTEN USED ILLEGAL METHADONE**

How often have you used street or illegal methadone in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	2.0	63	0	NOT USED
4.3	0.1	3	1	LESS THAN ONCE PER MONTH
4.3	0.1	3	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	97.6	3,104	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 422-423

**GE19****DR. PRESC SED/TRANQS FOR MEDI PROB**

In the past 3 months, has a doctor legitimately prescribed any of these sedatives or tranquilizers for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	96	1	YES
97.0	96.8	3,077	2	NO
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 424-425

<b>GE19_A</b>	<b>#PRESCRIPTIONS GOT FOR SEDATIVES</b>
---------------	---

How many prescriptions for sedatives or tranquilizers have you gotten in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	3	0	
30.2	0.9	29	1	
29.2	0.9	28	2	
26.0	0.8	25	3	
5.2	0.2	5	4	
1.0	0.0	1	5	
2.1	0.1	2	6	
1.0	0.0	1	7	
1.0	0.0	1	8	
1.0	0.0	1	15	
	96.7	3,075	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 426-427

GE19B1_1	CODE/PRESCRIBED SEDATIVES
----------	---------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

First mention - Sedatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	0.3	10	0	NONE
4.3	0.0	1	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
8.7	0.1	2	9	SECONAL
0.0	0.0	0	10	TUINAL
13.0	0.1	3	11	DALMANE
13.0	0.1	3	12	RESTORIL
13.0	0.1	3	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
4.3	0.0	1	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.8	3,077	-9	LEGITIMATE SKIP
	2.4	75	-8	BLANK
	0.1	2	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 428-429

<b>GE19B1_2</b>	<b>CODE/PRESCRIBED SEDATIVES</b>
-----------------	----------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

Second mention - Sedatives.

PCT VALID	PCT ALL	N	VALUE	LABEL
84.6	0.3	11	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
7.7	0.0	1	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
7.7	0.0	1	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.8	3,077	-9	LEGITIMATE SKIP
	2.8	89	-8	BLANK
	0.0	1	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 430-431

GE19B2_1	CODE/PRESCRIBED TRANQUILIZERS
----------	-------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

First mention - Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	2	0	NONE
18.3	0.4	13	1	VALIUM
11.3	0.3	8	2	LIBRIUM
4.2	0.1	3	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
2.8	0.1	2	5	SERAX
2.8	0.1	2	6	TRANXENE
4.2	0.1	3	7	ATIVAN
0.0	0.0	0	8	CENTRAX
16.9	0.4	12	9	XANAX
1.4	0.0	1	10	PAXIPAM
9.9	0.2	7	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
7.0	0.2	5	15	VISARIL
4.2	0.1	3	16	ATARAX
0.0	0.0	0	17	DURRAX
2.8	0.1	2	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
1.4	0.0	1	21	HYDROXYZINE
7.0	0.2	5	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAM
2.8	0.1	2	24	KLONOPIN
	96.7	3,076	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.1	3	-5	BAD DATA
	0.1	2	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 432-433

GE19B2_2	CODE/PRESCRIBED TRANQUILIZERS
----------	-------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

Second mention - Tranquilizers.

PCT VALID	PCT ALL	N	VALUE	LABEL
41.2	0.2	7	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
5.9	0.0	1	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
11.8	0.1	2	9	XANAX
0.0	0.0	0	10	PAXIPAM
5.9	0.0	1	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
17.6	0.1	3	15	VISARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
5.9	0.0	1	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAM
11.8	0.1	2	24	KLONOPIN
	96.8	3,077	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 434-435

<b>GE19_C</b>	<b>#WKS USED PRESC SED/TRANQS</b>
---------------	-----------------------------------

In these 3 months, about how many weeks have you used sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	3	0	
15.8	0.5	15	1	
9.5	0.3	9	2	
7.4	0.2	7	3	
8.4	0.3	8	4	
2.1	0.1	2	5	
4.2	0.1	4	6	
6.3	0.2	6	8	
1.1	0.0	1	9	
6.3	0.2	6	10	
1.1	0.0	1	11	
31.6	0.9	30	12	
2.1	0.1	2	13	
1.1	0.0	1	52	
	96.7	3,075	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 436-437

<b>GE20</b>	<b>USED SED/TRANQS WITHOUT PRESC</b>
-------------	--------------------------------------

During the past 3 months, have you used sedatives or tranquilizers on your own without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	83	1	YES
97.4	97.3	3,093	2	NO
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 438-439

<b>GE20_A_1</b>	<b>HOW LONG AFTER TX 1ST USED SEDATIVE</b>
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	0.8	25	1	LESS THAN ONE WEEK AFTER ADM
69.1	1.8	56	2	AT LEAST ONE WEEK AFTER ADM
	97.3	3,093	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 440-441

<b>GE20_A_2</b>	<b>#WKS AFTER ADM USED SEDATIVES</b>
-----------------	--------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.0	1	0	
6.8	0.1	4	1	
8.5	0.2	5	2	
11.9	0.2	7	3	
16.9	0.3	10	4	
3.4	0.1	2	5	
5.1	0.1	3	6	
3.4	0.1	2	7	
20.3	0.4	12	8	
1.7	0.0	1	9	
10.2	0.2	6	10	
6.8	0.1	4	11	
1.7	0.0	1	12	
1.7	0.0	1	16	
	97.3	3,093	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 442-443

<b>GE20_B_1</b>	<b>HOW LONG AGO DID YOU LAST USE SEDATIVES</b>
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	1.3	41	1	MORE THAN ONE WEEK AGO
48.1	1.2	38	2	WITHIN THE LAST WEEK
	97.3	3,093	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 444-445

<b>GE20_B_2</b>	<b>HOW MANY WKS AGO USED SEDATIVES</b>
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	1	0	
2.2	0.0	1	1	
26.7	0.4	12	2	
11.1	0.2	5	3	
26.7	0.4	12	4	
2.2	0.0	1	5	
6.7	0.1	3	6	
2.2	0.0	1	7	
13.3	0.2	6	8	
4.4	0.1	2	10	
2.2	0.0	1	12	
	97.3	3,093	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 446-447

<b>GE20_C</b>	<b>HOW DID YOU USUALLY TAKE SEDATIVES</b>
---------------	---

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	82	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	97.3	3,093	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 448-449

<b>GE20_D</b>	<b>HOW OFTEN USED SEDATIVES PAST 3 MOS</b>
---------------	--

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	1.1	35	1	LESS THAN ONCE PER MONTH
28.9	0.8	24	2	1-3 TIMES A MONTH
14.5	0.4	12	3	1-2 TIMES A WEEK
8.4	0.2	7	4	3-4 TIMES A WEEK
3.6	0.1	3	5	5-6 TIMES A WEEK
2.4	0.1	2	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	97.3	3,093	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 450-451

<b>GE20_E_1</b>	<b>TYPE SED/TRANQS/SEDA/SLEEPING PILL</b>
-----------------	---

What types of sedatives and tranquilizers have you been taking in the past 3 months?

Sedatives and sleeping pills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	1	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	2.4	77	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 452-453

<b>GE20_E_2</b>	<b>TYPE SED/TRANQS/BARBITURATES</b>
-----------------	-------------------------------------

What types of sedatives and tranquilizers have you been taking in the past 3 months?

Barbiturates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	2.7	86	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 454-455

**GE20\_E\_3**                      **TYPE SED/TRANQS/BENZODIAZAPINES**

What types of sedatives and tranquilizers have you been taking in the past 3 months?

Benzodiazepines, such as Xanax, Valium, or Librium.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	71	3	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 456-457

**GE20\_E\_4**                      **TYPE SED/TRANQS/OTHER TRANQUILIZER**

What types of sedatives and tranquilizers have you been taking in the past 3 months?

Other tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	4	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	2.5	78	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 458-459

**GE20\_F****TYPE SEDATIVE USED MOST/CODE FROM E20E**

Which type have you used most often in the past 3 months for nonmedical reasons? (Record code from E20e)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	1	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	2	BARBITURATES
46.2	0.2	6	3	BENZODIAZEPINES
38.5	0.2	5	4	OTHER TRANQUILIZERS
	99.6	3,167	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 460-461

**GE21****DR. PRESCRIBED STIMULANTS FOR MED PROB**

During the past 3 months, has a doctor legitimately prescribed any of these stimulants for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	YES
99.9	99.7	3,172	2	NO
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 462-463

<b>GE21_A</b>	<b>#PRESCRIPTIONS GOT FOR STIMULANTS</b>
---------------	--

How many prescriptions for stimulants did you get in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	1	
60.0	0.1	3	3	
	99.7	3,171	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 464-465

GE21_B_1	CODE/PRESCRIBED STIMULANTS
----------	----------------------------

Which stimulants have been prescribed in the past 3 months?  
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.7	3,172	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 466-467

GE21_B_2	CODE/PRESCRIBED STIMULANTS
----------	----------------------------

Which stimulants have been prescribed in the past 3 months?  
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.7	3,172	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 468-469

<b>GE21_B_3</b>	<b>CODE/PRESCRIBED STIMULANTS</b>
-----------------	-----------------------------------

Which stimulants have been prescribed in the past 3 months?  
Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.7	3,172	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 470-471

<b>GE21_C</b>	<b>#WKS USED PRESCRIBED STIMULANTS</b>
---------------	--

In these 3 months, about how many weeks have you used  
stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	16.7	0.0	1	0
	33.3	0.1	2	2
	16.7	0.0	1	10
	33.3	0.1	2	11
		99.7	3,170	-9 LEGITIMATE SKIP
		0.1	4	-8 BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 472-473

<b>GE22</b>	<b>USED AMPHETAMINES W/O PRESCRIPTION</b>
-------------	---

During the past 3 months, have you used amphetamines or other  
stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.5	0.5	16	1 YES
	99.5	99.3	3,158	2 NO
		0.2	6	-8 BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 474-475

<b>GE22_A_1</b>	<b>HOW LONG AFTER TX USED AMPHETAMINE</b>
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	1	LESS THAN ONE WEEK AFTER ADM
84.6	0.3	11	2	AT LEAST ONE WEEK AFTER ADM
	99.3	3,158	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 476-477

<b>GE22_A_2</b>	<b>#WEEK AFTER ADM USE AMPHETAMINE</b>
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	0	
7.7	0.0	1	1	
23.1	0.1	3	2	
7.7	0.0	1	4	
23.1	0.1	3	8	
7.7	0.0	1	9	
15.4	0.1	2	10	
7.7	0.0	1	12	
	99.3	3,157	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 478-479

<b>GE22_B_1</b>	<b>HOW LONG AGO YOU LAST USED AMPHETAMINES</b>
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.3	9	1	MORE THAN ONE WEEK AGO
30.8	0.1	4	2	WITHIN THE LAST WEEK
	99.3	3,158	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 480-481

<b>GE22_B_2</b>	<b>HOW MANY WKS AGO USE AMPHETAMINES</b>
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.0	1	0	
9.1	0.0	1	1	
18.2	0.1	2	2	
9.1	0.0	1	3	
9.1	0.0	1	4	
9.1	0.0	1	5	
18.2	0.1	2	6	
9.1	0.0	1	8	
9.1	0.0	1	9	
	99.3	3,157	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 482-483

<b>GE22_C</b>	<b>HOW DID YOU USUALLY TAKE AMPHETAMINES</b>
---------------	--

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	7	1	BY MOUTH (EAT, CHEW)
7.1	0.0	1	2	BY SMOKING IT
7.1	0.0	1	3	BY INHALING/SNORTING/SNIFFING IT
35.7	0.2	5	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.3	3,158	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 484-485

<b>GE22_D</b>	<b>HOW OFTEN USE AMPHETAMINES PAST 3 MOS</b>
---------------	--

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.3	8	1	LESS THAN ONCE PER MONTH
35.7	0.2	5	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
7.1	0.0	1	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.3	3,158	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 486-487

**GE22\_E****HOW OFTEN YOU USE METHAMPHETAMINES**

How often have you used methamphetamines or ice in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.3	9	0	NOT USED
28.6	0.1	4	1	LESS THAN ONCE PER MONTH
7.1	0.0	1	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.3	3,158	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 488-489

**GE23****DR. EVER PRESC MAJOR TRANQ/ANTIDEPRESS**

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	88.1	2,803	0	NEITHER
2.9	2.9	91	1	MAJOR TRANQUILIZERS
6.6	6.5	208	2	MAJOR ANTIDEPRESSANTS
1.7	1.7	54	3	BOTH
	0.6	18	-8	BLANK
	0.2	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 490-491



<b>GE24_A_1</b>	<b>HOW LONG AFTER TX USED LSD/PCP/HALLUC</b>
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.0	1	1	LESS THAN ONE WEEK AFTER ADM
92.9	0.4	13	2	AT LEAST ONE WEEK AFTER ADM
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 496-497

<b>GE24_A_2</b>	<b>#WEEK AFTER ADM USE LSD/PCP/HALLUC</b>
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	2	
41.7	0.2	5	4	
8.3	0.0	1	8	
33.3	0.1	4	10	
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 498-499

<b>GE24_B_1</b>	<b>HOW LONG AGO YOU LAST USE LSD/PCP</b>
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	0.3	10	1	MORE THAN ONE WEEK AGO
23.1	0.1	3	2	WITHIN THE LAST WEEK
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 500-501

<b>GE24_B_2</b>	<b>HOW MANY WKS AGO USE LSD/PCP/HALLUC</b>
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.0	1	1	
9.1	0.0	1	2	
27.3	0.1	3	3	
27.3	0.1	3	4	
9.1	0.0	1	6	
9.1	0.0	1	8	
9.1	0.0	1	12	
	99.4	3,161	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 502-503

**GE24\_C****HOW DID YOU TAKE LSD/PCP/HALLUCINOGEN**

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.2	5	1	BY MOUTH (EAT, CHEW)
64.3	0.3	9	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 504-505

**GE24\_D****HOW OFTEN YOU USED LSD/PCP/HALLUCINOGEN**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.3	9	1	LESS THAN ONCE PER MONTH
14.3	0.1	2	2	1-3 TIMES A MONTH
14.3	0.1	2	3	1-2 TIMES A WEEK
7.1	0.0	1	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507

<b>GE24_E</b>	<b>HOW OFTEN USED PCP PAST 3 MOS</b>
---------------	--------------------------------------

How often have you used PCP in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.1	4	0	NOT USED
42.9	0.2	6	1	LESS THAN ONCE PER MONTH
14.3	0.1	2	2	1-3 TIMES A MONTH
7.1	0.0	1	3	1-2 TIMES A WEEK
7.1	0.0	1	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.4	3,161	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 508-509

<b>GE25</b>	<b>HAVE YOU USED INHALANTS PAST 3 MOS</b>
-------------	---

During the past 3 months, have you used inhalants or things you sniff, such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	99.7	3,169	2	NO
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 510-511

<b>GE25_A_1</b>	<b>HOW LONG AFTER TX USE INHALANTS</b>
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADM
100.0	0.0	1	2	AT LEAST ONE WEEK AFTER ADM
	99.7	3,169	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 512-513

<b>GE25_A_2</b>	<b>#WKS AFTER ADM USE INHALANTS</b>
-----------------	-------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	
	99.7	3,169	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 514-515

<b>GE25_B_1</b>	<b>HOW LONG AGO YOU LAST USED INHALANTS</b>
-----------------	---

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.7	3,169	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 516-517

<b>GE25_B_2</b>	<b>HOW MANY WKS AGO USE INHALANTS</b>
-----------------	---------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	10	
	99.7	3,169	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 518-519

<b>GE25_C</b>	<b>HOW OFTEN USE INHALANTS PAST 3 MOS</b>
---------------	---

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	LESS THAN ONCE PER MONTH
	0.0	0	2	1-3 TIMES A MONTH
	0.0	0	3	1-2 TIMES A WEEK
	0.0	0	4	3-4 TIMES A WEEK
	0.0	0	5	5-6 TIMES A WEEK
	0.0	0	6	DAILY OR ALMOST EVERY DAY
	0.0	0	7	2 OR 3 TIMES A DAY
	0.0	0	8	4+ TIMES A DAY
	99.7	3,169	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 520-521

**GE26****WHICH DRUG CAUSED YOU MOST SERIOUS PROB**

During the past 3 months, what type of drug that you used has caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PRIMARY PROBLEM DRUG?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	82.4	2,621	0	NONE
1.5	1.5	49	10	ALCOHOL
0.6	0.6	19	20	MARIJUANA, HASHISH, THC
0.3	0.3	11	30	HALLUCINOGENS OR PSYCHEDELICS
4.6	4.6	146	40	COCAINE IN ANY FORM
3.3	3.3	106	41	CRACK
4.8	4.7	151	50	HEROIN
1.0	1.0	33	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.2	0.2	7	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.3	0.3	9	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.1	0.1	2	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.2	0.2	7	81	METHAMPHETAMINES OR ICE
0.1	0.1	4	90	ANY OTHER DRUGS
0.0	0.0	1	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	0.3	11	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 522-523

**GE26\_A\_1****HOW LONG AFTER TX USED PRIMARY DRUG**

How long after you entered treatment did you first use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	0.8	24	1	LESS THAN ONE WEEK AFTER ADM
61.3	1.2	38	2	AT LEAST ONE WEEK AFTER ADM
	98.1	3,118	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 524-525

<b>GE26_A_2</b>	<b>#WKS AFTER ADM USE PRIMARY DRUG</b>
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	2	0	
3.8	0.1	2	1	
21.2	0.3	11	2	
5.8	0.1	3	3	
19.2	0.3	10	4	
1.9	0.0	1	5	
9.6	0.2	5	6	
9.6	0.2	5	8	
7.7	0.1	4	10	
3.8	0.1	2	11	
9.6	0.2	5	12	
1.9	0.0	1	13	
1.9	0.0	1	16	
	98.3	3,126	-9	LEGITIMATE SKIP
	0.1	2	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 526-527

<b>GE26_B_1</b>	<b>HOW LONG AGO YOU LAST USE PRIMARY DRUG</b>
-----------------	---

How long ago did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	1.2	37	1	MORE THAN ONE WEEK AGO
44.8	0.9	30	2	WITHIN THE LAST WEEK
	97.9	3,113	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 528-529

<b>GE26_B_2</b>	<b>HOW MANY WKS AGO USE PRIMARY DRUG</b>
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.2	5	1	
30.2	0.4	13	2	
11.6	0.2	5	3	
16.3	0.2	7	4	
14.0	0.2	6	6	
2.3	0.0	1	7	
7.0	0.1	3	8	
2.3	0.0	1	10	
2.3	0.0	1	12	
2.3	0.0	1	13	
	98.6	3,135	-9	LEGITIMATE SKIP
	0.1	2	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 530-531

<b>GE26_C</b>	<b>HOW DID YOU TAKE PRIMARY DRUG</b>
---------------	--------------------------------------

How have you usually taken (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	0.3	11	1	BY MOUTH (EAT, CHEW)
32.4	0.7	23	2	BY SMOKING IT
26.8	0.6	19	3	BY INHALING/SNORTING/SNIFFING IT
21.1	0.5	15	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
2.8	0.1	2	6	BY FREEBASING
1.4	0.0	1	7	SOME OTHER WAY
	97.8	3,109	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 532-533

<b>GE26_D</b>	<b>HOW OFTEN YOU USED PRIMARY DRUG</b>
---------------	--

How often have you used (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	0.6	19	1	LESS THAN ONCE PER MONTH
23.9	0.5	17	2	1-3 TIMES A MONTH
14.1	0.3	10	3	1-2 TIMES A WEEK
14.1	0.3	10	4	3-4 TIMES A WEEK
1.4	0.0	1	5	5-6 TIMES A WEEK
11.3	0.3	8	6	DAILY OR ALMOST EVERY DAY
4.2	0.1	3	7	2 OR 3 TIMES A DAY
4.2	0.1	3	8	4+ TIMES A DAY
	97.8	3,109	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 534-535

<b>GE27</b>	<b>DRUG OTHER THAN PRIMARY CAUSE PROBS</b>
-------------	--

You said the (PRIMARY PROBLEM DRUG) had caused you the most serious problems. In the past 3 months, has using any other drug caused you to have problems (such as problems with family friends, or the law; problems feeling dependent on the drug; or emotional problems)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	0.8	26	1	YES
89.7	7.1	227	2	NO
	92.0	2,927	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 536-537

**GE27\_A****2ND PROB DRUG**

Which drug caused you these problems?

SECOND PROBLEM DRUG?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	0.3	9	10	ALCOHOL
11.5	0.1	3	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
7.7	0.1	2	40	COCAINE IN ANY FORM
11.5	0.1	3	41	CRACK
15.4	0.1	4	50	HEROIN
3.8	0.0	1	51	HEROIN AND COCAINE TOGETHER AT THE SAME
3.8	0.0	1	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
7.7	0.1	2	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.0	0.0	0	81	METHAMPHETAMINES OR ICE
3.8	0.0	1	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	99.2	3,153	-9	LEGITIMATE SKIP
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 538-539

**GE27\_B\_1****HOW LONG AFTER TX USED 2ND DRUG**How long after you entered treatment did you first use  
(SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	LESS THAN ONE WEEK AFTER ADM
75.0	0.1	3	2	AT LEAST ONE WEEK AFTER ADM
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 540-541

**GE27\_B\_2                    #WKS AFTER ADM USE 2ND DRUG**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	
25.0	0.0	1	4	
25.0	0.0	1	6	
25.0	0.0	1	8	
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 542-543

**GE27\_C\_1                    HOW LONG AGO YOU LAST USE 2ND DRUG**

How long ago did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	MORE THAN ONE WEEK AGO
50.0	0.1	2	2	WITHIN THE LAST WEEK
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 544-545

**GE27\_C\_2                    HOW MANY WKS AGO USE 2ND DRUG**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	2	
50.0	0.1	2	6	
25.0	0.0	1	13	
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 546-547

**GE27\_D****HOW DID YOU TAKE 2ND DRUG**

How have you usually taken (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	BY MOUTH (EAT, CHEW)
25.0	0.0	1	2	BY SMOKING IT
25.0	0.0	1	3	BY INHALING/SNORTING/SNIFFING IT
25.0	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 548-549

**GE27\_E****HOW OFTEN YOU USED 2ND DRUG**

How often have you used (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
25.0	0.0	1	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.9	3,176	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 550-551

**GE28 DRUG OTHR THAN PRIMRY/SECND CAUSE PROBS**

Besides (PRIMARY PROBLEM DRUG) and (SECOND PROBLEM DRUG), did any other drugs cause you problems during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	6	2	NO
	99.8	3,173	-9	LEGITIMATE SKIP
	0.0	1	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 552-553

**GE28\_A 3RD PROB DRUG**

Which drug caused you these problems?

THIRD PROBLEM DRUG?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	0	NONE
25.0	0.0	1	10	ALCOHOL
25.0	0.0	1	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN
0.0	0.0	0	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.0	0.0	0	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
25.0	0.0	1	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.0	0.0	0	81	METHAMPHETAMINES OR ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	99.8	3,175	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 554-555

<b>GE28_B_1</b>	<b>HOW LONG AFTER TX USED 3RD DRUG</b>
-----------------	--

How long after you entered treatment did you first use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADM
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADM
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 556-557

<b>GE28_B_2</b>	<b>#WKS AFTER ADM USE 3RD DRUG</b>
-----------------	------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 558-559

<b>GE28_C_1</b>	<b>HOW LONG AGO YOU LAST USE 3RD DRUG</b>
-----------------	---

How long ago did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 560-561

<b>GE28_C_2</b>	<b>HOW MANY WKS AGO USE 3RD DRUG</b>
-----------------	--------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 562-563

<b>GE28_D</b>	<b>HOW DID YOU TAKE 3RD DRUG</b>
---------------	----------------------------------

How have you usually taken (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 564-565

<b>GE28_E</b>	<b>HOW OFTEN YOU USED 3RD DRUG</b>
---------------	------------------------------------

How often have you used (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	100.0	3,180	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 566-567

<b>GE29</b>	<b>#DOLLARS SPENT ON DRUGS FOR OWN USE</b>
-------------	--

In the past 3 months, how much would you say you have spent on drugs for your own nonmedical use, excluding alcohol?

3,180 cases (Range of valid codes: 0-10,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 568-572

<b>GE30</b>	<b>HAVE YOU OVERDOSED ON DRUGS</b>
-------------	------------------------------------

In the pst 3 months, have you OD'd on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	7	1	YES
99.8	99.2	3,156	2	NO
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 573-574

<b>GE30_A</b>	<b>#TIMES YOU OVERDOSED DRUGS</b>
---------------	-----------------------------------

How many times have you OD'd in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	0.3	9	0	
35.3	0.2	6	1	
5.9	0.0	1	2	
5.9	0.0	1	3	
	99.2	3,153	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 575-576

<b>GE31</b>	<b>DID YOU USE DRUG WITH NEEDLE/SYRINGE</b>
-------------	---

In the past 3 months, have you used drugs with a needle, syringes, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	204	1	YES
93.6	93.3	2,966	2	NO
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 577-578

<b>GE31A_1</b>	<b>FREQ USE W/NEEDLE AFTER/REG SEX PARTNER</b>
----------------	--

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	1.1	36	0	
5.5	0.1	4	1	
13.7	0.3	10	2	
9.6	0.2	7	3	
5.5	0.1	4	5	
5.5	0.1	4	10	
1.4	0.0	1	12	
1.4	0.0	1	24	
1.4	0.0	1	36	
2.7	0.1	2	40	
1.4	0.0	1	50	
1.4	0.0	1	90	
1.4	0.0	1	99	99 OR MORE
	93.2	2,965	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 579-580

<b>GE31A_2</b>	<b>FREQ USE W/NEEDLE AFTER/UNKNOW PARTNER</b>
----------------	---

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	2.2	70	0	
2.8	0.1	2	1	
	93.2	2,965	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 581-582

**GE31A\_3                      FREQ USE W/NEEDLE AFTER/PROSTITUTE**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	2.5	78	0	
1.3	0.0	1	1	
	93.2	2,965	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 583-584

**GE31A\_4                      FREQ USE W/NEEDLE AFTER/AIDS/HIV +**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	79	0	
	93.2	2,965	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 585-586

**GE31A\_5****FREQ USE W/NEEDLE AFTER/HOMO/BI/SEXUAL M**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	2.4	77	0	
2.5	0.1	2	1	
	93.2	2,965	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 587-588

**GE31A\_6****FREQ USE W/NEEDLE AFTER/STRANGER**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	2.2	71	0	
3.8	0.1	3	1	
5.0	0.1	4	2	
1.2	0.0	1	3	
1.2	0.0	1	15	
	93.2	2,965	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 589-590

**GE32 CLEAN NEEDLE BEFORE USE/AFTER PEOPLE**

In the past 3 months, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	1.6	52	1	YES
48.5	1.5	49	2	NO
	92.7	2,947	-9	LEGITIMATE SKIP
	4.2	132	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 591-592

**GE33\_A CLEAN NEEDLE AFTER/W/ALC/WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used alcohol and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	1.2	39	0	NEVER
2.1	0.0	1	1	RARELY
2.1	0.0	1	2	SOMETIMES
0.0	0.0	0	3	OFTEN
12.8	0.2	6	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 593-594

**GE33\_B****CLEAN NEEDLE AFTER/W/BLEACH & WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used bleach or Clorox and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	0.6	18	0	NEVER
0.0	0.0	0	1	RARELY
7.7	0.1	4	2	SOMETIMES
1.9	0.0	1	3	OFTEN
55.8	0.9	29	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.2	132	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 595-596

**GE33\_C****CLEAN NEEDLE AFTER/W/BOIL IN WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you boiled them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	1.4	44	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
6.4	0.1	3	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 597-598

**GE33\_D**

**CLEAN NEEDLE AFTER/W/WATER/ONE CLEANED**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	1.3	42	0	NEVER
0.0	0.0	0	1	RARELY
4.3	0.1	2	2	SOMETIMES
0.0	0.0	0	3	OFTEN
4.3	0.1	2	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.3	138	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 599-600

**GE33\_E**

**CLEAN NEEDLE AFTER/W/RINSE CLEAN WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	0.8	26	0	NEVER
2.2	0.0	1	1	RARELY
6.7	0.1	3	2	SOMETIMES
6.7	0.1	3	3	OFTEN
26.7	0.4	12	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.3	138	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 601-602

**GE33\_F****CLEAN NEEDLE AFTER/W/SOME OTHER METHOD**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	46	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	94.2	2,996	-9	LEGITIMATE SKIP
	4.3	138	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 603-604

**GE34****HOW TROUBLED W/YOUR DRUG PROB**

In the past 3 months, how troubled or bothered have you been by your drug problem? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	49.0	1,557	0	NOT AT ALL
37.5	37.4	1,188	1	SOMEWHAT
13.3	13.2	421	2	VERY MUCH
	0.3	9	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 605-606



**GE37****YOUR DRUG PROB CAUSED BY OTHER PROBS**

In your opinion, in the past 3 months to what extent have your problems with drugs been caused by other problems in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	65.7	2,090	0	NOT AT ALL
19.4	18.9	602	1	A LITTLE
13.4	13.1	417	2	A LOT
	0.5	15	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	1.7	54	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 611-612

**GE38****HOW TEMPTED ARE YOU TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	56.2	1,786	0	NOT AT ALL
38.0	38.0	1,207	1	SOMEWHAT
5.7	5.7	182	2	VERY TEMPTED
	0.1	3	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 613-614

**GE39\_A**

**KEEP FR USE DRUG/PEOPLE MADE YOU TENSE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	165	0	NOT AT ALL CONFIDENT/SURE
29.4	29.2	930	1	SOMEWHAT CONFIDENT/SURE
65.4	65.1	2,071	2	VERY CONFIDENT/SURE
	0.3	10	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 615-616

**GE39\_B**

**KEEP FROM USE DRUG/REMEMBERED FEELING**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	265	0	NOT AT ALL CONFIDENT/SURE
34.3	34.2	1,086	1	SOMEWHAT CONFIDENT/SURE
57.4	57.1	1,817	2	VERY CONFIDENT/SURE
	0.3	11	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 617-618

**GE39\_C****KEEP FR USE DRUG/YOU FELT RELAXED/SURE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	115	0	NOT AT ALL CONFIDENT/SURE
18.5	18.4	586	1	SOMEWHAT CONFIDENT/SURE
77.9	77.6	2,467	2	VERY CONFIDENT/SURE
	0.3	11	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 619-620

**GE39\_D****KEEP FR USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	119	0	NOT AT ALL CONFIDENT/SURE
15.8	15.7	500	1	SOMEWHAT CONFIDENT/SURE
80.5	80.2	2,550	2	VERY CONFIDENT/SURE
	0.3	10	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 621-622

**GE39\_E**

**KEEP FR USE DRUG/FOUND SUPPLY OF DRUGS**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you unexpectedly found a supply of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	24.2	771	0	NOT AT ALL CONFIDENT/SURE
36.0	35.8	1,140	1	SOMEWHAT CONFIDENT/SURE
39.7	39.5	1,257	2	VERY CONFIDENT/SURE
	0.3	11	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 623-624

**GE39\_F**

**KEEP FR USE DRUG/PEOPLE DIDN'T LIKE YOU**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt that other people didn't like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	103	0	NOT AT ALL CONFIDENT/SURE
15.1	15.1	479	1	SOMEWHAT CONFIDENT/SURE
81.6	81.4	2,588	2	VERY CONFIDENT/SURE
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 625-626

**GE39\_G****KEEP FR USE DRUG/NOT ABLE TO GET SLEEP**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were not able to get to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	167	0	NOT AT ALL CONFIDENT/SURE
18.2	18.1	577	1	SOMEWHAT CONFIDENT/SURE
76.5	76.3	2,427	2	VERY CONFIDENT/SURE
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 627-628

**GE39\_H****KEEP FR USE DRUG/FELT NAUSEOUS**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	163	0	NOT AT ALL CONFIDENT/SURE
14.0	13.9	442	1	SOMEWHAT CONFIDENT/SURE
80.9	80.6	2,563	2	VERY CONFIDENT/SURE
	0.4	12	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 629-630

**GE39\_I**

**KEEP FR USE DRUG/PLACE/PEOPLE USE DRUG**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were at a party or some place where other people were using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.8	533	0	NOT AT ALL CONFIDENT/SURE
38.9	38.7	1,230	1	SOMEWHAT CONFIDENT/SURE
44.3	44.1	1,401	2	VERY CONFIDENT/SURE
	0.4	12	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 631-632

**GE39\_J**

**KEEP FR USE DRUG/FELT HAPPY W/SOMETHING**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	109	0	NOT AT ALL CONFIDENT/SURE
16.5	16.4	521	1	SOMEWHAT CONFIDENT/SURE
80.1	79.8	2,537	2	VERY CONFIDENT/SURE
	0.4	12	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 633-634

**GE39\_K****KEEP FR USE DRUG/FELT ANGRY ABOUT THING**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you felt angry about something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	269	0	NOT AT ALL CONFIDENT/SURE
31.3	31.2	993	1	SOMEWHAT CONFIDENT/SURE
60.2	59.9	1,906	2	VERY CONFIDENT/SURE
	0.3	11	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 635-636

**GE39\_L****KEEP FR USE DRUG/THINK USE JUST ONE TIME**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	507	0	NOT AT ALL CONFIDENT/SURE
25.2	25.1	797	1	SOMEWHAT CONFIDENT/SURE
58.8	58.5	1,861	2	VERY CONFIDENT/SURE
	0.3	10	-8	BLANK
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 637-638



**GE39\_O****KEEP FR USE DRUG/ENCOURAGED TO USE IT**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.2	452	0	NOT AT ALL CONFIDENT/SURE
33.3	33.3	1,058	1	SOMEWHAT CONFIDENT/SURE
52.4	52.4	1,665	2	VERY CONFIDENT/SURE
	0.1	2	-8	BLANK
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 643-644

**GE39\_P****KEEP FR USE DRUG/USE IT A FEW TIMES**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.8	504	0	NOT AT ALL CONFIDENT/SURE
21.7	21.7	689	1	SOMEWHAT CONFIDENT/SURE
62.5	62.5	1,986	2	VERY CONFIDENT/SURE
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 645-646

**GE39\_Q**

**KEEP FR USE DRUG/PROB W/PEOPLE AT WORK**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if there were problems with people at work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	117	0	NOT AT ALL CONFIDENT/SURE
18.3	18.0	573	1	SOMEWHAT CONFIDENT/SURE
78.0	77.0	2,449	2	VERY CONFIDENT/SURE
	0.2	7	-8	BLANK
	0.1	2	-4	DON'T KNOW
	1.0	32	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 647-648

**GE39\_R**

**KEEP FR USE DRUG/PROB W/FAMILY/FRIENDS**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	211	0	NOT AT ALL CONFIDENT/SURE
29.2	29.2	927	1	SOMEWHAT CONFIDENT/SURE
64.2	64.2	2,040	2	VERY CONFIDENT/SURE
	0.1	2	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 649-650

**GE39\_S****KEEP FR USE DRUG/BORED/NOTHING TO DO**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were bored or had nothing to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	295	0	NOT AT ALL CONFIDENT/SURE
28.6	28.6	908	1	SOMEWHAT CONFIDENT/SURE
62.1	61.9	1,970	2	VERY CONFIDENT/SURE
	0.2	7	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 651-652

**GE39\_T****KEEP FR USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you or your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	16.7	530	0	NOT AT ALL CONFIDENT/SURE
27.5	27.4	872	1	SOMEWHAT CONFIDENT/SURE
55.8	55.6	1,769	2	VERY CONFIDENT/SURE
	0.1	4	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 653-654

**GE40** **OTHER TIME/TEMPTED TO USE DRUGS**

Are there any other times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	303	1	YES
90.4	89.9	2,860	2	NO
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 655-656

**GE40\_B\_1** **CONFIDENCE WHEN TEMPTED TO USE DRUGS/1ST**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	5.6	178	0	NOT AT ALL CONFIDENT/SURE
37.3	3.6	113	1	SOMEWHAT CONFIDENT/SURE
4.0	0.4	12	2	VERY CONFIDENT/SURE
	89.8	2,856	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 657-658

**GE40\_B\_2****CONFIDENCE WHEN TEMPTED TO USE DRUGS/2ND**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.0	31	0	NOT AT ALL CONFIDENT/SURE
33.3	0.6	18	1	SOMEWHAT CONFIDENT/SURE
9.3	0.2	5	2	VERY CONFIDENT/SURE
	89.8	2,857	-9	LEGITIMATE SKIP
	8.5	269	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 659-660

**GE40\_B\_3****CONFIDENCE WHEN TEMPTED TO USE DRUGS/3RD**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.3	10	0	NOT AT ALL CONFIDENT/SURE
42.1	0.3	8	1	SOMEWHAT CONFIDENT/SURE
5.3	0.0	1	2	VERY CONFIDENT/SURE
	89.8	2,857	-9	LEGITIMATE SKIP
	9.6	304	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 661-662



**GE42****HOW DIFFICULT/STOP DRUG/REST OF LIFE**

How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.6	751	0	NOT AT ALL
48.0	47.8	1,521	1	SOMEWHAT
28.4	28.3	900	2	VERY DIFFICUT
	0.0	1	-5	BAD DATA
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 667-668

**GE43****CHANCES/QUIT DRUGS/REST OF YOUR LIFE**

What do you think your chances are of quitting completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	180	1	VERY POOR
38.1	38.1	1,211	2	FAIR
56.2	56.1	1,785	3	VERY GOOD
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 669-670

**GE44 TX HELP/QUIT DRUGS/REST OF LIFE**

How much do you think the treatment you have received here will help you do this? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	106	0	NOT AT ALL
24.5	24.5	778	1	SOMEWHAT
72.1	72.0	2,290	2	VERY MUCH
	0.0	1	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 671-672

**GE45 HOW DIFFICULT/CUT DOWN/REST OF LIFE**

How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	39.9	1,268	0	NOT AT ALL
32.8	32.0	1,017	1	SOMEWHAT
26.4	25.7	818	2	VERY DIFFICULT
	0.2	7	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.3	11	-4	DON'T KNOW
	1.8	56	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 673-674

**GE46****CHANCES ARE OF CUTTING DOWN USE OF DRUG**

What do you think your chances are of cutting down on your use of drugs? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	10.3	329	1	VERY POOR
23.0	17.3	550	2	FAIR
63.3	47.6	1,513	3	VERY GOOD
	23.5	748	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	1.0	33	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-676

**GE47****HOW MUCH/DRUG TX HELP/CUT DOWN**

How much do you think your treatment here will help you do this? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.4	331	0	NOT AT ALL
20.5	20.0	637	1	SOMEWHAT
68.8	67.2	2,136	2	VERY MUCH
	0.4	13	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	1.9	59	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 677-678

**GE48\_A I AM DOING SOMETHING ABOUT MY PROB**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I am doing something about the problems that have been bothering me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	30	1	STRONGLY DISAGREE
2.0	2.0	63	2	SOMEWHAT DISAGREE
22.5	22.5	716	3	SOMEWHAT AGREE
74.5	74.5	2,368	4	STRONGLY AGREE
	0.1	3	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 679-680

**GE48\_B HAVE DIFFICULT PROB/WORKING ON THEM**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

At times my problems are difficult, but I'm working on them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	29	1	STRONGLY DISAGREE
1.7	1.7	53	2	SOMEWHAT DISAGREE
26.3	26.3	835	3	SOMEWHAT AGREE
71.1	71.0	2,259	4	STRONGLY AGREE
	0.1	3	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 681-682

**GE48\_C****BEING HERE/WASTE OF TIME/I AM NOT CAUSE**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Being here is a waste of time because I am not the cause of my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	83.6	2,659	1	STRONGLY DISAGREE
10.4	10.3	329	2	SOMEWHAT DISAGREE
3.7	3.7	118	3	SOMEWHAT AGREE
2.0	2.0	64	4	STRONGLY AGREE
	0.1	4	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 683-684

**GE48\_D****I AM WORKING ON MY PROBS**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Even though I'm not always successful in changing, I am at least working on my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	26	1	STRONGLY DISAGREE
1.7	1.7	53	2	SOMEWHAT DISAGREE
24.1	24.1	765	3	SOMEWHAT AGREE
73.4	73.4	2,333	4	STRONGLY AGREE
	0.1	3	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 685-686

**GE48\_E**

**STRUGGLE W/PROB/THOUGHT TAKEN CARE**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Sometimes I still find myself struggling with problems that I thought I had taken care of once and for all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.8	186	1	STRONGLY DISAGREE
6.1	6.1	194	2	SOMEWHAT DISAGREE
41.2	41.2	1,310	3	SOMEWHAT AGREE
46.8	46.7	1,486	4	STRONGLY AGREE
	0.1	3	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 687-688

**GE48\_F**

**WISH HAD IDEAS/HOW TO SOLVE MY PROB**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I wish I had more ideas on how to solve my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	175	1	STRONGLY DISAGREE
6.3	6.3	199	2	SOMEWHAT DISAGREE
32.6	32.5	1,034	3	SOMEWHAT AGREE
55.7	55.6	1,767	4	STRONGLY AGREE
	0.2	5	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 689-690

**GE48\_G****MAY BE THIS PLACE WILL HELP ME**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Maybe this place will be able to help me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	52	1	STRONGLY DISAGREE
1.9	1.9	60	2	SOMEWHAT DISAGREE
23.5	23.5	747	3	SOMEWHAT AGREE
72.9	72.7	2,313	4	STRONGLY AGREE
	0.2	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 691-692

**GE48\_H****DOING SOMETHING ABOUT CHANGING MYSELF**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Anyone can talk about changing, but I'm actually doing something about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	18	1	STRONGLY DISAGREE
1.6	1.6	50	2	SOMEWHAT DISAGREE
22.0	21.9	698	3	SOMEWHAT AGREE
75.9	75.8	2,409	4	STRONGLY AGREE
	0.1	4	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 693-694

**GE48\_I**

**BORING TO TALK ABOUT MY PROBS**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It's boring to spend time talking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	54.1	1,720	1	STRONGLY DISAGREE
19.9	19.8	631	2	SOMEWHAT DISAGREE
17.7	17.7	562	3	SOMEWHAT AGREE
8.2	8.2	261	4	STRONGLY AGREE
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 695-696

**GE48\_J**

**DOES NOT DO GOOD TO THINK ABOUT PROB**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It doesn't do any good to spend time thinking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	47.9	1,524	1	STRONGLY DISAGREE
23.9	23.8	758	2	SOMEWHAT DISAGREE
14.8	14.7	468	3	SOMEWHAT AGREE
13.2	13.2	420	4	STRONGLY AGREE
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 697-698

**GE48\_K****LIVE W/MY FAULTS/THAN TRY TO CHANGE**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I would rather live with my faults the way they are than try change them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	81.1	2,580	1	STRONGLY DISAGREE
12.5	12.5	397	2	SOMEWHAT DISAGREE
3.8	3.8	121	3	SOMEWHAT AGREE
2.4	2.4	76	4	STRONGLY AGREE
	0.2	5	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 699-700

**GE48\_L****TRY TO CHANGE MY PROB/THEY COME BACK**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

After all I have done to try to change my problems, every now and then they come back to haunt me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.6	368	1	STRONGLY DISAGREE
9.8	9.8	311	2	SOMEWHAT DISAGREE
46.0	46.0	1,462	3	SOMEWHAT AGREE
32.6	32.5	1,034	4	STRONGLY AGREE
	0.1	3	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 701-702

**SEXUAL EXPERIENCES**

**GF1 #OF DIFF WOMEN W/HAD VAGINAL INTERCOURSE**

First, I want to ask you about your sexual experiences with women in the past 3 months. In these 3 months, about how many different women have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.4	14	0	NEVER HAD VAGINAL SEX WITH A WOMAN
47.8	31.5	1,002	1	NONE
39.3	25.9	825	2	1 WOMAN
10.7	7.1	225	3	2-4 WOMEN
1.3	0.9	28	4	5-9 WOMEN
0.1	0.1	3	5	10-20 WOMEN
0.0	0.0	0	6	21-99 WOMEN
0.0	0.0	0	7	100+ WOMEN
	33.7	1,073	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 703-704

**GF1\_A USED CONDOM/VAGINAL INTERCOURSE W/WOMEN**

In these 3 months, about how often have you used a condom or "rubber" when you have vaginal intercourse with the (woman/women)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	19.6	623	1	NEVER
11.4	3.9	123	2	SOMETIMES
5.7	1.9	61	3	USUALLY
25.0	8.5	269	4	EVERY TIME
	65.6	2,087	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 705-706

<b>GF2</b>	<b>#OF DIFF WOMEN W/HAD ANAL INTERCOURSE</b>
------------	--

In the past 3 months, about how many different women have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	62.4	1,983	1	NONE
4.5	3.0	95	2	1 WOMAN
0.5	0.3	11	3	2-4 WOMEN
0.0	0.0	0	4	5-9 WOMEN
0.0	0.0	0	5	10-20 WOMEN
0.0	0.0	0	6	21-99 WOMEN
0.0	0.0	0	7	100+ WOMEN
	33.8	1,075	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 707-708

<b>GF2_A</b>	<b>USED CONDOM/ANAL INTERCOURSE W/WOMEN</b>
--------------	---

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (woman/women)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	1.8	56	1	NEVER
12.4	0.4	13	2	SOMETIMES
7.6	0.3	8	3	USUALLY
26.7	0.9	28	4	EVERY TIME
	95.9	3,050	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 709-710

**GF3 INTERCOURSE W/WOMEN/TOOK \$/DRUG FOR SEX**

To the best of you knowledge, had any woman you had (vaginal/anal) intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	2.5	79	1	YES
92.4	30.3	965	2	NO
	64.2	2,043	-9	LEGITIMATE SKIP
	2.7	87	-8	BLANK
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 711-712

**GF4 INTERCOURSE W/WOMAN/SHOOT UP DRUG**

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	4.5	142	1	YES
86.4	28.4	902	2	NO
	64.3	2,044	-9	LEGITIMATE SKIP
	2.8	88	-8	BLANK
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 713-714

GF5

#OF DIFF MEN W/YOU HAD ANAL INTERCOURSE

Now I want to ask you about your sexual experiences with men in the past 3 months. In these 3 months, about how many different men have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	42.8	1,361	0	NEVER HAD SEX WITH A MAN
34.3	22.5	717	1	NONE
0.4	0.3	9	2	1 MAN
0.0	0.0	1	3	2-4 MEN
0.0	0.0	1	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	33.7	1,073	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 715-716

GF5\_A

USED CONDOM/ANAL INTERCOURSE W/MEN

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (man/men)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.1	4	1	NEVER
18.2	0.1	2	2	SOMETIMES
9.1	0.0	1	3	USUALLY
36.4	0.1	4	4	EVERY TIME
	99.1	3,151	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 717-718

**GF6 INTERCOURSE W/MAN/TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any man you had anal intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	13	2	NO
	99.0	3,149	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 719-720

**GF7 HAD INTERCOUSE W/MAN/SHOOT UP DRUG**

To the best of your knowledge, had any man you had anal intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	13	2	NO
	99.0	3,149	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 721-722

<b>GF8</b>	<b>ONE GAVE MONEY/DRUG/FOR INTERCOURSE</b>
------------	--

At any time in the past 3 months, has anyone given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.4	14	1	YES
99.2	55.3	1,760	2	NO
	33.7	1,071	-9	LEGITIMATE SKIP
	10.5	333	-8	BLANK
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 723-724

<b>GF9</b>	<b>TESTED+/HAD AIDS</b>
------------	-------------------------

At any time in the past 3 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	18	1	YES
99.1	64.8	2,061	2	NO
	33.6	1,070	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 725-726

**GF9\_A**

**INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS**

During that period, how many people have you had intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.5	16	1	1 PERSON
27.3	0.2	6	2	2-4 PEOPLE
0.0	0.0	0	3	5+ PEOPLE
	98.3	3,127	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 727-728

**GF10**

**#OF DIFF MEN/YOU HAD VAGINAL INTERCO W/**

I want to ask you about your sexual experiences with men in the past 3 months. In that time, about how many different men have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	5	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
45.7	14.9	475	1	NONE
46.4	15.2	483	2	1 MAN
6.4	2.1	67	3	2-4 MEN
0.7	0.2	7	4	5-9 MEN
0.3	0.1	3	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	65.6	2,086	-9	LEGITIMATE SKIP
	1.4	46	-8	BLANK
	0.3	8	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 729-730

GF10\_A

USED CONDOM/VAGINAL INTERCOURSE W/MEN

In these 3 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	10.8	345	1	NEVER
11.4	2.0	64	2	SOMETIMES
5.4	0.9	30	3	USUALLY
21.6	3.8	121	4	EVERY TIME
	80.6	2,562	-9	LEGITIMATE SKIP
	1.6	52	-8	BLANK
	0.2	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 731-732

GF11

#OF DIFF MEN/YOU HAD ANAL INTERCOURSE W/

In the past 3 months, about how many different men have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	4.2	133	0	NEVER HAD ANAL SEX WITH A MAN
83.5	28.1	893	1	NONE
3.8	1.3	41	2	1 MAN
0.2	0.1	2	3	2-4 MEN
0.0	0.0	0	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	65.5	2,082	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 733-734

**GF11\_A USED CONDOM/ANAL INTERCOURSE W/MEN**

In these 3 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	0.9	29	1	NEVER
7.1	0.1	3	2	SOMETIMES
0.0	0.0	0	3	USUALLY
23.8	0.3	10	4	EVERY TIME
	97.7	3,106	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 735-736

**GF12 SEX PARTNER HAD INTERCOURSE W/BOTH SEX**

In these 3 months, have you had (vaginal/anal) intercourse with a man who you think has had intercourse with both men and women?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.3	8	1	YES
98.5	17.0	541	2	NO
	80.1	2,546	-9	LEGITIMATE SKIP
	2.5	78	-8	BLANK
	0.2	5	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 737-738

**GF13****MAN SEX PARTNER TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any man you had  
(vaginal/anal) intercourse with in these 3 months ever taken  
money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.6	20	1	YES
96.4	16.6	528	2	NO
	80.0	2,545	-9	LEGITIMATE SKIP
	2.5	79	-8	BLANK
	0.2	5	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 739-740

**GF14****ANY MAN GAVE MONEY/DRUGS FOR INTERCOURSE**

At any time in the past 3 months, has any man given you money  
or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	1.1	36	1	YES
93.5	16.2	515	2	NO
	80.0	2,545	-9	LEGITIMATE SKIP
	2.5	79	-8	BLANK
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 741-742

**GF15**

**MAN SEX PARTNER EVER SHOOT UP DRUGS**

To the best of your knowledge, has any man you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	4.7	150	1	YES
73.0	12.7	405	2	NO
	79.9	2,541	-9	LEGITIMATE SKIP
	2.4	76	-8	BLANK
	0.2	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 743-744

**GF16**

**MAN SEX PARTNER/TESTED +/-HAD AIDS**

At any time in the past 3 months, have you had (vaginal/anal) intercourse with any man who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.3	9	1	YES
98.4	17.2	547	2	NO
	79.9	2,540	-9	LEGITIMATE SKIP
	2.5	78	-8	BLANK
	0.2	5	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 745-746

GF16\_A

#MEN TEST+/HAD AIDS/YOU HAD INTERCO W/

In these 3 months, how many men have you had (vaginal/anal) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.3	11	1	1 MAN
8.3	0.0	1	2	2-4 MEN
0.0	0.0	0	3	5+ MEN
	97.0	3,084	-9	LEGITIMATE SKIP
	2.5	79	-8	BLANK
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 747-748

GF17

SERVICES/ABOUT HIV INFECTION/AIDS

During the past 3 months, have you received any scheduled services about HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	59.9	1,905	1	YES
40.0	39.9	1,269	2	NO
	0.1	3	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 749-750

**GF17\_A\_1 SERVICES/ABOUT REDUCE RISK/NEEDLE USE**

What types of services or help have you received?

Reduce risk of needle use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.1	924	1	CIRCLED
	40.0	1,271	-9	LEGITIMATE SKIP
	30.9	983	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 751-752

**GF17\_A\_2 SERVICES/REDUCE RISK/SEXUAL TRANSMIS**

What types of services or help have you received?

Reduce risk of sexual transmission.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.1	1,021	2	CIRCLED
	40.0	1,271	-9	LEGITIMATE SKIP
	27.9	886	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 753-754

**GF17\_A\_3****SERVICES/ABOUT HEALTH CARE OPTION/AIDS**

What types of services or help have you received?

Health care option for AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.7	912	3	CIRCLED
	40.0	1,272	-9	LEGITIMATE SKIP
	31.3	994	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 755-756

**GF17\_A\_4****SERVICES/KNOWLEDGE/HIV INFECTION/AIDS**

What types of services or help have you received?

General knowledge about HIV infection and AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	54.9	1,745	4	CIRCLED
	39.9	1,269	-9	LEGITIMATE SKIP
	5.2	164	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 757-758

**GF17\_B SERVICES/PROG/OTHER PLACE/BOTH**

Did you get these services at this program, at some other place, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	47.3	1,503	1	AT THIS PROG
9.2	5.4	172	2	SOME OTHER PLACE
10.9	6.4	204	3	BOTH
	39.9	1,269	-9	LEGITIMATE SKIP
	0.9	29	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 759-760

**GF17\_C #MTGS/FOR SERVICES**

How many times have you met with anyone specifically for this kind of service at this program?

3,180 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 761-762

**GF17D\_01 TALKED TO/PRIMARY/REGULAR COUNSELOR**

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.1	322	1	CIRCLED
	45.1	1,434	-9	LEGITIMATE SKIP
	44.6	1,417	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 763-764

<b>GF17D_02</b>	<b>TALKED TO/CASE MANAGER</b>
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	57	2	CIRCLED
	45.4	1,444	-9	LEGITIMATE SKIP
	52.6	1,673	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 765-766

<b>GF17D_14</b>	<b>TALKED TO/OTHER PROG STAFF</b>
-----------------	-----------------------------------

Who have you seen or talked to for these services?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.7	403	14	CIRCLED
	45.2	1,437	-9	LEGITIMATE SKIP
	41.9	1,334	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 767-768

<b>GF17D_23</b>	<b>TALKED TO/NURSE</b>
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.0	318	23	CIRCLED
	44.2	1,404	-9	LEGITIMATE SKIP
	45.7	1,452	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 769-770

<b>GF17D_24</b>	<b>TALKED TO/PHYSICIAN</b>
-----------------	----------------------------

Who have you seen or talked to for these services?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	73	24	CIRCLED
	44.8	1,424	-9	LEGITIMATE SKIP
	52.7	1,677	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 771-772

<b>GF17D_61</b>	<b>TALKED TO/PUB HEALTH AGENCY</b>
-----------------	------------------------------------

Who have you seen or talked to for these services?

Public health agency staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.5	367	61	CIRCLED
	43.9	1,395	-9	LEGITIMATE SKIP
	44.4	1,412	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 773-774

<b>GF17D_62</b>	<b>TALKED TO/AIDS OUTREACH WORKER</b>
-----------------	---------------------------------------

Who have you seen or talked to for these services?

AIDS outreach worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.8	503	62	CIRCLED
	44.4	1,411	-9	LEGITIMATE SKIP
	39.6	1,260	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 775-776

<b>GF17D_91</b>	<b>TALKED TO/OTHER</b>
-----------------	------------------------

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.8	216	91	CIRCLED
	44.3	1,410	-9	LEGITIMATE SKIP
	48.7	1,548	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 777-778

<b>GF17_E</b>	<b>HOW HELPFUL WAS SERVICE</b>
---------------	--------------------------------

How helpful was this service? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.3	42	0	NOT AT ALL
20.7	12.4	393	1	SOMEWHAT
77.1	46.0	1,463	2	VERY HELPFUL
	39.9	1,269	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 779-780

GF18

## BLOOD TEST FOR AIDS VIRUS

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	81.9	2,605	1	YES
17.3	17.1	545	2	NO
	0.7	23	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 781-782



**GG3****YOUR HEALTH/COMPARE TO PAST 3 MONTH**

Would you say your health now is [READ CHOICES] than it was  
3 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	26.4	841	1	MUCH BETTER
41.7	41.5	1,321	2	BETTER
27.5	27.4	871	3	THE SAME
3.9	3.9	124	4	WORSE
0.4	0.4	14	5	MUCH WORSE
	0.2	7	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 787-788

**GG4****ARE YOU PREGNANT**

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	1.5	49	1	YES
95.4	32.2	1,025	2	NO
	65.5	2,084	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 789-790

<b>GG4_A</b>	<b>PREGNANCY HAS BEEN VERIFIED</b>
--------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	1.4	46	1	YES
6.1	0.1	3	2	NO
	97.7	3,108	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 791-792

<b>GG4_B_1</b>	<b>PREGNANCY VERIFIED BY/DOCTOR</b>
----------------	-------------------------------------

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	34	1	CIRCLED
	97.9	3,112	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 793-794

**GG4\_B\_2****PREGNANCY VERIFIED BY/PREGNANCY TEST**

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Pregnancy test at a hospital, clinic, or doctor's office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	22	2	CIRCLED
	97.9	3,112	-9	LEGITIMATE SKIP
	1.4	46	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

**GG4\_B\_3****PREGNANCY VERIFIED/HOME PREGNANCY TEST**

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Home pregnancy test.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	3	CIRCLED
	97.9	3,112	-9	LEGITIMATE SKIP
	2.0	65	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 797-798

**GG4\_B\_4** **PREGNANCY VERIFIED BY/OTHER**

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	97.9	3,112	-9	LEGITIMATE SKIP
	2.1	67	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 799-800

**GG4\_C** **# OF MOS PREGNANT**

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.0	1	0	
22.4	0.3	11	3	1-3
40.8	0.6	20	6	4-6
34.7	0.5	17	9	7-9
	97.7	3,108	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 801-802

GG4\_D

## PHYSICAL DISCOMFORT DURING PREGNANCY

During your pregnancy, would you say that your physical or bodily discomfort has been...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	3	0	NONE
13.9	0.2	5	1	VERY MILD
30.6	0.3	11	2	MILD
30.6	0.3	11	3	MODERATE
16.7	0.2	6	4	SEVERE
	97.8	3,109	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
	0.6	18	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 803-804

GG4\_E

## PREGNANCY AFFECT/ENTER DRUG TX

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.6	18	1	YES
62.5	0.9	30	2	NO
	97.8	3,109	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 805-806



**GG4F\_3****PREGNANCY/COST OF DRUGS**

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	98.7	3,139	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 811-812

**GG4F\_4****PREGNANCY/PRESSURE FROM OTHERS**

What about being pregnant affected your decision to enter drug treatment?

Pressure from others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	98.7	3,139	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 813-814



**GG4G****#TIMES SAW DOCTOR ABOUT PREGNANCY**

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.1	4	0	
2.4	0.0	1	1	
17.1	0.2	7	2	
7.3	0.1	3	3	
4.9	0.1	2	4	
9.8	0.1	4	5	
7.3	0.1	3	6	
4.9	0.1	2	7	
4.9	0.1	2	8	
7.3	0.1	3	10	
2.4	0.0	1	11	
12.2	0.2	5	12	
2.4	0.0	1	14	
2.4	0.0	1	24	
4.9	0.1	2	30	
	97.8	3,109	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 819-820

**GG5\_A****LIMIT VIGOROUS ACTIVITY**

During the past 3 months, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.4	712	1	YES
77.5	77.3	2,459	2	NO
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 821-822

<b>GG6_A</b>	<b>LIMIT VIGOROUS ACTIVITY/FOR 3 MOS/MORE</b>
--------------	---

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	6.2	197	1	LESS THAN 3 MOS
72.0	15.9	506	2	3 MOS OR MORE
	77.2	2,455	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 823-824

<b>GG5_B</b>	<b>LIMIT MODERATE ACTIVITY</b>
--------------	--------------------------------

During the past 3 months, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	265	1	YES
91.6	91.3	2,904	2	NO
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 825-826

GG6\_B

## LIMIT MODERATE ACTIVITY/FOR 3 MOS/MORE

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	2.3	74	1	LESS THAN 3 MOS
71.6	5.9	187	2	3 MOS OR MORE
	91.1	2,897	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 827-828

GG5\_C

## LIMIT WALK UP HILL/CLIMB STAIRS

During the past 3 months, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	263	1	YES
91.7	91.3	2,902	2	NO
	0.4	14	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 829-830



<b>GG5_E</b>	<b>LIMIT YOU TO WALK 1 BLOCK</b>
--------------	----------------------------------

During the past 3 months, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	74	1	YES
97.7	97.2	3,091	2	NO
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 837-838

<b>GG6_E</b>	<b>LIMIT YOU TO WALK 1 BLOCK/FOR 3 MOS/MORE</b>
--------------	---

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	0.8	25	1	LESS THAN 3 MOS
64.8	1.4	46	2	3 MOS OR MORE
	97.1	3,087	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 839-840

<b>GG5_F</b>	<b>LIMIT YOU TO EAT/DRESS</b>
--------------	-------------------------------

During the past 3 months, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	39	1	YES
98.8	98.2	3,124	2	NO
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 841-842



GG8

## STAY OVERNIGHT IN HOSPITAL/HEALTH PROB

During the past 3 months, have you stayed overnight in a hospital for any physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	107	1	YES
96.6	96.3	3,062	2	NO
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 849-850

GG9

## #HOSPITALIZATION/PHYS HEA PROB/NOT DRUG

In the past 3 months, how many of your hospitalizations have been for physical health problems not related to complications or drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	0.5	17	0	
66.7	2.3	74	1	
6.3	0.2	7	2	
3.6	0.1	4	3	
2.7	0.1	3	4	
0.9	0.0	1	5	
0.9	0.0	1	6	
1.8	0.1	2	7	
0.9	0.0	1	10	
0.9	0.0	1	15	
	96.0	3,054	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 851-852

<b>GG10</b>	<b>#DAY HOSPI FOR PHY HEALTH PROB/NOT DRUG</b>
-------------	--

In the past 3 months, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	2.2	69	0	
11.7	0.6	19	1	
6.7	0.3	11	2	
7.4	0.4	12	3	
3.1	0.2	5	4	
4.9	0.3	8	5	
3.7	0.2	6	6	
7.4	0.4	12	7	
1.2	0.1	2	8	
0.6	0.0	1	9	
0.6	0.0	1	10	
1.8	0.1	3	12	
0.6	0.0	1	13	
1.8	0.1	3	14	
1.2	0.1	2	15	
0.6	0.0	1	17	
1.8	0.1	3	21	
0.6	0.0	1	30	
0.6	0.0	1	36	
0.6	0.0	1	40	
0.6	0.0	1	90	
	94.3	3,000	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 853-854

<b>GG11</b>	<b>#DAY/INJ/ILL KEPT YOU IN BED FOR ALL DAY</b>
-------------	---

During the past 3 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

3,180 cases (Range of valid codes: 0-90)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 855-856

**GG12****DISABILITY PAYMENT/PHYS HEALTH PROB**

During the past 3 months, have you been receiving disability payments, benefits, or pension for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.5	238	1	YES
92.4	90.8	2,888	2	NO
	1.7	54	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 857-858

**GG12A\_1****TYPE OF PENSION/SSDI**

What kind of pension was that?

SSDI (Social Security Disability Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	60	1	CIRCLED
	90.8	2,888	-9	LEGITIMATE SKIP
	7.3	231	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 859-860

<b>GG12A_2</b>	<b>TYPE OF PENSION/SSI</b>
----------------	----------------------------

What kind of pension was that?

SSI (Supplemental Security Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	121	2	CIRCLED
	90.8	2,888	-9	LEGITIMATE SKIP
	5.3	170	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 861-862

<b>GG12A_3</b>	<b>TYPE OF PENSION/WORKER'S COMP</b>
----------------	--------------------------------------

What kind of pension was that?

Worker's Comp.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	3	CIRCLED
	90.8	2,888	-9	LEGITIMATE SKIP
	8.9	282	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 863-864

<b>GG12A_4</b>	<b>TYPE OF PENSION/OTHER</b>
----------------	------------------------------

What kind of pension was that?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	50	4	CIRCLED
	90.8	2,888	-9	LEGITIMATE SKIP
	7.6	241	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 865-866

<b>GG12B_1</b>	<b>1ST CONDITION FOR DISABILITY-RECODED</b>
----------------	---

For what condition have you been receiving this disability pension? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
26.7	1.9	62	1	SUBSTANCE-RELATED DISORDERS
9.9	0.7	23	2	MENTAL DISORDERS
63.4	4.6	147	3	ALL OTHER DISORDERS
	90.8	2,888	-9	LEGITIMATE SKIP
	1.7	55	-8	BLANK
	0.2	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 867-868



<b>GG13</b>	<b>HOW TROUBLED BY MEDICAL PROB</b>
-------------	-------------------------------------

Overall, how troubled or bothered were you by medical problems in the past 3 months? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	64.1	2,037	0	NOT AT ALL
26.9	26.8	852	1	SOMEWHAT
8.9	8.8	281	2	VERY MUCH
	0.3	9	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 873-874

<b>GG14</b>	<b>HOW IMP TX NOW FOR MED PROB</b>
-------------	------------------------------------

How important to you now is treatment or counseling for medical problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	44.5	1,415	0	NOT AT ALL
17.4	17.3	551	1	SOMEWHAT
38.0	37.9	1,204	2	VERY IMPORTANT
	0.3	9	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 875-876

**GG15 HAD PHY PROB BECAUSE OF DRUG/ALC USE**

In the past 3 months, have you had any physical health problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	4.3	136	1	YES
92.5	52.5	1,671	2	NO
	12.3	392	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 877-878

**GG15\_A HOW SERIOUS PROBS DUE DRUG/ALC USE**

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	29.2	928	1	NOT AT ALL
21.8	10.2	325	2	SOMEWHAT
16.0	7.5	238	3	VERY SERIOUS
	52.5	1,670	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 879-880

ILLEGAL INVOLVEMENT
---------------------

GH1	SPENT TIME IN DETENTION/JAIL/PRISON
-----	-------------------------------------

In this section, I'd like to ask about any experiences you might have had with the police or courts during the past 3 months. Let me remind you that this information will remain confidential. In these 3 months, have you spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	135	1	YES
95.7	95.4	3,034	2	NO
	0.3	10	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 881-882

<b>GH1_A</b>	<b>#WKS/SPENT IN DETENTION/JAIL/PRISON</b>
--------------	--

During the past 3 months, how much time have you spent in jail, prison, or a juvenile detention home?

Number of weeks.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	1.4	44	0	
24.8	1.0	33	1	
9.0	0.4	12	2	
2.3	0.1	3	3	
3.0	0.1	4	4	
2.3	0.1	3	6	
0.8	0.0	1	7	
0.8	0.0	1	8	
0.8	0.0	1	9	
0.8	0.0	1	10	
7.5	0.3	10	12	
13.5	0.6	18	13	
0.8	0.0	1	35	
0.8	0.0	1	52	
	95.3	3,032	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 883-884

<b>GH2_A</b>	<b>ARRESTED/USE OF MARIJUANA/NARCOTICS</b>
--------------	--

During the past 3 months, have you been arrested and booked for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	21	1	YES
99.3	98.8	3,143	2	NO
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 885-886

**GH3\_A****#ARRESTS/USE OF MARIJUANA/NARCOTICS**

During the past 3 months, how many times have you been arrested for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.2	6	0	
66.7	0.6	18	1	
7.4	0.1	2	2	
3.7	0.0	1	10	
	98.6	3,136	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 887-888

**GH2\_B****ARRESTED FOR/SALE/MANUF OF DRUGS**

During the past 3 months, have you been arrested and booked for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	YES
99.9	99.3	3,157	2	NO
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 889-890

<b>GH3_B</b>	<b>#ARRESTS/SALE/MANUF OF DRUGS</b>
--------------	-------------------------------------

During the past 3 months, how many times have you been arrested for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	6	0	
30.0	0.1	3	1	
10.0	0.0	1	2	
	99.1	3,151	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 891-892

<b>GH2_C</b>	<b>ARRESTED FOR/FORGERY/FRAUD</b>
--------------	-----------------------------------

During the past 3 months, have you been arrested and booked for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	12	1	YES
99.6	99.0	3,149	2	NO
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 893-894

**GH3\_C****#ARRESTS/FORGERY/FRAUD**

During the past 3 months, how many times have you been arrested for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.2	6	0	
64.7	0.3	11	1	
	98.8	3,143	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 895-896

**GH2\_D****ARRESTED FOR/BURGLARY/BREAKING**

During the past 3 months, have you been arrested and booked for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	YES
99.8	99.2	3,155	2	NO
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 897-898

**GH3\_D #ARRESTS/BURGLARY/BREAKING**

During the past 3 months, how many times have you been arrested for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.2	7	0	
36.4	0.1	4	1	
	99.0	3,149	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 899-900

**GH2\_E ARRESTED FOR/LARCENY-THEFT**

During the past 3 months, have you been arrested and booked for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	15	1	YES
99.5	99.0	3,148	2	NO
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 901-902

<b>GH3_E</b>	<b>#ARRESTS/LARCENY-THEFT</b>
--------------	-------------------------------

During the past 3 months, how many times have you been arrested for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	6	0	
66.7	0.4	14	1	
4.8	0.0	1	2	
	98.8	3,142	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 903-904

<b>GH2_F</b>	<b>ARRESTED FOR/PIMPING/PROSTITUTION</b>
--------------	--

During the past 3 months, have you been arrested and booked for pimping, prostituion, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	YES
100.0	99.3	3,159	2	NO
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 905-906

<b>GH3_F</b>	<b>#ARRESTS/PIMPING/PROSTITUTION</b>
--------------	--------------------------------------

During the past 3 months, how many times have you been arrested for pimping, prostituion, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.2	6	0	
14.3	0.0	1	1	
	99.2	3,153	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 907-908

<b>GH2_G</b>	<b>ARRESTED FOR/ROBBERY-BANK/MUGGING</b>
--------------	--

During the past 3 months, have you been arrested and booked for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	YES
100.0	99.3	3,158	2	NO
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 909-910

<b>GH3_G</b>	<b>#ARRESTS/ROBBERY-BANK/MUGGING</b>
--------------	--------------------------------------

During the past 3 months, how many times have you been arrested for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.2	6	0	
14.3	0.0	1	1	
	99.1	3,152	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 911-912

<b>GH2_H</b>	<b>ARRESTED FOR/ATTACKS ON PERSONS/KIDNAP</b>
--------------	---

During the past 3 months, have you been arrested and booked for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	YES
99.9	99.2	3,156	2	NO
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 913-914

<b>GH3_H</b>	<b>#ARRESTS/ATTACKS ON PERSONS/KIDNAPPING</b>
--------------	---

During the past 3 months, how many times have you been arrested for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	6	0	
30.0	0.1	3	1	
10.0	0.0	1	2	
	99.0	3,149	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 915-916

<b>GH2_I</b>	<b>ARRESTED FOR/OTHER OFFENSE/SIMPLE ASSAUL</b>
--------------	---

During the past 3 months, have you been arrested and booked for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	7	1	YES
99.8	99.1	3,152	2	NO
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: -9--1  
 Columns: 917-918

**GH3\_I****#ARRESTS/OTHER OFFENSES/SIMPLE ASSAULT**

During the past 3 months, how many times have you been arrested for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	6	0	
57.1	0.3	8	1	
	98.9	3,145	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 919-920

**GH2\_J****ARRESTED FOR/DRIVING UNDER INFLUENCE**

During the past 3 months, have you been arrested and booked for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	YES
99.8	99.2	3,154	2	NO
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 921-922

<b>GH3_J</b>	<b>#ARRESTS/DRIVING UNDER THE INFLUENCE</b>
--------------	---

During the past 3 months, how many times have you been arrested for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	6	0	
33.3	0.1	3	1	
	99.0	3,148	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 923-924

<b>GH2_K</b>	<b>ARRESTED FOR/STATUS OFFENSES</b>
--------------	-------------------------------------

During the past 3 months, have you been arrested and booked for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	68.6	2,182	2	NO
	0.5	17	-8	BLANK
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 925-926

<b>GH3_K</b>	<b>#ARRESTS/STATUS OFFENSES</b>
--------------	---------------------------------

During the past 3 months, how many times have you been arrested for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	4	0	
16.7	0.0	1	1	
16.7	0.0	1	2	
	68.5	2,178	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 927-928

<b>GH2_L</b>	<b>ARRESTED FOR/OTHER OFFENSES/GAMBLING</b>
--------------	---

During the past 3 months, have you been arrested and booked for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	42	1	YES
98.7	96.6	3,072	2	NO
	2.1	66	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 929-930

**GH3\_L #ARRESTS/OTHER OFFENSES/GAMBLING**

During the past 3 months, how many times have you been arrested for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	0.2	6	0	
77.3	1.1	34	1	
6.8	0.1	3	2	
2.3	0.0	1	3	
	96.4	3,065	-9	LEGITIMATE SKIP
	2.2	71	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 931-932

**GH4 #TIMES CONVICTED**

During the past 3 months, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	94.7	3,013	0	
2.1	2.0	64	1	
0.3	0.3	8	2	
0.1	0.1	4	3	
0.1	0.1	2	6	
	1.4	46	-8	BLANK
	1.4	43	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 933-934

**GH5****HOW OFTEN/INVOLVED IN ILLEGAL ACTIVITY**

How often in the past 3 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	95.6	3,039	0	NEVER
1.3	1.3	42	1	1 OR 2 TIMES
0.7	0.7	22	2	3-5 TIMES
0.3	0.3	10	3	6-10 TIMES
0.5	0.5	16	4	11-49 TIMES
0.5	0.5	17	5	50+ TIMES
	0.4	12	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.6	19	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 935-936

**GH6****HAD POLICE/LEGAL PROBS DUE DRUGS/ALC**

In the past 3 months, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	2.7	87	1	YES
96.0	65.9	2,096	2	NO
	0.4	14	-8	BLANK
	0.1	2	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 937-938

<b>GH6_A</b>	<b>HOW SERIOUS/LEGAL PROB/USING DRUGS</b>
--------------	---

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	30.5	970	1	NOT AT ALL
6.7	2.3	74	2	SOMEWHAT
5.6	1.9	62	3	VERY SERIOUS
	63.8	2,029	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
	0.1	3	-5	BAD DATA
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 939-940

<b>GH7</b>	<b>HOW TROUBLD/LEGAL PROB/NOT CIVIL PROB</b>
------------	--

In the past 3 months, how troubled have you been by any problems excluding civil problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	89.7	2,851	0	NOT AT ALL
5.9	5.8	184	1	SOMEWHAT
3.4	3.3	106	2	VERY TROUBLED
	0.6	18	-8	BLANK
	0.7	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 941-942

<b>GH8</b>	<b>DO YOU HAVE LEGAL SERVICES</b>
------------	-----------------------------------

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.6	688	1	YES
78.1	77.1	2,452	2	NO
	0.5	17	-8	BLANK
	0.7	23	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 943-944

<b>GH8_A</b>	<b>DO YOU NEED LEGAL SERVICES</b>
--------------	-----------------------------------

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.4	107	1	YES
95.6	73.8	2,348	2	NO
	21.3	676	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
	0.6	19	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 945-946

<b>GH9</b>	<b>IMPORTANCE/COUNSELING FOR LEGAL PROB</b>
------------	---

How important to you now is counseling or referral for legal problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	40.3	1,283	0	NOT AT ALL
10.8	6.1	194	1	SOMEWHAT
17.8	10.0	319	2	VERY TROUBLED
	12.6	402	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 947-948



**GJ2** **WORKED FOR PAY/NO ILLEGAL ACTIVITIES**

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	5.4	172	1	YES
93.3	75.2	2,390	2	NO
	18.8	599	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 951-952

**GJ2\_A** **DID YOU EARN ANY MONEY LEGALLY**

In that week, did you earn any money legally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	74.4	2,367	1	DID NOT EARN MONEY LEGALLY
2.9	2.2	70	2	DID EARN MONEY LEGALLY
	22.2	706	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 953-954

GJ2\_B

## LOST/TOOK OFF TIME FOR ANY REASON

Did you lose any time or take any time off for any reason  
that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	3.4	107	1	YES
86.8	22.2	705	2	NO
	73.1	2,323	-9	LEGITIMATE SKIP
	1.3	41	-8	BLANK
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 955-956

GJ2_C	#HRS MISSED AT WORK
-------	---------------------

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.1	3	1	
0.9	0.0	1	2	
1.8	0.1	2	3	
3.5	0.1	4	4	
0.9	0.0	1	5	
2.7	0.1	3	6	
18.6	0.7	21	8	
1.8	0.1	2	10	
0.9	0.0	1	11	
0.9	0.0	1	12	
2.7	0.1	3	15	
11.5	0.4	13	16	
0.9	0.0	1	18	
6.2	0.2	7	20	
0.9	0.0	1	21	
6.2	0.2	7	24	
0.9	0.0	1	25	
0.9	0.0	1	27	
3.5	0.1	4	30	
0.9	0.0	1	31	
3.5	0.1	4	32	
1.8	0.1	2	35	
3.5	0.1	4	36	
0.9	0.0	1	37	
16.8	0.6	19	40	
0.9	0.0	1	50	
2.7	0.1	3	60	
0.9	0.0	1	99	99 OR MORE
	94.9	3,019	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
	0.1	3	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 957-958

GJ2\_D

#HRS WORKED FOR PAY/NO ILLEGAL ACTI

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

3,180 cases (Range of valid codes: 0-85)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 959-960

GJ2\_E

REASON WORKED &lt; 35 HRS THAT WK

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	1.9	62	1	SLACK WORK, LAYOFFS, STRIKE
2.6	0.3	8	2	SEASONAL WORKER
1.0	0.1	3	3	JOB TERMINATED
1.6	0.2	5	4	NEW JOB STARTED DURING WEEK
15.9	1.5	49	5	COULD ONLY FINE PART-TIME WORK
1.6	0.2	5	6	DRUG OR ALCOHOL PROB
7.1	0.7	22	7	ILLNESS
3.2	0.3	10	8	VACATION
5.5	0.5	17	9	BUSY WITH OTHER ACTIVITIES
4.5	0.4	14	10	DID NOT WANT/NEED FULL-TIME WORK
12.6	1.2	39	11	WORKWEEK USUALLY UNDER 35 HRS
2.3	0.2	7	12	UNABLE TO WORK
0.3	0.0	1	13	RETIRED
8.1	0.8	25	14	IN JAIL, RESIDENTIAL TREATMNT PROG
0.0	0.0	0	15	INVOLVED IN ILLEGAL ACTIVITIES
13.6	1.3	42	16	OTHERS
	88.4	2,810	-9	LEGITIMATE SKIP
	1.8	57	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 961-962

**GJ2\_F REASON 35+/PAID JOB/NO ILLEGAL ACTI**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	4.6	147	1	YES
94.5	78.9	2,509	2	NO
	14.9	474	-9	LEGITIMATE SKIP
	1.5	47	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 963-964

**GJ2\_G REASON WORKED < 35 HRS/WK**

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	4.3	136	1	SLACK WORK, LAYOFFS, STRIKE
1.4	1.0	32	2	SEASONAL WORKER
0.1	0.1	3	3	JOB TERMINATED
0.2	0.1	4	4	NEW JOB STARTED DURING WEEK
1.6	1.2	37	5	COULD ONLY FINE PART-TIME WORK
4.9	3.6	115	6	DRUG OR ALCOHOL PROB
2.5	1.9	59	7	ILLNESS
0.0	0.0	0	8	VACATION
12.1	9.0	286	9	BUSY WITH OTHER ACTIVITIES
1.9	1.4	44	10	DID NOT WANT/NEED FULL-TIME WORK
1.9	1.4	44	11	WORKWEEK USUALLY UNDER 35 HRS
6.5	4.8	154	12	UNABLE TO WORK
0.3	0.2	6	13	RETIRED
52.4	38.8	1,235	14	IN JAIL, RESIDENTAL TREATMNT PROG
0.3	0.3	8	15	INVOLVED IN ILLEGAL ACTIVITIES
8.3	6.2	196	16	OTHERS
	19.5	619	-9	LEGITIMATE SKIP
	5.6	178	-8	BLANK
	0.8	24	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 965-966

<b>GJ3</b>	<b>DID YOU LOOK FOR WORK</b>
------------	------------------------------

Did you (look for work/look for a different job) during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.7	625	1	YES
80.2	79.5	2,528	2	NO
	0.8	24	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 967-968

<b>GJ3_A_1</b>	<b>TO FIND WORK/NO METHODS USED</b>
----------------	-------------------------------------

What did you do these 3 months to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CIRCLED
	79.5	2,528	-9	LEGITIMATE SKIP
	20.3	645	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 969-970

**GJ3\_A\_2** **TO FIND WORK/PUB EMPLOYMENT AGCY**

What did you do these 3 months to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	162	2	CIRCLED
	79.5	2,528	-9	LEGITIMATE SKIP
	15.3	487	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 971-972

**GJ3\_A\_3** **TO FIND WORK/PRIV EMPLOY AGCY**

What did you do these 3 months to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	3	CIRCLED
	79.5	2,528	-9	LEGITIMATE SKIP
	19.1	606	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 973-974

**GJ3\_A\_4****TO FIND WORK/EMPLOYERS APPROACHED**

What did you do these 3 months to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.3	358	4	CIRCLED
	79.5	2,527	-9	LEGITIMATE SKIP
	9.2	292	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 975-976

**GJ3\_A\_5****TO FIND WORK/TALK W/FRIEND/RELATIVE**

What did you do these 3 months to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.3	231	5	CIRCLED
	79.5	2,527	-9	LEGITIMATE SKIP
	13.2	419	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 977-978

<b>GJ3_A_6</b>	<b>TO FIND WORK/PLACED ADS</b>
----------------	--------------------------------

What did you do these 3 months to find work?

Placed or answered ads.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.8	343	6	CIRCLED
	79.5	2,527	-9	LEGITIMATE SKIP
	9.7	307	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 979-980

<b>GJ3_A_7</b>	<b>TO FIND WORK/OTHER</b>
----------------	---------------------------

What did you do these 3 months to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	38	7	CIRCLED
	79.5	2,527	-9	LEGITIMATE SKIP
	19.2	612	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 981-982

**GJ3\_B****PROBS FINDING WORK**

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	13.9	442	1	YES
29.7	5.9	187	2	NO
	79.4	2,526	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 983-984

**GJ3\_C\_1****PROB FIND JOB/NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.8	344	1	CIRCLED
	85.2	2,709	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 985-986

<b>GJ3_C_2</b>	<b>PROB FIND JOB/LACK OF EDUC/SKILL/EXPE</b>
----------------	--

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	56	2	CIRCLED
	85.3	2,711	-9	LEGITIMATE SKIP
	12.9	409	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 987-988

<b>GJ3_C_3</b>	<b>PROB FIND JOB/LANGUAGE PROB</b>
----------------	------------------------------------

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	14.5	462	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 989-990

**GJ3\_C\_4****PROB FIND JOB/TOO YOUNG/TOO OLD**

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	4	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	14.4	458	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 991-992

**GJ3\_C\_5****PROB FIND JOB/ARREST RECORD**

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	48	5	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	13.1	415	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 993-994

<b>GJ3_C_6</b>	<b>PROB FIND JOB/DRUG HISTORY</b>
----------------	-----------------------------------

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	27	6	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	13.7	436	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 995-996

<b>GJ3_C_7</b>	<b>PROB FIND JOB/OTHER PERSONAL HANDICAP</b>
----------------	--

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	7	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	14.5	460	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 997-998

**GJ3\_C\_8****PROB FIND JOB/ILL HEALTH**

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	8	CIRCLED
	85.2	2,710	-9	LEGITIMATE SKIP
	14.3	455	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 999-1000

**GJ3\_C\_9****PROB FIND JOB/IMMIGRATION STATUS**

Why do you think you had problems (finding a job/a different job)?

Immigration status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	14.6	463	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1001-1002

GJ3\_C\_10

PROB FIND JOB/PERC'D DISCRIMINATION

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	10	CIRCLED
	85.3	2,712	-9	LEGITIMATE SKIP
	14.4	459	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE

-----  
100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1003-1004

GJ3\_C\_11

PROB FIND JOB/OTHER

Why do you think you had problems (finding a job/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	63	11	CIRCLED
	85.3	2,713	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE

-----  
100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1005-1006

GJ4\_0

## NOT LOOK FOR WORK/NO REASONS

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	85	0	CIRCLED
	19.5	620	-9	LEGITIMATE SKIP
	77.8	2,475	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1007-1008

GJ4\_1

## NOT LOOK FOR WORK/SATISFIED W/JOB

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.4	457	1	CIRCLED
	22.0	701	-9	LEGITIMATE SKIP
	63.6	2,022	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1009-1010

<b>GJ4_2</b>	<b>NOT LOOK FOR WORK/BELIEVE NO JOB AVAIL</b>
--------------	---

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	25	2	CIRCLED
	22.0	701	-9	LEGITIMATE SKIP
	77.2	2,454	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1011-1012

<b>GJ4_3</b>	<b>NOT LOOK FOR WORK/COULD NOT FIND WORK</b>
--------------	--

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	3	CIRCLED
	22.0	701	-9	LEGITIMATE SKIP
	77.6	2,469	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1013-1014

**GJ4\_4****NOT LOOK FOR WORK/LACK SKILL/TRAINING**

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	21	4	CIRCLED
	22.1	703	-9	LEGITIMATE SKIP
	77.2	2,456	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1015-1016

**GJ4\_5****NOT LOOK FOR WORK/TOO OLD/YOUNG**

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	22.2	705	-9	LEGITIMATE SKIP
	77.8	2,473	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1017-1018

<b>GJ4_6</b>	<b>NOT LOOK FOR WORK/PERSONAL HANDICAP</b>
--------------	--

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	57	6	CIRCLED
	22.1	702	-9	LEGITIMATE SKIP
	76.1	2,421	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1019-1020

<b>GJ4_7</b>	<b>NOT LOOK FOR WORK/FAMILY RESPONSIBILITY</b>
--------------	--

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.0	192	7	CIRCLED
	22.1	703	-9	LEGITIMATE SKIP
	71.9	2,285	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1021-1022

GJ4\_8

## NOT LOOK FOR WORK/IN SCHOOL/TRAINING

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	42	8	CIRCLED
	22.1	704	-9	LEGITIMATE SKIP
	76.5	2,434	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1023-1024

GJ4\_9

## NOT LOOK FOR WORK/ILL HEALTH

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	239	9	CIRCLED
	22.1	703	-9	LEGITIMATE SKIP
	70.4	2,238	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1025-1026

**GJ4\_10 NOT LOOK FOR WORK/IN JAIL/INSTITUTION**

What were your reasons for not looking for (work/a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	36.1	1,147	10	CIRCLED
	22.1	703	-9	LEGITIMATE SKIP
	41.8	1,330	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1027-1028

**GJ4\_11 NOT LOOK FOR WORK/DRUG ACTIVITY**

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	92	11	CIRCLED
	22.0	700	-9	LEGITIMATE SKIP
	75.1	2,388	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1029-1030

**GJ4\_12****NOT LOOK FOR WORK/ILLEGAL ACTIVITY**

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	12	CIRCLED
	22.1	704	-9	LEGITIMATE SKIP
	77.5	2,466	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1031-1032

**GJ4\_13****NOT LOOK FOR WORK/BEING SUPPORTED**

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	13	CIRCLED
	22.1	703	-9	LEGITIMATE SKIP
	77.5	2,465	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1033-1034

<b>GJ4_14</b>	<b>NOT LOOK FOR WORK/LANGUAGE PROB</b>
---------------	--

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	14	CIRCLED
	22.2	705	-9	LEGITIMATE SKIP
	77.8	2,473	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1035-1036

<b>GJ4_15</b>	<b>NOT LOOK FOR WORK/IMMIGRATION STATUS</b>
---------------	---

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e., has a job without papers and making switch would be risky).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	22.2	705	-9	LEGITIMATE SKIP
	77.8	2,475	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1037-1038

GJ4\_16

NOT LOOK FOR WORK/OTHER

What were your reasons for not looking for (work/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	261	16	CIRCLED
	22.0	699	-9	LEGITIMATE SKIP
	69.8	2,220	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1039-1040

GJ5

#OF DIFFERENT JOBS/EMPLOYERS WORKED

In these 3 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	72.8	2,314	0	
22.4	22.4	711	1	
3.2	3.1	100	2	
0.9	0.9	28	3	
0.2	0.2	7	4	
0.1	0.1	3	6	
0.0	0.0	1	10	
0.1	0.1	4	12	
0.0	0.0	1	91	
	0.3	8	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1041-1042

<b>GJ6</b>	<b>#WKS WORK/FULL OR PART TIME</b>
------------	------------------------------------

In these 3 months, how many weeks have you been employed in either full- or part-time jobs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	23.2	737	0	
1.7	0.8	27	1	
2.3	1.1	36	2	
2.1	1.0	33	3	
3.0	1.4	46	4	
0.9	0.4	14	5	
1.9	0.9	29	6	
0.4	0.2	7	7	
3.1	1.5	48	8	
2.8	1.4	44	9	
2.0	1.0	31	10	
1.2	0.6	19	11	
18.2	8.9	283	12	
10.7	5.2	166	13	
0.9	0.4	14	14	
0.3	0.1	4	15	
0.5	0.3	8	16	
0.1	0.1	2	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
0.1	0.1	2	20	
0.1	0.0	1	26	
0.2	0.1	3	52	
0.1	0.0	1	60	
0.1	0.0	1	90	
	50.7	1,612	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1043-1044

GJ7

#WKS WORK/35+ HRS

In these 3 months, how many weeks have you worked 35 or more hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	5.9	188	0	
2.2	0.6	18	1	
2.9	0.8	24	2	
2.8	0.7	23	3	
4.5	1.2	37	4	
1.2	0.3	10	5	
2.2	0.6	18	6	
1.5	0.4	12	7	
8.0	2.0	65	8	
2.1	0.5	17	9	
5.0	1.3	41	10	
3.9	1.0	32	11	
33.7	8.6	274	12	
2.8	0.7	23	13	
1.5	0.4	12	14	
0.5	0.1	4	15	
0.7	0.2	6	16	
0.2	0.1	2	17	
0.1	0.0	1	18	
0.1	0.0	1	20	
0.1	0.0	1	24	
0.2	0.1	2	40	
0.1	0.0	1	52	
0.1	0.0	1	60	
0.1	0.0	1	90	
	73.6	2,341	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1045-1046

<b>GJ8</b>	<b>#WKS WORKED/35+ HRS</b>
------------	----------------------------

What has been the longest period you have worked any one full-time job (35 hours or more a week) in these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	25.3	803	0	
1.3	0.6	19	1	
1.7	0.8	24	2	
1.5	0.7	22	3	
2.5	1.1	36	4	
0.8	0.3	11	5	
1.3	0.6	18	6	
0.8	0.3	11	7	
4.6	2.0	65	8	
2.0	0.9	29	9	
2.0	0.9	28	10	
1.5	0.7	21	11	
14.7	6.6	210	12	
6.5	2.9	92	13	
0.9	0.4	13	14	
0.4	0.2	5	15	
0.6	0.3	8	16	
0.1	0.0	1	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
0.1	0.1	2	20	
0.1	0.0	1	21	
0.1	0.0	1	26	
0.1	0.0	1	52	
0.1	0.0	1	60	
0.1	0.0	1	90	
	54.6	1,735	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1047-1048

GJ9

## CODE LIST-OCCUPATION/TYPE OF YOUR JOB

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	1.1	34	1	PROFESSIONAL AND TECHNICAL
6.9	1.3	42	2	MANAGER AND ADMINISTRATOR
8.2	1.6	50	3	SALES
8.2	1.6	50	4	CLERICAL OR OFFICE WORKER
16.8	3.2	102	5	CRAFT AND KINDRED
8.9	1.7	54	6	OPERATIVES
4.6	0.9	28	7	TRANSPORTATION EQUIPMENT OPERATIVES
15.2	2.9	92	8	LABORERS (FARM & NONFARM)
21.9	4.2	133	10	SERVICE WORKER
3.6	0.7	22	86	OTHER
	79.4	2,526	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1049-1050

<b>GJ9_A</b>	<b>BUSINESS OR INDUSTRY CODE</b>
--------------	----------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.5	15	1	AGRICULTURE/FORESTRY/FISHERIES
13.7	2.6	84	2	CONSTRUCTION
10.6	2.0	65	3	MANUFACTURING
9.8	1.9	60	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
5.0	1.0	31	5	WHOLESALE TRADE
24.2	4.7	149	6	RETAIL TRADE
3.4	0.7	21	7	FINANCE/INSUR./REAL ESTATE
11.7	2.3	72	8	BUSINESS/REPAIR SERVICES
4.6	0.9	28	9	PERSONAL SERVICES
1.3	0.3	8	10	ENTERTAINMENT/REC. SVCS
10.6	2.0	65	11	PROF./RELATED SVCS
2.0	0.4	12	12	PUB ADMIN.
0.8	0.2	5	13	INDUSTRY NOT REPORTED
	79.4	2,526	-9	LEGITIMATE SKIP
	1.2	38	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1051-1052

<b>GJ9_B</b>	<b>WAS THIS YOUR USUAL OCCUPATION</b>
--------------	---------------------------------------

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	14.5	461	1	YES
23.8	4.5	144	2	NO
	79.4	2,526	-9	LEGITIMATE SKIP
	1.5	49	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1053-1054

<b>GJ9_B_OC</b>	<b>OCCUPATION CODE - USUAL OCCUPATION</b>
-----------------	---

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	0.3	9	1	PROFESSIONAL AND TECHNICAL
8.5	0.2	7	2	MANAGER AND ADMINISTRATOR
3.7	0.1	3	3	SALES
4.9	0.1	4	4	CLERICAL OR OFFICE WORKER
30.5	0.8	25	5	CRAFT AND KINDRED
2.4	0.1	2	6	OPERATIVES
2.4	0.1	2	7	TRANSPORTATION EQUIPMENT OPERATIVES
13.4	0.3	11	8	LABORERS (FARM & NONFARM)
19.5	0.5	16	10	SERVICE WORKER
3.7	0.1	3	86	OTHER
	79.9	2,540	-9	LEGITIMATE SKIP
	11.5	366	-8	BLANK
	0.0	1	-7	REFUSAL
	6.0	191	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1055-1056

<b>GJ9_C</b>	<b>DOLLARS/SALARY/RATE OF PAY/BEFORE TAXES</b>
--------------	--

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

Dollar amount.

3,180 cases (Range of valid codes: 2.01-105000.00)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 1057-1065

<b>GJ9_COD</b>	<b>CODE FOR RATE</b>
----------------	----------------------

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

Frequency of pay.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	9.2	293	1	HOUR
24.1	4.5	142	2	WEEK
4.4	0.8	26	3	2 WKS
6.1	1.1	36	4	MONTH
12.9	2.4	76	5	YR
2.7	0.5	16	6	OTHER
	79.5	2,527	-9	LEGITIMATE SKIP
	1.7	53	-8	BLANK
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1066-1067

<b>GJ10</b>	<b>HOW TROUBLED/PROB GET/HOLD JOB</b>
-------------	---------------------------------------

In the past 3 months, how troubled have you been by problems getting, holding, or working a job? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	77.3	2,458	0	NOT AT ALL
11.8	11.7	371	1	SOMEWHAT
9.7	9.5	303	2	VERY MUCH
	0.7	21	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.8	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1068-1069

**GJ11****HOW IMPORTANT/COUNSELING FOR JOB PROB**

How important to you now is help or referral for employment, training, or vocational counseling? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	37.6	1,196	0	NOT AT ALL
19.1	18.8	597	1	SOMEWHAT
42.8	42.1	1,340	2	VERY IMPORTANT
	1.4	44	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1070-1071

**GJ12****JOB PROB/BECAUSE OF DRUG/ALC USE**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	112	1	YES
96.4	94.1	2,992	2	NO
	1.5	49	-8	BLANK
	0.8	27	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1072-1073

GJ12\_A

## HOW SERIOUS PROBS FOR DRUG/ALC USE

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	0.3	10	1	NOT AT ALL
36.0	1.0	32	2	SOMEWHAT
52.8	1.5	47	3	VERY SERIOUS
	93.7	2,981	-9	LEGITIMATE SKIP
	1.8	58	-8	BLANK
	0.1	2	-3	NOT APPLICABLE
	1.6	50	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1074-1075



<b>GK1_B</b>	<b>INCOME SOURCE/SSI</b>
--------------	--------------------------

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	42.0	1,336	1	YES
56.6	54.8	1,742	2	NO
	2.0	65	-8	BLANK
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1083-1084

<b>GK2_B</b>	<b>DOLLARS/REC'D BEFORE TAXES</b>
--------------	-----------------------------------

In these 3 months, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

3,180 cases (Range of valid codes: 0-31117)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1085-1089

GK1\_C

## INCOME SOURCE/SOCIAL SECURITY BENEFITS

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.8	184	1	YES
94.0	90.5	2,878	2	NO
	2.6	82	-8	BLANK
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1090-1091

GK2\_C

## DOLLARS/REC'D BEFORE TAXES

In these 3 months, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

3,180 cases (Range of valid codes: 0-20,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1092-1096

<b>GK1_D</b>	<b>INCOME SOURCE/SPOUSE/FAMILY/ALIMONY</b>
--------------	--

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from a spouse, family members, or friends, including alimony, child support, loans, gifts, or interest, dividends, rental income, capital gains, or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	22.1	704	1	YES
77.0	74.0	2,354	2	NO
	2.7	85	-8	BLANK
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1097-1098

<b>GK2_D</b>	<b>DOLLARS/REC'D BEFORE TAXES</b>
--------------	-----------------------------------

In these 3 months, how much income have you personally received before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts, or interest, dividends, rental income, capital gains, or money from other investments?

3,180 cases (Range of valid codes: 0-45,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1099-1103

**GK1\_E****INCOME SOURCE/POSSIBLY ILLEGAL**

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	69	1	YES
97.7	93.2	2,964	2	NO
	3.5	110	-8	BLANK
	0.3	11	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1104-1105

**GK2\_E****DOLLARS/REC'D BEFORE TAXES**

In these 3 months, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

3,180 cases (Range of valid codes: 0-20,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1106-1110

**GK1\_F INCOME SOURCE/ANY OTHER SOURCE**

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.7	435	1	YES
85.7	81.8	2,600	2	NO
	3.4	109	-8	BLANK
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1111-1112

**GK2\_F DOLLARS/REC'D BEFORE TAXES**

In these 3 months, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

3,180 cases (Range of valid codes: 0-26,500)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1113-1117

**GK2\_G TOTAL DOLLARS/COL 2 IN CHART 3**

Total column K2 (GK2\_A to GK2\_F) in chart and record below

3,180 cases (Range of valid codes: 0-450000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1118-1123

GK3

## INCOME BEFORE TAXES PAST 3 MOS

During the past 3 months, which code on this card best indicates your own total dollar income before taxes from all sources?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.2	642	0	
37.3	35.7	1,134	1	
6.5	6.2	198	2	
5.9	5.6	178	3	
4.2	4.0	127	4	
4.4	4.2	133	5	
4.0	3.8	122	6	
2.6	2.5	80	7	
1.5	1.4	45	8	
1.5	1.5	47	9	
1.9	1.8	58	10	
1.7	1.6	52	12	
0.0	0.0	1	13	
1.4	1.3	42	14	
1.0	0.9	29	16	
0.0	0.0	1	17	
1.0	0.9	29	18	
1.0	1.0	31	20	
0.9	0.9	28	24	
0.8	0.8	24	30	
0.7	0.7	22	40	
0.0	0.0	1	48	
0.4	0.4	13	50	
0.0	0.0	1	80	
0.0	0.0	1	100	
0.0	0.0	1	140	
0.0	0.0	1	160	
0.0	0.0	1	603	
	2.3	73	-8	BLANK
	0.7	23	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.5	15	-4	DON'T KNOW
	0.8	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1124-1126

**GK4 SHARE INCOME/EXPENSES WITH ONE LIVE WITH**

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	31.5	1,003	1	YES
64.2	56.4	1,795	2	NO
	5.8	183	-9	LEGITIMATE SKIP
	5.3	167	-8	BLANK
	0.1	4	-7	REFUSAL
	0.9	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1127-1128

**GK4\_A #PEOPLE YOU SHARE INCOME/EXPENSES W/**

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.5	16	0	
47.1	15.1	480	1	
25.0	8.0	255	2	
13.8	4.4	141	3	
7.3	2.3	74	4	
3.1	1.0	32	5	
1.1	0.3	11	6	
0.1	0.0	1	7	
0.5	0.2	5	8	
0.1	0.0	1	11	
0.1	0.0	1	12	
0.1	0.0	1	14	
0.1	0.0	1	40	
0.1	0.0	1	91	
	56.0	1,780	-9	LEGITIMATE SKIP
	11.0	350	-8	BLANK
	0.2	6	-7	REFUSAL
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1129-1130

<b>GK5</b>	<b>HOUSEHOLD INCOME BEFORE TAXES PAST 3 MOS</b>
------------	---

During the past 3 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM K4a people)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	1.6	51	0	
9.3	2.3	73	1	
7.1	1.8	56	2	
7.4	1.8	58	3	
6.3	1.6	50	4	
7.2	1.8	57	5	
6.5	1.6	51	6	
3.6	0.9	28	7	
4.7	1.2	37	8	
3.0	0.8	24	9	
4.6	1.1	36	10	
0.1	0.0	1	11	
6.0	1.5	47	12	
3.6	0.9	28	14	
3.2	0.8	25	16	
2.9	0.7	23	18	
4.2	1.0	33	20	
0.1	0.0	1	21	
4.2	1.0	33	24	
2.9	0.7	23	30	
2.5	0.6	20	40	
2.5	0.6	20	50	
0.1	0.0	1	94	
0.8	0.2	6	100	
0.1	0.0	1	106	
0.1	0.0	1	247	
0.1	0.0	1	269	
0.1	0.0	1	304	
0.1	0.0	1	550	
0.1	0.0	1	600	
	61.6	1,959	-9	LEGITIMATE SKIP
	5.9	189	-8	BLANK
	0.4	12	-7	REFUSAL
	0.0	1	-5	BAD DATA
	6.4	204	-4	DON'T KNOW
	0.8	27	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1131-1133

**GK6\_A**                      **DOLLARS SPENT/HOUSING**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM K4a) members of the household together) spent each month for housing, including rent or mortgage payments and utilities.

3,180 cases (Range of valid codes: 0-6680)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1134-1137

**GK6\_B**                      **DOLLARS SPENT/MEDICAL EXPENSES**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM K4a) members of the household together) spent each month for medical expenses, including prescriptions, health insurance, and payments for HMO costs.

3,180 cases (Range of valid codes: 0-4,000)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1138-1141

**GK6\_C**                      **DOLLARS SPENT/FOOD/CLOTHING**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM K4a) members of the household together) spent each month for food, clothing, and living expenses.

3,180 cases (Range of valid codes: 0-8,000)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1142-1145

**GK6\_D**                      **DOLLARS SPENT/OTHER EXPENSES**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM K4a) members of the household together) spent each month for other expenses, including things like gifts, loans, entertainment, and other debts.

3,180 cases (Range of valid codes: 0-6,000)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1146-1149

<b>GK7</b>	<b>MONEY PROB/BECAUSE ALCO/DRUG USE</b>
------------	---

Have you had any financial or money problems because of your drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.5	366	1	YES
88.3	87.0	2,766	2	NO
	0.6	20	-8	BLANK
	0.1	3	-7	REFUSAL
	0.8	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1150-1151

<b>GK7_A</b>	<b>HOW SERIOUS PROBS FOR DRUG/ALC USE</b>
--------------	---

How serious were these problems you had because of using drugs or alcohol? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	2.5	78	1	NOT AT ALL
36.1	5.1	161	2	SOMEWHAT
46.4	6.5	207	3	VERY SERIOUS
	84.5	2,686	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
	0.1	3	-7	REFUSAL
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1152-1153

**GK8** **HOW TROUBLED BY MONEY PROB**

How troubled or bothered have you been in the past 3 months by any financial or money problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	32.3	1,027	0	NOT AT ALL
32.6	23.5	746	1	SOMEWHAT
22.5	16.2	516	2	VERY MUCH
	27.1	863	-8	BLANK
	0.1	4	-7	REFUSAL
	0.8	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1154-1155

**GK9** **HOW IMPORTANT/COUNSELING FOR MONEY PROB**

How important to you now is counseling for financial or money problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	50.9	1,618	0	NOT AT ALL
23.0	22.2	705	1	SOMEWHAT
24.3	23.4	745	2	VERY IMPORTANT
	3.3	105	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1156-1157

**INTREATMENT EXPERIENCE****GL1 #DAYS REC'D SVCS AT THIS PROG**

Now, I'd like to ask about the treatment or counseling that you may have received in the past 3 months. Please think about all kinds of help, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received. In the past 3 months, on how many days have you been scheduled to receive any services at this program or at some place run by this program? Include methadone and any other medication, any individual and group counseling, and other services you have received.

3,180 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

**GL1\_A #DAYS REC'D SVCS/OUTSIDE PROG**

In the past 3 months, how many days have you been scheduled to receive services from other providers or agencies outside this program?

3,180 cases (Range of valid codes: 0-96)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1160-1161

<b>GL2</b>	<b>MISS SCHEDULED APPOINTMENT FOR SERVICE</b>
------------	---

During the past 3 months, have you missed any scheduled appointment for any of these services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	29.5	939	1	YES
69.5	67.2	2,137	2	NO
	3.2	103	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1162-1163

GL2\_A

#DAYS MISSED SCHEDULED APPOINTMENT

During these 3 months, on how many days have you missed any scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
30.7	9.1	290	1	
24.2	7.2	229	2	
14.9	4.4	141	3	
9.4	2.8	89	4	
4.5	1.4	43	5	
2.5	0.8	24	6	
1.8	0.5	17	7	
2.0	0.6	19	8	
0.7	0.2	7	9	
2.7	0.8	26	10	
1.8	0.5	17	12	
0.5	0.2	5	14	
0.7	0.2	7	15	
0.3	0.1	3	16	
0.5	0.2	5	20	
0.3	0.1	3	21	
0.1	0.0	1	22	
0.2	0.1	2	24	
0.1	0.0	1	28	
0.8	0.3	8	30	
0.1	0.0	1	32	
0.1	0.0	1	34	
0.2	0.1	2	35	
0.1	0.0	1	36	
0.1	0.0	1	40	
0.1	0.0	1	42	
	67.0	2,131	-9	LEGITIMATE SKIP
	3.2	101	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1164-1165



<b>GL2_E</b>	<b>OTHER REASON/MISS SCHEDULED APPOINTMENT</b>
--------------	--

Is there any other reason why you missed 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	0.7	22	1	YES
89.2	5.7	181	2	NO
	88.7	2,822	-9	LEGITIMATE SKIP
	4.9	155	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1172-1173

<b>GL2_F_1</b>	<b>CODE FROM CHART/OTHER REASON</b>
----------------	-------------------------------------

What other reasons did you have?  
 Third most important reason.

3,180 cases (Range of valid codes: 1-59)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1174-1175

<b>GL2_F_2</b>	<b>CODE FROM CHART/OTHER REASON</b>
----------------	-------------------------------------

What other reasons did you have?  
 Fourth most important reason.

3,180 cases (Range of valid codes: 20-59)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1176-1177

<b>GL2_F_3</b>	<b>CODE FROM CHART/OTHER REASON</b>
----------------	-------------------------------------

What other reasons did you have?  
 Fifth most important reason.

3,180 cases (Range of valid codes: 2-50)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1178-1179

<b>GL3</b>	<b>DID YOU DROP OUT FROM THIS PROG</b>
------------	--

During the past 3 months, have you dropped out of or been discharged from this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	59	1	YES
98.1	97.8	3,109	2	NO
	0.3	11	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1180-1181

GL3\_A

#DAYS OUT OF THIS PROG

During these 3 months, how many days were you out of this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.2	6	0	
10.1	0.2	7	1	
11.6	0.3	8	2	
10.1	0.2	7	3	
2.9	0.1	2	4	
1.4	0.0	1	5	
4.3	0.1	3	6	
4.3	0.1	3	7	
4.3	0.1	3	8	
2.9	0.1	2	10	
1.4	0.0	1	12	
1.4	0.0	1	13	
2.9	0.1	2	14	
1.4	0.0	1	15	
1.4	0.0	1	20	
7.2	0.2	5	21	
1.4	0.0	1	22	
1.4	0.0	1	24	
4.3	0.1	3	30	
1.4	0.0	1	31	
1.4	0.0	1	34	
1.4	0.0	1	37	
1.4	0.0	1	40	
1.4	0.0	1	42	
1.4	0.0	1	76	
1.4	0.0	1	83	
4.3	0.1	3	90	
1.4	0.0	1	99	99 OR MORE
	97.5	3,100	-9	LEGITIMATE SKIP
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1182-1183

**GL4 REC'D TX FOR ALC PROB**

During the past 3 months, have you received treatment for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	29.3	931	1	YES
70.6	70.4	2,238	2	NO
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1184-1185

**GL5 REC'D THESE SERVICES AT PROG**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	28.6	910	1	YES
2.9	0.8	27	2	NO
	69.9	2,222	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1186-1187

**GL5\_A\_1 SERVICES REC'D/INDIVIDUAL COUNSEL**

What kinds of services have you received here?

Individual counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.8	662	1	CIRCLED
	70.7	2,248	-9	LEGITIMATE SKIP
	8.5	269	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1188-1189

<b>GL5_A_2</b>	<b>SERVICES REC'D/GROUP COUNSELING</b>
----------------	--

What kinds of services have you received here?

Group counseling (not 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.5	715	2	CIRCLED
	70.8	2,251	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1190-1191

<b>GL5_A_3</b>	<b>SERVICES REC'D/AA/12 STEP/SELF HELP</b>
----------------	--

What kinds of services have you received here?

AA or other 12-step / self-help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.8	692	3	CIRCLED
	70.6	2,246	-9	LEGITIMATE SKIP
	7.6	241	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1192-1193

**GL5\_A\_4 SERVICES REC'D/OTHER**

What kinds of services have you received here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	89	4	CIRCLED
	70.9	2,256	-9	LEGITIMATE SKIP
	26.2	834	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1194-1195

**GL5\_B\_1 TALKED TO/PRIMARY/REG COUNSELOR**

Who have you talked to or seen for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.9	697	1	CIRCLED
	70.7	2,248	-9	LEGITIMATE SKIP
	7.4	235	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1196-1197

<b>GL5_B_2</b>	<b>TALKED TO/CASE MANAGER</b>
----------------	-------------------------------

Who have you talked to or seen for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	24	2	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.2	898	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199

<b>GL5_B_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
-----------------	----------------------------------

Who have you talked to or seen for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.3	329	11	CIRCLED
	70.9	2,254	-9	LEGITIMATE SKIP
	18.8	597	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

<b>GL5_B_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
-----------------	-------------------------------------

Who have you talked to or seen for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	12	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.8	917	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1202-1203

<b>GL5_B_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
-----------------	--------------------------------

Who have you talked to or seen for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	13	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.6	911	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1204-1205

<b>GL5_B_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	21	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.8	917	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1206-1207

<b>GL5_B_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	22	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.7	912	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1208-1209

<b>GL5_B_23</b>	<b>TALKED TO/NURSE</b>
-----------------	------------------------

Who have you talked to or seen for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	71.0	2,257	-9	LEGITIMATE SKIP
28.4	28.4	903	-8	BLANK
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	0	-4	DON'T KNOW
0.0	0.0	0	-3	NOT APPLICABLE
0.0	0.0	0	-2	ILLEGIBLE
0.0	0.0	0	-1	VARIABLE NOT ON FORM
0.6	0.6	20	23	CIRCLED
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Columns: 1210-1211

<b>GL5_B_31</b>	<b>TALKED TO/GROUP - NO LEADER</b>
-----------------	------------------------------------

Who have you talked to or seen for these services?

Group - no leader (e.g., 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.9	507	31	CIRCLED
	70.8	2,251	-9	LEGITIMATE SKIP
	13.3	422	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1212-1213

<b>GL5_B_71</b>	<b>TALKED TO/STAFF FROM ANOTHER AGENCY</b>
-----------------	--

Who have you talked to or seen for these services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	26	71	CIRCLED
	71.0	2,258	-9	LEGITIMATE SKIP
	28.2	896	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1214-1215

<b>GL5_B_91</b>	<b>TALKED TO/OTHER</b>
-----------------	------------------------

Who have you talked to or seen for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	241	91	CIRCLED
	70.9	2,254	-9	LEGITIMATE SKIP
	21.5	685	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1216-1217

<b>GL5_C</b>	<b>#DAYS/REC'D SVCS FOR ALC PROB</b>
--------------	--------------------------------------

During the past 3 months, on how many days have you received services for an alcohol problem at this program?

3,180 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1218-1219

<b>GL5_D</b>	<b>HOW HELPFUL THE SERVICES</b>
--------------	---------------------------------

Overall, how helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.5	17	0	NOT AT ALL
18.8	5.4	172	1	SOMEWHAT
79.4	22.9	727	2	VERY MUCH
	70.6	2,244	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1220-1221

<b>GL6</b>	<b>REC'D SVCS AT OTHER PLACE</b>
------------	----------------------------------

Have you received services for an alcohol problem at some other place (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	2.3	72	1	YES
92.5	28.0	890	2	NO
	69.2	2,202	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1222-1223

GL6\_A\_A

SERVICE:COMMUNITY MENTAL HEALTH PROG

Where have you received these services?

Community mental health center outpatient program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	1	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	74	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1224-1225

GL6\_A\_B

SERVICE:ALC REHABILITATION CENTER

Where have you received these services?

Alcoholic rehabilitation center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	14	2	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	72	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1226-1227

<b>GL6_A_C</b>	<b>SERVICE:28-DAY/OTHER SHORT TERM TX</b>
----------------	---

Where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1228-1229

<b>GL6_A_D</b>	<b>SERVICE:THERAPEUTIC COMMUNITY</b>
----------------	--------------------------------------

Where have you received these services?

Therapeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	4	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1230-1231

**GL6\_A\_E****SERVICE:HALFWAY HOUSE**

Where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	5	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1233

**GL6\_A\_F****SERVICE:DETOXIFICATION TX UNIT**

Where have you received these services?

Detoxification treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	6	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	2.4	77	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1234-1235

<b>GL6_A_G</b>	<b>SERVICE:EMERGENCY ROOM/CRISIS CENTER</b>
----------------	---

Where have you received these services?

Emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	7	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1236-1237

<b>GL6_A_H</b>	<b>SERVICE:PRIV THERAPIST</b>
----------------	-------------------------------

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	8	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1238-1239

<b>GL6_A_I</b>	<b>SERVICE:OTHER OUTPATIENT TX</b>
----------------	------------------------------------

Where have you received these services?

Other outpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	25	9	CIRCLED
	97.3	3,093	-9	LEGITIMATE SKIP
	1.9	62	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1240-1241

<b>GL6_A_J</b>	<b>SERVICE:OTHER INPATIENT TX</b>
----------------	-----------------------------------

Where have you received these services?

Other inpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	10	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1243

GL6_B_1	1ST TX LOCATION
---------	-----------------

Where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	0.4	12	1	COMMUNITY MENTAL HEALTH PROG
17.9	0.4	12	2	ALC REHABILITATION CENTER
4.5	0.1	3	3	28-DAY/OTHER SHORT TERM TX
9.0	0.2	6	4	THREAPEUTIC COMMUNITY
4.5	0.1	3	5	HALFWAY HOUSE
11.9	0.3	8	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
1.5	0.0	1	8	PRIV THERAPIST
31.3	0.7	21	9	OTHER OUTPATIENT TX
1.5	0.0	1	10	OTHER INPATIENT TX
	97.2	3,092	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1244-1245

GL6_C_1	#DAYS SVCS REC'D/TX/LOCATION #1
---------	---------------------------------

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	0	
12.9	0.3	9	1	
8.6	0.2	6	2	
7.1	0.2	5	3	
1.4	0.0	1	4	
7.1	0.2	5	5	
8.6	0.2	6	6	
7.1	0.2	5	7	
2.9	0.1	2	8	
4.3	0.1	3	9	
1.4	0.0	1	10	
2.9	0.1	2	11	
8.6	0.2	6	12	
1.4	0.0	1	15	
2.9	0.1	2	20	
2.9	0.1	2	24	
1.4	0.0	1	25	
2.9	0.1	2	28	
1.4	0.0	1	30	
1.4	0.0	1	35	
2.9	0.1	2	36	
1.4	0.0	1	44	
1.4	0.0	1	60	
1.4	0.0	1	70	
1.4	0.0	1	75	
2.9	0.1	2	90	
	97.2	3,092	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1246-1247

**GL6\_D\_1**                      **WHO REFERRD YOU TO TX/LOCATION #1**

Who referred you to (TREATMENT LOCATION - 1st mention)?  
 Was it a staff member in this program, someone outside the  
 program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	1.0	33	1	PROG
16.9	0.4	12	2	OUTSIDE SOURCE
36.6	0.8	26	3	SELF
	97.2	3,092	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1248-1249

**GL6\_E\_1**                      **HOW HELPFUL THESE SERVICES A/LOCATION #1**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
21.4	0.5	15	1	SOMEWHAT
78.6	1.7	55	2	VERY HELPFUL
	97.2	3,092	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1250-1251

<b>GL6_B_2</b>	<b>2ND TX LOCATION</b>
----------------	------------------------

Where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
8.3	0.0	1	2	ALC REHABILITATION CENTER
8.3	0.0	1	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
16.7	0.1	2	5	HALFWAY HOUSE
25.0	0.1	3	6	DETOXIFICATION TX UNIT
8.3	0.0	1	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
33.3	0.1	4	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	73	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1252-1253

<b>GL6_C_2</b>	<b>#DAYS SVCS REC'D/TX/LOCATION #2</b>
----------------	--

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	2	1	
14.3	0.1	2	2	
7.1	0.0	1	6	
7.1	0.0	1	7	
7.1	0.0	1	9	
7.1	0.0	1	10	
7.1	0.0	1	12	
7.1	0.0	1	14	
7.1	0.0	1	15	
7.1	0.0	1	16	
7.1	0.0	1	21	
7.1	0.0	1	45	
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	72	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1254-1255

**GL6\_D\_2**                      **WHO REFERRD YOU TO TX/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)?  
 Was it a staff member in this program, someone outside the  
 program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	6	1	PROG
42.9	0.2	6	2	OUTSIDE SOURCE
14.3	0.1	2	3	SELF
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	72	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1256-1257

**GL6\_E\_2**                      **HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
15.4	0.1	2	1	SOMEWHAT
84.6	0.3	11	2	VERY HELPFUL
	97.3	3,094	-9	LEGITIMATE SKIP
	2.3	73	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1258-1259

<b>GL6_B_3</b>	<b>3RD TX LOCATION</b>
----------------	------------------------

Where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	86	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1260-1261

<b>GL6_C_3</b>	<b>#DAYS SVCS REC'D/TX/LOCATION #3</b>
----------------	--

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	86	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1262-1263

**GL6\_D\_3                      WHO REFERRD YOU TO TX/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention)?  
 Was it a staff member in this program, someone outside the  
 program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	86	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1264-1265

**GL6\_E\_3                      HOW HELPFUL THESE SERVICES A/LOCATION #3**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	86	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1266-1267

<b>GL6_B_4</b>	<b>4TH TX LOCATION</b>
----------------	------------------------

Where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1268-1269

<b>GL6_C_4</b>	<b>#DAYS SVCS REC'D/TX/LOCATION #4</b>
----------------	--

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	99	99 OR MORE
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1270-1271

**GL6\_D\_4**                      **WHO REFERRD YOU TO TX/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention)?  
 Was it a staff member in this program, someone outside the  
 program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
100.0	0.0	1	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1272-1273

**GL6\_E\_4**                      **HOW HELPFUL THESE SERVICES A/LOCATION #4**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	97.3	3,094	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1274-1275

<b>GL7</b>	<b>REC'D SVCS FOR DRUG ABUSE</b>
------------	----------------------------------

During the past 3 months, have you received services for drug abuse at some other program (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	110	1	YES
96.5	96.0	3,054	2	NO
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1276-1277

<b>GL7_A_A</b>	<b>SERVICES:PRIV PHYSICIAN/PSYCHI/PSYCH</b>
----------------	---

During these 3 months, where have you received these services?

Private physician, psychiatrist, or psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1278-1279

**GL7\_A\_B SERVICES:28-DAY/OTHER SHORT TERM TX**

During these 3 months, where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	2	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.5	111	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1280-1281

**GL7\_A\_C SERVICES:THERAPEUTIC COMMUNITY**

During these 3 months, where have you received these services?

Therapeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	3	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.7	119	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1282-1283

**GL7\_A\_D****SERVICES:HALFWAY HOUSE**

During these 3 months, where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	4	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	120	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1284-1285

**GL7\_A\_E****SERVICES:METHADONE TX PROG**

During these 3 months, where have you received these services?

Methadone or other maintenance treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	5	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.7	119	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1286-1287

**GL7\_A\_F SERVICES:INTENSIVE OUTPT (NON-METHADONE)**

During these 3 months, where have you received these services?

Intensive outpatient drug treatment program (non-methadone).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	124	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1288-1289

**GL7\_A\_G SERVICES:DETOXIFICATION TX UNIT**

During these 3 months, where have you received these services?

Other drug detoxification treatment unit (methadone or other).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	7	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1290-1291

<b>GL7_A_H</b>	<b>SERVICES:OTHER OUTPATIENT DRUG TX</b>
----------------	--

During these 3 months, where have you received these services?

Other outpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	55	8	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	2.2	71	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1292-1293

<b>GL7_A_I</b>	<b>SERVICES:OTHER INPATIENT DRUG TX</b>
----------------	---

During these 3 months, where have you received these services?

Other inpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	9	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.7	119	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1294-1295

GL7_B_1	1ST TX LOCATION
---------	-----------------

During these 3 months, where have you received these services?  
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	3	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
15.6	0.5	17	2	28-DAY/OTHER SHORT TERM TX
6.4	0.2	7	3	THERAPEUTIC COMMUNITY
4.6	0.2	5	4	HALFWAY HOUSE
6.4	0.2	7	5	METHADONE TREAT PROG
1.8	0.1	2	6	INTENSIVE OUTPT (NON-METHADONE)
1.8	0.1	2	7	DETOXIFICATION TX UNIT
56.0	1.9	61	8	OTHER OUTPATIENT DRUG TX
4.6	0.2	5	9	OTHER INPATIENT DRUG TX
	96.0	3,054	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1296-1297

GL7_C_1	#DAYS SVCS REC'D/TX/LOCATION #1
---------	---------------------------------

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 1st metion)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.5	15	1	
11.2	0.4	12	2	
8.4	0.3	9	3	
1.9	0.1	2	4	
5.6	0.2	6	6	
2.8	0.1	3	7	
1.9	0.1	2	8	
2.8	0.1	3	10	
9.3	0.3	10	12	
5.6	0.2	6	24	
1.9	0.1	2	25	
7.5	0.3	8	28	
2.8	0.1	3	30	
0.9	0.0	1	31	
1.9	0.1	2	35	
0.9	0.0	1	40	
2.8	0.1	3	42	
3.7	0.1	4	45	
1.9	0.1	2	48	
0.9	0.0	1	49	
0.9	0.0	1	50	
1.9	0.1	2	60	
0.9	0.0	1	64	
0.9	0.0	1	80	
5.6	0.2	6	90	
0.9	0.0	1	99	99 OR MORE
	96.0	3,054	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1298-1299

**GL7\_D\_1 WHO REFERRD YOU TO TX/LOCATION #1**

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	1.7	55	1	PROG
22.2	0.8	24	2	OUTSIDE SOURCE
26.9	0.9	29	3	SELF
	96.0	3,054	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1300-1301

**GL7\_E\_1 HOW HELPFUL THESE SERVICES A/LOCATION #1**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	4	0	NOT AT ALL
13.0	0.4	14	1	SOMEWHAT
83.3	2.8	90	2	VERY HELPFUL
	96.0	3,054	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1302-1303

GL7\_B\_2

2ND TX LOCATION

During these 3 months, where have you received these services?  
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
25.0	0.0	1	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	INTENSIVE OUTPT (NON-METHADONE)
50.0	0.1	2	7	DETOXIFICATION TX UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TX
25.0	0.0	1	9	OTHER INPATIENT DRUG TX
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	121	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1304-1305

GL7\_C\_2

#DAYS SVCS REC'D/TX/LOCATION #2

During these 3 months, how many days have you received  
services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	2	
20.0	0.0	1	5	
20.0	0.0	1	8	
20.0	0.0	1	14	
20.0	0.0	1	35	
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	121	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1306-1307

**GL7\_D\_2**                      **WHO REFERRD YOU TO TX/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	1	PROG
20.0	0.0	1	2	OUTSIDE SOURCE
40.0	0.1	2	3	SELF
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	121	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1308-1309

**GL7\_E\_2**                      **HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.2	5	2	VERY HELPFUL
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	121	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1310-1311

**GL7\_B\_3                      3RD TX LOCATION**

During these 3 months, where have you received these services?  
third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	INTENSIVE OUTPT (NON-METHADONE)
0.0	0.0	0	7	DETOXIFICATION TX UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TX
0.0	0.0	0	9	OTHER INPATIENT DRUG TX
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1312-1313

**GL7\_C\_3                      #DAYS SVCS REC'D/TX/LOCATION #3**

During these 3 months, how many days have you received  
services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1314-1315

**GL7\_D\_3 WHO REFERRD YOU TO TX/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1316-1317

**GL7\_E\_3 HOW HELPFUL THESE SERVICES A/LOCATION #3**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1318-1319

GL7\_B\_4

4TH TX LOCATION

During these 3 months, where have you received these services?  
Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TX UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TX
0.0	0.0	0	9	OTHER INPATIENT DRUG TX
	96.0	3,054	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1320-1321

GL7\_C\_4

#DAYS SVCS REC'D/TX/LOCATION #4

During these 3 months, how many days have you received  
services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	96.0	3,054	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1322-1323

**GL7\_D\_4                      WHO REFERRD YOU TO TX/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.0	3,054	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1324-1325

**GL7\_E\_4                      HOW HELPFUL THESE SERVICES A/LOCATION #4**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.0	3,054	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1326-1327

**GL8\_0****INDIVIDUAL SERVICES/NO ONE**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

No one.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	244	0	CIRCLED
	61.4	1,954	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
	30.8	979	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1328-1329

**GL8\_1****INDIV SERVICES/PRIMARY/REG COUNSELOR**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	86.2	2,741	1	CIRCLED
	7.6	242	-9	LEGITIMATE SKIP
	4.6	147	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1330-1331



GL8\_12

## INDIV SERVICES/OTHER CASE MANAGER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	90.8	2,886	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1336-1337

GL8\_13

## INDIVIDUAL SERVICES/SOCIAL WORKER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	13	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	90.5	2,877	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1338-1339

**GL8\_21**

**INDIVIDUAL SERVICES/PSYCHOLOGIST**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	21	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	90.6	2,881	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1340-1341

**GL8\_22**

**INDIVIDUAL SERVICES/PSYCHIATRIST**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	22	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	90.5	2,877	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1342-1343

GL8\_71

## INDIV SERVICES/STAFF FR OTHER AGENCY

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	71	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	90.6	2,881	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1344-1345

<b>GL8_91</b>	<b>INDIVIDUAL SERVICES/OTHER</b>
---------------	----------------------------------

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	51	91	CIRCLED
	7.7	244	-9	LEGITIMATE SKIP
	89.2	2,835	-8	BLANK
	0.0	1	-5	BAD DATA
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1346-1347

<b>GL8_A_1</b>	<b>TALKED TO MOST OFTEN/PROVIDER #1</b>
----------------	---

Which 2 do you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	0	NO ONE
96.9	84.8	2,696	1	PRIMARY/REG COUNSELOR
	1.7	47	2	CASE MANAGER
	0.6	18	11	OTHER COUNSELOR
	0.0	0	12	OTHER CASE MANAGER
	0.0	1	13	SOCIAL WORKER
	0.0	1	21	PSYCHOLOGIST
	0.1	3	22	PSYCHIATRIST
	0.0	1	71	STAFF FROM ANOTHER AGENCY
	0.4	11	91	OTHER
	7.4	235	-9	LEGITIMATE SKIP
	3.6	115	-8	BLANK
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1348-1349

**GL8\_A\_2****TALKED TO MOST OFTEN/PROVIDER #2**

Which 2 do you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	4	0	NO ONE
9.1	0.6	19	1	PRIMARY/REG COUNSELOR
5.7	0.4	12	2	CASE MANAGER
58.4	3.8	122	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.8	0.3	8	13	SOCIAL WORKER
1.9	0.1	4	21	PSYCHOLOGIST
1.4	0.1	3	22	PSYCHIATRIST
0.5	0.0	1	71	STAFF FROM ANOTHER AGENCY
17.2	1.1	36	91	OTHER
	7.7	244	-9	LEGITIMATE SKIP
	84.4	2,683	-8	BLANK
	1.4	44	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1350-1351

**GL9****#TIMES/GOT INDIVIDUAL SERVICES(PRO #1)**

During the past 3 months, how many times have you received scheduled individual services from your (PROVIDER #1 FROM L8a)?

3,180 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1352-1353

**GL9\_A****#MINUTES/INDIVIDUAL SESSION LAST(PRO #1)**

How long did (this session last/your individual sessions usually last) with your (PROVIDER #1 FROM L8a)?

3,180 cases (Range of valid codes: 0-960)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1354-1356

**GL10 CASELOAD ASSIGN TO THE PERSON (PRO #1)**

Is your (PROVIDER #1 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	89.2	2,837	1	YES
1.4	1.3	41	2	NO
	7.4	235	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	1.4	46	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1357-1358

**GL11 HOW YOU FEEL/PRO #1 UNDERSTANDS YOU**

Overall, how well do you feel your (PROVIDER #1 FROM L8a) understands you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.9	124	0	NOT AT ALL
32.3	29.1	925	1	SOMEWHAT
63.4	57.2	1,819	2	A LOT
	7.4	234	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
	1.6	50	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1359-1360

<b>GL12</b>	<b>YOUR RELATIONSHIP W/ PROVIDER #1</b>
-------------	---

Overall, how would you rate your relationship with your (PROVIDER #1 FROM L8a)? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	80	1	POOR
17.6	15.9	505	2	FAIR
49.7	44.8	1,425	3	GOOD
29.9	27.0	859	4	EXCELLENT
	7.4	234	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	1.6	50	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1361-1362

<b>GL13_A</b>	<b>HOW OFTEN TALK/USE OF ALC/PRO #1</b>
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	28.6	908	0	NEVER
36.0	32.4	1,029	1	SOME SESSIONS
14.7	13.2	419	2	MOST SESSIONS
17.6	15.8	504	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	1.6	50	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1363-1364

**GL13\_B HOW OFTEN TALK/DRUG/CAUSE PROB/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.1	194	0	NEVER
28.9	26.1	830	1	SOME SESSIONS
26.6	24.0	762	2	MOST SESSIONS
37.7	34.0	1,082	3	EVERY SESSION
	7.3	233	-9	LEGITIMATE SKIP
	0.9	29	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1365-1366

**GL13\_C HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.2	324	0	NEVER
27.1	24.4	775	1	SOME SESSIONS
25.3	22.8	724	2	MOST SESSIONS
36.4	32.8	1,042	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1367-1368

**GL13\_D****HOW OFTEN TALK/RELATION W/FAMILY/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.5	302	0	NEVER
33.1	29.8	949	1	SOME SESSIONS
24.7	22.2	707	2	MOST SESSIONS
31.6	28.5	905	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1369-1370

**GL13\_E****HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	28.6	909	0	NEVER
41.6	37.4	1,188	1	SOME SESSIONS
11.8	10.6	338	2	MOST SESSIONS
14.7	13.2	421	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1371-1372



**GL13\_H****HOW OFTEN TALK/YOUR JOB/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	40.2	1,279	0	NEVER
37.9	34.1	1,085	1	SOME SESSIONS
9.8	8.8	280	2	MOST SESSIONS
7.7	6.9	221	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1377-1378

**GL13\_I****HOW OFTEN TALK/LIVING EXPENSES/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	48.6	1,545	0	NEVER
32.5	29.2	930	1	SOME SESSIONS
7.9	7.1	225	2	MOST SESSIONS
5.7	5.1	163	3	EVERY SESSION
	7.4	234	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	1.5	49	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1379-1380



<b>GL13_K_1</b>	<b>HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #1</b>
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	5	0	NEVER
20.6	2.0	64	1	SOME SESSIONS
28.4	2.8	88	2	MOST SESSIONS
49.4	4.8	153	3	EVERY SESSION
	86.4	2,749	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
	1.1	36	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1385-1386

<b>GL13_K_2</b>	<b>HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #1</b>
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.1	2	0	NEVER
26.7	0.6	20	1	SOME SESSIONS
38.7	0.9	29	2	MOST SESSIONS
32.0	0.8	24	3	EVERY SESSION
	86.5	2,752	-9	LEGITIMATE SKIP
	10.0	318	-8	BLANK
	1.1	35	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1387-1388

**GL13\_K\_3                      HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	2	0	NEVER
23.1	0.2	6	1	SOME SESSIONS
30.8	0.3	8	2	MOST SESSIONS
38.5	0.3	10	3	EVERY SESSION
	86.6	2,755	-9	LEGITIMATE SKIP
	11.4	364	-8	BLANK
	1.1	35	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1389-1390

**GL13\_K\_4                      HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	3	0	NEVER
11.1	0.0	1	1	SOME SESSIONS
11.1	0.0	1	2	MOST SESSIONS
44.4	0.1	4	3	EVERY SESSION
	86.6	2,755	-9	LEGITIMATE SKIP
	11.9	380	-8	BLANK
	1.1	36	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1391-1392

**GL14\_A****SESSIONS HELPED/STOP USE OF DRUG/PRO #1**

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	10.8	343	0	NOT AT ALL
31.7	28.0	890	1	SOMEWHAT
56.1	49.5	1,575	2	VERY MUCH
	7.4	234	-9	LEGITIMATE SKIP
	1.1	35	-8	BLANK
	0.0	1	-7	REFUSAL
	3.2	102	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1393-1394

**GL14\_B****SESSIONS HELPED/OTHER PROB/PRO #1**

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	9.8	313	0	NOT AT ALL
38.2	34.2	1,089	1	SOMEWHAT
50.9	45.7	1,452	2	VERY MUCH
	7.4	234	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK
	1.6	52	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1395-1396

<b>GL15_M</b>	<b>MONTH/LAST SAW/PRO #1/INDIVIDUAL SERVICE</b>
---------------	---

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	6.8	215	1	
7.8	7.0	222	2	
11.1	9.9	316	3	
10.4	9.3	296	4	
10.6	9.5	302	5	
8.8	7.9	252	6	
8.6	7.7	245	7	
8.1	7.3	231	8	
6.1	5.4	173	9	
5.7	5.1	163	10	
6.7	6.0	192	11	
8.5	7.6	241	12	
	7.4	236	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
	0.3	11	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
	1.5	47	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1397-1398

GL15\_D

DAY/LAST SAW/PRO #1/INDIVIDUAL SERVICE

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Day.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.4	108	1	
4.2	3.7	118	2	
3.2	2.8	90	3	
3.3	2.9	93	4	
3.6	3.2	102	5	
3.3	2.9	92	6	
3.2	2.8	89	7	
3.4	3.0	95	8	
3.2	2.8	90	9	
3.7	3.3	104	10	
2.8	2.5	79	11	
3.0	2.6	83	12	
2.6	2.3	73	13	
3.0	2.6	84	14	
3.6	3.1	100	15	
3.4	3.0	95	16	
3.3	2.9	92	17	
3.1	2.8	88	18	
3.4	3.0	96	19	
3.9	3.4	108	20	
3.0	2.7	85	21	
3.4	3.0	95	22	
3.4	3.0	96	23	
3.5	3.1	99	24	
3.0	2.6	84	25	
3.4	3.0	96	26	
2.6	2.3	73	27	
3.4	3.0	95	28	
2.6	2.3	72	29	
3.1	2.7	87	30	
1.3	1.1	36	31	
	7.4	236	-9	LEGITIMATE SKIP
	1.6	52	-8	BLANK
	0.3	11	-5	BAD DATA
	1.3	40	-4	DON'T KNOW
	1.4	44	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1399-1400

<b>GL15_Y</b>	<b>YR/LAST SAW/PRO #1/INDIVIDUAL SERVICE</b>
---------------	--

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	62	
0.1	0.1	2	82	
0.1	0.1	4	90	
0.1	0.1	2	91	
44.7	40.1	1,274	92	
54.9	49.2	1,565	93	
0.0	0.0	1	94	
	7.4	236	-9	LEGITIMATE SKIP
	1.1	36	-8	BLANK
	0.4	13	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	1.4	44	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1401-1402

GL16

#TIMES/GOT INDIVIDUAL SERVICES(PRO #2)

These next questions are about the times you and your (PROVIDER #2 FROM L8a) have met for scheduled individual sessions. During the past 3 months, how many times have you had scheduled individual sessions with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	6	0	
12.5	0.8	25	1	
16.5	1.0	33	2	
12.0	0.8	24	3	
13.0	0.8	26	4	
7.5	0.5	15	5	
5.5	0.3	11	6	
3.0	0.2	6	7	
4.0	0.3	8	8	
3.0	0.2	6	9	
7.5	0.5	15	10	
1.0	0.1	2	11	
4.5	0.3	9	12	
0.5	0.0	1	13	
1.0	0.1	2	14	
1.0	0.1	2	15	
1.0	0.1	2	20	
0.5	0.0	1	24	
0.5	0.0	1	26	
0.5	0.0	1	30	
0.5	0.0	1	33	
0.5	0.0	1	45	
0.5	0.0	1	90	
0.5	0.0	1	99	99 OR MORE
	88.3	2,808	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1403-1404

<b>GL16_A</b>	<b>#MINUTES/INDIVIDUAL SESSION LAST(PRO #2)</b>
---------------	---

How long did (this session last/your individual sessions usually last) with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	2	0	
3.0	0.2	6	10	
9.1	0.6	18	15	
4.6	0.3	9	20	
0.5	0.0	1	25	
27.9	1.7	55	30	
0.5	0.0	1	40	
9.1	0.6	18	45	
33.0	2.0	65	60	
1.0	0.1	2	75	
6.1	0.4	12	90	
4.1	0.3	8	120	
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1405-1407

<b>GL17</b>	<b>CASELOAD ASSIGN TO THE PERSON (PRO #2)</b>
-------------	---

Is your (PROVIDER #2 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	1.3	40	1	YES
79.6	4.9	156	2	NO
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	30	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1408-1409

<b>GL18</b>	<b>DO YOU FEEL/PRO #2 UNDERSTANDS YOU</b>
-------------	---

Overall, how well do you feel your (PROVIDER #2 FROM L8a) understands you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	6	0	NOT AT ALL
36.9	2.3	73	1	SOMEWHAT
60.1	3.7	119	2	A LOT
	88.3	2,807	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1410-1411

<b>GL19</b>	<b>RELATIONSHIP W/ PROVIDER #2</b>
-------------	------------------------------------

Overall, how would you rate your relationship with your (PROVIDER #2 FROM L8a)? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	1	POOR
22.1	1.4	44	2	FAIR
49.7	3.1	99	3	GOOD
27.6	1.7	55	4	EXCELLENT
	88.2	2,806	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1412-1413



**GL20\_C****HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.4	12	0	NEVER
27.3	1.7	54	1	SOME SESSIONS
26.3	1.6	52	2	MOST SESSIONS
40.4	2.5	80	3	EVERY SESSION
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1418-1419

**GL20\_D****HOW OFTEN TALK/RELATION W/FAMILY/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.7	21	0	NEVER
32.0	2.0	63	1	SOME SESSIONS
20.8	1.3	41	2	MOST SESSIONS
36.5	2.3	72	3	EVERY SESSION
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1420-1421



## GL20\_G

## HOW OFTEN TALK/INVOLVE W/COURT/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	3.0	94	0	NEVER
35.4	2.2	70	1	SOME SESSIONS
10.1	0.6	20	2	MOST SESSIONS
7.1	0.4	14	3	EVERY SESSION
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
	0.9	29	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1426-1427

## GL20\_H

## HOW OFTEN TALK/YOUR JOB/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	3.1	100	0	NEVER
33.7	2.1	66	1	SOME SESSIONS
7.7	0.5	15	2	MOST SESSIONS
7.7	0.5	15	3	EVERY SESSION
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.9	29	-3	NOT APPLICABLE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1428-1429



GL20\_K

TALK/OTHER IMPORTANT ISSUES/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	0.7	23	1	YES
88.3	5.5	174	2	NO
	88.3	2,808	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1434-1435

GL20\_K\_1

HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
29.2	0.2	7	1	SOME SESSIONS
12.5	0.1	3	2	MOST SESSIONS
58.3	0.4	14	3	EVERY SESSION
	93.7	2,981	-9	LEGITIMATE SKIP
	4.8	152	-8	BLANK
	0.7	23	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1436-1437

**GL20\_K\_2                      HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
50.0	0.0	1	3	EVERY SESSION
	93.8	2,984	-9	LEGITIMATE SKIP
	5.4	172	-8	BLANK
	0.7	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1438-1439

**GL20\_K\_3                      HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	93.8	2,984	-9	LEGITIMATE SKIP
	5.4	173	-8	BLANK
	0.7	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1440-1441

**GL20\_K\_4****HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	93.8	2,984	-9	LEGITIMATE SKIP
	5.5	174	-8	BLANK
	0.7	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1442-1443

**GL21\_A****SESSIONS HELPED/STOP USE OF DRUG/PRO #2**

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.7	21	0	NOT AT ALL
38.1	2.4	75	1	SOMEWHAT
51.3	3.2	101	2	VERY MUCH
	88.2	2,806	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.9	30	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1444-1445



**GL22\_Y****YR/LAST SAW PRO #2/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	91	
32.3	2.0	63	92	
67.2	4.1	131	93	
	88.3	2,807	-9	LEGITIMATE SKIP
	4.7	150	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.8	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1450-1451

**GL23****PERSON YOU SAW MOST/PRO #1/INDIV SERVICE**

Now, please think about the one person at this program you have seen the most often for individual services during the past 3 months. During the past 3 months, is your (PROVIDER program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	87.6	2,787	1	YES
2.5	2.2	70	2	NO
	7.4	235	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
	1.4	43	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1452-1453

**GL24 PERSON YOU SAW MOST/PRO #2/INDIV SERVICE**

During the past 3 months, is your (PROVIDER #2 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	1.2	38	1	YES
26.9	0.4	14	2	NO
	94.6	3,009	-9	LEGITIMATE SKIP
	2.8	88	-8	BLANK
	1.0	31	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1454-1455

**GL25 SAW MOST OFTEN AT PROG/FOR INDIV COUNSEL**

During the past 3 months, who have you seen or talked with most often at this program for individual counseling, treatment, or other individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	0.9	28	1	PRIMARY/REGULAR COUNSELOR
3.4	0.1	2	2	CASE MANAGER
35.6	0.7	21	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
1.7	0.0	1	22	PSYCHIATRIST
5.1	0.1	3	23	NURSE
0.0	0.0	0	71	STAFF FROM OTHER AGENCY
6.8	0.1	4	91	OTHER
	95.5	3,036	-9	LEGITIMATE SKIP
	1.7	53	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	1.0	31	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1456-1457

**GL26\_M****MONTH/LAST SAW PRO L25/INDIV SERVICE**

When did you last see your (PROVIDER FROM L25) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.6	19	1	JAN.-MARCH
17.5	0.3	10	2	APR.-JUNE
19.3	0.3	11	3	JULY-SEPT.
29.8	0.5	17	4	OCT.-DEC.
	95.5	3,037	-9	LEGITIMATE SKIP
	1.7	54	-8	BLANK
	1.0	32	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1458-1459

**GL26\_Y****YR/LAST SAW PRO L25/INDIV SERVICE**

When did you last see your (PROVIDER FROM L25) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	0.8	25	92	
56.1	1.0	32	93	
	95.5	3,037	-9	LEGITIMATE SKIP
	1.8	57	-8	BLANK
	0.9	29	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1460-1461



<b>GL28A_00</b>	<b>PREPARED PLAN/SELF</b>
-----------------	---------------------------

Who prepared it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.9	474	0	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	42.2	1,342	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1466-1467

<b>GL28A_01</b>	<b>PREPARED PLAN/REGULAR COUNSELOR</b>
-----------------	--

Who prepared it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	45.2	1,436	1	CIRCLED
	42.9	1,363	-9	LEGITIMATE SKIP
	12.0	381	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1468-1469

<b>GL28A_02</b>	<b>PREPARED PLAN/CASE MANAGER</b>
-----------------	-----------------------------------

Who prepared it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	2	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	56.5	1,796	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1470-1471

<b>GL28A_11</b>	<b>PREPARED PLAN/OTHER COUNSELOR</b>
-----------------	--------------------------------------

Who prepared it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.7	214	11	CIRCLED
	42.9	1,363	-9	LEGITIMATE SKIP
	50.4	1,603	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1472-1473

<b>GL28A_12</b>	<b>PREPARED PLAN/OTHER CASE MANAGER</b>
-----------------	---

Who prepared it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	12	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.0	1,812	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1474-1475

<b>GL28A_13</b>	<b>PREPARED PLAN/SOCIAL WORKER</b>
-----------------	------------------------------------

Who prepared it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	13	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	56.9	1,810	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1476-1477

<b>GL28A_21</b>	<b>PREPARED PLAN/PSYCHOLOGIST</b>
-----------------	-----------------------------------

Who prepared it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.1	1,816	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1478-1479

<b>GL28A_22</b>	<b>PREPARED PLAN/PSYCHIATRIST</b>
-----------------	-----------------------------------

Who prepared it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.1	1,815	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1480-1481

GL28A\_23

PREPARED PLAN/NURSE

Who prepared it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	23	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	56.6	1,801	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1482-1483

GL28A\_24

PREPARED PLAN/VOCATIONAL COUNSELOR

Who prepared it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	24	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.1	1,815	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1484-1485

**GL28A\_25                      PREPARED PLAN/PHYSICIAN**

Who prepared it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	25	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.0	1,813	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1486-1487

**GL28A\_26                      PREPARED PLAN/PHYSICIAN'S ASSISTANT**

Who prepared it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.1	1,816	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1488-1489

<b>GL28A_71</b>	<b>PREPARED PLAN/STAFF FR OTHER AGENCY</b>
-----------------	--

Who prepared it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	71	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	57.0	1,813	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1490-1491

<b>GL28A_91</b>	<b>PREPARED PLAN/OTHER</b>
-----------------	----------------------------

Who prepared it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	24	91	CIRCLED
	42.9	1,364	-9	LEGITIMATE SKIP
	56.4	1,792	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1492-1493

**GL28B PERSON MOST RESPONSIBLE WHO PREPARED PLAN**

Who was the person most responsible for preparing the plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	1.9	61	0	SELF
62.1	3.7	118	1	PRIMARY/REGULAR COUNSELOR
0.5	0.0	1	2	CASE MANAGER
5.3	0.3	10	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	24	VOCATIONAL COUNSELOR
0.0	0.0	0	25	PHYSICIAN
0.0	0.0	0	26	PHYSICIANS ASSISTANT
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	42.9	1,364	-9	LEGITIMATE SKIP
	30.5	971	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	20.5	653	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1494-1495

**GL29 MET W/ANYONE TO TALK/YOUR TX PLAN**

Have you met with anyone to talk about your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	53.0	1,685	1	YES
7.9	4.6	145	2	NO
	41.7	1,325	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1496-1497

<b>GL29_A</b>	<b>DO YOU KNOW GOALS IN TX PLAN</b>
---------------	-------------------------------------

Do you know what the goals in your treatment plan are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	51.8	1,648	1	YES
1.8	0.9	30	2	NO
	46.0	1,464	-9	LEGITIMATE SKIP
	1.2	38	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1498-1499

<b>GL29_B_A</b>	<b>GOAL PLAN/YOUR USE OF ALC</b>
-----------------	----------------------------------

Does your plan include any goals for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	33.8	1,074	1	YES
35.2	18.4	584	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.2	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1500-1501

**GL29\_B\_B**                      **GOAL PLAN/DRUG/CAUSED PROB**

Does your plan include any goals for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	49.5	1,575	1	YES
5.4	2.8	90	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1502-1503

**GL29\_B\_C**                      **GOAL PLAN/EMOTIONAL HEALTH**

Does your plan include any goals for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	40.0	1,273	1	YES
23.3	12.1	386	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.2	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1504-1505

<b>GL29_B_D</b>	<b>GOAL PLAN/RELATIONSHIP W/FAMILY</b>
-----------------	--

Does your plan include any goals for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	43.3	1,377	1	YES
17.2	9.0	286	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1506-1507

<b>GL29_B_E</b>	<b>GOAL PLAN/YOUR PHYSICAL HEALTH</b>
-----------------	---------------------------------------

Does your plan include any goals for your physical health, including an need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	29.1	925	1	YES
44.4	23.2	739	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1508-1509

**GL29\_B\_F**                      **GOAL PLAN/YOUR EDUCATION/TRAINING**

Does your plan include any goals for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	28.1	895	1	YES
46.1	24.1	766	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1510-1511

**GL29\_B\_G**                      **GOAL PLAN/INVOLVEMENT W/COURT**

Does your plan include any goals for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	18.1	577	1	YES
65.2	34.0	1,080	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.2	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1512-1513

**GL29\_B\_H****GOAL PLAN/YOUR JOB**

Does your plan include any goals for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	26.9	856	1	YES
48.5	25.3	805	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1514-1515

**GL29\_B\_I****GOAL PLAN/LIVING EXPENSES**

Does your plan include any goals for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	20.5	653	1	YES
60.7	31.7	1,007	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1516-1517

**GL29\_B\_J**                      **GOAL PLAN/REDUCE RISK FOR GETTING AIDS**

Does your plan include any goals for reducing risks of getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	18.9	600	1	YES
63.7	33.2	1,055	2	NO
	46.9	1,491	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1518-1519

**GL29\_B\_K**                      **GOAL PLAN/OTHER IMPORTANT ISSUES**

Does your plan include any goals for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	4.4	141	1	YES
91.4	46.9	1,490	2	NO
	46.9	1,490	-9	LEGITIMATE SKIP
	1.8	58	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1520-1521

<b>GL29BK_1</b>	<b>OTHER IMPORTANT ISSUES-SPECIFY 1</b>
-----------------	---

Does your plan include any goals for any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	2.1	68	1	YES
5.6	0.1	4	2	NO
	93.6	2,976	-9	LEGITIMATE SKIP
	1.8	57	-8	BLANK
	2.4	75	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1522-1523

<b>GL29BK_2</b>	<b>OTHER IMPORTANT ISSUES-SPECIFY 2</b>
-----------------	---

Does your plan include any goals for any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	0.6	19	1	YES
5.0	0.0	1	2	NO
	93.7	2,979	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
	2.4	75	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1524-1525

**GL29BK\_3                    OTHER IMPORTANT ISSUES-SPECIFY 3**

Does your plan include any goals for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.2	7	1	YES
12.5	0.0	1	2	NO
	93.7	2,979	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
	2.4	75	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1526-1527

**GL29BK\_4                    OTHER IMPORTANT ISSUES-SPECIFY 4**

Does your plan include any goals for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	93.7	2,979	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
	2.4	75	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1528-1529

**GL29\_C****AGREE WITH GOALS IN TX PLAN**

Do you agree with the goals in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	50.5	1,607	1	YES
3.3	1.7	54	2	NO
	46.8	1,489	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1530-1531

**GL29\_D****HOW MUCH/FELT IN DEVELOP YOUR TX PLAN**

How much say-so do you feel you had in developing your treatment plan? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	5.9	188	0	NONE
23.6	12.6	400	1	A LITTLE
65.2	34.7	1,104	2	A LOT
	46.0	1,464	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1532-1533



<b>GL30_A</b>	<b>#TIMES PLAN HAS BEEN CHANGED</b>
---------------	-------------------------------------

During the past 3 months, how many times has it been changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
61.6	6.7	212	1	
22.4	2.4	77	2	
8.7	0.9	30	3	
3.5	0.4	12	4	
1.5	0.2	5	5	
0.3	0.0	1	6	
0.6	0.1	2	8	
0.3	0.0	1	10	
0.9	0.1	3	12	
	88.5	2,814	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1538-1539

<b>GL30_B_M</b>	<b>MONTH/PLAN MOST RECENTLY CHANGED</b>
-----------------	---

When was this plan most recently changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.7	23	1	
10.9	1.2	37	2	
12.6	1.4	43	3	
9.1	1.0	31	4	
8.5	0.9	29	5	
7.6	0.8	26	6	
9.1	1.0	31	7	
9.4	1.0	32	8	
7.0	0.8	24	9	
5.3	0.6	18	10	
7.0	0.8	24	11	
6.7	0.7	23	12	
	88.5	2,815	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1540-1541

<b>GL30C_00</b>	<b>WHO CHANGED PLAN/SELF</b>
-----------------	------------------------------

Who changed it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	93	0	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	8.6	272	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1542-1543

<b>GL30C_01</b>	<b>WHO CHANGED PLAN/REGULAR COUNSELOR</b>
-----------------	---

Who changed it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	300	1	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	2.0	65	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1544-1545

**GL30C\_02                      WHO CHANGED PLAN/CASE MANAGER**

Who changed it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	2	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.3	359	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1546-1547

**GL30C\_11                      WHO CHANGED PLAN/OTHER COUNSELOR**

Who changed it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	11	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.2	356	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1548-1549

<b>GL30C_12</b>	<b>WHO CHANGED PLAN/OTHER CASE MANAGER</b>
-----------------	--

Who changed it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	364	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1550-1551

<b>GL30C_13</b>	<b>WHO CHANGED PLAN/SOCIAL WORKER</b>
-----------------	---------------------------------------

Who changed it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	13	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	364	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1552-1553

GL30C_21	WHO CHANGED PLAN/PSYCHOLOGIST
----------	-------------------------------

Who changed it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.5	365	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1554-1555

GL30C_22	WHO CHANGED PLAN/PSYCHIATRIST
----------	-------------------------------

Who changed it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	364	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1556-1557

GL30C_23	WHO CHANGED PLAN/NURSE
----------	------------------------

Who changed it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.5	365	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1558-1559

GL30C_24	WHO CHANGED PLAN/PHYSICIAN
----------	----------------------------

Who changed it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	24	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	361	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1560-1561

GL30C_25	WHO CHANGED PLAN/PHYSICIAN'S ASSISTANT
----------	--

Who changed it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.5	365	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1562-1563

GL30C_26	WHO CHANGED PLAN/DENTIST
----------	--------------------------

Who changed it?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.5	365	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1564-1565

<b>GL30C_27</b>	<b>WHO CHANGED PLAN/VOCATIONAL COUNSELOR</b>
-----------------	--

Who changed it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.5	365	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1566-1567

<b>GL30C_71</b>	<b>WHO CHANGED PLAN/STAFF FR OTHER AGENCY</b>
-----------------	---

Who changed it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	71	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	363	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1568-1569

<b>GL30C_91</b>	<b>WHO CHANGED PLAN/OTHER</b>
-----------------	-------------------------------

Who changed it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	91	CIRCLED
	88.5	2,815	-9	LEGITIMATE SKIP
	11.4	361	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1570-1571

<b>GL30_D</b>	<b>HOW MUCH SAY-SO YOU HAD IN CHANGING PLAN</b>
---------------	---

How much say-so do you feel you had in changing your treatment plan? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	2.5	79	0	NONE
23.2	2.5	79	1	A LITTLE
53.7	5.8	183	2	A LOT
	88.5	2,815	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1572-1573

**GL31 PLAN INCLUDE GOALS AFTER TX**

Does your treatment plan include any goals or plans for you after you leave treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	36.7	1,168	1	YES
35.0	19.7	628	2	NO
	41.7	1,325	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.9	30	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1574-1575

**GL32 STAFF PERSON AGREE ON DRUG TX GOALS**

Think again about the staff person you have been seeing most regularly over the past 3 months. How much do you and this person agree on the goals for your drug treatment? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	157	0	NOT AT ALL
27.7	27.0	858	1	SOMEWHAT
67.2	65.5	2,083	2	VERY MUCH
	0.8	24	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.9	28	-4	DON'T KNOW
	0.9	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1576-1577

**GL33****EASY/DIFFICULT TO DO/STAFF EXPECTATION**

During the past 3 months, has it been difficult or easy for you to do what the staff in this program expect of you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	24.2	768	1	DIFFICULT
75.7	75.3	2,393	2	EASY
	0.5	17	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1578-1579

**GL33\_A****HAS BEEN VERY/SOMEWHAT DIFFICULT**

Has it been very difficult or somewhat difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	5.4	172	1	VERY DIFFICULT
77.8	19.0	604	2	SOMEWHAT DIFFICULT
	74.9	2,383	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1580-1581

<b>GL33_B</b>	<b>HAS BEEN VERY/SOMEWHAT EASY</b>
---------------	------------------------------------

Has it been very easy or somewhat easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	37.2	1,183	1	VERY EASY
50.6	38.1	1,211	2	SOMEWHAT EASY
	24.2	769	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1582-1583

<b>GL34</b>	<b>HAVE YOU FOLLOWED INSTRUCTION OF STAFF</b>
-------------	---

During the past 3 months, would you say you have followed the instructions and suggestions of the staff here..?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	34	0	NOT AT ALL
34.5	34.2	1,086	1	SOMEWHAT
64.4	63.6	2,024	2	VERY CLOSELY
	1.0	33	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1584-1585

GL35

## WHAT DRUG CAUSED MOST SERIOUS PROBS

Now, I'd like to ask some questions about any personal goals that you may have regarding you use of drugs. Please include drugs taken without a doctor's prescription or not according to the prescription, as well as any illegal drugs. First, when you were admitted to this program, what drug caused you the most serious problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	172	0	NO PROB DRUG
7.7	7.7	244	10	ALCOHOL
3.9	3.9	123	20	MARIJUANA, HASHISH, THC
1.9	1.9	61	30	HALLUCINOGENS OR PSYCHEDELICS
23.0	22.8	725	40	COCAINE IN ANY FORM
19.4	19.3	613	41	CRACK
29.1	28.9	919	50	HEROIN
4.2	4.2	132	51	HEROIN AND COCAINE TOGETHER AT THE SAME
2.3	2.3	72	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.2	0.2	6	61	STREET OR ILLEGAL METHADONE
0.5	0.5	15	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.4	0.4	12	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
1.8	1.8	56	81	METHAMPHETAMINES OR ICE
0.1	0.1	2	90	ANY OTHER DRUGS
0.1	0.1	3	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	0.6	18	-8	BLANK
	0.2	7	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1586-1587

GL35\_A

## ANY PERSONAL TX GOALS/TYPE L35

Do you have any personal treatment goals or plan regarding the use of (DRUG TYPE FROM L35)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	79.4	2,524	1	YES
9.2	8.1	257	2	NO
	5.3	168	-9	LEGITIMATE SKIP
	7.2	230	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1588-1589

**GL36 PERSONAL TX GOALS**

Please tell me what your personal treatment goals or plans are. Would you say...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	78.0	2,480	1	ABSTAIN/NEVER USE AGAIN
2.0	1.6	50	2	REDUCE YOUR LEVEL OF USE
0.4	0.3	10	3	QUIT FOR A WHILE BUT USE LATER
0.0	0.0	0	4	CONTINUE TO USE/BEFORE ENTER PROG
0.6	0.5	15	5	IF VOL: OTHER
	13.2	421	-9	LEGITIMATE SKIP
	6.3	199	-8	BLANK
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1590-1591

**GL37 HOW MUCH PROG TX WILL HELP YOU**

How much do you think your treatment in this program will help you do this? Do you think it will help...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.2	39	0	NOT AT ALL
11.3	9.0	287	1	A LITTLE
87.2	69.9	2,223	2	A LOT
	13.3	422	-9	LEGITIMATE SKIP
	6.5	208	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1592-1593

**GL38****GOALS REGARDING DRUG USE/SAME/DIFFERENT**

Are your goals or plans regarding the use of other drugs the same or are they different? Do not include goals that you may have regarding the use of alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	77.8	2,474	1	SAME
3.1	2.5	80	2	DIFFERENT
	13.2	421	-9	LEGITIMATE SKIP
	6.4	204	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1594-1595

**GL39****TX GOALS/REGARDING ALC USE**

These next few questions are about goals that you might have regarding alcohol use. Do you have any treatment goals regarding alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.7	1,421	1	YES
55.2	55.0	1,750	2	NO
	0.2	7	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1596-1597

<b>GL39_A</b>	<b>GOALS WRITTEN IN TX PLAN</b>
---------------	---------------------------------

Are these goals written in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	30.3	963	1	YES
28.9	12.3	392	2	NO
	55.0	1,748	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	1.9	59	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1598-1599

<b>GL39_B</b>	<b>YOU/STAFF AGREE ON TX GOALS/ALC USE</b>
---------------	--

How much do you and the staff in this program agree on your treatment goals regarding alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	1.7	55	1	NOT AT ALL
13.0	5.7	182	2	SOMEWHAT
83.0	36.4	1,158	3	VERY MUCH
	55.0	1,748	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.5	15	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1600-1601

**GL40****YOUR FUTURE PLAN ABOUT DRINKING**

Which do you think is closest to your plan for the future?  
Do you plan to...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	34.9	1,110	1	NEVER DRINK
8.5	3.2	103	2	DRINK OCCASIONALLY
0.4	0.2	5	3	DRINK REGULARLY
	61.7	1,962	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1602-1603

**GL41****PLAN TO CONTINUE TO DRINK ALC IN FUTURE**

Do you plan to continue to drink alcohol in the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	2.4	77	1	YES
64.7	4.4	141	2	NO
	92.6	2,946	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1604-1605



<b>GL43</b>	<b>HOW MUCH PROG TX WILL HELP</b>
-------------	-----------------------------------

How much do you think your treatment in this program will help you do this? Do you think it will help...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	1.1	36	0	NOT AT ALL
10.4	4.6	145	1	A LITTLE
87.0	38.0	1,208	2	A LOT
	55.0	1,749	-9	LEGITIMATE SKIP
	1.3	41	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1610-1611

<b>GL44_A</b>	<b>REASON/ABUSE DRUGS/DEPRESS/UNHAPPY</b>
---------------	---

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they are depressed and unhappy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	187	1	STRONGLY DISAGREE
6.0	5.9	189	2	SOMEWHAT DISAGREE
35.1	34.9	1,110	3	SOMEWHAT AGREE
53.0	52.6	1,674	4	STRONGLY AGREE
	0.5	15	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1612-1613

**GL44\_B**

**REASON/ABUSE DRUGS/FAM PROB/GROWING UP**

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they had family problems at home while they were growing up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	175	1	STRONGLY DISAGREE
6.0	6.0	190	2	SOMEWHAT DISAGREE
38.2	38.0	1,208	3	SOMEWHAT AGREE
50.2	49.9	1,586	4	STRONGLY AGREE
	0.5	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1614-1615

**GL45\_A**

**AGREE/DISAGREE/CAUSED PROB THEMSELVES**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have caused their drug problems themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	92	1	STRONGLY DISAGREE
4.4	4.3	138	2	SOMEWHAT DISAGREE
20.6	20.4	649	3	SOMEWHAT AGREE
72.1	71.5	2,274	4	STRONGLY AGREE
	0.6	20	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1616-1617

**GL45\_B****AGREE/DISAGREE/USE IN CONTROLLED WAY**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can learn how to use drugs in a controlled way.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	77.4	2,460	1	STRONGLY DISAGREE
9.8	9.7	310	2	SOMEWHAT DISAGREE
7.3	7.2	229	3	SOMEWHAT AGREE
4.9	4.8	153	4	STRONGLY AGREE
	0.6	20	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1618-1619

**GL45\_C****AGREE/DISAGREE/MUST REMAIN DRUG-FREE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they must remain completely drug-free except for prescribed medications.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	117	1	STRONGLY DISAGREE
4.3	4.2	134	2	SOMEWHAT DISAGREE
14.4	14.2	453	3	SOMEWHAT AGREE
77.7	76.9	2,446	4	STRONGLY AGREE
	0.7	23	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1620-1621

**GL45\_D**

**AGREE/DISAGREE/FACE/CONFRONT DENIAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to face and confront their own denial of their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	14	1	STRONGLY DISAGREE
0.5	0.5	17	2	SOMEWHAT DISAGREE
9.3	9.2	292	3	SOMEWHAT AGREE
89.7	88.9	2,828	4	STRONGLY AGREE
	0.8	24	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1622-1623

**GL45\_E**

**AGREE/DISAGREE/TURN OVER TO GOD**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to turn themselves over to God or a higher power.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	141	1	STRONGLY DISAGREE
5.5	5.4	173	2	SOMEWHAT DISAGREE
22.9	22.7	722	3	SOMEWHAT AGREE
67.1	66.4	2,112	4	STRONGLY AGREE
	0.7	23	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1624-1625

**GL45\_F****AGREE/DISAGREE/GET HELP FROM AA/NA/CA**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problem from AA, NA, CA, or another 12-step program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	96	1	STRONGLY DISAGREE
6.0	6.0	190	2	SOMEWHAT DISAGREE
26.5	26.2	834	3	SOMEWHAT AGREE
64.4	63.8	2,029	4	STRONGLY AGREE
	0.8	25	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1626-1627

**GL45\_G****AGREE/DISAGREE/NEVER USE DRUGS AGAIN**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can never use drugs again, not even just once.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	60	1	STRONGLY DISAGREE
4.0	4.0	127	2	SOMEWHAT DISAGREE
12.9	12.8	406	3	SOMEWHAT AGREE
81.1	80.2	2,550	4	STRONGLY AGREE
	0.9	30	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1628-1629

**GL45\_H**

**AGREE/DISAGREE/HELP FROM PROFESSIONAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problems from a professional who is trained to treat drug abuse problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	88	1	STRONGLY DISAGREE
4.7	4.7	149	2	SOMEWHAT DISAGREE
27.1	26.8	852	3	SOMEWHAT AGREE
65.4	64.7	2,057	4	STRONGLY AGREE
	0.9	29	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1630-1631

**GL45\_I**

**AGREE/DISAGREE/PAST CAUSED DRUG PROB**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they need to talk to a professional about how their past helped to cause their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	77	1	STRONGLY DISAGREE
3.7	3.6	116	2	SOMEWHAT DISAGREE
26.9	26.7	848	3	SOMEWHAT AGREE
66.9	66.3	2,107	4	STRONGLY AGREE
	0.8	26	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1632-1633

**GL45\_J****AGREE/DISAGREE/NO CONTROL OVER DRUGS**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have no control over their drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.3	391	1	STRONGLY DISAGREE
7.3	7.3	231	2	SOMEWHAT DISAGREE
13.4	13.3	422	3	SOMEWHAT AGREE
66.8	66.1	2,102	4	STRONGLY AGREE
	0.9	29	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1634-1635

**GL45\_K****AGREE/DISAGREE/AVOID PEOPLE/ABUSE DRUG**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to avoid spending time with friends or other people who abuse drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	49	1	STRONGLY DISAGREE
2.0	2.0	63	2	SOMEWHAT DISAGREE
13.7	13.5	430	3	SOMEWHAT AGREE
82.8	82.0	2,608	4	STRONGLY AGREE
	0.8	26	-8	BLANK
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1636-1637

**GL45\_L**

**AGREE/DISAGREE/DRUG ABUSE IS DISEASE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that drug abuse is a disease.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	43	1	STRONGLY DISAGREE
1.8	1.8	58	2	SOMEWHAT DISAGREE
9.9	9.8	312	3	SOMEWHAT AGREE
86.9	85.9	2,733	4	STRONGLY AGREE
	0.8	24	-8	BLANK
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	7	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1638-1639

**GL46**

**ATTENDED REGULAR TX GROUP**

Next, I'll ask about a group that is sometimes called a "regular treatment group" or simply "group." This kind of group meets often and deals with a variety of subjects related to addiction, such as drug or alcohol dependence, and other problems caused by addiction. (This is not your AA, NA, CA, or other 12-step group). During the past 3 months, have you attended a group like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	71.7	2,279	1	YES
28.1	28.1	892	2	NO
	0.3	8	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1640-1641

GL47_01	WHO LED MTGS/PRIMARY/REG COUNSELOR
---------	------------------------------------

Who has usually led these meetings?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	37.4	1,190	1	CIRCLED
	28.0	889	-9	LEGITIMATE SKIP
	34.6	1,100	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1642-1643

GL47_02	WHO LED MTGS/CASE MANAGER
---------	---------------------------

Who has usually led these meetings?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	23	2	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.2	2,264	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1644-1645

<b>GL47_11</b>	<b>WHO LED MTGS/OTHER COUNSELOR</b>
----------------	-------------------------------------

Who has usually led these meetings?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	36.3	1,154	11	CIRCLED
	27.9	886	-9	LEGITIMATE SKIP
	35.8	1,140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1646-1647

<b>GL47_12</b>	<b>WHO LED MTGS/OTHER CASE MANAGER</b>
----------------	--

Who has usually led these meetings?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	14	12	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.5	2,274	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1648-1649

<b>GL47_13</b>	<b>WHO LED MTGS/SOCIAL WORKER</b>
----------------	-----------------------------------

Who has usually led these meetings?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	13	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.8	2,283	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1650-1651

<b>GL47_21</b>	<b>WHO LED MTGS/PSYCHOLOGIST</b>
----------------	----------------------------------

Who has usually led these meetings?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	21	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.8	2,282	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1652-1653

<b>GL47_22</b>	<b>WHO LED MTGS/PSYCHIATRIST</b>
----------------	----------------------------------

Who has usually led these meetings?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.9	2,286	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1654-1655

<b>GL47_23</b>	<b>WHO LED MTGS/NURSE</b>
----------------	---------------------------

Who has usually led these meetings?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	23	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.9	2,286	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1656-1657

GL47\_71

WHO LED MTGS/STAFF FR OTHER AGENCY

Who has usually led these meetings?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	71	CIRCLED
	28.1	892	-9	LEGITIMATE SKIP
	71.3	2,268	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1658-1659

GL47\_91

WHO LED MTGS/OTHER

Who has usually led these meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.4	266	91	CIRCLED
	28.0	891	-9	LEGITIMATE SKIP
	63.6	2,023	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1660-1661



GL48\_C

## HOW OFTEN DEALT W/EMOTIONAL HEALTH

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	4.5	143	0	NEVER
31.1	22.3	710	1	SOME SESSIONS
26.7	19.2	610	2	MOST SESSIONS
35.9	25.7	818	3	EVERY SESSION
	27.8	884	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1666-1667

GL48\_D

## HOW OFTEN DEALT W/RELATION W/FAMILY

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	6.4	202	0	NEVER
43.5	31.2	993	1	SOME SESSIONS
23.2	16.7	530	2	MOST SESSIONS
24.4	17.5	556	3	EVERY SESSION
	27.8	884	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1668-1669



**GL48\_G****HOW OFTEN DEALT W/INVOLVE W/COURT**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	28.8	917	0	NEVER
41.6	29.8	948	1	SOME SESSIONS
9.0	6.5	206	2	MOST SESSIONS
9.2	6.6	209	3	EVERY SESSION
	27.8	884	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1674-1675

**GL48\_H****HOW OFTEN DEALT W/YOUR JOB**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	29.6	942	0	NEVER
41.3	29.6	940	1	SOME SESSIONS
7.9	5.6	179	2	MOST SESSIONS
9.5	6.8	217	3	EVERY SESSION
	27.8	884	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1676-1677



GL48\_K

## HOW OFTEN DEALT W/OTHER IMPORTANT ISSUES

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	4.8	153	1	YES
93.2	65.9	2,095	2	NO
	27.8	884	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1682-1683

GL48\_K\_1

## HOW OFTEN DEALT W/SPECIFY 1ST ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	1	0	NEVER
38.8	1.9	62	1	SOME SESSIONS
26.9	1.4	43	2	MOST SESSIONS
33.8	1.7	54	3	EVERY SESSION
	93.6	2,976	-9	LEGITIMATE SKIP
	1.4	44	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1684-1685

**GL48\_K\_2                      HOW OFTEN DEALT W/SPECIFY 2ND ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
44.2	0.7	23	1	SOME SESSIONS
25.0	0.4	13	2	MOST SESSIONS
30.8	0.5	16	3	EVERY SESSION
	93.6	2,978	-9	LEGITIMATE SKIP
	4.7	150	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1686-1687

**GL48\_K\_3                      HOW OFTEN DEALT W/SPECIFY 3RD ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
38.1	0.3	8	1	SOME SESSIONS
14.3	0.1	3	2	MOST SESSIONS
47.6	0.3	10	3	EVERY SESSION
	93.7	2,980	-9	LEGITIMATE SKIP
	5.6	179	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1688-1689

**GL48\_K\_4****HOW OFTEN DEALT W/SPECIFY 4TH ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
10.0	0.0	1	1	SOME SESSIONS
10.0	0.0	1	2	MOST SESSIONS
80.0	0.3	8	3	EVERY SESSION
	93.7	2,979	-9	LEGITIMATE SKIP
	6.0	191	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1690-1691

**GL49\_A****GROUP SESSIONS HELP/STOP USE OF DRUG**

How much have your sessions with this group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	4.7	149	0	NOT AT ALL
33.1	23.2	739	1	SOMEWHAT
60.3	42.4	1,347	2	VERY MUCH
	27.9	886	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
	1.0	33	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1692-1693

**GL49\_B                                    GROUP SESSIONS HELP/OTHER PROB**

How much have your sessions with this group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	5.7	180	0	NOT AT ALL
40.0	28.5	906	1	SOMEWHAT
52.0	37.0	1,177	2	VERY MUCH
	27.8	884	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1694-1695

**GL50                                        #TIMES ATTENDED GROUPS AT PROG**

During the past 3 months, how many times have you attended groups like this at this program?

3,180 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1696-1697

**GL50\_A                                    #MINUTES/MTGS W/GROUP LAST**

How long did (this meeting last/your meetings usually last) with this group? Minutes.

3,180 cases (Range of valid codes: 0-999)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1698-1700

<b>GL51</b>	<b>HOW YOU FEEL/GROUP UNDERSTANDS YOU</b>
-------------	---

Overall, how well do you feel the members of this group understand you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	3.8	122	0	NOT AT ALL
41.8	30.0	953	1	A LITTLE
52.8	37.9	1,204	2	A LOT
	27.8	884	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1701-1702

<b>GL52</b>	<b>YOUR RELATIONSHIP W/ GROUP</b>
-------------	-----------------------------------

Overall, how would you rate your relationship with this group? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.1	68	1	POOR
26.1	18.7	596	2	FAIR
54.3	39.0	1,240	3	GOOD
16.6	11.9	378	4	EXCELLENT
	27.8	884	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1703-1704

**GL55 ATTENDED TALKS/FILMS/PART OF TX**

Now, I will ask about other services that you may have received. First, I want to ask about any lectures or films that you may have attended, not counting any that took place during a 12-step, self-help, or regular addiction group meeting. During the past 3 months, have you attended any other scheduled talks, lectures, or films as a part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.1	1,054	1	YES
66.7	66.3	2,107	2	NO
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1705-1706

**GL56 #DAYS/ATTEND TALKS/FILM/PART OF TX**

During the past 3 months, on how many days did you attend such lectures or films as part of your treatment?

3,180 cases (Range of valid codes: 0-105)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1707-1709

**GL57 HOW HELPFUL THE SERVICES**

In general, how helpful (was this/have these been)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	1.1	34	0	NOT AT ALL HELPFUL
36.8	12.2	389	1	SOMEWHAT HELPFUL
60.0	19.9	634	2	VERY HELPFUL
	66.2	2,104	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1710-1711

**GL58****ATTEND 12-STEP/SELF-HELP GROUP**

Now, I'd like to ask some questions about self-help groups and 12-step programs for drug or alcohol problems that you may have attended since your admission. These include groups such as Alcoholic Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). During the past 3 months, have you attended this kind of 12-step of self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	66.1	2,102	1	YES
33.3	33.1	1,051	2	NO
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1712-1713

**GL58\_A\_1****GROUP ATTEND/ALC ANONYMOUS**

Which groups have you attended?

Alcoholics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	49.7	1,582	1	CIRCLED
	33.0	1,050	-9	LEGITIMATE SKIP
	17.2	548	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1714-1715

<b>GL58_A_2</b>	<b>GROUP ATTEND/NARCOTICS ANONYMOUS</b>
-----------------	---

Which groups have you attended?

Narcotics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	51.5	1,638	2	CIRCLED
	33.0	1,048	-9	LEGITIMATE SKIP
	15.5	494	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1716-1717

<b>GL58_A_3</b>	<b>GROUP ATTEND/COCAINE ANONYMOUS</b>
-----------------	---------------------------------------

Which groups have you attended?

Cocaine Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.4	523	3	CIRCLED
	33.1	1,051	-9	LEGITIMATE SKIP
	50.5	1,606	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1718-1719

<b>GL58_A_4</b>	<b>GROUP ATTEND/OTHER</b>
-----------------	---------------------------

Which groups have you attended?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	237	4	CIRCLED
	33.1	1,051	-9	LEGITIMATE SKIP
	59.5	1,892	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1720-1721

<b>GL58_B</b>	<b>#TIMES/ATTEND THIS GROUP</b>
---------------	---------------------------------

During the past 3 months, how many times have you attended  
(this group/any of these groups)?

3,180 cases (Range of valid codes: 0-332)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1722-1724

GL58_C_M	MONTH/LAST ATTENDED THIS GROUP
----------	--------------------------------

When did you last attend (this group/any of these groups)?  
 Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	5.0	160	1	
7.6	5.0	160	2	
10.7	7.1	227	3	
11.1	7.4	235	4	
11.5	7.6	243	5	
9.1	6.0	192	6	
8.2	5.5	174	7	
8.0	5.3	170	8	
7.1	4.7	151	9	
5.5	3.7	117	10	
6.4	4.2	135	11	
7.1	4.7	151	12	
	33.0	1,049	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1725-1726

GL58_C_D	DAY/LAST ATTENDED THIS GROUP
----------	------------------------------

When did you last attend (this group/any of these groups)?  
Day.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	2.5	79	1	
4.5	2.9	92	2	
2.8	1.8	57	3	
4.2	2.7	87	4	
3.8	2.5	78	5	
3.1	2.0	64	6	
3.3	2.1	68	7	
3.2	2.1	67	8	
2.6	1.7	53	9	
3.3	2.2	69	10	
2.9	1.9	59	11	
3.4	2.2	70	12	
3.2	2.0	65	13	
3.0	1.9	61	14	
4.4	2.9	91	15	
3.0	1.9	62	16	
3.1	2.0	64	17	
3.3	2.2	69	18	
3.4	2.2	71	19	
4.6	3.0	94	20	
3.2	2.1	66	21	
2.7	1.7	55	22	
3.0	1.9	61	23	
2.7	1.7	55	24	
3.1	2.0	63	25	
3.1	2.0	64	26	
3.2	2.1	66	27	
3.1	2.0	63	28	
2.7	1.8	56	29	
3.5	2.3	72	30	
1.0	0.7	21	31	
	33.0	1,050	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.8	25	-5	BAD DATA
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1727-1728

<b>GL58_D</b>	<b>HAVE YOU ATTENDED THIS GROUP</b>
---------------	-------------------------------------

Have you attended (this group/these groups)...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	27.8	884	1	AT THIS PROG
36.8	24.3	772	2	AT SOME OTHER PLACE
21.1	14.0	444	3	BOTH
	33.0	1,050	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1729-1730

<b>GL59_A</b>	<b>GROUP MTG HELP/STOP USE OF DRUG</b>
---------------	--

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	3.8	122	0	NOT AT ALL
28.3	18.7	595	1	SOMEWHAT
65.9	43.6	1,388	2	VERY MUCH
	33.0	1,049	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.5	16	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1731-1732

**GL59\_B****MTGS W/GROUP HELPED/OTHER PROB**

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	7.8	247	0	NOT AT ALL
36.2	24.0	764	1	SOMEWHAT
52.1	34.6	1,101	2	VERY MUCH
	33.0	1,049	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1733-1734

**GL60****FEEL YOU NEEDED THIS KIND OF GROUP**

In general, do you feel you have needed this kind of group...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	4.5	144	0	NOT AT ALL
25.3	16.7	532	1	SOMEWHAT
67.9	45.0	1,430	2	VERY MUCH
	33.0	1,049	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1735-1736

**GL63** **REC'D SVCS/MENTAL HEALTH PROB**

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received during the past 3 months. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis. During the past 3 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	265	1	YES
91.6	91.4	2,907	2	NO
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1737-1738

**GL64** **REC'D SVCS AT THIS PROG**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	4.0	128	1	YES
50.2	4.1	129	2	NO
	91.5	2,909	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1739-1740

<b>GL65_01</b>	<b>TALKED TO/REGULAR COUNSELOR</b>
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	1	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	3.9	124	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1741-1742

<b>GL65_02</b>	<b>TALKED TO/CASE MANAGER</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1743-1744

<b>GL65_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	11	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1745-1746

<b>GL65_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	141	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1747-1748

<b>GL65_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	13	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	4.2	133	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1749-1750

<b>GL65_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	21	CIRCLED
	95.5	3,036	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1751-1752

<b>GL65_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	82	22	CIRCLED
	95.3	3,031	-9	LEGITIMATE SKIP
	2.1	67	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1753-1754

<b>GL65_23</b>	<b>TALKED TO/NURSE</b>
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	23	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1755-1756

**GL65\_28****TALKED TO/CERTI FAMILY COUNSELOR**

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	28	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1757-1758

**GL65\_71****TALKED TO/STAFF FR OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	71	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1759-1760

**GL65\_91 TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	91	CIRCLED
	95.5	3,036	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1761-1762

**GL65\_A\_1 TALKED TO MOST OFTEN/PROVIDER #1**

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.6	18	1	PRIMARY/REGULAR COUNSELOR
1.5	0.1	2	2	CASE MANAGER
3.1	0.1	4	11	OTHER COUNSELOR
0.8	0.0	1	12	OTHER CASE MANAGER
6.1	0.3	8	13	SOCIAL WORKER
8.4	0.3	11	21	PSYCHOLOGIST
56.5	2.3	74	22	PSYCHIATRIST
2.3	0.1	3	23	NURSE
0.8	0.0	1	28	CERTIFIED FAMILY COUNSELOR
1.5	0.1	2	71	STAFF FROM ANOTHER AGENCY
5.3	0.2	7	91	OTHER
	95.3	3,030	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1763-1764

GL65\_A\_2

TALKED TO MOST OFTEN/PROVIDER #2

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
7.7	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
30.8	0.1	4	21	PSYCHOLOGIST
23.1	0.1	3	22	PSYCHIATRIST
15.4	0.1	2	23	NURSE
15.4	0.1	2	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	95.5	3,036	-9	LEGITIMATE SKIP
	4.1	131	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1765-1766

GL66

KIND OF SESSIONS W/PSYCH PRO #1

Have the sessions with your (PROVIDER #1 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	3.8	122	1	INDIVIDUAL
7.1	0.3	10	2	GROUP
6.4	0.3	9	3	BOTH
	95.2	3,027	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1767-1768

GL66_A	#TIMES/MET INDIVIDUALLY W/PRO #1
--------	----------------------------------

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	1.6	52	1	
17.0	0.7	23	2	
12.6	0.5	17	3	
9.6	0.4	13	4	
5.2	0.2	7	5	
3.7	0.2	5	6	
0.7	0.0	1	8	
2.2	0.1	3	10	
5.9	0.3	8	12	
1.5	0.1	2	15	
0.7	0.0	1	16	
0.7	0.0	1	24	
0.7	0.0	1	30	
0.7	0.0	1	78	
	95.5	3,036	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1769-1770

<b>GL66_B</b>	<b>#MINUTES/THIS SESSION LAST</b>
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?  
Minutes.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	5	
5.3	0.2	7	10	
9.0	0.4	12	15	
7.5	0.3	10	20	
0.8	0.0	1	25	
24.1	1.0	32	30	
1.5	0.1	2	40	
2.3	0.1	3	45	
0.8	0.0	1	50	
36.1	1.5	48	60	
0.8	0.0	1	70	
2.3	0.1	3	90	
0.8	0.0	1	105	
0.8	0.0	1	110	
5.3	0.2	7	120	
0.8	0.0	1	180	
0.8	0.0	1	240	
0.8	0.0	1	360	
	95.5	3,037	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1771-1773

<b>GL66_C_1</b>	<b>DEALT W/DRUG USE/CAUSED PROB/PRO #1</b>
-----------------	--

When you have met individually with your (PROVIDER #1 FROM  
L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	40	1	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1774-1775

**GL66\_C\_2**                      **DEALT W/ALC USE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	23	2	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	3.5	112	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1776-1777

**GL66\_C\_3**                      **DEALT W/EMOTIONAL HEALTH/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	81	3	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	1.8	56	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1778-1779

<b>GL66_C_4</b>	<b>DEALT W/RELATIONSHIP W/ SPOUSE/PRO #1</b>
-----------------	--

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	39	4	CIRCLED
	95.8	3,046	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1780-1781

<b>GL66_C_5</b>	<b>DEALT W/OTHER RELATIONSHIP PROB/PRO #1</b>
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	23	5	CIRCLED
	95.8	3,046	-9	LEGITIMATE SKIP
	3.5	111	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1782-1783

**GL66\_C\_6**                      **DEALT W/PSYCHOLOGICAL TEST/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	26	6	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	3.4	109	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1784-1785

**GL66\_C\_7**                      **DEALT W/MEDICATION/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	33	7	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1786-1787

**GL66\_C\_8****DEALT W/REFERRAL/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	8	CIRCLED
	95.8	3,047	-9	LEGITIMATE SKIP
	4.1	129	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1788-1789

**GL66\_C\_9****DEALT W/OTHER/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	22	9	CIRCLED
	95.8	3,047	-9	LEGITIMATE SKIP
	3.5	111	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1790-1791



<b>GL66_F</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?  
Minutes.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.0	1	10	
5.3	0.0	1	20	
5.3	0.0	1	45	
26.3	0.2	5	60	
21.1	0.1	4	90	
26.3	0.2	5	120	
5.3	0.0	1	150	
5.3	0.0	1	180	
	99.0	3,148	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1796-1798

<b>GL66_G_1</b>	<b>WHO ATTEND MTG/SPOUSE/PARTNER/PRO #1</b>
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM  
L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.9	29	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1799-1800

**GL66\_G\_2**                      **WHO ATTEND MTG/FAMILY MEMBER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1801-1802

**GL66\_G\_3**                      **WHO ATTEND MTG/OTHER IN TX/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	3	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1803-1804

**GL66\_G\_4****MTG/OTHER FAM MEM IN TX/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Family members or others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1805-1806

**GL66\_G\_5****WHO ATTEND MTG/OTHERS/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1807-1808

**GL66\_H\_1                      TALKED/DRUG USE/CAUSED PROB/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	1	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1809-1810

**GL66\_H\_2                      TALKED/ALC USE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1811-1812

**GL66\_H\_3****TALKED/EMOTIONAL HEALTH/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	3	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1813-1814

**GL66\_H\_4****TALKED/RELATIONSHIP W/ SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	4	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1815-1816

**GL66\_H\_5**                      **TALKED/OTHER RELATIONSHIP PROB/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	5	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1817-1818

**GL66\_H\_6**                      **TALKED/PSYCHOLOGICAL TEST/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1819-1820

<b>GL66_H_7</b>	<b>TALKED/MEDICATION/PRO #1</b>
-----------------	---------------------------------

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	7	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	0.9	29	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1821-1822

<b>GL66_H_8</b>	<b>TALKED/REFERRAL/PRO #1</b>
-----------------	-------------------------------

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.0	3,149	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1823-1824

**GL66\_H\_9                      TALKED/OTHER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	9	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1825-1826

**GL66\_I                              HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.0	1	0	NOT AT ALL HELPFUL
33.3	0.2	6	1	SOMEWHAT HELPFUL
61.1	0.3	11	2	VERY HELPFUL
	99.0	3,148	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1827-1828

**GL67****KIND OF SESSIONS W/PSYCH PRO #2**

Have the sessions with your (PROVIDER #2 FROM L65a) been individual sessions, group session, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	6	1	INDIVIDUAL
0.0	0.0	0	2	GROUP
25.0	0.1	2	3	BOTH
	95.5	3,037	-9	LEGITIMATE SKIP
	4.2	134	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1829-1830

**GL67\_A****#TIMES/MET INDIVIDUALLY W/PRO #2**

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	4	1	
25.0	0.1	2	2	
12.5	0.0	1	4	
12.5	0.0	1	8	
	95.5	3,037	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1831-1832

<b>GL67_B</b>	<b>#MINUTES/THIS SESSION LAST</b>
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	10	
12.5	0.0	1	15	
12.5	0.0	1	30	
12.5	0.0	1	35	
12.5	0.0	1	40	
37.5	0.1	3	60	
	95.5	3,037	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1833-1834

<b>GL67_C_1</b>	<b>DEALT W/DRUG USE/CAUSED PROB/PRO #2</b>
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1835-1836

<b>GL67_C_2</b>	<b>DEALT W/ALC USE/PRO #2</b>
-----------------	-------------------------------

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	141	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1837-1838

<b>GL67_C_3</b>	<b>DEALT W/EMOTIONAL HEALTH/PRO #2</b>
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	3	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1839-1840

**GL67\_C\_4**                      **DEALT W/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	4	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1841-1842

**GL67\_C\_5**                      **DEALT W/OTHER RELATIONSHIP PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	5	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1843-1844

**GL67\_C\_6****DEALT W/PSYCHOLOGICAL TEST/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	4.4	141	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1845-1846

**GL67\_C\_7****DEALT W/MEDICATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1847-1848

**GL67\_C\_8**                      **DEALT W/REFERRAL/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1849-1850

**GL67\_C\_9**                      **DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	9	CIRCLED
	95.5	3,038	-9	LEGITIMATE SKIP
	4.4	141	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1851-1852

**GL67\_D****HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	0	NOT AT ALL
25.0	0.1	2	1	SOMEWHAT
62.5	0.2	5	2	VERY HELPFUL
	95.5	3,037	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1853-1854

**GL67\_E****#TIMES YOU MET IN GROUP W/ PRO #2**

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	9	
50.0	0.0	1	12	
	95.7	3,043	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1855-1856

**GL67\_F #MINUTES/SESSIONS LAST**

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	60	
50.0	0.0	1	120	
	95.7	3,043	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1857-1859

**GL67\_G\_1 WHO ATTEND MTG/SPOUSE/PARTNER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1860-1861

**GL67\_G\_2****WHO ATTEND MTG/FAMILY MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1862-1863

**GL67\_G\_3****WHO ATTEND MTG/OTHER IN TX/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1864-1865

**GL67\_G\_4**                      **MTG/OTHER FAM MEM IN TX/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1866-1867

**GL67\_G\_5**                      **WHO ATTEND MTG/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1868-1869

<b>GL67_H_1</b>	<b>TALKED/DRUG USE/CAUSED PROB/PRO #2</b>
-----------------	---

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1870-1871

<b>GL67_H_2</b>	<b>TALKED/ALC USE/PRO #2</b>
-----------------	------------------------------

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1872-1873

**GL67\_H\_3**                      **TALKED/EMOTIONAL HEALTH/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1874-1875

**GL67\_H\_4**                      **TALKED/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1876-1877

## GL67\_H\_5

## TALKED/OTHER RELATIONSHIP PROB/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1878-1879

## GL67\_H\_6

## TALKED/PSYCHOLOGICAL TEST/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Psychological \ psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1880-1881

**GL67\_H\_7**                      **TALKED/MEDICATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1882-1883

**GL67\_H\_8**                      **TALKED/REFERRAL/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1884-1885

**GL67\_H\_9****TALKED/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	9	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1886-1887

**GL67\_I****HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	2	2	VERY
	95.7	3,043	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1888-1889



GL68A_2	REC'D SVCS/PRIV PSYCHIATRIC HOSP
---------	----------------------------------

Where have you received these services?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	2	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	132	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1894-1895

GL68A_3	REC'D SVCS/OTHER HOSPITAL
---------	---------------------------

Where have you received these services?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	29	3	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1896-1897

<b>GL68A_4</b>	<b>REC'D SVCS/EMERGENCY ROOM</b>
----------------	----------------------------------

Where have you received these services?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	144	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1898-1899

<b>GL68A_5</b>	<b>REC'D SVCS/PRIV THERAPIST</b>
----------------	----------------------------------

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	5	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.1	129	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1900-1901

GL68A\_6

REC'D SVCS/OTHER

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	6	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.2	133	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1902-1903

GL68B\_1

PSYCHOLOGICAL OTHER PLACE/LOCATION #1

Which 2 places did you receive service at most often?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	1.9	61	1	A COMMUNITY MENTAL HEALTH SERVICE
11.5	0.5	15	2	A PRIV PSYCHIATRIC HOSPITAL
18.5	0.8	24	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
13.1	0.5	17	5	PRIV THERAPIST
10.0	0.4	13	6	OTHER
	95.4	3,034	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1904-1905

<b>GL68C_1</b>	<b>WHO REFERRED YOU TO LOCATION #1</b>
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	1.6	50	1	PROG
35.1	1.4	46	2	SOMEONE ELSE
26.7	1.1	35	3	SELF
	95.4	3,034	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1906-1907

GL68D_1	#DAYS YOU REC'D SVCS/LOC #1
---------	-----------------------------

On how many days have you received these services at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	0	
21.2	0.9	28	1	
17.4	0.7	23	2	
14.4	0.6	19	3	
6.8	0.3	9	4	
6.8	0.3	9	5	
6.8	0.3	9	6	
3.0	0.1	4	7	
0.8	0.0	1	8	
0.8	0.0	1	9	
1.5	0.1	2	10	
8.3	0.3	11	12	
2.3	0.1	3	13	
1.5	0.1	2	15	
2.3	0.1	3	20	
0.8	0.0	1	21	
0.8	0.0	1	24	
0.8	0.0	1	36	
0.8	0.0	1	40	
0.8	0.0	1	60	
0.8	0.0	1	72	
0.8	0.0	1	99	99 OR MORE
	95.4	3,034	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1908-1909

**GL68E\_1                      HOW HELPFUL SERVICES/LOCATION #1**

Overall, how helpful were these services you received at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.3	9	0	NOT AT ALL
27.5	1.1	36	1	SOMEWHAT
65.6	2.7	86	2	VERY HELPFUL
	95.4	3,034	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1910-1911

**GL68F1\_1                      TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1912-1913

<b>GL68F1_2</b>	<b>TALKED TO/CASE MANAGER/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1914-1915

<b>GL68F111</b>	<b>TALKED TO/OTHER COUNSELOR/LOC #1</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	11	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1916-1917

**GL68F112                      TALKED TO/OTHER CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1918-1919

**GL68F113                      TALKED TO/SOCIAL WORKER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	13	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.3	137	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1920-1921

<b>GL68F121</b>	<b>TALKED TO/PSYCHOLOGIST/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	30	21	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.6	115	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1922-1923

<b>GL68F122</b>	<b>TALKED TO/PSYCHIATRIST/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	87	22	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	1.8	57	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1924-1925

**GL68F123                      TALKED TO/NURSE/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	23	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.4	141	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1926-1927

**GL68F128                      TALKED TO/CERTI FAM COUNSELOR/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	28	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1928-1929

**GL68F171****TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Staff from another agency who provided services at the  
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	95.4	3,035	-9	LEGITIMATE SKIP
4.5	4.5	142	-8	BLANK
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	1	-4	DON'T KNOW
0.0	0.0	0	-3	NOT APPLICABLE
0.0	0.0	0	-2	ILLEGIBLE
0.0	0.0	0	-1	VARIABLE NOT ON FORM
0.1	0.1	2	71	CIRCLED
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Columns: 1930-1931

**GL68F191****TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	91	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	132	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1932-1933

<b>GL68G_1</b>	<b>TALKED TO FOR SERVICES/LOCATION #1</b>
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.8	0.0	1	2	CASE MANAGER
2.5	0.1	3	11	OTHER COUNSELOR
0.8	0.0	1	12	OTHER CASE MANAGER
3.3	0.1	4	13	SOCIAL WORKER
23.1	0.9	28	21	PSYCHOLOGIST
60.3	2.3	73	22	PSYCHIATRIST
0.8	0.0	1	23	NURSE
0.8	0.0	1	28	CERTIFIED FAMILY COUNSELOR
0.8	0.0	1	71	STAFF FROM ANOTHER AGENCY
5.8	0.2	7	91	OTHER
	95.4	3,034	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1934-1935

<b>GL68B_2</b>	<b>PSYCHOLOGICAL OTHER PLACE/LOCATION #2</b>
----------------	--

Which 2 places did you receive service at most often?  
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.1	3	1	A COMMUNITY MENTAL HEALTH SERVICE
0.0	0.0	0	2	A PRIV PSYCHIATRIC HOSPITAL
50.0	0.2	5	3	ANY OTHER HOSPITAL OR FACILITY
10.0	0.0	1	4	AN EMERGENCY ROOM OR CRISIS CENTER
0.0	0.0	0	5	PRIV THERAPIST
10.0	0.0	1	6	OTHER
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1936-1937

## GL68C\_2

## WHO REFERRED YOU TO LOCATION #2

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	4	1	PROG
40.0	0.1	4	2	SOMEONE ELSE
20.0	0.1	2	3	SELF
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1938-1939

## GL68D\_2

## #DAYS YOU REC'D SVCS/LOC #2

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.1	3	1	
10.0	0.0	1	2	
10.0	0.0	1	3	
10.0	0.0	1	4	
10.0	0.0	1	6	
10.0	0.0	1	8	
10.0	0.0	1	10	
10.0	0.0	1	30	
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1940-1941

<b>GL68E_2</b>	<b>HOW HELPFUL THE SERVICES/LOCATION #2</b>
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
40.0	0.1	4	1	SOMEWHAT
60.0	0.2	6	2	VERY HELPFUL
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1942-1943

<b>GL68F2_1</b>	<b>TALKED TO/REGULAR COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1944-1945

<b>GL68F2_2</b>	<b>TALKED TO/CASE MANAGER/LOC #2</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1946-1947

<b>GL68F211</b>	<b>TALKED TO/OTHER COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1948-1949

**GL68F212                      TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1950-1951

**GL68F213                      TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1952-1953

<b>GL68F221</b>	<b>TALKED TO/PSYCHOLOGIST/LOC #2</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	21	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1954-1955

<b>GL68F222</b>	<b>TALKED TO/PSYCHIATRIST/LOC #2</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	22	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1956-1957

<b>GL68F223</b>	<b>TALKED TO/NURSE/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1958-1959

<b>GL68F228</b>	<b>TALKED TO/CERTI FAM COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	28	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.5	144	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1960-1961

<b>GL68F271</b>	<b>TALKED TO/STAFF FR OTHER AGENCY/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the  
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1962-1963

<b>GL68F291</b>	<b>TALKED TO/OTHER/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1964-1965

<b>GL68G_2</b>	<b>TALKED TO FOR SERVICES/LOCATION #2</b>
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
20.0	0.1	2	21	PSYCHOLOGIST
70.0	0.2	7	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
10.0	0.0	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	95.4	3,035	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1966-1967

<b>GL69</b>	<b>STAYED OVERNIGHT/EMOTIONAL PROB</b>
-------------	--

During the past 3 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	10	1	YES
99.7	98.9	3,145	2	NO
	0.8	25	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1968-1969

## GL69\_A\_1

## FACILITY STAYED/COMMU MENTAL HEALTH CTR

Where have you stayed since your admission for this kind of treatment?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	98.9	3,145	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1970-1971

## GL69\_B\_1

## #NIGHTS STAYED/COMMU MENTAL HEALTH CTR

How many nights have you stayed at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	
33.3	0.0	1	4	
	98.9	3,145	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1972-1973

**GL69\_A\_2**                      **FACILITY STAYED/PRIV PSYCHIATRIC HOSP**

Where have you stayed since your admission for this kind of treatment?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	98.9	3,145	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1974-1975

**GL69\_B\_2**                      **#NIGHTS STAYED/PRIV PSYCHIATRIC HOSP**

How many nights have you stayed at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	10	
33.3	0.0	1	20	
33.3	0.0	1	45	
	98.9	3,145	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1976-1977

**GL69\_A\_3****FACILITY STAYED/ANY OTHER HOSPITAL**

Where have you stayed since your admission for this kind of treatment?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	98.9	3,145	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1978-1979

**GL69\_B\_3****#NIGHTS STAYED/ANY OTHER HOSPITAL**

How many nights have you stayed at any other hospital or facility (State VA, psychiatric, or mental hospital)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	0	
20.0	0.0	1	7	
20.0	0.0	1	8	
20.0	0.0	1	21	
	98.9	3,145	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1980-1981

**GL69\_A\_4**                      **FACILITY STAYED/EMERGENCY ROOM**

Where have you stayed since your admission for this kind of treatment?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	98.9	3,145	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1982-1983

**GL69\_B\_4**                      **#NIGHTS STAYED/EMERGENCY ROOM**

How many nights have you stayed at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	
33.3	0.0	1	6	
	98.9	3,145	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1984-1985

**GL69\_A\_5****FACILITY STAYED/ANY OTHER PLACE**

Where have you stayed since your admission for this kind of treatment?

An other place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	98.9	3,145	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1986-1987

**GL69\_B\_5****#NIGHTS STAYED/ANY OTHER PLACE**

How many nights have you stayed at any other place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	
33.3	0.0	1	4	
	98.9	3,145	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1988-1989

**GL70 HAD CHECK-UP FOR MEDICAL PROB**

During the past 3 months, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	36.7	1,168	1	YES
63.0	62.6	1,991	2	NO
	0.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1990-1991

**GL71 REC'D SVCS AT THIS PROG**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	14.1	449	1	YES
60.9	22.0	700	2	NO
	62.8	1,996	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1992-1993

<b>GL72_01</b>	<b>TALKED TO/REGULAR COUNSELOR</b>
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	1	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.1	479	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1994-1995

<b>GL72_02</b>	<b>TALKED TO/CASE MANAGER</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	484	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1996-1997

<b>GL72_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	483	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1998-1999

<b>GL72_23</b>	<b>TALKED TO/NURSE</b>
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	143	23	CIRCLED
	84.7	2,695	-9	LEGITIMATE SKIP
	10.8	342	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2000-2001

**GL72\_24****TALKED TO/PHYSICIAN**

Who have you seen or talked to for these services here?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.3	360	24	CIRCLED
	84.5	2,688	-9	LEGITIMATE SKIP
	4.2	132	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2002-2003

**GL72\_25****TALKED TO/PHYSICIAN'S ASSISTANT**

Who have you seen or talked to for these services here?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	25	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	14.9	474	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2004-2005

<b>GL72_26</b>	<b>TALKED TO/DENTIST</b>
----------------	--------------------------

Who have you seen or talked to for these services here?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	25	26	CIRCLED
	84.7	2,692	-9	LEGITIMATE SKIP
	14.6	463	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2006-2007

<b>GL72_71</b>	<b>TALKED TO/STAFF FROM OTHER AGENCY</b>
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	39	71	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	14.0	445	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2008-2009

GL72\_91

TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	91	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.1	479	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2010-2011

GL72\_A1

TALKED TO MOST OFTEN - PROVIDER #1

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
28.6	4.2	133	23	NURSE
63.2	9.2	294	24	PHYSICIAN
1.5	0.2	7	25	PHYSICIANS ASSISTANT
4.1	0.6	19	26	DENTIST
1.1	0.2	5	71	STAFF FROM ANOTHER AGENCY
0.9	0.1	4	91	OTHER
	84.5	2,686	-9	LEGITIMATE SKIP
	0.9	29	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2012-2013

GL72_A2	TALKED TO MOST OFTEN - PROVIDER #2
---------	------------------------------------

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.9	0.0	1	22	PSYCHIATRIST
6.9	0.3	8	23	NURSE
55.2	2.0	64	24	PHYSICIAN
2.6	0.1	3	25	PHYSICIANS ASSISTANT
5.2	0.2	6	26	DENTIST
28.4	1.0	33	71	STAFF FROM ANOTHER AGENCY
0.9	0.0	1	91	OTHER
	84.7	2,695	-9	LEGITIMATE SKIP
	11.6	369	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2014-2015

GL73

#TIMES/MET W/ PRO #1

How many times have you met with your (PROVIDER #1 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
48.1	7.1	227	1	
17.6	2.6	83	2	
11.9	1.8	56	3	
8.1	1.2	38	4	
4.7	0.7	22	5	
1.5	0.2	7	6	
1.3	0.2	6	8	
2.3	0.3	11	10	
0.2	0.0	1	11	
0.4	0.1	2	12	
0.4	0.1	2	13	
0.2	0.0	1	14	
0.2	0.0	1	15	
0.6	0.1	3	20	
0.2	0.0	1	24	
0.4	0.1	2	30	
0.6	0.1	3	36	
0.2	0.0	1	45	
0.2	0.0	1	60	
0.2	0.0	1	70	
0.2	0.0	1	75	
0.2	0.0	1	91	
	84.4	2,683	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2016-2017

<b>GL73_A</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	4	1	
0.8	0.1	4	2	
1.7	0.3	8	3	
11.7	1.7	55	5	
0.2	0.0	1	6	
0.2	0.0	1	7	
0.2	0.0	1	8	
17.8	2.6	84	10	
19.1	2.8	90	15	
13.3	2.0	63	20	
0.4	0.1	2	25	
18.6	2.8	88	30	
1.3	0.2	6	40	
2.5	0.4	12	45	
9.1	1.4	43	60	
0.2	0.0	1	70	
0.4	0.1	2	90	
1.3	0.2	6	120	
0.2	0.0	1	300	
	84.4	2,684	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2018-2020

<b>GL73_B01</b>	<b>DEALT W/PHYSICAL/DENTAL EXAM/PRO #1</b>
-----------------	--

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.1	322	1	CIRCLED
	84.6	2,690	-9	LEGITIMATE SKIP
	5.3	168	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2021-2022

<b>GL73_B02</b>	<b>DEALT W/MEDICAL/DENTAL CARE TX/PRO #1</b>
-----------------	--

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	116	2	CIRCLED
	84.6	2,689	-9	LEGITIMATE SKIP
	11.8	375	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2023-2024

**GL73\_B03**                      **DEALT W/GLASSES/HEARING AIDS/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	3	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.0	476	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2025-2026

**GL73\_B04**                      **DEALT W/ADM TO HOSP/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	4	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	14.9	473	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2027-2028

<b>GL73_B05</b>	<b>DEALT W/MEDICATION/PRO #1</b>
-----------------	----------------------------------

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	61	5	CIRCLED
	84.7	2,694	-9	LEGITIMATE SKIP
	13.4	425	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2029-2030

<b>GL73_B06</b>	<b>DEALT W/DIET/PRO #1</b>
-----------------	----------------------------

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	6	CIRCLED
	84.7	2,694	-9	LEGITIMATE SKIP
	15.0	476	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2031-2032

**GL73\_B07**                      **DEALT W/EXERCISE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	7	CIRCLED
	84.7	2,695	-9	LEGITIMATE SKIP
	15.2	482	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2033-2034

**GL73\_B08**                      **DEALT W/PRENATAL CARE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	8	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	483	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2035-2036

**GL73\_B09****DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	52	9	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	13.0	413	-8	BLANK
	0.6	19	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2037-2038

**GL73\_C****HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L72a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	2.5	79	0	NOT AT ALL
30.5	4.4	141	1	SOMEWHAT
52.5	7.6	243	2	VERY HELPFUL
	84.4	2,684	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2039-2040

<b>GL74</b>	<b>#TIMES/MET WITH PRO #2</b>
-------------	-------------------------------

How many times have you met with your (PROVIDER #2 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	1.8	56	1	
21.5	0.7	23	2	
9.3	0.3	10	3	
5.6	0.2	6	4	
2.8	0.1	3	5	
0.9	0.0	1	6	
0.9	0.0	1	8	
0.9	0.0	1	11	
2.8	0.1	3	12	
0.9	0.0	1	13	
0.9	0.0	1	15	
0.9	0.0	1	80	
	84.8	2,696	-9	LEGITIMATE SKIP
	11.8	376	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2041-2042

GL74\_A

#MINUTES/SESSIONS LAST

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.2	6	2	
1.9	0.1	2	3	
25.0	0.8	27	5	
19.4	0.7	21	10	
21.3	0.7	23	15	
7.4	0.3	8	20	
11.1	0.4	12	30	
0.9	0.0	1	40	
1.9	0.1	2	45	
5.6	0.2	6	60	
	84.8	2,696	-9	LEGITIMATE SKIP
	11.8	376	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2043-2044

GL74\_B01

DEALT W/PHYSICAL/DENTAL EXAM/PRO #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	85	1	CIRCLED
	84.7	2,695	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2045-2046

**GL74\_B02** **DEALT W/MEDICAL/DENTAL CARE TX/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	31	2	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	14.2	453	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2047-2048

**GL74\_B03** **DEALT W/GLASSES/HEARING AIDS/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	482	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2049-2050

## GL74\_B04

## DEALT W/ADM TO HOSP/PRO #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	482	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2051-2052

## GL74\_B05

## DEALT W/MEDICATION/PRO #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	5	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	14.9	475	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2053-2054

**GL74\_B06**                      **DEALT W/DIET/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	6	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.1	480	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2055-2056

**GL74\_B07**                      **DEALT W/EXERCISE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	484	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2057-2058

GL74\_B08

DEALT W/PRENATAL CRE/PRO #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.2	484	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2059-2060

GL74\_B09

DEALT W/OTHER/PRO #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	84.8	2,696	-9	LEGITIMATE SKIP
	15.0	478	-8	BLANK
	0.2	6	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2061-2062



<b>GL75_A_1</b>	<b>REC'D SVCS/PRIVTE PHYSICIAN/DENTIST</b>
-----------------	--

Where have you received these services?

Private physician or dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	170	1	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	25.4	807	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2067-2068

<b>GL75_A_2</b>	<b>REC'D SVCS/HOSP/PUB HEALTH CLINIC</b>
-----------------	--

Where have you received these services?

Hospital or public health clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.8	663	2	CIRCLED
	69.1	2,197	-9	LEGITIMATE SKIP
	10.1	320	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2069-2070

<b>GL75_A_3</b>	<b>REC'D SVCS/MILITARY/VA HOSPITAL</b>
-----------------	--

Where have you received these services?

Military or VA hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	3	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.4	966	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2071-2072

<b>GL75_A_4</b>	<b>REC'D SVCS/HEALTH COOPERATIVE</b>
-----------------	--------------------------------------

Where have you received these services?

Health cooperative, neighborhood clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	86	4	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	28.0	891	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2073-2074

GL75_A_5	REC'D SVCS/OTHER MEDICAL
----------	--------------------------

Where have you received these services?

Other medical.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	69	5	CIRCLED
	69.2	2,200	-9	LEGITIMATE SKIP
	28.6	911	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2075-2076

GL75_A_6	REC'D SVCS/OTHER
----------	------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	6	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	29.4	934	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2077-2078

<b>GL75B_1</b>	<b>MEDICAL OTHER PLACE/LOCATION #1</b>
----------------	--

Which 2 locations have you received services at most often?  
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	4.2	132	1	PRIV PHYSICIAN OR DENTIST
67.7	20.4	650	2	HOSPITAL OR PUB HEALTH CLINIC
1.2	0.4	12	3	MILITARY OR VA HOSPITAL OR CLINIC
7.0	2.1	67	4	HEALTH COOPERATIVE
6.7	2.0	64	5	OTHER MEDICAL
3.6	1.1	35	6	OTHER
	68.9	2,192	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2079-2080

<b>GL75C_1</b>	<b>WHO REFERRED YOU TO LOCATION #1</b>
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	19.5	621	1	PROG
7.4	2.2	70	2	SOMEONE ELSE
26.6	7.9	251	3	SELF
	69.0	2,194	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2081-2082

GL75D_1	#DAYS YOU REC'D SVCS/LOC #1
---------	-----------------------------

On how many days have you received these services at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
43.9	13.2	421	1	
21.9	6.6	210	2	
12.3	3.7	118	3	
5.6	1.7	54	4	
3.4	1.0	33	5	
3.2	1.0	31	6	
1.7	0.5	16	7	
1.5	0.4	14	8	
0.4	0.1	4	9	
1.5	0.4	14	10	
1.1	0.3	11	12	
0.8	0.3	8	14	
0.4	0.1	4	15	
0.1	0.0	1	17	
0.2	0.1	2	18	
0.6	0.2	6	20	
0.3	0.1	3	24	
0.1	0.0	1	28	
0.3	0.1	3	30	
0.1	0.0	1	35	
0.1	0.0	1	36	
0.1	0.0	1	45	
0.1	0.0	1	60	
	69.0	2,194	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2083-2084

**GL75E\_1                      HOW HELPFUL SERVICES/LOCATION #1**

Overall, how helpful were these services you received at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	1.5	48	0	NOT AT ALL
21.1	6.3	199	1	SOMEWHAT
73.8	21.8	694	2	VERY HELPFUL
	69.0	2,194	-9	LEGITIMATE SKIP
	1.3	41	-8	BLANK
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2085-2086

**GL75F101                      TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	1	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.4	968	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2087-2088

<b>GL75F102</b>	<b>TALKED TO/CASE MANAGER/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.6	973	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2089-2090

<b>GL75F122</b>	<b>TALKED TO/PSYCHIATRIST/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	22	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.5	970	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2091-2092

**GL75F123                      TALKED TO/NURSE/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.2	229	23	CIRCLED
	69.2	2,201	-9	LEGITIMATE SKIP
	23.5	748	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2093-2094

**GL75F124                      TALKED TO/PHYSICIAN/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.4	807	24	CIRCLED
	69.0	2,194	-9	LEGITIMATE SKIP
	5.6	177	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2095-2096

**GL75F125****TALKED TO/PHYSICIAN'S ASSISTANT/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	28	25	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	29.8	947	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2097-2098

**GL75F126****TALKED TO/DENTIST/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	56	26	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	28.9	919	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2099-2100

**GL75F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	85	71	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	28.0	890	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2101-2102

**GL75F191 TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	68	91	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	28.5	907	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2103-2104

GL75G\_1

TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.3	9	1	PRIMARY/REGULAR COUNSELOR
0.4	0.1	4	2	CASE MANAGER
0.3	0.1	3	22	PSYCHIATRIST
5.3	1.5	49	23	NURSE
80.1	23.1	736	24	PHYSICIAN
1.3	0.4	12	25	PHYSICIANS ASSISTANT
4.8	1.4	44	26	DENTIST
3.9	1.1	36	71	STAFF FROM ANOTHER AGENCY
2.8	0.8	26	91	OTHER
	69.0	2,194	-9	LEGITIMATE SKIP
	2.1	66	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2105-2106

GL75B\_2

MEDICAL OTHER PLACE/LOCATION #2

Which 2 locations have you received services at most often?  
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	1.2	38	1	PRIV PHYSICIAN OR DENTIST
64.9	4.9	155	2	HOSPITAL OR PUB HEALTH CLINIC
0.8	0.1	2	3	MILITARY OR VA HOSPITAL OR CLINIC
9.2	0.7	22	4	HEALTH COOPERATIVE
3.8	0.3	9	5	OTHER MEDICAL
5.4	0.4	13	6	OTHER
	69.3	2,203	-9	LEGITIMATE SKIP
	23.2	738	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2107-2108

**GL75C\_2**                      **WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	5.3	167	1	PROG
10.0	0.7	22	2	SOMEONE ELSE
14.5	1.0	32	3	SELF
	69.3	2,203	-9	LEGITIMATE SKIP
	23.8	756	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2109-2110

**GL75D\_2**                      **#DAYS YOU REC'D SVCS/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	2.9	91	1	
36.4	2.7	86	2	
11.0	0.8	26	3	
7.6	0.6	18	4	
3.8	0.3	9	6	
0.8	0.1	2	7	
0.4	0.0	1	8	
0.4	0.0	1	15	
0.4	0.0	1	24	
0.4	0.0	1	60	
	69.3	2,203	-9	LEGITIMATE SKIP
	23.3	740	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2111-2112

<b>GL75E_2</b>	<b>HOW HELPFUL SERVICES/LOCATION #2</b>
----------------	---

Overall, how helpful were these services you received at  
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.4	14	0	NOT AT ALL
20.0	1.4	46	1	SOMEWHAT
73.9	5.3	170	2	VERY HELPFUL
	69.3	2,203	-9	LEGITIMATE SKIP
	23.5	747	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2113-2114

<b>GL75F201</b>	<b>TALKED TO/REGULAR COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.7	975	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2115-2116

**GL75F202**                      **TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.7	975	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2117-2118

**GL75F222**                      **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.6	974	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2119-2120

<b>GL75F223</b>	<b>TALKED TO/NURSE/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	30	23	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	29.7	945	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2121-2122

<b>GL75F224</b>	<b>TALKED TO/PHYSICIAN/LOC #2</b>
-----------------	-----------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	102	24	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	27.5	873	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2123-2124

**GL75F225                      TALKED TO/PHYSICIAN'S ASSISTANT/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	25	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.6	972	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2125-2126

**GL75F226                      TALKED TO/DENTIST/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	60	26	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	28.8	915	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2127-2128

**GL75F271                      TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	71	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	29.3	932	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2129-2130

**GL75F291                      TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	91	CIRCLED
	69.3	2,203	-9	LEGITIMATE SKIP
	30.0	955	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2131-2132

<b>GL75G_2</b>	<b>TALKED TO FOR SERVICES/LOCATION #2</b>
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	PRIMARY/REGULAR COUNSELOR
0.9	0.1	2	2	CASE MANAGER
0.5	0.0	1	22	PSYCHIATRIST
5.6	0.4	12	23	NURSE
38.9	2.6	84	24	PHYSICIAN
0.9	0.1	2	25	PHYSICIANS ASSISTANT
25.0	1.7	54	26	DENTIST
19.0	1.3	41	71	STAFF FROM ANOTHER AGENCY
8.3	0.6	18	91	OTHER
	69.3	2,203	-9	LEGITIMATE SKIP
	23.9	761	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2133-2134

<b>GL76</b>	<b>DR. PRESC METHADONE/TRANQ/FOR DRUG PROB</b>
-------------	--

During the past 3 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.8	724	1	YES
77.2	76.9	2,447	2	NO
	0.3	9	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2135-2136

<b>GL76_A_1</b>	<b>MED DR. PRESCRIBED/METHADONE</b>
-----------------	-------------------------------------

Which of these has the doctor prescribed for you?

Methadone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.3	676	1	CIRCLED
	76.9	2,445	-9	LEGITIMATE SKIP
	1.8	57	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2137-2138

<b>GL76_A_2</b>	<b>MED DR. PRESCRIBED/NALTREXONE</b>
-----------------	--------------------------------------

Which of these has the doctor prescribed for you?

Naltrexone (Trexan).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	153	2	CIRCLED
	72.8	2,316	-9	LEGITIMATE SKIP
	22.3	710	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2139-2140

**GL76\_A\_3 MED DR. PRESCRIBED/TRANQUILIZERS**

Which of these has the doctor prescribed for you?

Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	44	3	CIRCLED
	76.9	2,447	-9	LEGITIMATE SKIP
	21.6	688	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2141-2142

**GL76\_A\_4 MED DR. PRESCRIBED/ANTABUSE**

Which of these has the doctor prescribed for you?

Antabuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	17	4	CIRCLED
	76.9	2,447	-9	LEGITIMATE SKIP
	22.5	715	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2143-2144

**GL77****HAD ANY CONCERN ABOUT PRESCRIBE MED**

During the past 3 months, have you had any concerns or complaints about any medication that was prescribed for you (including methadone, Naltrexone, tranquilizers, Antabuse, and any other medication)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.0	255	1	YES
91.5	85.9	2,732	2	NO
	6.1	193	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2145-2146

**GL77\_A****HAD ANY SERVICES W/ONE ABOUT CONCERNS**

During these months, have you had any scheduled services or talks with anyone in this program about these concerns or complaints?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	6.4	205	1	YES
24.1	2.0	65	2	NO
	85.4	2,715	-9	LEGITIMATE SKIP
	6.1	195	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2147-2148

<b>GL77B_01</b>	<b>TALKED WITH REGULAR COUNSELOR</b>
-----------------	--------------------------------------

Who have you talked with?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	111	1	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	9.1	289	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2149-2150

<b>GL77B_02</b>	<b>TALKED WITH CASE MANAGER</b>
-----------------	---------------------------------

Who have you talked with?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	396	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2151-2152

<b>GL77B_11</b>	<b>TALKED WITH OTHER COUNSELOR</b>
-----------------	------------------------------------

Who have you talked with?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	11	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.0	382	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2153-2154

<b>GL77B_12</b>	<b>TALKED WITH OTHER CASE MANAGER</b>
-----------------	---------------------------------------

Who have you talked with?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2155-2156

<b>GL77B_13</b>	<b>TALKED WITH SOCIAL WORKER</b>
-----------------	----------------------------------

Who have you talked with?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	13	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	399	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2157-2158

<b>GL77B_21</b>	<b>TALKED WITH PSYCHOLOGIST</b>
-----------------	---------------------------------

Who have you talked with?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	399	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2159-2160

<b>GL77B_22</b>	<b>TALKED WITH PSYCHIATRIST</b>
-----------------	---------------------------------

Who have you talked with?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	22	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.3	390	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2161-2162

<b>GL77B_23</b>	<b>TALKED WITH NURSE</b>
-----------------	--------------------------

Who have you talked with?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	66	23	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2163-2164

<b>GL77B_24</b>	<b>TALKED WITH PHYSICIAN</b>
-----------------	------------------------------

Who have you talked with?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	62	24	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	10.6	338	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2165-2166

<b>GL77B_25</b>	<b>TALKED WITH PHYSICIAN'S ASSISTANT</b>
-----------------	--

Who have you talked with?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	25	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2167-2168

**GL77B\_26****TALKED WITH DENTIST**

Who have you talked with?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	26	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	399	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2169-2170

**GL77B\_27****TALKED WITH VOCATIONAL COUNSELOR**

Who have you talked with?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2171-2172

**GL77B\_28 TALKED WITH CERT FAM COUNSELOR**

Who have you talked with?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2173-2174

**GL77B\_71 TALKED WITH STAFF FR OTHER AGENCY**

Who have you talked with?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.6	400	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2175-2176

**GL77B\_91****TALKED WITH OTHER**

Who have you talked with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	91	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2177-2178

**GL77\_C\_1****CONCERNS/MED/DOSAGE TOO SMALL**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too small.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	83	1	CIRCLED
	87.4	2,779	-9	LEGITIMATE SKIP
	10.0	317	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2179-2180

**GL77\_C\_2                      CONCERNS/MED/DOSAGE TOO LARGE**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too large.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	25	2	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	11.8	374	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2181-2182

**GL77\_C\_3                      CONCERNS/MED/PHYSICAL SYMPTOMS**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Physical symptoms (such as nausea, vomiting, headaches, dizziness, shaking).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	65	3	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2183-2184

<b>GL77_C_4</b>	<b>CONCERNS/MED/SLEEP DISTURBANCES</b>
-----------------	--

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Sleep disturbances.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	28	4	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	11.7	371	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2185-2186

<b>GL77_C_5</b>	<b>CONCERNS/MED/UNABLE TO GET DRUG</b>
-----------------	--

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Unable to get drug (or prescription) when needed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	397	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2187-2188

**GL77\_C\_6**                      **CONCERNS/MED/DRUG COST TOO MUCH**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Drug cost too much - not affordable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.5	397	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2189-2190

**GL77\_C\_7**                      **CONCERNS/MED/DEPRESSION**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Depression.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	7	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	12.3	391	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2191-2192

**GL77\_C\_8****CONCERNS/MED/OTHER**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	55	8	CIRCLED
	87.4	2,780	-9	LEGITIMATE SKIP
	10.8	344	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2193-2194

**GL78****REC'D SVCS/RELATIONSHIP PROB**

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.4	362	1	YES
88.5	87.3	2,777	2	NO
	1.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2195-2196



<b>GL80_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	38	11	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	9.7	307	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2203-2204

<b>GL80_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.8	345	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2205-2206

<b>GL80_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	13	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.6	336	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2207-2208

<b>GL80_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	21	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.8	343	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2209-2210

<b>GL80_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.8	343	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2211-2212

<b>GL80_23</b>	<b>TALKED TO/NURSE</b>
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.8	344	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2213-2214

**GL80\_28 TALKED TO/CERTI FAM COUNSELOR**

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	106	28	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	7.5	239	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2215-2216

**GL80\_71 TALKED TO/STAFF FR OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	48	71	CIRCLED
	89.1	2,834	-9	LEGITIMATE SKIP
	9.4	298	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2217-2218

GL80\_91

TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	91	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2219-2220

GL80\_A1

TALKED TO MOST OFTER - PROVIDER #1

Which 2 have you seen or talked to most frequently?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	3.4	109	1	PRIMARY/REGULAR COUNSELOR
2.8	0.3	8	2	CASE MANAGER
7.7	0.7	22	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.8	0.2	5	13	SOCIAL WORKER
0.7	0.1	2	21	PSYCHOLOGIST
0.4	0.0	1	22	PSYCHIATRIST
0.4	0.0	1	23	NURSE
32.4	2.9	92	28	CERTIFIED FAMILY COUNSELOR
13.4	1.2	38	71	STAFF FROM ANOTHER AGENCY
2.1	0.2	6	91	OTHER
	89.1	2,832	-9	LEGITIMATE SKIP
	2.0	64	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2221-2222

<b>GL80_A2</b>	<b>TALKED TO MOST OFTEN - PROVIDER #2</b>
----------------	---

Which 2 have you seen or talked to most frequently?  
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.1	3	1	PRIMARY/REGULAR COUNSELOR
6.5	0.1	2	2	CASE MANAGER
29.0	0.3	9	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
9.7	0.1	3	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
3.2	0.0	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
12.9	0.1	4	28	CERTIFIED FAMILY COUNSELOR
22.6	0.2	7	71	STAFF FROM ANOTHER AGENCY
6.5	0.1	2	91	OTHER
	89.2	2,835	-9	LEGITIMATE SKIP
	9.9	314	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2223-2224

<b>GL81_01</b>	<b>SESSIONS W/INDIVIDUAL/PRO #1</b>
----------------	-------------------------------------

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Individual.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	130	1	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	6.8	215	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2225-2226

GL81\_02

SESSIONS W/FAMILY/PRO #1

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	118	2	CIRCLED
	89.1	2,833	-9	LEGITIMATE SKIP
	7.2	229	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2227-2228

GL81\_03

SESSIONS W/GROUP/PRO #1

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Group.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	130	3	CIRCLED
	89.1	2,833	-9	LEGITIMATE SKIP
	6.8	217	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2229-2230

GL81_A	#TIMES/MET INDIVIDUALLY WITH PRO #1
--------	-------------------------------------

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	0	
32.1	1.4	45	1	
26.4	1.2	37	2	
17.9	0.8	25	3	
9.3	0.4	13	4	
1.4	0.1	2	5	
3.6	0.2	5	6	
0.7	0.0	1	8	
1.4	0.1	2	10	
0.7	0.0	1	11	
5.0	0.2	7	12	
0.7	0.0	1	30	
	94.3	2,998	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2231-2232

<b>GL81_B</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	10	
4.3	0.2	6	15	
1.4	0.1	2	20	
18.6	0.8	26	30	
1.4	0.1	2	40	
5.0	0.2	7	45	
0.7	0.0	1	50	
51.4	2.3	72	60	
1.4	0.1	2	75	
7.9	0.3	11	90	
5.7	0.3	8	120	
0.7	0.0	1	360	
0.7	0.0	1	480	
	94.3	2,998	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2233-2235

<b>GL81_C_1</b>	<b>INDI DEAL W/COUNSEL/PROB W/SPOUSE/PRO #1</b>
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	57	1	CIRCLED
	95.3	3,031	-9	LEGITIMATE SKIP
	2.9	92	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2236-2237

**GL81\_C\_2**                      **INDI DEAL W/PARENTING/CHILD CARE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	38	2	CIRCLED
	95.7	3,043	-9	LEGITIMATE SKIP
	3.1	99	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2238-2239

**GL81\_C\_3**                      **INDI DEAL W/COUNSEL/PROB W/PARENT/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	45	3	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.2	101	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2240-2241

## GL81\_C\_4

## INDIVIDUALLY DEAL W/SEX EDUCATION/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.9	124	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2242-2243

## GL81\_C\_5

## INDIVI DEAL W/DEATH/BEREAVEMENT/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	5	CIRCLED
	96.0	3,052	-9	LEGITIMATE SKIP
	3.7	119	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2244-2245

<b>GL81_C_6</b>	<b>INDIVIDUALLY DEAL W/OTHER/PRO #1</b>
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	48	6	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2246-2247

<b>GL81_D</b>	<b>HOW HELPFUL THE SERVICES/PRO #1</b>
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	4	0	NOT AT ALL
35.0	1.5	48	1	SOMEWHAT
62.0	2.7	85	2	VERY HELPFUL
	94.3	3,000	-9	LEGITIMATE SKIP
	1.4	43	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2248-2249

<b>GL81_E</b>	<b>#TIMES/MET AS FAMILY WITH PRO #1</b>
---------------	---

How many times have you met as a family with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	0	
50.0	1.9	61	1	
24.6	0.9	30	2	
10.7	0.4	13	3	
4.9	0.2	6	4	
2.5	0.1	3	5	
1.6	0.1	2	6	
2.5	0.1	3	7	
1.6	0.1	2	10	
0.8	0.0	1	12	
	94.7	3,013	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2250-2251

<b>GL81_F</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	2	15	
14.9	0.6	18	30	
6.6	0.3	8	45	
52.9	2.0	64	60	
0.8	0.0	1	75	
0.8	0.0	1	80	
8.3	0.3	10	90	
11.6	0.4	14	120	
1.7	0.1	2	150	
0.8	0.0	1	360	
	94.8	3,014	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2252-2254

**GL81\_G\_1                      ATTEND MTG/SPOUSE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	50	1	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2255-2256

**GL81\_G\_2                      ATTEND MTG/OTHER FAMILY MEM/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	82	2	CIRCLED
	95.5	3,036	-9	LEGITIMATE SKIP
	1.9	62	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2257-2258

**GL81\_G\_3****ATTEND MTG/OTHERS IN TX/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	96.3	3,061	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2259-2260

**GL81\_G\_4****ATTEND MTG/FAM MEM OF OTHERS/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	4	CIRCLED
	96.3	3,061	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2261-2262

**GL81\_G\_5                      ATTEND MTG/OTHER/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2263-2264

**GL81\_H\_1                      INDI MET/COUNSEL/PROB W/SPOUSE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	48	1	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2265-2266

**GL81\_H\_2****INDI MET/PARENTING/CHILD CARE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	39	2	CIRCLED
	95.9	3,051	-9	LEGITIMATE SKIP
	2.8	90	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2267-2268

**GL81\_H\_3****INDI MET/COUNSEL/PROB W/PARENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	42	3	CIRCLED
	95.8	3,048	-9	LEGITIMATE SKIP
	2.8	90	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2269-2270

**GL81\_H\_4 INDIVIDUALLY MET/SEX EDUCATION/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2271-2272

**GL81\_H\_5 INDIVI MET/DEATH/BEREAVEMENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	5	CIRCLED
	96.3	3,061	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2273-2274

<b>GL81_H_6</b>	<b>INDIVIDUALLY MET/OTHER/PRO #1</b>
-----------------	--------------------------------------

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	45	6	CIRCLED
	95.8	3,046	-9	LEGITIMATE SKIP
	2.8	89	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2275-2276

<b>GL81_I</b>	<b>HOW HELPFUL THE SERVICES/PRO #1</b>
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	2	0	NOT AT ALL
21.3	0.8	26	1	SOMEWHAT
77.0	3.0	94	2	VERY HELPFUL
	94.7	3,013	-9	LEGITIMATE SKIP
	1.4	45	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2277-2278

GL81_J	<b>#TIMES/MET IN GROUP WITH PRO #1</b>
--------	--

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	0	
12.1	0.5	16	1	
7.6	0.3	10	2	
15.9	0.7	21	3	
8.3	0.3	11	4	
11.4	0.5	15	5	
4.5	0.2	6	6	
2.3	0.1	3	7	
6.1	0.3	8	8	
0.8	0.0	1	9	
3.8	0.2	5	10	
2.3	0.1	3	11	
10.6	0.4	14	12	
0.8	0.0	1	13	
0.8	0.0	1	14	
0.8	0.0	1	15	
0.8	0.0	1	16	
0.8	0.0	1	20	
0.8	0.0	1	21	
0.8	0.0	1	22	
3.0	0.1	4	24	
1.5	0.1	2	26	
1.5	0.1	2	28	
0.8	0.0	1	30	
0.8	0.0	1	40	
0.8	0.0	1	180	
	94.4	3,001	-9	LEGITIMATE SKIP
	1.5	47	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2279-2281

<b>GL81_K_1</b>	<b>ATTEND MTG/SPOUSE/PRO #1</b>
-----------------	---------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	36	1	CIRCLED
	95.3	3,030	-9	LEGITIMATE SKIP
	3.6	114	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2282-2283

<b>GL81_K_2</b>	<b>ATTEND MTG/CHILDREN/PRO #1</b>
-----------------	-----------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	23	2	CIRCLED
	95.7	3,042	-9	LEGITIMATE SKIP
	3.6	115	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2284-2285

<b>GL81_K_3</b>	<b>ATTEND MTG/OTHER FAMILY MEM/PRO #1</b>
-----------------	---

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	54	3	CIRCLED
	95.3	3,032	-9	LEGITIMATE SKIP
	3.0	94	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2286-2287

<b>GL81_K_4</b>	<b>ATTEND MTG/OTHER CLIENTS/PRO #1</b>
-----------------	--

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	116	4	CIRCLED
	94.5	3,006	-9	LEGITIMATE SKIP
	1.8	58	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2288-2289

<b>GL81_K_5</b>	<b>MTG/OTHER CLIENT'S SPOUSE/PRO #1</b>
-----------------	---

When you have met in this group with (PROVIDER #1 FROM L80a),  
who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	57	5	CIRCLED
	95.2	3,026	-9	LEGITIMATE SKIP
	3.1	97	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2290-2291

<b>GL81_K_6</b>	<b>MTG/OTHER CLIENT'S CHILDREN/PRO #1</b>
-----------------	---

When you have met in this group with (PROVIDER #1 FROM L80a),  
who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	36	6	CIRCLED
	95.5	3,037	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2292-2293

<b>GL81_K_7</b>	<b>MTG/OTHER CLIENT'S FAM MEM/PRO #1</b>
-----------------	--

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of other clients' families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	52	7	CIRCLED
	95.3	3,029	-9	LEGITIMATE SKIP
	3.1	99	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2294-2295

<b>GL81_K_8</b>	<b>ATTEND MTG/OTHERS/PRO #1</b>
-----------------	---------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	8	CIRCLED
	95.7	3,044	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2296-2297

<b>GL81_L_1</b>	<b>GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #1</b>
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	45	1	CIRCLED
	95.1	3,023	-9	LEGITIMATE SKIP
	3.5	112	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2298-2299

<b>GL81_L_2</b>	<b>GROUP MET/PARENTING/CHILD CARE/PRO #1</b>
-----------------	--

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	40	2	CIRCLED
	95.4	3,035	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2300-2301

**GL81\_L\_3                      GROUP MET/COUNSEL/PROB W/PARENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	50	3	CIRCLED
	95.2	3,027	-9	LEGITIMATE SKIP
	3.2	103	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2302-2303

**GL81\_L\_4                      GROUP MET/SEX EDUCATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	4	CIRCLED
	95.8	3,047	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2304-2305

<b>GL81_L_5</b>	<b>GROUP MET/DEATH/BEREAVEMENT/PRO #1</b>
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	5	CIRCLED
	95.7	3,044	-9	LEGITIMATE SKIP
	3.9	125	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2306-2307

<b>GL81_L_6</b>	<b>GROUP MET/OTHER/PRO #1</b>
-----------------	-------------------------------

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	70	6	CIRCLED
	95.0	3,022	-9	LEGITIMATE SKIP
	2.8	88	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2308-2309



## GL82\_02

## SESSIONS W/PRO #2/FAMILY

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.8	343	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2314-2315

## GL82\_03

## SESSIONS W/PRO #2/GROUP

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Group.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	17	3	CIRCLED
	89.2	2,835	-9	LEGITIMATE SKIP
	10.3	328	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2316-2317

<b>GL82_A</b>	<b>#TIMES/MET INDIVIDUALLY W/PRO #2</b>
---------------	---

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	1	
22.2	0.1	2	2	
11.1	0.0	1	3	
11.1	0.0	1	4	
22.2	0.1	2	10	
22.2	0.1	2	15	
	89.2	2,836	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2318-2319

<b>GL82_B</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	5	
11.1	0.0	1	15	
55.6	0.2	5	30	
11.1	0.0	1	60	
11.1	0.0	1	120	
	89.2	2,836	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2320-2322

**GL82\_C\_1****DEALT W/COUNSELING SPOUSE PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	89.2	2,837	-9	LEGITIMATE SKIP
	10.7	340	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2323-2324

**GL82\_C\_2****DEALT W/PARENTING/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	89.2	2,837	-9	LEGITIMATE SKIP
	10.7	340	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2325-2326

**GL82\_C\_3**                      **DEALT W/COUNSELING PARENTS PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	3	CIRCLED
	89.2	2,836	-9	LEGITIMATE SKIP
	10.7	340	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2327-2328

**GL82\_C\_4**                      **DEALT W/SEX EDUCATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.2	2,837	-9	LEGITIMATE SKIP
	10.8	343	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2329-2330

## GL82\_C\_5

## DEALT W/DEATH/PRO #2

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	89.2	2,837	-9	LEGITIMATE SKIP
	10.8	342	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2331-2332

## GL82\_C\_6

## DEALT W/OTHER/PRO #2

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	89.2	2,837	-9	LEGITIMATE SKIP
	10.7	341	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2333-2334

<b>GL82_D</b>	<b>HOW HELPFUL THE SERVICES/PRO #2</b>
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	0	NOT AT ALL
11.1	0.0	1	1	SOMEWHAT
77.8	0.2	7	2	VERY HELPFUL
	89.2	2,836	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2335-2336

<b>GL82_E</b>	<b>#TIMES/MET AS FAMILY WITH PRO #2</b>
---------------	---

How many times have you met as a family with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	
33.3	0.0	1	2	
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2337-2338

<b>GL82_F</b>	<b>#MINUTES/SESSIONS LAST</b>
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	45	
33.3	0.0	1	60	
33.3	0.0	1	120	
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2339-2341

<b>GL82_G_1</b>	<b>ATTEND MTG/SPOUSE/PRO #2</b>
-----------------	---------------------------------

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2342-2343

**GL82\_G\_2**                      **MTG/OTHER FAM MEM OF CLIENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2344-2345

**GL82\_G\_3**                      **ATTEND MTG/OTHERS IN TX/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2346-2347

**GL82\_G\_4****ATTEND MTG/FAMILY MEM OF OTHER/PR #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2348-2349

**GL82\_G\_5****ATTEND MTG/OTHERS/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	336	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2350-2351

**GL82\_H\_1** **FAM MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	336	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2352-2353

**GL82\_H\_2** **FAM MET/PARENTING/CHILD CARE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2354-2355

**GL82\_H\_3****FAM MET/COUNSEL/PROB W/PARENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2356-2357

**GL82\_H\_4****FAM MET/SEX EDUCATION/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2358-2359

**GL82\_H\_5** **FAM MET/DEATH/BEREAVEMENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2360-2361

**GL82\_H\_6** **FAM MET/OTHER/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.6	337	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2362-2363

GL82_I	HOW HELPFUL THE SERVICES/PRO #2
--------	---------------------------------

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	3	2	VERY HELPFUL
	89.4	2,843	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2364-2365

GL82_J	#TIMES/MET IN GROUP WITH PRO #2
--------	---------------------------------

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	0.2	5	1	
10.5	0.1	2	2	
10.5	0.1	2	3	
5.3	0.0	1	5	
5.3	0.0	1	6	
5.3	0.0	1	10	
10.5	0.1	2	12	
5.3	0.0	1	15	
10.5	0.1	2	20	
10.5	0.1	2	24	
	89.3	2,841	-9	LEGITIMATE SKIP
	10.1	320	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2366-2367

**GL82\_K\_1**                      **ATTEND MTG/SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	89.5	2,845	-9	LEGITIMATE SKIP
	10.5	333	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2368-2369

**GL82\_K\_2**                      **ATTEND MTG/CHILDREN/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	89.5	2,845	-9	LEGITIMATE SKIP
	10.4	332	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2370-2371

**GL82\_K\_3****ATTEND MTG/OTHER FAMILY MEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	3	CIRCLED
	89.4	2,844	-9	LEGITIMATE SKIP
	10.3	329	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2372-2373

**GL82\_K\_4****ATTEND MTG/OTHER CLIENTS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	14	4	CIRCLED
	89.4	2,842	-9	LEGITIMATE SKIP
	10.2	324	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2374-2375

**GL82\_K\_5**                      **MTG/OTHER CLIENT'S SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	5	CIRCLED
	89.4	2,844	-9	LEGITIMATE SKIP
	10.4	330	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2376-2377

**GL82\_K\_6**                      **MTG/OTHER CLIENT'S CHILDREN/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	89.5	2,845	-9	LEGITIMATE SKIP
	10.5	333	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2378-2379

**GL82\_K\_7****MTG/OTHER CLIENT'S FAM MEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of other clients' families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	7	CIRCLED
	89.4	2,844	-9	LEGITIMATE SKIP
	10.4	331	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2380-2381

**GL82\_K\_8****ATTEND MTG/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	8	CIRCLED
	89.4	2,844	-9	LEGITIMATE SKIP
	10.4	332	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2382-2383

**GL82\_L\_1**                      **GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	89.5	2,845	-9	LEGITIMATE SKIP
	10.5	334	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2384-2385

**GL82\_L\_2**                      **GROUP MET/PARENTING/CHILD CARE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	2	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.3	327	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2386-2387

**GL82\_L\_3****GROUP MET/COUNSEL/PROB W/PARENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	3	CIRCLED
	89.4	2,842	-9	LEGITIMATE SKIP
	10.4	332	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2388-2389

**GL82\_L\_4****GROUP MET/SEX EDUCATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.5	2,845	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2390-2391

**GL82\_L\_5**                      **GROUP MET/DEATH/BEREAVEMENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	89.4	2,844	-9	LEGITIMATE SKIP
	10.5	335	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2392-2393

**GL82\_L\_6**                      **GROUP MET/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	6	CIRCLED
	89.4	2,843	-9	LEGITIMATE SKIP
	10.3	329	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2394-2395

**GL82\_M****HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
42.1	0.3	8	1	SOMEWHAT
57.9	0.3	11	2	VERY HELPFUL
	89.3	2,841	-9	LEGITIMATE SKIP
	10.1	320	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2396-2397

**GL83****REC'D SVCS/RELATIONSHIP PROB**

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	2.2	71	1	YES
81.0	9.5	303	2	NO
	86.7	2,758	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2398-2399

<b>GL83A_1</b>	<b>REC'D SVCS/SOCIAL SERVICES</b>
----------------	-----------------------------------

Where have you received these services?

Social services or family services program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	43	1	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	2.4	75	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2400-2401

<b>GL83A_2</b>	<b>REC'D SVCS/MENTAL HEALTH CENTER</b>
----------------	--

Where have you received these services?

Mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2402-2403

GL83A\_3

REC'D SVCS/CHURCH ORGANIZATION

Where have you received these services?

Church or religious organizations.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	113	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2404-2405

GL83A\_4

REC'D SVCS/PRIV FAM COUNSELOR

Where have you received these services?

Private marital or family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	4	CIRCLED
	96.3	3,061	-9	LEGITIMATE SKIP
	3.6	115	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2406-2407

**GL83A\_5                      REC'D SVCS/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	5	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2408-2409

**GL83B\_1                      FAM/REL OTHER PLACE/LOC #1**

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	1.5	48	1	SOCIAL SERVICES OR FAMILY SERVICES
2.8	0.1	2	2	MENTAL HEALTH CENTER
7.0	0.2	5	3	CHURCH OF RELIGIOUS ORGANIZATION
5.6	0.1	4	4	PRIV MARITAL OR FAMILY COUNSELR
16.9	0.4	12	5	OTHER
	96.3	3,061	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2410-2411

GL83C\_1

## WHO REFERRED YOU TO THIS LOCATION

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	1.3	42	1	PROG
31.0	0.7	22	2	SOMEONE ELSE
9.9	0.2	7	3	SELF
	96.3	3,061	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2412-2413

GL83D_1	#DAYS REC'D SVCS
---------	------------------

On how many days have you received these services at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	0	
5.6	0.1	4	1	
14.1	0.3	10	2	
8.5	0.2	6	3	
7.0	0.2	5	4	
2.8	0.1	2	5	
8.5	0.2	6	6	
2.8	0.1	2	7	
8.5	0.2	6	8	
2.8	0.1	2	9	
5.6	0.1	4	10	
1.4	0.0	1	11	
19.7	0.4	14	12	
1.4	0.0	1	13	
1.4	0.0	1	14	
1.4	0.0	1	16	
1.4	0.0	1	18	
1.4	0.0	1	36	
1.4	0.0	1	40	
1.4	0.0	1	44	
1.4	0.0	1	64	
	96.3	3,061	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2414-2415

<b>GL83E_1</b>	<b>HOW HELPFUL SERVICES/LOCATION #1</b>
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.2	5	0	NOT AT ALL
16.2	0.3	11	1	SOMEWHAT
76.5	1.6	52	2	VERY HELPFUL
	96.3	3,061	-9	LEGITIMATE SKIP
	1.6	51	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2416-2417

<b>GL83F1_1</b>	<b>TALKED TO/REGULAR COUNSELOR/LOC #1</b>
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2418-2419

**GL83F1\_2                      TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2420-2421

**GL83F111                      TALKED TO/OTHER COUNSELOR/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	11	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.4	109	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2422-2423

<b>GL83F112</b>	<b>TALKED TO/OTHER CASE MANAGER/LOC #1</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2424-2425

<b>GL83F113</b>	<b>TALKED TO/SOCIAL WORKER/LOC #1</b>
-----------------	---------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	13	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2426-2427

**GL83F121**                      **TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	21	CIRCLED
	96.3	3,061	-9	LEGITIMATE SKIP
	3.6	115	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2428-2429

**GL83F122**                      **TALKED TO/PSYCHIATRIST/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2430-2431

<b>GL83F123</b>	<b>TALKED TO/NURSE/LOC #1</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2432-2433

<b>GL83F128</b>	<b>TALKED TO/CERT FAM COUNS</b>
-----------------	---------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	28	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	2.1	66	-8	BLANK
	1.1	34	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2434-2435

**GL83F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	71	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.1	99	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2436-2437

**GL83F191 TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	91	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.2	102	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2438-2439

GL83G\_1

TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	2	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
9.4	0.2	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.1	0.1	2	13	SOCIAL WORKER
6.2	0.1	4	21	PSYCHOLOGIST
1.6	0.0	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
26.6	0.5	17	28	CERTIFIED FAMILY COUNSELOR
29.7	0.6	19	71	STAFF FROM ANOTHER AGENCY
20.3	0.4	13	91	OTHER
	96.3	3,061	-9	LEGITIMATE SKIP
	1.7	55	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2440-2441

GL83B\_2

FAMILY/RELATIONSHIP OTHER PLACE/LOC #2

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	SOCIAL SERVICES OR FAMILY SERVICES
0.0	0.0	0	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIV MARITAL OR FAMILY COUNSELOR
50.0	0.0	1	5	OTHER
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2442-2443

**GL83C\_2**                      **WHO REFERRED YOU TO THIS LOCATION**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	PROG
50.0	0.0	1	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2444-2445

**GL83D\_2**                      **#DAYS REC'D SVCS**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	8	
50.0	0.0	1	10	
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2446-2447

<b>GL83E_2</b>	<b>HOW HELPFUL SERVICES/LOCATION #2</b>
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	2	2	VERY HELPFUL
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2448-2449

<b>GL83F2_1</b>	<b>TALKED TO/REGULAR COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2450-2451

**GL83F2\_2                      TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2452-2453

**GL83F211                      TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2454-2455

<b>GL83F212</b>	<b>TALKED TO/OTHER CASE MANAGER/LOC #2</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2456-2457

<b>GL83F213</b>	<b>TALKED TO/SOCIAL WORKER/LOC #2</b>
-----------------	---------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2458-2459

**GL83F221**                      **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2460-2461

**GL83F222**                      **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2462-2463

<b>GL83F223</b>	<b>TALKED TO/NURSE/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2464-2465

<b>GL83F228</b>	<b>TALKED TO/CERT FAM COUNS</b>
-----------------	---------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
	1.1	34	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2466-2467

**GL83F271                      TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the  
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	118	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2468-2469

**GL83F291                      TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	91	CIRCLED
	96.3	3,062	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2470-2471

GL83G\_2

TALKED TO FOR SERVICES/LOCATION #2

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
50.0	0.0	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
50.0	0.0	1	91	OTHER
	96.3	3,062	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2472-2473

GL84

REC'D SVCS/JOB TRAINING/FIND JOB

During the past 3 months, have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	188	1	YES
94.1	93.6	2,976	2	NO
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2474-2475



<b>GL86_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	11	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.1	131	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2482-2483

<b>GL86_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2484-2485

<b>GL86_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	13	CIRCLED
	95.6	3,040	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2486-2487

<b>GL86_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	21	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2488-2489

<b>GL86_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2490-2491

<b>GL86_23</b>	<b>TALKED TO/NURSE</b>
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2492-2493

<b>GL86_27</b>	<b>TALKED TO/VOCATIONAL COUNSELOR</b>
----------------	---------------------------------------

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	61	27	CIRCLED
	95.6	3,040	-9	LEGITIMATE SKIP
	2.5	79	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2494-2495

<b>GL86_29</b>	<b>TALKED TO/TEACHER</b>
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	29	TEACHER
	95.6	3,041	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
	0.9	30	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2496-2497

GL86\_71

TALKED TO/STAFF FR OTHER AGENCY

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	71	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.2	134	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2498-2499

GL86\_91

TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	34	91	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2500-2501

<b>GL86_A1</b>	<b>TALKED TO MOST/PROVIDER #1</b>
----------------	-----------------------------------

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.5	16	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
5.3	0.2	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.9	0.0	1	13	SOCIAL WORKER
2.6	0.1	3	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
44.7	1.6	51	27	VOCATIONAL COUNSELOR
1.8	0.1	2	29	TEACHER
2.6	0.1	3	71	STAFF FROM ANOTHER AGENCY
28.1	1.0	32	91	OTHER
	95.6	3,039	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2502-2503

<b>GL86_A2</b>	<b>TALKED TO MOST/PROVIDER #2</b>
----------------	-----------------------------------

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
25.0	0.1	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
50.0	0.1	4	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
25.0	0.1	2	91	OTHER
	95.6	3,041	-9	LEGITIMATE SKIP
	4.1	131	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2504-2505

<b>GL87_01</b>	<b>DEALT W/TRAINING/SPECIFIC JOB/PRO #1</b>
----------------	---

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with training for a specific job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	49	1	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	2.8	90	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2506-2507

<b>GL87_02</b>	<b>DEALT W/HELP FIND JOB/PRO #1</b>
----------------	-------------------------------------

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with help finding a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	17	2	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	3.8	122	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2508-2509

<b>GL87_03</b>	<b>DEALT W/SOMETHING ELSE/COUNSELING/PRO #1</b>
----------------	---

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with something else like counseling or vocational testing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	61	3	CIRCLED
	95.6	3,039	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2510-2511

<b>GL87_B</b>	<b>CURRENTLY ENROLLED IN THIS TRAINING</b>
---------------	--

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	0.6	20	1	YES
59.2	0.9	29	2	NO
	97.9	3,112	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2512-2513

<b>GL87_C</b>	<b>RECEIVE DEGREE/DIPLOMA/CERTI</b>
---------------	-------------------------------------

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.1	4	1	YES
81.0	0.5	17	2	NO
	98.7	3,140	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2514-2515

<b>GL87_D</b>	<b>WHICH WILL YOU RECEIVE</b>
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
25.0	0.0	1	2	DIPLOMA
75.0	0.1	3	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	99.3	3,157	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2516-2517

<b>GL87_E</b>	<b>#TIMES/ATTEND TRAINING W/PRO #1</b>
---------------	--

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	2	0	
30.2	0.5	16	1	
17.0	0.3	9	2	
5.7	0.1	3	3	
3.8	0.1	2	4	
3.8	0.1	2	5	
3.8	0.1	2	6	
5.7	0.1	3	7	
1.9	0.0	1	10	
1.9	0.0	1	12	
1.9	0.0	1	20	
1.9	0.0	1	30	
1.9	0.0	1	32	
1.9	0.0	1	35	
1.9	0.0	1	50	
1.9	0.0	1	60	
1.9	0.0	1	87	
3.8	0.1	2	90	
3.8	0.1	2	100	
1.9	0.0	1	500	
	97.8	3,111	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2518-2520



GL87\_G\_2

HELP FIND JOB/RESUME WRITING/PRO #1

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2525-2526

GL87\_G\_3

HELP FIND JOB/INTERVIEW SKILLS/PRO #1

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	99.0	3,147	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2527-2528

**GL87\_G\_4                      HELP FIND JOB/JOB REFERRAL/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	4	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2529-2530

**GL87\_G\_5                      HELP FIND JOB/REFERRAL PUB AGCY/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2531-2532

**GL87\_G\_6****HELP FIND JOB/REFERRAL PRIV AGCY/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	1.0	32	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2533-2534

**GL87\_G\_7****HELP FIND JOB/PLACEMENT IN JOB/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	7	CIRCLED
	99.0	3,148	-9	LEGITIMATE SKIP
	0.9	30	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2535-2536

**GL87\_G\_8                      HELP FIND JOB/OTHER/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	8	CIRCLED
	99.0	3,147	-9	LEGITIMATE SKIP
	0.8	26	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2537-2538

**GL87\_H                      #TIMES/MET W/PRO #1/TO FIND JOB**

How many times have you met with your (PROVIDER #1 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.2	7	1	
41.2	0.2	7	2	
5.9	0.0	1	3	
5.9	0.0	1	4	
5.9	0.0	1	20	
	99.0	3,147	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2539-2540

GL87\_I

#MINUTES/MTGS LAST

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.0	1	15	
5.9	0.0	1	20	
5.9	0.0	1	25	
17.6	0.1	3	30	
11.8	0.1	2	40	
5.9	0.0	1	45	
29.4	0.2	5	60	
5.9	0.0	1	120	
5.9	0.0	1	180	
5.9	0.0	1	480	
	99.0	3,147	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2541-2543

GL87\_J

HOW HELPFUL SERVICES/PRO #1

How helpful was the service from your (PROVIDER #1 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	0	NOT AT ALL
50.0	0.3	8	1	SOMEWHAT
37.5	0.2	6	2	VERY HELPFUL
	99.0	3,147	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2544-2545

<b>GL87_K</b>	<b>DID YOU FIND JOB</b>
---------------	-------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	3	1	YES
80.0	0.4	12	2	NO
	99.0	3,147	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2546-2547

<b>GL87_L_1</b>	<b>TYPE HELP/VOCATIONAL TEST ASSES/PRO #1</b>
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	29	1	CIRCLED
	97.6	3,103	-9	LEGITIMATE SKIP
	1.5	48	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2548-2549

<b>GL87_L_2</b>	<b>TYPE HELP/VOCATIONAL COUNSELING/PRO #1</b>
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	2	CIRCLED
	97.7	3,106	-9	LEGITIMATE SKIP
	1.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2550-2551

<b>GL87_L_3</b>	<b>TYPE HELP/PUB AGCY VOCA ASSES/PRO #1</b>
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	97.7	3,107	-9	LEGITIMATE SKIP
	2.1	68	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2552-2553

**GL87\_L\_4**                      **TYPE HELP/PRIV AGCY VOCA ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	97.7	3,107	-9	LEGITIMATE SKIP
	2.3	72	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2554-2555

**GL87\_L\_5**                      **TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	97.7	3,107	-9	LEGITIMATE SKIP
	2.2	71	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2556-2557

<b>GL87_L_6</b>	<b>TYPE HELP/OTHER/PRO #1</b>
-----------------	-------------------------------

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	21	6	CIRCLED
	97.6	3,105	-9	LEGITIMATE SKIP
	1.7	54	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2558-2559

<b>GL87_M</b>	<b>SESSIONS W/PRO #1</b>
---------------	--------------------------

Have these sessions with your (PROVIDER #1 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	1.6	51	1	ALL INDIVIDUAL
10.2	0.2	6	2	ALL GROUP
3.4	0.1	2	3	BOTH INDIVIDUAL/GROUP
	97.5	3,101	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2560-2561

<b>GL87_N</b>	<b>#TIMES/MET FOR HELP/PRO #1</b>
---------------	-----------------------------------

How many times have you met with your (PROVIDER #1 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	0.9	30	1	
16.9	0.3	10	2	
15.3	0.3	9	3	
3.4	0.1	2	4	
3.4	0.1	2	5	
6.8	0.1	4	6	
1.7	0.0	1	10	
1.7	0.0	1	55	
	97.5	3,101	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2562-2563

GL87\_O

#MINUTES/MTGS LAST

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	2	5	
3.4	0.1	2	10	
3.4	0.1	2	15	
10.3	0.2	6	20	
1.7	0.0	1	25	
25.9	0.5	15	30	
3.4	0.1	2	40	
5.2	0.1	3	45	
32.8	0.6	19	60	
3.4	0.1	2	90	
1.7	0.0	1	99	
1.7	0.0	1	150	
1.7	0.0	1	210	
1.7	0.0	1	240	
	97.5	3,101	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2564-2566

GL87\_P

HOW HELPFUL SERVICES/PRO #1

How helpful was this service from your (PROVIDER #1 FROM L86a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	3	0	NOT AT ALL
36.7	0.7	22	1	SOMEWHAT
58.3	1.1	35	2	VERY HELPFUL
	97.5	3,101	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2567-2568

**GL88\_01** **DEALT W/TRAIN FOR SPECIFIC JOB/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with training for a specific job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2569-2570

**GL88\_02** **DEALT W/HELP FIND JOB/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with finding a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2571-2572

**GL88\_03** **DEALT W/SOMETHING ELSE/COUNSELING/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with something else like counseling or vocational testing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	95.6	3,041	-9	LEGITIMATE SKIP
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2573-2574

**GL88\_B****CURRENTLY ENROLLED IN THIS TRAINING**

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	4	2	NO
	95.6	3,041	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2575-2576

**GL88\_C****RECEIVE DEGREE/DIPLOMA/CERTI**

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2577-2578

<b>GL88_D</b>	<b>WHICH WILL YOU RECEIVE</b>
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
100.0	0.0	1	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2579-2580

<b>GL88_E</b>	<b>#TIMES/ATTEND TRAINING W/PRO #2</b>
---------------	--

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	0	
50.0	0.1	2	1	
25.0	0.0	1	2	
	95.6	3,041	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2581-2582

<b>GL88_F</b>	<b>HOW HELPFUL TRAINING/PRO #2</b>
---------------	------------------------------------

How helpful was this training from your (PROVIDER #2 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
66.7	0.1	2	1	SOMEWHAT
33.3	0.0	1	2	VERY HELPFUL
	95.6	3,041	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2583-2584

<b>GL88_G_1</b>	<b>HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #2</b>
-----------------	---

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2585-2586

**GL88\_G\_2**                      **HELP FIND JOB/RESUME WRITING/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2587-2588

**GL88\_G\_3**                      **HELP FIND JOB/INTERVIEW SKILLS/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2589-2590

GL88\_G\_4

HELP FIND JOB/JOB REFERRAL/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2591-2592

GL88\_G\_5

HELP FIND JOB/REFERRAL PUB AGCY/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2593-2594

**GL88\_G\_6**                      **HELP FIND JOB/REFERRAL PRIV AGCY/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2595-2596

**GL88\_G\_7**                      **HELP FIND JOB/PLACEMENT IN JOB/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2597-2598

**GL88\_G\_8****HELP FIND JOB/OTHER/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	8	CIRCLED
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2599-2600

**GL88\_H****#TIMES/MET W/PRO #2/TO FIND JOB**

How many times have you met with your (PROVIDER #2 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2601-2602

<b>GL88_I</b>	<b>#MINUTES/MTGS LAST</b>
---------------	---------------------------

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2603-2604

<b>GL88_J</b>	<b>HOW HELPFUL SERVICES/PRO #2</b>
---------------	------------------------------------

How helpful was the service from your (PROVIDER #2 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2605-2606

**GL88\_K****DID YOU FIND JOB**

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	95.7	3,044	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2607-2608

**GL88\_L\_1****TYPE HELP/VOCATIONAL TEST ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2609-2610

**GL88\_L\_2**                      **TYPE HELP/VOCATIONAL COUNSELING/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2611-2612

**GL88\_L\_3**                      **TYPE HELP/PUB AGCY VOCA ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public agency for vocational testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2613-2614

**GL88\_L\_4****TYPE HELP/PRIV AGCY VOCA ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2615-2616

**GL88\_L\_5****TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2617-2618

**GL88\_L\_6**                      **TYPE HELP/OTHER/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2619-2620

**GL88\_M**                      **SESSIONS W/PRO #2**

Have the sessions with your (PROVIDER #2 FROM 86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALL INDIVIDUAL
0.0	0.0	0	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2621-2622

<b>GL88_N</b>	<b>#TIMES/MET FOR HELP/PRO #2</b>
---------------	-----------------------------------

How many times have you met with your (PROVIDER #2 FROM 86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2623-2624

<b>GL88_O</b>	<b>#MINUTES/MTGS LAST</b>
---------------	---------------------------

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2625-2626

<b>GL88_P</b>	<b>HOW HELPFUL SERVICES/PRO #2</b>
---------------	------------------------------------

How helpful was this service from your (PROVIDER #2 FROM L86a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	NOT AT ALL
	0.0	0	1	SOMEWHAT
	0.0	0	2	VERY HELPFUL
	95.8	3,045	-9	LEGITIMATE SKIP
	4.2	135	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2627-2628



<b>GL89_A_2</b>	<b>REC'D SVCS/DVR/OVR/VESID</b>
-----------------	---------------------------------

Where have you received these services?

DVR / OVR/ VESID.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	2	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.1	68	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2633-2634

<b>GL89_A_3</b>	<b>REC'D SVCS/JTPA/PIC</b>
-----------------	----------------------------

Where have you received these services?

JTPA / PIC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	3	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2635-2636

<b>GL89_A_4</b>	<b>REC'D SVCS/PUB EMPLOYMENT AGENCY</b>
-----------------	---

Where have you received these services?

Public employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	4	CIRCLED
	97.3	3,095	-9	LEGITIMATE SKIP
	2.4	77	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2637-2638

<b>GL89_A_5</b>	<b>REC'D SVCS/PRIV EMPLOYMENT AGENCY</b>
-----------------	--

Where have you received these services?

Private employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2639-2640

GL89\_A\_6

REC'D SVCS/BUSINESS ORGANIZATION

Where have you received these services?

Business organization (Chamber of Commerce, Urban League, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2641-2642

GL89\_A\_7

REC'D SVCS/TECH SCH/COMMU COLLEGE

Where have you received these services?

Vocational / technical school / community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	7	CIRCLED
	97.3	3,095	-9	LEGITIMATE SKIP
	2.1	67	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2643-2644

<b>GL89_A_8</b>	<b>REC'D SVCS/CHARITABLE AGENCIES</b>
-----------------	---------------------------------------

Where have you received these services?

Charitable agencies (Catholic Charities, Jewish Family Services).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	8	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2645-2646

<b>GL89_A_9</b>	<b>REC'D SVCS/OTHER</b>
-----------------	-------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	9	CIRCLED
	97.3	3,095	-9	LEGITIMATE SKIP
	2.3	73	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2647-2648

GL89B\_1

VOCATIONAL OTHER PLACE/LOCATION #1

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.1	2	1	STATE OFFICE OF EMPLOYMENT
23.9	0.5	16	2	DVR/OVR/VESID
4.5	0.1	3	3	JTPA/PIC
10.4	0.2	7	4	PUB EMPLOYMENT/TRAINING AGENCIES
6.0	0.1	4	5	PRIV EMPLOYMENT/TRAINING AGENCIES
1.5	0.0	1	6	BUSINESS ORGANIZATIONS
26.9	0.6	18	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
7.5	0.2	5	8	CHARITABLE AGENCIES
16.4	0.3	11	9	OTHER
	97.3	3,094	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2649-2650

GL89C\_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	0.9	28	1	PROG
26.9	0.6	18	2	SOMEONE ELSE
31.3	0.7	21	3	SELF
	97.3	3,094	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2651-2652

GL89D_1	#DAYS YOU REC'D SVCS/LOC #1
---------	-----------------------------

On how many days have you received these services at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	0.6	19	1	
19.4	0.4	13	2	
7.5	0.2	5	3	
7.5	0.2	5	4	
4.5	0.1	3	5	
4.5	0.1	3	6	
1.5	0.0	1	7	
3.0	0.1	2	10	
3.0	0.1	2	12	
1.5	0.0	1	14	
1.5	0.0	1	15	
3.0	0.1	2	20	
1.5	0.0	1	24	
1.5	0.0	1	36	
1.5	0.0	1	40	
1.5	0.0	1	42	
1.5	0.0	1	48	
1.5	0.0	1	60	
1.5	0.0	1	70	
3.0	0.1	2	90	
1.5	0.0	1	99	99 OR MORE
	97.3	3,094	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2653-2654

<b>GL89E_1</b>	<b>HOW HELPFUL SERVICES/LOCATION #1</b>
----------------	---

Overall, how helpful were these services you received at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	3	0	NOT AT ALL
28.4	0.6	19	1	SOMEWHAT
67.2	1.4	45	2	VERY HELPFUL
	97.3	3,094	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2655-2656

<b>GL89F1_1</b>	<b>TALKED TO/REGULAR COUNSELOR/LOC #1</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2657-2658

**GL89F1\_2                      TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2659-2660

**GL89F111                      TALKED TO/OTHER COUNSELOR/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	11	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2661-2662

<b>GL89F112</b>	<b>TALKED TO/OTHER CASE MANAGER/LOC #1</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	12	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2663-2664

<b>GL89F113</b>	<b>TALKED TO/SOCIAL WORKER/LOC #1</b>
-----------------	---------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	13	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2665-2666

**GL89F121                      TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	21	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2667-2668

**GL89F122                      TALKED TO/PSYCHIATRIST/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2669-2670

<b>GL89F123</b>	<b>TALKED TO/NURSE/LOC #1</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2671-2672

<b>GL89F127</b>	<b>TALKED TO/VOCATIONAL COUNSELOR/LOC #1</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	34	27	CIRCLED
	97.3	3,095	-9	LEGITIMATE SKIP
	1.6	51	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2673-2674

**GL89F129                      TALKED TO/TEACHER/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	29	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
	1.2	37	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2675-2676

**GL89F171                      TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Staff from another agency who provided services at the  
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	71	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2677-2678

<b>GL89F191</b>	<b>TALKED TO/OTHER/LOC #1</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	91	CIRCLED
	97.3	3,094	-9	LEGITIMATE SKIP
	2.4	75	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2679-2680

<b>GL89G_1</b>	<b>TALKED TO FOR SERVICES/LOCATION #1</b>
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	3	1	PRIMARY/REGULAR COUNSELOR
3.2	0.1	2	2	CASE MANAGER
1.6	0.0	1	11	OTHER COUNSELOR
4.8	0.1	3	12	OTHER CASE MANAGER
1.6	0.0	1	13	SOCIAL WORKER
4.8	0.1	3	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
1.6	0.0	1	23	NURSE
48.4	0.9	30	27	VOCATIONAL COUNSELOR
8.1	0.2	5	29	TEACHER
4.8	0.1	3	71	STAFF FROM ANOTHER AGENCY
16.1	0.3	10	91	OTHER
	97.3	3,094	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2681-2682

<b>GL89B_2</b>	<b>VOCATIONAL OTHER PLACE/LOCATION #2</b>
----------------	---

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
66.7	0.1	2	4	PUB EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIV EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
0.0	0.0	0	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
33.3	0.0	1	9	OTHER
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2683-2684

<b>GL89C_2</b>	<b>WHO REFERRED YOU TO LOCATION #2</b>
----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	PROG
33.3	0.0	1	2	SOMEONE ELSE
33.3	0.0	1	3	SELF
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2685-2686

<b>GL89D_2</b>	<b>#DAYS YOU REC'D SVCS/LOC #2</b>
----------------	------------------------------------

On how many days have you received these services at  
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	2	
33.3	0.0	1	5	
33.3	0.0	1	20	
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2687-2688

<b>GL89E_2</b>	<b>HOW HELPFUL THE SERVICES/LOCATION #2</b>
----------------	---

Overall, how helpful were these services you received at  
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.0	1	1	SOMEWHAT
66.7	0.1	2	2	VERY HELPFUL
	97.4	3,096	-9	LEGITIMATE SKIP
	2.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2689-2690

**GL89F2\_1                      TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2691-2692

**GL89F2\_2                      TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2693-2694

<b>GL89F211</b>	<b>TALKED TO/OTHER COUNSELOR/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	11	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2695-2696

<b>GL89F212</b>	<b>TALKED TO/OTHER CASE MANAGER/LOC #2</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2697-2698

**GL89F213**                      **TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2699-2700

**GL89F221**                      **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2701-2702

<b>GL89F222</b>	<b>TALKED TO/PSYCHIATRIST/LOC #2</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2703-2704

<b>GL89F223</b>	<b>TALKED TO/NURSE/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2705-2706

**GL89F227                      TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	27	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2707-2708

**GL89F229                      TALKED TO/TEACHER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	1.5	47	-8	BLANK
	1.2	37	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2709-2710

<b>GL89F271</b>	<b>TALKED TO/STAFF FR OTHER AGENCY/LOC #2</b>
-----------------	---

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the  
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2711-2712

<b>GL89F291</b>	<b>TALKED TO/OTHER/LOC #2</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	84	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2713-2714

<b>GL89G_2</b>	<b>TALKED TO FOR SERVICES/LOCATION #2</b>
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
100.0	0.0	1	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.4	3,096	-9	LEGITIMATE SKIP
	2.6	83	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2715-2716

<b>GL90</b>	<b>REC'D COUNSELING/IMPROVE EDUCATION</b>
-------------	---

During the past 3 months, have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.4	459	1	YES
85.5	85.1	2,705	2	NO
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2717-2718

<b>GL91</b>	<b>REC'D SVCS AT THIS PROG</b>
-------------	--------------------------------

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	11.9	379	1	YES
16.9	2.4	77	2	NO
	85.1	2,705	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2719-2720

<b>GL92_01</b>	<b>TALKED TO/PRIMARY/REGULAR COUNSELOR</b>
----------------	--

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	14	1	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	11.9	379	-8	BLANK
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2721-2722

<b>GL92_02</b>	<b>TALKED TO/CASE MANAGER</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.4	394	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2723-2724

<b>GL92_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	11	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.1	386	-8	BLANK
	0.2	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2725-2726

**GL92\_12****TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	8.4	268	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2727-2728

**GL92\_13****TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	8.4	268	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2729-2730

<b>GL92_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	8.4	268	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2731-2732

<b>GL92_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	8.4	268	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2733-2734

**GL92\_23****TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	8.4	268	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2735-2736

**GL92\_27****TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	27	27	CIRCLED
	87.5	2,783	-9	LEGITIMATE SKIP
	11.6	370	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2737-2738

<b>GL92_29</b>	<b>TALKED TO/TEACHER</b>
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	235	29	CIRCLED
	87.5	2,784	-9	LEGITIMATE SKIP
	5.1	161	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2739-2740

<b>GL92_71</b>	<b>TALKED TO/STAFF FROM OTHER AGENCY</b>
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	93	71	CIRCLED
	87.5	2,783	-9	LEGITIMATE SKIP
	9.6	304	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2741-2742

GL92\_91

TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	91	CIRCLED
	87.5	2,784	-9	LEGITIMATE SKIP
	8.0	254	-8	BLANK
	4.0	127	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2743-2744

GL92A\_1

TALKED TO FOR SERVICES/PROVIDER #1

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	0.7	22	1	PRIMARY/REGULAR COUNSELOR
16.5	1.9	60	2	CASE MANAGER
1.1	0.1	4	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
4.4	0.5	16	27	VOCATIONAL COUNSELOR
43.1	4.9	157	29	TEACHER
25.0	2.9	91	71	STAFF FROM ANOTHER AGENCY
3.8	0.4	14	91	OTHER
	87.4	2,779	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2745-2746

<b>GL92A_2</b>	<b>TALKED TO FOR SERVICES/PROVIDER #2</b>
----------------	---

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
15.4	0.1	4	27	VOCATIONAL COUNSELOR
42.3	0.3	11	29	TEACHER
34.6	0.3	9	71	STAFF FROM ANOTHER AGENCY
3.8	0.0	1	91	OTHER
	87.6	2,785	-9	LEGITIMATE SKIP
	11.6	368	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2747-2748

<b>GL93</b>	<b>#TIMES YOU MET W/ YOUR PRO #1</b>
-------------	--------------------------------------

How many times have you met with your (PROVIDER #1 FROM L92a)?

3,180 cases (Range of valid codes: 1-300)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2749-2751

GL93\_A

#MINUTES SESSIONS LAST/PRO #1

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	2	
0.8	0.1	3	5	
0.3	0.0	1	10	
2.9	0.3	11	15	
0.8	0.1	3	20	
5.0	0.6	19	30	
0.8	0.1	3	40	
0.5	0.1	2	45	
7.9	0.9	30	60	
4.8	0.6	18	90	
10.8	1.3	41	105	
14.8	1.8	56	120	
0.5	0.1	2	135	
0.3	0.0	1	140	
20.9	2.5	79	150	
0.3	0.0	1	160	
1.1	0.1	4	165	
21.4	2.5	81	180	
0.3	0.0	1	185	
0.3	0.0	1	190	
0.3	0.0	1	195	
1.1	0.1	4	210	
0.3	0.0	1	225	
2.4	0.3	9	240	
1.1	0.1	4	300	
0.3	0.0	1	420	
	87.4	2,779	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK
	0.0	1	-5	BAD DATA

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2752-2754

<b>GL93_B_1</b>	<b>DEALT W/EDUC NEEDS ASSESSMENT/PRO #1</b>
-----------------	---

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	116	1	CIRCLED
	87.5	2,782	-9	LEGITIMATE SKIP
	8.9	282	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2755-2756

<b>GL93_B_2</b>	<b>DEALT W/ADULT BASIC EDUCATION/PRO #1</b>
-----------------	---

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	45	2	CIRCLED
	87.5	2,784	-9	LEGITIMATE SKIP
	11.0	351	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2757-2758

**GL93\_B\_3****DEALT W/PREPARATION FOR GED/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	106	3	CIRCLED
	87.5	2,782	-9	LEGITIMATE SKIP
	9.2	292	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2759-2760

**GL93\_B\_4****DEALT W/GED CLASSES/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	197	4	CIRCLED
	87.5	2,783	-9	LEGITIMATE SKIP
	6.3	200	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2761-2762

<b>GL93_B_5</b>	<b>DEALT W/TUTORING IN BASIC SKILLS/PRO #1</b>
-----------------	--

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	86	5	CIRCLED
	87.5	2,783	-9	LEGITIMATE SKIP
	9.8	311	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2763-2764

<b>GL93_B_6</b>	<b>DEALT W/REFERRAL TO SCHOOLS/PRO #1</b>
-----------------	---

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	6	CIRCLED
	87.5	2,782	-9	LEGITIMATE SKIP
	12.3	390	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2765-2766

**GL93\_B\_7****DEALT W/GEN COUNSELING ABOUT EDUC/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	7	CIRCLED
	87.5	2,784	-9	LEGITIMATE SKIP
	12.1	385	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2767-2768

**GL93\_B\_8****DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	8	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	11.9	377	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2769-2770



<b>GL94_A</b>	<b>#MINUTES SESSIONS LAST/PRO #1</b>
---------------	--------------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	2	15	
4.5	0.0	1	20	
9.1	0.1	2	30	
22.7	0.2	5	60	
9.1	0.1	2	90	
27.3	0.2	6	120	
4.5	0.0	1	150	
9.1	0.1	2	180	
4.5	0.0	1	300	
	87.6	2,785	-9	LEGITIMATE SKIP
	11.7	373	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2775-2777

<b>GL94_B_1</b>	<b>DEALT W/EDUC NEEDS ASSESSMENT/PRO #2</b>
-----------------	---

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.3	392	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2778-2779

**GL94\_B\_2**                      **DEALT W/ADULT BASIC EDUCATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2780-2781

**GL94\_B\_3**                      **DEALT W/PREPARATION FOR GED/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.3	390	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2782-2783

<b>GL94_B_4</b>	<b>DEALT W/GED CLASSES/PRO #2</b>
-----------------	-----------------------------------

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	4	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.2	389	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2784-2785

<b>GL94_B_5</b>	<b>DEALT W/TUTORING IN BASIC SKILLS/PRO #2</b>
-----------------	--

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	5	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.1	385	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2786-2787

**GL94\_B\_6**                      **DEALT W/REFERRAL TO SCHOOLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.4	393	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2788-2789

**GL94\_B\_7**                      **DEALT W/GEN COUNSELING ABOUT EDUC/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	7	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.4	394	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2790-2791

**GL94\_B\_8****DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	87.6	2,785	-9	LEGITIMATE SKIP
	12.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2792-2793

**GL94\_C****HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L92a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
9.1	0.1	2	1	SOMEWHAT
90.9	0.6	20	2	VERY HELPFUL
	87.6	2,785	-9	LEGITIMATE SKIP
	11.7	373	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2794-2795



<b>GL95_A_2</b>	<b>REC'D SVCS/JR. COMMU COLLEGE</b>
-----------------	-------------------------------------

Where (else) have you received these services?

Junior community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	2	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	2.8	89	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2800-2801

<b>GL95_A_3</b>	<b>REC'D SVCS/FOUR-YR COLLEGE PROG</b>
-----------------	--

Where (else) have you received these services?

Four-year college or graduate program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	3	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.2	103	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2802-2803

<b>GL95_A_4</b>	<b>REC'D SVCS/PRIV EDUC PROG</b>
-----------------	----------------------------------

Where (else) have you received these services?

Private education program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	4	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	104	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2804-2805

<b>GL95_A_5</b>	<b>REC'D SVCS/PUB AGENCIES</b>
-----------------	--------------------------------

Where (else) have you received these services?

Public agencies (vocational rehabilitation, employment service).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	21	5	CIRCLED
	96.6	3,072	-9	LEGITIMATE SKIP
	2.7	87	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2806-2807

**GL95\_A\_6****REC'D SVCS/OTHER**

Where (else) have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	6	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	2.8	88	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2808-2809

**GL95B\_1****EDUCATION OTHER PLACE/LOCATION #1**

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.6	18	1	PUB SCHOOL SYSTEM
22.2	0.6	18	2	JUNIOR COMMUNITY COLLEGE
4.9	0.1	4	3	FOUR YR COLLEGE/GRADUATE PROG
2.5	0.1	2	4	PRIV EDUCATION PROG
23.5	0.6	19	5	PUB AGENCIES
24.7	0.6	20	6	OTHER
	96.6	3,072	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2810-2811

GL95C_1	WHO REFERRED YOU TO LOCATION #1
---------	---------------------------------

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	1.2	39	1	PROG
19.8	0.5	16	2	SOMEONE ELSE
32.1	0.8	26	3	SELF
	96.6	3,072	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2812-2813

GL95D_1	#DAYS YOU REC'D SVCS/LOC #1
---------	-----------------------------

On how many days have you received these services at  
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	1	0	
13.6	0.3	11	1	
3.7	0.1	3	2	
6.2	0.2	5	3	
8.6	0.2	7	4	
4.9	0.1	4	5	
4.9	0.1	4	6	
2.5	0.1	2	8	
1.2	0.0	1	9	
1.2	0.0	1	10	
2.5	0.1	2	12	
4.9	0.1	4	15	
3.7	0.1	3	16	
3.7	0.1	3	18	
3.7	0.1	3	20	
2.5	0.1	2	21	
7.4	0.2	6	24	
1.2	0.0	1	27	
2.5	0.1	2	30	
1.2	0.0	1	36	
1.2	0.0	1	39	
1.2	0.0	1	40	
1.2	0.0	1	45	
3.7	0.1	3	48	
1.2	0.0	1	54	
2.5	0.1	2	60	
1.2	0.0	1	64	
1.2	0.0	1	65	
3.7	0.1	3	90	
1.2	0.0	1	91	
	96.6	3,072	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2814-2815

**GL95E\_1                      HOW HELPFUL THE SERVICES/LOCATION #1**

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.1	4	0	NOT AT ALL
7.6	0.2	6	1	SOMEWHAT
87.3	2.2	69	2	VERY HELPFUL
	96.6	3,072	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2816-2817

**GL95F1\_1                      TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	104	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2818-2819

<b>GL95F1_2</b>	<b>TALKED TO/CASE MANAGER/LOC #1</b>
-----------------	--------------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2820-2821

<b>GL95F127</b>	<b>TALKED TO/VOCATIONAL COUNSELOR/LOC #1</b>
-----------------	--

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	27	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.1	97	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2822-2823

**GL95F129                      TALKED TO/TEACHERS IN PROG/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	47	29	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	1.9	59	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2824-2825

**GL95F171                      TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	71	CIRCLED
	96.6	3,072	-9	LEGITIMATE SKIP
	2.7	87	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2826-2827

<b>GL95F191</b>	<b>TALKED TO/OTHER/LOC #1</b>
-----------------	-------------------------------

Who have you talked to or seen for these services at  
(LOCATION - 1st mention)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	91	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.2	102	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2828-2829

<b>GL95G_1</b>	<b>MOST FREQUENT PROVIDER/LOCATION #1</b>
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	1	PRIMARY/REGULAR COUNSELOR
1.4	0.0	1	2	CASE MANAGER
10.8	0.3	8	27	PROG VOCATIONAL COUNSELOR
55.4	1.3	41	29	TEACHER
25.7	0.6	19	71	STAFF FROM ANOTHER AGENCY
5.4	0.1	4	91	OTHER PROG STAFF
	96.6	3,072	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2830-2831

<b>GL95B_2</b>	<b>EDUCATION OTHER PLACE/LOCATION #2</b>
----------------	--

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PUB SCHOOL SYSTEM
0.0	0.0	0	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YR COLLEGE/GRADUATE PROG
50.0	0.0	1	4	PRIV EDUCATION PROG
50.0	0.0	1	5	PUB AGENCIES
0.0	0.0	0	6	OTHER
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2832-2833

<b>GL95C_2</b>	<b>WHO REFERRED YOU TO LOCATION #2</b>
----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
50.0	0.0	1	2	SOMEONE ELSE
50.0	0.0	1	3	SELF
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2834-2835

<b>GL95D_2</b>	<b>#DAYS YOU REC'D SVCS/LOC #2</b>
----------------	------------------------------------

On how many days have you received these services at  
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	
50.0	0.0	1	64	
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2836-2837

<b>GL95E_2</b>	<b>HOW HELPFUL THE SERVICES/LOCATION #2</b>
----------------	---

Overall, how helpful were these services you received at  
(LOCATION - 2nd mention)? Were they not at all helpful,  
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	2	2	VERY HELPFUL
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2838-2839

**GL95F2\_1                      TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2840-2841

**GL95F2\_2                      TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2842-2843

**GL95F227****TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2844-2845

**GL95F229****TALKED TO/TEACHERS IN PROG/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	29	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2846-2847

**GL95F271                      TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2848-2849

**GL95F291                      TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at  
(LOCATION - 2nd mention)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	91	CIRCLED
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2850-2851

**GL95G\_2****MOST FREQUENT PROVIDER/LOCATION #2**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
50.0	0.0	1	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
50.0	0.0	1	91	OTHER PROG STAFF
	96.6	3,073	-9	LEGITIMATE SKIP
	3.3	105	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2852-2853

**GL96****REC'D SVCS/HELP W/LEGAL PROB**

During the past 3 months, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	233	1	YES
92.6	92.2	2,931	2	NO
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2854-2855

<b>GL97</b>	<b>DID YOU GET SERVICES AT THIS PROG</b>
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	3.9	125	1	YES
44.7	3.2	101	2	NO
	92.2	2,931	-9	LEGITIMATE SKIP
	0.7	23	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2856-2857

<b>GL98_01</b>	<b>TALKED TO/PRIMARY/REGULAR COUNSELOR</b>
----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	1	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.0	94	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2858-2859

**GL98\_02****TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.4	107	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2860-2861

**GL98\_11****TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	11	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.4	109	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2862-2863

<b>GL98_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.4	109	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2864-2865

<b>GL98_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	13	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.4	108	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2866-2867

<b>GL98_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2868-2869

<b>GL98_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2870-2871

<b>GL98_23</b>	<b>TALKED TO/NURSE</b>
----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2872-2873

<b>GL98_27</b>	<b>TALKED TO/VOCATIONAL COUNSELOR</b>
----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2874-2875

**GL98\_28****TALKED TO/CERT FAM COUNS**

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2876-2877

**GL98\_29****TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.5	110	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2878-2879

**GL98\_71 TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	20	71	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	2.8	90	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2880-2881

**GL98\_91 TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	64	91	CIRCLED
	95.3	3,030	-9	LEGITIMATE SKIP
	1.6	50	-8	BLANK
	1.1	36	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2882-2883

GL98A\_1

TALKED TO FOR SERVICES/PROVIDER #1

Which 2 did you see most frequently? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	1.2	37	1	PRIMARY/REGULAR COUNSELOR
3.9	0.2	5	2	CASE MANAGER
1.6	0.1	2	4	
0.8	0.0	1	11	OTHER COUNSELOR
0.8	0.0	1	12	OTHER CASE MANAGER
1.6	0.1	2	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
15.5	0.6	20	71	STAFF FROM ANOTHER AGENCY
47.3	1.9	61	91	OTHER
	95.3	3,030	-9	LEGITIMATE SKIP
	0.6	20	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2884-2885

GL98A_2	TALKED TO FOR SERVICES/PROVIDER #2
---------	------------------------------------

Which 2 did you see most frequently? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.1	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
12.5	0.0	1	71	STAFF FROM ANOTHER AGENCY
50.0	0.1	4	91	OTHER
	95.4	3,034	-9	LEGITIMATE SKIP
	4.3	138	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2886-2887

<b>GL99</b>	<b>#TIMES YOU MET W/PRO #1</b>
-------------	--------------------------------

How many times have you met with your (PROVIDER #1 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	1.1	35	1	
28.7	1.2	39	2	
16.2	0.7	22	3	
11.8	0.5	16	4	
4.4	0.2	6	5	
2.2	0.1	3	6	
1.5	0.1	2	7	
1.5	0.1	2	8	
2.9	0.1	4	10	
2.9	0.1	4	12	
0.7	0.0	1	14	
0.7	0.0	1	15	
0.7	0.0	1	99	99 OR MORE
	95.2	3,028	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2888-2889

<b>GL99_A_1</b>	<b>SERVICE RECEIVE/REPRESENT IN CIVIL CASE</b>
-----------------	--

What types of services or help have you received?

Representation in a civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	16	1	CIRCLED
	95.4	3,033	-9	LEGITIMATE SKIP
	4.1	131	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2890-2891

**GL99\_A\_2**                      **SERVICE RECEIVE/REPRESENT/CRIM CASE**

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	30	2	CIRCLED
	95.4	3,033	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2892-2893

**GL99\_A\_3**                      **SERVICE RECEIVE/ASSISTANCE W/PROBATION**

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	73	3	CIRCLED
	95.3	3,031	-9	LEGITIMATE SKIP
	2.4	76	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2894-2895

**GL99\_A\_4****SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL**

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	4	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2896-2897

**GL99\_A\_5****SERVICE RECEIVE/REFERRAL TO LAWYER AID**

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.5	142	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2898-2899

**GL99\_A\_6 SERVICE RECEIVE/OTHER**

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	29	6	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	3.7	117	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2900-2901

**GL99\_B HOW HELPFUL THE SERVICES**

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.4	14	0	NOT AT ALL
18.0	0.8	24	1	SOMEWHAT
71.4	3.0	95	2	VERY HELPFUL
	95.3	3,029	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2902-2903

<b>GL100</b>	<b>#TIMES YOU MET W/PRO #2</b>
--------------	--------------------------------

How many times have you met with your (PROVIDER #2 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	
16.7	0.0	1	2	
16.7	0.0	1	3	
16.7	0.0	1	4	
16.7	0.0	1	5	
16.7	0.0	1	12	
	95.4	3,034	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2904-2905

<b>GL100A_1</b>	<b>SERVICE RECEIVE/REPRESENT IN CIVIL CASE</b>
-----------------	--

What types of services or help have you received?

Representation in a civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2906-2907

**GL100A\_2                      SERVICE RECEIVE/REPRESENT/CRIM CASE**

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2908-2909

**GL100A\_3                      SERVICE RECEIVE/ASSISTANCE W/PROBATION**

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	3	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.5	143	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2910-2911

<b>GL100A_4</b>	<b>SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL</b>
-----------------	--

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2912-2913

<b>GL100A_5</b>	<b>SERVICE RECEIVE/REF TO LAWYER/LEGAL AID</b>
-----------------	--

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2914-2915

<b>GL100A_6</b>	<b>SERVICE RECEIVE/OTHER</b>
-----------------	------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.4	3,034	-9	LEGITIMATE SKIP
	4.6	146	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2916-2917

<b>GL100_B</b>	<b>HOW HELPFUL THE SERVICES</b>
----------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	NOT AT ALL
16.7	0.0	1	1	SOMEWHAT
66.7	0.1	4	2	VERY HELPFUL
	95.4	3,034	-9	LEGITIMATE SKIP
	4.4	140	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2918-2919

**GL101****REC'D SVCS/OTHER PLACE/LEGAL PROB**

During the past 3 months, have you received any scheduled services at some place other than this program specifically to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	3.5	110	1	YES
58.2	4.8	153	2	NO
	91.2	2,900	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2920-2921

**GL101A\_1****TALKED TO/TASC PROG STAFF**

Who have you talked to or seen for these services?

TASC program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	96.1	3,055	-9	LEGITIMATE SKIP
	3.9	124	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2922-2923

**GL101A\_2                      TALKED TO/PAROLE/PROBATION OFFICER**

Who have you talked to or seen for these services?

Parole or probation officer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	2	CIRCLED
	96.1	3,055	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2924-2925

**GL101A\_3                      TALKED TO/PRIV LAWYER**

Who have you talked to or seen for these services?

Private lawyer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	35	3	CIRCLED
	96.1	3,055	-9	LEGITIMATE SKIP
	2.8	90	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2926-2927

<b>GL101A_4</b>	<b>TALKED TO/LEGAL AID</b>
-----------------	----------------------------

Who have you talked to or seen for these services?

Legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	4	CIRCLED
	96.1	3,055	-9	LEGITIMATE SKIP
	3.3	106	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2928-2929

<b>GL101A_5</b>	<b>TALKED TO/PUB DEFENDER</b>
-----------------	-------------------------------

Who have you talked to or seen for these services?

Public defender or court-appointed counsel.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	30	5	CIRCLED
	96.1	3,055	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2930-2931

**GL101A\_6                      TALKED TO/OTHER LEGAL**

Who have you talked to or seen for these services?

Other legal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	6	CIRCLED
	96.0	3,054	-9	LEGITIMATE SKIP
	3.8	120	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2932-2933

**GL101B\_1                      LEGAL OTHER PLACE - PROVIDER #1**

Which 2 did you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	3	1	TASC PROG STAFF
14.8	0.5	16	2	PAROLE OR PROBATION OFFICER
34.3	1.2	37	3	PRIV LAWYER
15.7	0.5	17	4	LEGAL AID
25.9	0.9	28	5	PUB DEFENDR/COURT APPOINTD COULSL
6.5	0.2	7	6	OTHER LEGAL
	96.0	3,054	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2934-2935

<b>GL101C_1</b>	<b>WHO REFERRED YOU TO PROVIDER #1</b>
-----------------	--

Who referred you to the (PROVIDER - 1st mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	0.5	17	1	PROG
42.6	1.4	46	2	SOMEONE ELSE
41.7	1.4	45	3	SELF
	96.0	3,054	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2936-2937

<b>GL101D_1</b>	<b>#DAYS YOU REC'D SVCS/PRO #1</b>
-----------------	------------------------------------

On how many days have you received these services from the (PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	1.3	41	1	
22.2	0.8	24	2	
14.8	0.5	16	3	
8.3	0.3	9	4	
6.5	0.2	7	5	
2.8	0.1	3	6	
0.9	0.0	1	8	
1.9	0.1	2	10	
1.9	0.1	2	12	
0.9	0.0	1	13	
0.9	0.0	1	24	
0.9	0.0	1	40	
	96.0	3,054	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2938-2939

**GL101E\_1                      HOW HELPFUL THE SERVICES/PRO #1**

Overall, how helpful were these services you received from  
(PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	0.4	14	0	NOT AT ALL
23.9	0.8	26	1	SOMEWHAT
63.3	2.2	69	2	VERY
	96.0	3,054	-9	LEGITIMATE SKIP
	0.5	17	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2940-2941

**GL101B\_2                      LEGAL OTHER PLACE - PROVIDER #2**

Which 2 did you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROG STAFF
33.3	0.1	3	2	PAROLE OR PROBATION OFFICER
0.0	0.0	0	3	PRIV LAWYER
11.1	0.0	1	4	LEGAL AID
44.4	0.1	4	5	PUB DEFENDER/CT APPTD COUNSEL
11.1	0.0	1	6	OTHER LEGAL
	96.1	3,055	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2942-2943

<b>GL101C_2</b>	<b>WHO REFERRED YOU TO PROVIDER #2</b>
-----------------	--

Who referred you to the (PROVIDER - 2nd mention)? Was it a staff member at this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	1	PROG
77.8	0.2	7	2	SOMEONE ELSE
11.1	0.0	1	3	SELF
	96.1	3,055	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2944-2945

<b>GL101D_2</b>	<b>#DAYS YOU REC'D SVCS/PRO #2</b>
-----------------	------------------------------------

On how many days have you received these services from the (PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	1	
33.3	0.1	3	2	
11.1	0.0	1	3	
11.1	0.0	1	4	
22.2	0.1	2	5	
	96.1	3,055	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2946-2947

**GL101E\_2                      HOW HELPFUL THE SERVICES/PRO #2**

Overall, how helpful were these services you received from  
(PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
77.8	0.2	7	1	SOMEWHAT
22.2	0.1	2	2	VERY HELPFUL
	96.1	3,055	-9	LEGITIMATE SKIP
	3.6	116	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2948-2949

**GL102                              REC'D SVCS/HELP FINANCIAL PROB**

During the past 3 months, have you received any scheduled  
services to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	343	1	YES
89.2	88.9	2,826	2	NO
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2950-2951

**GL103                              DID YOU GET SERVICES AT PROG**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	5.8	186	1	YES
43.6	4.5	144	2	NO
	88.7	2,822	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2952-2953

<b>GL104_01</b>	<b>TALKED TO/PRIMARY/REGULAR COUNSELOR</b>
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	1	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	3.8	122	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2954-2955

<b>GL104_02</b>	<b>TALKED TO/CASE MANAGER</b>
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2956-2957

<b>GL104_11</b>	<b>TALKED TO/OTHER COUNSELOR</b>
-----------------	----------------------------------

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	11	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	126	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2958-2959

<b>GL104_12</b>	<b>TALKED TO/OTHER CASE MANAGER</b>
-----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	12	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	3.9	124	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2960-2961

<b>GL104_13</b>	<b>TALKED TO/SOCIAL WORKER</b>
-----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	13	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	3.9	123	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2962-2963

<b>GL104_21</b>	<b>TALKED TO/PSYCHOLOGIST</b>
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2964-2965

<b>GL104_22</b>	<b>TALKED TO/PSYCHIATRIST</b>
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2966-2967

<b>GL104_23</b>	<b>TALKED TO/NURSE</b>
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2968-2969

GL104\_27

## TALKED TO/VOCATIONAL COUNSELOR

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	27	CIRCLED
	93.3	2,966	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2970-2971

GL104\_28

## TALKED TO/CERT FAM COUNS

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2972-2973

**GL104\_29                      TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	4.0	128	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2974-2975

**GL104\_71                      TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	71	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	3.8	122	-8	BLANK
	2.7	85	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2976-2977

GL104\_91

TALKED TO/OTHER

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	179	91	CIRCLED
	93.2	2,964	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2978-2979

GL104A\_1

TALKED TO MOST OFTEN/PROVIDER #1

Which 2 did you see or talk to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.2	7	1	PRIMARY/REGULAR COUNSELOR
0.5	0.0	1	2	CASE MANAGER
1.0	0.1	2	11	OTHER COUNSELOR
2.0	0.1	4	12	OTHER CASE MANAGER
2.5	0.2	5	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.5	0.0	1	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
3.4	0.2	7	71	STAFF FROM ANOTHER AGENCY
86.7	5.5	176	91	OTHER
	93.2	2,964	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2980-2981

<b>GL104A_2</b>	<b>TALKED TO MOST OFTEN/PROVIDER #2</b>
-----------------	---

Which 2 did you see or talk to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
100.0	0.1	2	91	OTHER
	93.3	2,966	-9	LEGITIMATE SKIP
	6.7	212	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2982-2983

<b>GL105</b>	<b>#TIMES MET W/YOUR PRO #1</b>
--------------	---------------------------------

How many times have you met with your (PROVIDER #1 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	2.0	63	1	
24.3	1.6	50	2	
21.8	1.4	45	3	
8.7	0.6	18	4	
8.7	0.6	18	5	
3.4	0.2	7	6	
1.0	0.1	2	7	
1.0	0.1	2	10	
0.5	0.0	1	20	
	93.2	2,963	-9	LEGITIMATE SKIP
	0.3	11	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2984-2985

<b>GL105A_1</b>	<b>SVC REC'D/COUNSELING</b>
-----------------	-----------------------------

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	1	CIRCLED
	93.3	2,966	-9	LEGITIMATE SKIP
	6.5	207	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2986-2987

<b>GL105A_2</b>	<b>SVC REC'D/ASSIST W/BUDGET</b>
-----------------	----------------------------------

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	2	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.1	195	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2988-2989

**GL105A\_3                    SVC REC'D/REFERRAL TO AGENCY**

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	120	3	CIRCLED
	93.2	2,965	-9	LEGITIMATE SKIP
	3.0	95	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2990-2991

**GL105A\_4                    SVC REC'D/EMERGENCY FUNDS**

What types of services or help have you received?

Emergency or toher special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	212	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2992-2993

<b>GL105A_5</b>	<b>SVC REC'D/CONCRETE SERVICES</b>
-----------------	------------------------------------

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	5	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.6	210	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2994-2995

<b>GL105A_6</b>	<b>SVC REC'D/OTHER</b>
-----------------	------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	78	6	CIRCLED
	93.3	2,966	-9	LEGITIMATE SKIP
	4.3	136	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2996-2997

**GL105\_B                      HOW HELPFUL THE SERVICES**

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	0.8	25	0	NOT AT ALL
21.7	1.4	43	1	SOMEWHAT
65.7	4.1	130	2	VERY HELPFUL
	93.2	2,964	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2998-2999

**GL106                              #TIMES YOU MET W/PRO #2**

How many times have you met with your (PROVIDER #2 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3000-3001

**GL106A\_1                      SVC REC'D/COUNSELING**

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3002-3003

<b>GL106A_2</b>	<b>SVC REC'D/ASSIST W/BUDGET</b>
-----------------	----------------------------------

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3004-3005

<b>GL106A_3</b>	<b>SVC REC'D/REFERRAL TO AGENCY</b>
-----------------	-------------------------------------

What types of services or help have you received?

Veterans Affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3006-3007

**GL106A\_4                      SVC REC'D/EMERGENCY FUNDS**

What types of services or help have you received?

Emergency or toher special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3008-3009

**GL106A\_5                      SVC REC'D/CONCRETE SERVICES**

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3010-3011

<b>GL106A_6</b>	<b>SVC REC'D/OTHER</b>
-----------------	------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3012-3013

<b>GL106_B</b>	<b>HOW HELPFUL THE SERVICES</b>
----------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	93.3	2,967	-9	LEGITIMATE SKIP
	6.7	213	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3014-3015



<b>GL107A52</b>	<b>REC'D SVCS/VOCATIONAL REHABILIT</b>
-----------------	--

Where have you received these services?

Vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	52	CIRCLED
	92.0	2,925	-9	LEGITIMATE SKIP
	8.0	254	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3020-3021

<b>GL107A53</b>	<b>REC'D SVCS/VETERANS AFFAIRS</b>
-----------------	------------------------------------

Where have you received these services?

Veterans Affairs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	53	CIRCLED
	92.0	2,925	-9	LEGITIMATE SKIP
	8.0	254	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3022-3023

<b>GL107A54</b>	<b>REC'D SVCS/SOCIAL SECURITY</b>
-----------------	-----------------------------------

Where have you received these services?

Social Security.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	82	54	CIRCLED
	91.9	2,923	-9	LEGITIMATE SKIP
	5.5	175	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3024-3025

<b>GL107A91</b>	<b>REC'D SVCS/OTHER</b>
-----------------	-------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	12	91	CIRCLED
	92.0	2,925	-9	LEGITIMATE SKIP
	7.6	243	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3026-3027

<b>GL107B_1</b>	<b>FINANCIAL OTHER PLACE/LOCATION #1</b>
-----------------	--

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	4.9	155	51	SOCIAL SERVICES
0.4	0.0	1	52	VOCATIONAL REHABILITATION
0.8	0.1	2	53	VETERANS AFFAIRS
30.0	2.3	73	54	SOCIAL SECURITY
4.9	0.4	12	91	OTHER
	91.9	2,922	-9	LEGITIMATE SKIP
	0.4	14	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3028-3029

<b>GL107C_1</b>	<b>WHO REFERRED YOU TO LOCATION #1</b>
-----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	6.1	193	1	PROG
2.6	0.2	6	2	SOMEONE ELSE
13.5	1.0	31	3	SELF
	91.9	2,922	-9	LEGITIMATE SKIP
	0.8	27	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3030-3031

<b>GL107D_1</b>	<b>#DAYS YOU REC'D SVCS/LOC #1</b>
-----------------	------------------------------------

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	6.2	198	1	
10.7	0.8	26	2	
4.5	0.3	11	3	
0.8	0.1	2	4	
1.2	0.1	3	7	
0.4	0.0	1	15	
0.4	0.0	1	91	
	91.9	2,922	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3032-3033

<b>GL107E_1</b>	<b>HOW HELPFUL THE SERVICES/LOCATION #1</b>
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	0.4	14	0	NOT AT ALL
21.1	1.5	49	1	SOMEWHAT
72.8	5.3	169	2	VERY HELPFUL
	91.9	2,922	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3034-3035

<b>GL107B_2</b>	<b>FINANCIAL OTHER PLACE/LOCATION #2</b>
-----------------	--

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.1	3	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
72.7	0.3	8	54	SOCIAL SECURITY
0.0	0.0	0	91	OTHER
	92.0	2,925	-9	LEGITIMATE SKIP
	7.7	244	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3036-3037

<b>GL107C_2</b>	<b>WHO REFERRED YOU TO LOCATION #2</b>
-----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	4	1	PROG
8.3	0.0	1	2	SOMEONE ELSE
58.3	0.2	7	3	SELF
	92.0	2,925	-9	LEGITIMATE SKIP
	7.6	243	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3038-3039

<b>GL107D_2</b>	<b>#DAYS YOU REC'D SVCS/LOC #2</b>
-----------------	------------------------------------

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.3	8	1	
18.2	0.1	2	2	
9.1	0.0	1	3	
	92.0	2,925	-9	LEGITIMATE SKIP
	7.7	244	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3040-3041

<b>GL107E_2</b>	<b>HOW HELPFUL SERVICES/LOCATION #2</b>
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	4	1	SOMEWHAT
66.7	0.3	8	2	VERY HELPFUL
	92.0	2,925	-9	LEGITIMATE SKIP
	7.6	243	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3042-3043

GL108

HAD ANY COUNSELING BECAUSE OF CRISIS

During the past 3 months, have you had any counseling sessions with your counselor or any other professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.2	229	1	YES
92.8	92.4	2,938	2	NO
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3044-3045

GL108\_A

#SESSIONS YOU HAD BECAUSE OF CRISIS

During the past 3 months, how many counseling session have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	3.4	107	1	
30.1	2.2	69	2	
8.3	0.6	19	3	
5.2	0.4	12	4	
1.7	0.1	4	5	
1.7	0.1	4	6	
0.9	0.1	2	7	
0.9	0.1	2	8	
3.1	0.2	7	10	
0.4	0.0	1	12	
0.4	0.0	1	20	
0.4	0.0	1	44	
	92.4	2,938	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3046-3047

**GL108\_B                      HOW HELPFUL THE SERVICES**

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.3	10	0	NOT AT ALL
18.3	1.3	42	1	SOMEWHAT
77.3	5.6	177	2	VERY HELPFUL
	92.3	2,936	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3048-3049

**GL109                              REC'D UNSCHEDULED HELP AT THIS PROG**

During the past 3 months, have you received any unscheduled help from anyone at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.7	372	1	YES
88.2	87.7	2,789	2	NO
	0.6	19	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3050-3051

**GL110                              REC'D UNSCHEDULED HELP/REFERRED TO**

During the past 3 months, have you received any unscheduled help from anyone at a place you've been referred to by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	51	1	YES
98.4	97.6	3,105	2	NO
	0.8	24	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3052-3053

<b>GL111_A</b>	<b>UNSCHEDULED HELP/STOP ON USE OF DRUGS</b>
----------------	--

How much has the unscheduled assistance that you received helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	1.9	61	0	NOT AT ALL
28.0	3.3	106	1	SOMEWHAT
55.8	6.6	211	2	VERY MUCH
	86.9	2,764	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3054-3055

<b>GL111_B</b>	<b>UNSCHEDULED HELP W/OTHER PROBS</b>
----------------	---------------------------------------

How much has the unscheduled assistance that you received helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.4	14	0	NOT AT ALL
31.6	3.7	119	1	SOMEWHAT
64.7	7.7	244	2	VERY MUCH
	86.9	2,764	-9	LEGITIMATE SKIP
	1.2	38	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3056-3057

**GL113\_01                      REC'D HELP FROM/REGULAR COUNSELOR**

During the past 3 months, who have you received this kind of help from?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	198	1	CIRCLED
	87.0	2,766	-9	LEGITIMATE SKIP
	6.8	215	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3058-3059

**GL113\_02                      REC'D HELP FROM/CASE MANAGER**

During the past 3 months, who have you received this kind of help from?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	2	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.8	407	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3060-3061

GL113_11	REC'D HELP FROM/OTHER COUNSELOR
----------	---------------------------------

During the past 3 months, who have you received this kind of help from?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	127	11	CIRCLED
	86.9	2,765	-9	LEGITIMATE SKIP
	9.1	288	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3062-3063

GL113_12	REC'D HELP FROM/OTHER CASE MANAGER
----------	------------------------------------

During the past 3 months, who have you received this kind of help from?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	12	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.8	407	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3064-3065

**GL113\_13                      REC'D HELP FROM/SOCIAL WORKER**

During the past 3 months, who have you received this kind of help from?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	13	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.8	406	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3066-3067

**GL113\_21                      REC'D HELP FROM/PSYCHOLOGIST**

During the past 3 months, who have you received this kind of help from?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	13.0	413	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3068-3069

<b>GL113_22</b>	<b>REC'D HELP FROM/PSYCHIATRIST</b>
-----------------	-------------------------------------

During the past 3 months, who have you received this kind of help from?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	22	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.8	407	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3070-3071

<b>GL113_23</b>	<b>REC'D HELP FROM/NURSE</b>
-----------------	------------------------------

During the past 3 months, who have you received this kind of help from?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	41	23	CIRCLED
	87.0	2,766	-9	LEGITIMATE SKIP
	11.7	373	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3072-3073

**GL113\_24                      REC'D HELP FROM/PHYSICIAN**

During the past 3 months, who have you received this kind of help from?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	18	24	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3074-3075

**GL113\_25                      REC'D HELP FROM/PHYSICIAN'S ASSIST**

During the past 3 months, who have you received this kind of help from?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	25	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.9	410	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3076-3077

GL113\_26

REC'D HELP FROM/DENTIST

During the past 3 months, who have you received this kind of help from?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	13.0	413	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3078-3079

GL113\_27

REC'D HELP FROM/VOCATIONAL COUNSELOR

During the past 3 months, who have you received this kind of help from?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	27	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	10.0	317	-8	BLANK
	3.0	94	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3080-3081

**GL113\_28                      REC'D HELP FROM/CERTIFIED COUNSELOR**

During the past 3 months, who have you received this kind of help from?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	13.0	413	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3082-3083

**GL113\_29                      REC'D HELP FROM/TEACHER**

During the past 3 months, who have you received this kind of help from?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	29	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	10.0	317	-8	BLANK
	3.0	94	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3084-3085

GL113\_71

REC'D HELP FROM/STAFF FR OTHER AGENCY

During the past 3 months, who have you received this kind of help from?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	71	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	12.9	410	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3086-3087

GL113\_91

REC'D HELP FROM/OTHER

During the past 3 months, who have you received this kind of help from?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	147	91	CIRCLED
	87.0	2,767	-9	LEGITIMATE SKIP
	8.4	266	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3088-3089

**GL114\_A                      HOW OFTEN RECEIVE HELP/USE OF ALC**

During the past 3 months, how often have you received this kind of help for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	6.1	193	0	NEVER
21.5	2.5	81	1	SOME SESSIONS
12.5	1.5	47	2	MOST SESSIONS
14.9	1.8	56	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3090-3091

**GL114\_B                      HOW OFTEN RECEIVE HELP/DRUG/CAUSE PROB**

During the past 3 months, how often have you received this kind of help for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	3.7	119	0	NEVER
26.8	3.2	101	1	SOME SESSIONS
19.4	2.3	73	2	MOST SESSIONS
22.3	2.6	84	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3092-3093

## GL114\_C

## HOW OFTEN RECEIVE HELP/EMOTIONAL HEALTH

During the past 3 months, how often have you received this kind of help for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	1.8	58	0	NEVER
22.1	2.6	83	1	SOME SESSIONS
22.9	2.7	86	2	MOST SESSIONS
39.6	4.7	149	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3094-3095

## GL114\_D

## HOW OFTEN RECEIVE HELP/RELATION W/FAMILY

During the past 3 months, how often have you received this kind of help for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	2.9	92	0	NEVER
25.9	3.1	97	1	SOME SESSIONS
16.5	1.9	62	2	MOST SESSIONS
33.1	3.9	124	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3096-3097



## GL114\_G

## HOW OFTEN RECEIVE HELP/INVOLVE W/COURT

During the past 3 months, how often have you received this kind of help for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	8.3	265	0	NEVER
20.2	2.4	76	1	SOME SESSIONS
5.3	0.6	20	2	MOST SESSIONS
4.0	0.5	15	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3102-3103

## GL114\_H

## HOW OFTEN RECEIVE HELP/YOUR JOB

During the past 3 months, how often have you received this kind of help for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	8.1	259	0	NEVER
20.6	2.4	77	1	SOME SESSIONS
6.2	0.7	23	2	MOST SESSIONS
3.8	0.4	14	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.4	44	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3104-3105

**GL114\_I**

**HOW OFTEN RECEIVE HELP/LIVING EXPENSES**

During the past 3 months, how often have you received this kind of help for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	7.9	250	0	NEVER
22.7	2.7	85	1	SOME SESSIONS
6.7	0.8	25	2	MOST SESSIONS
4.0	0.5	15	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3106-3107

**GL114\_J**

**HOW OFTEN RECEIVE HELP/REDUCE RISK/AIDS**

During the past 3 months, how often have you received this kind of help for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	8.4	268	0	NEVER
21.5	2.5	81	1	SOME SESSIONS
4.3	0.5	16	2	MOST SESSIONS
2.9	0.3	11	3	EVERY SESSION
	86.9	2,762	-9	LEGITIMATE SKIP
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3108-3109

<b>GL114_K</b>	<b>ANY OTHER IMPORTANT ISSUES?</b>
----------------	------------------------------------

During the past 3 months, how often have you received this kind of help for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	1.1	34	1	YES
90.7	10.4	331	2	NO
	86.9	2,762	-9	LEGITIMATE SKIP
	1.7	53	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3110-3111

<b>GL114K_1</b>	<b>HOW OFTEN RECEIVE HELP/1ST SPECIFY</b>
-----------------	---

During the past 3 months, how often have you received this kind of help for any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.0	1	0	NEVER
44.4	0.5	16	1	SOME SESSIONS
2.8	0.0	1	2	MOST SESSIONS
50.0	0.6	18	3	EVERY SESSION
	97.3	3,093	-9	LEGITIMATE SKIP
	1.6	51	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3112-3113

**GL114K\_2                      HOW OFTEN RECEIVE HELP/2ND SPECIFY**

During the past 3 months, how often have you received this kind of help for any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
40.0	0.1	2	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
60.0	0.1	3	3	EVERY SESSION
	97.3	3,093	-9	LEGITIMATE SKIP
	2.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3114-3115

**GL114K\_3                      HOW OFTEN RECEIVE HELP/3RD SPECIFY**

During the past 3 months, how often have you received this kind of help for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
50.0	0.0	1	3	EVERY SESSION
	97.3	3,093	-9	LEGITIMATE SKIP
	2.7	85	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3116-3117

GL114K\_4

HOW OFTEN RECEIVE HELP/4TH SPECIFY

During the past 3 months, how often have you received this kind of help for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	97.3	3,093	-9	LEGITIMATE SKIP
	2.7	87	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3118-3119

<b>GL115</b>	<b>SERVICE MOST HELPFUL TO YOU</b>
--------------	------------------------------------

During the past 3 months, which of the services you have received has been most helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	60	0	NO SERVICES
19.7	19.5	621	1	REGULAR ADDICTION GROUP
7.1	7.1	225	2	OTHER GROUP COUNSELING
30.5	30.2	961	3	INDIVIDUAL COUNSELING
9.6	9.5	302	4	12-STEP/SELF-HELP GROUP
0.2	0.2	7	5	CRISIS COUNSELING
0.7	0.7	21	6	UNSCHEDULED HELP
0.7	0.7	22	7	TALKS/FILMS/DISCUSSIONS
1.4	1.4	43	8	DRUG COUNSELING
0.2	0.2	7	9	ALCOHOL COUNSELING
0.3	0.3	11	10	DRUG TESTING
0.7	0.7	23	11	PSYCHOLOGICAL/MENTAL HEALTH
1.1	1.1	34	12	FAMILY RELATIONSHIP COUNSELING
19.7	19.5	621	13	MEDICATION
0.7	0.7	21	14	MEDICAL
0.4	0.4	13	15	LEGAL
1.3	1.3	42	16	EDUCATION/JOB TRAINING
0.1	0.1	2	17	HELP FINDING A JOB
0.0	0.0	0	18	OTHER JOB ASSISTANCE
0.1	0.1	2	19	FINANCIAL ASSISTANCE
3.6	3.6	115	91	OTHER
	0.4	13	-8	BLANK
	0.4	13	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

-----  
 100.0 100.0 3,180 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3120-3121

GL116

## SERVICE LEAST HELPFUL TO YOU

During the past 3 months, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	49.2	1,564	0	NO SERVICES
4.5	4.4	139	1	REGULAR ADDICTION GROUP
7.8	7.6	242	2	OTHER GROUP COUNSELLING
6.9	6.8	215	3	INDIVIDUAL COUNSELING
5.0	4.9	156	4	12-STEP/SELF-HELP GROUP
0.4	0.4	12	5	CRISIS COUNSELING
0.4	0.3	11	6	UNSCHEDULED HELP
3.4	3.3	105	7	TALKS/FILMS/DISCUSSIONS
0.3	0.3	9	8	DRUG COUNSELING
0.9	0.8	27	9	ALCOHOL COUNSELING
3.2	3.1	98	10	DRUG TESTING
0.6	0.6	19	11	PSYCHOLOGICAL/MENTAL HEALTH
0.6	0.6	18	12	FAMILY RELATIONSHIP COUNSELING
0.4	0.3	11	13	MEDICATION
1.8	1.7	55	14	MEDICAL
1.1	1.1	34	15	LEGAL
0.9	0.9	28	16	EDUCATION/JOB TRAINING
0.8	0.8	24	17	HELP FINDING A JOB
0.2	0.2	5	18	OTHER JOB ASSISTANCE
1.5	1.5	47	19	FINANCIAL ASSISTANCE
9.0	8.7	278	91	OTHER
	1.6	50	-8	BLANK
	0.9	30	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3122-3123

**GL117 NOTICED CHANGES IN YOUR THOUGHTS/FEELING**

During the past 3 months, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	77.0	2,448	1	YES
22.0	21.7	690	2	NO
	1.3	42	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3124-3125

**GL117\_B1 1ST CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	24.8	790	1	SELF
5.6	4.3	137	2	COUNSELOR OR CASE MANAGER
0.4	0.3	9	3	ANOTHER STAFF MEMBER
1.1	0.8	26	4	ANOTHER CLIENT/RESIDENT/PATIENT
52.3	40.2	1,279	5	THE PROG OVERALL
1.7	1.3	42	6	SOMETHING/SOMEONE OUTSIDE PROG
6.7	5.2	164	7	OTHER
	21.5	683	-9	LEGITIMATE SKIP
	1.1	36	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	8	-6	MULTIPLE RESPONSE
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3126-3127

**GL117\_B2****2ND CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	15.0	478	1	SELF
7.8	4.4	139	2	COUNSELOR OR CASE MANAGER
0.7	0.4	12	3	ANOTHER STAFF MEMBER
2.0	1.1	35	4	ANOTHER CLIENT/RESIDENT/PATIENT
55.0	30.8	979	5	THE PROG OVERALL
1.7	1.0	31	6	SOMETHING/SOMEONE OUTSIDE PROG
6.0	3.3	106	7	OTHER
	21.5	685	-9	LEGITIMATE SKIP
	22.3	710	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3128-3129

**GL117\_B3****3RD CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	9.8	311	1	SELF
6.9	2.5	78	2	COUNSELOR OR CASE MANAGER
0.9	0.3	10	3	ANOTHER STAFF MEMBER
2.3	0.8	26	4	ANOTHER CLIENT/RESIDENT/PATIENT
54.3	19.2	612	5	THE PROG OVERALL
1.4	0.5	16	6	SOMETHING/SOMEONE OUTSIDE PROG
6.6	2.4	75	7	OTHER
	21.6	688	-9	LEGITIMATE SKIP
	42.8	1,361	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3130-3131

<b>GL117_B4</b>	<b>4TH CAUSE FOR CHANGE</b>
-----------------	-----------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	4.5	144	1	SELF
7.5	1.3	41	2	COUNSELOR OR CASE MANAGER
0.6	0.1	3	3	ANOTHER STAFF MEMBER
1.7	0.3	9	4	ANOTHER CLIENT/RESIDENT/PATIENT
55.0	9.4	300	5	THE PROG OVERALL
1.5	0.3	8	6	SOMETHING/SOMEONE OUTSIDE PROG
7.3	1.3	40	7	OTHER
	21.7	689	-9	LEGITIMATE SKIP
	61.1	1,943	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3132-3133

<b>GL117_B5</b>	<b>5TH CAUSE FOR CHANGE</b>
-----------------	-----------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	2.3	72	1	SELF
7.0	0.5	17	2	COUNSELOR OR CASE MANAGER
0.8	0.1	2	3	ANOTHER STAFF MEMBER
2.5	0.2	6	4	ANOTHER CLIENT/RESIDENT/PATIENT
53.5	4.1	130	5	THE PROG OVERALL
0.8	0.1	2	6	SOMETHING/SOMEONE OUTSIDE PROG
5.8	0.4	14	7	OTHER
	21.7	689	-9	LEGITIMATE SKIP
	70.6	2,245	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3134-3135

GL118

PROG TX HELP STOP YOUR DRUG USE

Now, please think about all the treatment you have received in this program during the past 3 months. Has this treatment helped you to stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	92.5	2,940	1	YES
6.5	6.4	205	2	NO
	0.8	27	-8	BLANK
	0.1	3	-4	DON'T KNOW
	0.2	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3136-3137

GL118\_A

HOW MUCH TX HAS HELPED YOU

Would you say it has helped...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.8	312	1	A LITTLE
89.5	83.2	2,646	2	A LOT
	5.8	186	-9	LEGITIMATE SKIP
	1.0	33	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3138-3139



**GL121\_A****PRESSURE TO STAY IN PROG/YOURSELF**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from yourself to stay in this program until you complete your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	33.6	1,069	0	NONE
19.6	19.5	621	1	A LITTLE
46.6	46.4	1,475	2	A LOT
	0.4	14	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3144-3145

**GL121\_B****PRESSURE TO STAY IN PROG/HUSBAND/WIFE**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from your (husband / wife / partner)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	60.2	1,913	0	NONE
13.3	11.2	355	1	A LITTLE
15.3	12.9	409	2	A LOT
	1.0	32	-8	BLANK
	0.2	6	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
	14.5	461	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3146-3147

**GL121\_C**

**PRESSURE TO STAY IN PROG/FAMILY MEMBER**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	61.7	1,963	0	NONE
16.4	16.2	514	1	A LITTLE
21.2	20.9	666	2	A LOT
	0.5	15	-8	BLANK
	0.1	2	-6	MULTIPLE RESPONSE
	0.6	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3148-3149

**GL121\_D**

**PRESSURE TO STAY IN PROG/PEOPLE IN PROG**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from people in the program, including staff and clients?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	52.7	1,676	0	NONE
17.8	17.7	562	1	A LITTLE
29.2	29.0	922	2	A LOT
	0.5	15	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3150-3151

<b>GL121_E</b>	<b>PRESSURE TO STAY IN PROG/FRIENDS</b>
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	69.6	2,214	0	NONE
16.3	16.1	512	1	A LITTLE
13.1	13.0	412	2	A LOT
	0.5	17	-8	BLANK
	0.8	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3152-3153

<b>GL121_F</b>	<b>PRESSURE TO STAY IN PROG/ANYONE ELSE</b>
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from anyone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	75.1	2,388	0	NONE
4.3	3.8	122	1	A LITTLE
11.6	10.4	330	2	A LOT
	3.1	98	-8	BLANK
	7.6	242	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3154-3155

**GL122** **HOW LIKELY/YOU TO STAY IN PROG TX**

How likely are you to stay in this program until you complete your treatment? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	74	0	NOT AT ALL
10.4	10.3	327	1	SOMEWHAT
87.3	86.6	2,754	2	VERY LIKELY
	0.7	23	-8	BLANK
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3156-3157

**GL123\_W** **#WKS/FEEL YOU NEED TO STAY IN PROG**

Not counting what others think, such as the courts, the staff here, or your family and friends, how much longer do you feel you need to stay in this program to get the help you need?

Number of weeks?

3,180 cases (Range of valid codes: 0-5,148)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3158-3161

**GL124** **HOW MUCH/COUNSELOR AGREES W/YOU/GOALS**

How much do you feel your current counselor agrees with you about what would be useful goals for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.8	154	0	NOT AT ALL
23.7	23.2	737	1	A LITTLE BIT
71.3	69.7	2,216	2	VERY MUCH
	0.5	16	-8	BLANK
	1.1	35	-4	DON'T KNOW
	0.7	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3162-3163

<b>GL125</b>	<b>HOW MUCH/COUNSELOR UNDERSTANDS/YOU/PROB</b>
--------------	--

How much does your counselor show a sincere desire to understand you and your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	125	0	NOT AT ALL
15.9	15.6	497	1	A LITTLE BIT
80.1	79.0	2,511	2	VERY MUCH
	0.6	19	-8	BLANK
	0.3	8	-4	DON'T KNOW
	0.6	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3164-3165

<b>GL126</b>	<b>HOW MUCH/COUNSELOR &amp; YOU WORK TOGETHER</b>
--------------	---

How much do you feel that you are working together with your counselor, that the two of you are joined in a struggle overcome your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	195	0	NOT AT ALL
22.1	21.8	692	1	A LITTLE BIT
71.7	70.6	2,245	2	VERY MUCH
	0.7	22	-8	BLANK
	0.2	6	-4	DON'T KNOW
	0.6	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3166-3167



<b>MINIMENTAL STATUS EXAM</b>
-------------------------------

<b>GM1</b>	<b>EVER TALKED TO DOCTOR/MEMORY PROB?</b>
------------	---

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3172-3173

<b>GM2</b>	<b>WHAT IS THE YR?</b>
------------	------------------------

Let me ask you a few questions to check your concentration and memory.

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3174-3175

**GM3** **WHAT SEASON OF THE YR?**

Let me ask you a few questions to check your concentration and memory.

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3176-3177

**GM4** **WHAT IS THE DATE?**

Let me ask you a few questions to check your concentration and memory.

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3178-3179

**GM5****WHAT IS THE DAY OF THE WEEK?**

Let me ask you a few questions to check your concentration and memory.

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3180-3181

**GM6****WHAT IS THE MONTH?**

Let me ask you a few questions to check your concentration and memory.

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3182-3183

**GM7 CAN YOU TELL WHERE WE ARE NOW?**

Let me ask you a few questions to check your concentration and memory.

Can you tell me where we are right now? For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3184-3185

**GM8 WHAT COUNTY ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (county / parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3186-3187

<b>GM9</b>	<b>WHAT CITY/TOWN ARE WE IN?</b>
------------	----------------------------------

Let me ask you a few questions to check your concentration and memory.

What (city / town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3188-3189

<b>GM10A</b>	<b>WHAT FLOOR OF BUILDING ARE WE ON?</b>
--------------	--

Let me ask you a few questions to check your concentration and memory.

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3190-3191



**GM11B****TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are...TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3196-3197

**GM11C****PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are...PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3198-3199

**GM12A** **WOULD YOU SUBTRACT 7 FROM 100**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3200-3201

**GM12B** **WOULD YOU SUBTRACT 7 FROM 93**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3202-3203

<b>GM12C</b>	<b>WOULD YOU SUBTRACT 7 FROM 86</b>
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3204-3205

<b>GM12D</b>	<b>WOULD YOU SUBTRACT 7 FROM 79</b>
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3206-3207



**GM14A****APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3212-3213

**GM14B****TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3214-3215

**GM14C** **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3216-3217

**GM15A** **SHOW WRIST WATCH/ASK/WHAT IS THIS?**

What is this called? Watch.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3218-3219

**GM15B** **SHOW PENCIL/ASK/WHAT IS THIS?**

What is this called? Pencil.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3220-3221

**GM16****REPEAT PHRASE AFTER ME**

I'd like you to repeat a phrase after me. The phrase is..."No ifs, and's or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3222-3223

**GM17****HAND 'CLOSE YOUR EYES' CARD TO RESPON**

Read the words on this page and then do what it says.  
 [HAND "CLOSE YOUR EYES" CARD TO RESPONDENT]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT READ ENGLISH
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3224-3225

**GM18A TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKES PAPER IN RIGHT HAND.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3226-3227

**GM18B FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3228-3229

**GM18C****PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3230-3231

**GM19****WRITE COMPLETE SENTENCE ON PAPER**

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT WRITE (ENGLISH)
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3232-3233

**GM20 COPY THE DRAWING ON SAME PAPER**

Here is a drawing. Please copy the drawing on the same paper.  
 [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3234-3235

**GM21 12/>12 05S CODED IN M2-M11/M14-M20?**

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3236-3237

INTERVIEWER OBSERVATIONS
--------------------------

<b>GN1</b>	<b>WERE ALL APPLICABLE QUESTIONS ANSWERED?</b>
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	93.8	2,984	1	YES
2.2	2.1	66	2	NO
	4.1	130	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3238-3239

<b>GN2</b>	<b>RESPONDENT UNDERSTOOD ALL QUESTION ASKED</b>
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTIONS(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.0	3,021	1	YES
0.9	0.8	27	2	NO
	4.2	132	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3240-3241

<b>GN2A</b>	<b># OF QUES RESPONDENT DIDN'T UNDERSTAND</b>
-------------	---

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.0	1	0	
40.0	0.2	6	1	
20.0	0.1	3	2	
6.7	0.0	1	3	
6.7	0.0	1	5	
6.7	0.0	1	6	
6.7	0.0	1	7	
6.7	0.0	1	20	
	94.9	3,019	-9	LEGITIMATE SKIP
	4.6	145	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3242-3243

<b>GN3_1_1</b>	<b>NOT UNDERSTOOD: INTELLECTUALLY UNABLE</b>
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	1	CIRCLED
	99.8	3,174	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3244-3245

<b>GN3_1_2</b>	<b>SEVERITY OF INTELLECTUAL DIFFICULTY</b>
----------------	--

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.2	5	1	MILD
37.5	0.1	3	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.7	3,172	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3246-3247

<b>GN3_2_1</b>	<b>NOT UNDERSTOOD: LANGUAGE BARRIER</b>
----------------	---

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	99.9	3,178	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3248-3249

<b>GN3_2_2</b>	<b>SEVERITY OF LANGUAGE BARRIER</b>
----------------	-------------------------------------

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.1	2	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	3,178	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3250-3251

**GN3\_3\_1 NOT UNDERSTOOD: PHYSICALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALL UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3252-3253

**GN3\_3\_2 SEVERITY OF PYHSICAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	100.0	3,180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3254-3255

**GN3\_4\_1 NOT UNDERSTOOD: OTHER**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	4	CIRCLED
	99.8	3,173	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3256-3257

GN3\_4\_2

## SEVERITY OF OTHER PROB

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	1	MILD
62.5	0.2	5	2	MODERATE
25.0	0.1	2	3	EXTREME
	99.7	3,172	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3258-3259

GN4

## WAS THE INTERVIEW A BREAK-OFF?

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	77	1	YES
97.5	93.2	2,964	2	NO
	4.4	139	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3260-3261

GN4A1

## BREAK-OFF: INTERVIEWER EMERGENCY

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	93.2	2,964	-9	LEGITIMATE SKIP
	6.7	214	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3262-3263

**GN4A2** **BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	15	2	CIRCLED
	93.2	2,963	-9	LEGITIMATE SKIP
	6.4	202	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3264-3265

**GN4A3** **BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	93.2	2,964	-9	LEGITIMATE SKIP
	6.6	211	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3266-3267

**GN4A4****BREAK-OFF:RESPONDENT ANGRY ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	93.2	2,964	-9	LEGITIMATE SKIP
	6.8	216	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3268-3269

**GN4A5****BREAK-OFF:RESPONDENT UPSET ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	93.2	2,964	-9	LEGITIMATE SKIP
	6.8	215	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3270-3271

**GN4A6** **BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	46	6	CIRCLED
	93.1	2,961	-9	LEGITIMATE SKIP
	5.4	173	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3272-3273

**GN5** **RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	30.7	977	1	EAGER
58.4	55.6	1,768	2	RECEPTIVE
5.4	5.1	162	3	NO REACTION
0.3	0.3	8	4	RELUCTANT
0.1	0.1	4	5	REFUSED
3.5	3.4	107	6	NOT DISCUSSED
	4.7	150	-8	BLANK
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3274-3275

GN6

WAS INTERVIEW GIVEN IN MORE THAN 1 SESSN

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.6	83	1	YES
97.2	92.2	2,932	2	NO
	5.2	165	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3276-3277

GN6A1

HRS OF INTERVW BFORE INTERRUPTD 1ST TME

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED  
THE FIRST TIME? HOURS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	1.7	53	0	
15.6	0.3	10	1	
1.6	0.0	1	2	
	92.1	2,928	-9	LEGITIMATE SKIP
	5.9	188	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3278-3279

<b>GN6A2</b>	<b>MINUTES OF INTERVW BEF INTERRPTD 1ST TIM</b>
--------------	---

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED  
THE FIRST TIME? MINUTES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.2	7	0	
1.4	0.0	1	9	
4.2	0.1	3	10	
1.4	0.0	1	12	
1.4	0.0	1	15	
2.8	0.1	2	20	
1.4	0.0	1	21	
1.4	0.0	1	22	
1.4	0.0	1	23	
1.4	0.0	1	25	
1.4	0.0	1	26	
13.9	0.3	10	30	
1.4	0.0	1	31	
15.3	0.3	11	35	
1.4	0.0	1	39	
6.9	0.2	5	40	
1.4	0.0	1	42	
6.9	0.2	5	45	
1.4	0.0	1	47	
1.4	0.0	1	49	
4.2	0.1	3	50	
1.4	0.0	1	51	
1.4	0.0	1	54	
4.2	0.1	3	55	
5.6	0.1	4	60	
1.4	0.0	1	62	
1.4	0.0	1	70	
1.4	0.0	1	75	
1.4	0.0	1	90	
	92.1	2,928	-9	LEGITIMATE SKIP
	5.7	180	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3280-3281

**RESPONDENT CHARACTERISTICS**

**SLFEFF3                      SELF EFFICACY SCALE**

3,180 cases (Range of valid codes: 0.0000-2.0000)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 3305-3311

**SLFEST3                      SELF-ESTEEM**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	9	5	
0.4	0.4	13	6	
0.5	0.5	17	7	
0.7	0.7	22	8	
1.5	1.5	48	9	
3.0	3.0	95	10	
5.9	5.8	186	11	
5.6	5.6	178	12	
6.6	6.5	207	13	
7.8	7.7	246	14	
9.2	9.1	289	15	
9.6	9.5	303	16	
12.5	12.4	394	17	
9.8	9.7	309	18	
7.9	7.9	250	19	
18.7	18.5	589	20	
	0.8	25	-8	BLANK

-----  
 100.0 100.0 3,180 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3312-3313

<b>SCACT3</b>	<b>STG OF CHANGE/ACTION</b>
---------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	4	
0.1	0.1	2	6	
0.1	0.1	4	7	
0.3	0.3	10	8	
0.4	0.4	13	9	
1.1	1.1	36	10	
1.8	1.8	57	11	
9.1	9.1	289	12	
8.1	8.1	257	13	
9.3	9.2	294	14	
14.8	14.7	469	15	
54.8	54.7	1,739	16	
	0.2	6	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3314-3315

<b>SCPRES3</b>	<b>STG OF CHANGE/PRECONTEMPLATION</b>
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	35.5	1,128	3	
10.9	10.8	344	4	
14.9	14.8	470	5	
17.2	17.1	543	6	
9.5	9.5	301	7	
5.5	5.5	175	8	
4.4	4.4	140	9	
0.8	0.8	24	10	
0.6	0.6	19	11	
0.6	0.6	20	12	
	0.5	16	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3316-3317

SCIDEA3	STG OF CHANGE/IDEATION			
---------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	46	3	
0.4	0.4	14	4	
1.6	1.6	52	5	
3.6	3.6	115	6	
5.5	5.5	175	7	
8.6	8.6	273	8	
22.7	22.7	721	9	
17.1	17.1	543	10	
18.9	18.9	600	11	
20.0	19.9	633	12	
	0.3	8	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3318-3319

THALLY3	THERAPEUTIC ALLIANCE			
---------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	17	0	
0.8	0.8	24	1	
1.3	1.2	39	2	
1.5	1.4	45	3	
2.4	2.3	73	4	
4.7	4.5	144	5	
5.7	5.5	176	6	
8.2	7.9	252	7	
11.4	11.0	350	8	
16.0	15.5	493	9	
47.5	45.9	1,459	10	
	3.4	108	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3320-3321

<b>TP12ST3</b>	<b>TX PHILOSPY: 12 STEP</b>
----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	6	4	
0.1	0.1	2	5	
0.2	0.2	6	6	
0.4	0.3	11	7	
0.6	0.6	19	8	
0.8	0.8	26	9	
2.0	2.0	63	10	
2.8	2.8	88	11	
6.3	6.2	198	12	
8.0	7.9	251	13	
12.0	11.8	375	14	
16.0	15.8	502	15	
50.6	49.8	1,583	16	
	1.6	50	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3322-3323

TPHELP3	TX PHILOSPY: NEED PROF HELP
---------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	52	2	
0.5	0.5	15	3	
3.0	3.0	94	4	
3.5	3.5	110	5	
20.3	20.0	637	6	
11.3	11.2	355	7	
59.8	59.2	1,881	8	
	1.1	36	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3324-3325

<b>TPSELF3</b>	<b>TX PHILOSPY: DRG PRB OWN FAULT</b>
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	3	
0.0	0.0	1	5	
0.5	0.5	16	6	
1.0	0.9	30	7	
2.6	2.5	81	8	
9.5	9.4	298	9	
9.1	9.0	285	10	
18.2	18.0	571	11	
59.1	58.4	1,858	12	
	1.2	37	-8	BLANK
-----	-----	-----		
100.0	100.0	3,180	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 3326-3327

## APPENDIX A: Publications

### 1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research*, 34(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention*, 11(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence*, 57, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence*, 57, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence*, 57, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence*, 57, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse*, 25(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

### **1999 "In Press"**

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

**1998 Publications**

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

**1997 Publications**

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

### **1995-1996 Publications**

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.