

**Drug Abuse Treatment Outcome  
Study--Adolescent (DATOS-A),  
1993-1995: [United States]**

*United States Department of Health and  
Human Services. National Institute on  
Drug Abuse*

Codebook for 12-Month Intreatment Data



## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>



## TABLE OF CONTENTS

INTRODUCTION .....	1
A. Background .....	1
B. Research Design .....	1
C. Program Sample .....	2
D. Instrumentation .....	3
E. Data Collection Procedures .....	3
F. SAMHDA Data Cleaning and Processing .....	4
G. User Responsibility .....	7
H. Processor Notes .....	7
FREQUENCIES .....	9
IDENTIFICATION .....	9
INTERVIEW INFORMATION .....	10
DEMOGRAPHICS AND BACKGROUND .....	12
TREATMENT EXPERIENCE .....	90
PRETREATMENT STATUS .....	131
EDUCATION AND TRAINING .....	190
DRUGS, ALCOHOL, AND TOBACCO USE .....	218
PSYCHOLOGICAL FUNCTIONING .....	328
ILLEGAL INVOLVEMENT .....	355
EMPLOYMENT/SUPPORT STATUS .....	402
INCOME AND EXPENDITURES .....	437
HEALTH .....	451
SEXUAL RISK BEHAVIORS .....	472
POSTTREATMENT EXPERIENCE .....	493
INTERVIEWER OBSERVATIONS .....	577
MINIMENTAL STATUS EXAM .....	588
RECODED VARIABLES: CLIENT CHARACTERISTICS .....	604
RECODED VARIABLES: SUBSTANCE USE .....	624
RECODED VARIABLES: TREATMENT .....	642
APPENDIX A: Publications .....	645



## DRUG ABUSE TREATMENT OUTCOME STUDY-ADOLESCENT

### INTRODUCTION

#### A. Background

The family of Drug Abuse Treatment Outcome Studies is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The family of Drug Abuse Treatment Outcome Studies consists of the adult component (DATOS), the adolescent component (DATOS-A), and the Cocaine Treatment Outcome Study (CTOS). DATOS-A is the first study designed specifically to conduct an in-depth, systematic investigation of the outcomes and effectiveness of drug treatment programs for adolescents.<sup>1</sup>

The major objectives of DATOS-A are to (1) develop current and more comprehensive information about the effectiveness of adolescent drug treatment; (2) investigate the characteristics of adolescents entering treatment; (3) investigate the characteristics of the structure and process of drug abuse treatment in adolescent programs; (4) assess the contributions to client outcomes of program type, client characteristics, and treatment received.

DATOS-A is a comprehensive, multiyear, multi-site prospective cohort study of clients entering treatment from 1993 to 1995. Approximately 3,400 clients from 37 programs in 6 cities were assessed at intake. Re-interviews were completed at 1, 3, and 6 months during treatment with clients who continued their treatment. A follow-up sample of about 3,000 clients (12-months after treatment) was selected for locating and interviewing in the community.

#### B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. DATOS-A used a naturalistic, longitudinal, prospective cohort design. This design is highly suitable for gathering descriptive information on study populations and for investigating causal relationships in studies based on measurement of naturally occurring events rather than planned interventions (Cook & Campbell, 1979; Singer, 1986). Moreover, this design is quite appropriate for developing baseline measures for long-term longitudinal studies of adolescents, where maturation is likely a key factor affecting behavior change (Newcomb & Bentler, 1989).

---

<sup>1</sup> Sections of the Introduction were taken from the following source: Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

### C. Program Sample

The DATOS-A study design specified a sample of programs that treated an adolescent population separately from an adult population. A further consideration was the data collection infrastructure developed for the adult study. The decision was also made to limit the sample to programs in the cities where the adult data collection was being conducted. In those locations, programs specializing in adolescent treatment and judged to be typically community-based treatment organizations in existence for at least 2 to 3 years and expected to remain as stable, viable organizations throughout the period of the study were identified. The programs with sufficient projected patient admissions of at least five patients per month were purposely selected for participation in the study. In addition, selection of programs was limited to programs committed to the research and ones that would permit efficient collection of detailed data about patient behaviors and treatment.

Six cities located in different sections of the United States were selected for DATOS-A because these cities each had a sufficient number of adolescent programs to support the DATOS research design. All six cities were medium to large metropolitan areas with established treatment systems. The selection of the six cities also enabled us to realize significant savings with respect to fieldwork costs and to obtain a more complete picture of patient characteristics and treatment services within the selected areas. The six cities also had the most experienced data collection staff members who had worked on the DATOS adult study. In most of the cities, the programs selected served most if not all the adolescents seeking treatment in the area. No programs selected to participate refused.

Programs in the sample represented the following three major modalities treating adolescents: therapeutic community or residential programs, chemical dependency or short-term inpatient programs, and outpatient drug-free programs. The programs differed primarily in their therapeutic orientation and planned duration. During the study, however, planned duration was reduced in many of the programs to address concerns about cost containment. The residential modality included traditional, modified, and short-term therapeutic community programs as well as halfway houses and shelter programs. These programs required patients to live in the treatment setting and included traditional treatment interventions along with those designed to resocialize patients. Planned duration of stay was much shorter than the long term residential treatment for adults. The planned durations initially varied from 3 months to 1 year (median = 5 months) compared to 4 months to 2 years for adult programs (median = 11 months). Short-term inpatient programs provided such treatment interventions as individual, group, and family counseling as well as 12-step counseling. Planned duration of stay was no more than 35 days, but more often it was fewer than 14 days. The outpatient drug-free modality included regular and intensive outpatient and day treatment programs. The type of program was distinguished by the range of services offered and the duration and frequency of treatment sessions. Planned duration of stay varied from 1 month to 2 years.

## D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires.

**Intake 1.** The Intake 1 Questionnaire's function was to obtain baseline measures of patient characteristics and behaviors. The instrument took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment/support status, Income and expenditures, Hostility, Empathic concern/perspective taking, and Sociability/self-worth.

**Intake 2.** The Intake 2 Questionnaire was administered approximately one week after the Intake 1 Questionnaire. This interview averaged 2 hours to complete. Because of the instrument's length and the age of the respondents, the interviewers allowed respondents frequent breaks. It contained sections on Health, Cognitive impairment, Religiosity and self-concept, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

**In-treatment.** Interviewers administered in-treatment instruments to patients 1, 3, and 6 months after admission to treatment. Patients were interviewed only if they remained in treatment at the time an interview was due. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

**Follow-up.** Interviews were administered at 12-months after treatment termination. The 12-month follow-up instrument required approximately 90 minutes to complete. The instrument focused on patient behaviors and experiences during the past 12 months. Anchors based on key events and calendars were employed to focus patients on the time periods of interest. Descriptive and behavioral measures complemented those obtained through earlier interviews.

## E. Data Collection Procedures

Trained professional data collectors were assigned the role of Program Researchers (PRs) for each participating program. PRs administered the intake and in-treatment instruments to patients within the program's physical facilities. Programs received compensation for interviewing space and clerical time required to refer new patients to the PR. During a weeklong training session, experienced trainers instructed PRs on how to work with the programs and administer the instruments. Before PRs were certified to begin interviewing, they had to demonstrate their ability to conduct the interviews. Throughout data collection, PRs were closely monitored by a continuous review of interviews received and weekly phone communication with the PRs. Each month, two interviews completed by each PR were selected randomly for quality control review. In addition, supervisors made quarterly site visits to monitor data collection.

All patients entering the selected programs who had not reached their 19<sup>th</sup> birthday at the time of admission were included in the sample frame. Data collection for admissions began during late November 1993, and the final intake assessments were completed by December 1995. Upon

admission to treatment, program staff members asked patients to speak with a PR about participating in the study. Procedures called for obtaining permission to participate in the study from a parent or guardian of anyone younger than 18 and assent from the adolescent. Informed consent was obtained directly from youth aged 18 years or older. Patients were offered \$10 for each intake or intreatment interview and \$15 for a follow-up interview.

*For a more complete discussion of the DATOS methodology, see*

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

*For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>*

## **F. SAMHDA Data Cleaning and Processing**

This is to document the steps taken to clean and process the Drug Abuse Treatment Outcome Study – Adolescent (DATOS-A) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors referenced solutions to similar problems from the DATOS-adult study and also worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve

variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS-A variables included city, treatment program, and date of birth. Overall, the data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

**City and program names:** The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-3,382.

**Date of birth:** Date of birth (DOB) was deleted from the files. Age at time of interview was also on the files and was preserved. The age variable was top-coded at 18 or older and it was bottom-coded at 12 or younger.

**Age at time of ... :** Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

**Legal status (criminal involvement) at time of admission, "Other; specify":** The details provided in "specify" were deleted; value coded as "Circled."

**Have other health plan:** Plans offered in a limited geographic area were coded as "Other."

**Occupation:** Highly detailed occupation codes were combined into larger categories.

**Race:** These codes were re-coded as "White," "Black," "Hispanic," and "Other."

**Ethnicity:** Detailed ethnicity codes and variables were collapsed or deleted.

**Description of ethnic/cultural background (Hispanic):** Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

**What other languages do you speak:** Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

**Number of children/relatives:** Many questions that ask for a number of children/relatives (e.g. number of children to whom you gave birth or fathered, number of biological brothers/sisters you have, or number of biological brothers/sisters who lived with you) were top-coded (3 or more, 6 or more, 7 or more) based on frequencies.

**Date of admission:** The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

**Date of interview:** This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

**ICD-9/DSM diagnosis codes:** These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

**Drug Names:** Variables regarding specific drugs used (e.g., primary drug used or which drug caused you this problem) had some responses that were potentially identifying. These were re-coded into major drug categories (e.g., alcohol, narcotics/opiates, inhalants, etc.).

**Number of months currently pregnant:** Re-coded by trimester.

**Reason felt worthless/sinful/guilty verbatim:** This variable had verbatim responses and was therefore deleted.

**Presence of a specific physical handicap:** Many variables related to a specific physical handicap (e.g., blindness, deafness, or over/under weight) were potentially identifying. Therefore, they were all combined into one new variable (Abnormality: Blind, Deaf, Weight, Speech Impediment, Other).

**Questions respondent did not understand:** These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

**Administrative variables:** For time checkpoint variables, the month was re-coded as quarter and day of the month was deleted. “Batch,” and all other remaining variables related to the administration of the questionnaire were deleted from the files.

**Other variables:** Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks

respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

### **G. User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

### **H. Processor Notes**

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.



**IDENTIFICATION**

**CASEID                      CASE IDENTIFICATION NUMBER**

1,785 cases (Range of valid codes: 1-3382)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

**MODALITY                      TREATMENT MODALITY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	40.7	727	1	RESIDENTIAL
34.3	34.3	613	2	SHORT-TERM INPATIENT
0.0	0.0	0	3	METHADONE MAINTENANCE
24.9	24.9	445	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Column: 105

<b>INTERVIEW INFORMATION</b>
------------------------------

<b>MDA_MO</b>	<b>DATE COMPLETED - MONTH</b>
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.8	460	1	JAN. - MARCH
20.1	20.1	359	2	APR. - JUNE
27.3	27.3	488	3	JULY - SEPT.
26.8	26.8	478	4	OCT. - DEC.
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 249

<b>MDA_YR</b>	<b>DATE COMPLETED - YEAR</b>
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.5	276	95	
39.2	39.2	700	96	
42.4	42.4	756	97	
3.0	3.0	53	98	
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 250-251

<b>MFIRE</b>	<b>FINAL RESULT CODE</b>
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	99.7	1,779	50	COMPLETED
0.2	0.2	3	51	PARTIAL
0.0	0.0	0	52	DECEASED
0.2	0.2	3	60	UNABLE TO LOCATE
0.0	0.0	0	70	REFUSAL
0.0	0.0	0	80	PHYSICALLY/MENTALLY
0.0	0.0	0	81	LANGUAGE BARRIER
0.0	0.0	0	82	INCARCERATED/ETC.
0.0	0.0	0	90	OTHER
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 252-253

<b>MTOLE</b>	<b>TOTAL LENGTH OF INTERVIEW</b>
--------------	----------------------------------

1,785 cases (Range of valid codes: 0-360)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 254-256

DEMOGRAPHICS AND BACKGROUND
-----------------------------

MA2

HOW OLD WERE YOU ON YOUR LAST BIRTHDAY?

How old were you on your last birthday?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	12	12 OR LESS
0.2	0.2	4	13	
1.6	1.6	29	14	
6.7	6.7	119	15	
15.1	15.1	269	16	
23.7	23.7	423	17	
27.4	27.4	489	18	
17.6	17.5	313	19	
6.0	6.0	107	20	
1.6	1.6	28	21	21 OR MORE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 257-258

**MA5 TYPE RESIDENCE LIVED IN PAST 12 MONTHS**

During the past 12 months, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	55.2	986	1	A ONE-FAMILY HOUSE/DUPLEX/CONDO
1.7	1.7	31	2	A MOBILE HOME OR TRAILER
29.3	29.2	521	3	APARTMENT/MULTIPLE FAMILY BLDING
0.4	0.4	8	4	HOTEL/ROOMING/BOARDING HOUSE
0.1	0.1	2	5	A HOSPITAL/MEDICAL INSTITUTION
4.8	4.8	85	6	IN JAIL/PRISON/DETENTION HOME
3.0	3.0	53	7	RESIDENTIAL DRUG TREATMENT CENTER
2.6	2.6	46	8	SOME OTHER GROUP RESIDENCE
0.6	0.6	10	9	IN A HOMELESS SHELTER
1.0	1.0	17	10	ON THE STREET
1.1	1.1	20	11	OTHER
	0.1	2	-8	MISSING
	0.2	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 259-260

**MA6 # DAYS IN RESTRICTED PLACE LAST 12 MONTHS**

In the past 12 months, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a juvenile detention home, a hospital, or a therapeutic community?

\_\_\_\_\_ NUMBER OF DAYS  
 1,785 cases (Range of valid codes: 0-510)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 261-263

**MA7****MARITAL STATUS**

Are you now married, legally separated, divorced, widowed, living with someone as married (but not legally married), or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	20	1	MARRIED
0.2	0.2	4	2	LEGALLY SEPARATED
0.1	0.1	1	3	DIVORCED
0.1	0.1	1	4	WIDOWED
3.4	3.4	61	5	LIVING WITH SOMEONE AS MARRIED
95.1	95.0	1,695	6	NEVER MARRIED
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 264-265

**MA8****LIVED WITH MOST OF TIME PAST 12 MONTHS**

During the past 12 months, who have you lived with most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	22	1	W/SPOUSE OR SEXUAL PARTNER/CHILDREN
2.5	2.5	44	2	WITH SPOUSE OR SEXUAL PARTNER ONLY
0.2	0.2	4	3	WITH CHILDREN ONLY
16.0	15.6	279	4	WITH BOTH PARENTS
20.7	20.2	361	5	WITH MOTHER ONLY
3.5	3.4	61	6	WITH FATHER ONLY
2.8	2.7	49	7	WITH PARENT(S) AND OWN CHILDREN
26.4	25.8	461	8	W/OTHER FAMILY ONLY/COMBINATN 01-07
1.3	1.3	23	9	WITH FOSTER PARENTS
3.8	3.8	67	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATE
5.4	5.3	94	11	WITH FRIENDS OR ROOMMATE ONLY
3.0	3.0	53	12	ALONE
9.9	9.7	173	13	INSTITUTION OR CLOSED FACILITY
0.6	0.6	11	14	NO STABLE ARRANGEMENTS
2.6	2.5	45	15	OTHER
	0.1	2	-8	MISSING
	2.0	36	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267

<b>MA9_0</b>	<b>CURRENTLY LIVE ALONE</b>
--------------	-----------------------------

Who do you currently live with?

Alone -> Go To A10

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	66	0	CIRCLED
	95.5	1,704	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 268-269

<b>MA9_1</b>	<b>CURRENTLY LIVE W/SPOUSE/SEXUAL PARTNER</b>
--------------	---

Who do you currently live with?

Spouse / sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	112	1	CIRCLED
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 270-271

**MA9A\_1****HOW SUPPORTIVE SPOUSE/PARTNER PAST 30 DAYS**

During the past 30 days, how supportive (was/were) your (spouse / sexual partner) of your being drug or alcohol free? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	0.6	10	0	NOT AT ALL
12.5	0.8	14	1	SOMEWHAT
78.6	4.9	88	2	VERY
	93.7	1,672	-9	LEGITIMATE NONRESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 272-273

**MA9B\_1****SPOUSE HAVE ALCOHOL PROBLEM PAST 30 DAYS**

During the past 30 days, did (spouse / sexual partner) have any problems with alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.4	8	1	YES
92.9	5.9	105	2	NO
	93.7	1,672	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 274-275

**MA9C\_1**                      **SPOUSE USE DRUGS PAST 30 DAYS**

During the past 30 days, did (spouse / sexual partner) use drugs for nonmedical reason(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.7	13	1	YES
88.5	5.6	100	2	NO
	93.7	1,672	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 276-277

**MA9D\_1**                      **PAST 12 MONTHS/SPOUSE RECEIVED DRUG TREATMENT**

During the past 12 months, had/have (spouse / sexual partner) received any treatment for drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.3	5	1	YES
95.5	6.0	107	2	NO
	93.7	1,673	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 278-279

**MA9\_2**                      **CURRENTLY LIVE WITH CHILD (REN)**

Who do you currently live with?

Child(ren).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	57	2	CIRCLED
	96.0	1,713	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 280-281

**MA9A\_2****HOW SUPPORTIVE CHILDREN PAST 30 DAYS**

During the past 30 days, how supportive (was/were) your (child(ren)) of your being drug or alcohol free? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.4	7	0	NOT AT ALL
18.4	0.4	7	1	SOMEWHAT
63.2	1.3	24	2	VERY
	96.8	1,727	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.7	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 282-283

**MA9B\_2****CHILDREN HAVE ALCOHOL PROBLEM PAST 30 DAYS**

During the past 30 days, did (child(ren)) have any problems with alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	1	1	YES
97.4	2.1	37	2	NO
	96.8	1,727	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.7	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 284-285

<b>MA9C_2</b>	<b>CHILDREN USE DRUGS PAST 30 DAYS</b>
---------------	--

During the past 30 days, did (child(ren)) use drugs for nonmedical reason(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	1	1	YES
97.4	2.1	37	2	NO
	96.8	1,727	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.7	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 286-287

<b>MA9D_2</b>	<b>PAST 12 MONTHS/CHILDREN RECEIVED DRUG TREATMENT</b>
---------------	--

During the past 12 months, has/have (child(ren)) received any treatment for drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	1	1	YES
97.4	2.1	37	2	NO
	96.8	1,727	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.7	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 288-289

**MA9\_3****CURRENTLY LIVE WITH PARENT(S)**

Who do you currently live with?

Parent(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	68.2	1,217	3	CIRCLED
	31.0	553	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-291

**MA9A\_3****HOW SUPPORTIVE PARENTS PAST 30 DAYS**

During the past 30 days, how supportive (was/were) your (parent(S)) of your being drug or alcohol free? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	4.1	73	0	NOT AT ALL
16.9	11.4	204	1	SOMEWHAT
77.1	52.2	932	2	VERY
	31.8	567	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 292-293

<b>MA9B_3</b>	<b>PARENTS HAVE ALCOHOL PROBLEM PAST 30 DAYS</b>
---------------	--

During the past 30 days, did (parent(S)) have any problems with alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	3.2	57	1	YES
95.3	64.8	1,157	2	NO
	31.8	567	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 294-295

<b>MA9C_3</b>	<b>PARENTS USE DRUGS PAST 30 DAYS</b>
---------------	---------------------------------------

During the past 30 days, did (parent(S)) use drugs for nonmedical reason(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.1	37	1	YES
96.9	65.6	1,171	2	NO
	31.8	567	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 296-297

**MA9D\_3****PAST 12 MONTHS/PARENTS RECEIVED DRUG TREATMENT**

During the past 12 months, has/have (parent(S))  
received any treatment for drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.3	41	1	YES
96.6	65.6	1,171	2	NO
	31.8	567	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 298-299

**MA9\_4****CURRENTLY LIVE W/OTHER FAMILY MEMBER(S)**

Who do you currently live with?

Other family member(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	37.3	666	4	CIRCLED
	61.8	1,104	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 300-301



**MA9C\_4****OTHER FAMILY USE DRUGS PAST 30 DAYS**

During the past 30 days, did (other family member(S)) use drugs for nonmedical reason(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	4.0	72	1	YES
88.9	32.4	579	2	NO
	62.6	1,118	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 306-307

**MA9D\_4****PAST 12 MONTHS/OTHER FAMILY RECEIVED DRUG TREATMENT**

During the past 12 months, has/have (other family member(S)) received any treatment for drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	1.5	26	1	YES
96.0	35.4	631	2	NO
	62.6	1,118	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

<b>MA9_5</b>	<b>CURRENTLY LIVE W/FRIENDS/ROOMMATES/BOARDERS</b>
--------------	--

Who do you currently live with?

Friend(s) / roommate(s) / boarder(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.7	281	5	CIRCLED
	83.4	1,489	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 310-311

<b>MA9A_5</b>	<b>HOW SUPPORTIVE FRIENDS PAST 30 DAYS</b>
---------------	--

During the past 30 days, how supportive (was/were) your (freind(s) / roommate(s) / boarder(S)) of your being drug or alcohol free? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	4.3	76	0	NOT AT ALL
23.8	3.7	66	1	SOMEWHAT
48.7	7.6	135	2	VERY
	84.3	1,504	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 312-313

**MA9B\_5****FRIENDS HAVE ALCOHOL PROBLEM PAST 30 DAYS**

During the past 30 days, did (freind(s) / roommate(s) / boarder(S)) have any problems with alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	3.2	58	1	YES
78.6	11.9	213	2	NO
	84.3	1,504	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-315

**MA9C\_5****FRIENDS USE DRUGS PAST 30 DAYS**

During the past 30 days, did (freind(s) / roommate(s) / boarder(S)) use drugs for nonmedical reason(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	4.4	78	1	YES
71.0	10.7	191	2	NO
	84.3	1,504	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 316-317

**MA9D\_5 PAST 12 MONTHS/FRIENDS RECEIVED DRUG TREATMENT**

During the past 12 months, has/have (freind(s) / roommate(s) / boarder(S)) received any treatment for drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	4.5	80	1	YES
70.5	10.7	191	2	NO
	84.3	1,504	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 318-319

**MA10 ATTENDED RELIGIOUS SERVICES PAST 12 MONTHS**

During the past 12 months, how often have you attended religious services, not counting meetings like council meetings or choir practices?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	50.9	909	0	NEVER
24.9	24.8	443	1	LESS THAN ONCE A MONTH
7.7	7.7	137	2	ABOUT ONCE A MONTH
6.5	6.4	115	3	2 TO 3 TIMES A MONTH
7.5	7.5	134	4	ONCE A WEEK
2.3	2.3	41	5	MORE THAN ONCE A WEEK
	0.2	4	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 320-321

**MA11A****DONE PHYSICAL EXERCISE PAST 12 MONTHS**

During the past 12 months, in a typical week, how often have you . . . done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	142	1	NOT AT ALL
11.8	11.8	210	2	LESS THAN ONCE A WEEK
32.2	32.1	573	3	AT LEAST ONCE A WEEK
48.1	48.0	856	4	ALMOST DAILY
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 322-323

**MA11B****READ OR DONE HOBBIES PAST 12 MONTHS**

During the past 12 months, in a typical week, how often have you . . . read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.8	264	1	NOT AT ALL
16.1	16.1	287	2	LESS THAN ONCE A WEEK
30.7	30.5	545	3	AT LEAST ONCE A WEEK
38.4	38.2	682	4	ALMOST DAILY
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 324-325

**MA11C ATTENDED MEETINGS PAST 12 MONTHS**

During the past 12 months, in a typical week, how often have you . . . attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	58.5	1,045	1	NOT AT ALL
14.3	14.2	254	2	LESS THAN ONCE A WEEK
16.9	16.9	301	3	AT LEAST ONCE A WEEK
10.0	10.0	178	4	ALMOST DAILY
	0.3	6	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 326-327

**MA12A PAST 12 MONTHS FRIENDS USED DRUGS/NOT COCAINE**

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . used heroin, marijuana, or any other drugs except cocaine or crack for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.8	425	0	NONE
44.8	44.7	798	1	ONE OR A FEW
31.4	31.3	559	2	MANY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 328-329

**MA12B****PAST 12 MONTHS FRIENDS USED CRACK/COCAINE**

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . used crack or cocaine.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	63.1	1,126	0	NONE
30.5	30.5	544	1	ONE OR A FEW
6.2	6.2	111	2	MANY
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 330-331

**MA12C****PAST 12 MONTHS FRIENDS DRANK ALCOHOL**

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . drank alcohol heavily.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	29.5	527	0	NONE
39.9	39.8	711	1	ONE OR A FEW
30.5	30.5	544	2	MANY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 332-333

<b>MA12D</b>	<b>PAST 12 MONTHS FRIENDS GOT ARRESTED</b>
--------------	--

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . got arrested.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.7	690	0	NONE
45.6	45.5	813	1	ONE OR A FEW
15.6	15.6	278	2	MANY
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 334-335

<b>MA12E</b>	<b>PAST 12 MONTHS FRIENDS ENTERED JAIL</b>
--------------	--

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . entered jail, prison, or a juvenile detention home.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	45.1	805	0	NONE
43.5	43.4	774	1	ONE OR A FEW
11.2	11.1	199	2	MANY
	0.3	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 336-337

**MA12F****PAST 12 MONTHS FRIENDS ENTERED TREATMENT**

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . entered treatment for drug or alcohol problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	62.0	1,107	0	NONE
33.3	33.2	592	1	ONE OR A FEW
4.4	4.4	79	2	MANY
	0.3	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 338-339

**MA12G****PAST 12 MONTHS FRIENDS QUIT USING DRUGS**

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, juvenile detention home, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . . quit using heroin, crack, cocaine, or other drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	55.9	998	0	NONE
36.8	36.8	656	1	ONE OR A FEW
7.1	7.1	127	2	MANY
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 340-341

**MA13 BELONG TO A HEALTH PLAN/HAVE INSURANCE**

Are you covered by a health plan, or do you have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	72.9	1,301	1	YES
25.6	25.0	447	2	NO
	0.2	4	-8	MISSING
	1.8	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 342-343

**MA14\_0 NOT ON PROBATION/PAROLE/IN JAIL**

Are you now on probation, on parole, in jail, in detention, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

No -> Go To A16

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	63.6	1,135	0	CIRCLED
	36.1	644	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 344-345

**MA14\_1****ON PROBATION**

Are you now on probation, on parole, in jail, in detention, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.3	452	1	CIRCLED
	74.3	1,327	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 346-347

**MA14\_2****ON PAROLE**

Are you now on probation, on parole, in jail, in detention, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	50	2	CIRCLED
	96.9	1,729	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 348-349



**MA14\_5****SERVING A SENTENCE**

Are you now on probation, on parole, in jail, in detention,  
or do you have any pending criminal (or juvenile justice  
system) charges or cases against you?

In jail / detention serving a sentence.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	53	5	CIRCLED
	96.7	1,726	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 354-355

**MA14\_6****ON BAIL AWAITING TRIAL**

Are you now on probation, on parole, in jail, in detention,  
or do you have any pending criminal (or juvenile justice  
system) charges or cases against you?

Case pending - on bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	24	6	CIRCLED
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 356-357



**MA14\_9****OTHER STATUS**

Are you now on probation, on parole, in jail, in detention, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	25	9	CIRCLED
	98.3	1,754	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 362-363

**MA15****CURRENTLY UNDER TASC SUPERVISION**

Are you currently under TASC supervision? [IF NECESSARY, SAY: "TASC stands for Treatment Alternatives to Street Crime. TASC refers people with drug problems from the criminal justice system, including the juvenile justice system, to drug treatment programs."]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	3.5	62	1	YES
90.6	33.4	596	2	NO
	62.7	1,120	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 364-365

<b>MA15A</b>	<b>TYPE OF TASC SUPERVISION</b>
--------------	---------------------------------

What kind of TASC supervision are you under?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	1	1	PRETRIAL DIVERSION
5.1	0.2	3	2	PRETRIAL INTERVENTION
0.0	0.0	0	3	PRESENTENCE REFERRAL
69.5	2.3	41	4	CONDITIONAL PROBATION
5.1	0.2	3	5	CONDITIONAL PAROLE
18.6	0.6	11	6	OTHER SUPERVISION
	96.1	1,716	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 366-367

<b>MA16</b>	<b>PAST 12 MONTHS OTHER RELATIONSHIPS</b>
-------------	---

Now, I would like to ask about other relationships that you may have had during the past 12 months. Would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	75.5	1,348	1	YES
23.7	23.4	418	2	NO
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 368-369

**MA16A****# PEOPLE HAD RELATIONSHIP WITH**

During that time, how many people did you have a close,  
long-lasting, personal relationship with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	0	
37.4	28.6	510	1	
20.7	15.9	283	2	
13.0	9.9	177	3	
7.3	5.6	100	4	
8.1	6.2	110	5	
3.4	2.6	46	6	
1.1	0.8	15	7	
1.3	1.0	18	8	
0.2	0.2	3	9	
3.8	2.9	52	10	
0.1	0.1	1	11	
0.3	0.2	4	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
1.0	0.8	14	15	
0.1	0.1	1	18	
0.9	0.7	12	20	
0.1	0.1	2	23	
0.1	0.1	2	24	
0.2	0.2	3	25	
0.1	0.1	2	30	
0.1	0.1	1	40	
0.1	0.1	1	50	
0.1	0.1	1	70	
0.1	0.1	1	75	
	23.6	421	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 370-371

**MA16B PAST 12 MONTHS PROBLEM GETTING ALONG W/MOTHER**

During the past 12 months, have you had a period of 1 month or more in which you had serious problems getting along with your mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.6	635	1	YES
64.2	63.9	1,140	2	NO
	0.3	6	-8	MISSING
	0.2	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 372-373

**MA16C PAST 12 MONTHS PROBLEM GETTING ALONG W/FATHER**

During the past 12 months, have you had a period of 1 month or more in which you had serious problems getting along with your father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.2	467	1	YES
72.9	70.5	1,258	2	NO
	0.7	13	-8	MISSING
	0.1	2	-5	BAD DATA
	0.5	9	-4	DON'T KNOW
	2.0	36	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 374-375

**MA16D****PAST 12 MONTHS PROBLEM GETTING ALONG W/FRIENDS**

During the past 12 months, has there been a period lasting 1 month or more in which you have had serious problems getting along with other family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	27.0	482	1	YES
72.9	72.5	1,295	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 376-377

**MA17****PAST 12MONTHS PROBLEMS W/FAMILY DUE TO DRUGS**

Did you have any problems with family members and close friends because of your drug or alcohol use in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	28.6	510	1	YES
71.3	71.0	1,267	2	NO
	0.4	7	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 378-379

**MA17A 12 MONTHS HOW SERIOUS PROBLEMS BECAUSE/DRUG USE**

In those 12 months, how serious were these problems you had because of using drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	1.9	34	1	NOT AT ALL
61.6	17.6	315	2	SOMEWHAT
31.7	9.1	162	3	VERY SERIOUS
	71.4	1,274	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 380-381

**MA18 HOW MUCH CONTACT W/FAMILY/FRIEND/12 MON**

During the past 12 months, altogether how much contact (mail, telephone, or in person) did you have with any family members or close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	18	0	NONE
24.4	24.3	433	1	SOME
74.6	74.3	1,326	2	A LOT
0.0	0.0	0	93	IF VOL: NO FAMILY/FRIEND
	0.3	6	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 382-383

**MA19****HOW OFTEN/TALK DEEPEST PROBLEM W/FAMILY/FRIEND**

How often can you talk about your deepest problems with at least some of your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.4	239	1	NEVER/RARELY
39.4	39.4	703	2	SOME OF THE TIME
47.2	47.2	842	3	ALMOST ALWAYS
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 384-385

**MA20****HOW OFTEN/FAMILY/FRIEND/HELP STOP USE DRUG**

How often do your family or close friends help or encourage you to stop using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.0	232	1	NEVER/RARELY
26.7	26.5	473	2	SOME OF THE TIME
60.2	59.8	1,067	3	ALMOST ALWAYS
	0.2	4	-8	MISSING
	0.1	1	-5	BAD DATA
	0.3	5	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 386-387



**MA23****HOW OFTEN/COUNT FAMILY/FRIEND IN EMERGENCY**

How often can you count on family or close friends to help you in an emergency in the middle of the night?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	62	1	NEVER/RARELY
16.3	16.2	289	2	SOME OF THE TIME
80.3	79.9	1,427	3	ALMOST ALWAYS
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

**MA24****HOW YOU DID AS FAMILY MEMBER/FRIEND/BEFORE ADMISSION**

During the past 12 months, how did you do as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	136	1	POOR
48.0	47.9	855	2	FAIR
44.4	44.3	790	3	WELL
	0.1	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

<b>MA25</b>	<b>PAST 12 MONTHS HOW WAS LIFE</b>
-------------	------------------------------------

Taking all things together, how would you say your life was during the past 12 months? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	92	1	VERY UNHAPPY
18.8	18.7	334	2	SOMEWHAT UNHAPPY
55.0	54.8	979	3	SOMEWHAT HAPPY
21.1	21.1	376	4	VERY HAPPY
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 396-397

<b>MA26</b>	<b>THINGS BETTER/WORSE THAN 1 YR BEFORE</b>
-------------	---

During the past 12 months, would you say things were better or worse than they had been a year before you entered treatment at (NAME OF PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	16.2	289	1	WORSE
83.7	82.9	1,480	2	BETTER
	0.2	3	-8	MISSING
	0.4	7	-5	BAD DATA
	0.3	5	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 398-399

**MA27****GO W/OUT PHYSICAL/EMOTIONAL NEEDS MET**

During the past 12 months, did you ever go without adequate food, shelter, or medical care, or fail to get other important physical or emotional needs met?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.7	245	1	YES
86.2	86.0	1,535	2	NO
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 400-401

**MA28****EVER RUN AWAY FROM HOME PAST 12 MONTHS**

During the past 12 months, did you ever run away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.6	314	1	YES
82.4	82.2	1,467	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 402-403

**MA28A****RUN AWAY MORE THAN ONCE**

Did you run away more than once?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	12.5	224	1	YES
28.4	5.0	89	2	NO
	82.2	1,467	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 404-405

**MA28B RETURN HOME AFTER RUNNING AWAY**

Did you return home to live after running away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	3.9	70	1	YES
20.5	1.0	18	2	NO
	94.7	1,691	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 406-407

**MA29A BOTHERED/NERVOUSNESS/SHAKINESS INSIDE**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by nervousness or shakiness inside?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.9	944	0	NOT AT ALL
30.1	30.1	537	1	A LITTLE BIT
8.5	8.5	152	2	MODERATELY
6.1	6.1	108	3	QUITE A BIT
2.4	2.4	43	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 408-409

**MA29B****BOTHERED/TREMBLING**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by trembling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	77.5	1,384	0	NOT AT ALL
15.6	15.6	278	1	A LITTLE BIT
3.7	3.7	66	2	MODERATELY
2.2	2.2	40	3	QUITE A BIT
0.9	0.9	16	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 410-411

**MA29C****BOTHERED/SUDDENLY BEING SCARED/NO REASON**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by suddenly being scared for no reason.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	74.8	1,336	0	NOT AT ALL
17.1	17.1	305	1	A LITTLE BIT
3.9	3.9	70	2	MODERATELY
2.7	2.7	48	3	QUITE A BIT
1.4	1.4	25	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 412-413



**MA29F****BOTHERED/FEELING TENSE**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by feeling tense or keyed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	42.7	762	0	NOT AT ALL
32.1	32.0	571	1	A LITTLE BIT
11.2	11.2	200	2	MODERATELY
10.6	10.5	188	3	QUITE A BIT
3.4	3.4	60	4	EXTREMELY
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 418-419

**MA29G****BOTHERED/SPELLS OF TERROR**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by spells of terror or panic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	83.9	1,497	0	NOT AT ALL
9.7	9.6	172	1	A LITTLE BIT
3.1	3.1	55	2	MODERATELY
2.0	2.0	35	3	QUITE A BIT
0.9	0.9	16	4	EXTREMELY
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 420-421



**MA29J****BOTHERED/FRIGHTENING THOUGHTS**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the past month. In the past month, how much were you distressed (bothered) by thoughts and images of a frightening nature?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	72.2	1,289	0	NOT AT ALL
16.2	16.1	288	1	A LITTLE BIT
5.4	5.4	96	2	MODERATELY
3.9	3.9	70	3	QUITE A BIT
2.0	2.0	35	4	EXTREMELY
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 426-427

**MA30****PROBLEMS NONE/SOME/MST CAUSED BY DRUGS/ALCOHOL**

In the past month, would you say that none, some, or most of these problems were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	26.6	474	0	NONE
33.3	15.6	278	1	SOME
9.8	4.6	82	2	MOST
	52.8	943	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 428-429

<b>MA31A</b>	<b>BOTHERED/LOSS OF SEXUAL INTEREST</b>
--------------	---

In the past month, how much were you distressed (bothered) by loss of sexual interest or pleasure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	82.7	1,476	0	NOT AT ALL
9.3	9.2	165	1	A LITTLE BIT
3.4	3.4	60	2	MODERATELY
2.1	2.1	38	3	QUITE A BIT
2.2	2.2	39	4	EXTREMELY
	0.3	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 430-431

<b>MA31B</b>	<b>BOTHERED/FEELING LOW IN ENERGY</b>
--------------	---------------------------------------

In the past month, how much were you distressed (bothered) by feeling low in energy or slowed down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	47.3	845	0	NOT AT ALL
32.6	32.6	582	1	A LITTLE BIT
9.3	9.3	166	2	MODERATELY
8.2	8.2	146	3	QUITE A BIT
2.5	2.5	44	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 432-433

<b>MA31C</b>	<b>BOTHERED/CRYING EASILY</b>
--------------	-------------------------------

In the past month, how much were you distressed  
(bothered) by crying easily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	69.6	1,242	0	NOT AT ALL
16.1	16.1	287	1	A LITTLE BIT
5.5	5.5	98	2	MODERATELY
5.1	5.1	91	3	QUITE A BIT
3.6	3.6	65	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 434-435

<b>MA31D</b>	<b>BOTHERED/FEELING OF BEING TRAPPED</b>
--------------	--

In the past month, how much were you distressed  
(bothered) by feelings of being trapped or caught?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	64.1	1,144	0	NOT AT ALL
20.8	20.7	370	1	A LITTLE BIT
6.9	6.9	123	2	MODERATELY
5.3	5.3	94	3	QUITE A BIT
2.8	2.8	50	4	EXTREMELY
	0.2	3	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 436-437

<b>MA31E</b>	<b>BOTHERED/BLAME YOURSELF FOR THINGS</b>
--------------	---

In the past month, how much were you distressed (bothered) by blaming yourself for things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	43.2	772	0	NOT AT ALL
32.5	32.4	579	1	A LITTLE BIT
10.2	10.1	181	2	MODERATELY
9.4	9.4	167	3	QUITE A BIT
4.7	4.6	83	4	EXTREMELY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 438-439

<b>MA31F</b>	<b>BOTHERED/FEELING LONELY</b>
--------------	--------------------------------

In the past month, how much were you distressed (bothered) by feeling lonely?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.9	784	0	NOT AT ALL
32.1	32.1	573	1	A LITTLE BIT
9.2	9.2	164	2	MODERATELY
9.5	9.5	169	3	QUITE A BIT
5.2	5.2	93	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 440-441

<b>MA31G</b>	<b>BOTHERED/FEELING BLUE</b>
--------------	------------------------------

In the past month, how much were you distressed  
(bothered) by feeling blue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	45.9	819	0	NOT AT ALL
34.9	34.8	622	1	A LITTLE BIT
8.4	8.3	149	2	MODERATELY
7.0	7.0	125	3	QUITE A BIT
3.8	3.8	68	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 442-443

<b>MA31H</b>	<b>BOTHERED/WORRY TOO MUCH ABOUT THINGS</b>
--------------	---

In the past month, how much were you distressed  
(bothered) by worrying too much about things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	30.2	539	0	NOT AT ALL
31.8	31.8	567	1	A LITTLE BIT
13.2	13.2	235	2	MODERATELY
15.4	15.4	275	3	QUITE A BIT
9.3	9.3	166	4	EXTREMELY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 444-445

<b>MA31I</b>	<b>BOTHERED/FEEL NO INTEREST IN THINGS</b>
--------------	--

In the past month, how much were you distressed (bothered) by feeling no interest in things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	53.4	953	0	NOT AT ALL
27.8	27.7	495	1	A LITTLE BIT
9.0	9.0	161	2	MODERATELY
6.7	6.7	119	3	QUITE A BIT
3.0	3.0	53	4	EXTREMELY
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 446-447

<b>MA31J</b>	<b>BOTHERED/FEEL HOPELESS ABOUT FUTURE</b>
--------------	--

In the past month, how much were you distressed (bothered) by feeling hopeless about the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	56.8	1,013	0	NOT AT ALL
24.0	23.9	426	1	A LITTLE BIT
7.1	7.1	126	2	MODERATELY
7.0	6.9	124	3	QUITE A BIT
5.0	5.0	89	4	EXTREMELY
	0.3	6	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 448-449

**MA31K****BOTHERED/FEEL EVERYTHING IS AN EFFORT**

In the past month, how much were you distressed  
(bothered) by feeling everything is an effort?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	44.9	802	0	NOT AT ALL
31.2	31.1	555	1	A LITTLE BIT
9.4	9.4	167	2	MODERATELY
9.6	9.5	170	3	QUITE A BIT
4.7	4.6	83	4	EXTREMELY
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 450-451

**MA31L****BOTHERED/FEELING WORTHLESS**

In the past month, how much were you distressed  
(bothered) by feeling worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	73.2	1,307	0	NOT AT ALL
17.1	17.0	304	1	A LITTLE BIT
3.5	3.5	62	2	MODERATELY
4.2	4.1	74	3	QUITE A BIT
1.9	1.8	33	4	EXTREMELY
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 452-453

<b>MA31M</b>	<b>BOTHERED/FEEL GUILTY/NOT YOUR FAULT</b>
--------------	--

In the past month, how much were you distressed (bothered) by feeling guilty for things which may not be your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	53.9	963	0	NOT AT ALL
28.3	28.3	505	1	A LITTLE BIT
7.7	7.7	138	2	MODERATELY
6.2	6.2	110	3	QUITE A BIT
3.7	3.7	66	4	EXTREMELY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 454-455

<b>MA31N</b>	<b>BOTHERED/THOUGHTS OF ENDING YOUR LIFE</b>
--------------	--

In the past month, how much were you distressed (bothered) by thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	86.7	1,548	0	NOT AT ALL
8.7	8.7	155	1	A LITTLE BIT
2.4	2.4	43	2	MODERATELY
1.2	1.2	21	3	QUITE A BIT
0.9	0.9	16	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 456-457

**MA32****PROBLEMS NONE/SOME/MST CAUSED BY DRUGS/ALCOHOL**

In the past month, would you say that none, some, or most of the problems I've just described, such as [READ UP TO 3 ITEMS CODED 02 OR HIGHER], were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	35.6	635	0	NONE
28.8	16.9	301	1	SOME
10.5	6.2	110	2	MOST
	40.4	721	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 458-459

**MA33A****BOTHERED/FEELING EASILY ANNOYED**

In the past month, how much were you distressed (bothered) by feeling easily annoyed or irritated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	25.7	458	0	NOT AT ALL
38.2	38.1	680	1	A LITTLE BIT
13.1	13.1	233	2	MODERATELY
14.8	14.8	264	3	QUITE A BIT
8.1	8.1	145	4	EXTREMELY
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 460-461



**MA33D****BOTHERED/HAVING URGES TO BREAK THINGS**

In the past month, how much were you distressed  
(bothered) by having urges to break or smash things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	58.2	1,039	0	NOT AT ALL
24.3	24.3	433	1	A LITTLE BIT
7.4	7.4	132	2	MODERATELY
5.1	5.1	91	3	QUITE A BIT
4.7	4.7	84	4	EXTREMELY
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 466-467

**MA33E****BOTHERED/GET INTO FREQUENT ARGUMENTS**

In the past month, how much were you distressed  
(bothered) by getting into frequent arguments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	41.6	742	0	NOT AT ALL
32.3	32.2	574	1	A LITTLE BIT
10.2	10.1	181	2	MODERATELY
9.9	9.9	176	3	QUITE A BIT
6.0	5.9	106	4	EXTREMELY
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 468-469



**MA35A****FEELINGS FOR PEOPLE LESS FORTUNATE**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I often have tender, concerned feelings for people less fortunate than me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.4	185	0	NOT AT ALL
31.3	31.3	558	1	A LITTLE BIT
22.6	22.6	403	2	MODERATELY
23.5	23.5	419	3	QUITE A BIT
12.3	12.3	219	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 474-475

**MA35B****FEELINGS FOR OTHERS POINT OF VIEW**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I sometimes find it difficult to see things from the "other guy's" point of view.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.5	563	0	NOT AT ALL
41.2	41.2	735	1	A LITTLE BIT
14.2	14.2	254	2	MODERATELY
9.8	9.8	175	3	QUITE A BIT
3.2	3.2	57	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 476-477

**MA35C**

**DO NOT FEEL SORRY FOR OTHER PEOPLE**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

Sometimes I don't feel very sorry for other people when they are having problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	42.5	758	0	NOT AT ALL
39.3	39.3	702	1	A LITTLE BIT
10.2	10.2	182	2	MODERATELY
6.2	6.2	110	3	QUITE A BIT
1.8	1.8	32	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 478-479

**MA35D**

**FEELING FOR OTHERS SIDE OF ARGUMENTS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I try to look at everybody's side of a disagreement before I make a decision.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	12.0	214	0	NOT AT ALL
31.5	31.5	562	1	A LITTLE BIT
20.5	20.5	366	2	MODERATELY
23.3	23.2	415	3	QUITE A BIT
12.6	12.6	225	4	EXTREMELY
	0.1	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 480-481

**MA35E****PROTECTIVE FEELINGS FOR OTHERS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

When I see someone being taken advantage of, I feel kind of protective towards them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.5	187	0	NOT AT ALL
30.2	30.1	538	1	A LITTLE BIT
17.4	17.4	310	2	MODERATELY
24.3	24.3	434	3	QUITE A BIT
17.6	17.6	314	4	EXTREMELY
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 482-483

<b>MA35F</b>	<b>FEELING FOR OTHERS PERSPECTIVE</b>
--------------	---------------------------------------

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I sometimes try to understand my friends better by imagining how things look from their perspective.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	208	0	NOT AT ALL
32.3	32.3	576	1	A LITTLE BIT
20.7	20.7	369	2	MODERATELY
25.4	25.4	453	3	QUITE A BIT
9.9	9.9	177	4	EXTREMELY
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 484-485

**MA35G****FEELINGS FOR OTHERS MISFORTUNES**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

Other people's misfortunes do not usually disturb me a great deal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	40.0	714	0	NOT AT ALL
37.0	37.0	660	1	A LITTLE BIT
14.9	14.8	265	2	MODERATELY
6.1	6.1	108	3	QUITE A BIT
2.0	2.0	35	4	EXTREMELY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 486-487

**MA35H****FEELINGS FOR OTHERS ARGUMENTS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

If I'm sure I'm right about something, I don't waste much time listening to other people's arguments.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	24.1	431	0	NOT AT ALL
25.8	25.8	460	1	A LITTLE BIT
14.5	14.5	259	2	MODERATELY
19.6	19.6	349	3	QUITE A BIT
15.9	15.9	284	4	EXTREMELY
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 488-489

**MA35I**

**FEELINGS OF PITY FOR OTHERS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

When I see someone being treated unfairly, I sometimes don't feel very much pity for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	51.4	918	0	NOT AT ALL
33.2	33.1	591	1	A LITTLE BIT
9.5	9.5	170	2	MODERATELY
4.4	4.4	78	3	QUITE A BIT
1.4	1.4	25	4	EXTREMELY
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 490-491

**MA35J**

**TOUCHED BY THINGS THAT HAPPEN**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I am often quite touched by things that I see happen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	210	0	NOT AT ALL
32.1	32.1	573	1	A LITTLE BIT
22.1	22.1	394	2	MODERATELY
23.3	23.2	415	3	QUITE A BIT
10.8	10.8	192	4	EXTREMELY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 492-493

**MA35K****BELIEF THERE ARE 2 SIDES TO QUESTIONS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I believe that there are two sides to every question and try to look at them both.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	155	0	NOT AT ALL
28.8	28.7	513	1	A LITTLE BIT
23.2	23.1	413	2	MODERATELY
22.8	22.8	407	3	QUITE A BIT
16.5	16.5	294	4	EXTREMELY
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 494-495

**MA35L****DESCRIBE MYSELF AS SOFT-HEARTED**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you. [REPEAT AS OFTEN AS NEEDED: How well does this statement describe you?]

I would describe myself as a pretty soft-hearted person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.1	181	0	NOT AT ALL
27.3	27.3	487	1	A LITTLE BIT
20.6	20.6	368	2	MODERATELY
25.0	24.9	445	3	QUITE A BIT
16.9	16.9	302	4	EXTREMELY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 496-497



**MA36A****STATEMENT A FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers like the way they are leading their lives, but . . .

Other teenagers don't like the way they are leading their lives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	71.2	1,271	1	TEENS LIKES WAY LEADING LIFE
28.6	28.5	509	2	TEENS DON'T LIKE WAY LEADING LIFE
	0.2	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 502-503

**MA37A****STATEMENT A FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	51.3	916	1	SORT OF TRUE
48.5	48.4	864	2	REALLY TRUE
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 504-505

**MA36B STATEMENT B FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers feel that they are enjoyable to be with, but . . .

Other teenagers often question whether they are enjoyable to be with.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	76.8	1,371	1	TEENS ENJOYABLE TO BE WITH
23.1	23.1	412	2	TEENS NOT SURE ENJOYABLE TO BE WITH
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 506-507

**MA37B STATEMENT B FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	41.1	734	1	SORT OF TRUE
58.8	58.6	1,046	2	REALLY TRUE
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 508-509

**MA36C****STATEMENT C FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers are very happy being the way they are, but . . .

Other teenagers would like to be different.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	63.1	1,127	1	TEENS HAPPY TO BE WAY THEY ARE
36.8	36.8	656	2	OTHER TEENS WOULD BE DIFFERENT
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 510-511

**MA37C****STATEMENT C FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	40.2	717	1	SORT OF TRUE
59.7	59.6	1,063	2	REALLY TRUE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 512-513

**MA36D STATEMENT D FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers feel uncomfortable when they have to meet new people, but . . .

Other teenagers like to meet new people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	33.1	590	1	UNCOMFORTABLE MEETING NEW PEOPLE
66.9	66.7	1,191	2	LIKE TO MEET NEW PEOPLE
	0.1	2	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 514-515

**MA37D STATEMENT D FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	38.2	682	1	SORT OF TRUE
61.7	61.5	1,098	2	REALLY TRUE
	0.2	3	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 516-517

**MA36E****STATEMENT E FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers sometimes question whether they are a worthwhile person, but . . .

Other teenagers feel that they are a worthwhile person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.8	478	1	TEENS QUESTION WHETHER WORTHWHILE
73.1	72.9	1,302	2	TEENS FEEL THEY ARE WORTHWHILE
	0.2	3	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 518-519

**MA37E****STATEMENT E FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	37.3	665	1	SORT OF TRUE
62.6	62.3	1,112	2	REALLY TRUE
	0.3	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 520-521

**MA36F STATEMENT F FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers are disappointed with themselves, but . . .

Other teenagers are quite pleased with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.8	604	1	TEENS DISAPPOINTED WITH SELF
66.0	65.7	1,173	2	TEENS PLEASED WITH SELF
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 522-523

**MA37F STATEMENT F FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	49.2	878	1	SORT OF TRUE
50.6	50.4	899	2	REALLY TRUE
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 524-525

**MA36G****STATEMENT G FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers feel at ease with other people, but . . .

Other teenagers are quite shy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	71.2	1,271	1	TEENS FEEL AT EASE WITH OTHER
28.7	28.7	512	2	OTHER TEENS ARE QUITE SHY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 526-527

**MA37G****STATEMENT G FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	46.8	835	1	SORT OF TRUE
53.0	52.8	943	2	REALLY TRUE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 528-529

**MA36H STATEMENT H FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers are dissatisfied with themselves, but . . .

Other teenagers are satisfied with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	28.3	505	1	TEENS DISSATISFIED WITH SELF
71.6	71.4	1,275	2	TEENS SATISFIED WITH SELF
	0.1	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 530-531

**MA37H STATEMENT H FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	48.0	856	1	SORT OF TRUE
51.8	51.5	920	2	REALLY TRUE
	0.3	6	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 532-533

**MA36I****STATEMENT I FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers are not very sociable, but . . .

Other teenagers are sociable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	22.6	403	1	SOME TEENS ARE NOT SOCIABLE
77.4	77.1	1,377	2	OTHER TEENS ARE SOCIABLE
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 534-535

**MA37I****STATEMENT I FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	36.8	656	1	SORT OF TRUE
63.0	62.7	1,119	2	REALLY TRUE
	0.5	9	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 536-537

**MA36J STATEMENT J FOR A36**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers. [REPEAT AS OFTEN AS NEEDED: Which of these two statements best describes you?]

Some teenagers like the kind of person they are, but . . .

Other teenagers would like to be someone else.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	77.5	1,384	1	SOME TEENS LIKE THEMSELVES
22.2	22.2	396	2	OTHER TEENS WOULD BE SOMEONE ELSE
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 538-539

**MA37J STATEMENT J FOR A37**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	36.5	652	1	SORT OF TRUE
63.4	63.2	1,128	2	REALLY TRUE
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 540-541

**MA38****MOST PROBLEMS SOLVE THEMSELVES**

Do you believe that most problems will solve themselves if you just don't fool with them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	18.3	326	1	YES
81.7	81.5	1,454	2	NO
	0.1	2	-8	MISSING
	0.2	3	-4	DON'T KNOW

-----  
100.0 100.0 1,785 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 542-543

**MA39****ARE SOME KIDS JUST BORN LUCKY**

Are some kids just born lucky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	52.1	930	1	YES
47.8	47.8	853	2	NO
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW

-----  
100.0 100.0 1,785 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 544-545

**MA40****OFTEN BLAMED FOR THINGS NOT YOUR FAULT**

Are you often blamed for things that just aren't your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	48.6	867	1	YES
51.4	51.4	917	2	NO
	0.1	1	-8	MISSING

-----  
100.0 100.0 1,785 cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 546-547

**MA41 DOES NOT PAY TO TRY HARD**

Do you feel that most of the time it doesn't pay to try hard because things never turn out right anyway?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	23.4	417	1	YES
76.5	76.2	1,361	2	NO
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 548-549

**MA42 PUNISHMENT RECEIVED FOR NO GOOD REASON**

When you get punished, does it usually seem it's for no good reason at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.0	374	1	YES
78.7	77.5	1,383	2	NO
	0.2	3	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	6	-4	DON'T KNOW
	1.0	18	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 550-551

**MA43****LITTLE TO BE DONE TO CORRECT WRONGDOINGS**

Do you feel that when you do something wrong, there's very little you can do to make it right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	34.2	611	1	YES
65.7	65.5	1,169	2	NO
	0.1	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 552-553

**MA44****HANDLE MOST PROBLEMS BY IGNORING THEM**

Do you feel that one of the best ways to handle most problems is just not to think about them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.7	387	1	YES
78.3	78.2	1,395	2	NO
	0.1	1	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 554-555

**MA45****PEOPLE LIKE YOU BECAUSE OF WAY YOU ACT**

Do you believe that whether or not people like you depends on how you act?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	75.4	1,345	1	YES
24.4	24.3	434	2	NO
	0.2	3	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 556-557

**MA46****CHANGE TOMORROW BY WHAT YOU DO TODAY**

Most of the time, do you feel that you can change what might happen tomorrow by what you do today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	80.1	1,429	1	YES
19.8	19.7	352	2	NO
	0.1	1	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 558-559

**MA47****BAD THINGS HAPPEN NO MATTER WHAT**

Do you believe that when bad things are going to happen, they just are going to happen no matter what you try to do to stop them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.6	796	1	YES
55.2	55.0	982	2	NO
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 560-561

**MA48****GOOD THINGS HAPPEN BECAUSE OF HARD WORK**

Do you feel that when good things happen, they happen because of hard work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	84.0	1,500	1	YES
15.8	15.8	282	2	NO
	0.1	1	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 562-563

**MA49 EASY TO GET FRIENDS TO DO THINGS**

Do you feel that it's easy to get friends to do what you want them to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.8	781	1	YES
56.0	55.7	994	2	NO
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 564-565

**MA50 USELESS TO TRY IN SCHOOL**

Do you really feel that it's almost useless to try in school because most children are just plain smarter than you are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.9	194	1	YES
89.1	88.6	1,582	2	NO
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 566-567

<b>TREATMENT EXPERIENCE</b>
-----------------------------

<b>MB1</b>	<b>DATE OF ADMISSION CORRECT</b>
------------	----------------------------------

Our records show that you began an episode of treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION FROM TALLY SHEET B). [CIRCLE IN PENCIL THE DATE OF ADMISSION ON CALENDAR AND SHOW TO CLIENT.] Also, you last talked to someone at (NAME OF PROGRAM) and you last went to that program on (DATE OF DISCHARGE FROM TALLY SHEET 6). [CIRCLE IN PENCIL THE DATE ON CALENDAR.] As best as you can remember, is that correct?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	86.3	1,541	1	DATE CORRECT
10.1	9.7	174	2	NO, DATE INCORRECT
	3.9	70	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 568-569

<b>MB1A_MO</b>	<b>MONTH OF LAST PHYSICAL CONTACT</b>
----------------	---------------------------------------

When would you say was the last time you went there for treatment? Month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	2.2	39	1	JAN. - MARCH
25.7	2.6	47	2	APR. - JUNE
26.2	2.7	48	3	JULY - SEPT.
26.8	2.7	49	4	OCT. - DEC.
	85.7	1,530	-9	LEGITIMATE NONRESPONSE
	3.8	68	-8	MISSING
	0.2	3	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 570-571

<b>MB1A_YR</b>	<b>YEAR OF LAST PHYSICAL CONTACT</b>
----------------	--------------------------------------

When would you say was the last time you went there for treatment? Year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	2	93	
29.1	3.0	53	94	
45.1	4.6	82	95	
15.9	1.6	29	96	
8.8	0.9	16	97	
	85.7	1,530	-9	LEGITIMATE NONRESPONSE
	3.8	68	-8	MISSING
	0.2	4	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 572-573

<b>MB2</b>	<b>DID YOU COMPLETE TREATMENT</b>
------------	-----------------------------------

Did you complete treatment at the (NAME OF PROGRAM), or did you leave before you completed treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	58.3	1,041	1	COMPLETED
41.3	41.1	733	2	LEFT BEFORE COMPLETION
	0.3	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 574-575

## MB2A

## MAIN REASON LEFT PROGRAM

What was the main reason you left (NAME OF PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.8	14	1	WENT TO JAIL OR PRISON
0.8	0.3	6	2	WENT INTO HOSPITAL
18.2	7.5	134	3	NONCOMPLIANCE WITH RULES
1.5	0.6	11	4	POOR PERFORMANCE
6.0	2.5	44	9	OTHER DISCHARGE REASON
3.1	1.3	23	11	TRANSFERRED TO ANOTHER PROGRAM
0.5	0.2	4	12	TRANSFERRED TO ANOTHER AGENCY
0.1	0.1	1	19	OTHER TRANSFER REASON
0.8	0.3	6	21	MOVED FROM SERVICE AREA
0.5	0.2	4	22	CRIMINAL JUSTICE PRESSURE CEASED
2.0	0.8	15	23	COULD CONTROL DRUG USE MYSELF
0.0	0.0	0	24	DRUGS BECAME AVAILABLE ON STREET
0.0	0.0	0	25	STARTED USING COCAINE AGAIN
2.2	0.9	16	26	STARTED USING OTHER DRUGS/NOT COCAINE
1.1	0.4	8	27	DIFFICULTIES WITH TRANSPORTATION
0.1	0.1	1	28	DIFFICULTIES WITH CHILD CARE
14.5	6.0	107	29	OTHER PERSONAL REASON
3.5	1.5	26	31	INSURANCE COVERAGE RAN OUT
0.3	0.1	2	32	UNABLE TO PAY FOR TREATMENT
0.4	0.2	3	33	NEEDED TO GET BACK TO WORK
0.4	0.2	3	34	NEEDED TO GET BACK TO SCHOOL
0.7	0.3	5	38	OTHER SCHOOL REASON
0.7	0.3	5	39	OTHER FINANCIAL REASON
6.0	2.5	44	41	PROGRAM NOT HELPFUL
1.4	0.6	10	42	INADEQUATE SERVICES
8.0	3.3	59	43	CONFLICT WITH STAFF
1.4	0.6	10	44	PROGRAM WAS GOING TO TERMINATE CLIENT
0.1	0.1	1	45	INTAKE INTERVIEWS WERE TOO BURDENSOME
12.2	5.0	90	49	OTHER PROGRAM DISSATISFACTION
11.4	4.7	84	59	OTHER REASON
	58.1	1,037	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 576-577

**MB2B 7 DAYS BETWEEN FIRST AND LAST CONTACT**

[WERE THERE 7 OR MORE DAYS BETWEEN THE DATE OF THE FIRST PHYSICAL CONTACT AND THE DATE OF THE LAST PHYSICAL CONTACT (ON TALLY SHEET B)?]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	38.7	690	1	YES
4.2	1.7	30	2	NO
	58.2	1,038	-9	LEGITIMATE NONRESPONSE
	1.3	24	-8	MISSING
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 578-579

**MB2C RECEIVE TREATMENT DURING THAT ADMISSION**

Did you receive any treatment or services provided by the (NAME OF PROGRAM) staff during that admission? That is, did you receive any kind of help, such as alcohol or drug abuse counseling, medical treatment, counseling for an emotional or mental health problem, employment, vocational, family, or education counseling, or any other service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	1.5	27	1	YES
27.0	0.6	10	2	NO
	96.5	1,722	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 580-581

**MB3****DISCUSS CONTINUING CARE AFTER TREATMENT**

Did you meet with anyone on the staff to talk about your continuing care or aftercare or about discharge plans for when you left treatment? That is, did you meet with anyone on the staff to talk about continuing care or help for when you left (NAME OF PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	54.2	967	1	YES
44.5	44.2	789	2	NO
1.0	1.0	17	3	DON'T KNOW
	0.4	8	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 582-583

**MB3A****PLAN INCLUDE 12-STEP/OTHR SUPPORT GROUPS**

Did this plan include going to 12-step or other support groups such as AA, NA, or CA?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	44.7	798	1	YES
17.0	9.2	164	2	NO
	45.5	813	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 584-585

<b>MB3B</b>	<b>PLAN INVOLVED REFERRAL TO OTHER SERVICES</b>
-------------	---

Did this plan involve referral to other services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	31.9	570	1	YES
38.4	19.9	355	2	NO
	45.5	813	-9	LEGITIMATE NONRESPONSE
	2.4	42	-8	MISSING
	0.2	3	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 586-587

<b>MB3C_1</b>	<b>REFERRED TO DRUG TREATMENT</b>
---------------	-----------------------------------

Which services were you referred to?

Drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.1	394	1	CIRCLED
	76.8	1,370	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 588-589

**MB3C\_2****REFERRED TO ALCOHOL TREATMENT**

Which services were you referred to?

Alcohol treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.2	236	2	CIRCLED
	85.6	1,528	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 590-591

**MB3C\_3****REFERRED TO MENTAL HEALTH CENTER**

Which services were you referred to?

Mental health center / private practitioner / school counselor  
or psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	86	3	CIRCLED
	94.0	1,678	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 592-593

<b>MB3C_4</b>	<b>REFERRED TO MEDICAL SERVICES</b>
---------------	-------------------------------------

Which services were you referred to?

Medical services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	4	CIRCLED
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 594-595

<b>MB3C_5</b>	<b>REFERRED TO VOCATIONAL SERVICES</b>
---------------	--

Which services were you referred to?

Vocational / educational services (excludes going back to school).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	31	5	CIRCLED
	97.1	1,733	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 596-597

**MB3C\_6****REFERRED TO SOCIAL SERVICES**

Which services were you referred to?

Social services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	30	6	CIRCLED
	97.1	1,734	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 598-599

**MB3C\_7****REFERRED TO LEGAL SERVICES**

Which services were you referred to?

Legal services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	7	CIRCLED
	98.2	1,753	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 600-601

<b>MB3C_8</b>	<b>REFERRED TO OTHER SERVICES</b>
---------------	-----------------------------------

Which services were you referred to?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	136	8	CIRCLED
	91.2	1,628	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 602-603

<b>MB4_0</b>	<b>LAST CONTACT NOT ON PROBATION/PAROLE/JAIL</b>
--------------	--

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

No.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	58.7	1,048	0	CIRCLED
	41.0	732	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 604-605

**MB4\_1****LAST CONTACT ON PROBATION**

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	35.5	633	1	CIRCLED
	64.3	1,147	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 606-607

**MB4\_2****LAST CONTACT ON PAROLE**

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	19	2	CIRCLED
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 608-609



**MB4\_5****LAST CONTACT SERVING A SENTENCE**

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

In jail / detention serving a sentence.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	5	CIRCLED
	98.5	1,759	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 614-615

**MB4\_6****LAST CONTACT ON BAIL AWAITING TRIAL**

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

Case pending - on bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	6	CIRCLED
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-617



**MB4\_9****LAST CONTACT OTHER STATUS**

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, in detention, or did you have any pending criminal (juvenile justice system) charges against you?

Case pending - other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	9	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

**MB5****HAVE GOOD RELATIONSHIP W/PRIMARY COUNSELOR**

Did you have a good relationship with your primary counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	71.4	1,274	1	YES
23.9	23.6	422	2	NO
3.9	3.8	68	3	DIFFERENT RELATIONSHIPS
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.5	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

<b>MB6</b>	<b>FOLLOW INSTRUCTIONS OF PROGRAM STAFF</b>
------------	---

Did you follow the instructions of the program staff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	170	1	AS LITTLE AS POSSIBLE
25.5	25.3	452	2	TO SOME EXTENT
37.6	37.4	667	3	PRETTY CLOSELY
27.3	27.1	483	4	VERY CLOSELY
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 626-627

<b>MB7</b>	<b>SATISFACTION W/TREATMENT RECEIVED</b>
------------	--

How satisfied were you with the treatment you received for your drug abuse problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.5	401	1	NOT AT ALL
46.2	45.6	814	2	SOMEWHAT
31.0	30.6	547	3	VERY SATISFIED
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
	0.3	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 628-629

**MB8****ATTEND SCHOOL WHILE IN TREATMENT**

Did you attend any school or take any educational, vocational, or technical school courses, or attend job training, skills development, or work experience programs while you were in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	68.3	1,220	1	YES
31.1	30.8	550	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 630-631

**MB9****WHILE IN TREATMENT RECEIVE H.S. DIPLOMA**

While you were in (NAME OF PROGRAM), did you receive a high school diploma, pass a high school equivalency test (GED), or receive any other diplomas, degrees, certificates, or licenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.3	130	1	YES
92.7	92.0	1,643	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 632-633

**MB10 WHILE IN TREATMENT WORK FULL/PART TIME**

Now, I'd like to ask about your employment experiences, if any, while you were in treatment. While you were in treatment, did you work at any full-time or part-time job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	142	1	YES
92.0	91.4	1,632	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 634-635

**MB11 MARRIED/SEPARATED/DIVORCED WHILE IN TREATMENT**

I'd also like to ask about your marital status and living arrangements while you were in treatment. While you were in treatment, did you get married, separated, or divorced; were you widowed; or did you start or stop living with someone as married during this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	16	1	YES
99.1	98.2	1,752	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 636-637

<b>MB11A_1</b>	<b>GOT MARRIED WHILE IN TREATMENT</b>
----------------	---------------------------------------

What changes in your marital status occurred while you were in treatment?

Got married.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.4	1,775	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

<b>MB11A_2</b>	<b>GOT SEPARATED WHILE IN TREATMENT</b>
----------------	---

What changes in your marital status occurred while you were in treatment?

Got separated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 640-641

**MB11A\_3 GOT DIVORCED WHILE IN TREATMENT**

What changes in your marital status occurred while you were in treatment?

Got divorced.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.4	1,775	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 642-643

**MB11A\_4 WAS WIDOWED WHILE IN TREATMENT**

What changes in your marital status occurred while you were in treatment?

Was widowed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 644-645

<b>MB11A_5</b>	<b>STARTED LIVING W/SOMEONE WHILE IN TREATMENT</b>
----------------	--

What changes in your marital status occurred while you were in treatment?

Started living with someone as married (but not legally married).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	5	CIRCLED
	99.2	1,771	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 646-647

<b>MB11A_6</b>	<b>STOPPED LIVING W/SOMEONE WHILE IN TREATMENT</b>
----------------	--

What changes in your marital status occurred while you were in treatment?

Stopped living with someone as married (but not legally married).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	6	CIRCLED
	99.1	1,769	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 648-649



**MB11A\_8S****SPECIFY OTHER MARITAL STATUS**

What changes in your marital status occurred while you were in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	NONE
0.0	0.0	0	10	STARTED RELATIONSHIP AND LEFT W/HIM
0.0	0.0	0	11	NEVER MARRIED
0.0	0.0	0	12	STARTED DATING PRESENT BOYFRIEND/GIRLFRIEND
28.6	0.1	2	13	STOPPED RELATIONSHIP AFTER TREATMENT
0.0	0.0	0	14	WORKING ON RECONCILIATION IN TREATMENT
0.0	0.0	0	15	SEVERAL RELATIONSHIPS
0.0	0.0	0	16	RECONCILED WITH HUSBAND/WIFE
57.1	0.2	4	17	BEGINNING NEW RELATIONSHIPS
14.3	0.1	1	18	CHANGED RELATIONSHIP
	99.6	1,778	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 654-655

**MB12****NUMBER OF PLACES LIVED WHILE IN TREATMENT**

At how many addresses, residences, or places did you live while you were in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	0	
94.1	93.6	1,670	1	
4.2	4.2	75	2	
0.6	0.6	10	3	
0.2	0.2	4	4	
0.1	0.1	2	5	
0.1	0.1	1	6	
0.1	0.1	1	14	
0.1	0.1	1	31	
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 656-657

**MB13 #DAYS SPENT IN CONFINEMENT WHILE IN TREATMENT**

While you were in treatment, how many days did you stay overnight in a place where you could not come and go as you pleased, such as a jail, a juvenile detention home, a hospital, or a therapeutic community?

1,785 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 658-660

**MB14\_10 FREQUENCY/ALCOHOL**

While you were in treatment, (on the average) how often did you use alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	88.4	1,578	0	NOT USED AT ALL DURING THE PERIOD
5.0	5.0	89	1	LESS THAN ONCE A MONTH
2.1	2.1	38	2	1 TO 3 TIMES A MONTH
2.5	2.5	44	3	1 TO 2 TIMES A WEEK
0.6	0.6	10	4	3 TO 4 TIMES A WEEK
0.2	0.2	3	5	5 TO 6 TIMES A WEEK
0.4	0.4	7	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	1	7	2 TO 3 TIMES A DAY
0.1	0.1	1	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 661-662

MB14\_20

## FREQUENCY/MARIJUANA, HASHISH, OR THC

While you were in treatment, (on the average) how often did you use marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	82.4	1,470	0	NOT USED AT ALL DURING THE PERIOD
6.8	6.8	121	1	LESS THAN ONCE A MONTH
3.0	3.0	54	2	1 TO 3 TIMES A MONTH
2.0	2.0	36	3	1 TO 2 TIMES A WEEK
1.4	1.3	24	4	3 TO 4 TIMES A WEEK
0.6	0.6	11	5	5 TO 6 TIMES A WEEK
2.1	2.1	37	6	DAILY OR ALMOST EVERYDAY
0.5	0.5	9	7	2 TO 3 TIMES A DAY
0.5	0.5	9	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 663-664

<b>MB14_30</b>	<b>FREQUENCY/HALLUCINOGENS OR PSYCHEDELICS</b>
----------------	--

While you were in treatment, (on the average) how often did you use hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.1	1,697	0	NOT USED AT ALL DURING THE PERIOD
2.6	2.6	46	1	LESS THAN ONCE A MONTH
1.0	1.0	18	2	1 TO 3 TIMES A MONTH
0.5	0.5	9	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.1	0.1	1	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 665-666

**MB14\_40****FREQUENCY/COCAINE IN ANY FORM**

While you were in treatment, (on the average) how often did you use cocaine in any form, including crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	96.8	1,728	0	NOT USED AT ALL DURING THE PERIOD
0.9	0.8	15	1	LESS THAN ONCE A MONTH
0.6	0.6	11	2	1 TO 3 TIMES A MONTH
0.1	0.1	1	3	1 TO 2 TIMES A WEEK
0.1	0.1	1	4	3 TO 4 TIMES A WEEK
0.1	0.1	1	5	5 TO 6 TIMES A WEEK
0.1	0.1	1	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	1.2	22	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 667-668

**MB14\_41****FREQUENCY/CRACK ONLY**

While you were in treatment, (on the average) how often did you use crack only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	2.0	36	0	NOT USED AT ALL DURING THE PERIOD
7.3	0.2	3	1	LESS THAN ONCE A MONTH
2.4	0.1	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
2.4	0.1	1	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	96.4	1,721	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 669-670

**MB14\_42** **FREQUENCY/ANY COCAINE OTHER THAN CRACK**

While you were in treatment, (on the average) how often did you use any cocaine other than crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	2.0	35	0	NOT USED AT ALL DURING THE PERIOD
16.7	0.5	9	1	LESS THAN ONCE A MONTH
13.0	0.4	7	2	1 TO 3 TIMES A MONTH
1.9	0.1	1	3	1 TO 2 TIMES A WEEK
1.9	0.1	1	4	3 TO 4 TIMES A WEEK
1.9	0.1	1	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	96.1	1,715	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 671-672

**MB14\_50** **FREQUENCY/HEROIN ALONE OR W/OTHER DRUGS**

While you were in treatment, (on the average) how often did you use heroin alone or with other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	98.8	1,764	0	NOT USED AT ALL DURING THE PERIOD
0.1	0.1	2	1	LESS THAN ONCE A MONTH
0.1	0.1	2	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.1	0.1	1	4	3 TO 4 TIMES A WEEK
0.1	0.1	1	5	5 TO 6 TIMES A WEEK
0.1	0.1	1	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 673-674

MB14\_60

## FREQUENCY/NARCOTICS OR OPIATES

While you were in treatment, (on the average) how often did you use narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	98.1	1,751	0	NOT USED AT ALL DURING THE PERIOD
0.6	0.6	10	1	LESS THAN ONCE A MONTH
0.2	0.2	4	2	1 TO 3 TIMES A MONTH
0.3	0.3	5	3	1 TO 2 TIMES A WEEK
0.1	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.1	0.1	1	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-676

<b>MB14_70</b>	<b>FREQUENCY/DOWNERS OR DEPRESSANTS</b>
----------------	---

While you were in treatment, (on the average) how often did you use downers or depressants, such as sedatives, barbiturates, or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	98.0	1,750	0	NOT USED AT ALL DURING THE PERIOD
0.8	0.8	14	1	LESS THAN ONCE A MONTH
0.1	0.1	2	2	1 TO 3 TIMES A MONTH
0.2	0.2	4	3	1 TO 2 TIMES A WEEK
0.1	0.1	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.1	0.1	1	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.1	0.1	1	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 677-678

MB14\_80

## FREQUENCY/AMPHETAMINES/OTHER STIMULANTS

While you were in treatment, (on the average) how often did you use amphetamines or other stimulants, speed, or diet pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	97.4	1,738	0	NOT USED AT ALL DURING THE PERIOD
0.9	0.9	16	1	LESS THAN ONCE A MONTH
0.6	0.6	11	2	1 TO 3 TIMES A MONTH
0.2	0.2	4	3	1 TO 2 TIMES A WEEK
0.1	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.1	0.1	2	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 679-680

<b>MB14_90</b>	<b>FREQUENCY/ANY OTHER DRUGS</b>
----------------	----------------------------------

While you were in treatment, (on the average) how often did you use any other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	92.8	1,657	0	NOT USED AT ALL DURING THE PERIOD
1.0	1.0	18	1	LESS THAN ONCE A MONTH
0.6	0.6	10	2	1 TO 3 TIMES A MONTH
0.1	0.1	2	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
1.4	1.4	25	6	DAILY OR ALMOST EVERYDAY
1.0	1.0	18	7	2 TO 3 TIMES A DAY
0.1	0.1	1	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	2.6	47	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 681-682

MB15

## DRUG WHICH CAUSED MOST SERIOUS PROBLEM

What type of drug that you used while you were in treatment caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	9.7	173	0	NONE
6.3	1.4	25	10	ALCOHOL
38.5	8.6	153	20	MARIJUANA, HASHISH, THC
2.8	0.6	11	30	HALLUCINOGENS/PSYCHEDELICS
2.8	0.6	11	40	COCAINE IN ANY FORM
0.5	0.1	2	41	CRACK
0.5	0.1	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.5	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.8	0.2	3	70	DOWNERS/DEPRESSANTS
2.5	0.6	10	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
1.3	0.3	5	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	0.8	14	-9	LEGITIMATE NONRESPONSE
	76.8	1,371	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 683-684



**MB18****THOUGHTS OF SUICIDE WHILE IN TREATMENT**

While you were in treatment, did you think about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.7	245	1	YES
86.2	85.6	1,528	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 689-690

**MB18A****SUICIDE THOUGHTS DUE TO ALCOHOL/DRUG USE**

Were your thoughts of suicide always the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	3.6	65	1	YES
71.5	9.1	163	2	NO
	85.5	1,527	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 691-692

**MB19** **EVER ATTEMPT SUICIDE WHILE IN TREATMENT**

While you were in treatment, did you ever attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	27	1	YES
98.5	97.6	1,742	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 693-694

**MB19A** **NUMBER OF SUICIDE ATTEMPTS**

How many times did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	0	
51.9	0.8	14	1	
14.8	0.2	4	2	
11.1	0.2	3	3	
3.7	0.1	1	4	
7.4	0.1	2	5	
3.7	0.1	1	6	
3.7	0.1	1	30	
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 695-696

**MB19B****SUICIDE ATTEMPTS RESULT DRUG/ALCOHOL USE**

Were your attempts always the direct result  
of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.4	8	1	YES
69.2	1.0	18	2	NO
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 697-698

**MB20****WHILE IN TREATMENT ARRESTED AND BOOKED**

While you were in treatment, were you arrested and booked or  
sent to juvenile court, including being fingerprinted, for an  
offense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	83	1	YES
95.3	94.6	1,688	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 699-700

<b>MB21</b>	<b>WHILE IN TREATMENT CONVICTED OF CHARGES</b>
-------------	--

While you were in treatment, were you convicted of any charges?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	54	1	YES
96.9	96.0	1,714	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 701-702

<b>MB22</b>	<b>IN JAIL/PRISON/DETENTION WHILE IN TREATMENT</b>
-------------	--

Did you spend time in jail, prison, or a juvenile detention home while you were in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	39	1	YES
97.8	97.0	1,731	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 703-704

MB23

## DOING MOST OF WEEK BEFORE LAST CONTACT

Now, I'd like to ask some questions regarding your employment status and history while you were in treatment. I will ask several questions regarding legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table. What were you doing most of the week before (DATE OF LAST PHYSICAL CONTACT ON TALLY SHEET B)? Were you working, looking for work, keeping house, going to school, unable to work, or doing something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.0	72	1	WORKING AT LEGITIMATE JOB
0.1	0.1	1	2	HAD A JOB BUT WAS NOT WORKING
2.0	2.0	35	3	LOOKING FOR WORK
0.5	0.5	9	4	KEEPING HOUSE FOR YOURSELF/FAMILY
23.1	22.3	398	5	GOING TO SCHOOL OR TRAINING PROGRAM
0.2	0.2	4	6	UNABLE TO WORK, DISABLED
0.0	0.0	0	7	RETIRED
47.2	45.5	812	8	IN JAIL, RESIDENTL TREATMENT PROGRAM
9.7	9.3	166	9	INVOLVED IN DRUG-RELATED ACTIVITIES
0.5	0.5	9	10	INVOLVED IN OTHER ILLEGAL ACTIVITIES
6.6	6.3	113	11	NOT WORKING/NOT INTERESTED IN WORK
5.9	5.7	101	12	OTHER
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	2.5	44	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 705-706

**MB23\_1                      WORKING GREATER OR LESS THAN 35 HOURS**

Did you work more than 35 hours or more or less than 35 hours at a legitimate job, including work for yourself, during the week of (DATE OF LAST PHYSICAL CONTACT ON TALLY SHEET B)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.8	15	1	(01A) 35 HRS. OR MORE A WEEK
58.3	1.2	21	2	(01B) < 35 HRS. A WEEK
	96.5	1,723	-9	LEGITIMATE NONRESPONSE
	1.5	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 707-708

**MB24                              LOOK FOR WORK WHILE STILL IN TREATMENT**

Did you (look for work/look for a different job) while you were in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	120	1	YES
93.2	92.5	1,652	2	NO
	0.2	4	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 709-710

**MB25                              # OF WEEKS EMPLOYED WHILE IN TREATMENT**

While you were in treatment, about how many weeks were you employed in either full- or part-time jobs?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 711-712

**MB26****BELONG TO HEALTH PLAN WHILE IN TREATMENT**

While you were in treatment, were you covered by a health plan or by any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	84.3	1,505	1	YES
11.7	11.2	200	2	NO
	0.3	5	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	3.5	63	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 713-714

**MB26A****PROGRAM COST COVERED BY INSURANCE**

Were any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	69.6	1,242	1	YES
8.7	7.0	125	2	NO
1.7	1.4	25	3	PROGRAM CHARGES NO FEES
3.7	3.0	53	4	PARTIALLY COVERED
	11.5	205	-9	LEGITIMATE NONRESPONSE
	2.6	47	-8	MISSING
	0.1	1	-5	BAD DATA
	4.9	87	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 715-716

**PRETREATMENT STATUS**

**MC1 MOST IMPORTANT REASON ENROLLED-CODE**

Now, I would like to ask you some questions about your situation before you entered treatment. Most of these questions will be about the 12 months before you entered treatment.

What was the most important reason for enrolling in treatment at that time?

1,785 cases (Range of valid codes: 2-91)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 717-718

**MC2\_0 WHEN ADMITTED NOT ON PROBATION/PAROLE/JAIL**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

No.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	52.9	945	0	CIRCLED
	46.9	837	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 719-720

**MC2\_1****WHEN ADMITTED ON PROBATION**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	37.1	662	1	CIRCLED
	62.7	1,120	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 721-722

**MC2\_2****WHEN ADMITTED ON PAROLE**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	15	2	CIRCLED
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 723-724

<b>MC2_3</b>	<b>WHEN ADMITTED AWAITING TRIAL</b>
--------------	-------------------------------------

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	27	3	CIRCLED
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 725-726

<b>MC2_4</b>	<b>WHEN ADMITTED AWAITING SENTENCING</b>
--------------	--

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	34	4	CIRCLED
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 727-728

**MC2\_5****WHEN ADMITTED SERVING A SENTENCE**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention serving a sentence.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	46	5	CIRCLED
	97.3	1,736	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 729-730

**MC2\_6****WHEN ADMITTED ON BAIL AWAITING TRIAL**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	6	CIRCLED
	99.3	1,773	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 731-732

<b>MC2_7</b>	<b>WHEN ADMITTED ON BAIL AWAITING SENTENCING</b>
--------------	--

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	7	CIRCLED
	99.3	1,773	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 733-734

<b>MC2_8</b>	<b>WHEN ADMITTED RELEASED ON OWN RECOGNIZANCE</b>
--------------	---

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - released on own recognizance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	91	8	CIRCLED
	94.7	1,691	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 735-736

**MC2\_9****WHEN ADMITTED ON OTHER STATUS**

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	26	9	CIRCLED
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 737-738

**MC3****ADMISSION REQUIRED/STIPULATED SUGGESTED/ENCOURAGED**

If your admission to treatment on (DATE OF ADMISSION) was required or suggested by the criminal (juvenile) justice system (ie., courts or correctional authorities), was it required/stipulated or suggested/encouraged?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	45.7	815	0	NEITHER REQUIRED NOR SUGGESTED
40.2	39.8	711	1	REQUIRED/STIPULATED
13.7	13.6	243	2	SUGGESTED/ENCOURAGED
	0.8	14	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 739-740

<b>MC4</b>	<b>DOING MOST OF WEEK BEFORE ADMISSION</b>
------------	--

Now, I'd like to ask some questions regarding your employment status and history just prior to entering treatment on (DATE OF ADMISSION). When talking about "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table.

What were you doing most of the week before admission to treatment? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.6	100	1	WORKING AT LEGITIMATE JOB
0.1	0.1	1	2	HAD A JOB BUT WAS NOT WORKING
1.3	1.2	21	3	LOOKING FOR WORK
1.0	0.9	16	4	KEEPING HOUSE FOR YOURSELF/FAMILY
25.2	23.3	416	5	GOING TO SCHOOL OR TRAINING PROGRAM
0.1	0.1	2	6	UNABLE TO WORK, DISABLED
0.0	0.0	0	7	RETIRED
15.7	14.5	259	8	IN JAIL, RESIDENTL TREATMENT PROGRAM
33.8	31.3	559	9	INVOLVED IN DRUG-RELATED ACTIVITIES
2.1	1.9	34	10	INVOLVED IN OTHER ILLEGAL ACTIVITIES
8.1	7.5	134	11	NOT WORKING/NOT INTERESTED IN WORK
6.7	6.2	111	12	OTHER
	2.4	43	-8	MISSING
	5.0	89	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 741-742

**MC4\_1****WORKING GREATER OR LESS THAN 35 HOURS**

Did you work more than 35 hours or more or less than 35 hours at a legitimate job, including work for yourself, during the time just prior to entering treatment on (DATE OF ADMISSION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	2.5	44	1	(01A) 35 HRS. OR MORE A WEEK
54.2	2.9	52	2	(01B) < 35 HRS. A WEEK
	94.1	1,680	-8	MISSING
	0.5	9	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 743-744

**MC5****TYPE JOB/OCCUPATION YEAR BEFORE ADMISSION**

What type of job did you have, or what was your occupation in the year before entering treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	53.1	948	0	NO JOB OR OCCUPATION
0.1	0.1	1	1	PROFESSIONAL AND TECHNICAL
0.1	0.1	2	2	MANAGER AND ADMINISTRATOR
3.7	3.7	66	3	SALES
1.5	1.5	26	4	CLERICAL OR OFFICE WORKER
1.2	1.2	21	5	CRAFT AND KINDRED
2.0	2.0	35	6	OPERATIVES
0.5	0.4	8	7	TRANSPORTATION EQUIPMENT OPERATIVES
5.2	5.2	92	8	LABORERS (FARM & NONFARM)
14.1	14.1	251	10	SERVICE WORKER
15.4	15.4	274	30	STUDENT
3.0	3.0	53	86	OTHER
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 745-746

**MC6** **FREQUENCY ALCOHOL USE 12 MONTHS BEFORE ADMITTED**

In the 12 months before being admitted to treatment, on the average, how often did you drink any alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.7	298	0	NOT AT ALL, NONE
12.5	12.4	222	1	LESS THAN 1 DAY A MONTH
16.0	15.9	283	2	1 TO 3 DAYS A MONTH
21.3	21.1	377	3	1 TO 2 DAYS A WEEK
13.6	13.5	241	4	3 TO 4 DAYS A WEEK
3.8	3.8	68	5	5 TO 6 DAYS A WEEK
12.5	12.4	221	6	DAILY OR ALMOST EVERY DAY
2.3	2.2	40	7	2 TO 3 TIMES A DAY
1.4	1.3	24	8	4 OR MORE TIMES A DAY
	0.6	10	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 747-748

**MC6A** **AVERAGE # OF DRINKS IN A 24-HOUR PERIOD**

On days when you drank alcohol before treatment, about how many drinks did you usually have in a single day? Please count drinks as shown on this card. [SHOW CARD 7]

1,785 cases (Range of valid codes: 0-86)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 749-750

**MC7****OTHER PRIMARY TREATMENT FOR ALCOHOL USE**

Not counting treatment you received after being admitted for treatment on (DATE OF ADMISSION), had you ever received any treatment that was primarily for an alcohol problem? Please do not include any Alcoholics Anonymous (AA).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.1	180	1	YES
89.8	89.1	1,591	2	NO
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 751-752

**MC8****# OTHER TIMES ADMITTED FOR ALCOHOL PROBLEMS**

Prior to your treatment on (DATE OF ADMISSION), how many times were you ever admitted for treatment primarily for alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	1.0	17	0	
57.8	6.0	107	1	
19.5	2.0	36	2	
8.6	0.9	16	3	
3.8	0.4	7	4	
0.5	0.1	1	5	
0.5	0.1	1	15	
	88.9	1,586	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 753-754

<b>MC9_20</b>	<b>FREQUENCY/MARIJUANA, HASHISH, OR THC</b>
---------------	---

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	121	0	NOT USED AT ALL DURING THE PERIOD
3.8	3.8	68	1	LESS THAN ONCE A MONTH
5.6	5.5	99	2	1 TO 3 TIMES A MONTH
7.4	7.4	132	3	1 TO 2 TIMES A WEEK
9.9	9.9	177	4	3 TO 4 TIMES A WEEK
6.1	6.1	108	5	5 TO 6 TIMES A WEEK
30.1	30.1	537	6	DAILY OR ALMOST EVERYDAY
13.3	13.3	237	7	2 TO 3 TIMES A DAY
16.3	16.2	290	8	4 OR MORE TIMES A DAY
0.8	0.8	14	9	OTHER
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 755-756

MC9\_30

## FREQUENCY/HALLUCINOGENS OR PSYCHEDELICS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Hallucinogens, or psychedelics such as LSD, DMT, mescaline, PCP, MDS, STP.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	53.0	946	0	NOT USED AT ALL DURING THE PERIOD
16.4	16.4	293	1	LESS THAN ONCE A MONTH
14.1	14.1	252	2	1 TO 3 TIMES A MONTH
8.1	8.1	144	3	1 TO 2 TIMES A WEEK
4.6	4.6	82	4	3 TO 4 TIMES A WEEK
0.9	0.9	16	5	5 TO 6 TIMES A WEEK
2.0	2.0	35	6	DAILY OR ALMOST EVERYDAY
0.4	0.4	7	7	2 TO 3 TIMES A DAY
0.3	0.3	5	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 757-758

<b>MC9_40</b>	<b>FREQUENCY/COCAINE IN ANY FORM</b>
---------------	--------------------------------------

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Cocaine in any form, including crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	68.9	1,229	0	NOT USED AT ALL DURING THE PERIOD
10.7	10.7	191	1	LESS THAN ONCE A MONTH
5.6	5.6	100	2	1 TO 3 TIMES A MONTH
3.5	3.5	62	3	1 TO 2 TIMES A WEEK
3.3	3.3	59	4	3 TO 4 TIMES A WEEK
1.2	1.2	21	5	5 TO 6 TIMES A WEEK
3.6	3.6	64	6	DAILY OR ALMOST EVERYDAY
1.0	1.0	18	7	2 TO 3 TIMES A DAY
1.6	1.6	28	8	4 OR MORE TIMES A DAY
0.4	0.4	7	9	OTHER
	0.2	4	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 759-760

MC9\_41

## FREQUENCY/CRACK ONLY

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	17.5	313	0	NOT USED AT ALL DURING THE PERIOD
15.6	4.6	82	1	LESS THAN ONCE A MONTH
5.7	1.7	30	2	1 TO 3 TIMES A MONTH
3.2	1.0	17	3	1 TO 2 TIMES A WEEK
4.9	1.5	26	4	3 TO 4 TIMES A WEEK
2.1	0.6	11	5	5 TO 6 TIMES A WEEK
5.9	1.7	31	6	DAILY OR ALMOST EVERYDAY
1.1	0.3	6	7	2 TO 3 TIMES A DAY
1.7	0.5	9	8	4 OR MORE TIMES A DAY
0.4	0.1	2	9	OTHER
	68.6	1,224	-9	LEGITIMATE NONRESPONSE
	1.8	33	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 761-762

<b>MC9_42</b>	<b>FREQUENCY/ANY COCAINE OTHER THAN CRACK</b>
---------------	---

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Any cocaine other than crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	9.0	161	0	NOT USED AT ALL DURING THE PERIOD
27.9	8.2	146	1	LESS THAN ONCE A MONTH
13.7	4.0	72	2	1 TO 3 TIMES A MONTH
8.6	2.5	45	3	1 TO 2 TIMES A WEEK
4.2	1.2	22	4	3 TO 4 TIMES A WEEK
2.5	0.7	13	5	5 TO 6 TIMES A WEEK
5.2	1.5	27	6	DAILY OR ALMOST EVERYDAY
2.7	0.8	14	7	2 TO 3 TIMES A DAY
3.4	1.0	18	8	4 OR MORE TIMES A DAY
1.1	0.3	6	9	OTHER
	68.4	1,221	-9	LEGITIMATE NONRESPONSE
	2.2	39	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 763-764

MC9\_50

## FREQUENCY/HEROIN ALONE OR W/OTHER DRUGS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Heroin alone or with other drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	90.8	1,620	0	NOT USED AT ALL DURING THE PERIOD
3.8	3.8	68	1	LESS THAN ONCE A MONTH
0.9	0.9	16	2	1 TO 3 TIMES A MONTH
0.6	0.6	11	3	1 TO 2 TIMES A WEEK
0.5	0.5	9	4	3 TO 4 TIMES A WEEK
0.2	0.2	3	5	5 TO 6 TIMES A WEEK
1.4	1.4	25	6	DAILY OR ALMOST EVERYDAY
0.6	0.6	11	7	2 TO 3 TIMES A DAY
0.4	0.4	7	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.7	12	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 765-766

<b>MC9_60</b>	<b>FREQUENCY/NARCOTICS OR OPIATES</b>
---------------	---------------------------------------

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	82.5	1,472	0	NOT USED AT ALL DURING THE PERIOD
7.9	7.9	141	1	LESS THAN ONCE A MONTH
5.1	5.1	91	2	1 TO 3 TIMES A MONTH
2.1	2.1	38	3	1 TO 2 TIMES A WEEK
0.7	0.7	13	4	3 TO 4 TIMES A WEEK
0.1	0.1	2	5	5 TO 6 TIMES A WEEK
0.9	0.9	16	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	2	7	2 TO 3 TIMES A DAY
0.1	0.1	1	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.4	8	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 767-768

MC9\_70

## FREQUENCY/DOWNERS OR DEPRESSANTS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Downers or depressants, such as sedatives, barbiturates, or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	84.8	1,514	0	NOT USED AT ALL DURING THE PERIOD
5.7	5.7	102	1	LESS THAN ONCE A MONTH
4.3	4.3	77	2	1 TO 3 TIMES A MONTH
2.7	2.7	48	3	1 TO 2 TIMES A WEEK
0.7	0.7	13	4	3 TO 4 TIMES A WEEK
0.3	0.3	5	5	5 TO 6 TIMES A WEEK
1.0	1.0	18	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	1	7	2 TO 3 TIMES A DAY
0.1	0.1	2	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 769-770

<b>MC9_80</b>	<b>FREQUENCY/AMPHETAMINES/OTHER STIMULANTS</b>
---------------	--

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Amphetamines or other stimulants, speed, or diet pills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	73.3	1,308	0	NOT USED AT ALL DURING THE PERIOD
8.2	8.1	145	1	LESS THAN ONCE A MONTH
5.7	5.7	101	2	1 TO 3 TIMES A MONTH
3.5	3.5	63	3	1 TO 2 TIMES A WEEK
1.9	1.9	34	4	3 TO 4 TIMES A WEEK
1.7	1.7	30	5	5 TO 6 TIMES A WEEK
2.9	2.9	52	6	DAILY OR ALMOST EVERYDAY
1.1	1.1	20	7	2 TO 3 TIMES A DAY
1.3	1.3	23	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.3	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 771-772

MC9\_90

## FREQUENCY/ANY OTHER DRUGS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them.

Any other drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	85.7	1,529	0	NOT USED AT ALL DURING THE PERIOD
4.1	4.0	72	1	LESS THAN ONCE A MONTH
2.3	2.3	41	2	1 TO 3 TIMES A MONTH
1.9	1.9	34	3	1 TO 2 TIMES A WEEK
1.0	1.0	17	4	3 TO 4 TIMES A WEEK
0.1	0.1	2	5	5 TO 6 TIMES A WEEK
2.4	2.4	42	6	DAILY OR ALMOST EVERYDAY
0.9	0.9	16	7	2 TO 3 TIMES A DAY
0.4	0.4	7	8	4 OR MORE TIMES A DAY
0.1	0.1	1	9	OTHER
	0.8	15	-8	MISSING
	0.2	3	-6	MULTIPLE RESPONSE
	0.3	5	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 773-774

<b>MC10</b>	<b>FAVORITE DRUG 12 MONTHS BEFORE ADMISSION</b>
-------------	---

During the 12 months before admission, what type of drug that you used would you say was your favorite drug for taking regularly? Some people call this their "drug of choice."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	97	0	NONE
4.7	4.6	83	10	ALCOHOL
66.8	66.4	1,185	20	MARIJUANA, HASHISH, THC
6.6	6.6	117	30	HALLUCINOGENS/PSYCHEDELICS
5.9	5.9	105	40	COCAINE IN ANY FORM
1.5	1.5	27	41	CRACK
2.5	2.5	44	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.3	0.3	6	70	DOWNERS/DEPRESSANTS
4.4	4.4	78	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
1.9	1.8	33	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	0.4	7	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 775-776

MC11

## PRIMARY PROBLEM DRUG 12 MONTHS BEFORE ADMISSION

During the 12 months before admission, what type of drug that you used caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	283	0	NONE
7.8	7.7	137	10	ALCOHOL
47.6	47.1	840	20	MARIJUANA, HASHISH, THC
7.7	7.6	135	30	HALLUCINOGENS/PSYCHEDELICS
7.8	7.7	137	40	COCAINE IN ANY FORM
2.4	2.4	42	41	CRACK
2.2	2.2	39	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.1	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.5	0.4	8	70	DOWNERS/DEPRESSANTS
5.8	5.8	103	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
2.2	2.1	38	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	0.9	16	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 777-778

**MC12****USE DRUGS W/NEEDLE 12 MONTHS BEFORE ADMISSION**

In the 12 months before being admitted to treatment on (DATE OF ADMISSION), did you ever use drugs with a needle, syringe, or "works"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	87	1	YES
95.0	93.1	1,661	2	NO
	2.1	37	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 779-780

**MC13****EVER RECEIVED ABUSE/ADDICTION TREATMENT**

Prior to the treatment that began on (DATE OF ADMISSION), had you ever received any treatment that was primarily for the abuse or addiction of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	22.9	408	1	YES
76.6	74.7	1,333	2	NO
	2.5	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 781-782

**MC14A****EVER TREATED: 28-DAY/SHORT TERM TREATMENT**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	9.8	175	1	YES
60.4	15.0	267	2	NO
	74.6	1,332	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 783-784

<b>MC14AA</b>	<b>AGE 1ST TREATMENT: 28-DAY/SHOR TERM TREATMENT</b>
---------------	--

How old were you when you first received treatment that was primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	8	
0.6	0.1	1	10	
2.8	0.3	5	11	
4.5	0.4	8	12	
16.4	1.6	29	13	
20.9	2.1	37	14	
22.6	2.2	40	15	
23.2	2.3	41	16	
6.8	0.7	12	17	
1.1	0.1	2	18	
0.6	0.1	1	19	
	89.5	1,597	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 785-786

**MC14BA****# ADMISSIONS: 28-DAY/SHORT TERM TREATMENT**

How many different times were you admitted to a 28-day or other short-term inpatient or chemical dependency treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	6.6	117	1	
21.9	2.2	39	2	
5.1	0.5	9	3	
5.6	0.6	10	4	
0.6	0.1	1	5	
0.6	0.1	1	6	
0.6	0.1	1	9	
	89.5	1,597	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 787-788

**MC14B****EVER TREATED: THERAPEUTIC PROGRAM**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	6.3	113	1	YES
74.3	18.3	326	2	NO
	74.7	1,333	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 789-790

**MC14AB                      AGE 1ST TREATMENT: THERAPEUTIC PROGRAM**

How old were you when you first received treatment that was primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	11	
3.6	0.2	4	12	
17.0	1.1	19	13	
15.2	1.0	17	14	
25.9	1.6	29	15	
26.8	1.7	30	16	
8.0	0.5	9	17	
2.7	0.2	3	18	
	92.9	1,659	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 791-792

**MC14BB                      # ADMISSIONS: THERAPEUTIC PROGRAM**

How many different times were you admitted to a therapeutic community or other long-term residential treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	4.5	81	1	
20.5	1.3	23	2	
1.8	0.1	2	3	
2.7	0.2	3	4	
0.9	0.1	1	6	
0.9	0.1	1	7	
0.9	0.1	1	20	
	92.9	1,659	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 793-794

**MC14C****EVER TREATED: A METHADONE PROGRAM**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	1	YES
99.8	24.3	434	2	NO
	74.7	1,333	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

**MC14AC****AGE 1ST TREATMENT: A METHADONE PROGRAM**

How old were you when you first received treatment that was primarily for drug problems at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	16	
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 797-798

**MC14BC # ADMISSIONS: A METHADONE PROGRAM**

How many different times were you admitted to a methadone program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 799-800

**MC14D EVER TREATED: OUTPATIENT DRUG PROGRAM**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	12.5	223	1	YES
49.5	12.3	219	2	NO
	74.7	1,333	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 801-802

MC14AD

AGE 1ST TREATMENT: OUTPATIENT DRUG TREATMENT

How old were you when you first received treatment that was primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	3	11	
3.2	0.4	7	12	
14.5	1.8	32	13	
21.8	2.7	48	14	
24.5	3.0	54	15	
25.0	3.1	55	16	
8.6	1.1	19	17	
0.9	0.1	2	18	
	86.9	1,552	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 803-804

**MC14BD # ADMISSIONS: OUTPATIENT DRUG TREATMENT**

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	0	
72.1	8.9	158	1	
17.8	2.2	39	2	
5.0	0.6	11	3	
0.9	0.1	2	4	
0.5	0.1	1	5	
0.5	0.1	1	6	
0.5	0.1	1	8	
0.5	0.1	1	10	
0.9	0.1	2	12	
0.5	0.1	1	99	99 OR MORE
	86.9	1,552	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 805-806

**MC14E EVER TREATED: OTHER TYPE DRUG TREATMENT**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	1.3	23	1	YES
94.7	23.2	415	2	NO
	74.7	1,333	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 807-808

<b>MC14AE</b>	<b>AGE 1ST TREATMENT: OTHER TYPE DRUG TREATMENT</b>
---------------	---

How old were you when you first received treatment that was primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	1	10	
13.0	0.2	3	12	
17.4	0.2	4	13	
17.4	0.2	4	14	
17.4	0.2	4	15	
4.3	0.1	1	16	
8.7	0.1	2	17	
13.0	0.2	3	18	
4.3	0.1	1	19	
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 809-810

<b>MC14BE</b>	<b># ADMISSIONS: OTHER TYPE DRUG TREATMENT</b>
---------------	--

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	1.0	17	1	
13.0	0.2	3	2	
4.3	0.1	1	3	
4.3	0.1	1	5	
4.3	0.1	1	10	
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 811-812

**MC14F** **EVER TREATED: SHORT-TERM DETOX PROGRAM**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	2.2	40	1	YES
90.9	22.4	400	2	NO
	74.7	1,333	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 813-814

**MC14AF** **AGE 1ST TREATMENT: SHORT-TERM DETOX PROGRAM**

How old were you when you first received treatment that was primarily for drug problems at a short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	1	10	
12.8	0.3	5	13	
17.9	0.4	7	14	
23.1	0.5	9	15	
28.2	0.6	11	16	
12.8	0.3	5	17	
2.6	0.1	1	19	
	97.1	1,733	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 815-816

**MC14BF****# ADMISSIONS: SHORT-TERM DETOX PROGRAM**

How many different times were you admitted to a short-term (21 days or less) detoxification program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	1.7	30	1	
12.8	0.3	5	2	
5.1	0.1	2	3	
2.6	0.1	1	4	
2.6	0.1	1	8	
	97.1	1,733	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 817-818

**MC15\_1****EVER ARRESTED: USE/POSSESSION DRUGS**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.8	532	1	YES
70.1	69.9	1,247	2	NO
	0.2	4	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 819-820

**MC16\_1 # ARRESTS: USE/POSSESSION DRUGS**

How many times were you arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	0	
47.0	13.8	247	1	
21.5	6.3	113	2	
10.5	3.1	55	3	
4.9	1.5	26	4	
4.4	1.3	23	5	
3.8	1.1	20	6	
1.0	0.3	5	7	
2.3	0.7	12	8	
0.6	0.2	3	9	
1.9	0.6	10	10	
0.8	0.2	4	12	
0.2	0.1	1	15	
0.2	0.1	1	16	
0.4	0.1	2	20	
0.2	0.1	1	25	
0.2	0.1	1	36	
	69.8	1,246	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 821-822

**MC17\_1****#ARRESTS 12MONTHS BEFORE: USE/POSSESSION DRUGS**

How many times were you arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	3.0	54	0	
48.8	14.3	256	1	
19.4	5.7	102	2	
8.6	2.5	45	3	
4.6	1.3	24	4	
2.5	0.7	13	5	
2.1	0.6	11	6	
0.6	0.2	3	7	
0.8	0.2	4	8	
0.8	0.2	4	9	
1.0	0.3	5	10	
0.4	0.1	2	12	
0.2	0.1	1	25	
0.2	0.1	1	36	
	69.8	1,246	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 823-824

**MC15\_2****EVER ARRESTED: SALE/MANUFACTURE OF DRUGS**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.7	209	1	YES
88.2	87.8	1,568	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 825-826

**MC16\_2 # ARRESTS: SALE/MANUFACTURE OF DRUGS**

How many times were you arrested or sent to adult or juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	5.2	93	1	
26.1	3.0	53	2	
13.3	1.5	27	3	
3.9	0.4	8	4	
3.4	0.4	7	5	
0.5	0.1	1	6	
3.4	0.4	7	8	
0.5	0.1	1	9	
1.0	0.1	2	10	
0.5	0.1	1	11	
1.0	0.1	2	12	
0.5	0.1	1	30	
	87.8	1,567	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 827-828

**MC17\_2****#ARRESTS 12MONTHS BEFORE: SALE/MANUFACTURE DRUGS**

How many times were you arrested or sent to adult or juvenile court for sale or manufacture of drugs in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	1.2	21	0	
50.3	5.6	100	1	
22.1	2.5	44	2	
8.5	1.0	17	3	
1.5	0.2	3	4	
2.0	0.2	4	5	
0.5	0.1	1	6	
0.5	0.1	1	7	
2.5	0.3	5	8	
0.5	0.1	1	9	
0.5	0.1	1	10	
0.5	0.1	1	12	
	87.8	1,567	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 829-830

**MC15\_3****EVER ARRESTED: FORGERY/FRAUD**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	125	1	YES
93.0	92.4	1,650	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 831-832



**MC17\_3****# ARRESTS 12 MONTHS BEFORE: FORGERY/FRAUD**

How many times were you arrested or sent to adult or juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	1.5	27	0	
57.0	3.9	69	1	
10.7	0.7	13	2	
8.3	0.6	10	3	
1.7	0.1	2	5	
	92.4	1,650	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 835-836

**MC15\_4****EVER ARRESTED: BURGLARY**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.8	265	1	YES
85.1	84.8	1,514	2	NO
	0.2	4	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 837-838

**MC16\_4 # ARRESTS: BURGLARY**

How many times were you arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	2	0	
65.1	9.5	170	1	
16.1	2.4	42	2	
7.3	1.1	19	3	
5.7	0.8	15	4	
2.7	0.4	7	5	
0.4	0.1	1	6	
0.4	0.1	1	7	
0.4	0.1	1	8	
0.4	0.1	1	10	
0.4	0.1	1	12	
0.4	0.1	1	47	
	84.8	1,514	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 839-840

**MC17\_4****# ARRESTS 12 MONTHS BEFORE: BURGLARY**

How many times were you arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	4.0	72	0	
48.3	7.0	125	1	
12.0	1.7	31	2	
6.9	1.0	18	3	
1.2	0.2	3	4	
1.2	0.2	3	5	
0.8	0.1	2	6	
0.8	0.1	2	7	
0.4	0.1	1	12	
0.4	0.1	1	13	
0.4	0.1	1	47	
	84.8	1,514	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 841-842

**MC15\_5****EVER ARRESTED: LARCENY**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.5	384	1	YES
78.4	78.1	1,394	2	NO
	0.3	5	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 843-844

**MC16\_5 # ARRESTS: LARCENY**

How many times were you arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	0	
56.7	12.1	216	1	
21.3	4.5	81	2	
8.4	1.8	32	3	
5.5	1.2	21	4	
3.4	0.7	13	5	
1.8	0.4	7	6	
0.8	0.2	3	8	
0.3	0.1	1	9	
1.0	0.2	4	10	
0.3	0.1	1	12	
0.3	0.1	1	20	
	78.1	1,394	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 845-846

**MC17\_5****# ARRESTS 12 MONTHS BEFORE: LARCENY**

How many times were you arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	5.0	90	0	
50.0	10.5	187	1	
14.4	3.0	54	2	
5.1	1.1	19	3	
2.7	0.6	10	4	
2.1	0.4	8	5	
0.5	0.1	2	6	
0.3	0.1	1	9	
0.8	0.2	3	10	
	78.1	1,394	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 847-848

**MC15\_7****EVER ARRESTED: ROBBERY**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	97	1	YES
94.5	93.9	1,677	2	NO
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 849-850

**MC16\_7 # ARRESTS: ROBBERY**

How many times were you arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	1	0	
67.0	3.5	63	1	
17.0	0.9	16	2	
7.4	0.4	7	3	
2.1	0.1	2	4	
2.1	0.1	2	5	
2.1	0.1	2	6	
1.1	0.1	1	10	
	93.9	1,677	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 851-852

**MC17\_7 # ARRESTS 12 MONTHS BEFORE: ROBBERY**

How many times were you arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	0.8	15	0	
62.6	3.2	57	1	
13.2	0.7	12	2	
3.3	0.2	3	3	
1.1	0.1	1	4	
3.3	0.2	3	5	
	93.9	1,677	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 853-854

**MC15\_8****EVER ARRESTED: ATTACKS OF PERSONS**

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	166	1	YES
90.7	90.3	1,611	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 855-856

**MC16\_8****# ARRESTS: ATTACKS ON PERSONS**

How many times were you arrested or sent to adult or juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	0	
67.7	6.2	111	1	
17.1	1.6	28	2	
7.3	0.7	12	3	
2.4	0.2	4	4	
1.2	0.1	2	5	
1.2	0.1	2	6	
0.6	0.1	1	7	
0.6	0.1	1	9	
1.2	0.1	2	15	
	90.2	1,610	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 857-858

<b>MC17_8</b>	<b>#ARRESTS 12MONTHS BEFORE: ATTACKS ON PERSONS</b>
---------------	---

How many times were you arrested or sent to adult or juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	1.7	30	0	
59.5	5.4	97	1	
15.3	1.4	25	2	
4.3	0.4	7	3	
1.8	0.2	3	4	
0.6	0.1	1	5	
	90.2	1,610	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 859-860

<b>MC15_9</b>	<b>EVER ARRESTED: OTHER PEOPLE OFFENSES</b>
---------------	---

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.0	215	1	YES
87.9	87.5	1,562	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 861-862

<b>MC16_9</b>	<b># ARRESTS: OTHER PEOPLE OFFENSES</b>
---------------	---

How many times were you arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	0	
60.6	7.1	126	1	
18.8	2.2	39	2	
8.2	1.0	17	3	
2.9	0.3	6	4	
1.4	0.2	3	5	
1.4	0.2	3	6	
0.5	0.1	1	7	
1.9	0.2	4	8	
1.0	0.1	2	10	
1.0	0.1	2	13	
0.5	0.1	1	23	
0.5	0.1	1	25	
0.5	0.1	1	30	
0.5	0.1	1	40	
	87.5	1,562	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 863-864

<b>MC17_9</b>	<b>#ARRESTS 12MONTHS BEFORE: OTHER PEOPLE OFFENSES</b>
---------------	--

How many times were you arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	2.3	41	0	
53.5	6.1	108	1	
14.9	1.7	30	2	
5.0	0.6	10	3	
1.0	0.1	2	4	
1.5	0.2	3	5	
1.0	0.1	2	6	
1.0	0.1	2	8	
0.5	0.1	1	10	
0.5	0.1	1	12	
0.5	0.1	1	20	
0.5	0.1	1	40	
	87.5	1,562	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	2	-7	REFUSAL
	0.4	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 865-866

<b>MC15_10</b>	<b>EVER ARRESTED: DRIVING WHILE INTOXICATED</b>
----------------	---

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	79	1	YES
95.5	94.8	1,692	2	NO
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 867-868

<b>MC16_10</b>	<b># ARRESTS: DRIVING WHILE INTOXICATED</b>
----------------	---

How many times were you arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	2.8	50	1	
19.7	0.8	15	2	
7.9	0.3	6	3	
1.3	0.1	1	4	
2.6	0.1	2	8	
1.3	0.1	1	9	
1.3	0.1	1	50	
	94.8	1,692	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 869-870

<b>MC17_10</b>	<b># ARRESTS 12MONTHS BEFORE: DRIVING INTOXICATED</b>
----------------	---

How many times were you arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	1.0	17	0	
52.6	2.2	40	1	
13.2	0.6	10	2	
7.9	0.3	6	3	
1.3	0.1	1	7	
1.3	0.1	1	8	
1.3	0.1	1	50	
	94.7	1,691	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 871-872

MC15\_11

EVER ARRESTED: STATUS OFFENSES

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.3	363	1	YES
79.6	79.2	1,414	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 873-874

<b>MC16_11</b>	<b># ARRESTS: STATUS OFFENSES</b>
----------------	-----------------------------------

How many times were you arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	0	
31.0	6.2	110	1	
17.2	3.4	61	2	
9.6	1.9	34	3	
7.6	1.5	27	4	
7.3	1.5	26	5	
4.5	0.9	16	6	
1.4	0.3	5	7	
1.1	0.2	4	8	
1.1	0.2	4	9	
5.6	1.1	20	10	
0.3	0.1	1	11	
0.6	0.1	2	12	
0.3	0.1	1	13	
2.0	0.4	7	15	
0.8	0.2	3	16	
0.3	0.1	1	18	
3.7	0.7	13	20	
0.6	0.1	2	24	
0.3	0.1	1	25	
1.4	0.3	5	30	
1.1	0.2	4	50	
0.3	0.1	1	55	
0.3	0.1	1	75	
0.3	0.1	1	100	
0.3	0.1	1	120	
0.3	0.1	1	365	
	79.1	1,412	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 875-877

<b>MC17_11</b>	<b># ARRESTS 12 MONTHS BEFORE: STATUS OFFENSES</b>
----------------	--

How many times were you arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc. in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	2.9	52	0	
29.1	5.7	102	1	
16.5	3.2	58	2	
9.1	1.8	32	3	
6.0	1.2	21	4	
5.7	1.1	20	5	
2.0	0.4	7	6	
2.3	0.4	8	7	
2.3	0.4	8	8	
1.1	0.2	4	9	
4.0	0.8	14	10	
0.6	0.1	2	12	
0.3	0.1	1	13	
0.3	0.1	1	14	
1.7	0.3	6	15	
0.3	0.1	1	16	
0.3	0.1	1	18	
1.1	0.2	4	20	
0.3	0.1	1	22	
0.6	0.1	2	30	
0.3	0.1	1	40	
0.6	0.1	2	50	
0.3	0.1	1	54	
0.3	0.1	1	60	
0.3	0.1	1	75	
	79.1	1,412	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 878-879

MC15\_12

## EVER ARRESTED: OTHER OFFENSES

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.0	411	1	YES
76.8	76.2	1,360	2	NO
	0.7	12	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881



<b>MC17_12</b>	<b># ARRESTS 12 MONTHS BEFORE: OTHER OFFENSES</b>
----------------	---

How many times were you arrested or sent to adult or juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc. in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	3.2	58	0	
46.2	10.5	187	1	
17.5	4.0	71	2	
7.7	1.7	31	3	
4.0	0.9	16	4	
3.2	0.7	13	5	
1.2	0.3	5	6	
1.0	0.2	4	7	
0.2	0.1	1	8	
0.2	0.1	1	9	
1.7	0.4	7	10	
0.5	0.1	2	12	
0.2	0.1	1	14	
0.2	0.1	1	15	
0.2	0.1	1	16	
0.2	0.1	1	19	
0.7	0.2	3	20	
0.2	0.1	1	23	
0.2	0.1	1	99	99 OR MORE
	76.1	1,359	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 885-886

**MC18 ILLEGAL ACTIVITY TO OBTAIN MONEY FOR DRUGS**

In the 12 months before admission, how often were you involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	42.1	752	0	NONE
8.2	8.2	146	1	LESS THAN ONE DAY A MONTH
8.9	8.9	158	2	1 TO 3 DAYS A MONTH
8.7	8.7	155	3	1 TO 2 DAYS A WEEK
6.6	6.6	118	4	3 TO 4 DAYS A WEEK
3.0	3.0	54	5	5 TO 6 DAYS A WEEK
15.8	15.7	281	6	DAILY OR ALMOST EVERY DAY
2.6	2.6	46	7	2 TO 3 TIMES A DAY
3.8	3.8	68	8	4 OR MORE TIMES A DAY
	0.2	3	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 887-888

**MC19 THOUGHT O/SUICIDE IN 12MONTHS BEFORE ADMISSION**

In the 12 months before admission, had you ever thought a lot about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	23.5	419	1	YES
76.5	76.3	1,362	2	NO
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 889-890

**MC20****ATTEMPT SUICIDE IN 12 MONTHS BEFORE ADMISSION**

In the 12 months before admission, did you ever attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.3	219	1	YES
87.7	87.3	1,559	2	NO
	0.3	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 891-892

**MC21****REGULAR MEDICATIONS FOR MENTAL PROBLEMS**

In the 12 months before admission, did you take any prescribed medications on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.6	261	1	YES
85.3	85.0	1,517	2	NO
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 893-894

<b>MC22</b>	<b>PREGNANT AT TIME ENTERED TREATMENT</b>
-------------	---

At the time you entered treatment, were you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.9	16	1	YES
96.9	28.5	508	2	NO
	69.5	1,240	-9	LEGITIMATE NONRESPONSE
	1.2	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 895-896

<b>MC22A</b>	<b>PREGNANCY AFFECTED DECISION TO ENTER TREATMENT</b>
--------------	---

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.3	6	1	YES
64.7	0.6	11	2	NO
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.2	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 897-898

<b>EDUCATION AND TRAINING</b>
-------------------------------

<b>MD5</b>	<b>GET PLACES NOT WITHIN WALKING DISTANCE</b>
------------	---

Now, I would like to know how you usually get to places that are not within walking distance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	26.8	479	1	DRIVE
30.7	30.5	544	2	PUBLIC TRANSPORTATION
36.2	35.9	641	3	RIDE FROM FAMILY/FRIEND
2.4	2.4	42	4	TAXICAB
3.7	3.7	66	5	OTHER
	0.2	4	-8	MISSING
	0.5	9	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 899-900

<b>MD6</b>	<b>EVER HAD A DRIVER'S LICENSE</b>
------------	------------------------------------

Have you ever had a driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	31.2	557	1	YES
68.6	68.1	1,215	2	NO
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 901-902

<b>MD6A</b>	<b>HAVE A CURRENT DRIVER'S LICENSE</b>
-------------	--

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	27.7	495	1	YES
11.4	3.6	64	2	NO
	67.9	1,212	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 903-904

<b>MD6B</b>	<b>HAD DRIVER'S LICENSE IN PAST 12 MONTHS</b>
-------------	---

Have you had a valid driver's license at any time during the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	2.5	44	1	YES
40.5	1.7	30	2	NO
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 905-906

MD6C

## DAYS W/VALID DRIVERS LICENSE

During the past 12 months, how long have you had a valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	4	1	
0.2	0.1	1	2	
0.2	0.1	1	10	
1.1	0.3	6	14	
0.2	0.1	1	20	
1.1	0.3	6	21	
3.6	1.1	19	30	
0.2	0.1	1	44	
5.1	1.5	27	61	
0.2	0.1	1	75	
3.8	1.1	20	91	
0.2	0.1	1	105	
5.5	1.6	29	122	
2.1	0.6	11	152	
0.2	0.1	1	166	
0.2	0.1	1	173	
6.5	1.9	34	182	
0.2	0.1	1	196	
3.2	1.0	17	213	
0.2	0.1	1	227	
2.3	0.7	12	243	
2.3	0.7	12	274	
2.7	0.8	14	304	
2.3	0.7	12	334	
0.2	0.1	1	364	
55.6	16.4	293	365	
	69.5	1,240	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.2	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2483-2485

**MD6D STATUS OF LICENSE WHEN LICENSE NOT VALID**

During the time that you did not have a valid license, was your driver's license. . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.2	3	1	EXPIRED
30.2	4.2	75	2	SUSPENDED
12.9	1.8	32	3	REVOKED
55.6	7.7	138	4	OBTAINED LICENSE < 12 MNTS AGO
	84.4	1,507	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 907-908

**MD7 HAVE VEHICLE AVAILABLE DURING PAST 12 MONTHS**

During the past 12 months, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for (you/your household) to use . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	28.2	504	0	NONE
18.9	18.9	337	1	SOME
52.7	52.5	938	2	ALL OF THE TIME
	0.2	4	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 909-910

**MD8****HIGHEST GRADE/YEAR OF SCHOOL ATTENDED**

What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	
0.1	0.1	1	1	
0.2	0.2	4	6	
0.7	0.7	12	7	
3.9	3.9	70	8	
15.9	15.9	284	9	
27.7	27.6	493	10	
23.9	23.9	426	11	
23.0	22.9	409	12	
3.8	3.8	68	13	
0.6	0.6	11	14	
0.1	0.1	2	15	
0.1	0.1	1	16	
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 911-912

**MD8A****COMPLETE THAT GRADE/YEAR**

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.9	606	1	YES
66.0	65.8	1,175	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 913-914

<b>MD9</b>	<b>PAST 12 MONTHS ENROLLED SCHOOLS/COLLEGES</b>
------------	---

During the past 12 months, were you ever enrolled in any schools, colleges, or educational or training programs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	72.4	1,293	1	YES
27.2	27.1	483	2	NO
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 915-916

<b>MD9A</b>	<b>#MONTHS/PAST 12 MONTHS/ENROLLED IN SCHOOLS</b>
-------------	---

For how many months during the past 12 months were you enrolled in any schools, colleges, or educational or training programs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.0	17	0	
5.5	4.0	71	1	
6.8	4.9	87	2	
8.3	6.0	107	3	
7.9	5.7	102	4	
5.2	3.8	67	5	
8.6	6.2	111	6	
3.8	2.7	49	7	
5.4	3.9	69	8	
23.1	16.6	297	9	
8.9	6.4	114	10	
2.7	2.0	35	11	
12.3	8.9	158	12	
	26.9	481	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.2	4	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 917-918

<b>MD9B1</b>	<b>ENROLLED IN MIDDLE SCHOOL</b>
--------------	----------------------------------

What schools or programs?

Middle school (Junior High).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	45	1	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	70.4	1,257	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 919-920

<b>MD9B2</b>	<b>ENROLLED IN ADULT BASIC EDUCATION</b>
--------------	--

What schools or programs?

Adult basic education (ABE).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	2	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	72.3	1,291	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 921-922

<b>MD9B3</b>	<b>ENROLLED IN GED OR HIGH SCHOOL EQUIVALENCY</b>
--------------	---

What schools or programs?

GED or high school equivalency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.0	285	3	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	57.0	1,017	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 923-924

<b>MD9B4</b>	<b>ENROLLED IN HIGH SCHOOL PROGRAM</b>
--------------	--

What schools or programs?

High school program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	39.3	701	4	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	33.7	601	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 925-926

**MD9B5****ENROLLED IN JUNIOR COLLEGE**

What schools or programs?

Junior (2-year) college or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	94	5	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	67.7	1,208	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 927-928

**MD9B6****ENROLLED IN 4 YR DEGREE PROGRAM**

What schools or programs?

4-year college or university degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	32	6	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	71.1	1,270	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 929-930

<b>MD9B7</b>	<b>ENROLLED IN GRADUATE DEGREE PROGRAM</b>
--------------	--

What schools or programs?

Graduate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	72.9	1,302	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 931-932

<b>MD9B8</b>	<b>ENROLLED IN TECH/TRADE/VOC SCHOOL</b>
--------------	--

What schools or programs?

Technical / trade / vocational school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	78	8	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	68.6	1,224	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 933-934

<b>MD9B9</b>	<b>ENROLLED IN JOB CORPS PROGRAM</b>
--------------	--------------------------------------

What schools or programs?

Job corps program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	9	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	72.3	1,290	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 935-936

<b>MD9B10</b>	<b>ENROLLED IN SPECIAL EDUCATION PROGRAM</b>
---------------	--

What schools or programs?

Special education program -> Go To D9d.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	10	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	72.4	1,293	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 937-938

<b>MD9B11</b>	<b>ENROLLED IN OTHER PROGRAM</b>
---------------	----------------------------------

What schools or programs?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.0	142	11	CIRCLED
	27.1	483	-9	LEGITIMATE NONRESPONSE
	65.0	1,160	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 939-940

<b>MD9C</b>	<b>PAST 12 MONTHS/SPECIAL EDUCATION CLASSES</b>
-------------	---

During the past 12 months, were you ever enrolled in any special education programs or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	7.0	125	1	YES
90.3	65.3	1,165	2	NO
	27.5	491	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 941-942

## MD9D

## TYPE OF SPECIAL ED PROGRAMS/CLASSES

What type of special education programs or classes were you enrolled in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	2.7	49	1	LEARNING DISABILITIES
34.1	2.4	43	3	EMOTIONAL DISTURBANCES
0.0	0.0	0	4	EDUCABLE MENTAL RETARDATION
0.0	0.0	0	5	TRAINABLE MENTAL RETARDATION
0.0	0.0	0	6	SEVERE/PROFOUND MENTAL RETARDATION
0.0	0.0	0	7	DEAF/HEARING IMPAIRMENTS
0.0	0.0	0	8	BLIND/VISUAL IMPAIRMENTS
0.0	0.0	0	9	DEAF-BLIND
0.0	0.0	0	10	AUTISM
0.0	0.0	0	11	TRAUMATIC BRAIN INJURIES
0.0	0.0	0	12	PHYSICAL DISABILITIES
0.0	0.0	0	13	MULTIPLE DISABILITIES
0.0	0.0	0	14	HEALTH IMPAIRMENTS
0.0	0.0	0	16	PRESCHOOL DISABILITIES
27.0	1.9	34	18	OTHER
	92.3	1,647	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.3	5	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 943-944

**MD9E PAST 12 MONTHS/HOW WERE GRADES IN SCHOOL**

During the past 12 months, how were your grades in school or in the educational or training programs you were attending- better than average, average, or not so good?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	24.0	428	1	BETTER THAN AVERAGE
47.2	33.8	603	2	AVERAGE
19.3	13.8	246	3	NOT SO GOOD
	27.1	483	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.3	6	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
	0.6	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 945-946

**MD9F PAST 12 MONTHS/HOW WELL DID IN SCHOOL**

During the past 12 months, how well did you do in school or in the educational or training programs you were attending compared to how well you did before then? Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	45.2	807	1	BETTER
27.6	19.9	355	2	ABOUT THE SAME
9.6	6.9	124	3	WORSE
	27.1	483	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 947-948

**MD9G****PAST 12 MONTHS/FREQUENTLY GET INTO TROUBLE**

During the past 12 months, did you frequently get into trouble with school or educational or program training personnel for misbehaving in school or in the educational or training programs you were attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	18.0	322	1	YES
75.1	54.4	971	2	NO
	27.0	482	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.3	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 949-950

**MD9H****PAST 12 MONTHS/EXPELLED/SUSPENDED FROM SCHOOL**

During the past 12 months, were you expelled or suspended from school or the educational or training program you were attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	20.9	373	1	YES
71.1	51.5	919	2	NO
	27.1	483	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.3	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 951-952

**MD9I PAST 12 MONTHS/FAIL GRADE OR HELD BACK**

During the past 12 months, did you fail a grade or get held back?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	8.7	156	1	YES
87.9	63.6	1,135	2	NO
	27.1	483	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.3	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 953-954

**MD9J PAST 12 MONTHS/SKIP SCHOOL**

During the past 12 months, did you skip school, not regularly attend the educational or training program you were enrolled in, or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	33.1	591	1	YES
54.3	39.4	703	2	NO
	27.0	482	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.2	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 955-956

**MD9K PAST 12 MONTHS/# OF DAYS SKIPPED SCHOOL**

During the past 12 months, on how many days did you skip school, not attend classes, or play hooky?

1,785 cases (Range of valid codes: 0-200)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 957-959

**MD10\_0****NO DIPLOMAS RECEIVED PAST 12 MONTHS**

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	77.7	1,387	0	CIRCLED
	22.3	398	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 960-961

**MD10\_1****ASSOCIATE DEGREE RECEIVED PAST 12 MONTHS**

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Junior college degree or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	22.1	395	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 962-963

<b>MD10_2</b>	<b>BACHELOR DEGREE RECEIVED PAST 12 MONTHS</b>
---------------	--

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	22.3	398	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 964-965

<b>MD10_3</b>	<b>ADVANCED DEGREE RECEIVED PAST 12 MONTHS</b>
---------------	--

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Advance college degree (Master's or Ph.D.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	22.3	398	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 966-967

**MD10\_4****VOCATIONAL CERTIFICATE RECEIVED PAST 12 MONTHS**

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Certificate from a vocational or trade school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	34	4	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	20.4	364	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 968-969

**MD10\_5****TRADE LICENSE RECEIVED PAST 12 MONTHS**

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

License to practice a trade.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	5	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	22.0	392	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 970-971

<b>MD10_6</b>	<b>OTHER DEGREE RECEIVED PAST 12 MONTHS</b>
---------------	---

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Other degree, license, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	6	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	21.6	386	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 972-973

<b>MD10_7</b>	<b>HIGH SCHOOL DIPLOMA RECEIVED PAST 12 MONTHS</b>
---------------	--

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

High school diploma.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.3	166	7	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	13.0	232	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 974-975

**MD10\_8****GED RECEIVED PAST 12 MONTHS**

What diplomas, degrees, certificates, or licenses have you received during the past 12 months?

GED, high school equivalency test.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.4	186	8	CIRCLED
	77.7	1,387	-9	LEGITIMATE NONRESPONSE
	11.9	212	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 976-977

**MD11****CURRENTLY ENROLLED IN SCHOOLS/COLLEGES**

Are you currently enrolled in any schools, colleges, or educational or training programs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	48.8	871	1	YES
51.0	50.8	906	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 978-979



<b>MD11A3</b>	<b>PROGRAMS: GED</b>
---------------	----------------------

What schools or programs?

GED or high school equivalency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	137	3	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	41.6	742	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985

<b>MD11A4</b>	<b>PROGRAMS: HIGH SCHOOL PROGRAM</b>
---------------	--------------------------------------

What schools or programs?

High school program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.2	450	4	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	24.0	429	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 986-987

<b>MD11A5</b>	<b>PROGRAMS: ASSOCIATE DEGREE</b>
---------------	-----------------------------------

What schools or programs?

Junior (2-year) college or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	76	5	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	45.0	803	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 988-989

<b>MD11A6</b>	<b>PROGRAMS: UNIVERSITY DEGREE</b>
---------------	------------------------------------

What schools or programs?

4-year college or university degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	36	6	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	47.2	843	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

<b>MD11A7</b>	<b>PROGRAMS: GRADUATE DEGREE</b>
---------------	----------------------------------

What schools or programs?

Graduate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	49.2	878	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 992-993

<b>MD11A8</b>	<b>PROGRAMS: TECHNICAL/TRADE/VOCATIONAL</b>
---------------	---

What schools or programs?

Technical / trade / vocational school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	38	8	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	47.1	841	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 994-995



<b>MD11A11</b>	<b>PROGRAMS: OTHER</b>
----------------	------------------------

What schools or programs?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	103	11	CIRCLED
	50.8	906	-9	LEGITIMATE NONRESPONSE
	43.5	776	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1000-1001

<b>MD11B</b>	<b>CURRENTLY ENROLLED IN SPECIAL ED CLASSES</b>
--------------	---

Are you currently enrolled in any special education programs or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	3.8	67	1	YES
92.2	44.5	795	2	NO
	51.7	923	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1002-1003

<b>MD11C</b>	<b>TYPE SPECIAL ED CURRENTLY ENROLLED IN</b>
--------------	--

What type of special education programs or classes are you currently enrolled in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	1.5	26	1	LEARNING DISABILITIES
35.7	1.4	25	3	EMOTIONAL DISTURBANCES
0.0	0.0	0	4	EDUCABLE MENTAL RETARDATION
0.0	0.0	0	5	TRAINABLE MENTAL RETARDATION
0.0	0.0	0	6	SEVERE/PROFOUND MENTAL RETARDATION
0.0	0.0	0	7	DEAF/HEARING IMPAIRMENTS
0.0	0.0	0	8	BLIND/VISUAL IMPAIRMENTS
0.0	0.0	0	9	DEAF-BLIND
0.0	0.0	0	10	AUTISM
0.0	0.0	0	11	TRAUMATIC BRAIN INJURIES
0.0	0.0	0	12	PHYSICAL DISABILITIES
0.0	0.0	0	13	MULTIPLE DISABILITIES
0.0	0.0	0	14	HEALTH IMPAIRMENTS
0.0	0.0	0	15	DEVELOPMENTAL DELAYS
0.0	0.0	0	16	PRESCHOOL DISABILITIES
27.1	1.1	19	18	OTHER
	44.5	795	-9	LEGITIMATE NONRESPONSE
	51.2	914	-8	MISSING
	0.3	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1004-1005

**DRUGS, ALCOHOL, AND TOBACCO USE**

**ME1 DRINK ANY ALCOHOL DURING PAST 12 MONTHS**

During the past 12 months, did you drink any alcohol?  
(Alcoholic beverages include beer, wine, wine coolers,  
and hard liquor, such as whiskey and mixed drinks.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	68.0	1,213	1	YES
31.9	31.8	567	2	NO
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1006-1007

**ME2 # WEEKS AFTER TREATMENT TOOK FIRST DRINK**

How long after you left (completed) treatment did you  
first take a drink?

\_\_\_\_\_ WEEKS

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1008-1009

<b>ME3</b>	<b>FREQUENCY OF ALCOHOL USE PAST 12 MONTHS</b>
------------	--

How often have you used alcohol in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.8	14	0	NOT AT ALL, NONE
34.3	23.2	415	1	LESS THAN 1 DAY A MONTH
27.3	18.5	330	2	1 TO 3 DAYS A MONTH
18.6	12.6	225	3	1 TO 2 DAYS A WEEK
9.6	6.5	116	4	3 TO 4 DAYS A WEEK
2.0	1.3	24	5	5 TO 6 DAYS A WEEK
4.3	2.9	52	6	DAILY OR ALMOST EVERY DAY
0.5	0.3	6	7	2 TO 3 TIMES A DAY
0.6	0.4	7	8	4 OR MORE TIMES A DAY
1.7	1.1	20	9	OTHER
	31.7	566	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1010-1011

<b>ME4</b>	<b>NUMBER OF WEEKS AGO LAST USED ALCOHOL</b>
------------	--

When did you last use it?

\_\_\_\_\_ WEEKS AGO

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1012-1013

ME5

# DAYS DRANK ALCOHOL PAST 30 DAYS

In the past 30 days, on how many days did you drink any alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	23.5	419	0	
15.3	10.3	184	1	
10.7	7.2	129	2	
6.7	4.5	81	3	
5.3	3.6	64	4	
4.0	2.7	48	5	
2.3	1.6	28	6	
2.0	1.3	24	7	
1.8	1.2	22	8	
0.7	0.5	9	9	
2.9	2.0	35	10	
0.2	0.2	3	11	
0.7	0.5	9	12	
0.2	0.1	2	14	
3.3	2.2	40	15	
0.3	0.2	4	16	
0.2	0.1	2	17	
0.1	0.1	1	18	
0.2	0.1	2	19	
2.8	1.9	34	20	
0.3	0.2	4	21	
0.2	0.1	2	23	
1.4	1.0	17	25	
0.2	0.2	3	26	
0.3	0.2	4	27	
0.3	0.2	4	28	
0.2	0.1	2	29	
2.1	1.4	25	30	
	32.4	579	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

<b>ME6</b>	<b># DRINKS HAD EACH DAY DRANK PAST 12 MONTHS</b>
------------	---

During the past 12 months, about how many alcoholic drinks did you usually have on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	3	0	
12.4	8.3	148	1	
14.0	9.4	168	2	
10.4	7.0	125	3	
7.1	4.8	85	4	
5.1	3.4	61	5	
21.2	14.2	254	6	
3.1	2.1	37	7	
3.2	2.1	38	8	
1.8	1.2	21	9	
3.1	2.1	37	10	
0.2	0.1	2	11	
8.4	5.6	100	12	
0.3	0.2	3	13	
0.3	0.2	3	14	
1.8	1.2	22	15	
0.3	0.2	3	16	
0.3	0.2	4	17	
0.4	0.3	5	18	
1.7	1.1	20	20	
0.1	0.1	1	22	
3.7	2.5	44	24	
0.1	0.1	1	25	
0.1	0.1	1	28	
0.2	0.1	2	30	
0.1	0.1	1	32	
0.2	0.1	2	36	
0.3	0.2	3	40	
0.1	0.1	1	48	
0.1	0.1	1	112	
0.1	0.1	1	144	
	32.4	579	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1016-1018

<b>ME7</b>	<b># OF DAYS DRUNK DURING PAST 12 MONTHS</b>
------------	--

On how many days were you drunk during the past 12 months?

1,785 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1019-1021

<b>ME8</b>	<b>DRUNK SEVERAL DAYS IN ROW PAST 12 MONTHS</b>
------------	---

During the past 12 months, were you ever drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	11.3	202	1	YES
77.7	39.5	705	2	NO
	48.8	871	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1022-1023

<b>ME9</b>	<b>HAVE D.T.'S AT ANY TIME PAST 12 MONTHS</b>
------------	---

During the past 12 months, did you have alcohol d.t.'s (or delirium tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	3.2	57	1	YES
95.3	64.1	1,144	2	NO
	32.4	579	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1024-1025

**ME10 RELAPSE OF ALCOHOL USE IN PAST 12 MONTHS**

Did your alcohol use in the past 12 months lead to a relapse in the use of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	16.9	301	1	YES
74.9	50.4	899	2	NO
	32.4	579	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1026-1027

**ME11 EVER HAD PROBLEMS BECAUSE OF DRINKING**

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	26.3	470	1	YES
61.3	41.7	744	2	NO
	31.7	565	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1028-1029

**ME12****TROUBLED BY ALCOHOL PROBLEMS PAST 12 MONTHS**

How troubled or bothered have you been in the past 12 months by an alcohol problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	11.5	205	0	NOT AT ALL
31.5	8.7	156	1	SLIGHTLY
12.1	3.4	60	2	MODERATELY
9.7	2.7	48	3	CONSIDERABLY
5.4	1.5	27	4	EXTREMELY
	71.8	1,281	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1030-1031

**ME13****IMPORTANCE OF COUNSELING FOR ALCOHOL PROBLEM**

How important to you now is treatment or counseling for your alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	15.7	281	0	NOT AT ALL
17.9	4.9	88	1	SLIGHTLY
7.9	2.2	39	2	MODERATELY
6.7	1.8	33	3	CONSIDERABLY
10.4	2.9	51	4	EXTREMELY
	71.9	1,284	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1032-1033

**ME14** **CURRENTLY SMOKE CIGARETTES**

Now, I'd like to ask you about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	79.7	1,422	1	YES
20.2	20.2	360	2	NO
	0.2	3	-8	MISSING

-----  
 100.0 100.0 1,785 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1034-1035

**ME14A** **NUMBER OF CIGARETTES SMOKED PER DAY**

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	15.7	280	1	LESS THAN 1/2 PACK A DAY
31.5	25.1	448	2	ABOUT 1/2 PACK A DAY
36.8	29.3	523	3	ABOUT A PACK A DAY
8.1	6.4	115	4	ABOUT 1 1/2 PACKS A DAY
3.9	3.1	56	5	ABOUT 2 PACKS OR MORE A DAY
	20.2	360	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING

-----  
 100.0 100.0 1,785 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1036-1037

**ME15\_0****DO NOT USE TOBACCO PRODUCTS**

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	87.8	1,567	0	CIRCLED
	11.1	198	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1038-1039

**ME15\_1****SMOKE CIGARS**

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Cigars.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	135	1	CIRCLED
	91.3	1,630	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1040-1041

<b>ME15_2</b>	<b>SMOKE A PIPE</b>
---------------	---------------------

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Pipe.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	19	2	CIRCLED
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1042-1043

<b>ME15_3</b>	<b>USE SMOKELESS TOBACCO OR SNUFF</b>
---------------	---------------------------------------

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Smokeless tobacco or snuff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	83	3	CIRCLED
	94.2	1,682	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1044-1045

<b>ME16_20</b>	<b>USED PAST 12MONTHS: MARIJUANA, HASHISH, THC</b>
----------------	--

During the past 12 months, have you used marijuana, hashish, THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	66.6	1,189	1	YES
33.3	33.3	594	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1046-1047

<b>ME17_20</b>	<b>FIRST USE (WEEKS POST-TREATMENT): MARIJUANA, HASHISH, THC</b>
----------------	--

How long after you left (completed) treatment did you first use marijuana, hashish, THC?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1048-1049

<b>ME18_20</b>	<b>ROUTE: MARIJUANA, HASHISH, THC</b>
----------------	---------------------------------------

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.3	23	1	BY MOUTH
97.2	64.5	1,152	2	BY SMOKING IT
0.6	0.4	7	3	BY INHALING, SNORTING, OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.1	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.2	0.1	2	7	SOME OTHER WAY
	33.3	594	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1050-1051

<b>ME19_20</b>	<b>FREQUENCY PAST YR: MARIJUANA, HASHISH, THC</b>
----------------	---

On the average, how often did you use marijuana, hashish, THC in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	13.8	246	1	LESS THAN ONCE A MONTH
13.1	8.7	155	2	1 TO 3 TIMES A MONTH
15.5	10.3	184	3	1 TO 2 TIMES A WEEK
11.8	7.8	140	4	3 TO 4 TIMES A WEEK
4.6	3.0	54	5	5 TO 6 TIMES A WEEK
18.8	12.4	222	6	DAILY OR ALMOST EVERY DAY
6.6	4.4	78	7	2 TO 3 TIMES A DAY
6.4	4.3	76	8	4 OR MORE TIMES A DAY
2.4	1.6	29	9	OTHER
	33.3	594	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1052-1053

<b>ME20_20</b>	<b>MOST RECENT USE (WEEKS): MARIJUANA, HASHISH, THC</b>
----------------	---

When was the most recent time you used marijuana, hashish, THC?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1054-1055

**ME21\_20****MOST RECENT FREQ: MARIJUANA, HASHISH, THC**

About how often were you using marijuana, hashish, THC during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	15.2	272	1	LESS THAN ONCE A MONTH
11.1	7.3	130	2	1 TO 3 TIMES A MONTH
14.9	9.8	175	3	1 TO 2 TIMES A WEEK
10.4	6.8	122	4	3 TO 4 TIMES A WEEK
4.2	2.7	49	5	5 TO 6 TIMES A WEEK
19.7	12.9	231	6	DAILY OR ALMOST EVERY DAY
8.6	5.7	101	7	2 TO 3 TIMES A DAY
6.3	4.1	74	8	4 OR MORE TIMES A DAY
1.5	1.0	17	9	OTHER
	33.3	594	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.7	12	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1056-1057

**ME16\_30****USED PAST 12MONTHS: HALLUCINOGENS**

During the past 12 months, have you used hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.8	424	1	YES
76.2	76.1	1,359	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1058-1059

**ME17\_30 FIRST USE (WEEKS POST-TREATMENT): HALLUCINOGENS**

How long after you left (completed) treatment did you first use hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1060-1061

**ME18\_30 ROUTE: HALLUCINOGENS**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	21.3	381	1	BY MOUTH
4.2	1.0	17	2	BY SMOKING IT
1.5	0.3	6	3	BY INHALING, SNORTING, OR SNIFFING IT
0.2	0.1	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
1.0	0.2	4	7	SOME OTHER WAY
	76.1	1,359	-9	LEGITIMATE NONRESPONSE
	1.0	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1062-1063

**ME19\_30****FREQUENCY PAST YEAR: HALLUCINOGENS**

On the average, how often did you use hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	14.5	259	1	LESS THAN ONCE A MONTH
18.8	4.3	77	2	1 TO 3 TIMES A MONTH
11.2	2.6	46	3	1 TO 2 TIMES A WEEK
3.2	0.7	13	4	3 TO 4 TIMES A WEEK
1.0	0.2	4	5	5 TO 6 TIMES A WEEK
1.2	0.3	5	6	DAILY OR ALMOST EVERY DAY
0.2	0.1	1	7	2 TO 3 TIMES A DAY
0.2	0.1	1	8	4 OR MORE TIMES A DAY
1.0	0.2	4	9	OTHER
	76.1	1,359	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1064-1065

**ME20\_30****MOST RECENT USE (WEEKS): HALLUCINOGENS**

When was the most recent time you used hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP?

1,785 cases (Range of valid codes: 0-75)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1066-1067

**ME21\_30 MOST RECENT FREQ: HALLUCINOGENS**

About how often were you using hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	14.2	254	1	LESS THAN ONCE A MONTH
17.4	3.9	70	2	1 TO 3 TIMES A MONTH
10.2	2.3	41	3	1 TO 2 TIMES A WEEK
4.0	0.9	16	4	3 TO 4 TIMES A WEEK
1.2	0.3	5	5	5 TO 6 TIMES A WEEK
2.5	0.6	10	6	DAILY OR ALMOST EVERY DAY
0.7	0.2	3	7	2 TO 3 TIMES A DAY
0.2	0.1	1	8	4 OR MORE TIMES A DAY
0.5	0.1	2	9	OTHER
	76.1	1,359	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.3	5	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1068-1069

**ME16\_31 USED PAST 12 MONTHS: PCP**

During the past 12 months, have you used PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	3.7	66	1	YES
84.0	19.4	346	2	NO
	76.1	1,358	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1070-1071

<b>ME20_31</b>	<b>MOST RECENT USE (WEEKS) : PCP</b>
----------------	--------------------------------------

When was the most recent time you used PCP?

1,785 cases (Range of valid codes: 0-89)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1072-1073

<b>ME21_31</b>	<b>MOST RECENT FREQUENCY : PCP</b>
----------------	------------------------------------

About how often were you using PCP during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	1.9	34	1	LESS THAN ONCE A MONTH
20.7	0.7	12	2	1 TO 3 TIMES A MONTH
5.2	0.2	3	3	1 TO 2 TIMES A WEEK
3.4	0.1	2	4	3 TO 4 TIMES A WEEK
5.2	0.2	3	5	5 TO 6 TIMES A WEEK
5.2	0.2	3	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
1.7	0.1	1	9	OTHER
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1074-1075

**ME16\_32****USED PAST 12 MONTHS: LSD**

During the past 12 months, have you used LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	19.2	342	1	YES
18.8	4.4	79	2	NO
	75.9	1,355	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1076-1077

**ME20\_32****MOST RECENT USE (WEEKS): LSD**

When was the most recent time you used LSD?

1,785 cases (Range of valid codes: 0-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1078-1079

**ME21\_32****MOST RECENT FREQUENCY: LSD**

About how often were you using LSD during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	10.8	192	1	LESS THAN ONCE A MONTH
16.6	2.9	51	2	1 TO 3 TIMES A MONTH
11.0	1.9	34	3	1 TO 2 TIMES A WEEK
4.2	0.7	13	4	3 TO 4 TIMES A WEEK
1.3	0.2	4	5	5 TO 6 TIMES A WEEK
2.3	0.4	7	6	DAILY OR ALMOST EVERY DAY
1.0	0.2	3	7	2 TO 3 TIMES A DAY
0.3	0.1	1	8	4 OR MORE TIMES A DAY
1.0	0.2	3	9	OTHER
	80.2	1,432	-9	LEGITIMATE NONRESPONSE
	2.4	42	-8	MISSING
	0.2	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1080-1081

**ME16\_40****USED PAST 12MONTHS: COCAINE**

During the past 12 months, have you used cocaine in any form, including crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.4	329	1	YES
81.5	81.2	1,449	2	NO
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1082-1083

**ME17\_40 FIRST USE (WEEKS POST-TREATMENT): COCAINE**

How long after you left (completed) treatment did you first use cocaine in any form, including crack?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1084-1085

**ME18\_40 ROUTE: COCAINE**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.2	4	1	BY MOUTH
22.8	3.9	70	2	BY SMOKING IT
74.9	12.9	230	3	BY INHALING, SNORTING, OR SNIFFING IT
1.0	0.2	3	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	81.2	1,449	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
	0.2	3	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1086-1087

**ME19\_40****FREQUENCY PAST YEAR: COCAINE**

On the average, how often did you use cocaine in any form, including crack in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	8.6	153	1	LESS THAN ONCE A MONTH
19.3	3.4	60	2	1 TO 3 TIMES A MONTH
10.6	1.8	33	3	1 TO 2 TIMES A WEEK
8.4	1.5	26	4	3 TO 4 TIMES A WEEK
1.9	0.3	6	5	5 TO 6 TIMES A WEEK
5.8	1.0	18	6	DAILY OR ALMOST EVERY DAY
1.3	0.2	4	7	2 TO 3 TIMES A DAY
2.6	0.4	8	8	4 OR MORE TIMES A DAY
1.0	0.2	3	9	OTHER
	81.2	1,449	-9	LEGITIMATE NONRESPONSE
	1.3	24	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1088-1089

**ME20\_40****MOST RECENT USE (WEEKS): COCAINE**

When was the most recent time you used cocaine in any form, including crack?

1,785 cases (Range of valid codes: 0-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1090-1091

**ME21\_40 MOST RECENT FREQUENCY: COCAINE**

About how often were you using cocaine in any form, including crack during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	8.1	144	1	LESS THAN ONCE A MONTH
18.4	3.2	57	2	1 TO 3 TIMES A MONTH
11.3	2.0	35	3	1 TO 2 TIMES A WEEK
9.7	1.7	30	4	3 TO 4 TIMES A WEEK
2.3	0.4	7	5	5 TO 6 TIMES A WEEK
5.5	1.0	17	6	DAILY OR ALMOST EVERY DAY
1.3	0.2	4	7	2 TO 3 TIMES A DAY
4.2	0.7	13	8	4 OR MORE TIMES A DAY
0.6	0.1	2	9	OTHER
	81.2	1,449	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1092-1093

**ME16\_41 USED PAST 12 MONTHS: CRACK ONLY**

During the past 12 months, have you used crack only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	5.3	94	1	YES
70.4	12.5	224	2	NO
	81.1	1,448	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1094-1095

ME20\_41

MOST RECENT USE (WEEKS) : CRACK ONLY

When was the most recent time you used crack only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.3	6	0	PAST WEEK USE
5.0	0.2	4	1	
3.8	0.2	3	2	
5.0	0.2	4	3	
6.2	0.3	5	4	
10.0	0.4	8	8	
2.5	0.1	2	9	
5.0	0.2	4	12	
2.5	0.1	2	13	
2.5	0.1	2	14	
3.8	0.2	3	16	
1.2	0.1	1	18	
2.5	0.1	2	19	
5.0	0.2	4	20	
1.2	0.1	1	22	
6.2	0.3	5	24	
1.2	0.1	1	25	
3.8	0.2	3	26	
8.8	0.4	7	28	
1.2	0.1	1	29	
5.0	0.2	4	36	
2.5	0.1	2	40	
1.2	0.1	1	46	
1.2	0.1	1	47	
1.2	0.1	1	48	
2.5	0.1	2	50	
1.2	0.1	1	52	
	93.6	1,671	-9	LEGITIMATE NONRESPONSE
	1.9	34	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1096-1097

**ME21\_41 MOST RECENT FREQUENCY: CRACK**

About how often were you using crack only during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	2.2	39	1	LESS THAN ONCE A MONTH
9.2	0.4	7	2	1 TO 3 TIMES A MONTH
9.2	0.4	7	3	1 TO 2 TIMES A WEEK
13.2	0.6	10	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
6.6	0.3	5	6	DAILY OR ALMOST EVERY DAY
2.6	0.1	2	7	2 TO 3 TIMES A DAY
5.3	0.2	4	8	4 OR MORE TIMES A DAY
2.6	0.1	2	9	OTHER
	93.6	1,671	-9	LEGITIMATE NONRESPONSE
	2.1	37	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1098-1099

**ME16\_42 USED PAST 12 MONTHS: COCAINE/NOT CRACK**

During the past 12 months, have you used any cocaine other than crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	12.1	216	1	YES
31.0	5.4	97	2	NO
	81.2	1,449	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1100-1101

<b>ME20_42</b>	<b>MOST RECENT USE (WEEKS) : COCAINE/NOT CRACK</b>
----------------	--

When was the most recent time you used any cocaine other than crack?

1,785 cases (Range of valid codes: 0-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1102-1103

<b>ME21_42</b>	<b>MOST RECENT FREQ: COCAINE/NOT CRACK</b>
----------------	--

About how often were you using any cocaine other than crack during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	5.7	102	1	LESS THAN ONCE A MONTH
18.1	2.0	35	2	1 TO 3 TIMES A MONTH
13.0	1.4	25	3	1 TO 2 TIMES A WEEK
4.1	0.4	8	4	3 TO 4 TIMES A WEEK
2.1	0.2	4	5	5 TO 6 TIMES A WEEK
4.7	0.5	9	6	DAILY OR ALMOST EVERY DAY
1.6	0.2	3	7	2 TO 3 TIMES A DAY
3.1	0.3	6	8	4 OR MORE TIMES A DAY
0.5	0.1	1	9	OTHER
	86.6	1,546	-9	LEGITIMATE NONRESPONSE
	2.5	45	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1104-1105

**ME16\_50                      USED PAST 12MONTHS: HEROIN**

During the past 12 months, have you used heroin alone or with other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	72	1	YES
96.0	95.8	1,710	2	NO
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1106-1107

**ME17\_50                      FIRST USE (WEEKS POST-TREATMENT): HEROIN**

How long after you left (completed) treatment did you first use heroin alone or with other drugs?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1108-1109

**ME18\_50                      ROUTE: HEROIN**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.4	7	1	BY MOUTH
25.4	1.0	17	2	BY SMOKING IT
50.7	1.9	34	3	BY INHALING, SNORTING, OR SNIFFING IT
10.4	0.4	7	4	BY INJECTING IT INTO A VEIN
1.5	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
1.5	0.1	1	7	SOME OTHER WAY
	95.8	1,710	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1110-1111

ME19\_50

## FREQUENCY PAST YEAR: HEROIN

On the average, how often did you use heroin alone or with other drugs in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	1.9	34	1	LESS THAN ONCE A MONTH
19.7	0.7	13	2	1 TO 3 TIMES A MONTH
3.0	0.1	2	3	1 TO 2 TIMES A WEEK
9.1	0.3	6	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
6.1	0.2	4	6	DAILY OR ALMOST EVERY DAY
6.1	0.2	4	7	2 TO 3 TIMES A DAY
1.5	0.1	1	8	4 OR MORE TIMES A DAY
3.0	0.1	2	9	OTHER
	95.8	1,710	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1112-1113

<b>ME20_50</b>	<b>MOST RECENT USE (WEEKS) : HEROIN</b>
----------------	---

When was the most recent time you used heroin alone or with other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.3	6	0	PAST WEEK USE
14.5	0.6	10	1	
2.9	0.1	2	2	
8.7	0.3	6	3	
2.9	0.1	2	4	
1.4	0.1	1	6	
1.4	0.1	1	7	
4.3	0.2	3	8	
2.9	0.1	2	10	
1.4	0.1	1	14	
1.4	0.1	1	15	
5.8	0.2	4	16	
2.9	0.1	2	18	
1.4	0.1	1	22	
5.8	0.2	4	24	
2.9	0.1	2	26	
1.4	0.1	1	27	
1.4	0.1	1	28	
1.4	0.1	1	29	
2.9	0.1	2	30	
2.9	0.1	2	32	
1.4	0.1	1	35	
2.9	0.1	2	36	
4.3	0.2	3	40	
1.4	0.1	1	48	
2.9	0.1	2	50	
1.4	0.1	1	51	
2.9	0.1	2	52	
1.4	0.1	1	54	
1.4	0.1	1	70	
	95.8	1,710	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1114-1115

**ME21\_50****MOST RECENT FREQUENCY: HEROIN**

About how often were you using heroin alone or with other drugs during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	2.0	36	1	LESS THAN ONCE A MONTH
14.9	0.6	10	2	1 TO 3 TIMES A MONTH
7.5	0.3	5	3	1 TO 2 TIMES A WEEK
7.5	0.3	5	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
6.0	0.2	4	6	DAILY OR ALMOST EVERY DAY
6.0	0.2	4	7	2 TO 3 TIMES A DAY
1.5	0.1	1	8	4 OR MORE TIMES A DAY
3.0	0.1	2	9	OTHER
	95.8	1,710	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1116-1117

**ME16\_51****USED PAST 12 MONTHS: HEROIN AND COCAINE**

During the past 12 months, have you used heroin and cocaine together at the same time (crank, speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	1.7	30	1	YES
57.1	2.2	40	2	NO
	95.7	1,708	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1118-1119

<b>ME20_51</b>	<b>MOST RECENT USE (WEEKS) : HEROIN AND COCAINE</b>
----------------	---

When was the most recent time you used heroin and cocaine together at the same time (crank, speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.1	2	0	PAST WEEK USE
3.7	0.1	1	1	
3.7	0.1	1	2	
7.4	0.1	2	3	
3.7	0.1	1	4	
3.7	0.1	1	6	
3.7	0.1	1	7	
7.4	0.1	2	12	
7.4	0.1	2	16	
3.7	0.1	1	18	
3.7	0.1	1	22	
3.7	0.1	1	24	
3.7	0.1	1	26	
3.7	0.1	1	27	
3.7	0.1	1	28	
3.7	0.1	1	30	
3.7	0.1	1	32	
3.7	0.1	1	35	
3.7	0.1	1	36	
3.7	0.1	1	40	
3.7	0.1	1	41	
3.7	0.1	1	48	
3.7	0.1	1	58	
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1120-1121

**ME21\_51****MOST RECENT FREQ: HEROIN AND COCAINE**

About how often were you using heroin and cocaine together at the same time (crank, speedball) during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	13	1	LESS THAN ONCE A MONTH
7.7	0.1	2	2	1 TO 3 TIMES A MONTH
19.2	0.3	5	3	1 TO 2 TIMES A WEEK
3.8	0.1	1	4	3 TO 4 TIMES A WEEK
3.8	0.1	1	5	5 TO 6 TIMES A WEEK
7.7	0.1	2	6	DAILY OR ALMOST EVERY DAY
3.8	0.1	1	7	2 TO 3 TIMES A DAY
3.8	0.1	1	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1122-1123

**ME16\_60****USED PAST 12 MONTHS: NARCOTICS OR OPIATES**

During the past 12 months, have you used narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	149	1	YES
91.6	91.4	1,631	2	NO
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1124-1125

**ME17\_60 FIRST USE (WEEKS POST-TREATMENT): NARCOTICS OR OPIATES**

How long after you left (completed) treatment did you first use narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1126-1127

**ME18\_60 ROUTE: NARCOTICS OR OPIATES**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	5.3	95	1	BY MOUTH
26.6	2.1	38	2	BY SMOKING IT
3.5	0.3	5	3	BY INHALING, SNORTING, OR SNIFFING IT
1.4	0.1	2	4	BY INJECTING IT INTO A VEIN
0.7	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
1.4	0.1	2	7	SOME OTHER WAY
	91.4	1,631	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1128-1129

**ME19\_60****FREQUENCY PAST YR: NARCOTICS OR OPIATES**

On the average, how often did you use narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	4.8	85	1	LESS THAN ONCE A MONTH
21.3	1.7	30	2	1 TO 3 TIMES A MONTH
6.4	0.5	9	3	1 TO 2 TIMES A WEEK
4.3	0.3	6	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
1.4	0.1	2	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
2.1	0.2	3	8	4 OR MORE TIMES A DAY
4.3	0.3	6	9	OTHER
	91.4	1,631	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1130-1131

**ME20\_60****MOST RECENT USE (WEEKS): NARCOTICS OR OPIATES**

When was the most recent time you used narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin?

1,785 cases (Range of valid codes: 0-75)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1132-1133

**ME21\_60 MOST RECENT FREQ: NARCOTICS OR OPIATES**

About how often were you using narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	4.9	87	1	LESS THAN ONCE A MONTH
17.5	1.4	25	2	1 TO 3 TIMES A MONTH
9.1	0.7	13	3	1 TO 2 TIMES A WEEK
4.9	0.4	7	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
3.5	0.3	5	6	DAILY OR ALMOST EVERY DAY
1.4	0.1	2	7	2 TO 3 TIMES A DAY
1.4	0.1	2	8	4 OR MORE TIMES A DAY
1.4	0.1	2	9	OTHER
	91.4	1,631	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1134-1135

**ME16\_61 USED PAST 12 MONTHS: METHADONE**

During the past 12 months, have you used street or legal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.4	8	1	YES
94.4	7.6	136	2	NO
	91.4	1,631	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1136-1137

<b>ME20_61</b>	<b>MOST RECENT USE (WEEKS) : METHADONE</b>
----------------	--

When was the most recent time you used street or legal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	PAST WEEK USE
37.5	0.2	3	8	
12.5	0.1	1	10	
12.5	0.1	1	12	
12.5	0.1	1	20	
12.5	0.1	1	22	
12.5	0.1	1	24	
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1138-1139

<b>ME21_61</b>	<b>MOST RECENT FREQUENCY : METHADONE</b>
----------------	--

About how often were you using street or legal methadone during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	6	1	LESS THAN ONCE A MONTH
12.5	0.1	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
12.5	0.1	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1140-1141

<b>ME16_62</b>	<b>USED PAST 12 MONTHS: DILAUDID</b>
----------------	--------------------------------------

During the past 12 months, have you used Dilaudid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.3	6	1	YES
95.9	7.8	139	2	NO
	91.3	1,630	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1142-1143

<b>ME20_62</b>	<b>MOST RECENT USE (WEEKS): DILAUDID</b>
----------------	--

When was the most recent time you used Dilaudid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	PAST WEEK USE
25.0	0.1	1	24	
25.0	0.1	1	26	
25.0	0.1	1	44	
25.0	0.1	1	48	
	99.1	1,769	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1144-1145

**ME21\_62****MOST RECENT FREQUENCY: DILAUDID**

About how often were you using Dilaudid during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	LESS THAN ONCE A MONTH
50.0	0.1	2	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	99.1	1,769	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1146-1147

**ME16\_70****USED PAST 12MONTHS: DOWNERS OR DEPRESSANTS**

During the past 12 months, have you used downers or depressants, such as sedatives, barbiturates, or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.9	123	1	YES
93.1	92.9	1,658	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1148-1149

**ME17\_70                      FIRST USE (WEEKS POST-TREATMENT): DOWNERS OR DEPRESSANTS**

How long after you left (completed) treatment did you first use downers or depressants, such as sedatives, barbiturates, or tranquilizers?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1150-1151

**ME18\_70                      ROUTE: DOWNERS OR DEPRESSANTS**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	5.9	105	1	BY MOUTH
1.8	0.1	2	2	BY SMOKING IT
4.4	0.3	5	3	BY INHALING, SNORTING, OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.9	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1152-1153

ME19\_70

## FREQUENCY PAST YEAR: DOWNERS OR DEPRESSANTS

On the average, how often did you use downers or depressants, such as sedatives, barbiturates, or tranquilizers in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	2.5	45	1	LESS THAN ONCE A MONTH
26.1	1.6	29	2	1 TO 3 TIMES A MONTH
10.8	0.7	12	3	1 TO 2 TIMES A WEEK
9.9	0.6	11	4	3 TO 4 TIMES A WEEK
1.8	0.1	2	5	5 TO 6 TIMES A WEEK
4.5	0.3	5	6	DAILY OR ALMOST EVERY DAY
3.6	0.2	4	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
2.7	0.2	3	9	OTHER
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1154-1155

<b>ME20_70</b>	<b>MOST RECENT USE (WEEKS) : DOWNERS OR DEPRESSANTS</b>
----------------	---

When was the most recent time you used downers or depressants, such as sedatives, barbiturates, or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.3	6	0	PAST WEEK USE
7.9	0.5	9	1	
5.3	0.3	6	2	
0.9	0.1	1	3	
2.6	0.2	3	4	
7.9	0.5	9	6	
7.0	0.4	8	8	
0.9	0.1	1	9	
0.9	0.1	1	11	
6.1	0.4	7	12	
0.9	0.1	1	14	
0.9	0.1	1	15	
8.8	0.6	10	16	
0.9	0.1	1	17	
0.9	0.1	1	18	
4.4	0.3	5	20	
1.8	0.1	2	22	
11.4	0.7	13	24	
4.4	0.3	5	26	
0.9	0.1	1	27	
2.6	0.2	3	28	
5.3	0.3	6	32	
1.8	0.1	2	40	
0.9	0.1	1	41	
0.9	0.1	1	43	
0.9	0.1	1	44	
1.8	0.1	2	48	
0.9	0.1	1	51	
3.5	0.2	4	52	
0.9	0.1	1	59	
0.9	0.1	1	99	99 OR MORE
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1156-1157

**ME21\_70****MOST RECENT FREQ: DOWNERS OR DEPRESSANTS**

About how often were you using downers or depressants, such as sedatives, barbiturates, or tranquilizers during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	3.0	54	1	LESS THAN ONCE A MONTH
22.8	1.5	26	2	1 TO 3 TIMES A MONTH
13.2	0.8	15	3	1 TO 2 TIMES A WEEK
6.1	0.4	7	4	3 TO 4 TIMES A WEEK
1.8	0.1	2	5	5 TO 6 TIMES A WEEK
3.5	0.2	4	6	DAILY OR ALMOST EVERY DAY
1.8	0.1	2	7	2 TO 3 TIMES A DAY
1.8	0.1	2	8	4 OR MORE TIMES A DAY
1.8	0.1	2	9	OTHER
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

**ME16\_71****USED PAST 12 MONTHS: SEDATIVES**

During the past 12 months, have you used sedatives or sleeping pills, such as Doriden, Noludar, Quaalude, or Sopor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	2.3	41	1	YES
64.3	4.1	74	2	NO
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1160-1161

<b>ME16_72</b>	<b>USED PAST 12MONTHS: BARBITURATES</b>
----------------	---

During the past 12 months, have you used barbiturates, such as Nembutal, Seconal, or Tuinal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	1.0	17	1	YES
85.2	5.5	98	2	NO
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1162-1163

<b>ME16_73</b>	<b>USED PAST 12 MONTHS: BENZODIAZEPINES</b>
----------------	---

During the past 12 months, have you used benzodiazepines, such as Valium, Librium, or others?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	3.4	60	1	YES
48.7	3.2	57	2	NO
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1164-1165

**ME16\_74****USED PAST 12 MONTHS: OTHER TRANQUILIZERS**

During the past 12 months, have you used other tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	1.1	19	1	YES
83.5	5.4	96	2	NO
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1167

**ME16\_75****USED PAST 12 MONTHS: ANOTHER DEPRESSANT**

During the past 12 months, have you used another depressant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.9	16	1	YES
86.0	5.5	98	2	NO
	92.9	1,658	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1168-1169

<b>ME16_80</b>	<b>USED PAST 12 MONTHS: AMPHETAMINES</b>
----------------	--

During the past 12 months, have you used amphetamines or other stimulants, speed, or diet pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.5	206	1	YES
88.4	88.2	1,575	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1170-1171

<b>ME17_80</b>	<b>FIRST USE (WEEKS POST-TREATMENT): AMPHETAMINES</b>
----------------	---

How long after you left (completed) treatment did you first use amphetamines or other stimulants, speed, or diet pills?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1172-1173

**ME18\_80****ROUTE: AMPHETAMINES**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	4.4	79	1	BY MOUTH
2.0	0.2	4	2	BY SMOKING IT
53.0	5.9	105	3	BY INHALING, SNORTING, OR SNIFFING IT
4.5	0.5	9	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.5	0.1	1	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	88.2	1,575	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.3	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1174-1175

**ME19\_80****FREQUENCY PAST YEAR: AMPHETAMINES**

On the average, how often did you use amphetamines or other stimulants, speed, or diet pills in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	5.3	95	1	LESS THAN ONCE A MONTH
22.8	2.6	46	2	1 TO 3 TIMES A MONTH
10.4	1.2	21	3	1 TO 2 TIMES A WEEK
6.9	0.8	14	4	3 TO 4 TIMES A WEEK
2.5	0.3	5	5	5 TO 6 TIMES A WEEK
3.0	0.3	6	6	DAILY OR ALMOST EVERY DAY
3.5	0.4	7	7	2 TO 3 TIMES A DAY
3.0	0.3	6	8	4 OR MORE TIMES A DAY
1.0	0.1	2	9	OTHER
	88.2	1,575	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1176-1177

**ME20\_80 MOST RECENT USE (WEEKS): AMPHETAMINES**

When was the most recent time you used amphetamines or other stimulants, speed, or diet pills?

1,785 cases (Range of valid codes: 0-58)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1178-1179

**ME21\_80 MOST RECENT FREQUENCY: AMPHETAMINES**

About how often were you using amphetamines or other stimulants, speed, or diet pills during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	5.5	98	1	LESS THAN ONCE A MONTH
15.6	1.7	31	2	1 TO 3 TIMES A MONTH
15.6	1.7	31	3	1 TO 2 TIMES A WEEK
5.0	0.6	10	4	3 TO 4 TIMES A WEEK
2.0	0.2	4	5	5 TO 6 TIMES A WEEK
4.0	0.4	8	6	DAILY OR ALMOST EVERY DAY
4.5	0.5	9	7	2 TO 3 TIMES A DAY
4.0	0.4	8	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	88.2	1,575	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1180-1181

**ME16\_81****USED PAST 12 MONTHS: METHAMPHETAMINES**

During the past 12 months, have you used methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	6.6	117	1	YES
42.9	4.9	88	2	NO
	88.1	1,572	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1182-1183

<b>ME20_81</b>	<b>MOST RECENT USE (WEEKS) : METHAMPHETAMINES</b>
----------------	---

When was the most recent time you used methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.3	5	0	PAST WEEK USE
4.8	0.3	5	1	
3.8	0.2	4	2	
2.9	0.2	3	3	
5.8	0.3	6	4	
2.9	0.2	3	6	
1.9	0.1	2	7	
8.7	0.5	9	8	
1.0	0.1	1	10	
1.9	0.1	2	11	
6.7	0.4	7	12	
1.0	0.1	1	13	
1.9	0.1	2	14	
1.0	0.1	1	15	
8.7	0.5	9	16	
4.8	0.3	5	20	
1.0	0.1	1	22	
7.7	0.4	8	24	
1.0	0.1	1	26	
1.0	0.1	1	27	
4.8	0.3	5	32	
1.9	0.1	2	33	
1.0	0.1	1	34	
1.9	0.1	2	36	
5.8	0.3	6	40	
1.0	0.1	1	41	
1.0	0.1	1	44	
1.0	0.1	1	45	
1.0	0.1	1	46	
3.8	0.2	4	48	
1.0	0.1	1	50	
2.9	0.2	3	52	
	93.0	1,660	-9	LEGITIMATE NONRESPONSE
	1.2	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1184-1185

**ME21\_81****MOST RECENT FREQUENCY: METHAMPHETAMINES**

About how often were you using methamphetamines during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	3.0	53	1	LESS THAN ONCE A MONTH
11.5	0.7	12	2	1 TO 3 TIMES A MONTH
12.5	0.7	13	3	1 TO 2 TIMES A WEEK
3.8	0.2	4	4	3 TO 4 TIMES A WEEK
2.9	0.2	3	5	5 TO 6 TIMES A WEEK
5.8	0.3	6	6	DAILY OR ALMOST EVERY DAY
6.7	0.4	7	7	2 TO 3 TIMES A DAY
5.8	0.3	6	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	93.0	1,660	-9	LEGITIMATE NONRESPONSE
	1.2	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1186-1187

**ME16\_90****USED PAST 12 MONTHS: OTHER DRUGS**

During the past 12 months, have you used any other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	11.0	196	1	YES
89.0	88.6	1,581	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1188-1189

**ME17\_90****FIRST USE (WEEKS POST-TREATMENT): OTHER DRUGS**

How long after you left (completed) treatment did you first use any other drugs?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1190-1191

**ME18\_90**                      **ROUTE: OTHER DRUGS**

How did you usually take it during these past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	3.9	70	1	BY MOUTH
1.5	0.1	2	2	BY SMOKING IT
46.7	3.6	64	3	BY INHALING, SNORTING, OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.7	0.1	1	7	SOME OTHER WAY
	88.6	1,581	-9	LEGITIMATE NONRESPONSE
	3.6	65	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1192-1193

**ME19\_90**                      **FREQUENCY PAST YEAR: OTHER DRUGS**

On the average, how often did you use any other drugs in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	3.2	57	1	LESS THAN ONCE A MONTH
8.5	0.6	11	2	1 TO 3 TIMES A MONTH
6.2	0.4	8	3	1 TO 2 TIMES A WEEK
3.1	0.2	4	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
17.8	1.3	23	6	DAILY OR ALMOST EVERY DAY
12.4	0.9	16	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
7.8	0.6	10	9	OTHER
	88.6	1,581	-9	LEGITIMATE NONRESPONSE
	3.9	70	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1194-1195

**ME20\_90 MOST RECENT USE (WEEKS): OTHER DRUGS**

When was the most recent time you used any other drugs?

1,785 cases (Range of valid codes: 0-82)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1196-1197

**ME21\_90 MOST RECENT FREQUENCY: OTHER DRUGS**

About how often were you using any other drugs during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	3.0	54	1	LESS THAN ONCE A MONTH
11.1	1.0	17	2	1 TO 3 TIMES A MONTH
5.2	0.4	8	3	1 TO 2 TIMES A WEEK
3.3	0.3	5	4	3 TO 4 TIMES A WEEK
0.7	0.1	1	5	5 TO 6 TIMES A WEEK
24.2	2.1	37	6	DAILY OR ALMOST EVERY DAY
17.6	1.5	27	7	2 TO 3 TIMES A DAY
2.0	0.2	3	8	4 OR MORE TIMES A DAY
0.7	0.1	1	9	OTHER
	88.6	1,581	-9	LEGITIMATE NONRESPONSE
	2.8	50	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199

ME16\_91

USED PAST 12 MONTHS: INHALANTS

During the past 12 months, have you used inhalants, such as glue, gasoline, or paint thinner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	3.1	56	1	YES
71.0	7.7	137	2	NO
	88.3	1,577	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

ME20\_91

MOST RECENT USE (WEEKS): INHALANTS

When was the most recent time you used inhalants, such as glue, gasoline, or paint thinner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.1	2	0	PAST WEEK USE
6.1	0.2	3	1	
4.1	0.1	2	2	
4.1	0.1	2	3	
8.2	0.2	4	4	
2.0	0.1	1	6	
2.0	0.1	1	8	
2.0	0.1	1	12	
4.1	0.1	2	13	
4.1	0.1	2	16	
4.1	0.1	2	18	
10.2	0.3	5	20	
2.0	0.1	1	21	
2.0	0.1	1	22	
8.2	0.2	4	24	
4.1	0.1	2	26	
2.0	0.1	1	27	
2.0	0.1	1	28	
2.0	0.1	1	29	
2.0	0.1	1	30	
4.1	0.1	2	32	
2.0	0.1	1	36	
4.1	0.1	2	40	
2.0	0.1	1	42	
2.0	0.1	1	48	
2.0	0.1	1	50	
2.0	0.1	1	51	
2.0	0.1	1	79	
	96.0	1,714	-9	LEGITIMATE NONRESPONSE
	1.2	22	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1202-1203

<b>ME21_91</b>	<b>MOST RECENT FREQUENCY: INHALANTS</b>
----------------	---

About how often were you using inhalants, such as glue, gasoline, or paint thinner during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	1.5	26	1	LESS THAN ONCE A MONTH
22.4	0.6	11	2	1 TO 3 TIMES A MONTH
8.2	0.2	4	3	1 TO 2 TIMES A WEEK
4.1	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
8.2	0.2	4	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
4.1	0.1	2	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	96.0	1,714	-9	LEGITIMATE NONRESPONSE
	1.2	21	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1204-1205

<b>ME16_92</b>	<b>USED PAST 12 MONTHS: ANOTHER DRUG</b>
----------------	--

During the past 12 months, have you used another drug?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	8.6	154	1	YES
23.0	2.6	46	2	NO
	88.2	1,575	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1206-1207

**ME20\_92****MOST RECENT USE (WEEKS) : ANOTHER DRUG**

When was the most recent time you used another drug?

1,785 cases (Range of valid codes: 0-82)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1208-1209

**ME21\_92****MOST RECENT FREQUENCY : ANOTHER DRUG**

About how often were you using another drug during this most recent period of use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	1.7	30	1	LESS THAN ONCE A MONTH
10.2	0.8	15	2	1 TO 3 TIMES A MONTH
5.4	0.4	8	3	1 TO 2 TIMES A WEEK
2.7	0.2	4	4	3 TO 4 TIMES A WEEK
1.4	0.1	2	5	5 TO 6 TIMES A WEEK
32.0	2.6	47	6	DAILY OR ALMOST EVERY DAY
25.9	2.1	38	7	2 TO 3 TIMES A DAY
0.7	0.1	1	8	4 OR MORE TIMES A DAY
1.4	0.1	2	9	OTHER
	90.8	1,620	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1210-1211

<b>ME22_1</b>	<b>FIRST DRUG USED DURING PAST 3 DAYS</b>
---------------	---

During the past 3 days, have you used (NAME OF DRUG)?

First drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	1.9	34	0	NONE
0.0	0.0	0	10	ALCOHOL
80.9	22.0	393	20	MARIJUANA, HASHISH, THC
0.6	0.2	3	30	HALLUCINOGENS/PSYCHEDELICS
1.4	0.4	7	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.4	0.1	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.2	0.1	1	70	DOWNERS/DEPRESSANTS
0.2	0.1	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.2	0.1	1	81	METHAMPHETAMINES/ICE
9.1	2.5	44	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	72.0	1,286	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1212-1213

ME22\_2

## SECOND DRUG USED DURING PAST 3 DAYS

During the past 3 days, have you used (NAME OF DRUG)?

Second drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	2.4	43	0	NONE
0.0	0.0	0	10	ALCOHOL
1.8	0.1	2	20	MARIJUANA, HASHISH, THC
20.2	1.2	22	30	HALLUCINOGENS/PSYCHEDELICS
13.8	0.8	15	40	COCAINE IN ANY FORM
0.9	0.1	1	41	CRACK
1.8	0.1	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
1.8	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
2.8	0.2	3	70	DOWNERS/DEPRESSANTS
6.4	0.4	7	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.9	0.1	1	81	METHAMPHETAMINES/ICE
9.2	0.6	10	90	ANY OTHER DRUGS
0.9	0.1	1	91	INHALANTS
	93.2	1,663	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1214-1215

<b>ME22_3</b>	<b>THIRD DRUG USED DURING PAST 3 DAYS</b>
---------------	---

During the past 3 days, have you used (NAME OF DRUG)?

Third drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	2.1	38	0	NONE
0.0	0.0	0	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
6.9	0.2	4	30	HALLUCINOGENS/PSYCHEDELICS
10.3	0.3	6	40	COCAINE IN ANY FORM
1.7	0.1	1	41	CRACK
1.7	0.1	1	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
5.2	0.2	3	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
3.4	0.1	2	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.7	0.1	1	81	METHAMPHETAMINES/ICE
3.4	0.1	2	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	96.0	1,714	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1216-1217

**ME22\_4****FOURTH DRUG USED DURING PAST 3 DAYS**

During the past 3 days, have you used (NAME OF DRUG)?

Fourth drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	2.1	37	0	NONE
0.0	0.0	0	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
4.5	0.1	2	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
2.3	0.1	1	41	CRACK
2.3	0.1	1	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
2.3	0.1	1	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
4.5	0.1	2	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	96.8	1,728	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1218-1219

<b>ME23</b>	<b>PAST 12 MONTHS DRUG WHICH CAUSED MOST PROBLEMS</b>
-------------	---

During the past 12 months, what type of drug that you used caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or physical or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	32.3	576	0	NONE
4.5	3.1	56	10	ALCOHOL
31.3	21.7	387	20	MARIJUANA, HASHISH, THC
3.2	2.2	39	30	HALLUCINOGENS/PSYCHEDELICS
6.9	4.8	85	40	COCAINE IN ANY FORM
1.5	1.0	18	41	CRACK
1.5	1.0	18	50	HEROIN ALONE, WITH OTHER DRUGS
0.3	0.2	4	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.2	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.5	0.3	6	70	DOWNERS/DEPRESSANTS
1.9	1.3	24	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.1	0.8	14	81	METHAMPHETAMINES/ICE
0.5	0.3	6	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	28.7	513	-9	LEGITIMATE NONRESPONSE
	1.9	34	-8	MISSING
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1220-1221

**ME24****PAST 12 MONTHS HOW PROBLEM DRUG USED**

In the past 12 months, when you used (PROBLEM DRUG), did you generally use it . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	4.3	77	1	BY YOURSELF
55.0	21.1	377	2	WITH 1 OR 2 OTHER PEOPLE
33.7	12.9	231	3	IN A GROUP
	59.9	1,069	-9	LEGITIMATE NONRESPONSE
	1.6	28	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1222-1223

**ME25****WHERE DID YOU USUALLY TAKE DRUGS?**

Where did you usually take drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	5.1	91	1	AT HOME
42.8	15.6	278	2	AT FRIEND'S/RELATIVE'S HOME
0.0	0.0	0	3	AT A SHOOTING GALLERY
21.9	8.0	142	4	ON THE STREET
9.6	3.5	62	5	IN A MOTOR VEHICLE
11.7	4.3	76	6	SOME OTHER PLACE
	59.9	1,069	-9	LEGITIMATE NONRESPONSE
	1.6	28	-8	MISSING
	2.1	38	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1224-1225



ME27A1

## DRUG CAUSED 2ND MOST PROBLEMS PAST 12 MONTHS

Which drug caused you the next most serious problems during the past 12 months? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
18.5	1.3	23	10	ALCOHOL
37.9	2.6	47	20	MARIJUANA, HASHISH, THC
10.5	0.7	13	30	HALLUCINOGENS/PSYCHEDELICS
10.5	0.7	13	40	COCAINE IN ANY FORM
3.2	0.2	4	41	CRACK
0.8	0.1	1	50	HEROIN ALONE, WITH OTHER DRUGS
0.8	0.1	1	51	HEROIN/COCAINE TOGETHER AT SAME TIME
1.6	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
4.8	0.3	6	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
4.0	0.3	5	81	METHAMPHETAMINES/ICE
7.3	0.5	9	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	90.8	1,620	-9	LEGITIMATE NONRESPONSE
	2.3	41	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1228-1229

<b>ME27A2</b>	<b>DRUG CAUSED 3RD MOST PROBLEMS PAST 12 MONTHS</b>
---------------	---

Which drug caused you the next most serious problems during the past 12 months? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
7.1	0.2	3	10	ALCOHOL
23.8	0.6	10	20	MARIJUANA, HASHISH, THC
21.4	0.5	9	30	HALLUCINOGENS/PSYCHEDELICS
14.3	0.3	6	40	COCAINE IN ANY FORM
2.4	0.1	1	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
7.1	0.2	3	60	NARCOTICS/OPIATES
2.4	0.1	1	61	STREET/ILLEGAL METHADONE
9.5	0.2	4	70	DOWNERS/DEPRESSANTS
2.4	0.1	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
2.4	0.1	1	81	METHAMPHETAMINES/ICE
4.8	0.1	2	90	ANY OTHER DRUGS
2.4	0.1	1	91	INHALANTS
	90.8	1,620	-9	LEGITIMATE NONRESPONSE
	6.9	123	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1230-1231

**ME27A3****DRUG CAUSED 4TH MOST PROBLEMS PAST 12 MONTHS**

Which drug caused you the next most serious problems during the past 12 months? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
27.3	0.2	3	10	ALCOHOL
9.1	0.1	1	20	MARIJUANA, HASHISH, THC
27.3	0.2	3	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
9.1	0.1	1	51	HEROIN/COCAINE TOGETHER AT SAME TIME
27.3	0.2	3	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	90.8	1,620	-9	LEGITIMATE NONRESPONSE
	8.6	153	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1233

**ME28****AMOUNT SPENT ON DRUGS PAST 12 MONTHS**

About how much would you say you spent on drugs for your own nonmedical use during the past 12 months? Do not include alcohol.

1,785 cases (Range of valid codes: 0-100,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1234-1239

<b>ME29</b>	<b>OVERDOSED ON DRUGS PAST 12 MONTHS</b>
-------------	--

In the past 12 months, have you overdosed on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	4.1	74	1	YES
94.1	65.7	1,173	2	NO
	29.0	517	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1240-1241

<b>ME29A</b>	<b>NUMBER OF TIMES OVERDOSED PAST 12 MONTHS</b>
--------------	---

How many times have you overdosed in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	0	
61.3	2.6	46	1	
22.7	1.0	17	2	
6.7	0.3	5	3	
2.7	0.1	2	4	
2.7	0.1	2	6	
1.3	0.1	1	10	
1.3	0.1	1	30	
	94.7	1,690	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1242-1243

**ME30****USED DRUGS W/WORKS AFTER ANYONE ELSE**

In the past 12 months, did you use drugs with a needle, a syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.1	19	1	YES
98.5	68.9	1,230	2	NO
	29.0	517	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1244-1245

**ME30A\_1****#TIMES USED WORKS AFTER SEX PARTNER/SPOUSE**

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	0.8	14	0	
5.3	0.1	1	1	
5.3	0.1	1	2	
5.3	0.1	1	10	
5.3	0.1	1	40	
5.3	0.1	1	100	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1246-1248

<b>ME30A_2</b>	<b>#TIMES USED WORKS AFTER ANYONE HAD SEX WITH</b>
----------------	--

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	1.0	17	0	
10.5	0.1	2	2	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1249-1250

<b>ME30A_3</b>	<b># TIMES USED WORKS AFTER A PROSTITUTE</b>
----------------	--

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	19	0	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1251-1252

<b>ME30A_4</b>	<b># TIMES USED WORKS AFTER SOMEONE W/AIDS</b>
----------------	--

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after someone you knew or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	1.0	18	0	
5.3	0.1	1	1	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1253-1254

<b>ME30A_5</b>	<b>#TIMES USED WORKS AFTER HOMOSEXUAL/BISEXUAL</b>
----------------	--

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after a man or boy you knew or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	0.9	16	0	
10.5	0.1	2	1	
5.3	0.1	1	2	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1255-1256

<b>ME30A_6</b>	<b># TIMES USED WORKS AFTER STRANGERS</b>
----------------	---

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	0.8	14	0	
21.1	0.2	4	1	
5.3	0.1	1	2	
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1257-1258

<b>ME31</b>	<b>CLEANED NEEDLES OTHER USED PAST 12 MONTHS</b>
-------------	--

In the past 12 months, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.6	10	1	YES
47.4	0.5	9	2	NO
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1259-1260

**ME31A****AFTER CLEANING USED COOKER**

After cleaning, did you use your own cooker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	5	1	YES
50.0	0.3	5	2	NO
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1261-1262

**ME31B****AFTER CLEANING USED COTTON**

After cleaning, did you use your own cotton?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	4	1	YES
60.0	0.3	6	2	NO
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1263-1264

**ME32A CLEAN NEEDLES W/ALCOHOL & RINSE W/WATER**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use alcohol and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.3	5	0	NEVER
0.0	0.0	0	1	RARELY
18.2	0.1	2	2	SOMETIMES
27.3	0.2	3	3	OFTEN
9.1	0.1	1	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1265-1266

**ME32B CLEAN NEEDLES W/BLEACH/COLOROX & RINSE W/WATER**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use bleach or Clorox and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	0	NEVER
9.1	0.1	1	1	RARELY
18.2	0.1	2	2	SOMETIMES
18.2	0.1	2	3	OFTEN
45.5	0.3	5	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1267-1268

**ME32C****CLEAN NEEDLES BY BOILING IN WATER ONLY**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you boil them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.5	9	0	NEVER
0.0	0.0	0	1	RARELY
18.2	0.1	2	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1269-1270

**ME32D****RINSE IN PREVIOUSLY USED WATER FOR NEEDLES**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you rinse them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	0.3	6	0	NEVER
18.2	0.1	2	1	RARELY
18.2	0.1	2	2	SOMETIMES
0.0	0.0	0	3	OFTEN
9.1	0.1	1	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1271-1272

**ME32E RINSE NEEDLES IN CLEAN WATER ONLY**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you rinse them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	0	NEVER
9.1	0.1	1	1	RARELY
36.4	0.2	4	2	SOMETIMES
0.0	0.0	0	3	OFTEN
27.3	0.2	3	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1273-1274

**ME32F CLEAN NEEDLES BY SOME OTHER METHOD**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.4	8	0	NEVER
0.0	0.0	0	1	RARELY
11.1	0.1	1	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	97.8	1,746	-9	LEGITIMATE NONRESPONSE
	1.6	29	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1275-1276

**ME33A****WITHDRAWAL SYMPTOM: DIFFICULTY SLEEPING**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you had difficulty sleeping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	10.3	184	1	YES
79.0	38.7	691	2	NO
	50.6	903	-8	MISSING
	0.4	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1277-1278

**ME33B****WITHDRAWAL SYMPTOM: BECOMES DROWSY**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you become very drowsy and felt like you needed to sleep a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	12.0	215	1	YES
75.0	36.1	644	2	NO
	51.4	918	-8	MISSING
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1279-1280

**ME33C WITHDRAWAL SYMPTOM: SHAKINESS IN HANDS**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you experienced some shakiness in your hands or other parts of your body?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	10.3	183	1	YES
78.7	37.8	675	2	NO
	51.4	918	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1281-1282

**ME33D WITHDRAWAL SYMPTOM: EXTREMELY DEPRESSED**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you become extremely depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	10.1	180	1	YES
79.0	38.0	678	2	NO
	51.5	919	-8	MISSING
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1283-1284

**ME33E****WITHDRAWAL SYMPTOM: INCREASED APPETITE**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you experienced a great increase in your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	8.3	149	1	YES
82.6	39.7	708	2	NO
	51.5	920	-8	MISSING
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1285-1286

**ME33F****WITHDRAWAL SYMPTOM: EXCITED/DISTRACTED**

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you become easily excited or distracted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	11.8	210	1	YES
75.5	36.2	647	2	NO
	51.5	920	-8	MISSING
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1287-1288

<b>ME33G</b>	<b>WITHDRAWAL SYMPTOM: NERVOUS OR ANXIOUS</b>
--------------	---

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you felt nervous or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	13.6	242	1	YES
71.8	34.5	616	2	NO
	51.4	918	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1289-1290

<b>ME34</b>	<b>CRAVE COCAINE DURING PAST 12 MONTHS</b>
-------------	--

During the past 12 months, did you ever crave cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	14.2	253	1	YES
70.8	34.3	613	2	NO
	51.4	918	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1291-1292

**ME35****INTENSITY OF CRAVING FOR COCAINE**

Typically, how strong or intense were your cravings for cocaine on a scale from 0 to 10 with 0 being the weakest and 10 the strongest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	0	VERY WEAK
4.0	0.6	10	1	
5.1	0.7	13	2	
8.3	1.2	21	3	
14.6	2.1	37	4	
17.4	2.5	44	5	MODERATE
7.1	1.0	18	6	
11.5	1.6	29	7	
15.0	2.1	38	8	
4.7	0.7	12	9	
11.9	1.7	30	10	VERY STRONG
	34.3	613	-9	LEGITIMATE NONRESPONSE
	51.4	918	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1293-1294

**ME36****HOW LONG DID THE AVERAGE CRAVING LAST?**

How long did an average craving last?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	1.5	27	1	A FEW SECONDS
31.7	4.5	80	2	A FEW MINUTES
12.3	1.7	31	3	ABOUT 15 MINUTES
9.5	1.3	24	4	ABOUT 1/2 AN HOUR
7.1	1.0	18	5	CLOSE TO 1 HOUR
28.6	4.0	72	6	AN HOUR OR LONGER
	34.3	613	-9	LEGITIMATE NONRESPONSE
	51.4	918	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1295-1296

**ME37 HOW TROUBLED BY DRUG PROBLEM PAST 12 MONTHS**

In the past 12 months, how troubled or bothered have you been by your drug problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	59.2	1,057	0	NOT AT ALL
22.6	22.5	401	1	SLIGHTLY
8.5	8.5	151	2	MODERATELY
5.3	5.3	95	3	CONSIDERABLY
4.2	4.1	74	4	EXTREMELY
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1297-1298

**ME38 IMPORTANCE OF TREATMENT FOR DRUG PROBLEM**

How important to you now is getting treatment or counseling for your drug problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	69.0	1,232	0	NOT AT ALL
17.0	16.9	301	1	SOMEWHAT
13.5	13.4	240	2	VERY IMPORTANT
	0.6	10	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1299-1300

**ME39****EXTENT OTHER PROBLEMS CAUSING DRUG PROBLEMS**

In your opinion, in the past 12 months to what extent were your problems with drugs caused by other problems in your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	61.5	1,098	0	NOT AT ALL
28.0	27.7	495	1	SOMEWHAT
10.0	9.9	177	2	VERY IMPORTANT
	0.6	10	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1301-1302

**ME40****HOW TEMPTED TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	52.9	944	0	NOT AT ALL
34.3	34.1	608	1	SOMEWHAT
12.5	12.4	222	2	VERY IMPORTANT
	0.6	10	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1303-1304

**ME41****MOST IMPORTANT REASON FOR NOT USING DRUGS**

What was your most important reason for not using drugs?

1,785 cases (Range of valid codes: 1-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1305-1306

**ME41A1                      1ST OTHER REASON FOR NOT USING DRUGS**

What other reasons have you had for not using drugs?

First mention.

1,785 cases (Range of valid codes: 1-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1307-1308

**ME41A2                      2ND OTHER REASON FOR NOT USING DRUGS**

What other reasons have you had for not using drugs?

Second mention.

1,785 cases (Range of valid codes: 11-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1309-1310

**ME41A3                      3RD OTHER REASON FOR NOT USING DRUGS**

What other reasons have you had for not using drugs?

Third mention.

1,785 cases (Range of valid codes: 9-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1311-1312

**ME42A****KEEP FROM USE DRUG/PEOPLE MADE YOU TENSE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.7	173	0	NOT AT ALL CONFIDENT/SURE
21.4	21.3	380	1	SOMEWHAT CONFIDENT/SURE
68.9	68.5	1,223	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1313-1314

**ME42B****KEEP FROM USE DRUG/REMEMBERED FEELING**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	284	0	NOT AT ALL CONFIDENT/SURE
28.5	28.3	506	1	SOMEWHAT CONFIDENT/SURE
55.5	55.3	987	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1315-1316



**ME42D****KEEP FROM USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	200	0	NOT AT ALL CONFIDENT/SURE
14.4	14.3	256	1	SOMEWHAT CONFIDENT/SURE
74.3	73.8	1,317	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1319-1320



**ME42G****KEEP FROM USE DRUG/NOT ABLE TO GET SLEEP**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were not able to get to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	12.5	223	0	NOT AT ALL CONFIDENT/SURE
17.5	17.4	311	1	SOMEWHAT CONFIDENT/SURE
69.9	69.5	1,241	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1325-1326

**ME42H****KEEP FROM USE DRUG/FELT NAUSEOUS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	9.0	160	0	NOT AT ALL CONFIDENT/SURE
10.5	10.5	187	1	SOMEWHAT CONFIDENT/SURE
80.5	80.0	1,428	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1327-1328



**ME42J****KEEP FROM USE DRUG/FELT HAPPY W/SOMETHING**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.7	209	0	NOT AT ALL CONFIDENT/SURE
18.2	18.0	322	1	SOMEWHAT CONFIDENT/SURE
70.0	69.5	1,241	2	VERY CONFIDENT/SURE
	0.4	8	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1331-1332



**ME42M****KEEP FROM USE DRUG/FELT CONFUSED**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt confused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	208	0	NOT AT ALL CONFIDENT/SURE
21.5	21.4	382	1	SOMEWHAT CONFIDENT/SURE
66.7	66.3	1,184	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1337-1338

**ME42N****KEEP FROM USE DRUG/FELT SAD/DEPRESSED**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt sad or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.5	331	0	NOT AT ALL CONFIDENT/SURE
28.2	28.1	501	1	SOMEWHAT CONFIDENT/SURE
53.1	52.8	943	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1339-1340

**ME420** **KEEP FROM USE DRUG/ENCOURAGED TO USE IT**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.8	425	0	NOT AT ALL CONFIDENT/SURE
25.0	24.9	444	1	SOMEWHAT CONFIDENT/SURE
51.0	50.8	906	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1341-1342

**ME42P****KEEP FROM USE DRUG/USE IT A FEW TIMES**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	22.9	409	0	NOT AT ALL CONFIDENT/SURE
22.3	22.2	396	1	SOMEWHAT CONFIDENT/SURE
54.6	54.2	968	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1343-1344

**ME42Q** **KEEP FROM USE DRUG/PROBLEM W/PEOPLE AT WORK**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if there were problems with people at work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.1	181	0	NOT AT ALL CONFIDENT/SURE
15.2	14.9	266	1	SOMEWHAT CONFIDENT/SURE
74.4	72.9	1,302	2	VERY CONFIDENT/SURE
	0.5	9	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	1.2	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1345-1346

**ME42R****KEEP FROM USE DRUG/PROBLEM W/FAMILY/FRIENDS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.7	244	0	NOT AT ALL CONFIDENT/SURE
25.2	25.0	447	1	SOMEWHAT CONFIDENT/SURE
61.0	60.7	1,083	2	VERY CONFIDENT/SURE
	0.3	5	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1347-1348



**ME42T****KEEP FROM USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	284	0	NOT AT ALL CONFIDENT/SURE
19.5	19.4	346	1	SOMEWHAT CONFIDENT/SURE
64.5	64.1	1,144	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1351-1352

ME42U

KEEP FROM USE DRUG/PROBLEMS W/PEOPLE A/SCHOOL

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if there were problems with people at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.2	182	0	NOT AT ALL CONFIDENT/SURE
16.2	15.9	284	1	SOMEWHAT CONFIDENT/SURE
73.4	72.2	1,289	2	VERY CONFIDENT/SURE
	0.3	6	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
	0.9	16	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1353-1354

**ME43****ARE THERE TIMES TEMPTED TO USE DRUGS**

Are there times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	44.1	788	1	YES
55.5	55.0	981	2	NO
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1355-1356

**ME43A1****WHEN MIGHT YOU BE TEMPTED/1ST SITUATION**

When might you be tempted?

1,785 cases (Range of valid codes: 1-131)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1357-1359

<b>ME43A1CT</b>	<b>WHEN MIGHT YOU BE TEMPTED/1ST SITUATION - CATEGORIZED</b>
-----------------	--

When might you be tempted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	5.9	105	1	FAMILY/FRIENDS
37.9	16.9	301	2	ENVIRONMENTAL (SPECIFIC PLACES, SURROUNDINGS, OR EVENTS)
22.4	10.0	178	3	EMOTIONS (DEPRESSION, SAD, HAPPY, ANGRY, ETC.)
5.0	2.2	40	4	STRESSED/TIRED/NEED TO RELAX
0.8	0.3	6	5	PHYSICAL PROBLEMS (ILLNESS, PAIN, ETC.)
0.6	0.3	5	6	FINANCIAL (HAD MONEY, NEEDED MONEY, ETC.)
7.5	3.4	60	7	CRAVINGS, THOUGHT ABOUT DRUGS, ETC.
0.1	0.1	1	8	AVAILABILITY
12.5	5.5	99	9	OTHER
	55.0	981	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1360-1361

**ME43B1****CONFIDENCE IN ABILITY NOT TO USE DRGS/1ST**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	21.6	385	0	NOT AT ALL CONFIDENT/SURE
36.4	16.0	285	1	SOMEWHAT CONFIDENT/SURE
14.5	6.4	114	2	VERY CONFIDENT/SURE
	55.0	981	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1362-1363

**ME43A2****WHEN MIGHT YOU BE TEMPTED/2ND SITUATION**

When might you be tempted?

1,785 cases (Range of valid codes: 1-133)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1364-1366

**ME43A2CT                      WHEN MIGHT YOU BE TEMPTED/2ND SITUATION - CATEGORIZED**

When might you be tempted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	3.0	53	1	FAMILY/FRIENDS
31.3	5.2	93	2	ENVIRONMENTAL (SPECIFIC PLACES, SURROUNDINGS, OR EVENTS)
29.0	4.8	86	3	EMOTIONS (DEPRESSION, SAD, HAPPY, ANGRY, ETC.)
5.4	0.9	16	4	STRESSED/TIRED/NEED TO RELAX
2.4	0.4	7	5	PHYSICAL PROBLEMS (ILLNESS, PAIN, ETC.)
3.0	0.5	9	6	FINANCIAL (HAD MONEY, NEEDED MONEY, ETC.)
7.4	1.2	22	7	CRAVINGS, THOUGHT ABOUT DRUGS, ETC.
0.3	0.1	1	8	AVAILABILITY
3.4	0.6	10	9	OTHER
	55.0	981	-9	LEGITIMATE NONRESPONSE
	28.2	504	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1367-1368

**ME43B2                      CONFIDENCE IN ABILITY NOT TO USE DRGS/2ND**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	8.8	157	0	NOT AT ALL CONFIDENT/SURE
38.0	6.3	112	1	SOMEWHAT CONFIDENT/SURE
8.8	1.5	26	2	VERY CONFIDENT/SURE
	55.0	981	-9	LEGITIMATE NONRESPONSE
	28.4	507	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1369-1370

**ME43A3****WHEN MIGHT YOU BE TEMPTED/3RD SITUATION**

When might you be tempted?

1,785 cases (Range of valid codes: 1-132)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1371-1373

**ME43A3CT****WHEN MIGHT YOU BE TEMPTED/3RD SITUATION - CATEGORIZED**

When might you be tempted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.6	29	1	FAMILY/FRIENDS
32.5	3.0	54	2	ENVIRONMENTAL (SPECIFIC PLACES, SURROUNDINGS, OR EVENTS)
26.5	2.5	44	3	EMOTIONS (DEPRESSION, SAD, HAPPY, ANGRY, ETC.)
7.8	0.7	13	4	STRESSED/TIRED/NEED TO RELAX
1.2	0.1	2	5	PHYSICAL PROBLEMS (ILLNESS, PAIN, ETC.)
1.2	0.1	2	6	FINANCIAL (HAD MONEY, NEEDED MONEY, ETC.)
10.8	1.0	18	7	CRAVINGS, THOUGHT ABOUT DRUGS, ETC.
0.6	0.1	1	8	AVAILABILITY
1.8	0.2	3	9	OTHER
	55.0	981	-9	LEGITIMATE NONRESPONSE
	35.6	636	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1374-1375

**ME43B3 CONFIDENCE IN ABILITY NOT TO USE DRGS/3RD**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	4.7	84	0	NOT AT ALL CONFIDENT/SURE
39.4	3.6	65	1	SOMEWHAT CONFIDENT/SURE
9.7	0.9	16	2	VERY CONFIDENT/SURE
	55.0	981	-9	LEGITIMATE NONRESPONSE
	35.7	638	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1376-1377

**ME44 DIFFICULTY STOP USING DRUGS REST OF LIFE**

How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	40.1	716	0	NOT AT ALL
37.9	37.6	672	1	SOMEWHAT
21.8	21.7	387	2	VERY DIFFICULT
	0.3	6	-8	MISSING
	0.2	3	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1378-1379

**ME45****CHANCES TO QUIT USING DRUGS REST OF LIFE**

What do you think your chances are of quitting completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.2	254	1	VERY POOR
39.0	38.7	690	2	FAIR
46.6	46.2	825	3	VERY GOOD
	0.5	9	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	5	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1380-1381

**ME46****HOW MUCH TREATMENT WILL HELP YOU QUIT**

How much do you think the treatment you received at (NAME OF PROGRAM) will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.5	598	0	NOT AT ALL
39.4	39.2	700	1	SOMEWHAT
25.6	25.5	455	2	VERY MUCH
1.2	1.2	22	3	NO TREATMENT RECEIVED
	0.4	8	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1382-1383



**ME49****HOW MUCH TREATMENT WILL HELP YOU CUT DOWN**

How much do you think the treatment you received at (NAME OF PROGRAM) will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	33.4	596	0	NOT AT ALL
38.1	37.4	667	1	SOMEWHAT
26.6	26.1	466	2	VERY MUCH
1.2	1.2	21	3	NO TREATMENT RECEIVED
	1.5	27	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.3	5	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1388-1389

**ME50A****TREATMENT HELPED UNDERSTAND PROBLEM**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to better understand your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	71.5	1,276	1	YES
28.0	27.7	495	2	NO
	0.7	13	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1390-1391

**ME50B****TREATMENT HELPED COMMUNICATIONS SKILLS**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to learn to communicate better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	66.4	1,185	1	YES
33.1	32.8	586	2	NO
	0.7	13	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1392-1393

**ME50C****TREATMENT HELPED PROBLEM SOLVING**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to be a better problem solver?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	60.8	1,085	1	YES
38.7	38.4	686	2	NO
	0.7	13	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1394-1395

**ME50D****TREATMENT HELPED LEARN RELAPSE PREVENTION**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to learn relapse prevention skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	63.6	1,136	1	YES
35.8	35.5	633	2	NO
	0.7	13	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1396-1397

**ME51****NEIGHBORHOOD HAS HEAVY DRUG/ALCOHOL USE**

Do you live in a neighborhood where there is drug use or heavy alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	67.0	1,196	1	YES
32.2	31.9	569	2	NO
	0.3	5	-8	MISSING
	0.1	1	-5	BAD DATA
	0.8	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1398-1399

**ME52** **TIME SPENT W/FRIENDS WHO USE DRUGS**

How often do you spend time with friends who use drugs?  
 Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.0	410	1	NOT AT ALL
18.6	18.5	330	2	LESS THAN ONCE A MONTH
19.6	19.5	348	3	AT LEAST ONCE A WEEK
38.8	38.7	690	4	ALMOST DAILY
	0.3	5	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1400-1401

**ME53** **GO WHERE DRUGS ARE READILY AVAILABLE**

How often do you go to bars, clubs, or hangouts where  
 drugs are readily available?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	46.7	833	1	NOT AT ALL
18.9	18.9	337	2	LESS THAN ONCE A MONTH
19.7	19.7	351	3	AT LEAST ONCE A WEEK
14.5	14.5	258	4	ALMOST DAILY
	0.3	5	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1402-1403



<b>MF1B</b>	<b># PERIODS OF 2 WK/MORE/FELT DEPRESSED</b>
-------------	--

In these past 12 months, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	6	0	
24.0	5.7	102	1	
23.1	5.5	98	2	
13.2	3.1	56	3	
12.0	2.9	51	4	
6.6	1.6	28	5	
4.7	1.1	20	6	
1.4	0.3	6	7	
0.5	0.1	2	8	
0.5	0.1	2	9	
4.9	1.2	21	10	
2.8	0.7	12	12	
0.2	0.1	1	15	
2.1	0.5	9	20	
0.2	0.1	1	24	
0.9	0.2	4	25	
0.7	0.2	3	26	
0.2	0.1	1	30	
0.2	0.1	1	52	
0.2	0.1	1	99	99 OR MORE
	75.5	1,348	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1408-1409

<b>MF1C1</b>	<b>WHEN LAST PERIOD LIKE THAT ENDED</b>
--------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.8	14	1	LESS THAN 1 WEEK AFTER CONTACT
96.7	23.0	410	2	AT LEAST 1 WEEK AFTER CONTACT
	75.5	1,348	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1410-1411

<b>MF1C_WK</b>	<b>HOW MANY WEEKS AGO WAS THAT?</b>
----------------	-------------------------------------

How many weeks ago was that?

1,785 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1412-1413

<b>MF1D</b>	<b>THAT PERIOD A DIRECT RESULT OF ALCO/DRUG</b>
-------------	---

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	7.1	127	1	YES
70.4	16.9	302	2	NO
	75.5	1,347	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1414-1415

MF2

YOU FELT ANXIOUS/TENSE/NERVOUS FOR 2 WKS

In the past 12 months, have you had at least one period of 4 weeks or more when you were very anxious, tense or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.9	212	1	YES
88.1	87.9	1,569	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1416-1417

MF2A

# PERIODS OF 4 WKS/ANXIOUS/TENSE/NERVOUS

In the past 12 months, how many periods of 4 weeks or more have you had (when you were very anxious, tense, or nervous)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	0	
43.4	5.0	89	1	
21.5	2.5	44	2	
10.7	1.2	22	3	
7.8	0.9	16	4	
2.0	0.2	4	5	
2.0	0.2	4	6	
1.0	0.1	2	7	
0.5	0.1	1	8	
3.4	0.4	7	10	
0.5	0.1	1	11	
2.9	0.3	6	12	
1.5	0.2	3	13	
1.0	0.1	2	25	
0.5	0.1	1	26	
0.5	0.1	1	28	
0.5	0.1	1	52	
	87.8	1,568	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	3	-5	BAD DATA
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1418-1419

<b>MF2B</b>	<b>WHEN LAST PERIOD LIKE THAT ENDED</b>
-------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.5	9	1	LESS THAN 1 WEEK AFTER CONTACT
95.7	11.2	200	2	AT LEAST 1 WEEK AFTER CONTACT
	87.8	1,568	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-3	NOT APPLICABLE

-----  
 100.0 100.0 1,785 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1420-1421

MF2B_WK	HOW MANY WEEKS AGO WAS THAT?
---------	------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.8	33	0	
11.6	1.2	22	1	
8.5	0.9	16	2	
4.8	0.5	9	3	
12.2	1.3	23	4	
3.2	0.3	6	6	
1.1	0.1	2	7	
10.6	1.1	20	8	
1.1	0.1	2	10	
0.5	0.1	1	11	
5.3	0.6	10	12	
1.1	0.1	2	14	
4.2	0.4	8	16	
2.1	0.2	4	20	
0.5	0.1	1	23	
4.8	0.5	9	24	
2.1	0.2	4	26	
2.6	0.3	5	28	
0.5	0.1	1	30	
1.1	0.1	2	32	
1.1	0.1	2	36	
0.5	0.1	1	44	
0.5	0.1	1	50	
1.6	0.2	3	52	
0.5	0.1	1	68	
0.5	0.1	1	75	
	88.3	1,576	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
	0.1	2	-5	BAD DATA
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1422-1423

<b>MF2C</b>	<b>THAT PERIOD A DIRECT RESULT OF ALCO/DRUG</b>
-------------	---

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	4.4	78	1	YES
63.2	7.5	134	2	NO
	87.8	1,567	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1424-1425

<b>MF3</b>	<b>HAD HALLUCINATIONS/SAW/HEARD THINGS</b>
------------	--

In the past 12 months, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	10.0	178	1	YES
90.0	89.6	1,599	2	NO
	0.4	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1426-1427

**MF3A****WHEN LAST PERIOD LIKE THAT ENDED**

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.2	4	1	LESS THAN 1 WEEK AFTER CONTACT
97.8	9.7	174	2	AT LEAST 1 WEEK AFTER CONTACT
	89.5	1,598	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1428-1429

<b>MF3A_WK</b>	<b>HOW MANY WEEKS AGO WAS THAT?</b>
----------------	-------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	1.3	24	0	
16.3	1.6	28	1	
8.7	0.8	15	2	
6.4	0.6	11	3	
7.0	0.7	12	4	
0.6	0.1	1	5	
4.7	0.4	8	6	
1.2	0.1	2	7	
9.9	1.0	17	8	
0.6	0.1	1	11	
5.2	0.5	9	12	
0.6	0.1	1	13	
0.6	0.1	1	14	
0.6	0.1	1	15	
3.5	0.3	6	16	
0.6	0.1	1	18	
2.9	0.3	5	20	
0.6	0.1	1	23	
1.7	0.2	3	24	
1.2	0.1	2	25	
2.3	0.2	4	26	
0.6	0.1	1	27	
4.1	0.4	7	28	
1.2	0.1	2	32	
0.6	0.1	1	34	
0.6	0.1	1	40	
0.6	0.1	1	42	
0.6	0.1	1	43	
0.6	0.1	1	45	
0.6	0.1	1	50	
1.7	0.2	3	52	
	89.7	1,601	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1430-1431

**MF3B****THAT PERIOD DIRECT RESULT ALCO/DRUG USE**

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	7.5	134	1	YES
23.9	2.4	42	2	NO
	89.5	1,598	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1432-1433

**MF4****TROUBLE UNDERSTANDING/CONCENTRATING/REMEMBERING**

In the past 12 months, have you had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	35.5	634	1	YES
64.4	64.4	1,149	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1434-1435

**MF4A** **WHEN LAST PERIOD LIKE THAT ENDED**

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	1.9	34	1	LESS THAN 1 WEEK AFTER CONTACT
94.4	31.8	568	2	AT LEAST 1 WEEK AFTER CONTACT
	64.3	1,147	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.6	10	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1436-1437

**MF4A\_WK** **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that?

1,785 cases (Range of valid codes: 0-90)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1438-1439

**MF4B** **THAT PERIOD DIRECT RESULT ALCO/DRUG USE**

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	17.5	313	1	YES
50.4	17.8	318	2	NO
	64.1	1,145	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1440-1441

<b>MF5</b>	<b>TROUBLE CONTROLLING TEMPER/BEHAVIOR</b>
------------	--

In the past 12 months, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	30.7	548	1	YES
69.2	69.1	1,233	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1442-1443

<b>MF5A</b>	<b>WHEN LAST PERIOD LIKE THAT ENDED</b>
-------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	1.6	29	1	LESS THAN 1 WEEK AFTER CONTACT
94.6	28.5	508	2	AT LEAST 1 WEEK AFTER CONTACT
	69.0	1,231	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1444-1445

<b>MF5A_WK</b>	<b>HOW MANY WEEKS AGO WAS THAT?</b>
----------------	-------------------------------------

How many weeks ago was that?

1,785 cases (Range of valid codes: 0-72)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1446-1447



<b>MF6A_WK</b>	<b>HOW MANY WEEKS AGO WAS THAT?</b>
----------------	-------------------------------------

How many weeks ago was that?

1,785 cases (Range of valid codes: 0-75)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1454-1455

<b>MF6B</b>	<b>SUICIDE THOUGHTS RESULT OF ALCO/DRUG USE</b>
-------------	---

During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	3.1	55	1	YES
74.2	8.9	158	2	NO
	87.8	1,567	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1456-1457

<b>MF7</b>	<b>HAVE YOU ATTEMPTED SUICIDE?</b>
------------	------------------------------------

In the past 12 months, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	62	1	YES
96.5	96.2	1,717	2	NO
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1458-1459

**MF7A****WHEN DID YOU LAST ATTEMPT SUICIDE?**

When did you last attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN 1 WEEK AFTER CONTACT
100.0	3.4	61	2	AT LEAST 1 WEEK AFTER CONTACT
	96.2	1,717	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING

-----  
 100.0 100.0 1,785 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1460-1461

MF7A_WK	HOW MANY WEEKS AGO WAS THAT?
---------	------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	1	2	
3.3	0.1	2	3	
3.3	0.1	2	4	
1.6	0.1	1	5	
1.6	0.1	1	6	
6.6	0.2	4	8	
3.3	0.1	2	9	
4.9	0.2	3	10	
6.6	0.2	4	12	
9.8	0.3	6	16	
6.6	0.2	4	20	
1.6	0.1	1	21	
6.6	0.2	4	24	
3.3	0.1	2	26	
1.6	0.1	1	28	
1.6	0.1	1	29	
1.6	0.1	1	30	
4.9	0.2	3	32	
1.6	0.1	1	40	
1.6	0.1	1	41	
4.9	0.2	3	44	
1.6	0.1	1	46	
1.6	0.1	1	47	
1.6	0.1	1	48	
4.9	0.2	3	50	
8.2	0.3	5	52	
1.6	0.1	1	54	
1.6	0.1	1	64	
	96.2	1,717	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1462-1463

**MF7B SUICIDE ATTEMPTS RESULT OF ALCO/DRUG USE**

During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	1.3	24	1	YES
61.9	2.2	39	2	NO
	96.2	1,717	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1464-1465

**MF8 TAKEN MEDICATIONS FOR MENTAL PROBLEMS**

In the past 12 months, have you taken any prescribed medications on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	15.0	267	1	YES
85.0	84.5	1,508	2	NO
	0.5	9	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1466-1467

**MF9****MENTAL PROBLEMS NOT RESULT OF DRUGS/ALCOHOL**

In the past 12 months, have you had any emotional or mental health problems that were not the result of your using drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	18.2	324	1	YES
81.7	81.0	1,445	2	NO
	0.8	14	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1468-1469

**MF9A****#DAYS PROBLEMS NOT RESULT OF DRUGS/ALCOHOL**

How many days would you say you had such problems that were not the result of your using drugs or alcohol?

1,785 cases (Range of valid codes: 0-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1470-1472

**MF10****RECEIVED PAYMENTS FOR PSYCHIATRIC DISABILITY**

During the past 12 months, have you received any disability payments or benefits for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	39	1	YES
97.8	97.5	1,741	2	NO
	0.2	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1473-1474

**MF11 HAD MENTAL PROBLEMS BECAUSE OF DRUG/ALCOHOL**

In the past 12 months, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.7	174	1	YES
90.2	89.9	1,605	2	NO
	0.3	5	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1475-1476

**MF11A HOW SERIOUS PROBLEM DUE DRUG/ALCOHOL USE**

How serious were any problems you have had in these 12 months because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	1.0	18	1	NOT AT ALL
62.3	6.1	109	2	SOMEWHAT
27.4	2.7	48	3	VERY SERIOUS
	89.8	1,603	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1477-1478

**MF12****PAST 12 MONTHS HOW TROUBLED BY EMOTIONAL PROBLEMS**

How troubled or distressed (bothered) have you been during the past 12 months by any emotional or psychological problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	58.4	1,042	0	NOT AT ALL
21.8	21.7	387	1	SLIGHTLY
10.6	10.6	189	2	MODERATELY
6.0	6.0	107	3	CONSIDERABLY
3.0	3.0	53	4	EXTREMELY
	0.3	6	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1479-1480

**MF12A****PAST 3 MONTHS HOW TROUBLED BY EMOTIONAL PROBLEMS**

How troubled or distressed (bothered) have you been during the past 3 months by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	8.5	152	0	NOT AT ALL
44.0	18.3	327	1	SLIGHTLY
19.8	8.2	147	2	MODERATELY
9.6	4.0	71	3	CONSIDERABLY
6.2	2.6	46	4	EXTREMELY
	58.1	1,037	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1481-1482

<b>MF12B</b>	<b>HOW TROUBLED ARE YOU BY EMOTIONAL PROBLEMS</b>
--------------	---

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	9.7	173	0	NOT AT ALL
41.7	14.3	255	1	SLIGHTLY
14.4	4.9	88	2	MODERATELY
9.2	3.1	56	3	CONSIDERABLY
6.5	2.2	40	4	EXTREMELY
	65.6	1,171	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1483-1484

<b>MF13</b>	<b>ALL IN ALL, I AM SATISFIED WITH MYSELF</b>
-------------	---

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	63	1	STRONGLY DISAGREE
9.8	9.7	174	2	SOMEWHAT DISAGREE
36.1	36.1	644	3	SOMEWHAT AGREE
50.6	50.5	902	4	STRONGLY AGREE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1485-1486

**MF14****AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	57.4	1,025	1	STRONGLY DISAGREE
19.6	19.6	349	2	SOMEWHAT DISAGREE
19.7	19.7	351	3	SOMEWHAT AGREE
3.1	3.1	55	4	STRONGLY AGREE
	0.2	3	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1487-1488

**MF15****I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	14	1	STRONGLY DISAGREE
2.1	2.1	38	2	SOMEWHAT DISAGREE
31.3	31.2	557	3	SOMEWHAT AGREE
65.8	65.7	1,173	4	STRONGLY AGREE
	0.1	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1489-1490

**MF16**

**I AM ABLE TO DO THINGS AS WELL AS OTHERS**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I'm able to do things as well as most other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	21	1	STRONGLY DISAGREE
3.0	3.0	54	2	SOMEWHAT DISAGREE
29.2	29.1	520	3	SOMEWHAT AGREE
66.6	66.6	1,188	4	STRONGLY AGREE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1491-1492

**MF17**

**I FEEL I DO NOT HAVE MUCH TO BE PROUD OF**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I don't have much to be proud of.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	60.8	1,085	1	STRONGLY DISAGREE
21.5	21.5	384	2	SOMEWHAT DISAGREE
14.7	14.7	262	3	SOMEWHAT AGREE
2.9	2.9	52	4	STRONGLY AGREE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1493-1494

**MF18****I FEEL USELESS AT TIMES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	51.6	921	1	STRONGLY DISAGREE
18.1	18.1	323	2	SOMEWHAT DISAGREE
26.6	26.6	474	3	SOMEWHAT AGREE
3.5	3.5	62	4	STRONGLY AGREE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1495-1496

**MF19****I FEEL THAT I AM BASICALLY NO GOOD**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm basically no good.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	75.1	1,341	1	STRONGLY DISAGREE
14.7	14.7	262	2	SOMEWHAT DISAGREE
8.6	8.6	153	3	SOMEWHAT AGREE
1.5	1.5	26	4	STRONGLY AGREE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1497-1498

<b>MF20</b>	<b>I WISH I COULD HAVE MORE RESPECT FOR SELF</b>
-------------	--

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	52.9	944	1	STRONGLY DISAGREE
12.6	12.5	224	2	SOMEWHAT DISAGREE
23.5	23.5	419	3	SOMEWHAT AGREE
10.9	10.9	195	4	STRONGLY AGREE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1499-1500

<b>MF21</b>	<b>ALL IN ALL, I FEEL THAT I AM A FAILURE</b>
-------------	---

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	76.2	1,360	1	STRONGLY DISAGREE
14.1	14.1	252	2	SOMEWHAT DISAGREE
7.4	7.4	132	3	SOMEWHAT AGREE
2.1	2.1	37	4	STRONGLY AGREE
	0.2	3	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1501-1502

MF22

I FEEL THAT I AM NOT IMPORTANT TO OTHERS

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm not important to others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	72.8	1,299	1	STRONGLY DISAGREE
15.0	15.0	268	2	SOMEWHAT DISAGREE
9.7	9.7	173	3	SOMEWHAT AGREE
2.3	2.3	41	4	STRONGLY AGREE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1503-1504



**MG2\_1****ARRESTED IN PAST 12MONTHS: USE/POSSESSION DRUGS**

During the past 12 months, have you been arrested and booked or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.1	234	1	YES
86.8	86.4	1,543	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1507-1508

**MG3\_1****# ARRESTS PAST 12MONTHS: USE/POSSESSION DRUGS**

During the past 12 months, how many times have you been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.3	5	0	
69.6	9.0	160	1	
13.0	1.7	30	2	
5.7	0.7	13	3	
1.7	0.2	4	4	
2.6	0.3	6	5	
1.7	0.2	4	6	
1.7	0.2	4	7	
0.9	0.1	2	8	
0.4	0.1	1	14	
0.4	0.1	1	15	
	86.4	1,543	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1509-1510

**MG4\_1 # ARRESTS PAST 3 MONTHS: USE/POSSESSION DRUGS**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	8.5	151	0	
29.1	3.8	67	1	
3.9	0.5	9	2	
0.4	0.1	1	3	
0.4	0.1	1	5	
0.4	0.1	1	6	
	86.4	1,543	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1511-1512

**MG5\_1 # CONVICTIONS PAST 12MONTHS: USE/POSSESSION DRUGS**

During the past 12 months, how many times have you been convicted for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	5.7	102	0	
46.7	6.0	107	1	
5.2	0.7	12	2	
1.7	0.2	4	3	
0.9	0.1	2	5	
0.4	0.1	1	6	
0.4	0.1	1	8	
	86.4	1,543	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1513-1514

**MG2\_2****ARRESTED IN PAST 12MONTHS: SALE/MANUFACTURE DRUGS**

During the past 12 months, have you been arrested and booked or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	76	1	YES
95.7	95.2	1,699	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1515-1516

**MG3\_2****# ARRESTS PAST 12MONTHS: SALE/MANUFACTURE DRUGS**

During the past 12 months, how many times have you been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	0	
69.3	2.9	52	1	
14.7	0.6	11	2	
5.3	0.2	4	3	
5.3	0.2	4	4	
4.0	0.2	3	6	
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1517-1518

**MG4\_2 # ARRESTS PAST 3 MONTHS: SALE/MANUFACTURE DRUGS**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	3.0	54	0	
21.6	0.9	16	1	
4.1	0.2	3	2	
1.4	0.1	1	3	
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1519-1520

**MG5\_2 # CONVICTIONS PAST 12MONTHS: SALE/MANUFACTURE DRUGS**

During the past 12 months, how many times have you been convicted for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	1.7	31	0	
52.0	2.2	39	1	
4.0	0.2	3	2	
1.3	0.1	1	3	
1.3	0.1	1	4	
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1521-1522

**MG2\_3****ARRESTED IN PAST 12 MONTHS: FORGERY/FRAUD**

During the past 12 months, have you been arrested and booked or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	48	1	YES
97.3	96.6	1,725	2	NO
	0.6	10	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1523-1524

**MG3\_3****# ARRESTS PAST 12 MONTHS: FORGERY/FRAUD**

During the past 12 months, how many times have you been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	2.1	38	1	
17.0	0.4	8	2	
2.1	0.1	1	4	
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1525-1526

**MG4\_3 # ARRESTS PAST 3 MONTHS: FORGERY/FRAUD**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	1.9	34	0	
23.9	0.6	11	1	
2.2	0.1	1	2	
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1527-1528

**MG5\_3 # CONVICTIONS PAST 12MONTHS: FORGERY/FRAUD**

During the past 12 months, how many times have you been convicted for forgery, fraud, embezzlement (including till-tapping, bad checks); buying receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	1.0	17	0	
53.2	1.4	25	1	
8.5	0.2	4	2	
2.1	0.1	1	4	
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1529-1530

**MG2\_4****ARRESTED IN PAST 12 MONTHS: BURGLARY**

During the past 12 months, have you been arrested and booked or sent to juvenile court for burglary - breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.8	85	1	YES
95.2	94.8	1,692	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1531-1532

**MG3\_4****# ARRESTS PAST 12 MONTHS: BURGLARY**

During the past 12 months, how many times have you been arrested or sent to juvenile court for burglary - breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	1	0	
77.1	3.6	64	1	
12.0	0.6	10	2	
6.0	0.3	5	3	
2.4	0.1	2	4	
1.2	0.1	1	6	
	94.8	1,692	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1533-1534

**MG4\_4 # ARRESTS PAST 3 MONTHS: BURGLARY**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	3.5	63	0	
22.0	1.0	18	1	
1.2	0.1	1	2	
	94.8	1,692	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1535-1536

**MG5\_4 # CONVICTIONS PAST 12MONTHS: BURGLARY**

During the past 12 months, how many times have you been convicted for burglary - breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	1.5	27	0	
61.0	2.8	50	1	
2.4	0.1	2	3	
2.4	0.1	2	4	
1.2	0.1	1	6	
	94.8	1,692	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1537-1538

**MG2\_5****ARRESTED IN PAST 12 MONTHS: LARCENY**

During the past 12 months, have you been arrested and booked or sent to juvenile court for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.2	111	1	YES
93.8	93.3	1,665	2	NO
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1539-1540

**MG3\_5****# ARRESTS PAST 12 MONTHS: LARCENY**

During the past 12 months, how many times have you been arrested or sent to juvenile court for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	4.5	81	1	
22.5	1.4	25	2	
2.7	0.2	3	3	
1.8	0.1	2	4	
	93.3	1,665	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1541-1542

**MG4\_5 # ARRESTS PAST 3 MONTHS: LARCENY**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	4.5	81	0	
24.5	1.5	27	1	
0.9	0.1	1	2	
0.9	0.1	1	3	
	93.3	1,665	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1543-1544

**MG5\_5 # CONVICTIONS PAST 12MONTHS: LARCENY**

During the past 12 months, how many times have you been convicted for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	2.1	37	0	
55.0	3.4	61	1	
9.9	0.6	11	2	
1.8	0.1	2	3	
	93.3	1,665	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1545-1546

**MG2\_6****ARRESTED IN PAST 12MONTHS: PIMPING/PROSTITUTION/VICE**

During the past 12 months, have you been arrested and booked or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.4	1,774	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1547-1548

**MG3\_6****# ARRESTS PAST 12MONTHS: PIMPING/PROSTITUTION/VICE**

During the past 12 months, how many times have you been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1549-1550

**MG4\_6 # ARRESTS PAST 3 MONTHS: PIMPING/PROSTITUTION/VICE**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1551-1552

**MG5\_6 # CONVICTIONS PAST 12MONTHS: PIMPING/PROSTITUTION/VICE**

During the past 12 months, how many times have you been convicted for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1553-1554

**MG2\_7****ARRESTED IN PAST 12 MONTHS: ROBBERY**

During the past 12 months, have you been arrested and booked or sent to juvenile court for robbery - bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	36	1	YES
98.0	97.4	1,739	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1555-1556

**MG3\_7****# ARRESTS PAST 12 MONTHS: ROBBERY**

During the past 12 months, how many times have you been arrested or sent to juvenile court for robbery - bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	1	0	
86.1	1.7	31	1	
8.3	0.2	3	2	
2.8	0.1	1	3	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1557-1558

**MG4\_7 # ARRESTS PAST 3 MONTHS: ROBBERY**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	1.7	30	0	
16.7	0.3	6	1	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1559-1560

**MG5\_7 # CONVICTIONS PAST 12MONTHS: ROBBERY**

During the past 12 months, how many times have you been convicted for robbery - bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.9	16	0	
50.0	1.0	18	1	
2.8	0.1	1	2	
2.8	0.1	1	3	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1561-1562

**MG2\_8****ARRESTED IN PAST 12MONTHS: ATTACKS ON PERSONS**

During the past 12 months, have you been arrested and booked or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	68	1	YES
96.2	95.6	1,707	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1563-1564

**MG3\_8****# ARRESTS PAST 12MONTHS: ATTACKS ON PERSONS**

During the past 12 months, how many times have you been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	1	0	
71.6	2.7	48	1	
17.9	0.7	12	2	
4.5	0.2	3	3	
4.5	0.2	3	4	
	95.6	1,707	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1565-1566

**MG4\_8 # ARRESTS PAST 3 MONTHS: ATTACKS ON PERSONS**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	3.0	54	0	
13.6	0.5	9	1	
4.5	0.2	3	2	
	95.6	1,707	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1567-1568

**MG5\_8 # CONVICTIONS PAST 12MONTHS: ATTACKS ON PERSONS**

During the past 12 months, how many times have you been convicted for attacks on persons such as homicides, manslaughter, aggravated assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	1.5	26	0	
51.5	2.0	35	1	
7.4	0.3	5	2	
2.9	0.1	2	3	
	95.6	1,706	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1569-1570

**MG2\_9****ARRESTED IN PAST 12MONTHS: OTHER PEOPLE OFFENSES**

During the past 12 months, have you been arrested and booked or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	75	1	YES
95.8	95.2	1,700	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1571-1572

**MG3\_9****# ARRESTS PAST 12MONTHS: OTHER PEOPLE OFFENSES**

During the past 12 months, how many times have you been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	0	
79.7	3.3	59	1	
9.5	0.4	7	2	
2.7	0.1	2	3	
1.4	0.1	1	4	
2.7	0.1	2	5	
1.4	0.1	1	8	
1.4	0.1	1	18	
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1573-1574

**MG4\_9 # ARRESTS PAST 3 MONTHS: OTHER PEOPLE OFFENSES**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	2.9	52	0	
23.6	1.0	17	1	
1.4	0.1	1	2	
1.4	0.1	1	3	
1.4	0.1	1	4	
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1575-1576

**MG5\_9 # CONVICTIONS PAST 12MONTHS: OTHER PEOPLE OFFENSES**

During the past 12 months, how many times have you been convicted for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	1.6	29	0	
50.7	2.1	37	1	
6.8	0.3	5	2	
1.4	0.1	1	3	
1.4	0.1	1	5	
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1577-1578

**MG2\_10****ARRESTED IN PAST 12MONTHS: DRIVING INTOXICATED**

During the past 12 months, have you been arrested and booked or sent to juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	35	1	YES
98.0	97.4	1,739	2	NO
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1579-1580

**MG3\_10****# ARRESTS PAST 12MONTHS: DRIVING INTOXICATED**

During the past 12 months, how many times have you been arrested or sent to juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	1	0	
91.4	1.8	32	1	
5.7	0.1	2	2	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1581-1582

**MG4\_10 # ARRESTS PAST 3 MONTHS: DRIVING INTOXICATED**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	1.5	26	0	
22.9	0.4	8	1	
2.9	0.1	1	3	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1583-1584

**MG5\_10 # CONVICTIONS PAST 12MONTHS: DRIVING INTOXICATED**

During the past 12 months, how many times have you been convicted for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	0.5	9	0	
73.5	1.4	25	1	
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1585-1586

**MG2\_11****ARRESTED IN PAST 12MONTHS: STATUS OFFENSES**

During the past 12 months, have you been arrested and booked or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	96	1	YES
94.6	94.1	1,679	2	NO
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1587-1588

**MG3\_11****# ARRESTS PAST 12 MONTHS: STATUS OFFENSES**

During the past 12 months, how many times have you been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	2	0	
61.7	3.2	58	1	
17.0	0.9	16	2	
6.4	0.3	6	3	
3.2	0.2	3	4	
2.1	0.1	2	5	
3.2	0.2	3	6	
2.1	0.1	2	7	
1.1	0.1	1	10	
1.1	0.1	1	14	
	94.1	1,679	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1589-1590

**MG4\_11 # ARRESTS PAST 3 MONTHS: STATUS OFFENSES**

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	4.1	73	0	
17.0	0.9	16	1	
2.1	0.1	2	2	
1.1	0.1	1	3	
1.1	0.1	1	4	
1.1	0.1	1	5	
	94.1	1,679	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1591-1592

**MG5\_11 # CONVICTIONS PAST 12MONTHS: STATUS OFFENSES**

During the past 12 months, how many times have you been convicted for status offenses such as running away, curfew violations, truancy, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	2.5	45	0	
39.1	2.0	36	1	
6.5	0.3	6	2	
1.1	0.1	1	3	
2.2	0.1	2	4	
1.1	0.1	1	5	
1.1	0.1	1	10	
	94.1	1,679	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	3	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1593-1594

MG2\_12

## ARRESTED IN PAST 12 MONTHS: OTHER OFFENSES

During the past 12 months, have you been arrested and booked or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.5	294	1	YES
83.5	83.1	1,483	2	NO
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1595-1596

**MG3\_12 # ARRESTS PAST 12 MONTHS: OTHER OFFENSES**

During the past 12 months, how many times have you been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.4	7	0	
71.9	11.8	210	1	
12.7	2.1	37	2	
5.8	1.0	17	3	
1.7	0.3	5	4	
1.7	0.3	5	5	
0.3	0.1	1	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
0.3	0.1	1	10	
0.3	0.1	1	14	
0.3	0.1	1	15	
0.3	0.1	1	19	
0.3	0.1	1	20	
0.3	0.1	1	54	
	83.1	1,483	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1597-1598

MG4\_12

# ARRESTS PAST 3 MONTHS: OTHER OFFENSES

During the past 3 months, how many times were you arrested or sent to juvenile court for this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	10.6	189	0	
31.1	5.1	91	1	
3.1	0.5	9	2	
1.0	0.2	3	3	
0.3	0.1	1	4	
	83.1	1,483	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1599-1600

MG5\_12

## # CONVICTIONS PAST 12 MONTHS: OTHER OFFENSES

During the past 12 months, how many times have you been convicted for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	5.8	104	0	
53.1	8.6	154	1	
5.5	0.9	16	2	
2.8	0.4	8	3	
1.0	0.2	3	4	
0.3	0.1	1	5	
0.3	0.1	1	6	
0.3	0.1	1	7	
0.3	0.1	1	9	
0.3	0.1	1	14	
	83.1	1,483	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1601-1602

**MG6****ILLEGAL ACTIVITY FOR DRUG MONEY PAST 12 MONTHS**

In the past 12 months, have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.4	400	1	YES
77.5	77.3	1,380	2	NO
	0.2	3	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1603-1604

**MG6A****FREQUENCY OF ACTIVITY FOR DRUG MONEY PAST 12 MONTHS**

How often in the past 12 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	0	NEVER
19.3	4.3	77	1	1 OR 2 TIMES
15.8	3.5	63	2	3 TO 5 TIMES
9.5	2.1	38	3	6 TO 10 TIMES
17.1	3.8	68	4	11 TO 49 TIMES
37.9	8.5	151	5	50 OR MORE TIMES
	77.2	1,378	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1605-1606

**MG6B** **FREQUENCY OF ACTIVITY FOR DRUG MONEY PAST 3 MONTHS**

How often in the past 3 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	10.4	186	0	NEVER
13.4	3.0	53	1	1 OR 2 TIMES
8.6	1.9	34	2	3 TO 5 TIMES
3.8	0.8	15	3	6 TO 10 TIMES
13.1	2.9	52	4	11 TO 49 TIMES
14.1	3.1	56	5	50 OR MORE TIMES
	77.3	1,379	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1607-1608

**MG7** **LEGAL PROBLEMS BECAUSE DRUG USE PAST 12 MONTHS**

In the past 12 months, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	20.4	365	1	YES
79.4	78.8	1,407	2	NO
	0.6	11	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1609-1610

<b>MG7A</b>	<b>HOW SERIOUS DRUG/ALCOHOL USE PROBLEMS PAST 12MONTHS</b>
-------------	--

In the past 12 months, how serious were any such problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	3.9	70	1	NOT AT ALL
46.1	9.6	171	2	SOMEWHAT
35.0	7.3	130	3	VERY SERIOUS
	78.8	1,407	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1611-1612

<b>MG8</b>	<b>HOW SERIOUS LEGAL PROBLEMS PAST 12 MONTHS</b>
------------	--

In the past 12 months, how serious do you feel your police or legal problems were overall, excluding civil problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	61.7	1,102	0	NO POLICE OR LEGAL PROBLEMS
12.6	12.5	224	1	NOT AT ALL SERIOUS
10.5	10.5	187	2	SLIGHTLY SERIOUS
5.1	5.0	90	3	MODERATELY SERIOUS
4.6	4.6	82	4	CONSIDERABLY SERIOUS
5.3	5.3	95	5	EXTREMELY SERIOUS
	0.2	3	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1613-1614



**MG9****DO YOU HAVE LEGAL SERVICES?**

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.7	406	1	YES
77.2	76.9	1,373	2	NO
	0.2	4	-8	MISSING
	0.1	2	-7	REFUSAL

-----  
 100.0 100.0 1,785 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1619-1620

**MG9A****DO YOU NEED LEGAL SERVICES?**

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.0	36	1	YES
97.4	74.3	1,326	2	NO
	22.6	404	-9	LEGITIMATE NONRESPONSE
	1.0	17	-8	MISSING
	0.1	2	-7	REFUSAL

-----  
 100.0 100.0 1,785 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1621-1622

**MIA1\_1****INVOLVED IN AGGRAVATED ASSAULT**

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.9	249	1	YES
85.9	85.0	1,518	2	NO
	1.0	17	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 198-199

MIA1\_2

# OF DAYS HAVE DONE AGGRAVATED ASSAULT

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	4.4	79	1	
21.6	2.7	48	2	
11.7	1.5	26	3	
5.9	0.7	13	4	
6.8	0.8	15	5	
3.2	0.4	7	6	
2.3	0.3	5	7	
1.4	0.2	3	8	
0.5	0.1	1	9	
4.5	0.6	10	10	
0.5	0.1	1	11	
1.4	0.2	3	12	
0.5	0.1	1	15	
1.4	0.2	3	20	
0.5	0.1	1	23	
0.5	0.1	1	30	
0.5	0.1	1	36	
0.9	0.1	2	50	
0.5	0.1	1	156	
0.5	0.1	1	416	
	85.0	1,518	-9	LEGITIMATE NONRESPONSE
	2.2	40	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 200-202

**MIA2\_1****INVOLVED IN BURGLARY**

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.9	194	1	YES
89.0	88.1	1,573	2	NO
	1.0	17	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

<b>MIA2_2</b>	<b># OF DAYS HAVE DONE BURGLARY</b>
---------------	-------------------------------------

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	4.3	76	1	
17.3	1.6	29	2	
9.5	0.9	16	3	
4.8	0.4	8	4	
4.8	0.4	8	5	
3.0	0.3	5	6	
0.6	0.1	1	7	
0.6	0.1	1	8	
3.6	0.3	6	10	
0.6	0.1	1	11	
0.6	0.1	1	12	
1.8	0.2	3	15	
0.6	0.1	1	20	
2.4	0.2	4	25	
0.6	0.1	1	30	
0.6	0.1	1	36	
0.6	0.1	1	40	
0.6	0.1	1	45	
1.8	0.2	3	50	
0.6	0.1	1	100	
	88.0	1,570	-9	LEGITIMATE NONRESPONSE
	2.0	36	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 205-207

<b>MIA3_1</b>	<b>INVOLVED IN THEFT</b>
---------------	--------------------------

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	21.8	390	1	YES
77.9	77.2	1,378	2	NO
	0.9	16	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 208-209

<b>MIA3_2</b>	<b>#OF DAYS HAVE DONE THEFT</b>
---------------	---------------------------------

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	0	
30.3	5.7	102	1	
14.2	2.7	48	2	
10.7	2.0	36	3	
5.0	1.0	17	4	
4.7	0.9	16	5	
2.7	0.5	9	6	
1.5	0.3	5	7	
1.2	0.2	4	8	
0.6	0.1	2	9	
6.5	1.2	22	10	
0.3	0.1	1	11	
1.5	0.3	5	12	
2.7	0.5	9	15	
5.3	1.0	18	20	
0.3	0.1	1	24	
1.2	0.2	4	30	
1.2	0.2	4	40	
0.3	0.1	1	45	
3.0	0.6	10	50	
0.3	0.1	1	52	
0.9	0.2	3	60	
0.6	0.1	2	75	
0.3	0.1	1	84	
1.8	0.3	6	100	
0.3	0.1	1	104	
0.6	0.1	2	150	
0.3	0.1	1	180	
0.6	0.1	2	200	
0.3	0.1	1	208	
0.3	0.1	1	240	
0.3	0.1	1	365	
	77.2	1,378	-9	LEGITIMATE NONRESPONSE
	3.1	55	-8	MISSING
	0.2	4	-7	REFUSAL
	0.2	3	-5	BAD DATA
	0.4	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 210-212

**MIA4\_1****INVOLVED IN ROBBERY**

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.3	149	1	YES
91.5	90.4	1,613	2	NO
	1.2	21	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 213-214

MIA4\_2

# OF DAYS HAVE DONE ROBBERY

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	3.1	55	1	
17.8	1.3	23	2	
10.1	0.7	13	3	
7.8	0.6	10	4	
6.2	0.4	8	5	
0.8	0.1	1	6	
0.8	0.1	1	7	
0.8	0.1	1	9	
0.8	0.1	1	10	
0.8	0.1	1	12	
0.8	0.1	1	14	
2.3	0.2	3	15	
2.3	0.2	3	20	
0.8	0.1	1	25	
1.6	0.1	2	30	
0.8	0.1	1	40	
1.6	0.1	2	50	
0.8	0.1	1	100	
0.8	0.1	1	144	
	90.3	1,612	-9	LEGITIMATE NONRESPONSE
	2.1	37	-8	MISSING
	0.2	3	-7	REFUSAL
	0.2	3	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 215-217

<b>MIA5_1</b>	<b>INVOLVED IN FORGERY</b>
---------------	----------------------------

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.1	108	1	YES
93.9	92.7	1,654	2	NO
	1.2	22	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 218-219

<b>MIA5_2</b>	<b># OF DAYS HAVE DONE FORGERY</b>
---------------	------------------------------------

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	2.2	40	1	
16.7	0.9	16	2	
10.4	0.6	10	3	
3.1	0.2	3	4	
7.3	0.4	7	5	
3.1	0.2	3	6	
1.0	0.1	1	8	
9.4	0.5	9	10	
1.0	0.1	1	12	
1.0	0.1	1	15	
1.0	0.1	1	20	
1.0	0.1	1	30	
1.0	0.1	1	40	
1.0	0.1	1	100	
1.0	0.1	1	145	
	92.7	1,654	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 220-222

**MIA6\_1****INVOLVED DEALING IN STOLEN PROPERTY**

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.9	248	1	YES
85.9	85.0	1,517	2	NO
	1.0	18	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 223-224

<b>MIA6_2</b>	<b># OF DAYS HAVE DEALT WITH STOLEN PROPERTY</b>
---------------	--

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	2.3	41	1	
19.7	2.2	40	2	
11.8	1.3	24	3	
3.9	0.4	8	4	
6.4	0.7	13	5	
3.0	0.3	6	6	
1.0	0.1	2	7	
1.5	0.2	3	8	
5.9	0.7	12	10	
0.5	0.1	1	11	
0.5	0.1	1	12	
0.5	0.1	1	13	
0.5	0.1	1	14	
2.5	0.3	5	15	
6.9	0.8	14	20	
0.5	0.1	1	21	
3.4	0.4	7	30	
0.5	0.1	1	35	
0.5	0.1	1	36	
1.0	0.1	2	40	
0.5	0.1	1	45	
4.9	0.6	10	50	
0.5	0.1	1	75	
1.0	0.1	2	100	
0.5	0.1	1	150	
0.5	0.1	1	180	
0.5	0.1	1	200	
1.0	0.1	2	365	
	84.9	1,516	-9	LEGITIMATE NONRESPONSE
	2.7	49	-8	MISSING
	0.1	2	-7	REFUSAL
	0.3	6	-5	BAD DATA
	0.5	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 225-227

<b>MIA7_1</b>	<b>EVER INVOLVED IN GAMBLING</b>
---------------	----------------------------------

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.1	376	1	YES
78.7	77.7	1,387	2	NO
	1.2	21	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 228-229

<b>MIA7_2</b>	<b># OF DAYS HAVE GAMBLED</b>
---------------	-------------------------------

In the past 12 months, about how many days or times have you done this?

1,785 cases (Range of valid codes: 1-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 230-232

<b>MIA8_1</b>	<b>INVOLVED IN PIMPING/PROSTITUTION</b>
---------------	---

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	33	1	YES
98.1	96.6	1,725	2	NO
	1.5	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 233-234

<b>MIA8_2</b>	<b># OF DAYS HAVE DONE PIMPING/PROSTITUTION</b>
---------------	---

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.2	4	1	
4.3	0.1	1	2	
8.7	0.1	2	3	
4.3	0.1	1	4	
8.7	0.1	2	6	
8.7	0.1	2	10	
4.3	0.1	1	30	
4.3	0.1	1	60	
4.3	0.1	1	82	
4.3	0.1	1	95	
8.7	0.1	2	100	
4.3	0.1	1	144	
4.3	0.1	1	300	
4.3	0.1	1	360	
8.7	0.1	2	365	
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	1.8	33	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 235-237

<b>MIA9_1</b>	<b>INVOLVED IN SELLING ILLEGAL DRUGS</b>
---------------	--

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	27.1	484	1	YES
72.6	72.0	1,285	2	NO
	0.8	14	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 238-239

<b>MIA9_2</b>	<b># OF DAYS HAVE SOLD ILLEGAL DRUGS</b>
---------------	--

In the past 12 months, about how many days or times have you done this?

1,785 cases (Range of valid codes: 1-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 240-242

<b>MIA10_1</b>	<b>INVOLVED IN DRIVING WHILE INTOXICATED</b>
----------------	--

During the past 12 months, have you been involved in this activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.2	360	1	YES
79.6	78.8	1,407	2	NO
	1.0	17	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 243-244

<b>MIA10_2</b>	<b>#DAYS DRIVEN WHILE INTOXICATED</b>
----------------	---------------------------------------

In the past 12 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	4.1	73	1	
17.9	3.0	54	2	
6.6	1.1	20	3	
5.3	0.9	16	4	
10.0	1.7	30	5	
2.3	0.4	7	6	
0.3	0.1	1	7	
0.7	0.1	2	8	
0.3	0.1	1	9	
8.0	1.3	24	10	
0.3	0.1	1	11	
1.0	0.2	3	12	
1.3	0.2	4	15	
0.7	0.1	2	16	
5.3	0.9	16	20	
0.3	0.1	1	23	
1.0	0.2	3	25	
0.3	0.1	1	26	
2.7	0.4	8	30	
0.7	0.1	2	35	
0.7	0.1	2	40	
3.3	0.6	10	50	
0.3	0.1	1	52	
0.7	0.1	2	60	
0.7	0.1	2	90	
1.7	0.3	5	100	
0.7	0.1	2	120	
0.3	0.1	1	144	
0.3	0.1	1	156	
0.3	0.1	1	180	
0.3	0.1	1	200	
1.3	0.2	4	365	
	78.8	1,407	-9	LEGITIMATE NONRESPONSE
	3.0	54	-8	MISSING
	0.1	2	-7	REFUSAL
	0.6	11	-5	BAD DATA
	0.6	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 245-247

<b>EMPLOYMENT / SUPPORT STATUS</b>
------------------------------------

<b>MH1</b>	<b>WHAT WERE DOING MOST OF TIME LAST WEEK</b>
------------	---

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions about legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table.

What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	29.5	527	1	WORKING AT A LEGITIMATE JOB
1.1	1.1	19	2	HAD A JOB BUT WAS NOT WORKING
12.6	12.1	216	3	LOOKING FOR WORK
6.7	6.5	116	4	KEEPING HOUSE FOR YOURSELF/FAMILY
24.8	23.9	426	5	GOING TO SCHOOL OR TRAINING
0.3	0.3	6	6	UNABLE TO WORK, DISABLED
0.0	0.0	0	7	RETIRED
7.8	7.5	134	8	IN JAIL
2.8	2.7	48	9	INVOLVED IN DRUG RELATED ACTS
0.6	0.6	10	10	INVOLVED IN OTHER ILLEGAL ACTIVITIES
5.3	5.1	91	11	NOT WORKING/NOT INTERESTED IN WORKING
7.3	7.1	126	12	OTHER
	0.5	9	-8	MISSING
	3.2	57	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1623-1624

<b>MH2</b>	<b>WORK IN JOB/DID NOT INVOLVE ILLEGAL ACTS</b>
------------	---

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	11.8	210	1	YES
83.3	58.9	1,051	2	NO
	28.7	512	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1625-1626

<b>MH2A</b>	<b>EARNED MONEY LEGALLY IN THAT WEEK</b>
-------------	--

In that week, did you earn any money legally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	2.9	51	1	YES
95.3	57.8	1,031	2	NO
	38.7	690	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1627-1628

MH2B

## LOSE TIME FOR ANY REASON THAT WEEK

Did you lose any time or take any time off for any reason  
that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	6.8	121	1	YES
83.9	35.3	630	2	NO
	57.4	1,025	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1629-1630

<b>MH2C</b>	<b>HOW MANY HOURS DID YOU MISS?</b>
-------------	-------------------------------------

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	1	1	
2.5	0.2	3	2	
1.7	0.1	2	3	
5.8	0.4	7	4	
4.1	0.3	5	5	
8.3	0.6	10	6	
2.5	0.2	3	7	
24.8	1.7	30	8	
3.3	0.2	4	9	
4.1	0.3	5	10	
2.5	0.2	3	12	
3.3	0.2	4	14	
1.7	0.1	2	15	
5.8	0.4	7	16	
1.7	0.1	2	18	
2.5	0.2	3	20	
3.3	0.2	4	24	
5.0	0.3	6	25	
4.1	0.3	5	30	
0.8	0.1	1	32	
1.7	0.1	2	35	
7.4	0.5	9	40	
0.8	0.1	1	42	
0.8	0.1	1	48	
0.8	0.1	1	80	
	92.7	1,655	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1631-1632

<b>MH2D</b>	<b>HRS WORKED FROM PAY/DIDN'T INVOLVE ILLEGAL ACTS</b>
-------------	--

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

1,785 cases (Range of valid codes: 0-90)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1633-1634

**MH2E****REASON WORKED <35 HRS DURING THAT WEEK**

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	1.8	33	1	SLACK WORK, LAYOFFS, STRIKE
2.4	0.6	10	2	SEASONAL WORKER
2.2	0.5	9	3	JOB TERMINATED DURING WEEK
3.4	0.8	14	4	NEW JOB STARTED DURING WEEK
13.7	3.1	56	5	COULD ONLY FIND PART-TIME WORK
0.0	0.0	0	6	DRUG OR ALCOHOL PROBLEM
7.6	1.7	31	7	ILLNESS
4.6	1.1	19	8	VACATION
33.7	7.7	138	9	BUSY WITH OTHER ACTIVITIES
5.4	1.2	22	10	DID NOT WANT/NEED FULL-TIME WORK
8.0	1.8	33	11	WORK WEEK USUALLY UNDER 35 HOURS
0.2	0.1	1	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
1.7	0.4	7	14	IN JAIL, RESIDENTL TREATMENT PRGRM
0.0	0.0	0	15	INVOLVED IN ILLEGAL ACTIVITIES
9.0	2.1	37	16	OTHER (SPECIFY)
	75.6	1,350	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.5	9	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1635-1636

**MH2F****WORK 35HRS WK A/JOB NOT INVOLVING ILLEGAL ACT**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	12.2	218	1	YES
84.9	68.6	1,225	2	NO
	18.1	323	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1637-1638

<b>MH2G</b>	<b>WHY DID YOU WORK LESS THAN 35 HRS A WEEK</b>
-------------	---

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.2	40	1	SLACK WORK, LAYOFFS, STRIKE
0.4	0.3	5	2	SEASONAL WORKER
0.3	0.2	3	3	JOB TERMINATED DURING WEEK
0.4	0.3	5	4	NEW JOB STARTED DURING WEEK
5.4	3.4	61	5	COULD ONLY FIND PART-TIME WORK
1.1	0.7	12	6	DRUG OR ALCOHOL PROBLEM
1.0	0.6	11	7	ILLNESS
0.4	0.2	4	8	VACATION
46.3	29.3	523	9	BUSY WITH OTHER ACTIVITIES
8.2	5.2	93	10	DID NOT WANT/NEED FULL-TIME WORK
3.5	2.2	39	11	WORK WEEK USUALLY UNDER 35 HOURS
2.0	1.3	23	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
11.2	7.1	127	14	IN JAIL, RESIDENTL TREATMENT PRGRM
2.4	1.5	27	15	INVOLVED IN ILLEGAL ACTIVITIES
13.8	8.7	156	16	OTHER (SPECIFY)
	30.3	540	-9	LEGITIMATE NONRESPONSE
	4.9	88	-8	MISSING
	1.6	28	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1639-1640

MH3

## WHAT WAS YOUR OCCUPATION?

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO JOB OR OCCUPATION
0.5	0.2	4	1	PROFESSIONAL AND TECHNICAL
2.3	1.1	19	2	MANAGER AND ADMINISTRATOR
14.9	6.8	122	3	SALES
5.2	2.4	43	4	CLERICAL OR OFFICE WORKER
8.3	3.8	68	5	CRAFT AND KINDRED
7.2	3.3	59	6	OPERATIVES
3.0	1.4	25	7	TRANSPORTATION EQUIPMENT OPERATIVES
20.5	9.4	168	8	LABORERS (FARM & NONFARM)
33.7	15.5	277	10	SERVICE WORKER
0.0	0.0	0	30	STUDENT
4.4	2.0	36	86	OTHER
	51.3	916	-9	LEGITIMATE NONRESPONSE
	2.6	46	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1641-1642

<b>MH3A</b>	<b>TYPE OF BUSINESS OR INDUSTRY</b>
-------------	-------------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.7	31	1	AGRICULTURE/FORESTRY/FISHERIES
12.0	5.5	98	2	CONSTRUCTION
5.8	2.6	47	3	MANUFACTURING
4.1	1.8	33	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
2.5	1.1	20	5	WHOLESALE TRADE
48.2	22.0	392	6	RETAIL TRADE
1.2	0.6	10	7	FINANCE/INSUR./REAL ESTATE
8.1	3.7	66	8	BUSINESS/REPAIR SERVICES
4.8	2.2	39	9	PERSONAL SERVICES
2.6	1.2	21	10	ENTERTAINMENT/REC. SVCS
5.2	2.4	42	11	PROF./RELATED SVCS
1.7	0.8	14	12	PUBLIC ADMIN.
0.1	0.1	1	13	INDUSTRY NOT REPORTED
	51.3	916	-9	LEGITIMATE NONRESPONSE
	3.0	54	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1643-1644

<b>MH3B</b>	<b>WAS THIS YOUR USUAL OCCUPATION?</b>
-------------	--

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	37.6	671	1	YES
16.4	7.4	132	2	NO
	51.4	917	-9	LEGITIMATE NONRESPONSE
	3.4	60	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1645-1646

<b>MH3B_SP</b>	<b>SPECIFY USUAL OCCUPATION</b>
----------------	---------------------------------

What is your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO JOB OR OCCUPATION
1.9	0.1	2	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
5.6	0.3	6	3	SALES
4.6	0.3	5	4	CLERICAL OR OFFICE WORKER
7.4	0.4	8	5	CRAFT AND KINDRED
2.8	0.2	3	6	OPERATIVES
0.9	0.1	1	7	TRANSPORTATION EQUIPMENT OPERATIVES
12.0	0.7	13	8	LABORERS (FARM & NONFARM)
14.8	0.9	16	10	SERVICE WORKER
0.0	0.0	0	30	STUDENT
50.0	3.0	54	86	OTHER
	51.5	920	-9	LEGITIMATE NONRESPONSE
	41.6	742	-8	MISSING
	0.1	1	-7	REFUSAL
	0.4	7	-5	BAD DATA
	0.3	6	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1647-1648

<b>MH4</b>	<b>DID YOU LOOK FOR WORK DURING LAST 3 MONTHS</b>
------------	---

Did you (look for work/look for a different job) during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	45.3	808	1	YES
54.5	54.2	968	2	NO
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1649-1650

**MH4A DID YOU LOOK FOR WORK DURING LAST 12 MONTHS**

Did you (look for work/look for a different job) during the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	18.3	327	1	YES
66.7	36.6	654	2	NO
	44.7	798	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1651-1652

**MH4B1 NO METHOD USED TO FIND WORK**

What did you do during these months to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	7	1	CIRCLED
	98.9	1,765	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1653-1654

**MH4B2****PUBLIC EMPLOYMENT AGENCY USED TO FIND WORK**

What did you do during these months to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	80	2	CIRCLED
	94.8	1,692	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1655-1656

**MH4B3****PRIVATE EMPLOYMENT AGENCY USED TO FIND WORK**

What did you do during these months to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	52	3	CIRCLED
	96.4	1,720	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1657-1658

**MH4B4 EMPLOYERS DIRECTLY APPROACHED TO FIND WORK**

What did you do during these months to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	42.3	755	4	CIRCLED
	57.0	1,017	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1659-1660

**MH4B5 TALKED W/FRIENDS/RELATIVES TO FIND WORK**

What did you do during these months to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.4	400	5	CIRCLED
	76.9	1,372	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1661-1662

**MH4B6****PLACED OR ANSWERED ADS TO FIND WORK**

What did you do during these months to find work?

Placed or answered ads.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.8	389	6	CIRCLED
	77.5	1,383	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1663-1664

**MH4B7****USED OTHER METHODS TO FIND WORK**

What did you do during these months to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	63	7	CIRCLED
	95.7	1,709	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1665-1666



**MH4D2****PROBLEMS: LACK EDUCATION/SKILLS/EXPERIENCE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	135	2	CIRCLED
	91.1	1,626	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1671-1672

**MH4D3****PROBLEMS: LANGUAGE PROBLEM**

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	98.5	1,759	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1673-1674

**MH4D4 PROBLEMS: TOO YOUNG OR TO OLD**

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	79	4	CIRCLED
	94.2	1,682	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1675-1676

**MH4D5 PROBLEMS: ARREST RECORD**

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	22	5	CIRCLED
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1677-1678

**MH4D6****PROBLEMS: DRUG HISTORY**

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	6	CIRCLED
	98.2	1,752	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1679-1680

**MH4D7****PROBLEMS: OTHER PERSONAL HANDICAPS**

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	7	CIRCLED
	98.4	1,757	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1681-1682

**MH4D8 PROBLEMS: ILL HEALTH**

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	CIRCLED
	98.5	1,758	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1683-1684

**MH4D9 PROBLEMS: IMMIGRATION STATUS**

Why do you think you had problems (finding a job/a different job)?

Immigration status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1685-1686

**MH4D10****PROBLEMS: PERCEIVED DISCRIMINATION**

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	13	10	CIRCLED
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1687-1688

**MH4D11****PROBLEMS: OTHER**

Why do you think you had problems (finding a job/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.5	151	11	CIRCLED
	90.2	1,610	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.7	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1689-1690

**MH5\_0 REASON: NO REASONS**

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	52	0	CIRCLED
	68.0	1,213	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1691-1692

**MH5\_1 REASON: SATISFIED WITH PRESENT JOB**

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.9	159	1	CIRCLED
	62.0	1,106	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1693-1694

**MH5\_2****REASON: NO JOBS AVAILABLE IN LINE OF WORK**

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	70.7	1,262	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1695-1696

**MH5\_3****REASON: COULD NOT FIND ANY WORK**

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	3	CIRCLED
	70.3	1,254	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1697-1698

<b>MH5_4</b>	<b>REASON: LACKS NECESSARY SCHOOLING</b>
--------------	--

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	28	4	CIRCLED
	69.3	1,237	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1699-1700

<b>MH5_5</b>	<b>REASON: EMPLOYERS THINK TOO YOUNG/OLD</b>
--------------	--

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	5	CIRCLED
	69.7	1,244	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1701-1702

**MH5\_6****REASON: OTHER PERSONAL HANDICAP**

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	70.8	1,264	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1703-1704

**MH5\_7****REASON: FAMILY RESPONSIBILITIES**

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	17	7	CIRCLED
	69.9	1,248	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1705-1706

**MH5\_8 REASON: IN SCHOOL OR OTHER TRAINING**

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.1	199	8	CIRCLED
	59.7	1,066	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1707-1708

**MH5\_9 REASON: ILL HEALTH/PHYSICAL DISABILITY**

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	20	9	CIRCLED
	69.7	1,245	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1709-1710

**MH5\_10****REASON: IN JAIL OR OTHER INSTITUTION**

What were your reasons for not looking for (work/a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	97	10	CIRCLED
	65.4	1,168	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1711-1712

**MH5\_11****REASON: DRUG ACTIVITIES/DRUG EFFECTS**

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	15	11	CIRCLED
	70.0	1,250	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1713-1714

**MH5\_12 REASON: ILLEGAL ACTIVITIES**

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	27	12	CIRCLED
	69.4	1,238	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1715-1716

**MH5\_13 REASON: SUPPORTED BY OTHER PERSON**

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	13	13	CIRCLED
	70.1	1,252	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1717-1718

**MH5\_14****REASON: LANGUAGE PROBLEMS**

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	14	CIRCLED
	70.9	1,265	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1719-1720

**MH5\_15****REASON: CONCERN ABOUT IMMIGRATION STATUS**

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e., has a job without papers and making switch would be risky).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	70.9	1,265	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1721-1722

**MH5\_16 REASON: OTHER**

What were your reasons for not looking for (work/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	63	16	CIRCLED
	67.3	1,202	-9	LEGITIMATE NONRESPONSE
	29.1	520	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1723-1724

**MH6 # EMPLOYERS WORKED LEGITIMATE JOBS FOR**

In the past 12 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	33.1	591	0	
27.6	27.5	491	1	
19.1	19.1	341	2	
12.1	12.1	216	3	
4.2	4.2	75	4	
2.3	2.3	41	5	
0.7	0.7	12	6	
0.2	0.2	3	7	
0.2	0.2	4	8	
0.1	0.1	1	9	
0.1	0.1	2	10	
0.1	0.1	1	12	
0.1	0.1	1	15	
0.1	0.1	1	30	
0.1	0.1	1	50	
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1725-1726

**MH7** **WEEKS EMPLOYED FULL/PART-TIME JOBS (LAST 12 MONTHS)**

In the past 12 months, how long were you employed in either full- or part-time jobs?

\_\_\_\_\_ WEEKS

1,785 cases (Range of valid codes: 0-90)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1727-1728

**MH8** **# WEEKS WORKED 35 OR MORE HOURS A WEEK**

In the past 12 months, how many weeks have you worked 35 or more hours a week?

1,785 cases (Range of valid codes: 0-92)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1729-1730

**MH9** **LONGEST PERIOD WORKED ANY 1-FULL TIME JOB**

What has been the longest period you have worked any one full-time job (35 hours or more a week) in these past 12 months?

\_\_\_\_\_ WEEKS

1,785 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1731-1732

**MH9A IS THIS YOUR CURRENT JOB?**

Is this your current job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	20.3	362	1	YES
54.5	24.3	433	2	NO
	54.6	975	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1733-1734

**MH10 WHAT WAS YOUR OCCUPATION?**

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	1	PROFESSIONAL AND TECHNICAL
1.4	0.3	6	2	MANAGER AND ADMINISTRATOR
13.0	3.2	57	3	SALES
4.8	1.2	21	4	CLERICAL OR OFFICE WORKER
5.3	1.3	23	5	CRAFT AND KINDRED
6.6	1.6	29	6	OPERATIVE
1.1	0.3	5	7	TRANSPORTATION EQUIPMENT OPERATIVE
24.9	6.1	109	8	NONFARM LABOR
0.0	0.0	0	9	PRIVATE HOUSEHOLD WORKER
38.4	9.4	168	10	SERVICE WORKER
0.0	0.0	0	11	FARMER AND FARM MANAGER
0.0	0.0	0	12	FARM LABORER
0.0	0.0	0	20	MILITARY SERVICE
4.1	1.0	18	86	OTHER
	74.3	1,326	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1735-1736

<b>MH10A</b>	<b>TYPE OF BUSINESS OR INDUSTRY</b>
--------------	-------------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	1.0	17	1	AGRICULTURE/FORESTRY/FISHERIES
10.6	2.5	45	2	CONSTRUCTION
6.1	1.5	26	3	MANUFACTURING
4.7	1.1	20	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
0.5	0.1	2	5	WHOLESALE TRADE
49.6	11.8	211	6	RETAIL TRADE
1.2	0.3	5	7	FINANCE/INSUR./REAL ESTATE
8.0	1.9	34	8	BUSINESS/REPAIR SERVICES
3.8	0.9	16	9	PERSONAL SERVICES
4.5	1.1	19	10	ENTERTAINMENT/REC. SVCS
5.9	1.4	25	11	PROF./RELATED SVCS
1.2	0.3	5	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	74.3	1,327	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1737-1738

<b>MH10B</b>	<b>WAS THIS YOUR USUAL OCCUPATION?</b>
--------------	--

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	15.4	274	1	YES
33.7	7.8	139	2	NO
	74.3	1,327	-9	LEGITIMATE NONRESPONSE
	2.3	41	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1739-1740

<b>MH10B_SP</b>	<b>SPECIFY USUAL OCCUPATION</b>
-----------------	---------------------------------

What is your usually occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.2	3	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
6.4	0.4	7	3	SALES
2.8	0.2	3	4	CLERICAL OR OFFICE WORKER
10.1	0.6	11	5	CRAFT AND KINDRED
4.6	0.3	5	6	OPERATIVE
2.8	0.2	3	7	TRANSPORTATION EQUIPMENT OPERATIVE
12.8	0.8	14	8	NONFARM LABOR
0.0	0.0	0	9	PRIVATE HOUSEHOLD WORKER
18.3	1.1	20	10	SERVICE WORKER
0.0	0.0	0	11	FARMER AND FARM MANAGER
0.0	0.0	0	12	FARM LABORER
0.0	0.0	0	20	MILITARY SERVICE
39.4	2.4	43	86	OTHER
	74.9	1,337	-9	LEGITIMATE NONRESPONSE
	18.4	329	-8	MISSING
	0.2	4	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1741-1742

<b>MH11</b>	<b>WAGE/SALARY/RATE OF PAY BEFORE TAXES</b>
-------------	---

What is your wage, salary, or rate of pay before taxes in your current or most recent job?

1,785 cases (Range of valid codes: 0.05-60000.00)

Data type: numeric  
 Decimals: 4  
 Missing-data codes: lowest thru -1.0000  
 Columns: 1743-1752

<b>MH11R</b>	<b>CODE FOR PAY RATE</b>
--------------	--------------------------

How frequently do you get paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	35.1	626	1	HOURLY
12.1	5.3	94	2	WEEK
2.4	1.1	19	3	2 WEEKS
1.0	0.4	8	4	MONTH
2.3	1.0	18	5	YEAR
1.9	0.8	15	6	OTHER
	54.6	974	-9	LEGITIMATE NONRESPONSE
	1.2	22	-8	MISSING
	0.3	6	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW

-----  
 100.0 100.0 1,785 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1753-1754

<b>MH12</b>	<b>PAST 12MONTHS/TRBLD GETTING/HOLDING/WORKING JOB</b>
-------------	--

In the past 12 months, how troubled have you been by problems getting, holding, or working a job? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	69.7	1,244	0	NOT AT ALL
11.1	11.0	197	1	SLIGHTLY
6.8	6.8	121	2	MODERATELY
4.5	4.4	79	3	CONSIDERABLY
7.4	7.4	132	4	EXTREMELY
	0.7	12	-8	MISSING

-----  
 100.0 100.0 1,785 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1755-1756

<b>MH12A</b>	<b>PAST 3 MONTHS/TROUBLED GETTING/HOLDING/WORKING JOB</b>
--------------	---

In the past 3 months, how troubled have you been by problems getting, holding, or working a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	6.0	107	0	NOT AT ALL
25.4	7.7	137	1	SLIGHTLY
18.2	5.5	98	2	MODERATELY
13.4	4.0	72	3	CONSIDERABLY
23.2	7.0	125	4	EXTREMELY
	69.0	1,232	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1757-1758

<b>MH12B</b>	<b>HOW TROUBLED NOW GETTING/HOLDING/WORKING JOB</b>
--------------	---

How troubled are you now by problems getting, holding, or working a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	5.1	91	0	NOT AT ALL
21.2	5.3	94	1	SLIGHTLY
16.0	4.0	71	2	MODERATELY
14.9	3.7	66	3	CONSIDERABLY
27.3	6.8	121	4	EXTREMELY
	74.3	1,327	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1759-1760

**MH13****IMPORTANCE OF REFERRAL FOR EMPLOYMENT**

How important to you now is help or referral for employment, training, or vocational counseling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	55.5	991	0	NOT AT ALL
9.1	9.1	162	1	SLIGHTLY
7.5	7.5	134	2	MODERATELY
8.5	8.5	151	3	CONSIDERABLY
19.1	19.0	340	4	EXTREMELY
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1761-1762

**MH14****PROBLEMS GETTING/HOLDING/WORKING DUE DRUGS/ALCOHOL**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	134	1	YES
92.5	92.0	1,643	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1763-1764

**INCOME AND EXPENDITURES**

**MJ1A INCOME SOURCE/ODD JOBS/NOT ILLEGAL ACTS**

In the past 12 months, have you yourself received any income from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDES ODD JOBS, IN-HOME WORK, ETC.]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	67.2	1,199	1	YES
31.2	30.5	545	2	NO
	0.5	9	-8	MISSING
	1.5	27	-7	REFUSAL
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1765-1766

**MJ2A DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDES ODD JOBS, IN-HOME WORK, ETC.]?

1,785 cases (Range of valid codes: 0-60,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1767-1771

<b>MJ1B</b>	<b>INCOME SOURCE/SSI</b>
-------------	--------------------------

In the past 12 months, have you yourself received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.1	162	1	YES
90.7	88.2	1,574	2	NO
	1.1	20	-8	MISSING
	1.5	27	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1772-1773

<b>MJ2B</b>	<b>DOLLARS/RECEIVED BEFORE TAXES</b>
-------------	--------------------------------------

In the past 12 months, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

1,785 cases (Range of valid codes: 0-12,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1774-1778

<b>MJ1C</b>	<b>INCOME SOURCE/SOCIAL SECURITY BENEFITS</b>
-------------	---

In the past 12 months, have you yourself received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker: unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	58	1	YES
96.7	94.0	1,678	2	NO
	1.1	20	-8	MISSING
	1.5	27	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1779-1780

<b>MJ2C</b>	<b>DOLLARS/RECEIVED BEFORE TAXES</b>
-------------	--------------------------------------

In the past 12 months, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker: unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

1,785 cases (Range of valid codes: 0-28,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1781-1785

<b>MJ1D</b>	<b>INCOME SOURCE/SPOUSE/FAMILY/ALIMONY</b>
-------------	--

In the past 12 months, have you yourself received any income from a spouse, family members, or friends including alimony, child support, loans, gifts: or interest, dividends, rental income, capital gains; or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	34.7	619	1	YES
64.4	62.6	1,118	2	NO
	1.0	17	-8	MISSING
	1.5	27	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1786-1787

<b>MJ2D</b>	<b>DOLLARS/RECEIVED BEFORE TAXES</b>
-------------	--------------------------------------

In the past 12 months, how much income have you personally received before taxes from a spouse, family members, or friends including alimony, child support, loans, gifts: or interest, dividends, rental income, capital gains; or money from other investments?

1,785 cases (Range of valid codes: 0-35,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1788-1792

<b>MJ1E</b>	<b>INCOME SOURCE/POSSIBLY ILLEGAL</b>
-------------	---------------------------------------

In the past 12 months, have you yourself received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.2	378	1	YES
78.1	75.5	1,348	2	NO
	1.5	26	-8	MISSING
	1.6	29	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1793-1794

<b>MJ2E</b>	<b>DOLLARS/RECEIVED BEFORE TAXES</b>
-------------	--------------------------------------

In the past 12 months, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

1,785 cases (Range of valid codes: 0-104,000)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1795-1800

<b>MJ1F</b>	<b>INCOME SOURCE/ANY OTHER SOURCE</b>
-------------	---------------------------------------

In the past 12 months, have you yourself received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	34	1	YES
98.0	93.8	1,674	2	NO
	2.6	46	-8	MISSING
	1.5	27	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1801-1802

<b>MJ1F_SP</b>	<b>SPECIFY OTHER INCOME SOURCE</b>
----------------	------------------------------------

In the past 12 months, have you yourself received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	32	1	OTHER
	93.7	1,673	-9	LEGITIMATE NONRESPONSE
	3.9	69	-8	MISSING
	0.6	11	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1803-1804

**MJ2F****DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you (SPECIFY)?

1,785 cases (Range of valid codes: 0-100,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1805-1810

**MJ2G****TOTAL DOLLARS/J2A THRU J2F**

In the past 12 months, how much income have you personally received before taxes from all sources listed in J2a to J2f?

1,785 cases (Range of valid codes: 0-112000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1811-1816

MJ3

## INCOME BEFORE TAXES PAST 12 MONTHS

During the past 12 months, which code on this card best indicates your own dollar income before taxes from all sources?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.1	233	0	NO INCOME
8.1	7.5	133	1	\$ 1 - \$ 499
4.7	4.3	77	2	\$ 500 - \$ 749
2.9	2.6	47	3	\$ 750 - \$ 999
4.7	4.3	76	4	\$ 1,000 - \$ 1,249
1.8	1.7	30	5	\$ 1,250 - \$ 1,499
2.8	2.5	45	6	\$ 1,500 - \$ 1,749
1.4	1.3	23	7	\$ 1,750 - \$ 1,999
4.7	4.3	77	8	\$ 2,000 - \$ 2,249
1.5	1.3	24	9	\$ 2,250 - \$ 2,499
3.2	2.9	52	10	\$ 2,500 - \$ 2,999
4.5	4.1	73	12	\$ 3,000 - \$ 3,499
2.5	2.3	41	14	\$ 3,500 - \$ 3,999
3.4	3.1	55	16	\$ 4,000 - \$ 4,499
1.5	1.4	25	18	\$ 4,500 - \$ 4,999
5.4	4.9	88	20	\$ 5,000 - \$ 5,999
6.8	6.2	111	24	\$ 6,000 - \$ 7,499
6.9	6.3	112	30	\$ 7,500 - \$ 9,999
6.3	5.8	103	40	\$10,000 - \$12,499
8.6	7.8	140	50	\$12,500 - \$24,999
4.2	3.8	68	100	\$25,000 OR MORE
	0.5	9	-8	MISSING
	1.7	30	-7	REFUSAL
	0.1	1	-5	BAD DATA
	6.3	112	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1817-1819

**MJ4 SHARE INCOME/EXPENSES WITH ONE LIVE WITH**

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	30.3	540	1	YES
68.3	65.0	1,161	2	NO
	1.6	29	-9	LEGITIMATE NONRESPONSE
	2.2	40	-8	MISSING
	0.8	14	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1820-1821

**MJ4A # PEOPLE YOU SHARE INCOME/EXPENSES WITH**

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	0	
39.2	11.9	213	1	
26.5	8.1	144	2	
15.1	4.6	82	3	
11.9	3.6	65	4	
3.9	1.2	21	5	
2.2	0.7	12	6	
0.6	0.2	3	7	
0.2	0.1	1	11	
0.2	0.1	1	13	
0.2	0.1	1	30	
	66.5	1,187	-9	LEGITIMATE NONRESPONSE
	2.1	38	-8	MISSING
	0.8	14	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1822-1823

MJ5

## HOUSEHOLD INCOME BEFORE TAXES PAST 12 MONTHS

During the past 12 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM J4a) people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	5	0	NO INCOME
1.1	0.2	4	1	\$ 1 - \$ 499
2.8	0.6	10	2	\$ 500 - \$ 749
1.4	0.3	5	3	\$ 750 - \$ 999
0.8	0.2	3	4	\$ 1,000 - \$ 1,249
0.8	0.2	3	5	\$ 1,250 - \$ 1,499
0.3	0.1	1	6	\$ 1,500 - \$ 1,749
0.6	0.1	2	7	\$ 1,750 - \$ 1,999
0.8	0.2	3	8	\$ 2,000 - \$ 2,249
2.2	0.4	8	9	\$ 2,250 - \$ 2,499
0.8	0.2	3	10	\$ 2,500 - \$ 2,999
1.4	0.3	5	12	\$ 3,000 - \$ 3,499
1.1	0.2	4	14	\$ 3,500 - \$ 3,999
1.4	0.3	5	16	\$ 4,000 - \$ 4,499
0.3	0.1	1	18	\$ 4,500 - \$ 4,999
5.8	1.2	21	20	\$ 5,000 - \$ 5,999
5.0	1.0	18	24	\$ 6,000 - \$ 7,499
6.4	1.3	23	30	\$ 7,500 - \$ 9,999
9.4	1.9	34	40	\$10,000 - \$12,499
25.6	5.2	92	50	\$12,500 - \$24,999
30.6	6.2	110	100	\$25,000 OR MORE
	66.6	1,188	-9	LEGITIMATE NONRESPONSE
	2.4	42	-8	MISSING
	1.0	18	-7	REFUSAL
	9.8	175	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1824-1826

<b>MJ6</b>	<b># MONTHS PAST 12 MONTHS COULD NOT PAY BILLS</b>
------------	--

In the past 12 months, how many months, if any, did you not have enough money to pay your bills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	83.1	1,484	0	
2.7	2.6	46	1	
3.0	2.9	52	2	
2.5	2.4	43	3	
0.9	0.9	16	4	
0.2	0.2	4	5	
0.8	0.7	13	6	
0.1	0.1	2	7	
0.2	0.2	3	8	
0.2	0.2	3	9	
0.3	0.3	6	10	
0.1	0.1	1	11	
3.2	3.1	55	12	
	1.2	22	-8	MISSING
	1.1	20	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.4	8	-4	DON'T KNOW
	0.3	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1827-1828

<b>MJ7</b>	<b>MONEY PROBLEMS BECAUSE ALCOHOL/DRUG USE</b>
------------	--

Have you had any financial or money problems because of your drug or alcohol use in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	160	1	YES
90.9	89.1	1,590	2	NO
	1.1	19	-8	MISSING
	0.9	16	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1829-1830

**MJ8****HOW SERIOUS PROBLEMS FOR DRUG/ALCOHOL USE**

In your opinion, to what extent are your financial or money problems caused by your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.7	13	1	NOT AT ALL
57.5	5.2	92	2	SOMEWHAT
34.4	3.1	55	3	VERY MUCH
	89.0	1,589	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.9	16	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1831-1832

**MJ9****HOW TROUBLED BY MONEY PROBLEM PAST 12 MONTHS**

How troubled or bothered have you been in the past 12 months by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	58.9	1,051	0	NOT AT ALL
18.6	18.5	331	1	SLIGHTLY
9.7	9.6	172	2	MODERATELY
6.5	6.4	115	3	CONSIDERABLY
6.2	6.2	111	4	EXTREMELY
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1833-1834

<b>MJ9A</b>	<b>HOW TROUBLED BY MONEY PROBLEMS PAST 3 MONTHS</b>
-------------	---

How troubled or bothered have you been in the past 3 months by any financial or money problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	4.7	84	0	NOT AT ALL
38.2	15.8	282	1	SLIGHTLY
18.2	7.5	134	2	MODERATELY
15.3	6.3	113	3	CONSIDERABLY
16.9	7.0	125	4	EXTREMELY
	58.3	1,041	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1835-1836

<b>MJ9B</b>	<b>HOW TROUBLED BY ANY MONEY PROBLEMS</b>
-------------	---

How troubled or bothered are you now by any financial or money problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	3.9	69	0	NOT AT ALL
36.7	13.7	244	1	SLIGHTLY
17.5	6.5	116	2	MODERATELY
13.7	5.1	91	3	CONSIDERABLY
21.7	8.1	144	4	EXTREMELY
	62.5	1,115	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1837-1838

**MJ10****HOW IMPORTANT/COUNSELING FOR MONEY PROBLEM**

How important to you now is counseling for financial or money problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	83.4	1,488	0	NOT AT ALL
6.9	6.8	122	1	SLIGHTLY
3.8	3.8	67	2	MODERATELY
2.5	2.5	45	3	CONSIDERABLY
3.0	3.0	53	4	EXTREMELY
	0.5	9	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1839-1840



<b>MK3</b>	<b>YOUR HEALTH/COMPARE TO PAST 3 MONTHS</b>
------------	---

Would you say your health now is [READ CHOICES] than it was when you left (completed) treatment at (NAME OF PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.1	412	1	MUCH BETTER
35.1	35.0	624	2	BETTER
28.9	28.7	513	3	THE SAME
11.8	11.8	210	4	WORSE
1.1	1.1	19	5	MUCH WORSE
	0.2	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1845-1846

<b>MK4</b>	<b>NUMBER OF TIMES YOU HAVE BEEN PREGNANT</b>
------------	---

Since (DATE OF LAST PHYSICAL CONTACT ON TALLY SHEET B), how many times have you been pregnant? Please count pregnancies that resulted in miscarriages, abortions, stillbirths, and live births.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	19.2	343	0	
29.9	8.9	158	1	
4.7	1.4	25	2	
0.4	0.1	2	3	
	69.5	1,240	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1847-1848

<b>MK4A</b>	<b>ARE YOU NOW PREGNANT?</b>
-------------	------------------------------

Are you now pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	2.6	46	1	YES
75.1	7.8	139	2	NO
	88.7	1,583	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1849-1850

<b>MK4B</b>	<b>PREGNANCY HAS BEEN VERIFIED</b>
-------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	2.5	44	1	YES
4.3	0.1	2	2	NO
	96.5	1,722	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1851-1852

<b>MK4C1</b>	<b>PREGNANCY VERIFIED BY/DOCTOR</b>
--------------	-------------------------------------

How was it verified-by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Doctor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	39	1	CIRCLED
	96.9	1,729	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1853-1854

<b>MK4C2</b>	<b>PREGNANCY VERIFIED BY/PREGNANCY TEST</b>
--------------	---

How was it verified-by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Pregnancy test at a hospital, clinic, or doctor's office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	2	CIRCLED
	97.9	1,747	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1855-1856

**MK4C3 PREGNANCY VERIFIED/HOME PREGNANCY TEST**

How was it verified-by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Home pregnancy test.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	3	CIRCLED
	98.3	1,754	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1857-1858

**MK4C4 PREGNANCY VERIFIED BY/OTHER**

How was it verified-by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1859-1860

**MK5****USED ALCOHOL WHILE PREGNANT**

Since (DATE OF LAST PHYSICAL CONTACT), have you used alcohol while you were pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	2.6	47	1	YES
74.7	7.8	139	2	NO
	88.7	1,583	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1861-1862

**MK6****USED NON MEDICAL DRUGS WHILE PREGNANT**

Since (DATE OF LAST PHYSICAL CONTACT), have you used drugs for nonmedical reasons while you were pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	2.7	48	1	YES
74.1	7.7	137	2	NO
	88.7	1,583	-9	LEGITIMATE NONRESPONSE
	0.9	16	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1863-1864

**MK7A HEALTH LIMITED VIGOROUS ACTIVITY**

During the past 12 months, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	15.2	271	1	YES
84.8	84.5	1,509	2	NO
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1865-1866

**MK8A LIMIT VIGOROUS ACTIVITY/FOR 3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	4.8	86	1	LESS THAN 3 MONTHS
67.2	9.9	176	2	3 MONTHS OR MORE
	84.5	1,509	-9	LEGITIMATE NONRESPONSE
	0.8	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1867-1868

**MK7B****HEALTH LIMITED MODERATE ACTIVITY**

During the past 12 months, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	3.7	66	1	YES
75.7	11.5	206	2	NO
	84.5	1,508	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1869-1870

**MK8B****LIMIT MODERATE ACTIVITY/FOR 3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	1.5	26	1	LESS THAN 3 MONTHS
59.4	2.1	38	2	3 MONTHS OR MORE
	96.0	1,714	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1871-1872

**MK7C HEALTH LIMITED WALK UP HILL/CLIMB STAIRS**

During the past 12 months, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	2.5	44	1	YES
35.3	1.3	24	2	NO
	95.9	1,711	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1873-1874

**MK8C LIMIT WALK UP HILL/STAIRS/FOR 3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	1.1	19	1	LESS THAN 3 MONTHS
55.8	1.3	24	2	3 MONTHS OR MORE
	97.2	1,735	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1875-1876

**MK7D****HEALTH PREVENTED YOU FROM BENDING/LIFTING**

During the past 12 months, has your health prevented you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	1.4	25	1	YES
45.7	1.2	21	2	NO
	97.1	1,733	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1877-1878

**MK8D****PREVENT YOU FROM BEND/LIFT/3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	12	1	LESS THAN 3 MONTHS
50.0	0.7	12	2	3 MONTHS OR MORE
	98.3	1,754	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1879-1880

**MK7E HEALTH LIMITED ABILITY TO WALK 1 BLOCK**

During the past 12 months, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	0.6	11	1	YES
59.3	0.9	16	2	NO
	98.2	1,752	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1881-1882

**MK8E LIMIT YOU TO WALK 1 BLOCK/FOR 3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	4	1	LESS THAN 3 MONTHS
60.0	0.3	6	2	3 MONTHS OR MORE
	99.0	1,768	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1883-1884

**MK7F****HEALTH LIMITED YOU TO EAT/DRESS**

During the past 12 months, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	2	1	YES
85.7	0.7	12	2	NO
	98.9	1,765	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1885-1886

**MK8F****LIMIT YOU TO EAT/DRESS/FOR 3 MON/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	LESS THAN 3 MONTHS
50.0	0.1	1	2	3 MONTHS OR MORE
	99.6	1,777	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1887-1888

**MK9 HEALTH KEPT YOU FROM WORK/SCHOOL**

During the past 12 months, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	25.4	454	1	YES
74.5	74.3	1,326	2	NO
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1889-1890

**MK9A #DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL**

In the past 12 months, how many days has your health kept you from working at a job, working around the house, or going to school?

1,785 cases (Range of valid codes: 0-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1891-1893

**MK10 STAY OVERNIGHT IN HOSPITAL/HEALTH PROBLEM**

During the past 12 months, have you stayed overnight or longer in a hospital for any physical health problem (including pregnancy) not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.9	159	1	YES
91.1	90.7	1,619	2	NO
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1894-1895

MK11

#HOSPITALIZATION/PHYS HEALTH/NOT DRUG RELATED

In the past 12 months, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.6	11	0	
74.4	6.8	122	1	
9.8	0.9	16	2	
2.4	0.2	4	3	
1.8	0.2	3	4	
0.6	0.1	1	5	
1.8	0.2	3	6	
0.6	0.1	1	7	
0.6	0.1	1	8	
0.6	0.1	1	15	
0.6	0.1	1	28	
	90.5	1,616	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1896-1897

**MK12 #DAYS HOSPITALIZED FOR PHYSICAL HEALTH PROBLEM/NOT DRUG**

In the past 12 months, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.8	15	0	
30.4	2.7	48	1	
17.1	1.5	27	2	
13.3	1.2	21	3	
4.4	0.4	7	4	
3.2	0.3	5	5	
3.2	0.3	5	6	
6.3	0.6	10	7	
0.6	0.1	1	9	
0.6	0.1	1	10	
1.9	0.2	3	12	
0.6	0.1	1	13	
1.9	0.2	3	14	
0.6	0.1	1	17	
0.6	0.1	1	18	
2.5	0.2	4	20	
1.3	0.1	2	21	
0.6	0.1	1	30	
0.6	0.1	1	90	
0.6	0.1	1	210	
	90.8	1,621	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1898-1900

**MK13 #DAYS/INJURY/ILL KEPT YOU IN BED ALL DAY**

During the past 12 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

1,785 cases (Range of valid codes: 0-180)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1901-1903

**MK14****TESTED FOR TB IN THE PAST 12 MONTHS**

Have you been tested for tuberculosis (TB) in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	63.4	1,131	1	YES
36.3	36.1	644	2	NO
	0.3	5	-8	MISSING
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1904-1905

**MK14A****WERE THE TEST RESULTS POSITIVE?**

Were the test results positive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	10	1	YES
99.1	62.5	1,116	2	NO
	36.0	642	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1906-1907



MK14C2

## SECOND MEDICATION USED

What medication(s) did you use? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	INH/ISONIAZID/RIMACTANE
0.0	0.0	0	2	VITAMINS
0.0	0.0	0	3	PILLS AND VITAMINS (B1 OR B6)
0.0	0.0	0	4	PRESCRIBED PILLS
0.0	0.0	0	5	RIFAMATE
0.0	0.0	0	6	GOT A SHOT
0.0	0.0	0	7	FORGOT NAME OF PILLS
0.0	0.0	0	8	IMH
0.0	0.0	0	9	ANTIBIOTICS-TB
0.0	0.0	0	10	TYLENOL PILLS
0.0	0.0	0	11	DON'T REMEMBER
0.0	0.0	0	12	NO MEDICATION
0.0	0.0	0	13	IRON PILLS
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1912-1913

<b>MK14C3</b>	<b>THIRD MEDICATION USED</b>
---------------	------------------------------

What medication(s) did you use? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	INH/ISONIAZID/RIMACTANE
0.0	0.0	0	2	VITAMINS
0.0	0.0	0	3	PILLS AND VITAMINS (B1 OR B6)
0.0	0.0	0	4	PRESCRIBED PILLS
0.0	0.0	0	5	RIFAMATE
0.0	0.0	0	6	GOT A SHOT
0.0	0.0	0	7	FORGOT NAME OF PILLS
0.0	0.0	0	8	IMH
0.0	0.0	0	9	ANTIBIOTICS-TB
0.0	0.0	0	10	TYLENOL PILLS
0.0	0.0	0	11	DON'T REMEMBER
0.0	0.0	0	12	NO MEDICATION
0.0	0.0	0	13	IRON PILLS
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1914-1915

<b>MK15</b>	<b>DISABILITY PAYMENTS FOR PHYSICAL HEALTH PROBLEMS</b>
-------------	---

During the past 12 months, have you been receiving disability payments or benefits for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	23	1	YES
98.7	97.2	1,735	2	NO
	1.5	27	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1916-1917

**MK16****HOW TROUBLED BY MEDICAL PROBLEMS PAST 12MONTHS**

Overall, how troubled or bothered were you by medical problems in the past 12 months? Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	76.0	1,356	0	NOT AT ALL
15.2	15.2	271	1	SLIGHTLY
4.7	4.6	83	2	MODERATELY
2.4	2.4	43	3	CONSIDERABLY
1.5	1.5	27	4	EXTREMELY
	0.2	4	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1918-1919

**MK16A****HOW TROUBLED BY MEDICAL PROBLEMS PAST 3 MONTHS**

How troubled or bothered were you by medical problems in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	6.8	121	0	NOT AT ALL
41.1	10.0	179	1	SLIGHTLY
17.4	4.3	76	2	MODERATELY
8.9	2.2	39	3	CONSIDERABLY
4.8	1.2	21	4	EXTREMELY
	75.2	1,342	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1920-1921

<b>MK16B</b>	<b>HOW TROUBLED NOW BY MEDICAL PROBLEMS</b>
--------------	---

How troubled or bothered are you now by medical problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	5.0	90	0	NOT AT ALL
38.9	7.2	128	1	SLIGHTLY
15.8	2.9	52	2	MODERATELY
8.5	1.6	28	3	CONSIDERABLY
9.4	1.7	31	4	EXTREMELY
	81.1	1,448	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1922-1923

<b>MK17</b>	<b>HOW IMPORTANT TREATMENT NOW FOR MEDICAL PROBLEMS</b>
-------------	---

How important to you now is treatment or counseling for medical problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	80.1	1,430	0	NOT AT ALL
7.5	7.5	133	1	SLIGHTLY
4.1	4.0	72	2	MODERATELY
3.0	3.0	53	3	CONSIDERABLY
4.9	4.9	87	4	EXTREMELY
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1924-1925

<b>SEXUAL RISK BEHAVIORS</b>
------------------------------

<b>ML0</b>	<b>EVER BEEN SEXUALLY ACTIVE</b>
------------	----------------------------------

Have you ever had any experience with sex or been sexually active, that is, more than hugging or kissing on the cheek, mouth, ears, or neck?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	89.6	1,600	1	YES
4.1	3.8	68	2	NO
	6.4	115	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1926-1927

<b>ML1</b>	<b>#OF DIFFERENT WOMEN HAD VAGINAL INTERCOURSE WITH</b>
------------	---

In these 12 months, about how many different females have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.4	8	0	NEVER HAD VAGINAL SEX WITH A WOMAN
4.9	3.3	59	1	NONE
29.1	19.5	348	2	1 WOMAN
40.7	27.3	487	3	2 TO 4 WOMEN
16.3	10.9	195	4	5 TO 9 WOMEN
5.9	4.0	71	5	10 TO 20 WOMEN
1.9	1.3	23	6	21 TO 99 WOMEN
0.5	0.3	6	7	100 OR MORE WOMEN
	32.7	584	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1928-1929

**ML1A** **USED CONDOM/VAGINAL INTERCOURSE W/WOMEN**

In these 12 months, about how often have you used a condom or "rubber" when you had vaginal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	8.5	152	1	NEVER
20.9	13.2	236	2	SOMETIMES
20.6	13.1	233	3	USUALLY
45.0	28.5	509	4	EVERY TIME
	36.4	650	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1930-1931

**ML2** **#OF DIFFERENT WOMEN HAD ANAL INTERCOURSE WITH**

In the past 12 months, about how many different females have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	57.6	1,029	1	NONE
7.4	5.0	89	2	1 WOMAN
4.6	3.1	55	3	2 TO 4 WOMEN
1.3	0.9	16	4	5 TO 9 WOMEN
0.4	0.3	5	5	10 TO 20 WOMEN
0.2	0.1	2	6	21 TO 99 WOMEN
0.0	0.0	0	7	100 OR MORE WOMEN
	32.7	583	-9	LEGITIMATE NONRESPONSE
	0.2	3	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1932-1933

<b>ML2A</b>	<b>USED CONDOM/ANAL INTERCOURSE W/WOMEN</b>
-------------	---

In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	3.3	59	1	NEVER
9.5	0.9	16	2	SOMETIMES
7.1	0.7	12	3	USUALLY
48.2	4.5	81	4	EVERY TIME
	90.3	1,611	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1934-1935

<b>ML3</b>	<b># OF WOMEN HAD ORAL INTERCOURSE WITH</b>
------------	---

In the past 12 months, about how many different females have you had oral intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	27.2	485	1	NONE
24.8	16.6	296	2	1 WOMAN
22.4	15.0	267	3	2 TO 4 WOMEN
7.7	5.2	92	4	5 TO 9 WOMEN
3.4	2.3	41	5	10 TO 20 WOMEN
0.7	0.4	8	6	21 TO 99 WOMEN
0.3	0.2	4	7	100 OR MORE WOMEN
	32.7	584	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1936-1937

**ML3A** **USED LATEX BARRIER/ORAL INTERCOURSE WITH WOMEN**

In these 12 months, about how often did you use a latex barrier, such as a dental blocker, when you had oral intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	35.7	637	1	NEVER
2.8	1.1	20	2	SOMETIMES
3.2	1.3	23	3	USUALLY
5.8	2.4	42	4	EVERY TIME
	59.0	1,054	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1938-1939

**ML4** **INTERCOURSE W/WOMEN/TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any female you had (vaginal/anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	1.8	32	1	YES
97.0	58.8	1,050	2	NO
	35.7	638	-9	LEGITIMATE NONRESPONSE
	3.5	62	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1940-1941

<b>ML5</b>	<b>INTERCOURSE W/WOMAN/HAD SEX W/PROSTITUTE</b>
------------	---

To the best of your knowledge, had any female you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.7	12	1	YES
98.9	59.6	1,063	2	NO
	35.7	638	-9	LEGITIMATE NONRESPONSE
	3.6	65	-8	MISSING
	0.1	1	-7	REFUSAL
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1942-1943

<b>ML6</b>	<b>INTERCOURSE W/WOMAN WHO SHOOTS UP DRUGS</b>
------------	--

To the best of your knowledge, had any female you had (vaginal/anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.7	13	1	YES
98.8	59.8	1,067	2	NO
	35.7	638	-9	LEGITIMATE NONRESPONSE
	3.5	62	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1944-1945

**ML7 ANYONE GAVE MONEY/DRUGS FOR INTERCOURSE**

At any time in the past 12 months, has anyone given you money or drugs to have (vaginal/anal/oral) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	1.6	29	1	YES
97.3	59.2	1,056	2	NO
	35.7	638	-9	LEGITIMATE NONRESPONSE
	3.4	60	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1946-1947

**ML8 #OF DIFFERENT MEN HAD ANAL INTERCOURSE WITH**

In these 12 months, about how many different males did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	61.5	1,098	0	NEVER HAD SEX WITH A MAN
7.0	4.7	84	1	NONE
0.5	0.3	6	2	1 MAN
0.5	0.3	6	3	2 TO 4 MEN
0.1	0.1	1	4	5 TO 9 MEN
0.0	0.0	0	5	10 TO 20 MEN
0.0	0.0	0	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	32.7	584	-9	LEGITIMATE NONRESPONSE
	0.3	5	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1948-1949

<b>ML8A</b>	<b>USED CONDOM FOR ANAL INTERCOURSE W/MEN</b>
-------------	---

In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (male/males)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.3	5	1	NEVER
8.3	0.1	1	2	SOMETIMES
8.3	0.1	1	3	USUALLY
41.7	0.3	5	4	EVERY TIME
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1950-1951

<b>ML9</b>	<b># DIFFERENT MEN HAD ORAL INTERCOURSE WITH</b>
------------	--

In these 12 months, about how many different males have you had oral intercourse with? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	4.3	77	1	NONE
5.4	0.3	5	2	1 MAN
9.7	0.5	9	3	2 TO 4 MEN
1.1	0.1	1	4	5 TO 9 MEN
1.1	0.1	1	5	10 TO 20 MEN
0.0	0.0	0	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	33.2	593	-9	LEGITIMATE NONRESPONSE
	61.5	1,098	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1952-1953

**ML9A** **USED CONDOM/ORAL INTERCOURSE W/MEN**

In these 12 months, about how often have you used a condom or "rubber" when you had oral intercourse with the (male/males)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	1.0	17	1	NEVER
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	USUALLY
5.6	0.1	1	4	EVERY TIME
	37.4	668	-9	LEGITIMATE NONRESPONSE
	61.5	1,098	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1954-1955

**ML10** **INTERCOURSE W/MAN/TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any male you had (anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	0.2	4	1	YES
73.3	0.6	11	2	NO
	37.5	670	-9	LEGITIMATE NONRESPONSE
	61.6	1,099	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1956-1957

**ML11****INTERCOURSE W/MAN/HAD SEX W/PROSTITUTE**

To the best of your knowledge, had any male you had (anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	0.2	4	1	YES
73.3	0.6	11	2	NO
	37.5	670	-9	LEGITIMATE NONRESPONSE
	61.6	1,099	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1958-1959

**ML12****HAD INTERCOURSE W/MAN WHO SHOOTS UP DRUG**

To the best of your knowledge, had any male you had (anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	0.2	4	1	YES
78.9	0.8	15	2	NO
	37.5	670	-9	LEGITIMATE NONRESPONSE
	61.3	1,095	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1960-1961

**ML13 HAD INTERCOURSE W/ANYONE TESTED+/FOR AIDS**

At any time in the past 12 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.6	10	1	YES
99.2	66.1	1,180	2	NO
	32.7	583	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1962-1963

**ML13A INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS**

During that period, how many people have you had intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.5	9	1	1 PERSON
10.0	0.1	1	2	2 TO 4 PEOPLE
0.0	0.0	0	3	5 OR MORE PEOPLE
	33.3	594	-9	LEGITIMATE NONRESPONSE
	66.1	1,180	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1964-1965

<b>ML14</b>	<b># DIFFERENT MEN/YOU HAD VAGINAL INTERCOURSE WITH</b>
-------------	---

In that time, about how many different males have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.4	7	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
5.6	1.6	29	1	NONE
39.8	11.5	206	2	1 MAN
42.6	12.3	220	3	2 TO 4 MEN
6.6	1.9	34	4	5 TO 9 MEN
3.3	1.0	17	5	10 TO 20 MEN
0.6	0.2	3	6	21 TO 99 MEN
0.2	0.1	1	7	100 OR MORE MEN
	70.3	1,254	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1966-1967

<b>ML14A</b>	<b>USED CONDOM/VAGINAL INTERCOURSE W/MEN</b>
--------------	--

In these 12 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	4.8	86	1	NEVER
27.4	7.4	132	2	SOMETIMES
23.4	6.3	113	3	USUALLY
31.3	8.5	151	4	EVERY TIME
	72.3	1,290	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1968-1969

**ML15 #DIFFERENT MEN/YOU HAD ANAL INTERCOURSE WITH**

In the past 12 months, about how many different males have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	16.0	285	0	NEVER HAD ANAL SEX WITH A MAN
34.5	10.0	178	1	NONE
8.3	2.4	43	2	1 MAN
1.6	0.4	8	3	2 TO 4 MEN
0.4	0.1	2	4	5 TO 9 MEN
0.0	0.0	0	5	10 TO 20 MEN
0.0	0.0	0	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	70.4	1,257	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1970-1971

**ML15A USED CONDOM FOR ANAL INTERCOURSE W/MEN**

In these 12 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.1	1.8	33	1	NEVER
11.1	0.3	6	2	SOMETIMES
5.6	0.2	3	3	USUALLY
22.2	0.7	12	4	EVERY TIME
	96.3	1,719	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1972-1973

**ML16****#OF DIFFERENT MEN HAD ORAL INTERCOURSE WITH**

In the past 12 months, about how many different males have you had oral intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	7.8	139	0	NEVER HAD ORAL SEX WITH A MAN
24.1	6.9	124	1	NONE
28.8	8.3	148	2	1 MAN
16.0	4.6	82	3	2 TO 4 MEN
2.5	0.7	13	4	5 TO 9 MEN
1.0	0.3	5	5	10 TO 20 MEN
0.4	0.1	2	6	21 TO 99 MEN
0.2	0.1	1	7	100 OR MORE MEN
	70.4	1,257	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1974-1975

**ML16A****MAN USED LATEX BARRIER/ORAL INTERCOURSE**

In these 12 months, about how often did the (male/males) you had intercourse with use a condom or latex barrier, such as a dental blocker, when you had oral intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	12.2	217	1	NEVER
6.0	0.8	15	2	SOMETIMES
1.2	0.2	3	3	USUALLY
6.7	1.0	17	4	EVERY TIME
	85.1	1,519	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1976-1977



**ML19****INTERCOURSE W/MAN/HAD SEX W/PROSTITUTE**

To the best of your knowledge, had any male you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	1.3	23	1	YES
95.1	25.0	446	2	NO
	70.6	1,261	-9	LEGITIMATE NONRESPONSE
	2.6	46	-8	MISSING
	0.5	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

**ML20****INTERCOURSE W/MAN/TOOK MONEY/DRUG FOR SEX**

At any time in the past 12 months, has any male given money or drugs to have (vaginal/anal/oral) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.4	25	1	YES
94.8	25.3	452	2	NO
	70.6	1,261	-9	LEGITIMATE NONRESPONSE
	2.6	46	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1984-1985

**ML21 MAN SEX PARTNER EVER SHOOT UP DRUGS**

To the best of your knowledge, has any male you had (vaginal/anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	2.0	35	1	YES
92.6	24.6	440	2	NO
	70.6	1,261	-9	LEGITIMATE NONRESPONSE
	2.6	46	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1986-1987

**ML22 MAN SEX PARTNER/TESTED +/-HAD AIDS**

At any time in the past 12 months, have you had (vaginal/anal/oral) intercourse with any male who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.4	8	1	YES
98.3	26.4	471	2	NO
	70.3	1,255	-9	LEGITIMATE NONRESPONSE
	2.7	48	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1988-1989

**ML22A****#MEN TEST+/HAD AIDS/YOU HAD INTERCOURSE WITH**

In these 12 months, how many males have you had (vaginal/anal/oral) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.4	7	1	1 MAN
12.5	0.1	1	2	2 TO 4 MEN
0.0	0.0	0	3	5 OR MORE MEN
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	2.8	50	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1990-1991

**ML23****SERVICES RECEIVED ABOUT HIV INFECTION/AIDS**

During the past 12 months, have you received any services regarding HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	38.3	683	1	YES
61.1	60.1	1,072	2	NO
	1.6	29	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1992-1993

<b>ML23A1</b>	<b>SERVICES/ABOUT REDUCE RISK/NEEDLE USE</b>
---------------	--

What types of educational services or help have you received?

Reduce risk of needle use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.2	253	1	CIRCLED
	82.9	1,480	-9	LEGITIMATE NONRESPONSE
	2.9	51	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1994-1995

<b>ML23A2</b>	<b>SERVICES/REDUCE RISK/SEXUAL TRANSMISSION</b>
---------------	---

What types of educational services or help have you received?

Reduce risk of sexual transmission.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.5	384	2	CIRCLED
	75.6	1,349	-9	LEGITIMATE NONRESPONSE
	2.9	51	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1996-1997

**ML23A3****SERVICES/KNOWLEDGE/HIV INFECTION/AIDS**

What types of educational services or help have you received?

General knowledge about HIV infection and AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.7	565	3	CIRCLED
	65.4	1,168	-9	LEGITIMATE NONRESPONSE
	2.9	51	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1998-1999

**ML23A4****SERVICES/OTHER**

What types of educational services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	63	4	CIRCLED
	93.6	1,670	-9	LEGITIMATE NONRESPONSE
	2.9	51	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2000-2001

<b>ML23B</b>	<b>NUMBER OF MEETINGS FOR SERVICES</b>
--------------	--

How many times have you met with anyone specifically for this kind of service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	4.7	84	0	
27.8	10.5	187	1	
20.8	7.8	140	2	
11.0	4.1	74	3	
6.2	2.4	42	4	
3.6	1.3	24	5	
2.7	1.0	18	6	
0.6	0.2	4	7	
1.0	0.4	7	8	
0.4	0.2	3	9	
3.7	1.4	25	10	
1.5	0.6	10	12	
0.3	0.1	2	13	
0.3	0.1	2	14	
0.9	0.3	6	15	
0.7	0.3	5	16	
0.1	0.1	1	17	
0.4	0.2	3	18	
2.1	0.8	14	20	
0.4	0.2	3	24	
0.1	0.1	1	25	
0.1	0.1	1	27	
0.1	0.1	1	28	
0.6	0.2	4	30	
0.1	0.1	1	35	
0.1	0.1	1	40	
0.3	0.1	2	48	
0.4	0.2	3	50	
0.1	0.1	1	52	
0.1	0.1	1	90	
0.1	0.1	1	96	
0.1	0.1	1	99	99 OR MORE
	60.0	1,071	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.2	4	-5	BAD DATA
	1.0	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2002-2003

ML23C

## HOW HELPFUL WAS SERVICE

How helpful was this service? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	3.4	61	0	NOT AT ALL
30.0	11.6	207	1	SOMEWHAT
61.1	23.6	421	2	VERY HELPFUL
	60.0	1,071	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2004-2005

**POSTTREATMENT EXPERIENCE**

**MM1 # DAYS SCHEDULED TO RECEIVE SERVICES**

Now, I would like to ask about any treatment or counseling that you may have received during the past 12 months. To help you remember exactly when this was, remember that I marked this time on the calendar with a pink highlighter. [SHOW THE CALENDAR TO THE RESPONDENT.] Please think about all kinds of help or services, such as drug or alcohol counseling, medical treatment, counseling for a family problem, an emotional or mental health problem, employment or educational counseling, or any other services that you have received during that time.

In the past 12 months, on how many days have you been scheduled to receive any services? Include methadone and any other medication, any individual and group counseling, and other services you have received.

1,785 cases (Range of valid codes: 0-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2006-2008

**MM2 RECEIVED TREATMENT FOR ALCOHOL PROBLEM**

During the past 12 months, have you received any treatment that was primarily for an alcohol problem? Please do not include Alcoholics Anonymous (AA) or other fellowship groups.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	5.7	101	1	YES
87.9	41.2	735	2	NO
	52.3	934	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2009-2010

<b>MM2A1</b>	<b># TIMES TREATED A/28-DAY TREATMENT UNIT</b>
--------------	--

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a 28-day or other short-term inpatient treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	3.5	63	0	
24.4	1.2	21	1	
2.3	0.1	2	2	2 OR MORE TIMES
	93.5	1,669	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2011-2012

<b>MM2A2</b>	<b># TIMES TREATED A/THERAPEUTIC COMMUNITY</b>
--------------	--

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a therapeutic community or other long-term residential treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	3.4	60	0	
29.2	1.5	26	1	
3.4	0.2	3	2	2 OR MORE TIMES
	93.4	1,668	-9	LEGITIMATE NONRESPONSE
	1.6	28	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2013-2014

**MM2A3 # TIMES TREATED AT A HALFWAY HOUSE**

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	4.0	72	0	
13.3	0.6	11	1	1 OR 2 TIMES
	93.5	1,669	-9	LEGITIMATE NONRESPONSE
	1.8	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2015-2016

**MM2A4 # TIMES TREATED A/ALCOHOL TREATMENT UNIT**

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at an outpatient alcohol treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	2.5	44	0	
35.2	1.8	32	1	
16.5	0.8	15	2	2 OR MORE TIMES
	93.5	1,669	-9	LEGITIMATE NONRESPONSE
	1.3	24	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2017-2018

<b>MM2A5</b>	<b># TIMES TREATED A/OTHER TYPE ALCOHOL TREATMENT</b>
--------------	---

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems from any other type of alcohol treatment, excluding AA?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	4.3	77	0	
6.9	0.3	6	1	
4.6	0.2	4	2	2 OR MORE TIMES
	93.5	1,669	-9	LEGITIMATE NONRESPONSE
	1.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2019-2020

<b>MM3A</b>	<b>EVER TREATED: 28-DAY/SHORT TERM PROGRAM</b>
-------------	--

In the past 12 months, have you been treated primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	3.5	62	1	YES
92.5	42.7	763	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2021-2022

**MM3AA # ADMISSIONS: 28-DAY/SHORT TERM PROGRAM**

How many different times were you admitted to a 28-day or other short-term inpatient or chemical dependency treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	2.7	49	1	
16.1	0.6	10	2	
3.2	0.1	2	3	
1.6	0.1	1	4	
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2023-2024

**MM3BA # WKS TREATMENT: 28-DAY/SHORT TERM PROGRAM**

Altogether, how many weeks have you spent at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.3	5	1	
9.8	0.3	6	2	
21.3	0.7	13	3	
41.0	1.4	25	4	
3.3	0.1	2	5	
3.3	0.1	2	6	
4.9	0.2	3	8	
3.3	0.1	2	10	
1.6	0.1	1	12	
1.6	0.1	1	20	
1.6	0.1	1	24	
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2025-2026

<b>MM3CA_MO</b>	<b>MONTH DISCHARGE: 28-DAY/SHORT TERM PROGRAM</b>
-----------------	---

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	1	0	STILL IN TREATMENT
34.5	1.1	19	1	JAN. - MARCH
16.4	0.5	9	2	APR. - JUNE
21.8	0.7	12	3	JULY - SEPT.
25.5	0.8	14	4	OCT. - DEC.
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
	0.4	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2027-2028

<b>MM3CA_YR</b>	<b>YR DISCHARGE: 28-DAY/SHORT TERM PROGRAM</b>
-----------------	--

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	1	0	STILL IN TREATMENT
5.1	0.2	3	94	
40.7	1.3	24	95	
39.0	1.3	23	96	
13.6	0.4	8	97	
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	1.4	25	-8	MISSING
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2029-2030

**MM3DA REASON DISCHARGE: 28-DAY/SHORT TERM PROGRAM**

What was the reason for your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	2.2	40	1	COMPLETED TREATMENT
1.7	0.1	1	2	DISCHARGED BECAUSE OF HOSPITALIZATION
5.1	0.2	3	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
8.5	0.3	5	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
1.7	0.1	1	6	VOLUNTARILY DROPPED OUT/PERSONAL
6.8	0.2	4	7	QUIT/DISSATISFIED WITH PROGRAM
8.5	0.3	5	8	OTHER
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	1.5	26	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2031-2032

**MM3B EVER TREATED: THERAPEUTIC COMMUNITY PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	8.6	153	1	YES
81.6	38.0	678	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2033-2034

**MM3AB****# ADMISSIONS: THERAPEUTIC COMMUNITY PROGRAM**

How many different times were you admitted to a therapeutic community or other long-term residential treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	1	0	
88.2	7.6	135	1	
9.8	0.8	15	2	
1.3	0.1	2	3	
	90.4	1,613	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2035-2036

**MM3BB****# WKS TREATMENT: THERAPEUTIC COMMUNITY PROGRAM**

Altogether, how many weeks have you spent at a therapeutic community or other long-term residential treatment program?

1,785 cases (Range of valid codes: 0-78)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2037-2038

<b>MM3CB_MO</b>	<b>MONTH DISCHARGE: THERAPEUTIC COMMUNITY PROGRAM</b>
-----------------	---

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	1.6	28	0	STILL IN TREATMENT
19.6	1.6	29	1	JAN. - MARCH
31.1	2.6	46	2	APR. - JUNE
16.2	1.3	24	3	JULY - SEPT.
14.2	1.2	21	4	OCT. - DEC.
	90.4	1,613	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2039-2040

<b>MM3CB_YR</b>	<b>YR DISCHARGE: THERAPEUTIC COMMUNITY PROGRAM</b>
-----------------	--

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	1.5	27	0	STILL IN TREATMENT
2.1	0.2	3	94	
21.9	1.8	32	95	
37.0	3.0	54	96	
20.5	1.7	30	97	
	90.4	1,613	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.2	4	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2041-2042

**MM3DB****REASON DISCHARGE: THERAPEUTIC COMMUNITY PROGRAM**

What was the reason for your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	4.6	83	1	COMPLETED TREATMENT
0.8	0.1	1	2	DISCHARGED BECAUSE OF HOSPITALIZATION
1.6	0.1	2	3	TRANSFERRED TO COMPONENT PROGRAM
0.8	0.1	1	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
14.6	1.0	18	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
5.7	0.4	7	6	VOLUNTARILY DROPPED OUT/PERSONAL
2.4	0.2	3	7	QUIT/DISSATISFIED WITH PROGRAM
6.5	0.4	8	8	OTHER
	91.7	1,637	-9	LEGITIMATE NONRESPONSE
	1.3	24	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2043-2044

**MM3C****EVER TREATED: A METHADONE PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at a methadone clinic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	45.9	820	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2045-2046

<b>MM3AC</b>	<b># ADMISSIONS: A METHADONE PROGRAM</b>
--------------	--

How many different times were you admitted to a methadone clinic primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2047-2048

<b>MM3BC</b>	<b># WKS TREATMENT: A METHADONE PROGRAM</b>
--------------	---

Altogether, how many weeks have you spent at a methadone clinic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	52	
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	1.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2049-2050

<b>MM3CC_MO</b>	<b>MONTH DISCHARGE: A METHADONE PROGRAM</b>
-----------------	---

What was the date of your last discharge from drug treatment at a methadone clinic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
0.0	0.0	0	1	JAN. - MARCH
0.0	0.0	0	2	APR. - JUNE
0.0	0.0	0	3	JULY - SEPT.
0.0	0.0	0	4	OCT. - DEC.
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2051-2052

<b>MM3CC_YR</b>	<b>YR DISCHARGE: A METHADONE PROGRAM</b>
-----------------	--

What was the date of your last discharge from drug treatment at a methadone clinic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2053-2054

**MM3DC REASON DISCHARGE: A METHADONE PROGRAM**

What was the reason for your last discharge from drug treatment at a methadone clinic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMPLETED TREATMENT
0.0	0.0	0	2	DISCHARGED BECAUSE OF HOSPITALIZATION
0.0	0.0	0	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
0.0	0.0	0	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
0.0	0.0	0	6	VOLUNTARILY DROPPED OUT/PERSONAL
0.0	0.0	0	7	QUIT/DISSATISFIED WITH PROGRAM
0.0	0.0	0	8	OTHER
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2055-2056

**MM3D EVER TREATED: OUTPATIENT DRUG PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	9.7	173	1	YES
79.1	36.6	654	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.2	22	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2057-2058

**MM3AD****# ADMISSIONS: OUTPATIENT DRUG PROGRAM**

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	0	
85.5	8.3	148	1	
9.8	1.0	17	2	
0.6	0.1	1	3	
0.6	0.1	1	30	
0.6	0.1	1	36	
0.6	0.1	1	40	
1.2	0.1	2	50	
0.6	0.1	1	60	
	89.0	1,589	-9	LEGITIMATE NONRESPONSE
	1.3	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2059-2060

**MM3BD****# WKS TREATMENT: OUTPATIENT DRUG PROGRAM**

Altogether, how many weeks have you spent at an outpatient drug treatment program?

1,785 cases (Range of valid codes: 0-68)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2061-2062

<b>MM3CD_MO</b>	<b>MONTH DISCHARGE: OUTPATIENT DRUG PROGRAM</b>
-----------------	---

What was the date of your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	2.6	47	0	STILL IN TREATMENT
19.8	1.8	33	1	JAN. - MARCH
16.2	1.5	27	2	APR. - JUNE
18.6	1.7	31	3	JULY - SEPT.
17.4	1.6	29	4	OCT. - DEC.
	89.0	1,589	-9	LEGITIMATE NONRESPONSE
	1.5	26	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2063-2064

<b>MM3CD_YR</b>	<b>YR DISCHARGE: OUTPATIENT DRUG PROGRAM</b>
-----------------	--

What was the date of your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	2.6	46	0	STILL IN TREATMENT
0.6	0.1	1	91	
1.2	0.1	2	94	
29.5	2.7	49	95	
32.5	3.0	54	96	
7.2	0.7	12	97	
1.2	0.1	2	98	
	89.0	1,589	-9	LEGITIMATE NONRESPONSE
	1.5	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2065-2066

**MM3DD****REASON DISCHARGE: OUTPATIENT DRUG PROGRAM**

What was the reason for your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	3.6	65	1	COMPLETED TREATMENT
1.7	0.1	2	2	DISCHARGED BECAUSE OF HOSPITALIZATION
0.8	0.1	1	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
9.3	0.6	11	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
21.2	1.4	25	6	VOLUNTARILY DROPPED OUT/PERSONAL
4.2	0.3	5	7	QUIT/DISSATISFIED WITH PROGRAM
7.6	0.5	9	8	OTHER
	91.4	1,632	-9	LEGITIMATE NONRESPONSE
	1.6	29	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2067-2068

**MM3E****EVER TREATED: OTHER TYPE DRUG TREATMENT**

In the past 12 months, have you been treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	2.0	35	1	YES
95.7	43.9	784	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2069-2070

**MM3AE # ADMISSIONS: OTHER TYPE DRUG TREATMENT**

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	1.7	31	1	
6.1	0.1	2	2	
	96.3	1,719	-9	LEGITIMATE NONRESPONSE
	1.8	32	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2071-2072

**MM3BE # WKS TREATMENT: OTHER TYPE DRUG TREATMENT**

Altogether, how many weeks have you spent at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.1	2	1	
11.8	0.2	4	2	
2.9	0.1	1	3	
2.9	0.1	1	4	
2.9	0.1	1	6	
8.8	0.2	3	8	
17.6	0.3	6	12	
5.9	0.1	2	13	
2.9	0.1	1	14	
11.8	0.2	4	16	
5.9	0.1	2	18	
2.9	0.1	1	26	
5.9	0.1	2	30	
8.8	0.2	3	36	
2.9	0.1	1	52	
	96.3	1,719	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2073-2074

<b>MM3CE_MO</b>	<b>MONTH DISCHARGE: OTHER TYPE DRUG TREATMENT</b>
-----------------	---

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.3	6	0	STILL IN TREATMENT
24.2	0.4	8	1	JAN. - MARCH
24.2	0.4	8	2	APR. - JUNE
12.1	0.2	4	3	JULY - SEPT.
21.2	0.4	7	4	OCT. - DEC.
	96.3	1,719	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2075-2076

<b>MM3CE_YR</b>	<b>YR DISCHARGE: OTHER TYPE DRUG TREATMENT</b>
-----------------	--

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.3	6	0	STILL IN TREATMENT
3.0	0.1	1	94	
45.5	0.8	15	95	
24.2	0.4	8	96	
9.1	0.2	3	97	
	96.3	1,719	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2077-2078

**MM3DE REASON DISCHARGE: OTHER TYPE DRUG TREATMENT**

What was the reason for your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	1.1	19	1	COMPLETED TREATMENT
0.0	0.0	0	2	DISCHARGED BECAUSE OF HOSPITALIZATION
0.0	0.0	0	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
10.7	0.2	3	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
14.3	0.2	4	6	VOLUNTARILY DROPPED OUT/PERSONAL
3.6	0.1	1	7	QUIT/DISSATISFIED WITH PROGRAM
3.6	0.1	1	8	OTHER
	96.6	1,725	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2079-2080

**MM3F EVER TREATED: SHORT-TERM DETOX PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.6	10	1	YES
98.8	45.3	809	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2081-2082

**MM3AF****# ADMISSIONS: SHORT-TERM DETOX PROGRAM**

How many different times were you admitted to short-term (21 days or less) detoxification program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.4	8	1	
20.0	0.1	2	2	
	97.7	1,744	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2083-2084

**MM3BF****# WKS TREATMENT: SHORT-TERM DETOX PROGRAM**

Altogether, how many weeks have you spent at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.2	3	0	
40.0	0.2	4	1	
20.0	0.1	2	2	
10.0	0.1	1	3	
	97.7	1,744	-9	LEGITIMATE NONRESPONSE
	1.7	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2085-2086

<b>MM3CF_MO</b>	<b>MONTH DISCHARGE: SHORT-TERM DETOX PROGRAM</b>
-----------------	--

What was the date of your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
33.3	0.2	3	1	JAN. - MARCH
33.3	0.2	3	2	APR. - JUNE
11.1	0.1	1	3	JULY - SEPT.
22.2	0.1	2	4	OCT. - DEC.
	97.7	1,744	-9	LEGITIMATE NONRESPONSE
	1.8	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2087-2088

<b>MM3CF_YR</b>	<b>YR DISCHARGE: SHORT-TERM DETOX PROGRAM</b>
-----------------	---

What was the date of your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
44.4	0.2	4	95	
33.3	0.2	3	96	
22.2	0.1	2	97	
	97.7	1,744	-9	LEGITIMATE NONRESPONSE
	1.8	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2089-2090

**MM3DF****REASON DISCHARGE: SHORT-TERM DETOX PROGRAM**

What was the reason for your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.4	8	1	COMPLETED TREATMENT
0.0	0.0	0	2	DISCHARGED BECAUSE OF HOSPITALIZATION
11.1	0.1	1	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
0.0	0.0	0	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
0.0	0.0	0	6	VOLUNTARILY DROPPED OUT/PERSONAL
0.0	0.0	0	7	QUIT/DISSATISFIED WITH PROGRAM
0.0	0.0	0	8	OTHER
	97.7	1,744	-9	LEGITIMATE NONRESPONSE
	1.8	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2091-2092

**MM4****METHADONE/NALTREXONE/TRANQUILIZERS PRESCRIBED**

During the past 12 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.0	18	1	YES
97.8	45.8	817	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2093-2094

<b>MM4A1</b>	<b>METHADONE PRESCRIBED BY DOCTOR</b>
--------------	---------------------------------------

Which of these did the doctor prescribe for you?

Methadone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.2	1,770	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2095-2096

<b>MM4A2</b>	<b>NALTREXONE PRESCRIBED BY DOCTOR</b>
--------------	--

Which of these did the doctor prescribe for you?

Naltrexone (Trexan).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.2	1,770	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2097-2098

**MM4A3****TRANQUILIZERS PRESCRIBED BY DOCTOR**

Which of these did the doctor prescribe for you?

Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	3	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2099-2100

**MM4A4****ANTABUSE PRESCRIBED BY DOCTOR**

Which of these did the doctor prescribe for you?

Antabuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	99.0	1,768	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2101-2102

**MM4A5****ANTIDEPRESSANTS PRESCRIBED BY DOCTOR**

Which of these did the doctor prescribe for you?

Antidepressants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	5	CIRCLED
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2103-2104

**MM4A6****CLONIDINE PRESCRIBED BY DOCTOR**

Which of these did the doctor prescribe for you?

Clondine.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.2	1,770	-9	LEGITIMATE NONRESPONSE
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2105-2106

**MM5****ATTENDED 12-STEP OR SELF-HELP GROUP**

Now, I'd like to ask some questions about fellowship/self-help groups and 12-step programs that you may have attended during the past 12 months for drug or alcohol problems. These include groups such as Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA).

During the past 12 months, have you attended this kind of 12-step or self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	26.7	476	1	YES
43.2	20.3	362	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2107-2108

**MM5A1****ATTENDED ALCOHOLICS ANONYMOUS**

Which groups did you attend?

Alcoholics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.8	372	1	CIRCLED
	72.7	1,297	-9	LEGITIMATE NONRESPONSE
	6.4	115	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2109-2110

**MM5A2 ATTENDED NARCOTICS ANONYMOUS**

Which groups did you attend?

Narcotics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.5	312	2	CIRCLED
	72.7	1,297	-9	LEGITIMATE NONRESPONSE
	9.8	175	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2111-2112

**MM5A3 ATTENDED COCAINE ANONYMOUS**

Which groups did you attend?

Cocaine Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	27	3	CIRCLED
	72.7	1,297	-9	LEGITIMATE NONRESPONSE
	25.8	460	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2113-2114

**MM5A4 ATTENDED OTHER GROUPS**

Which groups did you attend?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	13	4	CIRCLED
	72.7	1,297	-9	LEGITIMATE NONRESPONSE
	26.6	474	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2115-2116

**MM5B HAVE YOU WORKED ANY STEPS?**

Have you worked any steps?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	18.5	330	1	YES
31.1	8.3	149	2	NO
	72.7	1,297	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2117-2118

**MM5C # TIMES ATTENDED GROUP/GROUPS**

During the past 12 months, how many times have you attended (this group/any of these groups)?

1,785 cases (Range of valid codes: 1-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2119-2121



**MM6B****GROUP HELPED W/OTHER PROBLEMS YOU HAD**

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	6.2	111	0	NOT AT ALL
38.4	10.2	182	1	SOMEWHAT
38.2	10.1	181	2	VERY MUCH
	72.6	1,296	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
	0.3	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2128-2129

**MM7****RECEIVED SERVICES FOR MENTAL PROBLEMS PAST 12MONTHS**

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received during the past 12 months. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis.

During the past 12 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	14.0	250	1	YES
70.3	33.1	591	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2130-2131

<b>MM8_1</b>	<b>SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRAM</b>
--------------	--

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM) .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	49	1	CIRCLED
	96.8	1,727	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2132-2133

<b>MM8_2</b>	<b>SEEN: CASE MANAGER AT TREATMENT PROGRAM</b>
--------------	--

Who have you seen or talked to for these services?

Case manager (AT TREATMENT PROGRAM) .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	99.3	1,773	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2134-2135

<b>MM8_11</b>	<b>SEEN: OTHER COUNSELOR</b>
---------------	------------------------------

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	46	11	CIRCLED
	96.9	1,730	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2136-2137

<b>MM8_12</b>	<b>SEEN: OTHER CASE MANAGER</b>
---------------	---------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	12	CIRCLED
	99.2	1,770	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2138-2139

<b>MM8_13</b>	<b>SEEN: SOCIAL WORKER</b>
---------------	----------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	20	13	CIRCLED
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2140-2141

<b>MM8_21</b>	<b>SEEN: PSYCHOLOGIST</b>
---------------	---------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	75	21	CIRCLED
	95.3	1,701	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2142-2143

**MM8\_22****SEEN: PSYCHIATRIST**

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.5	98	22	CIRCLED
	94.0	1,678	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2144-2145

**MM8\_23****SEEN: NURSE**

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	23	CIRCLED
	99.4	1,774	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2146-2147

**MM8\_28 SEEN: CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	28	CIRCLED
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2148-2149

**MM8\_91 SEEN: OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	23	91	CIRCLED
	98.2	1,753	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2150-2151

**MM9 #TIMES RECEIVED GROUP SERVICES/MENTAL HEALTH PROBLEMS**

During the past 12 months, how many times have you received any scheduled individual or group services for emotional or mental health problems?

1,785 cases (Range of valid codes: 1-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2152-2154

<b>MM10</b>	<b>OVERNIGHT STAY/MENTAL PROBLEM/ASSOCIATED W/ALCOHOL</b>
-------------	---

During the past 12 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	3.2	58	1	YES
93.1	43.9	784	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2155-2156

<b>MM10A</b>	<b># OF NIGHTS STAYED OVERNIGHT</b>
--------------	-------------------------------------

Altogether, how many nights have you stayed overnight?

1,785 cases (Range of valid codes: 1-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2157-2159

<b>MM10B0</b>	<b>REFERRED BY: SELF</b>
---------------	--------------------------

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	0	CIRCLED
	98.7	1,762	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2160-2161



**MM10B3****REFERRED BY: TASC PROGRAM**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

TASC program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2166-2167

**MM10B4****REFERRED BY: CRIMINAL JUSTICE SYSTEM**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

Criminal (or juvenile) justice system (attorney, judge, probation, or parole officer).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	4	CIRCLED
	98.2	1,752	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2168-2169



**MM10B7****REFERRED BY: COMMUNITY/SOCIAL SERVICE**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

Community or social services agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	7	CIRCLED
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2174-2175

**MM10B8****REFERRED BY: SCHOOL OR TRAINING PROGRAM**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

School or training program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	CIRCLED
	98.8	1,763	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2176-2177



**MM10B11****REFERRED BY: CLERGYMEN OR CHURCH**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

Clergymen or church.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2182-2183

**MM10B12****REFERRED BY: FRIENDS OR RELATIVES**

Was getting this help your own idea, or did your school, a program, a parent or guardian, other relative, a friend, or someone else suggest it?

Parent / guardian, other relative, or friend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	17	12	CIRCLED
	98.0	1,749	-9	LEGITIMATE NONRESPONSE
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2184-2185



**MM12\_1****SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRAM**

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	1	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2190-2191

**MM12\_2****SEEN: CASE MANAGER AT TREATMENT PROGRAM**

Who have you seen or talked to for these services?

Case manager at (TREATMENT PROGRAM).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.3	1,772	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2192-2193

<b>MM12_22</b>	<b>SEEN: PSYCHIATRIST</b>
----------------	---------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	22	CIRCLED
	99.0	1,767	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2194-2195

<b>MM12_23</b>	<b>SEEN: NURSE</b>
----------------	--------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.2	128	23	CIRCLED
	92.1	1,644	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2196-2197

**MM12\_24****SEEN: PHYSICIAN**

Who have you seen or talked to for these services?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.2	397	24	CIRCLED
	77.0	1,375	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2198-2199

**MM12\_25****SEEN: PHYSICIAN'S ASSISTANT**

Who have you seen or talked to for these services?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	23	25	CIRCLED
	98.0	1,749	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2200-2201

**MM12\_26 SEEN: DENTIST**

Who have you seen or talked to for these services?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.7	174	26	CIRCLED
	89.5	1,598	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2202-2203

**MM12\_91 SEEN: OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	91	CIRCLED
	98.4	1,756	-9	LEGITIMATE NONRESPONSE
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2204-2205

**MM13 #TIMES RECEIVED SERVICES FOR MEDICAL PROBLEMS**

How many times during the past 12 months have you received any scheduled individual services for medical problems?

1,785 cases (Range of valid codes: 0-105)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2206-2208

**MM14****RECEIVED SERVICES FOR FAMILY PROBLEMS**

During the past 12 months, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	10.0	179	1	YES
78.8	37.2	664	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2209-2210

**MM15\_1****SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRAM**

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	38	1	CIRCLED
	97.4	1,739	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2211-2212

<b>MM15_2</b>	<b>SEEN: CASE MANAGER AT TREATMENT PROGRAM</b>
---------------	--

Who have you seen or talked to for these services?

Case manager at (TREATMENT PROGRAM) .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	7	2	CIRCLED
	99.2	1,770	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2213-2214

<b>MM15_11</b>	<b>SEEN: OTHER COUNSELOR</b>
----------------	------------------------------

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	44	11	CIRCLED
	97.1	1,733	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2215-2216

<b>MM15_12</b>	<b>SEEN: OTHER CASE MANAGER</b>
----------------	---------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.6	1,777	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2217-2218

<b>MM15_13</b>	<b>SEEN: SOCIAL WORKER</b>
----------------	----------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	13	CIRCLED
	98.7	1,761	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2219-2220

<b>MM15_21</b>	<b>SEEN: PSYCHOLOGIST</b>
----------------	---------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	25	21	CIRCLED
	98.2	1,752	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2221-2222

<b>MM15_22</b>	<b>SEEN: PSYCHIATRIST</b>
----------------	---------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	15	22	CIRCLED
	98.7	1,762	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2223-2224

**MM15\_23****SEEN: NURSE**

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.6	1,777	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2225-2226

**MM15\_28****SEEN: CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	41	28	CIRCLED
	97.3	1,736	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2227-2228

<b>MM15_91</b>	<b>SEEN: OTHER</b>
----------------	--------------------

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	91	CIRCLED
	99.1	1,769	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2229-2230

MM16

#TIMES RECEIVED GROUP SERVICES/MENTAL FAMILY PROBLEMS

During the past 12 months, how many times have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.6	10	1	
12.8	1.2	22	2	
10.5	1.0	18	3	
4.7	0.4	8	4	
9.9	1.0	17	5	
5.2	0.5	9	6	
1.7	0.2	3	7	
2.3	0.2	4	8	
0.6	0.1	1	9	
5.8	0.6	10	10	
0.6	0.1	1	11	
8.1	0.8	14	12	
1.2	0.1	2	14	
4.1	0.4	7	15	
2.9	0.3	5	16	
0.6	0.1	1	18	
5.8	0.6	10	20	
2.3	0.2	4	24	
1.2	0.1	2	25	
2.3	0.2	4	26	
0.6	0.1	1	28	
2.3	0.2	4	30	
0.6	0.1	1	32	
0.6	0.1	1	35	
0.6	0.1	1	38	
0.6	0.1	1	40	
2.3	0.2	4	48	
1.2	0.1	2	52	
0.6	0.1	1	70	
1.2	0.1	2	80	
0.6	0.1	1	100	
0.6	0.1	1	180	
	89.6	1,599	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	1	-5	BAD DATA
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2231-2233



<b>MM19_1</b>	<b>SERVICES: REGULAR PUBLIC SCHOOL</b>
---------------	--

Where did you go for these services?

Regular public school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	1	CIRCLED
	98.8	1,764	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2238-2239

<b>MM19_2</b>	<b>SERVICES: TECHNICAL OR VOCATIONAL SCHOOL</b>
---------------	---

Where did you go for these services?

Technical or vocational school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	40	2	CIRCLED
	97.2	1,735	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2240-2241

**MM19\_3****SERVICES: ADULT/CONTINUING EDUCATION**

Where did you go for these services?

Adult education or continuing education programs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	3	CIRCLED
	98.9	1,766	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2242-2243

**MM19\_4****SERVICES: PRIVATE PROGRAMS**

Where did you go for these services?

Private programs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	13	4	CIRCLED
	98.7	1,762	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2244-2245

**MM19\_91 SERVICES: OTHER**

Where did you go for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	34	91	CIRCLED
	97.5	1,741	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2246-2247

**MM20 # TIMES RECEIVED JOB TRAINING SERVICES**

During the past 12 months, how many times have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

1,785 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2248-2250

**MM21 TAKEN CLASSES TO IMPROVE EDUCATION**

During the past 12 months, have you taken any scheduled classes, or received counseling or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	17.0	303	1	YES
64.1	30.3	540	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2251-2252

<b>MM22_1</b>	<b>SERVICES: REGULAR PUBLIC SCHOOL</b>
---------------	--

Where did you go for these services?

Regular public school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.8	157	1	CIRCLED
	90.6	1,618	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2253-2254

<b>MM22_2</b>	<b>SERVICES: TECHNICAL OR VOCATIONAL SCHOOL</b>
---------------	---

Where did you go for these services?

Technical or vocational school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	18	2	CIRCLED
	98.4	1,757	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2255-2256

**MM22\_3****SERVICES: ADULT/CONTINUING EDUCATION**

Where did you go for these services?

Adult education or continuing education programs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	43	3	CIRCLED
	97.0	1,732	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2257-2258

**MM22\_4****SERVICES: PRIVATE PROGRAMS**

Where did you go for these services?

Private programs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	27	4	CIRCLED
	97.9	1,748	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2259-2260

**MM22\_91 SERVICES: OTHER**

Where did you go for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	77	91	CIRCLED
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2261-2262

**MM23 #TIMES TAKEN CLASSES TO IMPROVE EDUCATION**

During the past 12 months, how many times have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

1,785 cases (Range of valid codes: 0-365)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2263-2265

**MM24 RECEIVED SERVICES FOR LEGAL PROBLEMS**

During the past 12 months, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	9.6	172	1	YES
79.6	37.6	671	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2266-2267

<b>MM25_1</b>	<b>SERVICES: PRIVATE LAWYER</b>
---------------	---------------------------------

Where did you go for these services?

Private lawyer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	48	1	CIRCLED
	96.9	1,729	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2268-2269

<b>MM25_2</b>	<b>SERVICES: LEGAL AID</b>
---------------	----------------------------

Where did you go for these services?

Legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	20	2	CIRCLED
	98.4	1,757	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2270-2271

**MM25\_3 SERVICES: PUBLIC DEFENDER**

Where did you go for these services?

Public defender or court-appointed counsel.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.5	98	3	CIRCLED
	94.1	1,679	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2272-2273

**MM25\_9 SERVICES: OTHER LEGAL**

Where did you go for these services?

Other legal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	13	9	CIRCLED
	98.8	1,764	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2274-2275

MM26

## # TIMES RECEIVED SERVICES FOR LEGAL PROBLEMS

During the past 12 months, how many times have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	2	0	
28.8	2.7	49	1	
24.1	2.3	41	2	
15.9	1.5	27	3	
10.6	1.0	18	4	
2.9	0.3	5	5	
2.9	0.3	5	6	
0.6	0.1	1	7	
1.2	0.1	2	8	
0.6	0.1	1	9	
4.1	0.4	7	10	
0.6	0.1	1	11	
1.2	0.1	2	12	
0.6	0.1	1	15	
0.6	0.1	1	17	
0.6	0.1	1	20	
0.6	0.1	1	24	
1.8	0.2	3	30	
0.6	0.1	1	40	
0.6	0.1	1	100	
	89.9	1,605	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-4	DON'T KNOW

-----  
 100.0 100.0 1,785 cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2276-2278

**MM27 RECEIVED SERVICES TO HELP W/HOUSING PROBLEMS**

During the past 12 months, have you received any scheduled services to help with financial or housing problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.6	29	1	YES
96.5	45.4	810	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2279-2280

**MM28\_1 SERVICES: WELFARE OR PUBLIC ASSISTANCE**

Where did you go for these services?

Welfare or public assistance office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	1	CIRCLED
	98.3	1,755	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2281-2282

**MM28\_2****SERVICES: SOCIAL SECURITY OFFICE**

Where did you go for these services?

Social security office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	99.4	1,775	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2283-2284

**MM28\_3****SERVICES: UNEMPLOYMENT OFFICE**

Where did you go for these services?

Unemployment office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.5	1,776	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2285-2286

<b>MM28_4</b>	<b>SERVICES: EMPLOYER/UNION</b>
---------------	---------------------------------

Where did you go for these services?

Employer / union.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.5	1,776	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2287-2288

<b>MM28_9</b>	<b>SERVICES: OTHER</b>
---------------	------------------------

Where did you go for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	9	CIRCLED
	98.9	1,765	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2289-2290

**MM29****#TIMES RECEIVED SERVICES/FINANCIAL/HOUSING**

During the past 12 months, how many times have you received any scheduled services to help with financial or housing problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	1	0	
45.2	0.8	14	1	
12.9	0.2	4	2	
3.2	0.1	1	3	
9.7	0.2	3	4	
3.2	0.1	1	5	
3.2	0.1	1	6	
6.5	0.1	2	10	
3.2	0.1	1	12	
3.2	0.1	1	15	
3.2	0.1	1	32	
3.2	0.1	1	50	
	97.8	1,745	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2291-2292

**MM30****COUNSELING W/PROFESSIONAL BECAUSE OF CRISIS**

During the past 12 months, have you had any counseling sessions with any professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	2.0	35	1	YES
95.8	45.2	806	2	NO
	52.4	935	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2293-2294

<b>MM30A</b>	<b># COUNSELING SESSIONS BECAUSE OF CRISIS</b>
--------------	--

During the past 12 months, how many counseling sessions have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	0.9	16	1	
22.9	0.4	8	2	
8.6	0.2	3	3	
5.7	0.1	2	4	
2.9	0.1	1	5	
2.9	0.1	1	6	
2.9	0.1	1	7	
2.9	0.1	1	8	
2.9	0.1	1	10	
2.9	0.1	1	100	
	97.5	1,741	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2295-2297

<b>MM30B</b>	<b>HOW HELPFUL WAS THIS SERVICE?</b>
--------------	--------------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	0.4	8	0	NOT AT ALL
28.6	0.6	10	1	SOMEWHAT
48.6	1.0	17	2	VERY HELPFUL
	97.5	1,741	-9	LEGITIMATE NONRESPONSE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2298-2299

MM31

## MOST HELPFUL SERVICE PAST 12 MONTHS

You mentioned that you had received help or services for  
 [READ ALL MARKED ON TALLY SHEET MI. During the past 12 months,  
 which of the services you have received has been most helpful  
 to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	3.1	56	0	NO SERVICES
1.5	0.7	12	1	REGULAR ADDICTION GROUP
1.6	0.7	13	2	OTHER GROUP COUNSELING
6.5	3.0	53	3	INDIVIDUAL COUNSELING
24.7	11.3	201	4	12-STEP/SELF-HELP GROUP
0.7	0.3	6	5	CRISIS COUNSELING
0.0	0.0	0	6	UNSCHEDULED HELP
0.0	0.0	0	7	TALKS/FILMS/DISCUSSIONS
5.0	2.3	41	8	DRUG COUNSELING
2.3	1.1	19	9	ALCOHOL COUNSELING
0.0	0.0	0	10	DRUG TESTING
5.8	2.6	47	11	PSYCHOLOGICAL/MENTAL HEALTH
5.5	2.5	45	12	FAMILY/RELATIONSHIP COUNSELING
1.1	0.5	9	13	MEDICATION
13.2	6.0	107	14	MEDICAL
3.2	1.5	26	15	LEGAL
15.4	7.0	125	16	EDUCATION/JOB TRAINING
0.9	0.4	7	17	HELP FINDING A JOB
0.7	0.3	6	18	OTHER JOB ASSISTANCE
0.6	0.3	5	19	FINANCIAL ASSISTANCE
4.3	2.0	35	91	OTHER
	53.9	963	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2300-2301

<b>MM32</b>	<b>LEAST HELPFUL SERVICE PAST 12 MONTHS</b>
-------------	---

During the past 12 months, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	18.1	323	0	NO SERVICES
0.9	0.4	7	1	REGULAR ADDICTION GROUP
0.5	0.2	4	2	OTHER GROUP COUNSELING
1.5	0.7	12	3	INDIVIDUAL COUNSELING
12.9	5.6	100	4	12-STEP/SELF-HELP GROUP
0.6	0.3	5	5	CRISIS COUNSELING
0.4	0.2	3	6	UNSCHEDULED HELP
0.0	0.0	0	7	TALKS/FILMS/DISCUSSIONS
2.1	0.9	16	8	DRUG COUNSELING
0.9	0.4	7	9	ALCOHOL COUNSELING
0.0	0.0	0	10	DRUG TESTING
4.4	1.9	34	11	PSYCHOLOGICAL/MENTAL HEALTH
3.2	1.4	25	12	FAMILY/RELATIONSHIP COUNSELING
0.4	0.2	3	13	MEDICATION
12.4	5.4	96	14	MEDICAL
7.4	3.2	57	15	LEGAL
5.0	2.2	39	16	EDUCATION/JOB TRAINING
0.0	0.0	0	17	HELP FINDING A JOB
0.1	0.1	1	18	OTHER JOB ASSISTANCE
0.8	0.3	6	19	FINANCIAL ASSISTANCE
4.8	2.1	37	91	OTHER
	54.1	966	-9	LEGITIMATE NONRESPONSE
	2.1	37	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	3	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2302-2303

**MM33****TREATMENT HELPED STOP/CUT DOWN DRUG USE**

Now, please think about all the treatment you have received during the past 12 months. Has this treatment helped you stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	28.1	502	1	YES
38.2	17.4	310	2	NO
	54.0	964	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2304-2305

**MM33A****TREATMENT HAS HELPED**

Would you say it has helped . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	8.2	147	1	A LITTLE
70.6	19.8	353	2	A LOT
	71.4	1,274	-9	LEGITIMATE NONRESPONSE
	0.4	7	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2306-2307

**MM34 HOW MUCH HAS TREATMENT HELPED W/OTHER PROBLEMS**

How much has this treatment helped you with other problems (besides drug problems) in the past 12 months? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	8.7	156	0	NOT AT ALL
40.9	18.3	327	1	A LITTLE
39.5	17.7	316	2	A LOT
	54.1	965	-9	LEGITIMATE NONRESPONSE
	1.1	20	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2308-2309

**MM35 NOTICED CHANGES IN YOUR THOUGHTS/FEELING**

During the past 12 months, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	34.1	609	1	YES
27.8	13.2	235	2	NO
	52.7	941	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2310-2311

**MM35A1 FIRST CHANGE**

Please tell me what changes you have noticed.

First mention.

1,785 cases (Range of valid codes: 2-120)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2312-2314

<b>MM35A1CT</b>	<b>FIRST CHANGE - CATEGORIZED</b>
-----------------	-----------------------------------

Please tell me what changes you have noticed.

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	1	CONTINUED USING DRUGS
0.0	0.0	0	2	CRAVINGS
2.0	0.7	12	3	DECREASED DRUG/ALCOHOL USE
1.6	0.6	10	4	STOPPED USING DRUGS/ALCOHOL
58.9	20.1	358	5	POSITIVE EMOTIONS/ATTITUDE (HAPPIER, MORE SELF-ESTEEM)
4.4	1.5	27	6	NEGATIVE EMOTIONS/ATTITUDE (ANGRIER, FEARFUL, DEPRESSED)
20.4	6.9	124	7	BETTER RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.0	0.0	0	8	WORSE RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.2	0.1	1	9	FINANCIAL
8.9	3.0	54	10	POSITIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
0.0	0.0	0	11	NEGATIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
1.6	0.6	10	12	IMPROVEMENTS AT WORK/SCHOOL
1.8	0.6	11	13	OTHER
	65.8	1,175	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2315-2316

<b>MM35B1</b>	<b>FIRST CAUSE FOR CHANGE</b>
---------------	-------------------------------

You mentioned a change in [CHANGE]? What do you think caused this change?

First mention.

1,785 cases (Range of valid codes: 1-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2317-2318

**MM35B1CT FIRST CAUSE FOR CHANGE - CATEGORIZED**

You mentioned a change in [CHANGE]? What do you think caused this change?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	20.4	364	1	SELF
20.0	6.7	119	2	TX PROGRAM, COUNSELOR, SPONSOR
1.7	0.6	10	3	BEING DRUG-FREE
0.7	0.2	4	4	MEDICATION
4.9	1.6	29	5	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
0.7	0.2	4	6	DRUG USE
0.2	0.1	1	7	DECREASED DRUG USE
0.2	0.1	1	8	NOT BEING IN TREATMENT
0.5	0.2	3	9	PHYSICAL ISSUES (ILLNESS, PAIN, PREGNANCY)
1.5	0.5	9	10	MORE MATURE/IMPROVED ATTITUDE OR MOOD
0.8	0.3	5	11	LEGAL ISSUES
7.6	2.5	45	12	OTHER
	66.3	1,184	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2319-2320

**MM35A2 SECOND CHANGE**

Please tell me what changes you have noticed.

Second mention.

1,785 cases (Range of valid codes: 2-122)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2321-2323

<b>MM35A2CT</b>	<b>SECOND CHANGE - CATEGORIZED</b>
-----------------	------------------------------------

Please tell me what changes you have noticed.

Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CONTINUED USING DRUGS
0.0	0.0	0	2	CRAVINGS
0.8	0.2	3	3	DECREASED DRUG/ALCOHOL USE
3.1	0.7	12	4	STOPPED USING DRUGS/ALCOHOL
51.9	11.4	204	5	POSITIVE EMOTIONS/ATTITUDE (HAPPIER, MORE SELF-ESTEEM)
2.3	0.5	9	6	NEGATIVE EMOTIONS/ATTITUDE (ANGRIER, FEARFUL, DEPRESSED)
26.7	5.9	105	7	BETTER RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
1.3	0.3	5	8	WORSE RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.3	0.1	1	9	FINANCIAL
8.1	1.8	32	10	POSITIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
0.3	0.1	1	11	NEGATIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
2.5	0.6	10	12	IMPROVEMENTS AT WORK/SCHOOL
2.8	0.6	11	13	OTHER
	78.0	1,392	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2324-2325

<b>MM35B2</b>	<b>SECOND CAUSE FOR CHANGE</b>
---------------	--------------------------------

You mentioned a change in [CHANGE]? What do you think caused this change?

Second mention.

1,785 cases (Range of valid codes: 1-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2326-2327

**MM35B2CT                      SECOND CAUSE FOR CHANGE - CATEGORIZED**

You mentioned a change in [CHANGE]? What do you think caused this change?

Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	11.6	207	1	SELF
27.0	5.9	106	2	TX PROGRAM, COUNSELOR, SPONSOR
1.0	0.2	4	3	BEING DRUG-FREE
0.8	0.2	3	4	MEDICATION
6.6	1.5	26	5	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
0.5	0.1	2	6	DRUG USE
0.3	0.1	1	7	DECREASED DRUG USE
0.3	0.1	1	8	NOT BEING IN TREATMENT
0.8	0.2	3	9	PHYSICAL ISSUES (ILLNESS, PAIN, PREGNANCY)
1.3	0.3	5	10	MORE MATURE/IMPROVED ATTITUDE OR MOOD
1.0	0.2	4	11	LEGAL ISSUES
7.7	1.7	30	12	OTHER
	78.0	1,393	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2328-2329

**MM35A3                      THIRD CHANGE**

Please tell me what changes you have noticed.

Third mention.

1,785 cases (Range of valid codes: 2-120)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2330-2332

<b>MM35A3CT</b>	<b>THIRD CHANGE - CATEGORIZED</b>
-----------------	-----------------------------------

Please tell me what changes you have noticed.

Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	1	CONTINUED USING DRUGS
0.0	0.0	0	2	CRAVINGS
0.4	0.1	1	3	DECREASED DRUG/ALCOHOL USE
4.2	0.6	10	4	STOPPED USING DRUGS/ALCOHOL
59.3	7.8	140	5	POSITIVE EMOTIONS/ATTITUDE (HAPPIER, MORE SELF-ESTEEM)
2.1	0.3	5	6	NEGATIVE EMOTIONS/ATTITUDE (ANGRIER, FEARFUL, DEPRESSED)
20.8	2.7	49	7	BETTER RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.4	0.1	1	8	WORSE RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.4	0.1	1	9	FINANCIAL
3.4	0.4	8	10	POSITIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
0.0	0.0	0	11	NEGATIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
4.7	0.6	11	12	IMPROVEMENTS AT WORK/SCHOOL
3.8	0.5	9	13	OTHER
	86.8	1,549	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2333-2334

<b>MM35B3</b>	<b>THIRD CAUSE FOR CHANGE</b>
---------------	-------------------------------

You mentioned a change in [CHANGE]? What do you think caused this change?

Third mention.

1,785 cases (Range of valid codes: 1-76)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2335-2336

**MM35B3CT                      THIRD CAUSE FOR CHANGE - CATEGORIZED**

You mentioned a change in [CHANGE]? What do you think caused this change?

Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	7.3	131	1	SELF
23.8	3.1	56	2	TX PROGRAM, COUNSELOR, SPONSOR
0.9	0.1	2	3	BEING DRUG-FREE
0.4	0.1	1	4	MEDICATION
6.4	0.8	15	5	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
0.9	0.1	2	6	DRUG USE
0.4	0.1	1	7	DECREASED DRUG USE
0.4	0.1	1	8	NOT BEING IN TREATMENT
0.0	0.0	0	9	PHYSICAL ISSUES (ILLNESS, PAIN, PREGNANCY)
0.9	0.1	2	10	MORE MATURE/IMPROVED ATTITUDE OR MOOD
0.9	0.1	2	11	LEGAL ISSUES
9.4	1.2	22	12	OTHER
	86.8	1,550	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2337-2338

**MM35A4                      FOURTH CHANGE**

Please tell me what changes you have noticed.

Fourth mention.

1,785 cases (Range of valid codes: 2-120)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2339-2341

<b>MM35A4CT</b>	<b>FOURTH CHANGE - CATEGORIZED</b>
-----------------	------------------------------------

Please tell me what changes you have noticed.

Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CONTINUED USING DRUGS
0.0	0.0	0	2	CRAVINGS
0.0	0.0	0	3	DECREASED DRUG/ALCOHOL USE
0.7	0.1	1	4	STOPPED USING DRUGS/ALCOHOL
54.4	4.5	81	5	POSITIVE EMOTIONS/ATTITUDE (HAPPIER, MORE SELF-ESTEEM)
1.3	0.1	2	6	NEGATIVE EMOTIONS/ATTITUDE (ANGRIER, FEARFUL, DEPRESSED)
25.5	2.1	38	7	BETTER RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.7	0.1	1	8	WORSE RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
2.0	0.2	3	9	FINANCIAL
5.4	0.4	8	10	POSITIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
0.0	0.0	0	11	NEGATIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
7.4	0.6	11	12	IMPROVEMENTS AT WORK/SCHOOL
2.7	0.2	4	13	OTHER
	91.7	1,636	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2342-2343

<b>MM35B4</b>	<b>FOURTH CAUSE FOR CHANGE</b>
---------------	--------------------------------

You mentioned a change in [CHANGE]? What do you think caused this change?

Fourth mention.

1,785 cases (Range of valid codes: 1-72)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2344-2345

**MM35B4CT                      FOURTH CAUSE FOR CHANGE - CATEGORIZED**

You mentioned a change in [CHANGE]? What do you think caused this change?

Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	4.6	82	1	SELF
27.7	2.3	41	2	TX PROGRAM, COUNSELOR, SPONSOR
0.7	0.1	1	3	BEING DRUG-FREE
0.0	0.0	0	4	MEDICATION
6.8	0.6	10	5	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
0.7	0.1	1	6	DRUG USE
0.0	0.0	0	7	DECREASED DRUG USE
0.0	0.0	0	8	NOT BEING IN TREATMENT
0.0	0.0	0	9	PHYSICAL ISSUES (ILLNESS, PAIN, PREGNANCY)
0.7	0.1	1	10	MORE MATURE/IMPROVED ATTITUDE OR MOOD
0.7	0.1	1	11	LEGAL ISSUES
7.4	0.6	11	12	OTHER
	91.7	1,637	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2346-2347

**MM35A5                      FIFTH CHANGE**

Please tell me what changes you have noticed.

Fifth mention.

1,785 cases (Range of valid codes: 2-116)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2348-2350

<b>MM35A5CT</b>	<b>FIFTH CHANGE - CATEGORIZED</b>
-----------------	-----------------------------------

Please tell me what changes you have noticed.

Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CONTINUED USING DRUGS
0.0	0.0	0	2	CRAVINGS
0.9	0.1	1	3	DECREASED DRUG/ALCOHOL USE
0.9	0.1	1	4	STOPPED USING DRUGS/ALCOHOL
52.7	3.3	59	5	POSITIVE EMOTIONS/ATTITUDE (HAPPIER, MORE SELF-ESTEEM)
0.9	0.1	1	6	NEGATIVE EMOTIONS/ATTITUDE (ANGRIER, FEARFUL, DEPRESSED)
25.0	1.6	28	7	BETTER RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
0.0	0.0	0	8	WORSE RELATIONSHIPS W/FAMILY, FRIENDS, SPOUSE, PARTNER
1.8	0.1	2	9	FINANCIAL
7.1	0.4	8	10	POSITIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
0.0	0.0	0	11	NEGATIVE CHANGES IN PHYSICAL/MENTAL CAPABILITIES
5.4	0.3	6	12	IMPROVEMENTS AT WORK/SCHOOL
5.4	0.3	6	13	OTHER
	93.7	1,673	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2351-2352

<b>MM35B5</b>	<b>FIFTH CAUSE FOR CHANGE</b>
---------------	-------------------------------

You mentioned a change in [CHANGE]? What do you think caused this change?

Fifth mention.

1,785 cases (Range of valid codes: 1-70)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2353-2354

**MM35B5CT FIFTH CAUSE FOR CHANGE - CATEGORIZED**

You mentioned a change in [CHANGE]? What do you think caused this change?

Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	3.1	55	1	SELF
31.2	2.0	35	2	TX PROGRAM, COUNSELOR, SPONSOR
0.9	0.1	1	3	BEING DRUG-FREE
0.0	0.0	0	4	MEDICATION
7.1	0.4	8	5	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
0.0	0.0	0	6	DRUG USE
0.0	0.0	0	7	DECREASED DRUG USE
0.9	0.1	1	8	NOT BEING IN TREATMENT
0.0	0.0	0	9	PHYSICAL ISSUES (ILLNESS, PAIN, PREGNANCY)
0.9	0.1	1	10	MORE MATURE/IMPROVED ATTITUDE OR MOOD
0.9	0.1	1	11	LEGAL ISSUES
8.9	0.6	10	12	OTHER
	93.7	1,673	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2355-2356

**MMD\_MO DATE: MONTH**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
25.7	25.7	458	1	JAN. - MARCH
20.1	20.0	357	2	APR. - JUNE
27.2	27.1	484	3	JULY - SEPT.
27.0	26.9	481	4	OCT. - DEC.
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2357-2358

<b>MMT_HH</b>	<b>TIME: HOUR</b>
---------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.1	199	1	
12.0	12.0	214	2	
12.0	11.9	213	3	
11.0	11.0	196	4	
11.0	10.9	195	5	
8.2	8.2	146	6	
5.7	5.7	102	7	
5.2	5.2	92	8	
3.1	3.1	55	9	
3.0	3.0	54	10	
8.4	8.4	150	11	
9.2	9.1	163	12	
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2359-2360

<b>MMT_MM</b>	<b>TIME: MINUTE</b>
---------------	---------------------

1,785 cases (Range of valid codes: 0-59)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2361-2362

<b>MMAMPM</b>	<b>TIME RECORDED AS AM OR PM</b>
---------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.6	190	1	AM
89.3	88.7	1,584	2	PM
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 2363-2364



**MN2A****# OF QUESTIONS RESPONDENT DIDN'T UNDERSTAND**

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	2	0	
29.2	0.4	7	1	
8.3	0.1	2	2	
12.5	0.2	3	3	
12.5	0.2	3	4	
16.7	0.2	4	5	
4.2	0.1	1	7	
4.2	0.1	1	10	
4.2	0.1	1	14	
	95.1	1,698	-9	LEGITIMATE NONRESPONSE
	3.5	62	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2369-2370

**MN3\_1\_1****NOT UNDERSTOOD: INTELLECTUALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	1	CIRCLED
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	4.4	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2371-2372

<b>MN3_1_2</b>	<b>SEVERITY OF INTELLECTUAL DIFFICULTY</b>
----------------	--

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.4	7	1	MILD
11.1	0.1	1	2	MODERATE
11.1	0.1	1	3	EXTREME
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	4.3	76	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2373-2374

<b>MN3_2_1</b>	<b>NOT UNDERSTOOD: LANGUAGE BARRIER</b>
----------------	---

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	4.8	85	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2375-2376

**MN3\_2\_2****SEVERITY OF LANGUAGE BARRIER**

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	4.7	84	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2377-2378

**MN3\_3\_1****NOT UNDERSTOOD: PHYSICALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	4.8	85	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2379-2380

<b>MN3_3_2</b>	<b>SEVERITY OF PHYSICAL DIFFICULTY</b>
----------------	--

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	95.2	1,700	-9	LEGITIMATE NONRESPONSE
	4.7	84	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2381-2382

<b>MN3_4_1</b>	<b>NOT UNDERSTOOD: OTHER</b>
----------------	------------------------------

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	17	4	CIRCLED
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	3.9	69	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2383-2384

**MN3\_4\_2****SEVERITY OF OTHER PROBLEM**

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	0.7	13	1	MILD
12.5	0.1	2	2	MODERATE
6.2	0.1	1	3	EXTREME
	95.2	1,699	-9	LEGITIMATE NONRESPONSE
	3.9	70	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2385-2386

**MN4****WAS THE INTERVIEW A BREAK-OFF?**

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	11	1	YES
99.4	96.5	1,722	2	NO
	2.9	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2387-2388

**MN4A1****BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.0	1,732	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2389-2390

**MN4A2** **BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	97.0	1,731	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2391-2392

**MN4A3** **BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	96.9	1,730	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2393-2394

**MN4A4****BREAK-OFF: RESPONDENT ANGRY ABOUT QUESTIONS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.0	1,732	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2395-2396

**MN4A5****BREAK-OFF: RESPONDENT UPSET ABOUT QUESTIONS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.0	1,732	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2397-2398

**MN4A6** **BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	10	6	CIRCLED
	96.5	1,722	-9	LEGITIMATE NONRESPONSE
	3.0	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2399-2400

**MN5** **RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.5	223	1	EAGER
61.7	59.4	1,060	2	RECEPTIVE
18.6	17.9	319	3	NO REACTION
2.0	1.9	34	4	RELUCTANT
0.5	0.5	9	5	REFUSED
4.3	4.1	74	6	NOT DISCUSSED
	3.6	65	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2401-2402

**MN6****WAS INTERVIEW GIVEN IN MORE THAN 1 SESSION**

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	48	1	YES
97.2	92.4	1,650	2	NO
	4.9	87	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2403-2404

**MN6A1****HOURS OF INTERVIEW BEFORE INTERRUPTED 1ST TIME**

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

\_\_\_\_\_ HOURS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.3	24	0	
35.0	0.8	14	1	
5.0	0.1	2	2	
	92.4	1,649	-9	LEGITIMATE NONRESPONSE
	5.4	96	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2405-2406

<b>MN6A2</b>	<b>MINUTES OF INTERVIEW BEFORE INTERRUPTED 1ST TIME</b>
--------------	---

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

MINUTES			VALUE	LABEL
PCT	PCT	N		
VALID	ALL			
7.3	0.2	3	0	
2.4	0.1	1	3	
2.4	0.1	1	4	
2.4	0.1	1	5	
2.4	0.1	1	6	
9.8	0.2	4	10	
4.9	0.1	2	12	
2.4	0.1	1	14	
2.4	0.1	1	15	
2.4	0.1	1	18	
4.9	0.1	2	20	
2.4	0.1	1	25	
2.4	0.1	1	26	
2.4	0.1	1	27	
7.3	0.2	3	30	
2.4	0.1	1	31	
2.4	0.1	1	32	
2.4	0.1	1	34	
12.2	0.3	5	35	
2.4	0.1	1	37	
2.4	0.1	1	40	
2.4	0.1	1	44	
2.4	0.1	1	50	
4.9	0.1	2	53	
2.4	0.1	1	55	
2.4	0.1	1	57	
2.4	0.1	1	60	
	92.4	1,649	-9	LEGITIMATE NONRESPONSE
	5.3	95	-8	MISSING
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2407-2408

<b>MINIMENTAL STATUS EXAM</b>
-------------------------------

<b>MP1</b>	<b>EVER TALKED TO DOCTOR/MEMORY PROBLEM?</b>
------------	--

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	4	2	NO
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2409-2410

<b>MP2</b>	<b>WHAT IS THE YEAR?</b>
------------	--------------------------

Let me ask you a few questions to check your concentration and memory. What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2411-2412

**MP3** **WHAT SEASON OF THE YEAR?**

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2413-2414

**MP4** **WHAT IS THE DATE?**

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2415-2416

**MP5** **WHAT IS THE DAY OF THE WEEK?**

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2417-2418

**MP6** WHAT IS THE MONTH?

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2419-2420

**MP7** CAN YOU TELL WHERE WE ARE NOW?

Can you tell me where we are right now?  
 For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2421-2422

**MP8** WHAT COUNTY ARE WE IN?

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2423-2424

**MP9** **WHAT CITY/TOWN ARE WE IN?**

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2425-2426

**MP10A** **WHAT FLOOR OF BUILDING ARE WE ON?**

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2427-2428

**MP10B** **WHAT IS THE NAME OF THIS PLACE?**

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,782	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2429-2430

**MP11A****APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . "Apple" "Table" "Penny" Could you repeat the 3 items for me?

Apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2431-2432

**MP11B****TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . "Apple" "Table" "Penny" Could you repeat the 3 items for me?

Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2433-2434



**MP12B****WOULD YOU SUBTRACT 7 FROM 93**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2439-2440

**MP12C****WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.2	4	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2441-2442



**MP13****CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-0-R-L-D. Spell "world" backwards.

How many errors?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	NO ERROR
0.0	0.0	0	1	1 ERROR
0.0	0.0	0	2	2 ERRORS
50.0	0.1	1	3	3 ERRORS
0.0	0.0	0	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	99.9	1,783	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2447-2448

**MP14A****APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2449-2450

**MP14B** **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2451-2452

**MP14C** **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

Penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	CORRECT
25.0	0.1	1	5	ERROR/CAN'T DO/REFUSE
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2453-2454

**MP15A****SHOW WRIST WATCH/ASK/WHAT IS THIS?**

[SHOW WRIST WATCH] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2455-2456

**MP15B****SHOW PENCIL/ASK/WHAT IS THIS?**

[SHOW PENCIL] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2457-2458

**MP16****REPEAT A PHRASE AFTER ME**

I'd like you to repeat a phrase after me.  
The phrase is . . . "No if's, and's or but's"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2459-2460

**MP17** **HAND 'CLOSE YOUR EYES' CARD TO RESPONDENT**

Read the words on this page and then do what it says.  
 [HAND "CLOSE YOUR EYES" CARD TO RESPONDENT]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T READ ENGLISH
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2461-2462

**MP18A** **TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Takes paper in right hand.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2463-2464

**MP18B****FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Folds paper in half.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2465-2466

**MP18C****PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Puts paper down on lap.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2467-2468

**MP19 WRITE COMPLETE SENTENCE ON PAPER**

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T WRITE (ENGLISH)
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2469-2470

**MP20 COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper. [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2471-2472

**MP21 12/>12 05S CODED IN M2-M11/M14-M20?**

ARE 12 OR MORE "05'S" CODED IN P2-P11 AND P14-P20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	4	2	NO
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2473-2474

<b>MPDM</b>	<b>DATE: MONTH</b>
-------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT
60.0	0.2	3	1	JAN. - MARCH
0.0	0.0	0	2	APR. - JUNE
20.0	0.1	1	3	JULY - SEPT.
20.0	0.1	1	4	OCT. - DEC.
	99.7	1,780	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2475-2476

<b>MPTH</b>	<b>TIME: HOUR</b>
-------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	
25.0	0.1	1	3	
25.0	0.1	1	7	
25.0	0.1	1	11	
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2477-2478

<b>MPTM</b>	<b>TIME: MINUTE</b>
-------------	---------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	5	
50.0	0.1	2	30	
25.0	0.1	1	59	
	99.8	1,781	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2479-2480

<b>MPAMP</b>	<b>TIME RECORDED AS AM OR PM</b>			
--------------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	AM
66.7	0.1	2	2	PM
	99.8	1,782	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 2481-2482

<b>RECODED VARIABLES: CLIENT CHARACTERISTICS</b>
--

<b>SEX</b>	<b>GENDER</b>
------------	---------------

I do need to ask if you are male or female.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	70.3	1,254	1	MALE
29.7	29.7	531	2	FEMALE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Column: 106

<b>AGE</b>	<b>AGE AT INTAKE</b>
------------	----------------------

I'd like to start the interview with some questions about your background. How old are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	14	12	12 OR YOUNGER
4.3	4.3	76	13	
13.3	13.3	238	14	
23.6	23.6	422	15	
27.8	27.8	497	16	
22.5	22.5	401	17	
7.7	7.7	137	18	18 OR OLDER
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 107-108

**HLTHINS****HEALTH INSURANCE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	13.9	249	0	NONE
44.8	41.7	744	1	PRIVATE /OTHER
30.5	28.4	507	2	PUBLIC
9.7	9.1	162	3	UNKNOWN TYPE
	0.3	6	-8	MISSING
	6.6	117	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 109-110

**FTWORK****WEEKS FULL-TIME WORK YEAR BEFORE TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	81.7	1,459	0	NONE
11.0	10.9	195	1	1 TO 13 WEEKS
5.5	5.5	98	2	14 TO 39 WEEKS
1.1	1.1	20	3	40 TO 52 WEEKS
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 111-112

<b>MSTAT</b>	<b>MARITAL STATUS</b>
--------------	-----------------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	LEGALLY MARRIED
0.1	0.1	1	2	SEPARATED
0.0	0.0	0	3	DIVORCED OR WIDOWED
0.3	0.3	5	5	LIVING AS MARRIED
99.4	99.2	1,771	6	NEVER MARRIED
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 113-114

<b>INSCHOOL</b>	<b>CURRENTLY IN SCHOOL</b>
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	34.1	608	0	NOT ENROLLED
65.9	65.9	1,176	1	ENROLLED
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 115-116

<b>RACE</b>	<b>RACE &amp; ETHNICITY</b>
-------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.1	1,019	1	CAUCASIAN/WHITE
21.0	21.0	374	2	AFRO-AMERICAN/BLACK
17.2	17.2	307	3	HISPANIC
4.8	4.8	85	4	OTHER
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Column: 117

<b>EDLEV</b>	<b>HIGHEST GRADE ATTENDED</b>
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.2	0.2	3	1	GRADE SCHOOL
19.2	19.2	342	2	MIDDLE SCHOOL
27.5	27.5	490	3	GRADE 9
26.0	26.0	464	4	GRADE 10
19.1	19.1	341	5	GRADE 11
5.4	5.4	96	6	GRADE 12
2.7	2.7	48	7	HS GRADUATE/GED
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 118-119

<b>RACESEX</b>	<b>ETHNICITY &amp; GENDER</b>
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	39.7	709	1	CAUCASIAN/WHITE MALE
15.2	15.2	272	2	AFRO-AMERICAN/BLACK MALE
12.7	12.7	226	3	HISPANIC MALE
2.6	2.6	47	4	OTHER MALE
17.4	17.4	310	5	CAUCASIAN/WHITE FEMALE
5.7	5.7	102	6	AFRO-AMERICAN/BLACK FEMALE
4.5	4.5	81	7	HISPANIC FEMALE
2.1	2.1	38	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 120

<b>CJ_STAT</b>	<b>CRIMINAL JUSTICE STATUS</b>			
----------------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	45.5	812	0	NO LEGAL STATUS
10.9	10.9	194	1	IN JAIL/DETENTION
33.5	33.4	597	2	PROBATION
1.1	1.1	20	3	PAROLE
8.9	8.9	158	4	CASE PENDING
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 174-175

<b>IAY_SIA</b>	<b>SERIOUS ILLEGAL ACTS YEAR BEFORE TREATMENT</b>			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	36.8	656	0	NONE
14.2	13.7	244	1	1-2 ACTS
20.3	19.6	349	2	3-10 ACTS
27.5	26.6	474	3	10 OR MORE ACTS
	3.5	62	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 176-177

<b>MAJSRC</b>	<b>MAJOR SOURCE OF INCOME</b>
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.5	187	0	NO INCOME
28.3	26.6	475	1	LEGAL WORK
2.6	2.5	44	2	PUBLIC ASSISTANCE
1.1	1.1	19	3	SOCIAL SECURITY
21.7	20.4	364	4	FAMILY, FRIENDS
33.9	31.9	569	5	ILLEGAL SOURCES
1.3	1.2	21	6	OTHER SOURCES
	0.7	13	-8	MISSING
	5.2	93	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 178-179

<b>REFER</b>	<b>REFERRAL SOURCE</b>
--------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	104	0	SELF (ONLY IF NO OTHER PRIMARY OR SECONDARY MENTIONED)
2.7	2.7	48	1	MEDICAL SERVICE
7.5	7.5	134	2	COMMUNITY AGENCY
33.9	33.8	604	3	LEGAL SYSTEM
45.1	45.0	804	4	FAMILY OR FRIENDS
4.5	4.5	80	5	SCHOOL OR EMPLOYER
0.5	0.5	9	6	OTHER
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 180-181

<b>RESTRICT</b>	<b>WEEKS RESTRICTED IN YEAR BEFORE TREATMENT</b>			
-----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	42.2	753	0	NO WEEKS RESTRICTED
28.7	27.6	492	1	1 TO 4 WEEKS RESTRICTED
13.9	13.3	238	2	5 TO 13 WEEKS RESTRICTED
11.0	10.6	189	3	14 TO 26 WEEKS RESTRICTED
2.6	2.5	44	4	27 TO 39 WEEKS RESTRICTED
0.0	0.0	0	5	40 TO 50 WEEKS RESTRICTED
0.0	0.0	0	6	51 TO 52 WEEKS RESTRICTED
	3.9	69	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 182-183

<b>SCHOOL</b>	<b>SCHOOL STATUS AT INTAKE</b>			
---------------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	34.1	608	0	NOT IN SCHOOL
5.6	5.6	100	1	SPECIAL EDUCATION
9.4	9.4	168	2	MIDDLE SCHOOL
41.0	40.9	730	3	HIGH SCHOOL
0.7	0.7	13	4	POST-SECONDARY
9.1	9.1	162	5	OTHER
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 186-187

<b>DEP_YR</b>	<b>DEPRESSIVE SYMPTOMS YEAR BEFORE TREATMENT</b>			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	63.0	1,125	0	NO SIGNS OF DEPRESSION
8.8	8.8	157	1	FELT DEPRESSED
13.6	13.6	243	2	SUICIDAL THOUGHTS
14.6	14.6	260	3	SUICIDAL ATTEMPT (S)
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 188

<b>EMPSTAT</b>	<b>EMPLOYMENT WK BF/ADMISSION</b>			
----------------	-----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	132	1	WORKING
28.9	28.9	516	2	LOOKING FOR WORK/GOING TO SCHOOL
1.7	1.7	31	3	KEEPING HOUSE
0.1	0.1	2	4	DISABLED/RETIRED
24.3	24.3	433	5	IN JAIL, RESIDENTIAL TX, OTHER INST
17.8	17.8	318	6	DRUG RELATED OR ILLEGAL ACTIVITIES
19.8	19.8	353	7	OTHER, MULTIPLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 189

<b>IAPY</b>	<b>FREQUENCY OF ILLEGAL ACTIVITY YEAR BEFORE TREATMENT</b>			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	42.3	755	0	NONE
22.4	22.1	394	1	MONTHLY
17.2	17.0	303	2	WEEKLY
17.5	17.3	309	3	DAILY
	1.3	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 190-191

<b>MAV_MST</b>	<b>MARITAL STATUS AT FOLLOW-UP</b>			
----------------	------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	20	1	MARRIED
0.2	0.2	4	2	LEGALLY SEPARATED
0.1	0.1	1	3	DIVORCED
0.1	0.1	1	4	WIDOWED
3.4	3.4	61	5	LIVING AS MARRIED
95.1	95.0	1,695	6	NEVER MARRIED
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 5-6

MAV_RACE	RACE/ETHNICITY			
----------	----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	57.7	1,030	1	WHITE/CAUCASIAN
21.2	21.0	374	2	BLACK/AFRICAN AMERICAN
16.8	16.6	296	3	OF HISPANIC/SPANISH ORIGIN OR DESCENT
3.7	3.7	66	4	OTHER
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 7-8

MAV_CJS	CRIMINAL JUSTICE STATUS			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	63.6	1,135	0	NO CRIMINAL JUSTICE STATUS
4.9	4.9	88	1	IN JAIL / DETENTION
23.7	23.6	421	2	PROBATION
2.6	2.6	46	3	PAROLE
5.0	5.0	89	4	CASE PENDING/OTHER STATUS
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 9-10

**MBV\_TERM                      MAIN REASON LEFT TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	STILL IN TREATMENT (DATOS FOLLOWUP ONLY)
58.7	58.3	1,041	1	COMPLETED TREATMENT
11.7	11.6	207	2	INVOLUNTARILY DISCHARGED
1.5	1.5	27	3	TRANSFERRED
8.9	8.8	157	4	QUIT - PERSONAL REASONS
2.5	2.5	44	5	QUIT - FINANCIAL REASONS
12.1	12.0	214	6	QUIT - DISSATISFIED WITH PROGRAM
4.7	4.6	83	7	OTHER REASON
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 11-12

**MCV\_SUIC                      SUICIDAL T/A YEAR BEFORE TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	75.5	1,348	0	NO SUICIDAL THOUGHTS OR ATTEMPTS
12.0	12.0	214	1	SUICIDAL THOUGHTS
12.3	12.3	219	2	SUICIDAL ATTEMPTS
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 15-16

**MCV\_CJS                      CRIMINAL JUSTICE STATUS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.8	942	0	NO CRIMINAL JUSTICE STATUS
6.0	6.0	107	1	IN JAIL / DETENTION
34.8	34.8	621	2	PROBATION
0.7	0.7	12	3	PAROLE
5.6	5.6	100	4	CASE PENDING/OTHER STATUS
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 19-20

MCV_DR	DRUG RELATED ARRESTS			
--------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	69.5	1,241	0	NONE
21.3	21.2	378	1	1 TO 2 ARRESTS
8.7	8.6	154	2	3 OR MORE ARRESTS
	0.7	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 21-22

MCV_DWI	DWI/DUI ARRESTS			
---------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	95.7	1,708	0	NONE
2.8	2.8	50	1	1 TO 2 ARRESTS
0.5	0.5	9	2	3 OR MORE ARRESTS
	1.0	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 23-24

MCV_NDR	NON DRUG ARRESTS			
---------	------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	51.2	914	0	NONE
27.1	27.1	483	1	1 TO 2 ARRESTS
21.6	21.5	384	2	3 OR MORE ARRESTS
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 25-26

**MCV\_EMP****EMPLOYMENT STATUS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	101	1	WORKING
25.1	24.5	437	2	LOOKING FOR WORK/GOING TO SCHOOL
0.9	0.9	16	3	KEEPING HOUSE
0.1	0.1	2	4	DISABLED/RETIRED
14.9	14.5	259	5	IN JAIL, RESIDENTIAL TREATMENT, OTHER INSTITUTION
34.0	33.2	593	6	DRUG RELATED OR ILLEGAL ACTIVITIES
19.2	18.7	334	7	OTHER, MULTIPLE
	2.4	43	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-28

**MCV\_SUI****SUICIDAL IDEATION OR ATTEMPTS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	75.5	1,348	0	NO SUICIDAL THOUGHTS OR ATTEMPTS
12.0	12.0	214	1	SUICIDAL THOUGHTS
12.3	12.3	219	2	SUICIDAL ATTEMPTS
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 47-48

MDV_EDYR	HIGHEST GRADE COMPLETED			
----------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	NONE
16.2	16.2	289	1	GRADE SCHOOL (1-8 GRADES)
68.3	68.2	1,218	2	SOME HIGH SCHOOL (9-11)
13.7	13.7	245	3	COMPLETED 12 GRADES
1.6	1.6	28	4	13 TO 16 YEARS
0.1	0.1	1	5	17 OR MORE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 49-50

MDV_DEG	HIGHEST DEGREE RECEIVED YEAR AFTER TREATMENT			
---------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	78.1	1,394	0	NONE
2.2	2.2	39	1	CERTIFICATE OR LICENSE
10.3	10.3	184	2	HIGH SCHOOL EQUIVALENCY/GED
9.2	9.2	165	3	HIGH SCHOOL DEGREE
0.2	0.2	3	4	JR COLLEGE OR AA DEGREE
0.0	0.0	0	5	BACHELORS DEGREE
0.0	0.0	0	6	ADVANCED DEGREE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Column: 51

<b>MDV_ENRL</b>	<b>SCHOOL CURRENTLY ENROLLED IN</b>
-----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	51.6	921	0	NONE
5.7	5.7	102	1	JOB CORPS OR SPECIAL EDUCATION OR OTHER
1.2	1.2	21	2	MIDDLE SCHOOL
0.7	0.7	12	3	ADULT BASIC EDUCATION
1.8	1.8	32	4	TECHNICAL OR TRADE SCHOOL
7.6	7.6	136	5	HIGH SCHOOL EQUIVALENCY GED
25.1	25.1	448	6	HIGH SCHOOL
4.3	4.3	76	7	JR COLLEGE
2.1	2.1	37	8	COLLEGE OR GRADUATE SCHOOL
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 52

<b>MFV_SUIC</b>	<b>SUICIDAL T/A YEAR AFTER TREATMENT</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	87.9	1,569	0	NO SUICIDAL THOUGHTS OR ATTEMPTS
8.5	8.5	152	1	SUICIDAL THOUGHTS
3.5	3.5	62	2	SUICIDAL ATTEMPTS
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 77-78

<b>MGV_DR</b>	<b>DRUG RELATED ARRESTS PAST YR</b>
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	85.5	1,526	0	NO ARRESTS
11.3	11.3	201	1	1 TO 2 ARRESTS
2.8	2.7	49	2	3 OR MORE ARRESTS
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 79-80

<b>MGV_DWI</b>	<b>DWI/DUI ARRESTS PAST YR</b>
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	97.5	1,740	0	NO ARRESTS
1.9	1.9	34	1	1 TO 2 ARRESTS
0.0	0.0	0	2	3 OR MORE ARRESTS
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 81-82

<b>MGV_NDR</b>	<b>NON DRUG ARRESTS PAST YR</b>
----------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	68.8	1,228	0	NO ARRESTS
24.4	24.4	435	1	1 TO 2 ARRESTS
6.6	6.6	118	2	3 OR MORE ARRESTS
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 83-84

<b>MGV_JAIL</b>	<b>DAYS IN JAIL-YEAR AFTER TREATMENT</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	65.8	1,175	0	NONE
10.7	10.7	191	1	1 TO 10 DAYS
5.6	5.6	100	2	11 TO 30 DAYS
5.6	5.5	99	3	31 TO 91 DAYS
5.2	5.2	93	4	92 TO 182 DAYS
6.7	6.7	120	5	183 DAYS OR MORE
	0.4	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 85-86

<b>MHV_FTWK</b>	<b>WEEKS FULL-TIME WORK--YEAR AFTER TREATMENT</b>
-----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	53.7	958	0	NONE
17.9	17.7	316	1	1 TO 13 WEEKS
16.4	16.2	290	2	14 TO 39 WEEKS
11.3	11.2	200	3	40 TO 52 WEEKS
	1.2	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 87-88

<b>MHV_EMP</b>	<b>EMPLOYMENT STATUS AT FOLLOW-UP</b>
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	30.6	546	1	WORKING
36.1	36.0	642	2	LOOKING FOR WORK/GOING TO SCHOOL
6.5	6.5	116	3	KEEPING HOUSE
0.3	0.3	6	4	DISABLED/RETIRED
7.5	7.5	134	5	IN JAIL, RESIDENTIAL TREATMENT, OTHER INSTITUTION
3.3	3.2	58	6	DRUG RELATED OR ILLEGAL ACTIVITIES
15.4	15.4	274	7	OTHER, MULTIPLE
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 89-90

<b>MJV_SRC</b>	<b>MAJOR SOURCE OF INCOME-YEAR AFTER TREATMENT</b>			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	22.0	392	0	NO INCOME
50.1	50.1	894	1	LEGAL WORK
5.7	5.7	101	2	PUBLIC ASSISTANCE
2.2	2.2	40	3	SOCIAL SECURITY
8.6	8.6	153	4	FAMILY, FRIENDS
10.4	10.4	185	5	ILLEGAL SOURCES
1.1	1.1	20	6	OTHER SOURCES
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 91

<b>MLV_RSK1</b>	<b>PARTNER EXCHANGED MONEY/DRUGS FOR SEX</b>			
-----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	97.0	1,731	0	NO
3.0	3.0	54	1	YES
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 92

<b>MLV_RSK2</b>	<b>YOU TAKE MONEY/DRUGS FOR SEX</b>			
-----------------	-------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	97.0	1,731	0	NO
3.0	3.0	54	1	YES
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 93

<b>MLV_RSK3</b>	<b>SEX W/NEEDLE USER</b>
-----------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	97.1	1,733	0	NO
2.9	2.9	52	1	YES
----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 94

<b>MLV_RSK4</b>	<b>SEX W/HIV + PARTNER</b>
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	99.0	1,767	0	NO
1.0	1.0	18	1	YES
----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 95

<b>MLV_RSK6</b>	<b>PARTNER HAD SEX W/PROSTITUTE</b>
-----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.9	1,747	0	NO
2.1	2.1	38	1	YES
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Column: 96

<b>MLV_SEXB</b>	<b>PARTNERS /CONDOM USE</b>
-----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.2	165	0	NOT ACTIVE
12.0	12.0	214	1	1 PARTNER, ALWAYS USE CONDOMS
18.8	18.8	335	2	1-PARTNER, SOME/NEVER USE CONDOMS
17.0	16.9	302	3	2-4 PARTNERS, ALWAYS USE CONDOMS
23.2	23.1	412	4	2-4 PARTNERS, SOME/NEVER USE CONDOMS
7.3	7.3	130	5	5 OR MORE PARTNERS, ALWAYS USE CONDOMS
12.4	12.4	221	6	5 OR MORE PARTNERS, SOMETIMES/NEVER USE CONDOMS
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 97-98

<b>MLV_RSK5</b>	<b>MULTIPLE PARTNERS NO/LOW CONDOM USE</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	64.2	1,146	0	NO
35.6	35.5	633	1	YES
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 99-100

<b>MGV_SIA</b>	<b>SERIOUS ILLEGAL ACTS--YEAR AFTER TREATMENT</b>			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	68.7	1,226	0	NONE
10.9	10.8	193	1	1 TO 2 ACTS
6.0	5.9	106	2	3 TO 5 ACTS
4.6	4.6	82	3	6 TO 10 ACTS
4.3	4.3	76	4	11 TO 25 ACTS
5.0	5.0	89	5	OVER 25 ACTS
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 103-104

<b>MUSA</b>	<b>URINE SAMPLE</b>			
-------------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	74.0	1,321	1	NO URINE SAMPLE
26.0	26.0	464	2	URINE SAMPLE
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 248

<b>RECODED VARIABLES: SUBSTANCE USE</b>
---

<b>HVY_ALC</b>	<b>HEAVY ALCOHOL USE</b>
----------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	69.9	1,248	0	NOT A HEAVY USER
29.7	29.5	527	1	HEAVY ALCOHOL USER
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 121-122

<b>ALCR</b>	<b>ALCOHOL USE YEAR BEFORE TREATMENT</b>
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.1	251	0	NO USE
42.3	42.1	752	1	MONTHLY USE
35.2	35.1	626	2	WEEKLY USE
8.4	8.4	150	3	DAILY USE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 123-124

<b>MRJR</b>	<b>MARIJUANA USE YEAR BEFORE TREATMENT</b>
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	156	0	NO USE
9.7	9.7	173	1	MONTHLY USE
28.5	28.5	509	2	WEEKLY USE
53.0	53.0	946	3	DAILY USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 125-126

<b>COCR</b>	<b>COCAINE USE YEAR BEFORE TREATMENT</b>
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	82.0	1,464	0	NO USE
7.0	7.0	125	1	MONTHLY USE
7.2	7.2	129	2	WEEKLY USE
3.7	3.7	66	3	DAILY USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 127-128

<b>HERR</b>	<b>HEROIN USE YEAR BEFORE TREATMENT</b>
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	95.7	1,708	0	NO USE
0.9	0.9	16	1	MONTHLY USE
1.6	1.6	28	2	WEEKLY USE
1.6	1.6	28	3	DAILY USE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 129-130

<b>NARR</b>	<b>OTHER OPIOID USE YEAR BEFORE TREATMENT</b>
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	93.5	1,669	0	NO USE
3.6	3.5	63	1	MONTHLY USE
1.6	1.6	29	2	WEEKLY USE
0.5	0.4	8	3	DAILY USE
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 131-132

<b>SEDR</b>	<b>SEDATIVES YEAR BEFORE TREATMENT</b>			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.7	1,709	0	NO USE
2.2	2.2	39	1	MONTHLY USE
1.5	1.5	27	2	WEEKLY USE
0.5	0.5	9	3	DAILY USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 133-134

<b>AMPR</b>	<b>AMPHETAMINE USE YEAR BEFORE TREATMENT</b>			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	86.6	1,546	0	NO USE
4.8	4.8	85	1	MONTHLY USE
4.5	4.5	80	2	WEEKLY USE
4.0	4.0	71	3	DAILY USE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 135-136

<b>HALR</b>	<b>HALLUCINOGENS YEAR BEFORE TREATMENT</b>			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	70.4	1,256	0	NO USE
17.7	17.7	316	1	MONTHLY USE
9.9	9.9	177	2	WEEKLY USE
1.9	1.8	33	3	DAILY USE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 137-138



<b>COCWK</b>	<b>COCAINE WEEKLY+ YEAR BEFORE TREATMENT</b>			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	89.0	1,589	0	LESS THAN WEEKLY USE
10.9	10.9	195	1	WEEKLY OR MORE USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 145-146

<b>HERWK</b>	<b>HEROIN WEEKLY+ YEAR BEFORE TREATMENT</b>			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	96.6	1,724	0	LESS THAN WEEKLY USE
3.1	3.1	56	1	WEEKLY OR MORE USE
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 147-148

<b>NARWK</b>	<b>OTHER OPIOIDS WEEKLY+ YEAR BEFORE TREATMENT</b>			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.0	1,732	0	LESS THAN WEEKLY USE
2.1	2.1	37	1	WEEKLY OR MORE USE
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 149-150



<b>INHWK</b>	<b>INHALANTS WEEKLY+ YEAR BEFORE TREATMENT</b>			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	95.9	1,712	0	LESS THAN WEEKLY USE
4.0	4.0	72	1	MONTHLY USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 157-158

<b>MRJ_EV</b>	<b>MARIJUANA - EVER USED</b>			
---------------	------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	52	0	NO USE
4.8	4.8	85	1	1 - 5 TIMES
92.3	92.3	1,648	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Column: 159

<b>COC_EV</b>	<b>COCAINE EVER USED</b>			
---------------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	58.6	1,046	0	NO USE
22.4	22.4	399	1	1 - 5 TIMES
19.0	19.0	339	2	MORE THAN 5 TIMES
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 160-161



AMP_EV	AMPHETAMINES EVER USED			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	75.9	1,354	0	NO USE
9.9	9.9	177	1	1 - 5 TIMES
14.1	14.1	251	2	MORE THAN 5 TIMES
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 168-169

HAL_EV	HALLUCINOGENS - EVER USED			
--------	---------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	47.3	845	0	NO USE
21.1	21.1	376	1	1 - 5 TIMES
31.4	31.4	560	2	MORE THAN 5 TIMES
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 170-171

INH_EV	INHALANTS - EVER USED			
--------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	72.0	1,286	0	NO USE
14.7	14.7	263	1	1 - 5 TIMES
13.2	13.2	235	2	MORE THAN 5 TIMES
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 172-173



MCV_ALC	ALCOHOL USE
---------	-------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.7	298	0	NO USE
28.5	28.3	505	1	MONTHLY
38.7	38.4	686	2	WEEKLY
16.1	16.0	285	3	DAILY
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 29-30

MCV_HAL	HALLUCINOGEN USE
---------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	53.0	946	0	NO USE
30.6	30.5	545	1	MONTHLY
13.6	13.6	242	2	WEEKLY
2.6	2.6	47	3	DAILY
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 31-32

MCV_MRJ	MARIJUANA USE
---------	---------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	121	0	NO USE
9.4	9.4	167	1	MONTHLY
23.6	23.4	417	2	WEEKLY
60.1	59.6	1,064	3	DAILY
	0.9	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 33-34

<b>MCV_COC</b>	<b>COCAINE USE</b>
----------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	68.9	1,229	0	NO USE
16.4	16.3	291	1	MONTHLY
8.0	8.0	142	2	WEEKLY
6.2	6.2	110	3	DAILY
	0.7	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 35-36

<b>MCV_CRK</b>	<b>CRACK USE</b>
----------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	86.1	1,537	0	NO USE
6.4	6.3	112	1	MONTHLY
3.1	3.0	54	2	WEEKLY
2.6	2.6	46	3	DAILY
	2.0	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 37-38

<b>MCV_HER</b>	<b>HEROIN USE</b>
----------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	90.8	1,620	0	NO USE
4.7	4.7	84	1	MONTHLY
1.3	1.3	23	2	WEEKLY
2.4	2.4	43	3	DAILY
	0.8	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 39-40

MCV_NAR	OPIOID USE			
---------	------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	82.5	1,472	0	NO USE
13.1	13.0	232	1	MONTHLY
3.0	3.0	53	2	WEEKLY
1.1	1.1	19	3	DAILY
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 41-42

MCV_SED	SEDATIVE OR BARBITURATE USE			
---------	-----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	84.8	1,514	0	NO USE
10.1	10.0	179	1	MONTHLY
3.7	3.7	66	2	WEEKLY
1.2	1.2	21	3	DAILY
	0.3	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 43-44

MCV_AMP	AMPHETAMINE USE			
---------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	73.3	1,308	0	NO USE
13.9	13.8	246	1	MONTHLY
7.2	7.1	127	2	WEEKLY
5.3	5.3	95	3	DAILY
	0.5	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 45-46

<b>MEV_HALC</b>	<b>HEAVY ALCOHOL USE-YEAR AFTER TREATMENT</b>
-----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	81.8	1,460	0	NO HEAVY USE
17.0	16.8	299	1	HEAVY ALCOHOL USE
	1.5	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 53-54

<b>MEV_INJ</b>	<b>INJECTION DRUG USE-YEAR AFTER TREATMENT</b>
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	98.3	1,754	0	NO INJECTION DRUG USE
1.7	1.7	31	1	INJECTION DRUG USE
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Column: 55

<b>MEV_ALC</b>	<b>ALCOHOL USE</b>
----------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	32.5	580	0	NO USE
42.5	41.7	745	1	MONTHLY
20.8	20.4	365	2	WEEKLY
3.7	3.6	65	3	DAILY
	1.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 56-57

MEV_MRJ	MARIJUANA USE			
---------	---------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.3	594	0	NO USE
22.9	22.5	401	1	MONTHLY
21.6	21.2	378	2	WEEKLY
21.5	21.1	376	3	DAILY
	2.0	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 58-59

MEV_HAL	HALLUCINOGEN USE			
---------	------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	76.1	1,359	0	NO USE
19.0	18.8	336	1	MONTHLY
3.6	3.5	63	2	WEEKLY
0.4	0.4	7	3	DAILY
	1.1	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 60-61

MEV_COC	COCAINE USE			
---------	-------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	81.2	1,449	0	NO USE
12.1	11.9	213	1	MONTHLY
3.7	3.6	65	2	WEEKLY
1.7	1.7	30	3	DAILY
	1.6	28	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 62-63

<b>MEV_CRK</b>	<b>CRACK USE</b>
----------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	96.1	1,715	0	NO USE
2.4	2.4	42	1	MONTHLY
1.1	1.1	20	2	WEEKLY
0.4	0.4	8	3	DAILY
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 64

<b>MEV_HER</b>	<b>HEROIN USE</b>
----------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	95.8	1,710	0	NO USE
2.6	2.6	47	1	MONTHLY
0.5	0.4	8	2	WEEKLY
0.5	0.5	9	3	DAILY
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 65-66

<b>MEV_NAR</b>	<b>OTHER OPIOID USE</b>
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	91.4	1,631	0	NO USE
6.5	6.4	115	1	MONTHLY
0.8	0.8	15	2	WEEKLY
0.3	0.3	5	3	DAILY
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 67-68

MEV_SED	SEDATIVE OR BARBITURATE USE			
---------	-----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	92.9	1,658	0	NO USE
4.2	4.1	74	1	MONTHLY
1.4	1.4	25	2	WEEKLY
0.5	0.5	9	3	DAILY
	1.1	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 69-70

MEV_AMP	AMPHETAMINE USE			
---------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	88.2	1,575	0	NO USE
7.9	7.9	141	1	MONTHLY
2.3	2.2	40	2	WEEKLY
1.1	1.1	19	3	DAILY
	0.6	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 71-72

MEV_NDRG	NUMBER DRUGS USED WEEKLY			
----------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	49.4	882	0	
27.7	27.7	494	1	
16.9	16.9	302	2	
4.0	4.0	71	3	
1.1	1.1	20	4	
0.4	0.4	8	5	
0.4	0.4	8	6	
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Column: 73

<b>MEV_PAT</b>	<b>DRUG USE PATTERN-YEAR AFTER TREATMENT</b>
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	22	1	HEROIN/NARCOTIC/NO COKE
0.7	0.7	13	2	COKE W/HEROIN OR NARCOTICS
0.4	0.4	8	3	COKE ONLY
0.3	0.3	5	4	COKE AND ALCOHOL
3.9	3.9	69	5	COKE PLUS OTHER DRUGS
42.9	42.9	766	6	MARIJUANA AND/OR ALCOHOL
50.5	50.5	902	7	RESIDUAL
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Column: 74

<b>MEV_PDRG</b>	<b>PRIMARY DRUG-YEAR AFTER TREATMENT</b>
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	61.0	1,089	0	NONE
3.2	3.1	56	10	ALCOHOL
22.1	21.7	387	20	MARIJUANA
2.2	2.2	39	30	HALLUCINOGENS
4.9	4.8	85	40	COCAINE
1.0	1.0	18	41	CRACK
1.3	1.2	22	50	HEROIN/SPEEDBALL
0.1	0.1	2	60	NARCOTICS OR OPIATES
0.3	0.3	6	70	SEDATIVE/BARBITURATES
2.2	2.1	38	80	AMPHETAMINES
0.3	0.3	6	90	OTHER DRUGS
	2.1	37	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 75-76

<b>RECODED VARIABLES: TREATMENT</b>
-------------------------------------

<b>DRUGTX</b>	<b># OF PRIOR DRUG TX</b>
---------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	69.6	1,243	0	
20.3	20.2	361	1	
5.7	5.7	102	2	
2.4	2.4	43	3	
1.9	1.8	33	4	4 OR MORE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 184-185

<b>PDT</b>	<b>PRIOR DRUG TREATMENTS</b>
------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	69.6	1,243	0	NONE
26.0	25.9	463	1	1-2
4.3	4.3	76	2	3 OR MORE
	0.2	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 192-193

**MCV\_PDT****DRUG TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	76.1	1,358	0	NO DRUG TREATMENT PRIOR TO INDEX TREATMENT
13.0	13.0	232	1	1 PRIOR DRUG TREATMENT ADMISSION
7.5	7.5	134	2	2-3 PRIOR ADMISSIONS
3.1	3.1	55	3	4 OR MORE PRIOR ADMISSIONS
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 17-18

**MMV\_DT****SUBSEQUENT DRUG TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	79.7	1,422	0	NONE
14.9	14.8	264	1	1 ADMISSION
3.8	3.8	68	2	2 TO 3 ADMISSIONS
1.1	1.1	20	3	4 OR MORE ADMISSIONS
	0.6	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,785		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 101-102



## APPENDIX A: Publications

Broome, K. M., Joe, G. W., & Simpson, D. D. (2001). Engagement models for adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 608-623.

Delany, P. J., Broome, K. M., Flynn, P. M., & Fletcher, B. W. (2001). Treatment service patterns and organizational structures: An analysis of programs in DATOS-A. *Journal of Adolescent Research*, 16(6), 590-607.

Etheridge, R. M., Rounds-Bryant, J. L., Smith, J. C., & Hubbard, R. L. (2001). Drug abuse treatment and comprehensive services for adolescents. *Journal of Adolescent Research*, 16(6), 563-589.

Farabee, D., Shen, H., Hser, Y., Grella, C. E., & Anglin, M. D. (2001). The effect of drug treatment on criminal behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 679-696.

Galaif, E. R., Hser, Y., Grella, C. E., & Joshi, V. (2001). Prospective risk factors and treatment outcomes among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 661-678.

Grella, C. E. & Joshi, V. (2003). Treatment processes and outcomes among adolescents with a history of abuse who are in drug treatment. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8(1), 7-18.

Hser, Y., Grella, C. E., Hubbard, R. L., Hsieh, S. C., Fletcher, B. W., Brown, B. S., & Anglin, M. D. (2001). An evaluation of drug treatment for adolescents in four U.S. cities. *Archives of General Psychiatry*, 58(7), 689-695.

Joshi, V., Hser, Y., Grella, C. E., & Houlton, R. (2001). Sex-related HIV risk reduction behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 642-660.

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.

Rounds-Bryant, J. L., & Staab, J. (2001). Patient characteristics and treatment outcomes for African American, Hispanic, and White adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 624-641.

Wong, M. M., Hser, Y. I., & Grella, C. E. (2002). Compliance among adolescents during drug treatment. *Journal of Child & Adolescent Substance Use*, 12(2), 13-31.

Grella, C. E. (in press). The drug abuse treatment outcomes studies: Outcomes with adolescent substance abusers. In H. Liddle and C. Rowe (Eds.), *Adolescent Substance Abuse: Intervention and Management*. Cambridge, UK: Cambridge University Press.