

**Gambling Impact and Behavior  
Study, 1997-1999: [United States]**

*National Gambling Impact Study  
Commission*

Youth Survey Codebook



\*\*Processor Notes\*\*  
Gambling Impact and Behavior Study, 1997-99

- 1) The codebook contains several references to a SAS data file (YOUTHPUF.SD2) that was originally created by the data producers. The data collection does not contain a dataset by this name.

To provide the data to users in a format that is neither system- nor platform-specific, the data file is in ASCII text format with SAS and SPSS data definition statements. The ASCII data file, in accordance with the standard naming convention, is called da2778.p2. The p2 file extension identifies this data file as part two (i.e. the Youth Survey) of the Gambling Impact and Behavior Study.

- 2) Question B113\_ (CHARITABLE TYPE OF GAME) was dropped from the data set, in order to resolve certain problems with the responses.

#### UPDATED PROCESSOR NOTE

The second edition of this data collection corrects errors in column locations for several variables, which were previously mis-specified. The recodes performed in this second edition changed the logical record length of the data files. The new column location specifications are documented in this revised codebook. Note, the column specifications in the codebook frequencies reflect the first edition.

UPDATED COLUMN LOCATIONS

GAMBLING IMPACT AND BEHAVIOR STUDY, 1997-1999: [UNITED STATES]  
 DATASET 0002: YOUTH SURVEY  
 2<sup>nd</sup> EDITION

CASEID	1-3	B39_	115-116	B72A_CD	213-214
SU_ID	4-11	B40_	117-118	B72B_CD	215-216
WTYOUTH	12-22 (4)	B41_	119-120	B73_	217-218
A1_	23-24	B42_	121-122	B74_	219-220
A3_	25-26	B43_	123-124	B75_	221-222
A5_	27-28	B44_	125-126	B76_	223-224
A7_	29-30	B44_2	127-128	B77_	225-226
A8_	31-32	B44_3	129-130	B78_	227-228
A11_	33-34	B44_4	131-132	B79_	229-230
A12_	35-36	B44_5	133-134	B79_2	231-232
A14_	37-38	B44_6	135-136	B79_3	233-234
B1_	39-40	B44_7	137-138	B79_4	235-236
B2_	41-42	B45_	139-140	B80_	237-238
B3_	43-44	B46_	141-142	B82_	239-240
B4_	45-46	B47A_CD	143-144	B84_	241-242
B5_	47-48	B47B_CD	145-146	B80_2	243-244
B6_	49-50	B48_	147-148	B82_2	245-246
B7_	51-52	B49_	149-150	B84_2	247-248
B8_	53-54	B50_	151-152	B80_3	249-250
B9_	55-56	B51_	153-154	B82_3	251-252
B10_	57-58	B52A_CD	155-156	B84_3	253-254
B11_	59-60	B52B_CD	157-158	B80_4	255-256
B12_	61-62	B53_	159-160	B82_4	257-258
B13_	63-64	B54_	161-162	B84_4	259-260
B14_	65-66	B55_	163-164	B85_	261-262
B15_	67-68	B56_	165-166	B86_	263-265
B16_	69-70	B57_	167-168	B87_	266-267
B17_	71-72	B58_	169-170	B88_	268-269
B18_	73-74	B59_	171-172	B89_	270-271
B19_	75-76	B59_2	173-174	B89_2	272-273
B20_	77-78	B59_3	175-176	B89_3	274-275
B21_	79-80	B59_4	177-178	B89_4	276-277
B22_	81-82	B59_5	179-180	B90A_	278-279
B23_	83-84	B59_6	181-182	B91_	280-281
B24_	85-86	B60_	183-184	B92_	282-283
B25_	87-88	B61_	185-186	B93A_CD	284-285
B26_	89-90	B62_	187-188	B93B_CD	286-287
B27_	91-92	B63_	189-190	B94_	288-289
B28_	93-94	B64_	191-192	B95_	290-291
B29_	95-96	B65_	193-194	B96_	292-293
B30_	97-98	B65_2	195-196	B97_	294-295
B31_	99-100	B65_3	197-198	B98_	296-297
B32_	101-102	B65_4	199-200	B99_	298-299
B33_	103-104	B65_5	201-202	B100_	300-302
B34_	105-106	B66_	203-204	B101_	303-304
B35_	107-108	B67_	205-206	B102_	305-306
B36_	109-110	B68A_CD	207-208	B102_2	307-308
B37_	111-112	B68B_CD	209-210	B102_3	309-310
B38_	113-114	B71_	211-212	B102_4	311-312

B102_5	313-314	B141_	427-428	C2_	540-541
B102_6	315-316	B142_	429-430	C3_	542-543
B103_	317-318	B143A_CD	431-432	C4_	544-545
B104_	319-320	B143B_CD	433-434	C5_	546-547
B105A_CD	321-322	B144_	435-436	C6_	548-549
B105B_CD	323-324	B145A_CD	437-438	C8_	550-551
B106_	325-326	B145B_CD	439-440	C9_	552-553
B107_	327-328	B146_	441-442	C10_	554-555
B108A_CD	329-330	B147_	443-444	C11_	556-557
B108B_CD	331-332	B148_	445-446	C12_	558-559
B109_	333-334	B149_	447-448	C13_	560-561
B110_	335-336	B150_	449-450	C14_	562-563
B111_	337-338	B150_2	451-452	C15_	564-565
B112_	339-340	B150_3	453-454	C16_	566-567
B114_	341-342	B150_4	455-456	C17_	568-569
B115_	343-344	B150_5	457-458	C18_CD	570-571
B116_	345-346	B151_	459-460	C19_	572-573
B117_	347-348	B152_	461-462	C20_	574-575
B118_	349-350	B153_	463-464	C21_	576-577
B118_2	351-352	B154_	465-466	C22_CD	578-579
B118_3	353-354	B155_	467-468	C22_CD2	580-581
B118_4	355-356	B156_	469-470	C22_CD3	582-583
B118_5	357-358	B156_2	471-472	C22_CD4	584-585
B118_6	359-360	B156_3	473-474	C22_CD5	586-587
B119_	361-362	B156_4	475-476	C23_CD	588-589
B120_	363-364	B156_5	477-478	C24_	590-591
B121A_CD	365-366	B156_6	479-480	C25_	592-593
B121B_CD	367-368	B156_7	481-482	C26_	594-595
B122_	369-370	B157_	483-484	C27_	596-597
B123_	371-372	B158_	485-486	C28_CD	598-599
B124A_CD	373-374	B159A_CD	487-488	C28_CD2	600-601
B124B_CD	375-376	B159B_CD	489-490	C28_CD3	602-603
B125_	377-378	B160_	491-492	C28_CD4	604-605
B126_	379-380	B161_	493-494	C28_CD5	606-607
B127_	381-382	B162_	495-496	C29_CD	608-609
B128_	383-384	B163_	497-498	D1_	610-611
B129_	385-386	B164A_CD	499-500	D2_	612-613
B130_	387-389	B164B_CD	501-502	D3_	614-615
B131_	390-392	B165_	503-504	D4_	616-617
B132_	393-394	B166_	505-506	D5_	618-619
B133_	395-396	B167_	507-508	D6_	620-621
B133_2	397-398	B168_	509-511	D7_	622-623
B133_3	399-400	B169_	512-513	D8_	624-625
B133_4	401-402	B170A_CD	514-515	D9_	626-627
B133_5	403-404	B170B_CD	516-517	D10_	628-629
B133_6	405-406	B171_	518-519	D11_	630-631
B133_7	407-408	B172_	520-521	D12_	632-633
B134_	409-410	B173_	522-523	D13_	634-635
B135_	411-412	B174_	524-525	D14_	636-637
B136A_CD	413-414	B175_	526-527	D15_	638-639
B136B_CD	415-416	B176A_CD	528-529	D16_	640-641
B137_	417-418	B176B_CD	530-531	D17_	642-643
B138_	419-420	B177_	532-533	D18_	644-645
B139A_CD	421-422	B178A_CD	534-535	D19_	646-647
B139B_CD	423-424	B178B_CD	536-537	D20_	648-649
B140_	425-426	C1_	538-539	D21_	650-651

D22_	652-653	F21_	764-765	J38	876-877
D23_	654-655	F22_	766-767	J39	878-879
D24_	656-657	F23_	768-769	J40	880-881
D25_	658-659	F23_2	770-771	J41	882-883
D26_	660-661	F23_3	772-773	J42	884-885
D27_	662-663	F23_4	774-775	J43	886-887
D28_	664-665	F23_5	776-777	J44	888-889
D29_	666-667	F23_6	778-779	J45	890-891
D30_	668-669	F23_7	780-781	J47	892-893
D31_	670-671	F24_	782-783	J48	894-895
D32_	672-673	F25_	784-785	J49	896-897
D33_	674-675	F25_2	786-787	J50	898-899
D34_	676-677	F25_3	788-789	J51	900-901
D35_	678-679	F25_4	790-791	J52	902-903
D36_	680-681	F25_5	792-793	J53	904-905
E1_	682-683	F25_6	794-795	J55	906-907
E2_	684-685	F25_7	796-797	J56	908-909
E2_2	686-687	F26_	798-799	J57	910-911
E2_3	688-689	F27_	800-801	J58	912-913
E2_4	690-691	H1A	802-803	J59	914-915
E2_5	692-693	H2	804-805	K1_	916-917
E2_6	694-695	H3	806-807	K2_	918-919
E3_	696-697	H4	808-809	K3_	920-921
E4_	698-699	H5	810-811	K4_	922-923
E5_	700-701	H6	812-813	K5_	924-925
E6_	702-703	H7	814-815	K6_	926-927
E7_	704-705	H8	816-817	K7_	928-929
F1_	706-707	H10	818-819	K8_	930-931
F2_	708-709	H11	820-821	K9_	932-933
F3_	710-711	H12	822-823	K10_	934-935
F4_	712-713	H15	824-825	K11_	936-937
F5_	714-715	H16	826-827	K12_	938-939
F6_	716-717	J1	828-829	K13_	940-941
F7_	718-719	J2	830-831	K6_2	942-943
F8_	720-721	J3	832-833	K7_2	944-945
F10_	722-723	J4	834-835	K8_2	946-947
F11_	724-725	J5	836-837	K9_2	948-949
F12_	726-727	J6	838-839	K10_2	950-951
F13_	728-729	J7	840-841	K11_2	952-953
F14_	730-731	J8	842-843	K12_2	954-955
F16A_	732-733	J9	844-845	K13_2	956-957
F16B_	734-735	J23	846-847	K6_3	958-959
F16C_	736-737	J24	848-849	K7_3	960-961
F16D_	738-739	J25	850-851	K8_3	962-963
F16E_	740-741	J26	852-853	K9_3	964-965
F16F_	742-743	J27	854-855	K10_3	966-967
F16G_	744-745	J28	856-857	K11_3	968-969
F17_	746-747	J29	858-859	K12_3	970-971
F19_	748-749	J30	860-861	K13_3	972-973
F20_	750-751	J31	862-863	K6_4	974-975
F20_2	752-753	J32	864-865	K7_4	976-977
F20_3	754-755	J33	866-867	K8_4	978-979
F20_4	756-757	J34	868-869	K9_4	980-981
F20_5	758-759	J35	870-871	K10_4	982-983
F20_6	760-761	J36	872-873	K11_4	984-985
F20_7	762-763	J37	874-875	K12_4	986-987

K13_4	988-989	CK1	1006-1007	PROB12MO	1024-1025
K6_5	990-991	CK2	1008-1009	MARITAL	1026-1027
K7_5	992-993	CK3	1010-1011	RACETH	1028-1029
K8_5	994-995	CK4	1012-1013	A2_R	1030-1031
K9_5	996-997	CK5	1014-1015	A4_R	1032-1033
K10_5	998-999	LOTSTATE	1016-1017	A6_R	1034-1035
K11_5	1000-1001	INCOME	1018-1019	SURVEY	1036-1037
K12_5	1002-1003	IINCOME	1020-1021	SMSREG	1038-1039
K13_5	1004-1005	EVERPROB	1022-1023		



**CODEBOOK  
FOR THE  
GAMBLING IMPACT AND BEHAVIOR STUDY—  
YOUTH SURVEY**

**Editors:**

Dean Gerstein  
Marianna Toce

**National Opinion Research Center at the University of Chicago**  
1155 East 60<sup>th</sup> Street  
Chicago, Illinois 60637  
<http://www.norc.uchicago.edu>

This research was performed under contract to the  
National Gambling Impact Study Commission  
Washington, D.C.

June 1999



## INTRODUCTION

This volume comprises the codebook for the Public Use File of the Gambling Impact and Behavior Study's Youth Survey. The youth survey comprises 534 cases of 16 and 17-year-old respondents to a national telephone sample of households. This codebook includes sampling information, a complete list of variables (alphabetical and by position) in the SAS data file youthpuf.sd2, and unweighted frequency tables of responses to all variables in position order. This codebook should be used in conjunction with the Adult Survey codebook. In particular, the youth questionnaire is identical (with one exception, noted below) to the adult questionnaire whose development is described and which is reproduced in the adult codebook). The exception is that section D (the Diagnostic Screen for gambling disorders) was administered to all youths who reported any lifetime gambling behavior, rather than, as with adults, only that subset of gamblers who reported dollar losses above certain limits. The constructed variables in this data set are also described in the adult codebook

For further documentation of this survey, including pretests, validity and reliability results, copies of the original questionnaires, and the results of analyses of the data by the NORC contract group, please consult the study archive at the NORC web site, <http://www.norc.uchicago.edu>. The NORC study archive also makes available descriptions and analyses of all other data collected in the Gambling Impact and Behavior Study as well as selected public use data files from other survey components: the 100-Community Data Base, ten Community Case Studies, Casino Survey, and Adult Survey. These materials will also be deposited with the National Archives and Records Administration, Washington D.C., along with other records of the National Gambling Impact Study Commission (1997-1999, <http://www.ngisc.gov>), under whose auspices the Gambling Impact and Behavior Study was performed.

### Sample Design

The youth cases were drawn from two lists of telephone numbers obtained from Survey Sampling, Inc.: a list of 5,000 telephone numbers targeted at households with youth ages 12 to 17 and a list of 32,000 randomly selected numbers targeted at all households. (Survey Sampling does not provide age-targeted telephone lists for 16- and 17-year-olds only). The youth-targeted lists were formed from school registrations, magazine subscriptions lists, and drivers license information. The RDD list was divided into replicates of 500.

The screening procedure for selecting respondents was as follows: we first asked for the number of residents age 18 or older, and then 17 or younger, in the household. If minors resided there, we then asked whether one or more was of the requisite age; if there were more than one, we randomly selected the youth with the most recent birth date. We then asked to speak with the child's parent or guardian, from whom we would request consent to interview the child. Only in cases where we obtained parental consent did we pursue further contact with the youth, at which point we would request her or his personal consent to take part in the survey.

The sample of telephone numbers was ordered separately for lottery and no-lottery states (consult sampling plan for adult survey for more details) in the following quantities: 4,408 age-targeted numbers for lottery states and 592 age-targeted numbers for nonlottery states; similar proportions were ordered (27,500 and 4,500) for the RDD lists

Due to the low production rate of eligible sample cases and completed interviews from the RDD list, sampling from this list was stopped after the first seven replicates were released. Altogether, we obtained 534 completed youth interviews, 469 from youth living in lottery states and 65 from youth living in nonlottery states.

**Distribution of Youth Respondents by Sample List**

		Telephone Sample		Total
		RDD	Targeted List	
State has lottery	Yes	47	422	469
	No	2	63	65
<b>Total</b>		49	485	534

In examining the composition of the sample that these procedures gave us, we found that the North Central region of the United States was over-represented, and that black and Hispanic youth were under-represented. We therefore weighted the sample by poststratification on region, race, and ethnicity to yield proportionate weights equal to those obtained in *Current Population Estimates*. The final sample represented 8.3 million 16- and 17-year-olds, with a slight preponderance (less than 1 percent) of males; the sample was 74-percent white, 13-percent black, 9-percent Hispanic, and 3-percent assorted other backgrounds. Nearly 36 percent lived in the South, 19 percent in the Northeast, and 23 percent in the Midwest (North Central) and in the West. Further calculations revealed that 82 percent lived in lottery states.

Additional sample information, analytic results, and other details concerning the youth data may be found in the NORC final report, Chapter 3, and Appendices B and D.

## IDENTIFICATION

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

534 cases (Range of valid codes: 1-534)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1002-1004

SU_ID	ORIGINAL RESPONDENT IDENTIFICATION NUMBER
-------	---

534 cases (Range of valid codes: 10,000,040-10,259,930)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-8

## SECTION A: DEMOGRAPHIC INFORMATION

### A1\_ GENDER

I am required to ask whether you are male or female. Are you...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	49.6	265	1	MALE
50.4	50.4	269	2	FEMALE
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 20

### A2\_R AGE, GROUPED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	534	0	UNDER 18
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 995

**A3\_ HISPANIC**

Are you of Mexican, Puerto Rican, Cuban or any other Spanish-speaking background?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	30	1	YES
94.4	94.4	504	2	NO
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 21

**A4\_R RACE (RECODED)**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	26	1	BLACK OR AFRICAN AMERICAN
87.1	86.9	464	2	WHITE
8.1	8.1	43	3	OTHER
	0.2	1	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 996-997

**A5\_ ATTENDING ANY TYPE OF SCHOOL**

Are you now attending any type of school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	98.5	526	1	YES
1.5	1.5	8	2	NO
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 22

A6\_R

TYPE OF SCHOOL ATTENDING

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	3	1	COLLEGE OR UNIVERSITY
99.4	97.9	523	2	OTHER
	1.5	8	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 998-999

A7\_

HIGHEST GRADE ATTENDED

What is the highest grade or year of school you have ever attended, even if you did not complete that grade or year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	69.3	370	3	9TH THRU 11TH GRADE
30.0	30.0	160	4	12TH GRADE
0.4	0.4	2	5	TECHNICAL SCHOOL
0.4	0.4	2	6	1 THROUGH 3 YEARS COLLEGE
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 23

A8\_

EVER RECEIVE HIGH SCHOOL DIPLOMA/GED

Did you ever receive either a high school diploma or a GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.6	3	1	YES
70.0	1.3	7	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 24-25

A11\_

FREQUENCY ATTEND RELIGIOUS SERVICES

How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.4	61	1	NEVER
1.3	1.3	7	2	LESS THAN ONCE A YEAR
8.1	8.1	43	3	ABOUT ONCE OR TWICE A YEAR
7.7	7.7	41	4	SEVERAL TIMES A YEAR
7.5	7.5	40	5	ABOUT ONCE A MONTH
10.1	10.1	54	6	TWO TO THREE TIMES A MONTH
4.9	4.9	26	7	NEARLY EVERY WEEK
35.5	35.4	189	8	EVERY WEEK
13.5	13.5	72	9	SEVERAL TIMES A WEEK
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 26-27

A12\_

IMPORTANCE OF FAITH

Some people say their faith in God is very important to them, others say faith in God is not at all important. How important to you is faith in God? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	51.5	275	1	VERY IMPORTANT
35.6	35.2	188	2	IMPORTANT
9.5	9.4	50	4	NOT SO IMPORTANT
2.8	2.8	15	5	NOT AT ALL IMPORTANT
	0.7	4	-2	DONT KNOW
	0.4	2	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 28-29

A14\_

HOW MANY TIMES MOVED

How many times have you moved since [CURRENT MONTH] 1997?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	94.0	502	0	0 MOVES
4.7	4.7	25	1	1 MOVES
1.1	1.1	6	2	2 OR MORE MOVES
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 30-31

## SECTION B: GAMBLING BEHAVIOR

### B1\_ EVER GAMBLED CASINO

I would like to start by asking you about casino gambling. Have you ever gambled at a casino in the U.S., that is, a large gambling hall with many different kinds of games, for example, a gambling hall on a riverboat or in a resort hotel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	10	1	YES
98.1	98.1	524	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 32

### B2\_ CASINO AGE FIRST TIME

How old were you the first time that you gambled at a casino?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	10	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 33-34

B3\_

PAST YEAR CASINO

In the past year, since [CURRENT MONTH] 1997, have you gambled at this type of location?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.1	6	1	YES
40.0	0.7	4	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 35-36

B4\_

EVER GAMBLED TRACK/OFFTRACK

Have you ever gambled at a race track, jai alai fronton, or off-track betting parlor in the U.S.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	35	1	YES
93.4	93.4	499	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 37

**B5\_ TRACK/OFF AGE FIRST TIME**

How old were you the first time that you gambled at a race track, jai alai fronton, or off-track betting parlor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	35	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	93.4	499	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 38-39

**B6\_ PAST YEAR TRACK/OFF TRACK**

In the past year, since [CURRENT MONTH] 1997, have you gambled at a race track, jai alai fronton, or off-track betting parlor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	2.2	12	1	YES
65.7	4.3	23	2	NO
	93.4	499	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 40-41

B7\_

EVER GAMBLED LOTTERY

Have you ever bought a lottery ticket for games like Lotto or Powerball, dailies like pick-4, or instants and scratch-offs? Please include state-run lottery games only.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.7	116	1	YES
78.3	78.3	418	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 42

B8\_

LOTTERY AGE FIRST TIME

How old were you the first time that you bought a lottery ticket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.7	116	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	78.3	418	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 43-44

**B9\_ PAST YEAR LOTTERY**

In the past year, since [CURRENT MONTH] 1997, have you bought a lottery ticket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	13.5	72	1	YES
37.9	8.2	44	2	NO
	78.3	418	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 45-46

**B10\_ EVER GAMBLED BINGO**

Have you ever played bingo for money in a bingo hall? Please do not include any bingo you may have played in a casino.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	18.2	97	1	YES
81.8	81.8	437	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 47

<b>B11_</b>	<b>BINGO AGE FIRST TIME</b>
-------------	-----------------------------

How old were you the first time that you played bingo?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.6	94	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
	81.8	437	-3	MISSING
	0.6	3	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 48-49

<b>B12_</b>	<b>PAST YEAR BINGO</b>
-------------	------------------------

In the past year, since [CURRENT MONTH] 1997, have you played bingo?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	6.2	33	1	YES
66.0	12.0	64	2	NO
	81.8	437	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 50-51

<b>B13_</b>	<b>EVER GAMBLED CHARITABLE</b>
-------------	--------------------------------

Have you ever bet money on a game conducted for a charitable cause, such pull-tabs or Las Vegas Nights? Do not include bingo, or raffles for a prize other than money.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	31	1	YES
94.2	94.2	503	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 52

<b>B14_</b>	<b>CHARITABLE AGE FIRST TIME</b>
-------------	----------------------------------

How old were you the first time that you bet money on a game conducted for a charitable cause?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	31	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	94.2	503	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 53-54

B15\_

PAST YEAR CHARITABLE

In the past year, since [CURRENT MONTH] 1997, have you bet money on a game conducted for a charitable cause?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	2.4	13	1	YES
58.1	3.4	18	2	NO
	94.2	503	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 55-56

B16\_

EVER GAMBLED CARDROOM

Have you ever gambled in a cardroom, that is, a business with premises devoted to playing card games for money such as poker, pai gow poker, or super pan nine? Please do not include card games in any of the gambling facilities I have already asked about.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	18	1	YES
96.6	96.6	516	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 57

<b>B17_</b>	<b>CARDROOM AGE FIRST TIME</b>
-------------	--------------------------------

How old were you the first time that you gambled in a cardroom?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	18	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
	96.6	516	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 58-59

<b>B18_</b>	<b>PAST YEAR CARDROOM</b>
-------------	---------------------------

In the past year, since [CURRENT MONTH] 1997, have you gambled in a cardroom?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.7	9	1	YES
50.0	1.7	9	2	NO
	96.6	516	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 60-61

B19\_

EVER GAMBLED PRIVATE

Have you ever gambled on a private game such as dice, dominos, poker in someone's home, pool, golf, or bowling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	46.3	247	1	YES
53.7	53.7	287	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 62

B20\_

PRIVATE AGE FIRST TIME

How old were you the first time that you gambled on a private game?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	45.9	245	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	53.7	287	-3	MISSING
	0.4	2	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 63-64

<b>B21_</b>	<b>PAST YEAR PRIVATE</b>
-------------	--------------------------

In the past year, since [CURRENT MONTH] 1997, have you gambled on a private game?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	28.5	152	1	YES
38.5	17.8	95	2	NO
	53.7	287	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 65-66

<b>B22_</b>	<b>EVER GAMBLED STORE/BAR/RESTAURANT</b>
-------------	--

Have you ever gambled at a store, bar, restaurant, truck stop, or similar location that had only one or two kinds of games, such as slot machines, video poker, or pull-tabs? Please do not count locations I have already asked you about, including cardrooms or places that only sell lottery tickets. You may include a bingo hall if you gambled on a game other than, or in addition to, bingo.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	35	1	YES
93.4	93.4	499	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 67

B23\_

STORE/BAR AGE FIRST TIME

How old were you the first time that you gambled at one of these locations that had only one or two kinds of games?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	35	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	93.4	499	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 68-69

B24\_

PAST YEAR STORE/BAR/RESTAURANT

In the past year, since [CURRENT MONTH] 1997, have you gambled at such a location that had only one or two kinds of games?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	3.7	20	1	YES
42.9	2.8	15	2	NO
	93.4	499	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 70-71

B25\_

EVER GAMBLER UNLICENSED

Now I'd like to talk with you about types of gambling that are run like a business but probably without a license. Please do not include any gambling you've done that you've already told me about. Have you ever participated in a sports pool, placed a bet with a bookmaker, bought a policy or played nonlicensed numbers games, or played in a nonlicensed casino or "blind pig"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.3	71	1	YES
86.7	86.7	463	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 72

B26\_

UNLICENSED AGE FIRST TIME

How old were you the first time that you participated in one of these gambling activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.1	70	1	UNDER 18
0.0	0.0	0	2	18-29
0.0	0.0	0	3	30-39
0.0	0.0	0	4	40-49
0.0	0.0	0	5	50-64
0.0	0.0	0	6	65 AND OLDER
	86.7	463	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 73-74

B27\_

PAST YEAR UNLICENSED

In the past year, since [CURRENT MONTH] 1997, have you participated in a sports pool, placed a bet with a bookmaker, bought a policy or played nonlicensed numbers games, or played in a nonlicensed casino or "blind pig"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	9.6	51	1	YES
28.2	3.7	20	2	NO
	86.7	463	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 75-76

B28\_

EVER GAMBLED INTERNET

Next I'd like to ask you about placing wagers via computer on the Internet and World Wide Web. Please include lottery games that can only be played in this fashion. Have you ever gambled on the Internet or World Wide Web?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	4	1	YES
99.3	99.3	530	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 77

B29\_

PAST YEAR INTERNET

In the past year, since [CURRENT MONTH] 1997, have you gambled on the Internet or World-Wide-Web?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	1	1	YES
75.0	0.6	3	2	NO
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 78-79

B30\_

EVER GAMBLLED INDIAN OR TRIBAL FACILITY

Lastly, I'd like to ask you about Indian or tribal gaming. We'd like to learn about your experience in tribally run casinos, cardrooms, and bingo halls, as well as charitable gambling in places like a tribally run school. We'd also like you to include tribally sponsored games that you might find in a non-Indian facility in some states, for example, paper pull-tab dispensers in a bar or restaurant. Have you ever wagered or placed a bet on a tribally sponsored game or in a facility that you know was run by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	5	1	YES
99.1	98.9	528	2	NO
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 80-81

**B31\_ PAST YEAR INDIAN/TRIBAL FACILITY**

In the past year, since [CURRENT MONTH] 1997, have you gambled at an Indian or Tribal facility or on a tribally sponsored game?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	1	YES
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 82-83

**B32\_ CONSIDER YOURSELF PROFESSIONAL GAMBLER**

Do you consider yourself a professional gambler?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	1	1	YES
99.6	44.2	236	2	NO
	55.6	297	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 84-85

B33\_

CASINO HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled at a casino in the U.S., Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	5	ONLY ONE DAY IN THE PAST YEAR
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 86-87

B34\_

CASINO PSTYR INDIAN OR TRIBAL

In the past year, since [CURRENT MONTH] 1997, did you gamble at a casino you knew to be owned by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 88-89

B35\_

CASINO LOCATION

Now please think about the last time, the most recent day, when you gambled at a casino. Was it located in Nevada, in Atlantic City, in Biloxi/Gulf Coast, Mississippi, or an Indian Reservation, or in another location?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 90-91

B36\_

CASINO DIST FROM HOME

How far did you have to travel from home to get there:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 92-93

B37\_

CASINO TIME SPENT

On that day, did you gamble there for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 94-95

<b>B38_</b>	<b>CASINO SPEND MOST TIME</b>
-------------	-------------------------------

Did you spend most of your time on one kind of game or gambling activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 96-97

<b>B39_</b>	<b>CASINO WHICH GAME</b>
-------------	--------------------------

Was the game you spent most of your time at a table game like blackjack or craps, a machine game like a slot machine or video poker, a keno-type game, a sports event, a horse or dog race, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 98-99

**B40\_ CASINO BUDGET**

On that last day that you gambled at a casino, did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 100-101

**B41\_ CASINO WILLING TO LOSE**

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 102-103

**B42\_ CASINO MONEY TAKE LAST DAY**

On that day, how much money did you take to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 104-105

**B43\_**

**CASINO ACQUIRE MORE MONEY**

And on that day, after you started gambling, did you acquire more money to gamble with, for example, by using an ATM, credit card, or cashing a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 106-107

**B44\_**

**CASINO CASH A CHECK TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 108-109

**B44\_2**

**CASINO BANK ACCOUNT ATM TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you take money from a bank account using an ATM machine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 110-111

B44\_3

CASINO CREDIT CARD TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you buy chips with a credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 112-113

B44\_4

CASINO CASH ADVANCE TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 114-115

B44\_5

CASINO LINE OF CREDIT TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you use a line of credit from the casino?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 116-117

**B44\_6**

**CASINO BORROW MONEY FAMILY/FRIEND**

Please tell me which of the following ways you got more money to continue gambling. Did you borrow money from a family member or friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 118-119

**B44\_7**

**CASINO ANY OTHER WAY (SPECIFY)**

Please tell me which of the following ways you got more money to continue gambling. Did you get money any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 120-121

**B45\_**

**CASINO ATM LOCATION**

Where was the ATM machine that you used? Was it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 122-123

**B46\_ CASINO AHEAD OR BEHIND**

Did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 124-125

**B47A\_CD CASINO CODE AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 126-127

**B47B\_CD FIXED CASINO BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 128-129

**B48\_ CASINO WIN/LOSE 1 GAME**

Did you win/lose most of that money at one particular game or activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 130-131

**B49\_ CASINO WIN/LOSE WHICH GAME**

Was the game you [won/lost] most of that money on a table game like blackjack or craps, a machine game like a slot machine or video poker, a keno-type game, a sports event, a horse or dog race, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 132-133

B50\_

CASINO OWNED BY INDIAN TRIBE

On that day, was the casino you played in owned by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	YES
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 134-135

B51\_

CASINO CUR YR AHEAD/BEHIND

During this year, did you come out ahead or behind on your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	AHEAD
66.7	0.7	4	2	BEHIND
16.7	0.2	1	3	BROKE EVEN
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 136-137

**B52A\_CD CASINO CUR YR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	UNDER \$100
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 138-139

**B52B\_CD CASINO CUR YR BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	4	1	UNDER \$100
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 140-141

**B53\_ CASINO CREDIT LINE**

Have you ever had a credit line with a casino?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 142-143

**B54\_ TRACK/ OFF HOW OFTEN GAMBLER**

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled at a race track, jai alai fronton , or off-track betting parlor--or OTB. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.2	1	1	ABOUT EVERY DAY
8.3	0.2	1	3	ONCE OR TWICE A MONTH
50.0	1.1	6	4	A FEW DAYS ALL YEAR OR
33.3	0.7	4	5	ONLY ONE DAY IN PAST YEAR
	97.8	522	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 144-145

**B55\_ TRACK/OFF WHICH GAME**

Now please think about the last time, the most recent day, when you gambled at one of these locations. Did you gamble at a...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.9	5	1	RACE TRACK/INTER-TRACK
12.5	0.2	1	2	JAI ALAI FRONTON
25.0	0.4	2	3	AN OFF-TRACK BETTING PARLOR
	98.5	526	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 146-147

B56\_

TRACK/OFF DISTANCE FROM HOME

How far did you have to travel from home to get there: Was it less than 10 miles, between 10 and 50 miles, more than 50 but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	4	1	LESS THAN 10 MILES
37.5	0.6	3	2	BETWEEN 10 AND 50 MILES
12.5	0.2	1	3	BETWEEN 50 AND 250 MILES
	98.5	526	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 148-149

B57\_

TRACK/OFF OTHER GAMES

On that day, did the [track/jai alai fronton/OTB] have any other kind of gambling, such as slot machines, VLTs, a cardroom, or video poker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.2	1	1	YES
85.7	1.1	6	2	NO
	98.5	526	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 150-151

B58\_

TRACK/OFF PLAY OTHER GAMES

Did you participate in any of these other games?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 152-153

B59\_

PLAYED SLOT MACHINES AT TRACK/OFF

Which one or ones? Slot machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 154-155

B59\_2

PLAYED CARDS AT TRACK/OFF

Which one or ones? Cards?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 156-157

**B59\_3** **PLAYED VLT AT TRACK/OFF**

Which one or ones? Video lottery terminal (VLT)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 158-159

**B59\_4** **PLAYED VIDEO POKER AT TRACK/OFF**

Which one or ones? Video Poker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 160-161

**B59\_5** **PLAYED BINGO AT TRACK/OFF**

Which one or ones? Bingo?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 162-163

**B59\_6 PLAYED OTHER (SPECIFY) AT TRACK**

Which one or ones? Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 164-165

**B60\_ TRACK/OFF TIME SPENT**

On that day, did you gamble there for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	2	1	LESS THAN TWO HOURS
75.0	1.1	6	2	TWO TO FOUR HOURS
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 166-167

**B61\_ TRACK/OFF BUDGET**

On that day, did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	1.1	6	1	YES
25.0	0.4	2	2	NO
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 168-169

B62\_

TRACK/OFF WILLING TO LOSE

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	10	
16.7	0.2	1	15	
16.7	0.2	1	20	
16.7	0.2	1	40	
33.3	0.4	2	50	
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 170-171

B63\_

TRACK/OFF MONEY TAKE LAST DAY

On that day, how much money did you take to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	2	15	
12.5	0.2	1	20	
12.5	0.2	1	30	
50.0	0.7	4	50	
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 172-173

B64\_

TRACK/OFF ACQUIRE MORE MONEY

Did you need to acquire more money while you were gambling at the [track/jai alai fronton/OTB]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	8	2	NO
	98.5	526	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 174-175

B65\_

TRACK/OFF CASH A CHECK TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 176-177

B65\_2

TRACK/OFF BANK ACCOUNT ATM TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you take money from a bank account using an ATM card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 178-179

**B65\_3**

**TRACK/OFF CASH ADVANCE TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 180-181

**B65\_4**

**TRACK/OFF BORROW MONEY FAMILY/FRIEND**

Please tell me which of the following ways you got more money to continue gambling. Did you borrow money from a family member of a friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 182-183

**B65\_5**

**TRACK/OFF ANY OTHER WAY (SPECIFY)**

Please tell me which of the following ways you got more money to continue gambling. Any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 184-185

B66\_

TRACK/OFF ATM LOCATION

Where was the ATM machine that you used? Was it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 186-187

B67\_

TRACK/OFF AHEAD OR BEHIND

On that last day you gambled at [a race track/a jai alai fronton/an OTB], did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	4	1	AHEAD
12.5	0.2	1	2	BEHIND
37.5	0.6	3	3	BROKE EVEN
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 188-189

<b>B68A_CD</b>	<b>TRACK/OFF AHEAD RANGE</b>
----------------	------------------------------

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	4	1	UNDER \$100
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 190-191

<b>B68B_CD</b>	<b>TRACK/OFF BEHIND RANGE</b>
----------------	-------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	UNDER \$100
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 192-193

**B71\_ TRACK/OFF CUR YR AHEAD/BEHIND**

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled at a race track, jai alai fronton, or off-track betting parlor. During this year, did you come out ahead or behind on your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.1	6	1	AHEAD
41.7	0.9	5	2	BEHIND
8.3	0.2	1	3	BROKE EVEN
	97.8	522	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 194-195

**B72A\_CD TRACK/OFF CUR YR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	1	UNDER \$100
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 196-197

B72B\_CD

TRACK/OFF CUR YR BEHIND RANGE

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	1	UNDER \$100
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 198-199

B73\_

LOTTERY HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you bought a big jackpot lottery ticket such as Lotto or Powerball, a daily lottery ticket like pick-4, or an instant or scratch-off ticket. Do not include tickets you can only buy on the Internet. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	1.1	6	2	ONE TO THREE TIMES A WEEK
33.3	4.5	24	3	ONCE OR TWICE A MONTH
43.1	5.8	31	4	A FEW DAYS ALL YEAR OR
15.3	2.1	11	5	ONLY ONE DAY IN PAST YEAR
	86.5	462	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 200-201

B74\_

LOTTERY PURCHASE PAST WEEK

Now please think about the last time, the most recent day, when you bought a lottery ticket. Was the last time you bought a lottery ticket during the past 7 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	2.4	13	1	YES
78.7	9.0	48	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 202-203

B75\_

LOTTERY PURCHASE PAST MONTH

Was the last time you bought a lottery ticket during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	3.2	17	1	YES
64.6	5.8	31	2	NO
	91.0	486	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 204-205

B76\_

LOTTERY BUY IN NEIGHBORHOOD

The last time you bought a lottery ticket, did you buy it in the neighborhood where you live?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	7.5	40	1	YES
32.2	3.6	19	2	NO
	88.6	473	-3	MISSING
	0.4	2	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 206-207

B77\_

LOTTERY WHO PURCHASED TICKET OVER 21

The last time you bought a lottery ticket, who actually purchased the ticket--was it you, a relative, or someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 208-209

B78\_

LOTTERY WHO PURCHASED TICKET UNDER 21

The last time you bought a lottery ticket, who actually purchased the ticket--was it you, a parent, a brother or sister, another relative, or someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	5.2	28	1	SELF
24.6	2.8	15	2	PARENT
8.2	0.9	5	3	BROTHER OR SISTER
3.3	0.4	2	4	ANOTHER RELATIVE
18.0	2.1	11	5	SOMEONE ELSE
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 210-211

B79\_

BOUGHT MULTI-STATE LOTTERY (POWERBALL)

what kind of lottery tickets did you buy? Did you buy multi-state lottery tickets like Powerball, Cash4Life, and Wildcard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.3	7	1	YES
88.5	10.1	54	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 212-213

B79\_2

BOUGHT BIG-JACKPOT TICKETS (LOTTERY)

what kind of lottery tickets did you buy? Did you buy big jackpot tickets, like state-wide lottos?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.3	7	1	YES
88.5	10.1	54	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 214-215

B79\_3

BOUGHT DAILY NUMBERS (PICK-3)

what kind of lottery tickets did you buy? Did you buy daily lottery numbers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	0.7	4	1	YES
93.4	10.7	57	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 216-217

B79\_4

BOUGHT INSTANT OR SCRATCH-OFF

what kind of lottery tickets did you buy? Did you buy instant or scratch-off lottery tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	9.0	48	1	YES
21.3	2.4	13	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 218-219

B80\_

MULTI AMOUNT SPENT

During the past 30 days, on the last day when you bought multi-state lottery tickets, how much did you spend on these tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.6	3	1	
14.3	0.2	1	2	
14.3	0.2	1	5	
14.3	0.2	1	10	
14.3	0.2	1	20	
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 220-221

B82\_

MULTI PURCHASE OUT OF ST TICKETS

During the past 30 days, on the last day when you bought multi-state lottery tickets, did you buy the tickets from a lottery in a state other than the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.7	4	1	YES
42.9	0.6	3	2	NO
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 222-223

B84\_

MULTI AMOUNT SPENT OUT-STATE

Of the total amount of money you spent on lottery tickets you bought one or more multi-state lottery tickets, how much of what you spent went for tickets from [a state/states] different from the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	2	1	LESS THEN A QUARTER OF THE MONEY
33.3	0.2	1	2	BETWEEN QUARTER AND HALF OF MONEY
	99.3	530	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 224-225

B80\_2

LOTTO AMOUNT SPENT

During the past [7/30] days, on the last day when you bought big jackpot tickets, how much did you spend on these kinds of tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.4	2	1	
14.3	0.2	1	2	
57.1	0.7	4	5	
	98.7	527	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 226-227

B82\_2

LOTTO PURCHASE OUT OF ST TICKETS

During the past 30 days, on the last day when you bought big-jackpot tickets, did you buy the tickets from a lottery in a state other than the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	7	2	NO
	98.7	527	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 228-229

**B84\_2**

**LOTTO AMOUNT SPENT OUT-STATE**

Of the total amount of money you spent on lottery tickets you bought one or more big-jackpot tickets, how much of what you spent went for tickets from [a state/states] different from the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 230-231

**B80\_3**

**DAILIES AMOUNT SPENT**

During the past 30 days, on the last day when you bought daily lottery numbers, how much did you spend on these tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	1	1	
25.0	0.2	1	2	
50.0	0.4	2	5	
	99.3	530	-3	
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 232-233

B82\_3

DAILIES PURCHASE OUT OF ST TICKETS

During the past 30 days, on the last day when you bought daily lottery numbers, did you buy the tickets from a lottery in a state other than the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	4	2	NO
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 234-235

B84\_3

DAILIES AMOUNT SPENT OUT-STATE

Of the total amount of money you spent on lottery tickets you bought one or more daily lottery numbers, how much of what you spent went for tickets from [a state/states] different from the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 236-237

**B80\_4**

**INSTANT AMOUNT SPENT**

During the past 30 days, on the last day when you bought instant or scratch-off tickets, how much did you spend on these tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	3.4	18	1	
29.2	2.6	14	2	
6.2	0.6	3	3	
4.2	0.4	2	4	
10.4	0.9	5	5	
4.2	0.4	2	10	
2.1	0.2	1	15	
4.2	0.4	2	20	
2.1	0.2	1	30	
	91.0	486	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 238-239

**B82\_4**

**INSTANT PURCHASE OUT OF ST TICKETS**

During the past 30 days, on the last day when you bought instant scratch-off tickets, did you buy the tickets from a lottery in a state other than the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	1.3	7	1	YES
85.4	7.7	41	2	NO
	91.0	486	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 240-241

B84\_4

INSTANT AMOUNT SPENT OUT-STATE

Of the total amount of money you spent on lottery tickets you bought one or more instant scratch-off tickets, how much of what you spent went for tickets from [a state/states] different from the one you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	LESS THEN A QUARTER OF THE MONEY
16.7	0.2	1	2	BETWEEN QUARTER AND HALF OF MONEY
66.7	0.7	4	4	MORE THEN 3 QUARTERS
	98.7	527	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 242-243

B85\_

LOTTERY OTHER HSHLD MEMBER PURCHASE

If you lived with anyone else, such as another family member, during the past 30 days, did they purchase lottery tickets during this period, to your knowledge?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	5.8	31	1	YES
48.3	5.4	29	2	NO
	88.6	473	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 244-245

B86\_

LOTTERY ESTIMATE OTHER HSHLD PURCHASE

How much do you think the other person or people in your household spent on lottery tickets during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.2	1	0	
3.3	0.2	1	1	
6.7	0.4	2	4	
16.7	0.9	5	5	
10.0	0.6	3	10	
6.7	0.4	2	12	
10.0	0.6	3	15	
3.3	0.2	1	16	
10.0	0.6	3	20	
3.3	0.2	1	25	
10.0	0.6	3	30	
6.7	0.4	2	50	
3.3	0.2	1	60	
3.3	0.2	1	80	
3.3	0.2	1	300	
	94.2	503	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 246-248

B87\_

LOTTERY TICKET BUYING POOL

Since [CURRENT MONTH] 1997, did you buy lottery tickets with other people in a ticket-buying pool?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.4	2	1	YES
96.7	11.0	59	2	NO
	88.6	473	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 249-250

B88\_

LOTTERY BUYING POOL SIZE

The last time you bought tickets together with other people in the ticket-buying pool, how many people were in the pool together, including yourself? Were there

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	FOUR TO TEN
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 251-252

B89\_

FAMILY MEMBERS IN POOL

Who else was in the pool? Did it include family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 253-254

B89\_2

CO-WORKERS (NOT FAMILY) IN POOL

Who else was in the pool? Did it include people you work with who are not family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 255-256

B89\_3

FRIENDS OF YOURS IN POOL

Who else was in the pool? Did it include friends of yours?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 257-258

B89\_4

PEOPLE WHOSE NAMES DONT KNOW IN POOL

Who else was in the pool? Did it include people whose names you don't know?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 259-260

B90A\_

LOTTERY FAVORITE GAME CODE

What is your favorite lottery game?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.6	3	1	MULTI-STATE
3.3	0.4	2	2	OTHER BIG JACKPOT
3.3	0.4	2	3	DAILY
65.0	7.3	39	4	INSTANT/SCRATCH-OFF
23.3	2.6	14	5	NO FAVORITE
	88.6	473	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 261-262

B91\_

LOTTERY ESTIMATE PERCENT RETURNED

How much of the ticket price of [MULTI-STATE LOTTERIES/BIG JACKPOT GAMES/DAILY LOTTERY GAMES/INSTANT AND SCRATCH-OFF GAMES] do you think is returned to the ticket purchasers in the form of prize money? Do the ticket purchasers as a whole get back a quarter of every dollar? About Half? Or three-quarters or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	4.3	23	1	A QUARTER OR LESS OF EVERY DOLLAR
48.9	4.1	22	2	ABOUT HALF
	91.2	487	-3	MISSING
	0.4	2	-2	DONT KNOW
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 263-264

B92\_

LOTTERY CUR YR AHEAD/BEHIND

Now please think about all of the lottery tickets you have bought in the past year, since [CURRENT MONTH] 1997. During this year did you come out ahead or behind on your lottery tickets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	3.9	21	1	AHEAD
59.7	8.1	43	2	BEHIND
11.1	1.5	8	3	BROKE EVEN
	86.5	462	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 265-266

B93A\_CD

LOTTERY CUR YR AHEAD RANGE

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	3.6	19	1	UNDER \$100
9.5	0.4	2	2	\$100 TO \$500
	96.1	513	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 267-268

B93B\_CD

LOTTERY CUR YR BEHIND RANGE

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	6.9	37	1	UNDER \$100
2.6	0.2	1	2	\$100 TO \$500
	92.9	496	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 269-270

B94\_

BINGO HOW OFTEN GAMBLER

In the past year, since [CURRENT MONTH] 1997, think about how often you played commercial bingo, tribal bingo, and charitable bingo. Do not include any bingo you may have played in a casino. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	1	1	ABOUT EVERY DAY
12.1	0.7	4	3	ONCE OR TWICE A MONTH
51.5	3.2	17	4	A FEW DAYS ALL YEAR OR
33.3	2.1	11	5	ONLY ONE DAY IN THE PAST YEAR?
	93.8	501	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 271-272

B95\_

BINGO PST YR INDIAN TRIBE

In the past year, since [CURRENT MONTH] 1997, did you play any bingo that you knew to be sponsored by a tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	2	1	YES
50.0	0.4	2	2	NO
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 273-274

B96\_

BINGO TIME SPENT

Now please think about the last time, the most recent day,  
when you played bingo. Did you gamble for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	2.1	11	1	LESS THAN TWO HOURS
50.0	2.1	11	2	TWO TO FOUR HOURS
	95.9	512	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 275-276

B97\_

BINGO DISTANCE FROM HOME

How far did you have to travel from home to get there: Was  
it less than 10 miles, between 10 and 50 miles, more than 50  
but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	2.6	14	1	LESS THAN 10 MILES
27.3	1.1	6	2	BETWEEN 10 AND 50 MILES
4.5	0.2	1	3	BETWEEN 50 AND 250 MILES
4.5	0.2	1	4	MORE THAN 250 MILES
	95.9	512	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 277-278

B98\_

BINGO BUDGET

On that last day that you played bingo, did you budget  
beforehand a certain amount of money that was the most you  
were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	1.5	8	1	YES
63.6	2.6	14	2	NO
	95.9	512	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 279-280

B99\_

BINGO WILLING TO LOSE

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.2	1	5	
37.5	0.6	3	10	
25.0	0.4	2	15	
12.5	0.2	1	20	
12.5	0.2	1	30	
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 281-282

<b>B100_</b>	<b>BINGO MONEY TAKE LAST DAY</b>
--------------	----------------------------------

On that day, how much money did you take to play with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	2	3	
4.5	0.2	1	4	
4.5	0.2	1	5	
13.6	0.6	3	10	
9.1	0.4	2	15	
36.4	1.5	8	20	
4.5	0.2	1	25	
9.1	0.4	2	30	
4.5	0.2	1	35	
4.5	0.2	1	300	
	95.9	512	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 283-285

<b>B101_</b>	<b>BINGO ACQUIRE MORE MONEY</b>
--------------	---------------------------------

And on that day, after you started playing, did you acquire more money to play with, for example, by using an ATM, credit card, or cashing a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.2	1	1	YES
95.5	3.9	21	2	NO
	95.9	512	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 286-287

B102\_

BINGO CASH A CHECK TO GAMBLE

Please tell me which of the following ways you got more money to continue playing. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 288-289

B102\_2

BINGO BANK ACCOUNT ATM TO GAMBLE

Please tell me which of the following ways you got more money to continue playing. Did you take money from a bank account using an ATM?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 290-291

B102\_3

BINGO CREDIT CARD TO GAMBLE

Please tell me which of the following ways you got more money to continue playing. Did you pay with a credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 292-293

B102\_4

BINGO CASH ADVANCE TO GAMBLE

Please tell me which of the following ways you got more money to continue playing. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 294-295

**B102\_5****BINGO BORROW MONEY FAMILY/FRIEND**

Please tell me which of the following ways you got more money to continue playing. Did you borrow money from a family member or friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 296-297

**B102\_6****BINGO ANY OTHER WAY (SPECIFY)**

Please tell me which of the following ways you got more money to continue playing. Did you get money any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 298-299

**B103\_****BINGO ATM LOCATION**

Where was the ATM machine that you used? Was it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 300-301

B104\_

BINGO LAST DAY AHEAD/BEHIND

On that last day that you played bingo, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	1.3	7	1	AHEAD
59.1	2.4	13	2	BEHIND
9.1	0.4	2	3	BROKE EVEN
	95.9	512	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 302-303

B105A\_CD

BINGO AHEAD RANGE

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	7	1	UNDER \$100
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 304-305

<b>B105B_CD</b>	<b>BINGO BEHIND RANGE</b>
-----------------	---------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	2.1	11	1	UNDER \$100
8.3	0.2	1	2	\$100 TO \$500
	97.8	522	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 306-307

<b>B106_</b>	<b>BINGO INDIAN OR TRIBAL LAST DAY</b>
--------------	--

On that day, was the bingo you played sponsored by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	2	1	YES
50.0	0.4	2	2	NO
	99.3	530	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 308-309

**B107\_ BINGO CUR YR AHEAD/BEHIND**

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you played bingo. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	1.3	7	1	AHEAD
63.6	3.9	21	2	BEHIND
15.2	0.9	5	3	BROKE EVEN
	93.8	501	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 310-311

**B108A\_CD BINGO CUR YR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.1	6	1	UNDER \$100
14.3	0.2	1	2	\$100 TO \$500
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 312-313

<b>B108B_CD</b>	<b>BINGO CUR YR BEHIND RANGE</b>
-----------------	----------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	3.4	18	1	UNDER \$100
14.3	0.6	3	2	\$100 TO \$500
	96.1	513	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 314-315

<b>B109_</b>	<b>CHARITABLE HOW OFTEN GAMBLED</b>
--------------	-------------------------------------

In the past year, since [CURRENT MONTH] 1997, think about how often you have bet money on games conducted for a charitable cause, such as Las Vegas Nights and pull-tabs. Do not include bingo or games played for a prize other than money, such as a car raffle. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.2	1	3	ONCE OR TWICE A MONTH
38.5	0.9	5	4	A FEW DAYS ALL YEAR
53.8	1.3	7	5	ONLY ONE DAY IN PAST YEAR
	97.6	521	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 316-317

B110\_

CHARITABLE INDIAN OR TRIBAL

In the past year, since [CURRENT MONTH] 1997, did you wager on a charitable game like this that you knew was being conducted by a tribal organization, for example, to benefit a tribal church, school, or fraternal organization?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 318-319

B111\_

CHARITABLE TIME SPENT

Now please think about the last time, the most recent day, when you bet money on a game or games conducted for a charitable cause, such as pull-tabs or Las Vegas Nights. Did you gamble for ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.9	5	1	LESS THAN TWO HOURS
16.7	0.2	1	3	FIVE TO TEN HOURS OR
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 320-321

**B112\_ CHARITABLE DISTANCE FROM HOME**

How far did you have to travel from home to get there: Was it less than 10 miles, between 10 and 50 miles, more than 50 but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	1	LESS THEN 10 MILES
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 322-323

**B114\_ CHARITABLE BUDGET**

One that last day that you played [NAME], did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	4	1	YES
33.3	0.4	2	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 324-325

**B115\_ CHARITABLE WILLING TO LOSE**

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	1	5	
25.0	0.2	1	20	
25.0	0.2	1	30	
25.0	0.2	1	50	
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 326-327

**B116\_ CHARITABLE MONEY TAKE LAST DAY**

On that day, how much money did you take to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	1	10	
20.0	0.2	1	25	
20.0	0.2	1	30	
20.0	0.2	1	50	
20.0	0.2	1	60	
	98.9	528	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 328-329

**B117\_ CHARITABLE ACQUIRE MORE MONEY**

And on that day, after you started gambling, did you acquire more money to gamble with, for example, by using an ATM, credit card, or cashing a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 330-331

**B118\_ CHARITABLE CASH A CHECK TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 332-333

**B118\_2 CHARITABLE BANK ACCOUNT ATM TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you take money from a bank account using an ATM?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 334-335

B118\_3

CHARITABLE CREDIT CARD TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you pay with a credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 336-337

B118\_4

CHARITABLE CASH ADVANCE TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 338-339

B118\_5

CHARITABLE BORROW MONEY FAMILY/FRIEND

Please tell me which of the following ways you got more money to continue gambling. Did you borrow money from a family member or friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 340-341

**B118\_6 CHARITABLE ANY OTHER WAY (SPECIFY)**

Please tell me which of the following ways you got more money to continue gambling. Did you get money any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 342-343

**B119\_ CHARITABLE ATM LOCATION**

Where was the ATM machine that you used? Was it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 344-345

**B120\_ CHARITABLE LAST DAY AHEAD/BEHIND**

On that last day that you played [NAME], did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	AHEAD
66.7	0.7	4	2	BEHIND
16.7	0.2	1	3	BROKE EVEN
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 346-347

**B121A\_CD CHARITABLE AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	\$100 TO \$500
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 348-349

**B121B\_CD CHARITABLE BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	4	1	UNDER \$100
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 350-351

**B122\_ CHARITABLE INDIAN OR TRIBAL LAST DAY**

On that day, was the game or games you played sponsored by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 352-353

B123\_

CHARITABLE CUR YR AHEAD/BEHIND

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you bet money on a game conducted for a charitable cause, not including bingo or raffles for prizes other than money. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	2.1	11	2	BEHIND
15.4	0.4	2	3	BROKE EVEN
	97.6	521	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 354-355

B124A\_CD

CHARITABLE CUR YR AHEAD RANGE

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 356-357

<b>B124B_CD</b>	<b>CHARITABLE CUR YR BEHIND RANGE</b>
-----------------	---------------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	10	1	UNDER \$100
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 358-359

<b>B125_</b>	<b>CARDROOM HOW OFTEN GAMBLED</b>
--------------	-----------------------------------

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled in a cardroom, that is, a business with premises devoted to playing card games for money such as poker, pai gow poker, and super pan nine. Please do not include card games in any of the gambling facilities I have already asked about. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.2	1	2	ONE TO THREE TIMES A WEEK
33.3	0.6	3	3	ONCE OR TWICE A MONTH
22.2	0.4	2	4	A FEW DAYS ALL YEAR OR
33.3	0.6	3	5	ONLY ONE DAY IN THE PAST YEAR?
	98.3	525	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 360-361

B126\_

CARDROOM INDIAN OR TRIBAL

In the past year, since [CURRENT MONTH] 1997, did you gamble in a cardroom that you knew to be owned by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 362-363

B127\_

CARDROOM TIME SPENT

Now please think about the last time, the most recent day, when you gambled in a cardroom. Did you gamble for...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	4	1	LESS THAN TWO HOURS
33.3	0.4	2	2	TWO TO FOUR HOURS
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 364-365

B128\_

CARDROOM DISTANCE FROM HOME

How far did you have to travel from home to get there: Was it less than 10 miles, between 10 and 50 miles, more than 50 but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	4	1	LESS THAN 10 MILES
16.7	0.2	1	2	BETWEEN 10 AND 50 MILES
16.7	0.2	1	3	BETWEEN 50 AND 250 MILES
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 366-367

B129\_

CARDROOM BUDGET

On that day, did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	2	1	YES
66.7	0.7	4	2	NO
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 368-369

<b>B130_</b>	<b>CARDROOM WILLING TO LOSE</b>
--------------	---------------------------------

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	50	
50.0	0.2	1	100	
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 370-372

<b>B131_</b>	<b>CARDROOM MONEY TAKE LAST DAY</b>
--------------	-------------------------------------

On that day, how much money did you take to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	2	15	
16.7	0.2	1	20	
16.7	0.2	1	30	
16.7	0.2	1	50	
16.7	0.2	1	100	
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 373-375

B132\_

CARDROOM ACQUIRE MORE MONEY

And on that day, after you started gambling, did you acquire more money to gamble with, for example, by using an ATM, credit card, or cashing a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 376-377

B133\_

CARDROOM CASH A CHECK TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 378-379

B133\_2

CARDROOM BANK ACCOUNT ATM TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you take money from a bank account using an ATM?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 380-381

B133\_3

CARDROOM CASH ADVANCE TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 382-383

B133\_4

CARDROOM CREDIT CARD TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you pay with a credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 384-385

B133\_5

CARDROOM FACILITY LINE OF CREDIT

Please tell me which of the following ways you got more money to continue gambling. Did you use a line of credit from the facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 386-387

B133\_6

CARDROOM BORROW MONEY FAMILY/FRIEND

Please tell me which of the following ways you got more money to continue gambling. Did you borrow money from a family member or friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 388-389

B133\_7

CARDROOM ANY OTHER WAY (SPECIFY)

Please tell me which of the following ways you got more money to continue gambling. Did you get money any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 390-391

B134\_

CARDROOM ATM LOCATION

Where was the ATM machine that you used? Was it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 392-393

**B135\_ CARDROOM LAST DAY AHEAD/BEHIND**

On that last day that you played in a cardroom, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	4	1	AHEAD
33.3	0.4	2	2	BEHIND
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 394-395

**B136A\_CD CARDROOM AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	4	1	UNDER \$100
	99.3	530	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 396-397

**B136B\_CD CARDROOM BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	UNDER \$100
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 398-399

B137\_

CARDROOM INDIAN OR TRIBAL LAST DAY

On that day, was the cardroom you played in run by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 400-401

B138\_

CARDROOM CUR YR AHEAD/BEHIND

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled in a cardroom. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.6	3	1	AHEAD
22.2	0.4	2	2	BEHIND
44.4	0.7	4	3	BROKE EVEN
	98.3	525	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 402-403

**B139A\_CD****CARDROOM CUR YR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	3	1	UNDER \$100
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 404-405

**B139B\_CD****CARDROOM CUR YR BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	UNDER \$100
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 406-407

B140\_

PRIVATE HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled for money in a private game such as dice, dominos, poker in someone's home, pool, golf, or bowling. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.6	3	1	ABOUT EVERY DAY
6.6	1.9	10	2	ONE TO THREE TIMES A WEEK
17.1	4.9	26	3	ONCE OR TWICE A MONTH
62.5	17.8	95	4	A FEW DAYS ALL YEAR
11.8	3.4	18	5	ONLY ONE DAY IN THE PAST YEAR?
	71.5	382	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 408-409

B141\_

PRIVATE TIME SPENT

Now please think about the last time, the most recent day, when you gambled in a private game such as dice, dominos, poker in someone's home, pool, golf, or bowling. Did you gamble there for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	17.2	92	1	LESS THAN TWO HOURS
28.4	7.1	38	2	TWO TO FOUR HOURS
1.5	0.4	2	3	FIVE TO TEN HOURS OR
1.5	0.4	2	4	MORE THAN TEN HOURS?
	74.9	400	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 410-411

**B142\_ PRIVATE LAST DAY AHEAD/BEHIND**

On that day, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	15.4	82	1	AHEAD
25.0	6.2	33	2	BEHIND
12.9	3.2	17	3	BROKE EVEN
	74.9	400	-3	MISSING
	0.4	2	-2	DONT KNOW
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 412-413

**B143A\_CD PRIVATE AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	14.8	79	1	UNDER \$100
3.7	0.6	3	2	\$100 TO \$500
	84.6	452	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 414-415

**B143B\_CD PRIVATE BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	31	1	UNDER \$100
	94.2	503	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 416-417

**B144\_ PRIVATE CUR YR AHEAD/BEHIND**

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled in a private game such as dice, dominos, poker in someone's home, pool, golf, or bowling. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	14.0	75	1	AHEAD
27.0	7.5	40	2	BEHIND
22.3	6.2	33	3	BROKE EVEN
	71.5	382	-3	MISSING
	0.7	4	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 418-419

**B145A\_CD****PRIVATE CUR YR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	12.0	64	1	UNDER \$100
11.0	1.5	8	2	\$100 TO \$500
1.4	0.2	1	4	\$1 001 TO \$5 000
	86.3	461	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 420-421

**B145B\_CD****PRIVATE CUR YR BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	6.2	33	1	UNDER \$100
8.3	0.6	3	2	\$100 TO \$500
	93.3	498	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 422-423

B146\_

STORE/BAR HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled at a store, bar, restaurant, truck stop, or similar location that had only one or two kinds of games, such as slot machines, video poker, or pull tabs. Please do not include gambling in locations that we have already talked about, or betting with a bookmaker. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.2	1	2	ONE TO THREE TIMES A WEEK
65.0	2.4	13	4	A FEW DAYS ALL YEAR
30.0	1.1	6	5	ONLY ONE DAY IN THE PAST YEAR?
	96.3	514	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 424-425

B147\_

STORE/BAR INDIAN OR TRIBAL

In the past year, since [CURRENT MONTH] 1997, did you gamble at a store, bar, restaurant, truck stop, or similar location that you knew to be owned by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 426-427

B148\_

STORE/BAR LOCATION TYPE

Now please think about the last time, the most recent day, when you gambled at one of these locations. Which kind of location was this? Was it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.9	5	1	A BAR OR RESTAURANT
21.4	0.6	3	2	A TRUCK STOP OR GAS STATION
14.3	0.4	2	3	A CONVENIENCE STORE
7.1	0.2	1	4	A SUPERMARKET OR
21.4	0.6	3	5	SOMEPLACE ELSE?
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 428-429

B149\_

OTHER DISTANCE FROM HOME

How far did you have to travel from home to get there: Was it less than 10 miles, between 10 and 50 miles, more than 50 but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	1.5	8	1	LESS THAN 10 MILES
15.4	0.4	2	2	BETWEEN 10 AND 50 MILES
7.7	0.2	1	3	BETWEEN 50 AND 250 MILES
15.4	0.4	2	4	MORE THAN 250 MILES
	97.4	520	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 430-431

B150\_

STORE/BAR PLAYED SLOT MACHINES

Which kind of game or games did you play? Did you play slot machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.7	4	1	YES
71.4	1.9	10	2	NO
	97.4	520	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 432-433

B150\_2

STORE/BAR PLAYED VIDEO LOTTERY

Which kind of game or games did you play? Did you play a video lottery machine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.6	3	1	YES
78.6	2.1	11	2	NO
	97.4	520	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 434-435

**B150\_3**                      **STORE/BAR PLAYED OTHER ELEC. GAME**

Which kind of game or games did you play? Did you play some other kind of electronic game?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.3	7	1	YES
50.0	1.3	7	2	NO
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 436-437

**B150\_4**                      **STORE/BAR PLAYED PULL TABS**

Which kind of game or games did you play? Did you play pull tabs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.2	1	1	YES
92.9	2.4	13	2	NO
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 438-439

B150\_5

STORE/BAR PLAYED SOMETHING ELSE

Which kind of game or games did you play? Did you play something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.2	1	1	YES
92.9	2.4	13	2	NO
	97.4	520	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 440-441

B151\_

STORE/BAR TIME SPENT

Did you gamble there for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	2.4	13	1	LESS THAN TWO HOURS
7.1	0.2	1	3	FIVE TO TEN HOURS OR
	97.4	520	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 442-443

**B152\_ STORE/BAR BUDGET**

On that day, did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	1.1	6	1	YES
57.1	1.5	8	2	NO
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 444-445

**B153\_ STORE/BAR WILLING TO LOSE**

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	3	
16.7	0.2	1	5	
16.7	0.2	1	8	
16.7	0.2	1	10	
16.7	0.2	1	20	
16.7	0.2	1	50	
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 446-447

<b>B154_</b>	<b>STORE/BAR MONEY TAKE LAST DAY</b>
--------------	--------------------------------------

On that day, how much money did you take to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.2	1	0	
38.5	0.9	5	5	
15.4	0.4	2	10	
15.4	0.4	2	20	
7.7	0.2	1	25	
7.7	0.2	1	50	
7.7	0.2	1	70	
	97.4	520	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 448-449

<b>B155_</b>	<b>STORE/BAR ACQUIRE MORE MONEY</b>
--------------	-------------------------------------

And on that day, after you started gambling, did you acquire more money to gamble with, for example, by using an ATM, credit card, or cashing a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.4	2	1	YES
85.7	2.2	12	2	NO
	97.4	520	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 450-451

B156\_

STORE/BAR CASH A CHECK TO GAMBLE

Please tell me which of the following ways you got more money to continue gambling. Did you cash a check?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 452-453

B156\_2

STORE/BAR BANK ACCOUNT ATM TO GAMB

Please tell me which of the following ways you got more money to continue gambling. Did you take money from a bank account using an ATM?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 454-455

**B156\_3**

**STORE/BAR CREDIT CARD TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you pay with a credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 456-457

**B156\_4**

**STORE/BAR CASH ADVANCE TO GAMBLE**

Please tell me which of the following ways you got more money to continue gambling. Did you get a credit card cash advance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 458-459

B156\_5

STORE/BAR FACILITY LINE OF CREDIT

Please tell me which of the following ways you got more money to continue gambling. Did you use a line of credit from the facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 460-461

B156\_6

STORE/BAR BORROW FROM FAMILY/FRIEND

Please tell me which of the following ways you got more money to continue gambling. Did you borrow money from a family member or friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 462-463

B156\_7

STORE/BAR ANY OTHER WAY (SPECIFY)

Please tell me which of the following ways you got more money to continue gambling. Did you get money any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 464-465

B157\_

STORE/BAR ATM LOCATION

Where was the ATM machine that you used? Was it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	WITHIN WALKING DIST OF GAMBLING
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 466-467

**B158\_ STORE/BAR LAST DAY AHEAD/BEHIND**

On that last day you gambled at one of these locations, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.6	3	1	AHEAD
64.3	1.7	9	2	BEHIND
14.3	0.4	2	3	BROKE EVEN
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 468-469

**B159A\_CD STORE/BAR AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	2	1	UNDER \$100
33.3	0.2	1	2	\$100 TO \$500
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 470-471

<b>B159B_CD</b>	<b>STORE/BAR BEHIND RANGE</b>
-----------------	-------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	9	1	UNDER \$100
	98.3	525	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 472-473

<b>B160_</b>	<b>STORE/BAR WIN/LOSE 1 GAME</b>
--------------	----------------------------------

Did you win/lose most of that money at one particular game or activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	1.9	10	1	YES
16.7	0.4	2	2	NO
	97.8	522	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 474-475

**B161\_ STORE/BAR WIN LOSE WHICH GAME**

What type of game or activity did you [win/lose] most of that money on? Was it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.6	3	1	SLOT MACHINES
10.0	0.2	1	2	A VIDEO LOTTERY MACHINE
40.0	0.7	4	3	SOME OTHER ELECTRONIC GAME
10.0	0.2	1	4	PULL TABS OR
10.0	0.2	1	5	SOMETHING ELSE?
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 476-477

**B162\_ STORE/BAR INDIAN OR TRIBAL LAST DAY**

On that day, was the game or games you played at this location sponsored by an Indian tribe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 478-479

<b>B163_</b>	<b>STORE/BAR CUR YR AHEAD/BEHIND</b>
--------------	--------------------------------------

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled at a store, bar, restaurant, truck stop, or similar location that had only one or two kinds of games. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	1.1	6	1	AHEAD
50.0	1.9	10	2	BEHIND
20.0	0.7	4	3	BROKE EVEN
	96.3	514	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 480-481

<b>B164A_CD</b>	<b>STORE/BAR CUR YR AHEAD RANGE</b>
-----------------	-------------------------------------

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	1	UNDER \$100
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 482-483

B164B\_CD

STORE/BAR CUR YR BEHIND RANGE

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	8	1	UNDER 100\$
	98.3	525	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 484-485

B165\_

UNLICENSED HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you participated in a sports pool, placed a bet with a bookmaker, bought a policy or played nonlicensed numbers games, or played in a nonlicensed casino or "blind pig." Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	1.1	6	2	ONE TO THREE TIMES A WEEK
23.5	2.2	12	3	ONCE OR TWICE A MONTH
29.4	2.8	15	4	A FEW DAYS ALL YEAR OR
35.3	3.4	18	5	ONLY ONE DAY IN THE PAST YEAR?
	90.4	483	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 486-487

**B166\_ UNLICENSED TYPE OF GAME**

Now please think about the last time, the most recent day, when you participated in a sports pool, placed a bet with a bookmaker, bought a policy or played nonlicensed numbers games, or played in a nonlicensed casino or "blind pig." What kind of activity did you participate in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	6.0	32	1	PARTICIPATED IN A SPORTS POOL
3.0	0.2	1	2	PLACED A BET WITH A BOOKMAKER
	93.8	501	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 488-489

**B167\_ UNLICENSED DISTANCE FROM HOME**

How far did you have to travel from home to get there: Was it less than 10 miles, between 10 and 50 miles, more than 50 but not more than 250 miles, or more than 250 miles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 490-491

<b>B168_</b>	<b>UNLICENSED AMOUNT BET</b>
--------------	------------------------------

On the last day that you played [game given in B161], how much money did you bet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.7	4	1	
18.2	1.1	6	2	
3.0	0.2	1	3	
18.2	1.1	6	5	
33.3	2.1	11	10	
9.1	0.6	3	20	
3.0	0.2	1	40	
3.0	0.2	1	300	
	93.8	501	-3	
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 492-494

<b>B169_</b>	<b>UNLICENSED CUR YR AHEAD/BEHIND</b>
--------------	---------------------------------------

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled in one of these ways. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	2.1	11	1	AHEAD
66.7	6.4	34	2	BEHIND
11.8	1.1	6	3	BROKE EVEN
	90.4	483	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 495-496

<b>B170A_CD</b>	<b>UNLICENSED AHEAD RANGE</b>
-----------------	-------------------------------

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	1.7	9	1	UNDER \$100
18.2	0.4	2	2	\$100 TO \$500
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 497-498

<b>B170B_CD</b>	<b>UNLICENSED CUR YR BEHIND RANGE</b>
-----------------	---------------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.0	32	1	UNDER \$100
	94.0	502	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 499-500

B171\_

INTERNET HOW OFTEN GAMBLED

In the past year, since [CURRENT MONTH] 1997, think about how often you gambled for actual money on the Internet or World Wide Web. Please include lottery games that can only be played on the Internet. Did you play...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	5	ONLY ONE DAY IN THE PAST YEAR?
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 501-502

B172\_

INTERNET TIME SPENT

Now please think about the last time, the most recent day, when you gambled on the Internet or World-Wide-Web. Did you gamble for

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 503-504

**B173\_ INTERNET BUDGET**

On that day, did you budget beforehand a certain amount of money that was the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 505-506

**B174\_ INTERNET WILLING TO LOSE**

How many dollars were the most you were willing to lose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 507-508

**B175\_ INTERNET LAST DAY AHEAD/BEHIND**

On the last day that you gambled on the Internet or World-Wide-Web, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 509-510

**B176A\_CD**                    **INTERNET AHEAD RANGE**

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 511-512

**B176B\_CD**                    **INTERNET BEHIND RANGE**

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 513-514

**B177\_**                        **INTERNET CUR YR AHEAD/BEHIND**

Now please think about all of the times in the past year, since [CURRENT MONTH] 1997, that you gambled on the Internet or World Wide Web. During this year, did you come out ahead or behind on the money you wagered?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	3	BROKE EVEN
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 515-516

<b>B178A_CD</b>	<b>INTERNET CUR YR AHEAD RANGE</b>
-----------------	------------------------------------

How much did you come out ahead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 517-518

<b>B178B_CD</b>	<b>INTERNET CUR YR BEHIND RANGE</b>
-----------------	-------------------------------------

How much did you come out behind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 519-520

**SECTION C: GAMBLING-RELATED ATTITUDES,  
MOTIVATIONS, AND HISTORY**

C1\_

**EFFECTS OF LEGAL GAMBLING**

People have different beliefs about the overall effects of legalized gambling on society. Some people consider that legalized gambling is mostly a good thing for society, others think it is mostly a bad thing, and still others think it has an equal combination of good and bad effects on society. Would you say that the overall effect of legalized gambling on society is...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	7	1	VERY GOOD
9.8	9.7	52	2	GOOD
64.5	64.0	342	3	ABOUT EQUALLY GOOD AND BAD
18.5	18.4	98	4	BAD OR
5.8	5.8	31	5	VERY BAD?
	0.7	4	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 521-522

C2\_

NOT GAMBLER PAST YEAR

You have indicated that you have not gambled at all in the past year, since [CURRENT MONTH] 1997. Now I would like to ask you how important some possible reasons might have been for your [never gambling/not gambling or placing any bets in the past year].

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.6	297	1	HAS NOT GAMBLER IN PAST YEAR
	44.4	237	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 523-524

C3\_

WHY NOT INCONVENIENT

Would you say that inconvenience or distance from gambling opportunities was very important, important, not so important, or not at all important in your not gambling [in the past year]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	4.1	22	1	VERY IMPORTANT
19.5	10.9	58	2	IMPORTANT
19.9	11.0	59	3	NOT SO IMPORTANT
53.2	29.6	158	4	NOT AT ALL IMPORTANT
	44.4	237	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 525-526

C4\_

WHY NOT MORAL OR ETHICAL

Would you say that moral or ethical concerns were very important, important, not so important, or not at all important in your not gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	13.3	71	1	VERY IMPORTANT
30.3	16.9	90	2	IMPORTANT
22.2	12.4	66	3	NOT SO IMPORTANT
23.6	13.1	70	4	NOT AT ALL IMPORTANT
	44.4	237	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 527-528

C5\_

WHY NOT POSSIBILITY OF LOSING MONEY

Would you say that the possibility of losing money was very important, important, not so important, or not at all important in your not gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	19.3	103	1	VERY IMPORTANT
34.7	19.3	103	2	IMPORTANT
15.8	8.8	47	3	NOT SO IMPORTANT
14.8	8.2	44	4	NOT AT ALL IMPORTANT
	44.4	237	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 529-530

C6\_

WHY NOT OTHER REASON

Were there any [other] important or very important reason why you [have never gambled/didn't gamble in the past year]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	17.0	91	1	YES
69.4	38.6	206	2	NO
	44.4	237	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 531-532

C8\_

PAST YEAR GAMBLING PREAMBLE

I would like to ask you about reasons you may have had for gambling or placing a bet in the past year. Please tell me whether each of the following reasons was very important, important, not so important, or not at all important to you as a reason for gambling:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	44.4	237	1	HAS NOT GAMBLED IN PAST YEAR
	55.6	297	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 533-534

C9\_

**WHY SOCIALIZING W/ FRIENDS/FAMILY**

Socializing with friends or family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	5.8	31	1	VERY IMPORTANT
44.1	19.5	104	2	IMPORTANT
28.0	12.4	66	3	NOT SO IMPORTANT
14.8	6.6	35	4	NOT AT ALL IMPORTANT
	55.6	297	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 535-536

C10\_

**WHY PERSONAL SERVICE FROM STAFF**

Personal service from the staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.9	5	1	VERY IMPORTANT
9.4	4.1	22	2	IMPORTANT
35.2	15.4	82	3	NOT SO IMPORTANT
53.2	23.2	124	4	NOT AT ALL IMPORTANT
	55.6	297	-3	MISSING
	0.7	4	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 537-538

C11\_

WHY GAMBLE BE AROUND OTHER PEOPLE

To be around other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	2.8	15	1	VERY IMPORTANT
35.9	15.9	85	2	IMPORTANT
35.4	15.7	84	3	NOT SO IMPORTANT
22.4	9.9	53	4	NOT AT ALL IMPORTANT
	55.6	297	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 539-540

C12\_

WHY EXCITEMENT OR CHALLENGE

The excitement or challenge of gambling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	5.8	31	1	VERY IMPORTANT
40.9	18.2	97	2	IMPORTANT
30.4	13.5	72	3	NOT SO IMPORTANT
15.6	6.9	37	4	NOT AT ALL IMPORTANT
	55.6	297	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 541-542

C13\_

WHY TO WIN MONEY

To win money

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	10.5	56	1	VERY IMPORTANT
35.4	15.7	84	2	IMPORTANT
31.2	13.9	74	3	NOT SO IMPORTANT
9.7	4.3	23	4	NOT AT ALL IMPORTANT
	55.6	297	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 543-544

C14\_

WHY SPECIFY OTHER REASONS

Were there any [other] important or very important reasons why you gambled?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	4.5	24	1	YES
89.8	39.7	212	2	NO
	55.6	297	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

C15\_

FAVORITE GAME OR ACTIVITY

Now thinking about all the kinds of gambling we have discussed, can you tell me which is your favorite kind of game or activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	5.4	29	1	BINGO
0.3	0.2	1	2	BOOK-TYPE BETTING
35.0	22.8	122	3	CARD GAMES
4.3	2.8	15	5	DICE
1.4	0.9	5	6	GAMES OF SKILL
7.2	4.7	25	7	INSTANT LOTTERY GAMES
0.3	0.2	1	10	OFF-TRACK BETTING
2.0	1.3	7	11	LOTTERY GAMES (NOT INSTANT)
1.1	0.7	4	12	OUTCOME OF SPORTS EVENTS W/ ACQ
1.4	0.9	5	13	PARI-MUTUEL SPORTS
0.9	0.6	3	14	PULL-TABS
4.6	3.0	16	16	SLOT MACHINES
8.3	5.4	29	17	SPORTS POOLS
2.6	1.7	9	18	TABLE GAMES (IN GENERAL)
1.1	0.7	4	19	VIDEO MACHINE GAMES
8.9	5.8	31	20	OTHER (SPECIFY)
12.3	8.1	43	21	NO FAVORITE
	34.6	185	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 547-548

<b>C16_</b>	<b>GAMBLE WITH SOMEONE ELSE</b>
-------------	---------------------------------

When you [do favorite type of gambling in C15], do you usually do so with someone you know very well?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	58.4	312	1	YES
9.0	5.8	31	2	NO
	35.4	189	-3	MISSING
	0.4	2	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 549-550

<b>C17_</b>	<b>WHO GAMBLE WITH</b>
-------------	------------------------

Who do you usually [do favorite type of gambling in C15] with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.9	5	1	YOUR SPOUSE OR PARTNER
27.9	16.3	87	2	OTHER FAMILY MEMBER(S)
70.2	41.0	219	3	FRIEND/CO-WORKER/NEIGHBOR/CLUB MEMBER
0.3	0.2	1	4	SOME OTHER INDIVIDUAL OR GROUP
	41.6	222	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 551-552

<b>C18_CD</b>	<b>LARGEST AMT WON RANGE</b>
---------------	------------------------------

For any of the types of gambling you have done, what is the largest amount of money you have ever won, that is, come out ahead at the end of a single day of gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	5.2	28	1	NONE
83.7	53.7	287	2	UNDER \$100
6.7	4.3	23	3	\$100 TO \$500
1.2	0.7	4	4	\$501 TO \$1 000
0.3	0.2	1	5	\$1 001 TO \$5 000
	35.8	191	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 553-554

<b>C19_</b>	<b>LRG AMT WON GAMBLE/LOST BACK MONEY</b>
-------------	---

Did you within a few days or weeks gamble and lose back most of the money that you won on that day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.7	4	1	YES
87.9	5.4	29	2	NO
	93.6	500	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 555-556

**C20\_ LRG AMT WON SAVE/SPEND MONEY**

What did you do with most of the money you won??save it or spend it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	2.1	11	1	SAVE
62.1	3.4	18	2	SPEND
	94.4	504	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 557-558

**C21\_ LRG AMT WON SPEND ON PARTICULAR/GENERAL**

Did you spend most of the money on something in particular or on general living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.7	9	1	PARTICULAR
50.0	1.7	9	2	GENERAL
	96.4	515	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 559-560

<b>C22_CD</b>	<b>SPENT ON -- LEISURE GOODS</b>
---------------	----------------------------------

LEISURE GOODS, such as consumer electronics or sporting goods?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.9	5	1	YES
50.0	0.9	5	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 561-562

<b>C22_CD2</b>	<b>SPENT ON -- OTHER CONSUMER GOODS</b>
----------------	---

OTHER CONSUMER GOODS, such as auto or household items?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.2	1	1	YES
90.0	1.7	9	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 563-564

<b>C22_CD3</b>	<b>SPENT ON -- RECREATIONAL SERVICES</b>
----------------	--

RECREATIONAL SERVICES, such as vacation trips and "nights out"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	10	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 565-566

<b>C22_CD4</b>	<b>SPENT ON -- OTHER CONSUMER SERVICES</b>
----------------	--

OTHER CONSUMER SERVICES, such as education or loan payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	10	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 567-568

<b>C22_CD5</b>	<b>SPENT ON -- CANNOT CODE</b>
----------------	--------------------------------

CANNOT CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.7	4	1	YES
60.0	1.1	6	2	NO
	98.1	524	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 569-570

<b>C23_CD</b>	<b>LARGEST AMT LOST RANGE</b>
---------------	-------------------------------

Now what is the largest amount of money you have ever lost, that is, come out behind at the end of a single day of gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	5.1	27	1	NEVER LOST ANY MONEY
89.4	58.4	312	2	UNDER \$100
2.0	1.3	7	3	\$100 TO \$500
0.9	0.6	3	4	\$501 TO \$1 000
	34.6	185	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 571-572

<b>C24_</b>	<b>LRG AMT LOST WIN BACK MONEY</b>
-------------	------------------------------------

Did you within a few days or weeks win back most of the money that you lost on that day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.7	4	1	YES
60.0	1.1	6	2	NO
	98.1	524	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 573-574

C25\_

LRG AMT LOST BORROWING/CREDIT

Did the money you lost that day come from cash on hand, or did it come from borrowing or credit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	4	1	CASH ON HAND
33.3	0.4	2	2	BORROW OR CREDIT
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 575-576

C26\_

LRG AMT LOST SAVE/SPEND/SOMETHING ELSE

If you had not lost the money that day, what would you probably have done with it: would you have gambled with it another day, saved it, or spent it on something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	1	2	SAVE
75.0	0.6	3	3	SPEND
	99.3	530	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 577-578

<b>C27_</b>	<b>LRG AMT LOST SPEND ON PARTICULAR/GENERAL</b>
-------------	---

Would you have spent the money on something in particular or on general living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	1	1	PARTICULAR
66.7	0.4	2	2	GENERAL
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 579-580

<b>C28_CD</b>	<b>WOULD HAVE BOUGHT -- LEISURE GOODS</b>
---------------	---

LEISURE GOODS, such as consumer electronics or sporting goods?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 581-582

<b>C28_CD2</b>	<b>WOULD HAVE BOUGHT -- OTHER CONSUMER GOODS</b>
----------------	--

OTHER CONSUMER GOODS, such as auto or household items?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 583-584

**C28\_CD3                      WOULD HAVE BOUGHT -- RECREATIONAL SERVICES**

RECREATIONAL SERVICES, such as vacation trips and "nights out"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 585-586

**C28\_CD4                      WOULD HAVE BOUGHT -- OTHER CONSUMER SERVS**

OTHER CONSUMER SERVICES, such as education or loan payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 587-588

**C28\_CD5                      WOULD HAVE BOUGHT -- CANNOT CODE**

CANNOT CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 589-590

C29\_CD

LARGEST AMT BEHIND IN YEAR RANGE

Please think about all the years since you first started any type of gambling. About how much would you say is the largest amount of money that you have ever been behind across an entire year of gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	3.4	18	1	NEVER LOST MONEY
85.5	47.4	253	2	UNDER \$100
8.1	4.5	24	3	\$100 TO \$500
0.3	0.2	1	4	\$501 TO \$1 000
	44.6	238	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 591-592

## SECTION D: PROBLEM GAMBLING DIAGNOSTIC ASSESSMENT

### D1\_ EVER PREOCCUPATION GAMBLING

Have there ever been periods lasting two weeks or longer when you spent a lot of time thinking about your gambling experiences or planning out future gambling ventures or bets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.1	6	1	YES
98.0	55.8	298	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 593-594

### D2\_ EVER PREOCCUPATION MONEY TO GAMBLE

Have there ever been periods lasting two weeks or longer when you spent a lot of time thinking about ways of getting money to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.9	5	1	YES
98.4	56.0	299	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 595-596

D3\_

EVER GAMBLING INCREASING AMOUNTS

Have there ever been periods when you needed to gamble with increasing amounts of money or with larger bets than before in order to get the same feeling of excitement?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	2.2	12	1	YES
96.0	54.5	291	2	NO
	43.3	231	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 597-598

D4\_

EVER TRIED TO STOP GAMBLING

Have you ever tried to stop, cut down, or control your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	6.7	36	1	YES
88.2	50.2	268	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 599-600

D5\_

EVER RESTLESS OR IRRITABLE

On one or more of the times when you tried to stop, cut down, or control your gambling, were you restless or irritable?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.7	9	1	YES
75.0	5.1	27	2	NO
	93.3	498	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 601-602

D6\_

EVER TRIED/FAILED TO STOP GAMBLING

Have you ever tried but not succeeded in stopping, cutting down, or controlling your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	2.4	13	1	YES
63.9	4.3	23	2	NO
	93.3	498	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 603-604

D7\_

EVER FAIL MORE THAN 3 TIMES

Has this happened three or more times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.7	4	1	YES
69.2	1.7	9	2	NO
	97.6	521	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 605-606

D8\_

EVER ESCAPE PERSONAL PROBLEMS

Have you ever gambled as a way to escape from personal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.4	2	1	YES
99.3	56.6	302	2	NO
	43.1	230	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 607-608

D9\_

EVER RELIEVE GUILT/ANX/HELPLESS/DEPRESS

Have you ever gambled to relieve uncomfortable feelings such as guilt, anxiety, helplessness, or depression?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	1.5	8	1	YES
97.4	55.4	296	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 609-610

D10\_

EVER RETURN ANOTHER DAY TO GET EVEN

Has there ever been a period when, if you lost money gambling one day, you would return another day to get even?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	12.0	64	1	YES
78.9	44.9	240	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 611-612

**D11\_ EVER LIED ABOUT MONEY LOST**

Have you ever lied to family members, friends, or others about how much you gamble or how much money you lost on gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	4.3	23	1	YES
92.4	52.6	281	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 613-614

**D12\_ EVER LIED ABOUT MONEY 3 OR MORE TIMES**

Has this happened three or more times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.7	4	1	YES
81.8	3.4	18	2	NO
	95.9	512	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 615-616

D13\_

EVER STOLE MONEY TO GAMBLE

Have you ever written a bad check or taken money that didn't belong to you from family members or anyone else in order to pay for your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.4	2	1	YES
99.3	56.6	302	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 617-618

D14\_

EVER SERIOUS/REPEAT RELATIONSHIP PROBS

Has your gambling ever caused serious or repeated problems in your relationships with any of your family members or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	1	1	YES
99.7	56.7	303	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 619-620

D15\_

EVER CAUSED PROBLEMS IN SCHOOL

Has your gambling caused you any problems in school, such as missing classes or days of school, or your grades dropping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	1	1	YES
99.7	56.7	303	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 621-622

D16\_

EVER CAUSED PROBLEMS AT WORK

Has your gambling ever caused you to lose a job, have trouble with your job, or miss out on an important job or career opportunity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	56.9	304	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 623-624

**D17\_ EVER BORROW MONEY TO PAY DEBT**

Have you ever needed to ask family members or anyone else to loan you money or otherwise bail you out of a desperate money situation that was largely caused by your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.9	5	1	YES
98.4	56.0	299	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 625-626

**D18\_ EVER EMOTIONAL ARGUMENT W/ FAMILY MEMBER**

Did you ever argue with a family member about your gambling to the point where it became emotionally harmful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	1	1	YES
99.7	56.7	303	2	NO
	43.1	230	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 627-628

D19\_

EVER PHYSICAL ARGUMENT W/ FAMILY MEMBER

Did such an argument ever become physical?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 629-630

D20\_

PSTYR PREOCCUPATION GAMBLING

Since [current month] 1997, have there been any periods lasting two weeks or longer when you spent a lot of time thinking about your gambling experiences or planning out future gambling ventures or bets?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	2	1	YES
66.7	0.7	4	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 631-632

**D21\_ PSTYR PREOCCUPATION MONEY TO GAMBLE**

Since [current month] 1997, have there been periods lasting two weeks or longer when you spent a lot of time thinking about ways of getting money to gamble with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.4	2	1	YES
60.0	0.6	3	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 633-634

**D22\_ PSTYR GAMBLE INCREASING AMOUNTS**

Since [current month] 1997, have there been periods when you needed to gamble with increasing amounts of money or with larger bets than before in order to get the same feeling of excitement?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.6	3	1	YES
75.0	1.7	9	2	NO
	97.8	522	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 635-636

D23\_

PSTYR TRIED TO STOP GAMBLING

Since [current month] 1997, have you tried to stop, cut down, or control your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	2.1	11	1	YES
21.4	0.6	3	2	NO
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 637-638

D24\_

PSTYR RESTLESS OR IRRITABLE

Since [current month] 1997, on one or more of the times when you tried to stop, cut down, or control your gambling, were you restless or irritable?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	5	1	YES
28.6	0.4	2	2	NO
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 639-640

D25\_ PSTYR TRIED/FAILED TO STOP GAMBLING

Since [current month] 1997, have you tried but not succeeded in stopping, cutting down, or controlling your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.6	3	1	YES
57.1	0.7	4	2	NO
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 641-642

D26\_ PSTYR TRIED/FAILED 3 OR MORE TIMES

Since [current month] 1997, has this happened three or more times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	2	1	YES
33.3	0.2	1	2	NO
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 643-644

D27\_

PSTYR ESCAPE PERSONAL PROBLEMS

Since [current month] 1997, have you gambled as a way to escape from personal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 645-646

D28\_

PSTYR RELIEVE GUILT/ANX/HELPLESS/DEPRESS

Since [current month] 1997, have you gambled to relieve uncomfortable feelings such as guilt, anxiety, helplessness, or depression?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	4	1	YES
50.0	0.7	4	2	NO
	98.5	526	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 647-648

D29\_

PSTYR RETURN ANOTHER DAY TO GET EVEN

Since [current month] 1997, has there ever been a period when, if you lost money gambling on one day, you would often return another day to get even?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	6.7	36	1	YES
43.8	5.2	28	2	NO
	88.0	470	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 649-650

D30\_

PSTYR LIED ABOUT MONEY LOST

Since [current month] 1997, have you more than once lied to family members, friends, or others about how much you gamble or how much money you lost on gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	1.3	7	1	YES
53.3	1.5	8	2	NO
	97.2	519	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 651-652

D31\_

PSTYR LIED MONEY LOST 3 OR MORE TIMES

Has this happened three or more times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	1	1	YES
66.7	0.4	2	2	NO
	99.4	531	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 653-654

D32\_

PSTYR STOLEN MONEY TO GAMBLE

Since [current month] 1997, have you written a bad check or taken money that didn't belong to you from family members or anyone else in order to pay for your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	YES
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 655-656

D33\_

PSTYR SERIOUS/REPEAT RELATIONSHIP PROBS

Since [current month] 1997, has your gambling caused serious or repeated problems in your relationships with any of your family members or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 657-658

D34\_

PSTYRCAUSED PROBLEMS IN SCHOOL

Since [current month] 1997, has your gambling caused you any problems in school, such as missing classes or days of school, or getting worse grades?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 659-660

D35\_

PSTYR CAUSED PROBLEMS AT WORK

Since [current month] 1997, has your gambling ever caused you to lose a job, have trouble with your job, or miss out on an important job or career opportunity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 661-662

D36\_

PSTYR BORROW MONEY TO PAY DEBT

Since [current month] 1997, have you needed to ask family members or anyone else to loan you money or otherwise bail you out of a desperate money situation that was largely caused by your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.4	2	1	YES
60.0	0.6	3	2	NO
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 663-664

## SECTION E: GAMBLING TREATMENT EXPERIENCE

### E1\_ EVER RECEIVED HELP/TREATMENT

Have you ever received any kind of help or treatment for gambling problems? Include self-help groups and help from professionals such as doctors or counselors.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.4	77	2	NO
	85.6	457	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 665-666

### E2\_ TREATED BY A FAMILY DOCTOR

Did you receive help from a family doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 667-668

**E2\_2** **TREATED BY A PSYCHOL. OR PSYCHIATRIST**

Did you receive help from a psychologist or psychiatrist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 669-670

**E2\_3** **TREATED IN AN OVERNIGHT PROGRAM**

Did you receive help from a gambling treatment program where you stayed overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 671-672

**E2\_4** **TREATED IN A NON-OVERNIGHT PROGRAM**

Did you receive help from a gambling program where you did not stay overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 673-674

E2\_5

TREATED BY A RELIGIOUS LEADER

Did you receive help from a religious leader?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 675-676

E2\_6

TREATED BY A COUNSELOR/SOCIAL WORKER

Did you receive help from a counselor or social worker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 677-678

E3\_

AGE FIRST RECEIVED HELP/ TREATMENT

How old were you the first time you received any of these kinds of treatment or help for gambling problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 679-680

E4\_

**PSTYR ENTERED ANY TREATMENT PROGRAM**

Since [DATE 12 MONTHS AGO], have you entered any treatment program or started receiving any help for your gambling problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 681-682

E5\_

**EVER ATTENDED GAMBLERS ANONYMOUS**

Have you ever attended a Gamblers Anonymous meeting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 683-684

E6\_

**AGE FIRST ATTENDED GAMBLERS ANONYMOUS**

How old were you when you first attended a Gambler's Anonymous meeting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 685-686

E7\_

PSTYR ATTENDED 5 OR MORE GA MEETINGS

Since [DATE 12 MONTHS AGO], have you been to five or more of any of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 687-688

## SECTION F: FAMILY/MARITAL STATUS AND ISSUES

### F1\_ EVER MARRIED

Have you ever been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	534	2	NO
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 689

### F2\_ CURRENTLY MARRIED

Are you currently married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 690-691

**F3\_ TOGETHER OR SEPARATED FROM SPOUSE**

Are you together with your spouse or separated from your spouse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 692-693

**F4\_ MARRIED HOW MANY TIMES**

How many times have you been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 694-695

**F5\_ EVER DIVORCED**

[Were you/Have you ever been] divorced?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 696-697

**F6\_ GAMBLING FACTOR IN DIVORCE**

Was your gambling ever a significant factor or cause toward your getting a divorce?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 698-699

**F7\_ SPOUSE GAMBLING FACTOR IN DIVORCE**

Was your spouse's gambling ever a significant factor or cause toward your getting a divorce?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 700-701

**F8\_ OTHER FACTORS CONTRIBUTE TO DIVORCE**

Were there other significant factors or causes toward your getting a divorce?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 702-703

**F10\_ EVER SEPARATED**

[Have you ever been/were you ever] separated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 704-705

**F11\_ EVER GAMBLING FACTOR IN SEPARATION**

Was your gambling ever a significant factor or cause toward your separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 706-707

**F12\_ EVER SPOUSE GAMBLING FACTOR SEPARATION**

Was your spouse's gambling ever a significant factor or cause toward a separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 708-709

**F13\_ GAMBLING FACTOR IN CURRENT SEPARATION**

Was your gambling a significant factor or cause toward your current separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 710-711

**F14\_ OTHER FACTORS CONTRIBUTE TO SEPARATION**

Were there other significant factors or causes toward your separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 712-713

**F16A\_ HH ROSTER -A WIFE/HUSBAND**

Did you live with your [wife/husband]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 714-715

**F16B\_ HH ROSTER -B SOMEONE LIKE SPOUSE/PTNR**

Did you live with someone who is like a spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 716-717

**F16C\_ HH ROSTER -C MOTHER**

Did you live with your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	97.2	519	1	YES
2.8	2.8	15	2	NO
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 718

**F16D\_ HH ROSTER -D FATHER**

Did you live with your father, including your natural father, stepfather, foster father, or adoptive father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	90.1	481	1	YES
9.9	9.9	53	2	NO
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 719

**F16E\_ HH ROSTER -E CHILDREN**

Did you live with children who are your natural children or who you are raising as your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	7	1	YES
98.7	98.7	527	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 720

**F16F\_ HH ROSTER -F OTHER RELATIVE**

Did you live with another relative?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	59.4	317	1	YES
40.6	40.6	217	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 721

**F16G\_ HH ROSTER -G ALONE**

Did you live alone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 722-723

F17\_

CHILDREN UNDER 18 IN HH

In the past year, how many children of yours under age 18 were you living with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	5	1	
14.3	0.2	1	2	
14.3	0.2	1	3	3 OR MORE
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 724-725

F19\_

PSTYR HH GAMBLER TROUBLE/ BOTHER R

Has anyone that you lived with in the past 12 months gambled so much that it has troubled or bothered you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	5	1	YES
99.1	99.1	529	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 726

F20\_

HH GAMBLER IS SPOUSE OR PARTNER

What is that person's relationship to you? Were they your spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 727-728

F20\_2

HH GAMBLER IS MOTHER OR FEMALE GUARD.

What is that person's relationship to you? Were they your mother or female guardian?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	1	1	YES
80.0	0.7	4	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 729-730

F20\_3

HH GAMBLER IS FATHER OR MALE GUARD.

What is that person's relationship to you? Were they your father or male guardian?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.7	4	1	YES
20.0	0.2	1	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 731-732

F20\_4

HH GAMBLER IS BROTHER OR SISTER

What is that person's relationship to you? Were they your brother or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	1	1	YES
80.0	0.7	4	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 733-734

F20\_5

HH GAMBLER IS CHILD UNDER 18 YEARS

What is that person's relationship to you? Were they your child under 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 735-736

F20\_6

HH GAMBLER IS CHILD 18 YEARS OR OLDER

What is that person's relationship to you? Were they your child 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 737-738

F20\_7

HH GAMBLER IS OTHER PERSON

What is that person's relationship to you? Were they another person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 739-740

F21\_

ARGUE W/ HH GAMBLER EMOTIONALLY HARMFUL

In the past 12 months, did you ever argue about [the person's] gambling to the point where the argument became emotionally harmful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 741-742

F22\_

ARGUE W/ HH GAMBLER PHYSICALLY HARMFUL

Did any of these arguments become physical?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 743-744

F23\_

FAMILY USED OP MENTAL HEALTH OR COUNSEL

In the past year, has a family member other than yourself used any of the following services: Outpatient mental health or family counseling services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 745-746

F23\_2

FAMILY USED A HOSPITAL EMERGENCY ROOM

In the past year, has a family member other than yourself used any of the following services: A hospital emergency room?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 747-748

F23\_3

FAMILY USED DEBT OR CREDIT COUNSELOR

In the past year, has a family member other than yourself used any of the following services: A family debt or credit counseling service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 749-750

F23\_4

FAMILY USED INPATIENT MEDICAL TREAT

In the past year, has a family member other than yourself used any of the following services: Inpatient medical treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 751-752

**F23\_5**

**FAMILY USED INPATIENT PSYCH TREATMENT**

In the past year, has a family member other than yourself used any of the following services: Inpatient psychiatric treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 753-754

**F23\_6**

**FAMILY USED BATTERED PERSONS SHELTER**

In the past year, has a family member other than yourself used any of the following services: A battered person's shelter?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	2	NO
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 755-756

F23\_7

FAMILY USED NONE OF THE ABOVE SERVICES

In the past year, has a family member other than yourself used any of the following services: None?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	5	1	YES
	99.1	529	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 757-758

F24\_

HH MEMBER COMPLAINED ABOUT R GAMBLING

Has anyone that you lived with in the past 12 months complained about your gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.4	2	1	YES
97.5	14.8	79	2	NO
	84.8	453	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 759-760

**F25\_** **SPOUSE OR PARTNER COMPLAINED**

What is that person's relationship to you? Spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 761-762

**F25\_2** **MOTHER OR FEMALE GUARDIAN COMPLAINED**

What is that person's relationship to you? Mother or female guardian?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 763-764

**F25\_3** **FATHER OR MALE GUARDIAN COMPLAINED**

What is that person's relationship to you? Father or male guardian?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 765-766

F25\_4

BROTHER OR SISTER COMPLAINED

What is that person's relationship to you? Brother or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 767-768

F25\_5

YOUR CHILD UNDER 18 YEARS OLD COMPLAINED

What is that person's relationship to you? Your child under 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 769-770

F25\_6

YOUR CHILD 18 YEARS OR OLDER COMPLAINED

What is that person's relationship to you? Your child 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 771-772

F25\_7

OTHER PERSON COMPLAINED

What is that person's relationship to you? Other person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 773-774

F26\_

ARGUE W/ HH MEMBER EMOTIONALLY HARMFUL

During the past year, did you ever argue with [person(s) named in 24] about your gambling to the point where the argument became emotionally harmful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 775-776

F27\_

ARGUE W/ HH MEMBER PHYSICALLY HARMFUL

Did any of these arguments become physical?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 777-778

## SECTION H: CRIMINAL ACTIVITY AND STATUS

### H1A AMT BAD CHECKS RANGE

Earlier you mentioned that in the past year you wrote bad checks or took money or something else that didn't belong to you to pay for gambling. What was the approximate value of the bad checks, money, or things that you took to pay for gambling in the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	LESS THAN \$100
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 779-780

### H2 EVER ARRESTED/DETAINED BY POLICE

Have you ever been arrested or detained by the police or a sheriff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	43	1	YES
91.9	91.9	491	2	NO
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 781

<b>H3</b>	<b>EVER HOW MANY TIMES ARRESTED/DETAINED</b>
-----------	--

How many times have you been arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.4	2	0	
60.5	4.9	26	1	
14.0	1.1	6	2	
4.7	0.4	2	3	
4.7	0.4	2	4	
4.7	0.4	2	5	
4.7	0.4	2	6	
2.3	0.2	1	20	
	91.9	491	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 782-783

<b>H4</b>	<b>AGE FIRST TIME ARRESTED/DETAINED</b>
-----------	---

How old were you the first time you were arrested or detained by the police or a sheriff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.1	43	1	UNDER 18
	91.9	491	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 784-785

H5

EVER GAMBLING FACTOR IN ARREST/DETENTION

Was gambling a significant factor or cause in any arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	13	2	NO
	97.6	521	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 786-787

H6

PSTYR ARRESTED/DETAINED BY POLICE

Were you arrested for any reason in the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	3.7	20	1	YES
53.5	4.3	23	2	NO
	91.9	491	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 788-789

H7

PSTYR GAMBLING FACTOR ARREST/DETENTION

Was gambling a significant factor or cause toward your being arrested in the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	8	2	NO
	98.5	526	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 790-791

H8

OTHER FACTORS IN ARREST DETENTION

Were there other significant factors or causes toward your being arrested in the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 792-793

H10

EVER INCARCERATED IN PRISON/JAIL

Have you ever been incarcerated in prison or jail for any reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.9	5	1	YES
88.4	7.1	38	2	NO
	91.9	491	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 794-795

H11

PSTYR INCARCERATED IN PRISON/JAIL

In the past year, have you been incarcerated in prison or jail for any reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.6	3	1	YES
40.0	0.4	2	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 796-797

H12

GAMBLING FACTOR IN INCARCERATION

Was gambling a significant factor or cause toward your incarceration?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 798-799

H15

PSTYR MONTHS SPENT IN PRISON/JAIL

How many months of the past year were you in prison or in jail?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 800-801

H16

PSTYR PLACED ON PROBATION/PAROLE

In the past year, have you been placed on probation or parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	2.2	12	1	YES
72.1	5.8	31	2	NO
	91.9	491	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 802-803

## SECTION J: MENTAL AND GENERAL HEALTH

### J1 GENERAL HEALTH RATING

How would you describe your general health over the past 12 months? Would you say it was excellent, good, fair, or poor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	43.4	232	1	EXCELLENT
47.4	47.4	253	2	GOOD
7.9	7.9	42	3	FAIR
1.3	1.3	7	4	POOR
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 804

### J2 PSTYR OUTPATIENT TREAT FOR MENTAL HEALTH

Since [DATE 12 MONTHS AGO], have you gone to a clinic, doctor, or counselor, or outpatient treatment for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.6	46	1	YES
91.4	91.2	487	2	NO
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 805-806

J3

CURRENT MENTAL HEALTH NATURE

Right now, how troubled or bothered are you by your emotions, nerves, or mental health? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	74.9	400	1	NOT AT ALL
22.1	22.1	118	2	SOMEWHAT
2.8	2.8	15	3	VERY MUCH
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 807-808

J4

MANIC/EXCITED PERIOD 1 OR MORE

Has there ever been a period of at least one week when you were so happy or excited that you got into trouble, or your family or friends worried about it, or a doctor said you were manic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	1.1	6	1	YES
92.2	13.3	71	2	NO
	85.6	457	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 809-810

J5

MANIC/EXCITED RESULT MED/DRUG/ALCOHOL

Was this behavior ever the result of taking medication,  
drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.6	3	1	YES
50.0	0.6	3	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 811-812

J6

MANIC/EXCITED ALWAYS RESULT MED/DRUG

Was this period of being happy, excited, high, or manic  
always the result of taking medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	1	1	YES
66.7	0.4	2	2	NO
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 813-814

J7

IRRITABLE PERIOD 1 WEEK OR MORE

Has there ever been a period of at least one week when you were so irritable that you threw or broke things, started arguments, shouted at people, or hit someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	5.2	28	1	YES
63.6	9.2	49	2	NO
	85.6	457	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 815-816

J8

IRRITABLE RESULT OF MED/DRUGS/ ALCOHOL

Was this behavior ever the result of taking medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.3	7	1	YES
75.0	3.9	21	2	NO
	94.8	506	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 817-818

J9

IRRITABLE ALWAYS RESULT MED/DRUG/ALCOHOL

Was this period of being so irritable always the result of taking medication, drugs, or alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.7	4	1	YES
42.9	0.6	3	2	NO
	98.7	527	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 819-820

J23

SAD/EMPTY/DEPRESSED 2 WEEKS OR MORE

Now I want to ask you about periods of feeling sad, empty, or depressed. In your lifetime, have you ever had two weeks or longer when nearly every day you felt sad, empty, or depressed for most of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.8	138	1	YES
74.1	73.8	394	2	NO
	0.2	1	-2	DONT KNOW
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 821-822

J24

LOSS OF INTEREST FOR 2 WEEKS OR MORE

In your lifetime, have you ever had 2 weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	31.1	166	1	YES
68.9	68.7	367	2	NO
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 823-824

J25

2WKPER APPETITE LOSS

What about other problems you had during a period when you [felt sad, empty or depressed/lost interest in things] for 2 weeks or longer. Did you have less appetite than usual almost every day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	4.3	23	1	YES
42.5	3.2	17	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 825-826

J26

2WKPER LOSE WEIGHT W/OUT TRYING

During one of those periods did you lose weight without trying to, as much as two pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	1.7	9	1	YES
62.5	2.8	15	2	NO
	95.5	510	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 827-828

J27

2WKPER LARGER APPETITE THAN USUAL

During one of those periods, did you have a much larger appetite than is usual for you almost every day for two weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	0.9	5	1	YES
81.5	4.1	22	2	NO
	94.9	507	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 829-830

<b>J28</b>	<b>2WKPER UNUSUAL WEIGHT GAIN</b>
------------	-----------------------------------

During one of those periods, did your eating increase so much that you gained weight, as much as two pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	1	1	YES
80.0	0.7	4	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 831-832

<b>J29</b>	<b>2WKPER TROUBLE SLEEPING</b>
------------	--------------------------------

When you [were feeling depressed/had lost interest], did you have trouble sleeping almost every night for two weeks or more--either trouble falling asleep, waking in the middle of the night, or waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	3.9	21	1	YES
47.5	3.6	19	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 833-834

J30

2WKPER SLEEPING TOO MUCH

During a period when you [felt depressed/had lost interest],  
were you sleeping too much almost every day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.3	7	1	YES
66.7	2.6	14	2	NO
	96.1	513	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 835-836

J31

2WKPER TALK MORE SLOWLY THAN USUAL

During one of those periods did you talk or move more slowly  
than is normal for you almost every day for at least two  
weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	3.9	21	1	YES
47.5	3.6	19	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 837-838

J32

2WKPER UNABLE TO SIT STILL

During one of those periods, did you have to be moving all the time--that is, you couldn't sit still and paced up and down or couldn't keep your hands still when sitting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	1	1	YES
94.7	3.4	18	2	NO
	96.4	515	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 839-840

J33

2WKPER LACK OF ENERGY/FEEL TIRED

During a period lasting 2 weeks or longer when you [felt sad, empty or depressed/lost interest in things], did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	4.7	25	1	YES
37.5	2.8	15	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 841-842

J34

2WKPER FEEL WORTHLESS NEARLY EVERY DAY

During one of those periods did you feel worthless nearly every day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	3.2	17	1	YES
57.5	4.3	23	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 843-844

J35

2WKPER FEEL GUILTY

During one of these periods did you feel guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	2.2	12	1	YES
70.0	5.2	28	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 845-846

<b>J36</b>	<b>2WKPER TROUBLE CONCENTRATING</b>
------------	-------------------------------------

During one of those periods did you have a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	5.8	31	1	YES
24.4	1.9	10	2	NO
	92.3	493	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 847-848

<b>J37</b>	<b>2WKPER THOUGHTS COME SLOWER</b>
------------	------------------------------------

Did your thoughts come much slower than usual or seem mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	4.7	25	1	YES
37.5	2.8	15	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 849-850

J38

2WKPER UNABLE TO MAKE UP MIND

Were you unable to make up your mind about things you ordinarily had no trouble deciding about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	4.1	22	1	YES
45.0	3.4	18	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 851-852

J39

2WKPER THINK A LOT ABOUT DEATH

During one of those periods did you think a lot about death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	1.5	8	1	YES
80.0	6.0	32	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 853-854

J40

2WKPER THINK ABOUT COMMITTING SUICIDE

Did you feel so low you thought a lot about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.9	5	1	YES
87.5	6.6	35	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 855-856

J41

2WKPER SUICIDE PLANS

Did you make a plan as to how you might do it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.4	2	1	YES
60.0	0.6	3	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 857-858

J42

2WKPER SUICIDE ATTEMPT

Did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	1	1	YES
80.0	0.7	4	2	NO
	99.1	529	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 859-860

J43

PSTYR SUICIDE ATTEMPT

Since [DATE 12 MONTHS AGO], have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 861-862

J44

PSTYR GAMBLING FACTOR IN SUICIDE ATTEMPT

Was gambling a significant factor or cause toward your attempting suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	2	NO
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 863-864

J45

OTHER FACTOR IN ATTEMPTED SUICIDE

Were there other significant factors or causes toward your attempting suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 865-866

J47

2WKPER TELL DOCTOR ABOUT FEELINGS

During any period of [feeling sad, empty, or depressed/having lost interest], did you tell a doctor about your feelings or about the problems you were having at the time with (LIST PROBLEMS CODED YES IN J25 TO J42)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.7	4	1	YES
90.0	6.7	36	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 867-868

J48

2WKPER INTERFERE W/ JOB/FAMILY/SELF

Did any period lasting 2 weeks or longer seriously interfere with your ability to do your job, take care of your house or family, or take care of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	1.5	8	1	YES
80.0	6.0	32	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 869-870

J49

PSTYR 2WKPER OCCUR W/IN LAST 12 MONTHS

The last time you had a period of two weeks or more when you [felt sad, empty, or depressed/lost interest] and also had some of these problems like (LIST PROBLEMS CODED YES IN J25 TO J42, EXCLUDING J33)--was it within the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	5.2	28	1	YES
30.0	2.2	12	2	NO
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 871-872

J50

PSTYR 2 WKPER OCCUR AFTER SOMEONE DIED

Did this period occur just after the death of a loved one?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	1.5	8	1	YES
71.4	3.7	20	2	NO
	94.8	506	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 873-874

J51

PSTYR 2WKPER PROBLEMS CAUSED BY MED/DRU

Were these problems, such as (LIST PROBLEMS CODED YES IN J25 TO J42, EXCLUDING J33), a side effect of any medications, drugs, or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	0.9	5	1	YES
82.1	4.3	23	2	NO
	94.8	506	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 875-876

J52

2WKPER GAMBLING FACTOR IN DEPRESSION

Was gambling a significant factor or cause toward the period when you [felt sad, empty, or depressed/lost interest in things]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.2	28	2	NO
	94.8	506	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 877-878

J53

OTHER FACTORS CONTRIBUTE TO DEPRESSION

Were there other significant factors or causes toward the period when you [felt sad, empty, or depressed/lost interest in things]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 879-880

J55

EVER HOW MANY 2WKPER

In your lifetime, how many different periods have you had that lasted 2 weeks or more when you [felt depressed/lost interest in things] and had some of the problems we've talked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.2	1	0	
43.6	3.2	17	1	
28.2	2.1	11	2	
25.6	1.9	10	3	3 OR MORE
	92.3	493	-3	MISSING
	0.2	1	-2	DONT KNOW
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 881-882

J56

EVER 2WKPER OCCUR AFTER SOMEONE DIED

Did all, some or none of these periods of depression/loss of interest occur just after the death of a loved one?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.9	5	1	ALL
12.5	0.9	5	2	SOME
75.0	5.6	30	3	NONE
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 883-884

J57

EVER 2WKPER CAUSED BY MED/DRUG/ALCOHOL

Were all, some or none of these periods of [depression/loss of interest] caused by any drugs, alcohol, or medication you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.7	4	1	ALL
10.0	0.7	4	2	SOME
80.0	6.0	32	3	NONE
	92.3	493	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 885-886

J58

EVER INPATIENT TREATMENT FOR EMOTIONAL P

Have you ever stayed somewhere overnight, for at least 24 hours, for professional treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	0.6	3	1	YES
96.1	13.9	74	2	NO
	85.6	457	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 887-888

Since [DATE 12 MONTHS AGO], have you stayed somewhere overnight, for at least 24 hours, for treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	1	1	YES
66.7	0.4	2	2	NO
	99.4	531	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 889-890

## SECTION K: SUBSTANCE USE

### K1\_ USE OF ALCOHOL AT LEAST 12 DAYS

In the past 12 months, have you used alcohol on at least 12 days--that is, at least 1 to 2 days per month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.3	119	1	YES
77.7	77.7	415	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 891

### K2\_ USE OF MARIJUANA MORE THAN 5 DAYS

In the past 12 months, have you used marijuana or hashish on more than 5 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.5	67	1	YES
87.5	87.5	467	2	NO
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 892

K3\_

USE COCAINE/CRACK MORE THAN 5 DAYS

In the past 12 months, have you used cocaine or crack on more than 5 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	6	1	YES
98.9	98.9	528	2	NO
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 893

K4\_

USE OF STIMULANT MORE THAN 5 DAYS

In the past 12 months, have you used stimulants such as methamphetamine, amphetamines, or speed for nonmedical reasons, such as to feel the effects, on more than 5 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	11	1	YES
97.9	97.9	523	2	NO
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 894

K5\_

USE OF TRANQUILIZERS MORE THAN 5 DAYS

In the past 12 months, have you used tranquilizers such as Valium or Xanax for nonmedical reasons, such as to feel the effects, on more than 5 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	2	1	YES
99.6	99.6	532	2	NO
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 895

K6\_

SPEND TIME GET/USE/GET OVER ALCOHOL EFFECTS

In the past 12 months, have you experienced a period of a month or more when you spent a great deal of time getting alcohol, using alcohol, or getting over its effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	5.1	27	1	YES
77.3	17.2	92	2	NO
	77.7	415	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 896-897

K7\_

USE ALCOHOL MORE OFTEN/LARGER AMTS THAN INTENDED

In the past 12 months, have you used alcohol much more often or in larger amounts than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	6.9	37	1	YES
68.6	15.2	81	2	NO
	77.7	415	-3	MISSING
	0.2	1	-2	DONT KNOW
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 898-899

K8\_

BUILT UP ALCOHOL TOLERANCE

In the past 12 months, have you built up a tolerance for alcohol, so that the same amount of it has less effect than prior to that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	9.6	51	1	YES
57.1	12.7	68	2	NO
	77.7	415	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 900-901

K9\_

ALCOHOL USE KEPT R FROM WORK/SCHOOL/CHILDREN

In the past 12 months, has your use of alcohol often kept you from working, going to school, taking care of children, or engaging in recreational activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.1	6	1	YES
95.0	21.2	113	2	NO
	77.7	415	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 902-903

K10\_

ALCOHOL USE CAUSED EMOTION/PSYCHOLOGICAL PROBLEM

In the last 12 months, has your use of alcohol caused you to have any emotional or psychological problems-such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	1.7	9	1	YES
92.4	20.4	109	2	NO
	77.7	415	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 904-905

K11\_

ALCOHOL USE CAUSED HEALTH PROBLEMS

In the past 12 months, has your use of alcohol caused you any health problems-such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.9	5	1	YES
95.8	21.3	114	2	NO
	77.7	415	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 906-907

K12\_

TRIED TO STOP/ CUT DOWN ALCOHOL USE

In the past 12 months, have you have wanted or tried to stop or cut down on your use of alcohol but found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	1.5	8	1	YES
93.3	20.8	111	2	NO
	77.7	415	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 908-909

K13\_

STOP/CUT USE ALCOHOL CAUSE PHYSICAL/PSYCH PROBS

In the past 12 months, have you experienced any physical or emotional distress from stopping or cutting down on your use of alcohol (such as trouble sleeping or sleeping more than usual; fatigue; feeling anxious, depressed, or irritable; sweating, shaking, or heart beating fast; diarrhea, nausea, or stomach ache; fits; running eyes or nose; intense craving; seeing or hearing things that were not really there), or have you used alcohol to relieve or avoid this type of distress associated with not taking it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.7	4	1	YES
96.6	21.5	115	2	NO
	77.7	415	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 910-911

K6\_2

SPEND TIME GET/USE/GET OVER MARIJUANA EFFECTS

In the past 12 months, have you experienced a period of a month or more when you spent a great deal of time getting marijuana or hashish, using marijuana or hashish, or getting over its effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	3.9	21	1	YES
68.2	8.4	45	2	NO
	87.5	467	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 912-913

K7\_2

USE MARIJUANA MORE OFTEN/LARGER AMTS THAN INTENDED

In the past 12 months, have you used marijuana or hashish much more often or in larger amounts than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	3.0	16	1	YES
75.8	9.4	50	2	NO
	87.5	467	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 914-915

K8\_2

BUILT UP MARIJUANA TOLERANCE

In the past 12 months, have you built up a tolerance for marijuana or hashish, so that the same amount of it has less effect than prior to that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	5.2	28	1	YES
58.2	7.3	39	2	NO
	87.5	467	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 916-917

K9\_2

MARIJUANA USE KEPT R FROM WORK/SCHOOL/CHILDREN

In the past 12 months, has your use of marijuana or hashish often kept you from working, going to school, taking care of children, or engaging in recreational activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	1.9	10	1	YES
85.1	10.7	57	2	NO
	87.5	467	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 918-919

K10\_2

MARIJUANA USE CAUSED EMOTION/PSYCHOLOGICAL PROBLEM

In the last 12 months, has your use of marijuana or hashish caused you to have any emotional or psychological problems-such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	2.8	15	1	YES
77.6	9.7	52	2	NO
	87.5	467	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 920-921

K11\_2

MARIJUANA USE CAUSED HEALTH PROBLEMS

In the past 12 months, has your use of marijuana or hashish caused you any health problems-such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	1.9	10	1	YES
85.1	10.7	57	2	NO
	87.5	467	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 922-923

K12\_2

TRIED TO STOP/ CUT DOWN DRUG MARIJUANA USE

In the past 12 months, have you have wanted or tried to stop or cut down on your use of marijuana or hashish but found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	1.5	8	1	YES
87.9	10.9	58	2	NO
	87.5	467	-3	MISSING
	0.2	1	-1	REFUSED
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 924-925

K13\_2

STOP/CUT USE MARIJUANA CAUSE PHYSICAL/PSYCH PROBS

In the past 12 months, have you experienced any physical or emotional distress from stopping or cutting down on your use of marijuana or hashish (such as trouble sleeping or sleeping more than usual; fatigue; feeling anxious, depressed, or irritable; sweating, shaking, or heart beating fast; diarrhea, nausea, or stomach ache; fits; running eyes or nose; intense craving; seeing or hearing things that were not really there), or have you used marijuana or hashish to relieve or avoid this type of distress associated with not taking it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	2.6	14	1	YES
79.1	9.9	53	2	NO
	87.5	467	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 926-927

K6\_3

SPEND TIME GET/USE/GET OVER COCAINE EFFECTS

In the past 12 months, have you experienced a period of a month or more when you spent a great deal of time getting cocaine or crack, using cocaine or crack, or getting over its effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 928-929

K7\_3

USE COCAINE MORE OFTEN/LARGER AMTS THAN INTENDED

In the past 12 months, have you used cocaine or crack much more often or in larger amounts than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	2	NO
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 930-931

K8\_3

BUILT UP COCAINE TOLERANCE

In the past 12 months, have you built up a tolerance for cocaine or crack, so that the same amount of it has less effect than prior to that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	2	NO
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 932-933

K9\_3

COCAINE USE KEPT R FROM WORK/SCHOOL/CHILDREN

In the past 12 months, has your use of cocaine or crack often kept you from working, going to school, taking care of children, or engaging in recreational activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	6	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 934-935

K10\_3

COCAINE USE CAUSED EMOTION/PSYCHOLOGICAL PROBLEM

In the last 12 months, has your use of cocaine or crack caused you to have any emotional or psychological problems-such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 936-937

K11\_3

COCAINE USE CAUSED HEALTH PROBLEMS

In the past 12 months, has your use of cocaine or crack caused you any health problems-such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 938-939

K12\_3

TRIED TO STOP/ CUT DOWN COCAINE USE

In the past 12 months, have you have wanted or tried to stop or cut down on your use of cocaine or crack but found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 940-941

K13\_3

STOP/CUT USE COCAINE CAUSE PHYSICAL/PSYCH PROBS

In the past 12 months, have you experienced any physical or emotional distress from stopping or cutting down on your use of cocaine or crack (such as trouble sleeping or sleeping more than usual; fatigue; feeling anxious, depressed, or irritable; sweating, shaking, or heart beating fast; diarrhea, nausea, or stomach ache; fits; running eyes or nose; intense craving; seeing or hearing things that were not really there), or have you used cocaine or crack to relieve or avoid this type of distress associated with not taking it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	1	1	YES
83.3	0.9	5	2	NO
	98.9	528	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 942-943

K6\_4

SPEND TIME GET/USE/GET OVER STIMULANT EFFECTS

In the past 12 months, have you experienced a period of a month or more when you spent a great deal of time getting stimulants, using stimulants, or getting over its effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.6	3	1	YES
72.7	1.5	8	2	NO
	97.9	523	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 944-945

K7\_4

USE STIMULANT MORE OFTEN/LARGER AMTS THAN INTENDED

In the past 12 months, have you used stimulants much more often or in larger amounts than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.7	4	1	YES
63.6	1.3	7	2	NO
	97.9	523	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 946-947

K8\_4

BUILT UP STIMULANT TOLERANCE

In the past 12 months, have you built up a tolerance for stimulants, so that the same amount of it has less effect than prior to that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.2	1	1	YES
90.9	1.9	10	2	NO
	97.9	523	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 948-949

K9\_4

STIMULANT USE KEPT R FROM WORK/SCHOOL/CHILDREN

In the past 12 months, has your use of stimulants often kept you from working, going to school, taking care of children, or engaging in recreational activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.4	2	1	YES
81.8	1.7	9	2	NO
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 950-951

K10\_4

STIMULANT USE CAUSED EMOTION/PSYCHOLOGICAL PROBLEM

In the last 12 months, has your use of stimulants caused you to have any emotional or psychological problems-such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.6	3	1	YES
72.7	1.5	8	2	NO
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 952-953

K11\_4

STIMULANT USE CAUSED HEALTH PROBLEMS

In the past 12 months, has your use of stimulants caused you any health problems-such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.4	2	1	YES
81.8	1.7	9	2	NO
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 954-955

K12\_4

TRIED TO STOP/ CUT DOWN STIMULANT USE

In the past 12 months, have you have wanted or tried to stop or cut down on your use of stimulants but found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.2	1	1	YES
90.9	1.9	10	2	NO
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 956-957

K13\_4

STOP/CUT USE STIMULANT CAUSE PHYSICAL/PSYCH PROBS

In the past 12 months, have you experienced any physical or emotional distress from stopping or cutting down on your use of stimulants (such as trouble sleeping or sleeping more than usual; fatigue; feeling anxious, depressed, or irritable; sweating, shaking, or heart beating fast; diarrhea, nausea, or stomach ache; fits; running eyes or nose; intense craving; seeing or hearing things that were not really there), or have you used stimulants to relieve or avoid this type of distress associated with not taking it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	11	2	NO
	97.9	523	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 958-959

K6\_5

SPEND TIME GET/USE/GET OVER TRANQUILIZER EFFECTS

In the past 12 months, have you experienced a period of a month or more when you spent a great deal of time getting tranquilizers, using tranquilizers, or getting over its effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 960-961

K7\_5

USE TRANQUILIZER MORE OFTEN/LARGER AMTS THAN INTEND

In the past 12 months, have you used tranquilizers much more often or in larger amounts than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 962-963

K8\_5

BUILT UP TRANQUILIZER TOLERANCE

In the past 12 months, have you built up a tolerance for tranquilizers, so that the same amount of it has less effect than prior to that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 964-965

K9\_5

TRANQUILIZER USE KEPT R FROM WORK/SCHOOL/CHILDREN

In the past 12 months, has your use of tranquilizers often kept you from working, going to school, taking care of children, or engaging in recreational activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 966-967

K10\_5

TRANQUILIZER USE CAUSED EMOTION/PSYCHOLOGICAL PROBLEM

In the last 12 months, has your use of tranquilizers caused you to have any emotional or psychological problems-such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 968-969

K11\_5

TRANQUILIZER USE CAUSED HEALTH PROBLEMS

In the past 12 months, has your use of tranquilizers caused you any health problems-such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 970-971

K12\_5

TRIED TO STOP/ CUT DOWN TRANQUILIZER USE

In the past 12 months, have you have wanted or tried to stop or cut down on your use of tranquilizers but found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 972-973

K13\_5

STOP/CUT USE TRANQUILIZER CAUSE PHYSICAL/PSYCH PROBS

In the past 12 months, have you experienced any physical or emotional distress from stopping or cutting down on your use of tranquilizers (such as trouble sleeping or sleeping more than usual; fatigue; feeling anxious, depressed, or irritable; sweating, shaking, or heart beating fast; diarrhea, nausea, or stomach ache; fits; running eyes or nose; intense craving; seeing or hearing things that were not really there), or have you used tranquilizers to relieve or avoid this type of distress associated with not taking it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	1	1	YES
50.0	0.2	1	2	NO
	99.6	532	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 974-975

CK1

ALCOHOL DEPENDENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	21	1	YES
	96.1	513	-3	MISSING
-----	-----	----		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 976-977

<b>CK2</b>	<b>MARIJUANA DEPENDENT</b>			
------------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	14	1	YES
	97.4	520	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 978-979

<b>CK3</b>	<b>COCAINE DEPENDENT</b>			
------------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	1	1	YES
	99.8	533	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 980-981

<b>CK4</b>	<b>STIMULANT DEPENDENT</b>			
------------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	2	1	YES
	99.6	532	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 982-983

CK5

TRANQUILIZER DEPENDENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 984-985

## SURVEY ADMINISTRATION AND WEIGHT VARIABLES

SURVEY	SURVEY TYPE			
	PCT	PCT	N	VALUE LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1000-1001

**WTYOUTH****YOUTH WEIGHT**

VALID	%	%	N	VALUE	LABEL
0.6	0.6	0.6	3	981.00	
1.1	1.1	1.1	6	1375.52	
0.2	0.2	0.2	1	4055.00	
0.4	0.4	0.4	2	4154.50	
0.4	0.4	0.4	2	4160.50	
0.6	0.6	0.6	3	4220.00	
0.2	0.2	0.2	1	5780.50	
18.7	18.7	18.7	100	8939.60	
15.5	15.5	15.5	83	9558.77	
0.6	0.6	0.6	3	12958.33	
7.7	7.7	7.7	41	13625.61	
0.2	0.2	0.2	1	14099.00	
12.7	12.7	12.7	68	14916.78	
11.0	11.0	11.0	59	15000.00	
0.4	0.4	0.4	2	16023.50	
6.7	6.7	6.7	36	16256.89	
1.9	1.9	1.9	10	16709.00	
6.7	6.7	6.7	36	17315.76	
0.7	0.7	0.7	4	20324.50	
1.3	1.3	1.3	7	21747.42	
5.4	5.4	5.4	29	27389.58	
1.1	1.1	1.1	6	28420.87	
2.1	2.1	2.1	11	31728.50	
0.6	0.6	0.6	3	35188.00	
0.2	0.2	0.2	1	42540.00	
0.4	0.4	0.4	2	43948.00	
1.5	1.5	1.5	8	44549.00	
0.4	0.4	0.4	2	60973.50	
0.2	0.2	0.2	1	62390.00	
0.2	0.2	0.2	1	84439.00	
0.2	0.2	0.2	1	92681.00	
0.2	0.2	0.2	1	128678.00	
-----	-----	-----			
100.0	100.0	100.0	534	cases	

Data type: numeric  
 Decimals: 2  
 Missing-data codes: \*--1.00  
 Columns: 9-17

## CREATED VARIABLES

### LOTSTATE                      RESPONDENT LIVES IN STATE WITH LOTTERY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	86.1	460	1	YES
13.5	13.5	72	2	NO
	0.4	2	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 986-987

### INCOME                              RECODED HOUSEHOLD INCOME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	534	-3	MISSING
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 988-989

### IINCOME                              IMPUTATION FLAG FOR INCOME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	534	1	IMPUTED VALUE FOR INCOME
-----	-----	----		
100.0	100.0	534		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Column: 990

**EVERPROB                      GAMBLING PROBLEMS:LIFETIME 0-10**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	85.6	457	0	
10.3	10.3	55	1	
2.2	2.2	12	2	
0.9	0.9	5	3	
0.4	0.4	2	4	
0.4	0.4	2	5	
0.2	0.2	1	7	
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 991

**PROB12MO                      GAMBLING PROBLEMS:PAST YEAR 0-10**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	92.1	492	0	
6.0	6.0	32	1	
1.1	1.1	6	2	
0.4	0.4	2	3	
0.2	0.2	1	4	
0.2	0.2	1	6	
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 992

**MARITAL                      MARITAL STATUS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	534	3	NEVER MARRIED
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 993

RACETH	RACE/ETHNICITY			
--------	----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	84.5	451	1	WHITE
4.7	4.7	25	2	BLACK
5.6	5.6	30	3	HISPANIC
5.2	5.2	28	4	OTHER
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 994

SMSREG	REGION			
--------	--------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	36.7	196	1	MIDWEST
16.1	16.1	86	2	NORTHEAST
31.5	31.5	168	3	SOUTH
15.7	15.7	84	4	WEST
-----	-----	---		
100.0	100.0	534	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 1005