

# **NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS): 2020**

## **CODEBOOK**

Center for Behavioral Health Statistics and Quality  
Substance Abuse and Mental Health Services Administration

## **Acknowledgements**

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

## **Terms of Use**

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

## **Privacy of Study Respondents**

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA ([bhsishelpdesk@hendall.com](mailto:bhsishelpdesk@hendall.com)).

## **Public Domain Notice**

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

## **Recommended Citation**

Substance Abuse and Mental Health Services Administration, *National Mental Health Services Survey (N-MHSS): 2020. Data on Mental Health Treatment Facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2021.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work ([bhsishelpdesk@hendall.com](mailto:bhsishelpdesk@hendall.com)).

## **Disclaimers**

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

## **Violations**

If SAMHSA determines these terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

# DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

The 2020 National Mental Health Services Survey (N-MHSS) was conducted from March 2020 through November 2020. The N-MHSS collects information from all known facilities in the United States, both public and private, that provide mental health treatment services to people with mental illness.<sup>1</sup> The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-MHSS.

The N-MHSS provides a mechanism for quantifying the dynamic character and composition of the U.S. mental health treatment delivery system. It is the only source of national and state-level data on the mental health services delivery system reported by both publicly and privately-operated specialty mental health care facilities. The N-MHSS is designed to collect data on the location, characteristics, and utilization of organized mental health treatment services for facilities within the scope of the survey throughout the 50 states, the District of Columbia, and other U.S. jurisdictions.<sup>2</sup> The N-MHSS complements, but does not duplicate, the information collected through SAMHSA's survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS).

The objective of the N-MHSS is to collect data that can be used to:

- assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-funded, state-operated, and private non-profit and for-profit mental health treatment facilities, and in forecasting mental health treatment resource requirements;
- update SAMHSA's Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;
- describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and states; and
- update the information in the mental health component of SAMHSA's online Behavioral Health Treatment Services Locator, which includes a searchable database of public and private facilities for the provision of mental health treatment. The Locator is available at: <https://findtreatment.samhsa.gov>

---

<sup>1</sup> In the 2020 N-MHSS report, entities responding to the N-MHSS are referred to as "facilities."

<sup>2</sup> In the 2020 N-MHSS, other jurisdictions included American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, and the U.S. Virgin Islands.

## Data Collection Procedures for the 2020 N-MHSS

### *Field period and reference date*

The field period for the 2020 N-MHSS, which included mailing and data collection operations, ran from March 26, 2020, through November 30, 2020. The reference date was April 30, 2020.

### *Survey universe*

The survey universe for the 2020 N-MHSS included 15,421 facilities across the United States and other jurisdictions. Most facilities in the 2020 N-MHSS frame were identified from the updated database produced after fielding the 2010 and 2014 N-MHSS, and further supplemented by the 2015, 2016, 2017, 2018, and 2019 mental health augmentations, as well as new facilities that states requested be added to the I-BHS.

Below are the major activities undertaken to make sure SAMHSA has the most complete universe of facilities possible:

- The updated survey database is comprised of (1) those facilities that were included in the previous survey and are in-scope, and (2) newly identified facilities that became known during the course of the previous survey and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using the I-BHS online, which has been used by the state substance abuse agencies (SSAs) for a number of years. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-BHS; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes a number of activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from the American Business Index (ABI), the American Hospital Association (AHA), the U.S. Department of Veterans Affairs (VA), the Centers for Medicare and Medicaid Services (CMS), and a number of national behavioral health organizations/associations, such as the National Council for Community Behavioral Healthcare, the National Association of Psychiatric Health Systems, and the American Association of Children's Residential Centers (AACRC). These listings are cross-checked against the existing I-BHS database and any new facilities are screened (through an augmentation screener questionnaire conducted through phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a "between survey update." Facilities that meet the requirements of being active, providing mental health treatment services as defined by SAMHSA, and responding to the annual N-MHSS survey are listed on SAMHSA's Behavioral Health

Treatment Services Locator and in the National Directory of Mental Health Treatment Facilities.

*Survey coverage*

The following types of mental health treatment facilities were included in the 2020 N-MHSS:

- *Psychiatric hospitals* are facilities licensed and operated as either state/public psychiatric hospitals or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less-than-24-hour care (i.e., outpatient, partial hospitalization/day treatment), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient psychiatric unit* are licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *Veterans Affairs (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, residential treatment programs, and/or psychiatric outpatient clinics.
- *Certified community behavioral health clinics* are responsible for directly providing (or contracting with partner organizations to provide) nine types of services, with an emphasis on the provision of 24-hour crisis care, utilization of evidence-based practices, care coordination, and integration with physical health care.
- *Partial hospitalization/day treatment mental health facilities* provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Outpatient mental health facilities* provide only outpatient mental health services to ambulatory clients, typically for less than three hours at a single visit. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18 years. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.

- *Multi-setting mental health facilities*<sup>3</sup> provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or partial hospitalization/day treatment), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.
- *Community mental health centers* (CMHCs) provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facilities* refers to facilities not licensed as psychiatric hospitals. The primary purpose of *other types of residential treatment facilities* is to provide individually planned programs of mental health treatment services in a residential care setting; such facilities are not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

### *Exclusions*

The survey universe for the 2020 N-MHSS excluded: (1) Department of Defense (DoD) military treatment facilities; (2) individual private practitioners or small group practices not licensed as a mental health clinic or center; and (3) jails or prisons.

Facilities are not eligible for inclusion in the survey universe if they only provide one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, or legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the survey universe for the N-MHSS.

---

<sup>3</sup> The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

## **Content**

The 2020 N-MHSS instrument, which appears in its print format as Appendix A, is a nineteen-page document with 41 numbered questions. Topics included:

- facility type, operation, and primary treatment focus;
- facility treatment characteristics (e.g., settings of care; mental health treatment modalities, pharmacotherapies; supportive services and practices; services provided to clients with co-occurring mental health and substance use disorders; dedicated or exclusively designed programs or groups offered; seclusion or restraint practices; and crisis intervention team availability);
- facility operating characteristics (e.g., age groups accepted; availability of treatment services provided in non-English languages and in sign language for the deaf and hard-of-hearing; and smoking policy);
- facility management characteristics (e.g., quality improvement practices; use of electronic resources to accomplish work activities; licensure, certification, and accreditation; sources of payment and funding); and
- client characteristics

## *Data collection*

There were three data collection modes employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately four weeks before the survey reference date (April 30, 2020), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS (Appendix B). The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including SAMHSA cover letter, state-specific letter of support, information on completing the survey on the web, and fact sheet of frequently asked questions) was mailed to each facility on April 30, 2020. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or asking for a paper questionnaire to complete and return via postal mail. In August 2020, another, similar packet was sent to non-responding facilities, this time including a copy of the questionnaire, a definitions packet, and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Facilities completing the questionnaire on the Internet had access to hyperlinks to an information site containing definitions of the survey elements. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and e-mail. To increase the survey response rate, state mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. Blaise<sup>®</sup>-to-web follow-up (assisted telephone interviews) of non-respondents began in August 2020 and ended in late November 2020.

### *Eligibility and unit response rate*

Table 1.1 presents a summary of eligibility and response rate information. Of the 15,421 mental health treatment facilities in the survey, 8 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance abuse services or general health care, provided treatment for incarcerated persons only (i.e., in jails or prisons), were an individual or small group mental health practice not licensed or certified as a mental health center or clinic, or were closed.

**Table 1.1. N-MHSS facilities, by status and mode of response: 2020**

	Number	Percent
<b>Total facilities in survey</b>	<b>15,421</b>	<b>100.0</b>
Closed/ineligible	1,234	8.0
Eligible	14,187	92.0
<b>Total eligible</b>	<b>14,187</b>	<b>100.0</b>
Non-respondents	1,592	11.2
Respondents	12,595	88.8
Excluded from report (administrative only)	218	1.5
Uncategorized roll-ups <sup>1</sup>	102	0.7
Eligible for report	12,275	86.5
<b>Mode of response</b>	<b>12,275</b>	<b>100.0</b>
Internet	11,785	96.0
Mail	113	0.9
Telephone	377	3.1

<sup>1</sup> Facilities whose client counts were included in or “rolled into” other facilities’ counts, and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Mental Health Services Survey (N-MHSS), 2020.

### **Facility Reporting and Selection for the 2020 N-MHSS Report**

Of the 14,187 facilities eligible for the survey, 89 percent completed the survey, including 218 facilities that did not provide direct mental health treatment services [Table 1.1]. (These 218 facilities, which provided administrative services only, were excluded from the report, but have been included in SAMHSA’s online Behavioral Health Treatment Services Locator.) An additional 102 facilities whose client counts were included in or rolled into other facilities’ client counts—and whose facility characteristics were not reported separately—were also excluded from the report. After excluding the 218 facilities that provided only administrative services and the 102 uncategorized roll-up facilities, data from 12,275 eligible respondent facilities were included in the 2020 N-MHSS report. Of the respondents that were eligible for the report, 96 percent completed the survey on the web, 1 percent through the mail, and 3 percent on the telephone.

### **Quality Assurance**

All completed mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry,

automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

### **Response Rates**

The final unit response rate among facilities eligible for the survey was 89 percent. Extensive follow-up during data collection and careful editing maximized item response; the item response rates averaged approximately 94 percent across all 247 separate items.

### **Data Considerations and Limitations**

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2020 N-MHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-MHSS is a voluntary survey, and while every effort is made to obtain responses from all known mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 11 percent facility non-response.
- The N-MHSS is a point-prevalence survey. It provides information on the mental health treatment system and its clients as of a pre-selected reference date (April 30, 2020). Client counts reported here do not represent annual totals. Rather, the N-MHSS provides a snapshot of mental health treatment facilities and clients on an average day or month.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in non-English languages and type of payment or insurance accepted for mental health treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.
- Reported client count totals that fell within a variance of +/- 10 and client percentages that fell within a variance of +/- 5 were not adjusted. Therefore, the public use file includes percentage values of greater than 100.

## FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn.

## **CASEID: Case identification number**

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Variable Type: numeric

## LST: State postal code

Value	Label	Frequency	%
AK	Alaska	89	0.7%
AL	Alabama	156	1.3%
AR	Arkansas	207	1.7%
AZ	Arizona	433	3.5%
CA	California	970	7.9%
CO	Colorado	189	1.5%
CT	Connecticut	221	1.8%
DC	District of Columbia	36	0.3%
DE	Delaware	36	0.3%
FL	Florida	494	4.0%
GA	Georgia	225	1.8%
HI	Hawaii	37	0.3%
IA	Iowa	152	1.2%
ID	Idaho	137	1.1%
IL	Illinois	397	3.2%
IN	Indiana	284	2.3%
KS	Kansas	121	1.0%
KY	Kentucky	210	1.7%
LA	Louisiana	171	1.4%
MA	Massachusetts	310	2.5%
MD	Maryland	276	2.2%
ME	Maine	187	1.5%
MI	Michigan	377	3.1%
MN	Minnesota	259	2.1%
MO	Missouri	212	1.7%
MS	Mississippi	179	1.5%
MT	Montana	99	0.8%
NC	North Carolina	314	2.6%
ND	North Dakota	35	0.3%
NE	Nebraska	147	1.2%
NH	New Hampshire	70	0.6%
NJ	New Jersey	320	2.6%

## LST: State postal code

Value	Label	Frequency	%
NM	New Mexico	71	0.6%
NV	Nevada	67	0.5%
NY	New York	802	6.5%
OH	Ohio	621	5.1%
OK	Oklahoma	166	1.4%
OR	Oregon	174	1.4%
PA	Pennsylvania	563	4.6%
PR	Puerto Rico	69	0.6%
RI	Rhode Island	50	0.4%
SC	South Carolina	111	0.9%
SD	South Dakota	47	0.4%
TN	Tennessee	280	2.3%
TX	Texas	363	3.0%
UT	Utah	265	2.2%
VA	Virginia	281	2.3%
VT	Vermont	60	0.5%
WA	Washington	352	2.9%
WI	Wisconsin	411	3.3%
WV	West Virginia	119	1.0%
WY	Wyoming	44	0.4%
ZZ	Other jurisdictions	9	0.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: character

## MHINTAKE: Facility offers mental health intake (Q.A1)

Value	Label	Frequency	%
0	No	990	8.1%
1	Yes	11,285	91.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHDIAGEVAL: Facility offers mental health diagnostic evaluation (Q.A1)

Value	Label	Frequency	%
0	No	970	7.9%
1	Yes	11,305	92.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHREFERRAL: Facility offers mental health information and/or referral (Q.A1)

Value	Label	Frequency	%
0	No	1,706	13.9%
1	Yes	10,569	86.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## SMISEDSDUD: Offered co-occurring SMI/SED and SUD (Q.A1)

Value	Label	Frequency	%
0	No	3,368	27.4%
1	Yes	8,907	72.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATMT: Facility offers substance use treatment (Q.A1)

Value	Label	Frequency	%
0	No	5,172	42.1%
1	Yes	7,102	57.9%
-1	Missing	1	0.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ADMINSERV: Facility offers administrative or operational services for mental health treatment facilities (Q.A1)**

Value	Label	Frequency	%
0	No	5,243	42.7%
1	Yes	7,032	57.3%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SETTINGIP: Provides mental health treatment in a 24-hour hospital inpatient setting (Q.A3)**

Value	Label	Frequency	%
0	No	10,519	85.7%
1	Yes	1,756	14.3%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SETTINGRC: Provides mental health treatment in a 24-hour residential setting (Q.A3)**

Value	Label	Frequency	%
0	No	10,370	84.5%
1	Yes	1,905	15.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SETTINGDTPH: Provides mental health treatment in a partial hospitalization/day treatment setting (Q.A3)**

Value	Label	Frequency	%
0	No	10,469	85.3%
1	Yes	1,806	14.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SETTINGOP: Provides mental health treatment in an outpatient setting (Q.A3)**

Value	Label	Frequency	%
0	No	2,641	21.5%
1	Yes	9,634	78.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## FACILITYTYPE: Facility type (Q.A4)

Value	Label	Frequency	%
1	Psychiatric hospital	668	5.4%
2	Separate inpatient psychiatric unit of a general hospital	967	7.9%
3	Residential treatment center for children	592	4.8%
4	Residential treatment center for adults	807	6.6%
5	Other type of residential treatment facility	63	0.5%
6	Veterans Administration Medical Center (VAMC)	552	4.5%
7	Community Mental Health Center (CMHC)	2,548	20.8%
8	Certified Community Behavioral Health Clinic (CCBHC)	336	2.7%
9	Partial hospitalization/day treatment facility	429	3.5%
10	Outpatient mental health facility	4,941	40.3%
11	Multi-setting mental health facility	369	3.0%
12	Other	3	0.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## FOCUS: Primary treatment focus of facility (Q.A8)

Value	Label	Frequency	%
1	Mental health treatment	7,733	63.0%
3	Mix of mental health and substance use treatment	4,092	33.3%
4	General health care	404	3.3%
5	Other service focus	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## OWNERSHP: Organization that operates the facility (Q.A10)

Value	Label	Frequency	%
1	Private for-profit organization	2,589	21.1%
2	Private non-profit organization	7,402	60.3%
3	Public agency or department	2,284	18.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PUBLICAGENCY: Public agency or department that operates facility (Q.A10a)**

Value	Label	Frequency	%
1	State mental health authority (SMHA)	400	3.3%
2	Other state government agency or department	424	3.5%
3	Regional/district authority or county, local, or municipal government	861	7.0%
4	Tribal government	20	0.2%
5	Indian Health Service	14	0.1%
6	Department of Veterans Affairs	552	4.5%
7	Other	13	0.1%
-2	Logical skip	9,991	81.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RELIG: Facility is affiliated with a religious or faith-based organization (Q.A11)**

Value	Label	Frequency	%
0	No	11,418	93.0%
1	Yes	742	6.0%
-1	Missing	115	0.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATPSYCHOTHRPY: Facility offers individual psychotherapy (Q.A12)

Value	Label	Frequency	%
0	No	926	7.5%
1	Yes	11,349	92.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATFAMTHRPY: Facility offers couples/family therapy (Q.A12)

Value	Label	Frequency	%
0	No	3,183	25.9%
1	Yes	9,092	74.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATGRPTHRPY: Facility offers group therapy (Q.A12)

Value	Label	Frequency	%
0	No	1,661	13.5%
1	Yes	10,614	86.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATCOGTHRPY: Facility offers cognitive behavioral therapy (Q.A12)

Value	Label	Frequency	%
0	No	1,147	9.3%
1	Yes	11,128	90.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATDIALTHRPY: Facility offers dialectical behavior therapy (Q.A12)

Value	Label	Frequency	%
0	No	5,146	41.9%
1	Yes	7,129	58.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATCOGREM: Facility provides cognitive remediation therapy (Q.A12)

Value	Label	Frequency	%
0	No	11,574	94.3%
1	Yes	701	5.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATBEHAVMOD: Facility offers behavior modification (Q.A12)

Value	Label	Frequency	%
0	No	4,052	33.0%
1	Yes	8,223	67.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATDUALMHSA: Facility offers integrated dual disorders treatment (Q.A12)

Value	Label	Frequency	%
0	No	4,642	37.8%
1	Yes	7,633	62.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATTRAUMATHRPY: Facility offers trauma therapy (Q.A12)

Value	Label	Frequency	%
0	No	2,549	20.8%
1	Yes	9,726	79.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATACTVITYTHRPY: Facility offers activity therapy (Q.A12)

Value	Label	Frequency	%
0	No	6,900	56.2%
1	Yes	5,375	43.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATELECTRO: Facility offers electroconvulsive therapy (Q.A12)

Value	Label	Frequency	%
0	No	11,777	95.9%
1	Yes	498	4.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## TREATTMS: Facility provides Transcranial Magnetic Stimulation (TMS) (Q.A12)

Value	Label	Frequency	%
0	No	12,005	97.8%
1	Yes	270	2.2%
	<i>Total</i>	12,275	100%

Variable Type: numeric

## TREATKIT: Facility provides Ketamine Infusion Therapy (KIT) (Q.A12)

Value	Label	Frequency	%
0	No	12,141	98.9%
1	Yes	134	1.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TREATEMDR: Facility provides Eye Movement Desensitization and Reprocessing (EMDR) (Q.A12)**

Value	Label	Frequency	%
0	No	9,857	80.3%
1	Yes	2,418	19.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

# TREATTELEMEDINCE: Facility offers telemedicine/telehealth therapy (Q.A12)

Value	Label	Frequency	%
0	No	3,840	31.3%
1	Yes	8,435	68.7%
	Total	12,275	100%

Variable Type: numeric

## TREATOTH: Facility offers other mental health treatment approach (Q.A12)

Value	Label	Frequency	%
0	No	11,686	95.2%
1	Yes	589	4.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**NOTREAT: Facility offers none of the identified mental health treatment approaches  
(Q.A12)**

Value	Label	Frequency	%
0	No	12,149	99.0%
1	Yes	126	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## ANTIPSYCH: Antipsychotics for the treatment of serious mental illness (SMI) (Q.A13)

Value	Label	Frequency	%
0	No	4,281	34.9%
1	Yes	7,987	65.1%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CHLOR\_NO: Chlorpromazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,105	41.6%
1	Yes	2,870	23.4%
-1	Missing	12	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CHLOR\_ORAL: Oral chlorpromazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	3,673	29.9%
1	Yes	4,302	35.0%
-1	Missing	12	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CHLOR\_INJ: Injectable chlorpromazine used at this facility for treatment of SMI  
(Q.A13a)**

Value	Label	Frequency	%
0	No	6,330	51.6%
1	Yes	1,645	13.4%
-1	Missing	12	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CHLOR\_REC: Rectal chlorpromazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,923	64.5%
1	Yes	52	0.4%
-1	Missing	12	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**DROPE\_NO: Droperidol not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	473	3.9%
1	Yes	7,495	61.1%
-1	Missing	19	0.2%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**DROPE\_INJ: Injectable droperidol used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,495	61.1%
1	Yes	473	3.9%
-1	Missing	19	0.2%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FLUPH\_NO: Fluphenazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,470	44.6%
1	Yes	2,503	20.4%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FLUPH\_ORAL: Oral fluphenazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	3,835	31.2%
1	Yes	4,138	33.7%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## FLUPH\_INJ: Injectable fluphenazine used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	5,656	46.1%
1	Yes	2,317	18.9%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FLUPH\_LAI: Long-acting injectable fluphenazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,682	46.3%
1	Yes	2,291	18.7%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## HALOP\_NO: Haloperidol not used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	6,583	53.6%
1	Yes	1,394	11.4%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## HALOP\_ORAL: Oral haloperidol used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	2,484	20.2%
1	Yes	5,493	44.7%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## HALOP\_INJ: Injectable haloperidol used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	4,375	35.6%
1	Yes	3,602	29.3%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**HALOP\_LAI: Long-acting injectable haloperidol used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,902	39.9%
1	Yes	3,075	25.1%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LOXAP\_NO: Loxapine not used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	3,683	30.0%
1	Yes	4,286	34.9%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LOXAP\_ORAL: Oral Loxapine used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	5,185	42.2%
1	Yes	2,784	22.7%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LOXAP\_INJ: Injectable Loxapine used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	7,561	61.6%
1	Yes	408	3.3%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PERPH\_NO: Perphenazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,318	35.2%
1	Yes	3,653	29.8%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PERPH\_ORAL: Oral perphenazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,592	37.4%
1	Yes	3,379	27.5%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PERPH\_INJ: Injectable perphenazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,491	61.0%
1	Yes	480	3.9%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PIMOZ\_NO: Pimozide not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	1,737	14.2%
1	Yes	6,232	50.8%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PIMOZ\_ORAL: Oral pimozide used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	6,765	55.1%
1	Yes	1,204	9.8%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PIMOZ\_TOP: Topical pimozide used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,868	64.1%
1	Yes	101	0.8%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PROCH\_NO: Prochlorperazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	2,677	21.8%
1	Yes	5,292	43.1%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PROCH\_ORAL: Oral prochlorperazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,932	48.3%
1	Yes	2,037	16.6%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PROCH\_INJ: Injectable prochlorperazine used at this facility for treatment of SMI  
(Q.A13a)**

Value	Label	Frequency	%
0	No	7,356	59.9%
1	Yes	613	5.0%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PROCH\_REC: Rectal prochlorperazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,722	62.9%
1	Yes	247	2.0%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**THIOT\_NO: Thiothixene not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	2,905	23.7%
1	Yes	5,066	41.3%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**THIOT\_ORAL: Oral thiothixene used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,643	46.0%
1	Yes	2,328	19.0%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**THIOT\_INJ: Injectable thiothixene used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,676	62.5%
1	Yes	295	2.4%
-1	Missing	16	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**THIOR\_NO: Thioridazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	2,269	18.5%
1	Yes	5,700	46.4%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**THIOR\_ORAL: Oral thioridazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,700	46.4%
1	Yes	2,269	18.5%
-1	Missing	18	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TRIFL\_NO: Trifluoperazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	2,727	22.2%
1	Yes	5,243	42.7%
-1	Missing	17	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TRIFL\_ORAL: Oral trifluoperazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,812	47.3%
1	Yes	2,158	17.6%
-1	Missing	17	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TRIFL\_INJ: Injectable trifluoperazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,667	62.5%
1	Yes	303	2.5%
-1	Missing	17	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_NO: Other first-generation antipsychotics not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	13	0.1%
1	Yes	7,974	65.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_ORAL: Other oral first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,976	65.0%
1	Yes	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_INJ: Other injectable first-generation antipsychotics used at this facility  
for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,984	65.0%
1	Yes	3	0.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_LAI: Other long-acting injectable first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,984	65.0%
1	Yes	3	0.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_REC: Other rectal first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FSTGENOTH\_TOP: Other topical first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ARIPI\_NO: Aripiprazole not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,263	59.2%
1	Yes	715	5.8%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ARIPR\_ORAL: Oral aripiprazole used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	1,392	11.3%
1	Yes	6,586	53.7%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ARIP\_I\_NJ: Injectable aripiprazole used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,641	46.0%
1	Yes	2,337	19.0%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ARIP\_LAI: Long-acting injectable aripiprazole used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,032	41.0%
1	Yes	2,946	24.0%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ASENA\_NO: Asenapine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,236	34.5%
1	Yes	3,736	30.4%
-1	Missing	15	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ASENA\_ORAL: Oral asenapine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,338	35.3%
1	Yes	3,634	29.6%
-1	Missing	15	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ASENA\_INJ: Injectable asenapine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,619	62.1%
1	Yes	353	2.9%
-1	Missing	15	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**BREXP\_NO: Brexpiprazole not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,041	32.9%
1	Yes	3,931	32.0%
-1	Missing	15	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**BREXP\_ORAL: Oral brexpiprazole used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	3,931	32.0%
1	Yes	4,041	32.9%
-1	Missing	15	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CARIP\_NO: Cariprazine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,144	33.8%
1	Yes	3,830	31.2%
-1	Missing	13	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CARIP\_ORAL: Oral cariprazine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	3,830	31.2%
1	Yes	4,144	33.8%
-1	Missing	13	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

### CLOZA\_NO: Clozapine not used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	6,264	51.0%
1	Yes	1,713	14.0%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## CLOZA\_ORAL: Oral clozapine used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	1,713	14.0%
1	Yes	6,264	51.0%
-1	Missing	10	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## ILOPE\_NO: Iloperidone not used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	3,075	25.1%
1	Yes	4,898	39.9%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## ILOPE\_ORAL: Oral iloperidone used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	4,898	39.9%
1	Yes	3,075	25.1%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LURAS\_NO: Lurasidone not used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	6,454	52.6%
1	Yes	1,524	12.4%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LURAS\_ORAL: Oral lurasidone used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	1,524	12.4%
1	Yes	6,454	52.6%
-1	Missing	9	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OLANZ\_NO: Olanzapine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,164	58.4%
1	Yes	816	6.6%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## OLANZ\_ORAL: Oral olanzapine used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	1,424	11.6%
1	Yes	6,556	53.4%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OLANZ\_INJ: Injectable olanzapine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,781	47.1%
1	Yes	2,199	17.9%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OLANZ\_LAI: Long-acting injectable olanzapine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	6,543	53.3%
1	Yes	1,437	11.7%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OLANZFLU\_NO: Olanzapine/fluoxetine combination not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	3,863	31.5%
1	Yes	4,110	33.5%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OLANZFLU\_ORAL: Oral olanzapine/fluoxetine combination used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,110	33.5%
1	Yes	3,863	31.5%
-1	Missing	14	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PALIP\_NO: Paliperidone not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,953	48.5%
1	Yes	2,023	16.5%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PALIP\_ORAL: Oral paliperidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,025	32.8%
1	Yes	3,951	32.2%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PALIP\_INJ: Injectable paliperidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,587	45.5%
1	Yes	2,389	19.5%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PALIP\_LAI: Long-acting injectable paliperidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	4,564	37.2%
1	Yes	3,412	27.8%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**QUETI\_NO: Quetiapine not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,136	58.1%
1	Yes	843	6.9%
-1	Missing	8	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**QUETI\_ORAL: Oral quetiapine used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	843	6.9%
1	Yes	7,136	58.1%
-1	Missing	8	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RISPE\_NO: Risperidone not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,265	59.2%
1	Yes	715	5.8%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RISPE\_ORAL: Oral risperidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	1,290	10.5%
1	Yes	6,690	54.5%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RISPE\_INJ: Injectable risperidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	5,682	46.3%
1	Yes	2,298	18.7%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RISPE\_LAI: Long-acting injectable risperidone used at this facility for treatment of SMI  
(Q.A13a)**

Value	Label	Frequency	%
0	No	4,866	39.6%
1	Yes	3,114	25.4%
-1	Missing	7	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ZIPRA\_NO: Ziprasidone not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	6,676	54.4%
1	Yes	1,300	10.6%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## ZIPRA\_ORAL: Oral ziprasidone used at this facility for treatment of SMI (Q.A13a)

Value	Label	Frequency	%
0	No	1,817	14.8%
1	Yes	6,159	50.2%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ZIPRA\_INJ: Injectable ziprasidone used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	6,210	50.6%
1	Yes	1,766	14.4%
-1	Missing	11	0.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_NO: Other second-generation antipsychotics (A) not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	217	1.8%
1	Yes	7,770	63.3%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_ORAL: Other oral second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,921	64.5%
1	Yes	66	0.5%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_INJ: Other injectable second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,924	64.6%
1	Yes	63	0.5%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_LAI: Other long-acting injectable second-generation antipsychotics (A)  
used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,841	63.9%
1	Yes	146	1.2%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_REC: Other rectal second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN10TH\_TOP: Other topical second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,986	65.1%
1	Yes	1	0.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_NO: Other second-generation antipsychotics (B) not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	8	0.1%
1	Yes	7,979	65.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_ORAL: Other oral second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,983	65.0%
1	Yes	4	0.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_INJ: Other injectable second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_LAI: Other long-acting injectable second-generation antipsychotics (B)  
used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,983	65.0%
1	Yes	4	0.0%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_REC: Other rectal second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN2OTH\_TOP: Other topical second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN3OTH\_NO: Other second-generation antipsychotics (C) not used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
1	Yes	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN30TH\_ORAL: Other oral second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN3OTH\_INJ: Other injectable second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN30TH\_LAI: Other long-acting injectable second-generation antipsychotics (C)  
used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN3OTH\_REC: Other rectal second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SECGEN3OTH\_TOP: Other topical second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)**

Value	Label	Frequency	%
0	No	7,987	65.1%
-2	Logical skip	4,288	34.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ASSERTCOMM: Facility offers assertive community treatment (ACT) (Q.A14)**

Value	Label	Frequency	%
0	No	10,442	85.1%
1	Yes	1,790	14.6%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHINTCASEMGMT: Facility offers intensive case management services (Q.A14)

Value	Label	Frequency	%
0	No	9,246	75.3%
1	Yes	2,986	24.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHCASEMGMT: Facility offers case management services (Q.A14)

Value	Label	Frequency	%
0	No	3,721	30.3%
1	Yes	8,511	69.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHCOURTORDERED: Facility offers court-ordered outpatient treatment (Q.A14)

Value	Label	Frequency	%
0	No	5,695	46.4%
1	Yes	6,537	53.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHAOT: Facility provides assisted outpatient treatment (AOT) (Q.A14)

Value	Label	Frequency	%
0	No	11,438	93.2%
1	Yes	794	6.5%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**MHCHRONIC: Facility offers chronic disease/illness management services (Q.A14)**

Value	Label	Frequency	%
0	No	9,909	80.7%
1	Yes	2,323	18.9%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ILLNESSMGMT: Facility offers illness management and recovery (IMR) services (Q.A14)**

Value	Label	Frequency	%
0	No	8,975	73.1%
1	Yes	3,257	26.5%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PRIMARYCARE: Facility offers integrated primary care services (Q.A14)**

Value	Label	Frequency	%
0	No	9,041	73.7%
1	Yes	3,191	26.0%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**DIETEXERCOUNSEL: Facility offers diet and exercise counseling (Q.A14)**

Value	Label	Frequency	%
0	No	8,186	66.7%
1	Yes	4,046	33.0%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## FAMPSYCHED: Facility offers family psychoeducation (Q.A14)

Value	Label	Frequency	%
0	No	3,631	29.6%
1	Yes	8,601	70.1%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHEDUCATION: Facility offers education services (Q.A14)

Value	Label	Frequency	%
0	No	8,339	67.9%
1	Yes	3,893	31.7%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHHOUSING: Facility offers housing services (Q.A14)

Value	Label	Frequency	%
0	No	9,608	78.3%
1	Yes	2,624	21.4%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## SUPPHOUSING: Facility offers supported housing programs (Q.A14)

Value	Label	Frequency	%
0	No	10,201	83.1%
1	Yes	2,031	16.5%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHPSYCHREHAB: Facility offers psychosocial rehabilitation services (Q.A14)

Value	Label	Frequency	%
0	No	7,107	57.9%
1	Yes	5,125	41.8%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHVOCREHAB: Facility offers vocational rehabilitation services (Q.A14)

Value	Label	Frequency	%
0	No	10,237	83.4%
1	Yes	1,995	16.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## SUPPEMPLY: Facility offers supported employment services (Q.A14)

Value	Label	Frequency	%
0	No	9,889	80.6%
1	Yes	2,343	19.1%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## FOSTERCARE: Facility offers therapeutic foster care (Q.A14)

Value	Label	Frequency	%
0	No	11,649	94.9%
1	Yes	583	4.7%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHLEGAL: Facility offers legal advocacy (Q.A14)

Value	Label	Frequency	%
0	No	11,468	93.4%
1	Yes	764	6.2%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHEMGCY: Facility offers psychiatric emergency walk-in services (Q.A14)

Value	Label	Frequency	%
0	No	8,296	67.6%
1	Yes	3,936	32.1%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHSUICIDE: Facility offers suicide prevention services (Q.A14)

Value	Label	Frequency	%
0	No	4,146	33.8%
1	Yes	8,086	65.9%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHCONSUMER: Facility offers consumer-run (peer support) services (Q.A14)

Value	Label	Frequency	%
0	No	7,928	64.6%
1	Yes	4,304	35.1%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHHBV: Facility provides testing for Hepatitis B (HBV) (Q.A14)

Value	Label	Frequency	%
0	No	10,448	85.1%
1	Yes	1,784	14.5%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHHCV: Facility provides testing for Hepatitis C (HCV) (Q.A14)

Value	Label	Frequency	%
0	No	10,349	84.3%
1	Yes	1,883	15.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHHIV: Facility provides HIV testing (Q.A14)

Value	Label	Frequency	%
0	No	10,253	83.5%
1	Yes	1,979	16.1%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHSTD: Facility provides STD testing (Q.A14)

Value	Label	Frequency	%
0	No	10,361	84.4%
1	Yes	1,871	15.2%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHTB: Facility provides TB screening (Q.A14)

Value	Label	Frequency	%
0	No	9,649	78.6%
1	Yes	2,583	21.0%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## MHTOBACCOUSE: Facility offers screening for tobacco use (Q.A14)

Value	Label	Frequency	%
0	No	4,665	38.0%
1	Yes	7,567	61.6%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**MHTOBACCOCESS: Facility offers smoking/tobacco cessation counseling (Q.A14)**

Value	Label	Frequency	%
0	No	6,419	52.3%
1	Yes	5,813	47.4%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**MHNICOTINEREP: Facility offers nicotine replacement therapy (Q.A14)**

Value	Label	Frequency	%
0	No	8,513	69.4%
1	Yes	3,719	30.3%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SMOKINGCESSATION: Facility offers non-nicotine smoking/tobacco cessation medications (by prescription) (Q.A14)**

Value	Label	Frequency	%
0	No	8,584	69.9%
1	Yes	3,648	29.7%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

### MHOTH: Facility offers other services and practices (Q.A14)

Value	Label	Frequency	%
0	No	12,043	98.1%
1	Yes	232	1.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**MHNOSVCS: Facility offers none of the identified services or practices (Q.A14)**

Value	Label	Frequency	%
0	No	12,053	98.2%
1	Yes	179	1.5%
-1	Missing	43	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## YNGCHLD: Accepts young children (aged 0-5 years old) for treatment (Q.A17)

Value	Label	Frequency	%
0	No	7,449	60.7%
1	Yes	4,701	38.3%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## CHILDREN: Accepts children (aged 6-12 years old) for treatment (Q.A17)

Value	Label	Frequency	%
0	No	5,160	42.0%
1	Yes	6,990	56.9%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## ADOLES: Accepts adolescents (aged 13-17 years old) for treatment (Q.A17)

Value	Label	Frequency	%
0	No	4,186	34.1%
1	Yes	7,964	64.9%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## YOUNGADULTS: Accepts young adults (aged 18-25 years old) for treatment (Q.A17)

Value	Label	Frequency	%
0	No	1,373	11.2%
1	Yes	10,777	87.8%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ADULT: Accepts adults (aged 26-64 years old) for treatment (Q.A17)**

Value	Label	Frequency	%
0	No	1,851	15.1%
1	Yes	10,299	83.9%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## SENIORS: Accepts seniors (aged 65 years and older) for treatment (Q.A17)

Value	Label	Frequency	%
0	No	2,319	18.9%
1	Yes	9,831	80.1%
-1	Missing	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SED: Facility offers dedicated mental health treatment program for children/adolescents with serious emotional disturbance (SED) (Q.A18)**

Value	Label	Frequency	%
0	No	7,597	61.9%
1	Yes	4,632	37.7%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TAYOUNGADULTS: Facility offers dedicated mental health treatment program for transitional age young adults (Q.A18)**

Value	Label	Frequency	%
0	No	8,808	71.8%
1	Yes	3,421	27.9%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SPMI: Facility offers dedicated mental health treatment program for persons aged 18 years and older with serious mental illness (SMI) (Q.A18)**

Value	Label	Frequency	%
0	No	5,982	48.7%
1	Yes	6,247	50.9%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC63: Facility offers dedicated mental health treatment program for seniors or older adults (Q.A18)**

Value	Label	Frequency	%
0	No	8,572	69.8%
1	Yes	3,657	29.8%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ALZHDEMENTIA: Facility has a tailored program for persons with Alzheimer's or dementia (Q.A18)**

Value	Label	Frequency	%
0	No	11,305	92.1%
1	Yes	924	7.5%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC31: Facility offers dedicated mental health treatment program for persons with co-occurring mental and substance use disorders (Q.A18)**

Value	Label	Frequency	%
0	No	5,701	46.4%
1	Yes	6,528	53.2%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SPECGRPEATING: Facility offers dedicated mental health treatment program for persons with eating disorders (Q.A18)**

Value	Label	Frequency	%
0	No	10,823	88.2%
1	Yes	1,406	11.5%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FIRSTEPPSYCH: Facility offers dedicated mental health treatment program for persons experiencing first-episode psychosis (Q.A18)**

Value	Label	Frequency	%
0	No	9,826	80.0%
1	Yes	2,403	19.6%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC122: Facility offers dedicated mental health treatment program for persons who have experienced domestic violence (Q.A18)**

Value	Label	Frequency	%
0	No	10,105	82.3%
1	Yes	2,124	17.3%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**POSTTRAUM: Facility offers a dedicated mental health treatment program for persons with a diagnosis of post-traumatic stress disorder (PTSD) (Q.A18)**

Value	Label	Frequency	%
0	No	6,627	54.0%
1	Yes	5,602	45.6%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC116: Facility offers dedicated mental health treatment program for persons who have experienced trauma (excluding persons with a PTSD diagnosis) (Q.A18)**

Value	Label	Frequency	%
0	No	6,383	52.0%
1	Yes	5,846	47.6%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TRAUMATICBRAIN: Facility offers dedicated mental health treatment program for persons with traumatic brain injury (Q.A18)**

Value	Label	Frequency	%
0	No	11,110	90.5%
1	Yes	1,119	9.1%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC113: Facility offers dedicated mental health treatment program for veterans  
(Q.A18)**

Value	Label	Frequency	%
0	No	9,808	79.9%
1	Yes	2,421	19.7%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC114: Facility offers dedicated mental health treatment program for active duty military (Q.A18)**

Value	Label	Frequency	%
0	No	11,100	90.4%
1	Yes	1,129	9.2%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC115: Facility offers dedicated mental health treatment program for members of military families (Q.A18)**

Value	Label	Frequency	%
0	No	10,606	86.4%
1	Yes	1,623	13.2%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC62: Facility offers dedicated mental health treatment program for lesbian, gay, bisexual, or transgender clients (LGBT) (Q.A18)**

Value	Label	Frequency	%
0	No	8,926	72.7%
1	Yes	3,303	26.9%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC61: Facility offers dedicated mental health treatment program for forensic clients (referred from the court/judicial system) (Q.A18)**

Value	Label	Frequency	%
0	No	9,306	75.8%
1	Yes	2,923	23.8%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC32: Facility offers dedicated mental health treatment program for persons with HIV or AIDS (Q.A18)**

Value	Label	Frequency	%
0	No	10,619	86.5%
1	Yes	1,610	13.1%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SRVC35: Facility offers other dedicated mental health treatment program (Q.A18)**

Value	Label	Frequency	%
0	No	11,340	92.4%
1	Yes	935	7.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**NOSPECGRP: Facility does not offer any dedicated mental health treatment program or group (Q.A18)**

Value	Label	Frequency	%
0	No	10,716	87.3%
1	Yes	1,513	12.3%
-1	Missing	46	0.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CRISISTEAM2: Facility offers crisis intervention team that handles acute mental health issues at this facility and/or off-site (Q.A19)**

Value	Label	Frequency	%
0	No	6,355	51.8%
1	Yes	5,848	47.6%
-1	Missing	72	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## PSYCHON: Services for psychiatric emergencies onsite (Q.A20)

Value	Label	Frequency	%
0	No	7,451	60.7%
1	Yes	4,461	36.3%
-1	Missing	363	3.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## PSYCHOFF: Mobile/off-site psychiatric crisis services (Q.A21)

Value	Label	Frequency	%
0	No	9,378	76.4%
1	Yes	2,545	20.7%
-1	Missing	352	2.9%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SIGNLANG: Provides mental health treatment services in sign language for the deaf and hard-of-hearing (Q.A22)**

Value	Label	Frequency	%
0	No	5,065	41.3%
1	Yes	7,144	58.2%
-1	Missing	66	0.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG: Facility provides mental health treatment services in a language other than English (Q.A23)**

Value	Label	Frequency	%
0	No	2,961	24.1%
1	Yes	9,255	75.4%
-1	Missing	59	0.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANGPROV: Person who provides mental health treatment services in a language other than English (Q.A23a)**

Value	Label	Frequency	%
1	Staff who speak a language other than English	1,036	8.4%
2	On-call interpreter brought in when needed	4,924	40.1%
3	Both staff and on-call interpreter	3,286	26.8%
-1	Missing	9	0.1%
-2	Logical skip	3,020	24.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG16: Staff provide mental health treatment services in Spanish (Q.A23a1)**

Value	Label	Frequency	%
0	No	213	1.7%
1	Yes	4,100	33.4%
-1	Missing	12	0.1%
-2	Logical skip	7,950	64.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG\_B: Staff provide mental health treatment services in any other languages  
(Q.A23a2)**

Value	Label	Frequency	%
0	No	2,820	23.0%
1	Yes	1,280	10.4%
-1	Missing	3	0.0%
-2	Logical skip	8,172	66.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG1: Staff provide mental health treatment services in Hopi (Q.A23b)**

Value	Label	Frequency	%
0	No	1,489	12.1%
1	Yes	12	0.1%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG2: Staff provide mental health treatment services in Lakota (Q.A23b)**

Value	Label	Frequency	%
0	No	1,495	12.2%
1	Yes	6	0.0%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG3: Staff provide mental health treatment services in Navajo (Q.A23b)**

Value	Label	Frequency	%
0	No	1,471	12.0%
1	Yes	30	0.2%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG21: Staff provide mental health treatment services in Ojibwa (Q.A23b)**

Value	Label	Frequency	%
0	No	1,496	12.2%
1	Yes	5	0.0%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG4: Staff provide mental health treatment services in Yupik (Q.A23b)**

Value	Label	Frequency	%
0	No	1,494	12.2%
1	Yes	7	0.1%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG5: Staff provide mental health treatment services in other American Indian or Alaska Native language (Q.A23b)**

Value	Label	Frequency	%
0	No	1,488	12.1%
1	Yes	14	0.1%
-1	Missing	3	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG6: Staff provide mental health treatment services in Arabic (Q.A23b)**

Value	Label	Frequency	%
0	No	1,254	10.2%
1	Yes	247	2.0%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG7: Staff provide mental health treatment services in any Chinese language (Q.A23b)**

Value	Label	Frequency	%
0	No	1,167	9.5%
1	Yes	334	2.7%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG8: Staff provide mental health treatment services in Creole (Q.A23b)**

Value	Label	Frequency	%
0	No	1,227	10.0%
1	Yes	274	2.2%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG24: Staff provide mental health treatment services in Farsi (Q.A23b)**

Value	Label	Frequency	%
0	No	1,292	10.5%
1	Yes	209	1.7%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG9: Staff provide mental health treatment services in French (Q.A23b)**

Value	Label	Frequency	%
0	No	1,200	9.8%
1	Yes	301	2.5%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG10: Staff provide mental health treatment services in German (Q.A23b)**

Value	Label	Frequency	%
0	No	1,375	11.2%
1	Yes	126	1.0%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG22: Staff provide mental health treatment services in Greek (Q.A23b)**

Value	Label	Frequency	%
0	No	1,442	11.7%
1	Yes	59	0.5%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG25: Staff provide mental health treatment services in Hebrew (Q.A23b)**

Value	Label	Frequency	%
0	No	1,364	11.1%
1	Yes	137	1.1%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG26: Staff provide mental health treatment services in Hindi (Q.A23b)**

Value	Label	Frequency	%
0	No	1,247	10.2%
1	Yes	254	2.1%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG11: Staff provide mental health treatment services in Hmong (Q.A23b)**

Value	Label	Frequency	%
0	No	1,404	11.4%
1	Yes	97	0.8%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG19: Staff provide mental health treatment services in Italian (Q.A23b)**

Value	Label	Frequency	%
0	No	1,398	11.4%
1	Yes	103	0.8%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG23: Staff provide mental health treatment services in Japanese (Q.A23b)**

Value	Label	Frequency	%
0	No	1,387	11.3%
1	Yes	114	0.9%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG12: Staff provide mental health treatment services in Korean (Q.A23b)**

Value	Label	Frequency	%
0	No	1,352	11.0%
1	Yes	149	1.2%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG13: Staff provide mental health treatment services in Polish (Q.A23b)**

Value	Label	Frequency	%
0	No	1,400	11.4%
1	Yes	101	0.8%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG14: Staff provide mental health treatment services in Portuguese (Q.A23b)**

Value	Label	Frequency	%
0	No	1,308	10.7%
1	Yes	193	1.6%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG15: Staff provide mental health treatment services in Russian (Q.A23b)**

Value	Label	Frequency	%
0	No	1,227	10.0%
1	Yes	274	2.2%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG20: Staff provide mental health treatment services in Tagalog (Q.A23b)**

Value	Label	Frequency	%
0	No	1,254	10.2%
1	Yes	247	2.0%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG17: Staff provide mental health treatment services in Vietnamese (Q.A23b)**

Value	Label	Frequency	%
0	No	1,326	10.8%
1	Yes	175	1.4%
-1	Missing	4	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LANG18: Staff provide mental health treatment services in any other language not listed (Q.A23b)**

Value	Label	Frequency	%
0	No	1,189	9.7%
1	Yes	313	2.5%
-1	Missing	3	0.0%
-2	Logical skip	10,770	87.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CONTEd: Continuing education requirements for professional staff is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	395	3.2%
1	Yes	11,696	95.3%
-1	Missing	184	1.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CASEREV: Regularly scheduled case review with a supervisor is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	793	6.5%
1	Yes	11,302	92.1%
-1	Missing	180	1.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**QUALREV: Regularly scheduled case review by an appointed quality review committee is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	3,495	28.5%
1	Yes	8,573	69.8%
-1	Missing	207	1.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OUTFUP: Client outcome follow-up after discharge is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	5,024	40.9%
1	Yes	7,046	57.4%
-1	Missing	205	1.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CQIP: Continuous quality improvement processes is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	721	5.9%
1	Yes	10,794	87.9%
-1	Missing	760	6.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**SATSUR: Periodic client satisfaction surveys are part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	595	4.8%
1	Yes	11,490	93.6%
-1	Missing	190	1.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CPPR: Clinical provider peer review (CPPR) is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	4,629	37.7%
1	Yes	6,846	55.8%
-1	Missing	800	6.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCA: Root cause analysis (RCA) is part of facility's standard operating procedures (Q.A24)**

Value	Label	Frequency	%
0	No	5,674	46.2%
1	Yes	5,778	47.1%
-1	Missing	823	6.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## SMOKINGPOLICY: Facility's smoking policy for clients (Q.A25)

Value	Label	Frequency	%
1	Not permitted to smoke anywhere	6,693	54.5%
2	Permitted in designated outdoor area(s)	4,784	39.0%
3	Permitted anywhere outside	693	5.6%
4	Permitted in designated indoor area(s)	14	0.1%
6	Permitted anywhere without restriction	5	0.0%
-1	Missing	86	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**USEDSECLUSION: Staff have used seclusion or restraint with clients in the 12-month period (Q.A26)**

Value	Label	Frequency	%
0	No	9,768	79.6%
1	Yes	2,334	19.0%
-1	Missing	173	1.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**ADOPTSECLUSION: Facility has policies to minimize the use of seclusion or restraint (Q.A26a)**

Value	Label	Frequency	%
0	No	2,424	19.7%
1	Yes	9,637	78.5%
-1	Missing	214	1.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

### FEESCALE: Facility uses a sliding fee scale (Q.A28)

Value	Label	Frequency	%
0	No	4,723	38.5%
1	Yes	6,908	56.3%
-1	Missing	92	0.7%
-2	Logical skip	552	4.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PAYASST: Facility offers treatment at no charge or minimal payment to clients who cannot afford to pay (Q.A29)**

Value	Label	Frequency	%
0	No	5,429	44.2%
1	Yes	6,187	50.4%
-1	Missing	107	0.9%
-2	Logical skip	552	4.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK1: Accepts cash or self-payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	1,864	15.2%
1	Yes	10,330	84.2%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK2: Accepts private health insurance as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	2,250	18.3%
1	Yes	9,944	81.0%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK8: Accepts Medicare as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	3,888	31.7%
1	Yes	8,306	67.7%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK5: Accepts Medicaid as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	1,468	12.0%
1	Yes	10,726	87.4%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK10: Accepts state-financed health insurance plan other than Medicaid as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	4,945	40.3%
1	Yes	7,249	59.1%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDSMHA: Accepts state mental health agency funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	5,225	42.6%
1	Yes	6,969	56.8%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDSTATEWELFARE: Accepts state welfare or child and family services agency funds as source of payment for treatment (Q.A30)**

Value	Label	Frequency	%
0	No	6,932	56.5%
1	Yes	5,262	42.9%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDSTATEJUV: Accepts state corrections/juvenile justice agency funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	8,452	68.9%
1	Yes	3,742	30.5%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDSTATEEDUC: Accepts state education agency funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	10,070	82.0%
1	Yes	2,124	17.3%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDOTHSTATE: Accepts other state government funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	7,586	61.8%
1	Yes	4,608	37.5%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDLOCALGOV: Accepts county or local government funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	6,354	51.8%
1	Yes	5,840	47.6%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDCSBG: Accepts Community Service Block Grants as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	9,338	76.1%
1	Yes	2,856	23.3%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDCMHG: Accepts Community Mental Health Block Grants as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	8,045	65.5%
1	Yes	4,149	33.8%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDFEDGRANT: Accepts Federal grants as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	9,657	78.7%
1	Yes	2,537	20.7%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK15: Accepts federal military insurance (such as TRICARE) as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	5,889	48.0%
1	Yes	6,305	51.4%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDVA: Accepts U.S. Department of Veterans Affairs funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	9,061	73.8%
1	Yes	3,133	25.5%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK17: Accepts IHS/Tribal/Urban (ITU) funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	11,041	89.9%
1	Yes	1,153	9.4%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FUNDPRIVCOMM: Accepts Private or Community foundation funds as source of payment for mental health treatment services (Q.A30)**

Value	Label	Frequency	%
0	No	10,141	82.6%
1	Yes	2,053	16.7%
-1	Missing	81	0.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**REVCHK2A: Accepts other sources of payment for mental health treatment services  
(Q.A30)**

Value	Label	Frequency	%
0	No	12,150	99.0%
1	Yes	125	1.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LICENMH: Facility is licensed by state mental health authority (Q.A31)

Value	Label	Frequency	%
0	No	3,579	29.2%
1	Yes	8,619	70.2%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LICENSED: Facility is licensed by state substance abuse agency (Q.A31)

Value	Label	Frequency	%
0	No	7,935	64.6%
1	Yes	4,263	34.7%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LICENPH: Facility is licensed by state department of health (Q.A31)

Value	Label	Frequency	%
0	No	6,109	49.8%
1	Yes	6,089	49.6%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**LICENSEDFCS: Facility is licensed by state or local department of family and children's services (Q.A31)**

Value	Label	Frequency	%
0	No	9,696	79.0%
1	Yes	2,502	20.4%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## LICENHOS: Facility is licensed by hospital licensing authority (Q.A31)

Value	Label	Frequency	%
0	No	10,607	86.4%
1	Yes	1,591	13.0%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

## JCAHO: Facility has Joint Commission accreditation (Q.A31)

Value	Label	Frequency	%
0	No	7,985	65.1%
1	Yes	4,213	34.3%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**CARF: Facility is Commission on Accreditation of Rehabilitation Facilities  
(CARF)-accredited (Q.A31)**

Value	Label	Frequency	%
0	No	9,147	74.5%
1	Yes	3,051	24.9%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

### COA: Facility is Council on Accreditation (COA)-accredited (Q.A31)

Value	Label	Frequency	%
0	No	10,984	89.5%
1	Yes	1,214	9.9%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

### CMS: Facility is certified by Centers for Medicare and Medicaid Services (CMS) (Q.A31)

Value	Label	Frequency	%
0	No	5,843	47.6%
1	Yes	6,355	51.8%
-1	Missing	77	0.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OTHSTATE: Facility has licensing, certification, or accreditation from other national organization, or federal, state, or local agency (Q.A31)**

Value	Label	Frequency	%
0	No	11,640	94.8%
1	Yes	635	5.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OTHFAC: Client/patient counts reported for only this facility/this facility plus others/none (Q.B1)**

Value	Label	Frequency	%
1	Include only this facility	8,953	72.9%
2	Include this facility plus others	547	4.5%
3	Another facility reports client/patient counts for this facility	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**FACNUM: Number of facilities included in reported client/patient counts (Q.B2)**

Value	Label	Frequency	%
1	2 to 5 facilities	441	3.6%
2	6 to 10 facilities	81	0.7%
3	11 to 30 facilities	24	0.2%
4	More than 30 facilities	1	0.0%
-2	Logical skip	11,728	95.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPSERV: Patients received 24-hour hospital inpatient mental health treatment on April 30, 2020 (Q.B3)**

Value	Label	Frequency	%
0	No	7,969	64.9%
1	Yes	1,531	12.5%
-2	Logical skip	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPTOTAL: Total number of patients receiving 24-hour hospital inpatient mental health treatment on April 30, 2020 (Q.B3a)**

Value	Label	Frequency	%
0	None	49	0.4%
1	1 to 10	354	2.9%
2	11 to 20	424	3.5%
3	21 to 30	192	1.6%
4	31 to 40	114	0.9%
5	41 to 50	87	0.7%
6	51 to 75	136	1.1%
7	76 to 100	67	0.5%
8	101 to 250	114	0.9%
9	251 to 500	35	0.3%
10	501 to 1000	8	0.1%
11	1001 to 1500	4	0.0%
12	More than 1500	1	0.0%
-2	Logical skip	10,690	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPSEXTOTM: Patients receiving 24-hour hospital inpatient mental health treatment — male, number (Q.B3b)**

Value	Label	Frequency	%
0	None	71	0.6%
1	1 to 10	687	5.6%
2	11 to 20	301	2.5%
3	21 to 30	154	1.3%
4	31 to 40	82	0.7%
5	41 to 50	55	0.4%
6	51 to 75	65	0.5%
7	76 to 100	26	0.2%
8	101 to 250	64	0.5%
9	251 to 500	19	0.2%
10	501 to 1000	5	0.0%
11	1001 to 1500	2	0.0%
-1	Missing	48	0.4%
-2	Logical skip	10,696	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPSEXPERM: Patients receiving 24-hour hospital inpatient mental health treatment — male, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	54	0.4%
2	11 – 20	4	0.0%
3	21 – 30	12	0.1%
4	31 – 40	27	0.2%
5	41 – 50	145	1.2%
6	51 – 75	185	1.5%
7	76 – 100	41	0.3%
-1	Missing	49	0.4%
-2	Logical skip	11,758	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPSEXTOTF: Patients receiving 24-hour hospital inpatient mental health treatment — female, number (Q.B3b)**

Value	Label	Frequency	%
0	None	83	0.7%
1	1 to 10	781	6.4%
2	11 to 20	287	2.3%
3	21 to 30	141	1.1%
4	31 to 40	89	0.7%
5	41 to 50	45	0.4%
6	51 to 75	58	0.5%
7	76 to 100	20	0.2%
8	101 to 250	21	0.2%
9	251 to 500	4	0.0%
10	501 to 1000	2	0.0%
-1	Missing	48	0.4%
-2	Logical skip	10,696	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPSEXPERF: Patients receiving 24-hour hospital inpatient mental health treatment — female, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	54	0.4%
1	1 – 10	18	0.1%
2	11 – 20	18	0.1%
3	21 – 30	26	0.2%
4	31 – 40	101	0.8%
5	41 – 50	159	1.3%
6	51 – 75	83	0.7%
7	76 – 100	9	0.1%
-1	Missing	49	0.4%
-2	Logical skip	11,758	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGETOT017: Patients receiving 24-hour hospital inpatient mental health treatment — aged 0-17 years old, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,119	9.1%
1	1 to 10	179	1.5%
2	11 to 20	122	1.0%
3	21 to 30	52	0.4%
4	31 to 40	21	0.2%
5	41 to 50	14	0.1%
6	51 to 75	20	0.2%
7	76 to 100	6	0.0%
8	101 to 250	2	0.0%
9	251 to 500	2	0.0%
-1	Missing	41	0.3%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGEPER017: Patients receiving 24-hour hospital inpatient mental health treatment — aged 0-17 years old, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	334	2.7%
1	1 – 10	27	0.2%
2	11 – 20	30	0.2%
3	21 – 30	18	0.1%
4	31 – 40	21	0.2%
5	41 – 50	10	0.1%
6	51 – 75	2	0.0%
7	76 – 100	28	0.2%
-1	Missing	42	0.3%
-2	Logical skip	11,763	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGETOT1864: Patients receiving 24-hour hospital inpatient mental health treatment — aged 18-64 years old, number (Q.B3b)**

Value	Label	Frequency	%
0	None	199	1.6%
1	1 to 10	410	3.3%
2	11 to 20	371	3.0%
3	21 to 30	153	1.2%
4	31 to 40	90	0.7%
5	41 to 50	70	0.6%
6	51 to 75	90	0.7%
7	76 to 100	38	0.3%
8	101 to 250	83	0.7%
9	251 to 500	23	0.2%
10	501 to 1000	6	0.0%
11	1001 to 1500	4	0.0%
-1	Missing	41	0.3%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGEPER1864: Patients receiving 24-hour hospital inpatient mental health treatment — aged 18-64 years old, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	84	0.7%
1	1 – 10	10	0.1%
2	11 – 20	5	0.0%
3	21 – 30	10	0.1%
4	31 – 40	7	0.1%
5	41 – 50	26	0.2%
6	51 – 75	102	0.8%
7	76 – 100	226	1.8%
-1	Missing	42	0.3%
-2	Logical skip	11,763	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGETOT65: Patients receiving 24-hour hospital inpatient mental health treatment — aged 65 years and older, number (Q.B3b)**

Value	Label	Frequency	%
0	None	492	4.0%
1	1 to 10	806	6.6%
2	11 to 20	150	1.2%
3	21 to 30	31	0.3%
4	31 to 40	15	0.1%
5	41 to 50	18	0.1%
6	51 to 75	14	0.1%
7	76 to 100	5	0.0%
8	101 to 250	5	0.0%
9	251 to 500	2	0.0%
-1	Missing	40	0.3%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPAGEPER65: Patients receiving 24-hour hospital inpatient mental health treatment — aged 65 years and older, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	133	1.1%
1	1 – 10	154	1.3%
2	11 – 20	77	0.6%
3	21 – 30	41	0.3%
4	31 – 40	16	0.1%
5	41 – 50	15	0.1%
6	51 – 75	14	0.1%
7	76 – 100	20	0.2%
-1	Missing	42	0.3%
-2	Logical skip	11,763	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHTOTHisP: Patients receiving 24-hour hospital inpatient mental health treatment — Hispanic or Latino, number (Q.B3b)**

Value	Label	Frequency	%
0	None	914	7.4%
1	1 to 10	484	3.9%
2	11 to 20	61	0.5%
3	21 to 30	25	0.2%
4	31 to 40	18	0.1%
5	41 to 50	6	0.0%
6	51 to 75	13	0.1%
7	76 to 100	6	0.0%
8	101 to 250	2	0.0%
9	251 to 500	1	0.0%
-1	Missing	47	0.4%
-2	Logical skip	10,698	87.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHPERHISP: Patients receiving 24-hour hospital inpatient mental health treatment — Hispanic or Latino, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	260	2.1%
1	1 – 10	108	0.9%
2	11 – 20	45	0.4%
3	21 – 30	33	0.3%
4	31 – 40	9	0.1%
5	41 – 50	6	0.0%
6	51 – 75	5	0.0%
7	76 – 100	4	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,760	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHTOTNONHISP: Patients receiving 24-hour hospital inpatient mental health treatment — non-Hispanic or Latino, number (Q.B3b)**

Value	Label	Frequency	%
0	None	555	4.5%
1	1 to 10	307	2.5%
2	11 to 20	264	2.2%
3	21 to 30	97	0.8%
4	31 to 40	53	0.4%
5	41 to 50	52	0.4%
6	51 to 75	74	0.6%
7	76 to 100	34	0.3%
8	101 to 250	68	0.6%
9	251 to 500	18	0.1%
10	501 to 1000	7	0.1%
11	1001 to 1500	1	0.0%
-1	Missing	47	0.4%
-2	Logical skip	10,698	87.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHPERNONHISP: Patients receiving 24-hour hospital inpatient mental health treatment — non-Hispanic or Latino, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	223	1.8%
1	1 – 10	3	0.0%
2	11 – 20	2	0.0%
3	21 – 30	1	0.0%
4	31 – 40	6	0.0%
5	41 – 50	7	0.1%
6	51 – 75	46	0.4%
7	76 – 100	182	1.5%
-1	Missing	45	0.4%
-2	Logical skip	11,760	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHTOTUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown ethnicity, number (Q.B3b)**

Value	Label	Frequency	%
0	None	850	6.9%
1	1 to 10	233	1.9%
2	11 to 20	157	1.3%
3	21 to 30	83	0.7%
4	31 to 40	53	0.4%
5	41 to 50	33	0.3%
6	51 to 75	55	0.4%
7	76 to 100	18	0.1%
8	101 to 250	29	0.2%
9	251 to 500	12	0.1%
10	501 to 1000	2	0.0%
11	1001 to 1500	1	0.0%
12	More than 1500	1	0.0%
-1	Missing	50	0.4%
-2	Logical skip	10,698	87.2%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPETHPERUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown ethnicity, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	241	2.0%
1	1 – 10	40	0.3%
2	11 – 20	5	0.0%
3	21 – 30	5	0.0%
4	31 – 40	1	0.0%
5	41 – 50	1	0.0%
6	51 – 75	3	0.0%
7	76 – 100	174	1.4%
-1	Missing	45	0.4%
-2	Logical skip	11,760	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTINDIAN: Patients receiving 24-hour hospital inpatient mental health treatment — American Indian or Alaska Native, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,347	11.0%
1	1 to 10	144	1.2%
2	11 to 20	9	0.1%
3	21 to 30	2	0.0%
4	31 to 40	2	0.0%
-1	Missing	74	0.6%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERINDIAN: Patients receiving 24-hour hospital inpatient mental health treatment — American Indian or Alaska Native, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	402	3.3%
1	1 – 10	61	0.5%
2	11 – 20	5	0.0%
7	76 – 100	1	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTASIAN: Patients receiving 24-hour hospital inpatient mental health treatment — Asian, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,210	9.9%
1	1 to 10	283	2.3%
2	11 to 20	6	0.0%
3	21 to 30	3	0.0%
4	31 to 40	2	0.0%
5	41 to 50	2	0.0%
6	51 to 75	2	0.0%
7	76 to 100	3	0.0%
-1	Missing	67	0.5%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERASIAN: Patients receiving 24-hour hospital inpatient mental health treatment — Asian, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	352	2.9%
1	1 – 10	112	0.9%
2	11 – 20	3	0.0%
3	21 – 30	1	0.0%
7	76 – 100	1	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTBLK: Patients receiving 24-hour hospital inpatient mental health treatment — Black or African American, number (Q.B3b)**

Value	Label	Frequency	%
0	None	748	6.1%
1	1 to 10	508	4.1%
2	11 to 20	102	0.8%
3	21 to 30	44	0.4%
4	31 to 40	28	0.2%
5	41 to 50	21	0.2%
6	51 to 75	17	0.1%
7	76 to 100	16	0.1%
8	101 to 250	32	0.3%
9	251 to 500	5	0.0%
10	501 to 1000	1	0.0%
-1	Missing	56	0.5%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERBLK: Patients receiving 24-hour hospital inpatient mental health treatment — Black or African American, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	258	2.1%
1	1 – 10	50	0.4%
2	11 – 20	31	0.3%
3	21 – 30	40	0.3%
4	31 – 40	33	0.3%
5	41 – 50	25	0.2%
6	51 – 75	27	0.2%
7	76 – 100	5	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTHAWPAC: Patients receiving 24-hour hospital inpatient mental health treatment — Native Hawaiian or Other Pacific Islander, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,429	11.6%
1	1 to 10	72	0.6%
2	11 to 20	3	0.0%
3	21 to 30	1	0.0%
6	51 to 75	1	0.0%
-1	Missing	72	0.6%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERHAWPAC: Patients receiving 24-hour hospital inpatient mental health treatment — Native Hawaiian or Other Pacific Islander, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	435	3.5%
1	1 – 10	32	0.3%
3	21 – 30	1	0.0%
4	31 – 40	1	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTWHIT: Patients receiving 24-hour hospital inpatient mental health treatment — White, number (Q.B3b)**

Value	Label	Frequency	%
0	None	557	4.5%
1	1 to 10	408	3.3%
2	11 to 20	229	1.9%
3	21 to 30	83	0.7%
4	31 to 40	63	0.5%
5	41 to 50	42	0.3%
6	51 to 75	59	0.5%
7	76 to 100	31	0.3%
8	101 to 250	40	0.3%
9	251 to 500	11	0.1%
10	501 to 1000	3	0.0%
11	1001 to 1500	1	0.0%
-1	Missing	51	0.4%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERWHIT: Patients receiving 24-hour hospital inpatient mental health treatment — White, number (Q.B3b)**

Value	Label	Frequency	%
0	0	234	1.9%
1	1 – 10	11	0.1%
2	11 – 20	2	0.0%
3	21 – 30	13	0.1%
4	31 – 40	27	0.2%
5	41 – 50	31	0.3%
6	51 – 75	74	0.6%
7	76 – 100	77	0.6%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTMR: Patients receiving 24-hour hospital inpatient mental health treatment — two or more races, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,248	10.2%
1	1 to 10	224	1.8%
2	11 to 20	13	0.1%
3	21 to 30	7	0.1%
4	31 to 40	5	0.0%
5	41 to 50	4	0.0%
6	51 to 75	1	0.0%
8	101 to 250	2	0.0%
-1	Missing	74	0.6%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERMR: Patients receiving 24-hour hospital inpatient mental health treatment — two or more races, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	372	3.0%
1	1 – 10	72	0.6%
2	11 – 20	9	0.1%
3	21 – 30	10	0.1%
4	31 – 40	1	0.0%
5	41 – 50	1	0.0%
6	51 – 75	2	0.0%
7	76 – 100	2	0.0%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACETOTUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown race, number (Q.B3b)**

Value	Label	Frequency	%
0	None	754	6.1%
1	1 to 10	302	2.5%
2	11 to 20	176	1.4%
3	21 to 30	86	0.7%
4	31 to 40	51	0.4%
5	41 to 50	35	0.3%
6	51 to 75	55	0.4%
7	76 to 100	22	0.2%
8	101 to 250	24	0.2%
9	251 to 500	9	0.1%
10	501 to 1000	1	0.0%
-1	Missing	63	0.5%
-2	Logical skip	10,697	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPRACEPERUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown race, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	219	1.8%
1	1 – 10	50	0.4%
2	11 – 20	13	0.1%
3	21 – 30	5	0.0%
4	31 – 40	2	0.0%
6	51 – 75	2	0.0%
7	76 – 100	178	1.5%
-1	Missing	45	0.4%
-2	Logical skip	11,761	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALTOTVOL: Patients receiving 24-hour hospital inpatient mental health treatment — voluntary legal status, number (Q.B3b)**

Value	Label	Frequency	%
0	None	218	1.8%
1	1 to 10	591	4.8%
2	11 to 20	319	2.6%
3	21 to 30	124	1.0%
4	31 to 40	74	0.6%
5	41 to 50	67	0.5%
6	51 to 75	77	0.6%
7	76 to 100	24	0.2%
8	101 to 250	23	0.2%
9	251 to 500	6	0.0%
10	501 to 1000	3	0.0%
-1	Missing	53	0.4%
-2	Logical skip	10,696	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALPERVOL: Patients receiving 24-hour hospital inpatient mental health treatment — voluntary legal status, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	78	0.6%
1	1 – 10	42	0.3%
2	11 – 20	22	0.2%
3	21 – 30	26	0.2%
4	31 – 40	21	0.2%
5	41 – 50	25	0.2%
6	51 – 75	82	0.7%
7	76 – 100	169	1.4%
-1	Missing	53	0.4%
-2	Logical skip	11,757	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALTOTNONFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (non-forensic) legal status, number (Q.B3b)**

Value	Label	Frequency	%
0	None	432	3.5%
1	1 to 10	581	4.7%
2	11 to 20	215	1.8%
3	21 to 30	85	0.7%
4	31 to 40	52	0.4%
5	41 to 50	29	0.2%
6	51 to 75	49	0.4%
7	76 to 100	26	0.2%
8	101 to 250	46	0.4%
9	251 to 500	8	0.1%
10	501 to 1000	1	0.0%
-1	Missing	55	0.4%
-2	Logical skip	10,696	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALPERNONFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (non-forensic) legal status, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	119	1.0%
1	1 – 10	69	0.6%
2	11 – 20	48	0.4%
3	21 – 30	43	0.4%
4	31 – 40	33	0.3%
5	41 – 50	33	0.3%
6	51 – 75	52	0.4%
7	76 – 100	68	0.6%
-1	Missing	53	0.4%
-2	Logical skip	11,757	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALTOTFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (forensic) legal status, number (Q.B3b)**

Value	Label	Frequency	%
0	None	1,326	10.8%
1	1 to 10	74	0.6%
2	11 to 20	20	0.2%
3	21 to 30	4	0.0%
4	31 to 40	10	0.1%
5	41 to 50	15	0.1%
6	51 to 75	17	0.1%
7	76 to 100	10	0.1%
8	101 to 250	31	0.3%
9	251 to 500	10	0.1%
10	501 to 1000	3	0.0%
11	1001 to 1500	1	0.0%
12	More than 1500	1	0.0%
-1	Missing	57	0.5%
-2	Logical skip	10,696	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPLEGALPERFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (forensic) legal status, percent (Q.B3b)**

Value	Label	Frequency	%
0	0	406	3.3%
1	1 – 10	21	0.2%
2	11 – 20	3	0.0%
3	21 – 30	6	0.0%
4	31 – 40	3	0.0%
5	41 – 50	7	0.1%
6	51 – 75	10	0.1%
7	76 – 100	9	0.1%
-1	Missing	53	0.4%
-2	Logical skip	11,757	95.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**IPBEDS: Number of hospital inpatient beds at this facility designated for providing mental health treatment (Q.B3c)**

Value	Label	Frequency	%
0	None	18	0.1%
1	1 to 10	120	1.0%
2	11 to 20	385	3.1%
3	21 to 30	262	2.1%
4	31 to 40	135	1.1%
5	41 to 50	99	0.8%
6	51 to 75	151	1.2%
7	76 to 100	116	0.9%
8	101 to 250	174	1.4%
9	251 to 500	34	0.3%
10	501 to 1000	6	0.0%
11	1001 to 1500	1	0.0%
12	More than 1500	1	0.0%
-1	Missing	78	0.6%
-2	Logical skip	10,695	87.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCSEV: Clients received 24-hour residential mental health treatment on April 30, 2020  
(Q.B4)**

Value	Label	Frequency	%
0	No	7,944	64.7%
1	Yes	1,556	12.7%
-2	Logical skip	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCTOTAL: Total number of clients receiving 24-hour residential mental health treatment on April 30, 2020 (Q.B4a)**

Value	Label	Frequency	%
0	None	84	0.7%
1	1 to 10	722	5.9%
2	11 to 20	404	3.3%
3	21 to 30	151	1.2%
4	31 to 40	106	0.9%
5	41 to 50	73	0.6%
6	51 to 75	115	0.9%
7	76 to 100	44	0.4%
8	101 to 250	47	0.4%
9	251 to 500	8	0.1%
10	501 to 1000	1	0.0%
11	1001 to 1500	1	0.0%
-2	Logical skip	10,519	85.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCSEXTOTM: Patients receiving 24-hour residential mental health treatment — male, number (Q.B4b)**

Value	Label	Frequency	%
0	None	257	2.1%
1	1 to 10	760	6.2%
2	11 to 20	237	1.9%
3	21 to 30	127	1.0%
4	31 to 40	89	0.7%
5	41 to 50	46	0.4%
6	51 to 75	48	0.4%
7	76 to 100	20	0.2%
8	101 to 250	22	0.2%
9	251 to 500	2	0.0%
10	501 to 1000	3	0.0%
-1	Missing	26	0.2%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCSEXPERM: Patients receiving 24-hour residential mental health treatment — male, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	112	0.9%
1	1 – 10	8	0.1%
2	11 – 20	11	0.1%
3	21 – 30	9	0.1%
4	31 – 40	23	0.2%
5	41 – 50	36	0.3%
6	51 – 75	113	0.9%
7	76 – 100	80	0.7%
-1	Missing	26	0.2%
-2	Logical skip	11,857	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCSEXTOTF: Patients receiving 24-hour residential mental health treatment — female, number (Q.B4b)**

Value	Label	Frequency	%
0	None	355	2.9%
1	1 to 10	847	6.9%
2	11 to 20	198	1.6%
3	21 to 30	95	0.8%
4	31 to 40	49	0.4%
5	41 to 50	23	0.2%
6	51 to 75	26	0.2%
7	76 to 100	6	0.0%
8	101 to 250	10	0.1%
10	501 to 1000	2	0.0%
-1	Missing	26	0.2%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCSEXPERF: Patients receiving 24-hour residential mental health treatment — female, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	123	1.0%
1	1 – 10	17	0.1%
2	11 – 20	19	0.2%
3	21 – 30	31	0.3%
4	31 – 40	53	0.4%
5	41 – 50	57	0.5%
6	51 – 75	42	0.3%
7	76 – 100	50	0.4%
-1	Missing	26	0.2%
-2	Logical skip	11,857	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGETOT017: Patients receiving 24-hour residential mental health treatment — aged 0-17 years old, number (Q.B4b)**

Value	Label	Frequency	%
0	None	978	8.0%
1	1 to 10	201	1.6%
2	11 to 20	120	1.0%
3	21 to 30	82	0.7%
4	31 to 40	62	0.5%
5	41 to 50	49	0.4%
6	51 to 75	66	0.5%
7	76 to 100	27	0.2%
8	101 to 250	22	0.2%
-1	Missing	30	0.2%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGEPER017: Patients receiving 24-hour residential mental health treatment — aged 0-17 years old, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	248	2.0%
2	11 – 20	1	0.0%
3	21 – 30	1	0.0%
4	31 – 40	3	0.0%
5	41 – 50	3	0.0%
6	51 – 75	4	0.0%
7	76 – 100	133	1.1%
-1	Missing	23	0.2%
-2	Logical skip	11,859	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGETOT1864: Patients receiving 24-hour residential mental health treatment — aged 18-64 years old, number (Q.B4b)**

Value	Label	Frequency	%
0	None	532	4.3%
1	1 to 10	616	5.0%
2	11 to 20	253	2.1%
3	21 to 30	59	0.5%
4	31 to 40	53	0.4%
5	41 to 50	31	0.3%
6	51 to 75	30	0.2%
7	76 to 100	10	0.1%
8	101 to 250	22	0.2%
9	251 to 500	3	0.0%
10	501 to 1000	1	0.0%
11	1001 to 1500	2	0.0%
-1	Missing	25	0.2%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGEPER1864: Patients receiving 24-hour residential mental health treatment — aged 18-64 years old, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	182	1.5%
1	1 – 10	20	0.2%
2	11 – 20	12	0.1%
3	21 – 30	5	0.0%
4	31 – 40	2	0.0%
5	41 – 50	2	0.0%
6	51 – 75	21	0.2%
7	76 – 100	149	1.2%
-1	Missing	23	0.2%
-2	Logical skip	11,859	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGETOT65: Patients receiving 24-hour residential mental health treatment — aged 65 years and older, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,243	10.1%
1	1 to 10	318	2.6%
2	11 to 20	24	0.2%
3	21 to 30	11	0.1%
4	31 to 40	6	0.0%
5	41 to 50	4	0.0%
6	51 to 75	1	0.0%
8	101 to 250	2	0.0%
-1	Missing	28	0.2%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCAGEPER65: Patients receiving 24-hour residential mental health treatment — aged 65 years and older, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	307	2.5%
1	1 – 10	43	0.4%
2	11 – 20	23	0.2%
3	21 – 30	11	0.1%
4	31 – 40	5	0.0%
5	41 – 50	1	0.0%
6	51 – 75	2	0.0%
7	76 – 100	1	0.0%
-1	Missing	23	0.2%
-2	Logical skip	11,859	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHTOTISP: Patients receiving 24-hour residential mental health treatment — Hispanic or Latino, number (Q.B4b)**

Value	Label	Frequency	%
0	None	911	7.4%
1	1 to 10	587	4.8%
2	11 to 20	61	0.5%
3	21 to 30	15	0.1%
4	31 to 40	11	0.1%
5	41 to 50	2	0.0%
6	51 to 75	6	0.0%
7	76 to 100	2	0.0%
8	101 to 250	1	0.0%
-1	Missing	41	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHERHISP: Patients receiving 24-hour residential mental health treatment — Hispanic or Latino, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	226	1.8%
1	1 – 10	82	0.7%
2	11 – 20	39	0.3%
3	21 – 30	22	0.2%
4	31 – 40	11	0.1%
5	41 – 50	1	0.0%
6	51 – 75	3	0.0%
7	76 – 100	8	0.1%
-1	Missing	31	0.3%
-2	Logical skip	11,852	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHTOTNONHISP: Patients receiving 24-hour residential mental health treatment — non-Hispanic or Latino, number (Q.B4b)**

Value	Label	Frequency	%
0	None	394	3.2%
1	1 to 10	554	4.5%
2	11 to 20	267	2.2%
3	21 to 30	111	0.9%
4	31 to 40	80	0.7%
5	41 to 50	51	0.4%
6	51 to 75	74	0.6%
7	76 to 100	25	0.2%
8	101 to 250	24	0.2%
9	251 to 500	3	0.0%
10	501 to 1000	1	0.0%
-1	Missing	53	0.4%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHPERNONHISP: Patients receiving 24-hour residential mental health treatment — non-Hispanic or Latino, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	187	1.5%
1	1 – 10	1	0.0%
2	11 – 20	1	0.0%
3	21 – 30	1	0.0%
4	31 – 40	5	0.0%
5	41 – 50	6	0.0%
6	51 – 75	37	0.3%
7	76 – 100	154	1.3%
-1	Missing	31	0.3%
-2	Logical skip	11,852	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHTOTUNK: Patients receiving 24-hour residential mental health treatment — unknown ethnicity, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,153	9.4%
1	1 to 10	229	1.9%
2	11 to 20	75	0.6%
3	21 to 30	38	0.3%
4	31 to 40	22	0.2%
5	41 to 50	12	0.1%
6	51 to 75	30	0.2%
7	76 to 100	12	0.1%
8	101 to 250	11	0.1%
9	251 to 500	1	0.0%
10	501 to 1000	2	0.0%
-1	Missing	52	0.4%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCETHERUNK: Patients receiving 24-hour residential mental health treatment — unknown ethnicity, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	256	2.1%
1	1 – 10	22	0.2%
2	11 – 20	1	0.0%
3	21 – 30	7	0.1%
4	31 – 40	1	0.0%
5	41 – 50	1	0.0%
6	51 – 75	4	0.0%
7	76 – 100	100	0.8%
-1	Missing	31	0.3%
-2	Logical skip	11,852	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTINDIAN: Patients receiving 24-hour residential mental health treatment — American Indian or Alaska Native, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,373	11.2%
1	1 to 10	191	1.6%
2	11 to 20	8	0.1%
3	21 to 30	5	0.0%
4	31 to 40	1	0.0%
-1	Missing	59	0.5%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERINDIAN: Patients receiving 24-hour residential mental health treatment — American Indian or Alaska Native, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	331	2.7%
1	1 – 10	50	0.4%
2	11 – 20	8	0.1%
4	31 – 40	1	0.0%
5	41 – 50	1	0.0%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTASIAN: Patients receiving 24-hour residential mental health treatment — Asian, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,370	11.2%
1	1 to 10	196	1.6%
2	11 to 20	7	0.1%
3	21 to 30	2	0.0%
-1	Missing	62	0.5%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERASIAN: Patients receiving 24-hour residential mental health treatment — Asian, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	333	2.7%
1	1 – 10	55	0.4%
2	11 – 20	3	0.0%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTBLK: Patients receiving 24-hour residential mental health treatment — Black or African American, number (Q.B4b)**

Value	Label	Frequency	%
0	None	668	5.4%
1	1 to 10	721	5.9%
2	11 to 20	119	1.0%
3	21 to 30	34	0.3%
4	31 to 40	17	0.1%
5	41 to 50	11	0.1%
6	51 to 75	9	0.1%
7	76 to 100	7	0.1%
8	101 to 250	8	0.1%
9	251 to 500	1	0.0%
-1	Missing	42	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERBLK: Patients receiving 24-hour residential mental health treatment — Black or African American, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	207	1.7%
1	1 – 10	45	0.4%
2	11 – 20	34	0.3%
3	21 – 30	28	0.2%
4	31 – 40	31	0.3%
5	41 – 50	22	0.2%
6	51 – 75	16	0.1%
7	76 – 100	8	0.1%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTHAWPAC: Patients receiving 24-hour residential mental health treatment — Native Hawaiian or Other Pacific Islander, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,504	12.3%
1	1 to 10	63	0.5%
4	31 to 40	2	0.0%
5	41 to 50	1	0.0%
-1	Missing	67	0.5%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERHAWPAC: Patients receiving 24-hour residential mental health treatment — Native Hawaiian or Other Pacific Islander, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	366	3.0%
1	1 – 10	23	0.2%
2	11 – 20	1	0.0%
7	76 – 100	1	0.0%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTWHIT: Patients receiving 24-hour residential mental health treatment — White, number (Q.B4b)**

Value	Label	Frequency	%
0	None	389	3.2%
1	1 to 10	702	5.7%
2	11 to 20	245	2.0%
3	21 to 30	94	0.8%
4	31 to 40	62	0.5%
5	41 to 50	51	0.4%
6	51 to 75	38	0.3%
7	76 to 100	10	0.1%
8	101 to 250	9	0.1%
10	501 to 1000	2	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERWHIT: Patients receiving 24-hour residential mental health treatment — White, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	186	1.5%
1	1 – 10	4	0.0%
2	11 – 20	8	0.1%
3	21 – 30	13	0.1%
4	31 – 40	18	0.1%
5	41 – 50	31	0.3%
6	51 – 75	70	0.6%
7	76 – 100	61	0.5%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTMR: Patients receiving 24-hour residential mental health treatment — two or more races, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,168	9.5%
1	1 to 10	378	3.1%
2	11 to 20	20	0.2%
3	21 to 30	4	0.0%
4	31 to 40	6	0.0%
5	41 to 50	1	0.0%
-1	Missing	60	0.5%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERMR: Patients receiving 24-hour residential mental health treatment — two or more races, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	281	2.3%
1	1 – 10	72	0.6%
2	11 – 20	25	0.2%
3	21 – 30	7	0.1%
4	31 – 40	2	0.0%
6	51 – 75	2	0.0%
7	76 – 100	2	0.0%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACETOTUNK: Patients receiving 24-hour residential mental health treatment — unknown race, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,071	8.7%
1	1 to 10	305	2.5%
2	11 to 20	70	0.6%
3	21 to 30	44	0.4%
4	31 to 40	21	0.2%
5	41 to 50	9	0.1%
6	51 to 75	25	0.2%
7	76 to 100	9	0.1%
8	101 to 250	10	0.1%
9	251 to 500	3	0.0%
10	501 to 1000	1	0.0%
-1	Missing	69	0.6%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCRACEPERUNK: Patients receiving 24-hour residential mental health treatment — unknown race, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	240	2.0%
1	1 – 10	31	0.3%
2	11 – 20	7	0.1%
3	21 – 30	8	0.1%
4	31 – 40	3	0.0%
5	41 – 50	1	0.0%
7	76 – 100	101	0.8%
-1	Missing	28	0.2%
-2	Logical skip	11,856	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALTOTVOL: Patients receiving 24-hour residential mental health treatment — voluntary legal status, number (Q.B4b)**

Value	Label	Frequency	%
0	None	287	2.3%
1	1 to 10	650	5.3%
2	11 to 20	279	2.3%
3	21 to 30	109	0.9%
4	31 to 40	83	0.7%
5	41 to 50	53	0.4%
6	51 to 75	80	0.7%
7	76 to 100	33	0.3%
8	101 to 250	29	0.2%
9	251 to 500	1	0.0%
11	1001 to 1500	2	0.0%
-1	Missing	31	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALPERVOL: Patients receiving 24-hour residential mental health treatment — voluntary legal status, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	124	1.0%
1	1 – 10	7	0.1%
2	11 – 20	3	0.0%
3	21 – 30	1	0.0%
4	31 – 40	1	0.0%
5	41 – 50	2	0.0%
6	51 – 75	12	0.1%
7	76 – 100	242	2.0%
-1	Missing	30	0.2%
-2	Logical skip	11,853	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALTOTNONFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (non-forensic) legal status, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,213	9.9%
1	1 to 10	215	1.8%
2	11 to 20	61	0.5%
3	21 to 30	39	0.3%
4	31 to 40	17	0.1%
5	41 to 50	14	0.1%
6	51 to 75	19	0.2%
7	76 to 100	9	0.1%
8	101 to 250	12	0.1%
9	251 to 500	1	0.0%
-1	Missing	37	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALPERNONFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (non-forensic) legal status, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	317	2.6%
1	1 – 10	6	0.0%
2	11 – 20	9	0.1%
3	21 – 30	4	0.0%
4	31 – 40	3	0.0%
5	41 – 50	3	0.0%
6	51 – 75	8	0.1%
7	76 – 100	42	0.3%
-1	Missing	30	0.2%
-2	Logical skip	11,853	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALTOTFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (forensic) legal status, number (Q.B4b)**

Value	Label	Frequency	%
0	None	1,415	11.5%
1	1 to 10	129	1.1%
2	11 to 20	28	0.2%
3	21 to 30	8	0.1%
4	31 to 40	4	0.0%
5	41 to 50	5	0.0%
6	51 to 75	5	0.0%
8	101 to 250	4	0.0%
9	251 to 500	2	0.0%
10	501 to 1000	1	0.0%
-1	Missing	36	0.3%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCLEGALPERFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (forensic) legal status, percent (Q.B4b)**

Value	Label	Frequency	%
0	0	362	2.9%
1	1 – 10	14	0.1%
2	11 – 20	3	0.0%
3	21 – 30	3	0.0%
4	31 – 40	4	0.0%
5	41 – 50	1	0.0%
7	76 – 100	5	0.0%
-1	Missing	30	0.2%
-2	Logical skip	11,853	96.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**RCBEDS: Number of residential beds at this facility designated for providing mental health treatment on April 30, 2020 (Q.B4c)**

Value	Label	Frequency	%
0	None	48	0.4%
1	1 to 10	464	3.8%
2	11 to 20	424	3.5%
3	21 to 30	150	1.2%
4	31 to 40	105	0.9%
5	41 to 50	80	0.7%
6	51 to 75	126	1.0%
7	76 to 100	58	0.5%
8	101 to 250	75	0.6%
9	251 to 500	5	0.0%
10	501 to 1000	1	0.0%
-1	Missing	101	0.8%
-2	Logical skip	10,638	86.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPSERV: Clients received less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) during April 2020 (Q.B5)**

Value	Label	Frequency	%
0	No	2,882	23.5%
1	Yes	6,618	53.9%
-2	Logical skip	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPTOTAL: Total number of clients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) during April 2020 (Q.B5a)**

Value	Label	Frequency	%
0	None	1,077	8.8%
1	1 to 10	528	4.3%
2	11 to 20	430	3.5%
3	21 to 30	340	2.8%
4	31 to 40	274	2.2%
5	41 to 50	256	2.1%
6	51 to 75	532	4.3%
7	76 to 100	455	3.7%
8	101 to 250	1,537	12.5%
9	251 to 500	1,516	12.4%
10	501 to 1000	1,191	9.7%
11	1001 to 1500	437	3.6%
12	More than 1500	515	4.2%
-2	Logical skip	3,187	26.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPSEXTOTM: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — male, number (Q.B5b)**

Value	Label	Frequency	%
0	None	1,013	8.3%
1	1 to 10	833	6.8%
2	11 to 20	500	4.1%
3	21 to 30	404	3.3%
4	31 to 40	354	2.9%
5	41 to 50	244	2.0%
6	51 to 75	525	4.3%
7	76 to 100	386	3.1%
8	101 to 250	1,400	11.4%
9	251 to 500	816	6.6%
10	501 to 1000	500	4.1%
11	1001 to 1500	167	1.4%
12	More than 1500	161	1.3%
-1	Missing	257	2.1%
-2	Logical skip	4,715	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPSEXPERM: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — male, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	962	7.8%
1	1 – 10	26	0.2%
2	11 – 20	87	0.7%
3	21 – 30	186	1.5%
4	31 – 40	674	5.5%
5	41 – 50	1,157	9.4%
6	51 – 75	838	6.8%
7	76 – 100	212	1.7%
**	101	1	0.0%
-1	Missing	261	2.1%
-2	Logical skip	7,871	64.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPSEXTOTF: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — female, number (Q.B5b)**

Value	Label	Frequency	%
0	None	1,026	8.4%
1	1 to 10	791	6.4%
2	11 to 20	571	4.7%
3	21 to 30	375	3.1%
4	31 to 40	288	2.3%
5	41 to 50	288	2.3%
6	51 to 75	463	3.8%
7	76 to 100	385	3.1%
8	101 to 250	1,328	10.8%
9	251 to 500	891	7.3%
10	501 to 1000	570	4.6%
11	1001 to 1500	178	1.5%
12	More than 1500	148	1.2%
-1	Missing	258	2.1%
-2	Logical skip	4,715	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPSEXPERF: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — female, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	970	7.9%
1	1 – 10	87	0.7%
2	11 – 20	103	0.8%
3	21 – 30	118	1.0%
4	31 – 40	358	2.9%
5	41 – 50	834	6.8%
6	51 – 75	1,541	12.6%
7	76 – 100	132	1.1%
-1	Missing	261	2.1%
-2	Logical skip	7,871	64.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGETOT017: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 0-17 years old, number (Q.B5b)**

Value	Label	Frequency	%
0	None	2,806	22.9%
1	1 to 10	725	5.9%
2	11 to 20	425	3.5%
3	21 to 30	335	2.7%
4	31 to 40	245	2.0%
5	41 to 50	224	1.8%
6	51 to 75	371	3.0%
7	76 to 100	330	2.7%
8	101 to 250	913	7.4%
9	251 to 500	500	4.1%
10	501 to 1000	266	2.2%
11	1001 to 1500	73	0.6%
12	More than 1500	74	0.6%
-1	Missing	269	2.2%
-2	Logical skip	4,719	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGEPER017: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 0-17 years old, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,814	14.8%
1	1 – 10	403	3.3%
2	11 – 20	422	3.4%
3	21 – 30	474	3.9%
4	31 – 40	239	1.9%
5	41 – 50	107	0.9%
6	51 – 75	176	1.4%
7	76 – 100	494	4.0%
-1	Missing	277	2.3%
-2	Logical skip	7,869	64.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGETOT1864: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 18-64 years old, number (Q.B5b)**

Value	Label	Frequency	%
0	None	1,347	11.0%
1	1 to 10	658	5.4%
2	11 to 20	428	3.5%
3	21 to 30	345	2.8%
4	31 to 40	294	2.4%
5	41 to 50	254	2.1%
6	51 to 75	471	3.8%
7	76 to 100	358	2.9%
8	101 to 250	1,168	9.5%
9	251 to 500	834	6.8%
10	501 to 1000	628	5.1%
11	1001 to 1500	237	1.9%
12	More than 1500	266	2.2%
-1	Missing	268	2.2%
-2	Logical skip	4,719	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGEPER1864: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 18-64 years old, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,110	9.0%
1	1 – 10	235	1.9%
2	11 – 20	122	1.0%
3	21 – 30	92	0.7%
4	31 – 40	122	1.0%
5	41 – 50	279	2.3%
6	51 – 75	1,050	8.6%
7	76 – 100	1,119	9.1%
-1	Missing	277	2.3%
-2	Logical skip	7,869	64.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGETOT65: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 65 years and older, number (Q.B5b)**

Value	Label	Frequency	%
0	None	2,804	22.8%
1	1 to 10	1,548	12.6%
2	11 to 20	634	5.2%
3	21 to 30	410	3.3%
4	31 to 40	249	2.0%
5	41 to 50	233	1.9%
6	51 to 75	359	2.9%
7	76 to 100	258	2.1%
8	101 to 250	509	4.1%
9	251 to 500	177	1.4%
10	501 to 1000	71	0.6%
11	1001 to 1500	18	0.1%
12	More than 1500	18	0.1%
-1	Missing	268	2.2%
-2	Logical skip	4,719	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPAGEPER65: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 65 years and older, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,732	14.1%
1	1 – 10	1,463	11.9%
2	11 – 20	527	4.3%
3	21 – 30	239	1.9%
4	31 – 40	72	0.6%
5	41 – 50	56	0.5%
6	51 – 75	30	0.2%
7	76 – 100	10	0.1%
-1	Missing	277	2.3%
-2	Logical skip	7,869	64.1%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHTOTISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Hispanic or Latino, number (Q.B5b)**

Value	Label	Frequency	%
0	None	3,066	25.0%
1	1 to 10	1,563	12.7%
2	11 to 20	532	4.3%
3	21 to 30	344	2.8%
4	31 to 40	226	1.8%
5	41 to 50	183	1.5%
6	51 to 75	298	2.4%
7	76 to 100	192	1.6%
8	101 to 250	503	4.1%
9	251 to 500	215	1.8%
10	501 to 1000	101	0.8%
11	1001 to 1500	23	0.2%
12	More than 1500	26	0.2%
-1	Missing	281	2.3%
-2	Logical skip	4,722	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHERHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Hispanic or Latino, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,979	16.1%
1	1 – 10	1,171	9.5%
2	11 – 20	363	3.0%
3	21 – 30	234	1.9%
4	31 – 40	135	1.1%
5	41 – 50	80	0.7%
6	51 – 75	118	1.0%
7	76 – 100	53	0.4%
-1	Missing	284	2.3%
-2	Logical skip	7,858	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHTOTNONHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — non-Hispanic or Latino, number (Q.B5b)**

Value	Label	Frequency	%
0	None	2,388	19.5%
1	1 to 10	402	3.3%
2	11 to 20	323	2.6%
3	21 to 30	281	2.3%
4	31 to 40	207	1.7%
5	41 to 50	181	1.5%
6	51 to 75	369	3.0%
7	76 to 100	291	2.4%
8	101 to 250	1,024	8.3%
9	251 to 500	749	6.1%
10	501 to 1000	561	4.6%
11	1001 to 1500	220	1.8%
12	More than 1500	276	2.2%
-1	Missing	281	2.3%
-2	Logical skip	4,722	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHPERNONHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — non-Hispanic or Latino, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,803	14.7%
1	1 – 10	41	0.3%
2	11 – 20	36	0.3%
3	21 – 30	50	0.4%
4	31 – 40	101	0.8%
5	41 – 50	96	0.8%
6	51 – 75	490	4.0%
7	76 – 100	1,516	12.4%
-1	Missing	284	2.3%
-2	Logical skip	7,858	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHTOTUNK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — unknown ethnicity, number (Q.B5b)**

Value	Label	Frequency	%
0	None	3,696	30.1%
1	1 to 10	822	6.7%
2	11 to 20	399	3.3%
3	21 to 30	269	2.2%
4	31 to 40	185	1.5%
5	41 to 50	147	1.2%
6	51 to 75	281	2.3%
7	76 to 100	206	1.7%
8	101 to 250	474	3.9%
9	251 to 500	326	2.7%
10	501 to 1000	250	2.0%
11	1001 to 1500	82	0.7%
12	More than 1500	130	1.1%
-1	Missing	286	2.3%
-2	Logical skip	4,722	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPETHERUNK: Patients receiving less-than-24-hour mental health treatment  
(outpatient and partial hospitalization/day treatment) — unknown ethnicity, percent  
(Q.B5b)**

Value	Label	Frequency	%
0	0	2,376	19.4%
1	1 – 10	596	4.9%
2	11 – 20	130	1.1%
3	21 – 30	55	0.4%
4	31 – 40	39	0.3%
5	41 – 50	35	0.3%
6	51 – 75	47	0.4%
7	76 – 100	855	7.0%
-1	Missing	284	2.3%
-2	Logical skip	7,858	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTINDIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — American Indian or Alaska Native, number (Q.B5b)**

Value	Label	Frequency	%
0	None	5,148	41.9%
1	1 to 10	1,472	12.0%
2	11 to 20	269	2.2%
3	21 to 30	92	0.7%
4	31 to 40	59	0.5%
5	41 to 50	34	0.3%
6	51 to 75	56	0.5%
7	76 to 100	39	0.3%
8	101 to 250	56	0.5%
9	251 to 500	14	0.1%
10	501 to 1000	4	0.0%
-1	Missing	312	2.5%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERINDIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — American Indian or Alaska Native, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	3,250	26.5%
1	1 – 10	794	6.5%
2	11 – 20	34	0.3%
3	21 – 30	10	0.1%
4	31 – 40	6	0.0%
5	41 – 50	9	0.1%
6	51 – 75	9	0.1%
7	76 – 100	17	0.1%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTASIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Asian, number (Q.B5b)**

Value	Label	Frequency	%
0	None	4,782	39.0%
1	1 to 10	1,688	13.8%
2	11 to 20	334	2.7%
3	21 to 30	135	1.1%
4	31 to 40	84	0.7%
5	41 to 50	33	0.3%
6	51 to 75	62	0.5%
7	76 to 100	38	0.3%
8	101 to 250	61	0.5%
9	251 to 500	16	0.1%
10	501 to 1000	6	0.0%
11	1001 to 1500	1	0.0%
12	More than 1500	2	0.0%
-1	Missing	313	2.5%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERASIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Asian, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	2,910	23.7%
1	1 – 10	1,138	9.3%
2	11 – 20	56	0.5%
3	21 – 30	11	0.1%
4	31 – 40	5	0.0%
5	41 – 50	3	0.0%
6	51 – 75	1	0.0%
7	76 – 100	5	0.0%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTBLK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Black or African American, number (Q.B5b)**

Value	Label	Frequency	%
0	None	2,908	23.7%
1	1 to 10	1,418	11.6%
2	11 to 20	505	4.1%
3	21 to 30	360	2.9%
4	31 to 40	243	2.0%
5	41 to 50	176	1.4%
6	51 to 75	350	2.9%
7	76 to 100	232	1.9%
8	101 to 250	578	4.7%
9	251 to 500	263	2.1%
10	501 to 1000	156	1.3%
11	1001 to 1500	34	0.3%
12	More than 1500	37	0.3%
-1	Missing	295	2.4%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERBLK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Black or African American, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,946	15.9%
1	1 – 10	899	7.3%
2	11 – 20	348	2.8%
3	21 – 30	262	2.1%
4	31 – 40	221	1.8%
5	41 – 50	187	1.5%
6	51 – 75	179	1.5%
7	76 – 100	87	0.7%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTHAWPAC: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Native Hawaiian or Other Pacific Islander, number (Q.B5b)**

Value	Label	Frequency	%
0	None	6,123	49.9%
1	1 to 10	896	7.3%
2	11 to 20	108	0.9%
3	21 to 30	35	0.3%
4	31 to 40	17	0.1%
5	41 to 50	12	0.1%
6	51 to 75	20	0.2%
7	76 to 100	7	0.1%
8	101 to 250	13	0.1%
9	251 to 500	3	0.0%
10	501 to 1000	1	0.0%
11	1001 to 1500	1	0.0%
-1	Missing	319	2.6%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERHAWPAC: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Native Hawaiian or Other Pacific Islander, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	3,654	29.8%
1	1 – 10	458	3.7%
2	11 – 20	11	0.1%
3	21 – 30	3	0.0%
5	41 – 50	1	0.0%
6	51 – 75	1	0.0%
7	76 – 100	1	0.0%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTWHIT: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — White, number (Q.B5b)**

Value	Label	Frequency	%
0	None	2,407	19.6%
1	1 to 10	591	4.8%
2	11 to 20	355	2.9%
3	21 to 30	300	2.4%
4	31 to 40	182	1.5%
5	41 to 50	188	1.5%
6	51 to 75	395	3.2%
7	76 to 100	269	2.2%
8	101 to 250	972	7.9%
9	251 to 500	718	5.8%
10	501 to 1000	484	3.9%
11	1001 to 1500	200	1.6%
12	More than 1500	206	1.7%
-1	Missing	288	2.3%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERWHIT: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — White, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	1,820	14.8%
1	1 – 10	101	0.8%
2	11 – 20	120	1.0%
3	21 – 30	150	1.2%
4	31 – 40	188	1.5%
5	41 – 50	307	2.5%
6	51 – 75	657	5.4%
7	76 – 100	786	6.4%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTMR: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — two or more races, number (Q.B5b)**

Value	Label	Frequency	%
0	None	4,439	36.2%
1	1 to 10	1,272	10.4%
2	11 to 20	413	3.4%
3	21 to 30	270	2.2%
4	31 to 40	167	1.4%
5	41 to 50	108	0.9%
6	51 to 75	159	1.3%
7	76 to 100	97	0.8%
8	101 to 250	208	1.7%
9	251 to 500	68	0.6%
10	501 to 1000	23	0.2%
11	1001 to 1500	8	0.1%
12	More than 1500	7	0.1%
-1	Missing	316	2.6%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERMR: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — two or more races, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	2,688	21.9%
1	1 – 10	1,017	8.3%
2	11 – 20	246	2.0%
3	21 – 30	89	0.7%
4	31 – 40	34	0.3%
5	41 – 50	14	0.1%
6	51 – 75	22	0.2%
7	76 – 100	19	0.2%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACETOTUNK: Patients receiving less-than-24-hour mental health treatment  
(outpatient and partial hospitalization/day treatment) — unknown race, number (Q.B5b)**

Value	Label	Frequency	%
0	None	3,304	26.9%
1	1 to 10	996	8.1%
2	11 to 20	442	3.6%
3	21 to 30	268	2.2%
4	31 to 40	225	1.8%
5	41 to 50	187	1.5%
6	51 to 75	295	2.4%
7	76 to 100	222	1.8%
8	101 to 250	511	4.2%
9	251 to 500	346	2.8%
10	501 to 1000	236	1.9%
11	1001 to 1500	91	0.7%
12	More than 1500	110	0.9%
-1	Missing	322	2.6%
-2	Logical skip	4,720	38.5%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPRACEPERUNK: Patients receiving less-than-24-hour mental health treatment  
(outpatient and partial hospitalization/day treatment) — unknown race, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	2,227	18.1%
1	1 – 10	690	5.6%
2	11 – 20	178	1.5%
3	21 – 30	84	0.7%
4	31 – 40	32	0.3%
5	41 – 50	46	0.4%
6	51 – 75	38	0.3%
7	76 – 100	833	6.8%
**	105	1	0.0%
-1	Missing	291	2.4%
-2	Logical skip	7,855	64.0%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALTOTVOL: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — voluntary legal status, number (Q.B5b)**

Value	Label	Frequency	%
0	None	1,032	8.4%
1	1 to 10	448	3.6%
2	11 to 20	373	3.0%
3	21 to 30	305	2.5%
4	31 to 40	217	1.8%
5	41 to 50	222	1.8%
6	51 to 75	445	3.6%
7	76 to 100	357	2.9%
8	101 to 250	1,163	9.5%
9	251 to 500	1,012	8.2%
10	501 to 1000	846	6.9%
11	1001 to 1500	337	2.7%
12	More than 1500	480	3.9%
-1	Missing	320	2.6%
-2	Logical skip	4,718	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALPERVOL: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — voluntary legal status, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	986	8.0%
1	1 – 10	26	0.2%
2	11 – 20	9	0.1%
3	21 – 30	8	0.1%
4	31 – 40	12	0.1%
5	41 – 50	29	0.2%
6	51 – 75	117	1.0%
7	76 – 100	2,939	23.9%
**	105	1	0.0%
-1	Missing	322	2.6%
-2	Logical skip	7,826	63.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALTOTNONFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (non-forensic) legal status, number (Q.B5b)**

Value	Label	Frequency	%
0	None	6,076	49.5%
1	1 to 10	434	3.5%
2	11 to 20	198	1.6%
3	21 to 30	118	1.0%
4	31 to 40	78	0.6%
5	41 to 50	48	0.4%
6	51 to 75	76	0.6%
7	76 to 100	55	0.4%
8	101 to 250	95	0.8%
9	251 to 500	35	0.3%
10	501 to 1000	14	0.1%
11	1001 to 1500	2	0.0%
12	More than 1500	3	0.0%
-1	Missing	325	2.6%
-2	Logical skip	4,718	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALPERNONFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (non-forensic) legal status, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	3,497	28.5%
1	1 – 10	411	3.3%
2	11 – 20	91	0.7%
3	21 – 30	40	0.3%
4	31 – 40	22	0.2%
5	41 – 50	17	0.1%
6	51 – 75	19	0.2%
7	76 – 100	30	0.2%
-1	Missing	322	2.6%
-2	Logical skip	7,826	63.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALTOTFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (forensic) legal status, number (Q.B5b)**

Value	Label	Frequency	%
0	None	6,361	51.8%
1	1 to 10	391	3.2%
2	11 to 20	134	1.1%
3	21 to 30	64	0.5%
4	31 to 40	53	0.4%
5	41 to 50	37	0.3%
6	51 to 75	63	0.5%
7	76 to 100	31	0.3%
8	101 to 250	56	0.5%
9	251 to 500	31	0.3%
10	501 to 1000	8	0.1%
11	1001 to 1500	2	0.0%
12	More than 1500	1	0.0%
-1	Missing	325	2.6%
-2	Logical skip	4,718	38.4%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**OPLEGALPERFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (forensic) legal status, percent (Q.B5b)**

Value	Label	Frequency	%
0	0	3,667	29.9%
1	1 – 10	304	2.5%
2	11 – 20	55	0.4%
3	21 – 30	37	0.3%
4	31 – 40	18	0.1%
5	41 – 50	9	0.1%
6	51 – 75	9	0.1%
7	76 – 100	28	0.2%
-1	Missing	322	2.6%
-2	Logical skip	7,826	63.8%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**COD\_PCT: Percent of mental health treatment clients/patients enrolled at this facility on April 30, 2020, who had diagnosed co-occurring mental and substance use disorders (Q.B6)**

Value	Label	Frequency	%
0	0	1,394	11.4%
1	1 – 10	1,391	11.3%
2	11 – 20	993	8.1%
3	21 – 30	970	7.9%
4	31 – 40	745	6.1%
5	41 – 50	679	5.5%
6	51 – 75	812	6.6%
7	76 – 100	750	6.1%
-1	Missing	1,012	8.2%
-2	Logical skip	3,529	28.7%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**TOTADMIS: Number of mental health treatment admissions in previous 12-month period (Q.B7)**

Value	Label	Frequency	%
0	None	394	3.2%
1	1 to 10	581	4.7%
2	11 to 20	352	2.9%
3	21 to 30	244	2.0%
4	31 to 40	206	1.7%
5	41 to 50	262	2.1%
6	51 to 75	452	3.7%
7	76 to 100	364	3.0%
8	101 to 250	1,244	10.1%
9	251 to 500	1,227	10.0%
10	501 to 1000	1,224	10.0%
11	1001 to 1500	529	4.3%
12	More than 1500	1,026	8.4%
-1	Missing	1,395	11.4%
-2	Logical skip	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric

**PERCENTVA: Estimated percent of admissions who were military veterans (Q.B8)**

Value	Label	Frequency	%
0	0	3,590	29.2%
1	1 – 10	3,680	30.0%
2	11 – 20	397	3.2%
3	21 – 30	122	1.0%
4	31 – 40	37	0.3%
5	41 – 50	24	0.2%
6	51 – 75	12	0.1%
7	76 – 100	278	2.3%
-1	Missing	1,360	11.1%
-2	Logical skip	2,775	22.6%
	<i>Total</i>	<i>12,275</i>	<i>100%</i>

Variable Type: numeric