

**NATIONAL SUBSTANCE USE AND  
MENTAL HEALTH SERVICES SURVEY  
(N-SUMHSS), 2022:  
CODEBOOK**

Center for Behavioral Health Statistics and Quality  
Substance Abuse and Mental Health Services Administration

## National Substance Use and Mental Health Services Survey (N-SUMHSS), 2022: Codebook

### Acknowledgements

This data file codebook was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), under Contract No. 75S20320C00001 with SAMHSA, U.S. Department of Health and Human Services (HHS). Heydy Juarez served as the contracting officer representative.

### Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

### Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA ([BHSISHelpdesk@hendall.com](mailto:BHSISHelpdesk@hendall.com))

### Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, HHS.

### Recommended Citation

Substance Abuse and Mental Health Services Administration. (2023). *National Substance Use and Mental Health Services Survey (N-SUMHSS), 2022: Codebook*. Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work ([BHSISHelpdesk@hendall.com](mailto:BHSISHelpdesk@hendall.com))

### Disclaimers

Data users acknowledge that SAMHSA bears no responsibility for use of the data or for interpretations or inferences based upon such uses.

The Substance Abuse and Mental Health Services Administration (SAMHSA) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity). SAMHSA does not exclude people or treat them differently because of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity).

## Violations

If SAMHSA determines these terms of use agreements have been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

## Description of the National Substance Use and Mental Health Services Survey (N-SUMHSS)

---

For more than two decades, the Substance Abuse and Mental Health Services Administration (SAMHSA) has been collecting data on the substance use and mental health services offered by treatment facilities across the United States. In previous years, facilities reported their service offerings using two surveys—the National Survey of Substance Abuse Treatment Services (N-SSATS) and the National Mental Health Services Survey (N-MHSS). In 2021, the N-SSATS and the N-MHSS were combined into one survey—the National Substance Use and Mental Health Services Survey (N-SUMHSS). The goal of combining N-SSATS and N-MHSS was to reduce the burden on the facilities offering both substance use and mental health services, reduce the use of government resources to collect data, and increase the rate at which data can be produced by implementing one streamlined survey effort.

The 2022 N-SUMHSS was conducted from March 2022 through December 2022. The N-SUMHSS collects information from all known facilities in the United States, both public and private, that provide substance use and/or mental health treatment services.<sup>1</sup>

The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-SUMHSS.

The N-SUMHSS provides a mechanism for quantifying the diverse characteristics and composition of the U.S. substance use and mental health treatment delivery systems. The N-SUMHSS is designed to collect data on the location, characteristics, and utilization of organized substance use and mental health treatment services for facilities within the scope of the survey across the United States, its territories, and the District of Columbia.<sup>2</sup>

The N-SUMHSS collects multipurpose data that can be used to:

- Assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-supported, state-operated, and private non-profit and for-profit substance use and mental health treatment facilities, and in forecasting substance use and mental health treatment resource requirements;
- Update SAMHSA’s Inventory of Substance Use and Mental Health Treatment Facilities (I-TF), an inventory of all known substance use and mental health treatment facilities in the United States, its territories, and the District of Columbia, which can be used as a foundation for future surveys of these facilities;
- Describe the nature and scope of substance use and mental health treatment services and conduct comparative analyses about the nation, regions, and states;

---

<sup>1</sup> In the 2022 N-SUMHSS report, entities responding to the N-SUMHSS are referred to as “facilities.”

<sup>2</sup> In the 2022 N-SUMHSS, territories included American Samoa, Guam, the Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Palau, Puerto Rico, and the U.S. Virgin Islands.

- Generate the National Directory of Drug and Alcohol Use Treatment Facilities, a compendium of facilities approved by state substance use agencies for the provision of substance use treatment;
- Generate the National Directory of Mental Health Treatment Facilities; and
- Update the information in SAMHSA’s online FindTreatment.gov, a searchable database of public and private facilities for the provision of substance use and mental health treatment. FindTreatment.gov is available at <https://findtreatment.gov>.

## Data Collection Procedures for the 2022 N-SUMHSS

### *Field period and reference date*

The field period for the 2022 N-SUMHSS, which included mailing and data collection operations, ran from March 31, 2022, through December 4, 2022. The reference date was March 31, 2022.

### *Survey Universe*

The survey universe for the 2022 N-SUMHSS included 31,010 facilities across the United States, its territories, and the District of Columbia, of which 5,945 were found to be either closed or ineligible. Out of 25,065 facilities eligible for inclusion in the 2022 N-SUMHSS, 17,353 facilities provided substance use treatment services, 11,647 provided mental health treatment services, and 3,935 facilities provided both substance use and mental health treatment services.<sup>3,4</sup>

Below are the major activities undertaken to make sure SAMHSA has the most complete and accurate universe of facilities possible:

- The survey database is updated to be composed of (1) those facilities that were included in the most recent survey and are in-scope, and (2) newly identified facilities that became known during the previous survey collection and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) and state substance abuse agencies (SSAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using the I-TF online. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-TF; newly identified facilities are screened for eligibility before being added to the survey database.
- Current facility listings are compiled annually from Data Axle (formerly the American Business Index [ABI]), and the American Hospital Association (AHA). These listings are cross-checked against the existing I-TF database. Any new facilities are screened through an augmentation telephone questionnaire to determine their eligibility for inclusion in the N-SUMHSS data collection process. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a “between survey update.” Facilities that meet the requirements of being active, providing substance use and/or mental health treatment services as defined by SAMHSA, and responding to the annual N-SUMHSS survey are listed on

---

<sup>3</sup> Facility counts are not mutually exclusive because facilities offering both substance use and mental health treatment services are included in substance use and mental health facility counts.

<sup>4</sup> Counts by type of facility reported here will not match those included in the frequencies for the FOCUS variable because reported counts are based on I-TF status and not on survey response to survey question one.

SAMHSA's FindTreatment.gov, in the National Directory of Mental Health Treatment Facilities and in the National Directory of Drug and Alcohol Abuse Treatment Facilities.

### Survey coverage

The following types of substance use and mental health treatment facilities were included in the 2022 N-SUMHSS:

- *Psychiatric hospitals* are facilities licensed and operated as either state/public psychiatric hospitals or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less-than-24-hour care (i.e., outpatient, partial hospitalization/day treatment), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient substance use and/or psychiatric unit* are licensed general hospitals (public or private) that provide inpatient substance use and mental health services in separate units. These units must have specifically allocated staff and space for the treatment of persons with substance use problems and/or mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *State hospitals* are hospitals funded and operated by the government of a state.
- *Veterans Affairs (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate substance use and/or psychiatric inpatient units, residential treatment programs, and/or outpatient clinics.
- *Certified community behavioral health clinics* are responsible for directly providing (or contracting with partner organizations to provide) nine types of services, with an emphasis on the provision of 24-hour crisis care, utilization of evidence-based practices, care coordination, and integration with physical health care.
- *Partial hospitalization/day treatment facilities* provide only partial day substance use and mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule.
- *Outpatient facilities* provide only outpatient substance use and/or mental health services to ambulatory clients, typically for less than three hours at a single visit. The services may include detoxification, methadone and/or buprenorphine treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18 years. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.

- *Multi-setting mental health facilities*<sup>5</sup> provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or partial hospitalization/ day treatment), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.
- *Community mental health centers* (CMHCs) provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facilities* refer to facilities not licensed as psychiatric hospitals. The primary purpose of other types of residential treatment facilities is to provide individually planned programs of mental health treatment services in a residential care setting; such facilities are not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

## Exclusions

The survey universe for the 2022 N-SUMHSS excluded: (1) Department of Defense (DoD) military mental health treatment facilities; (2) individual private practitioners or small group practices not licensed as a substance use and/or mental health clinic or center; and (3) jails or prisons.

Mental health facilities are not eligible for inclusion in the survey universe if they do not fall under at least one of the categories specified under *Survey Coverage* and only provide one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, or legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the survey universe for the N-SUMHSS.

Beginning in 2000, halfway houses that did not provide substance use treatment were included in the I-TF and in survey universe so that they could be listed in the National Directory of Drug and Alcohol Abuse Treatment Facilities and on SAMHSA's FindTreatment.gov (<https://findtreatment.gov>). These facilities are excluded from analyses and public use data files.

## Content

The 2022 N-SUMHSS questionnaire contained 68 numbered questions (see SAMHSA.gov for an [online version](#) of the questionnaire). The survey consisted of two introductory questions and four separate modules. The introductory questions requested information on the primary

---

<sup>5</sup> The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

treatment focus of the facility and whether the facility was a jail. These two questions indicated which sections of the survey each facility would be asked to complete. Facilities providing both substance use and mental health treatment services were asked to complete all four modules, while those providing only substance use were asked to complete Modules A, C, and a portion of Module D. Mental health treatment facilities that did not also offer substance use treatment services were asked to complete Modules B, C, and a portion of D. In addition, facilities operated by the Department of Veteran's Affairs (VA) were asked to complete additional questions regarding VA services offered. These addenda included an additional seven questions for substance use facilities and twelve questions for mental health facilities.

Introductory topics included:

- primary treatment focus;
- jail, prison, or detention center status.

Topics included in the substance use portion of the survey (Module A) included:

- substance use treatment services available;
- detoxification from alcohol, benzodiazepines, opioids, cocaine methamphetamines, or other drugs and routine use of medication during detoxification;
- type of care provided, i.e.;
  - outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance or naltrexone treatment),
  - residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification), and
  - hospital inpatient treatment services (inpatient treatment, inpatient detoxification);
- treatment services offered (assessment and pre-treatment services, medical services, recovery support services, education and counseling services, pharmacotherapies, testing, transitional services, ancillary services, and other services);
- treatment available for opioid use disorder;
- treatment available for alcohol use disorder;
- clinical therapeutic approaches;
- provision of treatment services in sign language and/or in languages other than English;
- special programs or groups provided for specific client types;
- licensure, certification, or accreditation agencies or organizations;
- payment type or insurance accepted;

Topics in the mental health portion of the survey (Module B) included:

- services offered;
- type of care provided, i.e.;



- 24-hour hospital inpatient,
- 24-hour residential,
- partial hospitalization/day treatment, and
- outpatient treatment services;
- type of mental health facility (e.g., psychiatric hospital, separate inpatient unit of a general hospital, state hospital, residential treatment center for children, etc.);
- treatment modalities for mental health treatment;
- use of antipsychotics and type of medications used;
- services offered (intensive case management, court-ordered treatment, integrated primary care services, education services, suicide prevention services, etc.);
- age groups accepted for treatment;
- special programs or groups provided for specific client types;
- availability of emergency psychiatric services;
- provision of treatment services in sign language and/or in languages other than English;
- quality improvement practices;
- use of seclusion or restraint;
- payment types or insurance accepted;
- licensure, certification, or accreditation agencies or organizations;

Topics in the treatment facility information portion of the survey (Module C) included:

- Federally Qualified Health Center (FQHC) status;
- facility operating entity;
- religious or faith-based organization affiliation;
- facility smoking and vaping policies;
- payment and fee information;
- listing preferences for SAMHSA's online FindTreatment.gov and Directory;
- parent organization information, if applicable;

Topics in the client counts portion of the survey (Module D) included:

- number of facilities included in the counts;
- number of clients receiving inpatient, residential, and outpatient substance use disorder treatment services on March 31, 2022;
- number of inpatient and residential beds designated for substance use disorder treatment on March 31, 2022;
- number of clients in treatment for use of 1) both alcohol and substances other than alcohol; 2) only alcohol; 3) only substances other than alcohol;

- percentage of substance use clients with diagnosed co-occurring mental disorder and substance use disorder;
- number of substance use disorder treatment admissions for the most recent 12-month period;
- number of clients receiving inpatient, residential, and outpatient mental health treatment on March 31, 2022;
- number of inpatient and residential beds designated for mental disorder treatment on March 31, 2022;
- number of mental disorder treatment admissions, readmissions, and incoming transfers between April 1, 2021, and March 31, 2022;
- percentage of total admissions that were military veterans.

### *Data collection*

There were three data collection modes employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately three weeks before the survey launch date (March 31, 2022), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-SUMHSS. The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including a SAMHSA cover letter, a state-specific letter of support, information on completing the survey on the web, and a fact sheet of frequently asked questions) was mailed to each facility on March 31, 2022. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or asking for a paper questionnaire to complete and return via postal mail. In August 2022, another similar packet was sent to non-responding facilities, this time including a copy of the questionnaire, a definitions packet, and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Facilities completing the questionnaire on the Internet had access to hyperlinks to an information site containing definitions of the survey elements. Multiple reminder letters were sent to non-respondents over the course of the data collection period via mail and e-mail. To increase the survey response rate, state substance use and mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. CATI follow-up (assisted telephone interviews) of non-respondents began in July 2022 and ended in November 2022.

### *Eligibility and unit response rate*

Table 1.1 presents a summary of eligibility and response rate information. Of the 15,624 mental health treatment facilities in the survey, 25.5 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance use services or general health care; provided treatment for incarcerated persons only (i.e., in jails or prisons); were an individual or small group mental health practice not licensed or certified as a mental health center or clinic; or were closed. Of the 20,898 substance use treatment facilities in the survey, 17.0 percent were found to be ineligible for the survey because they had closed or did not provide substance use treatment or detoxification.

**Table 1.1. N-SUMHSS treatment facilities by status, mode of response, and type of facility: 2022**

	Substance Use Facilities		Mental Health Facilities		Combined Substance Use and Mental Health Facilities <sup>1</sup>	
	N	%	N	%	N	%
<b>Total facilities in survey</b>	<b>20,898</b>	<b>100.0</b>	<b>15,624</b>	<b>100.0</b>	<b>5,512</b>	<b>100.0</b>
<b>Closed or ineligible</b>	3,545	17.0	3,977	25.5	1,577	28.6
<b>Eligible</b>	17,353	83.0	11,647	74.5	3,935	71.4
<b>Total eligible</b>	<b>17,353</b>	<b>100.0</b>	<b>11,647</b>	<b>100.0</b>	<b>3,935</b>	<b>100.0</b>
<b>Non-respondents</b>	2,283	13.2	1,995	17.1	621	15.8
<b>Respondents</b>	<b>15,070</b>	<b>86.8</b>	<b>9,652</b>	<b>82.9</b>	<b>3,314</b>	<b>84.2</b>
<b>Excluded from report<sup>2</sup></b>	44	0.3	--	--	7	0.2
<b>Roll-ups<sup>3</sup></b>	172	1.0	66	0.6	27	0.7
<b>Eligible for report</b>	14,854	85.6	9,586	82.3	3,280	83.4
<b>Mode of response</b>	<b>14,854</b>	<b>100.0</b>	<b>9,586</b>	<b>100.0</b>	<b>3,280</b>	<b>100.0</b>
<b>Internet</b>	14,590	98.2	9,459	98.7	3,246	99.0
<b>Mail</b>	146	1.0	77	0.8	25	0.8
<b>Telephone</b>	118	0.8	50	0.5	9	0.3

<sup>1</sup> Facility counts and percentages are not mutually exclusive because facilities offering both substance use and mental health treatment services are included in substance use and mental health facility counts. Therefore, caution should be exercised while adding, comparing, or interpreting counts and percentages across facility types.

<sup>2</sup> Facilities excluded from the substance use counts included 22 non-treatment halfway houses, 4 solo practices not approved by the state agency for inclusion.

<sup>3</sup> Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Substance Use and Mental Health Services Survey (N-SUMHSS) 2022.

## Facility Reporting and Selection for the 2022 N-SUMHSS Report

Of the 11,647 mental health facilities eligible for the survey, 9,652 (82.9 percent) completed the survey, including 66 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately [Table 1.1]. (These 66 facilities were excluded from the report). After excluding the roll-up of 66 mental health facilities, 9,586 eligible respondent mental health facilities were included in the 2022 N-SUMHSS report. Of the respondents that were eligible for the report, 98.7 percent completed the survey on the web, 0.8 percent through the mail, and 0.5 percent on the telephone.

Of the 17,353 substance use facilities eligible for the survey, 15,070 (86.8 percent) completed the survey, including 22 facilities that were halfway houses that did not provide substance use treatment, 4 facilities that were solo practitioners, and 18 facilities that provided administrative services only. These 44 facilities were excluded from the report but have been included in SAMHSA’s online FindTreatment.gov. In addition to the facilities that were excluded from the report, there were 172 substance use facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately [Table 1.1]. After excluding the 44 out-of-scope substance use facilities and the roll-up of 172 substance use facilities, 14,854 eligible respondent substance use facilities were included in the 2022 N-SUMHSS report. Of the respondents that were eligible for the report, 98.2 percent completed the survey on the web, 1.0 percent through the mail, and 0.8 percent on the telephone.

Of the mental health and substance use facilities eligible for the survey, 3,935 provided both mental health and substance use services. 3,314 (84.2 percent) of these completed the survey, including 7 whose mental health or substance use responses were excluded from the report and 27 whose client counts were included or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately. After the exclusion of these facilities, 3,280 eligible respondent facilities providing both mental health and substance use services were included in the 2022 N-SUMHSS report. Of these, 99.0 percent completed the survey on the web, 0.8 percent through the mail, and 0.3 percent on the telephone.

## Quality Assurance

All completed mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted on all survey response data. The reviews incorporated the rules used in manual editing in addition to consistency checks not readily identified by manual review.

## Response Rates

The final unit response rate among facilities eligible for the survey was 88.0 percent.

## Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be considered when interpreting data from the 2022 N-SUMHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-SUMHSS is a voluntary survey, and while every effort is made to obtain responses from all known substance use and mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 12 percent facility non-response.

- The N-SUMHSS is a point-prevalence survey. It provides information on the substance use and mental health treatment system and its clients as of a pre-selected reference date (March 31, 2022). Client counts reported here do not represent annual totals. Rather, the N-SUMHSS provides a snapshot of substance use and mental health treatment facilities and clients on an average day or month.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in non-English languages and type of payment or insurance accepted for treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.
- Reported client count totals that fell within a variance of +/- 10 and client percentages that fell within a variance of +/- 5 were not adjusted. Therefore, the public use file includes percentage values of greater than 100.
- The N-SUMHSS is an integration of the legacy N-SSATS and N-MHSS surveys. The creation of a single survey instrument introduced a data validation issue with the way facilities responded to Questions 1, 1a, A1, A1a, and B1 where respondents were asked about the type of services offered. Some facilities would only accept patients for either mental health or substance use treatment services. However, if that patient had a co-occurring substance use or mental health need outside of their intake diagnostic requirement, they would be offered treatment at that facility as well. For these facilities that will only accept either substance use or mental health clients, but will offer co-occurring treatment, a data change was made to accurately reflect their primary mode of treatment.
- The integration of the N-SSATS and the N-MHSS surveys also introduced the possibility of duplicate records for facilities that had previously completed each survey and beginning in 2021 were now only asked to complete the N-SUMHSS once. Facility information was carefully reviewed to ensure unduplicated information, but it is possible that duplicate facilities with updated contact information were not identified.

# FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn

**MPRID: Master ID**

Generated case (record) identifier. A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Variable Type: character

INSU: Facility is included in the substance use I-TF

Value	Label	Frequency	%
1	Yes	20,898	67.4%
M	Missing Data	10,112	32.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



INMH: Facility is included in the mental health I-TF

Value	Label	Frequency	%
1	Yes	15,624	50.4%
M	Missing Data	15,386	49.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LOCATIONSTATE: Facility state

Value	Label	Frequency	%
AK	Alaska	184	0.6%
AL	Alabama	351	1.1%
AR	Arkansas	382	1.2%
AZ	Arizona	894	2.9%
CA	California	3,201	10.3%
CO	Colorado	559	1.8%
CT	Connecticut	408	1.3%
DC	District of Columbia	83	0.3%
DE	Delaware	101	0.3%
FL	Florida	1,389	4.5%
GA	Georgia	609	2.0%
HI	Hawaii	199	0.6%
IA	Iowa	328	1.1%
ID	Idaho	292	0.9%
IL	Illinois	1,217	3.9%
IN	Indiana	678	2.2%
KS	Kansas	300	1.0%
KY	Kentucky	777	2.5%
LA	Louisiana	445	1.4%
MA	Massachusetts	860	2.8%
MD	Maryland	849	2.7%
ME	Maine	408	1.3%
MI	Michigan	798	2.6%
MN	Minnesota	827	2.7%
MO	Missouri	534	1.7%
MS	Mississippi	307	1.0%
MT	Montana	246	0.8%
NC	North Carolina	1,060	3.4%
ND	North Dakota	125	0.4%
NE	Nebraska	254	0.8%
NH	New Hampshire	204	0.7%
NJ	New Jersey	822	2.7%
NM	New Mexico	264	0.9%
NV	Nevada	231	0.7%
NY	New York	1,847	6.0%
OH	Ohio	1,374	4.4%
OK	Oklahoma	354	1.1%
OR	Oregon	474	1.5%
PA	Pennsylvania	1,278	4.1%
PR	Puerto Rico	167	0.5%
RI	Rhode Island	125	0.4%
SC	South Carolina	253	0.8%
SD	South Dakota	108	0.3%
TN	Tennessee	590	1.9%
TX	Texas	1,099	3.5%
UT	Utah	594	1.9%
VA	Virginia	610	2.0%
VT	Vermont	124	0.4%

LOCATIONSTATE: Facility state

Value	Label	Frequency	%
WA	Washington	827	2.7%
WI	Wisconsin	658	2.1%
WV	West Virginia	236	0.8%
WY	Wyoming	83	0.3%
ZZ	Other Jurisdictions	23	0.1%
Total		31,010	100%

Variable Type: character

FOCUS: Primary treatment focus (Q.1)

Value	Label	Frequency	%
1	Substance use treatment services	6,995	22.6%
2	Mental health services	6,166	19.9%
3	Mix mental health & substance use treatment services	9,134	29.5%
4	No mental health or substance use treatment services	570	1.8%
M	Missing Data	8,145	26.3%
Total		31,010	100%

Variable Type: numeric

SUTRTMNTALSO: Offered substance use treatment also (Q.1a)

Value	Label	Frequency	%
0	No	5,206	16.8%
1	Yes	960	3.1%
L	Logical Skip	16,697	53.8%
M	Missing Data	8,147	26.3%
	Total	31,010	100%

Variable Type: numeric

JAIL: Jail, prison, or other (Q.2)

Value	Label	Frequency	%
0	No	22,274	71.8%
L	Logical Skip	570	1.8%
M	Missing Data	8,166	26.3%
Total		31,010	100%

Variable Type: numeric

OTHNONTX: Offered intake/assessment/referral (Q.A1)

Value	Label	Frequency	%
0	No	575	1.9%
1	Yes	16,491	53.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,158	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETOX: Offered detoxification (Q.A1)

Value	Label	Frequency	%
0	No	13,524	43.6%
1	Yes	3,554	11.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



TREATMT\_SU: Offered substance use treatment (Q.A1)

Value	Label	Frequency	%
0	No	272	0.9%
1	Yes	16,807	54.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,145	26.3%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

**SMISEDSD\_SU: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.A1)**

Value	Label	Frequency	%
0	No	6,437	20.8%
1	Yes	10,634	34.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,153	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ADMIN: Any other substance use services offered (Q.A1)

Value	Label	Frequency	%
0	No	6,515	21.0%
1	Yes	10,549	34.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,160	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHTXSA: Offers mental health treatment to substance use clients (Q.A1a)

Value	Label	Frequency	%
0	No	2,021	6.5%
1	Yes	14,868	47.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,335	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHTXNONSA: Offers mental health treatment to non-substance use clients (Q.A1a)

Value	Label	Frequency	%
0	No	7,124	23.0%
1	Yes	9,737	31.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,363	27.0%
	Total	31,010	100%

Variable Type: numeric

NOMHTX: Offers no mental health treatment (Q.A1a)

Value	Label	Frequency	%
0	No	15,104	48.7%
1	Yes	1,803	5.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,317	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXALC: Detoxify from alcohol (Q.A2)

Value	Label	Frequency	%
0	No	926	3.0%
1	Yes	2,651	8.5%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,577	69.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXBEN: Detoxify from benzodiazepines (Q.A2)

Value	Label	Frequency	%
0	No	1,105	3.6%
1	Yes	2,471	8.0%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,578	69.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



DETXCOC: Detoxify from cocaine (Q.A2)

Value	Label	Frequency	%
0	No	1,409	4.5%
1	Yes	2,167	7.0%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,578	69.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXMET: Detoxify from methamphetamines (Q.A2)

Value	Label	Frequency	%
0	No	1,357	4.4%
1	Yes	2,219	7.2%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,578	69.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXOP: Detoxify from opioids (Q.A2)

Value	Label	Frequency	%
0	No	194	0.6%
1	Yes	3,382	10.9%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,578	69.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXOTH: Detoxify from other substances (Q.A2)

Value	Label	Frequency	%
0	No	2,869	9.3%
1	Yes	681	2.2%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,604	69.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DETXMED: Routinely uses detoxification with medications (Q.A2a)

Value	Label	Frequency	%
0	No	461	1.5%
1	Yes	3,252	10.5%
L	Logical Skip	5,856	18.9%
M	Missing Data	21,441	69.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LOC15\_SU: Solo practice (Q.A3)

Value	Label	Frequency	%
0	No	16,192	52.2%
1	Yes	834	2.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,198	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE4: Hospital inpatient substance use care offered currently (Q.A4)

Value	Label	Frequency	%
0	No	15,933	51.4%
1	Yes	1,130	3.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,161	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPEHI1: Hospital inpatient detoxification care offered (Q.A4a)

Value	Label	Frequency	%
0	No	256	0.8%
1	Yes	874	2.8%
L	Logical Skip	21,718	70.0%
M	Missing Data	8,162	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



CTYPEHI2: Hospital inpatient treatment care offered (Q.A4a)

Value	Label	Frequency	%
0	No	161	0.5%
1	Yes	967	3.1%
L	Logical Skip	21,718	70.0%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE7: Non-hospital residential substance use care offered currently (Q.A5)

Value	Label	Frequency	%
0	No	13,279	42.8%
1	Yes	3,785	12.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,160	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPERC1: Non-hospital residential detoxification care offered (Q.A5a)

Value	Label	Frequency	%
0	No	2,428	7.8%
1	Yes	1,356	4.4%
L	Logical Skip	19,063	61.5%
M	Missing Data	8,163	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPERC3: Non-hospital residential short-term treatment offered (Q.A5a)

Value	Label	Frequency	%
0	No	1,327	4.3%
1	Yes	2,456	7.9%
L	Logical Skip	19,063	61.5%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPERC4: Non-hospital residential long-term treatment offered (Q.A5a)

Value	Label	Frequency	%
0	No	912	2.9%
1	Yes	2,871	9.3%
L	Logical Skip	19,063	61.5%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE1: Any outpatient substance use care offered currently (Q.A6)

Value	Label	Frequency	%
0	No	2,966	9.6%
1	Yes	14,102	45.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,156	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE6: Outpatient detoxification offered (Q.A6a)

Value	Label	Frequency	%
0	No	12,251	39.5%
1	Yes	1,849	6.0%
L	Logical Skip	8,751	28.2%
M	Missing Data	8,159	26.3%
	Total	31,010	100%

Variable Type: numeric

CTYPEML: Outpatient methadone maintenance offered (Q.A6a)

Value	Label	Frequency	%
0	No	7,297	23.5%
1	Yes	6,796	21.9%
L	Logical Skip	8,751	28.2%
M	Missing Data	8,166	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



CTYPEOP: Day treatment/partial hospitalization offered (Q.A6a)

Value	Label	Frequency	%
0	No	11,780	38.0%
1	Yes	2,311	7.5%
L	Logical Skip	8,751	28.2%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE2: Intensive outpatient treatment offered (Q.A6a)

Value	Label	Frequency	%
0	No	7,095	22.9%
1	Yes	6,999	22.6%
L	Logical Skip	8,751	28.2%
M	Missing Data	8,165	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CTYPE3: Regular outpatient treatment offered (Q.A6a)

Value	Label	Frequency	%
0	No	949	3.1%
1	Yes	13,150	42.4%
L	Logical Skip	8,751	28.2%
M	Missing Data	8,160	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC89: Assessment screening substance use (Q.A7)

Value	Label	Frequency	%
0	No	385	1.2%
1	Yes	16,475	53.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,364	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC90: Assessment screening mental disorders (Q.A7)

Value	Label	Frequency	%
0	No	2,633	8.5%
1	Yes	14,200	45.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,391	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC1: Assessment comprehensive substance use (Q.A7)

Value	Label	Frequency	%
0	No	957	3.1%
1	Yes	15,894	51.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,373	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC2: Assessment mental health (Q.A7)

Value	Label	Frequency	%
0	No	5,957	19.2%
1	Yes	10,868	35.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,399	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCCOMPEXAM: Complete medical history and physical examination done (Q.A7)

Value	Label	Frequency	%
0	No	9,965	32.1%
1	Yes	6,835	22.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,424	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SRVC107: Assessment screening tobacco use (Q.A7)

Value	Label	Frequency	%
0	No	3,164	10.2%
1	Yes	13,658	44.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,402	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC91: Assessment outreach (Q.A7)

Value	Label	Frequency	%
0	No	5,366	17.3%
1	Yes	11,439	36.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,419	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC93: Assessment interim services (Q.A7)

Value	Label	Frequency	%
0	No	8,358	27.0%
1	Yes	8,422	27.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,444	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCEDCON: Assessment professional consultant (Q.A7)

Value	Label	Frequency	%
0	No	11,840	38.2%
1	Yes	4,941	15.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,443	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOPRETXSRVC: None of the above assessment or pretreatment services (Q.A7)

Value	Label	Frequency	%
0	No	16,806	54.2%
1	Yes	65	0.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,353	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCORAL: Testing drug/alcohol oral fluid (Q.A7)

Value	Label	Frequency	%
0	No	9,933	32.0%
1	Yes	6,469	20.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,822	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC10: Testing blood/alcohol (Q.A7)

Value	Label	Frequency	%
0	No	6,445	20.8%
1	Yes	9,979	32.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,800	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC11: Testing drug/alcohol urine screen (Q.A7)

Value	Label	Frequency	%
0	No	1,918	6.2%
1	Yes	14,548	46.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,758	28.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC73: Testing Hepatitis B (HBV) (Q.A7)

Value	Label	Frequency	%
0	No	11,389	36.7%
1	Yes	5,011	16.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,824	28.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC74: Testing Hepatitis C (HCV) (Q.A7)

Value	Label	Frequency	%
0	No	10,768	34.7%
1	Yes	5,634	18.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,822	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC14: Testing HIV (Q.A7)

Value	Label	Frequency	%
0	No	10,670	34.4%
1	Yes	5,732	18.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,822	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC15: Testing sexually transmitted disease (STD) (Q.A7)

Value	Label	Frequency	%
0	No	11,524	37.2%
1	Yes	4,875	15.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,825	28.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC16: Testing tuberculosis (TB) screen (Q.A7)

Value	Label	Frequency	%
0	No	8,937	28.8%
1	Yes	7,471	24.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,816	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCMETA: Testing metabolic syndrome (Q.A7)

Value	Label	Frequency	%
0	No	12,268	39.6%
1	Yes	4,132	13.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,824	28.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## NOTESTINGSRVC: None of the above testing services (Q.A7)

Value	Label	Frequency	%
0	No	15,158	48.9%
1	Yes	1,330	4.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,736	28.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCHAV: Medical Hepatitis A (Q.A7)

Value	Label	Frequency	%
0	No	11,970	38.6%
1	Yes	2,164	7.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,090	35.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVCHBV: Medical Hepatitis B (Q.A7)

Value	Label	Frequency	%
0	No	11,932	38.5%
1	Yes	2,202	7.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,090	35.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOMEDSRVC: None of the above medical services (Q.A7)

Value	Label	Frequency	%
0	No	2,280	7.4%
1	Yes	11,941	38.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,003	35.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC37: Transitional discharge plan (Q.A7)

Value	Label	Frequency	%
0	No	981	3.2%
1	Yes	15,872	51.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,371	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC27: Transitional aftercare (Q.A7)

Value	Label	Frequency	%
0	No	2,417	7.8%
1	Yes	14,425	46.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,382	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCODED: Transitional naloxone and overdose education (Q.A7)

Value	Label	Frequency	%
0	No	4,926	15.9%
1	Yes	11,897	38.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,401	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCOUTCM: Transitional outcome follow-up after discharge (Q.A7)

Value	Label	Frequency	%
0	No	4,934	15.9%
1	Yes	11,871	38.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,419	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOTRANSSRVC: None of the above transitional services (Q.A7)

Value	Label	Frequency	%
0	No	16,608	53.6%
1	Yes	271	0.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,345	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC97: Recovery mentoring/peer support (Q.A7)

Value	Label	Frequency	%
0	No	5,370	17.3%
1	Yes	11,070	35.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,784	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SRVC102: Recovery self-help groups (Q.A7)

Value	Label	Frequency	%
0	No	8,832	28.5%
1	Yes	7,601	24.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,791	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC39: Recovery housing assist (Q.A7)

Value	Label	Frequency	%
0	No	5,065	16.3%
1	Yes	11,372	36.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,787	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC38: Recovery employment (Q.A7)

Value	Label	Frequency	%
0	No	8,684	28.0%
1	Yes	7,736	24.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,804	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC36: Recovery assistance social services (Q.A7)

Value	Label	Frequency	%
0	No	4,119	13.3%
1	Yes	12,330	39.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,775	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCCOACH: Recovery coach (Q.A7)

Value	Label	Frequency	%
0	No	10,795	34.8%
1	Yes	5,621	18.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,808	28.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NORSSRVC: None of the above recovery support services (Q.A7)

Value	Label	Frequency	%
0	No	15,077	48.6%
1	Yes	1,421	4.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,726	28.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC24: Education and counseling HIV/AIDS education (Q.A7)

Value	Label	Frequency	%
0	No	6,730	21.7%
1	Yes	10,077	32.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,417	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC104: Education and counseling Hepatitis education (Q.A7)

Value	Label	Frequency	%
0	No	7,502	24.2%
1	Yes	9,299	30.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,423	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC99: Education and counseling health education (Q.A7)

Value	Label	Frequency	%
0	No	6,726	21.7%
1	Yes	10,083	32.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,415	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC100: Education and counseling substance use education (Q.A7)

Value	Label	Frequency	%
0	No	571	1.8%
1	Yes	16,300	52.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,353	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC105: Education and counseling smoking/tobacco cessation (Q.A7)

Value	Label	Frequency	%
0	No	5,304	17.1%
1	Yes	11,519	37.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,401	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC6: Education and counseling individual (Q.A7)

Value	Label	Frequency	%
0	No	667	2.2%
1	Yes	16,203	52.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,354	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC5: Education and counseling group (Q.A7)

Value	Label	Frequency	%
0	No	1,512	4.9%
1	Yes	15,345	49.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,367	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC4: Education and counseling family (Q.A7)

Value	Label	Frequency	%
0	No	4,186	13.5%
1	Yes	12,644	40.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,394	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC103: Education and counseling marital/couples (Q.A7)

Value	Label	Frequency	%
0	No	8,202	26.4%
1	Yes	8,610	27.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,412	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCVOCED: Education and counseling vocational (Q.A7)

Value	Label	Frequency	%
0	No	12,901	41.6%
1	Yes	3,888	12.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,435	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



NOEDSRVC: None of the above education and counseling services (Q.A7)

Value	Label	Frequency	%
0	No	16,842	54.3%
1	Yes	42	0.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,340	26.9%
	Total	31,010	100%

Variable Type: numeric

SRVC49: Ancillary services case management (Q.A7)

Value	Label	Frequency	%
0	No	2,775	8.9%
1	Yes	13,979	45.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,470	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCPRIMCARE: Ancillary services integrated primary care (Q.A7)

Value	Label	Frequency	%
0	No	11,829	38.1%
1	Yes	4,880	15.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,515	27.5%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

SRVC96: Ancillary social skills (Q.A7)

Value	Label	Frequency	%
0	No	4,597	14.8%
1	Yes	12,131	39.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,496	27.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC50: Ancillary child care (Q.A7)

Value	Label	Frequency	%
0	No	15,934	51.4%
1	Yes	752	2.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,538	27.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC52: Ancillary domestic violence (Q.A7)

Value	Label	Frequency	%
0	No	11,003	35.5%
1	Yes	5,706	18.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,515	27.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC98: Ancillary intervention HIV (Q.A7)

Value	Label	Frequency	%
0	No	13,131	42.3%
1	Yes	3,561	11.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,532	27.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC59: Ancillary transportation assistance (Q.A7)

Value	Label	Frequency	%
0	No	8,534	27.5%
1	Yes	8,186	26.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,504	27.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC101: Ancillary mental health services (Q.A7)

Value	Label	Frequency	%
0	No	4,191	13.5%
1	Yes	12,576	40.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,457	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCSUICIDEPREV: Ancillary suicide prevention services (Q.A7)

Value	Label	Frequency	%
0	No	7,266	23.4%
1	Yes	9,464	30.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,494	27.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC48: Ancillary acupuncture (Q.A7)

Value	Label	Frequency	%
0	No	15,840	51.1%
1	Yes	849	2.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,535	27.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC75: Ancillary residential beds for children (Q.A7)

Value	Label	Frequency	%
0	No	16,259	52.4%
1	Yes	429	1.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,536	27.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOANCSRVC: None of the above ancillary services (Q.A7)

Value	Label	Frequency	%
0	No	16,445	53.0%
1	Yes	353	1.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,426	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC117: Other gambling disorder (Q.A7)

Value	Label	Frequency	%
0	No	9,979	32.2%
1	Yes	4,645	15.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,600	34.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC119: Other non-substance use addiction disorder (Q.A7)

Value	Label	Frequency	%
0	No	8,016	25.8%
1	Yes	6,618	21.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,590	34.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOOTHSRVC: None of the above other (Q.A7)

Value	Label	Frequency	%
0	No	7,471	24.1%
1	Yes	7,225	23.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,528	34.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC70: Pharmacotherapies disulfiram (Q.A7)

Value	Label	Frequency	%
0	No	12,678	40.9%
1	Yes	4,224	13.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,322	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC71: Pharmacotherapies naltrexone (oral) (Q.A7)

Value	Label	Frequency	%
0	No	9,523	30.7%
1	Yes	7,405	23.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,296	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC108: Pharmacotherapies naltrexone (extended-release, injectable) (Q.A7)**

Value	Label	Frequency	%
0	No	10,376	33.5%
1	Yes	6,540	21.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,308	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC88: Pharmacotherapies acamprosate (campral) (Q.A7)

Value	Label	Frequency	%
0	No	12,200	39.3%
1	Yes	4,705	15.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,319	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC94: Pharmacotherapies nicotine replacement (Q.A7)

Value	Label	Frequency	%
0	No	10,321	33.3%
1	Yes	6,602	21.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,301	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC106: Pharmacotherapies non-nicotine cessation (Q.A7)

Value	Label	Frequency	%
0	No	11,085	35.7%
1	Yes	5,823	18.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,316	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC95: Pharmacotherapies psychiatric disorders (Q.A7)

Value	Label	Frequency	%
0	No	7,424	23.9%
1	Yes	9,513	30.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,287	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC85: Pharmacotherapies methadone (Q.A7)

Value	Label	Frequency	%
0	No	14,545	46.9%
1	Yes	2,347	7.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,332	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC87: Pharm buprenorphine with naloxone (suboxone, bunavail, zubsolv, cassipa) (Q.A7)

Value	Label	Frequency	%
0	No	8,733	28.2%
1	Yes	8,199	26.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,292	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC86: Pharmacotherapies buprenorphine without naloxone (Q.A7)

Value	Label	Frequency	%
0	No	10,860	35.0%
1	Yes	6,053	19.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,311	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC129: Pharmacotherapies buprenorphine sub-dermal implant (probuphine) (Q.A7)

Value	Label	Frequency	%
0	No	15,945	51.4%
1	Yes	940	3.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,339	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC130: Pharmacotherapies buprenorphine (extended-release, injectable, for example, sublocade) (Q.A7)

Value	Label	Frequency	%
0	No	13,437	43.3%
1	Yes	3,460	11.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,327	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCMEDHIV: Pharmacotherapies for HIV treatment (Q.A7)

Value	Label	Frequency	%
0	No	14,864	47.9%
1	Yes	2,031	6.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,329	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVCMEDPREEXP: Pharmacotherapies for pre-exposure prophylaxis (Q.A7)

Value	Label	Frequency	%
0	No	15,663	50.5%
1	Yes	1,231	4.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,330	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCMEDHCV: Pharmacotherapies for Hepatitis C (HCV) treatment (Q.A7)

Value	Label	Frequency	%
0	No	14,564	47.0%
1	Yes	2,331	7.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,329	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVCMEDLOFE: Pharmacotherapies lofexidine (Q.A7)

Value	Label	Frequency	%
0	No	15,614	50.4%
1	Yes	1,272	4.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,338	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVCCLON: Pharmacotherapies clonidine (Q.A7)

Value	Label	Frequency	%
0	No	11,052	35.6%
1	Yes	5,735	18.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,437	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVCMEDOTHCOND: Pharmacotherapies for other medical conditions (Q.A7)

Value	Label	Frequency	%
0	No	14,390	46.4%
1	Yes	2,504	8.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,330	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOPHARMSRVC: None of the above pharmacotherapies (Q.A7)

Value	Label	Frequency	%
0	No	12,420	40.1%
1	Yes	4,577	14.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,227	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OTXNOMED: Drugs may originate at another site (Q.A8)

Value	Label	Frequency	%
0	No	7,523	24.3%
1	Yes	9,453	30.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,248	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTXNAL: Uses naltrexone to treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	No	9,814	31.6%
1	Yes	7,141	23.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,269	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OTXBUP: Uses buprenorphine to treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	No	9,220	29.7%
1	Yes	7,735	24.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,269	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTXFEDOTP: Federally-certified Opioid Treatment Program (OTP) (Q.A8)

Value	Label	Frequency	%
0	No	14,775	47.6%
1	Yes	2,152	6.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,297	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OTXFREE: Treats opioid addiction, but without methadone, buprenorphine, and/or naltrexone (Q.A8)

Value	Label	Frequency	%
0	No	16,020	51.7%
1	Yes	909	2.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,295	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



OTXPAIN: Uses methadone or buprenorphine for other purposes (Q.A8)

Value	Label	Frequency	%
0	No	15,876	51.2%
1	Yes	1,045	3.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,303	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OTXNONE: Does not treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	No	15,300	49.3%
1	Yes	1,731	5.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,193	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OUDWNET: Opioid use disorder medication source, prescribing entity in network (Q.A8a)

Value	Label	Frequency	%
0	No	5,912	19.1%
1	Yes	3,503	11.3%
L	Logical Skip	13,412	43.3%
M	Missing Data	8,183	26.4%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

OUDWBUSREL: Opioid use disorder medication source, referral relationship with prescribing entity (Q.A8a)

Value	Label	Frequency	%
0	No	5,297	17.1%
1	Yes	4,118	13.3%
L	Logical Skip	13,412	43.3%
M	Missing Data	8,183	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OUDWPERPROV: Opioid use disorder medication source, personal physician/health care provider (Q.A8a)

Value	Label	Frequency	%
0	No	2,923	9.4%
1	Yes	6,492	20.9%
L	Logical Skip	13,412	43.3%
M	Missing Data	8,183	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ONLYOUD: Serve only opioid use disorder clients (Q.A8b)

Value	Label	Frequency	%
0	No	13,016	42.0%
1	Yes	1,389	4.5%
L	Logical Skip	8,444	27.2%
M	Missing Data	8,161	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPIOIDMAINT: Maintenance services with methadone or buprenorphine (Q.A8c)

Value	Label	Frequency	%
0	No	2,616	8.4%
1	Yes	6,711	21.6%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,297	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPIOIDWDRAW: Maintenance services with medical supervised withdrawal after period of stabilization (Q.A8c)

Value	Label	Frequency	%
0	No	4,965	16.0%
1	Yes	4,355	14.0%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,304	26.8%
	Total	31,010	100%

Variable Type: numeric



## OPIOIDDETOX: Detoxification from opioids of use with methadone or buprenorphine (Q.A8c)

Value	Label	Frequency	%
0	No	6,924	22.3%
1	Yes	2,387	7.7%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,313	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPIOIDDLOFE: Detoxification from opioids of use with lofexidine or clonidine (Q.A8c)

Value	Label	Frequency	%
0	No	7,866	25.4%
1	Yes	1,441	4.6%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,317	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPIOIDNAL: Relapse prevention with naltrexone (Q.A8c)

Value	Label	Frequency	%
0	No	3,764	12.1%
1	Yes	5,559	17.9%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,301	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPIOIDOTH: Medication services other (Q.A8c)

Value	Label	Frequency	%
0	No	7,082	22.8%
1	Yes	1,426	4.6%
L	Logical Skip	13,386	43.2%
M	Missing Data	9,116	29.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOOPIOIDMEDSRVC: None of the above medication services (Q.A8c)

Value	Label	Frequency	%
0	No	8,399	27.1%
1	Yes	936	3.0%
L	Logical Skip	13,386	43.2%
M	Missing Data	8,289	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDTXMEDELSE: Alcohol use disorder treatment but drugs may originate at another site (Q.A9)

Value	Label	Frequency	%
0	No	7,966	25.7%
1	Yes	9,007	29.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,251	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDTXDIS: Alcohol use disorder treatment with disulfiram (Q.A9)

Value	Label	Frequency	%
0	No	12,853	41.4%
1	Yes	4,093	13.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,278	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDTXNAL: Alcohol use disorder treatment with naltrexone (Q.A9)

Value	Label	Frequency	%
0	No	10,131	32.7%
1	Yes	6,831	22.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,262	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



AUDTXACAM: Alcohol use disorder treatment with acamprosate (Q.A9)

Value	Label	Frequency	%
0	No	12,566	40.5%
1	Yes	4,381	14.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,277	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDTXFREE: Alcohol use disorder treatment without medication-assisted treatment (Q.A9)

Value	Label	Frequency	%
0	No	15,003	48.4%
1	Yes	1,938	6.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,283	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDTXNONE: Does not treat alcohol use disorder (Q.A9)

Value	Label	Frequency	%
0	No	14,831	47.8%
1	Yes	2,199	7.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,194	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDWNET: Alcohol use disorder medication source, prescribing entity in network (Q.A9a)

Value	Label	Frequency	%
0	No	7,128	23.0%
1	Yes	5,759	18.6%
L	Logical Skip	9,956	32.1%
M	Missing Data	8,167	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDWBUSREL: Alcohol use disorder medication source, referral relationship with prescribing entity (Q.A9a)

Value	Label	Frequency	%
0	No	7,959	25.7%
1	Yes	4,928	15.9%
L	Logical Skip	9,956	32.1%
M	Missing Data	8,167	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

AUDWPERPROV: Alcohol use disorder medication source, personal physician/health care provider (Q.A9a)

Value	Label	Frequency	%
0	No	4,932	15.9%
1	Yes	7,955	25.7%
L	Logical Skip	9,956	32.1%
M	Missing Data	8,167	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ONLYAUD: Serve only alcohol use disorder clients (Q.A9b)

Value	Label	Frequency	%
0	No	14,717	47.5%
1	Yes	109	0.4%
L	Logical Skip	8,034	25.9%
M	Missing Data	8,150	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SACOUNOPIOID: Frequently uses substance use counseling for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,156	3.7%
1	Yes	14,869	47.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	9,199	29.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SACOUNOTHSUB: Frequently uses substance use counseling for other substances (Q.A10)

Value	Label	Frequency	%
0	No	1,226	4.0%
1	Yes	14,800	47.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	9,198	29.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**\_12STEPOPIOID: Frequently uses 12-step facilitation for opioid use (Q.A10)**

Value	Label	Frequency	%
0	No	638	2.1%
1	Yes	7,290	23.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	17,296	55.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**\_12STEPOTHSUB: Frequently uses 12-step facilitation for other substances (Q.A10)**

Value	Label	Frequency	%
0	No	428	1.4%
1	Yes	7,505	24.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	17,291	55.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**BRIEFOPIOID: Frequently uses brief intervention for opioid use (Q.A10)**

Value	Label	Frequency	%
0	No	1,037	3.3%
1	Yes	10,366	33.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	13,821	44.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**BRIEFOTHSUB: Frequently uses brief intervention for other substances (Q.A10)**

Value	Label	Frequency	%
0	No	730	2.4%
1	Yes	10,675	34.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	13,819	44.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COGBTOPIOID: Frequently uses cognitive behavior therapy for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,197	3.9%
1	Yes	13,606	43.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,421	33.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COGBTOTHSUB: Frequently uses cognitive behavior therapy for other substances (Q.A10)

Value	Label	Frequency	%
0	No	908	2.9%
1	Yes	13,897	44.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,419	33.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CONMGMTOPID: Frequently uses contingency management/motivational incentives for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	643	2.1%
1	Yes	6,765	21.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	17,816	57.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



CONMGMTOTHSUB: Frequently uses contingency management/motivational incentives for other substances (Q.A10)

Value	Label	Frequency	%
0	No	638	2.1%
1	Yes	6,762	21.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	17,824	57.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## MOTIVATEOPIOID: Frequently uses motivational interviewing for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,061	3.4%
1	Yes	13,864	44.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,299	33.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**MOTIVATEOTHSUB: Frequently uses motivational interviewing for other substances (Q.A10)**

Value	Label	Frequency	%
0	No	1,011	3.3%
1	Yes	13,909	44.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,304	33.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRAUMACOPIOID: Frequently uses trauma-related counseling for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,026	3.3%
1	Yes	12,160	39.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	12,038	38.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRAUMACOTHSUB: Frequently uses trauma-related counseling for other substances (Q.A10)

Value	Label	Frequency	%
0	No	764	2.5%
1	Yes	12,418	40.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	12,042	38.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ANGERMOPIOID: Frequently uses anger management for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,010	3.3%
1	Yes	10,184	32.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	14,030	45.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ANGERMOTHSUB: Frequently uses anger management for other substances (Q.A10)

Value	Label	Frequency	%
0	No	621	2.0%
1	Yes	10,575	34.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	14,028	45.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## MATRIXMOPIOID: Frequently uses matrix model for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	541	1.7%
1	Yes	5,991	19.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	18,692	60.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## MATRIXMOTHSUB: Frequently uses matrix model for other substances (Q.A10)

Value	Label	Frequency	%
0	No	466	1.5%
1	Yes	6,067	19.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	18,691	60.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CRVOUCHEROPIOID: Frequently uses community reinforcement plus vouchers for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	271	0.9%
1	Yes	1,406	4.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	23,547	75.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CRVOUCHEROTHSUB: Frequently uses community reinforcement plus vouchers for other substances (Q.A10)

Value	Label	Frequency	%
0	No	216	0.7%
1	Yes	1,461	4.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	23,547	75.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RELPREVOPIOID: Frequently uses relapse prevention for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	988	3.2%
1	Yes	14,078	45.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,158	32.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RELPREVOTHSUB: Frequently uses relapse prevention for other substances (Q.A10)

Value	Label	Frequency	%
0	No	1,229	4.0%
1	Yes	13,835	44.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	10,160	32.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TELEMEDOPIOID: Frequently uses telemedicine/telehealth therapy for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	1,033	3.3%
1	Yes	11,958	38.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	12,233	39.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TELEMEDOTHSUB: Frequently uses telemedicine/telehealth therapy for other substances (Q.A10)

Value	Label	Frequency	%
0	No	1,103	3.6%
1	Yes	11,884	38.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	12,237	39.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

APPRCHOTHOPiOID: Frequently uses other treatment approach for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	300	1.0%
1	Yes	2,255	7.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	22,669	73.1%
	Total	31,010	100%

Variable Type: numeric



APPRCHOTHOTHSUB: Frequently uses other treatment approach for other substances (Q.A10)

Value	Label	Frequency	%
0	No	207	0.7%
1	Yes	2,349	7.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	22,668	73.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOAPPRCHOPIOID: No clinical/therapeutic approaches for opioid use (Q.A10)

Value	Label	Frequency	%
0	No	15,636	50.4%
1	Yes	18	0.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	9,570	30.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOAPPRCHOTHSUB: No clinical/therapeutic approaches for other substances (Q.A10)

Value	Label	Frequency	%
0	No	15,459	49.9%
1	Yes	161	0.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	9,604	31.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**DUI\_DWI: Program for clients driving under the influence/driving while intoxicated (DUI/DWI)/other offenders (Q.A11)**

Value	Label	Frequency	%
0	No	13,883	44.8%
1	Yes	3,148	10.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,193	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ONLYDUI: All substance use treatment for clients driving under the influence/driving while intoxicated (DUI/DWI) (Q.A11a)

Value	Label	Frequency	%
0	No	3,058	9.9%
1	Yes	83	0.3%
L	Logical Skip	19,716	63.6%
M	Missing Data	8,153	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MARIJUANA: All substance use treatment services for marijuana (Q.A12)

Value	Label	Frequency	%
0	No	831	2.7%
1	Yes	12,479	40.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,914	38.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## STIMULANTS: All substance use treatment services for stimulants (Q.A12)

Value	Label	Frequency	%
0	No	818	2.6%
1	Yes	12,491	40.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,915	38.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTHSUB: All substance use treatment services for other substances (Q.A12)

Value	Label	Frequency	%
0	No	8,297	26.8%
1	Yes	5,010	16.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	11,917	38.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SIGNLANG\_SU: Substance use treatment in sign language (Q.A13)

Value	Label	Frequency	%
0	No	10,145	32.7%
1	Yes	6,880	22.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,199	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG\_SU: Substance use treatment in language other than English (Q.A14)

Value	Label	Frequency	%
0	No	7,676	24.8%
1	Yes	9,337	30.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,211	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANGPROV\_SU: Substance use treatment language provided by staff counselor/interpreter/both (Q.A14a)

Value	Label	Frequency	%
1	Staff counselor who speaks a language other than English	1,526	4.9%
2	On-call interpreter brought in when needed	5,063	16.3%
3	Both staff counselor and on-call interpreter	2,731	8.8%
L	Logical Skip	13,528	43.6%
M	Missing Data	8,162	26.3%
Total		31,010	100%

Variable Type: numeric

## LANG16\_SU: Staff counselors provide substance use treatment in Spanish (Q.A14a1)

Value	Label	Frequency	%
0	No	540	1.7%
1	Yes	3,701	11.9%
L	Logical Skip	18,607	60.0%
M	Missing Data	8,162	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**LANG\_B\_SU: Staff counselors provide substance use treatment in any other language (Q.A14a2)**

Value	Label	Frequency	%
0	No	2,688	8.7%
1	Yes	997	3.2%
L	Logical Skip	19,147	61.7%
M	Missing Data	8,178	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG1\_SU: Substance use treatment in Hopi (Q.A14b)

Value	Label	Frequency	%
0	No	1,107	3.6%
1	Yes	18	0.1%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG2\_SU: Substance use treatment in Lakota (Q.A14b)

Value	Label	Frequency	%
0	No	1,109	3.6%
1	Yes	16	0.1%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG3\_SU: Substance use treatment in Navajo (Q.A14b)

Value	Label	Frequency	%
0	No	1,071	3.5%
1	Yes	54	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	Total	31,010	100%

Variable Type: numeric



LANG21\_SU: Substance use treatment in Ojibwa (Q.A14b)

Value	Label	Frequency	%
0	No	1,112	3.6%
1	Yes	13	0.0%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

LANG4\_SU: Substance use treatment in Yupik (Q.A14b)

Value	Label	Frequency	%
0	No	1,111	3.6%
1	Yes	14	0.0%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG5\_SU: Substance use treatment in other American Indian/Alaska Native (Q.A14b)

Value	Label	Frequency	%
0	No	1,092	3.5%
1	Yes	30	0.1%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,562	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG6\_SU: Substance use treatment in Arabic (Q.A14b)

Value	Label	Frequency	%
0	No	1,023	3.3%
1	Yes	102	0.3%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

LANG7\_SU: Substance use treatment in Chinese (Q.A14b)

Value	Label	Frequency	%
0	No	1,013	3.3%
1	Yes	112	0.4%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG8\_SU: Substance use treatment in Creole (Q.A14b)

Value	Label	Frequency	%
0	No	966	3.1%
1	Yes	159	0.5%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG24\_SU: Substance use treatment in Farsi (Q.A14b)

Value	Label	Frequency	%
0	No	1,049	3.4%
1	Yes	76	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG9\_SU: Substance use treatment in French (Q.A14b)

Value	Label	Frequency	%
0	No	977	3.2%
1	Yes	148	0.5%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LANG10\_SU: Substance use treatment in German (Q.A14b)

Value	Label	Frequency	%
0	No	1,064	3.4%
1	Yes	61	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG22\_SU: Substance use treatment in Greek (Q.A14b)

Value	Label	Frequency	%
0	No	1,086	3.5%
1	Yes	39	0.1%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG25\_SU: Substance use treatment in Hebrew (Q.A14b)

Value	Label	Frequency	%
0	No	1,062	3.4%
1	Yes	63	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG26\_SU: Substance use treatment in Hindi (Q.A14b)

Value	Label	Frequency	%
0	No	1,009	3.3%
1	Yes	116	0.4%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG11\_SU: Substance use treatment in Hmong (Q.A14b)

Value	Label	Frequency	%
0	No	1,071	3.5%
1	Yes	54	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

LANG19\_SU: Substance use treatment in Italian (Q.A14b)

Value	Label	Frequency	%
0	No	1,059	3.4%
1	Yes	66	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG23\_SU: Substance use treatment in Japanese (Q.A14b)

Value	Label	Frequency	%
0	No	1,079	3.5%
1	Yes	46	0.1%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG12\_SU: Substance use treatment in Korean (Q.A14b)

Value	Label	Frequency	%
0	No	1,055	3.4%
1	Yes	70	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## LANG13\_SU: Substance use treatment in Polish (Q.A14b)

Value	Label	Frequency	%
0	No	1,034	3.3%
1	Yes	91	0.3%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG14\_SU: Substance use treatment in Portuguese (Q.A14b)

Value	Label	Frequency	%
0	No	975	3.1%
1	Yes	150	0.5%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG15\_SU: Substance use treatment in Russian (Q.A14b)

Value	Label	Frequency	%
0	No	959	3.1%
1	Yes	166	0.5%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG20\_SU: Substance use treatment in Tagalog (Q.A14b)

Value	Label	Frequency	%
0	No	1,038	3.3%
1	Yes	87	0.3%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG17\_SU: Substance use treatment in Vietnamese (Q.A14b)

Value	Label	Frequency	%
0	No	1,048	3.4%
1	Yes	77	0.2%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,559	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG18\_SU: Substance use treatment in other language (Q.A14b)

Value	Label	Frequency	%
0	No	623	2.0%
1	Yes	501	1.6%
L	Logical Skip	21,326	68.8%
M	Missing Data	8,560	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FEMALESRV: Females served by this facility (Q.A15)

Value	Label	Frequency	%
0	No	928	3.0%
1	Yes	16,108	51.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,188	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MALESRV: Males served by this facility (Q.A15)

Value	Label	Frequency	%
0	No	838	2.7%
1	Yes	16,218	52.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



FEMALEMINYRS: Females lowest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	2,240	7.2%
13-17	13-17	1,598	5.2%
18-25	18-25	8,809	28.4%
26-64	26-64	31	0.1%
L	Logical Skip	10,029	32.3%
M	Missing Data	8,303	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FEMALENOMIN: Females no minimum age served (Q.A15)

Value	Label	Frequency	%
0	Minimum Age	12,677	40.9%
1	No Minimum Age	3,272	10.6%
L	Logical Skip	6,757	21.8%
M	Missing Data	8,304	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FEMALEMAXYRS: Females highest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	10	0.0%
13-17	13-17	194	0.6%
18-25	18-25	542	1.7%
26-64	26-64	148	0.5%
65 +	65 +	409	1.3%
L	Logical Skip	21,249	68.5%
M	Missing Data	8,458	27.3%
Total		31,010	100%

Variable Type: numeric

FEMALENOMAX: Females no maximum age served (Q.A15)

Value	Label	Frequency	%
0	Maximum Age	1,303	4.2%
1	No Maximum Age	14,494	46.7%
L	Logical Skip	6,757	21.8%
M	Missing Data	8,456	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MALEMINYRS: Males lowest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	2,263	7.3%
13-17	13-17	1,616	5.2%
18-25	18-25	8,885	28.7%
26-64	26-64	32	0.1%
L	Logical Skip	9,904	31.9%
M	Missing Data	8,310	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MALENOMIN: Males no minimum age served (Q.A15)

Value	Label	Frequency	%
0	Minimum Age	12,794	41.3%
1	No Minimum Age	3,257	10.5%
L	Logical Skip	6,647	21.4%
M	Missing Data	8,312	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MALEMAXYRS: Males highest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	8	0.0%
13-17	13-17	210	0.7%
18-25	18-25	540	1.7%
26-64	26-64	145	0.5%
65 +	65 +	477	1.5%
L	Logical Skip	21,200	68.4%
M	Missing Data	8,430	27.2%
Total		31,010	100%

Variable Type: numeric

## MALENOMAX: Males no maximum age served (Q.A15)

Value	Label	Frequency	%
0	Maximum Age	1,380	4.5%
1	No Maximum Age	14,555	46.9%
L	Logical Skip	6,647	21.4%
M	Missing Data	8,428	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



### SRVC30: Specific program/group for adolescents (Q.A15a)

Value	Label	Frequency	%
0	No	12,616	40.7%
1	Yes	4,127	13.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,481	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC120: Specific program/group for young adults (Q.A15a)

Value	Label	Frequency	%
0	No	10,547	34.0%
1	Yes	6,209	20.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,468	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC34: Specific program/group for adult women (Q.A15a)

Value	Label	Frequency	%
0	No	7,858	25.3%
1	Yes	8,920	28.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,446	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC33: Specific program/group for pregnant/postpartum women (Q.A15a)**

Value	Label	Frequency	%
0	No	11,448	36.9%
1	Yes	5,305	17.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,471	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC64: Specific program/group for adult men (Q.A15a)

Value	Label	Frequency	%
0	No	7,975	25.7%
1	Yes	8,802	28.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,447	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC63\_SU: Specific program/group for seniors or older adults (Q.A15a)

Value	Label	Frequency	%
0	No	11,308	36.5%
1	Yes	5,454	17.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,462	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC62\_SU: Specific program/group for lesbian, gay, bisexual, transgender, queer/questioning (LGBTQ) (Q.A15a)

Value	Label	Frequency	%
0	No	11,021	35.5%
1	Yes	5,737	18.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,466	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC113\_SU: Specific program/group for Veterans (Q.A15a)

Value	Label	Frequency	%
0	No	11,439	36.9%
1	Yes	5,318	17.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,467	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**SRVC114\_SU: Specific program/group for active duty military (Q.A15a)**

Value	Label	Frequency	%
0	No	13,375	43.1%
1	Yes	3,367	10.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,482	27.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC115\_SU: Specific program/group for members of military families (Q.A15a)

Value	Label	Frequency	%
0	No	12,922	41.7%
1	Yes	3,823	12.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,479	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC61\_SU: Specific program/group for criminal justice clients (Q.A15a)**

Value	Label	Frequency	%
0	No	9,621	31.0%
1	Yes	7,139	23.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,464	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC31\_SU: Specific program/group for clients with co-occurring disorders (Q.A15a)**

Value	Label	Frequency	%
0	No	6,509	21.0%
1	Yes	10,267	33.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,448	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVCPAINSA: Specific program/group for clients with co-occurring pain and substance use (Q.A15a)

Value	Label	Frequency	%
0	No	11,637	37.5%
1	Yes	5,115	16.5%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,472	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC32\_SU: Specific program/group for clients with HIV or AIDS (Q.A15a)

Value	Label	Frequency	%
0	No	12,095	39.0%
1	Yes	4,653	15.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,476	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC121: Specific program/group for clients who have experienced sexual abuse (Q.A15a)**

Value	Label	Frequency	%
0	No	10,542	34.0%
1	Yes	6,218	20.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,464	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC122\_SU: Specific program/group for clients who have experienced domestic violence (Q.A15a)**

Value	Label	Frequency	%
0	No	10,591	34.2%
1	Yes	6,170	19.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,463	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SRVC116\_SU: Specific program/group for clients who have experienced trauma (Q.A15a)

Value	Label	Frequency	%
0	No	8,048	26.0%
1	Yes	8,719	28.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,457	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

### SRVC35\_SU: Specific program/group for other groups (Q.A15a)

Value	Label	Frequency	%
0	No	15,085	48.6%
1	Yes	1,642	5.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,497	27.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## NOSPECGRP\_SU: None of the above are offered specifically tailored programs (Q.A15a)

Value	Label	Frequency	%
0	No	13,771	44.4%
1	Yes	3,061	9.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,392	27.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

EARMARK: Receive any federal, state, county, or local funds (Q.A16)

Value	Label	Frequency	%
1	Yes	8,214	26.5%
2	No	7,540	24.3%
3	Don't Know	1,178	3.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,292	26.7%
Total		31,010	100%

Variable Type: numeric

REVCHK3: Free treatment to all clients (Q.A17)

Value	Label	Frequency	%
0	No	16,582	53.5%
1	Yes	324	1.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,318	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## REVCHK1\_SU: Substance use-accepts cash or self-payment (Q.A17)

Value	Label	Frequency	%
0	No	1,881	6.1%
1	Yes	15,022	48.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK8\_SU: Accepts Medicare payments (Q.A17)

Value	Label	Frequency	%
0	No	8,663	27.9%
1	Yes	8,240	26.6%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK5\_SU: Accepts Medicaid payments (Q.A17)

Value	Label	Frequency	%
0	No	4,100	13.2%
1	Yes	12,803	41.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## REVCHK10\_SU: Accepts state financed health insurance (Q.A17)

Value	Label	Frequency	%
0	No	8,470	27.3%
1	Yes	8,433	27.2%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK15\_SU: Accepts federal military insurance such as uniformed services health care program (TRICARE) (Q.A17)

Value	Label	Frequency	%
0	No	9,816	31.7%
1	Yes	7,087	22.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK2\_SU: Accepts private health insurance (Q.A17)

Value	Label	Frequency	%
0	No	4,146	13.4%
1	Yes	12,757	41.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## REVCHK4\_SU: Accepts SAMHSA funding/block grant (Q.A17)

Value	Label	Frequency	%
0	No	12,884	41.5%
1	Yes	4,019	13.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## REVCHK17\_SU: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.A17)

Value	Label	Frequency	%
0	No	15,006	48.4%
1	Yes	1,897	6.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK2A\_SU: Accepts other payments (Q.A17)

Value	Label	Frequency	%
0	No	15,601	50.3%
1	Yes	1,160	3.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,463	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

HOSPITAL: Located in/operated by hospital (Q.A18)

Value	Label	Frequency	%
0	No	15,479	49.9%
1	Yes	1,564	5.0%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,181	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LOCS: Hospital type (Q.A18a)

Value	Label	Frequency	%
1	General	1,092	3.5%
2	Psychiatric	394	1.3%
3	Other specialty	66	0.2%
L	Logical Skip	21,300	68.7%
M	Missing Data	8,158	26.3%
Total		31,010	100%

Variable Type: numeric



SNF: Provide skilled nursing facility (Q.A19)

Value	Label	Frequency	%
0	No	16,611	53.6%
1	Yes	256	0.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,357	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LOC5: Transitional, halfway or sober housing (Q.A20)

Value	Label	Frequency	%
0	No	15,605	50.3%
1	Yes	1,451	4.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENSED\_SU: Licensed/certified by state substance use agency (Q.A21)

Value	Label	Frequency	%
0	No	5,000	16.1%
1	Yes	11,583	37.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,641	27.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENMH\_SU: Licensed/certified by mental health department (Q.A21)

Value	Label	Frequency	%
0	No	10,067	32.5%
1	Yes	6,492	20.9%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,665	27.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENPH\_SU: Licensed/certified by state health department (Q.A21)

Value	Label	Frequency	%
0	No	8,914	28.7%
1	Yes	7,655	24.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,655	27.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENHOS\_SU: Licensed/certified by hospital authority (Q.A21)

Value	Label	Frequency	%
0	No	15,818	51.0%
1	Yes	713	2.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,693	28.0%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

JCAHO\_SU: Accredited by the Joint Commission (JC) (Q.A21)

Value	Label	Frequency	%
0	No	12,281	39.6%
1	Yes	4,264	13.8%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,679	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## CARF\_SU: Accredited by Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A21)

Value	Label	Frequency	%
0	No	11,186	36.1%
1	Yes	5,372	17.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,666	27.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



NCQA: Accredited by National Committee for Quality Assurance (NCQA) (Q.A21)

Value	Label	Frequency	%
0	No	16,184	52.2%
1	Yes	348	1.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,692	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## COA\_SU: Accredited by Council on Accreditation (COA) (Q.A21)

Value	Label	Frequency	%
0	No	15,802	51.0%
1	Yes	728	2.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,694	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

HFAP: Accredited by Healthcare Facilities Accreditation Program (HFAP) (Q.A21)

Value	Label	Frequency	%
0	No	16,398	52.9%
1	Yes	132	0.4%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,694	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTP: Accredited by SAMHSA certification for opioid treatment program (OTP) (Q.A21)

Value	Label	Frequency	%
0	No	14,478	46.7%
1	Yes	2,066	6.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,680	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DEA: Accredited by Drug Enforcement Agency (DEA) (Q.A21)

Value	Label	Frequency	%
0	No	14,344	46.3%
1	Yes	2,195	7.1%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,685	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTHSTATE\_SU: Accredited by other federal/state/local agency (Q.A21)

Value	Label	Frequency	%
0	No	15,083	48.6%
1	Yes	1,462	4.7%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,679	28.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## NOLICEN\_SU: Not licensed, certified or accredited for substance use services (Q.A21)

Value	Label	Frequency	%
0	No	15,927	51.4%
1	Yes	726	2.3%
L	Logical Skip	5,786	18.7%
M	Missing Data	8,571	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHINTAKE: Offered mental health intake (Q.B1)

Value	Label	Frequency	%
0	No	802	2.6%
1	Yes	9,805	31.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



MHDIAGEVAL: Offered mental health diagnostic evaluation (Q.B1)

Value	Label	Frequency	%
0	No	810	2.6%
1	Yes	9,797	31.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	Total	31,010	100%

Variable Type: numeric

MHREFERRAL: Offered mental health information and/or referral (Q.B1)

Value	Label	Frequency	%
0	No	1,397	4.5%
1	Yes	9,210	29.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	Total	31,010	100%

Variable Type: numeric

MENTALHTHSERV: Offered mental health treatment (Q.B1)

Value	Label	Frequency	%
0	No	7	0.0%
1	Yes	10,586	34.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,159	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SMISEDSD\_MH: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.B1)

Value	Label	Frequency	%
0	No	2,186	7.0%
1	Yes	8,401	27.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,165	26.3%
	Total	31,010	100%

Variable Type: numeric

TREATMT\_MH: Offered substance use treatment (Q.B1)

Value	Label	Frequency	%
0	No	4,275	13.8%
1	Yes	6,332	20.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ADMINSERV: Offered administrative or operational services for mental health treatment facilities (Q.B1)

Value	Label	Frequency	%
0	No	5,346	17.2%
1	Yes	5,261	17.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	Total	31,010	100%

Variable Type: numeric

SETTINGIP: 24-hour hospital inpatient (Q.B2)

Value	Label	Frequency	%
0	No	9,274	29.9%
1	Yes	1,318	4.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,160	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SETTINGRC: 24-hour residential (Q.B2)

Value	Label	Frequency	%
0	No	8,897	28.7%
1	Yes	1,694	5.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,161	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SETTINGDTPH: Partial hospitalization/day treatment (Q.B2)

Value	Label	Frequency	%
0	No	9,098	29.3%
1	Yes	1,493	4.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,161	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SETTINGOP: Outpatient (Q.B2)

Value	Label	Frequency	%
0	No	2,151	6.9%
1	Yes	8,441	27.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,160	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## FACILITYTYPE: Facility type (Q.B3)

Value	Label	Frequency	%
1	Psychiatric hospital	454	1.5%
2	Separate inpatient psychiatric unit of a general hospital	627	2.0%
3	State hospital	35	0.1%
4	Residential treatment center for children	456	1.5%
5	Residential treatment center for adults	717	2.3%
6	Other type of residential treatment facility	78	0.3%
7	VAMC or other VA health care facility	394	1.3%
8	Community Mental Health Center (CMHC)	1,979	6.4%
9	Certified Community Behavioral Health Clinic (CCBHC)	523	1.7%
10	Partial hospitalization/day treatment facility	370	1.2%
11	Outpatient mental health facility	4,158	13.4%
12	Multi-setting mental health facility	317	1.0%
13	Other	479	1.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,165	26.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LOC15\_MH: Either a solo or small group practice (Q.B4)

Value	Label	Frequency	%
0	No	6,951	22.4%
1	Yes	868	2.8%
L	Logical Skip	15,018	48.4%
M	Missing Data	8,173	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LICCLINIC: Licensed or accredited facility (Q.B4a)

Value	Label	Frequency	%
0	No	106	0.3%
1	Yes	764	2.5%
L	Logical Skip	21,966	70.8%
M	Missing Data	8,174	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ASSTLIVNURSHC: Assisted living or nursing home care (Q.B5)

Value	Label	Frequency	%
0	No	10,228	33.0%
1	Yes	96	0.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,428	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

GRPHOME: Group homes (Q.B5)

Value	Label	Frequency	%
0	No	9,814	31.6%
1	Yes	512	1.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,426	27.2%
	Total	31,010	100%

Variable Type: numeric

CLBHOUSESERV: Clubhouse services (Q.B5)

Value	Label	Frequency	%
0	No	10,115	32.6%
1	Yes	210	0.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,427	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SHELTER: Emergency shelter (Q.B5)

Value	Label	Frequency	%
0	No	10,214	32.9%
1	Yes	109	0.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,429	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DEVDIS: Care for individuals with developmental disability (Q.B5)

Value	Label	Frequency	%
0	No	9,659	31.1%
1	Yes	667	2.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,426	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOSRVCS: None of these services (Q.B5)

Value	Label	Frequency	%
0	No	1,403	4.5%
1	Yes	8,984	29.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATPSYCHOTHRPY: Facility provides individual psychotherapy (Q.B6)

Value	Label	Frequency	%
0	No	804	2.6%
1	Yes	9,742	31.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,206	26.5%
	Total	31,010	100%

Variable Type: numeric

TREATFAMTHRPY: Facility provides couples/family therapy (Q.B6)

Value	Label	Frequency	%
0	No	2,807	9.1%
1	Yes	7,717	24.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,228	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATGRPTHRPY: Facility provides group therapy (Q.B6)

Value	Label	Frequency	%
0	No	1,645	5.3%
1	Yes	8,885	28.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,222	26.5%
	Total	31,010	100%

Variable Type: numeric

TREATCOGTHRPY: Facility provides cognitive behavioral therapy (Q.B6)

Value	Label	Frequency	%
0	No	1,021	3.3%
1	Yes	9,525	30.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,206	26.5%
	Total	31,010	100%

Variable Type: numeric

TREATDIALTHRPY: Facility provides dialectical behavior therapy (Q.B6)

Value	Label	Frequency	%
0	No	4,163	13.4%
1	Yes	6,359	20.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,230	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



TREATCOGREM: Facility provides cognitive remediation therapy (Q.B6)

Value	Label	Frequency	%
0	No	9,997	32.2%
1	Yes	496	1.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,259	26.6%
	Total	31,010	100%

Variable Type: numeric

TREATDUALMHSA: Facility provides integrated mental health and substance use treatment (Q.B6)

Value	Label	Frequency	%
0	No	4,101	13.2%
1	Yes	6,424	20.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,227	26.5%
	Total	31,010	100%

Variable Type: numeric

TREATACTVTYTHRPY: Facility provides activity therapy (Q.B6)

Value	Label	Frequency	%
0	No	5,591	18.0%
1	Yes	4,921	15.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,240	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATELECTRO: Facility provides electroconvulsive therapy (Q.B6)

Value	Label	Frequency	%
0	No	10,178	32.8%
1	Yes	313	1.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,261	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATTMS: Facility provides Transcranial Magnetic Stimulation (TMS) (Q.B6)

Value	Label	Frequency	%
0	No	10,306	33.2%
1	Yes	185	0.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,261	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATKIT: Facility provides Ketamine Infusion Therapy (KIT) (Q.B6)

Value	Label	Frequency	%
0	No	10,391	33.5%
1	Yes	97	0.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,264	26.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

## TREATEMDR: Facility provides Eye Movement Desensitization and Reprocessing (EDMR) therapy (Q.B6)

Value	Label	Frequency	%
0	No	8,583	27.7%
1	Yes	1,920	6.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,249	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATTELEMEDINCE: Facility provides telemedicine/telehealth therapy (Q.B6)

Value	Label	Frequency	%
0	No	2,268	7.3%
1	Yes	8,263	26.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,221	26.5%
	Total	31,010	100%

Variable Type: numeric



TREATAIMS: Facility provides Abnormal Involuntary Movement Scale (AIMS) Test (Q.B6)

Value	Label	Frequency	%
0	No	7,635	24.6%
1	Yes	2,867	9.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,250	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TREATOTH: Facility provides other mental health treatment approach (Q.B6)

Value	Label	Frequency	%
0	No	9,357	30.2%
1	Yes	1,135	3.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,260	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOTREAT: None of these mental health treatment modalities are offered (Q.B6)

Value	Label	Frequency	%
0	No	10,434	33.6%
1	Yes	123	0.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,195	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ANTIPSYCH: Antipsychotics for the treatment of serious mental illness (SMI) (Q.B7)

Value	Label	Frequency	%
0	No	3,498	11.3%
1	Yes	6,886	22.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,368	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CHLOR\_NO: Chlorpromazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,417	17.5%
1	Yes	1,312	4.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,302	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CHLOR\_ORAL: Chlorpromazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	3,697	11.9%
1	Yes	3,031	9.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,303	26.8%
	Total	31,010	100%

Variable Type: numeric

CHLOR\_INJ: Chlorpromazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,849	18.9%
1	Yes	866	2.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,316	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CHLOR\_REC: Chlorpromazine, rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,702	21.6%
1	Yes	10	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,319	26.8%
	Total	31,010	100%

Variable Type: numeric



## CHLOR\_DK: Chlorpromazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,456	14.4%
1	Yes	2,273	7.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,302	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## DROPE\_NO: Droperidol, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	3,180	10.3%
1	Yes	3,408	11.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,443	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DROPE\_INJ: Droperidol, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,376	20.6%
1	Yes	210	0.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,445	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## DROPE\_DK: Droperidol, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,939	12.7%
1	Yes	2,646	8.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,446	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FLUPH\_NO: Fluphenazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,514	17.8%
1	Yes	1,175	3.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,342	26.9%
	Total	31,010	100%

Variable Type: numeric

FLUPH\_ORAL: Fluphenazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	3,680	11.9%
1	Yes	3,007	9.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,344	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FLUPH\_INJ: Fluphenazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,435	17.5%
1	Yes	1,246	4.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,350	26.9%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

FLUPH\_DK: Fluphenazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,395	14.2%
1	Yes	2,294	7.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,342	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



HALOP\_NO: Haloperidol, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,178	19.9%
1	Yes	570	1.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,283	26.7%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

HALOP\_ORAL: Haloperidol, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,684	8.7%
1	Yes	4,063	13.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,284	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

HALOP\_INJ: Haloperidol, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	4,219	13.6%
1	Yes	2,521	8.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,291	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

HALOP\_DK: Haloperidol, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,904	15.8%
1	Yes	1,844	5.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,283	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LOXAP\_NO: Loxapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,724	15.2%
1	Yes	1,974	6.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,333	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LOXAP\_ORAL: Loxapine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,607	14.9%
1	Yes	2,089	6.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,335	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LOXAP\_INJ: Loxapine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,523	21.0%
1	Yes	168	0.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,340	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LOXAP\_INH: Loxapine, inhalation (Q.B7a)

Value	Label	Frequency	%
0	No	6,675	21.5%
1	Yes	16	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,340	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LOXAP\_DK: Loxapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,153	13.4%
1	Yes	2,546	8.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,332	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PERPH\_NO: Perphenazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,143	16.6%
1	Yes	1,572	5.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,316	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PERPH\_ORAL: Perphenazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,176	13.5%
1	Yes	2,538	8.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,317	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PERPH\_INJ: Perphenazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,457	20.8%
1	Yes	244	0.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,330	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PERPH\_DK: Perphenazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,209	13.6%
1	Yes	2,506	8.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,316	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**PIMOZ\_NO: Pimozide, not used at this facility (Q.B7a)**

Value	Label	Frequency	%
0	No	3,844	12.4%
1	Yes	2,823	9.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,364	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PIMOZ\_ORAL: Pimozide, oral (Q.B7a)

Value	Label	Frequency	%
0	No	5,676	18.3%
1	Yes	990	3.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PIMOZ\_TOP: Pimozide, topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,654	21.5%
1	Yes	8	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,369	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



PIMOZ\_DK: Pimozide, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,923	12.7%
1	Yes	2,743	8.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**PROCH\_NO: Prochlorperazine, not used at this facility (Q.B7a)**

Value	Label	Frequency	%
0	No	4,009	12.9%
1	Yes	2,669	8.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,353	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PROCH\_ORAL: Prochlorperazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	5,453	17.6%
1	Yes	1,224	3.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,354	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PROCH\_INJ: Prochlorperazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,457	20.8%
1	Yes	217	0.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,357	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PROCH\_REC: Prochlorperazine, rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,587	21.2%
1	Yes	86	0.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,358	27.0%
	Total	31,010	100%

Variable Type: numeric

PROCH\_DK: Prochlorperazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,994	12.9%
1	Yes	2,685	8.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,352	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOT\_NO: Thiothixene, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,364	14.1%
1	Yes	2,306	7.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,361	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOT\_ORAL: Thiothixene, oral (Q.B7a)

Value	Label	Frequency	%
0	No	5,093	16.4%
1	Yes	1,576	5.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,362	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



THIOT\_INJ: Thiothixene, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,563	21.2%
1	Yes	102	0.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,366	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOT\_DK: Thiothixene, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,999	12.9%
1	Yes	2,678	8.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,354	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOR\_NO: Thioridazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,187	13.5%
1	Yes	2,511	8.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,333	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOR\_ORAL: Thioridazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	5,183	16.7%
1	Yes	1,513	4.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,335	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

THIOR\_DK: Thioridazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,114	13.3%
1	Yes	2,586	8.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,331	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRIFL\_NO: Trifluoperazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,248	13.7%
1	Yes	2,459	7.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,324	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRIFL\_ORAL: Trifluoperazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	5,278	17.0%
1	Yes	1,428	4.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,325	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRIFL\_INJ: Trifluoperazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,570	21.2%
1	Yes	133	0.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,328	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



TRIFL\_DK: Trifluoperazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,974	12.8%
1	Yes	2,736	8.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,321	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FSTGENOTH\_NO: Other first-generation antipsychotics, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	104	0.3%
1	Yes	6,782	21.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
	Total	31,010	100%

Variable Type: numeric

FSTGENOTH\_ORAL: Other first-generation antipsychotics, oral (Q.B7a)

Value	Label	Frequency	%
0	No	6,792	21.9%
1	Yes	93	0.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

FSTGENOTH\_INJ: Other first-generation antipsychotics, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,851	22.1%
1	Yes	34	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

FSTGENOTH\_LAI: Other first-generation antipsychotics, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,864	22.1%
1	Yes	21	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FSTGENOTH\_REC: Other first-generation antipsychotics, rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

FSTGENOTH\_TOP: Other first-generation antipsychotics, topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FSTGENOTH\_INH: Other first-generation antipsychotics, inhalation (Q.B7a)

Value	Label	Frequency	%
0	No	6,883	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,147	26.3%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric



FSTGENOTH\_DK: Other first-generation antipsychotics, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	6,886	22.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
Total		31,010	100%

Variable Type: numeric

ARIPR\_NO: Aripiprazole, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,420	20.7%
1	Yes	334	1.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,277	26.7%
	Total	31,010	100%

Variable Type: numeric

ARIPI\_ORAL: Aripiprazole, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,642	8.5%
1	Yes	4,112	13.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,277	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ARIPJ\_INJ: Aripiprazole, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,525	17.8%
1	Yes	1,215	3.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,291	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ARIP\_LAI: Aripiprazole, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	4,901	15.8%
1	Yes	1,839	5.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,291	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ARIPR\_DK: Aripiprazole, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,606	14.9%
1	Yes	2,149	6.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,276	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ASENA\_NO: Asenapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,965	16.0%
1	Yes	1,711	5.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,355	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ASENA\_ORAL: Asenapine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,612	14.9%
1	Yes	2,064	6.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,355	26.9%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric



ASENA\_TOP: Asenapine, topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,515	21.0%
1	Yes	51	0.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,465	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ASENA\_DK: Asenapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,847	12.4%
1	Yes	2,832	9.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,352	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

BREXP\_NO: Brexpiprazole, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,084	16.4%
1	Yes	1,577	5.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,370	27.0%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

BREXP\_ORAL: Brexpiprazole, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,431	14.3%
1	Yes	2,230	7.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,370	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**BREXP\_DK: Brexpiprazole, do not know the mode of administration (Q.B7a)**

Value	Label	Frequency	%
0	No	3,892	12.6%
1	Yes	2,773	8.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,366	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CARIP\_NO: Cariprazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,125	16.5%
1	Yes	1,541	5.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CARIP\_ORAL: Cariprazine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,385	14.1%
1	Yes	2,281	7.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CARIP\_DK: Cariprazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,923	12.7%
1	Yes	2,744	8.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,364	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



CLOZA\_NO: Clozapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,009	19.4%
1	Yes	697	2.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,325	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## CLOZA\_ORAL: Clozapine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,768	8.9%
1	Yes	3,938	12.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,325	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CLOZA\_DK: Clozapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,710	15.2%
1	Yes	1,996	6.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,325	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ILOPE\_NO: Iloperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,711	15.2%
1	Yes	1,951	6.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,369	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ILOPE\_ORAL: Iloperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,953	16.0%
1	Yes	1,709	5.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,369	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ILOPE\_DK: Iloperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	3,755	12.1%
1	Yes	2,911	9.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,365	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LURAS\_NO: Lurasidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	5,792	18.7%
1	Yes	882	2.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,357	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LURAS\_ORAL: Lurasidone, oral (Q.B7a)

Value	Label	Frequency	%
0	No	3,583	11.6%
1	Yes	3,090	10.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,358	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LURAS\_DK: Lurasidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,056	13.1%
1	Yes	2,618	8.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,357	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZ\_NO: Olanzapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,430	20.7%
1	Yes	312	1.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,289	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZ\_ORAL: Olanzapine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,414	7.8%
1	Yes	4,327	14.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,290	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZ\_INJ: Olanzapine, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,675	18.3%
1	Yes	1,053	3.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,303	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZ\_LAI: Olanzapine, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,233	20.1%
1	Yes	490	1.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,308	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZ\_DK: Olanzapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,724	15.2%
1	Yes	2,020	6.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,287	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OLANZFLU\_NO: Olanzapine/Fluoxetine combination, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	4,846	15.6%
1	Yes	1,840	5.9%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,345	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OLANZFLU\_ORAL: Olanzapine/Fluoxetine combination, oral (Q.B7a)

Value	Label	Frequency	%
0	No	4,565	14.7%
1	Yes	2,121	6.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,345	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## OLANZFLU\_DK: Olanzapine/Fluoxetine combination, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,044	13.0%
1	Yes	2,645	8.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,342	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PALIP\_NO: Paliperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,059	19.5%
1	Yes	663	2.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,309	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PALIP\_ORAL: Paliperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	No	3,586	11.6%
1	Yes	3,130	10.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,315	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PALIP\_INJ: Paliperidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,719	18.4%
1	Yes	984	3.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,328	26.9%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

PALIP\_LAI: Paliperidone, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	4,938	15.9%
1	Yes	1,773	5.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,320	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PALIP\_DK: Paliperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,236	13.7%
1	Yes	2,485	8.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,310	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

QUETI\_NO: Quetiapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,357	20.5%
1	Yes	360	1.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,314	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

QUETI\_ORAL: Quetiapine, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,536	8.2%
1	Yes	4,180	13.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,315	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



QUETI\_DK: Quetiapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,630	14.9%
1	Yes	2,087	6.7%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,314	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RISPE\_NO: Risperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,556	21.1%
1	Yes	199	0.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,276	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RISPE\_ORAL: Risperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	No	2,021	6.5%
1	Yes	4,734	15.3%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,276	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RISPE\_INJ: Risperidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,487	17.7%
1	Yes	1,252	4.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,292	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RISPE\_LAI: Risperidone, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,079	16.4%
1	Yes	1,663	5.4%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,289	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RISPE\_DK: Risperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	5,029	16.2%
1	Yes	1,727	5.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,275	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ZIPRA\_NO: Ziprasidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	6,062	19.5%
1	Yes	629	2.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,340	26.9%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

ZIPRA\_ORAL: Ziprasidone, oral (Q.B7a)

Value	Label	Frequency	%
0	No	3,210	10.4%
1	Yes	3,481	11.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,340	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



ZIPRA\_INJ: Ziprasidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	No	5,904	19.0%
1	Yes	769	2.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,358	27.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ZIPRA\_DK: Ziprasidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	4,261	13.7%
1	Yes	2,431	7.8%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,339	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SECGEN10TH\_NO: Other second-generation antipsychotics (A), not used at this facility (Q.B7a)**

Value	Label	Frequency	%
0	No	223	0.7%
1	Yes	6,663	21.5%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN10TH\_ORAL: Other second-generation antipsychotics (A), oral (Q.B7a)

Value	Label	Frequency	%
0	No	6,696	21.6%
1	Yes	190	0.6%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN10TH\_INJ: Other second-generation antipsychotics (A), injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,865	22.1%
1	Yes	20	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

## SECGEN10TH\_LAI: Other second-generation antipsychotics (A), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,851	22.1%
1	Yes	34	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN10TH\_REC: Other second-generation antipsychotics (A), rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN10TH\_TOP: Other second-generation antipsychotics (A), topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric



SECGEN10TH\_DK: Other second-generation antipsychotics (A), do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN20TH\_NO: Other second-generation antipsychotics (B), not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	41	0.1%
1	Yes	6,845	22.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
	Total	31,010	100%

Variable Type: numeric

## SECGEN20TH\_ORAL: Other second-generation antipsychotics (B), oral (Q.B7a)

Value	Label	Frequency	%
0	No	6,855	22.1%
1	Yes	30	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN20TH\_INJ: Other second-generation antipsychotics (B), injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,882	22.2%
1	Yes	3	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

## SECGEN20TH\_LAI: Other second-generation antipsychotics (B), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,879	22.2%
1	Yes	6	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN20TH\_REC: Other second-generation antipsychotics (B), rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,885	22.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
Total		31,010	100%

Variable Type: numeric

SECGEN20TH\_TOP: Other second-generation antipsychotics (B), topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN2OTH\_DK: Other second-generation antipsychotics (B), do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



SECGEN30TH\_NO: Other second-generation antipsychotics (C), not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	No	29	0.1%
1	Yes	6,857	22.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN30TH\_ORAL: Other second-generation antipsychotics (C), oral (Q.B7a)

Value	Label	Frequency	%
0	No	6,865	22.1%
1	Yes	20	0.1%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN30TH\_INJ: Other second-generation antipsychotics (C), injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,880	22.2%
1	Yes	5	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN30TH\_LAI: Other second-generation antipsychotics (C), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	No	6,877	22.2%
1	Yes	8	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECGEN30TH\_REC: Other second-generation antipsychotics (C), rectal (Q.B7a)

Value	Label	Frequency	%
0	No	6,885	22.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
Total		31,010	100%

Variable Type: numeric

SECGEN30TH\_TOP: Other second-generation antipsychotics (C), topical (Q.B7a)

Value	Label	Frequency	%
0	No	6,885	22.2%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
Total		31,010	100%

Variable Type: numeric

SECGEN30TH\_DK: Other second-generation antipsychotics (C), do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	No	6,884	22.2%
1	Yes	1	0.0%
L	Logical Skip	15,979	51.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ASSERTCOMM: Facility provides Assertive Community Treatment (ACT) (Q.B8)

Value	Label	Frequency	%
0	No	8,888	28.7%
1	Yes	1,623	5.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,241	26.6%
	Total	31,010	100%

Variable Type: numeric



## MHINTCASEMGMT: Facility provides Intensive Case Management (ICM) (Q.B8)

Value	Label	Frequency	%
0	No	8,112	26.2%
1	Yes	2,401	7.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,239	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHCASEMGMT: Facility provides Case Management (CM) (Q.B8)

Value	Label	Frequency	%
0	No	3,025	9.8%
1	Yes	7,520	24.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,207	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHCOURTORDERED: Facility provides court-ordered treatment (Q.B8)

Value	Label	Frequency	%
0	No	4,933	15.9%
1	Yes	5,592	18.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,227	26.5%
	Total	31,010	100%

Variable Type: numeric

MHAOT: Facility provides Assisted Outpatient Treatment (AOT) (Q.B8)

Value	Label	Frequency	%
0	No	9,964	32.1%
1	Yes	545	1.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,243	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHCHRONIC: Facility provides Chronic Disease/illness Management (CDM) (Q.B8)

Value	Label	Frequency	%
0	No	8,669	28.0%
1	Yes	1,846	6.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,237	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## ILLNESSMGMT: Facility provides Illness Management and Recovery (IMR) (Q.B8)

Value	Label	Frequency	%
0	No	8,108	26.1%
1	Yes	2,407	7.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,237	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PRIMARYCARE: Facility provides integrated primary care services (Q.B8)

Value	Label	Frequency	%
0	No	7,770	25.1%
1	Yes	2,746	8.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,236	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

DIETEXERCOUNSEL: Facility provides diet and exercise counseling (Q.B8)

Value	Label	Frequency	%
0	No	7,091	22.9%
1	Yes	3,424	11.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,237	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



FAMPSYCHED: Facility provides family psychoeducation (Q.B8)

Value	Label	Frequency	%
0	No	3,349	10.8%
1	Yes	7,182	23.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,221	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHEDUCATION: Facility provides education services (Q.B8)

Value	Label	Frequency	%
0	No	7,297	23.5%
1	Yes	3,222	10.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,233	26.5%
	Total	31,010	100%

Variable Type: numeric

MHHOUSING: Facility provides housing services (Q.B8)

Value	Label	Frequency	%
0	No	8,006	25.8%
1	Yes	2,504	8.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,242	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SUPPHOUSING: Facility provides supported housing (Q.B8)

Value	Label	Frequency	%
0	No	8,720	28.1%
1	Yes	1,787	5.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,245	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHPSYCHREHAB: Facility provides psychosocial rehabilitation services (Q.B8)

Value	Label	Frequency	%
0	No	6,333	20.4%
1	Yes	4,183	13.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,236	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHVOCREHAB: Facility provides vocational rehabilitation services (Q.B8)

Value	Label	Frequency	%
0	No	8,713	28.1%
1	Yes	1,797	5.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,242	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SUPPEMPLY: Facility provides supported employment (Q.B8)

Value	Label	Frequency	%
0	No	8,467	27.3%
1	Yes	2,044	6.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,241	26.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

## FOSTERCARE: Facility provides therapeutic foster care (Q.B8)

Value	Label	Frequency	%
0	No	10,025	32.3%
1	Yes	478	1.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,249	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



MHLEGAL: Facility provides legal advocacy (Q.B8)

Value	Label	Frequency	%
0	No	9,876	31.8%
1	Yes	628	2.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,248	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHEMGCY: Facility provides psychiatric emergency walk-in services (Q.B8)

Value	Label	Frequency	%
0	No	7,644	24.7%
1	Yes	2,869	9.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,239	26.6%
	Total	31,010	100%

Variable Type: numeric

MHSUICIDE: Facility provides suicide prevention services (Q.B8)

Value	Label	Frequency	%
0	No	3,407	11.0%
1	Yes	7,118	23.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,227	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHCONSUMER: Facility provides peer support services (Q.B8)

Value	Label	Frequency	%
0	No	6,066	19.6%
1	Yes	4,452	14.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,234	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHHBV: Facility provides testing for Hepatitis B (HBV) (Q.B8)

Value	Label	Frequency	%
0	No	9,506	30.7%
1	Yes	1,010	3.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,236	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHHCV: Facility provides testing for Hepatitis C (HCV) (Q.B8)

Value	Label	Frequency	%
0	No	9,469	30.5%
1	Yes	1,048	3.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,235	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHLAB: Facility provides laboratory testing (Q.B8)

Value	Label	Frequency	%
0	No	7,487	24.1%
1	Yes	3,036	9.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,229	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## MHMETSYNMON: Facility provides metabolic syndrome monitoring (Q.B8)

Value	Label	Frequency	%
0	No	7,452	24.0%
1	Yes	3,066	9.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,234	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



MHHIV: Facility provides HIV testing (Q.B8)

Value	Label	Frequency	%
0	No	9,339	30.1%
1	Yes	1,180	3.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,233	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHSTD: Facility provides sexually transmitted disease (STD) testing (Q.B8)

Value	Label	Frequency	%
0	No	9,429	30.4%
1	Yes	1,084	3.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,239	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHTB: Facility provides tuberculosis (TB) screening (Q.B8)

Value	Label	Frequency	%
0	No	9,040	29.2%
1	Yes	1,475	4.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,237	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHTOBACCOUSE: Facility provides screening for tobacco use (Q.B8)

Value	Label	Frequency	%
0	No	3,558	11.5%
1	Yes	6,969	22.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,225	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHTOBACCOCESS: Facility provides smoking/vaping/tobacco cessation counseling (Q.B8)

Value	Label	Frequency	%
0	No	5,253	16.9%
1	Yes	5,266	17.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,233	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHNICOTINEREP: Facility provides nicotine replacement therapy (Q.B8)

Value	Label	Frequency	%
0	No	6,978	22.5%
1	Yes	3,541	11.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,233	26.5%
	Total	31,010	100%

Variable Type: numeric

**SMOKINGCESSATION: Facility provides non-nicotine smoking/tobacco cessation medications (Q.B8)**

Value	Label	Frequency	%
0	No	7,182	23.2%
1	Yes	3,334	10.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,236	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

MHOTH: Facility provides other services (Q.B8)

Value	Label	Frequency	%
0	No	10,084	32.5%
1	Yes	419	1.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,249	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



MHNOSVCS: Facility provides none of these services and practices (Q.B8)

Value	Label	Frequency	%
0	No	10,295	33.2%
1	Yes	210	0.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,247	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOCDETOX: Service provided detoxification (medical withdrawal) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	8,836	28.5%
1	Yes	860	2.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,056	29.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOCMATAUD: Service provided medication-assisted treatment (MAT) for Alcohol Use Disorder (AUD) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	7,056	22.8%
1	Yes	2,649	8.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,047	29.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOCMATOUD: Service provided medication-assisted treatment (MAT) for Opioid Use Disorder (OUD) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	6,726	21.7%
1	Yes	2,979	9.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,047	29.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## COOCIDVCNSL: Service provided individual counseling for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	2,227	7.2%
1	Yes	7,510	24.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,015	29.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOCGRPCNSL: Service provided group counseling for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	3,740	12.1%
1	Yes	5,981	19.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,031	29.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOC12STEP: Service provided 12-step groups for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	8,650	27.9%
1	Yes	1,044	3.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,058	29.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COOCCASEMGMT: Service provided co-occurring case management (Q.B9)

Value	Label	Frequency	%
0	No	4,307	13.9%
1	Yes	5,413	17.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,032	29.1%
	Total	31,010	100%

Variable Type: numeric



COOCOTH: Service provided, other for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	No	9,310	30.0%
1	Yes	379	1.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,063	29.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOCOOSRVCS: Facility provides none of these co-occurring services (Q.B9)

Value	Label	Frequency	%
0	No	8,310	26.8%
1	Yes	1,376	4.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	9,066	29.2%
	Total	31,010	100%

Variable Type: numeric

YNGCHLD: Accept for treatment of young children (0-5) (Q.B10)

Value	Label	Frequency	%
0	No	6,669	21.5%
1	Yes	3,773	12.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,310	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CHILDREN: Accept for treatment of children (6-12) (Q.B10)

Value	Label	Frequency	%
0	No	4,575	14.8%
1	Yes	5,867	18.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,310	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ADOLE: Accept for treatment of adolescents (13-17) (Q.B10)

Value	Label	Frequency	%
0	No	3,636	11.7%
1	Yes	6,953	22.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,163	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

YOUNGADULTS: Accept for treatment of young adults (18-25) (Q.B10)

Value	Label	Frequency	%
0	No	1,093	3.5%
1	Yes	9,496	30.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,163	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ADULT: Accept for treatment of adults (26-64) (Q.B10)

Value	Label	Frequency	%
0	No	1,618	5.2%
1	Yes	8,971	28.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,163	26.3%
	Total	31,010	100%

Variable Type: numeric

SENIORS: Accept for treatment of older adults (65 or older) (Q.B10)

Value	Label	Frequency	%
0	No	2,027	6.5%
1	Yes	8,562	27.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,163	26.3%
	Total	31,010	100%

Variable Type: numeric



## SED: Specially designed program/group for children with Serious Emotional Disturbance (SED) (Q.B11)

Value	Label	Frequency	%
0	No	6,540	21.1%
1	Yes	3,935	12.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,277	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TAYOUNGADULTS: Specially designed program/group for young adults (Q.B11)

Value	Label	Frequency	%
0	No	6,983	22.5%
1	Yes	3,494	11.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,275	26.7%
	Total	31,010	100%

Variable Type: numeric

**SPMI: Specially designed program/group for serious mental illness (SMI) (Q.B11)**

Value	Label	Frequency	%
0	No	5,179	16.7%
1	Yes	5,305	17.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,268	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC63\_MH: Specially designed program/group for older adults (Q.B11)**

Value	Label	Frequency	%
0	No	7,102	22.9%
1	Yes	3,374	10.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,276	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ALZHDEMENTIA: Specially designed program/group for Alzheimer or dementia (Q.B11)

Value	Label	Frequency	%
0	No	9,672	31.2%
1	Yes	794	2.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,286	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC31\_MH: Specially designed program/group for co-occurring clients (Q.B11)**

Value	Label	Frequency	%
0	No	4,833	15.6%
1	Yes	5,652	18.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,267	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SPECGRPEATING: Specially designed program/group for eating disorders (Q.B11)

Value	Label	Frequency	%
0	No	8,969	28.9%
1	Yes	1,499	4.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,284	26.7%
	Total	31,010	100%

Variable Type: numeric

## FIRSTEPPSYCH: Specially designed program/group for first-episode psychosis (Q.B11)

Value	Label	Frequency	%
0	No	9,128	29.4%
1	Yes	1,347	4.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,277	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**SRVC122\_MH: Specially designed program/group for domestic violence (Q.B11)**

Value	Label	Frequency	%
0	No	9,115	29.4%
1	Yes	1,356	4.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,281	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**POSTTRAUM: Specially designed program/group for post-traumatic stress disorder (PTSD) (Q.B11)**

Value	Label	Frequency	%
0	No	5,534	17.8%
1	Yes	4,954	16.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,264	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**SRVC116\_MH: Specially designed program/group for who has experienced trauma (Q.B11)**

Value	Label	Frequency	%
0	No	5,252	16.9%
1	Yes	5,237	16.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,263	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TRAUMATICBRAIN: Specially designed program/group for traumatic brain injury (Q.B11)

Value	Label	Frequency	%
0	No	9,326	30.1%
1	Yes	1,139	3.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,287	26.7%
	Total	31,010	100%

Variable Type: numeric

SRVC113\_MH: Specially designed program/group for Veterans (Q.B11)

Value	Label	Frequency	%
0	No	8,103	26.1%
1	Yes	2,366	7.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,283	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC114\_MH: Specially designed program/group for active duty military (Q.B11)

Value	Label	Frequency	%
0	No	9,207	29.7%
1	Yes	1,257	4.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC115\_MH: Specially designed program/group for members of military families (Q.B11)

Value	Label	Frequency	%
0	No	8,753	28.2%
1	Yes	1,711	5.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SRVC62\_MH: Specially designed program/group for lesbian, gay, bisexual, transgender, or queer/questioning (LGBTQ) clients (Q.B11)

Value	Label	Frequency	%
0	No	6,998	22.6%
1	Yes	3,485	11.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,269	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## SRVC61\_MH: Specially designed program/group for forensic clients (Q.B11)

Value	Label	Frequency	%
0	No	7,941	25.6%
1	Yes	2,528	8.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,283	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC32\_MH: Specially designed program/group for HIV/AIDS (Q.B11)

Value	Label	Frequency	%
0	No	8,899	28.7%
1	Yes	1,570	5.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,283	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SRVC35\_MH: Specially designed program/group for other groups (Q.B11)

Value	Label	Frequency	%
0	No	9,532	30.7%
1	Yes	930	3.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,290	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOSPECGRP\_MH: No dedicated, exclusively designed programs or groups are offered (Q.B11)

Value	Label	Frequency	%
0	No	8,970	28.9%
1	Yes	1,560	5.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,222	26.5%
	Total	31,010	100%

Variable Type: numeric

CRISISTEAM2: Crisis intervention treatment team offered by facility (Q.B12)

Value	Label	Frequency	%
0	No	5,865	18.9%
1	Yes	4,702	15.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**PSYCHON: Services for psychiatric emergencies onsite (Q.B13)**

Value	Label	Frequency	%
0	No	6,671	21.5%
1	Yes	3,308	10.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,773	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PSYCHOFF: Mobile/off-site psychiatric crisis services (Q.B14)

Value	Label	Frequency	%
0	No	7,953	25.6%
1	Yes	2,185	7.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,614	27.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SIGNLANG\_MH: Mental health treatment in sign language (Q.B15)

Value	Label	Frequency	%
0	No	4,334	14.0%
1	Yes	6,242	20.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,176	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LANG\_MH: Mental health treatment in language other than English (Q.B16)

Value	Label	Frequency	%
0	No	3,074	9.9%
1	Yes	7,503	24.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,175	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**LANGPROV\_MH: Mental health treatment language provided by staff/interpreter/both (Q.B16a)**

Value	Label	Frequency	%
1	Staff counselor who speaks a language other than English	648	2.1%
2	On-call interpreter brought in when needed	4,239	13.7%
3	Both staff counselor and on-call interpreter	2,602	8.4%
L	Logical Skip	15,362	49.5%
M	Missing Data	8,159	26.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG16\_MH: Do staff provide mental health treatment in Spanish (Q.B16a1)

Value	Label	Frequency	%
0	No	297	1.0%
1	Yes	2,945	9.5%
L	Logical Skip	19,614	63.3%
M	Missing Data	8,154	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG\_B\_MH: Do staff provide mental health treatment in any other language (Q.B16a2)

Value	Label	Frequency	%
0	No	1,871	6.0%
1	Yes	1,054	3.4%
L	Logical Skip	19,614	63.3%
M	Missing Data	8,471	27.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG1\_MH: Mental health treatment in Hopi (Q.B16b)

Value	Label	Frequency	%
0	No	894	2.9%
1	Yes	18	0.1%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG2\_MH: Mental health treatment in Lakota (Q.B16b)

Value	Label	Frequency	%
0	No	896	2.9%
1	Yes	16	0.1%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG3\_MH: Mental health treatment in Navajo (Q.B16b)

Value	Label	Frequency	%
0	No	887	2.9%
1	Yes	25	0.1%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	Total	31,010	100%

Variable Type: numeric

LANG21\_MH: Mental health treatment in Ojibwa (Q.B16b)

Value	Label	Frequency	%
0	No	897	2.9%
1	Yes	15	0.0%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LANG4\_MH: Mental health treatment in Yupik (Q.B16b)

Value	Label	Frequency	%
0	No	899	2.9%
1	Yes	13	0.0%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG5\_MH: Mental health treatment in other American Indian/Alaska Native (Q.B16b)

Value	Label	Frequency	%
0	No	892	2.9%
1	Yes	16	0.1%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,292	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG6\_MH: Mental health treatment in Arabic (Q.B16b)

Value	Label	Frequency	%
0	No	788	2.5%
1	Yes	124	0.4%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG7\_MH: Mental health treatment in any Chinese language (Q.B16b)

Value	Label	Frequency	%
0	No	722	2.3%
1	Yes	190	0.6%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG8\_MH: Mental health treatment in Creole (Q.B16b)

Value	Label	Frequency	%
0	No	737	2.4%
1	Yes	175	0.6%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG24\_MH: Mental health treatment in Farsi (Q.B16b)

Value	Label	Frequency	%
0	No	777	2.5%
1	Yes	135	0.4%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG9\_MH: Mental health treatment in French (Q.B16b)

Value	Label	Frequency	%
0	No	739	2.4%
1	Yes	173	0.6%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

## LANG10\_MH: Mental health treatment in German (Q.B16b)

Value	Label	Frequency	%
0	No	845	2.7%
1	Yes	67	0.2%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## LANG22\_MH: Mental health treatment in Greek (Q.B16b)

Value	Label	Frequency	%
0	No	861	2.8%
1	Yes	51	0.2%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG25\_MH: Mental health treatment in Hebrew (Q.B16b)

Value	Label	Frequency	%
0	No	832	2.7%
1	Yes	80	0.3%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG26\_MH: Mental health treatment in Hindi (Q.B16b)

Value	Label	Frequency	%
0	No	749	2.4%
1	Yes	163	0.5%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG11\_MH: Mental health treatment in Hmong (Q.B16b)

Value	Label	Frequency	%
0	No	834	2.7%
1	Yes	78	0.3%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG19\_MH: Mental health treatment in Italian (Q.B16b)

Value	Label	Frequency	%
0	No	837	2.7%
1	Yes	75	0.2%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG23\_MH: Mental health treatment in Japanese (Q.B16b)

Value	Label	Frequency	%
0	No	848	2.7%
1	Yes	64	0.2%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG12\_MH: Mental health treatment in Korean (Q.B16b)

Value	Label	Frequency	%
0	No	814	2.6%
1	Yes	98	0.3%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG13\_MH: Mental health treatment in Polish (Q.B16b)

Value	Label	Frequency	%
0	No	844	2.7%
1	Yes	68	0.2%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## LANG14\_MH: Mental health treatment in Portuguese (Q.B16b)

Value	Label	Frequency	%
0	No	755	2.4%
1	Yes	157	0.5%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG15\_MH: Mental health treatment in Russian (Q.B16b)

Value	Label	Frequency	%
0	No	756	2.4%
1	Yes	156	0.5%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG20\_MH: Mental health treatment in Tagalog (Q.B16b)

Value	Label	Frequency	%
0	No	767	2.5%
1	Yes	145	0.5%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LANG17\_MH: Mental health treatment in Vietnamese (Q.B16b)

Value	Label	Frequency	%
0	No	794	2.6%
1	Yes	118	0.4%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,288	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## LANG18\_MH: Mental health treatment in other language (Q.B16b)

Value	Label	Frequency	%
0	No	590	1.9%
1	Yes	316	1.0%
L	Logical Skip	21,810	70.3%
M	Missing Data	8,294	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CONTED: Continuing education requirements for staff (Q.B17)

Value	Label	Frequency	%
0	No	226	0.7%
1	Yes	10,341	33.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,185	26.4%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

CASEREV: Case review with supervisor (Q.B17)

Value	Label	Frequency	%
0	No	619	2.0%
1	Yes	9,940	32.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,193	26.4%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

## QUALREV: Case review by a quality review committee (Q.B17)

Value	Label	Frequency	%
0	No	2,857	9.2%
1	Yes	7,698	24.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,197	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## OUTFUP: Client outcome follow-up after discharge (Q.B17)

Value	Label	Frequency	%
0	No	4,355	14.0%
1	Yes	6,193	20.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,204	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CQIP: Continuous quality improvement processes (Q.B17)

Value	Label	Frequency	%
0	No	957	3.1%
1	Yes	7,227	23.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	10,568	34.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SATSUR: Periodic client satisfaction survey (Q.B17)

Value	Label	Frequency	%
0	No	509	1.6%
1	Yes	10,044	32.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,199	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

CPPR: Clinical Provider Peer Review (CPPR) (Q.B17)

Value	Label	Frequency	%
0	No	4,157	13.4%
1	Yes	6,162	19.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,433	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCA: Root Cause Analysis (RCA) (Q.B17)

Value	Label	Frequency	%
0	No	5,106	16.5%
1	Yes	5,226	16.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,420	27.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECNOTUSED: Staff have not used seclusion practices (Q.B18)

Value	Label	Frequency	%
0	No	1,117	3.6%
1	Yes	8,936	28.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,699	28.1%
	Total	31,010	100%

Variable Type: numeric

SECICHEM: Staff have used chemical seclusion practices (Q.B18)

Value	Label	Frequency	%
0	No	9,798	31.6%
1	Yes	187	0.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,767	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

SECPHYS: Staff have used physical seclusion practices (Q.B18)

Value	Label	Frequency	%
0	No	8,971	28.9%
1	Yes	1,013	3.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,768	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



RESTRNTNOTUSED: Staff have not used restraint practices (Q.B18)

Value	Label	Frequency	%
0	No	1,685	5.4%
1	Yes	8,276	26.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,791	28.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RESTRNTCHEM: Staff have used chemical restraint practices (Q.B18)

Value	Label	Frequency	%
0	No	9,380	30.2%
1	Yes	512	1.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,860	28.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RESTRNTPHYS: Staff have used physical restraint practices (Q.B18)

Value	Label	Frequency	%
0	No	8,319	26.8%
1	Yes	1,578	5.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,855	28.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

ADOPTSECLUSION: Facility has policies to minimize seclusion/restraint (Q.B18a)

Value	Label	Frequency	%
0	No	2,292	7.4%
1	Yes	8,215	26.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,245	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK1\_MH: Accepts cash or self-payment (Q.B19)

Value	Label	Frequency	%
0	No	1,809	5.8%
1	Yes	8,798	28.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK2\_MH: Accepts private health insurance (Q.B19)

Value	Label	Frequency	%
0	No	2,072	6.7%
1	Yes	8,535	27.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

REVCHK8\_MH: Accepts Medicare (Q.B19)

Value	Label	Frequency	%
0	No	3,559	11.5%
1	Yes	7,047	22.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

REVCHK5\_MH: Accepts Medicaid (Q.B19)

Value	Label	Frequency	%
0	No	1,334	4.3%
1	Yes	9,273	29.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,145	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## REVCHK10\_MH: Accepts state-financed health insurance (Q.B19)

Value	Label	Frequency	%
0	No	4,795	15.5%
1	Yes	5,811	18.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDSMHA: Accepts state mental health agency funds (Q.B19)

Value	Label	Frequency	%
0	No	5,563	17.9%
1	Yes	5,043	16.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**FUNDSTATEWELFARE: Accepts state welfare or child/family services agency funds (Q.B19)**

Value	Label	Frequency	%
0	No	6,908	22.3%
1	Yes	3,698	11.9%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDSTATEJUV: Accepts state corrections/juvenile justice agency funds (Q.B19)

Value	Label	Frequency	%
0	No	8,042	25.9%
1	Yes	2,564	8.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDSTATEEDUC: Accepts state education agency funds (Q.B19)

Value	Label	Frequency	%
0	No	9,168	29.6%
1	Yes	1,438	4.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDOTHSTATE: Accepts other state government funds (Q.B19)

Value	Label	Frequency	%
0	No	7,251	23.4%
1	Yes	3,355	10.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

FUNDLOCALGOV: Accepts county or local government funds (Q.B19)

Value	Label	Frequency	%
0	No	6,333	20.4%
1	Yes	4,273	13.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

FUNDCSBG: Accepts community service block grants (Q.B19)

Value	Label	Frequency	%
0	No	8,575	27.7%
1	Yes	2,031	6.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



FUNDCMHG: Accepts community mental health block grants (Q.B19)

Value	Label	Frequency	%
0	No	7,419	23.9%
1	Yes	3,187	10.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDFEDGRANT: Accepts federal grants (Q.B19)

Value	Label	Frequency	%
0	No	10,066	32.5%
1	Yes	540	1.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

REVCHK15\_MH: Accepts federal military insurance (Q.B19)

Value	Label	Frequency	%
0	No	5,814	18.7%
1	Yes	4,792	15.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDVA: Accepts Veterans Affairs (VA) funds (Q.B19)

Value	Label	Frequency	%
0	No	8,438	27.2%
1	Yes	2,168	7.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	Total	31,010	100%

Variable Type: numeric

## REVCHK17\_MH: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.B19)

Value	Label	Frequency	%
0	No	9,734	31.4%
1	Yes	872	2.8%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FUNDPRIVCOMM: Accepts private or community foundation funds (Q.B19)

Value	Label	Frequency	%
0	No	9,888	31.9%
1	Yes	718	2.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,146	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## REVCHK2A\_MH: Accepts other payments (Q.B19)

Value	Label	Frequency	%
0	No	10,202	32.9%
1	Yes	321	1.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,229	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENMH\_MH: Facility has licensing through state mental health authority (Q.B20)

Value	Label	Frequency	%
0	No	3,591	11.6%
1	Yes	6,890	22.2%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,271	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



LICENSED\_MH: Facility has licensing through state substance use agency (Q.B20)

Value	Label	Frequency	%
0	No	7,135	23.0%
1	Yes	3,326	10.7%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,291	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENPH\_MH: Facility has licensing through state department of health (Q.B20)

Value	Label	Frequency	%
0	No	5,475	17.7%
1	Yes	4,995	16.1%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,282	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENSEDFCS: Facility has licensing through Department of Family and Children Services (DFCS) (Q.B20)

Value	Label	Frequency	%
0	No	8,605	27.7%
1	Yes	1,848	6.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,299	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

LICENHOS\_MH: Facility has licensing through hospital licensing authority (Q.B20)

Value	Label	Frequency	%
0	No	9,335	30.1%
1	Yes	1,115	3.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,302	26.8%
	Total	31,010	100%

Variable Type: numeric

JCAHO\_MH: Facility has licensing through the Joint Commission (JC) (Q.B20)

Value	Label	Frequency	%
0	No	6,879	22.2%
1	Yes	3,591	11.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,282	26.7%
	Total	31,010	100%

Variable Type: numeric

CARF\_MH: Facility has licensing through Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.B20)

Value	Label	Frequency	%
0	No	7,836	25.3%
1	Yes	2,622	8.5%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,294	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

COA\_MH: Facility has licensing through Council on Accreditation (COA) (Q.B20)

Value	Label	Frequency	%
0	No	9,422	30.4%
1	Yes	1,031	3.3%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,299	26.8%
	Total	31,010	100%

Variable Type: numeric

CMS: Facility has licensing through Centers for Medicare and Medicaid Services (CMS) (Q.B20)

Value	Label	Frequency	%
0	No	5,692	18.4%
1	Yes	4,770	15.4%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,290	26.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



OTHSTATE\_MH: Facility has licensing through other national organization/federal/state/local agencies (Q.B20)

Value	Label	Frequency	%
0	No	9,512	30.7%
1	Yes	942	3.0%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,298	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOLICEN\_MH: Facility does not have licensing, certification, or accreditation from any of the listed organizations (Q.B20)

Value	Label	Frequency	%
0	No	10,316	33.3%
1	Yes	197	0.6%
L	Logical Skip	12,258	39.5%
M	Missing Data	8,239	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

FQHC: Federally Qualified Health Center (FQHC) (Q.C1)

Value	Label	Frequency	%
0	No	16,371	52.8%
1	Yes	1,907	6.1%
D	Don't Know	3,925	12.7%
L	Logical Skip	570	1.8%
M	Missing Data	8,237	26.6%
Total		31,010	100%

Variable Type: character

OWNERSHP: Ownership (Q.C2)

Value	Label	Frequency	%
1	A private for-profit organization	7,934	25.6%
2	A private non-profit organization	11,661	37.6%
3	State government	801	2.6%
4	Local, county, or community government	1,100	3.5%
5	Tribal government	221	0.7%
6	Federal government	548	1.8%
L	Logical Skip	570	1.8%
M	Missing Data	8,175	26.4%
	Total	31,010	100%

Variable Type: numeric

FEDOWN: Federal government agency (Q.C2a)

Value	Label	Frequency	%
1	Department of Veterans Affairs	473	1.5%
2	Department of Defense	41	0.1%
3	Indian Health Service	20	0.1%
4	Other	11	0.0%
L	Logical Skip	22,315	72.0%
M	Missing Data	8,150	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RELIG: Associated with religious/faith-based organizations (Q.C3)

Value	Label	Frequency	%
0	No	20,952	67.6%
1	Yes	1,241	4.0%
L	Logical Skip	570	1.8%
M	Missing Data	8,247	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## SMOKINGPOLICY: Facility smoking policy for clients (Q.C4)

Value	Label	Frequency	%
1	Not permitted to smoke anywhere outside or within any building	9,558	30.8%
2	Permitted in designated outdoor area(s)	11,300	36.4%
3	Permitted anywhere outside	1,338	4.3%
4	Permitted in designated indoor area(s)	32	0.1%
5	Permitted anywhere inside	5	0.0%
6	Permitted anywhere without restriction	5	0.0%
L	Logical Skip	570	1.8%
M	Missing Data	8,202	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## VAPINGPOLICY: Facility vaping policy for clients (Q.C5)

Value	Label	Frequency	%
1	Not permitted to vape anywhere outside or within any building	11,133	35.9%
2	Permitted in designated outdoor area(s)	9,285	29.9%
3	Permitted anywhere outside	1,621	5.2%
4	Permitted in designated indoor area(s)	38	0.1%
5	Permitted anywhere inside	16	0.1%
6	Permitted anywhere without restriction	49	0.2%
L	Logical Skip	570	1.8%
M	Missing Data	8,298	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



FEESCALE: Uses sliding fee scale (Q.C6)

Value	Label	Frequency	%
0	No	9,482	30.6%
1	Yes	12,742	41.1%
L	Logical Skip	570	1.8%
M	Missing Data	8,216	26.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

### DIRSFS: Sliding fee scale included in online locator (Q.C6a)

Value	Label	Frequency	%
0	No	5,227	16.9%
1	Yes	7,514	24.2%
L	Logical Skip	10,122	32.6%
M	Missing Data	8,147	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PAYASST: Offers treatment at no charge or minimal payment (Q.C7)

Value	Label	Frequency	%
0	No	11,631	37.5%
1	Yes	10,561	34.1%
L	Logical Skip	570	1.8%
M	Missing Data	8,248	26.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## DIRAPA: Treatment at no charge or minimal payment included in online locator (Q.C7a)

Value	Label	Frequency	%
0	No	5,832	18.8%
1	Yes	4,721	15.2%
L	Logical Skip	12,302	39.7%
M	Missing Data	8,155	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## INDRCTRY: List facility in directory (Q.C8)

Value	Label	Frequency	%
0	No	1,668	5.4%
1	Yes	20,603	66.4%
L	Logical Skip	570	1.8%
M	Missing Data	8,169	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PUBSTREET: Publish the street address in locator/directory (Q.C8a)

Value	Label	Frequency	%
0	No	3,364	10.8%
1	Yes	17,216	55.5%
L	Logical Skip	2,262	7.3%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

PUBMAIL: Publish the mailing address in locator/directory (Q.C8a)

Value	Label	Frequency	%
0	No	7,291	23.5%
1	Yes	10,926	35.2%
L	Logical Skip	2,262	7.3%
M	Missing Data	10,531	34.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**NOPUBADDR: Do not publish street/mailling address in locator/directory (Q.C8a)**

Value	Label	Frequency	%
0	No	19,210	61.9%
1	Yes	972	3.1%
L	Logical Skip	2,262	7.3%
M	Missing Data	8,566	27.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## GOOGLE: List facility in online services (Q.C8b)

Value	Label	Frequency	%
0	No	1,201	3.9%
1	Yes	19,395	62.5%
L	Logical Skip	2,262	7.3%
M	Missing Data	8,152	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

M1NETWORK: Part of an organization with multiple substance use or mental health sites (Q.C9)

Value	Label	Frequency	%
0	No	5,782	18.6%
1	Yes	15,053	48.5%
L	Logical Skip	570	1.8%
M	Missing Data	9,605	31.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OTHFAC: Client counts for only this facility, this plus others, none (Q.D1)

Value	Label	Frequency	%
1	Only this facility	17,450	56.3%
2	This facility plus others	765	2.5%
3	Another facility will report this facility's client counts	4,307	13.9%
L	Logical Skip	570	1.8%
M	Missing Data	7,918	25.5%
Total		31,010	100%

Variable Type: numeric

FACNUM: Number of facilities in client count data (Q.D2)

Value	Label	Frequency	%
1-10	1-10	732	2.4%
11-20	11-20	31	0.1%
31-40	31-40	1	0.0%
L	Logical Skip	22,312	72.0%
M	Missing Data	7,934	25.6%
Total		31,010	100%

Variable Type: numeric

## CNTREP: Number of Facilities Included in Counts

Value	Label	Frequency	%
2	2	458	1.5%
3	3	549	1.8%
4	4	368	1.2%
5	5	325	1.0%
6	6	240	0.8%
7	7	140	0.5%
8	8	144	0.5%
9	9	90	0.3%
10	10	110	0.4%
11	11	55	0.2%
12	12	36	0.1%
13	13	26	0.1%
14	14	56	0.2%
15	15	60	0.2%
17	17	17	0.1%
18	18	54	0.2%
19	19	38	0.1%
35	35	35	0.1%
M	M	28,209	91.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOT\_UNROLLED\_UNABLE\_SU: Unable to unroll SU client/bed counts

Value	Label	Frequency	%
1	Unable to be unrolled	293	0.9%
M	Missing Data	30,717	99.1%
	Total	31,010	100%

Variable Type: numeric

**TYPE4: Any patients received hospital inpatient substance use services, 3/31/2022 (Q.D4)**

Value	Label	Frequency	%
0	No	13,312	42.9%
1	Yes	990	3.2%
L	Logical Skip	8,731	28.2%
M	Missing Data	7,977	25.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CL11\_O: Hospital inpatient clients, detoxification (Q.D4a)

Value	Label	Frequency	%
0	0	623	2.0%
1-10	1-10	394	1.3%
11-20	11-20	123	0.4%
21-30	21-30	26	0.1%
31-40	31-40	13	0.0%
41-50	41-50	12	0.0%
51-75	51-75	6	0.0%
76-100	76-100	9	0.0%
101-250	101-250	6	0.0%
251-500	251-500	7	0.0%
501-1000	501-1000	5	0.0%
L	Logical Skip	19,699	63.5%
M	Missing Data	10,087	32.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



T\_CL11: Hospital inpatient clients, detoxification, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	622	2.0%
1-10	1-10	403	1.3%
11-20	11-20	119	0.4%
21-30	21-30	26	0.1%
31-40	31-40	13	0.0%
41-50	41-50	12	0.0%
51-75	51-75	6	0.0%
76-100	76-100	9	0.0%
101-250	101-250	6	0.0%
251-500	251-500	7	0.0%
501-1000	501-1000	5	0.0%
L	Logical Skip	16,258	52.4%
M	Missing Data	13,524	43.6%
Total		31,010	100%

Variable Type: numeric

## T\_CLI2\_O: Hospital inpatient clients, treated (Q.D4a)

Value	Label	Frequency	%
0	0	491	1.6%
1-10	1-10	313	1.0%
11-20	11-20	166	0.5%
21-30	21-30	84	0.3%
31-40	31-40	42	0.1%
41-50	41-50	39	0.1%
51-75	51-75	38	0.1%
76-100	76-100	21	0.1%
101-250	101-250	19	0.1%
251-500	251-500	7	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	19,699	63.5%
M	Missing Data	10,086	32.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI2: Hospital inpatient clients, treated, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	491	1.6%
1-10	1-10	316	1.0%
11-20	11-20	172	0.6%
21-30	21-30	83	0.3%
31-40	31-40	41	0.1%
41-50	41-50	37	0.1%
51-75	51-75	38	0.1%
76-100	76-100	21	0.1%
101-250	101-250	19	0.1%
251-500	251-500	7	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	16,258	52.4%
M	Missing Data	13,522	43.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLIHI\_O: Total number of hospital inpatients (Q.D4a)

Value	Label	Frequency	%
0	0	261	0.8%
1-10	1-10	381	1.2%
11-20	11-20	237	0.8%
21-30	21-30	112	0.4%
31-40	31-40	49	0.2%
41-50	41-50	41	0.1%
51-75	51-75	62	0.2%
76-100	76-100	30	0.1%
101-250	101-250	31	0.1%
251-500	251-500	10	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	6	0.0%
L	Logical Skip	19,699	63.5%
M	Missing Data	10,087	32.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLIHI: Total number of hospital inpatients, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	266	0.9%
1-10	1-10	387	1.2%
11-20	11-20	243	0.8%
21-30	21-30	112	0.4%
31-40	31-40	48	0.2%
41-50	41-50	41	0.1%
51-75	51-75	59	0.2%
76-100	76-100	30	0.1%
101-250	101-250	31	0.1%
251-500	251-500	10	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	6	0.0%
L	Logical Skip	16,258	52.4%
M	Missing Data	13,515	43.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

H\_AGE1: Hospital inpatient clients under 18 years old (Q.D4b)

Value	Label	Frequency	%
0	0	1,152	3.7%
1-10	1-10	38	0.1%
11-20	11-20	13	0.0%
21-30	21-30	9	0.0%
31-40	31-40	3	0.0%
41-50	41-50	3	0.0%
51-75	51-75	4	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	8,006	25.8%
Total		31,010	100%

Variable Type: numeric

## HIMETNUM: Total methadone inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	1,093	3.5%
1-10	1-10	118	0.4%
11-20	11-20	13	0.0%
21-30	21-30	7	0.0%
31-40	31-40	1	0.0%
41-50	41-50	4	0.0%
51-75	51-75	2	0.0%
76-100	76-100	2	0.0%
101-250	101-250	1	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,986	25.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HIBUPNUM: Total buprenorphine inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	725	2.3%
1-10	1-10	397	1.3%
11-20	11-20	57	0.2%
21-30	21-30	16	0.1%
31-40	31-40	11	0.0%
41-50	41-50	7	0.0%
51-75	51-75	6	0.0%
76-100	76-100	6	0.0%
101-250	101-250	3	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,997	25.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## HIVIVNUM: Total naltrexone inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	934	3.0%
1-10	1-10	256	0.8%
11-20	11-20	19	0.1%
21-30	21-30	7	0.0%
31-40	31-40	3	0.0%
41-50	41-50	3	0.0%
51-75	51-75	2	0.0%
76-100	76-100	1	0.0%
101-250	101-250	3	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,999	25.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HIDISNUM: Total alcohol disulfiram inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	1,150	3.7%
1-10	1-10	75	0.2%
11-20	11-20	4	0.0%
21-30	21-30	2	0.0%
31-40	31-40	3	0.0%
41-50	41-50	2	0.0%
76-100	76-100	1	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,990	25.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HINALNUM: Total alcohol naltrexone inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	907	2.9%
1-10	1-10	281	0.9%
11-20	11-20	23	0.1%
21-30	21-30	5	0.0%
31-40	31-40	2	0.0%
41-50	41-50	6	0.0%
51-75	51-75	1	0.0%
76-100	76-100	2	0.0%
101-250	101-250	1	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,998	25.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HIACAMNUM: Total alcohol acamprosate inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	1,091	3.5%
1-10	1-10	131	0.4%
11-20	11-20	5	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
41-50	41-50	4	0.0%
51-75	51-75	1	0.0%
101-250	101-250	1	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	21,782	70.2%
M	Missing Data	7,992	25.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HOSPBED\_O: Total beds designated-hospital inpatient

Value	Label	Frequency	%
0	0	140	0.5%
1-10	1-10	186	0.6%
11-20	11-20	219	0.7%
21-30	21-30	155	0.5%
31-40	31-40	79	0.3%
41-50	41-50	56	0.2%
51-75	51-75	56	0.2%
76-100	76-100	31	0.1%
101-250	101-250	35	0.1%
251-500	251-500	1	0.0%
L	Logical Skip	19,698	63.5%
M	Missing Data	10,354	33.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## HOSPBED: Total beds designated-hospital inpatient, unrolled (Q.D4e)

Value	Label	Frequency	%
0	0	140	0.5%
1-10	1-10	191	0.6%
11-20	11-20	218	0.7%
21-30	21-30	157	0.5%
31-40	31-40	82	0.3%
41-50	41-50	56	0.2%
51-75	51-75	55	0.2%
76-100	76-100	30	0.1%
101-250	101-250	34	0.1%
251-500	251-500	1	0.0%
L	Logical Skip	16,257	52.4%
M	Missing Data	13,789	44.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**TYPE7: Any clients received residential non-hospital substance use services, 3/31/2022 (Q.D5)**

Value	Label	Frequency	%
0	No	11,394	36.7%
1	Yes	2,845	9.2%
L	Logical Skip	8,734	28.2%
M	Missing Data	8,037	25.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI3\_O: Residential clients, detoxification (Q.D5a)

Value	Label	Frequency	%
0	0	2,490	8.0%
1-10	1-10	529	1.7%
11-20	11-20	127	0.4%
21-30	21-30	30	0.1%
31-40	31-40	15	0.0%
41-50	41-50	8	0.0%
51-75	51-75	5	0.0%
76-100	76-100	5	0.0%
101-250	101-250	6	0.0%
L	Logical Skip	17,651	56.9%
M	Missing Data	10,144	32.7%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



T\_CLI3: Residential clients, detoxification, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	2,490	8.0%
1-10	1-10	568	1.8%
11-20	11-20	124	0.4%
21-30	21-30	34	0.1%
31-40	31-40	15	0.0%
41-50	41-50	7	0.0%
51-75	51-75	3	0.0%
76-100	76-100	7	0.0%
101-250	101-250	5	0.0%
L	Logical Skip	14,314	46.2%
M	Missing Data	13,443	43.4%
Total		31,010	100%

Variable Type: numeric

T\_CLI9\_O: Residential clients, short-term treatment (Q.D5a)

Value	Label	Frequency	%
0	0	1,803	5.8%
1-10	1-10	573	1.8%
11-20	11-20	388	1.3%
21-30	21-30	173	0.6%
31-40	31-40	85	0.3%
41-50	41-50	56	0.2%
51-75	51-75	59	0.2%
76-100	76-100	40	0.1%
101-250	101-250	28	0.1%
251-500	251-500	8	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	17,651	56.9%
M	Missing Data	10,144	32.7%
Total		31,010	100%

Variable Type: numeric

## T\_CLI9: Residential clients, short-term treatment, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	1,800	5.8%
1-10	1-10	652	2.1%
11-20	11-20	403	1.3%
21-30	21-30	171	0.6%
31-40	31-40	83	0.3%
41-50	41-50	49	0.2%
51-75	51-75	60	0.2%
76-100	76-100	39	0.1%
101-250	101-250	29	0.1%
251-500	251-500	11	0.0%
L	Logical Skip	14,314	46.2%
M	Missing Data	13,399	43.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI10\_O: Residential clients, long-term treatment (Q.D5a)

Value	Label	Frequency	%
0	0	1,384	4.5%
1-10	1-10	675	2.2%
11-20	11-20	559	1.8%
21-30	21-30	227	0.7%
31-40	31-40	121	0.4%
41-50	41-50	73	0.2%
51-75	51-75	82	0.3%
76-100	76-100	43	0.1%
101-250	101-250	46	0.1%
251-500	251-500	5	0.0%
L	Logical Skip	17,651	56.9%
M	Missing Data	10,144	32.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI10: Residential clients, long-term treatment, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	1,384	4.5%
1-10	1-10	745	2.4%
11-20	11-20	574	1.9%
21-30	21-30	242	0.8%
31-40	31-40	116	0.4%
41-50	41-50	79	0.3%
51-75	51-75	73	0.2%
76-100	76-100	38	0.1%
101-250	101-250	49	0.2%
251-500	251-500	4	0.0%
L	Logical Skip	14,314	46.2%
M	Missing Data	13,392	43.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

T\_CLIRC\_O: Total number of residential clients (Q.D5a)

Value	Label	Frequency	%
0	0	394	1.3%
1-10	1-10	822	2.7%
11-20	11-20	827	2.7%
21-30	21-30	429	1.4%
31-40	31-40	202	0.7%
41-50	41-50	152	0.5%
51-75	51-75	170	0.5%
76-100	76-100	94	0.3%
101-250	101-250	105	0.3%
251-500	251-500	18	0.1%
501-1000	501-1000	2	0.0%
L	Logical Skip	17,651	56.9%
M	Missing Data	10,144	32.7%
Total		31,010	100%

Variable Type: numeric

## T\_CLIRC: Total number of residential clients, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	422	1.4%
1-10	1-10	916	3.0%
11-20	11-20	881	2.8%
21-30	21-30	436	1.4%
31-40	31-40	205	0.7%
41-50	41-50	146	0.5%
51-75	51-75	162	0.5%
76-100	76-100	96	0.3%
101-250	101-250	101	0.3%
251-500	251-500	20	0.1%
L	Logical Skip	14,314	46.2%
M	Missing Data	13,311	42.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## R\_AGE1: Residential clients under 18 years old (Q.D5b)

Value	Label	Frequency	%
0	0	2,926	9.4%
1-10	1-10	149	0.5%
11-20	11-20	67	0.2%
21-30	21-30	26	0.1%
31-40	31-40	3	0.0%
41-50	41-50	4	0.0%
51-75	51-75	5	0.0%
76-100	76-100	2	0.0%
101-250	101-250	2	0.0%
L	Logical Skip	19,735	63.6%
M	Missing Data	8,091	26.1%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



# RCMETNUM: Total methadone residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	2,938	9.5%
1-10	1-10	231	0.7%
11-20	11-20	23	0.1%
21-30	21-30	15	0.0%
31-40	31-40	6	0.0%
41-50	41-50	3	0.0%
51-75	51-75	4	0.0%
76-100	76-100	1	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	19,736	63.6%
M	Missing Data	8,052	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RCBUPNUM: Total buprenorphine residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	2,051	6.6%
1-10	1-10	928	3.0%
11-20	11-20	134	0.4%
21-30	21-30	55	0.2%
31-40	31-40	18	0.1%
41-50	41-50	12	0.0%
51-75	51-75	8	0.0%
76-100	76-100	4	0.0%
101-250	101-250	2	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	19,736	63.6%
M	Missing Data	8,061	26.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCVIVNUM: Total naltrexone residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	2,474	8.0%
1-10	1-10	659	2.1%
11-20	11-20	48	0.2%
21-30	21-30	12	0.0%
31-40	31-40	8	0.0%
41-50	41-50	4	0.0%
51-75	51-75	1	0.0%
76-100	76-100	3	0.0%
101-250	101-250	4	0.0%
L	Logical Skip	19,736	63.6%
M	Missing Data	8,061	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCDISNUM: Total alcohol disulfiram residential clients (Q.D5d)**

Value	Label	Frequency	%
0	0	3,082	9.9%
1-10	1-10	126	0.4%
11-20	11-20	7	0.0%
21-30	21-30	1	0.0%
51-75	51-75	1	0.0%
L	Logical Skip	19,737	63.6%
M	Missing Data	8,056	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCNALNUM: Total alcohol naltrexone residential clients (Q.D5d)

Value	Label	Frequency	%
0	0	2,565	8.3%
1-10	1-10	572	1.8%
11-20	11-20	50	0.2%
21-30	21-30	8	0.0%
31-40	31-40	4	0.0%
41-50	41-50	8	0.0%
51-75	51-75	2	0.0%
76-100	76-100	1	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	19,736	63.6%
M	Missing Data	8,063	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RCACAMNUM: Total alcohol acamprosate residential clients (Q.D5d)

Value	Label	Frequency	%
0	0	2,979	9.6%
1-10	1-10	223	0.7%
11-20	11-20	6	0.0%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	19,736	63.6%
M	Missing Data	8,058	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RESBED\_O: Total beds designated-residential clients

Value	Label	Frequency	%
0	0	79	0.3%
1-10	1-10	507	1.6%
11-20	11-20	793	2.6%
21-30	21-30	447	1.4%
31-40	31-40	303	1.0%
41-50	41-50	191	0.6%
51-75	51-75	211	0.7%
76-100	76-100	136	0.4%
101-250	101-250	122	0.4%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	17,652	56.9%
M	Missing Data	10,561	34.1%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RESBED: Total beds designated-residential clients, unrolled (Q.D5e)

Value	Label	Frequency	%
0	0	79	0.3%
1-10	1-10	573	1.8%
11-20	11-20	857	2.8%
21-30	21-30	471	1.5%
31-40	31-40	317	1.0%
41-50	41-50	191	0.6%
51-75	51-75	201	0.6%
76-100	76-100	127	0.4%
101-250	101-250	114	0.4%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	14,315	46.2%
M	Missing Data	13,757	44.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**TYPE1: Any clients received outpatient substance use services, 3/31/2022 (Q.D6)**

Value	Label	Frequency	%
0	No	4,012	12.9%
1	Yes	10,116	32.6%
L	Logical Skip	8,735	28.2%
M	Missing Data	8,147	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI7\_O: Outpatient clients, detoxification (Q.D6a)

Value	Label	Frequency	%
0	0	10,731	34.6%
1-10	1-10	338	1.1%
11-20	11-20	54	0.2%
21-30	21-30	28	0.1%
31-40	31-40	11	0.0%
41-50	41-50	13	0.0%
51-75	51-75	5	0.0%
76-100	76-100	12	0.0%
101-250	101-250	20	0.1%
251-500	251-500	4	0.0%
501-1000	501-1000	3	0.0%
L	Logical Skip	9,669	31.2%
M	Missing Data	10,122	32.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI7: Outpatient clients, detoxification, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	10,700	34.5%
1-10	1-10	370	1.2%
11-20	11-20	51	0.2%
21-30	21-30	36	0.1%
31-40	31-40	11	0.0%
41-50	41-50	13	0.0%
51-75	51-75	5	0.0%
76-100	76-100	14	0.0%
101-250	101-250	18	0.1%
251-500	251-500	4	0.0%
501-1000	501-1000	3	0.0%
L	Logical Skip	6,735	21.7%
M	Missing Data	13,050	42.1%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLIML\_O: Outpatient clients, methadone maintained (Q.D6a)

Value	Label	Frequency	%
0	0	7,132	23.0%
1-10	1-10	1,014	3.3%
11-20	11-20	353	1.1%
21-30	21-30	262	0.8%
31-40	31-40	174	0.6%
41-50	41-50	135	0.4%
51-75	51-75	247	0.8%
76-100	76-100	232	0.7%
101-250	101-250	797	2.6%
251-500	251-500	539	1.7%
501-1000	501-1000	287	0.9%
1001-1500	1001-1500	35	0.1%
1501 +	1501 +	12	0.0%
L	Logical Skip	9,667	31.2%
M	Missing Data	10,124	32.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLIML: Outpatient clients, methadone maintained, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	7,106	22.9%
1-10	1-10	1,186	3.8%
11-20	11-20	475	1.5%
21-30	21-30	276	0.9%
31-40	31-40	181	0.6%
41-50	41-50	151	0.5%
51-75	51-75	265	0.9%
76-100	76-100	244	0.8%
101-250	101-250	867	2.8%
251-500	251-500	574	1.9%
501-1000	501-1000	274	0.9%
1001-1500	1001-1500	29	0.1%
1501 +	1501 +	7	0.0%
L	Logical Skip	6,733	21.7%
M	Missing Data	12,642	40.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI8\_O: Outpatient clients, day treatment/partial hospitalization (Q.D6a)

Value	Label	Frequency	%
0	0	10,054	32.4%
1-10	1-10	591	1.9%
11-20	11-20	284	0.9%
21-30	21-30	108	0.3%
31-40	31-40	57	0.2%
41-50	41-50	43	0.1%
51-75	51-75	36	0.1%
76-100	76-100	14	0.0%
101-250	101-250	23	0.1%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	9,667	31.2%
M	Missing Data	10,124	32.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI8: Outpatient clients, day treatment/partial hospitalization, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	10,019	32.3%
1-10	1-10	656	2.1%
11-20	11-20	295	1.0%
21-30	21-30	111	0.4%
31-40	31-40	54	0.2%
41-50	41-50	44	0.1%
51-75	51-75	36	0.1%
76-100	76-100	14	0.0%
101-250	101-250	19	0.1%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	6,733	21.7%
M	Missing Data	13,020	42.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI6\_O: Outpatient clients, intensive (Q.D6a)

Value	Label	Frequency	%
0	0	7,213	23.3%
1-10	1-10	1,663	5.4%
11-20	11-20	957	3.1%
21-30	21-30	477	1.5%
31-40	31-40	245	0.8%
41-50	41-50	196	0.6%
51-75	51-75	205	0.7%
76-100	76-100	114	0.4%
101-250	101-250	110	0.4%
251-500	251-500	24	0.1%
501-1000	501-1000	12	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	9,667	31.2%
M	Missing Data	10,124	32.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## T\_CLI6: Outpatient clients, intensive, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	7,209	23.2%
1-10	1-10	1,878	6.1%
11-20	11-20	1,088	3.5%
21-30	21-30	506	1.6%
31-40	31-40	247	0.8%
41-50	41-50	209	0.7%
51-75	51-75	210	0.7%
76-100	76-100	125	0.4%
101-250	101-250	108	0.3%
251-500	251-500	21	0.1%
501-1000	501-1000	10	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	6,733	21.7%
M	Missing Data	12,665	40.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI5\_O: Outpatient clients, regular outpatient care (Q.D6a)

Value	Label	Frequency	%
0	0	3,606	11.6%
1-10	1-10	1,879	6.1%
11-20	11-20	1,042	3.4%
21-30	21-30	837	2.7%
31-40	31-40	512	1.7%
41-50	41-50	463	1.5%
51-75	51-75	648	2.1%
76-100	76-100	495	1.6%
101-250	101-250	1,028	3.3%
251-500	251-500	387	1.2%
501-1000	501-1000	203	0.7%
1001-1500	1001-1500	53	0.2%
1501 +	1501 +	66	0.2%
L	Logical Skip	9,667	31.2%
M	Missing Data	10,124	32.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI5: Outpatient clients, regular outpatient care, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	3,630	11.7%
1-10	1-10	2,221	7.2%
11-20	11-20	1,274	4.1%
21-30	21-30	909	2.9%
31-40	31-40	631	2.0%
41-50	41-50	502	1.6%
51-75	51-75	738	2.4%
76-100	76-100	547	1.8%
101-250	101-250	1,132	3.7%
251-500	251-500	415	1.3%
501-1000	501-1000	228	0.7%
1001-1500	1001-1500	42	0.1%
1501 +	1501 +	52	0.2%
L	Logical Skip	6,733	21.7%
M	Missing Data	11,956	38.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

T\_CLIOP\_O: Total number of outpatient clients (Q.D6a)

Value	Label	Frequency	%
0	0	1,197	3.9%
1-10	1-10	1,489	4.8%
11-20	11-20	1,074	3.5%
21-30	21-30	899	2.9%
31-40	31-40	655	2.1%
41-50	41-50	546	1.8%
51-75	51-75	965	3.1%
76-100	76-100	662	2.1%
101-250	101-250	1,914	6.2%
251-500	251-500	1,065	3.4%
501-1000	501-1000	542	1.7%
1001-1500	1001-1500	109	0.4%
1501 +	1501 +	100	0.3%
L	Logical Skip	9,667	31.2%
M	Missing Data	10,126	32.7%
Total		31,010	100%

Variable Type: numeric

T\_CLIOP: Total number of outpatient clients, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	1,237	4.0%
1-10	1-10	1,730	5.6%
11-20	11-20	1,337	4.3%
21-30	21-30	1,015	3.3%
31-40	31-40	778	2.5%
41-50	41-50	610	2.0%
51-75	51-75	1,113	3.6%
76-100	76-100	723	2.3%
101-250	101-250	2,107	6.8%
251-500	251-500	1,156	3.7%
501-1000	501-1000	553	1.8%
1001-1500	1001-1500	96	0.3%
1501 +	1501 +	76	0.2%
L	Logical Skip	6,733	21.7%
M	Missing Data	11,746	37.9%
Total		31,010	100%

Variable Type: numeric

**O\_AGE1: Outpatient clients under 18 years old (Q.D6b)**

Value	Label	Frequency	%
0	0	8,436	27.2%
1-10	1-10	1,647	5.3%
11-20	11-20	380	1.2%
21-30	21-30	178	0.6%
31-40	31-40	79	0.3%
41-50	41-50	69	0.2%
51-75	51-75	74	0.2%
76-100	76-100	64	0.2%
101-250	101-250	98	0.3%
251-500	251-500	52	0.2%
501-1000	501-1000	18	0.1%
1001-1500	1001-1500	12	0.0%
1501 +	1501 +	9	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,139	26.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPMETNUM: Total methadone outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	9,840	31.7%
1-10	1-10	85	0.3%
11-20	11-20	18	0.1%
21-30	21-30	22	0.1%
31-40	31-40	27	0.1%
41-50	41-50	30	0.1%
51-75	51-75	62	0.2%
76-100	76-100	83	0.3%
101-250	101-250	441	1.4%
251-500	251-500	406	1.3%
501-1000	501-1000	213	0.7%
1001-1500	1001-1500	21	0.1%
1501 +	1501 +	6	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,001	25.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPBUPNUM: Total buprenorphine outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	7,389	23.8%
1-10	1-10	1,453	4.7%
11-20	11-20	501	1.6%
21-30	21-30	342	1.1%
31-40	31-40	213	0.7%
41-50	41-50	179	0.6%
51-75	51-75	241	0.8%
76-100	76-100	219	0.7%
101-250	101-250	451	1.5%
251-500	251-500	157	0.5%
501-1000	501-1000	56	0.2%
1001-1500	1001-1500	15	0.0%
1501 +	1501 +	4	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,035	25.9%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## OPVIVNUM: Total naltrexone outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	9,092	29.3%
1-10	1-10	1,494	4.8%
11-20	11-20	263	0.8%
21-30	21-30	133	0.4%
31-40	31-40	53	0.2%
41-50	41-50	51	0.2%
51-75	51-75	51	0.2%
76-100	76-100	25	0.1%
101-250	101-250	27	0.1%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	4	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,054	26.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPDISNUM: Total alcohol disulfiram outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	10,612	34.2%
1-10	1-10	566	1.8%
11-20	11-20	40	0.1%
21-30	21-30	15	0.0%
31-40	31-40	2	0.0%
41-50	41-50	12	0.0%
51-75	51-75	2	0.0%
76-100	76-100	2	0.0%
101-250	101-250	2	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,002	25.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPNALNUM: Total alcohol naltrexone outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	8,652	27.9%
1-10	1-10	1,840	5.9%
11-20	11-20	305	1.0%
21-30	21-30	134	0.4%
31-40	31-40	52	0.2%
41-50	41-50	66	0.2%
51-75	51-75	44	0.1%
76-100	76-100	38	0.1%
101-250	101-250	38	0.1%
251-500	251-500	11	0.0%
1501 +	1501 +	4	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,071	26.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPACAMNUM: Total alcohol acamprosate outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	10,341	33.3%
1-10	1-10	749	2.4%
11-20	11-20	91	0.3%
21-30	21-30	23	0.1%
31-40	31-40	13	0.0%
41-50	41-50	12	0.0%
51-75	51-75	7	0.0%
76-100	76-100	5	0.0%
101-250	101-250	4	0.0%
L	Logical Skip	11,755	37.9%
M	Missing Data	8,010	25.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**B\_NUM: Number of clients treated for both alcohol/drug use (Q.D7)**

Value	Label	Frequency	%
0	0	1,198	3.9%
1-10	1-10	1,943	6.3%
11-20	11-20	749	2.4%
21-30	21-30	383	1.2%
31-40	31-40	186	0.6%
41-50	41-50	165	0.5%
51-75	51-75	199	0.6%
76-100	76-100	143	0.5%
101-250	101-250	188	0.6%
251-500	251-500	80	0.3%
501-1000	501-1000	30	0.1%
1001-1500	1001-1500	14	0.0%
1501 +	1501 +	7	0.0%
L	Logical Skip	8,878	28.6%
M	Missing Data	15,096	48.7%
N	Not Applicable	1,751	5.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**B\_PCT: Percent of clients treated for both alcohol/drug use (Q.D7)**

Value	Label	Frequency	%
0	0	757	2.4%
1-10	1-10	564	1.8%
11-20	11-20	802	2.6%
21-30	21-30	906	2.9%
31-40	31-40	638	2.1%
41-50	41-50	877	2.8%
51-60	51-60	479	1.5%
61-70	61-70	417	1.3%
71-80	71-80	489	1.6%
81-90	81-90	199	0.6%
91-99	91-99	91	0.3%
100	100	465	1.5%
L	Logical Skip	8,881	28.6%
M	Missing Data	13,694	44.2%
N	Not Applicable	1,751	5.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**A\_NUM: Number of clients treated for only alcohol use (Q.D7)**

Value	Label	Frequency	%
0	0	1,969	6.3%
1-10	1-10	2,203	7.1%
11-20	11-20	489	1.6%
21-30	21-30	227	0.7%
31-40	31-40	99	0.3%
41-50	41-50	85	0.3%
51-75	51-75	83	0.3%
76-100	76-100	47	0.2%
101-250	101-250	56	0.2%
251-500	251-500	15	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	8,878	28.6%
M	Missing Data	15,102	48.7%
N	Not Applicable	1,751	5.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**A\_PCT: Percent of clients treated for only alcohol use (Q.D7)**

Value	Label	Frequency	%
0	0	1,411	4.6%
1-10	1-10	1,439	4.6%
11-20	11-20	1,292	4.2%
21-30	21-30	1,200	3.9%
31-40	31-40	487	1.6%
41-50	41-50	361	1.2%
51-60	51-60	168	0.5%
61-70	61-70	135	0.4%
71-80	71-80	99	0.3%
81-90	81-90	41	0.1%
91-99	91-99	12	0.0%
100	100	38	0.1%
L	Logical Skip	8,882	28.6%
M	Missing Data	13,694	44.2%
N	Not Applicable	1,751	5.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**D\_NUM: Number of clients treated for only drug use (Q.D7)**

Value	Label	Frequency	%
0	0	1,242	4.0%
1-10	1-10	1,672	5.4%
11-20	11-20	536	1.7%
21-30	21-30	298	1.0%
31-40	31-40	169	0.5%
41-50	41-50	123	0.4%
51-75	51-75	179	0.6%
76-100	76-100	141	0.5%
101-250	101-250	439	1.4%
251-500	251-500	306	1.0%
501-1000	501-1000	145	0.5%
1001-1500	1001-1500	27	0.1%
1501 +	1501 +	3	0.0%
L	Logical Skip	8,878	28.6%
M	Missing Data	15,101	48.7%
N	Not Applicable	1,751	5.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## D\_PCT: Percent of clients treated for only drug use (Q.D7)

Value	Label	Frequency	%
0	0	798	2.6%
1-10	1-10	836	2.7%
11-20	11-20	909	2.9%
21-30	21-30	1,027	3.3%
31-40	31-40	621	2.0%
41-50	41-50	539	1.7%
51-60	51-60	386	1.2%
61-70	61-70	386	1.2%
71-80	71-80	313	1.0%
81-90	81-90	223	0.7%
91-99	91-99	134	0.4%
100	100	500	1.6%
100 +	100 +	11	0.0%
L	Logical Skip	8,883	28.6%
M	Missing Data	13,693	44.2%
N	Not Applicable	1,751	5.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# COD\_PCT\_SU\_R1: Percent of clients with mental health and substance use diagnosis (Q.D8)

Value	Label	Frequency	%
0	0	1,286	4.1%
1-10	1-10	963	3.1%
11-20	11-20	696	2.2%
21-30	21-30	883	2.8%
31-40	31-40	811	2.6%
41-50	41-50	1,199	3.9%
51-60	51-60	666	2.1%
61-70	61-70	784	2.5%
71-80	71-80	1,435	4.6%
81-90	81-90	1,133	3.7%
91-99	91-99	521	1.7%
100	100	1,540	5.0%
L	Logical Skip	8,873	28.6%
M	Missing Data	8,469	27.3%
N	Not Applicable	1,751	5.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**TOTADMIS\_SU: Total number of admissions for substance use treatment (Q.D9)**

Value	Label	Frequency	%
0	0	1,251	4.0%
1-10	1-10	905	2.9%
11-20	11-20	726	2.3%
21-30	21-30	661	2.1%
31-40	31-40	566	1.8%
41-50	41-50	666	2.1%
51-75	51-75	1,164	3.8%
76-100	76-100	1,202	3.9%
101-250	101-250	2,923	9.4%
251-500	251-500	1,529	4.9%
501-1000	501-1000	847	2.7%
1001-1500	1001-1500	255	0.8%
1501 +	1501 +	254	0.8%
L	Logical Skip	8,769	28.3%
M	Missing Data	9,292	30.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI11\_O: Total number of substance use clients

Value	Label	Frequency	%
0	0	1,160	3.7%
1-10	1-10	2,073	6.7%
11-20	11-20	1,663	5.4%
21-30	21-30	1,273	4.1%
31-40	31-40	810	2.6%
41-50	41-50	719	2.3%
51-75	51-75	1,154	3.7%
76-100	76-100	776	2.5%
101-250	101-250	2,088	6.7%
251-500	251-500	1,112	3.6%
501-1000	501-1000	550	1.8%
1001-1500	1001-1500	114	0.4%
1501 +	1501 +	104	0.3%
L	Logical Skip	253	0.8%
M	Missing Data	17,161	55.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## T\_CLI11: Total number of substance use clients, unrolled

Value	Label	Frequency	%
0	0	1,187	3.8%
1-10	1-10	2,396	7.7%
11-20	11-20	1,969	6.3%
21-30	21-30	1,406	4.5%
31-40	31-40	947	3.1%
41-50	41-50	786	2.5%
51-75	51-75	1,310	4.2%
76-100	76-100	836	2.7%
101-250	101-250	2,276	7.3%
251-500	251-500	1,205	3.9%
501-1000	501-1000	562	1.8%
1001-1500	1001-1500	100	0.3%
1501 +	1501 +	79	0.3%
L	Logical Skip	253	0.8%
M	Missing Data	15,698	50.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

NOT\_UNROLLED\_UNABLE\_MH: Unable to unroll MH client/bed counts

Value	Label	Frequency	%
1	Unable to be unrolled	102	0.3%
M	Missing Data	30,908	99.7%
	Total	31,010	100%

Variable Type: numeric

**IPSERV: Any patients received 24-hour hospital inpatient mental health services, 3/31/2022 (Q.D10)**

Value	Label	Frequency	%
0	No	6,941	22.4%
1	Yes	1,099	3.5%
L	Logical Skip	13,597	43.8%
M	Missing Data	9,373	30.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



# IPTOTAL\_O: Total number of 24-hour hospital inpatients (Q.D10a)

Value	Label	Frequency	%
0	0	109	0.4%
1-10	1-10	217	0.7%
11-20	11-20	276	0.9%
21-30	21-30	131	0.4%
31-40	31-40	78	0.3%
41-50	41-50	68	0.2%
51-75	51-75	103	0.3%
76-100	76-100	63	0.2%
101-250	101-250	88	0.3%
251-500	251-500	29	0.1%
501-1000	501-1000	6	0.0%
1001-1500	1001-1500	5	0.0%
1501 +	1501 +	9	0.0%
L	Logical Skip	20,478	66.0%
M	Missing Data	9,350	30.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPTOTAL: Total number of 24-hour hospital inpatients, unrolled (Q.D10a)**

Value	Label	Frequency	%
0	0	109	0.4%
1-10	1-10	220	0.7%
11-20	11-20	276	0.9%
21-30	21-30	132	0.4%
31-40	31-40	82	0.3%
41-50	41-50	68	0.2%
51-75	51-75	102	0.3%
76-100	76-100	62	0.2%
101-250	101-250	88	0.3%
251-500	251-500	29	0.1%
501-1000	501-1000	6	0.0%
1001-1500	1001-1500	5	0.0%
1501 +	1501 +	9	0.0%
L	Logical Skip	18,152	58.5%
M	Missing Data	11,670	37.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPBEDS\_O: Number of hospital inpatient beds set up/staffed at facility (Q.D10b)**

Value	Label	Frequency	%
0	0	33	0.1%
1-10	1-10	91	0.3%
11-20	11-20	270	0.9%
21-30	21-30	183	0.6%
31-40	31-40	90	0.3%
41-50	41-50	76	0.2%
51-75	51-75	128	0.4%
76-100	76-100	74	0.2%
101-250	101-250	117	0.4%
251-500	251-500	25	0.1%
501-1000	501-1000	5	0.0%
1001-1500	1001-1500	2	0.0%
L	Logical Skip	20,478	66.0%
M	Missing Data	9,438	30.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## IPBEDS: Number of hospital inpatient beds set up/staffed at facility, unrolled (Q.D10b)

Value	Label	Frequency	%
0	0	32	0.1%
1-10	1-10	94	0.3%
11-20	11-20	270	0.9%
21-30	21-30	183	0.6%
31-40	31-40	89	0.3%
41-50	41-50	82	0.3%
51-75	51-75	128	0.4%
76-100	76-100	73	0.2%
101-250	101-250	117	0.4%
251-500	251-500	25	0.1%
501-1000	501-1000	5	0.0%
1001-1500	1001-1500	2	0.0%
L	Logical Skip	18,152	58.5%
M	Missing Data	11,758	37.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPSEXTOTM\_O: Total male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	106	0.3%
1-10	1-10	340	1.1%
11-20	11-20	136	0.4%
21-30	21-30	74	0.2%
31-40	31-40	45	0.1%
41-50	41-50	18	0.1%
51-75	51-75	27	0.1%
76-100	76-100	22	0.1%
101-250	101-250	32	0.1%
251-500	251-500	11	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	1	0.0%
1501 +	1501 +	2	0.0%
L	Logical Skip	20,784	67.0%
M	Missing Data	9,409	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPSEXTOTM: Total male clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	106	0.3%
1-10	1-10	343	1.1%
11-20	11-20	138	0.4%
21-30	21-30	76	0.2%
31-40	31-40	45	0.1%
41-50	41-50	18	0.1%
51-75	51-75	29	0.1%
76-100	76-100	21	0.1%
101-250	101-250	31	0.1%
251-500	251-500	11	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	1	0.0%
1501 +	1501 +	2	0.0%
L	Logical Skip	18,458	59.5%
M	Missing Data	11,728	37.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPSEXPERM: Percent male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	97	0.3%
1-10	1-10	2	0.0%
21-30	21-30	8	0.0%
31-40	31-40	37	0.1%
41-50	41-50	114	0.4%
51-60	51-60	93	0.3%
61-70	61-70	24	0.1%
71-80	71-80	18	0.1%
81-90	81-90	9	0.0%
91-99	91-99	10	0.0%
100	100	4	0.0%
L	Logical Skip	22,416	72.3%
M	Missing Data	8,178	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPSEXTOTF\_O: Total female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	108	0.3%
1-10	1-10	355	1.1%
11-20	11-20	155	0.5%
21-30	21-30	74	0.2%
31-40	31-40	30	0.1%
41-50	41-50	28	0.1%
51-75	51-75	38	0.1%
76-100	76-100	12	0.0%
101-250	101-250	14	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	20,784	67.0%
M	Missing Data	9,409	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**IPSEXTOTF: Total female clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	108	0.3%
1-10	1-10	357	1.2%
11-20	11-20	161	0.5%
21-30	21-30	74	0.2%
31-40	31-40	29	0.1%
41-50	41-50	30	0.1%
51-75	51-75	37	0.1%
76-100	76-100	11	0.0%
101-250	101-250	14	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	18,458	59.5%
M	Missing Data	11,728	37.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPSEXPERF: Percent female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	99	0.3%
1-10	1-10	16	0.1%
11-20	11-20	12	0.0%
21-30	21-30	15	0.0%
31-40	31-40	77	0.2%
41-50	41-50	117	0.4%
51-60	51-60	60	0.2%
61-70	61-70	12	0.0%
71-80	71-80	4	0.0%
81-90	81-90	2	0.0%
100	100	2	0.0%
L	Logical Skip	22,416	72.3%
M	Missing Data	8,178	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGETOT017\_O: Total clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	617	2.0%
1-10	1-10	66	0.2%
11-20	11-20	62	0.2%
21-30	21-30	39	0.1%
31-40	31-40	17	0.1%
41-50	41-50	12	0.0%
51-75	51-75	16	0.1%
76-100	76-100	3	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,400	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPAGETOT017: Total clients/patients 0-17 years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	617	2.0%
1-10	1-10	70	0.2%
11-20	11-20	63	0.2%
21-30	21-30	41	0.1%
31-40	31-40	16	0.1%
41-50	41-50	12	0.0%
51-75	51-75	15	0.0%
76-100	76-100	3	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,721	37.8%
Total		31,010	100%

Variable Type: numeric

**IPAGEPER017: Percent clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	311	1.0%
1-10	1-10	9	0.0%
11-20	11-20	17	0.1%
21-30	21-30	21	0.1%
31-40	31-40	15	0.0%
41-50	41-50	5	0.0%
51-60	51-60	8	0.0%
61-70	61-70	1	0.0%
91-99	91-99	2	0.0%
100	100	15	0.0%
L	Logical Skip	22,422	72.3%
M	Missing Data	8,184	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGETOT1864\_O: Total clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	182	0.6%
1-10	1-10	188	0.6%
11-20	11-20	174	0.6%
21-30	21-30	77	0.2%
31-40	31-40	50	0.2%
41-50	41-50	35	0.1%
51-75	51-75	48	0.2%
76-100	76-100	17	0.1%
101-250	101-250	41	0.1%
251-500	251-500	15	0.0%
501-1000	501-1000	4	0.0%
1501 +	1501 +	2	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,400	30.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGETOT1864: Total clients/patients 18-64 years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	182	0.6%
1-10	1-10	193	0.6%
11-20	11-20	176	0.6%
21-30	21-30	77	0.2%
31-40	31-40	50	0.2%
41-50	41-50	35	0.1%
51-75	51-75	47	0.2%
76-100	76-100	19	0.1%
101-250	101-250	40	0.1%
251-500	251-500	15	0.0%
501-1000	501-1000	4	0.0%
1501 +	1501 +	2	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,719	37.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGEPER1864: Percent clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	119	0.4%
1-10	1-10	4	0.0%
11-20	11-20	6	0.0%
21-30	21-30	2	0.0%
31-40	31-40	12	0.0%
41-50	41-50	19	0.1%
51-60	51-60	19	0.1%
61-70	61-70	40	0.1%
71-80	71-80	55	0.2%
81-90	81-90	48	0.2%
91-99	91-99	37	0.1%
100	100	43	0.1%
L	Logical Skip	22,422	72.3%
M	Missing Data	8,184	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**IPAGETOT65\_O: Total clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	341	1.1%
1-10	1-10	370	1.2%
11-20	11-20	71	0.2%
21-30	21-30	18	0.1%
31-40	31-40	10	0.0%
41-50	41-50	7	0.0%
51-75	51-75	5	0.0%
76-100	76-100	5	0.0%
101-250	101-250	2	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,401	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGETOT65: Total clients/patients 65 plus years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	341	1.1%
1-10	1-10	373	1.2%
11-20	11-20	74	0.2%
21-30	21-30	18	0.1%
31-40	31-40	10	0.0%
41-50	41-50	7	0.0%
51-75	51-75	4	0.0%
76-100	76-100	5	0.0%
101-250	101-250	2	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,722	37.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPAGEPER65: Percent clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	168	0.5%
1-10	1-10	98	0.3%
11-20	11-20	63	0.2%
21-30	21-30	31	0.1%
31-40	31-40	13	0.0%
41-50	41-50	9	0.0%
51-60	51-60	4	0.0%
61-70	61-70	2	0.0%
71-80	71-80	3	0.0%
81-90	81-90	4	0.0%
100	100	9	0.0%
L	Logical Skip	22,422	72.3%
M	Missing Data	8,184	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPETHTOTISP\_O: Total Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	502	1.6%
1-10	1-10	209	0.7%
11-20	11-20	27	0.1%
21-30	21-30	17	0.1%
31-40	31-40	7	0.0%
41-50	41-50	3	0.0%
51-75	51-75	5	0.0%
76-100	76-100	1	0.0%
101-250	101-250	5	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	20,773	67.0%
M	Missing Data	9,458	30.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPETHTOTISP: Total Hispanic clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	502	1.6%
1-10	1-10	209	0.7%
11-20	11-20	27	0.1%
21-30	21-30	19	0.1%
31-40	31-40	7	0.0%
41-50	41-50	2	0.0%
51-75	51-75	5	0.0%
76-100	76-100	1	0.0%
101-250	101-250	5	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	18,447	59.5%
M	Missing Data	11,783	38.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPETHPERHISP: Percent Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	257	0.8%
1-10	1-10	76	0.2%
11-20	11-20	32	0.1%
21-30	21-30	17	0.1%
31-40	31-40	10	0.0%
41-50	41-50	6	0.0%
51-60	51-60	3	0.0%
61-70	61-70	1	0.0%
91-99	91-99	1	0.0%
L	Logical Skip	22,413	72.3%
M	Missing Data	8,194	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPETHTOTNONHISP\_O: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	316	1.0%
1-10	1-10	138	0.4%
11-20	11-20	130	0.4%
21-30	21-30	46	0.1%
31-40	31-40	26	0.1%
41-50	41-50	23	0.1%
51-75	51-75	31	0.1%
76-100	76-100	19	0.1%
101-250	101-250	35	0.1%
251-500	251-500	12	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	20,773	67.0%
M	Missing Data	9,459	30.5%
Total		31,010	100%

Variable Type: numeric

IPETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	316	1.0%
1-10	1-10	138	0.4%
11-20	11-20	130	0.4%
21-30	21-30	46	0.1%
31-40	31-40	26	0.1%
41-50	41-50	23	0.1%
51-75	51-75	31	0.1%
76-100	76-100	21	0.1%
101-250	101-250	34	0.1%
251-500	251-500	12	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	18,447	59.5%
M	Missing Data	11,784	38.0%
Total		31,010	100%

Variable Type: numeric



IPETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	226	0.7%
1-10	1-10	3	0.0%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	7	0.0%
41-50	41-50	6	0.0%
51-60	51-60	13	0.0%
61-70	61-70	11	0.0%
71-80	71-80	25	0.1%
81-90	81-90	47	0.2%
91-99	91-99	38	0.1%
100	100	25	0.1%
L	Logical Skip	22,413	72.3%
M	Missing Data	8,194	26.4%
	Total	31,010	100%

Variable Type: numeric

IPETHTOTUNK\_O: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	473	1.5%
1-10	1-10	114	0.4%
11-20	11-20	68	0.2%
21-30	21-30	37	0.1%
31-40	31-40	19	0.1%
41-50	41-50	15	0.0%
51-75	51-75	29	0.1%
76-100	76-100	12	0.0%
101-250	101-250	11	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,773	67.0%
M	Missing Data	9,455	30.5%
	Total	31,010	100%

Variable Type: numeric

IPETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	473	1.5%
1-10	1-10	118	0.4%
11-20	11-20	69	0.2%
21-30	21-30	38	0.1%
31-40	31-40	23	0.1%
41-50	41-50	15	0.0%
51-75	51-75	28	0.1%
76-100	76-100	12	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	18,447	59.5%
M	Missing Data	11,773	38.0%
	Total	31,010	100%

Variable Type: numeric

IPETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	219	0.7%
1-10	1-10	35	0.1%
11-20	11-20	7	0.0%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
51-60	51-60	2	0.0%
61-70	61-70	1	0.0%
71-80	71-80	2	0.0%
100	100	131	0.4%
L	Logical Skip	22,413	72.3%
M	Missing Data	8,194	26.4%
Total		31,010	100%

Variable Type: numeric

**IPRACETOTINDIAN\_O: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	712	2.3%
1-10	1-10	77	0.2%
11-20	11-20	4	0.0%
21-30	21-30	2	0.0%
41-50	41-50	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,445	30.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	713	2.3%
1-10	1-10	77	0.2%
11-20	11-20	4	0.0%
21-30	21-30	2	0.0%
41-50	41-50	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,770	38.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	347	1.1%
1-10	1-10	45	0.1%
11-20	11-20	3	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
Total		31,010	100%

Variable Type: numeric

**IPRACETOTASIAN\_O: Total Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	630	2.0%
1-10	1-10	154	0.5%
11-20	11-20	7	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
51-75	51-75	2	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,447	30.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



IPRACETOTASIAN: Total Asian clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	630	2.0%
1-10	1-10	155	0.5%
11-20	11-20	7	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
51-75	51-75	2	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,772	38.0%
	Total	31,010	100%

Variable Type: numeric

IPRACEPERASIAN: Percent Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	313	1.0%
1-10	1-10	77	0.2%
11-20	11-20	5	0.0%
21-30	21-30	3	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTBLK\_O: Total Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	435	1.4%
1-10	1-10	234	0.8%
11-20	11-20	50	0.2%
21-30	21-30	24	0.1%
31-40	31-40	13	0.0%
41-50	41-50	5	0.0%
51-75	51-75	13	0.0%
76-100	76-100	8	0.0%
101-250	101-250	14	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,445	30.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTBLK: Total Black clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	435	1.4%
1-10	1-10	233	0.8%
11-20	11-20	50	0.2%
21-30	21-30	24	0.1%
31-40	31-40	13	0.0%
41-50	41-50	7	0.0%
51-75	51-75	13	0.0%
76-100	76-100	7	0.0%
101-250	101-250	14	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,771	38.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACEPERBLK: Percent Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	257	0.8%
1-10	1-10	39	0.1%
11-20	11-20	31	0.1%
21-30	21-30	22	0.1%
31-40	31-40	16	0.1%
41-50	41-50	13	0.0%
51-60	51-60	7	0.0%
61-70	61-70	5	0.0%
71-80	71-80	6	0.0%
81-90	81-90	2	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPRACETOTHAWPAC\_O: Total Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	752	2.4%
1-10	1-10	39	0.1%
11-20	11-20	1	0.0%
21-30	21-30	2	0.0%
76-100	76-100	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,447	30.5%
Total		31,010	100%

Variable Type: numeric

IPRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	752	2.4%
1-10	1-10	39	0.1%
11-20	11-20	1	0.0%
21-30	21-30	2	0.0%
76-100	76-100	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,773	38.0%
Total		31,010	100%

Variable Type: numeric

IPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	367	1.2%
1-10	1-10	26	0.1%
11-20	11-20	3	0.0%
21-30	21-30	1	0.0%
100	100	1	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
Total		31,010	100%

Variable Type: numeric



**IPRACETOTWHIT\_O: Total White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	324	1.0%
1-10	1-10	191	0.6%
11-20	11-20	121	0.4%
21-30	21-30	44	0.1%
31-40	31-40	25	0.1%
41-50	41-50	17	0.1%
51-75	51-75	27	0.1%
76-100	76-100	15	0.0%
101-250	101-250	27	0.1%
251-500	251-500	5	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,445	30.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTWHIT: Total White clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	324	1.0%
1-10	1-10	190	0.6%
11-20	11-20	122	0.4%
21-30	21-30	44	0.1%
31-40	31-40	25	0.1%
41-50	41-50	19	0.1%
51-75	51-75	27	0.1%
76-100	76-100	14	0.0%
101-250	101-250	27	0.1%
251-500	251-500	5	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,770	38.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACEPERWHIT: Percent White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	244	0.8%
1-10	1-10	5	0.0%
11-20	11-20	8	0.0%
21-30	21-30	11	0.0%
31-40	31-40	21	0.1%
41-50	41-50	20	0.1%
51-60	51-60	16	0.1%
61-70	61-70	18	0.1%
71-80	71-80	25	0.1%
81-90	81-90	15	0.0%
91-99	91-99	7	0.0%
100	100	8	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTMR\_O: Total mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	665	2.1%
1-10	1-10	113	0.4%
11-20	11-20	10	0.0%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
76-100	76-100	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,447	30.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACETOTMR: Total mixed-race clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	665	2.1%
1-10	1-10	113	0.4%
11-20	11-20	10	0.0%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
76-100	76-100	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,773	38.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPRACEPERMR: Percent mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	324	1.0%
1-10	1-10	45	0.1%
11-20	11-20	20	0.1%
21-30	21-30	5	0.0%
41-50	41-50	1	0.0%
61-70	61-70	1	0.0%
71-80	71-80	1	0.0%
100	100	1	0.0%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPRACETOTUNK\_O: Total unknown race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	409	1.3%
1-10	1-10	180	0.6%
11-20	11-20	74	0.2%
21-30	21-30	45	0.1%
31-40	31-40	21	0.1%
41-50	41-50	15	0.0%
51-75	51-75	29	0.1%
76-100	76-100	12	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,768	67.0%
M	Missing Data	9,443	30.5%
	Total	31,010	100%

Variable Type: numeric

IPRACETOTUNK: Total unknown race clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	409	1.3%
1-10	1-10	182	0.6%
11-20	11-20	77	0.2%
21-30	21-30	46	0.1%
31-40	31-40	24	0.1%
41-50	41-50	15	0.0%
51-75	51-75	28	0.1%
76-100	76-100	12	0.0%
101-250	101-250	9	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	18,442	59.5%
M	Missing Data	11,762	37.9%
	Total	31,010	100%

Variable Type: numeric



**IPRACEPERUNK: Percent unknown race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	194	0.6%
1-10	1-10	34	0.1%
11-20	11-20	16	0.1%
21-30	21-30	1	0.0%
31-40	31-40	2	0.0%
41-50	41-50	2	0.0%
51-60	51-60	2	0.0%
61-70	61-70	1	0.0%
81-90	81-90	1	0.0%
100	100	145	0.5%
L	Logical Skip	22,427	72.3%
M	Missing Data	8,185	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPLEGALTOTVOL\_O: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	192	0.6%
1-10	1-10	288	0.9%
11-20	11-20	147	0.5%
21-30	21-30	48	0.2%
31-40	31-40	33	0.1%
41-50	41-50	23	0.1%
51-75	51-75	39	0.1%
76-100	76-100	18	0.1%
101-250	101-250	13	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,428	30.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

IPLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

Value	Label	Frequency	%
0	0	192	0.6%
1-10	1-10	292	0.9%
11-20	11-20	146	0.5%
21-30	21-30	54	0.2%
31-40	31-40	33	0.1%
41-50	41-50	25	0.1%
51-75	51-75	38	0.1%
76-100	76-100	16	0.1%
101-250	101-250	13	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,746	37.9%
	Total	31,010	100%

Variable Type: numeric

**IPLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	117	0.4%
1-10	1-10	34	0.1%
11-20	11-20	17	0.1%
21-30	21-30	21	0.1%
31-40	31-40	12	0.0%
41-50	41-50	21	0.1%
51-60	51-60	19	0.1%
61-70	61-70	35	0.1%
71-80	71-80	29	0.1%
81-90	81-90	33	0.1%
91-99	91-99	23	0.1%
100	100	48	0.2%
L	Logical Skip	22,411	72.3%
M	Missing Data	8,190	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPLEGALTOTNONFOREN\_O: Total clients/patients, involuntary (non-forensic) status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	303	1.0%
1-10	1-10	254	0.8%
11-20	11-20	102	0.3%
21-30	21-30	50	0.2%
31-40	31-40	22	0.1%
41-50	41-50	13	0.0%
51-75	51-75	23	0.1%
76-100	76-100	9	0.0%
101-250	101-250	20	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,428	30.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	303	1.0%
1-10	1-10	256	0.8%
11-20	11-20	104	0.3%
21-30	21-30	50	0.2%
31-40	31-40	22	0.1%
41-50	41-50	15	0.0%
51-75	51-75	22	0.1%
76-100	76-100	8	0.0%
101-250	101-250	20	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,750	37.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	154	0.5%
1-10	1-10	47	0.2%
11-20	11-20	25	0.1%
21-30	21-30	38	0.1%
31-40	31-40	27	0.1%
41-50	41-50	24	0.1%
51-60	51-60	11	0.0%
61-70	61-70	15	0.0%
71-80	71-80	13	0.0%
81-90	81-90	23	0.1%
91-99	91-99	15	0.0%
100	100	17	0.1%
L	Logical Skip	22,411	72.3%
M	Missing Data	8,190	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**ILEGALTOTFOREN\_O: Total clients/patients, involuntary (forensic) status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	705	2.3%
1-10	1-10	36	0.1%
11-20	11-20	8	0.0%
21-30	21-30	7	0.0%
31-40	31-40	7	0.0%
41-50	41-50	7	0.0%
51-75	51-75	7	0.0%
76-100	76-100	8	0.0%
101-250	101-250	13	0.0%
251-500	251-500	5	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	20,777	67.0%
M	Missing Data	9,428	30.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**ILEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)**

Value	Label	Frequency	%
0	0	705	2.3%
1-10	1-10	36	0.1%
11-20	11-20	10	0.0%
21-30	21-30	7	0.0%
31-40	31-40	6	0.0%
41-50	41-50	7	0.0%
51-75	51-75	7	0.0%
76-100	76-100	8	0.0%
101-250	101-250	13	0.0%
251-500	251-500	5	0.0%
501-1000	501-1000	2	0.0%
L	Logical Skip	18,451	59.5%
M	Missing Data	11,753	37.9%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**IPLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this 24-hour hospital inpatient facility (Q.D10c)**

Value	Label	Frequency	%
0	0	368	1.2%
1-10	1-10	22	0.1%
11-20	11-20	3	0.0%
31-40	31-40	3	0.0%
41-50	41-50	1	0.0%
51-60	51-60	4	0.0%
61-70	61-70	1	0.0%
71-80	71-80	2	0.0%
81-90	81-90	2	0.0%
91-99	91-99	2	0.0%
100	100	1	0.0%
L	Logical Skip	22,411	72.3%
M	Missing Data	8,190	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCSERV: Any clients received 24-hour residential mental health services, 3/31/2022 (Q.D11)**

Value	Label	Frequency	%
0	No	6,870	22.2%
1	Yes	1,168	3.8%
L	Logical Skip	13,597	43.8%
M	Missing Data	9,375	30.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCTOTAL\_O: Total number of 24-hour residential clients (Q.D11a)**

Value	Label	Frequency	%
0	0	282	0.9%
1-10	1-10	515	1.7%
11-20	11-20	265	0.9%
21-30	21-30	109	0.4%
31-40	31-40	70	0.2%
41-50	41-50	58	0.2%
51-75	51-75	58	0.2%
76-100	76-100	41	0.1%
101-250	101-250	31	0.1%
251-500	251-500	8	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	20,228	65.2%
M	Missing Data	9,344	30.1%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCTOTAL: Total number of 24-hour residential clients, unrolled (Q.D11a)**

Value	Label	Frequency	%
0	0	298	1.0%
1-10	1-10	548	1.8%
11-20	11-20	268	0.9%
21-30	21-30	117	0.4%
31-40	31-40	70	0.2%
41-50	41-50	61	0.2%
51-75	51-75	54	0.2%
76-100	76-100	37	0.1%
101-250	101-250	30	0.1%
251-500	251-500	8	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	17,941	57.9%
M	Missing Data	11,577	37.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RCBEDS\_O: Number of residential beds set up/staffed at facility (Q.D11b)

Value	Label	Frequency	%
0	0	52	0.2%
1-10	1-10	401	1.3%
11-20	11-20	300	1.0%
21-30	21-30	85	0.3%
31-40	31-40	88	0.3%
41-50	41-50	61	0.2%
51-75	51-75	96	0.3%
76-100	76-100	38	0.1%
101-250	101-250	37	0.1%
251-500	251-500	5	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	20,228	65.2%
M	Missing Data	9,616	31.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## RCBEDS: Number of residential beds set up/staffed at facility, unrolled (Q.D11b)

Value	Label	Frequency	%
0	0	64	0.2%
1-10	1-10	441	1.4%
11-20	11-20	305	1.0%
21-30	21-30	88	0.3%
31-40	31-40	91	0.3%
41-50	41-50	60	0.2%
51-75	51-75	93	0.3%
76-100	76-100	36	0.1%
101-250	101-250	36	0.1%
251-500	251-500	5	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	17,941	57.9%
M	Missing Data	11,847	38.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCSEXTOTM\_O: Total male clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	368	1.2%
1-10	1-10	417	1.3%
11-20	11-20	123	0.4%
21-30	21-30	63	0.2%
31-40	31-40	29	0.1%
41-50	41-50	22	0.1%
51-75	51-75	17	0.1%
76-100	76-100	6	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	20,568	66.3%
M	Missing Data	9,385	30.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



# RCSEXTOTM: Total male clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	375	1.2%
1-10	1-10	444	1.4%
11-20	11-20	132	0.4%
21-30	21-30	61	0.2%
31-40	31-40	30	0.1%
41-50	41-50	19	0.1%
51-75	51-75	16	0.1%
76-100	76-100	6	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	18,277	58.9%
M	Missing Data	11,638	37.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCSEXPERM: Percent male clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	313	1.0%
1-10	1-10	2	0.0%
11-20	11-20	21	0.1%
21-30	21-30	16	0.1%
31-40	31-40	22	0.1%
41-50	41-50	65	0.2%
51-60	51-60	47	0.2%
61-70	61-70	51	0.2%
71-80	71-80	24	0.1%
81-90	81-90	19	0.1%
91-99	91-99	6	0.0%
100	100	47	0.2%
L	Logical Skip	22,212	71.6%
M	Missing Data	8,165	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCSEXTOTF\_O: Total female clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	400	1.3%
1-10	1-10	456	1.5%
11-20	11-20	98	0.3%
21-30	21-30	50	0.2%
31-40	31-40	20	0.1%
41-50	41-50	16	0.1%
51-75	51-75	8	0.0%
76-100	76-100	4	0.0%
101-250	101-250	5	0.0%
L	Logical Skip	20,568	66.3%
M	Missing Data	9,385	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCSEXTOTF: Total female clients/patients at this 24-hour residential facility, unrolled (Q.D11c)**

Value	Label	Frequency	%
0	0	407	1.3%
1-10	1-10	486	1.6%
11-20	11-20	107	0.3%
21-30	21-30	46	0.1%
31-40	31-40	18	0.1%
41-50	41-50	18	0.1%
51-75	51-75	7	0.0%
76-100	76-100	3	0.0%
101-250	101-250	5	0.0%
L	Logical Skip	18,277	58.9%
M	Missing Data	11,636	37.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCSEXPFRF: Percent female clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	323	1.0%
1-10	1-10	15	0.0%
11-20	11-20	21	0.1%
21-30	21-30	34	0.1%
31-40	31-40	55	0.2%
41-50	41-50	74	0.2%
51-60	51-60	27	0.1%
61-70	61-70	18	0.1%
71-80	71-80	26	0.1%
81-90	81-90	2	0.0%
91-99	91-99	1	0.0%
100	100	37	0.1%
L	Logical Skip	22,212	71.6%
M	Missing Data	8,165	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGETOT017\_O: Total clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	731	2.4%
1-10	1-10	134	0.4%
11-20	11-20	61	0.2%
21-30	21-30	53	0.2%
31-40	31-40	30	0.1%
41-50	41-50	19	0.1%
51-75	51-75	26	0.1%
76-100	76-100	12	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	20,566	66.3%
M	Missing Data	9,373	30.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGETOT017: Total clients/patients 0-17 years at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	730	2.4%
1-10	1-10	135	0.4%
11-20	11-20	67	0.2%
21-30	21-30	50	0.2%
31-40	31-40	31	0.1%
41-50	41-50	21	0.1%
51-75	51-75	26	0.1%
76-100	76-100	11	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	18,275	58.9%
M	Missing Data	11,659	37.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGEPER017: Percent clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	492	1.6%
1-10	1-10	1	0.0%
11-20	11-20	4	0.0%
21-30	21-30	4	0.0%
31-40	31-40	3	0.0%
41-50	41-50	2	0.0%
51-60	51-60	2	0.0%
61-70	61-70	1	0.0%
71-80	71-80	3	0.0%
81-90	81-90	3	0.0%
91-99	91-99	13	0.0%
100	100	92	0.3%
L	Logical Skip	22,221	71.7%
M	Missing Data	8,169	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



# RCAGETOT1864\_O: Total clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	529	1.7%
1-10	1-10	317	1.0%
11-20	11-20	129	0.4%
21-30	21-30	25	0.1%
31-40	31-40	25	0.1%
41-50	41-50	15	0.0%
51-75	51-75	12	0.0%
76-100	76-100	6	0.0%
101-250	101-250	8	0.0%
251-500	251-500	5	0.0%
L	Logical Skip	20,566	66.3%
M	Missing Data	9,373	30.2%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGETOT1864: Total clients/patients 18-64 years at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	533	1.7%
1-10	1-10	349	1.1%
11-20	11-20	129	0.4%
21-30	21-30	31	0.1%
31-40	31-40	20	0.1%
41-50	41-50	16	0.1%
51-75	51-75	11	0.0%
76-100	76-100	4	0.0%
101-250	101-250	8	0.0%
251-500	251-500	5	0.0%
L	Logical Skip	18,275	58.9%
M	Missing Data	11,629	37.5%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGEPER1864: Percent clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	377	1.2%
1-10	1-10	6	0.0%
11-20	11-20	2	0.0%
21-30	21-30	4	0.0%
31-40	31-40	1	0.0%
41-50	41-50	5	0.0%
51-60	51-60	6	0.0%
61-70	61-70	14	0.0%
71-80	71-80	30	0.1%
81-90	81-90	44	0.1%
91-99	91-99	34	0.1%
100	100	98	0.3%
L	Logical Skip	22,220	71.7%
M	Missing Data	8,169	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGETOT65\_O: Total clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	873	2.8%
1-10	1-10	173	0.6%
11-20	11-20	15	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
41-50	41-50	4	0.0%
51-75	51-75	1	0.0%
76-100	76-100	1	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	20,566	66.3%
M	Missing Data	9,373	30.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGETOT65: Total clients/patients 65 plus years at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	877	2.8%
1-10	1-10	190	0.6%
11-20	11-20	13	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
41-50	41-50	4	0.0%
51-75	51-75	1	0.0%
76-100	76-100	1	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	18,275	58.9%
M	Missing Data	11,645	37.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCAGEPER65: Percent clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	496	1.6%
1-10	1-10	62	0.2%
11-20	11-20	36	0.1%
21-30	21-30	12	0.0%
31-40	31-40	10	0.0%
41-50	41-50	3	0.0%
61-70	61-70	1	0.0%
100	100	1	0.0%
L	Logical Skip	22,220	71.7%
M	Missing Data	8,169	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCETHTOTISP\_O: Total Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	718	2.3%
1-10	1-10	282	0.9%
11-20	11-20	22	0.1%
21-30	21-30	9	0.0%
31-40	31-40	5	0.0%
41-50	41-50	1	0.0%
51-75	51-75	1	0.0%
L	Logical Skip	20,555	66.3%
M	Missing Data	9,417	30.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCETHTOTISP: Total Hispanic clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	721	2.3%
1-10	1-10	303	1.0%
11-20	11-20	21	0.1%
21-30	21-30	8	0.0%
31-40	31-40	5	0.0%
41-50	41-50	1	0.0%
51-75	51-75	1	0.0%
L	Logical Skip	18,264	58.9%
M	Missing Data	11,686	37.7%
Total		31,010	100%

Variable Type: numeric



# RCETHPERHISP: Percent Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	469	1.5%
1-10	1-10	80	0.3%
11-20	11-20	27	0.1%
21-30	21-30	22	0.1%
31-40	31-40	5	0.0%
41-50	41-50	5	0.0%
51-60	51-60	7	0.0%
71-80	71-80	3	0.0%
L	Logical Skip	22,224	71.7%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCETHTOTNONHISP\_O: Total non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	457	1.5%
1-10	1-10	299	1.0%
11-20	11-20	135	0.4%
21-30	21-30	56	0.2%
31-40	31-40	27	0.1%
41-50	41-50	21	0.1%
51-75	51-75	24	0.1%
76-100	76-100	8	0.0%
101-250	101-250	6	0.0%
251-500	251-500	4	0.0%
L	Logical Skip	20,555	66.3%
M	Missing Data	9,418	30.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	467	1.5%
1-10	1-10	315	1.0%
11-20	11-20	139	0.4%
21-30	21-30	62	0.2%
31-40	31-40	27	0.1%
41-50	41-50	20	0.1%
51-75	51-75	21	0.1%
76-100	76-100	7	0.0%
101-250	101-250	6	0.0%
251-500	251-500	4	0.0%
L	Logical Skip	18,264	58.9%
M	Missing Data	11,678	37.7%
	Total	31,010	100%

Variable Type: numeric

# RCETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	414	1.3%
1-10	1-10	1	0.0%
11-20	11-20	3	0.0%
21-30	21-30	7	0.0%
31-40	31-40	8	0.0%
41-50	41-50	7	0.0%
51-60	51-60	6	0.0%
61-70	61-70	16	0.1%
71-80	71-80	30	0.1%
81-90	81-90	32	0.1%
91-99	91-99	46	0.1%
100	100	48	0.2%
L	Logical Skip	22,224	71.7%
M	Missing Data	8,168	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCETHTOTUNK\_O: Total unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	805	2.6%
1-10	1-10	124	0.4%
11-20	11-20	40	0.1%
21-30	21-30	20	0.1%
31-40	31-40	14	0.0%
41-50	41-50	6	0.0%
51-75	51-75	13	0.0%
76-100	76-100	7	0.0%
101-250	101-250	5	0.0%
251-500	251-500	3	0.0%
L	Logical Skip	20,555	66.3%
M	Missing Data	9,418	30.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	803	2.6%
1-10	1-10	137	0.4%
11-20	11-20	39	0.1%
21-30	21-30	21	0.1%
31-40	31-40	14	0.0%
41-50	41-50	8	0.0%
51-75	51-75	12	0.0%
76-100	76-100	6	0.0%
101-250	101-250	5	0.0%
251-500	251-500	3	0.0%
L	Logical Skip	18,264	58.9%
M	Missing Data	11,698	37.7%
	Total	31,010	100%

Variable Type: numeric

# RCETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	427	1.4%
1-10	1-10	29	0.1%
11-20	11-20	8	0.0%
21-30	21-30	1	0.0%
31-40	31-40	2	0.0%
41-50	41-50	2	0.0%
51-60	51-60	3	0.0%
61-70	61-70	3	0.0%
71-80	71-80	5	0.0%
81-90	81-90	3	0.0%
100	100	135	0.4%
L	Logical Skip	22,224	71.7%
M	Missing Data	8,168	26.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCRACETOTINDIAN\_O: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	938	3.0%
1-10	1-10	102	0.3%
11-20	11-20	5	0.0%
21-30	21-30	1	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,408	30.3%
	Total	31,010	100%

Variable Type: numeric



RCRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	939	3.0%
1-10	1-10	104	0.3%
11-20	11-20	5	0.0%
21-30	21-30	1	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,696	37.7%
	Total	31,010	100%

Variable Type: numeric

RCRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	543	1.8%
1-10	1-10	53	0.2%
11-20	11-20	8	0.0%
21-30	21-30	7	0.0%
31-40	31-40	3	0.0%
71-80	71-80	3	0.0%
100	100	1	0.0%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
Total		31,010	100%

Variable Type: numeric

RCRACETOTASIAN\_O: Total Asian clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	934	3.0%
1-10	1-10	104	0.3%
11-20	11-20	7	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,409	30.3%
Total		31,010	100%

Variable Type: numeric

RCRACETOTASIAN: Total Asian clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	938	3.0%
1-10	1-10	106	0.3%
11-20	11-20	7	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,694	37.7%
Total		31,010	100%

Variable Type: numeric

**RCRACEPERASIAN: Percent Asian clients/patients at this 24-hour residential facility (Q.D11c)**

Value	Label	Frequency	%
0	0	544	1.8%
1-10	1-10	69	0.2%
11-20	11-20	4	0.0%
21-30	21-30	1	0.0%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACETOTBLK\_O: Total Black clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	587	1.9%
1-10	1-10	395	1.3%
11-20	11-20	35	0.1%
21-30	21-30	12	0.0%
31-40	31-40	5	0.0%
41-50	41-50	2	0.0%
51-75	51-75	5	0.0%
76-100	76-100	3	0.0%
101-250	101-250	3	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,407	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACETOTBLK: Total Black clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	593	1.9%
1-10	1-10	404	1.3%
11-20	11-20	38	0.1%
21-30	21-30	11	0.0%
31-40	31-40	5	0.0%
41-50	41-50	2	0.0%
51-75	51-75	5	0.0%
76-100	76-100	3	0.0%
101-250	101-250	3	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,681	37.7%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACEPERBLK: Percent Black clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	451	1.5%
1-10	1-10	60	0.2%
11-20	11-20	39	0.1%
21-30	21-30	22	0.1%
31-40	31-40	20	0.1%
41-50	41-50	10	0.0%
51-60	51-60	5	0.0%
61-70	61-70	7	0.0%
71-80	71-80	3	0.0%
81-90	81-90	1	0.0%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



RCRACETOTHAWPAC\_O: Total Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	1,004	3.2%
1-10	1-10	38	0.1%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,409	30.3%
Total		31,010	100%

Variable Type: numeric

RCRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	1,003	3.2%
1-10	1-10	41	0.1%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,698	37.7%
Total		31,010	100%

Variable Type: numeric

RCRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	590	1.9%
1-10	1-10	28	0.1%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACETOTWHIT\_O: Total White clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	433	1.4%
1-10	1-10	404	1.3%
11-20	11-20	107	0.3%
21-30	21-30	47	0.2%
31-40	31-40	19	0.1%
41-50	41-50	14	0.0%
51-75	51-75	18	0.1%
101-250	101-250	7	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,405	30.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCRACETOTWHIT: Total White clients/patients at this 24-hour residential facility, unrolled (Q.D11c)**

Value	Label	Frequency	%
0	0	439	1.4%
1-10	1-10	423	1.4%
11-20	11-20	115	0.4%
21-30	21-30	42	0.1%
31-40	31-40	21	0.1%
41-50	41-50	14	0.0%
51-75	51-75	16	0.1%
101-250	101-250	7	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,668	37.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACEPERWHIT: Percent White clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	411	1.3%
1-10	1-10	3	0.0%
11-20	11-20	5	0.0%
21-30	21-30	9	0.0%
31-40	31-40	23	0.1%
41-50	41-50	31	0.1%
51-60	51-60	24	0.1%
61-70	61-70	25	0.1%
71-80	71-80	42	0.1%
81-90	81-90	16	0.1%
91-99	91-99	17	0.1%
100	100	13	0.0%
L	Logical Skip	22,227	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCRACETOTMR\_O: Total mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	826	2.7%
1-10	1-10	217	0.7%
11-20	11-20	3	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,407	30.3%
	Total	31,010	100%

Variable Type: numeric

RCRACETOTMR: Total mixed-race clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	828	2.7%
1-10	1-10	222	0.7%
11-20	11-20	3	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,691	37.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## RCRACEPERMR: Percent mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	509	1.6%
1-10	1-10	76	0.2%
11-20	11-20	25	0.1%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	2	0.0%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# RCRACETOTUNK\_O: Total unknown race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	805	2.6%
1-10	1-10	141	0.5%
11-20	11-20	43	0.1%
21-30	21-30	14	0.0%
31-40	31-40	17	0.1%
41-50	41-50	5	0.0%
51-75	51-75	12	0.0%
76-100	76-100	4	0.0%
101-250	101-250	5	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	20,556	66.3%
M	Missing Data	9,406	30.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCRACETOTUNK: Total unknown race clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	805	2.6%
1-10	1-10	154	0.5%
11-20	11-20	45	0.1%
21-30	21-30	15	0.0%
31-40	31-40	16	0.1%
41-50	41-50	7	0.0%
51-75	51-75	11	0.0%
76-100	76-100	3	0.0%
101-250	101-250	5	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	18,265	58.9%
M	Missing Data	11,682	37.7%
	Total	31,010	100%

Variable Type: numeric

# RCRACEPERUNK: Percent unknown race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	417	1.3%
1-10	1-10	41	0.1%
11-20	11-20	6	0.0%
21-30	21-30	7	0.0%
31-40	31-40	3	0.0%
41-50	41-50	4	0.0%
51-60	51-60	4	0.0%
61-70	61-70	1	0.0%
71-80	71-80	1	0.0%
100	100	134	0.4%
L	Logical Skip	22,228	71.7%
M	Missing Data	8,164	26.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCLEGALTOTVOL\_O: Total clients/patients with voluntary legal status at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	376	1.2%
1-10	1-10	360	1.2%
11-20	11-20	138	0.4%
21-30	21-30	51	0.2%
31-40	31-40	38	0.1%
41-50	41-50	29	0.1%
51-75	51-75	32	0.1%
76-100	76-100	17	0.1%
101-250	101-250	9	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	20,551	66.3%
M	Missing Data	9,407	30.3%
	Total	31,010	100%

Variable Type: numeric

**RCLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour residential facility, unrolled (Q.D11c)**

Value	Label	Frequency	%
0	0	380	1.2%
1-10	1-10	382	1.2%
11-20	11-20	145	0.5%
21-30	21-30	60	0.2%
31-40	31-40	37	0.1%
41-50	41-50	31	0.1%
51-75	51-75	29	0.1%
76-100	76-100	14	0.0%
101-250	101-250	9	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	18,260	58.9%
M	Missing Data	11,661	37.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

RCLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	312	1.0%
1-10	1-10	7	0.0%
11-20	11-20	3	0.0%
21-30	21-30	4	0.0%
31-40	31-40	1	0.0%
41-50	41-50	6	0.0%
51-60	51-60	7	0.0%
61-70	61-70	4	0.0%
71-80	71-80	14	0.0%
81-90	81-90	7	0.0%
91-99	91-99	5	0.0%
100	100	245	0.8%
L	Logical Skip	22,214	71.6%
M	Missing Data	8,181	26.4%
	Total	31,010	100%

Variable Type: numeric

**RCLEGALTOTNONFOREN\_O: Total clients/patients, involuntary (non-forensic) status at this 24-hour residential facility (Q.D11c)**

Value	Label	Frequency	%
0	0	867	2.8%
1-10	1-10	115	0.4%
11-20	11-20	30	0.1%
21-30	21-30	18	0.1%
31-40	31-40	7	0.0%
41-50	41-50	8	0.0%
51-75	51-75	5	0.0%
101-250	101-250	3	0.0%
L	Logical Skip	20,551	66.3%
M	Missing Data	9,406	30.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



RCLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this 24-hour residential facility, unrolled (Q.D11c)

Value	Label	Frequency	%
0	0	864	2.8%
1-10	1-10	118	0.4%
11-20	11-20	30	0.1%
21-30	21-30	18	0.1%
31-40	31-40	7	0.0%
41-50	41-50	8	0.0%
51-75	51-75	5	0.0%
101-250	101-250	3	0.0%
L	Logical Skip	18,260	58.9%
M	Missing Data	11,697	37.7%
	Total	31,010	100%

Variable Type: numeric

**RCLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this 24-hour residential facility (Q.D11c)**

Value	Label	Frequency	%
0	0	546	1.8%
1-10	1-10	3	0.0%
11-20	11-20	6	0.0%
21-30	21-30	4	0.0%
31-40	31-40	7	0.0%
41-50	41-50	9	0.0%
61-70	61-70	4	0.0%
71-80	71-80	2	0.0%
81-90	81-90	8	0.0%
91-99	91-99	7	0.0%
100	100	18	0.1%
L	Logical Skip	22,215	71.6%
M	Missing Data	8,181	26.4%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCLEGALTOTFOREN\_O: Total clients/patients, involuntary (forensic) status at this 24-hour residential facility (Q.D11c)**

Value	Label	Frequency	%
0	0	947	3.1%
1-10	1-10	66	0.2%
11-20	11-20	20	0.1%
21-30	21-30	6	0.0%
31-40	31-40	4	0.0%
41-50	41-50	2	0.0%
76-100	76-100	2	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	20,551	66.3%
M	Missing Data	9,407	30.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCLEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this 24-hour residential facility, unrolled (Q.D11c)**

Value	Label	Frequency	%
0	0	946	3.1%
1-10	1-10	73	0.2%
11-20	11-20	19	0.1%
21-30	21-30	5	0.0%
31-40	31-40	4	0.0%
41-50	41-50	2	0.0%
76-100	76-100	2	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
L	Logical Skip	18,260	58.9%
M	Missing Data	11,694	37.7%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**RCLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this 24-hour residential facility (Q.D11c)**

Value	Label	Frequency	%
0	0	571	1.8%
1-10	1-10	20	0.1%
11-20	11-20	9	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
51-60	51-60	1	0.0%
71-80	71-80	1	0.0%
100	100	9	0.0%
L	Logical Skip	22,215	71.6%
M	Missing Data	8,181	26.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPSERV: Any clients received less than 24-hour mental health services, 3/31/2022 (Q.D12)**

Value	Label	Frequency	%
0	No	4,287	13.8%
1	Yes	3,627	11.7%
L	Logical Skip	13,597	43.8%
M	Missing Data	9,499	30.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPTOTAL\_O: Total number of less than 24-hour clients (Q.D12a)**

Value	Label	Frequency	%
0	0	2,631	8.5%
1-10	1-10	229	0.7%
11-20	11-20	191	0.6%
21-30	21-30	156	0.5%
31-40	31-40	120	0.4%
41-50	41-50	137	0.4%
51-75	51-75	249	0.8%
76-100	76-100	223	0.7%
101-250	101-250	712	2.3%
251-500	251-500	519	1.7%
501-1000	501-1000	484	1.6%
1001-1500	1001-1500	196	0.6%
1501 +	1501 +	285	0.9%
L	Logical Skip	15,508	50.0%
M	Missing Data	9,370	30.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPTOTAL: Total number of less than 24-hour clients, unrolled (Q.D12a)**

Value	Label	Frequency	%
0	0	2,615	8.4%
1-10	1-10	274	0.9%
11-20	11-20	225	0.7%
21-30	21-30	197	0.6%
31-40	31-40	133	0.4%
41-50	41-50	163	0.5%
51-75	51-75	302	1.0%
76-100	76-100	263	0.8%
101-250	101-250	837	2.7%
251-500	251-500	661	2.1%
501-1000	501-1000	607	2.0%
1001-1500	1001-1500	212	0.7%
1501 +	1501 +	244	0.8%
L	Logical Skip	13,537	43.7%
M	Missing Data	10,740	34.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**OPSEXTOTM\_O: Total male clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,554	8.2%
1-10	1-10	273	0.9%
11-20	11-20	145	0.5%
21-30	21-30	123	0.4%
31-40	31-40	118	0.4%
41-50	41-50	75	0.2%
51-75	51-75	168	0.5%
76-100	76-100	118	0.4%
101-250	101-250	367	1.2%
251-500	251-500	223	0.7%
501-1000	501-1000	137	0.4%
1001-1500	1001-1500	43	0.1%
1501 +	1501 +	55	0.2%
L	Logical Skip	17,005	54.8%
M	Missing Data	9,606	31.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPSEXTOTM: Total male clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,541	8.2%
1-10	1-10	361	1.2%
11-20	11-20	199	0.6%
21-30	21-30	164	0.5%
31-40	31-40	149	0.5%
41-50	41-50	113	0.4%
51-75	51-75	253	0.8%
76-100	76-100	148	0.5%
101-250	101-250	491	1.6%
251-500	251-500	357	1.2%
501-1000	501-1000	153	0.5%
1001-1500	1001-1500	31	0.1%
1501 +	1501 +	27	0.1%
L	Logical Skip	15,020	48.4%
M	Missing Data	11,003	35.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPSEXPERM: Percent male clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,542	8.2%
1-10	1-10	13	0.0%
11-20	11-20	37	0.1%
21-30	21-30	127	0.4%
31-40	31-40	364	1.2%
41-50	41-50	580	1.9%
51-60	51-60	269	0.9%
61-70	61-70	104	0.3%
71-80	71-80	54	0.2%
81-90	81-90	31	0.1%
91-99	91-99	10	0.0%
100	100	5	0.0%
L	Logical Skip	18,539	59.8%
M	Missing Data	8,335	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPSEXTOTF\_O: Total female clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,560	8.3%
1-10	1-10	242	0.8%
11-20	11-20	162	0.5%
21-30	21-30	111	0.4%
31-40	31-40	95	0.3%
41-50	41-50	79	0.3%
51-75	51-75	155	0.5%
76-100	76-100	111	0.4%
101-250	101-250	350	1.1%
251-500	251-500	237	0.8%
501-1000	501-1000	189	0.6%
1001-1500	1001-1500	49	0.2%
1501 +	1501 +	57	0.2%
L	Logical Skip	17,005	54.8%
M	Missing Data	9,608	31.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPSEXTOTF: Total female clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,542	8.2%
1-10	1-10	344	1.1%
11-20	11-20	197	0.6%
21-30	21-30	149	0.5%
31-40	31-40	127	0.4%
41-50	41-50	121	0.4%
51-75	51-75	212	0.7%
76-100	76-100	166	0.5%
101-250	101-250	519	1.7%
251-500	251-500	329	1.1%
501-1000	501-1000	197	0.6%
1001-1500	1001-1500	48	0.2%
1501 +	1501 +	28	0.1%
L	Logical Skip	15,020	48.4%
M	Missing Data	11,011	35.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPSEXPERF: Percent female clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,543	8.2%
1-10	1-10	22	0.1%
11-20	11-20	38	0.1%
21-30	21-30	71	0.2%
31-40	31-40	163	0.5%
41-50	41-50	404	1.3%
51-60	51-60	562	1.8%
61-70	61-70	228	0.7%
71-80	71-80	86	0.3%
81-90	81-90	6	0.0%
91-99	91-99	9	0.0%
100	100	4	0.0%
L	Logical Skip	18,539	59.8%
M	Missing Data	8,335	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT017\_O: Total clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,022	9.7%
1-10	1-10	222	0.7%
11-20	11-20	126	0.4%
21-30	21-30	99	0.3%
31-40	31-40	82	0.3%
41-50	41-50	56	0.2%
51-75	51-75	113	0.4%
76-100	76-100	88	0.3%
101-250	101-250	282	0.9%
251-500	251-500	146	0.5%
501-1000	501-1000	103	0.3%
1001-1500	1001-1500	21	0.1%
1501 +	1501 +	33	0.1%
L	Logical Skip	17,013	54.9%
M	Missing Data	9,604	31.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT017: Total clients/patients 0-17 years at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,021	9.7%
1-10	1-10	298	1.0%
11-20	11-20	169	0.5%
21-30	21-30	158	0.5%
31-40	31-40	123	0.4%
41-50	41-50	89	0.3%
51-75	51-75	170	0.5%
76-100	76-100	112	0.4%
101-250	101-250	428	1.4%
251-500	251-500	205	0.7%
501-1000	501-1000	80	0.3%
1001-1500	1001-1500	10	0.0%
1501 +	1501 +	21	0.1%
L	Logical Skip	15,028	48.5%
M	Missing Data	11,098	35.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



# OPAGEPER017: Percent clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,024	9.8%
1-10	1-10	180	0.6%
11-20	11-20	224	0.7%
21-30	21-30	169	0.5%
31-40	31-40	108	0.3%
41-50	41-50	85	0.3%
51-60	51-60	40	0.1%
61-70	61-70	49	0.2%
71-80	71-80	51	0.2%
81-90	81-90	67	0.2%
91-99	91-99	71	0.2%
100	100	74	0.2%
L	Logical Skip	18,536	59.8%
M	Missing Data	8,332	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT1864\_O: Total clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,673	8.6%
1-10	1-10	220	0.7%
11-20	11-20	123	0.4%
21-30	21-30	101	0.3%
31-40	31-40	88	0.3%
41-50	41-50	72	0.2%
51-75	51-75	138	0.4%
76-100	76-100	110	0.4%
101-250	101-250	324	1.0%
251-500	251-500	230	0.7%
501-1000	501-1000	157	0.5%
1001-1500	1001-1500	74	0.2%
1501 +	1501 +	83	0.3%
L	Logical Skip	17,013	54.9%
M	Missing Data	9,604	31.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT1864: Total clients/patients 18-64 years at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,665	8.6%
1-10	1-10	296	1.0%
11-20	11-20	173	0.6%
21-30	21-30	146	0.5%
31-40	31-40	120	0.4%
41-50	41-50	109	0.4%
51-75	51-75	187	0.6%
76-100	76-100	139	0.4%
101-250	101-250	464	1.5%
251-500	251-500	335	1.1%
501-1000	501-1000	198	0.6%
1001-1500	1001-1500	73	0.2%
1501 +	1501 +	55	0.2%
L	Logical Skip	15,028	48.5%
M	Missing Data	11,022	35.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGEPER1864: Percent clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,614	8.4%
1-10	1-10	113	0.4%
11-20	11-20	57	0.2%
21-30	21-30	73	0.2%
31-40	31-40	73	0.2%
41-50	41-50	121	0.4%
51-60	51-60	152	0.5%
61-70	61-70	207	0.7%
71-80	71-80	281	0.9%
81-90	81-90	226	0.7%
91-99	91-99	151	0.5%
100	100	74	0.2%
L	Logical Skip	18,536	59.8%
M	Missing Data	8,332	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT65\_O: Total clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,156	10.2%
1-10	1-10	466	1.5%
11-20	11-20	194	0.6%
21-30	21-30	108	0.3%
31-40	31-40	70	0.2%
41-50	41-50	67	0.2%
51-75	51-75	90	0.3%
76-100	76-100	62	0.2%
101-250	101-250	125	0.4%
251-500	251-500	34	0.1%
501-1000	501-1000	12	0.0%
1001-1500	1001-1500	5	0.0%
1501 +	1501 +	3	0.0%
L	Logical Skip	17,013	54.9%
M	Missing Data	9,605	31.0%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGETOT65: Total clients/patients 65 plus years at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,159	10.2%
1-10	1-10	682	2.2%
11-20	11-20	260	0.8%
21-30	21-30	192	0.6%
31-40	31-40	111	0.4%
41-50	41-50	87	0.3%
51-75	51-75	131	0.4%
76-100	76-100	70	0.2%
101-250	101-250	136	0.4%
251-500	251-500	22	0.1%
501-1000	501-1000	7	0.0%
1001-1500	1001-1500	3	0.0%
1501 +	1501 +	2	0.0%
L	Logical Skip	15,028	48.5%
M	Missing Data	11,120	35.9%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPAGEPER65: Percent clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,978	9.6%
1-10	1-10	733	2.4%
11-20	11-20	252	0.8%
21-30	21-30	95	0.3%
31-40	31-40	35	0.1%
41-50	41-50	19	0.1%
51-60	51-60	9	0.0%
61-70	61-70	4	0.0%
71-80	71-80	5	0.0%
81-90	81-90	5	0.0%
91-99	91-99	6	0.0%
100	100	1	0.0%
L	Logical Skip	18,536	59.8%
M	Missing Data	8,332	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPETHTOTISP\_O: Total Hispanic clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,026	9.8%
1-10	1-10	545	1.8%
11-20	11-20	176	0.6%
21-30	21-30	105	0.3%
31-40	31-40	60	0.2%
41-50	41-50	54	0.2%
51-75	51-75	87	0.3%
76-100	76-100	68	0.2%
101-250	101-250	138	0.4%
251-500	251-500	53	0.2%
501-1000	501-1000	29	0.1%
1001-1500	1001-1500	5	0.0%
1501 +	1501 +	10	0.0%
L	Logical Skip	16,975	54.7%
M	Missing Data	9,679	31.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**OPETHTOTISP: Total Hispanic clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,026	9.8%
1-10	1-10	749	2.4%
11-20	11-20	245	0.8%
21-30	21-30	149	0.5%
31-40	31-40	99	0.3%
41-50	41-50	93	0.3%
51-75	51-75	99	0.3%
76-100	76-100	100	0.3%
101-250	101-250	146	0.5%
251-500	251-500	56	0.2%
501-1000	501-1000	21	0.1%
1001-1500	1001-1500	4	0.0%
1501 +	1501 +	11	0.0%
L	Logical Skip	14,990	48.3%
M	Missing Data	11,222	36.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPETHPERHISP: Percent Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,085	9.9%
1-10	1-10	510	1.6%
11-20	11-20	180	0.6%
21-30	21-30	119	0.4%
31-40	31-40	68	0.2%
41-50	41-50	38	0.1%
51-60	51-60	36	0.1%
61-70	61-70	17	0.1%
71-80	71-80	22	0.1%
81-90	81-90	14	0.0%
91-99	91-99	4	0.0%
100	100	8	0.0%
L	Logical Skip	18,563	59.9%
M	Missing Data	8,346	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPETHTOTNONHISP\_O: Total non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,827	9.1%
1-10	1-10	146	0.5%
11-20	11-20	100	0.3%
21-30	21-30	81	0.3%
31-40	31-40	55	0.2%
41-50	41-50	62	0.2%
51-75	51-75	137	0.4%
76-100	76-100	84	0.3%
101-250	101-250	312	1.0%
251-500	251-500	221	0.7%
501-1000	501-1000	166	0.5%
1001-1500	1001-1500	70	0.2%
1501 +	1501 +	96	0.3%
L	Logical Skip	16,975	54.7%
M	Missing Data	9,678	31.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPETHTOTNONHISP: Total non-Hispanic clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,809	9.1%
1-10	1-10	177	0.6%
11-20	11-20	146	0.5%
21-30	21-30	108	0.3%
31-40	31-40	79	0.3%
41-50	41-50	77	0.2%
51-75	51-75	175	0.6%
76-100	76-100	127	0.4%
101-250	101-250	424	1.4%
251-500	251-500	355	1.1%
501-1000	501-1000	206	0.7%
1001-1500	1001-1500	58	0.2%
1501 +	1501 +	74	0.2%
L	Logical Skip	14,990	48.3%
M	Missing Data	11,205	36.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPETHPERNONHISP: Percent non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,004	9.7%
1-10	1-10	23	0.1%
11-20	11-20	24	0.1%
21-30	21-30	44	0.1%
31-40	31-40	55	0.2%
41-50	41-50	42	0.1%
51-60	51-60	88	0.3%
61-70	61-70	113	0.4%
71-80	71-80	144	0.5%
81-90	81-90	194	0.6%
91-99	91-99	294	0.9%
100	100	76	0.2%
L	Logical Skip	18,563	59.9%
M	Missing Data	8,346	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPETHTOTUNK\_O: Total unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,234	10.4%
1-10	1-10	318	1.0%
11-20	11-20	131	0.4%
21-30	21-30	90	0.3%
31-40	31-40	77	0.2%
41-50	41-50	52	0.2%
51-75	51-75	85	0.3%
76-100	76-100	61	0.2%
101-250	101-250	129	0.4%
251-500	251-500	73	0.2%
501-1000	501-1000	64	0.2%
1001-1500	1001-1500	22	0.1%
1501 +	1501 +	22	0.1%
L	Logical Skip	16,975	54.7%
M	Missing Data	9,677	31.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPETHTOTUNK: Total unknown ethnicity clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,224	10.4%
1-10	1-10	443	1.4%
11-20	11-20	157	0.5%
21-30	21-30	109	0.4%
31-40	31-40	126	0.4%
41-50	41-50	70	0.2%
51-75	51-75	104	0.3%
76-100	76-100	74	0.2%
101-250	101-250	191	0.6%
251-500	251-500	116	0.4%
501-1000	501-1000	66	0.2%
1001-1500	1001-1500	29	0.1%
1501 +	1501 +	11	0.0%
L	Logical Skip	14,990	48.3%
M	Missing Data	11,300	36.4%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPETHPERUNK: Percent unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,134	10.1%
1-10	1-10	306	1.0%
11-20	11-20	80	0.3%
21-30	21-30	44	0.1%
31-40	31-40	25	0.1%
41-50	41-50	9	0.0%
51-60	51-60	8	0.0%
61-70	61-70	17	0.1%
71-80	71-80	9	0.0%
81-90	81-90	8	0.0%
91-99	91-99	10	0.0%
100	100	451	1.5%
L	Logical Skip	18,563	59.9%
M	Missing Data	8,346	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



OPRACETOTINDIAN\_O: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,550	11.4%
1-10	1-10	616	2.0%
11-20	11-20	75	0.2%
21-30	21-30	35	0.1%
31-40	31-40	15	0.0%
41-50	41-50	6	0.0%
51-75	51-75	15	0.0%
76-100	76-100	6	0.0%
101-250	101-250	21	0.1%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,713	31.3%
	Total	31,010	100%

Variable Type: numeric

OPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

Value	Label	Frequency	%
0	0	3,573	11.5%
1-10	1-10	860	2.8%
11-20	11-20	82	0.3%
21-30	21-30	52	0.2%
31-40	31-40	10	0.0%
41-50	41-50	7	0.0%
51-75	51-75	43	0.1%
76-100	76-100	5	0.0%
101-250	101-250	16	0.1%
251-500	251-500	4	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,389	36.7%
	Total	31,010	100%

Variable Type: numeric

OPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,607	11.6%
1-10	1-10	425	1.4%
11-20	11-20	22	0.1%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
51-60	51-60	1	0.0%
61-70	61-70	2	0.0%
71-80	71-80	4	0.0%
100	100	9	0.0%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
Total		31,010	100%

Variable Type: numeric

# OPRACETOTASIAN\_O: Total Asian clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,531	11.4%
1-10	1-10	621	2.0%
11-20	11-20	89	0.3%
21-30	21-30	37	0.1%
31-40	31-40	15	0.0%
41-50	41-50	10	0.0%
51-75	51-75	12	0.0%
76-100	76-100	5	0.0%
101-250	101-250	23	0.1%
251-500	251-500	2	0.0%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,713	31.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPRACETOTASIAN: Total Asian clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

Value	Label	Frequency	%
0	0	3,585	11.6%
1-10	1-10	834	2.7%
11-20	11-20	115	0.4%
21-30	21-30	53	0.2%
31-40	31-40	19	0.1%
41-50	41-50	11	0.0%
51-75	51-75	11	0.0%
76-100	76-100	3	0.0%
101-250	101-250	13	0.0%
251-500	251-500	2	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,395	36.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPRACEPERASIAN: Percent Asian clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,450	11.1%
1-10	1-10	593	1.9%
11-20	11-20	21	0.1%
21-30	21-30	5	0.0%
31-40	31-40	4	0.0%
41-50	41-50	2	0.0%
91-99	91-99	1	0.0%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPRACETOTBLK\_O: Total Black clients/patients at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	2,995	9.7%
1-10	1-10	495	1.6%
11-20	11-20	199	0.6%
21-30	21-30	113	0.4%
31-40	31-40	80	0.3%
41-50	41-50	51	0.2%
51-75	51-75	96	0.3%
76-100	76-100	45	0.1%
101-250	101-250	152	0.5%
251-500	251-500	60	0.2%
501-1000	501-1000	36	0.1%
1001-1500	1001-1500	15	0.0%
1501 +	1501 +	8	0.0%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,713	31.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPRACETOTBLK: Total Black clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

Value	Label	Frequency	%
0	0	2,995	9.7%
1-10	1-10	701	2.3%
11-20	11-20	216	0.7%
21-30	21-30	145	0.5%
31-40	31-40	118	0.4%
41-50	41-50	99	0.3%
51-75	51-75	130	0.4%
76-100	76-100	68	0.2%
101-250	101-250	188	0.6%
251-500	251-500	81	0.3%
501-1000	501-1000	34	0.1%
1001-1500	1001-1500	6	0.0%
1501 +	1501 +	3	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,257	36.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## OPRACEPERBLK: Percent Black clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,096	10.0%
1-10	1-10	419	1.4%
11-20	11-20	174	0.6%
21-30	21-30	124	0.4%
31-40	31-40	78	0.3%
41-50	41-50	73	0.2%
51-60	51-60	44	0.1%
61-70	61-70	27	0.1%
71-80	71-80	19	0.1%
81-90	81-90	13	0.0%
91-99	91-99	9	0.0%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPRACETOTHAWPAC\_O: Total Native Hawaiian/Other Pacific Islander at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,895	12.6%
1-10	1-10	401	1.3%
11-20	11-20	24	0.1%
21-30	21-30	3	0.0%
31-40	31-40	4	0.0%
41-50	41-50	3	0.0%
51-75	51-75	5	0.0%
76-100	76-100	2	0.0%
101-250	101-250	7	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,713	31.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,975	12.8%
1-10	1-10	515	1.7%
11-20	11-20	20	0.1%
21-30	21-30	2	0.0%
31-40	31-40	8	0.0%
41-50	41-50	2	0.0%
51-75	51-75	5	0.0%
76-100	76-100	2	0.0%
101-250	101-250	5	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,506	37.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,793	12.2%
1-10	1-10	275	0.9%
11-20	11-20	4	0.0%
21-30	21-30	1	0.0%
41-50	41-50	1	0.0%
81-90	81-90	1	0.0%
91-99	91-99	1	0.0%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
Total		31,010	100%

Variable Type: numeric

# OPRACETOTWHIT\_O: Total White clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,837	9.1%
1-10	1-10	191	0.6%
11-20	11-20	93	0.3%
21-30	21-30	93	0.3%
31-40	31-40	61	0.2%
41-50	41-50	63	0.2%
51-75	51-75	132	0.4%
76-100	76-100	93	0.3%
101-250	101-250	278	0.9%
251-500	251-500	203	0.7%
501-1000	501-1000	154	0.5%
1001-1500	1001-1500	59	0.2%
1501 +	1501 +	90	0.3%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,711	31.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPRACETOTWHIT: Total White clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,823	9.1%
1-10	1-10	233	0.8%
11-20	11-20	128	0.4%
21-30	21-30	142	0.5%
31-40	31-40	74	0.2%
41-50	41-50	61	0.2%
51-75	51-75	174	0.6%
76-100	76-100	152	0.5%
101-250	101-250	405	1.3%
251-500	251-500	300	1.0%
501-1000	501-1000	190	0.6%
1001-1500	1001-1500	46	0.1%
1501 +	1501 +	75	0.2%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,238	36.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPRACEPERWHIT: Percent White clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,031	9.8%
1-10	1-10	41	0.1%
11-20	11-20	41	0.1%
21-30	21-30	59	0.2%
31-40	31-40	127	0.4%
41-50	41-50	123	0.4%
51-60	51-60	161	0.5%
61-70	61-70	94	0.3%
71-80	71-80	134	0.4%
81-90	81-90	133	0.4%
91-99	91-99	113	0.4%
100	100	19	0.1%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPRACETOTMR\_O: Total mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,449	11.1%
1-10	1-10	467	1.5%
11-20	11-20	126	0.4%
21-30	21-30	71	0.2%
31-40	31-40	44	0.1%
41-50	41-50	29	0.1%
51-75	51-75	44	0.1%
76-100	76-100	30	0.1%
101-250	101-250	54	0.2%
251-500	251-500	18	0.1%
501-1000	501-1000	14	0.0%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,712	31.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



## OPRACETOTMR: Total mixed-race clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

Value	Label	Frequency	%
0	0	3,465	11.2%
1-10	1-10	661	2.1%
11-20	11-20	162	0.5%
21-30	21-30	108	0.3%
31-40	31-40	64	0.2%
41-50	41-50	34	0.1%
51-75	51-75	53	0.2%
76-100	76-100	31	0.1%
101-250	101-250	46	0.1%
251-500	251-500	16	0.1%
501-1000	501-1000	11	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,390	36.7%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPRACEPERMR: Percent mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,358	10.8%
1-10	1-10	528	1.7%
11-20	11-20	109	0.4%
21-30	21-30	45	0.1%
31-40	31-40	16	0.1%
41-50	41-50	11	0.0%
51-60	51-60	1	0.0%
61-70	61-70	3	0.0%
71-80	71-80	1	0.0%
81-90	81-90	2	0.0%
91-99	91-99	1	0.0%
100	100	1	0.0%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

## OPRACETOTUNK\_O: Total unknown race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,073	9.9%
1-10	1-10	390	1.3%
11-20	11-20	157	0.5%
21-30	21-30	114	0.4%
31-40	31-40	83	0.3%
41-50	41-50	64	0.2%
51-75	51-75	95	0.3%
76-100	76-100	59	0.2%
101-250	101-250	145	0.5%
251-500	251-500	75	0.2%
501-1000	501-1000	61	0.2%
1001-1500	1001-1500	10	0.0%
1501 +	1501 +	18	0.1%
L	Logical Skip	16,952	54.7%
M	Missing Data	9,714	31.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPRACETOTUNK: Total unknown race clients/patients at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,061	9.9%
1-10	1-10	570	1.8%
11-20	11-20	198	0.6%
21-30	21-30	170	0.5%
31-40	31-40	100	0.3%
41-50	41-50	86	0.3%
51-75	51-75	131	0.4%
76-100	76-100	74	0.2%
101-250	101-250	185	0.6%
251-500	251-500	108	0.3%
501-1000	501-1000	56	0.2%
1001-1500	1001-1500	21	0.1%
1501 +	1501 +	9	0.0%
L	Logical Skip	14,969	48.3%
M	Missing Data	11,272	36.3%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

# OPRACEPERUNK: Percent unknown race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,039	9.8%
1-10	1-10	332	1.1%
11-20	11-20	120	0.4%
21-30	21-30	38	0.1%
31-40	31-40	32	0.1%
41-50	41-50	18	0.1%
51-60	51-60	8	0.0%
61-70	61-70	4	0.0%
71-80	71-80	6	0.0%
81-90	81-90	3	0.0%
91-99	91-99	1	0.0%
100	100	475	1.5%
L	Logical Skip	18,583	59.9%
M	Missing Data	8,351	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPLEGALTOTVOL\_O: Total clients/patients with voluntary legal status at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,559	8.3%
1-10	1-10	137	0.4%
11-20	11-20	110	0.4%
21-30	21-30	88	0.3%
31-40	31-40	65	0.2%
41-50	41-50	62	0.2%
51-75	51-75	131	0.4%
76-100	76-100	99	0.3%
101-250	101-250	368	1.2%
251-500	251-500	242	0.8%
501-1000	501-1000	227	0.7%
1001-1500	1001-1500	99	0.3%
1501 +	1501 +	146	0.5%
L	Logical Skip	16,988	54.8%
M	Missing Data	9,689	31.2%
Total		31,010	100%

Variable Type: numeric

**OPLEGALTOTVOL: Total clients/patients with voluntary legal status at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	2,545	8.2%
1-10	1-10	184	0.6%
11-20	11-20	140	0.5%
21-30	21-30	129	0.4%
31-40	31-40	66	0.2%
41-50	41-50	85	0.3%
51-75	51-75	169	0.5%
76-100	76-100	143	0.5%
101-250	101-250	497	1.6%
251-500	251-500	405	1.3%
501-1000	501-1000	312	1.0%
1001-1500	1001-1500	112	0.4%
1501 +	1501 +	111	0.4%
L	Logical Skip	15,002	48.4%
M	Missing Data	11,110	35.8%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPLEGALPERVOL: Percent clients/patients with voluntary legal status at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,546	8.2%
1-10	1-10	2	0.0%
21-30	21-30	9	0.0%
31-40	31-40	4	0.0%
41-50	41-50	5	0.0%
51-60	51-60	6	0.0%
61-70	61-70	15	0.0%
71-80	71-80	41	0.1%
81-90	81-90	94	0.3%
91-99	91-99	170	0.5%
100	100	1,217	3.9%
L	Logical Skip	18,548	59.8%
M	Missing Data	8,353	26.9%
Total		31,010	100%

Variable Type: numeric



**OPLEGALTOTNONFOREN\_O: Total clients/patients, involuntary (non-forensic) status at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	4,000	12.9%
1-10	1-10	171	0.6%
11-20	11-20	47	0.2%
21-30	21-30	23	0.1%
31-40	31-40	17	0.1%
41-50	41-50	10	0.0%
51-75	51-75	21	0.1%
76-100	76-100	19	0.1%
101-250	101-250	15	0.0%
251-500	251-500	5	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	1	0.0%
1501 +	1501 +	1	0.0%
L	Logical Skip	16,988	54.8%
M	Missing Data	9,690	31.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	3,979	12.8%
1-10	1-10	236	0.8%
11-20	11-20	83	0.3%
21-30	21-30	23	0.1%
31-40	31-40	19	0.1%
41-50	41-50	20	0.1%
51-75	51-75	34	0.1%
76-100	76-100	19	0.1%
101-250	101-250	39	0.1%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	15,002	48.4%
M	Missing Data	11,553	37.3%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	3,847	12.4%
1-10	1-10	184	0.6%
11-20	11-20	33	0.1%
21-30	21-30	21	0.1%
31-40	31-40	8	0.0%
41-50	41-50	2	0.0%
51-60	51-60	3	0.0%
61-70	61-70	6	0.0%
71-80	71-80	2	0.0%
100	100	3	0.0%
L	Logical Skip	18,548	59.8%
M	Missing Data	8,353	26.9%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPLEGALTOTFOREN\_O: Total clients/patients, involuntary (forensic) status at this less than 24-hour facility (Q.D12b)**

Value	Label	Frequency	%
0	0	4,142	13.4%
1-10	1-10	104	0.3%
11-20	11-20	26	0.1%
21-30	21-30	14	0.0%
31-40	31-40	9	0.0%
41-50	41-50	7	0.0%
51-75	51-75	8	0.0%
76-100	76-100	7	0.0%
101-250	101-250	10	0.0%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	16,988	54.8%
M	Missing Data	9,690	31.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**OPLEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this less than 24-hour facility, unrolled (Q.D12b)**

Value	Label	Frequency	%
0	0	4,138	13.3%
1-10	1-10	156	0.5%
11-20	11-20	32	0.1%
21-30	21-30	13	0.0%
31-40	31-40	8	0.0%
41-50	41-50	10	0.0%
51-75	51-75	9	0.0%
76-100	76-100	5	0.0%
101-250	101-250	8	0.0%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	15,002	48.4%
M	Missing Data	11,624	37.5%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

OPLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,953	12.7%
1-10	1-10	113	0.4%
11-20	11-20	19	0.1%
21-30	21-30	9	0.0%
31-40	31-40	3	0.0%
41-50	41-50	3	0.0%
51-60	51-60	2	0.0%
61-70	61-70	1	0.0%
81-90	81-90	1	0.0%
91-99	91-99	1	0.0%
100	100	4	0.0%
L	Logical Skip	18,548	59.8%
M	Missing Data	8,353	26.9%
Total		31,010	100%

Variable Type: numeric

**COD\_PCT\_MH\_R1: Percent of clients/patients with co-occurring mental health and substance use disorders (Q.D13)**

Value	Label	Frequency	%
0	0	1,112	3.6%
1-10	1-10	948	3.1%
11-20	11-20	571	1.8%
21-30	21-30	558	1.8%
31-40	31-40	449	1.4%
41-50	41-50	387	1.2%
51-60	51-60	228	0.7%
61-70	61-70	209	0.7%
71-80	71-80	275	0.9%
81-90	81-90	139	0.4%
91-99	91-99	51	0.2%
100	100	206	0.7%
L	Logical Skip	17,580	56.7%
M	Missing Data	8,297	26.8%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

**TOTADMIS\_MH: Number of mental health admissions in 12 months period (Q.D14)**

Value	Label	Frequency	%
0	0	923	3.0%
1-10	1-10	544	1.8%
11-20	11-20	350	1.1%
21-30	21-30	243	0.8%
31-40	31-40	231	0.7%
41-50	41-50	249	0.8%
51-75	51-75	428	1.4%
76-100	76-100	452	1.5%
101-250	101-250	1,246	4.0%
251-500	251-500	1,061	3.4%
501-1000	501-1000	864	2.8%
1001-1500	1001-1500	371	1.2%
1501 +	1501 +	808	2.6%
L	Logical Skip	14,803	47.7%
M	Missing Data	8,437	27.2%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric



**PERCENTVA: Percent of admissions that are Veterans (Q.D15)**

Value	Label	Frequency	%
0	0	3,745	12.1%
1-10	1-10	3,188	10.3%
11-20	11-20	318	1.0%
21-30	21-30	103	0.3%
31-40	31-40	23	0.1%
41-50	41-50	14	0.0%
51-60	51-60	7	0.0%
61-70	61-70	3	0.0%
71-80	71-80	3	0.0%
81-90	81-90	6	0.0%
91-99	91-99	11	0.0%
100	100	181	0.6%
L	Logical Skip	14,803	47.7%
M	Missing Data	8,605	27.7%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

T\_CLIMH\_O: Total number of mental health clients

Value	Label	Frequency	%
0	0	2,439	7.9%
1-10	1-10	812	2.6%
11-20	11-20	624	2.0%
21-30	21-30	331	1.1%
31-40	31-40	225	0.7%
41-50	41-50	229	0.7%
51-75	51-75	369	1.2%
76-100	76-100	316	1.0%
101-250	101-250	830	2.7%
251-500	251-500	560	1.8%
501-1000	501-1000	488	1.6%
1001-1500	1001-1500	205	0.7%
1501 +	1501 +	297	1.0%
L	Logical Skip	11,574	37.3%
M	Missing Data	11,711	37.8%
Total		31,010	100%

Variable Type: numeric

## T\_CLIMH: Total number of mental health clients, unrolled

Value	Label	Frequency	%
0	0	2,443	7.9%
1-10	1-10	888	2.9%
11-20	11-20	662	2.1%
21-30	21-30	380	1.2%
31-40	31-40	243	0.8%
41-50	41-50	261	0.8%
51-75	51-75	421	1.4%
76-100	76-100	353	1.1%
101-250	101-250	952	3.1%
251-500	251-500	704	2.3%
501-1000	501-1000	611	2.0%
1001-1500	1001-1500	220	0.7%
1501 +	1501 +	256	0.8%
L	Logical Skip	11,574	37.3%
M	Missing Data	11,042	35.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAEBSPI\_SU: Offers evidence-based suicide prevention interventions (Q.VA1\_SU)

Value	Label	Frequency	%
0	No	3	0.0%
1	Yes	352	1.1%
L	Logical Skip	22,710	73.2%
M	Missing Data	7,945	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VARISKSCRN\_SU: Offers suicide risk screening (Q.VA1\_SU)

Value	Label	Frequency	%
0	No	1	0.0%
1	Yes	354	1.1%
L	Logical Skip	22,710	73.2%
M	Missing Data	7,945	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VARISKEVAL\_SU: Offers suicide risk evaluation (Q.VA1\_SU)

Value	Label	Frequency	%
1	Yes	355	1.1%
L	Logical Skip	22,710	73.2%
M	Missing Data	7,945	25.6%
Total		31,010	100%

Variable Type: numeric

VANOSUISRVC\_SU: None of the above are offered suicide-related services (Q.VA1\_SU)

Value	Label	Frequency	%
0	No	355	1.1%
L	Logical Skip	22,710	73.2%
M	Missing Data	7,945	25.6%
Total		31,010	100%

Variable Type: numeric

VACBTSP\_SU: Uses Cognitive Therapy for Suicide Prevention (CBT-SP) (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	149	0.5%
1	Yes	198	0.6%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	Total	31,010	100%

Variable Type: numeric



VACBT\_SU: Uses Cognitive Behavioral Therapy (CBT) (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	23	0.1%
1	Yes	324	1.0%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VADBT\_SU: Uses Dialectical Behavior Therapy (DBT) (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	123	0.4%
1	Yes	224	0.7%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	Total	31,010	100%

Variable Type: numeric

VAPST\_SU: Uses Problem Solving Therapy (PST) (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	164	0.5%
1	Yes	183	0.6%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VASFTYPLN\_SU: Uses safety planning/crisis response planning (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	125	0.4%
1	Yes	222	0.7%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAKET\_SU: Uses ketamine infusions (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	320	1.0%
1	Yes	26	0.1%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,931	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VALITH\_SU: Uses lithium treatment (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	84	0.3%
1	Yes	263	0.8%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VACLOZ\_SU: Uses clozapine treatment (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	99	0.3%
1	Yes	248	0.8%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VACARCOMM\_SU: Uses caring communications (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	163	0.5%
1	Yes	184	0.6%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



VAHOME\_SU: Uses home support (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	239	0.8%
1	Yes	108	0.3%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAWHOBIC\_SU: Uses World Health Organization-Brief Intervention and Contact (WHO-BIC) (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	337	1.1%
1	Yes	10	0.0%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	Total	31,010	100%

Variable Type: numeric

VAGKTRAIN\_SU: Uses gate keeper training (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	290	0.9%
1	Yes	57	0.2%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	Total	31,010	100%

Variable Type: numeric

VALETHAL\_SU: Uses lethal means safety counseling (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	28	0.1%
1	Yes	319	1.0%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAEBSPIOTH\_SU: Uses other evidence-based suicide prevention interventions (Q.VA2\_SU)

Value	Label	Frequency	%
0	No	331	1.1%
1	Yes	13	0.0%
L	Logical Skip	22,733	73.3%
M	Missing Data	7,933	25.6%
	Total	31,010	100%

Variable Type: numeric

VACSSRSSCRN\_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) Screener (Q.VA3\_SU)

Value	Label	Frequency	%
0	No	1	0.0%
1	Yes	348	1.1%
L	Logical Skip	22,731	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAPHQ9\_SU: Uses Patient Health Questionnaire (PHQ-9) Item 9 (Q.VA3\_SU)

Value	Label	Frequency	%
0	No	35	0.1%
1	Yes	326	1.1%
L	Logical Skip	253	0.8%
M	Missing Data	30,396	98.0%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VASCRNOTH\_SU: Uses other standardized suicide screening tools (Q.VA3\_SU)

Value	Label	Frequency	%
0	No	276	0.9%
1	Yes	63	0.2%
L	Logical Skip	22,731	73.3%
M	Missing Data	7,940	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



VANOSCRNTLS\_SU: None of the above standardized suicide screening tools (Q.VA3\_SU)

Value	Label	Frequency	%
0	No	349	1.1%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,931	25.6%
Total		31,010	100%

Variable Type: numeric

VACSSRSEVAL\_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) (Q.VA4\_SU)

Value	Label	Frequency	%
0	No	2	0.0%
1	Yes	348	1.1%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAMINI\_SU: Uses the Mini International Neuropsychiatric Interview (MINI) (Q.VA4\_SU)

Value	Label	Frequency	%
0	No	290	0.9%
1	Yes	60	0.2%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VACSRE\_SU: Uses VA Comprehensive Suicide Risk Evaluation (CSRE) (Q.VA4\_SU)

Value	Label	Frequency	%
1	Yes	350	1.1%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,930	25.6%
Total		31,010	100%

Variable Type: numeric

VASAFET\_SU: Uses Suicide Assessment Five-step Evaluation and Triage (SAFE-T) (Q.VA4\_SU)

Value	Label	Frequency	%
0	No	297	1.0%
1	Yes	53	0.2%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,930	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAEVALOTH\_SU: Uses other standardized suicide evaluation tools (Q.VA4\_SU)

Value	Label	Frequency	%
0	No	335	1.1%
1	Yes	14	0.0%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,931	25.6%
	Total	31,010	100%

Variable Type: numeric

VANOEVALTLS\_SU: None of the above standardized suicide evaluation tools (Q.VA4\_SU)

Value	Label	Frequency	%
0	No	349	1.1%
L	Logical Skip	22,730	73.3%
M	Missing Data	7,931	25.6%
Total		31,010	100%

Variable Type: numeric

## VAHIGHRISKHI\_SU: Hospital inpatients identified as high risk of suicide (Q.VA5\_SU)

Value	Label	Frequency	%
0	0	7	0.0%
1-10	1-10	19	0.1%
11-20	11-20	1	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	23,048	74.3%
M	Missing Data	7,934	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



VAHIGHRISKRC\_SU: Residential clients identified as high risk of suicide (Q.VA6\_SU)

Value	Label	Frequency	%
0	0	12	0.0%
1-10	1-10	35	0.1%
11-20	11-20	4	0.0%
31-40	31-40	1	0.0%
76-100	76-100	1	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	23,023	74.2%
M	Missing Data	7,933	25.6%
	Total	31,010	100%

Variable Type: numeric

## VAHIGHRISKOP\_SU: Outpatient clients identified as high risk of suicide (Q.VA7\_SU)

Value	Label	Frequency	%
0	0	36	0.1%
1-10	1-10	73	0.2%
11-20	11-20	12	0.0%
21-30	21-30	17	0.1%
31-40	31-40	5	0.0%
41-50	41-50	4	0.0%
51-75	51-75	6	0.0%
76-100	76-100	1	0.0%
101-250	101-250	5	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	22,902	73.9%
M	Missing Data	7,946	25.6%
<b>Total</b>		<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VASTNDRD: Standardized process for referring clients based on treatment plan (Q.VA1\_MH)

Value	Label	Frequency	%
0	No	7	0.0%
1	Yes	368	1.2%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,943	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VAFLLWUP: Follow-up of clients of mental health care with suicidal thoughts/behavior (Q.VA2\_MH)

Value	Label	Frequency	%
0	No	1	0.0%
1	Yes	374	1.2%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,943	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VALMST\_MH: Offers lethal means safety training (Q.VA3\_MH)

Value	Label	Frequency	%
0	No	27	0.1%
1	Yes	345	1.1%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,946	25.6%
	Total	31,010	100%

Variable Type: numeric

VAGUNLOCKS\_MH: Offers free gun locks (Q.VA3\_MH)

Value	Label	Frequency	%
0	No	6	0.0%
1	Yes	369	1.2%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,943	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VASPCOW\_MH: Offers community outreach of workshops (Q.VA3\_MH)

Value	Label	Frequency	%
0	No	43	0.1%
1	Yes	332	1.1%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,943	25.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

VANOSUIPREV\_MH: None of these suicide prevention services (Q.VA3\_MH)

Value	Label	Frequency	%
0	No	374	1.2%
L	Logical Skip	22,692	73.2%
M	Missing Data	7,944	25.6%
Total		31,010	100%

Variable Type: numeric



VABEGIN\_MH: Staff are trained when they begin working (Q.VA4\_MH)

Value	Label	Frequency	%
0	No	8	0.0%
1	Yes	352	1.1%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VATRAINREG\_MH: Trainings are held at regular intervals (Q.VA4\_MH)

Value	Label	Frequency	%
0	No	3	0.0%
1	Yes	357	1.2%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VANOTRAIN\_MH: Staff not trained on suicide prevention strategies (Q.VA4\_MH)

Value	Label	Frequency	%
0	No	359	1.2%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,943	25.6%
Total		31,010	100%

Variable Type: numeric

VARSKPROGIND\_MH: Suicide risk screening program, indicated (Q.VA5\_MH)

Value	Label	Frequency	%
0	No	64	0.2%
1	Yes	296	1.0%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	Total	31,010	100%

Variable Type: numeric

VARSKPROGSEL\_MH: Suicide risk screening program, selected (Q.VA5\_MH)

Value	Label	Frequency	%
0	No	65	0.2%
1	Yes	295	1.0%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	Total	31,010	100%

Variable Type: numeric

VARSKPROGUNIV\_MH: Suicide risk screening program, universal (Q.VA5\_MH)

Value	Label	Frequency	%
0	No	16	0.1%
1	Yes	344	1.1%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

VANORSKPROG\_MH: No suicide risk screening program (Q.VA5\_MH)

Value	Label	Frequency	%
0	No	359	1.2%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,943	25.6%
Total		31,010	100%

Variable Type: numeric

VAWARNSIGN: Identifies warning signs for suicide and violence (Q.VA6\_MH)

Value	Label	Frequency	%
1	Yes	62	0.2%
L	Logical Skip	23,019	74.2%
M	Missing Data	7,929	25.6%
Total		31,010	100%

Variable Type: numeric



VAASSESSRISK: Assesses each client level of risk for suicide (Q.VA7\_MH)

Value	Label	Frequency	%
0	No	3	0.0%
1	Yes	357	1.2%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	Total	31,010	100%

Variable Type: numeric

VAMAINTAIn: Maintains a list of clients who are high risk for suicide (Q.VA8\_MH)

Value	Label	Frequency	%
0	No	10	0.0%
1	Yes	350	1.1%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
	Total	31,010	100%

Variable Type: numeric

VAFUAPPTMSSD: Process for ensuring high risk for suicide clients are followed up with (Q.VA8a\_MH)

Value	Label	Frequency	%
0	No	1	0.0%
1	Yes	346	1.1%
L	Logical Skip	22,736	73.3%
M	Missing Data	7,927	25.6%
	<i>Total</i>	<i>31,010</i>	<i>100%</i>

Variable Type: numeric

VASPC\_MH: Full-time Suicide Prevention Coordinators (SPCs) employed at this facility (Q.VA9\_MH)

Value	Label	Frequency	%
0	0	93	0.3%
1-10	1-10	266	0.9%
31-40	31-40	1	0.0%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
Total		31,010	100%

Variable Type: numeric

VACAREMGR\_MH: Full-time care managers employed at this facility (Q.VA9\_MH)

Value	Label	Frequency	%
0	0	194	0.6%
1-10	1-10	163	0.5%
11-20	11-20	3	0.0%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
Total		31,010	100%

Variable Type: numeric

VAPROGSUPP\_MH: Full-time program support assistants employed at this facility (Q.VA9\_MH)

Value	Label	Frequency	%
0	0	214	0.7%
1-10	1-10	144	0.5%
21-30	21-30	2	0.0%
L	Logical Skip	22,708	73.2%
M	Missing Data	7,942	25.6%
Total		31,010	100%

Variable Type: numeric

VAHIGHRISKHI\_MH: Hospital inpatients identified as high risk of suicide (Q.VA10\_MH)

Value	Label	Frequency	%
0	0	5	0.0%
1-10	1-10	22	0.1%
11-20	11-20	3	0.0%
101-250	101-250	1	0.0%
L	Logical Skip	23,048	74.3%
M	Missing Data	7,931	25.6%
	Total	31,010	100%

Variable Type: numeric

VAHIGHRISKRC\_MH: Residential clients identified as high risk of suicide (Q.VA11\_MH)

Value	Label	Frequency	%
0	0	8	0.0%
1-10	1-10	16	0.1%
11-20	11-20	3	0.0%
31-40	31-40	1	0.0%
L	Logical Skip	23,055	74.3%
M	Missing Data	7,927	25.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric



VAHIGHRISKOP\_MH: Outpatient clients identified as high risk of suicide (Q.VA12\_MH)

Value	Label	Frequency	%
0	0	9	0.0%
1-10	1-10	37	0.1%
11-20	11-20	8	0.0%
21-30	21-30	1	0.0%
31-40	31-40	2	0.0%
51-75	51-75	2	0.0%
76-100	76-100	3	0.0%
101-250	101-250	3	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
L	Logical Skip	23,008	74.2%
M	Missing Data	7,935	25.6%
	Total	31,010	100%

Variable Type: numeric

TSU\_SU: Inclusion/exclusion flag for substance use report

Value	Label	Frequency	%
1	Treatment/detoxification	14,854	47.9%
2	Non-treatment halfway house	22	0.1%
3	Did not take survey	6,016	19.4%
4	Jail	2	0.0%
5	Solo practice	4	0.0%
M	Missing Data	10,112	32.6%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric

TSU\_MH: Inclusion/exclusion flag for mental health report

Value	Label	Frequency	%
1	Treatment/detoxification	9,586	30.9%
M	Missing Data	21,424	69.1%
	<b>Total</b>	<b>31,010</b>	<b>100%</b>

Variable Type: numeric