National Household Survey on Drug Abuse, 1990

United States Department of Health and Human Services. National Institute on Drug Abuse

Codebook

Terms of Use

The terms of use for this study can be found at:

http://datafiles.samhsa.gov/terms-use-nid3422

IDENTIFICATION

LABEL	LEN	DESCRIPTION	FREQ	%
RESPID	6	RESPONDENT IDENTIFICATION NUMBER		
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)		
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)		
ENCCASE	5	HOUSEHOLD LEVEL IDENTICATION NUMBER (ENCRYPTED)		

CIGARETTES & SMOKELESS TOBACCO

C-1.   About how old were you when you first tried a cigarette?

CIGTRY   3   AGE WHEN FIRST TRIED A CIGARETTE
             RANGE = 2   - 73

```
185 = BAD DATA  Logically assigned.....................   41   0.44
191 = NEVER USED CIGARETTES............................ 3218  34.76
194 = DON'T KNOW.......................................    5   0.05
195 = BAD DATA........................................    1   0.01
196 = MULTIPLE RESPONSE...............................    1   0.01
198 = BLANK (NO ANSWER)...............................   24   0.26
```

C-2.   Since that time, have you smoked at least 100 cigarettes in
        all -- that's about as many as 5 packs, in your lifetime?

CIG5PK   2   SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME
```
 1 = Yes.............................................. 3568  38.54
 2 = No............................................... 2345  25.33
 3 = Yes LOGICALLY IMPUTED............................   64   0.69
81 = NEVER USED CIGARETTES  Logically assigned.........    8   0.09
91 = NEVER USED CIGARETTES............................ 3210  34.67
98 = BLANK (NO ANSWER)................................   64   0.69
```

C-3.   About how old were you when you first started smoking daily?

CIGAGE   3   AGE WHEN FIRST STARTED SMOKING DAILY
             RANGE = 4   - 73

```
181 = NEVER USED CIGARETTES  Logically assigned.........   11   0.12
185 = BAD DATA  Logically assigned.....................  199   2.15
191 = NEVER USED CIGARETTES............................ 3207  34.64
193 = NEVER SMOKED DAILY.............................. 2466  26.63
194 = DON'T KNOW.......................................    3   0.03
198 = BLANK (NO ANSWER)...............................   85   0.92
```

CIGARETTES & SMOKELESS TOBACCO

LABEL   LEN   DESCRIPTION   FREQ   %

         C-4.   For how many years did you smoke daily?

CIGYRS   3   # YEARS SMOKED DAILY
               RANGE = 0   - 67

               181 = NEVER USED CIGARETTES Logically assigned.........   3   0.03
               185 = BAD DATA Logically assigned......................   4   0.04
               191 = NEVER USED CIGARETTES.............................. 3215   34.72
               194 = DON'T KNOW...   5   0.05
               198 = BLANK (NO ANSWER).................................. 250   2.70
               199 = LEGITIMATE SKIP (CIGAGE = 193).................... 2466   26.63

         C-5.   On the average, during most of this period when you smoked
                daily, about how many cigarettes did you smoke per day?

PACKS   2   # CIGARETTES SMOKED DAILY
                1 = One to five cigarettes a day....................... 504   5.44
                2 = About 1/2 pack a day (6-15 cigarettes)............. 1018   10.99
                3 = About a pack a day (16-25 cigarettes).............. 1204   13.00
                4 = About 1 1/2 packs a day (26-35 cigarettes)........ 303   3.27
                5 = About 2 packs or more a day(over 35 cigarettes).... 290   3.13
               91 = NEVER USED CIGARETTES............................. 3218   34.76
               98 = BLANK... 256   2.76
               99 = LEGITIMATE SKIP (CIGAGE = 193).................... 2466   26.63

         C-6.   When was the most recent time you smoked a cigarette?

CIGREC   2   MOST RECENT TIME SMOKED A CIGARETTE
                1 = Within the past month (30 days).................... 2354   25.42
                2 = More than 1 month ago but less than 6 months ago... 252   2.72
                3 = 6 or more months ago but less than 1 year ago...... 219   2.37
                4 = 1 or more years ago but less than 3 years ago...... 357   3.86
                5 = 3 or more years ago............................... 2366   25.55
                7 = Use in past 30 days LOGICALLY IMPUTED.............   42   0.45
                8 = Use in past year LOGICALLY IMPUTED............... 126   1.36
                9 = Use in lifetime LOGICALLY IMPUTED................ 303   3.27
               91 = NEVER USED CIGARETTES............................. 3218   34.76
               98 = BLANK...   22   0.24

CIGARETTES & SMOKELESS TOBACCO

LABEL   LEN DESCRIPTION   FREQ   %

C-7.   How many cigarettes have you smoked per day, on the average,
       during the past 30 days? Give me the average number per day.

AVCIG   2   # CIGARETTES SMOKED PER DAY LAST 30 DAYS
             1 = Less than one cigarette a day...................... 236   2.55
             2 = One to five cigarettes a day....................... 347   3.75
             3 = About 1/2 pack a day (6-15 cigarettes)............. 635   6.86
             4 = About a pack a day (16-25 cigarettes)............. 753   8.13
             5 = About 1 1/2 packs a day (26-35 cigarettes)........ 185   2.00
             6 = About 2 packs or more a day (over 35 cigarettes)... 148   1.60
            81 = NEVER USED CIGARETTES   Logically assigned.........   1   0.01
            89 = LEGITIMATE SKIP Logically assigned............... 113   1.22
            91 = NEVER USED CIGARETTES............................. 3217   34.74
            98 = BLANK... 114   1.23
            99 = LEGITIMATE SKIP 3510   37.91

C-8.   For about how many years have you smoked (AMOUNT FROM Q.C-7)?
       (IF "Less than one year," PROBE FOR NUMBER OF MONTHS; RECORD
       IN LOWER BOXES.)

CIGTIME 4   NUMBER OF MONTHS SMOKED # CIGARETTES/DAY IN AVCIG
             RANGE = 1   - 840

          9981 = NEVER USED CIGARETTES Logically assigned........   1   0.01
          9985 = BAD DATA   Logically assigned....................   4   0.04
          9989 = LEGITIMATE SKIP Logically assigned............. 66   0.71
          9991 = NEVER USED CIGARETTES........................... 3217   34.74
          9994 = DON'T KNOW......................................   4   0.04
          9995 = BAD DATA..   1   0.01
          9998 = BLANK (NO ANSWER)............................... 64   0.69
          9999 = LEGITIMATE SKIP 3557   38.42

C-9.   When was the most recent time you used chewing tobacco or
       snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER
       CHOICES.)

SNUFREC 2   MOST RECENT TIME USED SMOKELESS TOBACCO
             1 = Within the past month(30 days)..................... 259   2.80
             2 = More than 1 month ago but less than 6 months ago... 66   0.71
             3 = 6 or more months ago but less than 1 year ago...... 56   0.60
             4 = 1 or more years ago but less than 3 years ago...... 124   1.34
             5 = 3 or more years ago............................... 584   6.31
             8 = Use in past year LOGICALLY IMPUTED...............   7   0.08
            91 = NEVER USED SMOKELESS TOBACCO..................... 8109   87.58
            98 = BLANK.. 54   0.58

CIGARETTES & SMOKELESS TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%

C-10   On the average, in the past 12 months, how often have you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

OTHTOB   2   # TIMES USED SMOKELESS TOBACCO PAST 12 MONTHS

```
 1 = Daily.......................................... 132    1.43
 2 = Almost daily (3-6 days a week)...................  25    0.27
 3 = 1 or 2 days a week...............................  43    0.46
 4 = Several times a month (25-51 days a year).........  29    0.31
 5 = 1 or 2 times a month (12-24 days a year)..........  33    0.36
 6 = Every other month or so (6-11 days a year).......  18    0.19
 7 = 3-5 days this past year..........................  26    0.28
 8 = 1 or 2 days this past year.......................  60    0.65
81 = NEVER USED SMOKELESS TOBACCO  Log. assigned........   6    0.06
85 = BAD DATA  Logically assigned.......................   8    0.09
91 = NEVER USED SMOKELESS TOBACCO IN LIFETIME........... 8103   87.51
93 = DID NOT USE SMOKELESS TOBACCO IN THE
          PAST YEAR.................................... 708    7.65
98 = BLANK (NO ANSWER).................................  68    0.73
```

ALCOHOL -- ANSWER SHEET #1

```
LABEL     LEN   DESCRIPTION                                          FREQ      %

                A-1.   About how old were you the first time you had a glass of beer
                       or wine or a drink of liquor, such as whiskey, gin scotch,
                       etc.?  Do not include childhood sips that you might have had
                       from an older person's drink.

ALCTRY     3    AGE WHEN HAD FIRST DRINK OF ALCOHOL
                  RANGE = 1   - 80

                181 = NEVER USED ALCOHOL  Logically assigned............   27   0.29
                185 = BAD DATA  Logically assigned.....................   60   0.65
                191 = NEVER USED ALCOHOL...............................  2043  22.07
                192 = ILLEGIBLE........................................    1   0.01
                194 = DON'T KNOW.......................................    6   0.06
                195 = BAD DATA.........................................   16   0.17
                197 = REFUSED..........................................    1   0.01
                198 = BLANK (NO ANSWER)................................   10   0.11


                A-2.   When was the most recent time that you had an alcohol drink,
                       that is, of beer, wine, or liquor or a mixed alcoholic drink?

ALCREC     2    MOST RECENT ALCOHOL DRINK
                  1 = Within the past month (30 days)...................  4109  44.38
                  2 = More than 1 month ago but less than 6 months ago...  793   8.56
                  3 = 6 or more months ago but less than 1 year ago......  451   4.87
                  4 = 1 or more years ago but less than 3 years ago......  341   3.68
                  5 = 3 or more years ago................................  795   8.59
                  7 = Use in past 30 days LOGICALLY IMPUTED..............  394   4.26
                  8 = Use in past year LOGICALLY IMPUTED.................  235   2.54
                  9 = Use in lifetime LOGICALLY IMPUTED..................   71   0.77
                 91 = NEVER USED ALCOHOL................................  2070  22.36


                A-3.   About how old were you when you first began to drink alcoholic
                       beverages once a month or more often?

ALCAGE     3    AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN
                  RANGE = 2   - 76

                181 = NEVER USED ALCOHOL  Logically assigned............   41   0.44
                185 = BAD DATA  Logically assigned.....................  523   5.65
                191 = NEVER USED ALCOHOL...............................  2029  21.91
                192 = ILLEGIBLE........................................    1   0.01
                193 = NEVER USED ALCOHOL MONTHLY OR
                        MORE OFTEN.....................................  2217  23.94
                194 = DON'T KNOW.......................................    4   0.04
                195 = BAD DATA.........................................    1   0.01
                196 = MULTIPLE RESPONSE................................    1   0.01
                197 = REFUSED..........................................    1   0.01
                198 = BLANK (NO ANSWER)................................   22   0.24
```

```
                          ALCOHOL -- ANSWER SHEET #1

LABEL    LEN  DESCRIPTION                                      FREQ     %

             A-4.   On about how many different days did you have one or more
                    drinks during the past 30 days?  (IF NONE IN THE PAST DAYS,
                    WRITE ZERO.)

ALCDAYS   2   # OF DAYS DRANK ALCOHOL PAST 30 DAYS
                RANGE = 0  - 30

              81 = NEVER USED ALCOHOL  Logically assigned.............   39   0.42
              85 = DID NOT USE ALCOHOL PAST 12 MOS.  Log. assigned....  399   4.31
              91 = NEVER USED ALCOHOL................................. 2031  21.94
              95 = BAD DATA...........................................    6   0.06
              97 = REFUSED............................................    1   0.01
              98 = BLANK (NO ANSWER)..................................    7   0.08


             A-5.   About how many drinks did you usually have in a day on the
                    days that you drank during the past 30 days?  (IF NONE IN THE
                    PAST 30 DAYS, WRITE ZERO.)

NODR30A   2   USUAL # DRINKS PER DAY PAST 30 DAYS
                RANGE = 0  - 80

              81 = NEVER USED ALCOHOL  Logically assigned.............   59   0.64
              85 = BAD DATA  Logically assigned......................  152   1.64
              91 = NEVER USED ALCOHOL................................. 2011  21.72
              97 = REFUSED............................................    2   0.02
              98 = BLANK (NO ANSWER)..................................    2   0.02

             A-6.   On about how many days did you have five or more drinks on the
                    same occasion during the past 30 days?  By occasion we mean at
                    the same time or within a couple of hours of each other.  (IF
                    NONE IN THE PAST 30 DAYS, WRITE ZERO.)

DR5DAY    2   # DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS
                RANGE = 0  - 30

              81 = NEVER USED ALCOHOL  Logically assigned.............   66   0.71
              85 = BAD DATA  Logically assigned......................   37   0.40
              91 = NEVER USED ALCOHOL................................. 2004  21.64
              94 = DON'T KNOW.........................................    1   0.01
              95 = BAD DATA...........................................    1   0.01
              97 = REFUSED............................................    1   0.01
              98 = BLANK (NO ANSWER)..................................    5   0.05
```

ALCOHOL -- ANSWER SHEET #1

LABEL	LEN	DESCRIPTION	FREQ	%

A-7.   What is the most you had to drink on any one day during the
       past 30 days? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

MODR30A   2   MOST # DRINKS ON ONE DAY IN PAST 30 DAYS
              RANGE = 0 - 80

```
              81 = NEVER USED ALCOHOL  Logically assigned............   65    0.70
              85 = BAD DATA  Logically assigned......................  256    2.76
              91 = NEVER USED ALCOHOL.................................. 2005   21.65
              97 = REFUSED...........................................    3    0.03
              98 = BLANK (NO ANSWER)..................................   18    0.19
```

A-8.   On how many days did you have this number of drinks in the
       past 30 days? (Answer for the amount you recorded in question
       A-7 above.)

MODR30DY 2   # DAYS DRANK AMOUNT IN MODR30A PAST 30 DAYS
              RANGE = 0 - 30

```
              81 = NEVER USED ALCOHOL  Logically assigned............   47    0.51
              85 = BAD DATA  Logically assigned......................  437    4.72
              91 = NEVER USED ALCOHOL.................................. 2023   21.85
              94 = DON'T KNOW........................................    2    0.02
              95 = BAD DATA..........................................    2    0.02
              96 = MULTIPLE RESPONSE.................................    2    0.02
              97 = REFUSED...........................................    2    0.02
              98 = BLANK (NO ANSWER)..................................   13    0.14
```

A-9.   On the average, how often in the last 12 months have you had
       any alcoholic beverage, that is, beer, wine, or liquor?

ALCPAT   2   FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS
```
               1 = Daily.............................................  204    2.20
               2 = Almost daily or 3 to 6 days a week................  468    5.05
               3 = About 1 or 2 days a week.......................... 1110   11.99
               4 = Several times a month (about 25-51 days a year)....  626    6.76
               5 = 1 to 2 times a month (12 to 24 days a year)....... 1016   10.97
               6 = Every other month or so (6 to 11 days a year)......  707    7.64
               7 = 3 to 5 days in the past 12 months.................  700    7.56
               8 = 1 or 2 days in the past 12 months................  898    9.70
              81 = NEVER USED ALCOHOL  Logically assigned............   32    0.35
              83 = DID NOT USE ALCOHOL PAST 12 MOS.  Log. assigned....  218    2.35
              85 = BAD DATA  Logically assigned......................  228    2.46
              91 = NEVER USED ALCOHOL.................................. 2038   22.01
              93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS..........  989   10.68
              96 = MULTIPLE RESPONSE.................................    1    0.01
              97 = REFUSED...........................................    1    0.01
              98 = BLANK (NO ANSWER)..................................   23    0.25
```

ALCOHOL -- ANSWER SHEET #1

LABEL	LEN	DESCRIPTION	FREQ	%

A-10. How many times in the past 12 months have you gotten very high
       or drunk on alcohol?

DRUNKYR 2 # TIMES DRUNK ON ALCOHOL PAST 12 MONTHS
```
    1 = Daily.......................................     27    0.29
    2 = Almost daily or 3 to 6 days a week.........     70    0.76
    3 = About 1 or 2 days a week...................    236    2.55
    4 = Several times a month (about 25-51 days a year)....  204    2.20
    5 = 1 to 2 times a month (12 to 24 days a year).......  430    4.64
    6 = Every other month or so (6 to 11 days a year)......  314    3.39
    7 = 3 to 5 days in the past 12 months.........    398    4.30
    8 = 1 or 2 days in the past 12 months.........    837    9.04
    9 = Never got very high or drunk in past 12 months.....  2928   31.62
   81 = NEVER USE ALCOHOL  Logically assigned.....     30    0.32
   83 = DID NOT USED ALCOHOL PAST 12 MOS.
            Log. assigned.............................    289    3.12
   85 = BAD DATA  Logically assigned...............    487    5.26
   91 = NEVER USED ALCOHOL...........................   2040   22.03
   93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS..........   918    9.91
   96 = MULTIPLE RESPONSE............................      2    0.02
   97 = REFUSED......................................      2    0.02
   98 = BLANK (NO ANSWER)............................     47    0.51
```

A-11   In the past 12 months, what drugs listed below did you use at
       the same time or within a couple of hours of when you drank
       beer, wine, or liquor? (PLEASE CIRCLE ALL THAT APPLY.)

ALCSED   2 SEDATIVES USED W/ALCOHOL PAST 12 MONTHS
```
    1 = Response circled...............................     49    0.53
    2 = Response not circled...........................   5933   64.08
   81 = NEVER USED ALCOHOL  Logically assigned.............     84    0.91
   83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned....    293    3.16
   91 = NEVER USED ALCOHOL............................   1986   21.45
   93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.............    914    9.87
```

ALCTRAN 2 TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS
```
    1 = Response circled...............................     44    0.48
    2 = Response not circled...........................   5938   64.13
   81 = NEVER USED ALCOHOL  Logically assigned.............     84    0.91
   83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned....    293    3.16
   91 = NEVER USED ALCOHOL............................   1986   21.45
   93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.............    914    9.87
```

ALCSTM   2 STIMULANTS USED W/ALCOHOL PAST 12 MONTHS
```
    1 = Response circled...............................     50    0.54
    2 = Response not circled...........................   5932   64.07
   81 = NEVER USED ALCOHOL  Logically assigned.............     84    0.91
   83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned....    293    3.16
   91 = NEVER USED ALCOHOL............................   1986   21.45
   93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.............    914    9.87
```

ALCOHOL -- ANSWER SHEET #1

LABEL	LEN	DESCRIPTION	FREQ	%

ALCANAL   2   ANALGESICS USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled.................................   93   1.00
              2 = Response not circled............................. 5889   63.60
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCMJ   2   MARIJUANA USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled................................. 511   5.52
              2 = Response not circled............................. 5471   59.09
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCINH   2   INHALANTS USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled.................................   13   0.14
              2 = Response not circled............................. 5969   64.47
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCCOC   2   COCAINE USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled................................. 104   1.12
              2 = Response not circled............................. 5878   63.48
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCHAL   2   HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled.................................   43   0.46
              2 = Response not circled............................. 5939   64.14
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCOPT   2   HEROIN USED W/ALCOHOL PAST 12 MONTHS
              1 = Response circled.................................   12   0.13
              2 = Response not circled............................. 5970   64.48
             81 = NEVER USED ALCOHOL Logically assigned............   84   0.91
             83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned.... 293   3.16
             91 = NEVER USED ALCOHOL.............................. 1986   21.45
             93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS............. 914   9.87

ALCOHOL -- ANSWER SHEET #1

```
LABEL     LEN   DESCRIPTION                                        FREQ     %

ALCNONE    2    NONE OF LISTED DRUGS USED W/ALCOHOL IN PAST 12 MOS
                 1 = Response circled.................................. 4788  51.71
                 2 = Response not circled............................   760   8.21
                81 = NEVER USED ALCOHOL  Logically assigned.........    84   0.91
                83 = DID NOT USE ALCOHOL PAST 12 MOS.  Log. assigned.... 293   3.16
                85 = MULTIPLE RESPONSE................................   434   4.69
                91 = NEVER USED ALCOHOL............................... 1986  41.45
                93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.............  914   9.87

                A-12   On those occasions when you drink alcohol, is it usually beer,
                       wine, or liquor?

ALCPREF    2    USUAL ALCOHOL BEVERAGE
                 1 = Beer............................................. 3120  33.70
                 2 = Wine............................................. 1473  15.91
                 3 = Liquor..........................................   888   9.59
                 4 = It varies....................................... 1145  12.37
                81 = NEVER USED ALCOHOL  Logically assigned.........    28   0.30
                85 = MULTIPLE RESPONSE  Logically assigned.........   398   4.30
                91 = NEVER USED ALCOHOL............................... 2042  22.05
                94 = DON'T KNOW......................................     2   0.02
                96 = MULTIPLE RESPONSE................................    56   0.60
                98 = BLANK (NO ANSWER)...............................   107   1.16
```

SEDATIVES -- ANSWER SHEET #2

```
LABEL     LEN  DESCRIPTION                                        FREQ      %
```

IF YOU HAVE NEVER TAKEN ANY SEDATIVE FOR NONMEDICAL REASONS, CIRCLE THE 91 IN
THE BOX TO THE RIGHT. --------------> * 91 * THEN TELL THE INTERVIEWER THAT YOU
ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH S-2 BELOW.

```
NOSEDAT   2   HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS
              1 = Response circled................................... 8852  95.60
              2 = Response not circled.............................. 393   4.24
              98 = BLANK (NO ANSWER)................................  14   0.15
```

      S-1.   Circle the number next to each sedative you have ever taken
              for nonmedical reasons--on your own, either without a doctor's
              prescription or in greater amounts or more often than
              prescribed or for a reason other than a doctor said you should
              take them.

```
BUTISOL   2   BUTISOL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................   4   0.04
              2 = Response not circled.............................. 389   4.20
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15

BUTICAPS  2   BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................   4   0.04
              2 = Response not circled.............................. 389   4.20
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15

AMYTAL    2   AMYTAL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................   8   0.09
              2 = Response not circled.............................. 385   4.16
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15

MEBARAL   2   MEBARAL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................  17   0.18
              2 = Response not circled.............................. 376   4.06
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15

PLACIDYL  2   PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................  42   0.45
              2 = Response not circled.............................. 351   3.79
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15

DORIDEN   2   DORIDEN EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled...................................  11   0.12
              2 = Response not circled.............................. 382   4.13
              91 = NEVER USED SEDATIVES............................. 8852  95.60
              98 = BLANK (NO ANSWER)................................  14   0.15
```

SEDATIVES -- ANSWER SHEET #2

```
LABEL     LEN  DESCRIPTION                                             FREQ      %

NOLUDAR    2   NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................    5    0.05
                2 = Response not circled...............................  388    4.19
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

NEMBUTAL   2   NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   26    0.28
                2 = Response not circled...............................  367    3.96
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

SECONAL    2   SECONAL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   78    0.84
                2 = Response not circled...............................  315    3.40
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

TUINAL     2   TUINAL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   41    0.44
                2 = Response not circled...............................  352    3.80
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

DALMANE    2   DALMANE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   31    0.33
                2 = Response not circled...............................  362    3.91
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

RESTORIL   2   RESTORIL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   11    0.12
                2 = Response not circled...............................  382    4.13
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

HALCION    2   HALCION EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   27    0.29
                2 = Response not circled...............................  366    3.95
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

AMOBARB    2   AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................    4    0.04
                2 = Response not circled...............................  389    4.20
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15

PHENOBAR   2   PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled...................................   37    0.40
                2 = Response not circled...............................  356    3.84
               91 = NEVER USED SEDATIVES............................... 8852   95.60
               98 = BLANK (NO ANSWER).................................   14    0.15
```

SEDATIVES -- ANSWER SHEET #2

LABEL	LEN	DESCRIPTION	FREQ	%
METHAQ	2	METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled..................................	131	1.41
		2 = Response not circled.............................	262	2.83
		91 = NEVER USED SEDATIVES.............................	8852	95.60
		98 = BLANK (NO ANSWER)................................	14	0.15
CHHYD	2	CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled..................................	9	0.10
		2 = Response not circled.............................	384	4.15
		91 = NEVER USED SEDATIVES.............................	8852	95.60
		98 = BLANK (NO ANSWER)................................	14	0.15
PENTOB	2	PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled..................................	11	0.12
		2 = Response not circled.............................	382	4.13
		91 = NEVER USED SEDATIVES.............................	8852	95.60
		98 = BLANK (NO ANSWER)................................	14	0.15
SECOB	2	ECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled..................................	11	0.12
		2 = Response not circled.............................	382	4.13
		91 = NEVER USED SEDATIVES.............................	8852	95.60
		98 = BLANK (NO ANSWER)................................	14	0.15
SEDNEWA	3	OTHER SEDATIVE EVER USED (FIRST MENTION)		
		110 = Tuinal..	1	0.01
		116 = Methaqualone (including Sopor, Quaalude).........	2	0.02
		120 = OTHER Sedative, NOT SPECIFIED, "Downers".........	1	0.01
		121 = USED SEDATIVE, DON'T KNOW NAME...................	1	0.01
		122 = Sleep Aid.......................................	1	0.01
		125 = Qulande...	1	0.01
		126 = Somenx..	1	0.01
		137 = 7-14..	1	0.01
		201 = Valium..	4	0.04
		226 = Stelazenorgin...................................	1	0.01
		305 = Biphetamine.....................................	1	0.01
		331 = Whites..	1	0.01
		332 = Ephedrine.......................................	2	0.02
		339 = Amphetamines (speed)............................	1	0.01
		360 = Rainbow (speed).................................	1	0.01
		406 = Percodan..	2	0.02
		409 = Tylenol with Codeine............................	2	0.02
		415 = Codeine...	1	0.01
		420 = OTHER Analgesic,NOT SPECIFIED...................	2	0.02
		422 = Motrin..	1	0.01
		423 = Percocet..	1	0.01
		425 = Advil...	1	0.01
		430 = Asprin..	3	0.03
		435 = Tylenol...	4	0.04
		603 = Mescaline.......................................	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED......................	4	0.04
		803 = Marijuana.......................................	1	0.01
		991 = NEVER USED SEDATIVES............................	8852	95.60
		998 = BLANK (NO ANSWER)...............................	364	3.93

```
                         SEDATIVES -- ANSWER SHEET #2

LABEL      LEN  DESCRIPTION                                          FREQ     %

SEDNEWB     3   OTHER SEDATIVE EVER USED (SECOND MENTION)
                116 = Methaqualone (including Sopor, Quaalude)..........    1   0.01
                202 = Librium..........................................    1   0.01
                435 = Tylenol..........................................    1   0.01
                436 = Buffrin..........................................    1   0.01
                438 = Napersin,Naproseyn...............................    1   0.01
                991 = NEVER USED SEDATIVES............................. 8852  95.60
                998 = BLANK (NO ANSWER)................................  402   4.34

SEDNEWC     3   OTHER SEDATIVE EVER USED (THIRD MENTION)
                201 = Valium...........................................    1   0.01
                991 = NEVER USED SEDATIVES............................. 8852  95.60
                998 = BLANK (NO ANSWER)................................  406   4.38

SEDNOSP     2   OTHER SEDATIVE EVER USED (NOT SPECIFIED)
                 1 = Response circled..................................   55   0.59
                 2 = Response not circled..............................  331   3.57
                 3 = Sedative use LOGICALLY IMPUTED....................    7   0.08
                91 = NEVER USED SEDATIVES.............................. 8852  95.60
                98 = BLANK (NO ANSWER)................................   14   0.15

SEDDKNAM    2   USED SEDATIVE, DON'T KNOW NAME
                 1 = Response circled..................................   88   0.95
                 2 = Response not circled..............................  305   3.29
                91 = NEVER USED SEDATIVES.............................. 8852  95.60
                98 = BLANK (NO ANSWER)................................   14   0.15


                S-2.   About how old were you the first time you took a sedative for
                       any nonmedical reason?

SEDAGE      3   AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS
                   RANGE = 5   - 64

                181 = NEVER USED SEDATIVES   Logically assigned..........   42   0.45
                191 = NEVER USED SEDATIVES............................. 8810  95.15
                192 = ILLEGIBLE........................................    1   0.01
                195 = BAD DATA.........................................   11   0.12
                198 = BLANK (NO ANSWER)................................   59   0.64


                S-3.   Altogether, about how many times in your life have you taken
                       sedatives for any nonmedical reason?

SEDTOT      2   # TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS
                 1 = 1 or 2 times......................................  101   1.09
                 2 = 3 to 5 times......................................    6   0.71
                 3 = 6 to 10 times.....................................   53   0.57
                 4 = 11 to 49 times....................................   60   0.65
                 5 = 50 to 99 times....................................   26   0.28
                 6 = 100 to 199 times.................................    8   0.09
                 7 = 200 or more times................................   33   0.36
                91 = NEVER USED SEDATIVES.............................. 8852  95.60
                98 = BLANK (NO ANSWER)................................   60   0.65
```

SEDATIVES -- ANSWER SHEET #2

LABEL	LEN	DESCRIPTION	FREQ	%

S-4.   When was the most recent time you took any sedative for
        nonmedical reasons?

SEDREC   2   MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS
```
     1 = Within the past month (30 days)....................   43    0.46
     2 = More than 1 month ago but less than 6 months ago...   34    0.37
     3 = 6 or more months ago but less than 1 year ago .....   28    0.30
     4 = 1 or more years ago but less than 3 years ago .....   31    0.33
     5 = 3 or more years ago................................  193    2.08
     8 = Use in past year LOGICALLY IMPUTED.................   29    0.31
     9 = Use in lifetime LOGICALLY IMPUTED..................   35    0.38
    91 = NEVER USED SEDATIVES.............................. 8852   95.60
    98 = BLANK (NO ANSWER).................................   14    0.15
```

S-5.   On the average, how often in the last 12 months have you taken
        any sedative for nonmedical reasons?

SEDYRFRQ 2   HOW OFTEN TKN SEDATIVES PAST YR FOR NONMDCL RSN
```
     1 = Daily..........................................     3    0.03
     2 = Almost daily or 3 to 6 days a week...............     9    0.10
     3 = About 1 or 2 days a week.........................    10    0.11
     4 = Several times a month (about 25 to 51 days a year).     5    0.05
     5 = 1 to 2 times a month (12 to 24 days a year).......    19    0.21
     6 = Every other month or so (6 to 11 days a year) .....    15    0.16
     7 = 3 to 5 days in the past 12 months.................    13    0.14
     8 = 1 to 2 days in the past 12 months.................    38    0.41
    81 = NEVER USED SEDATIVES  Logically assigned..........    13    0.14
    83 = DID NOT USE SEDATIVE PAST 12 MOS.  Log. assigned...    35    0.38
    85 = BAD DATA  Logically assigned......................    23    0.25
    91 = NEVER USED SEDATIVES.............................. 8839   95.46
    93 = DID NOT USE ANY SEDATIVE IN THE PAST
             12 MONTHS ....................................   224    2.42
    98 = BLANK (NO ANSWER).................................    13    0.14
```

                        TRANQUILIZERS -- ANSWER SHEET #3

LABEL   LEN   DESCRIPTION   FREQ   %

              T-0.   You may complete this on your own, or if you prefer, I'll read
                     the questions. Which way would you prefer to do it?

AS3READ   2   TRANQUILIZERS - READING PREFERENCE
               1 = Wants interviewer to continue reading.............. 2156 23.29
               2 = Wants to do it himself/herself..................... 6828 73.74
               98 = BLANK... 275   2.97

IF YOU HAVE NEVER TAKEN ANY TRANQUILIZER FOR NONMEDICAL REASONS, CIRCLE THE 91 IN
THE BOX TO THE RIGHT. ----------> * 91 *
THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE,
CONTINUE WITH T-2 BELOW.

NOTRANQ   2   HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS
               1 = Response circled................................... 8787 94.90
               2 = Response not circled............................... 443   4.78
               98 = BLANK (NO ANSWER)................................. 29   0.31

              T-1.   Circle the number next to each tranquilizer you have ever
                     taken for nonmedical reasons--on your own, either without a
                     doctor's prescription, or in greater amounts or more often
                     than prescribed, or for any reason other than a doctor said
                     you should take them.

VALIUM   2   VALIUM EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled................................... 331   3.57
               2 = Response not circled............................... 112   1.21
               91 = NEVER USED TRANQUILIZERS.......................... 8787 94.90
               98 = BLANK (NO ANSWER)................................. 29   0.31

LIBRIUM   2   LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled................................... 58   0.63
               2 = Response not circled............................... 385   4.16
               91 = NEVER USED TRANQUILIZERS.......................... 8787 94.90
               98 = BLANK (NO ANSWER)................................. 29   0.31

LIMBTROL   2   LIMBITROL EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled................................... 2   0.02
               2 = Response not circled............................... 441   4.76
               91 = NEVER USED TRANQUILIZERS.......................... 8787 94.90
               98 = BLANK (NO ANSWER)................................. 29   0.31

MENRIUM   2   MENRIUM EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled................................... 3   0.03
               2 = Response not circled............................... 440   4.75
               91 = NEVER USED TRANQUILIZERS.......................... 8787 94.90
               98 = BLANK (NO ANSWER)................................. 29   0.31

TRANQUILIZERS -- ANSWER SHEET #3

LABEL	LEN	DESCRIPTION	FREQ	%
SERAX	2	SERAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	6	0.06
		2 = Response not circled..............................	437	4.72
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
TRANXENE	2	TRANXENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	12	0.13
		2 = Response not circled..............................	431	4.65
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
ATIVAN	2	ATIVAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	19	0.21
		2 = Response not circled..............................	424	4.58
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
CENTRAX	2	CENTRAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	8	0.09
		2 = Response not circled..............................	435	4.70
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
XANAX	2	XANAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	62	0.67
		2 = Response not circled..............................	381	4.11
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
PAXIPAM	2	PAXIPAM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	7	0.08
		2 = Response not circled..............................	436	4.71
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
BUSPAR	2	BUSPAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	8	0.09
		2 = Response not circled..............................	435	4.70
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
MILTOWN	2	MILTOWN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	12	0.13
		2 = Response not circled..............................	431	4.65
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31
EQUANIL	2	EQUANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	8	0.09
		2 = Response not circled..............................	435	4.70
		91 = NEVER USED TRANQUILIZERS..........................	8787	94.90
		98 = BLANK (NO ANSWER).................................	29	0.31

TRANQUILIZERS -- ANSWER SHEET #3

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

DEPROL     2    DEPROL EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    7   0.08
                 2 = Response not circled..............................  436   4.71
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

VISTAR     2    VISTARIL EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   10   0.11
                 2 = Response not circled..............................  433   4.68
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

ATARAX     2    ATARAX EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    8   0.09
                 2 = Response not circled..............................  435   4.70
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

DURRAX     2    DURRAX EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    3   0.03
                 2 = Response not circled..............................  440   4.75
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

DIAZEPAM   2    DIAZEPAM EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   22   0.24
                 2 = Response not circled..............................  421   4.55
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

SKLY       2    SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    1   0.01
                 2 = Response not circled..............................  442   4.77
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31

MEPROB     2    MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    4   0.04
                 2 = Response not circled..............................  439   4.74
                91 = NEVER USED TRANQUILIZERS.......................... 8787  94.90
                98 = BLANK (NO ANSWER).................................   29   0.31
```

TRANQUILIZERS -- ANSWER SHEET #3

LABEL	LEN	DESCRIPTION	FREQ	%

TRNEWA   3   OTHER TRANQUILIZER EVER USED (FIRST MENTION)
```
              111 = Dalmane........................................    1   0.01
              116 = Methaqualone (including Sopor, Quaalude)..........    1   0.01
              137 = 7-14..........................................    1   0.01
              201 = Valium.........................................    1   0.01
              221 = OTHER Tranquilizer, DON'T KNOW NAME...............    3   0.03
              223 = Robaxin........................................    1   0.01
              226 = Stelazenorgin..................................    1   0.01
              228 = Amitriptyline..................................    1   0.01
              231 = M.S............................................    1   0.01
              425 = Advil..........................................    1   0.01
              434 = Vicodin........................................    1   0.01
              435 = Tylenol........................................    1   0.01
              801 = OTHER Drugs, NOT SPECIFIED......................    1   0.01
              991 = NEVER USED TRANQUILIZERS........................ 8787  94.90
              998 = BLANK (NO ANSWER)...............................  457   4.94
```

TRNEWB   3   OTHER TRANQUILIZER EVER USED (SECOND MENTION)
```
              230 = Compazine......................................    1   0.01
              991 = NEVER USED TRANQUILIZERS........................ 8787  94.90
              998 = BLANK (NO ANSWER)...............................  471   5.09
```

TRNEWC   3   OTHER TRANQUILIZER EVER USED (THIRD MENTION)
```
              227 = Thorazine......................................    1   0.01
              991 = NEVER USED TRANQUILIZERS........................ 8787  94.90
              998 = BLANK (NO ANSWER)...............................  471   5.09
```

TRNOSP   2   OTHER TRANQUILIZER EVER USED (NOT SPECIFIED)
```
                1 = Response circled................................   35   0.38
                2 = Response not circled............................  401   4.33
                3 = Tranquilizer use LOGICALLY IMPUTED...............    7   0.08
               91 = NEVER USED TRANQUILIZERS........................ 8787  94.90
               98 = BLANK (NO ANSWER)...............................   29   0.31
```

TRDKNAM   2   USED TRANQUILIZER, DON'T KNOW NAME
```
                1 = Response circled................................   41   0.44
                2 = Response not circled............................  402   4.34
               91 = NEVER USED TRANQUILIZERS........................ 8787  94.90
               98 = BLANK (NO ANSWER)...............................   29   0.31
```

```
              T-2.   About how old were you the first time you took a tranquilizer
                     for any nonmedical reason?
```

TRANAGE   3   AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS
```
                 RANGE = 5    - 65

              181 = NEVER USED TRANQUILIZERS  Logically assigned......   23   0.25
              191 = NEVER USED TRANQUILIZERS........................ 8764  94.65
              195 = BAD DATA.......................................   13   0.14
              198 = BLANK (NO ANSWER)...............................   58   0.63
```

TRANQUILIZERS -- ANSWER SHEET #3

LABEL	LEN	DESCRIPTION	FREQ	%

T-3.   Altogether, about how many times in your life have you taken
       tranquilizers for any nonmedical reason?

TRANTOT   2   # TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS
```
 1 = 1 or 2 times......................................   121   1.31
 2 = 3 to 5 times......................................   101   1.09
 3 = 6 to 10 times.....................................    56   0.60
 4 = 11 to 49 times....................................    60   0.65
 5 = 50 to 99 times....................................    36   0.39
 6 = 100 to 199 times..................................    16   0.17
 7 = 200 or more times.................................    25   0.27
91 = NEVER USED TRANQUILIZERS..........................  8787  94.90
98 = BLANK (NO ANSWER).................................    57   0.62
```

T-4.   When was the most recent time you took any tranquilizer for
       nonmedical reasons?

TRANREC   2   MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS
```
 1 = Within the past month(30 days)....................    36   0.39
 2 = More than 1 month ago but less than 6 months ago...   42   0.45
 3 = 6 or more months ago but less than 1 year ago .....   32   0.35
 4 = 1 or more years ago but less than 3 years ago .....   51   0.55
 5 = 3 or more years ago...............................   218   2.35
 8 = Use in past year LOGICALLY IMPUTED................    39   0.42
 9 = Use in lifetime LOGICALLY IMPUTED.................    25   0.27
91 = NEVER USED TRANQUILIZERS..........................  8787  94.90
98 = BLANK (NO ANSWER).................................    29   0.31
```

T-5.   On the average, how often in the last 12 months have you taken
       any tranquilizer for nonmedical reasons?

TRNYRFRQ   2   FREQ IN PAST YR TKN TRANQUILIZERS FOR NONMDCAL RSN
```
 1 = Daily.............................................     1   0.01
 2 = Almost daily or 3 to 6 days a week................     5   0.05
 3 = About 1 or 2 days a week..........................     6   0.06
 4 = Several times a month (about 25 to 51 days a year).   11   0.12
 5 = 1 to 2 times a month (12 to 24 days a year).......    19   0.21
 6 = Every other month or so (6 to 11 days a year) .....   17   0.18
 7 = 3 to 5 days in the past 12 months.................    22   0.24
 8 = 1 to 2 days in the past 12 months.................    44   0.48
81 = NEVER USED TRANQUILIZERS  Logically assigned.......   11   0.12
83 = DID NOT USE TRANQUILIZER PAST 12 MOS.
        Log. assgn....................................    23   0.25
85 = BAD DATA  Logically assigned.....................    24   0.26
91 = NEVER USED TRANQUILIZERS..........................  8776  94.78
93 = DID NOT USE ANY TRANQUILIZER IN THE PAST
        12 MONTHS.....................................   271   2.93
98 = BLANK (NO ANSWER).................................    29   0.31
```

STIMULANTS -- ANSWER SHEET #4

LABEL	LEN	DESCRIPTION	FREQ	%

ST-0. You may complete this on your own, or if you prefer, I'll read
       the questions. Which way do you want to do it?

AS4READ   2   STIMULANTS - READING PREFERENCE
              1 = Wants interviewer to continue reading.............. 2006 21.67
              2 = Wants to do it himself/herself..................... 6980 75.39
              98 = BLANK... 273   2.95

IF YOU HAVE NEVER TAKEN ANY STIMULANT FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE
BOX TO THE RIGHT. ---------> * 91 *
THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE,
CONTINUE WITH ST-2 BELOW.

NOSTIMS   2   HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS
              1 = Response circled................................... 8553 92.37
              2 = Response not circled.............................. 671   7.25
              98 = BLANK (NO ANSWER)................................   5   0.38

       ST-1. Circle the number next to each stimulant you have ever taken
              for nonmedical reasons--on your own, either without a doctor's
              prescription or in greater amounts or more often than
              prescribed or for a reason other than a doctor said you should
              take them.

DEXED   2   DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled................................... 122   1.32
              2 = Response not circled.............................. 549   5.93
              91 = NEVER USED STIMULANTS............................ 8553 92.37
              98 = BLANK (NO ANSWER)................................ 35   0.38

DEXAMYL   2   DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled................................... 32   0.35
              2 = Response not circled.............................. 639   6.90
              91 = NEVER USED STIMULANTS............................ 8553 92.37
              98 = BLANK (NO ANSWER)................................ 35   0.38

ESKAT   2   ESKATROL EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled................................... 13   0.14
              2 = Response not circled.............................. 658   7.11
              91 = NEVER USED STIMULANTS............................ 8553 92.37
              98 = BLANK (NO ANSWER)................................ 35   0.38

BENZ   2   BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS
              1 = Response circled................................... 64   0.69
              2 = Response not circled.............................. 607   6.56
              91 = NEVER USED STIMULANTS............................ 8553 92.37
              98 = BLANK (NO ANSWER)................................ 35   0.38

STIMULANTS -- ANSWER SHEET #4

LABEL	LEN	DESCRIPTION	FREQ	%
BIPHET	2	BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	69	0.75
		2 = Response not circled..............................	602	6.50
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
DESOXYN	2	DESOXYN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	19	0.21
		2 = Response not circled..............................	652	7.04
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
TENUATE	2	TENUATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	17	0.18
		2 = Response not circled..............................	654	7.06
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
TEPANIL	2	TEPANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	8	0.09
		2 = Response not circled..............................	663	7.16
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
DIDREX	2	DIDREX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	13	0.14
		2 = Response not circled..............................	658	7.11
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
PLEGINE	2	PLEGINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	6	0.06
		2 = Response not circled..............................	665	7.18
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
PRELUDIN	2	PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	44	0.48
		2 = Response not circled..............................	627	6.77
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
IONAMIN	2	IONAMIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	24	0.26
		2 = Response not circled..............................	647	6.99
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38
FASTIN	2	FASTIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled...................................	40	0.43
		2 = Response not circled..............................	631	6.81
		91 = NEVER USED STIMULANTS............................	8553	92.37
		98 = BLANK (NO ANSWER)................................	35	0.38

STIMULANTS -- ANSWER SHEET #4

```
LABEL      LEN  DESCRIPTION                                            FREQ      %

PONDIMIN    2   PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    5    0.05
                 2 = Response not circled...............................  666    7.19
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

VORANIL     2   VORANIL EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    9    0.10
                 2 = Response not circled...............................  662    7.15
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

SANOREX     2   SANOREX EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   11    0.12
                 2 = Response not circled...............................  660    7.13
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

MAZANOR     2   MAZANOR EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   13    0.14
                 2 = Response not circled...............................  658    7.11
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

RITALIN     2   RITALIN EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   29    0.31
                 2 = Response not circled...............................  642    6.93
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

CYLERT      2   CYLERT EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................    5    0.05
                 2 = Response not circled...............................  666    7.19
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

DETAMP      2   DEXTROAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASON
                 1 = Response circled...................................   19    0.21
                 2 = Response not circled...............................  652    7.04
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

METHI       2   METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................   31    0.33
                 2 = Response not circled...............................  640    6.91
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38

METHAMP     2   METHAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS
                 1 = Response circled...................................  222    2.40
                 2 = Response not circled...............................  408    4.41
                 3 = Methamphetamine use LOGICALLY IMPUTED.............   41    0.44
                91 = NEVER USED STIMULANTS.............................. 8553   92.37
                98 = BLANK (NO ANSWER)..................................   35    0.38
```

STIMULANTS -- ANSWER SHEET #4

LABEL	LEN	DESCRIPTION	FREQ	%
OBLA	2	OBEDRIN-LA EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	3	0.03
		2 = Response not circled...............................	668	7.21
		91 = NEVER USED STIMULANTS.............................	8553	92.37
		98 = BLANK (NO ANSWER).................................	35	0.38
STIMNEWA	3	OTHER STIMULANT EVER USED (FIRST MENTION)		
		124 = Yellow jackets...................................	1	0.01
		321 = Methedrine.......................................	1	0.01
		322 = Methamphetamine ("Speed" or "Crank").............	1	0.01
		324 = OTHER Stimulant,NOT SPECIFIED, "Uppers"..........	1	0.01
		325 = USED STIMULANT, DON'T KNOW NAME..................	3	0.03
		326 = White cross......................................	13	0.14
		327 = Black Beauty, Black beauties.....................	7	0.08
		328 = Pink hearts......................................	3	0.03
		331 = Whites...	5	0.05
		332 = Ephedrine..	12	0.13
		333 = 357 Magnum, Magnum 44............................	2	0.02
		334 = Cross tops, Crossroads...........................	5	0.05
		335 = Dexatrim...	4	0.04
		339 = Amphetamines (speed).............................	1	0.01
		345 = Black Molly......................................	1	0.01
		354 = Vivarin..	2	0.02
		356 = Dexies...	1	0.01
		357 = Heart shaped black pills.........................	1	0.01
		358 = 20/20..	1	0.01
		359 = Criss Cross......................................	1	0.01
		601 = LSD..	1	0.01
		614 = MDA..	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED.......................	3	0.03
		805 = Cocaine, Crack...................................	5	0.05
		814 = Caffeine...	2	0.02
		991 = NEVER USED STIMULANTS............................	8553	92.37
		994 = DON'T KNOW.......................................	1	0.01
		998 = BLANK (NO ANSWER)................................	627	6.77
STIMNEWB	3	OTHER STIMULANT EVER USED (SECOND MENTION)		
		322 = Methamphetamine ("speed" or "crank").............	1	0.01
		325 = USED STIMULANT DON'T KNOW NAME...................	1	0.01
		326 = White cross......................................	1	0.01
		327 = Black Beauty, Black beauties.....................	2	0.02
		328 = Pink hearts......................................	2	0.02
		329 = Robin's eggs.....................................	1	0.01
		332 = Ephedrine..	1	0.01
		604 = Psilocybin ("mushrooms").........................	1	0.01
		805 = Cocaine, Coke....................................	1	0.01
		806 = Crack..	1	0.01
		814 = Caffeine...	1	0.01
		991 = NEVER USED STIMULANTS............................	8553	92.37
		994 = DON'T KNOW.......................................	1	0.01
		998 = BLANK (NO ANSWER)................................	692	7.47

STIMULANTS -- ANSWER SHEET #4

```
LABEL     LEN   DESCRIPTION                                          FREQ     %

STIMNEWC  3     OTHER STIMULANT EVER USED (THIRD MENTION)
                124 = Yellow jackets...................................    1    0.01
                991 = NEVER USED STIMULANTS............................ 8553   92.37
                994 = DON'T KNOW.......................................    1    0.01
                998 = BLANK (NO ANSWER)................................  704    7.60

STIMNEWD  3     OTHER STIMULANT EVER USED (FOURTH MENTION)
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    1    0.01
                991 = NEVER USED STIMULANTS............................ 8553   92.37
                994 = DON'T KNOW.......................................    1    0.01
                998 = BLANK (NO ANSWER)................................  704    7.60

STIMNOSP  2     OTHER STIMULANT EVER USED (NOT SPECIFIED)
                  1 = Response circled.................................   85    0.92
                  2 = Response not circled............................  580    6.26
                  3 = Stimulant use LOGICALLY IMPUTED..................    6    0.06
                 91 = NEVER USED STIMULANTS............................ 8553   92.37
                 98 = BLANK (NO ANSWER)................................   35    0.38

STMDKNAM  2     USED STIMULANT, DON'T KNOW NAME
                  1 = Response circled.................................  132    1.43
                  2 = Response not circled............................  539    5.82
                 91 = NEVER USED STIMULANTS............................ 8553   92.37
                 98 = BLANK (NO ANSWER)................................   35    0.38


          ST-2.  About how old were you the first time you took amphetamines or
                 other stimulants for any nonmedical reason?

STIMAGE   3     AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS
                   RANGE = 7   - 54

                181 = NEVER USED STIMULANTS  Logically assigned........   10    0.11
                191 = NEVER USED STIMULANTS............................ 8543   92.27
                195 = BAD DATA.........................................   14    0.15
                198 = BLANK (NO ANSWER)................................  102    1.10

          ST-3.  Altogether, about how many times in your life have you taken
                 amphetamines or other stimulants for any nonmedical reason?

STIMTOT   2     # TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS
                  1 = 1 or 2 times.....................................  141    1.52
                  2 = 3 to 5 times.....................................   93    1.00
                  3 = 6 to 10 times....................................   96    1.04
                  4 = 11 to 49 times...................................  120    1.30
                  5 = 50 to 99 times...................................   51    0.55
                  6 = 100 to 199 times.................................   28    0.30
                  7 = 200 or more times................................   73    0.79
                 91 = NEVER USED STIMULANTS............................ 8553   92.37
                 98 = BLANK (NO ANSWER)................................  104    1.12
```

STIMULANTS -- ANSWER SHEET #4

LABEL	LEN	DESCRIPTION	FREQ	%

ST-4. When was the most recent time you took any amphetamine or
       other stimulant for nonmedical reasons?

STIMREC   2   MOST RECENT TIME USED STIMULANT FOR NONMEDICAL REA
```
              1 = Within the past month (30 days)....................    54    0.58
              2 = More than 1 month ago but less than 6 months ago...    44    0.48
              3 = 6 or more months ago but less than 1 year ago......    44    0.48
              4 = 1 or more years ago but less than 3 years ago......    68    0.73
              5 = 3 or more years ago..............................    357    3.86
              7 = Use in past 30 days LOGICALLY IMPUTED.............     2    0.02
              8 = Use in past year LOGICALLY IMPUTED................    39    0.42
              9 = Use in lifetime LOGICALLY IMPUTED.................    63    0.68
             91 = NEVER USED STIMULANTS............................. 8553   92.37
             98 = BLANK (NO ANSWER).................................    35    0.38
```

ST-5. On the average, how often in the past 12 months have you taken
       any amphetamine or other stimulant for nonmedical reasons?

STMYRFRQ 2   # TIMES USED STIMULANTS PAST 12 MONTHS
```
              1 = Daily...........................................     9    0.10
              2 = Almost daily or 3 to 6 days a week...............    12    0.13
              3 = About 1 or 2 days a week.........................    11    0.12
              4 = Several times a month (about 25 to 51 days a year).    16    0.17
              5 = 1 to 2 times a month (12 to 24 days a year).......    21    0.23
              6 = Every other month or so (6 to 11 days a year)......    16    0.17
              7 = 3 to 5 days in the past 12 months.................    23    0.25
              8 = 1 to 2 days in the past 12 months.................    42    0.45
             81 = NEVER USED STIMULANTS  Logically assigned.........    10    0.11
             83 = DID NOT USE STIMULANT PAST 12 MOS.
                     Log. assigned.................................    64    0.69
             85 = BAD DATA  Logically assigned.....................    31    0.33
             91 = NEVER USED STIMULANTS............................. 8543   92.27
             93 = DID NOT USE STIMULANT IN THE PAST
                     12 MONTHS....................................   424    4.58
             98 = BLANK (NO ANSWER).................................    37    0.40
```

ST-6. Have you ever used amphetamines with a needle?

STNEEDLE 2   EVER USED AMPHETAMINES WITH A NEEDLE
```
              1 = Yes.............................................    50    0.54
              2 = No..............................................   524    5.66
              3 = Yes  LOGICALLY IMPUTED...........................    20    0.22
             81 = NEVER USED STIMULANTS  Logically assigned.........    42    0.45
             91 = NEVER USED STIMULANTS............................. 8511   91.92
             98 = BLANK (NO ANSWER)................................   112    1.21
```

STIMULANTS -- ANSWER SHEET #4

```
LABEL     LEN   DESCRIPTION                                                FREQ      %

              ST-7.   When was the most recent time you used amphetamines with a
                      needle?

STNDLREC   2   MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE
               1 = Within the past month (30 days)....................     5    0.05
               2 = More than 1 month ago but less than 6 months ago...     2    0.02
               3 = 6 or more months ago but less than 1 year ago......     5    0.05
               4 = 1 or more years ago but less than 3 years ago......     6    0.06
               5 = 3 or more years ago but less than 10 years ago.....    24    0.26
               6 = 10 or more years ago............................      15    0.16
              91 = NEVER USED STIMULANTS...............................  8554   92.39
              93 = NEVER USED AMPHETAMINES WITH A NEEDLE..............   565    6.10
              98 = BLANK (NO ANSWER)..................................    70    0.76
```

ANALGESICS -- ANSWER SHEET #5

```
LABEL     LEN   DESCRIPTION                                      FREQ      %

              AN-0.  You may complete this on your own, or if you prefer, I'll read
                     the questions. Which do you prefer?

AS5READ    2   ANALGESICS - READING PREFERENCE
               1 = Wants interviewer to read questions................ 1918  20.71
               2 = Wants to do it himself/herself..................... 7066  76.31
               98 = BLANK............................................. 275   2.97
```

IF YOU HAVE NEVER TAKEN ANY ANALGESIC FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE
BOX TO THE RIGHT. ---------> * 91 *
THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE,
CONTINUE WITH AN-2 BELOW.

```
ANALNONE   2   HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS
               1 = Response circled.................................. 8634  93.25
               2 = Response not circled.............................. 614   6.63
               98 = BLANK (NO ANSWER)................................ 11   0.12


              AN-1.  Circle the number next to each analgesic you have ever taken
                     for non-medical reasons--on your own, either without a
                     doctor's prescription, or in greater amounts or more often
                     than prescribed or for a reason other than a doctor said you
                     should take them.

DARVON     2   DARVON EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled.................................. 155   1.67
               2 = Response not circled.............................. 459   4.96
               91 = NEVER USED ANALGESICS............................ 8634  93.25
               98 = BLANK (NO ANSWER)................................ 11   0.12

DOLENE     2   DOLENE EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled.................................. 7    0.08
               2 = Response not circled.............................. 607   6.56
               91 = NEVER USED ANALGESICS............................ 8634  93.25
               98 = BLANK (NO ANSWER)................................ 11   0.12

SK65A      2   SK-65 EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled.................................. 9    0.10
               2 = Response not circled.............................. 605   6.53
               91 = NEVER USED ANALGESICS............................ 8634  93.25
               98 = BLANK (NO ANSWER)................................ 11   0.12

WYGESIC    2   WYGESIC EVER TAKEN FOR NONMEDICAL REASONS
               1 = Response circled.................................. 5    0.05
               2 = Response not circled.............................. 609   6.58
               91 = NEVER USED ANALGESICS............................ 8634  93.25
               98 = BLANK (NO ANSWER)................................ 11   0.12
```

ANALGESICS -- ANSWER SHEET #5

LABEL	LEN	DESCRIPTION	FREQ	%
LEVODRO	2	LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	9	0.10
		2 = Response not circled..............................	605	6.53
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
PERCODAN	2	PERCODAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	116	1.25
		2 = Response not circled..............................	498	5.38
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
DEMEROL	2	DEMEROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	77	0.83
		2 = Response not circled..............................	537	5.80
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
DILAUD	2	DILAUDID EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	29	0.31
		2 = Response not circled..............................	585	6.32
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
TYLCOD	2	TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REASON		
		1 = Response circled....................................	415	4.48
		2 = Response not circled..............................	199	2.15
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
PHENCOD	2	PHENAPHEN W/CODEINE EVER TAKEN FOR NONMEDICAL REAS		
		1 = Response circled....................................	30	0.32
		2 = Response not circled..............................	584	6.31
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
TALWIN	2	TALWIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	22	0.24
		2 = Response not circled..............................	592	6.39
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
TALWINNX	2	TALWIN NX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	8	0.09
		2 = Response not circled..............................	606	6.54
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12
TALACEN	2	TALACEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled....................................	4	0.04
		2 = Response not circled..............................	610	6.59
		91 = NEVER USED ANALGESICS.............................	8634	93.25
		98 = BLANK (NO ANSWER).................................	11	0.12

ANALGESICS -- ANSWER SHEET #5

```
LABEL     LEN  DESCRIPTION                                              FREQ     %

PROPOXY    2   PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................     4    0.04
                2 = Response not circled................................   610    6.59
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

CODEINE    2   CODEINE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................   120    1.30
                2 = Response not circled................................   494    5.34
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

ANILERID   2   ANILERIDINE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................     1    0.01
                2 = Response not circled................................   613    6.62
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

MORPHINE   2   MORPHINE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................    40    0.43
                2 = Response not circled................................   574    6.20
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

METHDON    2   METHADONE EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................    19    0.21
                2 = Response not circled................................   595    6.43
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

STADOL     2   STADOL EVER TAKEN FOR NONMEDICAL REASONS
                1 = Response circled....................................     5    0.05
                2 = Response not circled................................   609    6.58
               91 = NEVER USED ANALGESICS...............................  8634   93.25
               98 = BLANK (NO ANSWER)...................................    11    0.12

ANALNEWA   3   OTHER ANALGESIC EVER USED (FIRST MENTION)
              120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........     1    0.01
              124 = Yellow jackets...................................     1    0.01
              406 = Percodan.........................................     1    0.01
              415 = Codeine.........................................     1    0.01
              418 = Methadone.......................................     1    0.01
              420 = OTHER Analgesic, NOT SPECIFIED...................     1    0.01
              421 = USED ANALGESIC, DON'T KNOW NAME..................     2    0.02
              422 = Motrin..........................................     2    0.02
              423 = Percocet........................................     1    0.01
              426 = Fiornal.........................................     2    0.02
              427 = Darvocet........................................     1    0.01
              430 = Asprin, Ecotrine................................     2    0.02
              431 = Tyloxe..........................................     3    0.03
              435 = Tylenol.........................................     5    0.05
              437 = Parafan Forte...................................     1    0.01
              991 = NEVER USED ANALGESICS............................  8634   93.25
              998 = BLANK (NO ANSWER)................................   600    6.48
```

ANALGESICS -- ANSWER SHEET #5

```
LABEL     LEN   DESCRIPTION                                             FREQ     %

ANALNEWB   3    OTHER ANALGESIC EVER USED (SECOND MENTION)
                702 = Heroin.............................................     1    0.01
                991 = NEVER USED ANALGESICS.............................  8634   93.25
                998 = BLANK (NO ANSWER).................................   624    6.74

ANALNEWC   3    OTHER ANALGESIC EVER USED (THIRD MENTION)
                420 = OTHER Analgesic, DON'T KNOW NAME..................     1    0.01
                991 = NEVER USED ANALGESICS.............................  8634   93.25
                998 = BLANK (NO ANSWER).................................   624    6.74

ANLNOSP    2    OTHER ANALGESIC EVER USED (NOT SPECIFIED)
                 1 = Response circled...................................    34    0.37
                 2 = Response not circled..............................   560    6.05
                 3 = Analgesic use LOGICALLY IMPUTED...................    20    0.22
                91 = NEVER USED ANALGESICS.............................  8634   93.25
                98 = BLANK (NO ANSWER)..................................    11    0.12

ANLDKNAM   2    USED ANALGESIC, DON'T KNOW NAME
                 1 = Response circled...................................    29    0.31
                 2 = Response not circled..............................   585    6.32
                91 = NEVER USED ANALGESICS.............................  8634   93.25
                98 = BLANK (NO ANSWER)..................................    11    0.12


                AN-2.  About how old were you the first time you took an analgesic
                       for any nonmedical reason?

ANALAGE    3    AGE FIRST TOOK ANALGESIC FOR NONMEDICAL REASONS
                   RANGE = 3   - 64

                181 = NEVER USED ANALGESICS  Logically assigned.........    13    0.14
                191 = NEVER USED ANALGESICS.............................  8621   93.11
                194 = DON'T KNOW........................................     1    0.01
                195 = BAD DATA..........................................    12    0.13
                198 = BLANK (NO ANSWER).................................    70    0.76


                AN-3.  Altogether, about how many times in your life have you taken
                       analgesics for any nonmedical reasons?

ANALTOT    2    # TIMES EVER TOOK ANALGESIC FOR NONMEDICAL REASONS
                 1 = 1 or 2 times.......................................   158    1.71
                 2 = 3 to 5 times.......................................   101    1.09
                 3 = 6 to 10 times......................................   106    1.14
                 4 = 11 to 49 times.....................................    89    0.96
                 5 = 50 to 99 times.....................................    37    0.40
                 6 = 100 to 199 times...................................    23    0.25
                 7 = 200 or more times..................................    44    0.48
                91 = NEVER USED ANALGESICS.............................  8634   93.25
                98 = BLANK (NO ANSWER)..................................    67    0.72
```

ANALGESICS -- ANSWER SHEET #5

LABEL	LEN	DESCRIPTION	FREQ	%

AN-4. When was the most recent time you took any analgesic for
nonmedical reasons?

ANALREC 2   MOST RECENT TIME USED ANALGESIC NONMEDICAL REASON

			FREQ	%
1 = Within past month (30 days).........................			91	0.98
2 = More than 1 month ago but less than 6 months ago...			81	0.87
3 = 6 or more months ago but less than 1 year ago......			75	0.81
4 = 1 or more years ago but less than 3 years ago......			68	0.73
5 = 3 or more years ago................................			194	2.10
8 = Use in past year LOGICALLY IMPUTED.................			55	0.59
9 = Use in lifetime LOGICALLY IMPUTED..................			50	0.54
91 = NEVER USED ANALGESICS.............................			8634	93.25
98 = BLANK (NO ANSWER).................................			11	0.12

AN-5. On the average, how often in the past 12 months have you taken
any analgesic for nonmedical reasons?

ANLYRFRQ 2   # TIMES USED ANALGESIC PAST 12 MONTHS

			FREQ	%
1 = Daily...			5	0.05
2 = Almost daily or 3 to 6 days a week................			13	0.14
3 = About 1 or 2 days a week..........................			20	0.22
4 = Several times a month (about 25 to 51 days a year).			18	0.19
5 = 1 to 2 times a month (12 to 24 days a year).......			28	0.30
6 = Every other month or so (6 to 11 days a year)......			42	0.45
7 = 3 to 5 days in the past 12 months.................			43	0.46
8 = 1 to 2 days in the past 12 months.................			98	1.06
81 = NEVER USED ANALGESICS Logically assigned.........			8	0.09
83 = DID NOT USE ANALGESIC PAST 12 MOS.				
Log. assigned................................			51	0.55
85 = BAD DATA Logically assigned.....................			34	0.37
91 = NEVER USED ANALGESICS.............................			8626	93.16
93 = DID NOT USE ANALGESIC IN THE PAST				
12 MONTHS....................................			261	2.82
98 = BLANK (NO ANSWER).................................			12	0.13

```
        MARIJUANA AND HASHISH -- ANSWER SHEET #6

LABEL     LEN   DESCRIPTION                                        FREQ      %

          M-1.   About how old were you when you first had a chance to try
                 marijuana or hash if you had wanted to?

MJOPP      3    AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH
                   RANGE = 1   - 70

                181 = NEVER HAD CHANCE TO TRY MARIJUANA
                         Log. assigned..................................    25    0.27
                185 = BAD DATA  Logically assigned......................    13    0.14
                191 = NEVER HAD CHANCE TO TRY MARIJUANA.................  4150   44.82
                192 = ILLEGIBLE.........................................     1    0.01
                194 = DON'T KNOW........................................     2    0.02
                197 = REFUSED...........................................     1    0.01
                198 = BLANK (NO ANSWER).................................    20    0.22


          M-2.   About how old were you the first time you actually used
                 marijuana or hash, even once?

MJAGE      3    AGE WHEN FIRST USED MARIJUANA/HASH
                   RANGE = 3   - 71

                181 = NEVER USED MARIJUANA  Logically assigned..........    79    0.85
                185 = BAD DATA  Logically assigned......................    22    0.24
                191 = NEVER USED MARIJUANA..............................  5909   63.82
                192 = ILLEGIBLE.........................................     1    0.01
                194 = DON'T KNOW........................................     2    0.02
                195 = BAD DATA..........................................    10    0.11
                198 = BLANK (NO ANSWER).................................     3    0.03

          M-3.   About how many times in your life have you used marijuana or
                 hash?

MJTOT      2    # TIMES USED MARIJUANA/HASH IN LIFE
                  1 = 1 or 2 times......................................   834    9.01
                  2 = 3 to 5 times......................................   505    5.45
                  3 = 6 to 10 times.....................................   366    3.95
                  4 = 11 to 49 times....................................   534    5.77
                  5 = 50 to 99 times....................................   247    2.67
                  6 = 100 to 199 times..................................   172    1.86
                  7 = 200 or more times.................................   582    6.29
                 81 = NEVER USED MARIJUANA  Logically assigned..........    69    0.75
                 85 = BAD DATA  Logically assigned......................    24    0.26
                 91 = NEVER USED MARIJUANA..............................  5919   63.93
                 96 = MULTIPLE RESPONSE..................................    2    0.02
                 97 = REFUSED...........................................     1    0.01
                 98 = BLANK (NO ANSWER).................................     4    0.04
```

MARIJUANA AND HASHISH -- ANSWER SHEET #6

```
LABEL     LEN   DESCRIPTION                                          FREQ     %

              M-4.   When was the most recent time that you used marijuana or hash?

MJREC      2   MOST RECENT TIME USED MARIJUANA/HASH
               1 = Within the past week (7 days)......................  282    3.05
               2 = More than 1 week ago but less than 1 month ago.....  168    1.81
               3 = 1 or more months ago but less than 6 months ago....  158    1.71
               4 = 6 or more months ago but less than 1 year ago......  213    2.30
               5 = 1 or more years ago but less than 3 years ago......  314    3.39
               6 = 3 or more years ago............................... 1685   18.20
               7 = Use in past 30 days LOGICALLY IMPUTED..............  165    1.78
               8 = Use in past year LOGICALLY IMPUTED.................  244    2.64
               9 = Use in lifetime LOGICALLY IMPUTED..................   42    0.45
              91 = NEVER USED MARIJUANA.............................. 5988   64.67


              M-5.   On about how many different days did you use marijuana or hash
                     during the past 30 days?  (IF NONE IN THE PAST 30 DAYS, WRITE
                     ZERO.)

MJDAY30A   2   # DAYS USED MARIJUANA/HASH IN PAST 30 DAYS
               RANGE = 0  - 30

              81 = NEVER USED MARIJUANA  Logically assigned...........  166    1.79
              85 = BAD DATA  Logically assigned......................   88    0.95
              91 = NEVER USED MARIJUANA.............................. 5822   62.88
              98 = BLANK (NO ANSWER).................................    2    0.02


              M-6.   On the days that you used marijuana, about how many cigarettes
                     or joints did you smoke each day, on the average, during the
                     past 30 days?

MJAV30A    2   # JOINTS SMOKED PER DAY IN PAST 30 DAYS
               RANGE = 0  - 30

              81 = NEVER USED MARIJUANA  Logically assigned...........  141    1.52
              85 = BAD DATA  Logically assigned......................   65    0.70
              91 = NEVER USED MARIJUANA.............................. 5847   63.15
              98 = BLANK (NO ANSWER).................................    7    0.08
```

MARIJUANA AND HASHISH -- ANSWER SHEET #6

```
LABEL      LEN   DESCRIPTION                                              FREQ      %

                 M-7.   What is the total amount of marijuana that you used, in all,
                        during the past 30 days?

MJAMT30A    2    TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS
                 1 = Less than 10 joints in the past 30 days............  367    3.96
                 2 = 10 to 20 joints in the past 30 days................  108    1.17
                 3 = About 1 ounce in the past 30 days..................   58    0.63
                 4 = About 2 ounces in the past 30 days.................   33    0.36
                 5 = 3 to 4 ounces in the past 30 days..................    3    0.03
                 6 = 5 to 6 ounces in the past 30 days..................   13    0.14
                 7 = Unspecified but > 6 ounces in the past 30 days.....    9    0.10
                81 = NEVER USED MARIJUANA Logically assigned............   78    0.84
                83 = DID NOT USE MARIJUANA PAST 30 DAYS
                         Log. assigned.................................  242    2.61
                85 = BAD DATA  Logically assigned......................   24    0.26
                91 = NEVER USED MARIJUANA.............................. 5910   63.83
                93 = DID NOT USE MARIJUANA IN PAST 30 DAYS............. 2414   26.07


                 M-8.   On the average, how often in the past 12 months have you used
                        marijuana?

MJYRFREQ    2    FREQUENCY USED MARIJUANA PAST 12 MONTHS
                 1 = Several times a day...............................   46    0.50
                 2 = Daily............................................   40    0.43
                 3 = Almost daily (3 to 6 days a week).................   95    1.03
                 4 = 1 or 2 days a week...............................  127    1.37
                 5 = Several times a month (about 25 to 51 days a year).  80    0.86
                 6 = 1 to 2 times a month (12 to 24 days a year)....... 122    1.32
                 7 = Every other month or so (6 to 11 days a year)..... 104    1.12
                 8 = 3 to 5 days in the past 12 months................ 149    1.61
                 9 = 1 or 2 days in the past 12 months................ 232    2.51
                81 = NEVER USED MARIJUANA  Logically assigned..........   62    0.67
                83 = DID NOT USE MARIJUANA PAST 12 MOS.
                        Log. assigned.................................  207    2.24
                85 = BAD DATA  Logically assigned......................  229    2.47
                91 = NEVER USED MARIJUANA.............................. 5926   64.00
                93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS........... 1834   19.81
                98 = BLANK (NO ANSWER)................................    6    0.06


                 M-9.   Circle the number of all the ways you have used marijuana in
                        the past 12 months.  (PLEASE CIRCLE ALL THAT APPLY.)

MJJOINT     2    SMOKED MARIJUANA CIGARETTES OR JOINTS
                 1 = Response circled.................................  994   10.74
                 2 = Response not circled.............................  119    1.29
                81 = NEVER USED MARIJUANA  Logically assigned..........   79    0.85
                83 = DID NOT USE MARIJUANA PAST 12 MOS.
                        Log. assigned.................................  172    1.86
                85 = BAD DATA  Logically assigned......................  117    1.26
                91 = NEVER USED MARIJUANA.............................. 5909   63.82
                93 = DID NOT USE MARIJUANA IN THE PAST
                        12 MONTHS..................................... 1861   20.10
                98 = BLANK (NO ANSWER)................................    8    0.09
```

MARIJUANA AND HASHISH -- ANSWER SHEET #6

LABEL	LEN	DESCRIPTION	FREQ	%

MJPIPE   2   SMOKED MARIJUANA WITH A PIPE OR BONG
```
            1 = Response circled.................................   561    6.06
            2 = Response not circled.............................   552    5.96
           81 = NEVER USED MARIJUANA  Logically assigned..........    79    0.85
           83 = DID NOT USE MARIJUANA PAST 12 MOS.
                     Log. assigned................................   172    1.86
           85 = BAD DATA  Logically assigned.....................   117    1.26
           91 = NEVER USED MARIJUANA..............................  5909   63.82
           93 = DID NOT USE MARIJUANA IN THE PAST
                     12 MONTHS....................................  1861   20.10
           98 = BLANK (NO ANSWER).................................     8    0.09
```

MJBAKE   2   EATING MARIJUANA THAT'S BEEN BAKED IN FOOD
```
            1 = Response circled.................................    72    0.78
            2 = Response not circled.............................  1041   11.24
           81 = NEVER USED MARIJUANA  Logically assigned..........    79    0.85
           83 = DID NOT USE MARIJUANA PAST 12 MOS.
                     Log. assigned................................   172    1.86
           85 = BAD DATA  Logically assigned.....................   117    1.26
           91 = NEVER USED MARIJUANA..............................  5909   63.82
           93 = DID NOT USE MARIJUANA IN THE PAST
                     12 MONTHS....................................  1861   20.10
           98 = BLANK (NO ANSWER).................................     8    0.09
```

MJCHEW   2   CHEWING MARIJUANA LIKE CHEWING TOBACCO
```
            1 = Response circled.................................    21    0.23
            2 = Response not circled.............................  1092   11.79
           81 = NEVER USED MARIJUANA  Logically assigned..........    79    0.85
           83 = DID NOT USE MARIJUANA PAST 12 MOS.
                     Log. assigned................................   172    1.86
           85 = BAD DATA  Logically assigned.....................   117    1.26
           91 = NEVER USED MARIJUANA..............................  5909   63.82
           93 = DID NOT USE MARIJUANA IN THE PAST
                     12 MONTHS....................................  1861   20.10
           98 = BLANK (NO ANSWER).................................     8    0.09
```

MJNEWA   2   OTHER METHOD USED MARIJUANA (FIRST MENTION)
```
            6 = Can with holes...................................     3    0.03
            7 = One hitter.......................................     8    0.09
            8 = Boiled with tea..................................     5    0.05
            9 = Smoky small room (burn in small room like
                     bathroom)...................................     1    0.01
           10 = With banana peels................................     1    0.01
           11 = Shot gun.........................................     2    0.02
           12 = Chewing/eating...................................     1    0.01
           13 = Through an apple made like a pipe................     1    0.01
           81 = NEVER USED MARIJUANA  Logically assigned..........    79    0.85
           83 = DID NOT USE MARIJUANA PAST 12 MOS.
                     Log. assigned................................   172    1.86
           85 = BAD DATA  Logically assigned.....................   117    1.26
           91 = NEVER USED MARIJUANA..............................  5909   63.82
           93 = DID NOT USE MARIJUANA IN THE PAST
                     12 MONTHS....................................  1861   20.10
           98 = BLANK (NO ANSWER).................................  1099   11.87
```

```
            MARIJUANA AND HASHISH -- ANSWER SHEET #6

LABEL     LEN   DESCRIPTION                                      FREQ      %

MJNOSP     2    USED MARIJUANA SOME OTHER WAY
                 1 = Response circled................................    3   0.03
                 2 = Response not circled............................ 1110  11.99
                81 = NEVER USED MARIJUANA  Logically assigned..........   79   0.85
                83 = DID NOT USE MARIJUANA PAST 12 MOS.
                        Log. assigned................................  172   1.86
                85 = BAD DATA  Logically assigned.....................  117   1.26
                91 = NEVER USED MARIJUANA............................. 5909  63.82
                93 = DID NOT USE MARIJUANA IN THE PAST
                        12 MONTHS.................................... 1861  20.10
                98 = BLANK (NO ANSWER)................................    8   0.09
```

INHALANTS -- ANSWER SHEET #7

```
LABEL     LEN  DESCRIPTION                                        FREQ      %

               IN-0.  You may complete this on your own, or if you prefer, I'll read
                      the questions. Which do you prefer?

AS7READ    2   INHALANTS - READING PREFERENCE
               1 = Wants interviewer to read questions................ 1874  20.24
               2 = Wants to do it himself/herself..................... 6480  69.99
               98 = BLANK............................................   905   9.77


               IN-1.  Circle the number to the right of each substance that you have
                      ever sniffed or inhaled for kicks or to get high.  (PLEASE
                      CIRCLE ALL THAT APPLY.)

GAS        2   EVER INHALED GASOLINE OR LIGHTER FLUIDS
               1 = Response circled..................................   130   1.40
               2 = Response not circled..............................   502   5.42
               3 = Inhalant use LOGICALLY IMPUTED....................     1   0.01
               81 = NEVER USED INHALANTS  Logically assigned.........    58   0.63
               91 = NEVER USED INHALANTS.............................  8563  92.48
               98 = BLANK (NO ANSWER)................................     5   0.05

SPPAINT    2   EVER INHALED SPRAY PAINTS
               1 = Response circled..................................    69   0.75
               2 = Response not circled..............................   564   6.09
               81 = NEVER USED INHALANTS  Logically assigned.........    58   0.63
               91 = NEVER USED INHALANTS.............................  8563  92.48
               98 = BLANK (NO ANSWER)................................     5   0.05

AEROS      2   EVER INHALED OTHER AEROSOL SPRAYS
               1 = Response circled..................................    45   0.49
               2 = Response not circled..............................   587   6.34
               3 = Inhalant use LOGICALLY IMPUTED....................     1   0.01
               81 = NEVER USED INHALANTS  Logically assigned.........    58   0.63
               91 = NEVER USED INHALANTS.............................  8563  92.48
               98 = BLANK (NO ANSWER)................................     5   0.05

GLUE       2   EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE
               1 = Response circled..................................   109   1.18
               2 = Response not circled..............................   521   5.63
               3 = Inhalant use LOGICALLY IMPUTED....................     3   0.03
               81 = NEVER USED INHALANTS  Logically assigned.........    58   0.63
               91 = NEVER USED INHALANTS.............................  8563  92.48
               98 = BLANK (NO ANSWER)................................     5   0.05

SOLVENT    2   EVER INHALED LACQUER THINNER/PAINT SOLVENTS
               1 = Response circled..................................    49   0.53
               2 = Response not circled..............................   583   6.30
               3 = Inhalant use LOGICALLY IMPUTED....................     1   0.01
               81 = NEVER USED INHALANTS  Logically assigned.........    58   0.63
               91 = NEVER USED INHALANTS.............................  8563  92.48
               98 = BLANK (NO ANSWER)................................     5   0.05
```

INHALANTS -- ANSWER SHEET #7

LABEL	LEN	DESCRIPTION	FREQ	%
AMYLNIT	2	EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH		
		1 = Response circled...................................	242	2.61
		2 = Response not circled..............................	390	4.21
		3 = Inhalant use LOGICALLY IMPUTED....................	1	0.01
		81 = NEVER USED INHALANTS Logically assigned..........	58	0.63
		91 = NEVER USED INHALANTS..............................	8563	92.48
		98 = BLANK (NO ANSWER).................................	5	0.05
ETHER	2	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		1 = Response circled...................................	6	0.06
		2 = Response not circled..............................	626	6.76
		3 = Inhalant use LOGICALLY IMPUTED....................	1	0.01
		81 = NEVER USED INHALANTS Logically assigned..........	58	0.63
		91 = NEVER USED INHALANTS..............................	8563	92.48
		98 = BLANK (NO ANSWER).................................	5	0.05
NITOXID	2	EVER INHALED NITROUS OXIDE/WHIPPETS		
		1 = Response circled...................................	175	1.89
		2 = Response not circled..............................	455	4.91
		3 = Inhalant use LOGICALLY IMPUTED....................	3	0.03
		81 = NEVER USED INHALANTS Logically assigned..........	58	0.63
		91 = NEVER USED INHALANTS..............................	8563	92.48
		98 = BLANK (NO ANSWER).................................	5	0.05
CLEFLU	2	EVER INHALED CORRECTION FLD/DEGREASER/CLEANING FLD		
		1 = Response circled...................................	54	0.58
		2 = Response not circled..............................	576	6.22
		3 = Inhalant use LOGICALLY IMPUTED....................	3	0.03
		81 = NEVER USED INHALANTS Logically assigned.........	58	0.63
		91 = NEVER USED INHALANTS..............................	8563	92.48
		98 = BLANK (NO ANSWER).................................	5	0.05

INHALANTS -- ANSWER SHEET #7

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWA	3	OTHER SUBSTANCE EVER INHALED (FIRST MENTION)		
		356 = Dexies..	1	0.01
		502 = Spray paints.....................................	1	0.01
		504 = Shoeshine liquid, Glue, Toluene..................	6	0.06
		506 = Amyl nitrite (poppers, locker room).............	4	0.04
		509 = Correction fluids, Degreasers, Cleaning fluids....	4	0.04
		510 = OTHER Inhalant, NOT SPECIFIED....................	2	0.02
		511 = Marker's, Felt-tip pens..........................	10	0.11
		512 = Rush, Incense....................................	1	0.01
		514 = Carbona...	2	0.02
		516 = Freon...	6	0.06
		518 = Nail Polish......................................	2	0.02
		519 = Helium..	1	0.01
		521 = Propane...	1	0.01
		522 = TV Tuner..	1	0.01
		523 = Matches...	1	0.01
		605 = PCP...	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED......................	5	0.05
		805 = Cocaine, Coke...................................	4	0.04
		806 = Crack...	1	0.01
		807 = Alcohol...	1	0.01
		813 = Cigarettes and Tobacco..........................	1	0.01
		814 = Caffeine..	1	0.01
		991 = NEVER USED INHALANTS............................	8621	93.11
		998 = BLANK (NO ANSWER)...............................	581	6.27
INHNEWB	3	OTHER SUBSTANCE EVER INHALED (SECOND MENTION)		
		517 = Tolyol..	1	0.01
		991 = NEVER USED INHALANTS............................	8621	93.11
		998 = BLANK (NO ANSWER)...............................	637	6.88
INHNOSP	2	EVER INHALED OTHER SUBSTANCES (NOT SPCEIFIED)		
		1 = Response circled.................................	36	0.39
		2 = Response not circled.............................	595	6.43
		3 = Inhalant use LOGICALLY IMPUTED...................	2	0.02
		81 = NEVER USED INHALANTS Logically assigned...........	58	0.63
		91 = NEVER USED INHALANTS.............................	8563	92.48
		98 = BLANK (NO ANSWER)................................	5	0.05
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Response circled.................................	22	0.24
		2 = Response not circled.............................	611	6.60
		81 = NEVER USED INHALANTS Logically assigned..........	58	0.63
		91 = NEVER USED INHALANTS.............................	8563	92.48
		98 = BLANK (NO ANSWER)................................	5	0.05

```
                        INHALANTS -- ANSWER SHEET #7

LABEL     LEN   DESCRIPTION                                      FREQ      %

                IN-2.  About how old were you the first time you sniffed or inhaled
                       or "huffed" one of these inhalants, even once, for kicks or to
                       get high?

INHAGE     3   AGE WHEN FIRST SNIFFED ONE OF THESE INHALANTS
                  RANGE = 3   - 42

               181 = NEVER USED INHALANTS  Logically assigned..........  509   5.50
               185 = BAD DATA  Logically assigned......................   28   0.30
               191 = NEVER USED INHALANTS............................... 8112  87.61
               194 = DON'T KNOW..........................................    1   0.01
               195 = BAD DATA  Logically assigned......................    3   0.03
               198 = BLANK (NO ANSWER)...................................    7   0.08


                IN-3.  About how many times in your life have you used an inhalant to
                       get high or for kicks?

INHTOT     2   # TIMES USED INHALANT IN LIFETIME
                 1 = 1 or 2 times.......................................  243   2.62
                 2 = 3 to 5 times.......................................  116   1.25
                 3 = 6 to 10 times......................................  121   1.31
                 4 = 11 to 49 times.....................................   68   0.73
                 5 = 50 to 99 times.....................................   16   0.17
                 6 = 100 to 199 times...................................   15   0.16
                 7 = 200 or more times..................................   13   0.14
                81 = NEVER USED INHALANTS  Logically assigned...........  126   1.36
                85 = BAD DATA  Logically assigned.......................   39   0.42
                91 = NEVER USED INHALANTS............................... 8495  91.75
                96 = MULTIPLE RESPONSE..................................    1   0.01
                98 = BLANK (NO ANSWER)..................................    6   0.06


                IN-4.  When was the most recent time that you used an inhalant; that
                       is, sniffed or inhaled something to get high or for kicks?

INHREC     2   MOST RECENT TIME USED INHALANT
                 1 = Within the past week (7 days)......................   20   0.22
                 2 = More than 1 week ago but less than 1 month ago.....   22   0.24
                 3 = 1 or more months ago but less than 6 months ago....   21   0.23
                 4 = 6 or more months ago but less than 1 year ago......   38   0.41
                 5 = 1 or more years ago but less than 3 years ago......   82   0.89
                 6 = 3 or more years ago................................  336   3.63
                 7 = Use in past 30 days LOGICALLY IMPUTED..............   50   0.54
                 8 = Use in past year LOGICALLY IMPUTED.................   35   0.38
                 9 = Use in lifetime LOGICALLY IMPUTED..................   29   0.31
                91 = NEVER USED INHALANTS............................... 8621  93.11
                98 = BLANK (NO ANSWER)..................................    5   0.05
```

```
                    INHALANTS -- ANSWER SHEET #7

LABEL     LEN  DESCRIPTION                                   FREQ      %

               IN-5.  On the average, how often in the last 12 months have you
                      sniffed or inhaled any substance to get high or for kicks?

INHYRFRQ   2   FREQ IN PAST YR SNIFFED OR INHALED SUBSTANCE
               1 = Daily.................................................    6    0.06
               2 = Almost daily or 3 to 6 days a week.................    7    0.08
               3 = About 1 or 2 days a week..........................    9    0.10
               4 = Several times a month (about 25 to 51 days a year).   11    0.12
               5 = 1 to 2 times a month (12 to 24 days a year)........   17    0.18
               6 = Every other month or so (6 to 11 days a year)......    9    0.10
               7 = 3 to 5 days in the past 12 months..................   23    0.25
               8 = 1 to 2 days in the past 12 months..................   59    0.64
               81 = NEVER USED INHALANTS  Logically assigned...........  122    1.32
               83 = DID NOT USE INHALANT PAST 12 MOS.
                       Log. assigned................................   48    0.52
               85 = BAD DATA  Logically assigned......................   45    0.49
               91 = NEVER USED INHALANTS.............................. 8499   91.79
               93 = DID NOT USE INHALANT IN THE PAST 12 MONTHS.........  399    4.31
               98 = BLANK (NO ANSWER)................................    5    0.05


               IN-6.  Circle the number to the right of each substance that you have
                      sniffed or inhaled for kicks or to get high during the past 30
                      days. (PLEASE CIRCLE ALL THAT APPLY.)

GAS30A     2   INHALED GASOLINE OR LIGHTER FLUID PAST 30 DAYS
               1 = Response circled..................................   20    0.22
               2 = Response not circled..............................   72    0.78
               81 = NEVER USED INHALANTS  Logically assigned...........  132    1.43
               83 = DID NOT USE INHALANT PAST 30 DAYS
                       Log. assigned................................   53    0.57
               91 = NEVER USED INHALANTS.............................. 8489   91.68
               93 = DID NOT USE INHALANT IN PAST 30 DAYS...............  454    4.90
               98 = BLANK (NO ANSWER)................................   39    0.42

SPPAN30A   2   INHALED SPRAY PAINTS PAST 30 DAYS
               1 = Response circled..................................    7    0.08
               2 = Response not circled..............................   85    0.92
               81 = NEVER USED INHALANTS  Logically assigned...........  132    1.43
               83 = DID NOT USE INHALANT PAST 12 MOS.
                       Log. assigned................................   53    0.57
               91 = NEVER USED INHALANTS.............................. 8489   91.68
               93 = DID NOT USE INHALANT IN PAST 30 DAYS...............  454    4.90
               98 = BLANK (NO ANSWER)................................   39    0.42

AEROS30A   2   INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS
               1 = Response circled..................................    5    0.05
               2 = Response not circled..............................   87    0.94
               81 = NEVER USED INHALANTS  Logically assigned...........  132    1.43
               83 = DID NOT USE INHALANT PAST 30 DAYS
                       Log. assigned................................   53    0.57
               91 = NEVER USED INHALANTS.............................. 8489   91.68
               93 = DID NOT USE INHALANT IN PAST 30 DAYS...............  454    4.90
               98 = BLANK (NO ANSWWER)...............................   39    0.42
```

INHALANTS -- ANSWER SHEET #7

LABEL	LEN	DESCRIPTION	FREQ	%
GLUE30A	2	INHALED SHOESHINE LIQUID/GLUE/TOLUENE PAST 30 DAYS		
		1 = Response circled.................................	11	0.12
		2 = Response not circled.............................	81	0.87
		81 = NEVER USED INHALANTS Logically assigned..........	132	1.43
		83 = DID NOT USED INHALANT PAST 30 DAYS		
		Log. assigned................................	53	0.57
		91 = NEVER USED INHALANTS..............................	8489	91.68
		93 = DID NOT USE INHALANT IN PAST 30 DAYS..............	454	4.90
		98 = BLANK (NO ANSWER).................................	39	0.42
SOLVN30A	2	INHALED LACQUER THINNER/PAINT SOLVENTS PAST 30 DAY		
		1 = Response circled.................................	8	0.09
		2 = Response not circled.............................	84	0.91
		81 = NEVER USED INHALANTS Logically assigned..........	132	1.43
		83 = DID NOT USE INHALANT PAST 12 MOS.		
		Log. assigned................................	53	0.57
		91 = NEVER USED INHALANTS..............................	8489	91.68
		93 = DID NOT USE INHALANT IN PAST 30 DAYS..............	454	4.90
		98 = BLANK (NO ANSWER).................................	39	0.42
AMLNT30A	2	INHALED AMYL NITRITE/LOCKER ROOM ODORIZER PAST 30 DYS		
		1 = Response circled.................................	20	0.22
		2 = Response not circled.............................	72	0.78
		81 = NEVER USED INHALANTS Logically assigned..........	132	1.43
		83 = DID NOT USE INHALANT PAST 30 DAYS		
		Log. assigned................................	53	0.57
		91 = NEVER USED INHALANTS..............................	8489	91.68
		93 = DID NOT USE INHALANT IN PAST 30 DAYS..............	454	4.90
		98 = BLANK (NO ANSWWER)................................	39	0.42
ETHER30A	2	INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS		
		1 = Response circled.................................	1	0.01
		2 = Response not circled.............................	91	0.98
		81 = NEVER USED INHALANTS Logically assigned..........	132	1.43
		83 = DID NOT USED INHALANT PAST 30 DAYS		
		Log. assigned................................	53	0.57
		91 = NEVER USED INHALANTS..............................	8489	91.68
		93 = DID NOT USE INHALANT IN PAST 30 DAYS..............	454	4.90
		98 = BLANK (NO ANSWER).................................	39	0.42
NOX30A	2	INHALED NITROUS OXIDE PAST 30 DAYS		
		1 = Response circled.................................	22	0.24
		2 = Response not circled.............................	70	0.76
		81 = NEVER USED INHALANTS Logically assigned..........	132	1.43
		83 = DID NOT USE INHALANT PAST 12 MOS.		
		Log. assigned................................	53	0.57
		91 = NEVER USED INHALANTS..............................	8489	91.68
		93 = DID NOT USE INHALANT IN PAST 30 DAYS..............	454	4.90
		98 = BLANK (NO ANSWER).................................	39	0.42

INHALANTS -- ANSWER SHEET #7

```
LABEL      LEN   DESCRIPTION                                             FREQ      %

CLFL30A    2     INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY
                  1 = Response circled...................................    10    0.11
                  2 = Response not circled...............................    82    0.89
                 81 = NEVER USED INHALANTS  Logically assigned...........   132    1.43
                 83 = DID NOT USE INHALANT PAST 30 DAYS
                        Log. assigned...................................    53    0.57
                 91 = NEVER USED INHALANTS...............................  8489   91.68
                 93 = DID NOT USE INHALANT IN PAST 30 DAYS...............   454    4.90
                 98 = BLANK (NO ANSWER)..................................    39    0.42

INNEW30A   3     OTHER INHALANT USED PAST 30 DAYS (FIRST MENTION)
                504 = Shoeshine liquid, Glue, Toluene....................     1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED......................     1    0.01
                511 = Marker's, Felt-tip pens............................     2    0.02
                518 = Nail polish, Acetone...............................     3    0.03
                522 = TV Tuner..........................................     1    0.01
                523 = Matches...........................................     1    0.01
                801 = OTHER Drugs, NOT SPECIFIED........................     1    0.01
                805 = Cocaine, Coke.....................................     1    0.01
                806 = Crack.............................................     1    0.01
                814 = Caffeine..........................................     1    0.01
                991 = NEVER USED INHALANTS...............................  8621   93.11
                993 = NOT APPLICABLE....................................   507    5.48
                998 = BLANK (NO ANSWER).................................   118    1.27

INNEW30B   3     OTHER INHALANT USED PAST 30 DAYS (SECOND MENTION)
                504 = Shoeshine liquid, Glue, Toluene....................     1    0.01
                991 = NEVER USED INHALANTS...............................  8621   93.11
                993 = NOT APPLICABLE....................................   507    5.48
                998 = BLANK (NO ANSWER).................................   130    1.40

IN30NOSP   2     OTHER INHALANT USED PAST 30 DAYS (NOT SPECIFIED)
                  1 = Response circled...................................     8    0.09
                  2 = Response not circled...............................    80    0.86
                  3 = Response circled  LOGICALLY IMPUTED................     4    0.04
                 81 = NEVER USED INHALANTS  Logically assigned...........   132    1.43
                 83 = DID NOT USE INHALANT PAST 30 DAYS
                        Log. assigned...................................    87    0.94
                 91 = NEVER USED INHALANTS...............................  8489   91.68
                 93 = DID NOT USE INHALANT IN PAST 30 DAYS...............   454    4.90
                 98 = BLANK (NO ANSWER)..................................     5    0.05

INH30NO    2     DID NOT USE ANY INHALANT PAST 30 DAYS
                  1 = Response circled...................................   541    5.84
                  2 = Response not circled...............................    92    0.99
                 81 = NEVER USED INHALANTS  Logically assigned...........   132    1.43
                 91 = NEVER USED INHALANTS...............................  8489   91.68
                 98 = BLANK (NO ANSWER)..................................     5    0.05
```

INHALANTS -- ANSWER SHEET #7

LABEL	LEN	DESCRIPTION	FREQ	%

IN-7. During the past 30 days, on about how many different days did
       you use an inhalant for kicks or to get high? (IF NONE IN THE
       PAST 30 DAYS, WRITE ZERO.)

INHDY30A 2 # DAYS USED AN INHALANT IN PAST 30 DAYS
             RANGE = 0 - 20

```
81 = NEVER USED INHALANTS  Logically assigned...........  311   3.36
85 = BAD DATA   Logically assigned.....................   40   0.43
91 = NEVER USED INHALANTS..............................  8310  89.75
98 = BLANK (NO ANSWER).................................    6   0.06
```

IN-8. Thinking of all the times you have ever used any of these
       inhalants, how much did you usually use?

INHEFF   2 USUAL AMOUNT (EFFECTS) OF INHALANTS USED
```
 1 = Enough to feel it a little........................  220   2.38
 2 = Enough to feel it a lot...........................   88   0.95
 3 = Enough to get high................................  143   1.54
 4 = Enough so that you staggered or dropped things.....   14   0.15
 5 = Enough to feel you were going to pass out..........   35   0.38
 6 = Something else - unspecified......................   76   0.82
 7 = Didn't feel it, didn't use much...................    5   0.05
 8 = Sniffed out of curiosity once.....................    1   0.01
11 = Enough for a head rush............................    3   0.03
12 = Didn't feel it,just like the smell................    1   0.01
81 = NEVER USED INHALANTS  Logically assigned...........  338   3.65
85 = BAD DATA   Logically assigned.....................   38   0.41
91 = NEVER USED INHALANTS..............................  8283  89.46
96 = MULTIPLE RESPONSE.................................    3   0.03
98 = BLANK (NO ANSWER).................................   11   0.12
```

IN-9. Have you ever passed out from using any of these inhalants for
       kicks or to get high?

INHPO   2 EVER PASSED OUT FROM USING INHALANTS
```
 1 = Yes...............................................   52   0.56
 2 = No................................................  529   5.71
81 = NEVER USED INHALANTS  Logically assigned...........  126   1.36
85 = BAD DATA   Logically assigned.....................   50   0.54
91 = NEVER USED INHALANTS..............................  8495  91.75
98 = BLANK (NO ANSWER).................................    7   0.08
```

INHALANTS -- ANSWER SHEET #7

LABEL	LEN	DESCRIPTION	FREQ	%

IN-10. Please tell me which questions, if any, were not clear.

INHQNC1   2   QUESTION 1 NOT CLEAR
              1 = QUESTION 1 NOT CLEAR............................... 19   0.21
              98 = BLANK (NO ANSWER)................................. 9240 99.79

INHQNC2   2   QUESTION 2 NOT CLEAR
              2 = QUESTION 2 NOT CLEAR............................... 9   0.10
              98 = BLANK (NO ANSWER)................................. 9250 99.90

INHQNC3   2   QUESTION 3 NOT CLEAR
              3 = QUESTION 3 NOT CLEAR............................... 6   0.06
              98 = BLANK (NO ANSWER)................................. 9253 99.94

INHQNC4   2   QUESTION 4 NOT CLEAR
              4 = QUESTION 4 NOT CLEAR............................... 10   0.11
              98 = BLANK (NO ANSWER)................................. 9249 99.89

INHQNC5   2   QUESTION 5 NOT CLEAR
              5 = QUESTION 5 NOT CLEAR............................... 9   0.10
              98 = BLANK (NO ANSWER)................................. 9250 99.90

INHQNC6   2   QUESTION 6 NOT CLEAR
              6 = QUESTION 6 NOT CLEAR............................... 7   0.08
              98 = BLANK (NO ANSWER)................................. 9252 99.92

INHQNC7   2   QUESTION 7 NOT CLEAR
              7 = QUESTION 7 NOT CLEAR............................... 9   0.10
              98 = BLANK (NO ANSWER)................................. 9250 99.90

INHQNC8   2   QUESTION 8 NOT CLEAR
              8 = QUESTION 8 NOT CLEAR............................... 9   0.10
              98 = BLANK (NO ANSWER)................................. 9250 99.90

INHQNC9   2   QUESTION 9 NOT CLEAR
              9 = QUESTION 9 NOT CLEAR............................... 8   0.09
              98 = BLANK (NO ANSWER)................................. 9251 99.91

INHQNC10 2   ALL QUESTIONS WERE CLEAR
              10 = ALL QUESTIONS WERE CLEAR......................... 7048 76.12
              98 = BLANK (NO ANSWWER)............................... 2211 23.88

IN-11. Have you marked an answer for each question?

INHANSY   2   ANSWER MARKED FOR EACH QUESTION
              1 = Yes... 6764 73.05
              2 = No.. 276   2.98
              98 = BLANK.. 2219 23.97

COCAINE -- ANSWER SHEET #8

THE FIRST FEW QUESTIONS ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER, "CRACK,"
FREE BASE, AND COCA PASTE.

```
LABEL     LEN   DESCRIPTION                                        FREQ      %

                CN-1.  About how old were you when you first had a chance to try
                       cocaine if you had wanted to?

COCOPP     3    AGE AT FIRST CHANCE TO TRY COCAINE
                   RANGE = 1   - 70

                181 = NEVER HAD A CHANCE TO TRY COCAINE
                        Logically assigned.............................   15   0.16
                185 = BAD DATA  Logically assigned......................    8   0.09
                191 = NEVER HAD A CHANCE TO TRY COCAINE................. 6566  70.91
                194 = DON'T KNOW.......................................    4   0.04
                197 = REFUSED..........................................    1   0.01
                198 = BLANK (NO ANSWER)................................   61   0.66


                CN-2.  About how old were you the first time you actually used
                       cocaine, even once?

COCAGE     3    AGE WHEN FIRST USED COCAINE
                   RANGE = 10  - 56

                181 = NEVER USED COCAINE  Logically assigned...........  114   1.23
                185 = BAD DATA  Logically assigned.....................   14   0.15
                191 = NEVER USED COCAINE............................... 7892  85.24
                195 = BAD DATA.........................................    3   0.03


                CN-3.   About how many times in your life have you used cocaine?

COCTOT     2    # TIMES USED COCAINE IN LIFE
                  1 = 1 or 2 times.....................................  358   3.87
                  2 = 3 to 5 times.....................................  194   2.10
                  3 = 6 to 10 times....................................  190   2.05
                  4 = 11 to 49 times...................................  211   2.28
                  5 = 50 to 99 times...................................  102   1.10
                  6 = 100 to 199 times.................................   64   0.69
                  7 = 200 or more times................................  115   1.24
                 81 = NEVER USED COCAINE  Logically assigned...........   72   0.78
                 85 = BAD DATA  Logically assigned.....................   17   0.18
                 91 = NEVER USED COCAINE............................... 7934  85.69
                 98 = BLANK (NO ANSWER)................................    2   0.02
```

COCAINE -- ANSWER SHEET #8

LABEL	LEN	DESCRIPTION	FREQ	%

CN-4.   When was the most recent time that you used cocaine?

COCREC   2   MOST RECENT TIME USED COCAINE (IN ANY FORM)
```
   1 = Within the past week (7 days)......................   42    0.45
   2 = More than 1 week ago but less than 1 month ago.....   36    0.39
   3 = 1 or more months ago but less than 6 months ago....   78    0.84
   4 = 6 or more months ago but less than 1 year ago......   99    1.07
   5 = 1 or more years ago but less than 3 years ago......  189    2.04
   6 = 3 or more years ago................................  614    6.63
   7 = Use in past 30 days LOGICALLY IMPUTED..............   53    0.57
   8 = Use in past year LOGICALLY IMPUTED.................  132    1.43
   9 = Use in lifetime LOGICALLY IMPUTED..................   10    0.11
  91 = NEVER USED COCAINE................................. 8006   86.47
```

CN-5.   On about how many different days did you use cocaine during
        the past 30 days? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

COCUS30A 2   # DAYS USED COCAINE PAST 30 DAYS
```
     RANGE = 0  - 30

  81 = NEVER USED COCAINE  Logically assigned.............  247    2.67
  85 = BAD DATA  Logically assigned......................   24    0.26
  91 = NEVER USED COCAINE................................. 7759   83.80
```

CN-6.   On the average, how often in the last 12 months have you used
        cocaine?

COCYRFRQ 2   FREQUENCY USED COCAINE PAST 12 MONTHS
```
   1 = Daily...............................................    8    0.09
   2 = Almost daily (3 to 6 days a week)..................   15    0.16
   3 = 1 or 2 days a week.................................   27    0.29
   4 = Several times a month (about 25 to 51 days a year).   38    0.41
   5 = 1 to 2 times a month (12 to 24 days a year)........   40    0.43
   6 = Every other month or so (6 to 11 days a year)......   30    0.32
   7 = 3 to 5 days in the past 12 months..................   54    0.58
   8 = 1 or 2 days in the past 12 months..................  102    1.10
  81 = NEVER USED COCAINE  Logically assigned.............   58    0.63
  83 = DID NOT USE COCAINE IN PAST 12 MONTHS
              Logically assigned...........................   70    0.76
  85 = BAD DATA  Logically assigned......................  124    1.34
  91 = NEVER USED COCAINE................................. 7948   85.84
  93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............  743    8.02
  97 = REFUSED...........................................    1    0.01
  98 = BLANK (NO ANSWER).................................    1    0.01
```

COCAINE -- ANSWER SHEET #8

LABEL	LEN	DESCRIPTION	FREQ	%

CN-7. Circle the numbers of all the ways you have used cocaine in
the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

COCSNIFF 2   SNIFFED/SNORTED COCAINE THRU NOSE IN PAST 12 MOS.
```
              1 = Response circled................................   338    3.65
              2 = Response not circled............................    49    0.53
             81 = NEVER USED COCAINE  Logically assigned............    70    0.76
             83 = DID NOT USE COCAINE PAST 12 MOS
                         Logically assigned...........................    72    0.78
             85 = BAD DATA  Logically assigned......................    53    0.57
             91 = NEVER USED COCAINE................................  7936   85.71
             93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............   735    7.94
             98 = BLANK (NO ANSWER)..................................     6    0.06
```

COCSWAL   2   SWALLOWED/DRANK COCAINE IN PAST 12 MONTHS
```
              1 = Response circled................................    35    0.38
              2 = Response not circled............................   352    3.80
             81 = NEVER USED COCAINE  Logically assigned............    71    0.77
             83 = DID NOT USE COCAINE PAST 12 MOS
                         Logically assigned...........................    72    0.78
             85 = BAD DATA  Logically assigned......................    53    0.57
             91 = NEVER USED COCAINE................................  7935   85.70
             93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............   735    7.94
             98 = BLANK (NO ANSWER)..................................     6    0.06
```

COCIV   2   INJECTED COCAINE WITH A NEEDLE IN PAST 12 MONTHS
```
              1 = Response circled................................    20    0.22
              2 = Response not circled............................   360    3.89
              3 = Cocaine use LOGICALLY IMPUTED.....................     7    0.08
             81 = NEVER USED COCAINE  Logically assigned............    71    0.77
             83 = DID NOT USE COCAINE IN PAST 12 MOS.
                         Logically assigned...........................    72    0.78
             85 = BAD DATA  Logically assigned......................    53    0.57
             91 = NEVER USED COCAINE................................  7935   85.70
             93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............   735    7.94
             98 = BLANK (NO ANSWER)..................................     6    0.06
```

FREEBASE 2   SMOKED/FREE-BASED COCAINE IN PAST 12 MONTHS
```
              1 = Response circled................................   129    1.39
              2 = Response not circled............................   241    2.60
              3 = Cocaine use LOGICALLY IMPUTED.....................    17    0.18
             81 = NEVER USED COCAINE  Logically assigned............    71    0.77
             83 = DID NOT USE COCAINE PAST 12 MOS.
                         Logically assigned...........................    72    0.78
             85 = BAD DATA  Logically assigned......................    53    0.57
             91 = NEVER USED COCAINE................................  7935   85.70
             93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............   735    7.94
             98 = BLANK (NO ANSWER)..................................     6    0.06
```

COCAINE -- ANSWER SHEET #8

LABEL	LEN	DESCRIPTION	FREQ	%
COCNEWA	2	OTHER WAY COCAINE USED PAST 12 MOS. (1ST MENTION)		
		6 = Lasing ₣sicσ joints and bongs......................	3	0.03
		7 = On my gums..	1	0.01
		8 = "Freeze," put on tongue, etc......................	3	0.03
		81 = NEVER USED COCAINE Logically assigned............	71	0.77
		83 = DID NOT USE COCAINE PAST 12 MOS.		
		Logically assigned.............................	72	0.78
		85 = BAD DATA Logically assigned......................	54	0.58
		91 = NEVER USED COCAINE................................	7935	85.70
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............	735	7.94
		98 = BLANK (NO ANSWER).................................	385	4.16
COCNEWB	2	OTHER WAY COCAINE USED PAST 12 MOS. (2ND MENTION)		
		7 = On my gums..	1	0.01
		81 = NEVER USED COCAINE Logically assigned............	71	0.77
		83 = DID NOT USE COCAINE PAST 12 MOS.		
		Logically assigned.............................	72	0.78
		85 = BAD DATA Logically assigned......................	53	0.57
		91 = NEVER USED COCAINE................................	7935	85.70
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............	735	7.94
		98 = BLANK (NO ANSWER).................................	392	4.23
COCNOSP	2	OTHER WAY COCAINE USED PAST 12 MOS (ONLY MENTION)		
		1 = Response circled..................................	2	0.02
		2 = Response not circled..............................	385	4.16
		81 = NEVER USED COCAINE Logically assigned............	71	0.77
		83 = DID NOT USE COCAINE PAST 12 MONTHS		
		Logically assigned.............................	72	0.78
		85 = BAD DATA Logically assigned......................	53	0.57
		91 = NEVER USED COCAINE................................	7935	85.70
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.............	735	7.94
		98 = BLANK (NO ANSWER).................................	6	0.06

CN-8. When was the most recent time you used cocaine with a needle?

LABEL	LEN	DESCRIPTION	FREQ	%
CONDLREC	2	MOST RECENT TIME USED COCAINE WITH A NEEDLE		
		1 = Within past month (30 days)........................	6	0.06
		2 = More than 1 month ago but less than 6 months ago...	7	0.08
		3 = 6 or more months ago but less than 1 year ago......	6	0.06
		4 = 1 or more years ago but less than 3 years ago......	12	0.13
		5 = 3 or more years ago but less than 10 years ago.....	34	0.37
		6 = 10 or more years ago...............................	16	0.17
		8 = Use in past year LOGICALLY IMPUTED.................	8	0.09
		9 = Use in lifetime LOGICALLY IMPUTED..................	5	0.05
		91 = NEVER USED COCAINE................................	8004	86.45
		93 = NEVER USED COCAINE WITH A NEEDLE..................	1153	12.45
		94 = DON'T KNOW..	2	0.02
		98 = BLANK (NO ANSWER).................................	6	0.06

COCAINE -- ANSWER SHEET #8

LABEL   LEN   DESCRIPTION   FREQ   %

THE NEXT THREE QUESTIONS REFER JUST TO "CRACK" (COCAINE IN ROCK OR CHUNK FORM) AND
NOT THE OTHER FORMS OF COCAINE.

```
          CN-9.  When was the most recent time you used the form of cocaine
                 known as "crack?"

CRAKREC   2   MOST RECENT TIME USED "CRACK"
              1 = Within the past week (7 days)......................   9    0.10
              2 = More than 1 week ago but less than 1 month ago.....  16    0.17
              3 = 1 or more months ago but less than 6 months ago....  15    0.16
              4 = 6 or more months ago but less than 1 year ago......  31    0.33
              5 = 1 or more years ago but less than 3 years ago......  69    0.75
              6 = 3 or more years ago...............................   69    0.75
              7 = Use in past 30 days LOGICALLY IMPUTED.............   14    0.15
              9 = Use in lifetime LOGICALLY IMPUTED.................    1    0.01
             91 = NEVER USED "CRACK"................................ 9034   97.57
             97 = REFUSED.........................................    1    0.01


          CN-10. How many vials or small containers of "crack" have you used in
                 the past 30 days?

CRKAM30A  3   # OF VIALS OF "CRACK" USED IN PAST 30 DAYS
                RANGE = 1   - 91

              981 = NEVER USED  Logically assigned...................  216    2.33
              983 = DID NOT USE "CRACK" IN PAST 30 DAYS
                       Logically assigned...........................   40    0.43
              985 = BAD DATA  Logically assigned.....................    9    0.10
              991 = NEVER USED "CRACK"............................... 8818   95.24
              993 = DID NOT USE "CRACK" IN PAST 30 DAYS..............  145    1.57
              997 = REFUSED.........................................    1    0.01
              998 = BLANK (NO ANSWER)................................    1    0.01


          CN-11. About how much money did the "crack" you used in the past 30
                 days cost you? (Do not include any "crack" you sold or gave
                 away, or any money you spent for other forms of cocaine
                 besides "crack.")

CRAKBUCK  4   $ AMOUNT SPENT ON "CRACK" USED IN PAST 30 DAYS
                RANGE = 0   - 4289

              9981 = NEVER USED COCAINE  Logically assigned...........  167    1.80
              9983 = DID NOT USE "CRACK" PAST 30 DAYS
                       Logically assigned........................   40    0.43
              9985 = BAD DATA  Logically assigned....................    4    0.04
              9991 = NEVER USED "CRACK"............................... 8867   95.77
              9993 = DID NOT USE "CRACK" IN PAST 30 DAYS.............  145    1.57
              9997 = REFUSED.........................................    1    0.01
```

```
                       COCAINE -- ANSWER SHEET #8

LABEL     LEN  DESCRIPTION                                     FREQ      %

THE LAST TWO QUESTIONS REFER ONLY TO FORMS OF COCAINE OTHER THAN "CRACK."

             CN-12. How many grams of cocaine, not counting "crack," have you used
                    in the past 30 days?

COCAM30A  2   # OF GRAMS OF COCAINE USED IN PAST 30 DAYS
              1 = Less than 1/4 gram (about 4 big lines)
                      past 30 days...................................   39    0.42
              2 = About 1/4 gram in the past 30 days.................    9    0.10
              3 = About 1/2 gram in the past 30 days.................   18    0.19
              4 = About 1 gram in the past 30 days...................    6    0.06
              5 = About 2 grams in the past 30 days..................   12    0.13
              6 = About 3 grams in the past 30 days..................    6    0.06
              7 = Unspecified but >3 grams in past 30 days...........    2    0.02
              8 = 4 grams in the past 30 days........................    1    0.01
             10 = Unspecified but >3 grams in past 30 days...........    1    0.01
             81 = NEVER USED COCAINE  Logically assigned............. 1150   12.42
             83 = DID NOT USE COCAINE IN PAST 30 DAYS
                      Logically assigned............................   78    0.84
             85 = BAD DATA  Logically assigned.......................   30    0.32
             91 = NEVER USED COCAINE................................. 6856   74.05
             93 = DID NOT USE COCAINE IN PAST 30 DAYS................  987   10.66
             97 = REFUSED..........................................     1    0.01
             98 = BLANK (NO ANSWER).................................   63    0.68


             CN-13. Not counting "crack," about how much money did the other
                    cocaine you used in the past 30 days cost you?  (Do not
                    include any which you sold or gave away or any money you spent
                    on "crack.")

COCBUCK   4   $ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS
                RANGE = 0    - 9480

              9981 = NEVER USED COCAINE  Logically assigned........... 1195   12.91
              9983 = DID NOT USE COCAINE PAST 30 DAYS
                        Logically assigned..........................  136    1.47
              9985 = BAD DATA  Logically assigned.....................   17    0.18
              9991 = NEVER USED COCAINE............................... 6811   73.56
              9993 = DID NOT USE COCAINE IN PAST 30 DAYS..............  928   10.02
              9994 = DON'T KNOW.......................................    1    0.01
              9997 = REFUSED..........................................    1    0.01
              9998 = BLANK (NO ANSWER)................................   66    0.71
```

HALLUCINOGENS -- ANSWER SHEET #9

```
LABEL      LEN   DESCRIPTION                                          FREQ      %

                 L-0.   Shall I read these questions to you, or do you prefer to
                        complete the answer sheet on your own?

AS9READ     2    HALLUCINOGENS - READING PREFERENCE
                 1 = Wants interviewer to continue reading............. 1735  18.74
                 2 = Wants to do it himself/herself.................... 7344  79.32
                 98 = BLANK.......................................... 180   1.94


                 L-1.   Which of the following hallucinogens have you ever used?
                        (PLEASE CIRCLE THE NUMBERS OF ALL YOU HAVE EVER USED, EVEN
                        ONCE.)

LSD         2    EVER USED LSD ("ACID," "WHITE LIGHTNING")
                 1 = Response circled................................. 539   5.82
                 2 = Response not circled............................. 254   2.74
                 81 = NEVER USED HALLUCINOGENS  Logically assigned.......  43   0.46
                 91 = NEVER USED HALLUCINOGENS......................... 8407  90.80
                 94 = DON'T KNOW......................................   2   0.02
                 98 = BLANK (NO ANSWER)...............................  14   0.15

PEYOTE      2    EVER USED PEYOTE
                 1 = Response circled................................. 127   1.37
                 2 = Response not circled............................. 666   7.19
                 81 = NEVER USED HALLUCINOGENS  Logically assigned.......  43   0.46
                 91 = NEVER USED HALLUCINOGENS......................... 8407  90.80
                 94 = DON'T KNOW......................................   2   0.02
                 98 = BLANK (NO ANSWER)...............................  14   0.15

MESC        2    EVER USED MESCALINE
                 1 = Response circled................................. 228   2.46
                 2 = Response not circled............................. 565   6.10
                 81 = NEVER USED HALLUCINOGENS  Logically assigned.......  43   0.46
                 91 = NEVER USED HALLUCINOGENS......................... 8407  90.80
                 94 = DON'T KNOW......................................   2   0.02
                 98 = BLANK (NO ANSWER)...............................  14   0.15

PSILCY      2    EVER USED PSILOCYBIN (MUSHROOMS)
                 1 = Response circled................................. 271   2.93
                 2 = Response not circled............................. 522   5.64
                 81 = NEVER USED HALLUCINOGENS  Logically assigned.......  43   0.46
                 91 = NEVER USED HALLUCINOGENS......................... 8407  90.80
                 94 = DON'T KNOW......................................   2   0.02
                 98 = BLANK (NO ANSWER)...............................  14   0.15
```

HALLUCINOGENS -- ANSWER SHEET #9

LABEL	LEN	DESCRIPTION	FREQ	%
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Response circled..................................	248	2.68
		2 = Response not circled..............................	455	4.91
		3 = PCP use LOGICALLY IMPUTED.........................	90	0.97
		91 = NEVER USED HALLUCINOGENS..........................	8450	91.26
		94 = DON'T KNOW.......................................	2	0.02
		98 = BLANK (NO ANSWER)................................	14	0.15
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Response circled..................................	99	1.07
		2 = Response not circled..............................	694	7.50
		81 = NEVER USED HALLUCINOGENS Logically assigned.......	43	0.46
		91 = NEVER USED HALLUCINOGENS..........................	8407	90.80
		94 = DON'T KNOW.......................................	2	0.02
		98 = BLANK (NO ANSWER)................................	14	0.15
HALNEWA	3	OTHER HALLUCINOGEN EVER USED (1ST MENTION)		
		210 = Paxipam...	1	0.01
		336 = Diet pills......................................	1	0.01
		604 = Psilocybin "Mushrooms"..........................	7	0.08
		607 = OTHER Hallucinogen, NOT SPECIFIED................	2	0.02
		608 = ORGAN-Z5..	1	0.01
		614 = MDA...	2	0.02
		616 = DMT...	2	0.02
		617 = Morning glory seeds.............................	1	0.01
		802 = THC, Cannabinol.................................	1	0.01
		991 = NEVER USED HALLUCINOGENS.........................	8450	91.26
		998 = BLANK (NO ANSWER)...............................	791	8.54
HALNEWB	3	OTHER HALLUCINOGEN EVER USED (2ND MENTION)		
		607 = OTHER HALLUCINOGEN, NOT SPECIFIED................	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED......................	1	0.01
		991 = NEVER USED HALLUCINOGENS.........................	8450	91.26
		998 = BLANK (NO ANSWER)...............................	807	8.72
HALNOSP	2	OTHER HALLUCINOGEN EVER USED (NOT SPECIFIED)		
		1 = Response circled..................................	19	0.21
		2 = Response not circled..............................	770	8.32
		3 = Hallucinogen use LOGICALLY IMPUTED.................	4	0.04
		81 = NEVER USED HALLUCINOGENS Logically assigned.......	43	0.46
		91 = NEVER USED HALLUCINOGENS..........................	8407	90.80
		94 = DON'T KNOW.......................................	2	0.02
		98 = BLANK (NO ANSWER)................................	14	0.15
HALDKNAM	2	USED A HALLUCINOGEN, DON'T KNOW NAME		
		1 = Response circled..................................	38	0.41
		2 = Response not circled..............................	755	8.15
		81 = NEVER USED HALLUCINOGENS Logically assigned.......	43	0.46
		91 = NEVER USED HALLUCINOGENS..........................	8407	90.80
		94 = DON'T KNOW.......................................	2	0.02
		98 = BLANK (NO ANSWER)................................	14	0.15

HALLUCINOGENS -- ANSWER SHEET #9

```
LABEL     LEN   DESCRIPTION                                              FREQ     %

          L-2.    About how old were you when you first had a chance to try LSD
                  or PCP or another hallucinogen, if you had wanted to?


HALLOPP   3    AGE AT FIRST CHANCE TO TRY HALLUCINOGEN
                  RANGE = 2   - 48

               181 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS
                        Logically assigned............................     9    0.10
               185 = BAD DATA  Logically assigned......................    14    0.15
               191 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS..........  7714   83.31
               194 = DON'T KNOW.......................................     2    0.02
               198 = BLANK (NO ANSWER)................................   201    2.17


          L-3.    About how old were you the first time you actually used LSD or
                  PCP or another hallucinogen?


HALLAGE   3    AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGEN
                  RANGE = 2   - 43

               181 = NEVER USED HALLUCINOGENS  Logically assigned......    71    0.77
               185 = BAD DATA  Logically assigned......................    24    0.26
               191 = NEVER USED HALLUCINOGENS..........................  8379   90.50
               194 = DON'T KNOW.......................................     2    0.02
               195 = BAD DATA.........................................     1    0.01
               198 = BLANK (NO ANSWER)................................    14    0.15


          L-4.    About how many times in your life have you used LSD or PCP or
                  another hallucinogen?


HALLTOT   2    # TIMES USED LSD/PCP/OTHER HALLUCINOGEN IN LIFE
                 1 = 1 or 2 times.....................................   261    2.82
                 2 = 3 to 5 times.....................................   181    1.95
                 3 = 6 to 10 times....................................   110    1.19
                 4 = 11 to 49 times...................................   115    1.24
                 5 = 50 to 99 times...................................    48    0.52
                 6 = 100 to 199 times.................................    21    0.23
                 7 = 200 or more times................................    32    0.35
                81 = NEVER USED HALLUCINOGENS  Logically assigned.......    40    0.43
                85 = BAD DATA  Logically assigned......................    23    0.25
                91 = NEVER USED HALLUCINOGENS..........................  8410   90.83
                94 = DON'T KNOW.......................................     2    0.02
                98 = BLANK (NO ANSWER)................................    16    0.17
```

HALLUCINOGENS -- ANSWER SHEET #9

LABEL	LEN	DESCRIPTION	FREQ	%

L-5.   When was the most recent time that you used LSD or PCP or
       another hallucinogen?

HALLREC 2 MOST RECENT TIME USED HALLUCINOGEN
            1 = Within the past month (30 days)................... 34   0.37
            2 = More than 1 month ago but less than 6 months ago... 46   0.50
            3 = 6 or more months ago but less than 1 year ago...... 47   0.51
            4 = 1 or more years ago but less than 3 years ago...... 87   0.94
            5 = 3 or more years ago............................... 508   5.49
            7 = Use in past 30 days LOGICALLY IMPUTED............. 13   0.14
            8 = Use in past year LOGICALLY IMPUTED................ 37   0.40
            9 = Use in lifetime LOGICALLY IMPUTED................. 21   0.23
           91 = NEVER USED HALLUCINOGENS......................... 8450 91.26
           94 = DON'T KNOW....................................... 2   0.02
           98 = BLANK (NO ANSWER)................................ 14   0.15

L-6.   During the past 30 days, on about how many different days did
       you use LSD or PCP or another hallucinogen? (IF NONE IN THE
       PAST 30 DAYS, WRITE ZERO.)

HAL30USE 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS
             RANGE = 0 - 20

           81 = NEVER USED HALLUCINOGENS Logically assigned....... 183 1.98
           85 = BAD DATA Logically assigned...................... 1   0.01
           91 = NEVER USED HALLUCINOGENS......................... 8267 89.29
           94 = DON'T KNOW....................................... 2   0.02
           98 = BLANK (NO ANSWER)................................ 14   0.15

L-7.   On the average, how often in the last 12 months have you taken
       LSD or PCP or another hallucinogen?

HALYRFRQ 2 # TIMES USED HALLUCINOGEN PAST 12 MONTHS
            1 = Daily... 1   0.01
            2 = Almost daily or 3 to 6 days a week................ 2   0.02
            3 = About 1 or 2 days a week......................... 7   0.08
            4 = Several times a month (about 25 to 51 days a year). 10 0.11
            5 = 1 to 2 times a month (12 to 24 days a year)....... 15   0.16
            6 = Every other month or so (6 to 11 days a year)..... 11   0.12
            7 = 3 to 5 days in the past 12 months................. 31 0.33
            8 = 1 to 2 days in the past 12 months................. 68 0.73
           81 = NEVER USED HALLUCINOGENS Logically assigned....... 78 0.84
           83 = DID NOT USE HALLUCINOGEN PAST 12 MOS.
                   Logically assigned........................... 43   0.46
           85 = BAD DATA Logically assigned...................... 32 0.35
           91 = NEVER USED HALLUCINOGENS......................... 8372 90.42
           93 = DID NOT USE HALLUCINOGEN IN THE PAST
                   12 MONTHS.................................... 573   6.19
           94 = DON'T KNOW....................................... 2   0.02
           98 = BLANK (NO ANSWER)................................ 14   0.15

HALLUCINOGENS -- ANSWER SHEET #9

LABEL   LEN   DESCRIPTION   FREQ   %

THE NEXT QUESTION REFERS TO PCP ONLY

          L-8.   When was the most recent time that you used PCP?

PCPREC   2   MOST RECENT TIME USED PCP
                1 = Within the past month (30 days)....................   5   0.05
                2 = More than 1 month ago but less than 6 months ago...   12   0.13
                3 = 6 or more months ago but less than 1 year ago......   16   0.17
                4 = 1 or more years ago but less than 3 years ago......   36   0.39
                5 = 3 or more years ago..............................   266   2.87
                9 = Use in lifetime LOGICALLY IMPUTED..................   3   0.03
               91 = NEVER USED PCP.................................... 8921   96.35

HEROIN -- ANSWER SHEET #10

```
LABEL     LEN   DESCRIPTION                                          FREQ     %

                H-0.   You may complete this on your own, or if you prefer, I'll read
                       the questions.  Which do you prefer?

AS10READ   2    HEROIN - READING PREFERENCE
                 1 = Wants interviewer to continue reading............. 1739  18.78
                 2 = Wants to do it himself/herself.................... 7319  79.05
                98 = BLANK...........................................    201   2.17


                H-1.   About how old were you when you first had a chance to try
                       heroin if you had wanted to?

HEROPP     3    AGE AT FIRST CHANCE TO TRY HEROIN
                  RANGE = 1   - 60

                181 = NEVER HAD A CHANCE TO TRY HEROIN
                        Logically assigned..........................     18   0.19
                185 = BAD DATA  Logically assigned.....................    7   0.08
                191 = NEVER HAD A CHANCE TO TRY HEROIN.................. 8612  93.01
                194 = DON'T KNOW.......................................    1   0.01
                198 = BLANK (NO ANSWER)................................   76   0.82


                H-2.   About how old were you the first time you actually used
                       heroin?

HERAGE     3    AGE WHEN FIRST USED HEROIN
                  RANGE = 2   - 44

                181 = NEVER HAD A CHANCE TO TRY HEROIN
                        Logically assigned..........................     70   0.76
                185 = BAD DATA  Logically assigned.....................    8   0.09
                191 = NEVER HAD A CHANCE TO TRY HEROIN.................. 9080  98.07
                198 = BLANK (NO ANSWER)................................   10   0.11


                H-3.   About how many times in your life have you used heroin?

HERTOT     2    # TIMES USED HEROIN IN LIFE
                 1 = 1 or 2 times.....................................   36   0.39
                 2 = 3 to 5 times.....................................   18   0.19
                 3 = 6 to 10 times....................................    7   0.08
                 4 = 11 to 49 times...................................   10   0.11
                 5 = 50 to 99 times...................................    2   0.02
                 6 = 100 to 199 times.................................    6   0.06
                 7 = 200 or more times................................   13   0.14
                81 = NEVER USED HEROIN  Logically assigned............   49   0.53
                85 = BAD DATA  Logically assigned.....................    7   0.08
                91 = NEVER USED HEROIN................................. 9101  98.29
                98 = BLANK (NO ANSWER)................................   10   0.11
```

```
                        HEROIN -- ANSWER SHEET #10

LABEL     LEN   DESCRIPTION                                        FREQ      %

              H-4.   When was the most recent time that you used heroin?

HERREC     2   MOST RECENT TIME USED HEROIN
                1 = Within the past month (30 days)...................    5    0.05
                2 = More than 1 month ago but less than 6 months ago...    6    0.06
                3 = 6 or more months ago but less than 1 year ago .....    7    0.08
                4 = 1 or more years ago but less than 3 years ago......    6    0.06
                5 = 3 or more years ago.............................     60    0.65
                7 = Use in past 30 days LOCIGALLY IMPUTED..............    1    0.01
                8 = Use in past year LOGICALLY IMPUTED................   13    0.14
                9 = Use in lifetime LOGICALLY IMPUTED..................    1    0.01
               91 = NEVER USED HEROIN................................. 9150   98.82
               98 = BLANK (NO ANSWER)..................................   10    0.11


              H-5.   During the past 30 days, on about how many different days did
                     you use heroin?  (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

HER30USE   2   # DAYS USED HEROIN PAST 30 DAYS
                 RANGE = 0  - 15

               81 = NEVER USED HEROIN  Logically assigned.............  134    1.45
               91 = NEVER USED HEROIN................................. 9016   97.38
               98 = BLANK (NO ANSWER)..................................   10    0.11


              H-6.   Have you ever used heroin with a needle?

HERNEEDL   2   EVER USED HEROIN WITH A NEEDLE
                1 = Yes, have used heroin with a needle................   50    0.54
                2 = No, have used heroin, but not with a needle........   42    0.45
                3 = Yes, have used heroin with  needle  Logically
                       imputed.........................................    7    0.08
               81 = NEVER USED HEROIN  Logically assigned.............  153    1.65
               91 = NEVER USED HEROIN................................. 8997   97.17
               98 = BLANK (NO ANSWER)..................................   10    0.11


              H-7.   When was the most recent time you used heroin with a needle?

HRNDLREC   2   MOST RECENT TIME USED HEROIN WITH A NEEDLE
                1 = Within the past month (30 days)...................    3    0.03
                2 = More than 1 month ago but less than 6 months ago...    2    0.02
                3 = 6 or more months ago but less than 1 year ago......    5    0.05
                4 = 1 or more years ago but less than 3 years ago......    2    0.02
                5 = 3 or more years ago but less than 10 years ago.....   23    0.25
                6 = 10 or more years ago...............................   20    0.22
                9 = Use in lifetime LOGICALLY IMPUTED..................    2    0.02
               91 = NEVER USED HEROIN................................. 9150   98.82
               93 = NEVER USED HEROIN WITH A NEEDLE
                       (HERNEEDL=2)....................................   42    0.45
               98 = BLANK (NO ANSWER)..................................   10    0.11
```

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

DR-0.   You may complete this on your own, or if you prefer, I'll read
        the questions. Which do you prefer?

AS11READ 2   DRUGS - READING PREFERENCE
```
              1 = Wants interviewer to continue reading............. 1813  19.58
              2 = Wants to do it himself/herself.................... 7159  77.32
             98 = BLANK............................................   287   3.10
```

DR-1.   During the past year, have you ever tried to cut down on your
        use of any of these drugs? (PLEASE CIRCLE ALL THAT APPLY.)

CDCIG   2   TRIED TO CUT DOWN ON USE OF CIGARETTES PAST YEAR
```
              1 = Response circled.................................. 1954  21.10
              2 = Response not circled............................. 1075  11.61
              3 = Did not try to cut down on any drug in past year... 2191  23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA  Log. assigned........................... 1266  13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2676  28.90
             98 = BLANK (NO ANSWER)................................   26   0.28
```

CDALC   2   TRIED TO CUT DOWN ON USE OF ALCOHOL PAST YEAR
```
              1 = Response circled.................................. 1683  18.18
              2 = Response not circled............................. 1346  14.54
              3 = Did not try to cut down on any drug in past year... 2191  23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA  Log. assigned........................... 1266  13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2676  28.90
             98 = BLANK (NO ANSWER)................................   26   0.28
```

CDSED   2   TRIED TO CUT DOWN ON USE OF SEDATIVES PAST YEAR
```
              1 = Response circled..................................   34   0.37
              2 = Response not circled............................. 2995  32.35
              3 = Did not try to cut down on any drug in past year... 2191  23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA  Log. assigned........................... 1266  13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2676  28.90
             98 = BLANK (NO ANSWER)................................   26   0.28
```

CDTRAN   2   TRIED TO CUT DOWN ON USE OF TRANQUILIZERS PAST YR
```
              1 = Response circled..................................   35   0.38
              2 = Response not circled............................. 2994  32.34
              3 = Did not try to cut down on any drug in past year... 2191  23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA  Log. assigned........................... 1266  13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2676  28.90
             98 = BLANK (NO ANSWER)................................   26   0.28
```

DRUGS -- ANSWER SHEET #11

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

CDSTM      2    TRIED TO CUT DOWN ON USE OF STIMULANTS PAST YEAR
                1 = Response circled.................................     48     0.52
                2 = Response not circled.............................   2981    32.20
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......    71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28

CDANAL     2    TRIED TO CUT DOWN ON USE OF ANALGESICS PAST YEAR
                1 = Response circled.................................     40     0.43
                2 = Response not circled.............................   2989    32.28
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......    71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28

CDMJ       2    TRIED TO CUT DOWN ON USE OF MARIJUANA PAST YEAR
                1 = Response circled.................................    425     4.59
                2 = Response not circled.............................   2604    28.12
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......    71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28

CDINH      2    TRIED TO CUT DOWN ON USE OF INHALANTS PAST YEAR
                1 = Response circled.................................     40     0.43
                2 = Response not circled.............................   2989    32.28
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......    71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28

CDCOC      2    TRIED TO CUT DOWN ON USE OF COCAINE PAST YEAR
                1 = Response circled.................................    166     1.79
                2 = Response not circled.............................   2863    30.92
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS.
                        Log. assigned................................     71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28

CDHALL     2    TRIED TO CUT DOWN ON USE OF HALLUCINOGENS PAST YR
                1 = Response circled.................................     47     0.51
                2 = Response not circled.............................   2982    32.21
                3 = Did not try to cut down on any drug in past year... 2191    23.66
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......    71     0.77
               85 = BAD DATA  Log. assigned..........................   1266    13.67
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........   2676    28.90
               98 = BLANK (NO ANSWER)................................      26     0.28
```

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

CDHER   2   TRIED TO CUT DOWN ON USE OF HEROIN PAST YEAR
              1 = Response circled.................................   20   0.22
              2 = Response not circled............................. 3009   32.50
              3 = Did not try to cut down on any drug in past year... 2191   23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA Log. assigned.......................... 1266   13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2676   28.90
             98 = BLANK (NO ANSWER)................................   26   0.28

CDOTHOP   2   TRIED TO CUT DOWN ON USE OF OTHER OPIATES PAST YR
              1 = Response circled.................................   21   0.23
              2 = Response not circled............................. 3008   32.49
              3 = Did not try to cut down on any drug in past year... 2191   23.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA Log. assigned.......................... 1266   13.67
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2676   28.90
             98 = BLANK (NO ANSWER)................................   26   0.28

CDNONE   2   DID NOT TRY TO CUT DOWN ON ANY DRUG USED PAST YR
              1 = Response circled................................. 2191   23.66
              2 = Response not circled............................. 2892   31.23
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   71   0.77
             85 = BAD DATA Log. assigned.......................... 1403   15.15
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2676   28.90
             98 = BLANK (NO ANSWER)................................   26   0.28

          DR-2. During the past year, for which drugs have you needed larger
                 amounts to get the same effect, or, for which drugs could you
                 no longer get high on the amount you used to use. (PLEASE
                 CIRCLE ALL THAT APPLY.)

EFFCIG   2   NEEDED MORE CIGARETTES TO GET SAME EFFECT PAST YR
              1 = Response circled.................................   506   5.46
              2 = Response not circled.............................   514   5.55
              3 = Did not need more of any drug used for same effect. 4034   43.57
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66   0.71
             85 = BAD DATA Log. assigned.......................... 1405   15.17
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
             98 = BLANK (NO ANSWER)................................   53   0.57

EFFALC   2   NEEDED MORE ALCOHOL TO GET SAME EFFECT PAST YEAR
              1 = Response circled.................................   555   5.99
              2 = Response not circled.............................   465   5.02
              3 = Did not need more of any drug used for same effect. 4034   43.57
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66   0.71
             85 = BAD DATA Log. assigned.......................... 1405   15.17
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
             98 = BLANK (NO ANSWER)................................   53   0.57

DRUGS -- ANSWER SHEET #11

```
LABEL     LEN   DESCRIPTION                                                FREQ      %

EFFSED     2    NEEDED MORE SEDATIVES TO GET SAME EFFECT PAST YEAR
                1 = Response circled...................................     9    0.10
                2 = Response not circled............................... 1011   10.92
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log. assigned........................... 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57

EFFTRAN    2    NEEDED MORE TRANQ. TO GET SAME EFFECT PAST YEAR
                1 = Response circled...................................     8    0.09
                2 = Response not circled............................... 1012   10.93
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log. assigned........................... 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57

EFFSTM     2    NEEDED MORE STIMULANTS TO GET SAME EFFECT PAST YR
                1 = Response circled...................................    17    0.18
                2 = Response not circled............................... 1003   10.83
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log. assigned........................... 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57

EFFANAL    2    NEEDED MORE ANALGESICS TO GET SAME EFFECT PAST YR
                1 = Response circled...................................    16    0.17
                2 = Response not circled............................... 1004   10.84
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log. assigned........................... 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57

EFFMJ      2    NEEDED MORE MARIJUANA TO GET SAME EFFECT PAST YEAR
                1 = Response circled...................................   118    1.27
                2 = Response not circled...............................  902    9.74
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log........................................ 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57

EFFINH     2    NEEDED MORE INHALANTS TO GET SAME EFFECT PAST YEAR
                1 = Response circled...................................    13    0.14
                2 = Response not circled............................... 1007   10.88
                3 = Did not need more of any drug used for same effect. 4034   43.57
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
                85 = BAD DATA  Log. assigned........................... 1405   15.17
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2681   28.96
                98 = BLANK (NO ANSWER).................................   53    0.57
```

DRUGS -- ANSWER SHEET #11

```
LABEL     LEN   DESCRIPTION                                                FREQ     %

EFFCOC     2    NEEDED MORE COCAINE TO GET SAME EFFECT PAST YEAR
                1 = Response circled..................................   61    0.66
                2 = Response not circled..............................  959   10.36
                3 = Did not need more of any drug used for same effect. 4034   43.57
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
               85 = BAD DATA  Log. assigned........................... 1405   15.17
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
               98 = BLANK (NO ANSWER)................................   53    0.57

EFFHALL    2    NEEDED MORE HALLUCIN. TO GET SAME EFFECT PAST YEAR
                1 = Response circled..................................    8    0.09
                2 = Response not circled.............................. 1012   10.93
                3 = Did not need more of any drug used for same effect. 4034   43.57
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
               85 = BAD DATA  Log. assigned........................... 1405   15.17
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
               98 = BLANK (NO ANSWER)................................   53    0.57

EFFHER     2    NEEDED MORE HEROIN TO GET SAME EFFECT PAST YEAR
                1 = Response circled..................................    5    0.05
                2 = Response not circled.............................. 1015   10.96
                3 = Did not need more of any drug used for same effect. 4034   43.57
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
               85 = BAD DATA  Log. assigned........................... 1405   15.17
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
               98 = BLANK (NO ANSWER)................................   53    0.57

EFFOTHOP   2    NEEDED MORE OTHER OPIATES TO GET SAME EFF PAST YR
                1 = Response circled..................................    6    0.06
                2 = Response not circled.............................. 1014   10.95
                3 = Did not need more of any drug used for same effect. 4034   43.57
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
               85 = BAD DATA  Log. assigned........................... 1405   15.17
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
               98 = BLANK (NO ANSWER)................................   53    0.57

EFFNONE    2    DID NOT NEED MORE OF ANY DRUG FOR SAME EFF PAST YR
                1 = Response circled.................................. 4034   43.57
                2 = Response not circled..............................  938   10.13
                3 = Did not need more of any drug used for same effect.    0    0.00
               83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   66    0.71
               85 = BAD DATA  Log. assigned........................... 1487   16.06
               93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2681   28.96
               98 = BLANK (NO ANSWER)................................   53    0.57
```

DRUGS -- ANSWER SHEET #11

```
LABEL      LEN   DESCRIPTION                                              FREQ      %

                 DR-3.  During the past year, which drugs have you used every day or
                        almost daily for two or more weeks in a row.  (PLEASE CIRCLE
                        ALL THAT APPLY.)

UDAYCIG     2    USED CIGARETTES DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled.................................. 2024  21.86
                 2 = Response not circled..............................  443   4.78
                 3 = Did not use any drug daily in past year........... 2643  28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
                85 = BAD DATA  Log. assigned.......................... 1365  14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674  28.88
                98 = BLANK (NO ANSWER)................................   37   0.40

UDAYALC     2    USED ALCOHOL DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled..................................  722   7.80
                 2 = Response not circled.............................. 1745  18.85
                 3 = Did not use any drug daily in past year........... 2642  28.53
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
                85 = BAD DATA  Log. assigned.......................... 1365  14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674  28.88
                94 = DON'T KNOW.......................................    1   0.01
                98 = BLANK (NO ANSWER)................................   37   0.40

UDAYSED     2    USED SEDATIVES DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled..................................   10   0.11
                 2 = Response not circled.............................. 2457  26.54
                 3 = Did not use any drug daily in past year........... 2643  28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
                85 = BAD DATA  Log. assigned.......................... 1365  14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674  28.88
                98 = BLANK (NO ANSWER)................................   37   0.40

UDAYTRAN    2    USED TRANQUILIZERS DAILY FOR 2+ WKS IN PAST YEAR
                 1 = Response circled..................................   11   0.12
                 2 = Response not circled.............................. 2456  26.53
                 3 = Did not use any drug daily in past year........... 2643  28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
                85 = BAD DATA  Log. assigned.......................... 1365  14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674  28.88
                98 = BLANK (NO ANSWER)................................   37   0.40

UDAYSTM     2    USED STIMULANTS DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled..................................   17   0.18
                 2 = Response not circled.............................. 2450  26.46
                 3 = Did not use any drug daily in past year........... 2643  28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
                85 = BAD DATA  Log. assigned.......................... 1365  14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674  28.88
                98 = BLANK (NO ANSWER)................................   37   0.40
```

DRUGS -- ANSWER SHEET #11

```
LABEL      LEN   DESCRIPTION                                              FREQ     %

UDAYANAL    2    USED ANALGESICS DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................   13    0.14
                 2 = Response not circled............................... 2454   26.50
                 3 = Did not use any drug daily in past year........... 2643   28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40

UDAYMJ      2    USED MARIJUANA DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................  199    2.15
                 2 = Response not circled............................... 2268   24.50
                 3 = Did not use any drug daily in past year........... 2643   28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40

UDAYINH     2    USED INHALANTS DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................    6    0.06
                 2 = Response not circled............................... 2461   26.58
                 3 = Did not use any drug daily in past year........... 2643   28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40

UDAYCOC     2    USED COCAINE DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................   34    0.37
                 2 = Response not circled............................... 2433   26.28
                 3 = Did not use any drug daily in past year........... 2643   28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40

UDAYHALL    2    USED HALLUCINOGENS DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................    3    0.03
                 2 = Response not circled............................... 2464   26.61
                 3 = Did not use any drug daily in past year........... 2643   28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40

UDAYHER     2    USED HEROIN DAILY FOR 2+ WEEKS IN PAST YEAR
                 1 = Response circled...................................    4    0.04
                 2 = Response not circled............................... 2463   26.60
                 3 = Did not use any drug daily in OBpast year........... 2643
28.55
                83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73    0.79
                85 = BAD DATA  Log. assigned.......................... 1365   14.74
                93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2674   28.88
                98 = BLANK (NO ANSWER)................................   37    0.40
```

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

UDAYOTH   2   USED OTHER OPIATES DAILY FOR 2+ WEEKS IN PAST YEAR
              1 = Response circled.................................   4   0.04
              2 = Response not circled............................. 2463   26.60
              3 = Did not use any drug daily in past year.......... 2643   28.55
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
             85 = BAD DATA Log. assigned.......................... 1365   14.74
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS.......... 2674   28.88
             98 = BLANK (NO ANSWER)................................   37   0.40

UDAYNONE 2   DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS IN PAST YEAR
              1 = Response circled................................. 2643   28.55
              2 = Response not circled............................. 2406   25.99
              3 = Did not use any drug daily in past year...........   0   0.00
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   73   0.79
             85 = BAD DATA Log. assigned.......................... 1426   15.40
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS.......... 2674   28.88
             98 = BLANK (NO ANSWER)................................   37   0.40

          DR-4. Which drugs have you felt that you needed or were dependent on
                 in the past year. (PLEASE CIRCLE ALL THAT APPLY.)

DEPCIG   2   FELT DEPENDENT ON CIGARETTES PAST YEAR
              1 = Response circled................................. 1703   18.39
              2 = Response not circled............................. 281   3.03
              3 = Did not feel like had to have any drug used past
                  year... 3121   33.71
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
             85 = BAD DATA Log. assigned.......................... 1366   14.75
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS.......... 2678   28.92
             98 = BLANK (NO ANSWER)................................   41   0.44

DEPALC   2   FELT DEPENDENT ON ALCOHOL PAST YEAR
              1 = Response circled................................. 367   3.96
              2 = Response not circled............................. 1617   17.46
              3 = Did not feel like had to have any drug used past
                  year... 3121   33.71
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
             85 = BAD DATA Log. assigned.......................... 1366   14.75
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS.......... 2678   28.92
             98 = BLANK (NO ANSWER)................................   41   0.44

DEPSED   2   FELT DEPENDENT ON SEDATIVES PAST YEAR
              1 = Response circled.................................   11   0.12
              2 = Response not circled............................. 1973   21.31
              3 = Did not feel like had to have any drug used past
                  year... 3121   33.71
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
             85 = BAD DATA Log. assigned.......................... 1366   14.75
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS.......... 2678   28.92
             98 = BLANK (NO ANSWER)................................   41   0.44

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

DEPTRAN   2   FELT DEPENDENT ON TRANQUILIZERS PAST YEAR
```
          1 = Response circled..................................    11   0.12
          2 = Response not circled.............................. 1973  21.31
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DEPSTM   2   FELT DEPENDENT ON STIMULANTS PAST YEAR
```
          1 = Response circled..................................    13   0.14
          2 = Response not circled.............................. 1971  21.29
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DEPANAL   2   FELT DEPENDENT ON ANALGESICS PAST YEAR
```
          1 = Response circled..................................    14   0.15
          2 = Response not circled.............................. 1970  21.28
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DEPMJ   2   FELT DEPENDENT ON MARIJUANA PAST YEAR
```
          1 = Response circled..................................   103   1.11
          2 = Response not circled.............................. 1881  20.32
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DEPINH   2   FELT DEPENDENT ON INHALANTS PAST YEAR
```
          1 = Response circled..................................     6   0.06
          2 = Response not circled.............................. 1978  21.36
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DEPCOC   2   FELT DEPENDENT ON COCAINE PAST YEAR
```
          1 = Response circled..................................    38   0.41
          2 = Response not circled.............................. 1946  21.02
          3 = Did not feel like had to have any drug used past
                year.......................................... 3121  33.71
         83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......   69   0.75
         85 = BAD DATA  Log. assigned........................... 1366  14.75
         93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
         98 = BLANK (NO ANSWER)................................    41   0.44
```

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

DEPHALL 2 FELT DEPENDENT ON HALLUCINOGENS PAST YEAR
```
            1 = Response circled................................... 0   0.00
            2 = Response not circled............................ 1984  21.43
            3 = Did not feel like had to have any drug used past
                  year.......................................... 3121  33.71
           83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......  69   0.75
           85 = BAD DATA  Log. assigned........................... 1366  14.75
           93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
           98 = BLANK (NO ANSWER)................................   41   0.44
```

DEPHER 2 FELT DEPENDENT ON HEROIN PAST YEAR
```
            1 = Response circled...................................  3   0.03
            2 = Response not circled............................ 1981  21.40
            3 = Did not feel like had to have any drug used past
                  year.......................................... 3121  33.71
           83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......  69   0.75
           85 = BAD DATA  Log. assigned........................... 1366  14.75
           93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
           98 = BLANK (NO ANSWER)................................   41   0.44
```

DEPOTHOP 2 FELT DEPENDENT ON OTHER OPIATES PAST YEAR
```
            1 = Response circled...................................  3   0.03
            2 = Response not circled............................ 1981  21.40
            3 = Did not feel like had to have any drug used past
                  year.......................................... 3121  33.71
           83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......  69   0.75
           85 = BAD DATA  Log. assigned........................... 1366  14.75
           93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
           98 = BLANK (NO ANSWER)................................   41   0.44
```

DEPNONE 2 DID NOT FEEL DEPENDENT ON ANY DRUG USED PAST YEAR
```
            1 = Response circled................................ 3121  33.71
            2 = Response not circled............................ 1937  20.92
            3 = Did not feel like had to have any drug used past
                  year..........................................    0   0.00
           83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......  69   0.75
           85 = BAD DATA  Log. assigned........................... 1413  15.26
           93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2678  28.92
           98 = BLANK (NO ANSWER)................................   41   0.44
```

DR-5. For which drugs have you had withdrawal symptoms; that is, you
       felt sick because you stopped or cut down on your use of them
       during the past year. (PLEASE CIRCLE ALL THAT APPLY.)

WSCIG 2 FELT SICK WHEN CUT DOWN ON CIGARETTES PAST YEAR
```
            1 = Response circled................................  752   8.12
            2 = Response not circled............................  162   1.75
            3 = Did not have withdrawal symptoms in past year...... 4135  44.66
           83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......  59   0.64
           85 = BAD DATA  Log. assigned........................... 1391  15.02
           93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS........... 2688  29.03
           94 = DON'T KNOW ........................................   1   0.01
           98 = BLANK (NO ANSWER)................................   71   0.77
```

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%
WSALC	2	FELT SICK WHEN CUT DOWN ON ALCOHOL PAST YEAR		
		1 = Response circled..................................	177	1.91
		2 = Response not circled.............................	737	7.96
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER).................................	71	0.77
WSSED	2	FELT SICK WHEN CUT DOWN ON SEDATIVES PAST YEAR		
		1 = Response circled..................................	3	0.03
		2 = Response not circled.............................	911	9.84
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER).................................	71	0.77
WSTRAN	2	FELT SICK WHEN CUT DOWN ON TRANQUILIZERS PAST YEAR		
		1 = Response circled..................................	5	0.05
		2 = Response not circled.............................	909	9.82
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW..	1	0.01
		98 = BLANK (NO ANSWER).................................	71	0.77
WSSTM	2	FELT SICK WHEN CUT DOWN ON STIMULANTS PAST YEAR		
		1 = Response circled..................................	13	0.14
		2 = Response not circled.............................	901	9.73
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW..	1	0.01
		98 = BLANK (NO ANSWER).................................	71	0.77
WSANAL	2	FELT SICK WHEN CUT DOWN ON ANALGESICS PAST YEAR		
		1 = Response circled..................................	8	0.09
		2 = Response not circled.............................	906	9.79
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW..	1	0.01
		98 = BLANK (NO ANSWER).................................	71	0.77

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%

WSMJ   2   FELT SICK WHEN CUT DOWN ON MARIJUANA PAST YEAR
             1 = Response circled................................... 36   0.39
             2 = Response not circled............................... 878   9.48
             3 = Did not have withdrawal symptoms in past year...... 4135   44.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn...... 59   0.64
             85 = BAD DATA Log. assigned........................... 1391   15.02
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2688   29.03
             94 = DON'T KNOW.. 1   0.01
             98 = BLANK (NO ANSWER)................................. 71   0.77

WSINH   2   FELT SICK WHEN CUT DOWN ON INHALANTS PAST YEAR
             1 = Response circled................................... 4   0.04
             2 = Response not circled............................... 910   9.83
             3 = Did not have withdrawal symptoms in past year...... 4135   44.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn...... 59   0.64
             85 = BAD DATA Log. assigned........................... 1391   15.02
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2688   29.03
             94 = DON'T KNOW.. 1   0.01
             98 = BLANK (NO ANSWER)................................. 71   0.77

WSCOC   2   FELT SICK WHEN CUT DOWN ON COCAINE PAST YEAR
             1 = Response circled................................... 34   0.37
             2 = Response not circled............................... 880   9.50
             3 = Did not have withdrawal symptoms in past year...... 4135   44.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn...... 59   0.64
             85 = BAD DATA Log. assigned........................... 1391   15.02
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2688   29.03
             94 = DON'T KNOW.. 1   0.01
             98 = BLANK (NO ANSWER)................................. 71   0.77

WSHALL   2   FELT SICK WHEN CUT DOWN ON HALLUCINOGENS PAST YEAR
             1 = Response circled................................... 3   0.03
             2 = Response not circled............................... 911   9.84
             3 = Did not have withdrawal symptoms in past year...... 4135   44.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn...... 59   0.64
             85 = BAD DATA Log. assigned........................... 1391   15.02
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2688   29.03
             94 = DON'T KNOW.. 1   0.01
             98 = BLANK (NO ANSWER)................................. 71   0.77

WSHER   2   FELT SICK WHEN CUT DOWN ON HEROIN PAST YEAR
             1 = Response circled................................... 5   0.05
             2 = Response not circled............................... 909   9.82
             3 = Did not have withdrawal symptoms in past year...... 4135   44.66
             83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn...... 59   0.64
             85 = BAD DATA Log. assigned........................... 1391   15.02
             93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS............ 2688   29.03
             94 = DON'T KNOW.. 1   0.01
             98 = BLANK (NO ANSWER)................................. 71   0.77

DRUGS -- ANSWER SHEET #11

LABEL	LEN	DESCRIPTION	FREQ	%
WSOTHOP	2	FELT SICK WHEN CUT DOWN ON OTHER OPIATES PAST YEAR		
		1 = Response circled...................................	4	0.04
		2 = Response not circled..............................	910	9.83
		3 = Did not have withdrawal symptoms in past year......	4135	44.66
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn......	59	0.64
		85 = BAD DATA Log. assigned...........................	1391	15.02
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW.......................................	1	0.01
		98 = BLANK (NO ANSWER)................................	71	0.77
WSNONE	2	DID NOT HAVE WITHDRAWAL SYMPTOMS PAST YEAR		
		1 = Response circled...................................	4135	44.66
		2 = Response not circled..............................	878	9.48
		3 = Did not have withdrawal symptoms in past year......	0	0.00
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assgn.....	59	0.64
		85 = BAD DATA Log. assigned...........................	1427	15.41
		93 = DID NOT USE ANY DRUGS IN PAST 12 MONTHS...........	2688	29.03
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)................................	71	0.77

SPECIAL TOPICS -- ANSWER SHEET #12

LABEL   LEN   DESCRIPTION   FREQ   %

            SP-0. You may complete this on your own, or if you prefer, I'll read
                   the questions. Which do you prefer?

            SP-1. Have you ever used the smokable form of methamphetamine called
                   "ice"?

                   Exercise CAUTION in using the variable ICELIFE. Many
                   respondents may have misunderstood the questions(Q.SP-1, Q.SP-
                   2) about "ice."

ICELIFE   2   EVER USED "ICE"?
                1 = Yes...   42   0.45
                2 = No..   217   2.34
                3 = Yes   LOGICALLY IMPUTED.............................   4   0.04
               81 = NEVER USED "ICE" Logically assigned............... 8993   97.13
               98 = BLANK (NO ANSWER)..................................   3   0.03

            SP-2. When was the most recent time you used the smokable form of
                   methamphetamine called "ice"?

                   Exercise CAUTION in using the variable ICEREC. Many
                   respondents may have misunderstood the questions (Q.SP-1,
                   Q.SP-2) about "ice."

ICEREC   2   MOST RECENT TIME USED "ICE"
                1 = Within the past month (30 days)....................   6   0.06
                2 = More than 1 month ago but less than 6 months ago...   6   0.06
                3 = 6 or more months ago but less than 1 year ago......   2   0.02
                4 = 1 or more years ago but less than 3 years ago......   4   0.04
                6 = 10 or more years ago...............................   2   0.02
                       9 = Use in lifetime LOGICALLY IMPUTED...........   26   0.28
               81 = NEVER USED "ICE" Logically assigned...............   28   0.30
               91 = NEVER USED "ICE"................................... 9182   99.17
               98 = BLANK (NO ANSWER)..................................   3   0.03

AS12READ 2   SPECIAL TOPICS - READING PREFERENCE
                1 = Wants interviewer to continue reading.............. 1761   19.02
                2 = Wants to do it himself/herself..................... 7247   78.27
               98 = BLANK..   251   2.71

            SP-3. Have you ever used a needle to get any drug injected under
                   your skin, into a muscle, or into a vein for nonmedical
                   reasons?

GNNDLLIF 2   HAVE USED NEEDLE TO INJECT DRUGS
                1 = Response circled...................................   104   1.12
                3 = Response circled LOGICALLY IMPUTED.................   88   0.95
               81 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........   313   3.38
               91 = NEVER USED A NEEDLE TO TAKE A DRUG................. 8754   94.55

SPECIAL TOPICS -- ANSWER SHEET #12

LABEL   LEN   DESCRIPTION   FREQ   %

SP-4. When was the most recent time you used any drug for nonmedical
       reasons with a needle?

GNNDLREC   2   MOST RECENT TIME USED ANY DRUG WITH A NEEDLE
                1 = Within the past month (30 days)....................   13   0.14
                2 = More than 1 month ago but less than 6 months.......   8   0.09
                3 = 6 or more months ago but less than 1 year ago......   9   0.10
                4 = 1 or more years ago but less than 3 years ago......   17   0.18
                5 = 3 or more years ago but less than 10 years ago.....   37   0.40
                6 = 10 or more years ago...............................   26   0.28
                7 = Use in past 30 days LOGICALLY IMPUTED..............   6   0.06
                8 = Use in past year LOGICALLY IMPUTED.................   14   0.15
                9 = Use in lifetime LOGICALLY IMPUTED..................   62   0.67
               81 = NEVER USED ANY DRUG FOR NONMDCL RSN...............   178   1.92
               91 = NEVER USED ANY DRUG FOR NONMEDICAL RSNS........... 8097   87.45
               93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............   792   8.55

SP-5. Circle the number to the right of each kind of drug you have
       ever used with a needle, for nonmedical reasons. (PLEASE
       CIRCLE ALL THAT APPLY.)

GNNDLSED   2   USED SEDATIVE WITH A NEEDLE FOR NONMEDICAL RSN
                1 = Response circled..................................   23   0.25
                2 = Response not circled..............................   142   1.53
               81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd.......   989   10.68
               83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd........   61   0.66
               85 = BAD DATA Log. assgnd............................   26   0.28
               91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE.......... 7286   78.69
               93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............   731   7.90
               98 = BLANK (NO ANSWER)................................   1   0.01

GNNDLTRA   2   USED TRANQUILIZER WITH A NEEDLE FOR NONMEDICAL RSN
                1 = Response circled..................................   10   0.11
                2 = Response not circled..............................   155   1.67
               81 = NEVER USED ANY LISTED DRUGS Log. assgnd..........   989   10.68
               83 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd......   61   0.66
               85 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd........   26   0.28
               91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE.......... 7286   78.69
               93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............   731   7.90
               98 = BLANK (NO ANSWER)................................   1   0.01

GNNDLSTM   2   USED STIMULANT WITH A NEEDLE FOR NONMEDICAL RSN
                1 = Response circled..................................   49   0.53
                2 = Response not circled..............................   55   1.03
                3 = Response circled Log. imputed....................   21   0.23
               81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd......   989   10.68
               83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd........   61   0.66
               85 = BAD DATA Log. assgnd............................   26   0.28
               91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE.......... 7286   78.69
               93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............   731   7.90
               98 = BLANK (NO ANSWER)................................   1   0.01

SPECIAL TOPICS -- ANSWER SHEET #12

LABEL	LEN	DESCRIPTION	FREQ	%

GNNDLANL 2   USED ANALGESIC WITH A NEEDLE FOR NONMEDICAL RSN
```
           1 = Response circled.................................    16    0.17
           2 = Response not circled.............................   149    1.61
          81 = NEVER USED ANY DRUGS LIST ABOVE  Log. assgnd.......   989   10.68
          83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........    61    0.66
          85 = BAD DATA  Log. assgnd.............................    26    0.28
          91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE........... 7286   78.69
          93 = NEVER USED A NEEDLE TO TAKE ANY DRUG...............   731    7.90
          98 = BLANK (NO ANSWER).................................     1    0.01
```

GNNDLMJ   2   USED MARIJUANA OR THC W/ A NEEDLE FOR NONMDCL RSN
```
           1 = Response circled.................................    15    0.16
           2 = Response not circled.............................   150    1.62
          81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd........   989   10.68
          83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........    61    0.66
          85 = BAD DATA  Log. assgnd.............................    26    0.28
          91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE........... 7286   78.69
          93 = NEVER USED A NEEDLE TO TAKE ANY DRUG...............   731    7.90
          98 = BLANK (NO ANSWER).................................     1    0.01
```

GNNDLINH 2   USED INHALANTS WITH NEEDLE FOR NONMEDICAL RSN
```
           1 = Response circled.................................     3    0.03
           2 = Response not circled.............................   162    1.75
          81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd........   989   10.68
          83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........    61    0.66
          85 = BAD DATA  Log. assgnd.............................    26    0.28
          91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE........... 7286   78.69
          93 = NEVER USED A NEEDLE TO TAKE ANY DRUG...............   731    7.90
          98 = BLANK (NO ANSWER).................................     1    0.01
```

GNNDLCOC 2   USED COCAINE WITH A NEEDLE FOR NONMEDICAL RSN
```
           1 = Response circled.................................    58    0.63
           2 = Response not circled.............................    71    0.77
           3 = Response circled LOGICALLY IMPUTED................    36    0.39
          81 = NEVER USED ANY DRUGS LIST ABOVE  Log. assgnd.......   989   10.68
          83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........    61    0.66
          85 = BAD DATA  Log. assgnd.............................    26    0.28
          91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE........... 7286   78.69
          93 = NEVER USED A NEEDLE TO TAKE ANY DRUG...............   731    7.90
          98 = BLANK (NO ANSWER).................................     1    0.01
```

GNNDLHAL 2   USED HALLUCINOGEN WITH A NEEDLE FOR NONMEDICAL RSN
```
           1 = Response circled.................................     0    0.11
           2 = Response not circled.............................   155    1.67
          81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd........   989   10.68
          83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........    61    0.66
          85 = BAD DATA  Log. assgnd.............................    26    0.28
          91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE........... 7286   78.69
          93 = NEVER USED A NEEDLE TO TAKE ANY DRUG...............   731    7.90
          98 = BLANK (NO ANSWER).................................     1    0.01
```

SPECIAL TOPICS -- ANSWER SHEET #12

LABEL	LEN	DESCRIPTION	FREQ	%
GNNDLHER	2	USED HEROIN WITH A NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled...................................	45	0.49
		2 = Response not circled..............................	108	1.17
		3 = Response circled LOGICALLY IMPUTED.................	12	0.13
		81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd.......	989	10.68
		83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........	61	0.66
		85 = BAD DATA Log. assgnd.............................	26	0.28
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE...........	7286	78.69
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............	731	7.90
		98 = BLANK (NO ANSWER).................................	1	0.01
GNNDLOPT	2	USED OTHER OPIATE WITH A NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled...................................	17	0.18
		2 = Response not circled..............................	148	1.60
		81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd.......	989	10.68
		83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........	61	0.66
		85 = BAD DATA Log. assgnd.............................	26	0.28
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE...........	7286	78.69
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............	731	7.90
		98 = BLANK (NO ANSWER).................................	1	0.01
GNNDLNON	2	NEVER USED A NEEDLE TO TAKE ANY DRUG		
		2 = Response not circled..............................	125	1.35
		81 = NEVER USED ANY DRUGS LIST ABOVE Log. assgnd.......	989	10.68
		83 = NEVER USED NEEDLE TO TAKE DRUG Log. assgnd.........	61	0.66
		85 = BAD DATA Log. assgnd.............................	66	0.71
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE...........	7286	78.69
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG..............	731	7.90
		98 = BLANK (NO ANSWER).................................	1	0.01

        SP-6. "Sharing a needle" means using a needle for injecting drugs
             when you know or suspect that the needle has been used by
             someone else for injecting drugs into themselves. It also
             means someone else injecting drugs with a needle you have
             used. If you have ever shared a needle like this with someone
             else, circle 01. If you have not shared a needle with someone
             else, circle the 02.

LABEL	LEN	DESCRIPTION	FREQ	%
GNNDLSHR	2	EVER SHARED A NEEDLE WITH SOMEONE ELSE		
		1 = Yes..	47	0.51
		2 = No...	140	1.51
		81 = NEVER SHARED A NEEDLE Log. assgnd.................	324	3.50
		91 = NEVER SHARED A NEEDLE.............................	8743	94.43
		98 = BLANK (NO ANSWER).................................	5	0.05

DRINKING EXPERIENCES -- ANSWER SHEET #13

LABEL   LEN   DESCRIPTION   FREQ   %

                DE-0. You may complete this answer sheet on your own, or if you
                       prefer, I'll read the questions. Which way would you like to
                       do it?

AS13READ   2   DRINKING EXPERIENCES - READING PREFERENCE
                1 = Wants interviewer to continue reading.............. 1656 17.89
                2 = Wants to do it himself/herself.................... 7256 78.37
                98 = BLANK... 347   3.75

NOBOOZYR   2   DID NOT USE BEER, WINE, OR LIQUOR IN PAST YEAR
                1 = Response circled................................. 3020 32.62
                2 = Response not circled............................. 5606 60.55
                3 = Response circled LOGICALLY IMPUTED.............. 257   2.78
                85 = BAD DATA Log. assgnd.......................... 356   3.84
                98 = BLANK (NO ANSWER).............................. 20   0.22

                DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in
                       the past 1 months, please circle an answer for each statement
                       below. Circle the 01 if you had the experience in the past 12
                       months, or circle the 02 if you did not have the experience in
                       the past 12 months.

ALCAGGR   2   FELT AGRESSIVE OR CROSS WHILE DRINKING PAST YEAR
                1 = Yes... 988   10.67
                2 = No.. 4620 49.90
                98 = BLANK (NO ANSWER).............................. 374   4.04
                99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3).............. 3277 35.39

ALCARGUM   2   GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR
                1 = Yes... 654   7.06
                2 = No.. 4955 53.52
                98 = BLANK (NO ANSWER).............................. 373   4.03
                99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3).............. 3277 35.39

ALCABSNT   2   STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR
                1 = Yes... 331   3.57
                2 = No.. 5275 56.97
                98 = BLANK (NO ANSWER).............................. 376   4.06
                99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3).............. 3277 35.39

ALCHIGH   2   HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR
                1 = Yes... 358   3.87
                2 = No.. 5246 56.66
                98 = BLANK (NO ANSWER).............................. 378   4.08
                99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3).............. 3277 35.39

ALCJOB   2   LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR
                1 = Yes... 58   0.63
                2 = No.. 5543 59.87
                98 = BLANK (NO ANSWER).............................. 381   4.11
                99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3).............. 3277 35.39

DRINKING EXPERIENCES -- ANSWER SHEET #13

LABEL	LEN	DESCRIPTION	FREQ	%

ALCMATCD 2   TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR
                 1 = Yes.. 572   6.18
                 2 = No... 5040 54.43
                 98 = BLANK (NO ANSWER)................................. 370   4.00
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCRELCD 2   TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR
                 1 = Yes.. 424   4.58
                 2 = No... 5181 55.96
                 98 = BLANK (NO ANSWER)................................. 377   4.07
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCFRDCD 2   TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR
                 1 = Yes.. 296   3.20
                 2 = No... 5309 57.34
                 98 = BLANK (NO ANSWER)................................. 377   4.07
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCTOSS   2   TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR
                 1 = Yes.. 859   9.28
                 2 = No... 4750 51.30
                 98 = BLANK (NO ANSWER)................................. 373   4.03
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCHOLIC 2   WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR
                 1 = Yes.. 567   6.12
                 2 = No... 5041 54.44
                 94 = DON'T KNOW 1   0.01
                 98 = BLANK (NO ANSWER)................................. 373   4.03
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCDRUNK 2   STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR
                 1 = Yes.. 231   2.49
                 2 = No... 5372 58.02
                 98 = BLANK (NO ANSWER)................................. 379   4.09
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCINTOX 2   COULDN'T STOP DRINKING TILL COMPLETELY INTOXICATED
                 1 = Yes.. 403   4.35
                 2 = No... 5156 55.69
                 98 = BLANK (NO ANSWER)................................. 423   4.57
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

ALCREM   2   COULDN'T REMEM. THINGS DONE WHILE DRINKING PAST YR
                 1 = Yes.. 879   9.49
                 2 = No... 4679 50.53
                 94 = DON'T KNOW 1   0.01
                 98 = BLANK (NO ANSWER)................................. 423   4.57
                 99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)................. 3277 35.39

DRINKING EXPERIENCES -- ANSWER SHEET #13

LABEL	LEN	DESCRIPTION	FREQ	%
ALCQUICK	2	HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR		
		1 = Yes...	355	3.83
		2 = No..	5201	56.17
		98 = BLANK (NO ANSWER)....................................	426	4.60
		99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)....................	3277	35.39
ALCMORN	2	OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR		
		1 = Yes...	112	1.21
		2 = No..	5444	58.80
		98 = BLANK (NO ANSWER)....................................	426	4.60
		99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)....................	3277	35.39
ALCSHOOK	2	HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR		
		1 = Yes...	223	2.41
		2 = No..	5331	57.58
		98 = BLANK (NO ANSWER)....................................	428	4.62
		99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)....................	3277	35.39
ALCALONE	2	SOMETIMES GOT HIGH/DRUNK WHILE DRINKING ALONE		
		1 = Yes...	830	8.96
		2 = No..	4733	51.12
		98 = BLANK (NO ANSWER)....................................	419	4.53
		99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)....................	3277	35.39
ALCBRKPM	2	KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP		
		1 = Yes...	427	4.61
		2 = No..	5136	55.47
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)....................................	418	4.51
		99 = LEGITIMATE SKIP (NOBOOZYR=1 or 3)....................	3277	35.39

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL   LEN   DESCRIPTION   FREQ   %

AS13NONE   2   NEVER USED CIGARETTES, ALCOHOL OR DRUGS IN LIFE
                1 = Response circled.................................. 1549 16.73
                2 = Response not circled.............................. 6688 72.23
                3 = Response circled LOGICALLY IMPUTED................   41   0.44
               85 = BAD DATA Log. assgnd............................. 956 10.33
               98 = BLANK (NO ANSWER)................................   25   0.27

                DP-1.   If you have ever used cigarettes, alcohol, or any of the other
                        substances listed on the card, please circle an answer for
                        each question below. If you had any of these problems in the
                        past 12 months from your use of any of the substances listed
                        on the card, please circle the 01 for "yes" and write in the
                        names of the substances you think probably caused the problem.
                        If you did A-10. How many times in the past 12 months have
                        you gotten very high or drunk on alcohol?

DRDEPRSS   2   BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE
                1 = Yes... 465   5.02
                2 = No.. 6242 67.42
                3 = Yes LOGICALLY IMPUTED.............................   13   0.14
               97 = REFUSED..   1   0.01
               98 = BLANK (NO ANSWER) 948 10.24
               99 = LEGITIMATE SKIP (AS13NONE=1 or 3)................. 1590 17.17

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

DEPDRG1A   3    DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION
                112 = Restoril..........................................      1     0.01
                116 = Methaqualone (including Sopor, Quaalude) .........      1     0.01
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........      3     0.03
                121 = USED SEDATIVE, DON'T KNOW NAME ...................      1     0.01
                123 = Unisom...........................................      1     0.01
                322 = Methamphetamine ("speed" or "crank").............      4     0.04
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........      1     0.01
                332 = Ephedrine........................................      1     0.01
                339 = Amphetamines (speed) .............................      1     0.01
                348 = Crystal..........................................      1     0.01
                401 = Darvon...........................................      1     0.01
                501 = Gasoline or lighter fluids.......................      1     0.01
                510 = OTHER Inhalant, NOT SPECIFIED....................      1     0.01
                601 = LSD ("acid," "white lightning")..................      5     0.05
                701 = OTHER Opiates, NOT SPECIFIED.....................      1     0.01
                702 = Heroin...........................................      3     0.03
                803 = Marijuana........................................     45     0.49
                804 = Hashish..........................................      1     0.01
                805 = Cocaine, Coke....................................     37     0.40
                806 = Crack............................................      3     0.03
                807 = Alcohol..........................................    217     2.34
                808 = All of the ones I've tried.......................      1     0.01
                812 = Cigars...........................................      1     0.01
                813 = Cigarettes, Tobacco..............................     62     0.67
                900 = NON-DRUG REASON..................................     21     0.23
                994 = DON'T KNOW ......................................      1     0.01
                995 = BAD DATA.........................................      5     0.05
                998 = BLANK (NO ANSWER)................................   1006    10.87
                999 = LEGITIMATE SKIP (DRDEPRSS=2,99)..................   7832    84.59

DEPDRG2A   3    DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........      2     0.02
                201 = Valium...........................................      1     0.01
                209 = Xanax............................................      1     0.01
                332 = Ephedrine........................................      1     0.01
                336 = Diet pills.......................................      1     0.01
                420 = OTHER Analgesic, NOT SPECIFIED...................      1     0.01
                510 = OTHER Inhalant, NOT SPECIFIED....................      2     0.02
                601 = LSD ("acid," "white lightning")..................      3     0.03
                604 = Psilocybin (mushrooms)...........................      1     0.01
                803 = Marijuana........................................     16     0.17
                805 = Cocaine, Coke....................................      7     0.08
                806 = Crack............................................      2     0.02
                807 = Alcohol..........................................     24     0.26
                813 = Cigarettes, Tobacco..............................      6     0.06
                998 = BLANK (NO ANSWER)................................   1359    14.68
                999 = LEGITIMATE SKIP (DRDEPRSS=2,99)..................   7832    84.59
```

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL	LEN	DESCRIPTION	FREQ	%

DEPDRG3A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION

```
            221 = OTHER Tranquilizer, NOT SPECIFIED.................    1    0.01
            322 = Methamphetamine ("speed" or "crank").............    1    0.01
            409 = Tylenol with Codeine.............................    1    0.01
            801 = OTHER Drugs, NOT SPECIFIED.......................    1    0.01
            803 = Marijuana........................................    3    0.03
            805 = Cocaine, Coke....................................    1    0.01
            807 = Alcohol..........................................    4    0.04
            998 = BLANK (NO ANSWER)................................ 1415   15.28
            999 = LEGITIMATE SKIP (DRDEPRSS=2,99)................. 7832   84.59
```

DEPDRG4A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION

```
            807 = Alcohol..........................................    1    0.01
            998 = BLANK (NO ANSWER)................................ 1426   15.40
            999 = LEGITIMATE SKIP (DRDEPRSS=2,99)................. 7832   84.59
```

DRARGUM   2 HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE

```
              1 = Yes.............................................  651    7.03
              2 = No.............................................. 6053   65.37
              3 = Yes LOGICALLY IMPUTED............................   11    0.12
             85 = BAD DATA  Log. assgnd............................    1    0.01
             94 = DON'T KNOW.......................................    1    0.01
             97 = REFUSED.........................................    1    0.01
             98 = BLANK (NO ANSWER)................................  952   10.28
             99 = LEGITIMATE SKIP ................................ 1589   17.16
```

ARGDRG1A 3 DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION

```
            120 = OTHER Sedative, NOT SPECIFIED, "Downers" ........    1    0.01
            123 = Unisom..........................................    1    0.01
            209 = Xanax...........................................    1    0.01
            322 = Methamphetamine ("speed" or "crank").............    1    0.01
            324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    2    0.02
            332 = Ephedrine.......................................    1    0.01
            336 = Diet pills......................................    2    0.02
            348 = Crystal.........................................    1    0.01
            510 = OTHER Inhalant, NOT SPECIFIED....................    1    0.01
            511 = Markers, Felt-tip pens..........................    1    0.01
            601 = LSD ("acid," "white lightning")..................    1    0.01
            702 = Heroin..........................................    3    0.03
            803 = Marijuana.......................................   32    0.35
            805 = Cocaine, Coke...................................   22    0.24
            806 = Crack...........................................    2    0.02
            807 = Alcohol.........................................  402    4.34
            808 = All of the ones I've tried......................    1    0.01
            812 = Cigars..........................................    2    0.02
            813 = Cigarettes, Tobacco.............................   70    0.76
            816 = Smokeless tobacco - snuff/chewing................    1    0.01
            900 = NON-DRUG REASON.................................   27    0.29
            994 = DON'T KNOW......................................    1    0.01
            995 = BAD DATA........................................    4    0.04
            998 = BLANK (NO ANSWER)................................ 1037   11.20
            999 = LEGITIMATE SKIP (DRARGUM=2,99).................. 7642   82.54
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL      LEN   DESCRIPTION                                          FREQ     %

ARGDRG2A    3    DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION
                 120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    2    0.02
                 201 = Valium.............................................    1    0.01
                 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" .........    1    0.01
                 325 = USED STIMULANT, DON'T KNOW NAME...................    1    0.01
                 336 = Diet pills........................................    1    0.01
                 510 = OTHER Inhalant, NOT SPECIFIED....................    1    0.01
                 601 = LSD ("acid," "white lightning")..................    1    0.01
                 605 = PCP ("angel dust," phencyclidine)................    1    0.01
                 803 = Marijuana.........................................    9    0.10
                 804 = Hashish...........................................    1    0.01
                 805 = Cocaine, Coke.....................................    9    0.10
                 806 = Crack.............................................    2    0.02
                 807 = Alcohol...........................................   16    0.17
                 808 = All of the ones I've tried.......................    1    0.01
                 813 = Cigarettes, Tobacco..............................    4    0.04
                 900 = NON-DRUG REASON...................................    1    0.01
                 998 = BLANK (NO ANSWER)................................. 1565   16.90
                 999 = LEGITIMATE SKIP (DRARGUM=2,99)................... 7642   82.54

ARGDRG3A    3    DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION
                 201 = Valium.............................................    1    0.01
                 221 = OTHER Tranquilizer, NOT SPECIFIED.................    1    0.01
                 409 = Tylenol with Codeine ............................    1    0.01
                 803 = Marijuana.........................................    2    0.02
                 805 = Cocaine, Coke.....................................    1    0.01
                 807 = Alcohol...........................................    6    0.06
                 998 = BLANK (NO ANSWER)................................. 1605   17.33
                 999 = LEGITIMATE SKIP (DRARGUM=2,99)................... 7642   82.54

DRALONE     2    FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE
                  1 = Yes...............................................  322    3.48
                  2 = No................................................ 6381   68.92
                  3 = Yes LOGICALLY IMPUTED.............................   12    0.13
                 97 = REFUSED...........................................    1    0.01
                 98 = BLANK (NO ANSWER)................................  953   10.29
                 99 = LEGITIMATE SKIP (AS13NONE=1 or 3)................ 1590   17.17
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN   DESCRIPTION                                            FREQ     %

ALNDRG1A  3     DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION
                116 = Methaqualone (including Sopor, Quaalude) .........    1    0.01
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    3    0.03
                121 = USED SEDATIVE, DON'T KNOW NAME...................    1    0.01
                123 = Unisom..........................................    1    0.01
                322 = Methamphetamine ("speed" or "crank").............    3    0.03
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" ........    1    0.01
                332 = Ephedine........................................    1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED...................    1    0.01
                601 = LSD ("acid," "white lightning")..................    7    0.08
                604 = Psilocybin (mushrooms)..........................    2    0.02
                607 = OTHER Hallucinogen, NOT SPECIFIED................    1    0.01
                702 = Heroin..........................................    2    0.02
                803 = Marijuana.......................................   26    0.28
                805 = Cocaine, Coke...................................   18    0.19
                806 = Crack...........................................    2    0.02
                807 = Alcohol.........................................  161    1.74
                808 = All of the ones I've tried......................    1    0.01
                813 = Cigarettes, Tobacco1............................    9    0.21
                900 = NON-DRUG REASON.................................   14    0.15
                994 = DON'T KNOW......................................    1    0.01
                995 = BAD DATA........................................    3    0.03
                998 = BLANK (NO ANSWER)............................... 1019   11.01
                999 = LEGITIMATE SKIP (DRALONE=2,99)................... 7971   86.09

ALNDRG2A  3     DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION
                120 = OTHER Sedative, NOT SPECIFIED, "Downers" .........    1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" .........    1    0.01
                336 = Diet pills .....................................    1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED...................    1    0.01
                803 = Marijuana.......................................   10    0.11
                805 = Cocaine, Coke...................................    8    0.09
                806 = Crack...........................................    2    0.02
                807 = Alcohol.........................................   11    0.12
                813 = Cigarettes, Tobacco.............................    5    0.05
                998 = BLANK (NO ANSWER)............................... 1248   13.48
                999 = LEGITIMATE SKIP (DRALONE=2,99)................... 7971   86.09

ALNDRG3A  3     DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION
                221 = OTHER Tranquilizer, NOT SPECIFIED1................0.01
                801 = OTHER Drugs, NOT SPECIFIED......................    1    0.01
                803 = Marijuana.......................................    2    0.02
                998 = BLANK (NO ANSWER)............................... 1284   13.87
                999 = LEGITIMATE SKIP (DRALONE=2,99)................... 7971   86.09

DRANX     2     FELT NERVOUS/ANXIOUS PAST YEAR DUE TO DRUG USE
                1 = Yes.............................................  594    6.42
                2 = No.............................................. 6111   66.00
                3 = Yes LOGICALLY IMPUTED............................    8    0.09
                97 = REFUSED.........................................    1    0.01
                98 = BLANK (NO ANSWER)...............................  955   10.31
                99 = LEGITIMATE SKIP (AS13NONE=1 or 3)................ 1590   17.17
```

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL	LEN	DESCRIPTION	FREQ	%

ANXDRG1A 3   DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION
```
              120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    4    0.04
              122 = Sleep Aid.........................................    1    0.01
              201 = Valium............................................    1    0.01
              209 = Xanax ............................................    1    0.01
              322 = Methamphetamine ("speed" or "crank").............    6    0.06
              324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    4    0.04
              325 = USED STIMULANT, DON'T KNOW NAME...................    2    0.02
              329 = Speckled Eggs, Robin's Eggs.......................    1    0.01
              332 = Ephedrine.........................................    2    0.02
              336 = Diet pills........................................    2    0.02
              339 = Amphetamines (speed)..............................    2    0.02
              348 = Crystal...........................................    1    0.01
              510 = OTHER Inhalant, NOT SPECIFIED.....................    1    0.01
              511 = Markers, Felt-tip pens............................    1    0.01
              513 = Tulio ₣sicσ.......................................    1    0.01
              601 = LSD ("acid," "white lightning")...................   10    0.11
              604 = Psilocybin (mushrooms)............................    1    0.01
              702 = Heroin............................................    2    0.02
              801 = OTHER Drugs, NOT SPECIFIED........................    1    0.01
              803 = Marijuana.........................................   56    0.60
              805 = Cocaine, Coke.....................................   49    0.53
              806 = Crack.............................................    3    0.03
              807 = Alcohol...........................................  162    1.75
              808 = All of the ones I've tried.......................    2    0.02
              812 = Cigars............................................    4    0.04
              813 = Cigarettes, Tobacco...............................  173    1.87
              814 = Caffeine..........................................    2    0.02
              900 = NON-DRUG REASON...................................   27    0.29
              994 = DON'T KNOW .......................................    1    0.01
              995 = BAD DATA..........................................    3    0.03
              998 = BLANK (NO ANSWER)................................. 1032   11.15
              999 = LEGITIMATE SKIP (DRANX=2,99)..................... 7701   83.17
```

ANXDRG2A 3   DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION
```
              120 = OTHER Sedative, NOT SPECIFIED, "Downers" .........    1    0.01
              322 = Methamphetamine ("speed" or "crank").............    1    0.01
              324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" .........    1    0.01
              325 = USED STIMULANT, DON'T KNOW NAME...................    1    0.01
              336 = Diet pills........................................    1    0.01
              510 = OTHER Inhalant, NOT SPECIFIED.....................    1    0.01
              605 = PCP ("angel dust," phencyclidine).................    1    0.01
              803 = Marijuana.........................................    7    0.08
              805 = Cocaine, Coke.....................................   14    0.15
              806 = Crack.............................................    2    0.02
              807 = Alcohol...........................................    9    0.10
              813 = Cigarettes, Tobacco...............................   10    0.11
              900 = NON-DRUG REASON...................................    3    0.03
              998 = BLANK (NO ANSWER)................................. 1506   16.27
              999 = LEGITIMATE SKIP (DRANX=2,99)..................... 7701   83.17
```

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL	LEN	DESCRIPTION	FREQ	%
ANXDRG3A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED.................	1	0.01
		601 = LSD ("acid," "white lightning")..................	1	0.01
		803 = Marijuana.......................................	2	0.02
		807 = Alcohol...	2	0.02
		900 = NON-DRUG REASON.................................	1	0.01
		998 = BLANK (NO ANSWER)...............................	1551	16.75
		999 = LEGITIMATE SKIP (DRANX=2,99)....................	7701	83.17
DRHEALTH	2	HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE		
		1 = Yes..	396	4.28
		2 = No...	6308	68.13
		3 = Yes LOGICALLY IMPUTED............................	10	0.11
		85 = BAD DATA Log. assgnd............................	1	0.01
		97 = REFUSED...	1	0.01
		98 = BLANK (NO ANSWER)................................	954	10.30
		99 = LEGITIMATE SKIP	1589	17.16
HLTDRG1A	3	DRUG CAUSING HEALTH PROBLEMS-1ST MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.01
		322 = Methamphetamine ("speed" or "crank")..............	2	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.01
		325 = USED STIMULANT, DON'T KNOW NAME..................	1	0.01
		339 = Amphetamine (speed)..............................	1	0.01
		348 = Crystal...	1	0.01
		426 = Fiorinal..	1	0.01
		430 = Aspirin, Ecotrine...............................	1	0.01
		702 = Heroin..	2	0.02
		801 = OTHER Drugs, NOT SPECIFIED......................	3	0.03
		803 = Marijuana.......................................	10	0.11
		805 = Cocaine, Coke...................................	11	0.12
		806 = Crack...	1	0.01
		807 = Alcohol...	69	0.75
		812 = Cigars..	4	0.04
		813 = Cigarettes, Tobacco.............................	203	2.19
		900 = NON-DRUG REASON.................................	39	0.42
		994 = DON'T KNOW......................................	1	0.01
		995 = BAD DATA..	7	0.08
		998 = BLANK (NO ANSWER)...............................	1003	10.83
		999 = LEGITIMATE SKIP (DRHEALTH=2,99).................	7897	85.29
HLTDRG2A	3	DRUG CAUSING HEALTH PROBLEMS-2ND MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.01
		803 = Marijuana.......................................	3	0.03
		804 = Hashish...	1	0.01
		805 = Cocaine, Coke...................................	4	0.04
		806 = Crack	1	0.01
		807 = Alcohol...	6	0.06
		813 = Cigarettes, Tobacco.............................	6	0.06
		900 = NON-DRUG REASON.................................	13	0.14
		998 = BLANK (NO ANSWER)...............................	1326	14.32
		999 = LEGITIMATE SKIP (DRHEALTH=2,99).................	7897	85.29

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN   DESCRIPTION                                          FREQ     %


HLTDRG3A  3     DRUG CAUSING HEALTH PROBLEMS-3RD MENTION
                221 = OTHER Tranquilizer, NOT SPECIFIED................    1    0.01
                807 = Alcohol..........................................    2    0.02
                813 = Cigarettes, Tobacco..............................    1    0.01
                998 = BLANK (NO ANSWER)................................ 1358   14.67
                999 = LEGITIMATE SKIP (DRHEALTH=2,99).................. 7897   85.29

DRNTHINK  2     HAD DIFFCLTY THNKNG CLEARLY PST YR DUE TO DRUG USE
                  1 = Yes.............................................  679    7.33
                  2 = No.............................................. 6000   64.80
                  3 = Yes LOGICALLY IMPUTED...........................    8    0.09
                 97 = REFUSED.........................................    1    0.01
                 98 = BLANK (NO ANSWER)...............................  981   10.60
                 99 = LEGITIMATE SKIP (AS13NONE=1 or 3)................ 1590   17.17

NTKDRG1A  3     DRUG CAUSING DIFFICULTY THINKING CLEAR-1ST MENTION
                116 = Methaqualone (including Sopor, Quaalude) ........    1    0.01
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"........    2    0.02
                122 = Sleep Aid.......................................    2    0.02
                201 = Valium..........................................    1    0.01
                209 = Xanax ..........................................    1    0.01
                222 = USED TRANQUILIZER, DON'T KNOW NAME...............    1    0.01
                322 = Methamphetamine ("speed" or "crank").............    3    0.03
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"........    2    0.02
                348 = Crystal.........................................    1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED...................    1    0.01
                511 = Markers, Felt-tip pens..........................    2    0.02
                601 = LSD ("acid," "white lightning")..................    6    0.06
                605 = PCP ("angel dust," phencyclidine)................    1    0.01
                607 = OTHER Hallucinogen, NOT SPECIFIED................    1    0.01
                702 = Heroin..........................................    1    0.01
                801 = OTHER Drugs, NOT SPECIFIED......................    2    0.02
                803 = Marijuana.......................................   85    0.92
                804 = Hashish.........................................    3    0.03
                805 = Cocaine, Coke...................................   12    0.13
                806 = Crack...........................................    3    0.03
                807 = Alcohol.........................................  464    5.01
                808 = All of the ones I've tried......................    1    0.01
                812 = Cigars..........................................    1    0.01
                813 = Cigarettes, Tobacco.............................   21    0.23
                900 = NON-DRUG REASON.................................   13    0.14
                995 = BAD DATA........................................    3    0.03
                998 = BLANK (NO ANSWER)............................... 1035   11.18
                999 = LEGITIMATE SKIP (DRNTHINK=2,99).................. 7590   81.97
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN  DESCRIPTION                                           FREQ     %

NTKDRG2A   3   DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION
               120 = OTHER Sedative, NOT SPECIFIED, "Downers" .........    1   0.01
               324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" .........    1   0.01
               409 = Tylenol with Codeine.............................    1   0.01
               417 = Morphine........................................    1   0.01
               510 = OTHER Inhalant, NOT SPECIFIED...................    2   0.02
               601 = LSD ("acid," "white lightning")..................    7   0.08
               702 = Heroin..........................................    1   0.01
               803 = Marijuana.......................................   26   0.28
               805 = Cocaine, Coke...................................    9   0.10
               807 = Alcohol.........................................   21   0.23
               813 = Cigarettes, Tobacco.............................    1   0.01
               900 = NON-DRUG REASON.................................    1   0.01
               998 = BLANK (NO ANSWER)............................... 1597  17.25
               999 = LEGITIMATE SKIP (DRNTHINK=2,99)................. 7590  81.97

NTKDRG3A   3   DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION
               221 = OTHER Tranquilizer, NOT SPECIFIED...............    1   0.01
               603 = Mescaline.......................................    1   0.01
               605 = PCP ("angel dust," phencyclidine)...............    1   0.01
               803 = Marijuana.......................................    5   0.05
               805 = Cocaine, Coke...................................    3   0.03
               807 = Alcohol.........................................    2   0.02
               998 = BLANK (NO ANSWER)............................... 1656  17.89
               999 = LEGITIMATE SKIP (DRNTHINK=2,99)................. 7590  81.97

NTKDRG4A   3   DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION
               803 = Marijuana.......................................    1   0.01
               998 = BLANK (NO ANSWER)............................... 1668  18.01
               999 = LEGITIMATE SKIP (DRNTHINK=2,99)................. 7590  81.97

DRUPSET    2   FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE
                 1 = Yes.............................................  557   6.02
                 2 = No.............................................. 6108  65.97
                 3 = Yes LOGICALLY IMPUTED ..........................   12   0.13
                97 = REFUSED.........................................    1   0.01
                98 = BLANK (NO ANSWER)...............................  991  10.70
                99 = LEGITIMATE SKIP (AS13NONE=1 or 3)............... 1590  17.17
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN   DESCRIPTION                                         FREQ      %

UPSDRG1A   3    DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION
                120 = OTHER Sedative, NOT SPECIFIED, "Downers" .........    1    0.01
                122 = Sleep Aid.......................................    1    0.01
                201 = Valium..........................................    1    0.01
                322 = Methamphetamine ("speed" or "crank").............    2    0.02
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".........    2    0.02
                325 = USED STIMULANT, DON'T KNOW NAME.................    1    0.01
                332 = Ephedrine.......................................    1    0.01
                336 = Diet pills .....................................    1    0.01
                348 = Crystal.........................................    1    0.01
                409 = Tylenol with Codeine ...........................    1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED...................    2    0.02
                511 = Markers, Felt-tip pens..........................    1    0.01
                601 = LSD ("acid," "white lightning")..................    2    0.02
                801 = OTHER Drugs, NOT SPECIFIED......................    2    0.02
                803 = Marijuana.......................................   26    0.28
                804 = Hashish.........................................    1    0.01
                805 = Cocaine, Coke...................................   26    0.28
                806 = Crack...........................................    3    0.03
                807 = Alcohol.........................................  259    2.80
                808 = All of the ones I've tried......................    3    0.03
                813 = Cigarettes, Tobacco.............................  113    1.22
                814 = Caffeine........................................    1    0.01
                815 = Coffee..........................................    1    0.01
                817 = Hardstuff.......................................    1    0.01
                900 = NON-DRUG REASON.................................   27    0.29
                994 = DON'T KNOW......................................    2    0.02
                995 = BAD DATA........................................    8    0.09
                998 = BLANK (NO ANSWER)............................... 1071   11.57
                999 = LEGITIMATE SKIP (DRUPSET=2,99).................. 7698   83.14

UPSDRG2A   3    DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION
                120 = OTHER Sedative, NOT SPECIFIED, "Downers" .........    1    0.01
                336 = Diet pills......................................    1    0.01
                420 = OTHER Analgesic, NOT SPECIFIED..................    1    0.01
                601 = LSD ("acid," "white lightning")..................    1    0.01
                702 = Heroin..........................................    1    0.01
                803 = Marijuana.......................................    7    0.08
                805 = Cocaine, Coke...................................    4    0.04
                806 = Crack...........................................    1    0.01
                807 = Alcohol.........................................   14    0.15
                813 = Cigarettes, Tobacco.............................   12    0.13
                900 = NON-DRUG REA....................................    1    0.01
                998 = BLANK (NO ANSWER)............................... 1517   16.38
                999 = LEGITIMATE SKIP (DRUPSET=2,99).................. 7698   83.14

UPSDRG3A   3    DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION
                221 = OTHER Tranquilizer, NOT SPECIFIED................    1    0.01
                803 = Marijuana.......................................    1    0.01
                805 = Cocaine, Coke...................................    1    0.01
                807 = Alcohol.........................................    2    0.02
                998 = BLANK (NO ANSWER)............................... 1556   16.81
                999 = LEGITIMATE SKIP (DRUPSET=2,99).................. 7698   83.14
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL      LEN   DESCRIPTION                                            FREQ     %

DRLSWORK   2     GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE
                  1 = Yes.........................................        314    3.39
                  2 = No..........................................       6358   68.67
                  3 = Yes LOGICALLY IMPUTED........................          8    0.09
                 96 = MULTIPLE RESPONSE............................          1    0.01
                 97 = REFUSED.....................................          1    0.01
                 98 = BLANK (NO ANSWER)...........................        987   10.66
                 99 = LEGITIMATE SKIP (AS13NONE=1 or 3)............       1590   17.17

LSWDRG1A   3     DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION
                120 = OTHER Sedative, NOT SPECIFIED, "Downers" .....          1    0.01
                201 = Valium......................................          2    0.02
                222 = USED TRANQUILIZER, DON'T KNOW NAME...........          1    0.01
                322 = Methamphetamine ("speed" or "crank").........          1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".....          2    0.02
                325 = USED STIMULANT, DON'T KNOW NAME..............          1    0.01
                348 = Crystal.....................................          1    0.01
                409 = Tylenol with Codeine........................          1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED................          2    0.02
                601 = LSD ("acid," "white lightning").............          1    0.01
                605 = PCP ("angel dust," phencyclidine)............          1    0.01
                803 = Marijuana...................................         48    0.52
                805 = Cocaine, Coke...............................         10    0.11
                806 = Crack.......................................          1    0.01
                807 = Alcohol.....................................        153    1.65
                808 = All of the ones I've tried..................          1    0.01
                813 = Cigarettes, Tobacco.........................         25    0.27
                900 = NON-DRUG REASON.............................          9    0.10
                995 = BAD DATA....................................          3    0.03
                998 = BLANK (NO ANSWER)...........................       1047   11.31
                999 = LEGITIMATE SKIP  (DRLSWORK=2,99)............       7948   85.84

LSWDRG2A   3     DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION
                201 = Valium......................................          1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" ....          1    0.01
                601 = LSD ("acid," "white lightning").............          1    0.01
                702 = Heroin......................................          1    0.01
                803 = Marijuana...................................          5    0.05
                805 = Cocaine, Coke...............................          7    0.08
                807 = Alcohol.....................................          8    0.09
                813 = Cigarettes, Tobacco.........................          2    0.02
                900 = NON-DRUG REASON.............................          1    0.01
                998 = BLANK (NO ANSWER)...........................       1284   13.87
                999 = LEGITIMATE SKIP (DRLSWORK=2,99).............       7948   85.84

LSWDRG3A   3     DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION
                803 = Marijuana...................................          1    0.01
                805 = Cocaine, Coke...............................          1    0.01
                807 = Alcohol.....................................          4    0.04
                998 = BLANK (NO ANSWER)...........................       1305   14.09
                999 = LEGITIMATE SKIP (DRLSWORK=2,99).............       7948   85.84
```

DRUG PROBLEMS -- ANSWER SHEET #14

```
LABEL     LEN   DESCRIPTION                                           FREQ      %

DRSUSPIC   2    FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE
                 1 = Yes.............................................   277    2.99
                 2 = No..............................................  6391   69.02
                 3 = Yes LOGICALLY IMPUTED...........................     8    0.09
                97 = REFUSED.........................................     1    0.01
                98 = BLANK (NO ANSWER)...............................   992   10.71
                99 = LEGITIMATE SKIP (AS13NONE=1 or 3)................  1590   17.17

SSPDRG1A   3    DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION
               116 = Methaqualone (including Sopor, Quaalude) ........     1    0.01
               120 = OTHER Sedative, NOT SPECIFIED, "Downers" ........     1    0.01
               122 = Sleep Aid.......................................     1    0.01
               322 = Methamphetamine ("speed" or "crank").............     3    0.03
               324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" ........     1    0.01
               348 = Crystal........................................     1    0.01
               353 = No-Doz.........................................     1    0.01
               511 = Markers, Felt-tip pens.........................     1    0.01
               601 = LSD ("acid," "white lightning")..................     4    0.04
               604 = Psilocybin (mushrooms).........................     2    0.02
               607 = OTHER Hallucinogen, NOT SPECIFIED...............     2    0.02
               803 = Marijuana......................................    38    0.41
               804 = Hashish........................................     2    0.02
               805 = Cocaine, Coke..................................    26    0.28
               806 = Crack..........................................     3    0.03
               807 = Alcohol........................................   106    1.14
               808 = All of the ones I've tried.....................     1    0.01
               813 = Cigarettes, Tobacco1...........................     5    0.16
               900 = NON-DRUG REASON.................................     7    0.08
               994 = DON'T KNOW.....................................     1    0.01
               995 = BAD DATA.......................................     2    0.02
               998 = BLANK (NO ANSWER)..............................  1059   11.44
               999 = LEGITIMATE SKIP (DRSUSPIC=2,99).................  7981   86.20

SSPDRG2A   3    DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION
               702 = Heroin.........................................     1    0.01
               803 = Marijuana......................................     7    0.08
               805 = Cocaine, Coke..................................     4    0.04
               807 = Alcohol........................................    10    0.11
               813 = Cigarettes, Tobacco............................     1    0.01
               900 = NON-DRUG REASON.................................     1    0.01
               998 = BLANK (NO ANSWER)..............................  1254   13.54
               999 = LEGITIMATE SKIP (DRSUSPIC=2,99).................  7981   86.20

SSPDRG3A   3    DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION
               803 = Marijuana......................................     2    0.02
               805 = Cocaine, Coke..................................     2    0.02
               807 = Alcohol........................................     1    0.01
               998 = BLANK (NO ANSWER)..............................  1273   13.75
               999 = LEGITIMATE SKIP (DRSUSPIC=2,99).................  7981   86.20
```

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL	LEN	DESCRIPTION	FREQ	%
DRCOPE	2	PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE		
		1 = Yes...	273	2.95
		2 = No..	6403	69.15
		3 = Yes LOGICALLY IMPUTED...............................	5	0.05
		97 = REFUSED...	1	0.01
		98 = BLANK (NO ANSWER)...................................	987	10.66
		99 = LEGITIMATE SKIP (AS13NONE=1 or 3)..................	1590	17.17
CPEDRG1A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.01
		122 = Sleep Aid...	2	0.02
		322 = Methamphetamine ("speed" or "crank")..............	2	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.01
		348 = Crystal...	1	0.01
		426 = Fiorinal...	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	1	0.01
		702 = Heroin...	2	0.02
		803 = Marijuana..	24	0.26
		804 = Hashish..	1	0.01
		805 = Cocaine, Coke....................................	21	0.23
		806 = Crack..	2	0.02
		807 = Alcohol..	130	1.40
		808 = All of the ones I've tried......................	1	0.01
		813 = Cigarettes, Tobacco1.............................	8	0.19
		900 = NON-DRUG REASON..................................	11	0.12
		994 = DON'T KNOW.......................................	1	0.01
		995 = BAD DATA...	3	0.03
		998 = BLANK (NO ANSWER)................................	1043	11.26
		999 = LEGITIMATE SKIP (DRCOPE=2,99)...................	7993	86.33
CPEDRG2A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION		
		201 = Valium...	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED................	1	0.01
		702 = Heroin...	1	0.01
		803 = Marijuana..	8	0.09
		805 = Cocaine, Coke....................................	8	0.09
		806 = Crack..	1	0.01
		807 = Alcohol..	9	0.10
		813 = Cigarettes, Tobacco.............................	2	0.02
		900 = NON-DRUG REASON..................................	2	0.02
		998 = BLANK (NO ANSWER)................................	1233	13.32
		999 = LEGITIMATE SKIP (DRCOPE=2,99)...................	7993	86.33
CPEDRG3A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION		
		803 = Marijuana..	3	0.03
		805 = Cocaine, Coke....................................	2	0.02
		807 = Alcohol..	3	0.03
		998 = BLANK (NO ANSWER)................................	1258	13.59
		999 = LEGITIMATE SKIP (DRCOPE=2,99)...................	7993	86.33

DRUG PROBLEMS -- ANSWER SHEET #14

LABEL	LEN	DESCRIPTION	FREQ	%
DREMGMED	2	HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE		
		1 = Yes...	60	0.65
		2 = No..	6614	71.43
		3 = Yes LOGICALLY IMPUTED...........................	7	0.08
		97 = REFUSED..	1	0.01
		98 = BLANK (NO ANSWER)..............................	987	10.66
		99 = LEGITIMATE SKIP (AS13NONE=1 or 3)...............	1590	17.17
EMDRG1A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION		
		603 = Mescaline.....................................	1	0.01
		702 = Heroin..	1	0.01
		803 = Marijuana.....................................	1	0.01
		804 = Hashish.......................................	1	0.01
		805 = Cocaine, Coke.................................	4	0.04
		807 = Alcohol.......................................	28	0.30
		813 = Cigarettes, Tobacco...........................	7	0.08
		900 = NON-DRUG REASON...............................	8	0.09
		995 = BAD DATA......................................	2	0.02
		998 = BLANK...	1002	10.82
		999 = LEGITIMATE SKIP (DREMGMED=2,99)...............	8204	88.61
EMDRG2A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION		
		803 = Marijuana.....................................	2	0.02
		805 = Cocaine, Coke.................................	2	0.02
		807 = Alcohol.......................................	1	0.01
		900 = NON-DRUG REASON...............................	2	0.02
		998 = BLANK...	1048	11.32
		999 = LEGITIMATE SKIP (DREMGMED=2,99)...............	8204	88.61
EMDRG3A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION		
		806 = Crack...	1	0.01
		807 = Alcohol.......................................	1	0.01
		998 = BLANK...	1053	11.37
		999 = LEGITIMATE SKIP (DREMGMED=2,99)...............	8204	88.61
EMDRG4A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION		
		601 = LSD ("acid," "white lightning")...............	1	0.01
		998 = BLANK...	1054	11.38
		999 = LEGITIMATE SKIP (DREMGMED=2,99)...............	8204	88.61

RISK -- ANSWER SHEET #15

LABEL	LEN	DESCRIPTION	FREQ	%

R-1.   How much do you think people risk harming themselves physically and in other ways when they do each of the following activities? (If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. Circle one number for each activity.)

RSKPKCIG 2   RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY

		FREQ	%
1 = No risk		273	2.95
2 = Slight risk		806	8.71
3 = Moderate risk		2455	26.51
4 = Great risk		5681	61.36
94 = DON'T KNOW		10	0.11
96 = MULTIPLE RESPONSE		2	0.02
97 = REFUSED		3	0.03
98 = BLANK (NO ANSWER)		29	0.31

RSKTRYMJ 2   RISK IF TRY MARIJUANA ONCE OR TWICE

		FREQ	%
1 = No risk		1807	19.52
2 = Slight risk		2497	26.97
3 = Moderate risk		1693	18.28
4 = Great risk		3195	34.51
94 = DON'T KNOW		28	0.30
96 = MULTIPLE RESPONSE		3	0.03
97 = REFUSED		4	0.04
98 = BLANK (NO ANSWER)		32	0.35

RSKMJOCC 2   RISK IF SMOKE MARIJUANA OCCASIONALLY

		FREQ	%
1 = No risk		622	6.72
2 = Slight risk		1717	18.54
3 = Moderate risk		2782	30.05
4 = Great risk		4064	43.89
94 = DON'T KNOW		16	0.17
96 = MULTIPLE RESPONSE		1	0.01
97 = REFUSED		4	0.04
98 = BLANK (NO ANSWER)		53	0.57

RSKMJREG 2   RISK IF SMOKE MARIJUANA REGULARLY

		FREQ	%
1 = No risk		239	2.58
2 = Slight risk		437	4.72
3 = Moderate risk		1495	16.15
4 = Great risk		7020	75.82
94 = DON'T KNOW		18	0.19
96 = MULTIPLE RESPONSE		2	0.02
97 = REFUSED		4	0.04
98 = BLANK (NO ANSWER)		44	0.48

RISK -- ANSWER SHEET #15

LABEL	LEN	DESCRIPTION	FREQ	%
RKTRYPCP	2	RISK IF TRY PCP ONCE OR TWICE		
		1 = No risk..	297	3.21
		2 = Slight risk.....................................	1027	11.09
		3 = Moderate risk...................................	1800	19.44
		4 = Great risk......................................	5986	64.65
		94 = DON'T KNOW.....................................	85	0.92
		96 = MULTIPLE RESPONSE..............................	2	0.02
		97 = REFUSED..	4	0.04
		98 = BLANK (NO ANSWER)..............................	58	0.63
RKPCPREG	2	RISK IF USE PCP REGULARLY		
		1 = No risk..	154	1.66
		2 = Slight risk.....................................	121	1.31
		3 = Moderate risk...................................	498	5.38
		4 = Great risk......................................	8338	90.05
		94 = DON'T KNOW.....................................	79	0.85
		96 = MULTIPLE RESPONSE..............................	1	0.01
		97 = REFUSED..	4	0.04
		98 = BLANK (NO ANSWER)..............................	64	0.69
RKTRYHER	2	RISK IF TRY HEROIN ONCE OR TWICE		
		1 = No risk..	238	2.57
		2 = Slight risk	781	8.44
		3 = Moderate risk...................................	1762	19.03
		4 = Great risk......................................	6387	68.98
		92 = ILLEGIBLE......................................	1	0.01
		94 = DON'T KNOW.....................................	40	0.43
		97 = REFUSED..	4	0.04
		98 = BLANK (NO ANSWER)..............................	46	0.50
RKHERREG	2	RISK IF USE HEROIN REGULARLY		
		1 = No risk..	151	1.63
		2 = Slight risk	73	0.79
		3 = Moderate risk...................................	287	3.10
		4 = Great risk......................................	8664	93.57
		94 = DON'T KNOW	33	0.36
		97 = REFUSED..	4	0.04
		98 = BLANK (NO ANSWER)..............................	47	0.51
RKTRYCOC	2	RISK IF TRY COCAINE ONCE OR TWICE		
		1 = No risk..	401	4.33
		2 = Slight risk.....................................	1028	11.10
		3 = Moderate risk...................................	1941	20.96
		4 = Great risk......................................	5801	62.65
		94 = DON'T KNOW.....................................	32	0.35
		96 = MULTIPLE RESPONSE..............................	1	0.01
		97 = REFUSED..	4	0.04
		98 = BLANK (NO ANSWER)..............................	51	0.55

RISK -- ANSWER SHEET #15

LABEL	LEN	DESCRIPTION	FREQ	%
RKCOCOCC	2	RISK IF USE COCAINE OCCASIONALLY		
		1 = No risk..	168	1.81
		2 = Slight risk......................................	317	3.42
		3 = Moderate risk....................................	1283	13.86
		4 = Great risk.......................................	7410	80.03
		94 = DON'T KNOW	30	0.32
		96 = MULTIPLE RESPONSE...............................	2	0.02
		97 = REFUSED...	4	0.04
		98 = BLANK (NO ANSWER)...............................	45	0.49
RKCOCREG	2	RISK IF USE COCAINE REGULARLY		
		1 = No risk..	144	1.56
		2 = Slight risk	62	0.67
		3 = Moderate risk....................................	252	2.72
		4 = Great risk.......................................	8724	94.22
		94 = DON'T KNOW......................................	30	0.32
		96 = MULTIPLE RESPONSE...............................	1	0.01
		97 = REFUSED...	4	0.04
		98 = BLANK (NO ANSWER)...............................	42	0.45
RKCRKOCC	2	RISK IF USE "CRACK" OCCASIONALLY		
		1 = No risk..	150	1.62
		2 = Slight risk	212	2.29
		3 = Moderate risk....................................	1120	12.10
		4 = Great risk.......................................	7641	82.53
		94 = DON'T KNOW......................................	49	0.53
		96 = MULTIPLE RESPONSE...............................	1	0.01
		97 = REFUSED...	5	0.05
		98 = BLANK (NO ANSWER)...............................	81	0.87
RKANSOCC	2	RISK IF USE ANABOLIC STEROIDS OCCASIONALLY		
		1 = No risk..	189	2.04
		2 = Slight risk	648	7.00
		3 = Moderate risk....................................	2650	28.62
		4 = Great risk.......................................	5559	60.04
		94 = DON'T KNOW......................................	105	1.13
		96 = MULTIPLE RESPONSE...............................	3	0.03
		97 = REFUSED...	5	0.05
		98 = BLANK (NO ANSWWER)..............................	100	1.08
RKANSREG	2	RISK IF USE ANABOLIC STEROIDS REGULARLY		
		1 = No risk..	153	1.65
		2 = Slight risk	164	1.77
		3 = Moderate risk....................................	1088	11.75
		4 = Great risk.......................................	7619	82.29
		94 = DON'T KNOW	106	1.14
		96 = MULTIPLE RESPONSE...............................	4	0.04
		97 = REFUSED...	5	0.05
		98 = BLANK (NO ANSWER)...............................	120	1.30

RISK -- ANSWER SHEET #15

```
LABEL     LEN   DESCRIPTION                                         FREQ     %

RK2DRINK   2    RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY
                1 = No risk........................................... 727   7.85
                2 = Slight risk....................................... 1882  20.33
                3 = Moderate risk..................................... 3051  32.95
                4 = Great risk........................................ 3490  37.69
                94 = DON'T KNOW.......................................  14   0.15
                96 = MULTIPLE RESPONSE................................   5   0.05
                97 = REFUSED..........................................   5   0.05
                98 = BLANK (NO ANSWER)................................  85   0.92

RK5DRINK   2    RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY
                1 = No risk........................................... 204   2.20
                2 = Slight risk....................................... 439   4.74
                3 = Moderate risk..................................... 1759  19.00
                4 = Great risk........................................ 6755  72.96
                94 = DON'T KNOW.......................................  14   0.15
                97 = REFUSED..........................................   5   0.05
                98 = BLANK (NO ANSWER)................................  83   0.90

RSKBINGE   2    RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK
                1 = No risk........................................... 364   3.93
                2 = Slight risk....................................... 896   9.68
                3 = Moderate risk..................................... 2271  24.53
                4 = Great risk........................................ 5632  60.83
                94 = DON'T KNOW                                         14   0.15
                96 = MULTIPLE RESPONSE................................   2   0.02
                97 = REFUSED..........................................   5   0.05
                98 = BLANK (NO ANSWER)................................  75   0.81
```

HEALTH CONDITIONS

LABEL	LEN	DESCRIPTION	FREQ	%

HE-1. Have you ever been told by a doctor or nurse that you had high
blood pressure or hypertension?

HIGHBP   2   EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE
```
         1 = Yes.............................................. 1551  16.75
         2 = No............................................... 7692  83.08
        96 = MULTIPLE RESPONSE.................................    1   0.01
        97 = REFUSED.........................................      1   0.01
        98 = BLANK (NO ANSWER)................................   14   0.15
```

HE-2. Has a doctor ever prescribed medicine for your high blood
presure or hypertension?

BPMED   2   MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE
```
         1 = Yes..............................................  890   9.61
         2 = No...............................................  918   9.91
        92 = ILLEGIBLE........................................    1   0.01
        94 = DON'T KNOW ......................................    1   0.01
        98 = BLANK............................................   45   0.49
        99 = LEGITIMATE SKIP ................................. 7404  79.97
```

HE-3. Have you ever had trouble with pain, discomfort or pressure in
your chest when you walked fast or uphill?

WALKPAIN 2   EVER HAD PAIN IN CHEST FROM EXERTION
```
         1 = Yes.............................................. 1407  15.20
         2 = No............................................... 7821  84.47
        94 = DON'T KNOW.......................................    1   0.01
        98 = BLANK............................................   30   0.32
```

HE-4. Have you ever had severe pain across the front of your chest
that lasted for a half hour or more?

TIMEPAIN 2   EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE
```
         1 = Yes..............................................  552   5.96
         2 = No............................................... 8671  93.65
        98 = BLANK............................................   36   0.39
```

HE-5. Have you ever had shortness of breath either when hurrying on
level ground or walking up a slight hill?

UPSHOR   2   EVER HAD SHORTNESS OF BREATH FROM EXERTION
```
         1 = Yes.............................................. 2630  28.40
         2 = No............................................... 6597  71.25
        98 = BLANK............................................   32   0.35
```

HEALTH CONDITIONS

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

                HE-6.  Have you ever been told by a doctor that you had a lung or
                       chest condition such as emphysema, asthma, chronic bronchitis,
                       pneumonia, pleurisy or TB?

ASTHMA     2    EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION
                 1 = Yes................................................. 1594  17.22
                 2 = No..................................................  7645  82.57
                92 = ILLEGIBLE...........................................     1   0.01
                94 = DON'T KNOW..........................................     2   0.02
                98 = BLANK...............................................    17   0.18


                HE-7.  Have you ever been treated for psychological or emotional
                       difficulties?

TRPSYCH    2    EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION
                 1 = Yes.................................................   679   7.33
                 2 = No..................................................  8536  92.19
                92 = ILLEGIBLE...........................................     1   0.01
                94 = DON'T KNOW..........................................     5   0.05
                98 = BLANK...............................................    38   0.41


                HE-8.  Have you ever been told by a doctor that you had a heart
                       condition or heart problem?

HEART      2    EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM
                 1 = Yes.................................................   815   8.80
                 2 = No..................................................  8412  90.85
                94 = DON'T KNOW..........................................     3   0.03
                95 = BAD DATA...........................................      2   0.02
                96 = MULTIPLE RESPONSE...................................     1   0.01
                98 = BLANK (NO ANSWER)...................................    26   0.28


                HE-9.  Do you seem to get a bad cold or the flu every year?

FLU        2    GET BAD COLD OR FLU EVERY YEAR
                 1 = Yes................................................. 3717  40.14
                 2 = No..................................................  5527  59.69
                94 = DON'T KNOW..........................................     2   0.02
                98 = BLANK...............................................    13   0.14


                HE-10. Do you have hay fever?

ALLERG     2    HAS HAY FEVER
                 1 = Yes................................................. 2054  22.18
                 2 = No..................................................  7168  77.42
                94 = DON'T KNOW..........................................    13   0.14
                98 = BLANK...............................................    24   0.26
```

HEALTH CONDITIONS

LABEL	LEN	DESCRIPTION	FREQ	%

HE-11. Have you been hospitalized overnight because of injury or
illness in the past 12 months?

HOSPYR   2   HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR
```
     1 = Yes................................................  791   8.54
     2 = No................................................ 8447  91.23
    97 = REFUSED...........................................    1   0.01
    98 = BLANK.............................................   20   0.22
```

HE-12. Have you had a sore throat lasting three days or more in the
past 12 months?

SOREYR   2   HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR
```
     1 = Yes................................................ 3570  38.56
     2 = No................................................ 5663  61.16
    94 = DON'T KNOW........................................    4   0.04
    97 = REFUSED...........................................    1   0.01
    98 = BLANK.............................................   21   0.23
```

HE-13. Have you had a runny nose lasting three days or more in the
past 12 months?

RUNNYYR   2   HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR
```
     1 = Yes................................................ 4719  50.97
     2 = No................................................ 4514  48.75
    94 = DON'T KNOW........................................    3   0.03
    97 = REFUSED...........................................    1   0.01
    98 = BLANK.............................................   22   0.24
```

HE-14. Have you had a cough lasting almost a week, three or more
times in the past 12 months?

COUGHYR   2   HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR
```
     1 = Yes................................................ 1730  18.68
     2 = No................................................ 7496  80.96
    94 = DON'T KNOW........................................    1   0.01
    97 = REFUSED...........................................    1   0.01
    98 = BLANK.............................................   31   0.33
```

HE-15. Have you had a period of cough with phlegm, lasting for three
weeks or more, in the past 12 months?

PHLEGMYR   2   HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR
```
     1 = Yes................................................  770   8.32
     2 = No................................................ 8443  91.19
    94 = DON'T KNOW........................................    1   0.01
    97 = REFUSED...........................................    1   0.01
    98 = BLANK.............................................   44   0.48
```

HEALTH CONDITIONS

LABEL	LEN	DESCRIPTION	FREQ	%

HE-16. Would you describe your health for the past 12 months as (READ ANSWER CHOICES)

HEALTHYR 2   HEALTH FOR PAST 12 MONTHS

```
1 = Excellent........................................ 2247  24.27
2 = Very good........................................ 3485  37.64
3 = Good............................................. 2473  26.71
4 = Fair............................................. 867   9.36
5 = Poor............................................. 168   1.81
94 = DON'T KNOW...................................... 3     0.03
97 = REFUSED......................................... 1     0.01
98 = BLANK........................................... 15    0.16
```

HE-17. We are interested in all kinds of health insurance plans, except those that only cover accidents. Are you now covered by a health insurance plan which pays any part of a hospital, doctor's, or surgeon's bill?

HELTHINS 2   COVERED BY HEALTH INSURANCE PLAN

```
1 = Yes............................................. 7241  78.20
2 = No.............................................. 1799  19.43
94 = DON'T KNOW...................................... 153   1.65
97 = REFUSED......................................... 4     0.04
98 = BLANK (NO ANSWER).............................. 62    0.67
```

DEMOGRAPHICS

```
LABEL     LEN  DESCRIPTION                                        FREQ      %

BIRTHMON   2   BIRTH MONTH
BIRYEAR    4   BIRTH YEAR

           3.      Which of the following best describes your current marital
                   status.
                   Are you ...

MARITAL    2   MARITAL STATUS
               1 = Married.......................................... 3364  36.33
               2 = Widowed..........................................  421   4.55
               3 = Divorced or separated............................  902   9.74
               4 = Has never married................................ 3402  36.74
              85 = BAD DATA  Log. assgnd............................   14   0.15
              96 = MULTIPLE RESPONSE.................................    1   0.01
              97 = REFUSED..........................................    6   0.06
              98 = BLANK............................................   92   0.99
              99 = LEGITIMATE SKIP (IRAGE<15)....................... 1057  11.42


           4.      How many times have you been married?

NOMARR     2   # TIMES MARRIED
                 RANGE = 1  - 7

              85 = BAD DATA  Log. assgnd..............................    1   0.01
              95 = BAD DATA...........................................    1   0.01
              97 = REFUSED............................................   13   0.14
              98 = BLANK (NO ANSWER)..................................  234   2.53
              99 = LEGITIMATE SKIP (IRAGE<15 or MARITAL=4)........... 4459  48.16
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

5.   Please look at this card and tell me which of the statements
describes your present work situation. (HAND R CARD4.)
(CIRCLE THE LOWEST CODE THAT APPLIES.)

WORKSTAT 2   PRESENT WORK SITUATION
```
   1 = Working full-time, 35 hours or more a week......... 3932  42.47
   2 = Working part-time, less than 35 hours a week....... 1215  13.12
   3 = Have job but out: illness/leave/furlough/strike....   58   0.63
   4 = Unemployed or laid off and looking for work........  351   3.79
   5 = Unemployed and not looking for work...............   136   1.47
   6 = Full-time homemaker only..........................   771   8.33
   7 = In school only.................................... 1983  21.42
   8 = Retired..........................................    562   6.07
   9 = Disabled, not able to work.......................    159   1.72
  10 = Something else (NOT SPECIFIED)....................     30   0.32
  11 = Unable to work - taking care of ill relative.......     0   0.00
  12 = About to start work..............................      8   0.09
  13 = Contracts for work (eg. Musician).................      3   0.03
  14 = Welfare (AFDC)....................................      1   0.01
  15 = Out of work - Termination - Injury................      1   0.01
  16 = Just got out of school............................      7   0.08
  18 = Drop out of school................................      1   0.01
  19 = Full time but less than 35 hours per week.........      1   0.01
  21 = Volunteer.........................................      3   0.03
  22 = Babysitting.......................................      2   0.02
  96 = MULTIPLE RESPONSE.................................      4   0.04
  97 = REFUSED...........................................      4   0.04
  98 = BLANK.............................................     27   0.29
```

6.   In what month and year did you last work for pay?

PAYMO   2   MONTH LAST WORKED FOR PAY
      RANGE = 1 - 12
```
  85 = BAD DATA  Log. assgnd.............................      2   0.02
  91 = NEVER WORKED FOR PAY.............................. 1543  16.66
  94 = DON'T KNOW........................................  140   1.51
  95 = BAD DATA..........................................    1   0.01
  97 = REFUSED...........................................   11   0.12
  98 = BLANK (NO ANSWER).................................  124   1.34
  99 = LEGITIMATE SKIP (WORKSTAT<4)...................... 5205  56.22
```

PAYYR   2   YEAR (19__) LAST WORKED FOR PAY
      RANGE = 23 - 90
```
  91 = NEVER WORKED FOR PAY.............................. 1543  16.66
  94 = DON'T KNOW........................................   15   0.16
  95 = BAD DATA..........................................    3   0.03
  97 = REFUSED...........................................    7   0.08
  98 = BLANK (NO ANSWER).................................   68   0.73
  99 = LEGITIMATE SKIP (WORKSTAT<4)...................... 5205  56.22
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

7. What (is/was) your occupation or job title?

8. What kind of work (are/were) you (last) doing; that is, what (are/were) your most important activities or duties in your job?

ROCCUP2 3 KIND OF WORK OF RESPONDENT
   RANGE = 1 - 16

```
990 = OCCUPATION NOT REPORTED...........................   10   0.11
995 = BAD DATA.........................................    2   0.02
997 = REFUSED..........................................   23   0.25
998 = BLANK (NO ANSWER)................................   74   0.80
999 = LEGITIMATE SKIP ................................. 1545  16.69
```

9. In what type of business or industry (is/was) this; that is, what product (is/was) made or what service (is/was) offered?

BUSINES2 3 BUSINESS OR INDUSTRY OF RESPONDENT
   RANGE = 1 - 16

```
990 = INDUSTRY NOT REPORTED............................   49   0.53
995 = BAD DATA.........................................    2   0.02
997 = REFUSED..........................................   23   0.25
998 = BLANK (NO ANSWER)................................   75   0.81
999 = LEGITIMATE SKIP ................................. 1545  16.69
```

10.   (Is/was)this mainly (READ ANSWER CHOICES)

SECTOR 2 BUSINESS/INDUSTRY SECTOR OF RESPONDENT'S JOB
```
 1 = Manufacturing,................................... 1050  11.34
 2 = Wholesale trade,.................................  257   2.78
 3 = Retail trade, or................................. 1488  16.07
 4 = Something else? (SPECIFY)......................... 4706  50.83
94 = DON'T KNOW.......................................    6   0.06
96 = MULTIPLE RESPONSE................................    5   0.05
97 = REFUSED.........................................   16   0.17
98 = BLANK ..........................................  186   2.01
99 = LEGITIMATE SKIP ................................. 1545  16.69
```

11.   How many different jobs have you had in the past 5 years?

NO5JOB 2 # OF JOBS LAST 5 YEARS
   RANGE = 0 - 30

```
94 = DON'T KNOW.......................................    3   0.03
97 = REFUSED.........................................    9   0.10
98 = BLANK (NO ANSWER)................................  366   3.95
99 = LEGITIMATE SKIP ................................. 1545  16.69
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

12.   During the last 30 days, how many whole days of work did you
        miss because you were sick or injured?

WORKDAYS 2   # DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS
               RANGE = 0 - 30

```
94 = DON'T KNOW........................................    3   0.03
95 = BAD DATA..........................................    2   0.02
97 = REFUSED...........................................    5   0.05
98 = BLANK (NO ANSWER).................................  130    .40
99 = LEGITIMATE SKIP .................................. 4031  43.54
```

13.   During the last 30 days, how many whole days of work did you
        miss because you just didn't want to be there?

WORKBLAH 2   # DAYS SKIPPED WORK LAST 30 DAYS
               RANGE = 0 - 30

```
85 = BAD DATA  Log. assgnd.............................    2   0.02
94 = DON'T KNOW........................................    3   0.03
97 = REFUSED...........................................    5   0.05
98 = BLANK (NO ANSWER).................................  136   1.47
99 = LEGITIMATE SKIP .................................. 4031  43.54
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

14.   Who is considered to be the chief wage earner or source of
        income in this household?

CWE   2   CHIEF WAGE EARNER IN HOUSEHOLD (RELATION TO RESP)

```
 1 = Respondent........................................ 2287  24.70
 2 = Someone else (NOT SPECIFIED)......................  285   3.08
 3 = Income Contributed Equally........................  132   1.43
 4 = No one............................................  182   1.97
11 = Head of Household,Employer........................   27   0.29
12 = Spouse,Ex-husband supports........................ 1478  15.96
13 = Live-in partner,fiancee...........................   51   0.55
14 = Mother............................................  836   9.03
15 = Father............................................ 1938  20.93
16 = Daughter..........................................   19   0.21
17 = Son...............................................   15   0.16
18 = Sister............................................   30   0.32
19 = Brother...........................................   43   0.46
20 = Grandmother.......................................   53   0.57
21 = Grandfather.......................................   39   0.42
22 = Other female blood relative.......................   29   0.31
23 = Other male blood relative ........................   30   0.32
24 = Mother-in-law.....................................    3   0.03
25 = Father-in-law.....................................    8   0.09
26 = Other female in-laws..............................    2   0.02
27 = Other male in-laws................................   29   0.31
28 = Close female friend...............................    2   0.02
29 = Close male friend.................................   14   0.15
30 = Other female acquaintance, roommate...............   10   0.11
31 = Other male acquaintance, roommate.................    4   0.04
32 = Step-mother.......................................    6   0.06
33 = Step-father ......................................   69   0.75
38 = Other 'step' relative, male.......................    1   0.01
40 = Friend (sex unspecified),boarder..................  103   1.11
41 = Parents...........................................   99   1.07
42 = Grandparents......................................    2   0.02
44 = Foster mother, female guardian....................    1   0.01
45 = Foster father, male guardian......................    1   0.01
50 = Multiple people listed............................   41   0.44
51 = Relative, sex not specified.......................    7   0.08
52 = Roomate, sex not specified........................    3   0.03
92 = ILLEGIBLE.........................................    1   0.01
94 = DON'T KNOW........................................    1   0.01
95 = BAD DATA..........................................    1   0.01
96 = MULTIPLE RESPONSE.................................    1   0.01
97 = REFUSED...........................................    7   0.08
98 = BLANK ............................................   87   0.94
99 = LEG. SKIP (RESP IS ONLY ADULT 18 OR OLDER)........ 1282  13.85
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

15.   Does (he/she) work ...

FULLPART 2   WORK STATUS OF CHIEF WAGE EARNER
```
             1 = Full-time......................................... 4501  48.61
             2 = Part-time......................................... 224   2.42
             3 = Chief source of income does not work.............. 617   6.66
            94 = DON'T KNOW......................................... 4    0.04
            95 = BAD DATA.......................................... 1    0.01
            96 = MULTIPLE RESPONSE................................. 3    0.03
            97 = REFUSED.......................................... 9    0.10
            98 = BLANK............................................ 149   1.61
            99 = LEGITIMATE SKIP ................................. 3751  40.51
```

16.   What is (his/her) occupation or job title?

17.   What kind of work is (he/she) doing; that is, what are
       (his/her) most important activities or duties in the job?

CWEOCC2 3   KIND OF WORK OF CHIEF WAGE EARNER
             RANGE = 1 - 16
```
           990 = OCCUPATION NOT REPORTED........................... 82   0.89
           994 = DON'T KNOW....................................... 23   0.25
           995 = BAD DATA......................................... 3    0.03
           997 = REFUSED......................................... 24   0.26
           998 = BLANK (NO ANSWER)................................ 146   1.58
           999 = LEGITIMATE SKIP (CWE=1,3,99 or FULLPART=3)........ 4368  47.18
```

18.   In what type of business or industry does (he/she) work; that
       is, what product is made or what service is offered?

CWEBUS2 3   BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER
             RANGE = 1 - 16
```
           990 = INDUSTRY NOT REPORTED............................. 94   1.02
           994 = DON'T KNOW....................................... 18   0.19
           995 = BAD DATA......................................... 3    0.03
           997 = REFUSED......................................... 24   0.26
           998 = BLANK (NO ANSWER)................................ 146   1.58
           999 = LEGITIMATE SKIP (CWE=1,3,99 or FULLPART=3)........ 4368  47.18
```

CWESECTR 2   BUSINESS/INDUSTRY SECTOR OF RESPONDENT'S JOB
```
             1 = Manufacturing,.................................... 945   10.21
             2 = Wholesale trade,.................................. 229   2.47
             3 = Retail trade, or................................. 563   6.08
             4 = Something else? (SPECIFY)......................... 2874  31.04
            94 = DON'T KNOW........................................ 55   0.59
            95 = BAD DATA.......................................... 2    0.02
            96 = MULTIPLE RESPONSE................................. 1    0.01
            97 = REFUSED.......................................... 23   0.25
            98 = BLANK............................................ 199   2.15
            99 = LEGITIMTE SKIP................................... 4368  47.18
```

DEMOGRAPHICS

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

                20.      What is the last grade or year that you completed in school?

EDUC       2    LAST GRADE COMPLETED IN SCHOOL
                0 = No schooling.......................................    34     0.37
                1 = First Grade........................................     4     0.04
                2 = Second grade.......................................    34     0.37
                3 = Third grade........................................    49     0.53
                4 = Fourth grade.......................................    77     0.83
                5 = Fifth grade........................................   232     2.51
                6 = Sixth grade........................................   480     5.18
                7 = Seventh Grade......................................   414     4.47
                8 = Eighth grade.......................................   607     6.56
                9 = Ninth grade........................................   639     6.90
                10 = Tenth grade.......................................   665     7.18
                11 = Eleventh grade....................................   696     7.52
                12 = Twelfth grade.....................................  2475    26.73
                13 = One year college..................................   491     5.30
                14 = 2 years college...................................   683     7.38
                15 = 3 years college...................................   303     3.27
                16 = 4 years college...................................   818     8.83
                17 = Graduate/professional school......................   514     5.55
                94 = DON'T KNOW........................................     4     0.04
                97 = REFUSED...........................................    10     0.11
                98 = BLANK.............................................    30     0.32

GRADHS     2    GRADUATED FROM HIGH SCHOOL
                1 = YES...............................................  2368    25.58
                2 = NO................................................  3814    41.19
                92 = ILLEGIBLE.........................................     1     0.01
                94 = DON'T KNOW .......................................     1     0.01
                97 = REFUSED...........................................     4     0.04
                98 = BLANK.............................................   262     2.83
                99 = LEGITIMATE SKIP...................................  2809    30.34

DIPLOMA    2    EVIDENCE OF HIGH SCHOOL COMPLETION
                1 = High school diploma...............................    74     0.80
                2 = GED certificate ..................................   204     2.20
                3 = Neither of the above..............................  1849    19.97
                94 = DON'T KNOW........................................     1     0.01
                97 = REFUSED...........................................     3     0.03
                98 = BLANK.............................................   144     1.56
                99 = LEGITIMATE SKIP(EDUC>12,GRADHS=2/IRAGE<17)........  6984    75.43


                23.      Are you now enrolled in any kind of school?

ENROLLD    2    NOW ENROLLED IN ANY SCHOOL
                1 = Yes...............................................  3210    34.67
                2 = No................................................  5989    64.68
                3 = Yes LOGICALLY IMPUTED.............................    10     0.11
                97 = REFUSED...........................................     4     0.04
                98 = BLANK.............................................    46     0.50
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

24.   Which of the following best describes your student status now? Are you ...

STUDENT 2   STUDENT STATUS NOW
```
 1 = A full-time student................................ 2643  28.55
 2 = A part-time student................................  545   5.89
97 = REFUSED..........................................    3   0.03
98 = BLANK.............................................   79   0.85
99 = LEGITIMATE SKIP (ENROLLD=2)....................... 5989  64.68
```

25.   During the last month of school, how many whole days did you miss because you were sick or injured?

SCHDAYS 2   # OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO.
      RANGE = 0 - 30
```
92 = ILLEGIBLE.........................................    1   0.01
94 = DON'T KNOW .......................................    1   0.01
95 = BAD DATA..........................................    3   0.03
97 = REFUSED...........................................    3   0.03
98 = BLANK (NO ANSWER).................................   88   0.95
99 = LEGITIMATE SKIP (ENROLLD=2)....................... 5989  64.68
```

26.   During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SKIPPED 2   # DAYS SKIPPED SCHOOL LAST MONTH
      RANGE = 0 - 30
```
97 = REFUSED...........................................    4   0.04
98 = BLANK (NO ANSWER).................................   88   0.95
99 = LEGITIMATE SKIP (ENROLLD=2)....................... 5989  64.68
```

27.   Do you have plans to enroll in any kind of school in the future, or have you completed all the schooling you expect to get?

SCHPLANS 2   PLANS FOR FUTURE SCHOOLING
```
 1 = Has plans to enroll in a school in future.......... 2997  32.37
 2 = Has completed all schooling........................  232   2.51
94 = DON'T KNOW........................................   13   0.14
95 = BAD DATA..........................................    2   0.02
97 = REFUSED...........................................    3   0.03
98 = BLANK.............................................  151   1.63
99 = LEGITIMATE SKIP (IRAGE>22)........................ 5861  63.30
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

28.   During a typical week, how many total miles would you estimate
        you usually drive a motor vehicle--car, truck, or motorcycle?

MILES   5   # MILES RESPONDENT DRIVES IN A TYPICAL WEEK
              RANGE = 0- 7500

              99991 = HAS NEVER DRIVEN A MOTOR VEHICLE................ 1428 15.42
              99994 = DON'T KNOW.................................... 24   0.26
              99997 = REFUSED.. 3   0.03
              99998 = BLANK (NO ANSWER).............................. 134   1.45
              99999 = LEGITIMATE SKIP (IRAGE<15).................... 1057 11.42

29.   During the past 12 months, have you had an accident while you
        were driving a motor vehicle, whether or not you were
        responsible?

ACCID   2   HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS
              1 = Yes... 776   8.38
              2 = No... 5638 60.89
              3 = Did not drive in past 12 months.................. 156   1.68
              85 = BAD DATA Log. assgnd............................. 19   0.21
              97 = REFUSED.. 5   0.05
              98 = BLANK.. 180   1.94
              99 = LEGITIMATE SKIP (IRAGE<15 or MILES=99991)......... 2485 26.84

30.   How many living biological children do you have? For this
        question, do not include any adopted, step, or foster
        children.

NOCHILD 2   # OF BIOLOGICAL CHILDREN
              RANGE = 0 - 15

              94 = DON'T KNOW....................................... 1   0.01
              97 = REFUSED.. 12   0.13
              98 = BLANK (NO ANSWER)................................ 116   1.25
              99 = LEGITIMATE SKIP (IRAGE<15)....................... 1057 11.42

31.   What is the age and sex of each of these children, from oldest
        to youngest?

CHAGE1   2   NUMBER OF CHILDREN AGES 0 TO 2
              RANGE = 0 - 3

CHAGE2   2   NUMBER OF CHILDREN AGES 3 TO 5
              RANGE = 0 - 3

CHAGE3   2   NUMBER OF CHILDREN AGES 6 TO 8
              RANGE = 0 - 3

CHAGE4   2   NUMBER OF CHILDREN AGES 9 TO 11
              RANGE = 0 - 3

CHAGE5   2   NUMBER OF CHILDREN AGES 12 TO 14
              RANGE = 0 - 3

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

CHAGE6   2   NUMBER OF CHILDREN AGES 15 TO 17
          RANGE = 0 - 3

CHAGE7   2   NUMBER OF CHILDREN AGES 18 TO 24
          RANGE = 0 - 6

CHAGE8   2   NUMBER OF CHILDREN AGES 25 TO 34
          RANGE = 0 - 9

CHAGE9   2   NUMBER OF CHILDREN AGES 35+
          RANGE = 0 - 12

CHAGE10 2   NUMBER OF CHILDREN W/ AGES UNKNOWN OR UNSPECIFIED
          RANGE = 0 - 12

          32.   Altogether, how many people live here, including yourself?

TOTPEOP 2   # OF RESIDENTS IN HOUSEHOLD
          RANGE = 1 - 27

          97 = REFUSED...   5   0.05
          98 = BLANK...   18   0.19

          33.   How are the people who live here related to you?

          34.   How many (EACH RELATIONSHIP IN Q.33) live here with you?

MOTHER   2   MOTHER OF RESPONDENT MEMBER OF HOUSEHOLD
           0 = No.. 4973 53.71
           1 = Yes... 3250 35.10
          97 = REFUSED...   5   0.05
          98 = BLANK...   90   0.97
          99 = LEGITIMATE SKIP................................. 941 10.16

FATHER   2   FATHER OF RESPONDENT MEMBER OF HOUSEHOLD
           0 = No.. 5862 63.31
           1 = Yes... 2361 25.50
          97 = REFUSED...   5   0.05
           98 = BLANK...   90   0.97
          99 = LEGITIMATE SKIP................................. 941 10.16

STEPMOM 2   STEPMOTHER OF RESPONDENT MEMBER OF HOUSEHOLD
           0 = No.. 8166 88.20
           1 = Yes...   57   0.62
          97 = REFUSED...   5   0.05
           98 = BLANK...   90   0.97
          99 = LEGITIMATE SKIP................................. 941 10.16

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
STEPDAD	2	STEPFATHER OF RESPONDENT MEMBER OF HOUSEHOLD		
		0 = No..	8052	86.96
		1 = Yes...	171	1.85
		97 = REFUSED..	5	0.05
		98 = BLANK...	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16
SPOUSE	2	SPOUSE/LIVE-IN PARTNER OF RESP MEMBER OF HOUSEHOLD		
		0 = No..	4745	51.25
		1 = Yes...	3478	37.56
		97 = REFUSED..	5	0.05
		98 = BLANK...	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16
INLAW	2	# PARENT(S)-IN-LAW OF RESP LIVING IN HOUSEHOLD		
		RANGE = 0 - 7		
		93 = RELATION INDICATED, NO COUNT RECORDED.............	9	0.10
		95 = BAD DATA..	1	0.01
		97 = REFUSED...	5	0.05
		98 = BLANK...	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16
OWNCHILD	2	# BIOLOGICAL CHILDREN OF RESP LIVING IN HOUSEHOLD		
		RANGE = 0 - 20		
		93 = RELATION INDICATED, NO COUNT RECORDED.............	140	1.51
		97 = REFUSED...	5	0.05
		98 = BLANK (NO ANSWER).................................	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16
STEPCHLD	2	# ADOPTED/STEPCHILDREN OF RESP LIVING IN HOUSEHOLD		
		RANGE = 0 - 15		
		93 = RELATION INDICATED, NO COUNT RECORDED.............	9	0.10
		97 = REFUSED...	5	0.05
		98 = BLANK...	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16
BROSIS	2	# BROTHERS/SISTERS OF RESP LIVING IN HOUSEHOLD		
		RANGE = 0 - 13		
		93 = RELATION INDICATED, NO COUNT RECORDED.............	88	0.95
		95 = BAD DATA	1	0.01
		97 = REFUSED...	5	0.05
		98 = BLANK...	90	0.97
		99 = LEGITIMATE SKIP...................................	941	10.16

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

OTHREL   2   # OTHER RELATIVES OF RESP LIVING IN HOUSEHOLD
                 RANGE = 0 - 11

              93 = RELATION INDICATED, NO COUNT RECORDED.............   42   0.45
              97 = REFUSED..   5   0.05
              98 = BLANK..   90   0.97
              99 = LEGITIMATE SKIP................................ 941 10.16

FRIENDS   2   # FRIENDS/ROOMMATES OF RESP LIVING IN HOUSEHOLD
                 RANGE = 0 - 11

              93 = RELATION INDICATED, NO COUNT RECORDED.............   41   0.44
              97 = REFUSED..   5   0.05
              98 = BLANK..   90   0.97
              99 = LEGITIMATE SKIP................................ 941 10.16

OTHERNON 2   # OTHER PEOPLE UNRELATD TO RESP LIVING IN HOUSEHLD
                 RANGE = 0 - 8

              93 = RELATION INDICATED, NO COUNT RECORDED.............   13   0.14
              97 = REFUSED..   5   0.05
              98 = BLANK..   90   0.97
              99 = LEGITIMATE SKIP................................ 941 10.16

              35.   Have you ever been in the armed forces?

SERVICE   2   EVER SERVED IN ARMED FORCES
               1 = Yes... 846   9.14
               2 = No.. 6513 70.34
              97 = REFUSED..   3   0.03
              98 = BLANK..   78   0.84
              99 = LEGITIMATE SKIP (IRAGE<17)..................... 1819 19.65

              36.   Are you ...

MILSTAT   2   CURRENT MILITARY STATUS
               1 = On extended active duty in the Armed Forces........   58   0.63
               2 = In a Reserves component...........................   72   0.78
               3 = Separated/retired from Reserves or active duty 703   7.59
              94 = DON'T KNOW.......................................   2   0.02
              97 = REFUSED...   2   0.02
              98 = BLANK...   90   0.97
              99 = LEGITIMATE SKIP (IRAGE<17 or SERVICE=2)........... 8332 89.99

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

37.   Is there anybody who lived here for six months or more in the
       past year, who is now living somewhere else?

MOVDAWAY 2   ANY RESIDENT FOR 6 MONTHS IN PAST YEAR NOW MOVED
    1 = Yes...   910   9.83
    2 = No.. 8308 89.73
   94 = DON'T KNOW..   1   0.01
   97 = REFUSED...   6   0.06
   98 = BLANK...   34   0.37

38.   How many of these persons who used to live here (for most of
       the past year) are now living in a ...

DORM   2   # OF FORMER RESIDENTS NOW LIVING AT COLLEGE
     RANGE = 0 - 2

   94 = DON'T KNOW..   2   0.02
   97 = REFUSED...   3   0.03
   98 = BLANK (NO ANSWER).......................................   89   0.96
   99 = LEGITIMATE SKIP (MOVDAWAY=2)....................... 8308 89.73

MILBASE   2   # OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE
     RANGE = 0 - 2

   94 = DON'T KNOW..   2   0.02
   95 = BAD DATA...   1   0.01
   97 = REFUSED...   3   0.03
   98 = BLANK (NO ANSWER).......................................   130   1.40
   99 = LEGITIMATE SKIP (MOVDAWAY=2)....................... 8308 89.73

HOSP   2   # OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST
     RANGE = 0 - 3

   94 = DON'T KNOW..   2   0.02
   97 = REFUSED...   3   0.03
   98 = BLANK (NO ANSWER).......................................   130   1.40
   99 = LEGITIMATE SKIP (MOVDAWAY=2)....................... 8308 89.73

39.   How many different, non-business, telephone numbers do you
       have in this household? Don't count extensions with the same
       number.

TELNO   2   # OF NON-BUSINESS PHONE NUMBERS IN HOUSEHOLD
     RANGE = 0 - 4

   95 = BAD DATA...   4   0.04
   97 = REFUSED...   10   0.11
   98 = BLANK (NO ANSWER).......................................   71   0.77

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

40.   How many times in the past five years have you moved?

MOVES   2   # OF TIMES MOVED PAST 5 YEARS
RANGE = 0 - 30

```
94 = DON'T KNOW.......................................    2    0.02
97 = REFUSED..........................................    7    0.08
98 = BLANK (NO ANSWER)................................  453    4.89
```

44.   Finally for statistical purposes, please tell me which of the
groups on this card includes your total personal earnings
before deductions during the past year. Include your earnings
from wages, salaries, commissions, and tips from all jobs you
had in the last year. Just give me the letter.

INCOME   2   PERSONAL EARNINGS FROM EMPLOYMENT FOR PAST YEAR

```
 1 = No personal earnings............................. 1716   18.53
 2 = Yearly.. under $5,000............................ 1327   14.33
 3 = Yearly.. $5,000 to $6,999........................  430    4.64
 4 = Yearly.. $7,000 to $8,999........................  381    4.11
 5 = Yearly.. $9,000 to $11,999.......................  472    5.10
 6 = Yearly.. $12,000 to $14,999......................  495    5.35
 7 = Yearly.. $15,000 to $19,999......................  727    7.85
 8 = Yearly.. $20,000 to $24,999......................  637    6.88
 9 = Yearly.. $25,000 to $29,999......................  489    5.28
10 = Yearly.. $30,000 to $39,999......................  513    5.54
11 = Yearly.. $40,000 to $49,999......................  266    2.87
12 = Yearly.. $50,000 to $74,999......................  205    2.21
13 = Yearly.. more than $75,000.......................   91    0.98
85 = BAD DATA  Log. assgnd............................    7    0.08
94 = DON'T KNOW.......................................   41    0.44
97 = REFUSED..........................................  235    2.54
98 = BLANK............................................  170    1.84
99 = LEGITIMATE SKIP (IRAGE<15)....................... 1057   11.42
```

45.   During the past year when you earned that amount, how many
weeks did you work at a job for pay? Include paid vacation
and sick leave.

WKSWORKD   2   # OF WEEKS WORKED FOR THE AMOUNT IN INCOME
RANGE = 0 - 52

```
94 = DON'T KNOW.......................................   29    0.31
97 = REFUSED..........................................   57    0.62
98 = BLANK (NO ANSWER)................................  202    2.18
99 = LEGITIMATE SKIP.................................. 2773   29.95
```

WKSFP   2   WORKED MAINLY AS FULL-TIME OR PART-TIME

```
 1 = Yes.............................................. 4320   46.66
 2 = No............................................... 1514   16.35
94 = DON'T KNOW ......................................    1    0.01
97 = REFUSED..........................................   52    0.56
98 = BLANK............................................  242    2.61
99 = LEGITIMATE SKIP.................................. 3130   33.80
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

47. The last few questions are about the total
income during the past year for all members of
your family who lived here then, from all
sources. We would like for you to combine
everyone's income -- that is, yours, (your
(mother's/father's/stepmother's/stepfather's/w
ife's/husband's)). Include money from wages
and salaries, social security, retirement
income, unemployment payments, public
assistance, and so forth. Also include income
from interest, dividends, net income from
business, farm, or rent, and any other money
income received. Just give me the letter for
the amount of total combined family income
during the past year.

TOTFAMIN 2   TOTAL COMBINED FAMILY INCOME THE PAST YEAR

	FREQ	%
1 = No family income....................................	121	1.31
2 = Yearly..Under $5,000...............................	237	2.56
3 = Yearly..$5,000 to $6,999..........................	205	2.21
4 = Yearly..$7,000 to $8,999..........................	224	2.42
5 = Yearly..$9,000 to $11,999.........................	269	2.91
6 = Yearly..$12,000 to $14,999........................	328	3.54
7 = Yearly..$15,000 to $19,999........................	498	5.38
8 = Yearly..$20,000 to $24,999........................	503	5.43
9 = Yearly..$25,000 to $29,999........................	529	5.71
10 = Yearly..$30,000 to $39,999........................	810	8.75
11 = Yearly..$40,000 to $49,999........................	707	7.64
12 = Yearly..$50,000 to $74,999........................	881	9.52
13 = Yearly..$75,000 or More...........................	549	5.93
85 = BAD DATA Log. assgnd.............................	47	0.51
94 = DON'T KNOW..	530	5.72
95 = BAD DATA..	1	0.01
97 = REFUSED...	352	3.80
98 = BLANK(NO ANSWER)..................................	291	3.14
99 = LEGITIMATE SKIP...................................	2177	23.51

48.   Now, think about the answer you just gave me -- that is, the
combined income during the past year of all the family members
who lived here then. During the past year, did (you/any of
these people) receive any of that income from ...?

WAGES   2   INCOME FROM WAGES, SALARIES, FEES, BONUSES

	FREQ	%
1 = Yes	5244	56.64
2 = No	1143	12.34
94 = DON'T KNOW..	168	1.81
97 = REFUSED...	452	4.88
98 = BLANK...	75	0.81
99 = LEGITIMATE SKIP...................................	2177	23.51

SELFEMPL 2   INCOME FROM SELF-EMPLOYMENT, FARM INCOME

	FREQ	%
1 = Yes..	745	8.05
2 = No...	5422	58.56
94 = DON'T KNOW..	166	1.79
97 = REFUSED...	451	4.87
98 = BLANK...	298	3.22
99 = LEGITIMATE SKIP...................................	2177	23.51

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
INTDIV	2	INCOME FROM INTEREST, DIVIDENDS, RENTAL...		
		1 = Yes..	1164	12.57
		2 = No...	4965	53.62
		94 = DON'T KNOW...	189	2.04
		97 = REFUSED..	453	4.89
		98 = BLANK..	311	3.36
		99 = LEGITIMATE SKIP......................................	2177	23.51
SOCSEC	2	INCOME FROM SOCIAL SECURITY OR RAILROAD RETIREMENT		
		1 = Yes..	877	9.47
		2 = No...	5302	57.26
		94 = DON'T KNOW...	171	1.85
		95 = BAD DATA...	1	0.01
		97 = REFUSED..	452	4.88
		98 = BLANK..	279	3.01
		99 = LEGITIMATE SKIP......................................	2177	23.51
SSI	2	INCOME FROM SUPPLEMENTAL SECURITY INCOME		
		1 = Yes..	158	1.71
		2 = No...	5968	64.46
		94 = DON'T KNOW...	173	1.87
		97 = REFUSED..	451	4.87
		98 = BLANK..	332	3.59
		99 = LEGITIMATE SKIP......................................	2177	23.51
DISABLTY	2	INCOME FROM DISABILITY PENSION OTHER THAN SS, RR		
		1 = Yes..	197	2.13
		2 = No...	5945	64.21
		94 = DON'T KNOW...	166	1.79
		95 = BAD DATA...	1	0.01
		97 = REFUSED..	451	4.87
		98 = BLANK..	322	3.48
		99 = LEGITIMATE SKIP......................................	2177	23.51
OTHRETIR	2	INCOME FROM OTHR RETIREMENT OR SURVIVOR PENSION		
		1 = Yes..	455	4.91
		2 = No...	5712	61.69
		94 = DON'T KNOW...	168	1.81
		97 = REFUSED..	451	4.87
		98 = BLANK..	296	3.20
		99 = LEGITIMATE SKIP......................................	2177	23.51
WELFARE	2	INCOME FROM PUBL. ASSIST. OR PUBL. WELFARE		
		1 = Yes..	377	4.07
		2 = No...	5796	62.60
		94 = DON'T KNOW...	168	1.81
		97 = REFUSED..	451	4.87
		98 = BLANK..	290	3.13
		99 = LEGITIMATE SKIP......................................	2177	23.51

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

OTHSOURC 2 INCOME FROM OTHER SERVICES
```
            1 = Yes.......................................  347   3.75
            2 = No....................................... 5805  62.70
           94 = DON'T KNOW...............................  167   1.80
           97 = REFUSED..................................  452   4.88
           98 = BLANK....................................  311   3.36
           99 = LEGITIMATE SKIP.......................... 2177  23.51
```

AMTWAGES 6 AMOUNT FROM WAGES, SALARIES, FEES, BONUSES
```
             RANGE = 0  - 950,000

       999992 = ILLEGIBLE.................................    2   0.02
       999994 = DON'T KNOW...............................  566   6.11
       999995 = BAD DATA..................................   10   0.11
       999997 = REFUSED..................................  652   7.04
       999998 = BLANK (No Answer)........................  182   1.97
       999999 = LEGITIMATE SKIP.......................... 2177  23.51
```

AMTSELFE 6 AMOUNT FROM SELF-EMPLOYMENT, FARM INCOME
```
             RANGE = 0  - 600,000

       999994 = DON'T KNOW...............................  244   2.64
       999995 = BAD DATA..................................    2   0.02
       999997 = REFUSED..................................  511   5.52
       999998 = BLANK (No Answer)........................  296   3.20
       999999 = LEGITIMATE SKIP.......................... 2177  23.51
```

AMTINTDV 6 AMOUNT FROM INTEREST, DIVIDENDS, RENTAL...
```
             RANGE = 0  - 200,000

       999994 = DON'T KNOW...............................  360   3.89
       999995 = BAD DATA..................................    2   0.02
       999997 = REFUSED..................................  549   5.93
       999998 = BLANK....................................  340   3.67
       999999 = LEGITIMATE SKIP.......................... 2177  23.51
```

AMTSOSEC 6 AMOUNT FROM SOCIAL SECURITY OR RAILROAD RETIREMENT
```
             RANGE = 0  - 80,000

       999994 = DON'T KNOW...............................  252   2.72
       999995 = BAD DATA..................................    2   0.02
       999997 = REFUSED..................................  518   5.59
       999998 = BLANK (No Answer)........................  305   3.29
       999999 = LEGITIMATE SKIP.......................... 2177  23.51
```

AMTSSI   6 AMOUNT FROM SUPPLEMENTAL SECURITY INCOME
```
             RANGE = 0  - 22,000

       999994 = DON'T KNOW...............................  188   2.03
       999997 = REFUSED..................................  475   5.13
       999998 = BLANK (No Answer)........................  326   3.52
       999999 = LEGITIMATE SKIP.......................... 2177  23.51
```

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

AMTDISAB 6   AMOUNT FROM DISABILITY PENSION OTHER THAN SS, RR
                 RANGE = 0 - 30,000

                 999994 = DON'T KNOW..................................... 182   1.97
                 999997 = REFUSED.. 482   5.21
                 999998 = BLANK.. 318   3.43
                 999999 = LEGITIMATE SKIP............................... 2177 23.51

AMTOTRET 6   AMOUNT FROM OTHR RETIREMENT OR SURVIVOR PENSION
                 RANGE = 0 - 65,000

                 999994 = DON'T KNOW..................................... 219   2.37
                 999995 = BAD DATA.......................................   1   0.01
                 999997 = REFUSED.. 494   5.34
                 999998 = BLANK.. 308   3.33
                 999999 = LEGITIMATE SKIP............................... 2177 23.51

AMTWLFAR 6   AMOUNT FROM PUBL. ASSIST. OR PUBL. WELFARE
                 RANGE = 0 - 48,000

                 999994 = DON'T KNOW..................................... 195   2.11
                 999997 = REFUSED.. 476   5.14
                 999998 = BLANK (No Answer)............................. 289   3.12
                 999999 = LEGITIMATE SKIP............................... 2177 23.51

AMTOTSRC 6   AMOUNT FROM OTHER SERVICES
                 RANGE = 0 - 35,000

                 999994 = DON'T KNOW..................................... 192   2.07
                 999997 = REFUSED.. 481   5.19
                 999998 = BLANK.. 310   3.35
                 999999 = LEGITIMATE SKIP............................... 2177 23.51

INTERVIEW INFORMATION

```
LABEL     LEN   DESCRIPTION                                          FREQ      %

INTMONTH   2    MONTH OF INTERVIEW

BTIME      4    BEGINNING TIME OF INTERVIEW

BAP        1    BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR
                1 = AM................................................ 1292  13.95
                2 = PM................................................ 7067  86.05

ETIME      4    ENDING TIME OF INTERVIEW

EAP        1    ENDING TIME OF INTERVIEW - AM/PM INDICATOR
                1 = AM................................................  828   8.94
                2 = PM................................................ 8333  90.00
               96 = MULTIPLE RESPONSE.................................    1   0.01
               98 = BLANK (NO ANSWER).................................   97   1.05

LANGVER    1    LANGUAGE VERSION
                1 = English........................................... 8751  94.51
                2 = Spanish...........................................  508   5.49


          FI-1.  Estimate the respondent's understanding of the interview.

UNDINT     2    ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW
                1 = No difficulty-no language/reading problem.......... 7525  81.27
                2 = Just a little difficulty-almost no lang/readg prob. 1100  11.88
                3 = Fair amount of difficulty-some lang/readg prob.....  375   4.05
                4 = A lot of difficulty-considerable lang/readg prob...  199   2.15
               94 = DON'T KNOW........................................    2   0.02
               98 = BLANK (NO ANSWER).................................   58   0.63


          FI-2.  How cooperative has the respondent been?

COOPINT    2    COOPERATION OF RESPONDENT
                1 = Very cooperative.................................. 8109  87.58
                2 = Fairly cooperative................................  849   9.17
                3 = Not very cooperative .............................  157   1.70
                4 = Openly hostile...................................   23   0.25
               98 = BLANK (NO ANSWER).................................  121   1.31
```

INTERVIEW INFORMATION

LABEL	LEN	DESCRIPTION	FREQ	%

FI-3. Indicate on this scale of 01 through 09 how private the
interview was. (IF COMPLETELY PRIVATE, CIRCLE CODE 01 AND SKIP
TO Q.F1-5.)

PRIVACY 2 SCALE FOR PRIVACY DURING INTERVIEW
```
    1 = Completely private-no one present/able to overhear. 5197  56.13
    2 =  ...............................................  309   3.34
    3 = Minor distractions.............................. 1711  18.48
    4 =  ...............................................   92   0.99
    5 = Person(s) in room or listening 1/3 of the time.....  727   7.85
    6 =  ...............................................   48   0.52
    7 = Serious interruptions more than half the time......   99   1.07
    8 =  ...............................................   11   0.12
    9 = Constant presence of other person(s).............  982  10.61
   96 = MULTIPLE RESPONSE.................................    8   0.09
   98 = BLANK (NO ANSWER).................................   75   0.81
```

FI-4. Others present or listening to the interview were ...

PPRES 2 PARENT(S) PRESENT OR LISTENING TO INTERVIEW
```
    1 = Response circled................................. 1035  11.18
   98 = BLANK (NO ANSWER)................................. 3027  32.69
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

SPRES 2 SPOUSE PRESENT OR LISTENING TO INTERVIEW
```
    2 = Response circled.................................  860   9.29
   98 = BLANK (NO ANSWER)................................. 3202  34.58
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

PARPRES 2 LIVE-IN PARTNR/DATE PRSNT OR LISTENNG TO INTERVIEW
```
    3 = Response circled.................................  118   1.27
   98 = BLANK (NO ANSWER)................................. 3944  42.60
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

OARPRES 2 ADULT RELATIVE(S) PRESENT/LISTENING TO INTERVIEW
```
    4 = Response circled.................................  467   5.04
   98 = BLANK (NO ANSWER)................................. 3595  38.83
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

OAPRES 2 OTHER ADULT(S) PRESENT OR LISTENING TO INTERVIEW
```
    5 = Response circled.................................  411   4.44
   98 = BLANK (NO ANSWER)................................. 3651  39.43
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

CPRES 2 CHILD(REN) UNDER 15 PRESENT/LISTENING TO INTERVIEW
```
    6 = Response circled................................. 1383  14.94
   98 = BLANK (NO ANSWER)................................. 2679  28.93
   99 = LEGITIMATE SKIP (PRIVACY=1)....................... 5197  56.13
```

INTERVIEW INFORMATION

```
LABEL     LEN   DESCRIPTION                                          FREQ      %

OPRESSPA   2    OTHER PERSON(S) PRESENT/LISTENING (FIRST MENTION)
                 2 = Spouse...........................................     1    0.01
                 3 = Live-in partner,fiancee...........................     1    0.01
                 4 = Mother...........................................     1    0.01
                16 = Daughter.........................................     4    0.04
                17 = Son.............................................     5    0.05
                18 = Sister..........................................    13    0.14
                19 = Brother.........................................    14    0.15
                20 = Grandmother.....................................     2    0.02
                21 = Grandfather.....................................     1    0.01
                22 = Other female blood relative.....................     1    0.01
                24 = Mother-in-law...................................     2    0.02
                28 = Close female friend.............................     6    0.06
                29 = Close male friend...............................     2    0.02
                30 = Other female acquaintance, roommate.............     3    0.03
                31 = Other male acquaintance, roommate...............     2    0.02
                40 = Friend (sex unspecified)........................    47    0.51
                42 = Granparents.....................................     1    0.01
                43 = Guardian (sex unspecified) .....................     1    0.01
                44 = Foster mother, female guardian..................     1    0.01
                46 = Governess, nanny or live-in babysitter..........     1    0.01
                48 = Housekeeper or maid.............................     1    0.01
                50 = Multiple people listed..........................    17    0.18
                51 = Relative, sex not specified.....................     6    0.06
                52 = Roommate, sex not specified.....................     5    0.05
                98 = BLANK (NO ANSWER)...............................  3924   42.38
                99 = LEGITIMATE SKIP (PRIVACY=1).....................  5197   56.13

OPRESSPB   2    OTHER PERSON(S) PRESENT/LISTENING (SECOND MENTION)
                18 = Sister..........................................     1    0.01
                98 = BLANK (NO ANSWER)...............................  4061   43.86
                99 = LEGITIMATE SKIP (PRIVACY=1).....................  5197   56.13

OPRESNSP   2    OTHER PERSON(S) PRESENT/LISTENING (NOT SPECIFIED)
                 7 = Response circled................................    86    0.93
                95 = BAD DATA........................................     1    0.01
                98 = BLANK (NO ANSWER)...............................  3975   42.93
                99 = LEGITIMATE SKIP (PRIVACY=1).....................  5197   56.13
```

GEOGRAPHIC

In order to provide estimates with maximum precision per unit of
cost, large-scale surveys must involve multi-stage sampling based
on selection probabilities derived from counts of population
and/or housing units at all levels. To obtain reasonably precise
estimates for minority groups, it is necessary to carry out
oversampling, requiring counts by race and ethnicity as well as
total counts. At any time, the optimum source of appropriate
data is the most recent Decennial Census. Since the 1990 Census
data would not have been available until the year 1991, it was
necessary to use data from the 1980 Census for the 1990 survey.
The definitions for all geographic variables were based on the
1980 Census and were defined at the segment level. Percentages
for population and housing groups have been adjusted at the
county level by the ratio of the 1990 Market Statistics estimated
count of households to the corresponding 1980 Census counts.
This adjustment should account for the segment's growth or
decline in population and housing since the 1980 Census was
conducted. The geographic variables DC, CENCTY, and URBARE
define domains for estimates in regard to the Washington, DC,
Metropolitan Statistical Area (MSA). For the variable DC,
socioeconomic status (SES) has been derived from Census block and
enumeration district distributions of housing unit values and
contract rents. CENCTY defines segment location inside or
outside the city of Washington, and URBARE defines segment
location as being inside or outside of the Washington, DC,
Urbanized Area.

LABEL	LEN	DESCRIPTION	FREQ	%
		Population density is based on 1980 Population Census and SMSA definitions at that time.		
POPDEN	1	POPULATION DENSITY		
		1 = 1,000,000 or more persons in the SMSA..............	5674	61.28
		2 = 50,000 to 999,999 persons in the SMSA..............	2154	23.26
		3 = Not in the SMSA...................................	1431	15.46
POPDEN2	1	POPULATION DENSITY OF THE SMSA CONTAINING THE SEGMENT - FIVE LEVELS		
		1 = 1,000,000 or more persons in the SMSA..............	5674	61.28
		2 = 250,000 to 999,999 persons in the SMSA.............	1601	17.29
		3 = Fewer than 250,000 persons in the SMSA.............	553	5.97
		4 = Not in an SMSA and not in a rural area.............	469	5.07
		5 = Not in an SMSA and in a rural area.................	962	10.39
DC	1	INDICATES WHETHER THE SEGMENT IS CONTAINED IN A PORTION OF THE DC MSA		
		1 = Segment in the Low SES portion of the DC MSA.......	968	10.45
		2 = Segment in the remainder of the DC MSA.............	963	10.41
		9 = Segment not in the DC MSA..........................	7328	79.14
CENCTY	1	INDICATES IF THE SECTION IS CONTAINED WITHIN THE CENTRAL CITY OF WASHINGTON, DC		
		1 = Segment is in the DC MSA and within Washington, DC, the Central City...................................	414	4.47
		2 = Segment is in the DC MSA but not within Washington, DC, the Central City...................................	1517	16.38
		3 = Segment not within the DC MSA......................	7328	79.14

GEOGRAPHIC

```
LABEL     LEN   DESCRIPTION                                                 FREQ      %

URBARE     1    INDICATES IF THE SEGMENT IS CONTAINED WITHIN THE URBANIZED AREA OF
                THE DC MSA AS DEFINED ACCORDING TO THE 1980 CENSUS

                1 = Segment in the DC MSA and in the DC Urbanized Area
                2 = Segment in the DC MSA but not in the DC Urbanized Area
                3 = Not in the DC MSA

REGION     1    CENSUS REGION CONTAINING THE SEGMENT
                1 = Northeast......................................... 1421   15.35
                2 = North Central.................................... 1491   16.10
                3 = South............................................ 4350   46.98
                4 = West............................................. 1997   21.57

DIVISION   1    CENSUS DIVISION CONTAINING THE SEGMENT
                1 = New England......................................  270    2.92
                2 = Middle Atlantic.................................. 1134   12.25
                3 = East North Central.............................. 1152   12.44
                4 = West North Central..............................  280    3.02
                5 = South Atlantic.................................. 2326   25.12
                6 = East South Central..............................  432    4.67
                7 = West South Central.............................. 1140   12.31
                8 = Mountain.........................................  333    3.60
                9 = Pacific......................................... 1636   17.67

HSPHCONC   1    CODED PERCENT HISPANIC HOUSEHOLDS IN THE SEGMENT
                1 = Equal to or greater than 50% Hispanic households....  872    9.42
                2 = 10% or more but less than 50% Hispanic households... 1490   16.09
                3 = Less than 10% Hispanic households................... 6897   74.49

HSPPCONC   1    CODED PERCENT HISPANIC PERSONS IN THE SEGMENT
                1 = Equal to or greater than 50% Hispanic persons.......  984   10.63
                2 = 10% or more but less than 50% Hispanic persons...... 1435   15.50
                3 = Less than 10% Hispanic persons..................... 6840   73.87

NHBHCONC   1    CODED PERCENT NONHISPANIC BLACK HOUSEHOLDS IN THE SEGMENT
                1 = Equal to or greater than 50% NonHispanic black
                        households..................................... 1359   14.68
                2 = 10% or more but less than 50% NonHispanic black
                        households..................................... 1389   15.00
                3 = Less than 10% NonHispanic black households......... 6511   70.32

NHBPCONC   1    CODED PERCENT NONHISPANIC BLACK PERSONS IN THE SEGMENT
                1 = Equal to or greater than 50% NonHispanic black
                        persons........................................1394   15.06
                2 = 10% or more but less than 50% Nonhispanic black
                        persons........................................1525   16.47
                3 = Less than 10% NonHispanic black persons............ 6340   68.47
```

GEOGRAPHIC

```
LABEL     LEN  DESCRIPTION                                           FREQ      %

OWNOCONC   1   CODED PERCENT OF OCCUPIED HOUSING UNITS THAT ARE OWNER OCCUPIED IN
               THE SEGMENT
               1 = Equal to or greater than 50% Owner Occupied
                       Housing Units.................................. 6403  69.15
               2 = 10% or more but less than 50% Owner Occupied
                       Housing Units.................................. 1809  19.54
               3 = Less than 10% Owner Occupied Housing Units......... 1047  11.31

PCTSPANH   8   PERCENT HISPANIC HOUSEHOLDS IN THE SEGMENT

PCTSPAN    8   PERCENT HISPANIC POPULATION IN THE SEGMENT

PCTNHBHH   8   PERCENT NONHISPANIC BLACK HOUSEHOLDS IN THE SEGMENT

PCTNHBLK   8   PERCENT NONHISPANIC BLACK POPULATION IN THE SEGMENT

PCTBLACK   8   PERCENT TOTAL BLACK POPULATION IN THE SEGMENT

PCTOWNOC   8   PERCENT OF OCCUPIED HOUSING UNITS THAT ARE OWNER OCCUPIED IN THE
               SEGMENT
```

IMPUTED DEMOGRAPHICS

```
LABEL    LEN  DESCRIPTION                                            FREQ     %


IRAGE     2   IMPUTATION-REVISED AGE OF RESPONDENT
                RANGE = 12 - 97


IIAGE     1   IMPUTATION INDICATOR FOR AGE
                1 = Age taken from birthdate.......................... 9068   97.94
                2 = Age taken from questionnaire.....................  186    2.01
                3 = Age taken from screener..........................    3    0.03
                4 = Age imputed......................................    2    0.02


IRSEX     1   SEX - IMPUTATION REVISED
                1 = Male............................................. 4165   44.98
                2 = Female........................................... 5094   55.02


IISEX     1   SEX - IMPUTATION INDICATOR
                1 = Sex taken from questionnaire..................... 9243   99.83
                2 = Sex taken from screener..........................   16    0.17


IRRACE    1   IMPUTATION-REVISED RACE OF RESPONDENT
                1 = American Indian or Alaskan Native.................  247    2.67
                2 = Asian or Pacific Islander........................  224    2.42
                3 = Black............................................ 1905   20.57
                4 = White............................................ 6883   74.34


IIRACE    1   IMPUTATION INDICATOR FOR RACE
                1 = Questionnaire data............................... 8689   93.84
                2 = Logically imputed data...........................  236    2.55
                3 = Statistically imputed data.......................  334    3.61


IRHOIND   1   IMPUTATION-REVISED HISPANIC ORIGIN
                1 = Hispanic......................................... 1915   20.68
                2 = Not Hispanic..................................... 7344   79.32


IIHOIND   1   IMPUTATION INDICATOR FOR HISPANIC ORIGIN
                1 = Hispanic Origin taken from questionnaire.......... 9130   98.61
                2 = Hispanic Origin logically imputed................  107    1.16
                3 = Statistically imputed data.......................   22    0.24


IRHOGRP   2   IMPUTATION-REVISED HISPANIC-ORIGIN GROUP
                1 = Puerto Rican.....................................  236    2.55
                2 = Mexican.......................................... 1185   12.80
                3 = Cuban............................................  117    1.26
                4 = Other............................................  377    4.07
               99 = LEGITIMATE SKIP.................................. 7344   79.32
```

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC-ORIGIN GROUP		
		1 = Hispanic-Origin Group taken from questionnaire.....	1871	20.21
		3 = Statistically imputed data........................	44	0.48
		9 = LEGITIMATE SKIP....................................	7344	79.32
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married..	3423	36.97
		2 = Widowed..	421	4.55
		3 = Divorced or Separated............................	907	9.80
		4 = Never Married....................................	3451	37.27
		99 = LEGITIMATE SKIP..................................	1057	11.42
IIMARIT	1	MARITAL STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data...............................	8062	87.07
		2 = Logically imputed data...........................	47	0.51
		3 = Statistically imputed data.......................	93	1.00
		9 = LEGITIMATE SKIP..................................	1057	11.42
IREDUC	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling.....................................	34	0.37
		1 = First grade.....................................	4	0.04
		2 = Second grade.....................................	34	0.37
		3 = Third grade......................................	50	0.54
		4 = Fourth grade.....................................	78	0.84
		5 = Fifth grade......................................	234	2.53
		6 = Sixth grade......................................	484	5.23
		7 = Seventh grade....................................	415	4.48
		8 = Eighth grade.....................................	610	6.59
		9 = Ninth grade......................................	641	6.92
		10 = Tenth grade.....................................	671	7.25
		11 = Eleventh grade..................................	704	7.60
		12 = Twelfth grade...................................	2485	26.84
		13 = One year of college.............................	493	5.32
		14 = Two years of college............................	687	7.42
		15 = Three years of college..........................	303	3.27
		16 = Four years of college...........................	818	8.83
		17 = Graduate/professional school....................	514	5.55
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data...............................	9215	99.52
		3 = Statistically imputed data.......................	44	0.48
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school..................	5272	56.94
		2 = No, did not graduate from high school............	3987	43.06
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data...............................	6744	72.84
		2 = Logically imputed data...........................	2490	26.89
		3 = Statistically imputed data.......................	25	0.27

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week.........	3955	42.72
		2 = Working part-time, less than 35 hours a week.......	1221	13.19
		3 = Have job but out: illness/leave/furlough/strike....	60	0.65
		4 = Unemployed or laid off and looking for work........	357	3.86
		5 = Unemployed and not looking for work................	136	1.47
		6 = Full-time homemaker only..........................	773	8.35
		7 = In school only...................................	2008	21.69
		8 = Retired..	564	6.09
		9 = Disabled, not able to work.......................	159	1.72
		10 = Other, in labor force............................	21	0.23
		11 = Other, not in labor force........................	5	0.05
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9167	99.01
		2 = Logically imputed data............................	27	0.29
		3 = Statistically imputed data........................	65	0.70
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance.........	7411	80.04
		2 = No, respondent does not have health insurance......	1848	19.96
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9040	97.63
		3 = Statistically imputed data........................	219	2.37
IREARN	2	EARNINGS - IMPUTATION REVISED		
		1 = No personal earnings..............................	1844	19.92
		2 = Yearly.. under $5,000.............................	1416	15.29
		3 = Yearly.. $5,000 to $6,999.........................	456	4.92
		4 = Yearly.. $7,000 to $8,999.........................	410	4.43
		5 = Yearly.. $9,000 to $11,999........................	498	5.38
		6 = Yearly.. $12,000 to $14,999.......................	515	5.56
		7 = Yearly.. $15,000 to $19,999.......................	756	8.17
		8 = Yearly.. $20,000 to $24,999.......................	672	7.26
		9 = Yearly.. $25,000 to $29,999.......................	518	5.59
		10 = Yearly.. $30,000 to $39,999.......................	542	5.85
		11 = Yearly.. $40,000 to $49,999.......................	277	2.99
		12 = Yearly.. $50,000 to $74,999.......................	207	2.24
		13 = Yearly.. more than $75,000.......................	91	0.98
		99 = LEGITIMATE SKIP..................................	1057	11.42
IIEARN	1	EARNINGS - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	7733	83.52
		2 = Logically imputed data............................	37	0.40
		3 = Statistically imputed data........................	432	4.67
		9 = LEGITIMATE SKIP..................................	1057	11.42

IMPUTED DEMOGRAPHICS

```
LABEL      LEN   DESCRIPTION                                          FREQ      %

IRINC47     2    TOTAL FAMILY INCOME - IMPUTATION REVISED
                  1 = No personal earnings...............................   49    0.53
                  2 = Yearly.. under $5,000..............................  280    3.02
                  3 = Yearly.. $5,000 to $6,999..........................  251    2.71
                  4 = Yearly.. $7,000 to $8,999..........................  296    3.20
                  5 = Yearly.. $9,000 to $11,999.........................  359    3.88
                  6 = Yearly.. $12,000 to $14,999........................  448    4.84
                  7 = Yearly.. $15,000 to $19,999........................  672    7.26
                  8 = Yearly.. $20,000 to $24,999........................  660    7.13
                  9 = Yearly.. $25,000 to $29,999........................  660    7.13
                 10 = Yearly.. $30,000 to $39,999........................ 1039   11.22
                 11 = Yearly.. $40,000 to $49,999........................  814    8.79
                 12 = Yearly.. $50,000 to $74,999........................  979   10.57
                 13 = Yearly.. more than $75,000.........................  575    6.21
                 99 = LEGITIMATE SKIP................................... 2177   23.51

IIINC47     1    TOTAL FAMILY INCOME - IMPUTATION INDICATOR
                  1 = Questionnaire data................................ 5659   61.12
                  2 = Logically imputed..................................  380    4.10
                  3 = Statistically imputed............................. 1043   11.26
                  9 = LEGITIMATE SKIP................................... 2177   23.51

IRINC48A    2    INCOME FROM WAGES, SALARY - IMPUTATION REVISED
                  1 = Yes.............................................. 5926   64.00
                  2 = No.............................................. 1156   12.49
                 99 = LEGITIMATE SKIP................................... 2177   23.51

IIINC48A    1    INCOME FROM WAGES, SALARY - IMPUTATION INDICATOR
                  1 = Questionnaire data................................ 6224   67.22
                  2 = Logically imputed..................................    7    0.08
                  3 = Statistically imputed.............................  851    9.19
                  9 = LEGITIMATE SKIP................................... 2177   23.51

IRINC49A    6    TOTAL INCOME FROM WAGES, SAL. - IMPUTATION REVISED
                   RANGE = 0  - 950,000

                 999999 = LEGITIMATE SKIP.............................. 2177   23.50

IIINC49A    1    TOTAL INCOME FROM WAGES, SAL. - IMPUT. INDICATOR
                  1 = Questionnaire data................................ 5444   58.80
                  2 = Logically imputed..................................  183    1.98
                  3 = Statistically imputed............................. 1455   15.71
                  9 = LEGITIMATE SKIP................................... 2177   23.51

IRINC48B    2    INCOME FROM SELF EMPLOY - IMPUTATION REVISED
                  1 = Yes..............................................  881    9.52
                  2 = No.............................................. 6201   66.97
                 99 = LEGITIMATE SKIP................................... 2177   23.51

IIINC48B    1    INCOME FROM SELF EMPLOY - IMPUTATION INDICATOR
                  1 = Questionnaire data................................ 5975   64.53
                  2 = Logically imputed..................................    1    0.01
                  3 = Statistically imputed............................. 1106   11.95
                  9 = LEGITIMATE SKIP................................... 2177   23.51
```

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

IRINC49B 6   TOTAL INCOME FROM SELF EMPLOY - IMPUTATION REVISED
                  RANGE = 0 - 600,000

                  999999 = LEGITIMATE SKIP............................... 2177 23.50

IIINC49B 1   TOTAL INCOME FROM SELF EMPLOY - IMPUT. INDICATOR
                  1 = Questionnaire data............................... 5827 62.93
                  2 = Logically imputed................................ 971 10.49
                  3 = Statistically imputed............................ 284   3.07
                  9 = LEGITIMATE SKIP.................................. 2177 23.51

IRINC48C 2   INCOME FROM INT. DIVIDENDS - IMPUTATION REVISED
                  1 = Yes... 1419 15.33
                  2 = No.. 5663 61.16
                  99 = LEGITIMATE SKIP................................. 2177 23.51

IIINC48C 1   INCOME FROM INT. DIVIDENDS - IMPUTATION INDICATOR
                  1 = Questionnaire data............................... 5938 64.13
                  2 = Logically imputed................................   2   0.02
                  3 = Statistically imputed............................ 1142 12.33
                  9 = LEGITIMATE SKIP.................................. 2177 23.51

IRINC49C 6   TOTAL INCOME FROM INT., DIV. - IMPUTATION REVISED
                  RANGE = 0 - 200,000

                  999999 = LEGITIMATE SKIP............................... 2177 23.50

IIINC49C 1   TOTAL INCOME FROM INT., DIV. - IMPUT. INDICATOR
                  1 = Questionnaire data............................... 5630 60.81
                  2 = Logically imputed................................ 885   9.56
                  3 = Statistically imputed............................ 567   6.12
                  9 = LEGITIMATE SKIP.................................. 2177 23.51

IRINC48D 2   INCOME FROM SOC. SEC., RR - IMPUTATION REVISED
                  1 = Yes... 1066 11.51
                  2 = No.. 6016 64.97
                  99 = LEGITIMATE SKIP................................. 2177 23.51

IIINC48D 1   INCOME FROM SOC. SEC., RR - IMPUTATION INDICATOR
                  1 = Questionnaire data............................... 5986 64.65
                  2 = Logically imputed................................   3   0.03
                  3 = Statistically imputed............................ 1093 11.80
                  9 = LEGITIMATE SKIP.................................. 2177 23.51

IRINC49D 6   TOTAL INCOME FROM SS., RR. - IMPUTATION REVISED
                  RANGE = 0 - 40,000

                  999999 = LEGITIMATE SKIP............................... 2177 23.50

IIINC49D 1   TOTAL INCOME FROM SS., RR. - IMPUTATION INDICATOR
                  1 = Questionnaire data............................... 5793 62.57
                  2 = Logically imputed................................ 912   9.85
                  3 = Statistically imputed............................ 377   4.07
                  9 = LEGITIMATE SKIP.................................. 2177 23.51

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

IRINC48E 2 INCOME FROM SSI - IMPUTATION REVISED
```
            1 = Yes..................................................  209   2.26
            2 = No...................................................  6873  74.23
           99 = LEGITIMATE SKIP.....................................  2177  23.51
```

IIINC48E 1 INCOME FROM SSI - IMPUTATION INDICATOR
```
            1 = Questionnaire data...............................  5931  64.06
            2 = Logically imputed................................     3   0.03
            3 = Statistically imputed............................  1148  12.40
            9 = LEGITIMATE SKIP..................................  2177  23.51
```

IRINC49E 6 TOTAL INCOME FROM SSI - IMPUTATION REVISED
```
              RANGE = 0 - 24,000

       999999 = LEGITIMATE SKIP..............................  2177  23.50
```

IIINC49E 1 TOTAL INCOME FROM SSI - IMPUTATION INDICATOR
```
            1 = Questionnaire data...............................  5896  63.68
            2 = Logically imputed................................  1124  12.14
            3 = Statistically imputed............................    62   0.67
            9 = LEGITIMATE SKIP..................................  2177  23.51
```

IRINC48F 2 INCOME FROM DISABILITY - IMPUTATION REVISED
```
            1 = Yes..................................................  248   2.68
            2 = No...................................................  6834  73.81
           99 = LEGITIMATE SKIP.....................................  2177  23.51
```

IIINC48F 1 INCOME FROM DISABILITY - IMPUT. INDICATOR
```
            1 = Questionnaire data...............................  5948  64.24
            2 = Logically imputed................................     1   0.01
            3 = Statistically imputed............................  1133  12.24
            9 = LEGITIMATE SKIP..................................  2177  23.51
```

IRINC49F 6 TOTAL INCOME FROM DISABILITY - IMPUTATION REVISED
```
              RANGE = 0 - 30,000

       999999 = LEGITIMATE SKIP..............................  2177  23.50
```

IIINC49F 1 TOTAL INCOME FROM DISABILITY - IMPUT. INDICATOR
```
            1 = Questionnaire data...............................  5902  63.74
            2 = Logically imputed................................  1108  11.97
            3 = Statistically imputed............................    72   0.78
            9 = LEGITIMATE SKIP..................................  2177  23.51
```

IRINC48G 2 INCOME FROM OTHER RETIREMENT - IMPUTATION REVISED
```
            1 = Yes..................................................  529   5.71
            2 = No...................................................  6553  70.77
           99 = LEGITIMATE SKIP.....................................  2177  23.51
```

IIINC48G 1 INCOME FROM OTHER RETIREMENT - IMPUT. INDICATOR
```
            1 = Questionnaire data...............................  5972  64.50
            2 = Logically imputed................................     2   0.02
            3 = Statistically imputed............................  1108  11.97
            9 = LEGITIMATE SKIP..................................  2177  23.51
```

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%

IRINC49G 6   TOTAL INCOME FROM OTH RETIRE - IMPUTATION REVISED
                 RANGE = 0 - 65,000

               999999 = LEGITIMATE SKIP................................ 2177 23.50

IIINC49G 1   TOTAL INCOME FROM OTH RETIRE - IMPUT. INDICATOR
               1 = Questionnaire data................................ 5862 63.31
               2 = Logically imputed................................. 1044 11.28
               3 = Statistically imputed............................. 176   1.90
               9 = LEGITIMATE SKIP................................... 2177 23.51

IRINC48H 2   INCOME FROM PUBLIC - IMPUTATION REVISED
               1 = Yes.. 488   5.27
               2 = No... 6594 71.22
              99 = LEGITIMATE SKIP................................... 2177 23.51

IIINC48H 1   INCOME FROM PUBLIC - IMPUTATION INDICATOR
               1 = Questionnaire data................................ 5978 64.56
               2 = Logically imputed.................................   2   0.02
               3 = Statistically imputed............................. 1102 11.90
               9 = LEGITIMATE SKIP................................... 2177 23.51

IRINC49H 6   TOTAL INCOME FROM PUBLIC - IMPUTATION REVISED
                 RANGE = 0 - 25,000

               999999 = LEGITIMATE SKIP................................ 2177 23.50

IIINC49H 1   TOTAL INCOME FROM PUBLIC - IMPUTATION INDICATOR
               1 = Questionnaire data................................ 5921 63.95
               2 = Logically imputed................................. 1013 10.94
               3 = Statistically imputed............................. 148   1.60
               9 = LEGITIMATE SKIP................................... 2177 23.51

IRINC48I 2   INCOME FROM OTHER SOURCES - IMPUTATION REVISED
               1 = Yes.. 450   4.86
               2 = No... 6632 71.63
          999999 = LEGITIMATE SKIP................................... 2177 23.50

IIINC48I 1   INCOME FROM OTHER SOURCES - IMPUT. INDICATOR
               1 = Questionnaire data................................ 5960 64.37
               2 = Logically imputed.................................   1   0.01
               3 = Statistically imputed............................. 1121 12.11
               9 = LEGITIMATE SKIP................................... 2177 23.51

IRINC49I 6   TOTAL INCOME FROM OTH SOURCES - IMPUTATION REVISED
                 RANGE = 0 - 35,000

               999999 = LEGITIMATE SKIP................................ 2177 23.50

IIINC49I 1   TOTAL INCOME FROM OTH SOURCES - IMPUT. INDICATOR
               1 = Questionnaire data................................ 5902 63.74
               2 = Logically imputed................................. 1017 10.98
               3 = Statistically imputed............................. 163   1.76
               9 = LEGITIMATE SKIP................................... 2177 23.51

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	4503	48.63
		2 = More than 1 month ago but less than 6 months ago...	935	10.10
		3 = 6 or more months ago but less than 1 year ago......	544	5.88
		4 = 1 or more years ago but less than 3 years ago......	378	4.08
		5 = 3 or more years ago...............................	829	8.95
		9 = Never used alcohol................................	2070	22.36
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	8559	92.44
		2 = Statistically imputed data........................	700	7.56
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days).....................	384	4.15
		2 = More than 1 week ago but less than 1 month ago.....	231	2.49
		3 = 1 or more months ago but less than 6 months ago....	263	2.84
		4 = 6 or more months ago but less than 1 year ago......	352	3.80
		5 = 1 or more years ago but less than 3 years ago......	319	3.45
		6 = 3 or more years ago...............................	1722	18.60
		9 = Never used marijuana..............................	5988	64.67
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	8808	95.13
		2 = Statistically imputed data........................	451	4.87
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days).....................	71	0.77
		2 = More than 1 week ago but less than 1 month ago.....	60	0.65
		3 = 1 or more months ago but less than 6 months ago....	129	1.39
		4 = 6 or more months ago but less than 1 year ago......	180	1.94
		5 = 1 or more years ago but less than 3 years ago......	190	2.05
		6 = 3 or more years ago...............................	623	6.73
		9 = Never used cocaine................................	8006	86.47
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9064	97.89
		2 = Statistically imputed data........................	195	2.11
IRSEDRC	1	SEDATIVES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	43	0.46
		2 = More than 1 month ago but less than 6 months ago...	51	0.55
		3 = 6 or more months ago but less than 1 year ago......	40	0.43
		4 = 1 or more years ago but less than 3 years ago......	37	0.40
		5 = 3 or more years ago...............................	222	2.40
		9 = Never used sedatives..............................	8866	95.76
IISEDRC	1	SEDATIVES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9181	99.16
		2 = Statistically imputed data........................	78	0.84

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRTRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	36	0.39
		2 = More than 1 month ago but less than 6 months ago...	64	0.69
		3 = 6 or more months ago but less than 1 year ago......	49	0.53
		4 = 1 or more years ago but less than 3 years ago......	53	0.57
		5 = 3 or more years ago...............................	241	2.60
		9 = Never used tranquilizers..........................	8816	95.22
IITRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9166	99.00
		2 = Statistically imputed data........................	93	1.00
IRSTMRC	1	STIMULANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	57	0.62
		2 = More than 1 month ago but less than 6 months ago...	61	0.66
		3 = 6 or more months ago but less than 1 year ago......	66	0.71
		4 = 1 or more years ago but less than 3 years ago......	85	0.92
		5 = 3 or more years ago...............................	404	4.36
		9 = Never used stimulants.............................	8586	92.73
IISTMRC	1	STIMULANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9120	98.50
		2 = Statistically imputed data........................	139	1.50
IRANLRC	1	ANALGESICS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	91	0.98
		2 = More than 1 month ago but less than 6 months ago...	109	1.18
		3 = 6 or more months ago but less than 1 year ago......	102	1.10
		4 = 1 or more years ago but less than 3 years ago......	88	0.95
		5 = 3 or more years ago...............................	224	2.42
		9 = Never used analgesics.............................	8645	93.37
IIANLRC	1	ANALGESICS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9143	98.75
		2 = Statistically imputed data........................	116	1.25
IRCIGRC	1	CIGARETTES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)...................	2397	25.89
		2 = More than 1 month ago but less than 6 months ago...	313	3.38
		3 = 6 or more months ago but less than 1 year ago......	285	3.08
		4 = 1 or more years ago but less than 3 years ago......	404	4.36
		5 = 3 or more years ago...............................	2633	28.44
		9 = Never smoked cigarettes...........................	3227	34.85
IICIGRC	1	CIGARETTES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	8766	94.68
		2 = Statistically imputed data........................	493	5.32

IMPUTED DRUG USE

```
LABEL     LEN   DESCRIPTION                                              FREQ      %

IROTBRC    1    SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED
                1 = Within the past month (30 days)....................   263    2.84
                2 = More than 1 month ago but less than 6 months ago...    66    0.71
                3 = 6 or more months ago but less than 1 year ago......    59    0.64
                4 = 1 or more years ago but less than 3 years ago......   124    1.34
                5 = 3 or more years ago................................   588    6.35
                9 = Never used smokeless tobacco.......................  8159   88.12

IIOTBRC    1    SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR
                1 = Questionnaire data.................................  9198   99.34
                2 = Statistically imputed data.........................    61    0.66

IRINHRC    1    INHALANTS RECENCY - IMPUTATION REVISED
                1 = Within the past week (7 days)......................    44    0.48
                2 = More than 1 week ago but less than 1 month ago.....    48    0.52
                3 = 1 or more months ago but less than 6 months ago....    35    0.38
                4 = 6 or more months ago but less than 1 year ago......    59    0.64
                5 = 1 or more years ago but less than 3 years ago......    85    0.92
                6 = 3 or more years ago................................   362    3.91
                9 = Never used inhalants...............................  8626   93.16

IIINHRC    1    INHALANTS RECENCY - IMPUTATION INDICATOR
                1 = Questionnaire data.................................  9140   98.71
                2 = Statistically imputed data.........................   119    1.29

IRCRKRC    1    CRACK RECENCY - IMPUTATION REVISED
                1 = Within the past week (7 days)......................    12    0.13
                2 = More than 1 week ago but less than 1 month ago.....    27    0.29
                3 = 1 or more months ago but less than 6 months ago....    15    0.16
                4 = 6 or more months ago but less than 1 year ago......    31    0.33
                5 = 1 or more years ago but less than 3 years ago......    70    0.76
                6 = 3 or more years ago................................    69    0.75
                9 = Never used crack...................................  9035   97.58

IICRKRC    1    CRACK RECENCY - IMPUTATION INDICATOR
                1 = Questionnaire data.................................  9243   99.83
                2 = Statistically imputed data.........................    16    0.17

IRHALRC    1    HALLUCINOGENS RECENCY - IMPUTATION REVISED
                1 = Within the past month (30 days)....................    47    0.51
                2 = More than 1 month ago but less than 6 months ago...    60    0.65
                3 = 6 or more months ago but less than 1 year ago......    70    0.76
                4 = 1 or more years ago but less than 3 years ago......    91    0.98
                5 = 3 or more years ago................................   526    5.68
                9 = Never used hallucinogens...........................  8465   91.42

IIHALRC    1    HALLUCINOGENS RECENCY - IMPUTATION INDICATOR
                1 = Questionnaire data.................................  9172   99.06
                2 = Statistically imputed data.........................    87    0.94
```

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)....................	6	0.06
		2 = More than 1 month ago but less than 6 months ago...	13	0.14
		3 = 6 or more months ago but less than 1 year ago......	13	0.14
		4 = 1 or more years ago but less than 3 years ago......	6	0.06
		5 = 3 or more years ago...............................	61	0.66
		9 = Never used heroin.................................	9160	98.93
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9234	99.73
		2 = Statistically imputed data........................	25	0.27
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)....................	5	0.05
		2 = More than 1 month ago but less than 6 months ago...	12	0.13
		3 = 6 or more months ago but less than 1 year ago......	16	0.17
		4 = 1 or more years ago but less than 3 years ago......	38	0.41
		5 = 3 or more years ago...............................	267	2.88
		9 = Never used PCP....................................	8921	96.35
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9256	99.97
		2 = Statistically imputed data........................	3	0.03

Exercise CAUTION in using the variable IRICERC. Many respondents may have misunderstood the questions (Q.SP-1, Q.SP-2) about "ice."

LABEL	LEN	DESCRIPTION	FREQ	%
IRICERC	1	ICE RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days).....................	6	0.06
		2 = More than 1 week ago but less than 1 month ago.....	6	0.06
		3 = 1 or more months ago but less than 6 months ago....	2	0.02
		4 = 6 or more months ago but less than 1 year ago	10	0.11
		6 = 3 or more years ago...............................	22	0.24
		9 = Never used ice....................................	9213	99.50
IIICERC	1	ICE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data................................	9230	99.69
		2 = Statistically Imputed data........................	29	0.31
IRALCFQ	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year...........................	212	2.29
		2 = Used almost daily in past year....................	479	5.17
		3 = Used 1-2 days per week in past year................	1129	12.19
		4 = Used several times a month in past year...........	639	6.90
		5 = Used 1-2 times per month in past year..............	1038	11.21
		6 = Used every other month in past year................	746	8.06
		7 = Used 3-5 times in past year.......................	741	8.00
		8 = Used 1-2 times in past year.......................	998	10.78
		9 = Never used or did not use in the past year........	3277	35.39

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%

IIALCFQ   1   ALCOHOL FREQUENCY - IMPUTATION INDICATOR
                1 = Questionnaire data................................. 9006 97.27
                2 = Statistically imputed data........................ 253   2.73

IRMJFQ   2   MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED
                1 = Used several times per day in past year...........   50   0.54
                2 = Used daily in past year...........................   46   0.50
                3 = Used almost daily in past year.................... 111   1.20
                4 = Used 1-2 days per week in past year............... 143   1.54
                5 = Used several times per month in past year......... 105   1.13
                6 = Used 1-2 times per month in past year............. 145   1.57
                7 = Used every other month in past year............... 132   1.43
                8 = Used 3-5 times in past year....................... 185   2.00
                9 = Used 1-2 times in past year....................... 313   3.38
               10 = Never used or did not use in the past year........ 8029 86.72

IIMJFQ   1   MARIJUANA FREQUENCY - IMPUTATION INDICATOR
                1 = Questionnaire data................................. 9024 97.46
                2 = Statistically imputed data........................ 235   2.54

IRCOCFQ   1   COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED
                1 = Used daily in past year...........................   10   0.11
                2 = Used almost daily in past year....................   21   0.23
                3 = Used 1-2 days per week in past year...............   30   0.32
                4 = Used several times per month in past year.........   47   0.51
                5 = Used 1-2 times per month in past year.............   53   0.57
                6 = Used every other month in past year...............   48   0.52
                7 = Used 3-5 times in past year.......................   77   0.83
                8 = Used 1-2 times in past year....................... 154   1.66
                9 = Never used or did not use in the past year........ 8819 95.25

IICOCFQ   1   COCAINE RECENCY - IMPUTATION INDICATOR
                1 = Questionnaire data................................. 9133 98.64
                2 = Statistically imputed data........................ 126   1.36

IRSEDFQ   1   SEDATIVES FREQUENCY - IMPUTATION REVISED
                1 = Used daily in past year...........................   3   0.03
                2 = Used almost daily in past year....................   9   0.10
                3 = Used 1-2 days per week in past year...............   10   0.11
                4 = Used several times a month in past year...........   8   0.09
                5 = Used 1-2 times per month in past year.............   20   0.22
                6 = Used every other month in past year...............   16   0.17
                7 = Used 3-5 times in past year.......................   15   0.16
                8 = Used 1-2 times in past year.......................   53   0.57
                9 = Never used or did not use in the past year........ 9125 98.55

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%

IISEDFQ   1   SEDATIVES FREQUENCY - IMPUTATION INDICATOR
            1 = Questionnaire data................................. 9223 99.61
            2 = Statistically imputed data........................   36   0.39

IRTRNFQ   1   TRANQUILIZERS FREQUENCY - IMPUTATION REVISED
            1 = Used daily in past year...........................   1   0.01
            2 = Used almost daily in past year....................   5   0.05
            3 = Used 1-2 days per week in past year...............   7   0.08
            4 = Used several times a month in past year...........   11   0.12
            5 = Used 1-2 times per month in past year.............   20   0.22
            6 = Used every other month in past year...............   20   0.22
            7 = Used 3-5 times in past year.......................   27   0.29
            8 = Used 1-2 times in past year.......................   58   0.63
            9 = Never used or did not use in the past year........ 9110 98.39

IITRNFQ   1   TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR
            1 = Questionnaire data................................. 9206 99.43
            2 = Statistically imputed data........................   53   0.57

IRSTMFQ   1   STIMULANTS FREQUENCY - IMPUTATION REVISED
            1 = Used daily in past year...........................   14   0.15
            2 = Used almost daily in past year....................   15   0.16
            3 = Used 1-2 days per week in past year...............   13   0.14
            4 = Used several times a month in past year...........   20   0.22
            5 = Used 1-2 times per month in past year.............   24   0.26
            6 = Used every other month in past year...............   18   0.19
            7 = Used 3-5 times in past year.......................   30   0.32
            8 = Used 1-2 times in past year.......................   50   0.54
            9 = Never used or did not use in the past year........ 9075 98.01

IISTMFQ   1   STIMULANTS FREQUENCY - IMPUTATION INDICATOR
            1 = Questionnaire data................................. 9191 99.27
            2 = Statistically imputed data........................   68   0.73

IRANLFQ   1   ANALGESICS FREQUENCY - IMPUTATION REVISED
            1 = Used daily in past year...........................   5   0.05
            2 = Used almost daily in past year....................   13   0.14
            3 = Used 1-2 days per week in past year...............   21   0.23
            4 = Used several times a month in past year...........   21   0.23
            5 = Used 1-2 times per month in past year.............   29   0.31
            6 = Used every other month in past year...............   50   0.54
            7 = Used 3-5 times in past year.......................   48   0.52
            8 = Used 1-2 times in past year....................... 115   1.24
            9 = Never used or did not use in the past year........ 8957 96.74

IIANLFQ   1   ANALGESICS FREQUENCY - IMPUTATION INDICTOR
            1 = Questionnaire data................................. 9213 99.50
            2 = Statistically imputed data........................   46   0.50

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IROTBFQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year............................	135	1.46
		2 = Used almost daily in past year.....................	28	0.30
		3 = Used 1-2 days per week in past year................	46	0.50
		4 = Used several times a month in past year............	31	0.33
		5 = Used 1-2 times per month in past year..............	34	0.37
		6 = Used every other month in past year................	20	0.22
		7 = Used 3-5 times in past year........................	31	0.33
		8 = Used 1-2 times in past year........................	63	0.68
		9 = Never used or did not use in the past year.........	8871	95.81
IIOTBFQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.................................	9183	99.18
		2 = Statistically imputed data.........................	76	0.82
IRINHFQ	1	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = Use daily in past year.............................	7	0.08
		2 = Used almost daily in past year.....................	9	0.10
		3 = Used 1-2 days per week in past year................	12	0.13
		4 = Used several times a month in past year............	13	0.14
		5 = Used 1-2 times per month in past year..............	24	0.26
		6 = Used every other month in past year................	11	0.12
		7 = Used 3-5 times in past year........................	33	0.36
		8 = Used 1-2 times in past year........................	77	0.83
		9 = Never used or did not use in the past year.........	9073	97.99
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.................................	9209	99.46
		2 = Statistically imputed data.........................	50	0.54
IRHALFQ	1	HALLUCINOGEN FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year............................	2	0.02
		2 = Used almost daily in past year.....................	2	0.02
		3 = Used 1-2 days per week in past year................	11	0.12
		4 = Used several times a month in past year............	16	0.17
		5 = Used 1-2 times per month in past year..............	18	0.19
		6 = Used every other month in past year................	14	0.15
		7 = Used 3-5 times in past year........................	40	0.43
		8 = Used 1-2 times in past year........................	74	0.80
		9 = Never used or did not use in the past year.........	9082	98.09
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.................................	9211	99.48
		2 = Statistically imputed data.........................	48	0.52

RECODED DEMOGRAPHICS

```
LABEL     LEN   DESCRIPTION                                               FREQ      %

CATAGE     1    AGE CATEGORY
                1 = 12-17 years (IRAGE = 12-17)........................ 2177   23.51
                2 = 18-25 years (IRAGE = 18-25)........................ 2052   22.16
                3 = 26-34 years (IRAGE = 26-34)........................ 2355   25.43
                4 = 35+ years (IRAGE > 34)............................. 2675   28.89

CATAG2     1    AGE CATEGORY RECODE
                1 = 12-17 years (CATAGE = 1).......................... 2177   23.51
                2 = 18-25 years (CATAGE = 2).......................... 2052   22.16
                3 = 26+ years (CATAGE = 3-4).......................... 5030   54.33

RACE       1    RACE/HISPANIC-ORIGIN RECODE
                1 = White (IRRACE = 4 and IRHOIND = 2)................ 5241   56.60
                2 = Black (IRRACE = 3 and IRHOIND = 2)................ 1842   19.89
                3 = Hispanic (IRHOIND = 1)............................ 1915   20.68
                4 = Other (IRRACE = 1-2 and IRHOIND = 2).............. 261    2.82

EDUCCAT2   1    EDUCATION RECODE
                1 = Less than high school (IREDUC=0-11 and IRAGE=>18).. 1817   19.62
                2 = High school graduate (IREDUC = 12 and IRAGE=>18)... 2451   26.47
                3 = Some college (IREDUC = 13-15 and IRAGE => 18)...... 1482   16.01
                4 = College graduate (IREDUC = 16-17 and IRAGE=>187)... 1332   14.39
                5 = 12-17 year olds (IRAGE = 12-17)................... 2177   23.51

EMPSTAT2   1    EMPLOYMENT STATUS RECODE
                1 = Full-time (IRWORKST = 1,3 and IRAGE => 18)........ 3969   42.87
                2 = Part-time (IRWORKST = 2 and IRAGE => 18).......... 886    9.57
                3 = Unemployed (IRWORKST = 4,5,10 and IRAGE => 18)..... 454    4.90
                4 = Other (IRWORKST = 6-9,11 and IRAGE => 18)......... 1773   19.15
                5 = 12-17 year olds (IRAGE = 12-17)................... 2177   23.51

TOTINC     7    TOTAL FAMILY INCOME FROM IRINC49A - IRINC49I
                 RANGE = 0  - 1,200,000

                9999999 = LEGITIMATE SKIP............................. 2177   23.51

TOTCAT     2    TOTAL FAMILY INCOME - CATEGORIZED TOTINC
                1 = No personal earnings.............................. 49     0.53
                2 = Yearly.. under $5,000............................. 263    2.84
                3 = Yearly.. $5,000 to $6,999......................... 263    2.84
                4 = Yearly.. $7,000 to $8,999......................... 285    3.08
                5 = Yearly.. $9,000 to $11,999........................ 376    4.06
                6 = Yearly.. $12,000 to $14,999....................... 413    4.46
                7 = Yearly.. $15,000 to $19,999....................... 694    7.50
                8 = Yearly.. $20,000 to $24,999....................... 654    7.06
                9 = Yearly.. $25,000 to $29,999....................... 656    7.08
               10 = Yearly.. $30,000 to $39,999....................... 1037   11.20
               11 = Yearly.. $40,000 to $49,999....................... 796    8.60
               12 = Yearly.. $50,000 to $74,999....................... 1009   10.90
               13 = Yearly.. more than $75,000........................ 587    6.34
               99 = LEGITIMATE SKIP................................... 2177   23.51
```

RECODED DEMOGRAPHICS

```
LABEL     LEN   DESCRIPTION                                            FREQ     %

FAMINC     1    TOTAL FAMILY INCOME RECODE
                1 = Yearly.. $0 to $8,999  (TOTCAT = 1-4)..............  860   9.29
                2 = Yearly.. $9,000 to $19,999  (TOTCAT = 5-7)......... 1483  16.02
                3 = Yearly.. $20,000 to $39,999 (TOTCAT = 8-10)....... 2347  25.35
                4 = Yearly.. $40,000 to 74,999  (TOTCAT = 11-12)...... 1805  19.49
                5 = Yearly.. more than $75,000  (TOTCAT = 13)放.........  587   6.34
                6 = LEGITIMATE SKIP (TOTCAT = 99).................... 2177  23.51

PEREARN    1    PERSONAL EARNINGS RECODE; IRAGE>=18 EXCEPT CODE 6
                1 = No personal earnings (IREARN = 1)................. 1347  14.55
                2 = Yearly.. under $5,000 to $8,999 (IREARN = 2-4)..... 1680  18.14
                3 = Yearly.. $9,000 to $19,999 (IREARN = 5-7)......... 1754  18.94
                4 = Yearly.. $20,000 to 39,999 (IREARN = 8-10)........ 1729  18.67
                5 = Yearly.. more than $40,000 (IREARN = 11-13)....... 572   6.18
                6 = LEGITIMATE SKIP (IRAGE < 18)..................... 2177  23.51
```

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)............................	8465	91.42
		1 = Ever used (IRHALRC = 1-5).........................	794	8.58
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 4-5,9).....	9082	98.09
		1 = Used within the past year (IRHALRC = 1-3)..........	177	1.91
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-5,9)....	9212	99.49
		1 = Used within the past month (IRHALRC = 1)...........	47	0.51
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)...........................	8921	96.35
		1 = Ever used (IRPCPRC = 1,5).........................	338	3.65
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 4-5,9).....	9226	99.64
		1 = Used within the past year (IRPCPRC = 1-3)..........	33	0.36
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-5,9)....	9254	99.95
		1 = Used within the past month (IRPCPRC = 1)...........	5	0.05
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)...........................	8586	92.73
		1 = Ever used (IRSTMRC = 1-5).........................	673	7.27
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 4-5,9).....	9075	98.01
		1 = Used within the past year (IRSTMRC = 1-3)..........	184	1.99
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-5,9)....	9202	99.38
		1 = Used within the past month (IRSTMRC = 1)...........	57	0.62
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)...........................	8866	95.76
		1 = Ever used (IRSEDRC = 1-5).........................	393	4.24
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 4-5,9).....	9125	98.55
		1 = Used within the past year (IRSEDRC = 1-3)..........	134	1.45
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-5,9)....	9216	99.54
		1 = Used within the past month (IRSEDRC = 1)...........	43	0.46
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)...........................	8816	95.22
		1 = Ever used (IRTRNRC = 1-5).........................	443	4.78

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 4-5,9).....	9110	98.39
		1 = Used within the past year (IRTRNRC = 1-3)..........	149	1.61
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-5,9)....	9223	99.61
		1 = Used within the past month (IRTRNRC = 1)..........	36	0.39
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)...........................	8645	93.37
		1 = Ever used (IRANLRC = 1-5)..........................	614	6.63
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 4-5,9).....	8957	96.74
		1 = Used within the past year (IRANLRC = 1-3)..........	302	3.26
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-5,9)....	9168	99.02
		1 = Used within the past month (IRANLRC = 1)..........	91	0.98
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)...........................	2070	22.36
		1 = Ever used (IRALCRC = 1-5)..........................	7189	77.64
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 4-5,9).....	3277	35.39
		1 = Used within the past year (IRALCRC = 1-3)..........	5982	64.61
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-5,9)....	4756	51.37
		1 = Used within the past month (IRALCRC = 1)..........	4503	48.63
CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)...........................	3227	34.85
		1 = Ever used (IRCIGRC = 1-5)..........................	6032	65.15
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 4-5,9).....	6264	67.65
		1 = Used within the past year (IRCIGRC = 1-3)..........	2995	32.35
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-5,9)....	6862	74.11
		1 = Used within the past month (IRCIGRC = 1)..........	2397	25.89
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRC = 9)...........................	8159	88.12
		1 = Ever used (IROTBRC = 1-5)..........................	1100	11.88
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBRC = 4-5,9).....	8871	95.81
		1 = Used within the past year (IROTBRC = 1-3)..........	388	4.19

RECODED DRUG USE

```
LABEL     LEN   DESCRIPTION                                               FREQ    %

SMKMON     1    SMOKELESS TOBACCO - PAST MONTH USE
                0 = Did not use in the past month (IROTBRC = 2-5,9).... 8996  97.16
                1 = Used within the past month (IROTBRC = 1)...........  263   2.84

HERFLAG    1    HEROIN - EVER USED
                0 = Never used (IRHERRC = 9).......................... 9160  98.93
                1 = Ever used (IRHERRC = 1-5).........................   99   1.07

HERYR      1    HEROIN - PAST YEAR USE
                0 = Did not use in the past year (IRHERRC = 4-5,9)..... 9227  99.65
                1 = Used within the past year (IRHERRC = 1-3)..........   32   0.35

HERMON     1    HEROIN - PAST MONTH USE
                0 = Did not use in the past month (IRHERRC = 2-5,9).... 9253  99.94
                1 = Used within the past month (IRHERRC = 1)...........    6   0.06

MRJFLAG    1    MARIJUANA - EVER USED
                0 = Never used (IRMJRC = 9)........................... 5988  64.67
                1 = Ever used (IRMJRC = 1-6).......................... 3271  35.33

MRJYR      1    MARIJUANA - PAST YEAR USE
                0 = Did not use in the past year (IRMJRC = 5-6,9)...... 8029  86.72
                1 = Used within the past year (IRMJRC = 1-4).......... 1230  13.28

MRJMON     1    MARIJUANA - PAST MONTH USE
                0 = Did not use in the past month (IRMJRC = 3-6,9)..... 8644  93.36
                1 = Used within the past month (IRMJRC = 1-2)..........  615   6.64

COCFLAG    1    COCAINE - EVER USED
                0 = Never used (IRCOCRC = 9).......................... 8006  86.47
                1 = Ever used (IRCOCRC = 1-6)......................... 1253  13.53

COCYR      1    COCAINE - PAST YEAR USE
                0 = Did not use in the past year (IRCOCRC = 5-6,9)..... 8819  95.25
                1 = Used within the past year (IRCOCRC = 1-4)..........  440   4.75

COCMON     1    COCAINE - PAST MONTH USE
                0 = Did not use in the past month (IRCOCRC = 3-6,9).... 9128  98.59
                1 = Used within the past month (IRCOCRC = 1-2)........  131   1.41

CRKFLAG    1    CRACK - EVER USED
                0 = Never used (IRCRKRC = 9).......................... 9035  97.58
                1 = Ever used (IRCRKRC = 1-6)......................... 224   2.42

CRKYR      1    CRACK - PAST YEAR USE
                0 = Did not use in the past year (IRCRKCR= 5-6,9)...... 9174  99.08
                1 = Used within the past year (IRCRKRC = 1-4)..........   85   0.92

CRKMON     1    CRACK - PAST MONTH USE
                0 = Did not use in the past month (IRCRKRC = 3-6,9).... 9220  99.58
                1 = Used within the past month (IRCRKRC = 1-2)........   39   0.42
```

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)...........................	8626	93.16
		1 = Ever used (IRINHRC = 1-6).........................	633	6.84
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 5-6,9).....	9073	97.99
		1 = Used within the past year (IRINHRC = 1-4)..........	186	2.01
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 3-6,9)....	9167	99.01
		1 = Used within the past month (IRINHRC = 1-2)........	92	0.99

The following variable, NEEDLREC, was created by examination of
STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-7), CONDLREC (Q.CN-8), HERNEEDL (Q.H-6), and HRNDLREC (Q.H-7). The variable, NEEDLREC,
is identical for both the 1988 and 1990 NHSDAs.

LABEL	LEN	DESCRIPTION	FREQ	%
NEEDLREC	2	MOST RECENT TIME USED STM, COC OR HER WITH A NEEDLE		
		1 = Within the past month (30 days)....................	12	0.13
		2 = More than 1 month ago but less than 6 months ago...	5	0.05
		3 = 6 or more months ago but less than 1 year ago......	10	0.11
		4 = 1 or more years ago but less than 3 years ago......	16	0.17
		5 = 3 or more years ago but less than 10 years ago.....	51	0.55
		6 = 10 or more years ago..............................	28	0.30
		8 = Use in past year LOGICALLY IMPUTED.................	8	0.09
		9 = Use in lifetime LOGICALLY IMPUTED.................	9	0.10
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG.............	9041	97.65
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK....................................	79	0.85

RECODED DRUG USE

LABEL   LEN   DESCRIPTION   FREQ   %

          The following variable, NDL90REC, was created by examination of
          STNEEDLE (Q.ST-6), STNDLREC (Q.ST-7), COCIV (Q.CN-7), CONDLREC (Q.CN-
          8), HERNEEDL (Q.H-6), and HRNDLREC (Q.H-7). In addition, only
          partially edited versions of the following variables were examined:
          GNNDLLIF (Q.SP-3), GNNDLREC (Q.SP-4), the series GNNDLSED (Q.SP-5A)
          through GNNDLNON (Q.SP-5L), and GNNDLSHR (Q.SP-6); as a result,
          NDL90REC wrongly classifies four non-users as needle users. In order
          to provide accurate documentation, the incorrect variable NDL90REC is
          included here because the 1990 NHSDA Population Estimates were made
          using this variable (see NEDFLAG2 and NEDYR2 below).

NDL90REC 2   MOST RECENT TIME USED DRUG W/ A NEEDLE (INCORRECT)
          1 = Within the past month (30 days)....................   20   0.22
          2 = More than 1 month ago but less than 6 months ago...   9   0.10
          3 = 6 or more months ago but less than 1 year ago......   13   0.14
          4 = 1 or more years ago but less than 3 years ago......   25   0.27
          5 = 3 or more years ago but less than 10 years ago.....   58   0.63
          6 = 10 or more years ago...............................   27   0.29
          8 = Use in past year LOGICALLY IMPUTED.................   9   0.10
          9 = Use in lifetime LOGICALLY IMPUTED.................   35   0.38
          91 = NEVER USED A NEEDLE TO INJECT ANY DRUG............. 8985   97.04
          98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE
                    VAR BLANK...................................   78   0.84

          The following variable, NDL90RC2, was created by examination of
          STNEEDLE (Q.ST-6), STNDLREC (Q.ST-7), COCIV (Q.CN-7), CONDLREC (Q.CN-
          8), HERNEEDL (Q.H-6), and HRNDLREC (Q.H-7). In addition, finally
          edited versions of the following variables were examined: GNNDLLIF
          (Q.SP-3), GNNDLREC (Q.SP-4), the series GNNDLSED (Q.SP-5A) through
          GNNDLNON (Q.SP-5L), and GNNDLSHR (Q.SP-6). This variable corrects
          the misclassification of four non-users as needle users in NDL90REC

NDL90RC2 2   MOST RECENT TIME USED DRUG W/ A NEEDLE (CORRECTED)
          1 = Within the past month (30 days)....................   19   0.21
          2 = More than 1 month ago but less than 6 months ago...   9   0.10
          3 = 6 or more months ago but less than 1 year ago......   13   0.14
          4 = 1 or more years ago but less than 3 years ago......   25   0.27
          5 = 3 or more years ago but less than 10 years ago.....   58   0.63
          6 = 10 or more years ago...............................   27   0.29
          8 = Use in past year LOGICALLY IMPUTED.................   9   0.10
          9 = Use in lifetime LOGICALLY IMPUTED.................   32   0.35
          81 = NEVER USED A NEEDLE TO INJECT ANY DRUG
                    Log. assgn..................................   4   0.04
          91 = NEVER USED A NEEDLE TO INJECT ANY DRUG............. 8985   97.04
          98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE
                    VAR BLANK...................................   78   0.84

NEDFLAG2 1   NEEDLE USE (ANY DRUG) - EVER
          0 = Never used (NDL90REC = 91,98)...................... 9063   97.88
          1 = Ever used (NDL90REC = 1-9).........................   196   2.12

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%

NEDYR2   1   NEEDLE USE (ANY DRUG) - PAST YEAR
              0 = Did not use in the past year (NDL90REC=4-6,9,91,98) 9208 99.45
              1 = Used within the past year (NDL90REC=1-3,8).........   51   0.55

HALYRF   1   HALLUCINOGENS - ANY USE LAST YEAR
              0 = Never used or did not use in past year (IRHALFQ=9). 9082 98.09
              1 = Any use within the past year (IRHALFQ=1-8)......... 177   1.91

HALMONF   1   HALLUCINOGENS - MONTHLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use monthly/more past year (IRHALFQ=6-9)... 9210 99.47
              1 = Used monthly or more often past year (IRHALFQ=1-5).   49   0.53

HALWKF   1   HALLUCINOGENS - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRHALFQ=4-9). 9244 99.84
              1 = Used weekly or more often past year (IRHALFQ=1-3)..   15   0.16

STMYRF   1   STIMULANTS - ANY USE LAST YEAR
              0 = Never used or did not use in past year (IRSTMFQ=9). 9075 98.01
              1 = Any use within the past year (IRSTMFQ=1-8)......... 184   1.99

STMMONF   1   STIMULANTS - MONTHLY OR MORE FREQUENT USE PAST
              0 = Did not use monthly/more past year (IRSTMFQ=6-9)... 9173 99.07
              1 = Used monthly or more often past year (IRSTMFQ=1-5).   86   0.93

STMWKF   1   STIMULANTS - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRSTMFQ=4-9). 9217 99.55
              1 = Used weekly or more often past year (IRSTMFQ=1-3)..   42   0.45

SEDYRF   1   SEDATIVES - ANY USE LAST YEAR
              0 = Never used or did not use in past year (IRSEDFQ=9). 9125 98.55
              1 = Any use within the past year (IRSEDFQ=1-8)......... 134   1.45

SEDMONF   1   SEDATIVES - MONTHLY OR MORE FREQUENT USE PAST
              0 = Did not use monthly/more past year (IRSEDFQ=6-9)... 9209 99.46
              1 = Used monthly or more often past year (IRSEDFQ=1-5).   50   0.54

SEDWKF   1   SEDATIVES - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRSEDFQ=4-9). 9237 99.76
              1 = Used weekly or more often past year (IRSEDFQ=1-3)..   22   0.24

TRQYRF   1   TRANQUILIZERS - ANY USE LAST YEAR
              0 = Never used or did not use in past year (IRTRNFQ=9). 9110 98.39
              1 = Any use within the past year (IRTRNFQ=1-8)......... 149   1.61

TRQMONF   1   TRANQUILIZERS - MONTHLY OR MORE FREQUENT USE PAST
              0 = Did not use monthly/more past year (IRTRNFQ=6-9)... 9215 99.52
              1 = Used monthly or more often past year (IRTRNFQ=1-5).   44   0.48

TRQWKF   1   TRANQUILIZERS - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRTRNFQ=4-9). 9246 99.86
              1 = Used weekly or more often past year (IRTRNFQ=1-3)..   13   0.14

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
ANLYRF	1	ANALGESICS - ANY USE LAST YEAR		
		0 = Never used or did not use in past year (IRANLFQ=9).	8957	96.74
		1 = Any use within the past year (IRANLFQ=1-8).........	302	3.26
ANLMONF	1	ANALGESICS - MONTHLY OR MORE FREQUENT USE PAST		
		0 = Did not use monthly/more past year (IRANLFQ=6-9)...	9170	99.04
		1 = Used monthly or more often past year (IRANLFQ=1-5).	89	0.96
ANLWKF	1	ANALGESICS - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRANLFQ=4-9).	9220	99.58
		1 = Used weekly or more often past year (IRANLFQ=1-3)..	39	0.42
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=9)....	3277	35.39
		1 = Any use within the past year (IRALCFQ=1-8).........	5982	64.61
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=6-9)...	5762	62.23
		1 = Used monthly or more often past year (IRALCFQ=1-5).	3497	37.77
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRALCFQ=4-9).	7439	80.34
		1 = Used weekly or more in past year (IRALCFQ=1-3).....	1820	19.66
SMKYRF	1	SMOKELESS TOBACCO - ANY USE LAST YEAR		
		0 = Never used or did not use in past year (IROTBFQ=9).	8871	95.81
		1 = Any use within the past year (IROTBFQ=1-8).........	388	4.19
SMKMONF	1	SMOKELESS TOBACCO - MONTHLY OR MORE FREQUENT USE PAST		
		0 = Did not use monthly/more past year (IROTBFQ=6-9)...	8985	97.04
		1 = Used monthly or more often past year (IROTBFQ=1-5).	274	2.96
SMKWKF	1	SMOKELESS TOBACCO - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IROTBFQ=4-9).	9050	97.74
		1 = Used weekly or more often past year (IROTBFQ=1-3)..	209	2.26
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRMJFQ=10).	8029	86.72
		1 = Any use within the past year (IRMJFQ=1-9)..........	1230	13.28
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRMJFQ=7-10)...	8659	93.52
		1 = Used monthly or more in past year (IRMJFQ=1-6).....	600	6.48
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly/more past year (IRMJFQ=5-10)....	8909	96.22
		1 = Used weekly or more in past year (IRMJFQ=1-4)......	350	3.78
COCYRF	1	COCAINE - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRCOCFQ=9).	8819	95.25
		1 = Any use within the past year (IRCOCFQ = 1-8).......	440	4.75

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%

COCMONF   1   COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use monthly/more past year (IRCOCFQ=6-9)... 9098 98.26
              1 = Used monthly or more often past year (IRCOCFQ=1-5). 161   1.74

COCWKF   1   COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRCOCFQ=4-9). 9198 99.34
              1 = Used weekly or more often past year (IRCOCFQ=1-3)..   61   0.66

INHYRF   1   INHALANTS - ANY USE LAST YEAR
              0 = Never used or did not use in past year (IRINHFQ=9). 9073 97.99
              1 = Any use within the past year (IRINHFQ=1-8)........ 186   2.01

INHMONF   1   INHALANTS - MONTHLY OR MORE FREQUENT USE PAST
              0 = Did not use monthly/more past year (IRINHFQ=6-9)... 9194 99.30
              1 = Used monthly or more often past year (IRINHFQ=1-5).   65   0.70

INHWKF   1   INHALANTS - WEEKLY OR MORE FREQUENT USE PAST YEAR
              0 = Did not use weekly or more past year (IRINHFQ=4-9). 9231 99.70
              1 = Used weekly or more often past year (IRINHFQ=1-3)..   28   0.30

              The following three variables were created by examination of IRSEDRC
              (Q.S-4) IRTRNRC (Q.T-4), IRSTMRC (Q.ST-4), and IRANLRC (Q.AN-4).

PSYFLAG2 1   ANY PSYCHOTHERAPEUTICS - EVER USED
              0 = Never used (ALL SOURCE VARIABLES = 9).............. 8091 87.39
              1 = Ever used (ANY SOURCE VARIABLE < 9)................ 1168 12.61

PSYYR2   1   ANY PSYCHOTHERAPEUTICS - PAST YEAR USE
              0 = Did not use within past year (ALL SOURCE VARS > 3). 8772 94.74
              1 = Used in past year (ANY SOURCE VARIABLE < 4)........ 487   5.26

PSYMON2   1   ANY PSYCHOTHERAPEUTICS - PAST MONTH USE
              0 = Did not use in past month (ALL SOURCE VARS > 1).... 9087 98.14
              1 = Used in past month (ANY SOURCE VARIABLE = 1)....... 172   1.86

              The following variable, SUMFLAG, was created by examination of
              HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

SUMFLAG   1   ANY ILLICIT DRUG - EVER USED
              0 = Never used (ALL SOURCE VARIABLES = 0).............. 5600 60.48
              1 = Ever used (ANY SOURCE VARIABLE = 1)................ 3659 39.52

              The following variable, SUMYR, was created by examination of HALYR,
              HERYR, MRJYR, COCYR, INHYR, and PSYYR2.

SUMYR   1   ANY ILLICIT DRUG - PAST YEAR USE
              0 = Did not use in past year (ALL SOURCE VARS =0)...... 7658 82.71
              1 = Used in past year (ANY SOURCE VARIABLE = 1)........ 1601 17.29

RECODED DRUG USE

LABEL   LEN   DESCRIPTION   FREQ   %

         The following variable, SUMMON, was created by examination of HALMON,
         HERMON, MRJMON, COCMON, INHMON, and PSYMON2.

SUMMON   1   ANY ILLICIT DRUG - PAST MONTH USE
              0 = Did not use in past month (ALL SOURCE VARS = 0).... 8458 91.35
              1 = Used in past month (ANY SOURCE VARIABLE = 1)....... 801   8.65

         The following variable, MJOFLAG, was created by examination of
         MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

MJOFLAG   1   MARIJUANA ONLY - EVER USED
              0 = Never used MJ/has used both MJ & anothr illct drug. 7727 83.45
              1 = Marijuana is only (illicit) drug ever used........ 1532 16.55

         The following variable, MJOYR2, was created by examination of MRJYR
         and then HALYR, HERYR, COCYR, INHYR, and PSYYR2.

MJOYR2   1   MARIJUANA ONLY - PAST YEAR USE
              0 = MJ not used past yr/Used MJ & othr drug past yr.... 8571 92.57
              1 = Marijuana is only (illicit) drug in past year...... 688   7.43

         The following variable, MJOMON2, was created by examination of MRJMON
         and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.

MJOMON2   1   MARIJUANA ONLY - PAST MONTH USE
              0 = MJ not used past mnth/Used MJ & othr drug past mo.. 8822 95.28
              1 = Marijuana only (illicit) drug in past month....... 437   4.72

DESIGN AND ESTIMATION VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%

VESTR   4   STRATUM TO BE USED IN ANALYSIS
                RANGE = 24 - 6400

VEREP   2   REPLICATE WITHIN ANALYSIS STRATUM
                RANGE = 1 - 2

ANALWT   8   ANALYSIS WEIGHT
                RANGE = 69.66 - 171281.8

ANALWT2 8   ANALYSIS WEIGHT IN THOUSANDS OF PERSONS

POSTFAC 8   POSTSTRATIFICATION ADJUSTMENT FACTOR

MAIN FINDINGS 1990 REPORT - VARIABLE CREATION

    The following variables were created for the National
Household Survey on Drug Abuse: Main Findings 1990 report.
These variables consist of both recodes and logical imputations
of previous codebook variables. In addition, there are some
recodes of the logically imputed variables.

    There are 2 sections of recodes of previous codebook
variables: general and recoded drug use variables. Most of the
recodes in the general section are simply the source variables
reformatted and thus were given the same label as the source
variable. However, for some of the recodes in the general
section and for all the recodes in the recoded drug use section,
the source variables are used to define a new variable. In these
incidences, the recoded variables are given a label which defines
the new variable definition. In both sections, the source
variables and recode instructions are given either in parentheses
after the variable level definition, or in a comment directly
above the variable. The comments directly above the variable are
used when there are multiple source variables which cannot all be
included in the allotted space for the variable level definition.

    There are 3 sections of logical imputations: logically
imputed variables concerning problems attributed to past year
alcohol or drug use (from Answer Sheet #14), logically imputed
variables concerning negative drinking experiences (from Answer
Sheet #13), and logically imputed variables concerning components
of dependence on drugs or alcohol (from Answer Sheet #11). Each
of these 3 sections are preceded by text which describes the data
structure of the answer sheet in question, and the method of
logical imputation. There is also some additional information
concerning answer sheet structure included in parentheses after
the variable level definitions. Logically imputed variables are
indicated in each of these sections by labels which include as
much of the original variable label as permitted in the allotted
space, and in parentheses have L.I. and the original variable
name.

    Finally, there is a section of recodes of the logically
imputed data: recoded variables concerning problems attributed
to past year use of cigarettes, alcohol, marijuana, and cocaine
(from Answer Sheet #14). The recodes of logically imputed data
have been given labels which describe the new variable
definition. Unlike the previous recoded variables, they do not
have the source variables and recoding instructions in
parentheses after the associated variable levels, but rather are
preceded by text which explains in detail the type of recoding
implemented.

GENERAL VARIABLES - RECODED

```
LABEL     LEN   DESCRIPTION                                           FREQ     %

AEROS2     1    EVER INHALED OTHER AEROSOL SPRAYS
                0 = Never inhaled (AEROS = 2,81,91,98).................. 9213   99.50
                1 = Ever inhaled (AEROS = 1,3).........................   46    0.50


ALCDAYS2   1    # DAYS DRANK ALCOHOL IN PAST 30 DAYS
                1 = None or never used alcohol (ALCDAYS = 0,81,91)...... 4756   51.37
                2 = 1-2 days (ALCDAYS = 1-2)........................... 1415   15.28
                3 = 3-4 days (ALCDAYS = 3-4)...........................  784    8.47
                4 = 5-19 days (ALCDAYS = 5-19)......................... 1453   15.69
                5 = 20-30 days (ALCDAYS = 20-30).......................  438    4.73
                . = Unknown (ALCDAYS = 85,95,97,98)....................  413    4.46


ALCDAYS3   1    # DAYS DRANK ALCOHOL IN PAST 30 DAYS
                1 = None or never used alcohol (ALCDAYS2 = 1)........... 4756   51.37
                2 = 1-4 days (ALCDAYS2 = 2-3)........................... 2199   23.75
                3 = 5-19 days (ALCDAYS2 = 4)........................... 1453   15.69
                4 = 20-30 days (ALCDAYS2 = 5)..........................  438    4.73
                . = Unknown (ALCDAYS2 = .).............................  413    4.46


ALCMON2    1    ALCOHOL - PAST MONTH USE
                1 = Did not use in the past month (ALCMON = 0)......... 4756   51.37
                2 = Used within the past month (ALCMON = 1)............ 4503   48.63


AMYLNIT2   1    EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH
                0 = Never inhaled (AMYLNIT = 2,81,91,98)............... 9016   97.38
                1 = Ever inhaled (AMYLNIT = 1,3).......................  243    2.62


AVCIG2     1    # CIG. SMOKED PER DAY LAST 30
                1 = None or never smoked cigarettes (AVCIG=81,89,91,99). 6841  73.88
                2 = Currently smoke < a pack per day (AVCIG = 1-3)...... 1218  13.15
                3 = Currently smoke a pack or more per day (AVCIG=4-6).. 1086  11.73
                . = Unknown (AVCIG = 98)...............................  114    1.23


AVCIG3     1    # CIG. SMOKED PER DAY LAST 30
                0 = None/never/< pack a day (AVCIG=1-3,81,89,91,98,99).. 8173  88.27
                1 = Currently smoke a pack or more per day (AVCIG=4-6).. 1086  11.73


CIGMON2    1    CIGARETTES - PAST MONTH USE
                1 = Did not use in past month (CIGMON = 0).............. 6862  74.11
                2 = Used within past month (CIGMON = 1)................ 2397  25.89


CLEFLU2    1    EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD
                0 = Never inhaled (CLEFLU = 2,81,91,98)................ 9202  99.38
                1 = Ever inhaled (CLEFLU = 1,3)........................   57    0.62


COCIV2     1    INJECTED COCAINE WITH NEEDLE PAST 12 MONTHS
                0 = Never/no use in pst 12 mos (COCIV=2,81,83,91,93,98). 9179  99.14
                1 = Injected in the past 12 months (COCIV = 1,3)........   27    0.29
                . = Unknown (COCIV = 85)...............................   53    0.57


COCNEWA2   1    OTHER WAY COCAINE USED PAST 12 MONTHS
                0 = Never/no use in pst 12 mos (COCNEWA=81,83,91,93,98). 9198  99.34
                1 = Used other ways past 12 months (COCNEWA = 6,7,8)....    7    0.08
                . = Unknown (COCNEWA = 85).............................   54    0.58
```

GENERAL VARIABLES - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
COCSNIF2	1	SNIFFED/SNORTED COC. THRU NOSE PAST 12 MONTH		
		0 = Never/no use pst 12 mos(COCSNIFF=2,81,83,91,93,98)..	8868	95.78
		1 = Sniffed/snorted in past 12 months (COCSNIFF = 1)....	338	3.65
		. = Unknown (COCSNIFF = 85).............................	53	0.57
COCSWAL2	1	SWALLOWED/DRANK COCAINE PAST 12 MONTHS		
		0 = Never/no use pst 12 mos(COCSWAL=2,81,83,91,93,98)...	9171	99.05
		1 = Swallowed/drank in past 12 months (COCSWAL = 1).....	35	0.38
		. = Unknown (COCSWAL = 85).............................	53	0.57
COCTOT2	1	# TIMES USED COCAINE IN LIFE		
		1 = Never used cocaine (COCTOT = 81,91).................	8006	86.47
		2 = 1-2 times (COCTOT = 1)..............................	358	3.87
		3 = 3-10 times (COCTOT = 2,3)..........................	384	4.15
		4 = 11-99 times (COCTOT = 4,5).........................	313	3.38
		5 = 100 or more times (COCTOT = 6,7)...................	179	1.93
		6 = Unknown (COCTOT = 85,98)...........................	19	0.21
COCTOT3	1	# TIMES USED COCAINE IN LIFE		
		1 = 1-2 times (COCTOT2 = 2).............................	358	3.87
		2 = 3-10 times (COCTOT2 = 3)...........................	384	4.15
		3 = 11-99 times (COCTOT2 = 4)..........................	313	3.38
		4 = 100 or more times (COCTOT2 = 5)....................	179	1.93
		5 = Never used cocaine (COCTOT2 = 1)...................	8006	86.47
		. = Unknown (COCTOT2 = 6)..............................	19	0.21
DCOTSMSA	1	DC MSA AND OTHER LARGE SMSA INDICATOR		
		1 = DC MSA (DC=1,2)....................................	1931	20.86
		2 = Large SMSAs not including DC (POPDEN=1 and DC=9)....	3823	41.29
		3 = Other...	3505	37.86
DRINKER2	1	DRANK ALCOHOL - PAST 30 DAYS		
		0 = Never/no alcohol use (ALCMON=0 and DR5DAY=0,81,91)..	4756	51.37
		1 = Alcohol use (ALCMON = 1 and DR5DAY = 0-30)..........	4458	48.15
		. = Unknown (ALCMON = 1 and DR5DAY = 85,94,95,97,98)....	45	0.49
DRUNKYR2	1	# TIMES DRUNK ON ALC PAST 12 MONTH		
		0 = Unknown (DRUNKYR = 85,96,97,98)....................	538	5.81
		1 = Drunk more than twice a month (DRUNKYR = 1-4).......	537	5.80
		2 = Drunk twice a month or less (DRUNKYR = 5-8)........	1979	21.37
		3 = Never drunk in past year (DRUNKYR = 9).............	2928	31.62
		. = Never used/not in past yr (DRUNKYR = 81,83,91,93)...	3277	35.39
ETHER2	1	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		0 = Never inhaled (ETHER = 2,81,91,98).................	9252	99.92
		1 = Ever inhaled (ETHER = 1,3).........................	7	0.08
FREEBAS2	1	SMOKED/FREE-BASED COCAINE PAST 12 MONTHS		
		0 = Never/no use pst 12 mos (FREEBASE=2,81,83,91,93,98).	9060	97.85
		1 = Freebased in past 12 months (FREEBASE = 1,3)........	146	1.58
		. = Unknown (FREEBASE = 85)............................	53	0.57

GENERAL VARIABLES - RECODED

```
LABEL     LEN  DESCRIPTION                                            FREQ    %

GAS2       1   EVER INHALED GASOLINE OR LIGHTER FLUID
               0 = Never inhaled (GAS = 2,81,91,98)................... 9128  98.59
               1 = Ever inhaled (GAS = 1,3)...........................  131   1.41

GLUE2      1   EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE
               0 = Never inhaled (GLUE = 2,81,91,98).................. 9147  98.79
               1 = Ever inhaled (GLUE = 1,3)..........................  112   1.21

GNDLSHR2   1   EVER SHARED A NEEDLE WITH SOMEONE ELSE
               0 = No (GNNDLSHR=2,81,91,98)........................... 9212  99.49
               1 = Yes (GNNDLSHR=1)...................................   47   0.51

HVYDRK2    1   DRANK ALCOHOL HEAVILY - PAST 30 DAYS
               0 = Never/no heavy use (DR5DAY=0-4,81,91).............. 8693  93.89
               1 = Heavy alcohol use (DR5DAY = 5-30).................  521   5.63
               . = Unknown (DR5DAY = 85,94,95,97,98).................   45   0.49

LSD2       1   EVER USED LSD
               0 = Never used hallucinogens (LSD = 2,81,91,94,98)..... 8720  94.18
               1 = Ever used LSD (LSD = 1)............................  539   5.82

MESC2      1   EVER USED MESCALINE
               0 = Never used hallucinogens (MESC = 2,81,91,94,98).... 9031  97.54
               1 = Ever used Mescaline (MESC = 1)....................  228   2.46

MJDY30A2   1   # DAYS USED MARIJUANA IN PAST 30 DAYS
               1 = None or never used marijuana (MJDAY30A = 0,81,91)... 8644  93.36
               2 = 1-2 days (MJDAY30A = 1-2)..........................  193   2.08
               3 = 3-4 days (MJDAY30A = 3-4)..........................   74   0.80
               4 = 5-19 days (MJDAY30A = 5-19)........................  149   1.61
               5 = 20-30 days (MJDAY30A = 20-30)......................  109   1.18
               6 = Unknown (MJDAY30A = 85,98).........................   90   0.97

MJDY30A3   1   # DAYS USED MARIJUANA IN PAST 30
               1 = 1-2 days (MJDAY30A2 = 2)...........................  193   2.08
               2 = 3-4 days (MJDAY30A2 = 3)...........................   74   0.80
               3 = 5-19 days (MJDAY30A2 = 4)..........................  149   1.61
               4 = 20-30 days (MJDAY30A2 = 5).........................  109   1.18
               5 = None or never used marijuana (MJDAY30A2 = 1)........ 8644  93.36
               . = Unknown (MJDAY30A2 = 6)............................   90   0.97

MJTOT2     1   # TIMES USED MARIJUANA IN LIFE
               1 = Never used marijuana (MJTOT = 81,91)............... 5988  64.67
               2 = 1-2 times (MJTOT = 1)..............................  834   9.01
               3 = 3-10 times (MJTOT = 2,3)...........................  871   9.41
               4 = 11-99 times (MJTOT = 4,5)..........................  781   8.44
               5 = 100 or more times (MJTOT = 6,7)....................  754   8.14
               6 = Unknown (MJTOT = 85,96,97,98)......................   31   0.33
```

                          GENERAL VARIABLES - RECODED

LABEL   LEN DESCRIPTION   FREQ   %

MJTOT3   1   # TIMES USED MARIJUANA IN LIFE
               1 = 1-2 times (MJTOT2 = 2)............................. 834   9.01
               2 = 3-10 times (MJTOT2 = 3)............................ 871   9.41
               3 = 11-99 times (MJTOT2 = 4)........................... 781   8.44
               4 = 100 or more times (MJTOT2 = 5)..................... 754   8.14
               5 = Never used marijuana (MJTOT2 = 1)................. 5988   64.67
               . = Unknown (MJTOT2 = 6)...............................   31   0.33

MRJMON2   1   MARIJUANA - PAST MONTH USE
               1 = Did not use in past month (MRJMON = 0)............. 8644   93.36
               2 = Used within the past month (MRJMON = 1)............ 615   6.64

NEDFLAG3   1   NEEDLE USE (ANY DRUG) - EVER - (CORRECTED)
               0 = Never used (NDL90RC2=81,91,98)..................... 9067   97.93
               1 = Ever used (NDL90RCC2=1-9).......................... 192   2.07

NITOXID2   1   EVER INHALED NITROUS OXIDE/WHIPPETS RECODE
               0 = Never inhaled (NITOXID = 2,81,91,98)............... 9081   98.08
               1 = Ever inhaled (NITOXID = 1,3)....................... 178   1.92

The following variable, NOTMARJ, was created by examination of COCMON,INHMON,
HALMON, HERMON, and PSYMON2. Note: This variable is created such that all past
month users of illicit drugs other than marijuana alone are in the positive
response category.

NOTMARJ   1   DRUG USE OTHER THAN MARIJUANA - PAST MONTH
               0 = No (ALL SOURCE VARIABLES = 0)...................... 8895   96.07
               1 = Yes (ANY SOURCE VARIABLES = 1).................... 364   3.93

PEYOTE2   1   EVER USED PEYOTE
               0 = Never used hallucinogens (PEYOTE = 2,81,91,94,98)... 9132   98.63
               1 = Ever used Peyote (PEYOTE = 1)...................... 127   1.37

PSILCY2   1   EVER USED PSILOCYBIN (MUSHROOMS)
               0 = Never used hallucinogens (PSILCY = 2,81,91,94,98)... 8988   97.07
               1 = Ever used Psilocybin (PSILCY = 1).................. 271   2.93

RACESEX   1   RACE AND SEX COMBINED
               1 = White male (SEX = 1 and RACE = 1).................. 2400   25.92
               2 = Black male (SEX = 1 and RACE = 2).................. 729   7.87
               3 = Hispanic male (SEX = 1 and RACE = 3)............... 914   9.87
               4 = White female (SEX = 2 and RACE = 1)................ 2841   30.68
               5 = Black female (SEX = 2 and RACE = 2)................ 1113   12.02
               6 = Hispanic female (SEX = 2 and RACE = 3)............. 1001   10.81
               . = Other males and females (SEX=1 or 2 and RACE=4)..... 261   2.82

SOLVENT2   1   EVER INHALED LACQUER THINNER/PAINT SOLVENTS
               0 = Never inhaled (SOLVENT = 2,81,91,98)............... 9209   99.46
               1 = Ever inhaled (SOLVENT = 1,3).......................   50   0.54

SPPAINT2   1   EVER INHALED SPRAY PAINTS
               0 = Never inhaled (SPPAINT = 2,81,91,98)............... 9190   99.25
               1 = Ever inhaled (SPPAINT = 1,3).......................   69   0.75

DRUG PROBLEMS -- ANSWER SHEET #14 -- LOGICALLY IMPUTED

The drug problems answer sheet #14, which is included in Appendix G, is structured with a lead-in question, 11 gate questions, and 1 subquestion per gate question. The lead-in question (AS13NONE) asks if any of the substances listed on a showcard had been used. (Note: The instrumentation used in the 1988 NHSDA was revised in 1990 to include smokeless tobacco on the showcard for "if you ever used one of these substances.") The 11 gate questions (DRDEPRSS, DRARGUM, DRALONE, DRANX, DRHEALTH, DRNTHINK, DRUPSET, DRLSWORK, DRSUSPIC, DRCOPE, and DREMGMED), ask whether each of 11 problems had been experienced in the past year, and the 1 subquestion per gate question asks for each problem experienced that the substances suspected of causing the problem be listed. The substances suspected of causing each individual problem are recorded in a series of variables per gate question (DEPDRG1A-DEPDRG4A, ARGDRG1A-ARGDRG3A, ALNDRG1A-ALNDRG3A, ANXDRG1A-ANXDRG3A, HLTDRG1A-HLTDRG3A, NTKDRG1A- NTKDRG4A, UPSDRG1A-UPSDRG3A, LSWDRG1A-LSWDRG3A, SSPDRG1A-SSPDRG3A, CPEDRG1A-CPEDRG3A, and EMDRG1A-EMDRG4A). The number of variables assigned to a series per gate question is dependent on the maximum number of substances reported across all respondents as causing the problem in question.

The above data was logically imputed as follows:

If no use of the substances listed on the showcard with the exception of smokeless tobacco was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, and ANLFLAG), then the lead-in question was logically revised to indicate that no listed substance had been used (IRAS13=1). (Note: Users of only smokeless tobacco were classified as non-users of the listed substances to be consistent with the 1988 NHSDA data. For the 1988 NHSDA data, it was necessary to exclude users of only smokeless tobacco because smokeless tobacco was not listed on the showcard.) Subsequently, the 11 gate questions where logically revised to the legitimate skip code (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE, and IREMG=99). In addition, the 36 variables representing the data reported for the one subquestion per gate question, were logically revised to the legitimate skip code (IRDEP1-IRDEP4, IRARG1-IRARG3, IRALN1-IRALN3, IRANX1-IRANX3, IRHLT1-IRHLT3, IRNTK1-IRNTK4, IRUPS1-IRUPS3, IRLSW1-IRLSW3, IRSSP1-IRSSP3, IRCPE1-IRCPE3, and IREMG1-IREMG4=999).

If use of one or more of the listed substances with the exception of smokeless tobacco was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, and ANLFLAG), then the lead-in question was revised to indicate that a listed substance had been used (IRASA13=2). Subsequently, each gate question was individually examined. Positive responses and positive responses logically imputed to the gate questions were combined to simply be a positive response, and the respective series of variables per gate question were then logically revised in the following manner. In a series of variables containing valid drug mentions, all non-drug reason (900) and blank (998) responses were logically revised to the legitimate skip code (999). In a series containing no valid drug mentions, the first variable in the series was logically revised to the blank code (998) and the subsequent variables in the series were logically revised to the legitimate skip code (999). Negative responses to the gate questions were left as is, and bad data logically assigned (85), don't know (94), multiple response (96), refused (97), blank data (98), or legitimate skip (999) responses to the gate questions where logically imputed to negative responses. The respective series of variables per gate question were then logically revised to the legitimate skip code (999) in both situations.

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRAS13	1	NEVER USED ANY LISTED SUBSTANCES (L.I. AS13NONE)		
		1 = Never used any of the substances listed.............	1589	17.16
		2 = Used one or more of the listed substances..........	7670	82.84
IRDEP	2	DEPRESSION PST YR DUE TO DRUGS (L.I. DRDEPRSS)		
		1 = Yes..	478	5.16
		2 = No	7192	77.68
		99 = LEGITIMATE SKIP (IRAS13 = 1).....................	1589	17.16
IRDEP1	3	1ST DRUG CAUSING DEPRESSION (L.I. DEPDRG1A)		
		112 = Restoril..	1	0.01
		116 = Methaqualone (including Sopor, Quaalude).........	1	0.01
		120 = OTHER Sedative, NOT SPECIFIED, "Downers".........	3	0.03
		121 = USED SEDATIVE, DON'T KNOW NAME...................	1	0.01
		123 = Unisom..	1	0.01
		322 = Methamphetamine ("speed" or "crank").............	4	0.04
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".........	1	0.01
		332 = Ephedrine.......................................	1	0.01
		339 = Amphetamines (speed)............................	1	0.01
		348 = Crystal...	1	0.01
		401 = Darvon..	1	0.01
		501 = Gasoline or lighter fluids......................	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED...................	1	0.01
		601 = LSD ("acid," "white lightning").................	5	0.05
		701 = OTHER Opiates, NOT SPECIFIED....................	1	0.01
		702 = Heroin..	3	0.03
		803 = Marijuana.......................................	45	0.49
		804 = Hashish...	1	0.01
		805 = Cocaine, Coke...................................	37	0.40
		806 = Crack...	3	0.03
		807 = Alcohol...	217	2.34
		808 = All of the ones I've tried.....................	1	0.01
		812 = Cigars..	1	0.01
		813 = Cigarettes, Tobacco.............................	62	0.67
		998 = BLANK...	84	0.91
		999 = LEGITIMATE SKIP.................................	8781	94.84

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRDEP2	3	2ND DRUG CAUSING DEPRESSION (L.I. DEPDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	2	0.02
		201 = Valium...	1	0.01
		209 = Xanax..	1	0.01
		332 = Ephedrine......................................	1	0.01
		336 = Diet pills.....................................	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED..................	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED..................	2	0.02
		601 = LSD ("acid," "white lightning")..................	3	0.03
		604 = Psilocybin (mushrooms)...........................	1	0.01
		803 = Marijuana......................................	16	0.17
		805 = Cocaine, Coke..................................	7	0.08
		806 = Crack..	2	0.02
		807 = Alcohol..	24	0.26
		813 = Cigarettes, Tobacco............................	6	0.06
		999 = LEGITIMATE SKIP................................	9191	99.27
IRDEP3	3	3RD DRUG CAUSING DEPRESSION (L.I. DEPDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED...............	1	0.01
		322 = Methamphetamine ("speed" or "crank").............	1	0.01
		409 = Tylenol with Codeine............................	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED......................	1	0.01
		803 = Marijuana......................................	3	0.03
		805 = Cocaine, Coke..................................	1	0.01
		807 = Alcohol..	4	0.04
		999 = LEGITIMATE SKIP................................	9247	99.87
IRDEP4	3	4TH DRUG CAUSING DEPRESSION (L.I. DEPDRG4A)		
		807 = Alcohol..	1	0.01
		999 = LEGITIMATE SKIP................................	9258	99.99
IRARG	2	ARGUMENTS PST YR DUE TO DRUGS (L.I. DRARGUM)		
		1 = Yes..	662	7.15
		2 = No	7008	75.69
		99 = LEGITIMATE SKIP (IRAS13 = 1).....................	1589	17.16

DRUG PROBLEMS - LOGICALLY IMPUTED

```
LABEL     LEN   DESCRIPTION                                             FREQ     %

IRARG1     3    1ST DRUG CAUSING ARGUMENTS (L.I. ARGDRG1A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........     1    0.01
                123 = Unisom............................................     1    0.01
                209 = Xanax.............................................     1    0.01
                322 = Methamphetamine ("speed" or "crank").............     1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".........     2    0.02
                332 = Ephedrine.........................................     1    0.01
                336 = Diet pills........................................     2    0.02
                348 = Crystal...........................................     1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED....................     1    0.01
                511 = Markers, Felt-tip pens............................     1    0.01
                601 = LSD ("acid," "white lightning")..................     1    0.01
                702 = Heroin............................................     3    0.03
                803 = Marijuana.........................................    32    0.35
                805 = Cocaine, Coke.....................................    22    0.24
                806 = Crack.............................................     2    0.02
                807 = Alcohol...........................................   402    4.34
                808 = All of the ones I've tried.......................     1    0.01
                812 = Cigars............................................     2    0.02
                813 = Cigarettes, Tobacco...............................    70    0.76
                816 = Smokeless tobacco - snuff/chewing.................     1    0.01
                998 = BLANK.............................................   114    1.23
                999 = LEGITIMATE SKIP.................................. 8597   92.85

IRARG2     3    2ND DRUG CAUSING ARGUMENTS (L.I. ARGDRG2A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........     2    0.02
                201 = Valium............................................     1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".........     1    0.01
                325 = USED STIMULANT, DON'T KNOW NAME...................     1    0.01
                336 = Diet pills........................................     1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED....................     1    0.01
                601 = LSD ("acid," "white lightning")..................     1    0.01
                605 = PCP ("angel dust, " phencyclidine)...............     1    0.01
                803 = Marijuana.........................................     9    0.10
                804 = Hashish...........................................     1    0.01
                805 = Cocaine, Coke.....................................     9    0.10
                806 = Crack.............................................     2    0.02
                807 = Alcohol...........................................    16    0.17
                808 = All of the ones I've tried.......................     1    0.01
                813 = Cigarettes, Tobacco...............................     4    0.04
                999 = LEGITIMATE SKIP.................................. 9208   99.45

IRARG3     3    3RD DRUG CAUSING ARGUMENTS (L.I. ARGDRG3A)
                201 = Valium ...........................................     1    0.01
                221 = OTHER Tranquilizer, NOT SPECIFIED................     1    0.01
                409 = Tylenol with Codeine..............................     1    0.01
                803 = Marijuana.........................................     2    0.02
                805 = Cocaine, Coke.....................................     1    0.01
                807 = Alcohol...........................................     6    0.06
                999 = LEGITIMATE SKIP.................................. 9247   99.87
```

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRALN	2	FELT ALONE PST YR DUE TO DRUGS (L.I. DRALONE)		
		1 = Yes..	334	3.61
		2 = No	7336	79.23
		99 = LEGITIMATE SKIP (IRAS13 = 1)......................	1589	17.16
IRALN1	3	1ST DRUG CAUSING FEELING ALONE (L.I. ALNDRG1A)		
		116 = Methaqualone (including Sopor, Quaalude)..........	1	0.01
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	3	0.03
		121 = USED SEDATIVE, DON'T KNOW NAME....................	1	0.01
		123 = Unisom..	1	0.01
		322 = Methamphetamine ("speed" or "crank")..............	3	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	1	0.01
		332 = Ephedrine.......................................	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED.....................	1	0.01
		601 = LSD ("acid," "white lightning")...................	7	0.08
		604 = Psilocybin (mushrooms)............................	2	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED.................	1	0.01
		702 = Heroin..	2	0.02
		803 = Marijuana.......................................	26	0.28
		805 = Cocaine, Coke...................................	18	0.19
		806 = Crack...	2	0.02
		807 = Alcohol...	161	1.74
		808 = All of the ones I've tried......................	1	0.01
		813 = Cigarettes, Tobacco.............................	19	0.21
		998 = BLANK...	83	0.90
		999 = LEGITIMATE SKIP.................................	8925	96.39
IRALN2	3	2ND DRUG CAUSING FEELING ALONE (L.I. ALNDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	1	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	1	0.01
		336 = Diet pills......................................	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED.....................	1	0.01
		803 = Marijuana.......................................	10	0.11
		805 = Cocaine, Coke...................................	8	0.09
		806 = Crack...	2	0.02
		807 = Alcohol...	11	0.12
		813 = Cigarettes, Tobacco.............................	5	0.05
		999 = LEGITIMATE SKIP.................................	9219	99.57
IRALN3	3	3RD DRUG CAUSING FEELING ALONE (L.I. ALNDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED.................	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED.......................	1	0.01
		803 = Marijuana.......................................	2	0.02
		999 = LEGITIMATE SKIP.................................	9255	99.96
IRANX	2	FELT ANXIOUS PST YR DUE TO DRUGS (L.I. DRANX)		
		1 = Yes..	603	6.51
		2 = No	7067	76.33
		99 = LEGITIMATE SKIP (IRAS13 = 1)......................	1589	17.16

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRANX1	3	1ST DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	4	0.04
		122 = Sleep Aid...	1	0.01
		201 = Valium...	1	0.01
		209 = Xanax..	1	0.01
		322 = Methamphetamine ("speed" or "crank")..............	6	0.06
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	4	0.04
		325 = USED STIMULANT, DON'T KNOW NAME...................	2	0.02
		329 = Speckled Eggs, Robin's Eggs......................	1	0.01
		332 = Ephedrine..	2	0.02
		336 = Diet pills.......................................	2	0.02
		339 = Amphetamines (speed).............................	2	0.02
		348 = Crystal..	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	1	0.01
		511 = Markers, Felt-tip pens...........................	1	0.01
		513 = Tulio ₣sicσ......................................	1	0 .01
		601 = LSD ("acid," "white lightning")..................	10	0.11
		604 = Psilocybin (mushrooms)...........................	1	0.01
		702 = Heroin...	2	0.02
		801 = OTHER Drugs, NOT SPECIFIED.......................	1	0.01
		803 = Marijuana..	56	0.60
		805 = Cocaine, Coke....................................	49	0.53
		806 = Crack..	3	0.03
		807 = Alcohol..	162	1.75
		808 = All of the ones I've tried......................	2	0.02
		812 = Cigars...	4	0.04
		813 = Cigarettes, Tobacco..............................	173	1.87
		814 = Caffeine...	2	0.02
		998 = BLANK..	108	1.17
		999 = LEGITIMATE SKIP..................................	8656	93.49
IRANX2	3	2ND DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	1	0.01
		322 = Methamphetamine ("speed" or "crank")..............	1	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	1	0.01
		325 = USED STIMULANT, DON'T KNOW NAME...................	1	0.01
		336 = Diet pills.......................................	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	1	0.01
		605 = PCP ("angel dust, " phencyclidine)................	1	0.01
		803 = Marijuana..	7	0.08
		805 = Cocaine, Coke....................................	14	0.15
		806 = Crack..	2	0.02
		807 = Alcohol..	9	0.10
		813 = Cigarettes, Tobacco..............................	10	0.11
		999 = LEGITIMATE SKIP..................................	9210	99.47
IRANX3	3	3RD DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED................	1	0.01
		601 = LSD ("acid," "white lightning")..................	1	0.01
		803 = Marijuana..	2	0.02
		807 = Alcohol..	2	0.02
		999 = LEGITIMATE SKIP..................................	9253	99.94

DRUG PROBLEMS - LOGICALLY IMPUTED

```
LABEL     LEN   DESCRIPTION                                            FREQ      %

IRHLT      2    HEALTH PROBS PST YR DUE TO DRUGS (L.I. DRHEALTH)
                1 = Yes...............................................   406    4.38
                2 = No ...............................................  7264   78.45
                99 = LEGITIMATE SKIP (IRAS13 = 1)......................  1589   17.16

IRHLT1     3    1ST DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG1A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........     1    0.01
                322 = Methamphetamine ("speed" or "crank").............     2    0.02
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........     1    0.01
                325 = USED STIMULANT, DON'T KNOW NAME..................     1    0.01
                339 = Amphetamine (speed)..............................     1    0.01
                348 = Crystal.........................................     1    0.01
                426 = Fiorinal........................................     1    0.01
                430 = Aspirin, Ecotrine...............................     1    0.01
                702 = Heroin..........................................     2    0.02
                801 = OTHER Drugs, NOT SPECIFIED......................     3    0.03
                803 = Marijuana.......................................    10    0.11
                805 = Cocaine, Coke...................................    11    0.12
                806 = Crack...........................................     1    0.01
                807 = Alcohol.........................................    69    0.75
                812 = Cigars..........................................     4    0.04
                813 = Cigarettes, Tobacco.............................   203    2.19
                998 = BLANK...........................................    94    1.02
                999 = LEGITIMATE SKIP ................................  8853   95.62

IRHLT2     3    2ND DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG2A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........     1    0.01
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........     1    0.01
                803 = Marijuana.......................................     3    0.03
                804 = Hashish.........................................     1    0.01
                805 = Cocaine, Coke...................................     4    0.04
                806 = Crack...........................................     1    0.01
                807 = Alcohol.........................................     6    0.06
                813 = Cigarettes, Tobacco.............................     6    0.06
                999 = LEGITIMATE SKIP.................................  9236   99.75

IRHLT3     3    3RD DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG3A)
                221 = OTHER Tranquilizer, NOT SPECIFIED................     1    0.01
                807 = Alcohol.........................................     2    0.02
                813 = Cigarettes, Tobacco.............................     1    0.01
                999 = LEGITIMATE SKIP.................................  9255   99.96

IRNTK      2    DFF THNKNG CLR PST YR DUE TO DRUGS (L.I. DRNTHINK)
                1 = Yes...............................................   687    7.42
                2 = No ...............................................  6983   75.42
                99 = LEGITIMATE SKIP (IRAS13 = 1)......................  1589   17.16
```

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRNTK1	3	1ST DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG1A)		
		116 = Methaqualone (including Sopor, Quaalude)..........	1	0.01
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	2	0.02
		122 = Sleep Aid..	2	0.02
		201 = Valium...	1	0.01
		209 = Xanax..	1	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME...............	1	0.01
		322 = Methamphetamine ("speed" or "crank").............	3	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers".........	2	0.02
		348 = Crystal...	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	1	0.01
		511 = Markers, Felt-tip pens...........................	2	0.02
		601 = LSD ("acid," "white lightning")..................	6	0.06
		605 = PCP ("angel dust, " phencyclidine)...............	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED................	1	0.01
		702 = Heroin..	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED.......................	2	0.02
		803 = Marijuana.......................................	85	0.92
		804 = Hashish...	3	0.03
		805 = Cocaine, Coke...................................	12	0.13
		806 = Crack...	3	0.03
		807 = Alcohol...	464	5.01
		808 = All of the ones I've tried......................	1	0.01
		812 = Cigars..	1	0.01
		813 = Cigarettes, Tobacco.............................	21	0.23
		998 = BLANK...	69	0.75
		999 = LEGITIMATE SKIP	8572	92.58
IRNTK2	3	2ND DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	1	0.01
		24 = OTHER Stimulant, NOT SPECIFIED, "Uppers"...........	1	0.01
		409 = Tylenol with Codeine.............................	1	0.01
		417 = Morphine..	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	2	0.02
		601 = LSD ("acid," "white lightning")..................	7	0.08
		702 = Heroin..	1	0.01
		803 = Marijuana.......................................	26	0.28
		805 = Cocaine, Coke...................................	9	0.10
		807 = Alcohol...	21	0.23
		813 = Cigarettes, Tobacco.............................	1	0.01
		999 = LEGITIMATE SKIP.................................	9188	99.23
IRNTK3	3	3RD DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED................	1	0.01
		603 = Mescaline.......................................	1	0.01
		605 = PCP ("angel dust, " phencyclidine)...............	1	0.01
		803 = Marijuana.......................................	5	0.05
		805 = Cocaine, Coke...................................	3	0.03
		807 = Alcohol...	2	0.02
		999 = LEGITIMATE SKIP.................................	9246	99.86

DRUG PROBLEMS - LOGICALLY IMPUTED

```
LABEL     LEN   DESCRIPTION                                           FREQ      %

IRNTK4     3    4TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG4A)
                803 = Marijuana.........................................    1    0.01
                999 = LEGITIMATE SKIP................................. 9258   99.99

IRUPS      2    FELT UPSET PST YR DUE TO DRUGS (L.I. DRUPSET)
                1 = Yes.............................................    571    6.17
                2 = No .............................................  7099   76.67
                99 = LEGITIMATE SKIP (IRAS13 = 1)..................... 1589   17.16

IRUPS1     3    1ST DRUG CAUSING FEELING UPSET (L.I. UPSDRG1A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    1    0.01
                122 = Sleep Aid........................................    1    0.01
                201 = Valium...........................................    1    0.01
                322 = Methamphetamine ("speed" or "crank").............    2    0.02
                324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    2    0.02
                325 = USED STIMULANT, DON'T KNOW NAME..................    1    0.01
                332 = Ephedrine........................................    1    0.01
                336 = Diet pills.......................................    1    0.01
                348 = Crystal..........................................    1    0.01
                409 = Tylenol with Codeine.............................    1    0.01
                510 = OTHER Inhalant, NOT SPECIFIED....................    2    0.02
                511 = Markers, Felt-tip pens...........................    1    0.01
                601 = LSD ("acid," "white lightning")..................    2    0.02
                801 = OTHER Drugs, NOT SPECIFIED.......................    2    0.02
                803 = Marijuana........................................   26    0.28
                804 = Hashish..........................................    1    0.01
                805 = Cocaine, Coke....................................   26    0.28
                806 = Crack............................................    3    0.03
                807 = Alcohol.......................................... 259    2.80
                808 = All of the ones I've tried.......................    3    0.03
                813 = Cigarettes, Tobacco..............................  113    1.22
                814 = Caffeine.........................................    1    0.01
                815 = Coffee...........................................    1    0.01
                817 = Hardstuff........................................    1    0.01
                998 = BLANK............................................  118    1.27
                999 = LEGITIMATE SKIP ................................. 8688   93.83

IRUPS2     3    2ND DRUG CAUSING FEELING UPSET (L.I. UPSDRG2A)
                120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    1    0.01
                336 = Diet pills.......................................    1    0.01
                420 = OTHER Analgesic, NOT SPECIFIED...................    1    0.01
                601 = LSD ("acid," "white lightning")..................    1    0.01
                702 = Heroin...........................................    1    0.01
                803 = Marijuana........................................    7    0.08
                805 = Cocaine, Coke....................................    4    0.04
                806 = Crack............................................    1    0.01
                807 = Alcohol..........................................   14    0.15
                813 = Cigarettes, Tobacco..............................   12    0.13
                999 = LEGITIMATE SKIP................................. 9216   99.54
```

DRUG PROBLEMS - LOGICALLY IMPUTED

```
LABEL    LEN  DESCRIPTION                                           FREQ    %

IRUPS3    3   3RD DRUG CAUSING FEELING UPSET (L.I. UPSDRG3A)
              221 = OTHER Tranquilizer, NOT SPECIFIED.................    1   0.01
              803 = Marijuana.......................................    1   0.01
              805 = Cocaine, Coke...................................    1   0.01
              807 = Alcohol.........................................    2   0.02
              999 = LEGITIMATE SKIP................................. 9254  99.95

IRLSW     2   DID LESS WORK PST YR DUE TO DRUGS (L.I. DRLSWORK)
              1 = Yes...............................................  322   3.48
              2 = No ............................................... 7348  79.36
              99 = LEGITIMATE SKIP (IRAS13 = 1)..................... 1589  17.16

IRLSW1    3   1ST DRUG CAUSING LESS WORK DONE (L.I. LSWDRG1A)
              120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........    1   0.01
              201 = Valium..........................................    2   0.02
              222 = USED TRANQUILIZER, DON'T KNOW NAME...............    1   0.01
              322 = Methamphetamine ("speed" or "crank").............    1   0.01
              324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    2   0.02
              325 = USED STIMULANT, DON'T KNOW NAME..................    1   0.01
              348 = Crystal.........................................    1   0.01
              409 = Tylenol with Codeine............................    1   0.01
              510 = OTHER Inhalant, NOT SPECIFIED...................    2   0.02
              601 = LSD ("acid," "white lightning").................    1   0.01
              605 = PCP ("angel dust, " phencyclidine)...............    1   0.01
              803 = Marijuana.......................................   48   0.52
              805 = Cocaine, Coke...................................   10   0.11
              806 = Crack...........................................    1   0.01
              807 = Alcohol......................................... 153   1.65
              808 = All of the ones I've tried......................    1   0.01
              813 = Cigarettes, Tobacco.............................   25   0.27
              998 = BLANK...........................................   70   0.76
              999 = LEGITIMATE SKIP ................................ 8937  96.52

IRLSW2    3   2ND DRUG CAUSING LESS WORK DONE (L.I. LSWDRG2A)
              201 = Valium..........................................    1   0.01
              324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........    1   0.01
              601 = LSD ("acid," "white lightning").................    1   0.01
              702 = Heroin..........................................    1   0.01
              803 = Marijuana.......................................    5   0.05
              805 = Cocaine, Coke...................................    7   0.08
              807 = Alcohol ..     .................................    8   0.09
              813 = Cigarettes, Tobacco.............................    2   0.02
              999 = LEGITIMATE SKIP................................. 9233  99.72

IRLSW3    3   3RD DRUG CAUSING LESS WORK DONE (L.I. LSWDRG3A)
              803 = Marijuana.......................................    1   0.01
              805 = Cocaine, Coke...................................    1   0.01
              807 = Alcohol.........................................    4   0.04
              999 = LEGITIMATE SKIP................................. 9253  99.94
```

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRSSP	2	FLT SUSPICIOUS PST YR DUE TO DRUGS (L.I. DRSUSPIC)		
		1 = Yes..	285	3.08
		2 = No	7385	79.76
		99 = LEGITIMATE SKIP (IRAS13 = 1)......................	1589	17.16
IRSSP1	3	1ST DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG1A)		
		116 = Methaqualone (including Sopor, Quaalude)..........	1	0.01
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	1	0.01
		122 = Sleep Aid..	1	0.01
		322 = Methamphetamine ("speed" or "crank").............	3	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	1	0.01
		348 = Crystal..	1	0.01
		353 = No-Doz...	1	0.01
		511 = Markers, Felt-tip pens...........................	1	0.01
		601 = LSD ("acid," "white lightning")..................	4	0.04
		604 = Psilocybin (mushrooms)...........................	2	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED.................	2	0.02
		803 = Marijuana..	38	0.41
		804 = Hashish..	2	0.02
		805 = Cocaine, Coke....................................	26	0.28
		806 = Crack..	3	0.03
		807 = Alcohol..	106	1.14
		808 = All of the ones I've tried......................	1	0.01
		813 = Cigarettes, Tobacco..............................	15	0.16
		998 = BLANK..	76	0.82
		999 = LEGITIMATE SKIP	8974	96.92
IRSSP2	3	2ND DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG2A)		
		702 = Heroin...	1	0.01
		803 = Marijuana..	7	0.08
		805 = Cocaine, Coke....................................	4	0.04
		807 = Alcohol..	10	0.11
		813 = Cigarettes, Tobacco..............................	1	0.01
		999 = LEGITIMATE SKIP..................................	9236	99.75
IRSSP3	3	3RD DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG3A)		
		803 = Marijuana..	2	0.02
		805 = Cocaine, Coke....................................	2	0.02
		807 = Alcohol..	1	0.01
		999 = LEGITIMATE SKIP..................................	9254	99.95
IRCPE	2	RB HARD TO HNDL PST YR DUE TO DRUGS (L.I. DRCOPE)		
		1 = Yes..	278	3.00
		2 = No	7392	79.84
		99 = LEGITIMATE SKIP (IRAS13 = 1)......................	1589	17.16

DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRCPE1	3	1ST DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"..........	1	0.01
		122 = Sleep Aid...	2	0.02
		322 = Methamphetamine ("speed" or "crank")..............	2	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"..........	1	0.01
		348 = Crystal..	1	0.01
		426 = Fiorinal...	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED....................	1	0.01
		702 = Heroin...	2	0.02
		803 = Marijuana..	24	0.26
		804 = Hashish..	1	0.01
		805 = Cocaine, Coke....................................	21	0.23
		806 = Crack..	2	0.02
		807 = Alcohol..	130	1.40
		808 = All of the ones I've tried.......................	1	0.01
		813 = Cigarettes, Tobacco1.............................	8	0.19
		998 = BLANK..	70	0.76
		999 = LEGITIMATE SKIP	8981	97.00
IRCPE2	3	2ND DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG2A)		
		201 = Valium...	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED.................	1	0.01
		702 = Heroin...	1	0.01
		803 = Marijuana..	8	0.09
		805 = Cocaine, Coke....................................	8	0.09
		806 = Crack..	1	0.01
		807 = Alcohol..	9	0.10
		813 = Cigarettes, Tobacco..............................	2	0.02
		999 = LEGITIMATE SKIP..................................	9228	99.67
IRCPE3	3	3RD DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG3A)		
		803 = Marijuana..	3	0.03
		805 = Cocaine, Coke....................................	2	0.02
		807 = Alcohol..	3	0.03
		999 = LEGITIMATE SKIP..................................	9251	99.91
IREMG	2	EMERG MED HELP PST YR DUE TO DRUGS (L.I. DREMGMED)		
		1 = Yes..	67	0.72
		2 = No	7603	82.11
		99 = LEGITIMATE SKIP (IRAS13 = 1)......................	1589	17.16
IREMG1	3	1ST DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG1A)		
		603 = Mescaline..	1	0.01
		702 = Heroin...	1	0.01
		803 = Marijuana..	1	0.01
		804 = Hashish..	1	0.01
		805 = Cocaine, Coke....................................	4	0.04
		807 = Alcohol..	28	0.30
		813 = Cigarettes, Tobacco..............................	7	0.08
		998 = BLANK..	24	0.26
		999 = LEGITIMATE SKIP..................................	9192	99.28

```
                    DRUG PROBLEMS - LOGICALLY IMPUTED

LABEL    LEN   DESCRIPTION                                      FREQ     %

IREMG2    3    2ND DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG2A)
               803 = Marijuana.........................................     2    0.02
               805 = Cocaine, Coke....................................     2    0.02
               807 = Alcohol..........................................     1    0.01
               999 = LEGITIMATE SKIP..................................  9254   99.95

IREMG3    3    3RD DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG3A)
               806 = Crack............................................     1    0.01
               807 = Alcohol..........................................     1    0.01
               999 = LEGITIMATE SKIP..................................  9257   99.98

IREMG4    3    4TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG4A)
               601 = LSD ("acid," "white lightning")..................     1    0.01
               999 = LEGITIMATE SKIP..................................  9258   99.95
```

     The logically imputed gate questions (IRDEP, IRARG, IRALN,
IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE, and IREMG) for
the drug problems, answer sheet #14, were used to obtain a count
of the number of problems experienced. Indicator variables were
then created which indicated whether the respondent had
experienced any of the 11 problems (ANYPROB), two or more of the
11 problems (TWOPROB), and three or more of the 11 problems
(THREPROB). For a discussion of the structure and logical
imputation of the data for answer sheet #14, refer to Drug
Problems - Answer Sheet #14 - Logically Imputed.

```
LABEL    LEN   DESCRIPTION                                      FREQ     %

ANYPROB   1    ANY OF THE 11 PROBS ON DRUG SHEET #14
               0 = No .................................................  7562   81.67
               1 = Yes.................................................  1697   18.33

TWOPROB   1    TWO OR MORE OF THE 11 PROBS ON DRUG SHEET #14
               0 = No .................................................  8251   89.11
               1 = Yes.................................................  1008   10.89

THREPROB  1    THREE OR MORE OF THE 11 PROBS ON DRUG SHEET #14
               0 = No .................................................  8601   92.89
               1 = Yes.................................................   658    7.11
```

DRUG PROBLEMS -- ANSWER SHEET #14 -- RECODED

     The logically imputed data for the gate questions (IRDEP,
IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE,
AND IREMG) and subquestions (IRDEP1-IRDEP4, IRARG1-IRARG3,
IRALN1-IRALN3, IRANX1-IRANX3, IRHLT1-IRHLT3, IRNTK1-IRNTK4,
IRUPS1-IRUPS3, IRLSW1-IRLSW3, IRSSP1-IRSSP3, IRCPE1-IRCPE3, and
IREMG1-IREMG4) for the drug problems, answer sheet #14, were
recoded to create variables which indicated past year problems
associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2,
ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2,
AND EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2,
HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2, and
EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2,
HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2, and
EMMRJ2), and cocaine use (DEPCOC2, ARGCOC2, ALNCOC2, ANXCOC2,
HLTCOC2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2, and EMCOC2)
in the past year. The procedure was as follows for cigarette use:
Past year users of cigarettes who indicated having the problem,
and who attributed the problem to past year use of cigarettes
(subquestion response=813) were given a positive response to the
recoded variable. Past year users of cigarettes who indicated
having the problem, but attributed the problem to a substance
other than cigarettes, or who indicated not having the problem
were given a negative response to the recoded variable. The
recoded variable was coded to the SAS missing code (.) for non-
users in the past year of cigarettes. For cigarettes, this
procedure was repeated for each problem. In addition, this
entire process was repeated for alcohol (subquestion
response=807), marijuana (subquestion response=803), and cocaine
(subquestion response=805 or 806) respectively. For a discussion
of the structure and logical imputation of the data for answer
sheet #14, refer to Drug Problems - Answer Sheet #14 - Logically
Imputed.

DRUG PROBLEMS - RECODED

LABEL   LEN   DESCRIPTION   FREQ   %

ALNALC2   1   FELT ALONE PAST YEAR DUE TO ALC
               0 = No 5815 62.80
               1 = Yes... 167   1.80
               . = Did not use alcohol in the past year............... 3277 35.39

ALNCIG2   1   FELT ALONE PAST YEAR DUE TO CIG
               0 = No 2972 32.10
               1 = Yes.. 23   0.25
               . = Did not use cigarettes in the past year............. 6264 67.65

ALNCOC2   1   FELT ALONE PAST YEAR DUE TO COC
               0 = No 414   4.47
               1 = Yes.. 26   0.28
               . = Did not use cocaine in the past year............... 8819 95.25

DRUG PROBLEMS - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%

ALNMRJ2   1   FELT ALONE PAST YEAR DUE TO MRJ
              0 = No 1193 12.88
              1 = Yes...   37   0.40
              . = Did not use marijuana in the past year.............. 8029 86.72

ANXALC2   1   FELT NERVOUS PAST YEAR DUE TO ALC
              0 = No 5817 62.83
              1 = Yes... 165   1.78
              . = Did not use alcohol in the past year............... 3277 35.39

ANXCIG2   1   FELT NERVOUS PAST YEAR DUE TO CIG
              0 = No 2824 30.50
              1 = Yes... 171   1.85
              . = Did not use cigarettes in the past year............ 6264 67.65

ANXCOC2   1   FELT NERVOUS PAST YEAR DUE TO COC
              0 = No 380   4.10
              1 = Yes...   60   0.65
              . = Did not use cocaine in the past year............... 8819 95.25

ANXMRJ2   1   FELT NERVOUS PAST YEAR DUE TO MRJ
              0 = No 1168 12.61
              1 = Yes...   62   0.67
              . = Did not use marijuana in the past year............. 8029 86.72

ARGALC2   1   HAD ARGUMNTS PAST YEAR DUE TO ALC
              0 = No 5572 60.18
              1 = Yes... 410   4.43
              . = Did not use alcohol in the past year............... 3277 35.39

ARGCIG2   1   HAD ARGUMNTS PAST YEAR DUE TO CIG
              0 = No 2927 31.61
              1 = Yes...   68   0.73
              . = Did not use cigarettes in the past year............ 6264 67.65

ARGCOC2   1   HAD ARGUMNTS PAST YEAR DUE TO COC
              0 = No 411   4.44
              1 = Yes...   29   0.31
              . = Did not use cocaine in the past year............... 8819 95.25

ARGMRJ2   1   HAD ARGUMNTS PAST YEAR DUE TO MRJ
              0 = No 1189 12.84
              1 = Yes...   41   0.44
              . = Did not use marijuana in the past year............. 8029 89.72

CPEALC2   1   PROB HARD TO HANDLE DUE TO ALC
              0 = No 5845 63.13
              1 = Yes... 137   1.48
              . = Did not use alcohol in the past year............... 3277 35.39

DRUG PROBLEMS - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%

CPECIG2   1   PROB HARD TO HANDLE DUE TO CIG
              0 = No 2975 32.13
              1 = Yes.. 20   0.22
              . = Did not use cigarettes in the past year............ 6264 67.65

CPECOC2   1   PROB HARD TO HANDLE DUE TO COC
              0 = No 410   4.43
              1 = Yes.. 30   0.32
              . = Did not use cocaine in the past year............... 8819 95.25

CPEMRJ2   1   PROB HARD TO HANDLE DUE TO MRJ
              0 = No 1197 12.93
              1 = Yes.. 33   0.36
              . = Did not use marijuana in the past year............. 8029 86.72

DEPALC2   1   BECAME DEPRESSED PAST YEAR DUE TO ALC
              0 = No 5745 62.05
              1 = Yes.. 237   2.56
              . = Did not use alcohol in the past year............... 3277 35.39

DEPCIG2   1   BECAME DEPRESSED PAST YEAR DUE TO CIG
              0 = No 2931 31.66
              1 = Yes.. 64   0.69
              . = Did not use cigarettes in the past year............ 6264 67.65

DEPCOC2   1   BECAME DEPRESSED PAST YEAR DUE TO COC
              0 = No 398   4.30
              1 = Yes.. 42   0.45
              . = Did not use cocaine in the past year............... 8819 95.25

DEPMRJ2   1   BECAME DEPRESSED PAST YEAR DUE TO MRJ
              0 = No 169 12.63
              1 = Yes.. 61   0.66
              . = Did not use marijuana in the past year............. 8029 86.72

EMALC2   1   EMERG MED HELP PST YR DUE TO ALC
              0 = No 5957 64.34
              1 = Yes.. 25   0.27
              . = Did not use alcohol in the past year............... 3277 35.39

EMCIG2   1   EMERG MED HELP PST YR DUE TO CIG
              0 = No 2988 32.27
              1 = Yes.. 7   0.08
              . = Did not use cigarettes in the past year............ 6264 67.65

EMCOC2   1   EMERG MED HELP PST YR DUE TO COC
              0 = No 435   4.70
              1 = Yes.. 5   0.05
              . = Did not use cocaine in the past year............... 8819 95.25

DRUG PROBLEMS - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%

EMMRJ2   1   EMERG MED HELP PST YR DUE TO MRJ
            0 = No 1228 13.26
            1 = Yes...   2   0.02
            . = Did not use marijuana in the past year............. 8029 86.72

HLTALC2 1   HEALTH PROBS PAST YEAR DUE TO ALC
            0 = No 5911 63.84
            1 = Yes...   71   0.77
            . = Did not use alcohol in the past year............... 3277 35.39

HLTCIG2 1   HEALTH PROBS PAST YEAR DUE TO CIG
            0 = No 2792 30.15
            1 = Yes...   203   2.19
            . = Did not use cigarettes in the past year............ 6264 67.65

HLTCOC2 1   HEALTH PROBS PAST YEAR DUE TO COC
            0 = No 426   4.60
            1 = Yes...   14   0.15
            . = Did not use cocaine in the past year............... 8819 95.25

HLTMRJ2 1   HEALTH PROBS PAST YEAR DUE TO MRJ
            0 = No 1218 13.15
            1 = Yes...   12   0.13
            . = Did not use marijuana in the past year............. 8029 86.72

LSWALC2 1   LESS WRK SCH/JOB PST YR DUE TO ALC
            0 = No 5824 62.90
            1 = Yes...   158   1.71
            . = Did not use alcohol in the past year............... 3277 35.39

LSWCIG2 1   LESS WRK SCH/JOB PST YR DUE TO CIG
            0 = No 2968 32.06
            1 = Yes...   27   0.29
            . = Did not use cigarettes in the past year............ 6264 67.65

LSWCOC2 1   LESS WRK SCH/JOB PST YR DUE TO COC
            0 = No 424   4.58
            1 = Yes...   16   0.17
            . = Did not use cocaine in the past year............... 8819 95.25

LSWMRJ2 1   LESS WRK SCH/JOB PST YR DUE TO MRJ
            0 = No 1182 12.77
            1 = Yes...   48   0.52
            . = Did not use marijuana in the past year............. 8029 86.72

NTKALC2 1   DIFF THNKNG CLEARLY PST YR DUE TO ALC
            0 = No 5507 59.48
            1 = Yes...   475   5.13
            . = Did not use alcohol in the past year............... 3277 35.39

DRUG PROBLEMS - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
NTKCIG2	1	DIFF THNKNG CLEARLY PST YR DUE TO CIG		
		0 = No	2973	32.11
		1 = Yes...	22	0.24
		. = Did not use cigarettes in the past year............	6264	67.65
NTKCOC2	1	DIFF THNKNG CLEARLY PST YR DUE TO COC		
		0 = No	419	4.53
		1 = Yes...	21	0.23
		. = Did not use cocaine in the past year...............	8819	95.25
NTKMRJ2	1	DIFF THNKNG CLEARLY PST YR DUE TO MRJ		
		0 = No	1117	12.06
		1 = Yes...	113	1.22
		. = Did not use marijuana in the past year.............	8029	86.72
SSPALC2	1	FELT SUSPICIOUS PST YR DUE TO ALC		
		0 = No	5867	63.37
		1 = Yes...	115	1.24
		. = Did not use alcohol in the past year...............	3277	35.39
SSPCIG2	1	FELT SUSPICIOUS PST YR DUE TO CIG		
		0 = No	2980	32.18
		1 = Yes...	15	0.16
		. = Did not use cigarettes in the past year............	6264	67.65
SSPCOC2	1	FELT SUSPICIOUS PST YR DUE TO COC		
		0 = No	406	4.38
		1 = Yes...	34	0.37
		. = Did not use cocaine in the past year...............	8819	95.25
SSPMRJ2	1	FELT SUSPICIOUS PST YR DUE TO MRJ		
		0 = No	1185	12.80
		1 = Yes...	45	0.49
		. = Did not use marijuana in the past year.............	8029	86.72
UPSALC2	1	FELT UPSET PAST YEAR DUE TO ALC		
		0 = No	5715	61.72
		1 = Yes...	267	2.88
		. = Did not use alcohol in the past year...............	3277	35.39
UPSCIG2	1	FELT UPSET PAST YEAR DUE TO CIG		
		0 = No	2875	31.05
		1 = Yes...	120	1.30
		. = Did not use cigarettes in the past year............	6264	67.65
UPSCOC2	1	FELT UPSET PAST YEAR DUE TO COC		
		0 = No	410	4.43
		1 = Yes...	30	0.32
		. = Did not use cocaine in the past year...............	8819	95.25

DRUG PROBLEMS - RECODED

```
LABEL     LEN   DESCRIPTION                                       FREQ      %

UPSMRJ2    1    FELT UPSET PAST YEAR DUE TO MRJ
                0 = No ............................................. 1197  12.93
                1 = Yes.............................................   33   0.36
                . = Did not use marijuana in the past year............. 8029  86.72
```

   The logically imputed recoded data for the drug problems,
answer sheet #14, which indicate past year problems associated
with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2,
NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2, AND EMCIG2), alcohol
use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2,
UPSALC2, LSWALC2, SSPALC2, CPEALC2, AND EMALC2), marijuana use
(DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2,
LSWMRJ2, SSPMRJ2, CPEMRJ2, AND EMMRJ2), and cocaine use (DEPCOC2,
ARGCOC2, ALNCOC2, ANXCOC2, HLTCOC2, NTKCOC2, UPSCOC2, LSWCOC2,
SSPCOC2, CPECOC2, AND EMCOC2) in the past year were used to
obtain counts of the problems attributed to each of the 4
substances respectively. Indicator variables were then created
for past year users of cigarettes, alcohol, marijuana, and
cocaine respectively, which indicated that any of the problems
experienced were attributed to the substance in question
(PRB1CIG, PRB1ALC, PRB1MRJ, and, PRB1COC) that two or more of the
problems indicated were attributed to the substance in question
(PRB2CIG, PRB2ALC, PRB2MRJ, and PRB2COC), and that three or more
of the problems indicated were attributed to the substance in
question (PRB3CIG, PRB3ALC, PRB3MRJ, and, PRB3COC). For a
discussion of the development of the variables indicating past
year problems associated with cigarettes, alcohol, marijuana, and
cocaine use in the past year respectively, refer to Drug Problems
- Answer Sheet #14 - Recoded.

```
LABEL     LEN   DESCRIPTION                                       FREQ      %

PRB1ALC    1    ALC USER WITH 1 OR MORE PROBS DUE TO ALC
                0 = No ............................................. 5045  54.49
                1 = Yes.............................................  937  10.12
                . = Did not use alcohol in the past year............... 3277  35.39

PRB1CIG    1    CIG USER WITH 1 OR MORE PROBS DUE TO CIG
                0 = No ............................................. 2594  28.02
                1 = Yes.............................................  401   4.33
                . = Did not use cigarettes in the past year............ 6264  67.65

PRB1COC    1    COC USER WITH 1 OR MORE PROBS DUE TO COC
                0 = No .............................................  352   3.80
                1 = Yes.............................................   88   0.95
                . = Did not use cocaine in the past year............... 8819  95.25
```

DRUG PROBLEMS - RECODED

LABEL	LEN	DESCRIPTION	FREQ	%

PRB1MRJ   1   MRJ USER WITH 1 OR MORE PROBS DUE TO MRJ
              0 = No 1009 10.90
              1 = Yes.. 221   2.39
              . = Did not use marijuana in the past year............. 8029 86.72

PRB2ALC   1   ALC USER WITH 2 OR MORE PROBS DUE TO ALC
              0 = No 5496 59.36
              1 = Yes.. 486   5.25
              . = Did not use alcohol in the past year............... 3277 35.39

PRB2CIG   1   CIG USER WITH 2 OR MORE PROBS DUE TO CIG
              0 = No 2830 30.56
              1 = Yes.. 165   1.78
              . = Did not use cigarettes in the past year............ 6264 67.65

PRB2COC   1   COC USER WITH 2 OR MORE PROBS DUE TO COC
              0 = No 378   4.08
              1 = Yes..   62   0.67
              . = Did not use cocaine in the past year............... 8819 95.25

PRB2MRJ   1   MRJ USER WITH 2 OR MORE PROBS DUE TO MRJ
              0 = No 1114 12.03
              1 = Yes.. 116   1.25
              . = Did not use marijuana in the past year............. 8029 86.72

PRB3ALC   1   ALC USER WITH 3 OR MORE PROBS DUE TO ALC
              0 = No 5690 61.45
              1 = Yes.. 292   3.15
              . = Did not use alcohol in the past year............... 3277 35.39

PRB3CIG   1   CIG USER WITH 3 OR MORE PROBS DUE TO CIG
              0 = No 2917 31.50
              1 = Yes..   78   0.84
              . = Did not use cigarettes in the past year............ 6264 67.65

PRB3COC   1   COC USER WITH 3 OR MORE PROBS DUE TO COC
              0 = No 395   4.27
              1 = Yes..   45   0.49
              . = Did not use cocaine in the past year............... 8819 95.25

PRB3MRJ   1   MRJ USER WITH 3 OR MORE PROBS DUE TO MRJ
              0 = No 1167 12.60
              1 = Yes..   63   0.68
              . = Did not use marijuana in the past year............. 8029 86.72

DRUGS -- ANSWER SHEET #11 -- LOGICALLY IMPUTED

The drugs answer sheet #11, which is included in Appendix G, contains 5 questions. These questions ask whether each of 5 symptoms of dependency had been experienced in the past year for any of 14 choices: 12 specific substances, no used substance, or did not use drugs listed. All applicable responses were to be indicated. This data was then coded to appear as 65 variables which indicate for each of the choices, with the exception of did not use drugs listed, whether each of the 5 specific problems had been experienced. Of these 65 variables, 20 were of current analytical interest. These 20 variables indicate whether each of the 5 symptoms or dependency had been experienced in the past year for alcohol, cigarettes, cocaine, and marijuana (CDALC, CDCIG, CDCOC, CDMJ, EFFALC, EFFCIG, EFFCOC, EFFMJ, UDAYALC, UDAYCIG, UDAYCOC, UDAYMJ, DEPALC, DEPCIG, DEPCOC, DEPMJ, WSALC, WSCIG, WSCOC, and WSMJ).

The data of current analytical interest was logically imputed as follows:

If no use of cigarettes, alcohol, or drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR, and ANLYR), then the responses did not use any drugs in the past 12 months (93) and did not use any drugs in the past 12 months - logically assigned (83) for the 20 variables of current analytical interest were logically revised to the legitimate skip code (IRCDALC, IRCDCIG, IRCDCOC, IRCDMJ, IRDPALC, IRDPCIG, IRDPCOC, IRDPMJ, IREFALC, IREFCIG, IREFCOC, IREFMJ, IRUDALC, IRUDCIG, IRUDCOC, IRUDMJ, IRWSALC, IRWSCIG, IRWSCOC, and IRWSMJ=99).

If use of cigarettes, alcohol, or other drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR, and ANLYR), then each of the 20 variables of current interest were examined. Positive and negative responses were left as is. The bad data logically assigned (85), did not use any drugs in the past 12 months (93), don't know (94), and blank data (98) responses were logically revised to the negative response: did not experience the symptom of dependency in question for any drug in the past year.

DRUGS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRCDALC	2	TRIED TO CUT DOWN ALC USE PST YR (L.I. CDALC)		
		1 = Yes...	1683	18.18
		2 = No	1346	14.54
		13 = Did not try to cut down on any drug in past year...	3484	37.63
		99 = LEGITIMATE SKIP....................................	2746	29.66
IRCDCIG	2	TRIED TO CUT DOWN CIG USE PST YR (L.I. CDCIG)		
		1 = Yes...	1954	21.10
		2 = No	1075	11.61
		13 = Did not try to cut down on any drug in past year...	3484	37.63
		99 = LEGITIMATE SKIP....................................	2746	29.66

DRUGS - LOGICALLY IMPUTED

```
                                                                FREQ      %


IRCDCOC   2   TRIED TO CUT DOWN COC USE PST YR (L.I. CDCOC)
              1 = Yes...............................................  166   1.79
              2 = No ..............................................  2863  30.92
              13 = Did not try to cut down on any drug in past year... 3484  37.63
              99 = LEGITIMATE SKIP .................................  2746  29.66

IRCDMJ    2   TRIED TO CUT DOWN MRJ USE PST YR (L.I. CDMJ)
              1 = Yes...............................................  425   4.59
              2 = No ..............................................  2604  28.12
              13 = Did not try to cut down on any drug in past year... 3484  37.63
              99 = LEGITIMATE SKIP.................................  2746  29.66

IREFALC   2   NEED MORE ALC SAME EFFECT PST YR (L.I. EFFALC)
              1 = Yes...............................................  555   5.99
              2 = No ..............................................   465   5.02
              13 = Did not need more of any drug used for same effect. 5493  59.33
              99 = LEGITIMATE SKIP.................................  2746  29.66

IREFCIG   2   NEED MORE CIG SAME EFFECT PST YR (L.I. EFFCIG)
              1 = Yes...............................................  506   5.46
              2 = No ..............................................   514   5.55
              13 = Did not need more of any drug used for same effect. 5493  59.33
              99 = LEGITIMATE SKIP.................................  2746  29.66

IREFCOC   2   NEED MORE COC SAME EFFECT PST YR (L.I. EFFCOC)
              1 = Yes...............................................   61   0.66
              2 = No ..............................................   959  10.36
              13 = Did not need more of any drug used for same effect. 5493  59.33
              99 = LEGITIMATE SKIP.................................  2746  29.66

IREFMJ    2   NEED MORE MRJ SAME EFFECT PST YR (L.I. EFFMJ)
              1 = Yes...............................................  118   1.27
              2 = No ..............................................   902   9.74
              13 = Did not need more of any drug used for same effect. 5493  59.33
              99 = LEGITIMATE SKIP.................................  2746  29.66

IRUDALC   2   USED ALC DAILY 2+ WEEKS PST YR (L.I. UDAYALC)
              1 = Yes...............................................  722   7.80
              2 = No ..............................................  1745  18.85
              13 = Did not use any drug daily in the past year.......  4046  43.70
              99 = LEGITIMATE SKIP.................................  2746  29.66

IRUDCIG   2   USED CIG DAILY 2+ WEEKS PST YR (L.I. UDAYCIG)
              1 = Yes............................................... 2024  21.86
              2 = No ..............................................   443   4.78
              13 = Did not use any drug daily in the past year........ 4046  43.70
              99 = LEGITIMATE SKIP.................................  2746  29.66
```

DRUGS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRUDCOC	2	USED COC DAILY 2+ WEEKS PST YR (L.I. UDAYCOC)		
		1 = Yes..	34	0.37
		2 = No	2433	26.28
		13 = Did not use any drug daily in the past year.......	4046	43.70
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRUDMJ	2	USED MRJ DAILY 2+ WEEKS PST YR (L.I. UDAYMJ)		
		1 = Yes..	199	2.15
		2 = No	2268	24.50
		13 = Did not use any drug daily in the past year.......	4046	43.70
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRDPALC	2	FELT DEPENDENT ON ALC PST YR (L.I. DEPALC)		
		1 = Yes..	367	3.96
		2 = No	1617	17.46
		13 = Did not feel like had to have any drug used past yr	4529	48.91
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRDPCIG	2	FELT DEPENDENT ON CIG PST YR (L.I. DEPCIG)		
		1 = Yes..	1703	18.39
		2 = No	281	3.03
		13 = Did not feel like had to have any drug used pst yr.	4529	48.91
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRDPCOC	2	FELT DEPENDENT ON COC PST YR (L.I. DEPCOC)		
		1 = Yes..	38	0.41
		2 = No	1946	21.02
		13 = Did not feel like had to have any drug used pst yr.	4529	48.91
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRDPMJ	2	FELT DEPENDENT ON MRJ PST YR (L.I. DEPMJ)		
		1 = Yes..	103	1.11
		2 = No	1881	20.32
		13 = Did not feel like had to have any drug used pst yr.	4529	48.91
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRWSALC	2	FELT SICK WHEN CUT DOWN ALC PST YR (L.I. WSALC)		
		1 = Yes..	177	1.91
		2 = No	737	7.96
		13 = Did not have withdrawal symptoms in the past year..	5599	60.47
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRWSCIG	2	FELT SICK WHEN CUT DOWN CIG PST YR (L.I. WSCIG)		
		1 = Yes..	752	8.12
		2 = No	162	1.75
		13 = Did not have withdrawal symptoms in the past year..	5599	60.47
		99 = LEGITIMATE SKIP...................................	2746	29.66

DRUGS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRWSCOC	2	FELT SICK WHEN CUT DOWN COC PST YR (L.I. WSCOC)		
		1 = Yes..	34	0.37
		2 = No	880	9.50
		13 = Did not have withdrawal symptoms in the past year..	5599	60.47
		99 = LEGITIMATE SKIP...................................	2746	29.66
IRWSMJ	2	FELT SICK WHEN CUT DOWN MRJ PST YR (L.I. WSMJ)		
		1 = Yes..	36	0.39
		2 = No	878	9.48
		13 = Did not have withdrawal symptoms in the past year..	5599	60.47
		99 = LEGITIMATE SKIP...................................	2746	29.66

    The logically imputed variables for drugs, answer sheet #11,
which indicate past year symptoms of dependency with alcohol
(IRCDALC, IRDPALC, IREFALC, IRUDALC, and IRWSALC), cigarettes
(IRCDCIG, IRDPCIG, IREFCIG, IRUDCIG, and IRWSCIG), cocaine
(IRCDCOC, IRDPCOC, IREFCOC, IRUDCOC, and IRWSCOC), and marijuana
(IRCDMJ, IRDPMJ, IREFMJ, IRUDMJ, and IRWSMJ) were used to obtain
counts of the symptoms of dependency associated with each of the
4 substances respectively. Indicator variables were then created
for alcohol, cigarettes, cocaine, and marijuana, respectively,
which indicated whether any of the symptoms of dependency had
been experienced for the substance in question (ALCPROBS,
CIGPROBS, COCPROBS, and MJPROBS). For a discussion of the
structure and logical imputation of the data for answer sheet
#11, refer to Drugs - Answer Sheet #11 - Logically Imputed.

DRUGS - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
ALCPROBS	1	ANY PROBS DUE TO ALCOHOL		
		0 = No	7167	77.41
		1 = Yes..	2092	22.59
CIGPROBS	1	ANY PROBS DUE TO CIGARETTES		
		0 = No	6881	74.32
		1 = Yes..	2378	25.68
COCPROBS	1	ANY PROBS DUE TO COCAINE		
		0 = No	9069	97.95
		1 = Yes..	190	2.05
MJPROBS	1	ANY PROBS DUE TO MARIJUANA		
		0 = No	8742	94.42
		1 = Yes..	517	5.58

          DRINKING -- ANSWER SHEET #13 -- LOGICALLY IMPUTED

    The drinking experience answer sheet #13, which is included in
Appendix G, is structured with a lead-in question, and 18
subquestions. The lead-in question (NOBOOZYR) asks if beer,
wine, or liquor had been used in the past year. The 18
subquestions (ALCAGGR, ALCARGUM, ALCABSNT, ALCHIGH, ALCJOB,
ALCMATCD, ALCRELCD, ALCFRDCD, ALCTOSS, ALCHOLIC, ALCDRUNK,
ALCINTOX, ALCREM, ALCQUICK, ALCMORN, ALCSHOOK, ALCALONE, and
ALCBRKPM) ask whether each of 18 negative experiences associated
with drinking had been experienced in the past year.

    The above data was logically imputed as follows:

    If no use of alcohol was indicated by the past year alcohol
use variable (ALCYR=0) then the lead-in question was logically
revised to indicate that no alcohol had been used in the past
year (IRNOBOOZ=1). Subsequently, the 18 subquestions where
logically revised to the legitimate skip code (IRALCABS,
IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD,
IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR,
IRALCQUI, IRALCREL, IRALCREM, IRALCSHO, and IRALCTOS=99).

    If use of alcohol was indicated by the past year alcohol use
variable (ALCYR=1), then the lead-in question was logically
revised to indicate that alcohol had been used in the past year
(IRNOBOOZ=2). Subsequently, each subquestion was examined.
Positive and negative responses where left as is. The don't know
(94) and blank (98) responses were logically revised to the
negative response.

          DRINKING - LOGICALLY IMPUTED

LABEL   LEN DESCRIPTION   FREQ   %

IRNOBOOZ 1   NO USE OF BEER/WINE/LIQUOR PST YR (L.I. NOBOOZYR)
              1 = No use of alcohol in the past year................. 3277 35.39
              2 = Used alcohol in the past year...................... 5982 64.61

IRALCABS 2   ABSNT WRK/SCH FROM HANGOVER PST YR (L.I. ALCABSNT)
              1 = Yes.. 331   3.57
              2 = No 5651 61.03
              99 = LEGITIMATE SKIP (IRNOBOOZ = 1).................... 3277 35.39

IRALCAGG 2   FELT AGGRESSIVE WHILE DRNKNG PST YR (L.I. ALCAGGR)
              1 = Yes.. 988 10.67
              2 = No 4994 53.94
              99 = LEGITIMATE SKIP (IRNOBOOZ = 1).................... 3277 35.39

IRALCALO 2   GOT DRUNK WHLE DRNKNG ALONE PST YR (L.I. ALCALONE)
              1 = Yes.. 830   8.96
              2 = No 5152 55.64
              99 = LEGITIMATE SKIP (IRNOBOOZ = 1).................... 3277 35.39

DRNKING - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRALCARG	2	HEATED ARGUMNTS WHLE DRNKNG PST YR (L.I. ALCARGUM)		
		1 = Yes...	654	7.06
		2 = No	5328	57.54
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCBRK	2	KPT DRNKNG AFT PROMISNG STP PST YR (L.I. ALCBRKPM)		
		1 = Yes...	427	4.61
		2 = No	5555	60.00
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCDRU	2	STAYD DRUNK >1DAY AT A TIME PST YR (L.I. ALCDRUNK)		
		1 = Yes...	231	2.49
		2 = No	5751	62.11
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCFRD	2	FRNDS SAID CUT DOWN DRINKNG PST YR (L.I. ALCFRDCD)		
		1 = Yes...	296	3.20
		2 = No	5686	61.41
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCHIG	2	HIGH/LITTLE DRUNK AT WRK/SCH PST YR (L.I. ALCHIGH)		
		1 = Yes...	358	3.87
		2 = No	5624	60.74
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCHOL	2	AFRAID MGHT BE/BECME ALCHLC PST YR (L.I. ALCHOLIC)		
		1 = Yes...	567	6.12
		2 = No	5415	58.48
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCINT	2	NOT STP DRNKNG TILL INTXCTD PST YR (L.I. ALCINTOX)		
		1 = Yes...	403	4.35
		2 = No	5579	60.25
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCJOB	2	LOST/NRLY LOST JOB FRM DRNKNG PST YR (L.I. ALCJOB)		
		1 = Yes...	58	0.63
		2 = No	5924	63.98
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCMAT	2	SPOUS/DATE SAY CUT DWN DRNK PST YR (L.I. ALCMATCD)		
		1 = Yes...	572	6.18
		2 = No	5410	58.43
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCMOR	2	OFTEN DRINK 1ST THNG MORNING PST YR (L.I. ALCMORN)		
		1 = Yes...	112	1.21
		2 = No	5870	63.40
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39

DRINKING - LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRALCQUI	2	QUICK DRINKS NO ONE LOOKING PST YR (L.I. ALCQUICK)		
		1 = Yes..	355	3.83
		2 = No	5627	60.77
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCREL	2	RELATIVE SAY CUT DWN DRNKNG PST YR (L.I. ALCRELCD)		
		1 = Yes..	424	4.58
		2 = No	5558	60.03
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCREM	2	NOT REMEMBR THNGS WHLE DRNKNG PST YR (L.I. ALCREM)		
		1 = Yes..	879	9.49
		2 = No	5103	55.11
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCSHO	2	HNDS SHK AFT DRNK DAY BEFOR PST YR (L.I. ALCSHOOK)		
		1 = Yes..	223	2.41
		2 = No	5759	62.20
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39
IRALCTOS	2	DRNK FAST FOR QUICKER EFFECT PST YR (L.I. ALCTOSS)		
		1 = Yes..	859	9.28
		2 = No	5123	55.33
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)....................	3277	35.39

   The logically revised subquestions (IRALCABS, IRALCAGG,
IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG,
IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI,
IRALCREL, IRALCREM, IRALCSHO, and IRALCTOS) for drinking
experiences, answer sheet #13, were used to obtain a count of the
number of problems associated with drinking. Indicator variables
were then created which indicated whether any of the 18 problems
(ANYALC), and three or more of the 18 problems (THREALC) had been
experienced. For a discussion of the structure and logical
imputation of the data for answer sheet #13, refer to Drinking -
Answer Sheet #13 - Logically Imputed.

LABEL	LEN	DESCRIPTION	FREQ	%
ANYALC	1	ANY PROBS W/ALCOHOL PAST YR		
		0 = No	6948	75.04
		1 = Yes..	2311	24.96
THREALC	1	GE 3 PROBS W/ALCOHOL PAST YR		
		0 = No	8060	87.05
		1 = Yes..	1199	12.95

RECODED DRUG USE VARIABLES

The following variables were created from the recoded drug use
variables. The values of the source variables which define the
yes response are given, and all other combinations of the source
variables define the no response.

```
LABEL     LEN   DESCRIPTION                                           FREQ     %

ALCONLYL   1    ONLY ALCOHOL - EVER USED
                0 = No............................................... 5611  60.60
                1 = Yes (ALCFLAG=1 AND SUMFLAG=0)..................... 3648  39.40

ALCONLYY   1    ONLY ALCOHOL - PAST YEAR USE
                0 = No............................................... 4761  51.42
                1 = Yes (ALCYR=1 AND SUMYR=0)........................ 4498  48.58

ALCONLYM   1    ONLY ALCOHOL - PAST MONTH USE
                0 = No............................................... 5432  58.67
                1 = Yes (ALCMON=1 AND SUMMON=0)...................... 3827  41.33

ILLONLYL   1    ONLY ILLICIT DRUGS - EVER USED
                0 = No............................................... 9141  98.73
                1 = Yes (SUMFLAG=1 AND ALCFLAG=0).....................  118   1.27

ILLONLYY   1    ONLY ILLICIT DRUGS - PAST YEAR USE
                0 = No............................................... 9142  98.74
                1 = Yes (SUMYR=1 AND ALCYR=0)........................  117   1.26

ILLONLYM   1    ONLY ILLICIT DRUGS - PAST MONTH USE
                0 = No............................................... 9134  98.65
                1 = Yes (SUMMON=1 AND ALCMON=0)......................  125   1.35

MRJONLYL   1    ONLY MARIJUANA - EVER USED
                0 = No............................................... 9230  99.69
                1 = Yes (MJOFLAG=1 AND ALCFLAG=0).....................   29   0.31

MRJONLYY   1    ONLY MARIJUANA - PAST YEAR USE
                0 = No............................................... 9219  99.57
                1 = Yes (MJOYR2=1 AND ALCYR=0).......................   40   0.43

MRJONLYM   1    ONLY MARIJUANA - PAST MONTH USE
                0 = No .............................................. 9205  99.42
                1 = Yes (MJOMON2=1 AND ALCMON=0).....................   54   0.58
```

RECODED DRUG USE VARIABLES

LABEL   LEN DESCRIPTION   FREQ   %

The following variable, PSYONLYL, was created by examination of PSYFLAG2, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, HERFLAG and ALCFLAG.

PSYONLYL 1   ONLY PSYCHOTHERAPEUTICS - EVER USED
               0 = No 9208 99.45
               1 = Yes (PSYFLAG2=1 & ALL OTHER SOURCE VARS=0).........   51   0.55

The following variable, PSYONLYY, was created by examination of PSYYR2, MRJYR,
COCYR, INHYR, HALYR, HERYR, and ALCYR.

PSYONLYY 1   ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE
               0 = No 9210 99.47
               1 = Yes (PSYYR2=1 & ALL OTHER SOURCE VARS=0)...........   49   0.53

The following variable, PSYONLYM, was created by examination of PSYMON2, MRJMON,
COCMON, INHMON, HALMON, HERMON, and ALCMON.

PSYONLYM 1   ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE
               0 = No 9218 99.56
               1 = Yes (PSYMON2=1 & ALL OTHER SOURCE VARS=0)..........   41   0.44

The following variable, OTHONLYL, was created by examination of ALCFLAG, MRJONLYL,
PSYONLYL, PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, and HERFLAG.

OTHONLYL 1   ONLY OTHER DRUGS AND DRUG COMB. - EVER USED
               0 = No 9221 99.59
               1 = Yes (1ST 3 SRCE VAR=0 & ANY OTHR SRCE VAR=1)........   38   0.41

The following variable, OTHONLYY, was created by examination of ALCYR, MRJONLYY,
PSYONLYY, PSYYR2, MRJYR, COCYR, INHYR, HALYR, and HERYR.

OTHONLYY 1   ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE
               0 = No 9231 99.70
               1 = Yes (1ST 3 SRCE VAR=0 & ANY OTHR SRCE VAR=1)........   28   0.30

The following variable, OTHONLYM, was created by examination of ALCMON, MRJONLYM,
PSYONLYM, PSYMON2, MRJMON, COCMON, INHMON, HALMON, and HERMON.

OTHONLYM 1   ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE
               0 = No 9229 99.68
               1 = Yes (1ST 3 SRCE VAR=0 & ANY OTHR SRCE VAR=1)........   30   0.32

RECODED DRUG USE VARIABLES

```
LABEL    LEN  DESCRIPTION                                        FREQ     %

ALCILLL   1   ALCOHOL & ILLICIT DRUGS - EVER USED
              0 = No ....................................... 5718  61.76
              1 = Yes (ALCFLAG=1 AND SUMFLAG=1)............. 3541  38.24

ALCILLY   1   ALCOHOL & ILLICIT DRUGS - PAST YEAR USE
              0 = No ....................................... 7775  83.97
              1 = Yes (ALCYR=1 AND SUMYR=1)................. 1484  16.03

ALCILLM   1   ALCOHOL & ILLICIT DRUGS - PAST MONTH USE
              0 = No ....................................... 8583  92.70
              1 = Yes (ALCMON=1 AND SUMMON=1)..............  676   7.30
```

The following variable, ALCMRJL, was created by examination of ALCFLAG, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, HERFLAG, and PSYFLAG2.

```
ALCMRJL   1   ALCOHOL & MARIJUANA - EVER USED
              0 = No ....................................... 7756  83.77
              1 = Yes (ALCFLAG,MRJFLAG=1&ALLOTHRSRCE VAR=0). 1503  16.23
```

The following variable, ALCMRJY, was created by examination of ALCYR, MRJYR, COCYR,
INHYR, HALYR, HERYR, and PSYYR2.

```
ALCMRJY   1   ALCOHOL & MARIJUANA - PAST YEAR USE
              0 = No ....................................... 8611  93.00
              1 = Yes (ALCYR AND MRJYR=1&ALLOTHRSRCE VAR=0).  648   7.00
```

The following variable, ALCMRJM, was created by examination of ALCMON, MRJMON,
COCMON, INHMON, HALMON, HERMON, and PSYMON2.

```
ALCMRJM   1   ALCOHOL & MARIJUANA - PAST MONTH USE
              0 = No ....................................... 8876  95.86
              1 = Yes (ALCMON & MRJMON=1&ALLOTHRSRCEVAR=0).   383   4.14
```

The following variable, ALCPSYL, was created by examination of ALCFLAG, PSYFLAG2,
COCFLAG, INHFLAG, HALFLAG, HERFLAG, and MRJFLAG.

```
ALCPSYL   1   ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED
              0 = No ....................................... 9077  98.03
              1 = Yes (ALCFLAG,PSYFLAG2=1&ALLOTHRSRCEVAR=0).  182   1.97
```

The following variable, ALCPSYY, was created by examination of ALCYR, PSYYR2,
COCYR, INHYR, HALYR, HERYR, and MRJYR.

```
ALCPSYY   1   ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE
              0 = No ....................................... 9109  98.38
              1 = Yes (ALCYR & PSYYR2=1&ALLOTHRSRCE VAR=0).   150   1.62
```

                       RECODED DRUG USE VARIABLES

LABEL   LEN DESCRIPTION   FREQ   %

The following variable, ALCPSYM, was created by examination of ALCMON, PSYMON2,

COCMON, INHMON, HALMON, HERMON, and MRJMON .

ALCPSYM 1   ALCOHOL & PSYCHOTHERAPEUTICS - PAST MONTH USE
              0 = No 9211 99.48
              1 = Yes (ALCMON&PSYMON2=1&ALLOTHRSRCEVAR=0)............   48   0.52

The following variable, ALCOTHL, was created by examination of ALCFLAG, ALCMRJL,
ALCPSYL, COCFLAG, INHFLAG, HALFLAG, HERFLAG, MRJFLAG, and PSYFLAG2.

ALCOTHL 1   ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED
              0 = No 7403 79.95
              1 = Yes (ALCFLAG=1&NEXT 2VAR=0&ANYOTHRVAR=1)........... 1856 20.05

The following variable, ALCOTHY, was created by examination of ALCYR, ALCMRJY,
ALCPSYY, COCYR, INHYR, HALYR, HERYR, MRJYR, and PSYYR2.

ALCOTHY 1   ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE
              0 = No 8573 92.59
              1 = Yes (ALCYR=1 & NEXT 2VAR=0 & ANY OTHR VAR=1)........ 686   7.41

The following variable, ALCOTHM, was created by examination of ALCMON, ALCMRJM,
ALCPSYM, COCMON, INHMON, HALMON, HERMON, MRJMON, and PSYMON2.

ALCOTHM 1   ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE
              0 = No 9014 97.35
              1 = Yes (ALCMON=1&NEXT 2VAR=0&ANY OTHR VAR=1)........... 245   2.65

The following variable, SUB1LIF, was created by examination of PSYFLAG2, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

SUB1LIF 1   USED ONLY 1 SUBSTANCE - EVER
              0 = No 5509 59.50
              1 = Yes (ONLY ONE OF THE SOURCE VARS=1)................ 3750 40.50

The following variable, SUB1YR, was created by examination of PSYYR2, MRJYR, COCYR,
INHYR, HALYR, HERYR, AND ALCYR.

SUB1YR   1   USED ONLY 1 SUBSTANCE - PAST YEAR
              0 = No 4659 50.32
              1 = Yes (ONLY ONE OF THE SOURCE VARS=1)................ 4600 49.68

                      RECODED DRUG USE VARIABLES

LABEL   LEN DESCRIPTION   FREQ   %

The following variable, SUB1MON, was created by examination of PSYMON2, MRJMON,
COCMON, INHMON, HALMON, HERMON, and ALCMON.

SUB1MON   1   USED ONLY 1 SUBSTANCE - PAST MONTH
              0 = No 5317 57.43
              1 = Yes (ONLY ONE OF THE SOURCE VARS=1)................ 3942 42.57

The following variable, SUB2LIF, was created by examination of PSYFLAG2, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

SUB2LIF   1   USED ONLY 2 SUBSTANCES - EVER
              0 = No 7474 80.72
              1 = Yes (ONLY TWO OF THE SOURCE VARS=1)................ 1785 19.28

The following variable, SUB2YR, was created by examination of PSYYR2, MRJYR, COCYR,
INHYR, HALYR, HERYR, AND ALCYR.

SUB2YR   1   USED ONLY 2 SUBSTANCES - PAST YEAR
              0 = No 8336 90.03
              1 = Yes (ONLY TWO OF THE SOURCE VARS=1)................ 923   9.97

The following variable, SUB2MON, was created by examination of PSYMON2, MRJMON,
COCMON, INHMON, HALMON, HERMON, and ALCMON.

SUB2MON   1   USED ONLY 2 SUBSTANCES - PAST MONTH
              0 = No 8758 94.59
              1 = Yes (ONLY TWO OF THE SOURCE VARS=1)................ 501   5.41

The following variable, SUB3LIF, was created by examination of PSYFLAG2, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

SUB3LIF   1   USED 3 OR MORE SUBSTANCES - EVER
              0 = No 7487 80.86
              1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)........... 1772 19.14

The following variable, SUB3YR, was created by examination of PSYYR2, MRJYR, COCYR,
INHYR, HALYR, HERYR, and ALCYR.

SUB3YR   1   USED 3 OR MORE SUBSTANCES - PAST YEAR
              0 = No 8683 93.78
              1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)........... 576   6.22

RECODED DRUG USE VARIABLES

LABEL   LEN   DESCRIPTION   FREQ   %

The following variable, SUB3MON, was created by examination of PSYMON2, MRJMON,
COCMON, INHMON, HALMON, HERMON, and ALCMON.

SUB3MON   1   USED 3 OR MORE SUBSTANCES - PAST MONTH
                0 = No 9074 98.00
                1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)........... 185   2.00