



SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Household Survey on Drug Abuse, 1991

*United States Department of Health and
Human Services. National Institutes of
Health. National Institute on Drug Abuse*

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1991

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Rockwall II Building, Suite 615
Rockville, Maryland 20857

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the Research Triangle Institute, Research Triangle Park, North Carolina, under contract No. 271-90-5401.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

TABLE OF CONTENTS

	Page
LIST OF TABLES	7
INTRODUCTION	9
Overview of the NHSDA	9
Strengths and Limitations of the NHSDA	10
SURVEY METHODOLOGY	11
Overview of the NHSDA Survey Methodology	11
Sample Design	12
Selection of Primary Sampling Units	12
Selection of the Second-Stage Sample	14
Selection of the Third-Stage Sample	15
Within-Dwelling Sampling	15
Weighting Procedures	15
Data Collection	17
Variance Estimation	18
IMPUTATIONS	26
Logical Imputations	26
Statistical Imputation	28
CONTENTS AND ORGANIZATION OF THE 1991 NHSDA PUBLIC USE FILE	29
Data File Description	29
Variable Naming Conventions	31
Standard Code Conventions	31
Contact Person	32
IDENTIFICATION	49
CIGARETTES & SMOKELESS TOBACCO	50
ALCOHOL -- ANSWER SHEET #1	54
SEDATIVES -- ANSWER SHEET #2	59
TRANQUILIZERS -- ANSWER SHEET #3	66
STIMULANTS -- ANSWER SHEET #4	72
ANALGESICS -- ANSWER SHEET #5	81
MARIJUANA AND HASHISH -- ANSWER SHEET #6	88
INHALANTS -- ANSWER SHEET #7	93
COCAINE -- ANSWER SHEET #8	106
HALLUCINOGENS -- ANSWER SHEET #9	113
HEROIN -- ANSWER SHEET #10	120
DRUGS -- ANSWER SHEET #11	123
SPECIAL TOPICS -- ANSWER SHEET #12	154
DRINKING EXPERIENCES -- ANSWER SHEET #13	167
DRUG PROBLEMS -- ANSWER SHEET #14	174
TREATMENT -- ANSWER SHEET # 15	200
RISK -- ANSWER SHEET # 16	204
HEALTH CONDITIONS	209

DEMOGRAPHICS	213
INTERVIEW INFORMATION	247
GEOGRAPHIC	252
IMPUTED DEMOGRAPHICS	257
IMPUTED DRUG USE	268
RECODED DEMOGRAPHICS	278
RECODED DRUG USE	283
DESIGN AND ESTIMATION VARIABLES	301
MAIN FINDINGS 1991	303
GENERAL VARIABLES (RECODED)	305
DRUG PROBLEMS--ANSWER SHEET #14--LOGICALLY IMPUTED	312
DRUG PROBLEMS--ANSWER SHEET #14--RECODED	335
DRUGS--ANSWER SHEET #11 --LOGICALLY IMPUTED	343
DRINKING--ANSWER SHEET #13--LOGICALLY IMPUTED	349
RECODED DRUG USE VARIABLES	353
UNEDITED RECENCIES	360
ALPHA INDEX OF LABELS	369
INDEX OF LABELS	395

APPENDICES

APPENDIX A - CENSUS REGION/DIVISION/STATE TABLE	hard copy
APPENDIX B - OCCUPATION CODES	hard copy
APPENDIX C - INDUSTRY CODES	hard copy
APPENDIX D - DRUG CODES FOR OPEN-ENDED QUESTIONS	hard copy
APPENDIX E - SUDAAN EXAMPLE PROGRAM AND OUTPUT	hard copy
APPENDIX F - DATA COLLECTION INSTRUMENTS	hard copy

LIST OF TABLES

Table		Page
Table 1	Optimal Allocation of Segments Over Strata	35
Table 2	Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1991 NHSDA	36
Table 3	Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1991 NHSDA	38
Table 4	Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1991 NHSDA	40
Table 5	Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1991 NHSDA	43
Table 6	Generalized Standard Efforts for Estimated Percentages of Licit Drug Use Estimates: 1991 NHSDA	46

INTRODUCTION AND DESCRIPTION OF THE 1991 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

INTRODUCTION

This codebook provides documentation for the 1991 National Household Survey on Drug Abuse (NHSDA) public use file. This codebook provides variable names and characteristics, interview instrumentation source, and value codes and their meanings. Most of the variables originate as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, identification, sampling, and data collection variables are included on the file and documented in this codebook.

OVERVIEW OF THE NHSDA

The 1991 NHSDA is the eleventh in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, and 1991.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985 blacks and Hispanics and youth aged 12-17 have been oversampled to increase the reliability of estimates of drug use among these important groups. In 1982, considerable attention was devoted to medical as well as nonmedical use of stimulants, sedatives, tranquilizers, and analgesics. Since the 1985 survey, additional questions about cigarettes and other tobacco products, such as smokeless tobacco, have been included, as were questions about the ways cocaine is used. Since 1988, additional information has also been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. In addition, Alaska and Hawaii were added to the sampled population, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people and residents of single rooms in hotels). In addition, six special-interest metropolitan

statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded.

A description of the 1991 survey, including more detailed information on sampling issues, is found in three other volumes from the study.

- . NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: HIGHLIGHTS 1991. This report summarizes the most important information developed in the study and is essentially an overview of the more detailed Main Findings report discussed below (DHHS Publication No. (SMA) 93-1979).
- . NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: MAIN FINDINGS 1991. This report provides additional information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 93-1980).
- . NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: POPULATION ESTIMATES 1991, REVISED. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (ADM) 92-1887).

STRENGTHS AND LIMITATIONS OF THE NHSDA

The NHSDA is the only study that produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and

were not followed for additional interviews. The surveys therefore provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates of rarely used drugs such as heroin.

SURVEY METHODOLOGY

OVERVIEW OF THE NHSDA SURVEY METHODOLOGY

The respondent universe for the 1991 NHSDA was the civilian, noninstitutionalized population aged 12 years old and older within the United States, including residents of noninstitutionalized group quarters (e.g., shelters, rooming houses, dormitories) as well as residents of civilian housing on military bases. Persons excluded from the universe include those with no fixed address, residents of institutional quarters (such as jails and hospitals), and active military personnel. The sample design used to survey this population was a multistage area probability sample. The 1991 sample design used a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes would be achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for these subgroups. To reduce survey costs, the design sampled Hispanics at higher rates in geographic areas where they were most concentrated. In addition, the 1991 NHSDA oversampled six Metropolitan Statistical Areas (MSAs): Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC. They were oversampled in such a way to allow separate estimation for their "low-socioeconomic status (low-SES) urbanized" areas versus the remainder of the MSA.

The basic sample design involved several selection stages: (a) the selection of primary areas (e.g., counties), (b) the selection of subareas (blocks or enumeration districts) within these primary areas, (c) the selection of listing units (housing units or civilian, noninstitutionalized group quarters' units) within these subareas, (d) the selection of age group domains within sampled listing units, and (e) the selection of individuals within the selected age groups. Details of these sampling procedures are provided in the following sections.

SAMPLE DESIGN

During the first stage of sample selection of the 1991 NHSDA, 125 PSUs were selected to ensure that the Nation's total population was represented and that areas with high concentrations of Hispanics were included. These PSUs were defined in terms of Standard Metropolitan Statistical Areas (SMSAs), counties, groups of counties and independent cities, or parts of counties. The 1991 NHSDA used the same sample PSUs as were used in the 1990 survey.

The second-stage sample for the 1991 survey involved selection of 3,509 total area segments within the sample PSUs. These area segments were defined using aggregation of blocks and enumeration districts that had at least 75 occupied dwelling units according to the 1980 Census.

In the third stage, approximately 75,000 dwelling unit listings were selected from within these segments. The dwelling units were classified as to race/ethnicity and age composition.

Generally, one age group was selected per dwelling. To reduce the number of required screenings, however, up to two age group selections were possible. Finally, one individual was selected from each sampled age group.

SELECTION OF PRIMARY SAMPLING UNITS

For the 1991 NHSDA, a two-stage sampling frame was constructed that partitioned the entire land area of the United States into nonoverlapping Primary Sampling Units (PSUs) using 1980 Census definitions. Within each of the PSUs, Census blocks were grouped by combining adjacent blocks to create nonoverlapping area segments that contained at least 75 occupied dwellings. A total of 125 PSUs were selected from this frame. Of these, 45 PSUs with relatively high concentrations of Hispanics were selected with certainty, and 80 PSUs were selected from the remainder of the Nation with probability proportional to size with minimum replacement.

Because of the desire to oversample Hispanics, Standard Metropolitan Statistical Areas (SMSAs) with high percentages of the Hispanic population in 1980 were identified. A total of 45 PSUs were then constructed from among such SMSAs (or adjoining SMSAs) that were large enough to result in a suitable sample size for field purposes. The segments that formed the 45 Certainty PSUs were partitioned into three strata:

- . Stratum 1: High-Concentration Hispanic Area Segments. These segments had 50% or more Hispanic dwellings in 1980.

- . Stratum 2: Moderate-Concentration Hispanic Area Segments. These segments had between 10% and 50% Hispanic dwellings in 1980.
- . Stratum 3: Low-Concentration Hispanic Area Segments. These segments had less than 10% Hispanic dwellings in 1980.

A fourth stratum was created for the residual (noncertainty) portion of the United States that was defined as:

- . Stratum 4: Outside the 45 Certainty PSUs.

It was from this last stratum that the remaining 80 PSUs were selected. This selection process was performed with probability proportional to a composite size measure. The composite size measure was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 80 PSUs with probabilities proportional to their composite size measure.

The 45 certainty PSUs contain approximately 78% of the Hispanic population in the United States. They also contain approximately 54% of the non-Hispanic blacks and 41% of the non-Hispanic nonblacks in the United States. The segments of Stratum 1 have 71.7% Hispanic dwellings on average and contain 28.6% of the Nation's Hispanic population. The segments of Stratum 2 have 21.6% Hispanic dwelling units and contain 32.5% of the Nation's Hispanic population.

An optimal allocation procedure was used to allocate the sample to the four strata listed above. The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata-in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic nonblack dwellings would be identified so that these interviews could be proportionally allocated to strata.

The basic design for the 1991 NHSDA changed as the result of a decision to oversample six MSAs--Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC--in such a way that separate estimation was possible for their "low-SES urbanized" areas versus the remainder of the MSA. The "low-SES urbanized" areas were defined as the lowest third of the urbanized area dwellings in terms of SES. Urbanized areas are areas (having a total population of at least 50,000) designed by the Bureau of the Census to include the densely settled area around a large place. SES was defined based on housing value and rent. Low SES was assigned to segments that ranked in the lowest

third of segments by median housing value and median rent.

For sample selection purposes, segments from these six MSAs were removed from the frame for Strata 1 to 3 and stratified as follows:

- . Stratum 5: Chicago low-SES urbanized area segments.
- . Stratum 6: Remainder of the Chicago MSA.
- . Stratum 7: Denver low-SES urbanized area segments.
- . Stratum 8: Remainder of the Denver MSA.
- . Stratum 9: Washington, DC, low-SES urbanized area segments.
- . Stratum 10: Remainder of the Washington, DC, MSA.
- . Stratum 11: Los Angeles low-SES urbanized area segments.
- . Stratum 12: Remainder of the Los Angeles MSA.
- . Stratum 13: Miami low-SES urbanized area segments.
- . Stratum 14: Remainder of the Miami MSA.
- . Stratum 15: New York low-SES urbanized area segments.
- . Stratum 16: Remainder of the New York MSA.

SELECTION OF THE SECOND-STAGE SAMPLE

As noted, area segments within each PSU were defined using aggregated blocks or enumeration districts that had at least 75 occupied dwellings according to the 1980 Census. The sample segment size allocations are given in Table 1 for each stratum. These allocations were the result of an optimal allocation assuming nine completed interviews per segment.

The area segments from each metropolitan stratum were selected using Chromy's (1979) sequential selection procedure with probabilities proportional to their composite size measure. A variable number of segments was selected from each metropolitan PSU based on the PSU's composite size measure. From each of the selected nonmetropolitan PSUs (Stratum 4), Chromy's sequential selection procedure was again used to select 13 area segments with probabilities proportional to their composite size measure. For the six MSA strata, the segments were selected using Chromy's sequential selection procedure with probabilities proportional to their size measure. This size measure was a composite size measure for Los

Angeles and New York, and was the 1980 count of occupied dwelling units for the remaining four special-interest MSAs.

SELECTION OF THE THIRD-STAGE SAMPLE

Based on the projected number of dwelling screenings required to yield the desired number of Hispanic and non-Hispanic black age-domain interviews assuming a 94% screening completion rate and an 89% listing eligibility rate, a total of 86,857 sample dwellings or listing units were selected for screening. Screenings were completed for 75,335 dwellings. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; or (c) not a dwelling unit.

For the 1991 NHSDA, the numbers of sample dwellings allocated to area segments were adjusted to account for population changes since 1980. These allocation adjustments were designed to reduce the unequal weighting effect noted in the 1988 NHSDA that was due to segment-specific growth (or decline) in occupied dwelling units since the 1980 Census.

The selection of individual listings was performed using systematic sampling. The sampled listings were then sent to the field for screening. Having first determined that a listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents aged 12 and older with their age and race/ethnicity. This roster formed the basis for subsequent selection activities.

WITHIN-DWELLING SAMPLING

For the third-stage sample, the interviewers screened each selected dwelling. Following screening, the dwelling was classified by race/ethnicity based on the head of the dwelling. The interviewers next determined the age group composition of the dwelling in terms of presence versus absence of four age domains (12-to 17-year-olds, 18-to 25-year-olds, 26-to 34-year-olds, and 35 years and older). Interviewers were provided a mechanism for selecting none, one, or two age group domains and, subsequently, one sampled person from each selected domain. The age group selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. The probabilities of selecting the person within the age group were based on the number of persons found in the age group.

WEIGHTING PROCEDURES

At the conclusion of data collection, sample weights were constructed that reflect the five stages of sampling described above.

Specifically, the person-level sampling weight is the product of the five stagewise sampling weights, each of which is equal to the inverse of the selection probability for that stage.

Six adjustments were made to the sampling weights at various stages of selection. Regression-based methods were used to compensate for nonresponse and sampling error. For nonresponse adjustments, logistic regression was used to model the response probability. For sampling error adjustments, an exponential regression was used to model the ratio of the observed sample selection frequencies divided by the specified selection probabilities. Other adjustments included trimming the sample weights to reduce excessive weight variation and a poststratification to Census population estimates.

The first adjustment trimmed sample dwelling weights by a process of truncating and smoothing. Sample dwellings were assigned initial sample weights as the inverse of their selection probability. After examining the distribution of these weights within each stratum, upper limits were established for specified strata that had very large weights with respect to the majority of weights. The weights were then truncated and smoothed.

The second adjustment was to compensate for dwelling nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. Sample weights were adjusted for nonresponse using a logistic adjustment. This procedure uses logistic regression to model the expected value of a zero-one response indicator given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). In this generalization, the weight sums of each regression variable are forced to reproduce the corresponding unadjusted weight sums over respondents and nonrespondents (Folsom, 1991). Separate models were fit to sample dwellings from different geographically or demographically defined areas related to design strata. Final models were determined by screening variables in a backward elimination process. The potential predictor variables were based on 1980 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, median rent, region, and metropolitan status. Both categorical and continuous variables were created from which main effects and interactions were defined. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

The third adjustment was performed on person-level weights. The distributions for these weights were examined within classes defined by strata, race/ethnicity, and age group to determine if there was a

need for truncation of very large weights. When there appeared to be a need for truncation, an upper limit was established for that class. The weights were then truncated and smoothed.

The fourth adjustment ranked the person weights to demographic estimates based on the full sample of rostered persons from sampled dwellings. This adjustment was done to account for sampling error associated with subsampling persons within responding dwellings. The adjustment was based on an exponential regression model. This exponential regression modeled the ratio of observed selection frequencies and planned selection probabilities given a vector of person and dwelling unit characteristics. The dependent variable in the exponential model was a zero-one variable indicating sampled person(s) divided by the specified person selection probability. Because survey estimates on age, race/ethnicity, and sex were of primary interest, all of the main effects and interactions involving these variables were forced into the models during the backward elimination process. The inverse of the predicted sampling error from the final model was the adjustment factor.

The fifth adjustment compensated for nonresponse defined by an incomplete interview of a sampled person. Again, a logistic adjustment was performed where the response indicator was modeled on the same set of potential variables used in the roster adjustment.

The final adjustment was a poststratification to Bureau of the Census projections of the civilian, noninstitutional population classified by age, sex, race, and Hispanic origin. Linear interpolation was used to compute population projections for the midpoint of data collection, which was March 12, 1991. The interpolation was based on Bureau of the Census projections for March 1 and April 1, 1991. Because counts were not available for the full cross-classification of age, sex, race, and Hispanic origin, the sample weight sums were separately raked to the one-way distributions of race and Hispanic origin within eight age-by-sex poststrata. The result of this process was a poststratification adjustment to each person-level weight.

DATA COLLECTION

The fieldwork for the 1991 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). They were assisted by 34 field supervisors, each of whom supervised 13 to 27 interviewers. During the course of the fieldwork, 671 persons were trained as interviewers; approximately 31% were members of a minority group, 13% were bilingual, and 24% were males. A total of 32,594 completed interviews was obtained between January 7, 1991 and June 30, 1991. A completed interview had to contain, at a minimum, data on the use of marijuana, cocaine, alcohol, and cigarettes in the respondent's lifetime.

Strategies for ensuring high rates of participation resulted in an interview response rate of 84.2%. Of the 32,594 completed interviews, 24,678 were with whites and other (i.e., non-Hispanic, nonblacks), 1,842 were with (non-Hispanic) blacks, and 7,916 were with Hispanics. Approximately 7% (2,190) of the interviews were conducted using the Spanish version of the questionnaire. The completed interviews represented a 96.5% completion rate for screening sample households and an 84.2% for interviewing sample individuals. The response rates for these three racial/ethnic groups were 82.3% for whites and others, 85.1 % for blacks, and 87.3% for Hispanics.

Six major metropolitan statistical areas (MSAs) -- Washington DC, New York City, Miami, Chicago, Denver and Los Angeles -- were oversampled to provide the necessary data to determine incidence and prevalence rates for specific MSAs, and for each of four age groups by inter city/remainder of the MSA combinations. Of the 32,594 completed interviews for the total United States, 15,905 were completed in the six MSAs, with 16,689 being in the remaining National sample. The completed interviews in the six MSAs represented a 95.6% completion rate for screening sample households and an 85.6% completion rate for interviewing sample individuals. This compares to 97.2% and 82.9% in the remaining National sample, respectively.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

VARIANCE ESTIMATION

In the 1991 NHSDA, sampling error occurs due to the random process of sampling the total population of inferential interest (i.e., the civilian non-institutionalized population aged 12 and older of the United States). NHSDA reports have used 95% confidence intervals to quantify sampling error. Because the estimates in the NHSDA are frequently small percentages, the confidence intervals were based on logit transformations. Logit transformations yield asymmetric interval boundaries that provide a more suitable measure of sampling error for small percentages.

To illustrate, let the proportion P_d represent the true

prevalence rate for a particular analysis domain "d." Then the logit transformation of P_d , commonly referred to as the "log odds," is

defined as

$$L_d = \ln \left(\frac{P_d}{1 - P_d} \right)$$

where "ln" denotes the natural logarithm.

Letting p_d be the estimate of the proportion, the log odds estimate becomes $L_d = \ln \left(\frac{p_d}{1 - p_d} \right)$. Then the lower and upper limits of L are calculated as

$$A = L_d - K \sqrt{\text{var}(p_d) / p_d (1 - p_d)}$$

$$B = L_d + K \sqrt{\text{var}(p_d) / p_d (1 - p_d)}$$

where $\text{var}(p_d)$ is the variance estimate of P_d , and K is the constant

chosen to yield the proper level of confidence (e.g., $K = 1.96$ for 95% confidence limits).

Applying the inverse logit transformation to A and B above yields a confidence interval for p_d as follows:

$$p_{d, \text{ lower}} = \frac{1}{1 + \exp(-A)}$$

$$p_{d, \text{ upper}} = \frac{1}{1 + \exp(-B)}$$

where "exp" denotes the inverse log transformation. The upper and

lower limits of the percentage estimate are obtained by simply multiplying the upper and lower limits of p by 100.

Corresponding to the percentage estimates, the number of drug users, Y_d , can be estimated as

$$\bar{Y}_d = \bar{N}_d * \bar{p}_d$$

where

$$\bar{N}_d = \text{estimated population total for domain } d$$

$$\bar{p}_d = \text{estimated proportion for domain } d.$$

The confidence interval for \bar{Y}_d is obtained by multiplying the lower and upper limits of the proportion confidence interval by \bar{N}_d .

In addition, the variance of \bar{Y}_d can be estimated as

$$\text{var}(\bar{Y}_d) = \bar{N}_d^2 * \text{var}(\bar{p}_d).$$

For the 1991 NHSDA, the design-based variance was estimated using a Taylor series linearization. Appendix E gives an example of running a program to estimate design-based variances with the software package, SUDAAN (Research Triangle Institute, 1991). SUDAAN is used for variance estimation based on data from complex survey designs. For a given variance estimate, the associated design effect is the ratio of the design-based variance estimate over the variance that would have been obtained from a simple random sample of the same size. Because the combined design features of stratification, clustering, and unequal weighting are expected to increase the variance estimates, the design effect should virtually always be greater than one. However, for prevalence rates near zero, the variance inflating effects of unequal weighting and clustering were sometimes underestimated resulting in design effects less than one. Because the corresponding variance estimates were considered anomalously small, two other variance estimates were computed as quality control measures. The first was based only on the stratification and unequal weighting effects and the second was based

on no effects or simple random sampling. The reported variance estimate was then the maximum of these three estimates.

In 1991 NHSDA reports, estimates with low precision were not reported. The criterion used for suppressing estimates was based on the relative standard error (RSE). The RSE is defined as the ratio of the standard error of the estimate over the estimate. For the 1991 NHSDA, the log transformation of the proportion estimate was used to calculate the RSE. Specifically, percentages and corresponding population estimates were suppressed if

$$\begin{array}{ll} \text{or} & \begin{array}{ll} \text{RSE} \propto -\ln(p) > 0.175 & \text{when } p < 0.5 \\ \text{RSE} \propto -\ln(1-p) > 0.175 & \text{when } p > 0.5 \end{array} \end{array}$$

For computational purposes, this is equivalent to

$$\begin{array}{ll} & \begin{array}{ll} \frac{\text{SE}(p) / p}{-\ln(p)} > 0.175 & \text{when } p < 0.5 \\ \text{or} & \\ \frac{\text{SE}(p) / p}{-\ln(1-p)} > 0.175 & \text{when } p > 0.5 \end{array} \end{array}$$

where SE(p) equals the standard error estimate of p. The log transformation of p is used to provide a more balanced treatment of measuring the quality of small, large, and intermediate p values. The switch to (1-p) for p greater than 0.5 provides a symmetric suppression rule across the range of possible p values.

STATISTICAL SIGNIFICANCE OF DIFFERENCES

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. In 1991 NHSDA reports, comparisons were made between estimates in the 1990 and 1991 surveys and between estimates within the 1991 survey. The significance of observed differences is reported at the .05, .01, and .001 levels. The procedure for making these comparisons is presented below.

To compare the prevalence of drug use for 1990 versus 1991, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{p_1 - p_2}{\sqrt{\text{var}(p_1) + \text{var}(p_2)}}$$

where

p_1 = 1990 estimated proportion

$\text{var}(p_1)$ = 1990 variance estimate for p_1

p_2 = 1991 estimated proportion

$\text{var}(p_2)$ = 1991 variance estimate of p_2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the 1990 and 1991 surveys were independent samples, there is no covariance term in the denominator of the test statistic.

For comparing prevalence estimates within the same survey, the same Z statistic quoted above can be used. However, the tests will be slightly conservative because of the small positive covariance expected between the two nonindependent prevalence estimates. The tests made in NHSDA reports accounted for the covariance by subtracting an estimate of $2 \cdot (\text{Cov}(p_1, p_2))$ from the two variance

quantities under the square root symbol in the denominator of Z . This covariance estimate was calculated by using SUDAAN (Research Triangle Institute, 1991).

SAMPLE DESIGN EFFECTS AND GENERALIZED STANDARD ERRORS (TABLES 2 TO 6)

This section describes methods for approximating sampling variability by computing generalized standard errors. (The standard error estimate is the square root of the variance estimate.)

Estimated standard errors have been computed for all parameter estimates appearing 1991 NHSDA reports and are available from the Office of Applied Studies (OAS) upon request. Whenever possible, these estimates should be used to compute confidence intervals and perform statistical comparisons. However, the goal here is to provide future users of the 1991 NHSDA data base with approximate standard error estimates for situations in which NHSDA standard error

estimates are not available.

Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

As noted previously, the design effect is the ratio of the design-based variance estimate over the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

However, as discussed earlier, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

The median design effects were based on estimates from:

- . 15 illicit drug use categories: any illicit drug use; marijuana/ hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutics; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; anabolic steroids;
- . 3 licit drug use categories: cigarettes; alcohol; and smokeless tobacco; and
- . 3 recency-of-use categories: ever used; used in past year; used in past month.

For each specified domain, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age by sex, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications.

Table 2 contains the median design effects for the illicit drugs, and Table 3 contains the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain as follows:

$$\text{var } (p)_{d \text{ appx}} = \text{DEFF}_{d, \text{ med}} * \Gamma p_d (1-p_d) / n_d \quad (1)$$

where

p_d = estimated proportion for domain d

n_d = sample size for domain d

$\text{DEFF}_{d, \text{ MED}}$ = median design effect for domain d

The approximate standard error estimate for p_d , $\text{SE}(p)_{d \text{ appx}}$, is

simply the square root of $\text{var } (p)_{d \text{ appx}}$.

To approximate standard errors from estimates on the six oversampled MSAs, it is recommended that the user substitute the median domain design effects based on these areas only. Table 4 contains these median design effects, which were computed for cross-classifications of age by sex, race/ethnicity, and socioeconomic status.

When a median design effect for a domain under investigation is not listed in Tables 2 and 3, an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect serves as an inspiration for the regression model:

$$\text{DEFF}(p) = \text{var}(p) / \Gamma p(1-p)/n$$

where

$\text{var } (p)$ = design-based variance estimate of p

$\Gamma p(1-p) / n$ = simple random sample variance estimate of p

Taking the log (base 10) of both sides of the above relation

leads to the following log-linear model:

$$\log \Gamma_{\text{DEFF}}(p) \approx \log(p) = B_0 + B_2 \log(1-p) + B_3 \log(n)$$

where

B_0, B_1, B_2, B_3 = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Separate models were fit for the licit and illicit drug estimates. The design effects used to calculate the medians in Tables 2 and 3 were used as data to fit the two models.

By substituting the fitted model back into the definition of the design effect, a prediction equation for the approximate standard error is obtained:

$$SE_i(p)_{\text{appx}} = \frac{(b_{0i}/2) + (1+b_{1i})/2 + (1+b_{2i})/2}{10} * p * (1-p)$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index- i depicts whether the standard error approximation is for a licit drug or illicit drug prevalence estimate.

After solving for the regression coefficients, the above approximation reduces to the following two prediction equations:

$$SE(p_{\text{illegal}})_{\text{appx}} = \frac{1.1262 * p^{(0.5753)} * (1-p)^{(0.6478)}}{(0.3642)} \quad (2)$$

and

$$SE(p_{\text{legal}})_{\text{appx}} = \frac{.6169 * p^{(0.4969)} * (1-p)^{(0.5015)}}{(0.3642)} \quad (3)$$

n

Table 5 and Table 6 contain generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 32,594), predicted from Equations (2) and (3). The generalized standard errors in the shaded areas of these tables correspond to estimated percentages that would not meet the precision constraint.

In summary, the user may obtain 1991 NHSDA standard error estimates from the following recommended order of sources:

1. Published standard errors from this or other reports in the 1991 NHSDA (obtainable upon request from the OAS); otherwise,
2. Median domain design effects appearing in Tables 2 through 4 and application of Equation (1); otherwise,
3. Model-based prediction, using Equations (2) and (3) or Tables 5 and 6 for national or regional estimates. Note this model-based prediction method would not be used for estimates from the six oversampled MSAs.

If a domain within an oversampled MSA is not presented in Table 4, it is recommended that users choose a reported domain that is thought to be similar to the domain of interest.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

IMPUTATIONS

LOGICAL IMPUTATIONS

The variables in the 1991 NHSDA public release data set have been edited to ensure a legitimate response was collected and recorded for each item, and to a limited degree, to ensure data items do not contradict one another within a record. In most cases, when a reported response was changed to ensure the legitimacy and consistency of the item, the code-value description for the logically imputed response will either be labeled with the phrase "...LOGICALLY IMPUTED" or "...LOGICALLY ASSIGNED" in this codebook.

The first step in the logical editing of the variables was to check the legitimacy of the responses. For example, in a multiple choice question with 5 sequentially numbered responses, the only

legitimate responses would be 1, 2, 3, 4, 5 or one of the special 90 codes used in this survey. An explanation of the 90 codes (and their post-edit equivalent 80 codes) is presented in the section "Standard Code Conventions" of this report.

After the legitimacy of each response was verified, responses were compared within each record to identify possible contradictions. For the drug items, the first step in the process of identifying contradictions was the editing of the original recency-of-use variables. For each drug recency-of-use variable, this procedure involved checking other variables in the data set that might indirectly yield evidence of recency-of-use. For example, question A-2 (ALCREC) is the alcohol recency question and question A-4 (ALCDAYS) asks about the number of days the respondent drank alcohol in the past 30 days. Thus, by responding to A-4 with a response of 1-30 days, a respondent is indirectly yielding evidence of past month recency-of-use and this information was used to edit the response to A-2. In the NHSDA, when other data items suggested a more recent use response than the one provided to the recency question, the response to the recency question was changed to indicate the more recent use. Unique code values (7, 8 or 9) were assigned to the recency-of-use variables when such logical imputation occurred. In this codebook, these code values are readily identifiable by the phrase "...LOGICALLY IMPUTED" in the code value descriptions. For the recency-of-use variables with missing data for which no indication of drug use could be found after examining all relevant variables in the record, a code value of 91 (indicating Never Used) was assigned if there were one or more indications of such non-use among the set of relevant variables. If no indication of non-use could be found then the response to the recency item remained missing. In the 1991 NHSDA, these recency-of-use logical imputations were done with the following variables: CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, STNDLREC, ANALREC, MJREC, INHREC, COCREC, CONDLREC, CRAKREC, HALLREC, PCPREC, HERREC, HRNDLREC, SNUFREC, ICEREC, GNNDLREC, NEEDLREC, STERREC, and NLD90REC.

After the logically imputed recency-of-use variables were constructed, most other relevant drug variables were edited against the logically imputed drug recency variables to ensure consistency within the record.

In addition to editing the drug recency and the associated drug variables, a minimal amount of editing was done with the remaining variables on the data set. These editing procedures basically involved checking the legitimacy of the responses and to a lesser extent, checking the consistency of the responses. Thus, some inconsistencies may still be found within a record, particularly for some of the demographic and socio-economic data in the data set.

In the 1991 NHSDA, a record was considered to be minimally complete (i.e. a person-level respondent for the survey) provided an

edited recency-of-use response could be determined for Alcohol, Marijuana and Cocaine. Consequently, after the editing procedures were completed, if the recency-of-use for these three drugs could not be established then the case was omitted from the person-level data set and the sample weights of the remaining respondents were adjusted to account for the nonrespondent. This data set only contains records for the completed cases (respondents) for the survey.

STATISTICAL IMPUTATION

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest. When forming population estimates, often statistical imputations will reduce the bias associated with the estimate. For example, data with missing responses which are not statistically imputed, will produce estimates of totals which will necessarily be underestimated and consequently biased since the total population will not be accounted for in the estimates. Also the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from this data, but depending on the type of analyses being done, the statistical imputations should help reduce the bias.

For analyses of relationships where multiple data items are involved, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best.

Variables in the data base for which statistical imputation procedures were implemented may be identified by the designation "IMPTATION-REVISED" in the variable label and their variable names begin with the letters "IR" (e.g. IRRACE). For each imputation-revised variable there is an associated imputation indicator variable whose values distinguish whether the imputed variable's value originated from the interview response, some logically assigned response or was statistically imputed. Typically, the variable name for the imputation indicators will begin with the letters "II" (e.g. IIRACE). In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past year frequency-of-use items, age, race, sex, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health

insurance and the personal and family income items.

Except for the personal and family income items, the method of statistical imputation used to replace missing responses for this survey was the sequential, unweighted Hot Deck method. With this method of imputation, the data file was stratified and within strata it was sorted by several data items correlated with the item being imputed. Typically, those data items that were more highly correlated with the item being imputed were used as stratification variables or were used as the first sorting variables. Within strata, after the file was sorted it was sequentially read. When an item nonrespondent was encountered in the data base, their missing response was replaced with the response from the previous item respondent on the file. Note that the sorting and stratification is done so that the previous respondent will be "close" to the item nonrespondent with respect to the sorting variables. Further, the item nonrespondent will exactly match the respondent with respect to the stratification variables since imputation was done independently within strata. The underlying idea with this method of imputation is that by closely matching a respondent and nonrespondent with respect to the set of data items correlated with what is being imputed, the bias associated with the imputed response should be reduced.

In the NHSDA, the personal and family income items were imputed using a regression-based method of imputation. With this method of imputation, models were formed and the model parameters were estimated using data from the item respondents. The independent variables in the models were data items correlated with the item being imputed and the dependent variables were the income items being imputed. After the model parameters were estimated, the item nonrespondents' values for the independent variables were inserted into the models to produce the necessary imputed responses. This regression-based method of imputation was used with the income responses in order to control for the large number of auxiliary variables that are correlated with income.

CONTENTS AND ORGANIZATION OF THE 1991 NHSDA PUBLIC USE FILE

DATA FILE DESCRIPTION

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is recorded on a non-labeled nine-track tape at 6,250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Name	PUF91_10.SSD
SAS version	5
Number of observations	32,594

Number of variable..... 1,283

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file and are documented on pp. 1-214. These variables contain missing data; see the section on "Standard Code Conventions" below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file (pp. 215-247). These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described earlier. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1991 (DHHS Publication No. (SMA) 93-1980) or other NIDA reports should use these imputation-revised variables rather than raw data from the questionnaire or drug answer sheets.

Sample weights and other design and estimation variables are documented on page 248. The remaining variables in the file are recoded or logically imputed variables created for the National Household Survey on Drug Abuse: Main Findings 1991. These variables include recodes of questionnaire and imputation revised drug variables (pp. 250-254 and 297-302), and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems (255-287), symptoms of dependency (289-292) and negative drinking experiences (294-296). The recodes of questionnaire variables have the various types of missing data combined and indicated by the SAS missing code (.). The number of observations for which data are missing for each recoded variables is given in the entry for that variable. Missing data for the logically imputed variables have been logically assigned using the procedures described in the text preceding these variables, not by the the procedures described in the statistical and logical imputation sections described earlier. For the recodes of the logically imputed variables, the SAS missing code (.) has been used to indicate non-users of a specific substance for which the variable in question is not applicable.

Finally, variables containing the original responses to recency-of-use questions are presented on pages 303-309. These are included to show the recency data actually collected before the

responses were edited based on evidence of use found elsewhere in the questionnaire.

VARIABLE NAMING CONVENTIONS

Variable names are mnemonics related to the meaning of each variable. To the extent possible, variables identical to those in the 1988 and 1990 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaire to verify that the data are exactly comparable.

STANDARD CODE CONVENTIONS

The following codes have the same (or consistent) meanings across most variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	=	Never used the substance
81 or 981 or 9981, etc.	=	Never used the substance LOGICALLY ASSIGNED
92 or 992 or 9992, etc.	=	Response illegible
93 or 993 or 9993, etc.	=	Did not use drug under conditions in the question (e.g., during time period)
83 or 983 or 9983, etc.	=	Did not use drug under conditions in the question LOGICALLY ASSIGNED
94 or 994 or 9994, etc.	=	Don't know
95 or 995 or 9995, etc.	=	Bad data (usually, inconsistent with other data)
85 or 985 or 9985, etc.	=	Bad data LOGICALLY ASSIGNED
89 or 989 or 9989, etc.	=	Legitimate skip LOGICALLY ASSIGNED
96 or 996 or 9996, etc.	=	Multiple response
97 or 997 or 9997, etc.	=	Refusal
98 or 998 or 9998, etc.	=	Blank (not answered)
99 or 999 or 9999, etc.	=	Legitimate skip

CONTACT PERSON

CONTACT PERSON

For additional information about the file documented in this codebook, the following individual may be contacted:

Mr. Joe Gustin
Office of Applied Studies
Substance Abuse and Mental Health Services Administration
5600 Fishers Lane
Rockwall II Building, Suite 615
Rockville, MD 20857
(301) 443-7980

REFERENCES

- Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). DISCRETE MULTIVARIATE ANALYSIS: THEORY AND PRACTICE. Cambridge, MA: The MIT Press.
- Chromy, J.R. (1979). Sequential sample selection methods. In PROCEEDINGS OF THE AMERICAN STATISTICAL ASSOCIATION, SURVEY RESEARCH METHODS SECTION (pp. 401-406). Alexandria, VA: American Statistical Association.
- Folsom, R.E. (1991). Exponential and logistic weight adjustments for sampling and nonresponse error reduction. In PROCEEDINGS OF THE AMERICAN STATISTICAL ASSOCIATION, SOCIAL STATISTICS SECTION (pp. 197-202). Alexandria, VA: American Statistical Association.
- Hollman, F. (1990) UNITED STATES POPULATION ESTIMATES BY AGE, SEX, AND HISPANIC ORIGIN: 1980-88. (U.S. Bureau of the Census, Current Population Report Series P25 No. 1045). Washington, DC: U.S. Government Printing Office.
- Office of Applied Studies, Substance Abuse and Mental Health Services Administration (1993a). NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: MAIN FINDINGS 1991, REVISED, Rockville, MD.
- Office of Applied Studies, Substance Abuse and Mental Health Services Administration (1993b). NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: POPULATION ESTIMATES 1991, Rockville, MD.

Table 1: Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	High Hispanic Certainty Stratum	112
2	Moderate Hispanic Certainty Stratum	184
3	Low Hispanic Certainty Stratum	499
4	Residual Noncertainty Stratum	1,040
5	Chicago MSA, Low-SES Urbanized	135
6	Chicago MSA, Remainder	135
7	Denver MSA, Low-SES Urbanized	135
8	Denver MSA, Remainder	135
9	DC MSA, Low-SES Urbanized	135
10	DC MSA, Remainder	135
11	Los Angeles MSA, Low-SES Urbanized	166
12	Los Angeles MSA, Remainder	142
13	Miami MSA, Low-SES Urbanized	135
14	Miami MSA, Remainder	135
15	New York MSA, Low-SES Urbanized	146
16	New York MSA, Remainder	140
		3,509

Table 2 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1991 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	> =35	
Total	2.27	2.93	2.27	2.83	3.69
Sex					
Male	2.34	2.62	2.20	2.66	3.78
Female	2.17	2.96	2.36	2.75	3.05
Race/Ethnicity /1					
White	1.68	2.08	1.87	2.01	2.47
Black	2.38	2.62	2.32	2.32	3.11
Hispanic	2.79	2.61	2.39	2.21	2.71
Population Density					
Large Metro	2.85	4.27	3.34	3.60	4.43
Small Metro	1.51	1.62	1.56	1.93	2.69
Nonmetro	1.35	1.49	1.34	1.67	1.90
Region					
Northeast	1.88	2.50	2.29	2.39	2.53
North Central	2.45	2.40	2.13	2.19	3.04
South	2.31	2.66	2.78	2.64	2.89
West	2.51	3.31	2.69	3.60	4.63
Adult Education /2					
Less than high school	N/A	2.79	2.76	4.23	3.41
High school graduate	N/A	2.69	2.49	2.37	2.71
Some college	N/A	2.62	2.18	2.53	2.99
College graduate	N/A	2.62	2.20	2.05	2.57
Current Employment /3					
Full-time	N/A	2.60	2.34	2.47	2.55
Part-time	N/A	2.83	2.15	2.13	2.61
Unemployed	N/A	2.66	3.30	4.57	5.40
Other /4	N/A	3.19	1.96	2.36	2.26

N/A: Not applicable.

/1 The category "Other" for Race/Ethnicity is not included.

/2 Data on adult education are not applicable for 12- to 17-year-olds.

/3 Data on current employment are not applicable for 12- to 17-year-olds.

/4 Retired, disabled, homemaker, student, or "other."

Source: OAS, National Household Survey on Drug Abuse, 1991.

Table 3 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1991 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	> =35	
Total	3.28	3.80	3.39	4.27	7.73
Sex					
Male	3.06	2.99	3.03	3.55	6.39
Female	2.61	3.41	2.57	2.97	4.85
Race/Ethnicity /1					
White	2.17	2.91	2.47	3.09	5.10
Black	2.67	2.49	2.86	2.47	3.97
Hispanic	2.69	2.34	2.26	3.04	3.42
Population Density					
Large metro	3.45	4.99	4.03	6.41	8.34
Small metro	2.50	2.71	2.17	2.40	4.94
Nonmetro	1.47	1.88	1.91	2.28	4.49
Region					
Northeast	2.25	2.86	2.73	3.88	4.77
North Central	2.15	2.47	2.51	2.28	4.44
South	3.51	3.96	3.38	4.29	9.52
West	4.96	3.49	5.09	4.90	7.43
Adult Education /2					
Less than high school	N/A	2.65	3.02	3.22	4.91
High school graduate	N/A	3.21	3.09	3.08	4.74
Some college	N/A	3.11	2.78	2.51	3.93
College graduate	N/A	2.53	2.56	3.12	3.98
Current Employment /3					
Full-time	N/A	2.99	3.45	3.87	6.70
Part-time	N/A	2.50	2.75	2.44	3.75
Unemployed	N/A	2.57	3.01	3.59	4.79
Other /4	N/A	3.50	2.57	2.79	3.89

N/A: Not applicable.

/1 The category "Other" for Race/Ethnicity is not included.

/2 Data on adult education are not applicable for 12- to 17-year-olds.

/3 Data on current employment are not applicable for 12- to 17-year-olds.

/4 Retired, disabled, homemaker, student, or "other."

Source: OAS, National Household Survey on Drug Abuse, 1991.

Table 4 Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1991 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	> =35	
Chicago MSA					
Total	1.50	1.61	1.62	1.21	2.09
Sex					
Male	1.23	1.55	1.58	1.10	1.70
Female	1.67	1.47	1.42	1.36	1.82
Race/Ethnicity /1					
White	1.31	1.42	1.43	1.07	1.61
Black	1.72	1.48	1.70	1.10	2.03
Hispanic	1.02	1.37	1.24	1.25	1.63
Socioeconomic Status of Area					
Low SES /2	1.33	1.34	1.35	1.12	1.67
Other SES	1.33	1.39	1.44	1.04	1.71
Denver MSA					
Total	1.51	1.79	1.75	1.55	2.29
Sex					
Male	1.45	1.69	1.68	1.69	2.37
Female	1.56	1.56	1.52	1.48	1.92
Race/Ethnicity /1					
White	1.50	1.58	1.61	1.44	2.04
Black	*	*	*	*	2.09
Hispanic	1.38	1.50	1.30	*	1.65
Socioeconomic Status of Area					
Low SES	1.31	1.29	2.23	1.23	2.07
Other SES	1.28	1.37	1.40	1.23	1.77
Washington, DC, MSA					
Total	1.50	1.40	1.46	1.49	2.21
Sex					
Male	1.34	1.43	1.40	1.55	2.20
Female	1.36	1.36	1.49	1.52	1.38
Race/Ethnidty /1					

White	1.30	1.40	1.44	1.38	1.75
Black	1.68	1.37	1.56	1.65	2.79
Hispanic	*	*	*	*	1.70
Socioeconomic Status of Area					
Low SES /2	1.39	1.57	1.33	1.36	1.74
Other SES	1.18	1.30	1.30	1.59	1.96
Los Angeles MSA					
Total	1.51	1.94	1.65	2.08	2.56
Sex					
Male	1.34	1.78	1.47	1.90	2.45
Female	1.55	1.92	1.66	2.20	2.40
Race/Ethnicity /1					
White	1.30	1.49	1.23	1.21	1.77
Black	1.49	1.86	1.59	1.14	1.69
Hispanic	1.32	1.66	1.54	1.37	1.74
Socioeconomic Status of Area					
Low SES /2	1.37	1.95	1.63	1.75	2.89
Other SES	1.33	1.36	1.34	1.38	1.86
Miami MSA					
Total	1.84	2.00	2.08	1.98	2.65
Sex					
Male	1.85	1.95	1.59	1.83	2.60
Female	1.51	1.72	1.83	1.77	2.33
Race/Ethnicity /1					
White	*	1.42	1.54	1.39	1.68
Black	1.23	1.47	1.39	1.53	1.83
Hispanic	1.40	1.69	1.85	2.31	2.99
Socioeconomic Status of Area					
Low SES /2	1.02	1.70	1.52	1.50	1.98
Other SES	2.13	1.68	1.71	1.56	2.06
New York MSA					
Total	1.58	1.46	1.47	1.43	1.81
Sex					
Male	1.42	1.41	1.32	1.30	1.61
Female	1.47	1.60	1.38	1.47	1.79
Race/Ethnicity /1					

White	1.50	1.42	1.35	1.29	1.52
Black	1.79	1.76	1.60	1.45	2.13
Hispanic	1.49	1.36	1.58	1.53	1.82
Socioeconomic Status of Area					
Low SES /2	1.63	1.40	1.84	1.54	1.98
Other SES	1.44	1.36	1.27	1.35	1.65

* Not enough estimates to produce reliable median.

/1 The category "Other" for Race/Ethnicity is not included.

/2 Low SES is defined as the third of population segments in the urbanized area with the lowest housing value and rent.

Source: OAS, National Household Survey on Drug Abuse, 1991.

Table 5 Generalized Standard Errors for Estimated Percentages of
Illicit Drug Use Estimates: 1991 NHSDA

Sample Size for Base of Percentage,	Estimated Percent (Portion, p, Multiplied by 100)								
n	1	2	3	5	10	20	30	40	50
100	1.14	1.69	2.11	2.80	4.03	5.56	6.44	6.87	6.94
300	0.72	1.06	1.33	1.76	2.54	3.50	4.05	4.33	4.37
500	0.58	0.86	1.07	1.42	2.04	2.82	3.27	3.49	3.53
700	0.50	0.74	0.93	1.23	1.77	2.45	2.84	3.03	3.06
900	0.45	0.67	0.84	1.11	1.60	2.20	2.55	2.73	2.75
1,000	0.43	0.64	0.80	1.06	1.53	2.11	2.44	2.61	2.63
1,250	0.39	0.58	0.73	0.97	1.39	1.92	2.22	2.37	2.40
1,500	0.36	0.54	0.68	0.90	1.29	1.78	2.06	2.20	2.22
1,750	0.34	0.51	0.63	0.84	1.21	1.67	1.93	2.06	2.08
2,000	0.32	0.48	0.60	0.79	1.14	1.58	1.82	1.95	1.97
2,500	0.29	0.43	0.55	0.72	1.04	1.43	1.66	1.77	1.79
3,000	0.27	0.40	0.51	0.67	0.96	1.33	1.54	1.64	1.66
4,000	0.24	0.36	0.45	0.59	0.85	1.18	1.36	1.45	1.47
5,000	0.22	0.32	0.41	0.54	0.78	1.07	1.24	1.32	1.34
7,500	0.19	0.27	0.34	0.45	0.65	0.90	1.05	1.12	1.13
10,000	0.16	0.24	0.30	0.40	0.58	0.80	0.93	0.99	1.00
15,000	0.14	0.20	0.26	0.34	0.49	0.67	0.78	0.83	0.84
20,000	0.12	0.18	0.23	0.30	0.43	0.60	0.69	0.74	0.75
30,000	0.10	0.15	0.19	0.25	0.36	0.50	0.58	0.62	0.63
32,594 /1	0.10	0.15	0.19	0.24	0.35	0.49	0.56	0.60	0.61

Sample Size for Base of Percentage,	Estimated Percent (Portion, p, Multiplied by 100) Continued							
n	60	70	80	90	95	97	98	99
100	6.67	6.05	5.03	3.43	2.26	1.64	1.27	0.82
300	4.20	3.81	3.17	2.16	1.42	1.03	0.80	0.51
500	3.39	3.07	2.55	1.74	1.15	0.83	0.65	0.41
700	2.94	2.67	2.22	1.51	1.00	0.72	0.56	0.36
900	2.65	2.40	1.99	1.36	0.90	0.65	0.50	0.32
1,000	2.53	2.30	1.91	1.30	0.86	0.62	0.48	0.31
1,250	2.31	2.09	1.74	1.19	0.78	0.57	0.44	0.28
1,500	2.13	1.94	1.61	1.10	0.72	0.53	0.41	0.26
1,750	2.00	1.81	1.51	1.03	0.68	0.49	0.38	0.24
2,000	1.89	1.72	1.42	0.97	0.64	0.47	0.36	0.23
2,500	1.72	1.56	1.30	0.89	0.58	0.42	0.33	0.21
3,000	1.59	1.45	1.20	0.82	0.54	0.39	0.30	0.19
4,000	1.41	1.28	1.06	0.73	0.48	0.35	0.27	0.17
5,000	1.29	1.17	0.97	0.66	0.44	0.32	0.24	0.16
7,500	1.08	0.98	0.82	0.56	0.37	0.27	0.21	0.13
10,000	0.96	0.87	0.72	0.49	0.33	0.24	0.18	0.12
15,000	0.81	0.73	0.61	0.42	0.27	0.20	0.15	0.10
20,000	0.72	0.65	0.54	0.37	0.24	0.18	0.14	0.09
30,000	0.61	0.55	0.46	0.31	0.20	0.15	0.12	0.07
32,594	0.58	0.53	0.44	0.30	0.20	0.14	0.11	0.07

Note: Generalized standard errors in the shaded area correspond to estimated porportion that do not meet the precision constraint. They are predicted from the following equation:

$$SE = 100 * \sqrt{1.1262 * p^{(0.5653)} * (1-p)^{(0.6478)} / n^{(0.4209)}}.$$

/1 The total sample size for the 1991 Nhsda is 32,594.

Source: OAS, National Household Survey on Drug Abuse, 1991.

Table 6 Generalized Standard Errors for Estimated Percentages of
Licit Drug Use Estimates: 1991 NHSDA

Sample Size for Base of Percentage,	Estimated Percent (Portion, p, Multiplied by 100)								
n	1	2	3	5	10	20	30	40	50
100	1.16	1.63	1.99	2.54	3.48	4.63	5.30	5.66	5.77
300	0.78	1.10	1.33	1.70	2.33	3.11	3.55	3.79	3.87
500	0.65	0.91	1.11	1.41	1.94	2.58	2.95	3.15	3.21
700	0.57	0.80	0.98	1.25	1.71	2.28	2.61	2.79	2.84
900	0.52	0.73	0.89	1.14	1.56	2.08	2.38	2.54	2.59
1,000	0.50	0.71	0.86	1.10	1.51	2.00	2.29	2.45	2.49
1,250	0.46	0.65	0.79	1.01	1.39	1.85	2.11	2.26	2.30
1,500	0.43	0.61	0.74	0.95	1.30	1.73	1.98	2.11	2.15
1,750	0.41	0.58	0.70	0.89	1.23	1.63	1.87	2.00	2.03
2,000	0.39	0.55	0.67	0.85	1.17	1.56	1.78	1.90	1.94
2,500	0.36	0.51	0.62	0.79	1.08	1.43	1.64	1.75	1.79
3,000	0.34	0.47	0.58	0.73	1.01	1.34	1.54	1.64	1.67
4,000	0.30	0.43	0.52	0.66	0.91	1.21	1.38	1.48	1.51
5,000	0.28	0.39	0.48	0.61	0.84	1.11	1.28	1.36	1.39
7,500	0.24	0.34	0.41	0.53	0.72	0.96	1.10	1.17	1.20
10,000	0.22	0.31	0.37	0.47	0.65	0.87	0.99	1.06	1.08
15,000	0.19	0.26	0.32	0.41	0.56	0.75	0.85	0.91	0.93
20,000	0.17	0.24	0.29	0.37	0.51	0.67	0.77	0.82	0.84
30,000	0.15	0.20	0.25	0.32	0.44	0.58	0.66	0.71	0.72
32,594 /1	0.14	0.20	0.24	0.31	0.42	0.56	0.64	0.69	0.70

Sample Size
for Base of
Percentage,

Estimated Percent (Portion, p, Multiplied by 100)
Continued

n	60	70	80	90	95	97	97	99
100	5.65	5.28	4.60	3.45	2.50	1.96	1.60	1.14
300	3.79	3.54	3.09	2.31	1.68	1.31	1.08	0.76
500	3.14	2.94	2.56	1.92	1.39	1.09	0.89	0.63
700	2.78	2.60	2.27	1.70	1.23	0.96	0.79	0.56
900	2.54	2.37	2.07	1.55	1.12	0.88	0.72	0.51
1,000	2.44	2.28	1.99	1.49	1.08	0.85	0.69	0.49
1,250	2.25	2.10	1.83	1.37	1.00	0.78	0.64	0.45
1,500	2.11	1.97	1.72	1.29	0.93	0.73	0.60	0.42
1,750	1.99	1.86	1.62	1.22	0.88	0.69	0.57	0.40
2,000	1.90	1.77	1.55	1.16	0.84	0.66	0.54	0.38
2,500	1.75	1.63	1.43	1.07	0.77	0.61	0.50	0.35
3,000	1.64	1.53	1.33	1.00	0.72	0.57	0.47	0.33
4,000	1.47	1.38	1.20	0.90	0.65	0.51	0.42	0.30
5,000	1.36	1.27	1.11	0.83	0.60	0.47	0.39	0.27
7,500	1.17	1.10	0.96	0.72	0.52	0.41	0.33	0.24
10,000	1.06	0.99	0.86	0.64	0.47	0.37	0.30	0.21
15,000	0.91	0.85	0.74	0.56	0.40	0.32	0.26	0.18
20,000	0.82	0.77	0.67	0.50	0.36	0.28	0.23	0.17
30,000	0.71	0.66	0.58	0.43	0.31	0.25	0.20	0.14
32,594	0.69	0.64	0.56	0.42	0.30	0.24	0.20	0.14

Note: Generalized standard errors in the shaded area correspond to estimated proportions that do not meet the precision constraint.

They are predicted from the following equation

$$SE = 100 * \sqrt{.6169 * p^{(0.4969)} * (1-p)^{(0.5015)} / n^{(0.3642)}}.$$

/1 The total sample size for the 1991 NHSDA is 32,594.

Source : OAS, National Household Survey on Drug Abuse, 1991.

IDENTIFICATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		IDENTIFICATION		

RESPID	6	RESPONDENT IDENTIFICATION NUMBER		
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)		
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)		
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)		

CIGARETTES & SMOKELESS TOBACCO

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
CIGARETTES & SMOKELESS TOBACCO			
----- - -----			
C-1. About how old were you when you first tried a cigarette?			
CIGTRY	3 AGE WHEN FIRST TRIED A CIGARETTE		
	RANGE = 2 - 69	19214	58.95
	185 = BAD DATA Logically assigned	142	0.44
	191 = NEVER USED CIGARETTES	13126	40.27
	194 = DON'T KNOW	18	0.06
	198 = BLANK (NO ANSWER)	94	0.29
C-2. Since that time, have you smoked at least 100 cigarettes in all -- that's about as many as 5 packs, in your lifetime?			
CIG5PK	2 SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME		
	1 = Yes	11091	34.03
	2 = No	7829	24.02
	3 = Yes LOGICALLY IMPUTED	277	0.85
	81 = NEVER USED CIGARETTES Logically assigned	63	0.19
	91 = NEVER USED CIGARETTES	13063	40.08
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	267	0.82
C-3. About how old were you when you first started smoking daily?			
CIGAGE	3 AGE WHEN FIRST STARTED SMOKING DAILY		
	RANGE = 2 - 73	10399	31.90
	181 = NEVER USED CIGARETTES Logically assigned	174	0.53
	185 = BAD DATA Logically assigned	440	1.35
	191 = NEVER USED CIGARETTES	12952	39.74
	193 = NEVER SMOKED DAILY	8264	25.35
	194 = DON'T KNOW	19	0.06
	198 = BLANK (NO ANSWER)	346	1.06
C-4. For how many years did you smoke daily?			
CIGYRS	3 # YEARS SMOKED DAILY		

RANGE = 0 - 73	10484	32.17
181 = NEVER USED CIGARETTES Logically assigned	13	0.04
185 = BAD DATA Logically assigned	11	0.03
191 = NEVER USED CIGARETTES	13113	40.23
194 = DON'T KNOW	22	0.07
197 = REFUSED	1	0.00
198 = BLANK (NO ANSWER)	686	2.10
199 = LEGITIMATE SKIP (CIGAGE = 193)	8264	25.35

C-5. On the average, during most of this period when you smoked daily, about how many cigarettes did you smoke per day?

PACKS	2 # CIGARETTES SMOKED DAILY		
	1 = One to five cigarettes a day	1971	6.05
	2 = About 1/2 pack a day(6-15 cigarettes) ..	3508	10.76
	3 = About a pack a day(16-25 cigarettes) ...	3571	10.96
	4 = About 1 1/2 packs a day(26-35 cigarettes	802	2.46
	5 = About 2 packs or more a day (over 35		
	cigarettes	652	2.00
	91 = NEVER USED CIGARETTES	13126	40.27
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	696	2.14
	99 = LEGITIMATE SKIP (CIGAGE = 193)	8264	25.35

C-6. When was the most recent time you smoked a cigarette?

CIGREC	2 MOST RECENT TIME SMOKED A CIGARETTE		
	1 = Within the past month (30 days)	7671	23.54
	2 = More than 1 month ago but less than 6		
	months ago	868	2.66
	3 = 6 or more months ago but less than 1 year		
	ago	578	1.77
	4 = 1 or more years ago but less than 3 years		
	ago	1332	4.09
	5 = 3 or more years ago	7096	21.77
	7 = Use in past 30 days LOGICALLY IMPUTED ..	120	0.37
	8 = Use in past year LOGICALLY IMPUTED	504	1.55
	9 = Use in lifetime LOGICALLY IMPUTED	1198	3.68
	91 = NEVER USED CIGARETTES	13126	40.27
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	100	0.31

C-7. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day.

AVCIG	2 # CIGARETTES SMOKED PER DAY LAST 30 DAYS		
	1 = Less than one cigarette a day	800	2.45
	2 = one to five cigarettes a day	1317	4.04
	3 = About 1/2 pack a day (6-15 cigarettes) .	2245	6.89
	4 = About a pack a day (16-25 cigarettes) ..	2255	6.92
	5 = About 1 1/2 packs a day (26-35 cigarettes)	559	1.72
	6 = About 2 packs or more a day (over 35 cigarettes)	358	1.10
	89 = LEGITIMATE SKIP Logically assigned	562	1.72
	91 = NEVER USED CIGARETTES	13126	40.24
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	356	1.09
	99 = LEGITIMATE SKIP	11014	33.79

C-8. For about how many years have you smoked (AMOUNT FROM Q.C-7)? (IF "Less than one year," PROBE FOR NUMBER OF MONTHS; RECORD IN LOWER BOXES.)

CIGTIME	4 NUMBER OF MONTHS SMOKED # CIGARETTES/DAY IN C-7		
	RANGE = 0 - 840	7625	23.39
	9981 = NEVER USED CIGARETTES Logically assigned	9	0.03
	9985 = BAD DATA Logically assigned	9	0.03
	9989 = LEGITIMATE SKIP Logically assigned	553	1.70
	9991 = NEVER USED CIGARETTES	13117	40.24
	9994 = DON'T KNOW	15	0.05
	9997 = REFUSED	1	0.00
	9998 = BLANK (NO ANSWER)	242	0.74
	9999 = LEGITIMATE SKIP	11023	33.82

C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

SNUFREC	2 MOST RECENT TIME USED SMOKELESS TOBACCO		
	1 = Within the past month (30 days)	698	2.14
	2 = More than 1 month ago but less than 6 months ago	206	0.63
	3 = 6 or more months ago but less than 1 year ago	188	0.58
	4 = 1 or more years ago but less than 3 years ago	393	1.21
	5 = 3 or more years ago	1800	5.52
	8 = Use in past year LOGICALLY IMPUTED	17	0.05
	9 = Use in lifetime LOGICALLY IMPUTED	2	0.01
	81 = NEVER USED SMOKELESS TOBACCO Logically imputed.....	19	0.06
	91 = NEVER USED SMOKELESS TOBACCO	28699	88.05

98 = BLANK (NO ANSWER) 572 1.75

C-10. On the average, in the past 12 months, how often
have you used chewing tobacco or snuff or other smokeless
tobacco? (IF NEEDED, READ ANSWER CHOICES.)

OTHTOB	2 # TIMES USED SMOKELESS TOBACCO PAST 12 MONTHS		
	1 = Daily	367	1.13
	2 = Almost daily (3-6 days a week)	110	0.34
	3 = 1 or 2 days a week	110	0.34
	4 = Several times a month (25-51 days a year)	60	0.18
	5 = 1 or 2 times a month (12-24 days a year)	95	0.29
	6 = Every other month or so (6-11 days a year)	59	0.18
	7 = 3-5 days this past year	78	0.24
	8 = 1 or 2 days this past year	182	0.56
	81 = NEVER USED SMOKELESS TOBACCO Logically assigned	25	0.08
	83 = DID NOT USE SMOKELESS TOBACCO PST YR Logic assignd	1896	5.82
	85 = BAD DATA Logically assigned	28	0.09
	91 = NEVER USED SMOKELESS TOBACCO IN LIFETIME	28693	88.03
	93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST YEAR	299	0.92
	98 = BLANK (NO ANSWER)	592	1.82

ALCOHOL

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

ALCOHOL -- ANSWER SHEET #1

A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin scotch, etc.? Do not include childhood sips that you might have had from an older person's drink. (IF YOU HAVE NEVER HAD A DRINK OF BEER, WINE OR LIQUOR, ONLY CIRCLE THE 91.

ALCTRY	3 AGE WHEN HAD FIRST DRINK OF ALCOHOL		
	RANGE = 2 - 70	24052	73.79
	181 = NEVER USED ALCOHOL Logically assigned ..	132	0.40
	185 = BAD DATA Logically assigned	259	0.79
	191 = NEVER USED ALCOHOL	8039	24.66
	194 = DON'T KNOW	35	0.11
	197 = REFUSED	2	0.01
	198 = BLANK (NO ANSWER)	75	0.23

A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?

ALCREC	2 MOST RECENT ALCOHOL DRINK		
	1 = Within the past month (30 days)	13461	41.30
	2 = More than 1 month ago but less than 6 months ago	3356	10.30
	3 = 6 or more months ago but less than 1 year ago	1583	4.86
	4 = 1 or more years ago but less than 3 years ago	1167	3.58
	5 = 3 or more years ago	2474	7.59
	7 = Use in past 30 days LOGICALLY IMPUTED ..	1368	4.20
	8 = Use in past year LOGICALLY IMPUTED	811	2.49
	9 = Use in lifetime LOGICALLY IMPUTED	203	0.62
	81 = NEVER USED ALCOHOL Logically imputed ...	183	0.56
	91 = NEVER USED ALCOHOL	7988	24.51

A-3. About how old were you when you first began to drink alcoholic beverages once a month or more often?

ALCAGE	3 AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN		
	RANGE = 2 - 82	14818	45.46
	181 = NEVER USED ALCOHOL Logically assigned ..	124	0.38
	185 = BAD DATA Logically assigned	987	3.03
	191 = NEVER USED ALCOHOL	8047	24.69
	193 = NEVER USED ALCOHOL MONTHLY OR MORE OFTEN	8495	26.06
	194 = DON'T KNOW	25	0.08
	197 = REFUSED	4	0.01
	198 = BLANK (NO ANSWER)	94	0.29

A-4. On about how many different days did you have one or more drinks during the past 30 days?

ALCDAYS	2 # OF DAYS DRANK ALCOHOL PAST 30 DAYS		
	RANGE = 1 - 31	13623	41.80
	81 = NEVER USED ALCOHOL Logically assigned ..	114	0.35
	85 = BAD DATA Logically assigned	1132	3.47
	91 = NEVER USED ALCOHOL	8057	24.72
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	9594	29.43
	94 = DON'T KNOW	16	0.05
	95 = BAD DATA	3	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	53	0.16

A-5. About how many drinks of beer, wine or liquor did you usually have in a day on the days that you drank during the past 30 days?

NODR30A	2 USUAL # DRINKS PER DAY PAST 30 DAYS		
	RANGE = 1 - 80	14197	43.56
	81 = NEVER USED ALCOHOL Logically assigned ..	148	0.45
	85 = BAD DATA Logically assigned	577	1.77
	91 = NEVER USED ALCOHOL	8023	24.61
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	9594	29.43
	94 = DON'T KNOW	18	0.06
	98 = BLANK (NO ANSWER)	37	0.11

A-6. On about how many days did you have five or more drinks of beer, wine or liquor on the same occasion during the last 30 days? By "occasion" we mean at the same time or within a couple of hours of each other.

DR5DAY	2 # DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS		
	RANGE = 0 - 30	14304	43.89
	81 = NEVER USED ALCOHOL Logically assigned ..	172	0.53
	85 = BAD DATA Logically assigned	458	1.41
	91 = NEVER USED ALCOHOL	7999	24.54
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	9594	29.43

94 = DON'T KNOW	10	0.03
95 = BAD DATA	2	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	54	0.17

A-7. What is the most you had to drink on any one day
you drank beer, wine or liquor during the past 30 days?

MODR30A	2 MOST # DRINKS ON ONE DAY IN PAST 30 DAYS		
	RANGE = 1 - 80	13889	42.61
	81 = NEVER USED ALCOHOL Logically assigned ..	168	0.52
	85 = BAD DATA Logically assigned	843	2.59
	91 = NEVER USED ALCOHOL	8003	24.55
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	9594	29.43
	94 = DON'T KNOW	21	0.06
	95 = BAD DATA	1	0.00
	98 = BLANK (NO ANSWER)	75	0.23

A-8. On how many days did you have this number of drinks
of beer, wine or liquor in the past 30 days? (ANSWER FOR
THE AMOUNT YOU RECORDED IN QUESTION A7 ABOVE.)

MODR30DY	2 # DAYS DRANK AMOUNT IN A-7 PAST 30 DAYS		
	RANGE = 1 - 31	13467	41.32
	81 = NEVER USED ALCOHOL Logically assigned ..	126	0.39
	85 = BAD DATA Logically assigned	1227	3.76
	91 = NEVER USED ALCOHOL	8045	24.68
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	9594	29.43
	94 = DON'T KNOW	26	0.08
	95 = BAD DATA	6	0.02
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	101	0.31

A-9. On the average, how often in the last 12 months have
you had any alcoholic beverage, that is, beer, wine, or
liquor?

ALCPAT	2 FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS		
	1 = Daily	756	2.32
	2 = Almost daily or 3 to 6 days a week	1463	4.49
	3 = About 1 or 2 days a week	3644	11.18
	4 = Several times a month (about 25-51 days)	2166	6.65
	5 = 1 to 2 times a month (12 to 24 days a year)	3585	11.00
	6 = Every other month or so (6 to 11 days a year)	2308	7.08
	7 = 3 to 5 days in the past 12 months	2408	7.39
	8 = 1 or 2 days in the past 12 months	2999	9.20

81 = NEVER USED ALCOHOL Logically assigned ..	120	0.37
83 = DID NOT USE ALCOHOL PAST 12 MOS. Log. assigned	237	0.73
85 = BAD DATA Logically assigned	1143	3.51
91 = NEVER USED ALCOHOL	8051	24.70
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	3607	11.07
94 = DON'T KNOW	1	0.00
96 = MULTIPLE RESPONSE	1	0.00
98 = BLANK (NO ANSWER)	105	0.32

A-10. How many times in the past 12 months have you
gotten very high or drunk on alcohol, that is, beer, wine
or liquor?

DRUNKYR	2 # TINES DRUNK ON ALCOHOL PAST 12 MONTHS		
	1 = Daily	217	0.67
	2 = Almost daily or 3 to 6 days a week	259	0.79
	3 = About 1 or 2 days a week	835	2.56
	4 = Several times a month (about 25-51 days a year)	615	1.89
	5 = 1 to 2 times a month (12 to 24 days a year)	1349	4.14
	6 = Every other month or so (6 to 11 days a year)	965	2.96
	7 = 3 to 5 days in the past 12 months	1341	4.11
	8 = 1 or 2 days in the past 12 months	2844	8.73
	9 = Never got very high or drunk in past 12 months	10140	31.11
	81 = NEVER USE ALCOHOL Logically assigned ...	121	0.37
	83 = DID NOT USED ALCOHOL PAST 12 MOS. Log. assigned	246	0.75
	85 = BAD DATA Logically assigned	1853	5.69
	91 = NEVER USED ALCOHOL	8050	24.70
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	3598	11.04
	94 = DON'T KNOW	3	0.01
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	156	0.48

A-11. On those occasions when you drink alcohol, is it
usually beer, wine or liquor? (PLEASE CIRCLE ONLY ONE
ANSWER).

ALCBEER	2 USUAL ALCOHOL BEVERAGE-BEER		
	1 = Response circled	10307	31.62
	2 = Response not circled	13783	42.29
	81 = NEVER USED ALCOHOL Logically assigned ..	404	1.24

	85 = BAD DATA Logically assigned	330	1.01
	91 = NEVER USED ALCOHOL	7767	23.83
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	1	0.00
ALCWINE	2 USUAL ALCOHOL BEVERAGE-WINE		
	1 = Response circled	5212	15.99
	2 = Response not circled	18897	57.98
	81 = NEVER USED ALCOHOL Logically assigned ..	404	1.24
	85 = BAD DATA Logically assigned	312	0.96
	91 = NEVER USED ALCOHOL	7767	23.83
	97 = REFUSED	2	0.01
ALCLIQR	2 USUAL ALCOHOL BEVERAGE-LIQUOR		
	1 = Response circled	3673	11.27
	2 = Response not circled	20436	62.70
	81 = NEVER USED ALCOHOL Logically assigned ..	404	1.24
	85 = BAD DATA Logically assigned	312	0.96
	91 = NEVER USED ALCOHOL	7767	23.83
	97 = REFUSED	2	0.01
ALCVARY	2 USUAL ALCOHOL BEVERAGE-IT VARIES		
	1 = Response circled	4741	14.55
	2 = Response not circled	19367	59.42
	81 = NEVER USED ALCOHOL Logically assigned ..	404	1.24
	85 = BAD DATA Logically assigned	313	0.96
	91 = NEVER USED ALCOHOL	7767	23.83
	97 = REFUSED	2	0.01

SEDATIVES

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

SEDATIVES -- ANSWER SHEET #2

IF YOU HAVE NEVER TAKEN ANY SEDATIVE FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT -
 ----- > * 91 * THEN TELL THE INTERVIEWER
 THAT YOU ARE FINISHED WITH THIS ANSWER SHEET.
 OTHERWISE, CONTINUE WITH S-2 BELOW.

NOSEDAT	2 HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS		
	1 = Response circled	31256	95.89
	2 = Response not circled	1097	3.37
	4 = Response not circled LOGICALLY ASSIGNED	182	0.56
	98 = BLANK (NO ANSWER)	59	0.18

S-1. Circle the number next to each sedative you have ever taken for nonmedical reasons--on your own, either without your own prescription from a doctor, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

BUTISOL	2 BUTISOL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	24	0.07
	2 = Response not circled	1255	3.85
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18

BUTICAPS	2 BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	14	0.04
	2 = Response not circled	1265	3.88
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18

AMYTAL	2 AMYTAL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	36	0.11
	2 = Response not circled	1243	3.81
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18

MEBARAL	2	MEBARAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	36	0.11
		2 = Response not circled	1243	3.81
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
PLACIDYL	2	PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	121	0.37
		2 = Response not circled	1158	3.55
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
DORIDEN	2	DORIDEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	22	0.07
		2 = Response not circled	1257	3.86
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
NOLUDAR	2	NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	18	0.06
		2 = Response not circled	1261	3.87
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
NEMBUTAL	2	NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	79	0.24
		2 = Response not circled	1200	3.68
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
SECONAL	2	SECONAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	228	0.70
		2 = Response not circled	1051	3.22
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
TUINAL	2	TUINAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	151	0.46
		2 = Response not circled	1128	3.46
		91 = NEVER USED SEDATIVES	31256	95.89
		98 = BLANK (NO ANSWER)	59	0.18
DALMANE	2	DALMANE EVER TAKEN FOR NONMEDICAL REWONS		
		1 = Response circled	86	0.26

	2 = Response not circled	1193	3.66
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
RESTORIL	2 RESTORIL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	24	0.07
	2 = Response not circled	1255	3.85
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
HALCION	2 HALCION EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	78	0.24
	2 = Response not circled	1201	3.68
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
AMOBARB	2 AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	10	0.03
	2 = Response not circled	1269	3.89
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
PHENOBAR	2 PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	103	0.32
	2 = Response not circled	1176	3.61
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
METHAQ	2 METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	485	1.49
	2 = Response not circled	794	2.44
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
CHHYD	2 CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	27	0.08
	2 = Response not circled	1252	3.84
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
PENTOB	2 PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	42	0.13
	2 = Response not circled	1237	3.80
	91 = NEVER USED SEDATIVES	31256	95.89

	98 = BLANK (NO ANSWER)	59	0.18
SECOB	2 SECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	31	0.10
	2 = Response not circled	1248	3.83
	91 = NEVER USED SEDATIVES	31256	95.89
	98 = BLANK (NO ANSWER)	59	0.18
SEDNEWA	3 OTHER SEDATIVE EVER USED (FIRST MENTION)		
	116 = Methaqualone (including Sopor, Quaalude)	5	0.02
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
	122 = Sleep Aid <OTC>	1	0.00
	123 = Unisom <OTC>	1	0.00
	129 = Reds	1	0.00
	131 = Haldol	1	0.00
	133 = Ryoxine (sic)	1	0.00
	135 = Mini Thins	1	0.00
	138 = Mandrax (sic)	1	0.00
	139 = Black widows	1	0.00
	143 = Sedoxen (sic)	1	0.00
	144 = Reynolds (sic)	1	0.00
	201 = Valium	26	0.08
	206 = Tranxene	1	0.00
	209 = Xanax	1	0.00
	227 = Thorazine	1	0.00
	234 = Flexeril, Cyclobenzaprine	2	0.01
	240 = Lithium Carbonate	1	0.00
	244 = Roche 2 (Mexican) [sic]	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank"	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	326 = White cross	1	0.00
	327 = Black Beauty, Black beauties	1	0.00
	336 = Diet pills	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	352 = Lemons	1	0.00
	362 = Benadryl	3	0.01
	364 = Sudafed, Sinutab	1	0.00
	401 = Darvon	2	0.01
	408 = Dilaudid	2	0.01
	409 = Tylenol with Codeine, Tylenol 3	2	0.01
	411 = Talwin	1	0.00
	415 = Codeine	2	0.01
	417 = Morphine	1	0.00
	420 = OTHER Analgesic, NOT SPECIFIED	3	0.01
	423 = Percocet	1	0.00
	425 = Advil	1	0.00
	426 = Fiorinal, Butalbital, Phrenilin Forte ..	1	0.00
	427 = Darvocet	2	0.01

	430 = Aspirin, Ecotrin, Empirin <OTC>	2	0.01
	435 = Tylenol <OTC>	8	0.02
	530 = Asthma inhaler, Bronchial dilators	1	0.00
	601 = LSD ("acid," "white lightning")	2	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	1	0.00
	803 = Marijuana	2	0.01
	805 = Cocaine, Coke	1	0.00
	820 = Penicillin	2	0.01
	828 = Tetracycline	1	0.00
	981 = NEVER USED SEDATIVES Logically assigned	4	0.01
	991 = NEVER USED SEDATIVES	31252	95.88
	998 = BLANK (NO ANSWER)	1236	3.79
SEDNEWB	3 OTHER SEDATIVE EVER USED (SECOND MENTION)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	136 = Dimetapp	1	0.00
	202 = Librium	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	364 = Sudafed, Sinutab	1	0.00
	407 = Demerol	1	0.00
	414 = Propoxyphene	1	0.00
	417 = Morphine	1	0.00
	422 = Motrin	1	0.00
	440 = Soma	1	0.00
	444 = Empirin 3	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	991 = NEVER USED SEDATIVES	31256	95.89
	998 = BLANK (NO ANSWER)	1325	4.07
SEDNEWC	3 OTHER SEDATIVE EVER USED (THIRD MENTION)		
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	426 = Fiorinal, Butalbital, Phrenilin Forte ..	1	0.00
	991 = NEVER USED SEDATIVES	31256	95.89
	998 = BLANK (NO ANSWER)	1336	4.10
SEDNEWD	3 OTHER SEDATIVE EVER USED (FOURTH MENTION)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	991 = NEVER USED SEDATIVES	31256	95.89
	998 = BLANK (NO ANSWER)	1337	4.10
SEDNEWE	3 OTHER SEDATIVE EVER USED (FIFTH MENTION)		
	991 = NEVER USED SEDATIVES	31256	95.89
	998 = BLANK (NO ANSWER)	1338	4.11
SEDNOSP	2 OTHER SEDATIVE EVER USED (NOT SPECIFIED)		

1 = Response circled	21	0.06
2 = Response not circled	1103	3.38
3 = Sedative use LOGICALLY ASSIGNED	155	0.48
91 = NEVER USED SEDATIVES	31256	95.89
98 = BLANK (NO ANSWER)	59	0.18

SEDDKNAM 2 USED SEDATIVE, DON'T KNOW NAME

1 = Response circled	320	0.98
2 = Response not circled	959	2.94
91 = NEVER USED SEDATIVES	31256	95.89
98 = BLANK (NO ANSWER)	59	0.18

S-2. About how old were you the first time you took a sedative for any nonmedical reason?

SEDAGE 3 AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS

RANGE = 2 - 62	1090	3.34
181 = NEVER USED SEDATIVES Logically assigned	160	0.49
185 = BAD DATA Logically assigned	39	0.12
191 = NEVER USED SEDATIVES	31096	95.40
194 = DON'T KNOW	1	0.00
198 = BLANK (NO ANSWER)	208	0.64

S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?

SEDTOT 2 # TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS

1 = 1 or 2 times	323	0.99
2 = 3 to 5 times	212	0.65
3 = 6 to 10 times	184	0.56
4 = 11 to 49 times	204	0.63
5 = 50 to 99 times	80	0.25
6 = 100 to 199 times	47	0.14
7 = 200 or more times	85	0.26
91 = NEVER USED SEDATIVES	31256	95.89
98 = BLANK (NO ANSWER)	203	0.62

S-4. When was the most recent time you took any sedative for nonmedical reasons?

SEDREC 2 MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS

1 = Within the past month (30 days)	123	0.38
2 = More than 1 month ago but less than 6 months ago	110	0.34
3 = 6 or more months ago but less than 1 year ago	75	0.23
4 = 1 or more years ago but less than 3 years		

ago	99	0.30
5 = 3 or more years ago	667	2.05
8 = Use in past year LOGICALLY IMPUTED	96	0.29
9 = Use in lifetime LOGICALLY IMPUTED	109	0.33
91 = NEVER USED SEDATIVES	31256	95.89
98 = BLANK (NO ANSWER)	59	0.18

S-5. On the average, how often in the last 12 months have you taken any sedative for nonmedical reasons?

SEDYRFRQ	2	HOW OFTEN TKN SEDATIVES PAST YR FOR NONMDCL RSN		
		1 = Daily	15	0.05
		2 = Almost daily or 3 to 6 days a week	10	0.03
		3 = About 1 or 2 days a week	33	0.10
		4 = Several times a month (25-51 days a year)	31	0.10
		5 = 1 to 2 times a month (12 to 24 days a year)	49	0.15
		6 = Every other month or so (6 to 11 days a year)	27	0.08
		7 = 3 to 5 days in the past 12 months	54	0.17
		8 = 1 to 2 days in the past 12 months	104	0.32
		81 = NEVER USED SEDATIVES Logically assigned	366	1.12
		83 = DID NOT USE SEDATIVE PAST 12 MOS. Log. assigned	106	0.33
		85 = BAD DATA Logically assigned	46	0.14
		91 = NEVER USED SEDATIVES	30890	94.77
		93 = DID NOT USE ANY SEDATIVE IN THE PAST 12 MONTHS	769	2.36
		98 = BLANK (NO ANSWER)	94	0.29

TRANQUILIZERS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
TRANQUILIZERS -- ANSWER SHEET #3			

T-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way would you prefer to do it?			
AS3READ	2 TRANQUILIZERS - READING PREFERENCE		
	1 = Wants interviewer to continue reading ..	9989	30.65
	2 = Wants to do it himself/herself	21064	64.63
	96 = MULTIPLE RESPONSE	3	0.01
	98 = BLANK (NO ANSWER)	1538	4.72
IF YOU HAVE NEVER TAKEN ANY TRANQUILIZER FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT -			
----- > * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH T-2 BELOW.			
NOTRANQ	2 HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS		
	1 = Response circled	30898	94.80
	2 = Response not circled	1501	4.61
	4 = Response not circled LOGICALLY ASSIGNED	139	0.43
	98 = BLANK (NO ANSWER)	56	0.17
T-1. Circle the number next to each tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.			
VALIUM	2 VALIUM EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	1217	3.73
	2 = Response not circled	423	1.30
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
LIBRIUM	2 LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	183	0.56

	2 = Response not circled	1457	4.47
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
LIMBTROL	2 LIMBITROL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	19	0.06
	2 = Response not circled	1621	4.97
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
MENRIUM	2 MENRIUM EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	10	0.03
	2 = Response not circled	1630	5.00
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
SERAX	2 SERAX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	33	0.10
	2 = Response not circled	1607	4.93
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
TRANXENE	2 TRANXENE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	51	0.16
	2 = Response not circled	1589	4.88
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
ATIVAN	2 ATIVAN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	83	0.25
	2 = Response not circled	1557	4.78
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
CENTRAX	2 CENTRAX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	33	0.10
	2 = Response not circled	1607	4.93
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
XANAX	2 XANAX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	242	0.74
	2 = Response not circled	1398	4.29
	91 = NEVER USED TRANQUILIZERS	30898	94.80

	98 = BLANK (NO ANSWER)	56	0.17
PAXIPAM	2 PAXIPAM EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	14	0.04
	2 = Response not circled	1626	4.99
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
BUSPAR	2 BUSPAR EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	30	0.09
	2 = Response not circled	1610	4.94
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
MILTOWN	2 MILTOWN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	33	0.10
	2 = Response not circled	1607	4.93
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
EQUANIL	2 EQUANIL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	31	0.10
	2 = Response not circled	1609	4.94
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
DEPROL	2 DEPROL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	9	0.03
	2 = Response not circled	1631	5.00
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
VISTAR	2 VISTARIL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	23	0.07
	2 = Response not circled	1617	4.96
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
ATARAX	2 ATARAX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	43	0.13
	2 = Response not circled	1597	4.90
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17

DURRAX	2 DURRAX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	14	0.04
	2 = Response not circled	1626	4.99
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
DIAZEPAM	2 DIAZEPAM EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	59	0.18
	2 = Response not circled	1581	4.85
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
SKLY	2 SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	1	0.00
	2 = Response not circled	1639	5.03
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
MEPROB	2 MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	18	0.06
	2 = Response not circled	1622	4.98
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
TRNEWA	3 OTHER TRANQUILIZER EVER USED (FIRST MENTION)		
	116 = Methaqualone (including Sopor, Quaalude)	3	0.01
	128 = Nervine <OTC>	1	0.00
	138 = Mandrax (sic)	1	0.00
	211 = Buspar	1	0.00
	218 = Diazepam	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	229 = Librax	1	0.00
	232 = Mellaril	1	0.00
	234 = Flexeril, Cyclobenzaprine	2	0.01
	239 = Elavil	1	0.00
	240 = Lithium Carbonate	2	0.01
	241 = Prozac	1	0.00
	245 = Tryptophan	1	0.00
	246 = Clonopin	1	0.00
	248 = Sooper Cool (sic)	1	0.00
	249 = Asendin	1	0.00
	328 = Pink hearts	1	0.00
	415 = Codeine	1	0.00
	440 = Soma	1	0.00
	443 = Dolobid	1	0.00
	458 = Mepergan Fortis	1	0.00
	459 = Ketamine	1	0.00

	601 = LSD ("acid," "white lightning")	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	802 = THC, Cannabinol	1	0.00
	991 = NEVER USED TRANQUILIZERS	30898	94.80
	998 = BLANK (NO ANSWER)	1667	5.11
TRNEWB	3 OTHER TRANQUILIZER EVER USED (SECOND MENTION)		
	991 = NEVER USED TRANQUILIZERS	30898	94.80
	998 = BLANK (NO ANSWER)	1696	5.20
TRNEWC	3 OTHER TRANQUILIZER EVER USED (THIRD MENTION)		
	991 = NEVER USED TRANQUILIZERS	30898	94.80
	998 = BLANK (NO ANSWER)	1696	5.20
TRNEWD	3 OTHER TRANQUILIZER EVER USED (FOURTH MENTION)		
	991 = NEVER USED TRANQUILIZERS	30898	94.80
	998 = BLANK (NO ANSWER)	1696	5.20
TRNEWE	3 OTHER TRANQUILIZER EVER USED (FIFTH MENTION)		
	991 = NEVER USED TRANQUILIZERS	30898	94.80
	998 = BLANK (NO ANSWER)	1696	5.20
TRNOSP	2 OTHER TRANQUILIZER EVER USED (NOT SPECIFIED)		
	1 = Response circled	5	0.02
	2 = Response not circled	1515	4.65
	3 = Tranquilizer use LOGICALLY ASSIGNED	120	0.37
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
TRDKNAM	2 USED TRANQUILIZER, DON'T KNOW NAME		
	1 = Response circled	180	0.55
	2 = Response not circled	1460	4.48
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17
	T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?		
TRANAGE	3 AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS		
	RANGE = 6 - 68	1478	4.53
	181 = NEVER USED TRANQUILIZERS Logically assigned	96	0.29
	185 = BAD DATA Logically assigned	23	0.07
	191 = NEVER USED TRANQUILIZERS	30802	94.50

194 = DON'T KNOW	1	0.00
198 = BLANK (NO ANSWER)	194	0.60

T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?

TRANTOT	2 # TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS		
	1 = 1 or 2 times	485	1.49
	2 = 3 to 5 times	301	0.92
	3 = 6 to 10 times	277	0.85
	4 = 11 to 49 times	230	0.71
	5 = 50 to 99 times	84	0.26
	6 = 100 to 199 times	46	0.14
	7 = 200 or more times	82	0.25
	85 = DATA Logically assigned	3	0.01
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	188	0.58

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?

TRANREC	2 MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
	1 = Within the past month (30 days)	117	0.36
	2 = More than 1 month ago but less than 6 months ago	169	0.52
	3 = 6 or more months ago but less than 1 year ago	149	0.46
	4 = 1 or more years ago but less than 3 years ago	229	0.70
	5 = 3 or more years ago	732	2.25
	8 = Use in past year LOGICALLY IMPUTED	137	0.42
	9 = Use in lifetime LOGICALLY IMPUTED	107	0.33
	91 = NEVER USED TRANQUILIZERS	30898	94.80
	98 = BLANK (NO ANSWER)	56	0.17

T-5. On the average, how often in the last 12 months have you taken any tranquilizer for nonmedical reasons?

TRNYRFRQ	2 FREQ IN PAST YR TKN TRANQUILIZERS FOR NONMDCAL RSN
	4 = Several times a month (about 25 to 51 days a year)
	83 = DID NOT USE TRANQUILIZER PAST 12 MOS. Log. assgn.
	93 = DID NOT USE ANY TRANQUILIZER IN THE PAST 12 MONTHS

STIMULANTS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

STIMULANTS -- ANSWER SHEET #4

ST-0. You may complete this on your own, or if you prefer, I'll read the questions. which way do you want to do it?

AS4READ	2	STIMULANTS - READING PREFERENCE		
		1 = Wants interviewer to continue reading ..	9508	29.17
		2 = Wants to do it himself/herself	21537	66.08
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	1544	4.74

IF YOU HAVE NEVER TAKEN ANY STIMULANT FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT -
 ----- > * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE
 FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE
 WITH ST-2 BELOW.

NOSTIMS	2	HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS		
		1 = Response circled	30564	93.77
		2 = Response not circled	1840	5.65
		4 = Response not circled LOGICALLY ASSIGNED	123	0.38
		98 = BLANK (NO ANSWER)	67	0.21

ST-1. Circle the number next to each stimulant you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription or in greater amounts or more often than prescribed or for a reason other than a doctor said you should take them.

DEXED	2	DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	318	0.98
		2 = Response not circled	1644	5.04
		91 = NEVER USED STIMULANTS.....	30564	93.77
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	67	0.21

DEXAMYL	2 DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	118	0.36
	2 = Response not circled	1844	5.66
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
ESKAT	2 ESKATROL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	27	0.08
	2 = Response not circled	1935	5.94
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
BENZ	2 BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	203	0.62
	2 = Response not circled	1759	5.40
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
BIPHET	2 BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	218	0.67
	2 = Response not circled	1744	5.35
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
DESOXYN	2 DESOXYN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	51	0.16
	2 = Response not circled	1911	5.86
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
TENUATE	2 TENUATE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	41	0.13
	2 = Response not circled	1921	5.89
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
TEPANIL	2 TEPANIL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	4	0.01
	2 = Response not circled	1958	6.01

	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
DIDREX	2 DIDREX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	15	0.05
	2 = not circled	1947	5.97
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
PLEGINE	2 PLEGINE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	8	0.02
	2 = Response not circled	1954	5.99
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
PRELUDIN	2 PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	111	0.34
	2 = Response not circled	1851	5.68
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
IONAMIN	2 IONAMIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	82	0.25
	2 = Response not circled	1880	5.77
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
FASTIN	2 FASTIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	96	0.29
	2 = Response not circled	1866	5.72
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
PONDIMIN	2 PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	13	0.04
	2 = Response not circled	1949	5.98
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21

VORANIL	2 VORANIL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	30	0.09
	2 = Response not circled	1932	5.93
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
SANOREX	2 SANOREX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	20	0.06
	2 = Response not circled	1942	5.96
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
MAZANOR	2 MAZANOR EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	40	0.12
	2 = Response not circled	1922	5.90
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
RITALIN	2 RITALIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	63	0.19
	2 = Response not circled	1899	5.83
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
CYLERT	2 CYLERT EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	12	0.04
	2 = Response not circled	1950	5.98
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
DETAMP	2 DEXTROAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASON		
	1 = Response circled	48	0.15
	2 = Response not circled	1914	5.87
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
METHI	2 METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	104	0.32
	2 = Response not circled	1858	5.70

	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
METHAMP	2 METHAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	760	2.33
	2 = Response not circled	1202	3.69
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
OBLA	2 OBERDRIN - LA EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	3	0.01
	2 = Response not circled	1959	6.01
	91 = NEVER USED STIMULANTS	30564	93.77
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	67	0.21
STIMNEWA	3 OTHER STIMULANT EVER USED (FIRST MENTION)		
	124 = Yellow jackets	1	0.00
	135 = Mini Thins	1	0.00
	209 = Xanax	1	0.00
	301 = Dexedrine	1	0.00
	303 = Eskatrol	1	0.00
	307 = Tenuate, Diethylpropion	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	325 = USED STIMULANT, DON'T KNOW NAME	1	0.00
	326 = White cross	35	0.11
	327 = Black Beauty, Black beauties	17	0.05
	328 = Pink hearts	13	0.04
	329 = Speckled eggs, Robin's eggs	2	0.01
	331 = Whites	9	0.03
	332 = Ephedrine	1	0.00
	333 = 357 Magnum, Magnum 44	7	0.02
	334 = Cross tops, Crossroads	22	0.07
	335 = Dexatrim	6	0.02
	336 = Diet pills	7	0.02
	339 = Amphetamines (speed generically)	10	0.03
	340 = Tiamina 250 (sic)	1	0.00
	344 = Bennies	2	0.01
	345 = Black Molly	3	0.01
	347 = Phenylpropanolamine <OTC>	1	0.00
	353 = No-Doz <OTC>	15	0.05
	354 = Vivarin <OTC>	13	0.04
	355 = Crystal meth	1	0.00
	357 = Heart-shaped black pills	1	0.00

	360 = Rainbow speed	1	0.00
	365 = Desecon (sic)	1	0.00
	366 = Duromine (sic)	1	0.00
	367 = Slender Rite (sic)	1	0.00
	370 = Mess Tab (sic)	1	0.00
	373 = Captagon (sic)	1	0.00
	430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
	457 = T's and Blues	1	0.00
	601 = LSD ("acid," "white lightning")	2	0.01
	603 = Mescaline	2	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	606 = "Ecstasy" (MDMA), X-TC	2	0.01
	803 = Marijuana	1	0.00
	805 = Cocaine, Coke	7	0.02
	814 = Caffeine	9	0.03
	815 = Coffee	2	0.01
	981 = NEVER USED STIMULANTS Logically assigned	1	0.00
	991 = NEVER USED STIMULANTS	30563	93.77
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	1818	5.58
STIMNEWB	3 OTHER STIMULANT EVER USED (SECOND MENTION)		
	308 = Tepanil, Diethylpropion	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	326 = White cross	5	0.02
	327 = Black Beauty, Black beauties	3	0.01
	328 = Pink hearts	4	0.01
	329 = Speckled eggs, Robin's eggs	1	0.00
	331 = Whites	1	0.00
	333 = 357 Magnum, Magnum 44	1	0.00
	334 = Cross tops, Crossroads	3	0.01
	357 = Heart-shaped black pills	1	0.00
	805 = Cocaine, Coke	1	0.00
	814 = Caffeine	3	0.01
	991 = NEVER USED STIMULANTS	30564	93.77
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	2003	6.15
STIMNEWC	3 OTHER STIMULANT EVER USED (THIRD MENTION)		
	326 = White cross	1	0.00
	330 = Blue birds, Blue jays	1	0.00
	334 = Cross tops, Crossroads	1	0.00
	991 = NEVER USED STIMULANTS	30564	93.77
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	2026	6.22
STIMNEWD	3 OTHER STIMULANT EVER USED (FOURTH MENTION)		
	991 = NEVER USED STIMULANTS	30564	93.77

		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2029	6.23
STIMNEWE	3	OTHER STIMULANT EVER USED (FIFTH MENTION)		
		991 = NEVER USED STIMULANTS	30564	93.77
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2029	6.23
STIMNOSP	2	OTHER STIMULANT EVER USED (NOT SPECIFIED)		
		1 = Response circled	36	0.11
		2 = Response not circled	1807	5.54
		3 = Stimulant use LOGICALLY IMPUTED	120	0.37
		91 = NEVER USED STIMULANTS	30564	93.77
		98 = BLANK (NO ANSWER)	67	0.21
STMDKNAM	2	USED STIMULANT, DON'T KNOW NAME		
		1 = Response circled	401	1.23
		2 = Response not circled	1561	4.79
		91 = NEVER USED STIMULANTS	30564	93.77
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	67	0.21
ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?				
STIMAGE	3	AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS		
		RANGE = 6 - 55	1811	5.56
		181 = NEVER USED STIMULANTS Logically assigned	85	0.26
		185 = BAD DATA Logically assigned	21	0.06
		191 = NEVER USED STIMULANTS	30479	93.51
		198 = BLANK (NO ANSWER)	198	0.61
ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?				
STIMTOT	2	# TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	385	1.18
		2 = 3 to 5 times	285	0.87
		3 = 6 to 10 times	342	1.05
		4 = 11 to 49 times	376	1.15
		5 = 50 to 99 times	185	0.57
		6 = 100 to 199 times	100	0.31
		7 = 200 or more times	175	0.54
		85 = BAD DATA Logically assigned	4	0.01

91 = NEVER USED STIMULANTS	30564	93.77
98 = BLANK (NO ANSWER)	178	0.55

ST-4. When was the most recent time you took any
amphetamine or other stimulant for nonmedical reasons?

STIMREC	2 MOST RECENT TIME USED STIMULANT FOR NONMEDICAL REA		
	1 = Within the past month (30 days)	138	0.42
	2 = More than 1 month ago but less than 6 months ago	136	0.42
	3 = 6 or more months ago but less than 1 year ago	118	0.36
	4 = 1 or more years ago but less than 3 years ago	214	0.66
	5 = 3 or more years ago	1126	3.45
	7 = Use in past 30 days LOGICALLY IMPUTED ..	1	0.00
	8 = Use in past year LOGICALLY IMPUTED	118	0.36
	9 = Use in lifetime LOGICALLY IMPUTED	112	0.34
	91 = NEVER USED STIMULANTS	30564	93.77
	98 = BLANK (NO ANSWER)	67	0.21

ST-5. On the average, how often in the past 12 months
have you taken any amphetamine or other stimulant for
nonmedical reasons?

STMYRFRQ	2 # TIMES USED STIMULANTS PAST 12 MONTHS		
	1 = Daily	22	0.07
	2 = Almost daily or 3 to 6 days a week	26	0.08
	3 = About 1 or 2 days a week	23	0.07
	4 = Several times a month (about 25 to 51 days a year)	42	0.13
	5 = 1 to 2 times a month (12 to 24 days a year)	63	0.19
	6 = Every other month or so (6 to 11 days a year)	68	0.21
	7 = 3 to 5 days in the past 12 months	67	0.21
	8 = 1 to 2 days in the past 12 months	115	0.35
	81 = NEVER USED STIMULANTS Logically assigned	311	0.95
	83 = DID NOT USE STIMULANT PAST 12 MOS. Log. assigned	116	0.36
	85 = BAD DATA Logically assigned	49	0.15
	91 = NEVER USED STIMULANTS	30253	92.82
	93 = DID NOT USE STIMULANT IN THE PAST 12 MON	1336	4.10
	98 = BLANK (NO ANSWER)	103	0.32

ST-6. Have you ever used amphetamines with a needle?

STNEEDLE	2 EVER USED AMPHETAMINES WITH A NEEDLE
----------	--

1 = Yes	145	0.44
2 = No	1622	4.98
3 = Yes LOGICALLY ASSIGNED	60	0.18
81 = NEVER USED STIMULANTS Logically assigned	434	1.33
91 = NEVER USED STIMULANTS	30130	92.44
98 = BLANK (NO ANSWER)	203	0.62

ST-7. When was the most recent time you used amphetamines
with a needle?

STNDLREC 2 MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE		
1 = Within the past month (30 days)	15	0.05
2 = More than 1 month ago but less than 6 months ago	11	0.03
3 = 6 or more months ago but less than 1 year ago	10	0.03
4 = 1 or more years ago but less than 3 years ago	31	0.10
5 = 3 or more years ago but less than 10 years ago	59	0.18
6 = 10 or more years ago	39	0.12
9 = Use in lifetime LOGICALLY IMPUTED	40	0.12
83 = NEVER USED AMPHETAMINES W/A NEEDLE Logic. imputed	1515	4.65
91 = NEVER USED STIMULANTS	30564	93.77
98 = BLANK (NO ANSWER)	310	0.95

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		ANALGESICS -- ANSWER SHEET #5		

		AN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
AS5READ	2	ANALGESICS - READING PREFERENCE		
		1 = Wants interviewer to read questions	9296	28.52
		2 = Wants to do it himself/herself	21777	66.81
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	1516	4.65
		IF YOU HAVE NEVER TAKEN ANY ANALGESIC FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT - ----- > * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH AN-2 BELOW.		
ANALNONE	2	HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS		
		1 = Response circled	30586	93.84
		2 = Response not circled	1814	5.57
		4 = Response not circled LOGICALLY ASSIGNED	142	0.44
		98 = BLANK (NO ANSWER)	52	0.16
		AN-1. Circle the number next to each analgesic you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed or for a reason other than a doctor said you should take them.		
DARVON	2	DARVON EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	473	1.45
		2 = Response not circled	1482	4.55
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
DOLENE	2	DOLENE EVER TAKEN FOR NONMEDICAL REASONS		

	1 = Response circled	35	0.11
	2 = Response not circled	1920	5.89
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
SK65A	2 SK-65 EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	16	0.05
	2 = Response not circled	1939	5.95
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
WYGESIC	2 WYGESIC EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	23	0.07
	2 = Response not circled	1932	5.93
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
LEVODRO	2 LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	21	0.06
	2 = Response not circled	1934	5.93
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
PERCODAN	2 PERCODAN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	387	1.19
	2 = Response not circled	1568	4.81
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
DEMEROL	2 DEMEROL EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	239	0.73
	2 = Response not circled	1716	5.26
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
DILAUD	2 DILAUDID EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	94	0.29
	2 = Response not circled	1861	5.71
	91 = NEVER USED ANALGESICS	30586	93.84

	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
TYLCOD	2 TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REASON		
	1 = Response circled	1244	3.82
	2 = Response not circled	711	2.18
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
PHENCOD	2 PHENAPHEN W/CODEINE EVER TAKEN FOR NONMEDICAL REAS		
	1 = Response circled	68	0.21
	2 = Response not circled	1887	5.79
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
TALWIN	2 TALWIN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	65	0.20
	2 = Response not circled	1890	5.80
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
TALWINNX	2 TALWIN NX EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	13	0.04
	2 = Response not circled	1942	5.96
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
TALACEN	2 TALACEN EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	17	0.05
	2 = Response not circled	1938	5.95
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16
PROPOXY	2 PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS		
	1 = Response circled	8	0.02
	2 = Response not circled	1947	5.97
	91 = NEVER USED ANALGESICS	30586	93.84
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	52	0.16

CODEINE	2	CODEINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	373	1.14
		2 = Response not circled	1582	4.85
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
ANILERID	2	ANILERIDINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	3	0.01
		2 = Response not circled	1952	5.99
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
MORPHINE	2	MORPHINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	109	0.33
		2 = Response not circled	1846	5.66
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
METHDON	2	METHADONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	69	0.21
		2 = Response not circled	1886	5.79
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
STADOL	2	STADOL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.03
		2 = Response not circled	1945	5.97
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
ANALNEWA	3	OTHER ANALGESIC EVER USED (FIRST MENTION)		
		234 = Flexeril, Cyclobenzaprine	1	0.00
		313 = Fastin, Phentermine	1	0.00
		362 = Benadryl	2	0.01
		364 = Sudafed, Sinutab	1	0.00
		406 = Percodan, Oxycodone	1	0.00
		407 = Demerol	2	0.01
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		415 = Codeine	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		422 = Motrin	17	0.05

	423 = Percocet	13	0.04
	425 = Advil	3	0.01
	426 = Fiorinal, Butalbital, Phrenilin Forte ..	5	0.02
	427 = Darvocet	11	0.03
	430 = Aspirin, Ecotrin, Empirin <OTC>	3	0.01
	431 = Tylox	2	0.01
	434 = Vicodin, Hydrocodone, Co-Gesic	4	0.01
	435 = Tylenol <OTC>	11	0.03
	438 = Anaprox, Naprosyn	2	0.01
	439 = 222, Canadian 222	3	0.01
	440 = Soma	1	0.00
	441 = Luitab (sic)	1	0.00
	442 = Ibuprofen	1	0.00
	445 = Norgesic Forte	1	0.00
	455 = Fiorinal with Codeine	1	0.00
	458 = Mepergan Fortis	1	0.00
	461 = Daopar (sic)	1	0.00
	463 = Lisalgil (sic)	1	0.00
	601 = LSD ("acid," "white lightning")	2	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	2	0.01
	981 = NEVER USED ANALGESICS Logically assigned	3	0.01
	991 = NEVER USED ANALGESICS	30583	93.83
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	1907	5.85
ANALNEWB	3 OTHER ANALGESIC EVER USED (SECOND MENTION)		
	222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
	353 = No-Doz <OTC>	1	0.00
	364 = Sudafed, Sinutab	1	0.00
	422 = Motrin	1	0.00
	426 = Fiorinal, Butalbital, Phrenilin Forte ..	1	0.00
	455 = Fiorinal with Codeine	1	0.00
	458 = Mepergan Fortis	1	0.00
	460 = Magnopyrol (sic)	1	0.00
	702 = Heroin	1	0.00
	991 = NEVER USED ANALGESICS	30586	93.84
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	1998	6.13
ANALNEWC	3 OTHER ANALGESIC EVER USED (THIRD MENTION)		
	991 = NEVER USED ANALGESICS	30586	93.84
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	2007	6.16
ANALNEWD	3 OTHER ANALGESIC EVER USED (FOURTH MENTION)		
	991 = NEVER USED ANALGESICS	30586	93.84

		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2007	6.16
ANALNEW	3	OTHER ANALGESIC EVER USED (FIFTH MENTION)		
		991 = NEVER USED ANALGESICS	30586	93.84
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2007	6.16
ANLNOSP	2	OTHER ANALGESIC EVER USED (NOT SPECIFIED)		
		1 = Response circled	17	0.05
		2 = Response not circled	1812	5.56
		3 = Analgesic use LOGICALLY ASSIGNED	127	0.39
		91 = NEVER USED ANALGESICS	30586	93.84
		98 = BLANK (NO ANSWER)	52	0.16
ANLDKNAM	2	USED ANALGESIC, DON'T KNOW NAME		
		1 = Response circled	105	0.32
		2 = Response not circled	1850	5.68
		91 = NEVER USED ANALGESICS	30586	93.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	52	0.16
AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?				
ANALAGE	3	AGE FIRST TOOK ANALGESIC FOR NONMEDICAL REASONS		
		RANGE = 2 - 72	1705	5.23
		181 = NEVER USED ANALGESICS Logically assigned	94	0.29
		185 = BAD DATA Logically assigned	21	0.06
		191 = NEVER USED ANALGESICS	30492	93.55
		194 = DON'T KNOW	6	0.02
		198 = BLANK (NO ANSWER)	276	0.85
AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reasons?				
ANALTOT	2	# TIMES EVER TOOK ANALGESIC FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	514	1.58
		2 = 3 to 5 times	390	1.20
		3 = 6 to 10 times	283	0.87
		4 = 11 to 49 times	288	0.88
		5 = 50 to 99 times	127	0.39
		6 = 100 to 199 times	52	0.16
		7 = 200 or more times	100	0.31
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANALGESICS	30586	93.84

94 = DON'T KNOW	2	0.01
98 = BLANK (NO ANSWER)	251	0.77

AN-4. When was the most recent time you took any analgesic for nonmedical reasons?

ANALREC	2 MOST RECENT TIME USED ANALGESIC NONMEDICAL REASON		
	1 = Within past month (30 days)	237	0.73
	2 = More than 1 month ago but less than 6 months ago	297	0.91
	3 = 6 or more months ago but less than 1 year ago	232	0.71
	4 = 1 or more years ago but less than 3 years ago	241	0.74
	5 = 3 or more years ago	578	1.77
	8 = Use in past year LOGICALLY IMPUTED	193	0.59
	9 = Use in lifetime LOGICALLY IMPUTED	178	0.55
	91 = NEVER USED ANALGESICS	30586	93.84
	98 = BLANK (NO ANSWER)	52	0.16

AN-5. On the average, how often in the past 12 months have you taken any analgesic for nonmedical reasons?

ANLYRFRQ	2 # TIMES USED ANALGESIC PAST 12 MONTHS		
	1 = Daily	20	0.06
	2 = Almost daily or 3 to 6 days a week	27	0.08
	3 = About 1 or 2 days a week	44	0.13
	4 = Several times a month (about 25 to 51 days a year)	60	0.18
	5 = 1 to 2 times a month (12 to 24 days a year)	105	0.32
	6 = Every other month or so (6 to 11 days a year)	90	0.28
	7 = 3 to 5 days in the past 12 months	170	0.52
	8 = 1 to 2 days in the past 12 months	322	0.99
	81 = NEVER USED ANALGESICS Logically assigned	326	1.00
	83 = DID NOT USE ANALGESIC PAST 12 MOS. Log. assigned	168	0.52
	85 = BAD DATA Logically assigned	64	0.20
	91 = NEVER USED ANALGESICS	30260	92.84
	93 = DID NOT USE ANALGESIC IN THE PAST 12 MONTHS	829	2.54
	98 = BLANK (NO ANSWER)	109	0.33

MARIJUANA AND HASHISH

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
MARIJUANA AND HASHISH -- ANSWER SHEET #6			

MM-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?			
MJOPP	3 AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH		
	RANGE = 1 - 74	16380	50.25
	181 = NEVER HAD CHANCE TO TRY MARIJUANA Log. assigned	38	0.12
	185 = BAD DATA Logically assigned	49	0.15
	191 = NEVER HAD CHANCE TO TRY MARIJUANA	15944	48.92
	194 = DON'T KNOW	7	0.02
	198 = BLANK (NO ANSWER)	176	0.54
M-2. About how old were you the first time you actually used marijuana or hash, even once?			
MJAGE	3 AGE WHEN FIRST USED MARIJUANA/HASH		
	RANGE = 2 - 65	10686	32.79
	181 = NEVER USED MARIJUANA Logically assigned	194	0.60
	185 = BAD DATA Logically assigned	97	0.30
	191 = NEVER USED MARIJUANA	21578	66.20
	194 = DON'T KNOW	2	0.01
	197 = REFUSED	3	0.01
	198 = BLANK (NO ANSWER)	34	0.10
M-3. About how many times in your life have you used marijuana or hash?			
MJTOT	2 # TIMES USED MARIJUANA/HASH IN LIFE		
	1 = 1 or 2 times	2849	8.74
	2 = 3 to 5 times	1564	4.80
	3 = 6 to 10 times	1351	4.14
	4 = 11 to 49 times	1687	5.18
	5 = 50 to 99 times	846	2.60
	6 = 100 to 199 times	593	1.82
	7 = 200 or more times	1852	5.68
	81 = NEVER USED MARIJUANA Logically assigned	237	0.73

85 = BAD DATA Logically assigned	61	0.19
91 = NEVER USED MARIJUANA	21535	66.07
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	13	0.04

M-4. When was the most recent time that you used marijuana or hash?

MJREC	2 MOST RECENT TIME USED MARIJUANA/HASH		
	1 = Within the past week (7 days)	1084	3.33
	2 = More than 1 week ago but less than 1 month ago	602	1.85
	3 = 1 or more months ago but less than 6 months ago	596	1.83
	4 = 6 or more months ago but less than 1 year ago	647	1.99
	5 = 1 or more years ago but less than 3 years ago	1044	3.20
	6 = 3 or more years ago	5657	17.36
	7 = Use in past 30 days LOGICALLY IMPUTED ..	439	1.35
	8 = Use in past year LOGICALLY IMPUTED	662	2.03
	9 = Use in lifetime LOGICALLY IMPUTED	91	0.28
	81 = NEVER USED MARIJUANA Logically imputed .	175	0.54
	91 = NEVER USED MARIJUANA	21597	66.26

M-5. On about how many different days did you use marijuana or hash during the past 30 days?

MJDAY30A	2 # DAYS USED MARIJUANA/HASH IN PAST 30 DAYS		
	RANGE = 1 - 30	1844	5.66
	81 = NEVER USED MARIJUANA Logically assigned	229	0.70
	83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic. assigned	630	1.93
	85 = BAD DATA Logically assigned	266	0.82
	91 = NEVER USED MARIJUANA	21543	66.09
	93 = DID NOT USE MARIJUANA IN PAST 30 DAYS ..	8067	24.75
	94 = DON'T KNOW	4	0.01
	95 = BAD DATA	2	0.01
	98 = BLANK (NO ANSWER)	9	0.03

M-6. On the days that you used marijuana, about how much did you smoke each day, on the average, during the past 30 days?

MJAV30A	2 # JOINTS SMOKED PER DAY IN PAST 30 DAYS		
	RANGE = 0 - 60	1802	5.53
	81 = NEVER USED MARIJUANA Logically assigned	239	0.73

83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic. assigned	551	1.69
85 = BAD DATA Logically assigned	212	0.65
91 = NEVER USED MARIJUANA	21533	66.06
93 = DID NOT USE MARIJUANA IN PAST 30 DAYS ..	8146	24.99
94 = DON'T KNOW	5	0.02
98 = BLANK (NO ANSWER)	106	0.33

MJAV30B 2 # BONGS SMOKED PER DAY IN PAST 30 DAYS		
RANGE = 0 - 65	597	1.83
81 = NEVER USED MARIJUANA Logically assigned	238	0.73
83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic. assigned	546	1.68
85 = BAD DATA Logically assigned	212	0.65
91 = NEVER USED MARIJUANA	21534	66.07
93 = DID NOT USE MARIJUANA IN PAST 30 DAYS ..	8151	25.01
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	1315	4.03

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

MJAMT30A 2 TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS		
1 = 1 to 10 joints in the past 30 days	1338	4.11
2 = 11 to 20 joints in the past 30 days	342	1.05
3 = About 1 ounce in the past 30 days	212	0.65
4 = About 2 ounces in the past 30 days	52	0.16
5 = 3 to 4 ounces in the past 30 days	21	0.06
6 = 5 to 6 ounces in the past 30 days	18	0.06
77 = More than 6 ounces in the past 30 days .	18	0.06
81 = NEVER USED MARIJUANA Logically assigned	218	0.67
83 = DID NOT USE MARIJUANA PAST 30 DAYS Log. assigned	250	0.77
85 = BAD DATA Logically-assigned	110	0.34
91 = NEVER USED MARIJUANA	21554	66.13
93 = DID NOT USE MARIJUANA IN PAST 30 DAYS ..	8447	25.92
98 = BLANK (NO ANSWER)	14	0.04

M-8. On the average, how often in the past 12 months have you used marijuana?

MJYRFREQ 2 FREQUENCY USED MARIJUANA PAST 12 MONTHS		
1 = Several times a day	206	0.63
2 = Daily	115	0.35
3 = Almost daily (3 to 6 days a week)	327	1.00
4 = 1 or 2 days a week	454	1.39
5 = Several times a month (about 25 to 51 days a year)	270	0.83

6 = 1 to 2 times a month (12 to 24 days a year)	415	1.27
7 = Every other month or so (6 to 11 days a year)	369	1.13
8 = 3 to 5 days in the past 12 months	440	1.35
9 = 1 or 2 days in the past 12 months	758	2.33
81 = NEVER USED MARIJUANA Logically assigned	207	0.64
83 = DID NOT USE MARIJUANA PAST 12 MOS. Log. assigned	165	0.51
85 = BAD DATA Logically assigned	650	1.99
91 = NEVER USED MARIJUANA	21565	66.16
93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS	6627	20.33
94 = DON'T KNOW	2	0.01
98 = BLANK (NO ANSWER)	24	0.07

M-9. Circle the numbers to the right of all the ways you have used marijuana in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY).

MJJOINT	2 SMOKED MARIJUANA CIGARETTES OR JOINTS		
	1 = Response circled	3309	10.15
	2 = Response not circled	721	2.21
	81 = NEVER USED MARIJUANA Logically assigned	250	0.77
	83 = DID NOT USE MARIJUANA PAST 12 MOS. Log. assigned	175	0.54
	91 = NEVER USED MARIJUANA	21522	66.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6617	20.30
MJPIPE	2 SMOKED MARIJUANA WITH A PIPE OR BONG IN PST 12 MO		
	1 = Response circled	1715	5.26
	2 = Response not circled	2315	7.10
	81 = NEVER USED MARIJUANA Logically assigned	250	0.77
	83 = DID NOT USE MARIJUANA PAST 12 MOS. Log. assigned	175	0.54
	91 = NEVER USED MARIJUANA	21522	66.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6617	20.30
MJBAKE	2 ATE MARIJUANA THAT'S BEEN BAKED IN FOOD PAST 12 MO		
	1 = Response circled	207	0.64
	2 = Response not circled	3823	11.73
	81 = NEVER USED MARIJUANA Logically assigned	250	0.77
	83 = DID NOT USE MARIJUANA PAST 12 MOS. Log. assigned	175	0.54
	91 = NEVER USED MARIJUANA	21522	66.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6617	20.30

MJCHEW	2 CHEWED MARIJUANA LIKE CHEWING TOBACCO IN PST 12 MO		
	1 = Response circled	90	0.28
	2 = Response not circled	3940	12.09
	81 = NEVER USED MARIJUANA Logically assigned	250	0.77
	83 = DID NOT USE MARIJUANA PAST 12 MOS. Log. assigned	175	0.54
	91 = NEVER USED MARIJUANA	21522	66.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6617	20.30
 MJWAY	 2 USED MARIJUANA SOME OTHER WAY IN PAST 12 MO		
	1 = Response circled, method not specified .	6	0.02
	2 = Response not circled	3590	11.01
	3 = Response circled, method not specified LOGIC. ASGND	378	1.16
	6 = Can with holes	21	0.06
	7 = One hitter	5	0.02
	8 = Boiled with tea	2	0.01
	9 = Smoky small room (burn in small room like bathroom)	3	0.01
	11 = Shot gun	4	0.01
	12 = Chewing/eating	5	0.02
	13 = Through an apple made like a pipe	2	0.01
	16 = Laced	3	0.01
	17 = Blunts	2	0.01
	18 = Gravities	3	0.01
	19 = With cocaine	1	0.00
	20 = Bleach bottle	2	0.01
	21 = Contact	1	0.00
	22 = 1.5 paper	1	0.00
	23 = As medicine	1	0.00
	81 = NEVER USED MARIJUANA Logically assigned	250	0.77
	83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic. assigned	175	0.54
	91 = NEVER USED MARIJUANA	21522	66.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6617	20.30

INHALANTS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

INHALANTS -- ANSWER SHEET #7

IN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS7READ	2 INHALANTS - READING PREFERENCE		
	1 = Wants interviewer to read questions	9473	29.06
	2 = Wants to do it himself/herself	20019	61.42
	96 = MULTIPLE RESPONSE	2	0.01
	98 = BLANK (NO ANSWER)	3100	9.51

IN-1. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE NUMBERS FOR ALL THAT APPLY.)

GAS	2 EVER INHALED GASOLINE OR LIGHTER FLUIDS		
	1 = Response circled	373	1.14
	2 = Response not circled	1706	5.23
	3 = Inhalant use LOGICALLY IMPUTED	10	0.03
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22

LGAS	2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
	1 = Response circled	92	0.28
	2 = Response not circled	1993	6.11
	3 = Response circled LOGICALLY ASSIGNED	4	0.01
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22

SPPAINT	2 EVER INHALED SPRAY PAINTS		
	1 = Response circled	238	0.73
	2 = Response not circled	1844	5.66
	3 = Response circled LOGICALLY ASSIGNED	7	0.02
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66

	98 = BLANK (NO ANSWER)	71	0.22
AEROS	2 EVER INHALED OTHER AEROSOL SPRAYS		
	1 = Response circled	148	0.45
	2 = Response not circled	1936	5.94
	3 = Inhalant use LOGICALLY ASSIGNED	5	0.02
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
GLUE	2 EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
	1 = Response circled	359	1.10
	2 = Response not circled	1725	5.29
	3 = Inhalant use LOGICALLY ASSIGNED	5	0.02
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
SOLVENT	2 EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
	1 = Response circled	153	0.47
	2 = Response not circled	1932	5.93
	3 = Inhalant use LOGICALLY ASSIGNED	4	0.01
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
AMYLNIT	2 EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH		
	1 = Response circled	659	2.02
	2 = Response not circled	1429	4.38
	3 = Inhalant use LOGICALLY ASSIGNED	1	0.00
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
ETHER	2 EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
	1 = Response circled	41	0.13
	2 = Response not circled	2047	6.28
	3 = Inhalant use LOGICALLY ASSIGNED	1	0.00
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
NITOXID	2 EVER INHALED NITROUS OXIDE/WHIPPETS		
	1 = Response circled	561	1.72
	2 = Response not circled	1523	4.67

	3 = Inhalant use LOGICALLY ASSIGNED	5	0.02
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
CLEFLU	2 EVER INHALED CORRECTION FLD/DEGRFASER/CLEANING FLD		
	1 = Response circled	189	0.58
	2 = Response not circled	1890	5.80
	3 = Inhalant use LOGICALLY ASSIGNED	10	0.03
	81 = NEVER USED INHALANTS Logically assigned	234	0.72
	91 = NEVER USED INHALANTS	30200	92.66
	98 = BLANK (NO ANSWER)	71	0.22
INHNEWA	3 OTHER SUBSTANCE EVER INHALED (FIRST MENTION)		
	116 = Methaqualone (including Sopor, Quaalude)	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	432 = Rufen	1	0.00
	501 = Gasoline or lighter fluids	3	0.01
	503 = Other aerosol sprays	3	0.01
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	29	0.09
	506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	21	0.06
	507 = Halothane, ether, or other anesthetic	3	0.01
	508 = Nitrous oxide, "whippets," dentist gas .	4	0.01
	509 = Correction flds, degreasers, cleaning flds, Lqd Paper	4	0.01
	510 = OTHER Inhalant, NOT SPECIFIED	8	0.02
	511 = Markers, Felt-tip pens	21	0.06
	512 = Incense	1	0.00
	514 = Carbona (sic)	2	0.01
	515 = Vicks	1	0.00
	516 = Freon	13	0.04
	518 = Acetone, Nail polish remover	5	0.02
	519 = Helium.....	15	0.05
	522 = TV Tuner	3	0.01
	523 = Matches	1	0.00
	524 = White-Out	30	0.09
	526 = Nail polish	6	0.02
	527 = Phenyl nitrate	1	0.00
	528 = Whipped-cream can	4	0.01
	529 = Moth balls	1	0.00
	530 = Asthma inhaler, Bronchial dilators	1	0.00
	531 = Candy	1	0.00
	532 = PRW (sic)	1	0.00
	534 = Deodorant	1	0.00
	535 = Rexo (sic) copies	1	0.00

536 = Fire Halt	1	0.00
537 = Boat horn	1	0.00
539 = ScotchGard	2	0.01
540 = PAM	2	0.01
541 = Binaca	1	0.00
542 = Spirits of ammonia	1	0.00
543 = Liquid oxygen	1	0.00
803 = Marijuana	2	0.01
805 = Cocaine, Coke	6	0.02
806 = Crack	1	0.00
807 = Alcohol	3	0.01
811 = Muscle relaxers	1	0.00
813 = Cigarettes, tobacco not specified	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacc	2	0.01
981 = NEVER USED INHALANTS Logically assigned	234	0.72
991 = NEVER USED INHALANTS	30200	92.66
995 = BAD DATA	1	0.00
998 = BLANK (No ANSWER)	1946	5.97
INHNEWB	3 OTHER SUBSTANCE EVER INHALED (SECOND MENTION)	
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1 0.00
	509 = Correction flds, degreasers, cleaning flds, Lqd Paper	1 0.00
	518 = Acetone, Nail polish remover	1 0.00
	524 = White-Out	2 0.01
	533 = Window sealant	1 0.00
	538 = Condensed horn	1 0.00
	805 = Cocaine, Coke	1 0.00
	981 = NEVER USED INHALANTS Logically assigned	234 0.72
	991 = NEVER USED INHALANTS	30200 92.66
	998 = BLANK (NO ANSWER)	2152 6.60
INHNEWC	3 OTHER SUBSTANCES INHALED (THIRD MENTION)	
	981 = NEVER USED INHALANTS Logically assigned	234 0.72
	991 = NEVER USED INHALANTS	30200 92.66
	998 = BLANK (NO ANSWER)	2160 6.63
INHNEWD	3 OTHER SUBSTANCE INHALED (FOURTH MENTION)	
	981 = NEVER USED INHALANTS Logically assigned	234 0.72
	991 = NEVER USED INHALANTS	30200 92.66
	998 = BLANK (NO ANSWER)	2160 6.63
INHNEWE	3 OTHER SUBSTANCE INHALED (FIFTH MENTION)	
	981 = NEVER USED INHALANTS Logically assigned	234 0.72
	991 = NEVER USED INHALANTS	30200 92.66
	998 = BLANK (NO ANSWER)	2160 6.63

INHNOSP	2	EVER INHALED OTHER SUBSTANCES (NOT SPECIFIED)		
		1 = Response circled	31	0.10
		2 = Response not circled	1934	5.93
		3 = Inhalant use LOGICALLY ASSIGNED	124	0.38
		81 = NEVER USED INHALANTS Logically assigned	234	0.72
		91 = NEVER USED INHALANTS	30200	92.66
		98 = BLANK (NO ANSWER)	71	0.22

INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Response circled	107	0.33
		2 = Response not circled	1982	6.08
		81 = NEVER USED INHALANTS Logically assigned	234	0.72
		91 = NEVER USED INHALANTS	30200	92.66
		98 = BLANK (NO ANSWER)	71	0.22

IN-2. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?

INHAGE	3	AGE WHEN FIRST SNIFFED ONE OF THESE INHALANTS		
		RANGE = 2 - 45	1913	5.87
		181 = NEVER USED INHALANTS Logically assigned	2364	7.25
		185 = BAD DATA Logically assigned	153	0.47
		191 = NEVER USED INHALANTS	28070	86.12
		194 = DON'T KNOW	4	0.01
		198 = BLANK (NO ANSWER)	90	0.28

IN-3. About how many times in your life have you used an inhalant to get high or for kicks?

INHTOT	2	# TIMES USED INHALANT IN LIFETIME		
		1 = 1 or 2 times	791	2.43
		2 = 3 to 5 times	475	1.46
		3 = 6 to 10 times	300	0.92
		4 = 11 to 49 times	219	0.67
		5 = 50 to 99 times	77	0.24
		6 = 100 to 199 times	28	0.09
		7 = 200 or more times	47	0.14
		81 = NEVER USED INRALANTS Logically assigned	405	1.24
		85 = BAD DATA Logically assigned	140	0.43
		91 = NEVER USED INHALANTS	30029	92.13
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	81	0.25

IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?

INHREC	2 MOST RECENT TIME USED INHALANT		
	1 = Within the past week (7 days)	54	0.17
	2 = More than 1 week ago but less than 1 month ago	68	0.21
	3 = 1 or more months ago but less than 6 months ago	118	0.36
	4 = 6 or more months ago but less than 1 year ago	98	0.30
	5 = 1 or more years ago but less than 3 years ago	190	0.58
	6 = 3 or more years ago	1171	3.59
	7 = Use in past 30 days LOGICALLY IMPUTED ..	196	0.60
	8 = Use in past year LOGICALLY IMPUTED	104	0.32
	9 = Use in lifetime LOGICALLY IMPUTED	90	0.28
	81 = NEVER USED INHALANTS Logically imputed .	353	1.08
	91 = NEVER USED INHALANTS	30081	92.29
	98 = BLANK (NO ANSWER)	71	0.22

IN-5. Circle the number to the right of each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)

GAS30A	2 INHALED GASOLINE OR LIGHTER FLUID PAST 30 DAYS		
	1 = Response circled	65	0.20
	2 = Response not circled	253	0.78
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log. assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22

LGAS30A	2 INHALED LIGHTER GASES (BUTANE,PROPANE) PST 30 DAYS		
	1 = Response circled	17	0.05
	2 = Response not circled	301	0.92
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Logic. assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22

SPPAN30A	2 INHALED SPRAY PAINTS PAST 30 DAYS		
	1 = Response circled	44	0.13
	2 = Response not circled	274	0.84
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 12 MOS. Log. assigned	188	0.58

	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
AEROS30A	2 INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS		
	1 = Response circled	30	0.09
	2 = Response not circled	288	0.88
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log.		
	assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
GLUE30A	2 INHALED SHOESHINE LIQUID/GLUE/TOLUENE PAST 30 DAYS		
	1 = Response circled	54	0.17
	2 = Response not circled	264	0.81
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log.		
	assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
SOLVN30A	2 INHALED LACQUER THINNER/PAINT SOLVENTS PAST 30 DAY		
	1 = Response circled	21	0.06
	2 = Response not circled	297	0.91
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 12 MOS. Log.		
	assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
AMLNT30A	2 INHALED AMYL NITRITE/LOCKER RM ODORIZER PST 30 DYS		
	1 = Response circled	45	0.14
	2 = Response not circled	273	0.84
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log.		
	assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
ETHER30A	2 INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS		
	1 = Response circled	6	0.02

	2 = Response not circled	312	0.96
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log. assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
NOX30A	2 INHALED NITROUS OXIDE/WHIPPETS PAST 30 DAYS		
	1 = Response circled	54	0.17
	2 = Response not circled	264	0.81
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 12 MOS. Log. assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
CLFL30A	2 INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY		
	1 = Response circled	33	0.10
	2 = Response not circled	285	0.87
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	83 = DID NOT USE INHALANT PAST 30 DAYS Log. assigned	188	0.58
	91 = NEVER USED INHALANTS	29946	91.88
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
	98 = BLANK (NO ANSWER)	71	0.22
INNEW30A	3 OTHER INHALANT USED PAST 30 DAYS (FIRST MENTION)		
	503 = Other aerosol sprays	2	0.01
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	3	0.01
	506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	3	0.01
	509 = Correction flds, degreasers, cleaning flds, Lqd Paper	2	0.01
	510 = OTHER Inhalant, NOT SPECIFIED	4	0.01
	511 = Markers, Felt-tip pens	9	0.03
	514 = Carbona (sic)	1	0.00
	516 = Freon	2	0.01
	519 = Helium	2	0.01
	524 = White-Out	2	0.01
	526 = Nail polish	2	0.01
	528 = whipped-cream can	1	0.00
	539 = ScotchGard	1	0.00
	803 = Marijuana	2	0.01
	805 = Cocaine, Coke	3	0.01
	807 = Alcohol	2	0.01

	816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
	981 = NEVER USED INHALANTS Logically assigned	488	1.50
	983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.		
	assigned	188	0.58
	991 = NEVER USED INHALANTS	29946	91.88
	993 = NOT APPLICABLE	1583	4.86
	998 = BLANK (NO ANSWER)	347	1.06
INNEW30B	3 OTHER INHALANT USED PAST 30 DAYS (SECOND MENTION)		
	526 = Nail polish	1	0.00
	981 = NEVER USED INHALANTS Logically assigned	488	1.50
	983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.		
	assigned	188	0.58
	991 = NEVER USED INHALANTS	29946	91.88
	993 = NOT APPLICABLE	1583	4.86
	998 = BLANK (NO ANSWER)	388	1.19
INNEW30C	3 OTHER INHALANT USED PAST 30 DAYS (THIRD MENTION)		
	981 = NEVER USED INHALANTS Logically assigned	488	1.50
	983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.		
	assigned	188	0.58
	991 = NEVER USED INHALANTS	29946	91.88
	993 = DID NOT USE INHALANTS PAST 30 DAYS	1583	4.86
	998 = BLANK (NO ANSWER)	389	1.19
INNEW30D	3 OTHER INHALANT USED PAST 30 DAYS (FOURTH MENTION)		
	981 = NEVER USED INHALANTS Logically assigned	488	1.50
	983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.		
	assigned	188	0.58
	991 = NEVER USED INHALANTS	29946	91.88
	993 = DID NOT USE INHALANTS PAST 30 DAYS	1583	4.86
	998 = BLANK (NO ANSWER)	389	1.19
INNEW30E	3 OTHER INHALANT USED PAST 30 DAYS (FIFTH MENTION)		
	981 = NEVER USED INHALANTS Logically assigned	488	1.50
	983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.		
	assigned	188	0.58
	991 = NEVER USED INHALANTS	29946	91.88
	993 = DID NOT USE INHALANTS PAST 30 DAYS	1583	4.86
	998 = BLANK (NO ANSWER)	389	1.19
IN30NOSP	2 OTHER INHALANT USED PAST 30 DAYS (NOT SPECIFIED)		
	1 = Response circled	14	0.04
	2 = Response not circled	284	0.87
	3 = Response circled LOGICALLY IMPUTED	20	0.06

81 = NEVER USED INHALANTS Logically assigned	488	1.50
83 = DID NOT USE INHALANTS PAST 30 DAYS Log. assigned	188	0.58
91 = NEVER USED INHALANTS	29946	91.88
93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1583	4.86
98 = BLANK (NO ANSWER)	71	0.22

INH30NO	2 DID NOT USE ANY INHALANT PAST 30 DAYS		
	1 = Response circled	1583	4.86
	2 = Response not circled	251	0.77
	3 = Response circled LOGICALLY ASSIGNED	188	0.58
	4 = Response not circled LOGICALLY ASSIGNED	67	0.21
	81 = NEVER USED INHALANTS Logically assigned	488	1.50
	91 = NEVER USED INHALANTS	29946	91.88
	98 = BLANK (NO ANSWER)	71	0.22

IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?

INH30NO	2 # DAYS USED AN INHALANT IN PAST 30 DAYS		
	RANGE = 1 - 25	143	0.44
	81 = NEVER USED INHALANTS Logically assigned	424	1.30
	83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	192	0.59
	85 = BAD DATA Logically assigned	162	0.50
	91 = NEVER USED INHALANTS	30010	92.07
	93 = DID NOT USE INHALANT IN PAST 30 DAYS ...	1579	4.84
	94 = DON'T KNOW	1	0.00
	96 = MULTIPLE RESPONSE	1	0.00
	98 = BLANK (NO ANSWER)	82	0.25

IN-7. On the average, how often in the past 12 months have you sniffed or inhaled any substance for kicks or to get high?

INH30NO	2 FREQ IN PAST YR SNIFFED OR INHALED SUBSTANCE		
	1 = Daily	10	0.03
	2 = Almost daily or 3 to 6 days a week	13	0.04
	3 = About 1 or 2 days a week	31	0.10
	4 = Several times a month (about 25 to 51 days a year)	24	0.07
	5 = 1 to 2 times a month (12 to 24 days a year)	43	0.13
	6 = Every other month or so (6 to 11 days a year)	43	0.13
	7 = 3 to 5 days in the past 12 months	95	0.29
	8 = 1 to 2 days in the past 12 months	152	0.47

81 = NEVER USED INHALANTS Logically assigned	401	1.23
83 = DID NOT USE INHALANT PAST 12 MOS. Log. assigned	119	0.37
85 = BAD DATA Logically assigned	219	0.67
91 = NEVER USED INHALANTS	30033	92.14
93 = DID NOT USE INHALANT IN THE PAST 12 MONTHS	1332	4.09
96 = MULTIPLE RESPONSE	1	0.00
98 = BLANK (NO ANSWER)	76	0.23

IN-8. Thinking of all the times you have ever used any of these inhalants, how much did you usually use? (PLEASE CIRCLE ONLY ONE ANSWER.)

INHEFF	2 USUAL AMOUNT (EFFECTS) OF INHALANTS USED		
	1 = Enough to feel you were going to pass out	120	0.37
	2 = Enough so that you staggered or dropped things	87	0.27
	3 = Enough to get high	509	1.56
	4 = Enough to feel it a lot	279	0.86
	5 = Enough to feel it a little	549	1.68
	6 = Just enough to be able to say I did it, not feel it	325	1.00
	7 = Something else, NOT SPECIFIED	13	0.04
	8 = Didn't feel it, didn't use much	2	0.01
	9 = Sniffed out of curiosity once	4	0.01
	11 = Enough for a head rush	4	0.01
	12 = Didn't feel it, just like the smell	2	0.01
	15 = Just enough to say, I tried it, I felt it	13	0.04
	16 = Enough to get sick	6	0.02
	17 = Till I couldn't move	2	0.01
	18 = Enough smoke	1	0.00
	19 = Scared so I stopped	1	0.00
	20 = Smell of gas at the pump, not just to get high	4	0.01
	81 = NEVER USED INHALANTS Logically assigned	1039	3.19
	85 = BAD DATA Logically assigned	130	0.40
	91 = NEVER USED INHALANTS	29395	90.19
	98 = BLANK (NO ANSWER)	109	0.33

IN-9. Have you ever passed out from using any of these inhalants for kicks or to get high?

INHPO	2 EVER PASSED OUT FROM USING INHALANTS		
	1 = Yes	161	0.49
	2 = No	1745	5.35
	81 = NEVER USED INHALANTS Logically assigned	511	1.57

85 = BAD DATA Logically assigned	153	0.47
91 = NEVER USED INHALANTS	29923	91.81
98 = BLANK (NO ANSWER)	101	0.31

IN-10. Please tell me which questions, if any, were not clear.

INHQNC1	2 QUESTION 1 NOT CLEAR		
	1 = QUESTION 1 NOT CLEAR	87	0.27
	98 = BLANK (NO ANSWER)	32507	99.73
INHQNC2	2 QUESTION 2 NOT CLEAR		
	2 = QUESTION 2 NOT CLEAR	51	0.16
	98 = BLANK (NO ANSWER)	32543	99.84
INHQNC3	2 QUESTION 3 NOT CLEAR		
	3 = QUESTION 3 NOT CLEAR	27	0.08
	98 = BLANK (NO ANSWER)	32567	99.92
INHQNC4	2 QUESTION 4 NOT CLEAR		
	4 = QUESTION 4 NOT CLEAR	26	0.08
	98 = BLANK (NO ANSWER)	32568	99.92
INHQNC5	2 QUESTION 5 NOT CLEAR		
	5 = BLANK (NO ANSWER)	53	0.16
	98 = BLANK (NO ANSWER)	32541	99.84
INHQNC6	2 QUESTION 6 NOT CLEAR		
	6 = QUESTION 5 NOT CLEAR	41	0.13
	98 = BLANK (NO ANSWER)	32553	99.87
INHQNC7	2 QUESTION 7 NOT CLEAR		
	7 = QUESTION 7 NOT CLEAR	26	0.08
	98 = BLANK (NO ANSWER)	32568	99.92
INHQNC8	2 QUESTION 8 NOT CLEAR		
	8 = QUESTION 8 NOT CLEAR	63	0.19
	98 = BLANK (NO ANSWER)	32531	99.81
INHQNC9	2 QUESTION 9 NOT CLEAR		
	9 = QUESTION 9 NOT CLEAR	50	0.15
	98 = BLANK (NO ANSWER)	32544	99.85

INHQNC10	2 ALL QUESTIONS WERE CLEAR		
	10 = ALL QUESTIONS WERE CLEAR	23610	72.44
	96 = MULTIPLE RESPONSE	1	0.00
	98 = BLANK (NO ANSWER)	8983	27.56

IN-11. Have you marked an answer for each question?

INHANSY	2 ANSWER MARKED FOR EACH QUESTION		
	1 = Yes	22653	69.50
	2 = No	955	2.93
	96 = MULTIPLE RESPONSE	5	0.02
	98 = BLANK (NO ANSWER)	8981	27.55

COCAINE

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
COCAINE -- ANSWER SHEET #8			

THE FIRST FEW QUESTIONS ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER "CRACK," FREE BASE, AND COCA PASTE.			
CN-1. About how old were you when you first had a chance to try cocaine if you had wanted to?			
COCOPP	3 AGE AT FIRST CHANCE TO TRY COCAINE		
	RANGE = 1 - 85	8274	25.39
	181 = NEVER HAD A CHANCE TO TRY COCAINE Log. assigned	30	0.09
	185 = BAD DATA Logically assigned	69	0.21
	191 = NEVER HAD A CHANCE TO TRY COCAINE	23844	73.15
	194 = DON'T KNOW	2	0.01
	198 = BLANK (NO ANSWER)	375	1.15
CN-2. About how old were you the first time you actually used cocaine, in any form, even once?			
COCAGE	3 AGE WHEN FIRST USED COCAINE		
	RANGE = 6 - 62	3968	12.17
	181 = NEVER USED COCAINE Logically assigned ..	263	0.81
	185 = BAD DATA Logically assigned	68	0.21
	191 = NEVER USED COCAINE	28280	86.76
	197 = REFUSED	1	0.00
	198 = BLANK (NO ANSWER)	14	0.04
CN-3. About how many times in your life have you used cocaine, in any form?			
COCTOT	2 # TIMES USED COCAINE IN LIFE		
	1 = 1 or 2 times	1121	3.44
	2 = 3 to s times	633	1.94
	3 = 6 to 10 times	558	1.71
	4 = 11 to 49 times	724	2.22
	5 = 50 to 99 times	376	1.15

6 = 100 to 199 times	178	0.55
7 = 200 or more times	400	1.23
81 = NEVER USED COCAINE Logically assigned ..	193	0.59
85 = BAD DATA Logically assigned	45	0.14
91 = NEVER USED COCAINE	28350	86.98
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	12	0.04

CN-4. When was the most recent time that you used cocaine, in any form?

COCREC	2 MOST RECENT TIME USED COCAINE (IN ANY FORM)		
	1 = Within the past week (7 days)	168	0.52
	2 = More than 1 week ago but less than 1 month ago	152	0.47
	3 = 1 or more months ago but less than 6 months ago	219	0.67
	4 = 6 or more months ago but less than 1 year ago	230	0.71
	5 = 1 or more years ago but less than 3 years ago	614	1.88
	6 = 3 or more years ago	2126	6.52
	7 = Use in past 30 days LOGICALLY IMPUTED ..	164	0.50
	8 = Use in past year LOGICALLY IMPUTED	346	1.06
	9 = Use in lifetime LOGICALLY IMPUTED	32	0.10
	81 = NEVER USED COCAINE Logically imputed ...	134	0.41
	91 = NEVER USED COCAINE	28409	87.16

CN-5. On about how many different days did you use cocaine during the past 30 days?

COCUS30A	2 # DAYS USED COCAINE PAST 30 DAYS		
	RANGE = 1 - 31	382	1.17
	81 = NEVER USED COCAINE Logically assigned ..	251	0.77
	83 = DID NOT USE COCAINE PAST 30 DAYS Logically assigned	251	0.77
	85 = BAD DATA Logically assigned	94	0.29
	91 = NEVER USED COCAINE	28292	86.80
	93 = DID NOT USE COCAINE IN PAST 30 DAYS	3316	10.17
	94 = DON'T KNOW	1	0.00
	98 = BLANK (NO ANSWER)	7	0.02

CN-6. How many grams of cocaine have you used in the past 30 days?

COCAM30A	2 # OF GRAMS OF COCAINE USED IN PAST 30 DAYS		
	1 = Less than 1/4 gram (about 4 big lines) past 30 dys	196	0.60

2 = About 1/4 gram in the past 30 days	52	0.16
3 = About 1/2 gram in the past 30 days	64	0.20
4 = About 1 gram in the past 30 days	52	0.16
5 = About 2 grams in the past 30 days	32	0.10
6 = About 3 grams in the past 30 days	23	0.07
7 = 4 grams	2	0.01
23 = 20 grams	1	0.00
77 = More than 3 grams in the past 30 days ..	14	0.04
81 = NEVER USED COCAINE Logically assigned ..	242	0.74
83 = DID NOT USE COCAINE IN PAST 30 DAYS		
Log. assigned	141	0.43
85 = BAD DATA Logically assigned	43	0.13
91 = NEVER USED COCAINE	28301	86.83
93 = DID NOT USE COCAINE IN PAST 30 DAYS	3426	10.51
94 = DON'T KNOW	2	0.01
98 = BLANK (NO ANSWER)	3	0.01

CN-7. About how much money did all the cocaine you used in the past 30 days cost you? (Do not include money spent for any cocaine that you sold or gave away).

COCBUCK	4 \$ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS		
	RANGE = 0 - 8000	417	1.28
	9981 = NEVER USED COCAINE Logically assigned ..	1485	4.56
	9983 = DID NOT USE COCAINE PAST 30 DAYS Log.		
	assigned	384	1.18
	9985 = BAD DATA Logically assigned	45	0.14
	9991 = NEVER USED COCAINE	27058	83.02
	9993 = DID NOT USE COCAINE IN PAST 30 DAYS	3183	9.77
	9994 = DON'T KNOW	4	0.01
	9997 = REFUSED	1	0.00
	9998 = BLANK (NO ANSWER)	17	0.05

CN-8. on the average, how often in the past 12 months have you used cocaine in any form?

COCYRFRQ	2 FREQUENCY USED COCAINE PAST 12 MONTHS		
	1 = Daily	29	0.09
	2 = Almost daily (3 to 6 days a week)	52	0.16
	3 = 1 or 2 days a week	88	0.27
	4 = Several times a month (about 25 to 51 days a year)	93	0.29
	5 = 1 to 2 times a month (12 to 24 days a year)	108	0.33
	6 = Every other month or so (6 to 11 days a year)	107	0.33
	7 = 3 to 5 days in the past 12 months	163	0.50
	8 = 1 or 2 days in the past 12 months	281	0.86
	81 = NEVER USED COCAINE Logically assigned ..	221	0.68

83 = DID NOT USE COCAINE IN PAST 12 MONTHS Log. assgn	66	0.20
85 = BAD DATA Logically assigned	351	1.08
91 = NEVER USED COCAINE	28322	86.89
93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2706	8.30
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	6	0.02

CN-9. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

COCSNIFF	2 SNIFFED/SNORTED COCAINE THRU NOSE IN PAST 12 MOS.		
	1 = Response circled	959	2.94
	2 = Response not circled	319	0.98
	81 = NEVER USED COCAINE Logically assigned ..	319	0.98
	83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	73	0.22
	91 = NEVER USED COCAINE	28224	86.59
	93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2699	8.28
	97 = REFUSED	1	0.00

COCSWAL	2 SWALLOWED/DRANK COCAINE IN PAST 12 MONTHS		
	1 = Response circled	110	0.34
	2 = Response not circled	1168	3.58
	81 = NEVER USED COCAINE Logically assigned ..	319	0.98
	83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	73	0.22
	91 = NEVER USED COCAINE	28224	86.59
	93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2699	8.28
	97 = REFUSED	1	0.00

COCIV	2 INJECTED COCAINE WITH A NEEDLE IN PAST 12 MONTHS		
	1 = Response circled	61	0.19
	2 = Response not circled	1168	3.58
	3 = Cocaine use LOGICALLY ASSIGNED	49	0.15
	81 = NEVER USED COCAINE Logically assigned ..	319	0.98
	83 = DID NOT USE COCAINE IN PAST 12 MOS. Log. assigned	73	0.22
	91 = NEVER USED COCAINE	28224	86.59
	93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2699	8.28
	97 = REFUSED	1	0.00

FREEBASE	2 SMOKED/FREE-BASED COCAINE IN PAST 12 MONTHS		
	1 = Response circled	346	1.06
	2 = Response not circled	825	2.53
	3 = Cocaine use LOGICALLY ASSIGNED	107	0.33

81 = NEVER USED COCAINE Logically assigned ..	319	0.98
83 = DID NOT USE COCAINE PAST 12 MOS. Logically assigned	73	0.22
91 = NEVER USED COCAINE	28224	86.59
93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2699	8.28
97 = REFUSED	1	0.00

COCWAY	2 OTHER WAY COCAINE USED PAST 12 MOS (ONLY MENTION)		
	1 = Response circled	5	0.02
	2 = Response not circled	1101	3.38
	3 = Cocaine use LOGICALLY ASSIGNED	144	0.44
	6 = Lasing joints and bongs	13	0.04
	7 = On my gums	4	0.01
	8 = "Freeze," put on tongue	2	0.01
	9 = Smoked in a cigarette	10	0.03
	81 = NEVER USED COCAINE Logically assigned ..	319	0.98
	83 = DID NOT USE COCAINE PAST 12 MONTHS Logic. assigned	73	0.22
	91 = NEVER USED COCAINE	28224	86.59
	93 = DID NOT USE COCAINE IN PAST 12 MONTHS ..	2699	8.28

CN-10. When was the most recent time you used cocaine with a needle?

CONDLREC	2 MOST RECENT TIME USED COCAINE WITH A NEEDLE		
	1 = Within past month (30 days)	34	0.10
	2 = More than 1 month ago but less than 6 months ago	30	0.09
	3 = 6 or more months ago but less than 1 year ago	29	0.09
	4 = 1 or more years ago but less than 3 years ago	41	0.13
	5 = 3 or more years ago but less than 10 years ago	94	0.29
	6 = 10 or more years ago	42	0.13
	8 = Use in past year LOGICALLY IMPUTED	17	0.05
	9 = Use in lifetime LOGICALLY IMPUTED	44	0.13
	81 = NEVER USED COCAINE Logically imputed ...	228	0.70
	83 = NEVER USED COCAINE WITH A NEEDLE Logic. imputed	321	0.98
	91 = NEVER USED COCAINE	28315	86.87
	93 = NEVER USED COCAINE WITH A NEEDLE	3372	10.35
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	25	0.08

CN-11. When was the most recent time you used the form of cocaine known as "crack?"

CRAKREC	2 MOST RECENT TIME USED "CRACK"		
	1 = Within the past week (7 days)	70	0.21
	2 = More than 1 week ago but less than 1 month ago	46	0.14
	3 = 1 or more months ago but less than 6 months ago	64	0.20
	4 = 6 or more months ago but less than 1 year ago	75	0.23
	5 = 1 or more years ago but less than 3 years ago	219	0.67
	6 = 3 or more years ago	332	1.02
	7 = Use in past 30 days LOGICALLY IMPUTED ..	28	0.09
	8 = Use in past year LOGICALLY IMPUTED	1	0.00
	9 = Use in lifetime LOGICALLY IMPUTED	1	0.00
	81 = NEVER USED "CRACK" Logically imputed ...	826	2.53
	91 = NEVER USED "CRACK"	30919	94.86
	98 = BLANK (NO ANSWER)	13	0.04

THE LAST TWO QUESTIONS ARE ABOUT THE USE OF "CRACK" IN THE PAST 30 DAYS.

CN-12. How many vials or small containers of "crack" have you used in the past 30 days?

CRKAM30A	3 # OF VIALS OF "CRACK" USED IN PAST 30 DAYS		
	RANGE = 1 - 150	115	0.35
	981 = NEVER USED Logically assigned	1229	3.77
	983 = DID NOT USE "CRACK" IN PAST 30 DAYS Log. assigned	95	0.29
	985 = BAD DATA Logically assigned	21	0.06
	991 = NEVER USED "CRACK"	30516	93.62
	993 = DID NOT USE "CRACK" IN PAST 30 DAYS	598	1.83
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	19	0.06

CN-13. About how much money did the "crack" you used in the past 30 days cost you? (Do not include any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")

CRAKBUCK	4 \$ AMOUNT SPENT ON "CRACK" USED IN PAST 30 DAYS		
	RANGE = 0 - 9000	129	0.40
	9981 = NEVER USED COCAINE Logically assigned ..	1204	3.69
	9983 = DID NOT USE "CRACK" PAST 30 DAYS Log. assigned	133	0.41
	9985 = BAD DATA Logically assigned	9	0.03
	9991 = NEVER USED "CRACK"	30541	93.70
	9993 = DID NOT USE "CRACK" IN PAST 30 DAYS	560	1.72
	9997 = REFUSED	1	0.00

9998 = BLANK (NO ANSWER)	17	0.05
--------------------------------	----	------

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HALLUCINOGENS -- ANSWER SHEET #9				

L-0. Shall I read these questions to you, or do you prefer to complete the answer sheet on your own?				
AS9READ	2	HALLUCINOGENS - READING PREFERENCE		
		1 = wants interviewer to continue reading ..	9030	27.70
		2 = Wants to do it himself/herself	22231	68.21
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	1330	4.08
L-1. Which of the following hallucinogens have you ever used? (PLEASE CIRCLE THE NUMBERS TO THE RIGHT OF ALL YOU HAVE EVER USED, EVEN ONCE.)				
LSD	2	EVER USED LSD ("ACID," "WHITE LIGHTNING")		
		1 = Response circled	1707	5.24
		2 = Response not circled	772	2.37
		81 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
		91 = NEVER USED HALLUCINOGENS	29919	91.79
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	53	0.16
PEYOTE	2	EVER USED PEYOTE		
		1 = Response circled	354	1.09
		2 = Response not circled	2125	6.52
		81 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
		91 = NEVER USED HALLUCINOGENS	29919	91.79
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	53	0.16
MESC	2	EVER USED Mescaline		
		1 = Response circled	681	2.09
		2 = Response not circled	1798	5.52
		81 = NEVER USED HALLUCINOGENS Logically		

		assigned	141	0.43
	91 = NEVER USED HALLUCINOGENS	29919	91.79	
	97 = REFUSED	2	0.01	
	98 = LANK (NO ANSWER)	53	0.16	
PSILCY	2 EVER USED PSILOCYBIN (MUSHROOMS)			
	1 = Response circled	827	2.54	
	2 = Response not circled	1652	5.07	
	81 = NEVER USED HALLUCINOGENS Logically			
	assigned	141	0.43	
	91 = NEVER USED HALLUCINOGENS	29919	91.79	
	97 = REFUSED	2	0.01	
	98 = BLANK (NO ANSWER)	53	0.16	
PCP	2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)			
	1 = Response circled	692	2.12	
	2 = Response not circled	1335	4.10	
	3 = PCP use LOGICALLY ASSIGNED	453	1.39	
	81 = NEVER USED HALLUCINOGENS Logically			
	assigned	141	0.43	
	91 = NEVER USED HALLUCINOGENS	29919	91.79	
	97 = REFUSED	1	0.00	
	98 = BLANK (NO ANSWER)	53	0.16	
ECSTASY	2 EVER USED "ECSTASY" (MDMA)			
	1 = Response circled	322	0.99	
	2 = Response not circled	2157	6.62	
	81 = NEVER USED HALLUCINOGENS Logically			
	assigned	141	0.43	
	91 = NEVER USED HALLUCINOGENS	29919	91.79	
	97 = REFUSED	2	0.01	
	98 = BLANK (NO ANSWER)	53	0.16	
HALNEWA	3 OTHER HALLUCINOGEN EVER USED (1ST MENTION)			
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
	339 = Amphetamines (speed generically)	3	0.01	
	348 = Crystal	1	0.00	
	357 = Heart-shaped black pills	1	0.00	
	366 = Duromine (sic)	1	0.00	
	434 = Vicodin, Hydrocodone, Co-Gesic	1	0.00	
	501 = Gasoline or lighter fluids	1	0.00	
	503 = Other aerosol sprays	1	0.00	
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00	
	601 = LSD ("acid," "white lightning")	6	0.02	
	604 = Psilocybin (mushrooms)	27	0.08	

	605 = PCP ("angel dust," phencyclidine)	3	0.01
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	609 = Jimson (sic) weed	2	0.01
	612 = Happy stick, Shermstick	1	0.00
	614 = MDMA	6	0.02
	616 = DMT	2	0.01
	617 = Moming glory seeds	1	0.00
	618 = Acid paper	1	0.00
	622 = Microdot(s), purple microdot	5	0.02
	624 = Orange sunshine	1	0.00
	625 = Window pane	5	0.02
	627 = Hawaiian Woodrow seeds	1	0.00
	628 = Hawaiian Rosebud seed tea	1	0.00
	630 = Black Owsley	1	0.00
	632 = Folifundia (sic)	1	0.00
	633 = Mr. Natural	1	0.00
	635 = Ginseng seeds	1	0.00
	703 = Opium	5	0.02
	802 = THC, Cannabinol	8	0.02
	981 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	991 = NEVER USED HALLUCINOGENS	29919	91.79
	997 = REFUSED	2	0.01
	998 = BLANK (NO ANSWER)	2441	7.49
HALNEWB	3 OTHER HALLUCINOGEN EVER USED (2ND MENTION)		
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
	629 = Rocket Fuel	1	0.00
	802 = THC, Cannabinol	1	0.00
	803 = Marijuana	1	0.00
	981 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	985 = BAD DATA Logically assigned	1	0.00
	991 = NEVER USED HALLUCINOGENS	29919	91.79
	997 = REFUSED	2	0.01
	998 = BLANK (NO ANSWER)	2527	7.75
HALNEWC	3 OTHER HALLUCINOGEN EVER USED (THIRD MENTION)		
	981 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	991 = NEVER USED HALLUCINOGENS	29919	91.79
	997 = REFUSED	2	0.01
	998 = BLANK (NO ANSWER)	2532	7.77
HALNEWD	3 OTHER HALLUCINOGEN EVER USED (FOURTH MENTION)		
	981 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43

	991 = NEVER USED HALLUCINOGENS	29919	91.79
	997 = REFUSED	2	0.01
	998 = BLANK (NO ANSWER)	2532	7.77
HALNEWE	3 OTHER HALLUCINOGEN EVER USED (FIFTH MENTION)		
	981 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	991 = NEVER USED HALLUCINOGENS	29919	91.79
	997 = REFUSED	2	0.01
	998 = BLANK (NO ANSWER)	2532	7.77
HALNOSP	2 OTHER HALLUCINOGEN EVER USED (NOT SPECIFIED)		
	1 = Response circled	26	0.08
	2 = Response not circled	2415	7.41
	3 = Hallucinogen use LOGICALLY ASSIGNED	38	0.12
	81 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	91 = NEVER USED HALLUCINOGENS	29919	91.79
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	53	0.16
HALDKNAM	2 USED A HALLUCINOGEN, DON'T KNOW NAME		
	1 = Response circled	116	0.36
	2 = Response not circled	2363	7.25
	81 = NEVER USED HALLUCINOGENS Logically assigned	141	0.43
	91 = NEVER USED HALLUCINOGENS	29919	91.79
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	53	0.16
L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?			
HALLOPP	3 AGE AT FIRST CHANCE TO TRY HALLUCINOGEN		
	RANGE = 1 - 58	3868	11.87
	181 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS Log. assn	14	0.04
	185 = BAD DATA Logically assigned	55	0.17
	191 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS	25918	79.52
	194 = DON'T KNOW	3	0.01
	197 = REFUSED	3	0.01
	198 = BLANK (NO ANSWER)	2733	8.38
L-3. About how old were you the first time you actually used LSD or PCP or another hallucinogen?			

HALLAGE	3 AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGEN		
	RANGE = 3 - 58	2389	7.33
	181 = NEVER USED HALLUCINOGENS Logically assigned	705	2.16
	185 = BAD DATA Logically assigned	68	0.21
	191 = NEVER USED HALLUCINOGENS	29355	90.06
	194 = DON'T KNOW	1	0.00
	197 = REFUSED	2	0.01
	198 = BLANK (NO ANSWER)	74	0.23

L-4. About how many times in your life have you used LSD or PCP or another hallucinogen?

HALLTOT	2 # TIMES USED LSD/PCP/OTHER HALLUCINOGEN IN LIFE		
	1 = 1 or 2 times	796	2.44
	2 = 3 to 5 times	556	1.71
	3 = 6 to 10 times	375	1.15
	4 = 11 to 49 times	398	1.22
	5 = 50 to 99 times	138	0.42
	6 = 100 to 199 times	69	0.21
	7 = 200 or more times	82	0.25
	81 = NEVER USED HALLUCINOGENS Logically assigned	179	0.55
	85 = BAD DATA Logically assigned	60	0.18
	91 = NEVER USED HALLUCINOGENS	29881	91.68
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	58	0.18

L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?

HALLREC	2 MOST RECENT TIME USED HALLUCINOGEN		
	1 = Within the past month (30 days)	124	0.38
	2 = More than 1 month ago but less than 6 months ago	156	0.48
	3 = 6 or more months ago but less than 1 year ago	129	0.40
	4 = 1 or more years ago but less than 3 years ago	268	0.82
	5 = 3 or more years ago	1614	4.95
	7 = Use in past 30 days LOGICALLY IMPUTED ..	32	0.10
	8 = Use in past year LOGICALLY IMPUTED	97	0.30
	9 = Use in lifetime LOGICALLY IMPUTED	60	0.18
	81 = NEVER USED HALLUCINOGENS Logically imputed	222	0.68
	91 = NEVER USED HALLUCINOGENS	29838	91.54
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	53	0.16

L-6. On about how many different days did you use LSD or PCP or another hallucinogen during the past 30 days?

HAL30USE	2 # DAYS USED HALLUCINOGEN PAST 30 DAYS		
	RANGE = 1 - 30	147	0.45
	81 = NEVER USED HALLUCINOGENS Logically assigned	273	0.84
	83 = DID NOT USE HALLUCINOGENS PST 30 DAYS Log. assgnd	171	0.52
	85 = BAD DATA Logically assigned	6	0.02
	91 = NEVER USED HALLUCINOGENS	29787	91.39
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	2153	6.61
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	55	0.17

L-7. On the average, how often in the last 12 months have you taken LSD or PCP or another hallucinogen?

HALYRFRQ	2 # TIMES USED HALLUCINOGEN PAST 12 MONTHS		
	1 = Daily	4	0.01
	2 = Almost daily or 3 to 6 days a week	10	0.03
	3 = About 1 or 2 days a week	11	0.03
	4 = Several times a month (about 25 to 51 days a year)	28	0.09
	5 = 1 to 2 times a month (12 to 24 days a year)	62	0.19
	6 = Every other month or so (6 to 11 days a year)	54	0.17
	7 = 3 to 5 days in the past 12 months	82	0.25
	8 = 1 to 2 days in the past 12 months	189	0.58
	81 = NEVER USED HALLUCINOGENS Logically assigned	233	0.71
	83 = DID NOT USE HALLUCINOGEN PAST 12 MOS. Log. assgn.	78	0.24
	85 = BAD DATA Logically assigned	93	0.29
	91 = NEVER USED HALLUCINOGENS	29827	91.51
	93 = DID NOT USE HALLUCINOGEN IN THE PAST 12 MONTHS	1864	5.72
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	57	0.17

THE NEXT QUESTION REFERS TO PCP ONLY

L-8. When was the most recent time that you used PCP?

PCPREC	2 MOST RECENT TIME USED PCP		
	1 = Within the past month (30 days)	23	0.07
	2 = More than 1 month ago but less than 6 months ago	47	0.14
	3 = 6 or more months ago but less than 1 year ago	45	0.14
	4 = 1 or more years ago but less than 3 years ago	114	0.35
	5 = 3 or more years ago	888	2.72
	9 = Use in lifetime LOGICALLY IMPUTED	28	0.09
	81 = NEVER USED PCP Logically imputed	332	1.02
	91 = NEVER USED PCP	31116	95.47
	97 = REFUSED	1	0.00

HEROIN

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

HEROIN -- ANSWER SHEET #10

H-0. You may complete this on your own, or if you prefer, I'll read the questions. which do you prefer?

AS10READ	2 HEROIN - READING PREFERENCE		
	1 = Wants interviewer to continue reading ..	8789	26.97
	2 = Wants to do it himself/herself	22434	68.83
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1369	4.20

H-1. About how old were you when you first had a chance to try heroin if you had wanted to?

HEROPP	3 AGE AT FIRST CHANCE TO TRY HEROIN		
	RANGE = 4 - 59	1771	5.43
	181 = NEVER HAD A CHANCE TO TRY HEROIN Log.		
	assigned	21	0.06
	185 = BAD DATA Logically assigned	33	0.10
	191 = NEVER HAD A CHANCE TO TRY HEROIN	30072	92.26
	194 = DON'T KNOW	2	0.01
	197 = REFUSED	1	0.00
	198 = BLANK (NO ANSWER)	694	2.13

H-2. About how old were you the first time you actually used heroin?

HERAGE	3 AGE WHEN FIRST USED HEROIN		
	Range = 5 - 48	366	1.12
	181 = NEVER HAD A CHANCE TO TRY HEROIN Log.		
	assigned	444	1.36
	185 = BAD DATA Logically assigned	33	0.10
	191 = NEVER HAD A CHANCE TO TRY HEROIN	31719	97.32
	197 = REFUSED	1	0.00
	198 = BLANK (NO ANSWER)	31	0.10

H-3. About how many times in your life have you used

heroin?

HERTOT	2 # TIMES USED HEROIN IN LIFE		
	1 = 1 or 2 times	156	0.48
	2 = 3 to 5 times	55	0.17
	3 = 6 to 10 times	30	0.09
	4 = 11 to 49 times	37	0.11
	5 = 50 to 99 times	21	0.06
	6 = 100 to 199 times	16	0.05
	7 = 200 or more times	67	0.21
	81 = NEVER USED HEROIN Logically assigned ...	327	1.00
	85 = BAD DATA Logically assigned	20	0.06
	91 = NEVER USED HEROIN	31836	97.67
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	27	0.08

H-4. When was the most recent time that you used heroin?

HERREC	2 MOST RECENT TIME USED HEROIN		
	1 = Within the past month (30 days)	22	0.07
	2 = More than 1 month ago but less than 6 months ago	21	0.06
	3 = 6 or more months ago but less than 1 year ago	24	0.07
	4 = 1 or more years ago but less than 3 years ago	34	0.10
	5 = 3 or more years ago	254	0.78
	7 = Use in past 30 days LOGICALLY IMPUTED ..	11	0.03
	8 = Use in past year LOGICALLY IMPUTED	29	0.09
	9 = Use in lifetime LOGICALLY IMPUTED	9	0.03
	81 = NEVER USED HEROIN Logically imputed	201	0.62
	91 = NEVER USED HEROIN	31962	98.06
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	26	0.08

H-5. During the past 30 days, on about how many different days did you use heroin?

HER30USE	2 # DAYS USED HEROIN PAST 30 DAYS		
	RANGE = 1 - 30	30	0.09
	81 = NEVER USED HEROIN Logically assigned ...	224	0.69
	83 = DID NOT USE HEROIN PAST 30 DAYS Logic.assigned	45	0.14
	85 = BAD DATA Logically assigned	2	0.01
	91 = NEVER USED HEROIN	31939	97.99
	93 = DID NOT USE HEROIN IN THE PAST 30 DAYS .	326	1.00
	97 = REFUSED	1	0.00

98 = BLANK (NO ANSWER) 27 0.08

H-6. Have you ever used heroin with a needle?

HERNEEDL 2 EVER USED HEROIN WITH A NEEDLE

1 = Yes, have used heroin with a needle	186	0.57
2 = No, have used heroin, but not with a needle	154	0.47
3 = Yes, have used heroin with a needle LOGIG. ASSIGNED	22	0.07
4 = No, have used heroin, without needle LOGIC. ASSIGND	37	0.11
81 = NEVER USED HEROIN Logically assigned ...	551	1.69
91 = NEVER USED HEROIN	31612	96.99
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	31	0.10

H-7. When was the most recent time you used heroin with
a needle?

HRNDLREC 2 MOST RECENT TIME USED HEROIN WITH A NEEDLE

1 = Within the past month (30 days)	15	0.05
2 = More than 1 month ago but less than 6 months ago	14	0.04
3 = 6 or more months ago but less than 1 year ago	17	0.05
4 = 1 or more years ago but less than 3 years ago	19	0.06
5 = 3 or more years ago but less than 10 years ago	64	0.20
6 = 10 or more years ago	69	0.21
9 = Use in lifetime LOGICALLY IMPUTED	10	0.03
81 = NEVER USED HEROIN Logically imputed	509	1.56
83 = NEVER USED HEROIN WITH A NEEDLE Logically imputed	31	0.10
91 = NEVER USED HEROIN	31654	97.12
93 = NEVER USED HEROIN WITH A NEEDLE	158	0.48
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	33	0.10

DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

DRUGS -- ANSWER SHEET #11

DR-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS11READ	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to continue reading ..	9039	27.73
		2 = Wants to do it himself/herself	21803	66.89
		96 = MULTIPLE RESPONSE	12	0.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	1739	5.34

The following set of variables, CDCIG-CDNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990:85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the CDNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93.

DR-1. During the past 12 months, for which drugs have you consciously tried to cut down on your use? (PLEASE CIRCLE ALL THAT APPLY.)

CDCIG	2	TRIED TO CUT DOWN ON USE OF CIGARETTES PAST YEAR		
		1 = Response circled	5849	17.95
		2 = Response not circled	7875	24.16
		13 = Did not try to cut down on any drug in past year	8536	26.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log.		

		assigned	1624	4.98
	85 =	BAD DATA Logically assigned	30	0.09
	91 =	NEVER USED ANY DRUGS	6528	20.03
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 =	REFUSED	1	0.00
	98 =	BLANK (NO ANSWER)	9	0.03
CDALC	2	TRIED TO CUT DOWN ON USE OF ALCOHOL PAST YEAR		
	1 =	Response circled	5191	15.93
	2 =	Response not circled	8533	26.18
	13 =	Did not try to cut down on any drug in past year	8536	26.19
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 =	BAD DATA Logically assigned	30	0.09
	91 =	NEVER USED ANY DRUGS	6528	20.03
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 =	REFUSED	1	0.00
	98 =	BLANK (NO ANSWER)	9	0.03
CDSER	2	TRIED TO CUT DOWN ON USE OF SEDATIVES PAST YEAR		
	1 =	Response circled	80	0.25
	2 =	Response not circled	13644	41.86
	13 =	Did not try to cut down on any drug in past year	8536	26.19
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 =	BAD DATA Logically assigned	30	0.09
	91 =	NEVER USED ANY DRUGS	6528	20.03
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 =	REFUSED	1	0.00
	98 =	BLANK (NO ANSWER)	9	0.03
CDTRAN	2	TRIED TO CUT DOWN ON USE OF TRANQUILIZERS PAST YR		
	1 =	Response circled	99	0.30
	2 =	Response not circled	13625	41.80
	13 =	Did not try to cut down on any drug in past year	8536	26.19
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 =	BAD DATA Logically assigned	30	0.09
	91 =	NEVER USED ANY DRUGS	6528	20.03
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 =	REFUSED	1	0.00

	98 = BLANK (NO ANSWER)	9	0.03
CDSTM	2 TRIED TO CUT DOWN ON USE OF STIMULANTS PAST YEAR		
	1 = Response circled	123	0.38
	2 = Response not circled	13601	41.73
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDANAL	2 TRIED TO CUT DOWN ON USE OF ANALGESICS PAST YEAR		
	1 = Response circled	80	0.25
	2 = Response not circled	13644	41.86
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDMJ	2 TRIED TO CUT DOWN ON USE OF MARIJUANA PAST YEAR		
	1 = Response circled	1107	3.40
	2 = Response not circled	12617	38.71
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDINH	2 TRIED TO CUT DOWN ON USE OF INHALANTS PAST YEAR		
	1 = Response circled	96	0.29
	2 = Response not circled	13628	41.81

	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDCOC	2 TRIED TO CUT DOWN ON USE OF COCAINE PAST YEAR		
	1 = Response circled	408	1.25
	2 = Response not circled	13316	40.85
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDHALL	2 TRIED TO CUT DOWN ON USE OF HALLUCINOGENS PAST YR		
	1 = Response circled	129	0.40
	2 = Response not circled	13595	41.71
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDHER	2 TRIED TO CUT DOWN ON USE OF HEROIN PAST YEAR		
	1 = Response circled	48	0.15
	2 = Response not circled	13676	41.96
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6528	20.03

	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDOTHOP	2 TRIED TO CUT DOWN ON USE OF OTHER OPIATES PAST YR		
	1 = Response circled	66	0.20
	2 = Response not circled	13658	41.90
	13 = Did not try to cut down on any drug in past year	8536	26.19
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	30	0.09
	91 = NEVER USED ANY DRUGS	6828	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03
CDNONE	2 DID NOT TRY TO CUT DOWN ON ANY DRUG USED PAST YR		
	1 = Response circled	8536	26.19
	2 = Response not circled	8813	27.04
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1624	4.98
	85 = BAD DATA Logically assigned	4941	15.16
	91 = NEVER USED ANY DRUGS	6528	20.03
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2142	6.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9	0.03

The following set of variables, UCDCIG-UCDNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990:85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the UCDNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93.

DR-2. During the past 12 months, for which drugs have you been unable to cut down on your use, even though you tried? (PLEASE CIRCLE ALL THAT APPLY.)

UCDCIG	2 UNABLE TO CUT DOWN ON CIGARETTES DURING PAST 12 MO		
	1 = Response circled	4074	12.50
	2 = Response not circled	8835	27.11
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10
UCDALC	2 UNABLE TO CUT DOWN ON ALCOHOL IN PAST 12 MONTHS		
	1 = Response circled	2114	6.49
	2 = Response not circled	10795	33.12
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10
UCDSED	2 UNABLE TO CUT DOWN ON SEDATIVES DURING PAST 12 MO		
	1 = Response circled	20	0.06
	2 = Response not circled	12889	39.54
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10

UCDTRAN	2	UNABLE TO CUT DOWN ON TRANQUILIZERS PAST 12 MONTHS		
	1 =	Response circled	37	0.11
	2 =	Response not circled	12872	39.49
	13 =	Did not try to cut down on any drug in past year	9346	28.67
	83 =	DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDSTM	2	UNABLE TO CUT DOWN ON STIMULANTS DURING PAST 12 MO		
	1 =	Response circled	32	0.10
	2 =	Response not circled	12877	39.51
	13 =	Did not try to cut down on any drug in past year	9346	28.67
	83 =	DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDANAL	2	UNABLE TO CUT DOWN ON ANALGESICS DURING PAST 12 MO		
	1 =	Response circled	27	0.08
	2 =	Response not circled	12882	39.52
	13 =	Did not try to cut down on any drug in past year	9346	28.67
	83 =	DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDMJ	2	UNABLE TO CUT DOWN ON MARIJUANA DURING PAST 12 MO		
	1 =	Response circled	392	1.20
	2 =	Response not circled	12517	38.40

	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10
UCDINH	2 UNABLE TO CUT DOWN ON INHALANTS DURING PAST 12 MO		
	1 = Response circled	22	0.07
	2 = Response not circled	12887	39.54
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10
UCDCOC	2 UNABLE TO CUT DOWN ON COCAINE IN PAST 12 MONTHS		
	1 = Response circled	127	0.39
	2 = Response not circled	12782	39.22
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned	1639	5.03
	85 = BAD DATA Logically assigned	29	0.09
	91 = NEVER USED ANY DRUGS	6506	19.96
	93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	32	0.10
UCDHALL	2 UNABLE TO CUT DOWN ON HALLUCINOGENS PAST 12 MONTHS		
	1 = Response circled	27	0.08
	2 = Response not circled	12882	39.52
	13 = Did not try to cut down on any drug in past year	9346	28.67
	83 = DID NOT USE ANY DRUG PAST 12 MOS.		

		Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDHER	2	UNABLE TO CUT DOWN ON HEROIN DURING PAST 12 MONTHS		
	1 =	Response circled	18	0.06
	2 =	Response not circled	12891	39.55
	13 =	Did not try to cut down on any drug in past year	9346	28.67
	83 =	DID NOT USE ANY DRUG PAST 12 MOS.		
		Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDOTHOP	2	UNABLE TO CUT DOWN ON OPIATES/MORPHINE PAST 12 MO		
	1 =	Response circled	17	0.05
	2 =	Response not circled	12892	39.55
	13 =	Did not try to cut down on any drug in past year	9346	28.67
	83 =	DID NOT USE ANY DRUG PAST 12 MOS.		
		Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	29	0.09
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53
	94 =	DON'T KNOW	4	0.01
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	32	0.10
UCDNONE	2	DID NOT TRY TO CUT DOWN ON ANY DRUG IN PAST 12 MO		
	1 =	Response circled	9346	28.67
	2 =	Response not circled	7706	23.64
	83 =	DID NOT USE ANY DRUG PAST 12 MOS.		
		Logic.assigned	1639	5.03
	85 =	BAD DATA Logically assigned	5232	16.05
	91 =	NEVER USED ANY DRUGS	6506	19.96
	93 =	DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	2127	6.53

94 = DON'T KNOW	4	0.01
97 = REFUSED	2	0.01
98 = BLANK (NO ANSWER)	32	0.10

The following set of variables, EFFCIG-EFFNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the EFFNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93.

DR-3. During the past 12 months, for which drugs have you needed larger amounts to get the same effect; that is, for which drugs could you no longer get high on the same amount you used to use? (PLEASE CIRCLE ALL THAT APPLY.)

EFFCIG	2	NEEDED MORE CIGARETTES TO GET SAME EFFECT PAST YR		
	1	= Response circled	1325	4.07
	2	= Response not circled	6662	20.44
	13	= Did not need more of any drug used for same effect	14269	43.78
	83	= DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85	= BAD DATA Logically assigned	27	0.08
	91	= NEVER USED ANY DRUGS	6496	19.93
	93	= DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94	= DON'T KNOW	2	0.01
	97	= REFUSED	3	0.01
	98	= BLANK (NO ANSWER)	44	0.13

EFFALC	2	NEEDED MORE ALCOHOL TO GET SAME EFFECT PAST YEAR		
	1	= Response circled	1484	4.55
	2	= Response not circled	6503	19.95
	13	= Did not need more of any drug used for same effect	14269	43.78
	83	= DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85	= BAD DATA Logically assigned	27	0.08

	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFSED	2 NEEDED MORE SEDATIVES TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	17	0.05
	2 = Response not circled	7970	24.45
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned.....	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFTRAN	2 NEEDED MORE TRANQ. TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	16	0.05
	2 = Response not circled	7971	24.46
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFSTM	2 NEEDED MORE STIMULANTS TO GET SAME EFFECT PAST YR		
	1 = Response circled	37	0.11
	2 = Response not circled	7950	24.39
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66

	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFANAL	2 NEEDED MORE ANALGESICS TO GET SAME EFFECT PAST YR		
	1 = Response circled	23	0.07
	2 = Response not circled	7964	24.43
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFMJ	2 NEEDED MORE MARIJUANA TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	318	0.98
	2 = Response not circled	7669	23.53
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFINH	2 NEEDED MORE INHALANTS TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	21	0.06
	2 = Response not circled	7966	24.44
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13

EFFCOC	2 NEEDED MORE COCAINE TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	145	0.44
	2 = Response not circled	7842	24.06
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFHALL	2 NEEDED MORE HALLUCIN TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	31	0.10
	2 = Response not circled	7956	24.41
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFHER	2 NEEDED MORE HEROIN TO GET SAME EFFECT PAST YEAR		
	1 = Response circled	20	0.06
	2 = Response not circled	7967	24.44
	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFOTHOP	2 NEEDED MORE OTHER OPIATES TO GET SAME EFF PAST YR		
	1 = Response circled	17	0.05
	2 = Response not circled	7970	24.45

	13 = Did not need more of any drug used for same effect	14269	43.78
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	27	0.08
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13
EFFNONE	2 DID NOT NEED MORE OF ANY DRUG FOR SAME EFF PAST YR		
	1 = Response circled	14269	43.78
	2 = Response not circled	2754	8.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1594	4.89
	85 = BAD DATA Logically assigned	5260	16.14
	91 = NEVER USED ANY DRUGS	6496	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2172	6.66
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	44	0.13

The following set of variables, UDAYCIG- UDAYNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the UDAYNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93.

DR-4. During the past 12 months, which drugs have you used every day or almost daily for 2 or more weeks in a row? (PLEASE CIRCLE ALL THAT APPLY.)

UDAYCIG	2 USED CIGARETTES DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	5979	18.34
	2 = Response not circled	6466	19.84

	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYALC	2 USED ALCOHOL DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	2064	6.33
	2 = Response not circled	10381	31.85
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYSED	2 USED SEDATIVES DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	17	0.05
	2 = Response not circled	12428	38.13
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYTRAN	2 USED TRANQUILIZERS DAILY FOR 2+ WKS IN PAST YEAR		
	1 = Response circled	37	0.11
	2 = Response not circled	12408	38.07
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12		

		MONTHS	2207	6.77
	94 =	DON'T KNOW	1	0.00
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	42	0.13
UDAYSTM	2	USED STIMULANTS DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 =	Response circled	36	0.11
	2 =	Response not circled	12409	38.07
	13 =	Did not use any drug daily in past year	9813	30.11
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 =	BAD DATA Logically assigned	26	0.08
	91 =	NEVER USED ANY DRUGS	6499	19.94
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 =	DON'T KNOW	1	0.00
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	42	0.13
UDAYANAL	2	USED ANALGESICS DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 =	Response circled	27	0.08
	2 =	Response not circled	12418	38.10
	13 =	Did not use any drug daily in past year	9813	30.11
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 =	BAD DATA Logically assigned	26	0.08
	91 =	NEVER USED ANY DRUGS	6499	19.94
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 =	DON'T KNOW	1	0.00
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	42	0.13
UDAYMJ	2	USED MARIJUANA DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 =	Response circled	527	1.62
	2 =	Response not circled	11918	36.57
	13 =	Did not use any drug daily in past year	9813	30.11
	83 =	DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 =	BAD DATA Logically assigned	26	0.08
	91 =	NEVER USED ANY DRUGS	6499	19.94
	93 =	DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 =	DON'T KNOW	1	0.00
	97 =	REFUSED	2	0.01
	98 =	BLANK (NO ANSWER)	42	0.13

UDAYINH	2 USED INHALANTS DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	12	0.04
	2 = Response not circled	12433	38.15
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYCOC	2 USED COCAINE DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	107	0.33
	2 = Response not circled	12338	37.85
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYHALL	2 USED HALLUCINOGENS DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	18	0.06
	2 = Response not circled	12427	38.13
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYHER	2 USED HEROIN DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	19	0.06
	2 = Response not circled	12426	38.12
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08

	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYOTH	2 USED OTHER OPIATES DAILY FOR 2+ WEEKS IN PAST YEAR		
	1 = Response circled	14	0.04
	2 = Response not circled	12431	38.14
	13 = Did not use any drug daily in past year	9813	30.11
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13
UDAYNONE	2 DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS IN PAST YR		
	1 = Response circled	9813	30.11
	2 = Response not circled	7213	22.13
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1559	4.78
	85 = BAD DATA Logically assigned	5258	16.13
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2207	6.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	42	0.13

The following set of variables, DEPCIG-DEPNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990:85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the DEPNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did

not experience what the question asked about) or a 93.

DR-5. Which drugs have you felt that you needed or were dependent on in the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

DEPCIG	2 FELT DEPENDENT ON CIGARETTES PAST YEAR		
	1 = Response circled	5125	15.72
	2 = Response not circled	5854	17.96
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPALC	2 FELT DEPENDENT ON ALCOHOL PAST YEAR		
	1 = Response circled	1300	3.99
	2 = Response not circled	9679	29.70
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPSED	2 FELT DEPENDENT ON SEDATIVES PAST YEAR		
	1 = Response circled	22	0.07
	2 = Response not circled	10957	33.62
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00

	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPTRAN	2 FELT DEPENDENT ON TRANQUILIZERS PAST YEAR		
	1 = Response circled	35	0.11
	2 = Response not circled	10944	33.58
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPSTM	2 FELT DEPENDENT ON STIMULANTS PAST YEAR		
	1 = Response circled	33	0.10
	2 = Response not circled	10946	33.58
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPANAL	2 FELT DEPENDENT ON ANALGESICS PAST YEAR		
	1 = Response circled	27	0.08
	2 = Response not circled	10952	33.60
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13

DEPMJ	2 FELT DEPENDENT ON MARIJUANA PAST YEAR		
	1 = Response circled	339	1.04
	2 = Response not circled	10640	32.64
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPINH	2 FELT DEPENDENT ON INHALANTS PAST YEAR		
	1 = Response circled	12	0.04
	2 = Response not circled	10967	33.65
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPCOC	2 FELT DEPENDENT ON COCAINE PAST YEAR		
	1 = Response circled	128	0.39
	2 = Response not circled	10851	33.29
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPHALL	2 FELT DEPENDENT ON HALLUCINOGENS PAST YEAR		
	1 = Response circled	19	0.06
	2 = Response not circled	10960	33.63

	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPHER	2 FELT DEPENDENT ON HEROIN PAST YEAR		
	1 = Response circled	21	0.06
	2 = Response not circled	10958	33.62
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPOTHOP	2 FELT DEPENDENT ON OTHER OPIATES PAST YEAR		
	1 = Response circled	12	0.04
	2 = Response not circled	10967	33.65
	13 = Did not feel like had to have any drug used pastyr	11277	34.60
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	26	0.08
	91 = NEVER USED ANY DRUGS	6497	19.93
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	44	0.13
DEPNONE	2 DID NOT FEEL DEPENDENT ON ANY DRUG USED PAST YEAR		
	1 = Response circled	11277	34.60
	2 = Response not circled	6035	18.52
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1575	4.83
	85 = BAD DATA Logically assigned	4970	15.25

91 = NEVER USED ANY DRUGS	6497	19.93
93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2191	6.72
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	44	0.13

The following set of variables, WSCIG-WSNONE, was edited slightly differently this year (1991) than was true for the 1988 and 1990 NHSDAs. Previously, if the respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988:95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) has been logically assigned to the WSNONE variable, but all other variables in the set receive the code value 02 (response not circled), if the item was originally left blank by respondent. The few cases here for which the bad data code 85 appears in every variable in the set are non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93.

DR-6. For which drugs have you had withdrawal symptoms; that is, you felt sick because you stopped or cut down on your use of them during the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

WSCIG	2 FELT SICK WHEN CUT DOWN ON CIGARETTES PAST YEAR		
	1 = Response circled	2005	6.15
	2 = Response not circled	6088	18.68
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSALC	2 FELT SICK WHEN CUT DOWN ON ALCOHOL PAST YEAR		
	1 = Response circled	725	2.22
	2 = Response not circled	7368	22.61
	13 = Did not have withdrawal symptoms in past year	14162	43.45

	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSSED	2 FELT SICK WHEN CUT DOWN ON SEDATIVES PAST YEAR		
	1 = Response circled	17	0.05
	2 = Response not circled	8076	24.78
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSTRAN	2 FELT SICK WHEN CUT DOWN ON TRANQUILIZERS PAST YEAR		
	1 = Response circled	25	0.08
	2 = Response not circled	8068	24.75
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSSTM	2 FELT SICK WHEN CUT DOWN ON STIMULANTS PAST YEAR		
	1 = Response circled	30	0.09
	2 = Response not circled	8063	24.74
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08

	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSANAL	2 FELT SICK WHEN CUT DOWN ON ANALGESICS PAST YEAR		
	1 = Response circled	14	0.04
	2 = Response not circled	8079	24.79
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSMJ	2 FELT SICK WHEN = DOWN ON MARIJUANA PAST YEAR		
	1 = Response circled	158	0.48
	2 = Response not circled	7935	24.34
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSINH	2 FELT SICK WHEN CUT DOWN ON INHALANTS PAST YEAR		
	1 = Response circled	15	0.05
	2 = Response not circled	8078	24.78
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75

	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSCOC	2 FELT SICK WHEN CUT DOWN ON COCAINE PAST YEAR		
	1 = Response circled	111	0.34
	2 = Response not circled	7982	24.49
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSHALL	2 FELT SICK WHEN CUT DOWN ON HALLUCINOGENS PAST YEAR		
	1 = Response circled	12	0.04
	2 = Response not circled	8081	24.79
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13
WSHER	2 FELT SICK WHEN CUT DOWN ON HEROIN PAST YEAR		
	1 = Response circled	24	0.07
	2 = Response not circled	8069	24.76
	13 = Did not have withdrawal symptoms in past year	14162	43.45
	83 = DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85 = BAD DATA Logically assigned	25	0.08
	91 = NEVER USED ANY DRUGS	6499	19.94
	93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	43	0.13

WSOTHOP	2	FELT SICK WHEN CUT DOWN ON OTHER OPIATES PAST YEAR		
	1	= Response circled	12	0.04
	2	= Response not circled	8081	24.79
	13	= Did not have withdrawal symptoms in past year	14162	43.45
	83	= DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85	= BAD DATA Logically assigned	25	0.08
	91	= NEVER USED ANY DRUGS	6499	19.94
	93	= DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94	= DON'T KNOW	3	0.01
	97	= REFUSED	3	0.01
	98	= BLANK (NO ANSWER)	43	0.13

WSNONE	2	DID NOT HAVE WITHDRAWAL SYMPTOMS PAST YEAR		
	1	= Response circled	14162	43.45
	2	= Response not circled	2988	9.17
	83	= DID NOT USE ANY DRUGS PAST 12 MOS. Log. assigned	1567	4.81
	85	= BAD DATA Logically assigned	5130	15.74
	91	= NEVER USED ANY DRUGS	6499	19.94
	93	= DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	2199	6.75
	94	= DON'T KNOW	3	0.01
	97	= REFUSED	3	0.01
	98	= BLANK (NO ANSWER)	43	0.13

DR-7. Have you ever used a needle to get any drug
injected under your skin, into a muscle, or into a vein
for nonmedical reasons?

GNNDLLIF	2	HAVE USED NEEDLE TO INJECT DRUGS		
	1	= Yes	381	1.17
	2	= No	1	0.00
	3	= Yes LOGICALLY ASSIGNED	274	0.84
	81	= NEVER USED A NEEDLE TO TAKE A DRUG Log. assigned	4067	12.48
	91	= NEVER USED A NEEDLE TO TAKE A DRUG	27850	85.45
	97	= REFUSED	1	0.00
	98	= BLANK (NO ANSWER)	20	0.06

DR-8. When was the most recent time you used any drug for
nonmedical reasons with a needle?

GNNDLREC	2	MOST RECENT TIME USED ANY DRUG WITH A NEEDLE		
	1	= Within the past month (30 days)	71	0.22
	2	= More than 1 month ago but less than 6		

months	34	0.10
3 = 6 or more months ago but less than 1 year ago	29	0.09
4 = 1 or more years ago but less than 3 years ago	66	0.20
5 = 3 or more years ago but less than 10 years ago	141	0.43
6 = 10 or more years ago	105	0.32
7 = Use in past 30 days LOGICALLY IMPUTED ..	29	0.09
8 = Use in past year LOGICALLY IMPUTED	49	0.15
9 = Use in lifetime LOGICALLY IMPUTED	131	0.40
81 = NEVER USED ANY DRUG FOR NONMDCL RSN Log. assigned	3456	10.60
83 = NEVER USED A NEEDLE TO TAKE ANY DRUG Logic. imputed	6076	18.64
91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	16879	51.79
93 = NEER USED A NEEDLE TO TAKE ANY DRUG	5506	16.89
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	21	0.06

DR-9. Circle the number to the right of each kind of drug you have ever used with a needle, for nonmedical reasons. (PLEASE CIRCLE ALL THAT APPLY.)

GNNDLSED	2	USED SEDATIVE WITH A NEEDLE FOR NONMEDICAL RSN		
	1	= Response circled	68	0.21
	2	= Response not circled	586	1.80
	81	= NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83	= NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5526	16.95
	91	= NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93	= NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
	94	= DON'T KNOW	1	0.00
	97	= REFUSED	1	0.00
	98	= BLANK (NO ANSWER)	21	0.06

GNNDLTRA	2	USED TRANQUILIZER WITH A NEEDLE FOR NONMEDICAL RSN		
	1	= Response circled	52	0.16
	2	= Response not circled	602	1.85
	81	= NEVER USED ANY LISTED DRUGS Logically assigned	3319	10.18
	83	= NEVER USED ANY DRUGS LIST ABOVE Log. assigned	5526	16.95
	91	= NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93	= NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
	94	= DON'T KNOW	1	0.00
	97	= REFUSED	1	0.00

	98 = BLANK (NO ANSWER)	21	0.06
GNNDLSTM	2 USED STIMULANT WITH A NEEDLE FOR NONMEDICAL RSN		
	1 = Response circled	128	0.39
	2 = Response not circled	449	1.38
	3 = Response circled Logically imputed	77	0.24
	81 = NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83 = NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5526	16.95
	91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	21	0.06
GNNDLANL	2 USED ANALGESIC WITH A NEEDLE FOR NONMEDICAL RSN		
	1 = Response circled	44	0.13
	2 = Response not circled	610	1.87
	81 = NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83 = NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5526	16.95
	91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	21	0.06
GNNDLMJ	2 USED MARIJUANA OR THC W/ A NEEDLE FOR NONMDCL RSN		
	1 = Response circled	42	0.13
	2 = Response not circled	612	1.8
	81 = NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83 = NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5526	16.95
	91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	6056	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	21	0.06
GNNDLINH	2 USED INHALANTS WITH NEEDLE FOR NONMEDICAL RSN		
	1 = Response circled	8	0.02
	2 = Response not circled	646	1.98

81 = NEVER USED ANY DRUGS LIST ABOVE Log.		
assigned	3319	10.18
83 = NEVER USED A NEEDLE TO TAKE DRUG Log.		
assigned	5526	16.95
91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	21	0.06
GNNDLCOC 2 USED COCAINE WITH A NEEDLE FOR NONMEDICAL RSN		
1 = Response circled	231	0.71
2 = Response not circled	323	0.99
3 = Response circled LOGICALLY ASSIGNED	100	0.31
81 = NEVER USED ANY DRUGS LIST ABOVE Log.		
assigned	3319	10.18
83 = NEVER USED A NEEDLE TO TAKE DRUG Log.		
assigned	5526	16.95
91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	21	0.06
GNNDLHAL 2 USED HALLUCINOGEN WITH A NEEDLE FOR NONMEDICAL RSN		
1 = Response circled	37	0.11
2 = Response not circled	617	1.89
81 = NEVER USED ANY DRUGS LIST ABOVE Log.		
assigned	3319	10.18
83 = NEVER USED A NEEDLE TO TAKE DRUG Log.		
assigned	5526	16.95
91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	21	0.06
GNNDLHER 2 USED HEROIN WITH A NEEDLE FOR NONMEDICAL RSN		
1 = Response circled	158	0.48
2 = Response not circled	446	1.37
3 = Response circled LOGICALLY IMPUTED	50	0.15
81 = NEVER USED ANY DRUGS LIST ABOVE Log.		
assigned	3319	10.18
83 = NEVER USED A NEEDLE TO TAKE DRUG Log.		
assigned	5526	16.95
91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58

	95 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	21	0.06
GNNDLOPT	2 USED OTHER OPIATE WITH A NEEDLE FOR NONMEDICAL RSN		
	1 = Response circled	60	0.18
	2 = Response not circled	594	1.82
	81 = NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83 = NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5525	16.95
	91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6057	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	21	0.06
GNNDLNON	2 NEVER USED A NEEDLE TO TAKE ANY DRUG		
	2 = Response not circled	440	1.35
	81 = NEVER USED ANY DRUGS LIST ABOVE Log. assigned	3319	10.18
	83 = NEVER USED A NEEDLE TO TAKE DRUG Log. assigned	5526	16.95
	85 = BAD DATA Logically assigned	215	0.66
	91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	17016	52.21
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	6056	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	20	0.06

DR-10. "Sharing a needle,, means using a needle for injecting drugs when you know or suspect that the needle has been used by someone else. It also means someone else injecting drugs with a needle you have used. If you have ever shared a needle in either of these ways with someone else, circle the 01. If you have not shared a needle with someone else, circle the 02.

GNNDLSHR	2 EVER SHARED A NEEDLE WITH SOMEONE ELSE		
	1 = Yes	208	0.64
	2 = No	421	1.29
	81 = NEVER SHARED A NEEDLE Logically assigned	2524	7.74
	91 = NEVER SHARED A NEEDLE	29393	90.18
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	47	0.14

SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SPECIAL TOPICS -- ANSWER SHEET #12				

SP-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?				
AS12READ	2	SPECIAL TOPICS - READING PREFERENCE		
		1 = Wants interviewer to continue reading ..	9075	27.84
		2 = Wants to do it himself/herself	21898	67.18
		96 = MULTIPLE RESPONSE	7	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	1613	4.95
SP-1. During the past 12 months, have you been required by your employer to take a drug test?				
DRUGTEST	2	BEEN REQUIRED TO TAKE DRUG TEST IN PAST 12 MONTH		
		1 = Yes	2156	6.61
		2 = No	19232	59.00
		3 = Did not have a job during past 12 months	10922	33.51
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	278	0.85
SP-2. During the past 12 months, did a drug test given to you by your employer indicate the presence of any drug?				
TESTPOS	2	DRUG TEST INDICATE PRESENCE OF DRUG IN PAST 12 MO		
		1 = Yes	111	0.34
		2 = No	8697	26.68
		3 = Did not receive test in past 12 months .	12556	38.52
		4 = Did not have a job during past 12 months	10813	33.17
		94 = DON'T KNOW	5	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	409	1.25
SP-3. Have you ever used the smokable form of methamphetamine called "ice?"				

ICELIFE	2	EVER USED "ICE"?		
		1 = Yes	142	0.44
		3 = Yes LOGICALLY IMPUTED	65	0.20
		81 = NEVER USED "ICE" Logically assigned	433	1.33
		91 = NEVER USED "ICE"	31950	98.02
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2	0.01

SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice?"

ICEREC	2	MOST RECENT TIME USED "ICE".		
		1 = Within the past month (30 days)	18	0.06
		2 = More than 1 month ago but less than 6 months ago	60	0.18
		3 = 6 or more months ago but less than 1 year ago	28	0.09
		4 = 1 or more years ago but less than 3 years ago	42	0.13
		5 = 3 or more years ago but less than 10 years ago	23	0.07
		6 = 10 or more years ago	7	0.02
		9 = Use in lifetime LOGICALLY IMPUTED	29	0.09
		81 = NEVER USED "ICE" Logically assigned	270	0.83
		91 = NEVER USED "ICE"	32113	98.52
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2	0.01

SP-5. About how old were you when you first had a chance to try anabolic steroids if you had wanted to?

STEROPP	3	AGE FIRST HAD CHANCE TO USE ANABOLIC STEROIDS.		
		RANGE = 1 - 69	1127	3.46
		181 = NEVER USED ANABOLIC STEROIDS Logically assigned	35	0.11
		185 = BAD DATA Logically assigned	16	0.05
		191 = NEVER USED ANABOLIC STEROIDS	31218	95.78
		194 = DON'T KNOW	7	0.02
		197 = REFUSED	1	0.00
		198 = BLANK (NO ANSWER)	190	0.58

SP-6. About how old were you the first time you actually tried anabolic steroids?

STERAGE	3	AGE FIRST TIME ACTUALLY TRIED ANABOLIC STEROIDS.		
		RANGE = 7 - 69	162	0.50

181 = NEVER USED ANABOLIC STEROIDS Logically assigned	813	2.49
185 = BAD DATA Logically assigned	10	0.03
191 = NEVER USED ANABOLIC STEROIDS	31505	96.66
197 = REFUSED	1	0.00
198 = BLANK (NO ANSWER)	103	0.32

SP-7. About how many times in your life have you used anabolic steroids?

STERTOT	2 # TIMES YOU HAVE USED ANABOLIC STEROIDS		
	1 = 1 or 2 times	58	0.18
	2 = 3 to 5 times	30	0.09
	3 = 6 to 10 times	26	0.08
	4 = 11 to 49 times	33	0.10
	5 = 50 to 99 times	11	0.03
	6 = 100 to 199 times	3	0.01
	7 = 200 or more times	5	0.02
	81 = NEVER USED ANABOLIC STEROIDS Logically assigned	298	0.91
	85 = BAD DATA Logically assigned	11	0.03
	91 = NEVER USED ANABOLIC STEROIDS	32020	98.24
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	98	0.30

SP-8. When was the most recent time that you used anabolic steroids?

STERREC	2 MOST RECENT TIME YOU USED ANABOLIC STEROIDS		
	1 = Within the past month (30 days)	12	0.04
	2 = More than 1 month ago but less than 6 months ago	22	0.07
	3 = 6 or more months ago but less than 1 year ago	22	0.07
	4 = 1 or more years ago but less than 3 years ago	48	0.15
	5 = 3 or more years ago	63	0.19
	9 = Use in lifetime LOGICALLY IMPUTED	11	0.03
	81 = NEVER USED ANABOLIC STEROIDS Logically imputed	167	0.51
	91 = NEVER USED ANABOLIC STEROIDS	32151	98.64
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	97	0.30

SP-9. Have you used any other illegal drugs in the past 12 months that have not been mentioned in any of the previous questions on these answer sheets? Please write the names of all of these drugs on the lines below. If you have not used any other illegal drugs, write the word

"NONE."

SPNEWA	3 USED OTHER DRUGS IN PAST 12 MONTHS (FIRST MENTION)		
	0 = None (code used only for question SP-9)	28695	88.04
	129 = Reds	1	0.00
	140 = Seldane	2	0.01
	322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	332 = Ephedrine	1	0.00
	339 = Amphetamines (speed generically)	3	0.01
	348 = Crystal	3	0.01
	355 = Crystal meth	1	0.00
	360 = Rainbow speed	2	0.01
	368 = Peanut Butter Crank	1	0.00
	415 = Codeine	1	0.00
	430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
	454 = Novocain, Procaine	1	0.00
	455 = Fiorinal with Codeine	1	0.00
	459 = Ketamine	1	0.00
	501 = Gasoline or lighter fluids	1	0.00
	506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
	514 = Carbona (sic)	1	0.00
	601 = LSD ("acid," "white lightning")	4	0.01
	604 = Psilocybin (mushrooms)	9	0.03
	605 = PCP ("angel dust," phencyclidine)	2	0.01
	606 = "Ecstasy" (MDMA), X-TC	2	0.01
	622 = Microdot(s), purple microdot	1	0.00
	626 = Jet Fuel	1	0.00
	703 = Opium	2	0.01
	803 = Marijuana	35	0.11
	804 = Hashish	2	0.01
	805 = Cocaine, Coke	2	0.01
	806 = Crack	2	0.01
	807 = Alcohol	10	0.03
	813 = Cigarettes, tobacco not specified	2	0.01
	814 = Caffeine	1	0.00
	823 = Blast (KJ) [sic]	1	0.00
	824 = Steroids	1	0.00
	829 = Robitussin DM	1	0.00
	831 = Honey Oil	1	0.00
	832 = Primo	1	0.00
	985 = BAD DATA Logically assigned	1	0.00
	994 = DON'T KNOW	2	0.01
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER)	3784	11.61

SPNEWB 3 USED OTHER DRUGS PAST 12 MONTHS (SECOND MENTION)

	0 = None (code used only for question SP-9)	8	0.02
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	326 = White cross	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	348 = Crystal	2	0.01
	355 = Crystal meth	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	606 = "Ecstasy" (MDMA), X-TC	1	0.00
	703 = Opium	2	0.01
	803 = Marijuana	8	0.02
	805 = Cocaine, Coke	2	0.01
	807 = Alcohol	3	0.01
	813 = Cigarettes, tobacco not specified	2	0.01
	814 = Caffeine	1	0.00
	997 = REFUSED	4	0.01
	998 = BLANK (NO ANSWER)	32555	99.88
SPNEWC	3 USED OTHER DRUGS IN PAST 12 MONTHS (THIRD MENTION)		
	0 = None (code used only for question SP-9)	4	0.01
	348 = Crystal	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	805 = Cocaine, Coke	1	0.00
	807 = Alcohol	1	0.00
	997 = REFUSED	4	0.01
	998 = BLANK (NO ANSWER)	32582	99.96
SPNEWD	3 USED OTHER DRUGS PAST 12 MONTHS (FOURTH MENTION)		
	0 = None (code used only for question SP-9)	4	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	807 = Alcohol	1	0.00
	997 = REFUSED	4	0.01
	998 = BLANK (NO ANSWER)	32584	99.97
SPNEWE	3 USED OTHER DRUGS IN PAST 12 MONTHS (FIFTH MENTION)		
	0 = None (code used only for question SP-9)	4	0.01
	997 = REFUSED	4	0.01
	998 = BLANK (NO ANSWER)	32586	99.98
<p>SP-10. Not counting minor traffic violations, have you ever been arrested and booked for breaking a law? (Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.)</p>			
BOOKED	2 BEEN ARRESTED FOR BREAKING THE LAW		

1 = Yes	2673	8.20
2 = No	29091	89.25
3 = Yes LOGICALLY ASSIGNED	274	0.84
97 = REFUSED	9	0.03
98 = BLANK (NO ANSWER)	547	1.68

SP-11. Not counting minor traffic violations, how many times in the past 12 months have you been arrested and booked for breaking a law? (IF NONE, WRITE IN ZERO.)

NOBOOKYR	3 # TIMES ARRESTED FOR BREAKING LAW PAST 12 MONTHS		
	RANGE = 0 - 30	31608	96.97
	185 = BAD DATA Logically assigned	362	1.11
	194 = DON'T KNOW	1	0.00
	197 = REFUSED	9	0.03
	198 = BLANK (NO ANSWER)	614	1.88

SP-12. Not counting minor traffic violations, in the past 12 months, for what offenses listed below were you arrested and booked?

BKLARCNY	2 ARIZESTED FOR LARCENY OR THEFT IN THE PAST 12 MONTH		
	1 = Response circled	183	0.56
	2 = Response not circled	32381	99.35
	85 = BAD DATA Logically assigned	14	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04

BKBURGL	2 ARRESTED FOR BURGLARY IN THE PAST 12 MONTHS		
	1 = Response circled	108	0.33
	2 = Response not circled	32457	99.58
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04

BKAGASLT	2 ARRESTED FOR AGGRAVATED ASSAULT IN PAST 12 MONTH		
	1 = Response circled	98	0.30
	2 = Response not circled	32467	99.61
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04

BKSMASLT	2 ARRESTED FOR OTHER ASSAULT IN PAST 12 MONTHS		
	1 = Response circled	152	0.47
	2 = Response not circled	32413	99.44
	85 = EM DATA Logically assigned	13	0.04

	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKMVTHFT	2 ARRESTED FOR MOTOR VEHICLE THEFT IN PAST 12 MONTH		
	1 = Response circled	62	0.19
	2 = Response not circled	32503	99.72
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKROB	2 ARRESTED FOR ROBBERY IN PAST 12 MONTH		
	1 = Response circled	36	0.11
	2 = Response not circled	32529	99.80
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKPAPE	2 ARRESTED FOR FORCIBLE RAPE IN PAST 12 MONTHS		
	1 = Response circled	2	0.01
	2 = Response not circled	32563	99.90
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKMURDER	2 ARRESTED FOR MURDER IN PAST 12 MONTHS		
	1 = Response circled	6	0.02
	2 = Response not circled	32559	99.89
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKARSON	2 ARRESTED FOR ARSON IN PAST 12 MONTHS		
	1 = Response circled	6	0.02
	2 = Response not circled	32559	99.89
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKDRVINF	2 ARRESTED FOR DUI IN PAST 12 MONTHS		
	1 = Response circled	270	0.83
	2 = Response not circled	32295	99.08
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04

BKDRUNK	2 ARRESTED FOR DRUNKENNESS IN PAST 12 MONTH		
	1 = Response circled	126	0.39
	2 = Response not circled	32439	99.52
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKDRUG	2 ARRESTED FOR POSSESSION/SALE DRUGS IN PAST 12 MO		
	1 = Response circled	130	0.40
	2 = Response not circled	32435	99.51
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKPROS	2 ARRESTED FOR PROSTITUTION IN PAST 12 MONTHS		
	1 = Response circled	10	0.03
	2 = Response not circled	32555	99.88
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKVANDAL	2 ARRESTED FOR OTHER PROPERTY OFFENSES PAST 12 MONTH		
	1 = Response circled	89	0.27
	2 = Response not circled	32476	99.64
	85 = BAD DATA Logically assigned	13	0.04
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
BKOTHOFF	2 ARRESTED FOR OTHER OFFENSES		
	1 = Larceny or theft	8	0.02
	3 = Aggravated assault	4	0.01
	4 = Other assault, such as simple assault or battery	6	0.02
	5 = Motor vehicle theft	1	0.00
	10 = Driving under the influence	2	0.01
	11 = Drunkenness or other liquor law violation	9	0.03
	12 = Possession or sale of drugs	1	0.00
	14 = Oth proprty offns:- fraud, poss stln goods, vndlsn	25	0.08
	15 = Other offenses, NOT SPECIFIED	24	0.07
	16 = Weapons offenses	33	0.10
	17 = Other offenses against persons	1	0.00
	18 = Violation of court order, parole, probation	37	0.11
	19 = Public order offenses	83	0.25
	20 = Juvenile status offenses	21	0.06

22 = Traffic violations	27	0.08
85 = BAD DATA Logically assigned	18	0.06
94 = DON'T KNOW	2	0.01
97 = REFUSED	14	0.04
98 = BLANK (NO ANSWER)	32278	99.03

NOTBKED 2 WAS NOT ARRESTED FOR ANY OFFENSE IN PAST 12 MONTH

1 = Response circled	30258	92.83
2 = Response not circled	1786	5.48
3 = Response circled LOGICALLY ASSIGNED	446	1.37
85 = BAD DATA Logically assigned	88	0.27
94 = DON'T KNOW	2	0.01
97 = REFUSED	14	0.04

SP-13. Were you on probation at any time in the past 12 months?

PROBATON 2 WERE YOU ON PROBATION IN PAST 12 MONTHS

1 = Yes	546	1.68
2 = No	31289	96.00
85 = BAD DATA Logically assigned	2	0.01
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	9	0.03
98 = BLANK (NO ANSWER)	747	2.29

SP-14. Were you on parole at any time in the past 12 months?

PAROLE 2 WERE YOU ON PAROLE AT ANY TIME IN PAST 12 MONTHS

1 = Yes	130	0.40
2 = No	31838	97.68
85 = BAD DATA Logically assigned	2	0.01
97 = REFUSED	9	0.03
98 = BLANK (NO ANSWER)	615	1.89

SP-15. This section deals with activities that may be against the law. Read each item, then circle the 01 if You have done this activity in the past 12 months. If you did not do the activity in the past 12 months, circle the 02.

STRSTEAL 2 TAKEN SOMETHING FROM STORE WITHOUT PAY/PAST 12 MO

1 = Yes	1661	5.10
2 = No	30447	93.41
94 = DON'T KNOW	1	0.00
97 = REFUSED	19	0.06
98 = BLANK (NO ANSWER)	466	1.43

OTHSTEAL	2	TAKEN SOMETHING NOT BELONG To YOU IN PAST 12 MONTH			
		1 = Yes	1371	4.21	
		2 = No	30760	94.37	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	22	0.07	
		98 = BLANK (NO ANSWER)	439	1.35	
DAMAGE	2	DAMAGED PROPERTY NOT BELONG TO YOU IN PAST 12 MO			
		1 = Yes	1283	3.94	
		2 = No	30829	94.58	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	22	0.07	
		98 = BLANK (NO ANSWER)	458	1.41	
CARSTEA	2	TAKEN A CAR NOT BELONGING TO YOU IN PAST 12 MONTHS			
		1 = Yes	249	0.76	
		2 = No	31881	97.81	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	21	0.06	
		98 = BLANK (NO ANSWER)	442	1.36	
FORCEMON	2	USED FORCE TO GET MONEY FROM A PERSON IN PST 12 MO			
		1 = Yes	162	0.50	
		2 = No	31967	98.08	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	22	0.07	
		98 = BLANK (NO ANSWER)	442	1.36	
BREAKIN	2	BROKEN INTO A HOUSE IN THE PAST 12 MONTHS			
		1 = Yes	294	0.90	
		2 = No	31830	97.66	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	21	0.06	
		98 = BLANK (NO ANSWER)	448	1.37	
PHYFIGHT	2	GOTTEN INTO A PHYSICAL FIGHT IN PAST 12 MONTHS			
		1 = Yes	3656	11.22	
		2 = No	28472	87.35	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	21	0.06	
		98 = BLANK (NO ANSWER)	444	1.36	
HURTBAD	2	HURT SOMEONE ENOUGH TO NEED A DR. PAST 12 MONTHS			
		1 = Yes	913	2.80	
		2 = No	31217	95.78	
		94 = DON'T KNOW	3	0.01	

	97 = EFUSED	21	0.06
	98 = LANK (NO ANSWER)	440	1.35
GUNMONEY	2 USED WEAPON TO GET SOMETHING FROM PRSON PST 12 MO		
	1 = Yes	159	0.49
	2 = No	31956	98.04
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	21	0.06
	98 = BLANK (NO ANSWER)	457	1.40
DRUNKDRV	2 DRIVEN UNDER INFLUENCE IN PAST 12 MONTHS		
	1 = Yes	2916	8.95
	2 = No	29223	89.66
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	432	1.33
SOLDDRUG	2 SOLD ILLEGAL DRUGS IN PAST 12 MONTHS		
	1 = Yes	455	1.40
	2 = No	31643	97.08
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	21	0.06
	98 = BLANK (NO ANSWER)	474	1.45
OTHDOING	2 ANYTHING TO GET IN TROUBLE W/POLICE PST 12 MONTHS		
	1 = Yes	1271	3.90
	2 = No	30779	94.43
	3 = Yes LOGICALLY ASSIGNED	60	0.18
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	461	1.41
OTHDOSP1	2 OTHER CRIMINAL BEHAVIOR PAST 12 MOS.-1ST MENTION		
	1 = Shoplifting (SP15a)	4	0.01
	2 = Other larceny or theft (SP15b)	15	0.05
	3 = Property damage (incl. vandalism) (SP15c)	65	0.20
	4 = Motor vehicle theft (SP15d)	5	0.02
	5 = Robbery (SP15e, i)	1	0.00
	6 = Breaking and entering, burglary (SP15f)	4	0.01
	7 = Hitting someone or physically fighting (SP15g)	10	0.03
	8 = Hurting someone enough to need medical attn (SP15h)	1	0.00
	9 = Other assault, battery	5	0.02
	10 = Driving under influence of alcohol/drugs		

	(SP15j)	30	0.09
11 =	Selling illegal drugs (SP15k)	11	0.03
12 =	Drug offense (except sales) involving marijuana	76	0.23
13 =	Other drug-related offense	70	0.21
14 =	Drunkenness or other liquor law violation	142	0.44
15 =	Forcible rape	1	0.00
16 =	Murder, homicide or nonnegligent manslaughter	4	0.01
17 =	Other offenses against persons	1	0.00
18 =	Arson	4	0.01
19 =	Nondestructive property offenses, e.g. fraud	7	0.02
20 =	Prostitution or commercialized sex	5	0.02
21 =	Weapons offenses	22	0.07
22 =	Violation of court order, parole, probation	4	0.01
23 =	Public order offenses	88	0.27
24 =	Juvenile status offenses	38	0.12
25 =	Immigration law violation	1	0.00
26 =	Traffic violations	268	0.82
27 =	Other offenses, NOT SPECIFIED	1	0.00
85 =	BAD DATA (i.e., cannot be classified) ..	17	0.05
94 =	DON'T KNOW	1	0.00
97 =	REFUSED	38	0.12
98 =	BLANK (NO ANSWER)	31655	97.12
OTHDOSP2	2 OTHER CRIMINAL BEHAVIOR PAST 12 MOS.-2ND MENTION		
	1 = Shoplifting (SP15a)	2	0.01
	2 = Other larceny or theft (SP15b)	3	0.01
	3 = Property damage (incl. vandalism) (SP15c)	3	0.01
	5 = Robbery (SP15e, i)	2	0.01
	7 = Hitting someone or physically fighting (SP15g)	2	0.01
	10 = Driving under influence of alcohol/drugs (SP15j)	4	0.01
	11 = Selling illegal drugs (SP15k)	2	0.01
	12 = Drug offense (except sales) involving marijuana	5	0.02
	13 = Other drug-related offenses	12	0.04
	14 = Drunkenness or other liquor law violation	17	0.05
	16 = Murder, homicide or nonnegligent manslaughter	1	0.00
	19 = Nondestructive property offenses, such as fraud	1	0.00
	21 = Weapons offenses	4	0.01
	23 = Public order offenses	11	0.03
	24 = Juvenile status offenses	8	0.02
	25 = Immigration law violation	1	0.00

26 = Traffic violations	4	0.01
85 = BAD DATA (i.e., cannot be classified) ..	1	0.00
94 = DON'T KNOW	2	0.01
97 = REFUSED	38	0.12
98 = BLANK (NO ANSWER)	32471	99.62

DRINKING EXPERIENCES

LABEL	LEN DESCRIPTION	FREQ	%
-----	---	----	-

DRINKING EXPERIENCES -- ANSWER SHEET #13

DE-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. which way would you like to do it?

AS13READ	2 DRINKING EXPERIENCES - READING PREFERENCE		
	1 = wants interviewer to continue reading ..	8720	26.75
	2 = Wants to do it himself/herself	22147	67.95
	96 = MULTIPLE RESPONSE	4	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1722	5.28

NOBOOZVR	2 DID NOT USE BEER, WINE, OR LIQUOR IN PAST YEAR		
	1 = Response circled	11143	34.19
	2 = Response not circled	19215	58.95
	3 = Response circled LOGICALLY ASSIGNED	872	2.68
	85 = BAD DATA Logically assigned	1364	4.18

DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in the past 12 months, please circle an answer for each statement below. Circle the 01 if you had the experience in the past 12 months, or circle the 02 if you did not have the experience in the past 12 months.

ALCAGGR	2 FELT AGGRESSIVE OR CROSS WHILE DRINKING PAST YEAR		
	1 = Yes	2683	8.23
	2 = No	16600	50.93
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1293	3.97
	99 = LEGITIMATE SKIP	12013	36.86

ALCARGUM	2 GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR		
	1 = Yes	2230	6.84

	2 = No	17046	52.30
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1301	3.99
	99 = LEGITIMATE SKIP	12013	36.86
ALCABSNT	2 STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR		
	1 = Yes	1085	3.33
	2 = No	18168	55.74
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1324	4.06
	99 = LEGITIMATE SKIP	12014	36.86
ALCHIGH	2 HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR		
	1 = Yes	1154	3.54
	2 = No	18095	55.52
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1328	4.07
	99 = LEGITIMATE SKIP	12014	36.86
ALCJOB	2 LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR		
	1 = Yes	166	0.51
	2 = No	19074	58.52
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1337	4.10
	99 = LEGITIMATE SKIP	12013	36.86
ALCMATCD	2 TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR		
	1 = Yes	1715	5.26
	2 = No	17527	53.77
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1335	4.10
	99 = LEGITIMATE SKIP	12013	36.86
ALCRELCD	2 TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR		
	1 = Yes	1349	4.14
	2 = No	17891	54.89

	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1337	4.10
	99 = LEGITIMATE SKIP	12013	36.86
ALCFRDCD	2 TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR		
	1 = Yes	977	3.00
	2 = No	18269	56.05
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1330	4.08
	99 = LEGITIMATE SKIP	12014	36.86
ALCTOSS	2 TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR		
	1 = Yes	2527	7.75
	2 = No	16727	51.32
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	1322	4.06
	99 = LEGITIMATE SKIP	12014	36.86
ALCHOLIC	2 WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR		
	1 = Yes	1535	4.71
	2 = No	17705	54.32
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	1335	4.10
	99 = LEGITIMATE SKIP	12013	36.86
ALCDRUNK	2 STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR		
	1 = Yes	731	2.24
	2 = No	18509	56.79
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	1336	4.10
	99 = LEGITIMATE SKIP	12014	36.86
ALCINTOX	2 COULDN'T STOP DRINKING TILL COMPLETELY INTOXICATED		
	1 = Yes	1128	3.46
	2 = No	18096	55.52
	89 = LEGITIMATE SKIP Logically assigned	1	0.00

	94 = DON'T KNOW	1	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	1351	4.14
	99 = LEGITIMATE SKIP	12014	36.86
ALCREM	2 COULDN'T REMEM. THINGS DONE WHILE DRINKING PAST YR		
	1 = Yes	2676	8.21
	2 = No	16366	50.21
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1535	4.71
	99 = LEGITIMATE SKIP	12014	36.86
ALCQUICK	2 HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR		
	1 = Yes	1258	3.86
	2 = No	17773	54.53
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1546	4.74
	99 = LEGITIMATE SKIP	12014	36.86
ALCMORN	2 OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR		
	1 = Yes	371	1.14
	2 = No	18652	57.23
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1554	4.77
	99 = LEGITIMATE SKIP	12014	36.86
ALCSHOOK	2 HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR		
	1 = Yes	573	1.76
	2 = No	18446	56.59
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1558	4.78
	99 = LEGITIMATE SKIP	12014	36.86
ALCALONE	2 SOMETIMES GOT HIGH/DRUNK WHILE DRINKING ALONE		
	1 = Yes	2430	7.46
	2 = No	16601	50.93
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00

97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1546	4.74
99 = LEGITIMATE SKIP	12014	36.86

ALCBRKPM	2	KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP		
	1 = Yes	1239	3.80	
	2 = No	17787	54.57	
	89 = LEGITIMATE SKIP Logically assigned	1	0.00	
	94 = DON'T KNOW	1	0.00	
	97 = REFUSED	1	0.00	
	98 = BLANK (NO ANSWER)	1551	4.76	
	99 = LEGITIMATE SKIP	12014	36.86	

DE-2. In the past 12 months, what drugs listed below did you use on your own, that is, nonmedically, at the same time or within a couple hours of when you drank beer, wine or liquor? (PLEASE CIRCLE ALL THAT APPLY.)

ALCSED	2	SEDATIVES USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	142	0.44	
	2 = Response not circled	20419	62.65	
	85 = BAD DATA Logically assigned	15	0.05	
	89 = LEGITIMATE SKIP Logically assigned	5	0.02	
	94 = DON'T KNOW	1	0.00	
	97 = REFUSED	2	0.01	
	99 = LEGITIMATE SKIP	12010	36.85	

ALCTAN	2	TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	184	0.56	
	2 = Response not circled	20377	62.52	
	85 = BAD DATA Logically assigned	15	0.05	
	89 = LEGITIMATE SKIP Logically assigned	5	0.02	
	94 = DON'T KNOW	1	0.00	
	97 = REFUSED	2	0.01	
	99 = LEGITIMATE SKIP	12010	36.85	

ALCSTM	2	STIMULANTS USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	203	0.62	
	2 = Response not circled	20358	62.46	
	85 = BAD DATA Logically assigned	15	0.05	
	89 = LEGITIMATE SKIP Logically assigned	5	0.02	
	94 = DON'T KNOW	1	0.00	
	97 = REFUSED	2	0.01	
	99 = LEGITIMATE SKIP	12010	36.85	

ALCANAL	2	ANALGESICS USED W/ALCOHOL PAST 12 MONTHS		
---------	---	--	--	--

	1 = Response circled	225	0.69
	2 = Response not circled	20336	62.39
	85 = BAD DATA Logically assigned	15	0.05
	89 = LEGITIMATE SKIP Logically assigned	5	0.02
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	99 = LEGITIMATE SKIP	12010	36.85
ALCMJ	2 MARIJUANA USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	1938	5.95
	2 = Response not circled	18623	57.14
	85 = BAD DATA Logically assigned	15	0.05
	89 = LEGITIMATE SKIP Logically assigned	5	0.02
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	99 = LEGITIMATE SKIP	12010	36.85
ALCINH	2 INHALANTS USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	91	0.28
	2 = Response not circled	20470	62.80
	85 = BAD DATA Logically assigned	15	0.05
	89 = LEGITIMATE SKIP Logically assigned	5	0.02
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	99 = LEGITIMATE SKIP	12010	36.85
ALCCOC	2 COCAINE USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	505	1.55
	2 = Response not circled	20056	61.53
	85 = BAD DATA Logically assigned	15	0.05
	89 = LEGITIMATE SKIP Logically assigned	5	0.02
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	99 = LEGITIMATE SKIP	12010	36.85
ALCHAL	2 HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	215	0.66
	2 = Response not circled	20346	62.42
	85 = BAD DATA Logically assigned	15	0.05
	89 = LEGITIMATE SKIP Logically assigned	5	0.02
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.01
	99 = LEGITIMATE SKIP	12010	36.85
ALCOPT	2 HEROIN USED W/ALCOHOL PAST 12 MONTHS		
	1 = Response circled	42	0.13

2 = Response not circled	20519	62.95
85 = BAD DATA Logically assigned	15	0.05
89 = LEGITIMATE SKIP Logically assigned	5	0.02
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.01
99 = LEGITIMATE SKIP	12010	36.85
ALCNONE 2 NONE OF LISTED DRUGS USED W/ALCOHOL IN PAST 12 MOS		
1 = Response circled	14433	44.28
2 = Response not circled	3931	12.06
85 = MULTIPLE RESPONSE	2212	6.79
89 = LEGITIMATE SKIP Logically assigned	116	0.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.01
99 = LEGITIMATE SKIP	11899	36.51

DRUG PROBLEMS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

DRUG PROBLEMS -- ANSWER SHEET #14

DP-1. If you have ever used cigarettes, alcohol, or any of the other substances listed on the card, please circle an answer for each question below. If you had any of these problems in the past 12 months from your use of any of the substances listed on the card, please circle the 01 for "yes" and write in the names of the substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 02.

AS13NONE	2 NEVER USED CIGARETTES, ALCOHOL OR DRUGS IN LIFE		
	1 = Response circled	6285	19.28
	2 = Response not circled	22995	70.55
	3 = Response circled LOGICALLY ASSIGNED	169	0.52
	85 = BAD DATA Logically assigned	3137	9.62
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	5	0.02
DRDEPRSS	2 BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE		
	1 = Yes	1305	4.00
	2 = No	21760	66.76
	3 = Yes LOGICALLY ASSIGNED	59	0.18
	89 = LEGITIMATE SKIP Logically assigned	3	0.01
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	5	0.02
	98 = BLANK (NO ANSWER)	3008	9.23
	99 = LEGITIMATE SKIP	6451	19.79
DEPDRGIA	3 DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION		
	111 = Dalmane	1	0.00
	113 = Halcion	2	0.01
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	122 = Sleep Aid <OTC>	1	0.00
	201 = Valium	1	0.00
	207 = Ativan	1	0.00
	208 = Centrax	1	0.00

209 = Xanax	1	0.00
211 = Buspar	1	0.00
221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.01
322 = Methamphetamine ("speed" or "ice" or "crank")	14	0.04
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	4	0.01
335 = Dexatrim	1	0.00
339 = Amphetamines (speed generically)	4	0.01
348 = Crystal	2	0.01
406 = Percodan, Oxycodone	1	0.00
409 = Tylenol with Codeine, Tylenol 3	3	0.01
415 = Codeine	2	0.01
423 = Percocet	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
601 = LSD ("acid," "white lightning")	15	0.05
603 = Mescaline	1	0.00
604 = Psilocybin (mushrooms)	1	0.00
605 = PCP ("angel dust," phencyclidine)	2	0.01
702 = Heroin	9	0.03
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	138	0.42
805 = Cocaine, Coke	102	0.31
806 = Crack	16	0.05
807 = Alcohol	705	2.16
812 = Cigars	2	0.01
813 = Cigarettes, tobacco not specified	152	0.47
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
830 = Mad Bull	1	0.00
900 = Non-Drug reason given for Drug Problem .	44	0.13
989 = LEGITIMATE SKIP Logically assigned	5	0.02
994 = DON'T KNOW	9	0.03
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3124	9.58
999 = LEGITIMATE SKIP	28209	86.55

DEPDRG2A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION

120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
209 = Xanax	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
339 = Amphetamines (speed generically)	4	0.01
355 = Crystal meth	1	0.00
407 = Demerol	1	0.00
415 = Codeine	1	0.00
418 = Methadone	1	0.00
601 = LSD ("acid," "white lightning")	2	0.01
604 = Psilocybin (mushrooms)	1	0.00

606 = "Ecstasy" (MDMA), X-TC	1	0.00
702 = Heroin	3	0.01
803 = Marijuana	52	0.16
804 = Hashish	2	0.01
805 = Cocaine, Coke	27	0.08
806 = Crack	3	0.01
807 = Alcohol	46	0.14
813 = Cigarettes, tobacco not specified	15	0.05
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem .	7	0.02
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	4197	12.88
999 = LEGITIMATE SKIP	28214	86.56

DEPDRG3A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION

322 = Methamphetamine (,"speed" or "ice" or "crank")	1	0.00
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
339 = Amphetamines (speed generically)	4	0.01
601 = LSD ("acid," "white lightning")	2	0.01
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
701 = OTHER Opiates, NOT SPECIFIED	1	0.00
803 = Marijuana	3	0.01
805 = Cocaine, Coke	7	0.02
806 = Crack	1	0.00
807 = Alcohol	7	0.02
813 = Cigarettes, tobacco not specified	2	0.01
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem .	1	0.00
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	4340	13.32
999 = LEGITIMATE SKIP	28214	86.56

DEPDRG4A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION

355 = Crystal meth	1	0.00
601 = LSD ("acid," "white lightning")	1	0.00
803 = Marijuana	4	0.01
807 = Alcohol	4	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	4362	13.38
999 = LEGITIMATE SKIP	28214	86.56

DEPDRG5A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-5TH MENTION

994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02

		998 = BLANK (NO ANSWER)	4372	13.41
		999 = LEGITIMATE SKIP	28214	86.56
DRARGUM	2	HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE		
		1 = Yes	1707	5.24
		2 = No	21357	65.52
		3 = Yes LOGICALLY ASSIGNED	38	0.12
		89 = LEGITIMATE SKIP Logically assigned	6	0.02
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3029	9.29
		99 = LEGITIMATE SKIP	6448	19.78
ARGDRGLA	3	DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION		
		118 = Pentobarbital, Pentothal, Sodium		
		Pentothal	1	0.00
		201 = Valium	1	0.00
		322 = Methamphetamine ("speed" or "ice" or		
		"crank")	12	0.04
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
		327 = Black Beauty, Black beauties	1	0.00
		339 = Amphetamines (speed generically)	4	0.01
		348 = Crystal	1	0.00
		406 = Percodan, Oxycodone	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		415 = Codeine	1	0.00
		423 = Percocet	1	0.00
		502 = Spray paints	1	0.00
		506 = Amyl nitrite, "poppers," lock. rm		
		odorizer, "Rush"	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	6	0.02
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana	85	0.26
		805 = Cocaine, Coke	78	0.24
		806 = Crack	12	0.04
		807 = Alcohol	1079	3.31
		812 = Cigars	2	0.01
		813 = Cigarettes, tobacco not specified	177	0.54
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		830 = Mad Bull	1	0.00
		900 = Non-Drug reason given for Drug Problem .	71	0.22
		989 = LEGITIMATE SKIP Logically assigned	7	0.02
		994 = DON'T KNOW	6	0.02
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3221	9.88
		999 = LEGITIMATE SKIP	27804	85.30

ARGDRG2A	3	DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		301 = Dexedrine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	3	0.01
		407 = Demerol	1	0.00
		415 = Codeine	1	0.00
		504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		609 = Jimson (sic) weed	1	0.00
		702 = Heroin	5	0.02
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana	41	0.13
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	27	0.08
		806 = Crack	2	0.01
		807 = Alcohol	48	0.15
		813 = Cigarettes, tobacco not specified	11	0.03
		900 = Non-Drug reason given for Drug Problem .	15	0.05
		985 = BAD DATA Logically assigned	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4607	14.13
		999 = LEGITIMATE SKIP	27811	85.33

ARGDRG3A	3	DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		803 = Marijuana	6	0.02
		805 = Cocaine, Coke	4	0.01
		806 = Crack	1	0.00
		807 = Alcohol	4	0.01
		813 = Cigarettes, tobacco not specified	4	0.01
		818 = Nicotine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4747	14.56
		999 = LEGITIMATE SKIP	27811	85.33

ARGDRG4A 3 DRUG CAUSING ARGUMENTS/FIGHTS-4TH MENTION

	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	355 = Crystal meth	2	0.01
	803 = Marijuana	2	0.01
	805 = Cocaine, Coke	1	0.00
	807 = Alcohol	2	0.01
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	4765	14.62
	999 = LEGITIMATE SKIP	27811	85.33
ARGDRG5A	3 DRUG CAUSING ARGUMENTS/FIGHTS-5TH MENTION		
	702 = Heroin	1	0.00
	814 = Caffeine	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	4773	14.64
	999 = LEGITIMATE SKIP	27811	85.33
DRALONE	2 FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE		
	1 = Yes	855	2.62
	2 = No	22196	68.10
	3 = Yes LOGICALLY ASSIGNED	35	0.11
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	5	0.02
	98 = BLANK (NO ANSWER)	3046	9.35
	99 = LEGITIMATE SKIP	6453	19.80
ALNDRG1A	3 DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
	201 = Valium	1	0.00
	207 = Ativan	1	0.00
	211 = Buspar	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	12	0.04
	335 = Dexatrim	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	348 = Crystal	1	0.00
	406 = Percodan, Oxycodone	1	0.00
	415 = Codeine	2	0.01
	423 = Percocet	1	0.00
	502 = Spray paints	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	12	0.04
	603 = Mescaline	2	0.01

604 = Psilocybin (mushrooms)	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
606 = "Ecstasy" (MDMA), X-TC	2	0.01
607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
702 = Heroin	8	0.02
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	1	0.00
803 = Marijuana	73	0.22
805 = Cocaine, Coke	66	0.20
806 = Crack	13	0.04
807 = Alcohol	433	1.33
808 = All of the ones I've tried	1	0.00
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	64	0.20
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
830 = Mad Bull	1	0.00
900 = Non-Drug reason given for Drug Problem .	27	0.08
989 = LEGITIMATE SKIP Logically assigned	6	0.02
994 = DON'T KNOW	8	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3194	9.80
999 = LEGITIMATE SKIP	28644	87.88

ALNDRG2A 3 DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION

120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
209 = Xanax	1	0.00
221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
339 = Amphetamines (speed generically)	1	0.00
407 = Demerol	1	0.00
601 = LSD ("acid," "white lightning")	4	0.01
605 = PCP ("angel dust," phencyclidine)	1	0.00
702 = Heroin	3	0.01
803 = Marijuana	28	0.09
804 = Hashish	1	0.00
805 = Cocaine, Coke	25	0.08
806 = Crack	4	0.01
807 = Alcohol	28	0.09
813 = Cigarettes, tobacco not specified	7	0.02
900 = Non-Drug reason given for Drug Problem .	2	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3828	11.74
999 = LEGITIMATE SKIP	28650	87.90

ALNDRG3A 3 DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION

322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
339 = Amphetamines (speed generically)	1	0.00

		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		803 = Marijuana	4	0.01
		805 = Cocaine, Coke	2	0.01
		806 = Crack	1	0.00
		807 = Alcohol	4	0.01
		818 = Nicotine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3919	12.02
		999 = LEGITIMATE SKIP	28650	87.90
ALNDRG4A	3	DRUG CAUSING FEELING ALONE/ISOLATED-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	2	0.01
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3931	12.06
		999 = LEGITIMATE SKIP	28650	87.90
ALNDRG5A	3	DRUG CAUSING FEELING ALONE/ISOLATED-5TH MENTION		
		702 = Heroin	1	0.00
		814 = Caffeine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3934	12.07
		999 = LEGITIMATE SKIP	28650	87.90
DRANX	2	FELT NERVOUS/ANXIOUS PAST YEAR DUE TO DRUG USE		
		1 = Yes	1511	4.64
		2 = No	21554	66.13
		3 = Yes LOGICALLY ASSIGNED	38	0.12
		89 = LEGITIMATE SKIP Logically assigned	4	0.01
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3029	9.29
		99 = LEGITIMATE SKIP	6450	19.79
ANXDRG1A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
		201 = Valium	1	0.00
		202 = Librium	1	0.00
		207 = Ativan	1	0.00
		209 = Xanax	2	0.01

221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.01
301 = Dexedrine	1	0.00
313 = Fastin, Phentermine	2	0.01
322 = Methamphetamine ("speed" or "ice" or "crank")	17	0.05
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	9	0.03
326 = White cross	1	0.00
328 = Pink hearts	1	0.00
332 = Ephedrine	1	0.00
335 = Dexatrim	1	0.00
336 = Diet pills	2	0.01
339 = Amphetamines (speed generically)	18	0.06
348 = Crystal	1	0.00
357 = Heart-shaped black pills	1	0.00
358 = 20/20	1	0.00
360 = Rainbow speed	3	0.01
364 = Sudafed, Sinutab	1	0.00
406 = Percodan, Oxycodone	1	0.00
407 = Demerol	1	0.00
409 = Tylenol with Codeine, Tylenol 3	2	0.01
420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
435 = Tylenol <OTC>	1	0.00
501 = Gasoline or lighter fluids	2	0.01
510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
601 = LSD ("acid," "white lightning")	31	0.10
604 = Psilocybin (mushrooms)	1	0.00
606 = "Ecstasy" (MDMA), X-TC	2	0.01
607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.01
609 = Jimson (sic) weed	1	0.00
702 = Heroin	6	0.02
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	144	0.44
805 = Cocaine, Coke	155	0.48
806 = Crack	20	0.06
807 = Alcohol	436	1.34
812 = Cigars	2	0.01
813 = Cigarettes, tobacco not specified	400	1.23
814 = Caffeine	8	0.02
815 = Coffee	2	0.01
816 = Smokeless tobacco, snuff, chewing tobacc	9	0.03
818 = Nicotine	3	0.01
829 = Robitussin DM	1	0.00
900 = Non-Drug reason given for Drug Problem .	47	0.14
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	6	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3221	9.88
999 = LEGITIMATE SKIP	28007	85.93

ANXDRG2A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION		
		209 = Xanax	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine (,"speed" or "ice" or "crank")	3	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
		326 = White cross	1	0.00
		333 = 357 Magnum, Magnum 44	1	0.00
		339 = Amphetamines (speed generically)	7	0.02
		407 = Demerol	1	0.00
		415 = Codeine	1	0.00
		506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
		601 = LSD ("acid," "white lightning")	5	0.02
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		606 = "Ecstasy" (MDMA), X-TC	2	0.01
		702 = Heroin	4	0.01
		803 = Marijuana	29	0.09
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	24	0.07
		806 = Crack	3	0.01
		807 = Alcohol	35	0.11
		813 = Cigarettes, tobacco not specified	17	0.05
		814 = Caffeine	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		900 = Non-Drug reason given for Drug Problem .	5	0.02
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4429	13.59
		999 = LEGITIMATE SKIP	28008	85.93
ANXDRG3A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		355 = Crystal meth	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		803 = Marijuana	2	0.01
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	2	0.01
		813 = Cigarettes, tobacco not specified	2	0.01
		818 = Nicotine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4560	13.99
		999 = LEGITIMATE SKIP	28008	85.93

ANXDRG4A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		603 = Mescaline	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		803 = Marijuana	1	0.00
		806 = Crack	1	0.00
		807 = Alcohol	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4570	14.02
		999 = LEGITIMATE SKIP	28008	85.93
ANXDRG5A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-5TH MENTION		
		702 = Heroin	1	0.00
		703 = Opium	1	0.00
		814 = Caffeine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4575	14.04
		999 = LEGITIMATE SKIP	28008	85.93
DRHEALTH	2	HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE		
		1 = Yes	946	2.90
		2 = No	22106	67.82
		3 = Yes LOGICALLY ASSIGNED	39	0.12
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3040	9.33
		99 = LEGITIMATE SKIP	6453	19.80
HLTDRG1A	3	DRUG CAUSING HEALTH PROBLEMS-1ST MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		123 = Unisom <OTC>	1	0.00
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.02
		333 = 357 Magnum, Magnum 44	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00

504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
601 = LSD ("acid," "white lightning")	3	0.01
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
702 = Heroin	4	0.01
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	30	0.09
805 = Cocaine, Coke	31	0.10
806 = Crack	6	0.02
807 = Alcohol	168	0.52
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	475	1.46
815 = Coffee	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	5	0.02
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem	132	0.40
989 = LEGITIMATE SKIP Logically assigned	7	0.02
994 = DON'T KNOW	5	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3145	9.65
999 = LEGITIMATE SKIP	28553	87.60
HLTDRG2A 3 DRUG CAUSING HEALTH PROBLEMS-2ND MENTION		
339 = Amphetamines (speed generically)	1	0.00
601 = LSD ("acid," "white lightning")	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
702 = Heroin	3	0.01
803 = Marijuana	13	0.04
804 = Hashish	1	0.00
805 = Cocaine, Coke	13	0.04
807 = Alcohol	31	0.10
813 = Cigarettes, tobacco not specified	24	0.07
900 = Non-Drug reason given for Drug Problem	35	0.11
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3903	11.97
999 = LEGITIMATE SKIP	28560	87.62
HLTDRG3A 3 DRUG CAUSING HEALTH PROBLEMS-3RD MENTION		
221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
339 = Amphetamines (speed generically)	2	0.01
803 = Marijuana	2	0.01
805 = Cocaine, Coke	3	0.01
807 = Alcohol	5	0.02
813 = Cigarettes, tobacco not specified	3	0.01
818 = Nicotine	1	0.00
994 = DON'T KNOW	3	0.01

		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4009	12.30
		999 = LEGITIMATE SKIP	28560	87.62
HLTDRG4A	3	DRUG CAUSING HEALTH PROBLEMS-4TH MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4021	12.34
		999 = LEGITIMATE SKIP	28560	87.62
HLTDRG5A	3	DRUG CAUSING HEALTH PROBLEMS-5TH MENTION		
		814 = Caffeine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4025	12.35
		999 = LEGITIMATE SKIP	28560	87.62
DRNTHINK	2	HAD DIFFCLTY THNKNG CLEARLY PST YR DUE TO DRUG USE		
		1 = Yes	2111	6.48
		2 = No	20841	63.94
		3 = Yes LOGICALLY ASSIGNED	39	0.12
		94 = DON'T KNOW	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3139	9.63
		99 = LEGITIMATE SKIP	6454	19.80
NTKDRG1A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-1ST MENTION		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
		142 = Belladonna	1	0.00
		203 = Limbitrol	1	0.00
		209 = Xanax	1	0.00
		228 = Amitriptyline	1	0.00
		241 = Prozac	1	0.00
		313 = Fastin, Phentermine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	11	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	4	0.01
		348 = Crystal	1	0.00
		360 = Rainbow speed	1	0.00
		401 = Darvon	1	0.00

406 = Percodan, Oxycodone	1	0.00
409 = Tylenol with Codeine, Tylenol 3	3	0.01
415 = Codeine	2	0.01
422 = Motrin	1	0.00
423 = Percocet	1	0.00
462 = Norflex	1	0.00
502 = Spray paints	2	0.01
504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
508 = Nitrous oxide, "whippets," dentist gas .	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
601 = LSD ("acid," "white lightning")	25	0.08
604 = Psilocybin (mushrooms)	1	0.00
605 = PCP ("angel dust," phencyclidine)	2	0.01
606 = "Ecstasy" (MDMA), X-TC	1	0.00
609 = Jimson ("sic) weed	2	0.01
702 = Heroin	4	0.01
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	291	0.89
805 = Cocaine, Coke	56	0.17
806 = Crack	14	0.04
807 = Alcohol	1392	4.27
808 = All of the ones I've tried	1	0.00
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	56	0.17
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	4	0.01
830 = Mad Bull	1	0.00
900 = Non-Drug reason given for Drug Problem .	44	0.13
989 = LEGITIMATE SKIP Logically assigned	3	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	6	0.02
998 = BLANK (NO ANSWER)	3349	10.27
999 = LEGITIMATE SKIP	27292	83.73

NTKDRG2A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION

201 = Valium	1	0.00
221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
247 = Sinequan	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
339 = Amphetamines (speed generically)	4	0.01
360 = Rainbow speed	1	0.00
407 = Demerol	1	0.00
502 = Spray paints	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
601 = LSD ("acid," "white lightning")	11	0.03
604 = Psilocybin (mushrooms)	1	0.00

605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	5	0.02
702 = Heroin	3	0.01
803 = Marijuana	103	0.32
804 = Hashish	1	0.00
805 = Cocaine, Coke	24	0.07
806 = Crack	2	0.01
807 = Alcohol	65	0.20
813 = Cigarettes, tobacco not specified	7	0.02
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem .	4	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	5047	15.48
999 = LEGITIMATE SKIP	27295	83.74
NTKDRG3A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION		
120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
339 = Amphetamines (speed generically)	4	0.01
355 = Crystal meth	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
601 = LSD ("acid," "white lightning")	6	0.02
604 = Psilocybin (mushrooms)	1	0.00
803 = Marijuana	10	0.03
805 = Cocaine, Coke	6	0.02
807 = Alcohol	5	0.02
813 = Cigarettes, tobacco not specified	2	0.01
818 = Nicotine	1	0.00
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	5252	16.11
999 = LEGITIMATE SKIP	27295	83.74
NTKDRG4A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION		
601 = LSD ("acid," "white lightning")	1	0.00
604 = Psilocybin (mushrooms)	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
702 = Heroin	1	0.00
802 = THC, Cannabinol	1	0.00
803 = Marijuana	2	0.01
807 = Alcohol	2	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	5282	16.21
999 = LEGITIMATE SKIP	27295	83.74

NTKDRG5A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-5TH MENTION		
		503 = Other aerosol sprays	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	5288	16.22
		999 = LEGITIMATE SKIP	27295	83.74
DRUPSET	2	FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE		
		1 = Yes	1458	4.47
		2 = No	21490	65.93
		3 = Yes LOGICALLY ASSIGNED	27	0.08
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3156	9.68
		99 = LEGITIMATE SKIP	6454	19.80
UPSDRG1A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION		
		118 = Pentobarbital, Pentothal, Sodium Pentoth	1	0.00
		203 = Limbitrol	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		301 = Dexedrine	1	0.00
		322 = methamphetamine ("speed" or "ice" or "crank")	13	0.04
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		335 = Dexatrim	1	0.00
		339 = Amphetamines (speed generically)	7	0.02
		348 = Crystal	1	0.00
		360 = Rainbow speed	1	0.00
		406 = Percodan, Oxycodone	1	0.00
		415 = Codeine	2	0.01
		601 = LSD ("acid," "white lightning")	5	0.02
		603 = Mescaline	1	0.00
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		702 = Heroin	7	0.02
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana	71	0.22
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	86	0.26
		806 = Crack	12	0.04
		807 = Alcohol	753	2.31
		808 = All of the ones I've tried	1	0.00
		809 = Pills	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	244	0.75

814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	5	0.02
818 = Nicotine	1	0.00
830 = Mad Bull	1	0.00
900 = Non-Drug reason given for Drug Problem .	50	0.15
989 = LEGITIMATE SKIP Logically assigned	4	0.01
994 = DON'T KNOW	5	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3359	10.31
999 = LEGITIMATE SKIP	27940	85.72

UPSDRG2A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION

209 = Xanax	1	0.00
221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
336 = Diet pills	1	0.00
339 = Amphetamines (speed generically)	2	0.01
407 = Demerol	1	0.00
502 = Spray paints	1	0.00
601 = LSD ("acid," "white lightning")	2	0.01
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
702 = Heroin	2	0.01
803 = Marijuana	34	0.10
805 = Cocaine, Coke	17	0.05
806 = Crack	3	0.01
807 = Alcohol	37	0.11
813 = Cigarettes, tobacco not specified	15	0.05
900 = Non-Drug reason given for Drug Problem .	7	0.02
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	4514	13.85
999 = LEGITIMATE SKIP	27944	85.73

UPSDRG3A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION

322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
339 = Amphetamines (speed generically)	1	0.00
355 = Crystal meth	1	0.00
506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
601 = LSD ("acid," "white lightning")	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
701 = OTHER Opiates, NOT SPECIFIED	1	0.00
803 = Marijuana	5	0.02
806 = Crack	1	0.00
807 = Alcohol	2	0.01
813 = Cigarettes, tobacco not specified	1	0.00
818 = Nicotine	1	0.00
994 = DON'T KNOW	3	0.01

		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4625	14.19
		999 = LEGITIMATE SKIP	27944	85.73
UPSDRG4A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-4TH MENTION		
		503 = Other aerosol sprays	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4638	14.23
		999 = LEGITIMATE SKIP	27944	85.73
UPSDRG5A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-5TH MENTION		
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	4642	14.24
		999 = LEGITIMATE SKIP	27944	85.73
DRLSWORK	2	GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE		
		1 = Yes	896	2.75
		2 = No	22045	67.64
		3 = Yes LOGICALLY ASSIGNED	27	0.08
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3164	9.71
		99 = LEGITIMATE SKIP	6453	19.80
LSWDRG1A	3	DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION		
		111 = Dalmane	1	0.00
		142 = Belladonna	1	0.00
		211 = Buspar	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		335 = Dexatrim	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		360 = Rainbow speed	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	3	0.01
		415 = Codeine	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		422 = Motrin	2	0.01
		423 = Percocet	1	0.00
		435 = Tylenol <OTC>	1	0.00

510 = OTHER Inhalant, NOT SPECIFIED	4	0.01
601 = LSD ("acid," "white lightning")	5	0.02
605 = PCP ("angel dust," phencyclidine)	1	0.00
609 = Jimson ("sic) weed	1	0.00
702 = Heroin	5	0.02
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	4	0.01
803 = Marijuana	145	0.44
804 = Hashish	1	0.00
805 = Cocaine, Coke	42	0.13
806 = Crack	11	0.03
807 = Alcohol	461	1.41
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	60	0.18
814 = Caffeine	2	0.01
815 = Coffee	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem .	37	0.11
989 = LEGITIMATE SKIP Logically assigned	5	0.02
994 = DON'T KNOW.....	4	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3277	10.05
999 = LEGITIMATE SKIP	28494	87.42

LSWDRG2A 3 DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION

322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
339 = Amphetamines (speed generically)	1	0.00
360 = Rainbow speed	1	0.00
524 = White-Out	1	0.00
601 = LSD ("acid," "white lightning")	2	0.01
702 = Heroin	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	1	0.00
803 = Marijuana	33	0.10
805 = Cocaine, Coke	16	0.05
806 = Crack	1	0.00
807 = Alcohol	33	0.10
813 = Cigarettes, tobacco not specified	4	0.01
900 = Non-Drug reason given for Drug Problem .	8	0.02
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3984	12.22
999 = LEGITIMATE SKIP	28499	87.44

LSWDRG3A 3 DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION

322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
--	---	------

	339 = Amphetamines (speed generically)	1	0.00
	355 = Crystal meth	1	0.00
	503 = Other aerosol sprays	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	3	0.01
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	1	0.00
	807 = Alcohol	1	0.00
	818 = Nicotine	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	4074	12.50
	999 = LEGITIMATE SKIP	28499	87.44
LSWDRG4A	3 DRUG CAUSING LESS WORK GETTING DONE-4TH MENTION		
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	803 = Marijuana	1	0.00
	807 = Alcohol	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	4084	12.53
	999 = LEGITIMATE SKIP	28499	87.44
LSWDRG5A	3 DRUG CAUSING LESS WORK GETTING DONE-5TH MENTION		
	601 = LSD ("acid," "white lightning")	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	4086	12.54
	999 = LEGITIMATE SKIP	28499	87.44
DRSUSPIC	2 FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE		
	1 = Yes	765	2.35
	2 = No	22177	68.04
	3 = Yes LOGICALLY ASSIGNED	27	0.08
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	5	0.02
	98 = BLANK (NO ANSWER)	3163	9.70
	99 = LEGITIMATE SKIP	6453	19.80
SSPDRG1A	3 DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	207 = Ativan	1	0.00
	211 = Buspar	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	11	0.03

324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
335 = Dexatrim	1	0.00
339 = Amphetamines (speed generically)	8	0.02
348 = Crystal	1	0.00
360 = Rainbow speed	1	0.00
371 = Cogentin	1	0.00
415 = Codeine	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
601 = LSD ("acid," "white lightning")	21	0.06
603 = Mescaline	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.01
609 = Jimson [sic] weed	1	0.00
702 = Heroin	4	0.01
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	122	0.37
804 = Hashish	1	0.00
805 = Cocaine, Coke	93	0.29
806 = Crack	15	0.05
807 = Alcohol	281	0.86
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	31	0.10
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
818 = Nicotine	1	0.00
830 = Mad Bull	1	0.00
900 = Non-Drug reason given for Drug Problem .	33	0.10
989 = LEGITIMATE SKIP Logically assigned	3	0.01
994 = DON'T KNOW	6	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3308	10.15
999 = LEGITIMATE SKIP	28628	87.83

SSPDRG2A 3 DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION

131 = Haldol	1	0.00
247 = Sinequan	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
339 = Amphetamines (speed generically)	3	0.01
601 = LSD ("acid," "white lightning")	5	0.02
604 = Psilocybin (mushrooms)	2	0.01
605 = PCP ("angel dust," phencyclidine)	1	0.00
609 = Jimson [sic] weed	1	0.00
702 = Heroin	2	0.01
803 = Marijuana	29	0.09
805 = Cocaine, Coke	16	0.05

		806 = Crack	2	0.01
		807 = Alcohol	28	0.09
		813 = Cigarettes, tobacco not specified	1	0.00
		900 = Non-Drug reason given for Drug Problem .	3	0.01
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3857	11.83
		999 = LEGITIMATE SKIP	28631	87.84
SSPDRG3A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION		
		339 = Amphetamines (speed generically)	1	0.00
		355 = Crystal meth	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		803 = Marijuana	3	0.01
		805 = Cocaine, Coke	2	0.01
		806 = Crack	1	0.00
		818 = Nicotine	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3945	12.10
		999 = LEGITIMATE SKIP	28631	87.84
SSPDRG4A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-4TH MENTION		
		807 = Alcohol	2	0.01
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3953	12.13
		999 = LEGITIMATE SKIP	28631	87.84
SSPDRG5A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-5TH MENTION		
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3955	12.13
		999 = LEGITIMATE SKIP	28631	87.84
DRCOPE	2	PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE		
		1 = Yes	748	2.29
		2 = No	22207	68.13
		3 = Yes LOGICALLY ASSIGNED	29	0.09
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3148	9.66
		99 = LEGITIMATE SKIP	6454	19.80
CPEDRG1A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION		
		201 = Valium	1	0.00

207 = Ativan	1	0.00
211 = Buspar	1	0.00
221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	11	0.03
335 = Dexatrim	1	0.00
339 = Amphetamines (speed generically)	4	0.01
348 = Crystal	1	0.00
355 = Crystal meth	1	0.00
360 = Rainbow speed	1	0.00
406 = Percodan, oxycodone	1	0.00
409 = Tylenol with Codeine, Tylenol 3	1	0.00
415 = Codeine	1	0.00
420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
423 = Percocet	1	0.00
502 = Spray paints	1	0.00
601 = LSD ("acid," "white lightning")	7	0.02
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
609 = Jimson "sic" weed	1	0.00
702 = Heroin	10	0.03
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	1	0.00
803 = Marijuana	57	0.17
804 = Hashish	1	0.00
805 = Cocaine, Coke	63	0.19
806 = Crack	14	0.04
807 = Alcohol	369	1.13
812 = Cigars	1	0.00
813 = Cigarettes, tobacco not specified	57	0.17
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
900 = Non-Drug reason given for Drug Problem .	23	0.07
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	5	0.02
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3284	10.08
999 = LEGITIMATE SKIP	28660	87.93

CPEDRG2A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION

120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
201 = Valium	1	0.00
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
339 = Amphetamines (speed generically)	3	0.01
407 = Demerol	1	0.00
502 = Spray paints	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
702 = Heroin	2	0.01

	803 = Marijuana	26	0.08
	805 = Cocaine, Coke	19	0.06
	806 = Crack	2	0.01
	807 = Alcohol	36	0.11
	813 = Cigarettes, tobacco not specified	2	0.01
	900 = Non-Drug reason given for Drug Problem .	3	0.01
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3824	11.73
	999 = LEGITIMATE SKIP	28661	87.93
CPEDRG3A	3 DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION		
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	229 = Librax	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	355 = Crystal meth	1	0.00
	360 = Rainbow speed	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	702 = Heroin	1	0.00
	802 = THC, Cannabinol	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	2	0.01
	806 = Crack	1	0.00
	807 = Alcohol	1	0.00
	813 = Cigarettes, tobacco not specified	1	0.00
	818 = Nicotine	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3906	11.98
	999 = LEGITIMATE SKIP	28661	87.93
CPEDRG4A	3 DRUG MAKING PROBLEMS HARDER TO HANDLE-4TH MENTION		
	209 = Xanax	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	1	0.00
	807 = Alcohol	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3918	12.02
	999 = LEGITIMATE SKIP	28661	87.93
CPEDRG5A	3 DRUG MAKING PROBLEMS HARDER TO HANDLE-5TH MENTION		
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	2	0.01
	994 = DON'T KNOW	3	0.01

997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3922	12.03
999 = LEGITIMATE SKIP	28661	87.93

DREMGMED 2 HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE

1 = Yes	184	0.56
2 = No	22769	69.86
3 = Yes LOGICALLY ASSIGNED	25	0.08
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.02
98 = BLANK (NO ANSWER)	3153	9.67
99 = LEGITIMATE SKIP	6454	19.80

EMDRGIA 3 DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION

201 = Valium	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
335 = Dexatrim	1	0.00
339 = Amphetamines (speed generically)	1	0.00
348 = Crystal	1	0.00
420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
601 = LSD ("acid," "white lightning")	3	0.01
605 = PCP ("angel dust," phencyclidine)	1	0.00
615 = Homemade drugs	1	0.00
702 = Heroin	4	0.01
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	7	0.02
804 = Hashish	1	0.00
805 = Cocaine, Coke	16	0.05
806 = Crack	4	0.01
807 = Alcohol	73	0.22
813 = Cigarettes, tobacco not specified	26	0.08
818 = Nicotine	1	0.00
900 = Non-Drug reason given for Drug Problem .	16	0.05
989 = LEGITIMATE SKIP Logically assigned	4	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	5	0.02
998 = BLANK (NO ANSWER)	3200	9.82
999 = LEGITIMATE SKIP	29219	89.65

EMDRG2A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION

339 = Amphetamines (speed generically)	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
702 = Heroin	1	0.00
803 = Marijuana	1	0.00
805 = Cocaine, Coke	8	0.02
806 = Crack	1	0.00

	807 = Alcohol	7	0.02
	809 = Pills	1	0.00
	813 = Cigarettes, tobacco not specified	1	0.00
	900 = Non-Drug reason given for Drug Problem .	2	0.01
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3338	10.24
	999 = LEGITIMATE SKIP	29223	89.66
EMDRG3A	3 DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION		
	601 = LSD ("acid," "white lightning")	1	0.00
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3362	10.31
	999 = LEGITIMATE SKIP	29223	89.66
EMDRG4A	3 DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION		
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3363	10.32
	999 = LEGITIMATE SKIP	29223	89.66
EMDRG5A	3 DRUG CAUSING NEED FOR EMER. MED. HELP-5TH MENTION		
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	5	0.02
	998 = BLANK (NO ANSWER)	3363	10.32
	999 = LEGITIMATE SKIP	29223	89.66

TREATMENT			
LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
TREATMENT -- ANSWER SHEET #15			

TR-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. Which do you prefer?			
AS15READ	2 TREATMENT - READING PREFERENCE		
	1 = Wants interviewer to continue reading ..	8794	26.98
	2 = Wants to do it himself/herself	22257	68.29
	96 = MULTIPLE RESPONSE	2	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1540	4.72
TR-1. During the past 12 months, were you referred to any type of drug treatment through an employee assistance program?			
EMPDRUG	2 REFD. TO DRG TRMT THRU EMPLOYEE ASST. PGM PST 12 MO		
	1 = Yes	119	0.37
	2 = No	32310	99.13
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	157	0.48
TR-2. During the past 12 months, have you gone to a clinic, self-help group, counselor, doctor or other professional to get help to stop smoking cigarettes?			
CIGHELP	2 GONE TO TRTMNT PROF. TO QUIT SMOKING IN PAST 12 MO		
	1 = Yes	286	0.88
	2 = No	32084	98.44
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	216	0.66
TR-3. During the past 12 months, have you gotten any treatment for drinking--such as from a clinic, self-help group, counselor, doctor or other professional?			

DRNKHELP	2	GOTTEN TREATMENT FOR DRINKING IN PAST 12 MONTHS		
		1 = Yes	358	1.10
		2 = No	32015	98.22
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	214	0.66

TR-4. During the past 12 months, have you received treatment for drug use, not counting cigarettes or alcohol?

TRMTHelp	2	RECEIVED TREATMENT FOR DRUG USE IN PAST 12 MONTHS		
		1 = Yes	198	0.61
		2 = No	32171	98.70
		85 = BAD DATA Logically assigned	10	0.03
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	207	0.64

TR-5. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in an emergency room?

TRMTEMRG	2	RECEIVED TRTMNT/DRUG USE/EMERGENCY RM PAST 12 MO		
		1 = Yes	64	0.20
		2 = No	32300	99.10
		85 = BAD DATA Logically assigned	8	0.02
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	215	0.66

TR-6. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in a hospital as an inpatient?

TRMTHOSP	2	RECEIVED TRTMNT/DRUG USE/HOSP. INPATIENT/PST 12 MO		
		1 = Yes	80	0.25
		2 = No	32288	99.06
		85 = BAD DATA Logically assigned	5	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	213	0.65

TR-7. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in a private doctor's office?

TRMTDOC	2	RECEIVED TREATMENT/DRUG USE/DR'S OFFICE/PAST 12 MO		
		1 = Yes	67	0.21

2 = No	31995	98.16
85 = BAD DATA Logically assigned	11	0.03
97 = REFUSED	7	0.02
98 = BLANK (NO ANSWER)	514	1.58

TR-8. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in a drug treatment or rehabilitation facility?

TRMTTRMT	2 RECEIVED TRTMNT/DRUG USE/DRUG TX-REHAB/PAST 12 MO		
	1 = Yes	128	0.39
	2 = No	31932	97.97
	85 = BAD DATA Logically assigned	2	0.01
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	525	1.61

TR-9. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in a mental health center or facility?

TRMTMHC	2 RECEIVED TRTMNT/DRUG USE/MENTAL HLTH CTR/PST 12 MO		
	1 = Yes	74	0.23
	2 = No	31975	98.10
	85 = BAD DATA Logically assigned	6	0.02
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	532	1.63

TR-10. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in a self-help group?

TRMTSHG	2 RECEIVED TRTMNT/DRUG USE/SELF-HELP GROUP/PST 12 MO		
	1 = Yes	192	0.59
	2 = No	31860	97.75
	85 = BAD DATA Logically assigned	7	0.02
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	528	1.62

TR-10. During the past 12 months, have you received treatment for use of any drug other than cigarettes or alcohol in some other place?

TRMTSOP	2 RECEIVED TRTMNT/DRUG USE/SOME OTHR PLACE/PST 12 MO		
	1 = Yes	79	0.24
	2 = No	31975	98.10
	3 = Yes LOGICALLY ASSIGNED	4	0.01
	85 = BAD DATA Logically assigned	8	0.02

	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	521	1.60
TRMTSP	2 OTHER PLACE RECEIVED TREATMENT PAST 12 MONTHS		
	4 = AA or NA	20	0.06
	5 = Residential placement	6	0.02
	9 = Within myself (self-treatment)	4	0.01
	10 = Church	3	0.01
	11 = The street	1	0.00
	12 = Friends	5	0.02
	13 = Court facilities	1	0.00
	14 = Counselor, therapist, psychologist	8	0.02
	15 = School	2	0.01
	85 = BAD DATA Logically assigned	4	0.01
	97 = REFUSED	7	0.02
	98 = BLANK (NO ANSWER)	32533	99.81

RISK

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

RISK -- ANSWER SHEET #16

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities? (If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. CIRCLE ONE NUMBER ON EACH LINE.)

RSKPKCIG	2	RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk	1084	3.33
		2 = Slight risk	2902	8.90
		3 = Moderate risk	8526	26.16
		4 = Great risk	19876	60.98
		94 = DON'T KNOW	47	0.14
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	12	0.04
		98 = BLANK (NO ANSWER)	146	0.45
RSKTRYMJ	2	RISK IF TRY MARIJUANA ONCE OR TWICE		
		1 = No risk	6124	18.79
		2 = Slight risk	8609	26.41
		3 = Moderate risk	6489	19.91
		4 = Great risk	11103	34.06
		94 = DON'T KNOW	109	0.33
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	15	0.05
		98 = BLANK (NO ANSWER)	144	0.44
RSKMJOCC	2	RISK IF SMOKE MARIJUANA OCCASIONALLY		
		1 = No risk	2275	6.98
		2 = Slight risk	6028	18.49
		3 = Moderate risk	9695	29.74
		4 = Great risk	14209	43.59
		94 = DON'T KNOW	91	0.28
		97 = REFUSED	16	0.05
		98 = BLANK (NO ANSWER)	280	0.86

RSKMJREG	2 RISK IF SMOKE MARIJUANA REGULARLY		
	1 = No risk	906	2.78
	2 = Slight risk	1684	5.17
	3 = Moderate risk	5047	15.48
	4 = Great risk	24614	75.52
	94 = DON'T KNOW	91	0.28
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	237	0.73
RKTRYP	2 RISK IF TRY PCP ONCE OR TWICE		
	1 = No risk	1029	3.16
	2 = Slight risk	3424	10.51
	3 = Moderate risk	6500	19.94
	4 = Great risk	21010	64.46
	94 = DON'T KNOW	429	1.32
	97 = REFUSED	16	0.05
	98 = BLANK (NO ANSWER)	186	0.57
RKPCPREG	2 RISK IF USE PCP REGULARLY		
	1 = No risk	562	1.72
	2 = Slight risk	336	1.03
	3 = Moderate risk	1741	5.34
	4 = Great risk	29294	89.88
	94 = DON'T KNOW	406	1.25
	97 = REFUSED	16	0.05
	98 = BLANK (NO ANSWER)	239	0.73
RKTRYHER	2 RISK IF TRY HEROIN ONCE OR TWICE		
	1 = No risk	892	2.74
	2 = Slight risk	2831	8.69
	3 = Moderate risk	6222	19.09
	4 = Great risk	22304	68.43
	94 = DON'T KNOW	165	0.51
	97 = REFUSED	16	0.05
	98 = BLANK (NO ANSWER)	164	0.50
RKHERREG	2 RISK IF USE HEROIN REGULARLY		
	1 = No risk	539	1.65
	2 = Slight risk	238	0.73
	3 = Moderate risk	1064	3.26
	4 = Great Risk	30383	93.22
	94 = DON'T KNOW	142	0.44
	97 = REFUSED	16	0.05
	98 = BLANK (NO ANSWER)	212	0.65
RKTRYCOC	2 RISK IF TRY COCAINE ONCE OR TWICE		

	1 = No risk	1446	4.44
	2 = Slight risk	3904	11.98
	3 = Moderate risk	6582	20.19
	4 = Great risk	20379	62.52
	94 = DON'T KNOW	106	0.33
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	162	0.50
RKCOCOC	2 RISK IF USE COCAINE OCCASIONALLY		
	1 = No risk	664	2.04
	2 = Slight risk	1224	3.76
	3 = Moderate risk	5088	15.61
	4 = Great risk	25317	77.67
	94 = DON'T KNOW	93	0.29
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	193	0.59
RKCOCREG	2 RISK IF USE COCAINE REGULARLY		
	1 = No risk	509	1.56
	2 = Slight risk	286	0.88
	3 = Moderate risk	1142	3.50
	4 = Great risk	30354	93.13
	94 = DON'T KNOW	92	0.28
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	196	0.60
RKCRKOCC	2 RISK IF USE "CRACK" OCCASIONALLY		
	1 = No risk	575	1.76
	2 = Slight risk	627	1.92
	3 = Moderate risk	3167	9.72
	4 = Great risk	27880	85.54
	94 = DON'T KNOW	128	0.39
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	14	0.04
	98 = BLANK (NO ANSWER)	202	0.62
RKANSOCC	2 RISK IF USE ANABOLIC STEROIDS OCCASIONALLY		
	1 = No risk	835	2.56
	2 = Slight risk	3340	10.25
	3 = Moderate risk	9206	28.24
	4 = Great risk	18555	56.93
	94 = DON'T KNOW	428	1.31
	97 = REFUSED	14	0.04
	98 = BLANK (NO ANSWER)	216	0.66
RKANSREG	2 RISK IF USE ANABOLIC STEROIDS REGULARLY		

	1 = No risk	611	1.87
	2 = Slight risk	811	2.49
	3 = Moderate risk	4305	13.21
	4 = Great risk	26209	80.41
	94 = DON'T KNOW	418	1.28
	97 = REFUSED	14	0.04
	98 = BLANK (NO ANSWER)	226	0.69
RK2DRINK	2 RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY		
	1 = No risk	2951	9.05
	2 = Slight risk	7997	24.54
	3 = Moderate risk	10752	32.99
	4 = Great risk	10560	32.40
	94 = DON'T KNOW	46	0.14
	97 = REFUSED	14	0.04
	98 = BLANK (NO ANSWER)	274	0.84
RK5DRINK	2 RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY		
	1 = No risk	730	2.24
	2 = Slight risk	1930	5.92
	3 = Moderate risk	7274	22.32
	4 = Great risk	22310	68.45
	94 = DON'T KNOW	40	0.12
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	295	0.91
RSKBINGE	2 RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
	1 = No risk	1300	3.99
	2 = Slight risk	3269	10.03
	3 = Moderate risk	8423	25.84
	4 = Great risk	19249	59.06
	94 = DON'T KNOW	47	0.14
	97 = REFUSED	15	0.05
	98 = BLANK (NO ANSWER)	291	0.89
R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (CIRCLE ONE NUMBER ON EACH LINE.)			
RSKDIFMJ	2 DIFFICULTY OF GETTING MARIJUANA IF YOU WANTED		
	1 = Probably impossible	5042	15.47
	2 = Very difficult	3296	10.11
	3 = Fairly difficult	3262	10.01
	4 = Fairly easy	8098	24.85
	5 = Very easy	12190	37.40
	94 = DON'T KNOW	394	1.21
	96 = MULTIPLE RESPONSE	1	0.00

	97 = REFUSED	23	0.07
	98 = BLANK (NO ANSWER)	288	0.88
RKDIFLSD	2 DIFFICULTY OF GETTING LSD IF YOU WANTED		
	1 = Probably impossible	10011	30.71
	2 = Very difficult	6857	21.04
	3 = Fairly difficult	5744	17.62
	4 = Fairly easy	4701	14.42
	5 = Very easy	4153	12.74
	94 = DON'T KNOW	746	2.29
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	359	1.10
RKDIFPCP	2 DIFFICULTY OF GETTING PCP IF YOU WANTED		
	1 = Probably impossible	10559	32.40
	2 = Very difficult	7041	21.60
	3 = Fairly difficult	5405	16.58
	4 = Fairly easy	4301	13.20
	5 = Very easy	4080	12.52
	94 = DON'T KNOW	770	2.36
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	22	0.07
	983 = BLANK (NO ANSWER)	415	1.27
RKDIFCOC	2 DIFFICULTY OF GETTING COCAINE IF YOU WANTED		
	1 = Probably imposible	7501	23.01
	2 = Very difficult	4774	14.65
	3 = Fairly difficult	3853	11.82
	4 = Fairly easy	6320	19.39
	5 = Very easy	9301	28.54
	94 = DON'T KNOW	491	1.51
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	331	1.02
RKDIFHER	2 DIFFICULTY OF GETTING HEROIN IF YOU WANTED		
	1 = Probably impossible	10652	32.68
	2 = Very difficult	6729	20.64
	3 = Fairly difficult	4726	14.50
	4 = Fairly easy	4362	13.38
	5 = Very easy	5163	15.84
	94 = DON'T KNOW	597	1.83
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	342	1.05

HEALTH CONDITIONS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

HEALTH CONDITIONS

HE-1. Have you ever been told by a doctor or nurse that you had high blood pressure or hypertension?

HIGHBP	2	EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE		
	1	= Yes	4810	14.76
	2	= No	27673	84.90
	94	= DON'T KNOW	11	0.03
	97	= REFUSED	17	0.05
	98	= BLANK (NO ANSWER)	83	0.25

HE-2. Has a doctor ever prescribed medicine for your high blood pressure or hypertension?

BPMED	2	MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE		
	1	= Yes	2637	8.09
	2	= No	3523	10.81
	94	= DON'T KNOW	3	0.01
	97	= REFUSED	15	0.05
	98	= BLANK (NO ANSWER)	202	0.62
	99	= LEGITIMATE SKIP	26214	80.43

HE-3. Have you ever had trouble with pain, discomfort or pressure in your chest when you walked fast or uphill?

WALKPAIN	2	EVER HAD PAIN IN CHEST FROM EXERTION		
	1	= Yes	4267	13.09
	2	= No	28140	86.33
	94	= DON'T KNOW	1	0.00
	96	= MULTIPLE RESPONSE	2	0.01
	97	= REFUSED	15	0.05
	98	= BLANK (NO ANSWER)	169	0.52

HE-4. Have you ever had severe pain across the front of your chest that lasted for a half hour or more?

TIMEPAIN	2	EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE		
		1 = Yes	1724	5.29
		2 = No	30646	94.02
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	16	0.05
		98 = BLANK (NO ANSWER)	207	0.64

HE-5. Have you ever had shortness of breath either when hurrying on level ground or walking up a slight hill?

UPSHOR	2	EVER HAD SHORTNESS OF BREATH FROM EXERTION		
		1 = Yes	8058	24.72
		2 = No	24346	74.69
		94 = DON'T KNOW	5	0.02
		97 = REFUSED	16	0.05
		98 = BLANK (NO ANSWER)	169	0.52

HE-6. Have you ever been told by a doctor that you had a lung or chest condition such as emphysema, asthma, chronic bronchitis, pneumonia, pleurisy or TB?

ASTHMA	2	EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION		
		1 = Yes	4876	14.96
		2 = No	27589	84.64
		94 = DON'T KNOW	7	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	16	0.05
		98 = BLANK (NO ANSWER)	105	0.32

HE-7. Have you ever been treated for psychological or emotional difficulties?

TRPSYCH	2	EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION		
		1 = Yes	2193	6.73
		2 = No	30227	92.74
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	20	0.06
		98 = BLANK (NO ANSWER)	151	0.46

HE-8. Have you ever been told by a doctor that you had a heart condition or heart problem?

HEART	2	EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM		
		1 = Yes	2324	7.13
		2 = No	30141	92.47
		94 = DON'T KNOW	1	0.00

96 = MULTIPLE RESPONSE	3	0.01
97 = REFUSED	16	0.05
98 = BLANK (NO ANSWER)	109	0.33

HE-9. Do you seem to get a bad cold or the flu every year?

FLU	2 GET BAD COLD OR FLU EVERY YEAR		
	1 = Yes	14073	43.18
	2 = No	18382	56.40
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	16	0.05
	98 = BLANK (NO ANSWER)	121	0.37

HE-10. Do you have hay fever?

ALLERG	2 HAS HAY FEVER		
	1 = Yes	6337	19.44
	2 = No	26039	79.89
	94 = DON'T KNOW	26	0.08
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	173	0.53

HE-11. Have you been hospitalized overnight because of injury or illness in the past 12 months?

HOSPYR	2 HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR		
	1 = Yes	2660	8.16
	2 = No	29774	91.35
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	141	0.43

HE-12. Have you had a sore throat lasting three days or more in the past 12 months?

SOREYR	2 HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR		
	1 = Yes	12131	37.22
	2 = No	20286	62.24
	94 = DON'T KNOW	7	0.02
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	153	0.47

HE-13. Have you had a runny nose lasting three days or more in the past 12 months?

RUNNYR	2 HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR		
	1 = Yes	16064	49.29
	2 = No	16356	50.18
	94 = DON'T KNOW	5	0.02
	96 = MULTIPLE RESPONSE	3	0.01
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	149	0.46

HE-14. Have you had a cough lasting almost a week, three or more times in the past 12 months?

COUGHYR	2 HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR		
	1 = Yes	6309	19.36
	2 = No	26098	80.07
	94 = DON'T KNOW	4	0.01
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	165	0.51

HE-15. Have you had a period of cough with phlegm, lasting for three weeks or more, in the past 12 months?

PHLEGMYR	2 HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR		
	1 = Yes	2757	8.46
	2 = No	29285	89.85
	94 = DON'T KNOW	1	0.00
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	533	1.64

HE-16. Would you describe your health for the past 12 months as ... (READ ANSWER CHOICES)

HEALTHYR	2 HEALTH FOR PAST 12 MONTHS		
	1 = Excellent	8567	26.28
	2 = Very good	12196	37.42
	3 = Good	8217	25.21
	4 = Fair	3041	9.33
	5 = Poor	444	1.36
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	14	0.04
	98 = BLANK (NO ANSWER)	113	0.35

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

DEMOGRAPHICS

BIRMON 2 BIRTH MONTH

BIRYEAR 4 BIRTH YEAR

3. Which of the following best describes your current marital status? Are you:

MARITAL	2	MARITAL STATUS		
		1 = Married	10452	32.07
		2 = Widowed	1408	4.32
		3 = Divorced or separated	3220	9.88
		4 = Has never married	13103	40.20
		85 = BAD DATA Logically assigned	69	0.21
		89 = LEGITIMATE SKIP Logically assigned	1530	4.69
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	4	0.01
		97 = REFUSED	26	0.08
		98 = BLANK (NO ANSWER)	335	1.03
		99 = LEGITIMATE SKIP	2446	7.50

4. How many times have you been married?

NOMARR	2	# TIMES MARRIED		
		RANGE = 0 - 9	14682	45.05
		85 = BAD DATA Logically assigned	37	0.11
		89 = LEGITIMATE SKIP Logically assigned	2312	7.09
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	41	0.13
		98 = BLANK (NO ANSWER)	753	2.31
		99 = LEGITIMATE SKIP	14767	45.31

5. Please look at this card and tell me which of the statements describes your present work situation.
(CIRCLE THE LOWEST CODE THAT APPLIES)

WORKSTAT 2 PRESENT WORK SITUATION

1 = Working full-time, 35 hours or more a week	12677	38.89
2 = Working part-time, less than 35 hours a week	3824	11.73
3 = Have job but out: illness/ leave/ furlough/strike	196	0.60
4 = Unemployed or laid off and looking for work	1552	4.76
5 = Unemployed and not looking for work	669	2.05
6 = Full-time homemaker only	2573	7.89
7 = In school only	8346	25.61
8 = Retired	1666	5.11
9 = Disabled, not able to work	581	1.78
10 = Something else (NOT SPECIFIED)	28	0.09
11 = Unable to work - taking care of ill relative	3	0.01
12 = About to start work	9	0.03
13 = Contracts for work (eg. Musician)	32	0.10
14 = Welfare (AFDC)	31	0.10
15 = Out of work - Termination - Injury	5	0.02
16 = Just got out of school	9	0.03
17 = Just returned to the United States	2	0.01
18 = Drop out of school	1	0.00
20 = Family business/no pay	2	0.01
21 = Volunteer	6	0.02
22 = Babysitting	4	0.01
23 = Free-lance writer	1	0.00
24 = Internship with/without pay	1	0.00
25 = Student full-time/part-time-self employed /or other	55	0.17
26 = In training with or without pay	3	0.01
27 = Pregnant	12	0.04
28 = Part-time school/part-time work	38	0.12
29 = Full-time student and or homemaker	14	0.04
30 = Disabled/looking for work/full- and/or part-time	7	0.02
32 = Did not work/never worked	21	0.06
33 = On leave of absence	5	0.02
34 = Veterans pension	1	0.00
35 = In school and looking for work	4	0.01
36 = Laid off & applying for disability	4	0.01
37 = Paper route/odd jobs	2	0.01
38 = Waiting to join the military	1	0.00
39 = Part-time jobs	2	0.01
40 = Retired	1	0.00
41 = Job injury, worker's compensation	1	0.00
42 = In school, working part-time	7	0.02
43 = Working two jobs	2	0.01
44 = In school, but working during break/ summer	4	0.01

45 = Expelled from school/waiting to go to com. college	6	0.02
46 = College paid by State Industrial	1	0.00
47 = Woodworking-own business	5	0.02
48 = Self-employed	3	0.01
50 = Seasonal work	3	0.01
51 = Refuge	2	0.01
97 = REFUSED	25	0.08
98 = BLANK (NO ANSWER)	147	0.45

6. In what month and year did you last work for pay?

PAYMO	2 MONTH LAST WORKED FOR PAY		
	RANGE = 1 - 12	8228	25.24
	85 = BAD DATA Logically assigned	29	0.09
	89 = LEGITIMATE SKIP Logically assigned	2878	8.83
	91 = NEVER WORKED FOR PAY	6551	20.10
	94 = DON'T KNOW	391	1.20
	95 = BAD DATA	3	0.01
	97 = REFUSED	52	0.16
	98 = BLANK (NO ANSWER)	643	1.97
	99 = LEGITIMATE SKIP	13819	42.40

PAYYR	2 YEAR (19__) LAST WORKED FOR PAY		
	RANGE = 19 - 91	8788	26.96
	185 = BAD DATA Logically assigned	21	0.06
	189 = LEGITIMATE SKIP Logically assigned	2872	8.81
	191 = NEVER WORKED FOR PAY	6551	20.10
	194 = DON'T KNOW	48	0.15
	195 = BAD DATA	8	0.02
	197 = REFUSED	39	0.12
	198 = BLANK (NO ANSWER)	442	1.36
	199 = LEGITIMATE SKIP	13825	42.42

8. What kind of work (are/were) you (last) doing; that is, what (are/were) your most important activities or duties in your job?

ROCCUP2	3 KIND OF WORK OF RESPONDENT		
	RANGE = 1 - 16	25468	78.14
	995 = BAD DATA	4	0.01
	997 = REFUSED	23	0.07
	998 = BLANK (NO ANSWER)	548	1.68
	999 = LEGITIMATE SKIP	6551	20.10

9. In what type of business or industry (is/was) this; that is, what product (is/was) made or what service (is/ was) offered?

BUSINES2	3 BUSINESS OR INDUSTRY OF RESPONDENT		
	RANGE = 1 - 16	25336	77.73
	990 = INDUSTRY NOT REPORTED	335	1.03
	995 = BAD DATA	1	0.00
	997 = REFUSED	22	0.07
	998 = BLANK (NO ANSWER)	349	1.07
	999 = LEGITIMATE SKIP	6551	20.10

10. (Is/was) this mainly ...

SECTOR	2 BUSINESS/INDUSTRY SECTOR OF RESPONDENT'S JOB		
	1 = Manufacturing	3646	11.19
	2 = Wholesale trade	1084	3.33
	3 = Retail trade, or	6697	20.55
	4 = Something else? (SPECIFY)	1050	3.22
	5 = AGRICULTURE/FORESTRY/FISHERIES	460	1.41
	6 = MINING	39	0.12
	7 = CONSTRUCTION	826	2.53
	8 = TRANSPORTATION	820	2.52
	9 = COMMUNICATIONS	250	0.77
	10 = UTILITIES/SANITARY SERVICES	200	0.61
	11 = FINANCE/INSURANCE/REAL ESTATE	1050	3.22
	12 = BUSINESS/REPAIR SERVICES	967	2.97
	13 = PERSONAL SERVICES	1422	4.36
	14 = ENTERTAINMENT/RECREATION SERVICES	488	1.50
	15 = PROFESSIONAL AND RELATED SERVICES	4772	14.64
	16 = PUBLIC ADMINISTRATION	1423	4.37
	17 = BAD DATA	2	0.01
	85 = BAD DATA Logically assigned	4	0.01
	89 = LEGITIMATE SKIP Logically assigned	17	0.05
	94 = DON'T KNOW	46	0.14
	96 = MULTIPLE RESPONSE	134	0.41
	97 = REFUSED	107	0.33
	98 = BLANK (NO ANSWER)	556	1.71
	99 = LEGITIMATE SKIP	6534	20.05

11. How many different jobs have you had in the past 5 years?

N05JOB	2 # OF JOBS LAST 5 YEARS		
	RANGE = 0 - 61	25002	76.71
	89 = LEGITIMATE SKIP Logically assigned	22	0.07
	94 = DON'T KNOW	17	0.05
	95 = BAD DATA	2	0.01
	97 = REFUSED	69	0.21
	98 = BLANK (NO ANSWER)	952	2.92
	99 = LEGITIMATE SKIP	6530	20.03

12. During the last 30 days, how many whole days of work

did you miss because you were sick or injured?

WORKDAYS	2 # DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS		
	RANGE = 0 - 31	16427	50.40
	89 = LEGITIMATE SKIP Logically assigned	7729	23.71
	94 = DON'T KNOW	3	0.01
	95 = BAD DATA	2	0.01
	97 = REFUSED	33	0.10
	98 = BLANK (NO ANSWER)	403	1.24
	99 = LEGITIMATE SKIP	7997	24.54

13. During the last 30 days, how many whole days of work did you miss because you just didn't want to be there?

WORKBLAH	2 # DAYS SKIPPED WORK LAST 30 DAYS		
	RANGE = 0 - 30	16347	50.15
	89 = LEGITIMATE SKIP Logically assigned	7692	23.60
	94 = DON'T KNOW	3	0.01
	95 = BAD DATA	2	0.01
	97 = REFUSED	31	0.10
	98 = BLANK (NO ANSWER)	485	1.49
	99 = LEGITIMATE SKIP	8034	24.65

14. Who is considered to be the chief wage earner or source of income in in this household?

CWE	2 CHIEF WAGE EARNER IN HOUSEHOLD (RELATION TO RESP)		
	1 = Respondent	7322	22.46
	2 = Someone else (NOT SPECIFIED)	517	1.59
	3 = Income Contributed Equally	512	1.57
	4 = No one	1051	3.22
	11 = Head of Household, Employer	26	0.08
	12 = Spouse	5103	15.66
	13 = Live-in partner, fiancée	120	0.37
	14 = Mother	3758	11.53
	15 = Father	6307	19.35
	16 = Daughter	66	0.20
	17 = Son	70	0.21
	18 = Sister	164	0.50
	19 = Brother	195	0.60
	20 = Grandmother	244	0.75
	21 = Grandfather	141	0.43
	22 = Other female blood relative	94	0.29
	23 = Other male blood relative	113	0.35
	24 = Mother-in-law	22	0.07
	25 = Father-in-law	27	0.08
	26 = Other female in-laws	14	0.04

27 = Other male in-laws	100	0.31
28 = Close female friend	37	0.11
29 = Close male friend	117	0.36
30 = Other female acquaintance, roommate	7	0.02
31 = Other male acquaintance, roommate	6	0.02
32 = Step-mother	9	0.03
33 = Step-father	288	0.88
35 = Step-daughter	1	0.00
39 = Other 'step' relative, male	5	0.02
40 = Friend (sex unspecified), boarder	231	0.71
41 = Parents	415	1.27
42 = Grandparents	11	0.03
43 = Guardian (sex unspecified)	5	0.02
44 = Foster mother, female guardian	3	0.01
45 = Foster father, male guardian	4	0.01
47 = Home care worker or health care aide ...	1	0.00
50 = Multiple people listed	56	0.17
51 = Relative, sex not specified	47	0.14
52 = Roommate, sex not specified	226	0.69
53 = Neighbor, sex not specified	1	0.00
54 = Foster parent, sex not specified	4	0.01
56 = Unspecified relationship	19	0.06
59 = Adult children/children	5	0.02
60 = Foster grandchild/foster child	1	0.00
61 = Siblings	1	0.00
62 = Co-worker	2	0.01
67 = In-laws, sex not specified	1	0.00
69 = Companion = Code 40	1	0.00
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	3020	9.27
94 = DON'T KNOW	24	0.07
96 = MULTIPLE RESPONSE	18	0.06
97 = REFUSED	34	0.10
98 = BLANK (NO ANSWER)	323	0.99
99 = LEGITIMATE SKIP	1702	5.22

15. Does (he/she) work:

FULLPART 2 WORK STATUS OF CHIEF WAGE EARNER

1 = Full-time	15841	48.60
2 = Part-time	938	2.88
3 = Chief source of income does not work ...	2530	7.76
89 = LEGITIMATE SKIP Logically assigned	200	0.61
94 = DON'T KNOW	42	0.13
96 = MULTIPLE RESPONSE	9	0.03
97 = REFUSED	58	0.18
98 = BLANK (NO ANSWER)	544	1.67
99 = LEGITIMATE SKIP	12432	38.14

17. What kind of work is (he/she) doing; that is, what

are (his/her) most important activities or duties in the job?

CWEOCC2	3 KIND OF WORK OF CHIEF WAGE EARNER		
	RANGE = 1 - 16	16448	50.46
	994 = DON'T KNOW	6	0.02
	995 = BAD DATA	1	0.00
	997 = REFUSED	34	0.10
	998 = BLANK (NO ANSWER)	991	3.04
	999 = LEGITIMATE SKIP	15114	46.37

18. In what type of business or industry does (he/she) work; that is, what product is made or what service is offered?

CWEBUS2	3 BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER		
	RANGE = 1 - 16	16391	50.29
	990 = INDUSTRY NOT REPORTED	539	1.65
	994 = DON'T KNOW	6	0.02
	995 = BAD DATA	1	0.00
	997 = REFUSED	34	0.10
	998 = BLANK (NO ANSWER)	507	1.56
	999 = LEGITIMATE SKIP	15116	46.38

19. Is this mainly:

CWESECTR	2 BUSINESS/INDUSTRY SECTOR OF RESPONDENT'S JOB		
	1 = Manufacturing	3088	9.47
	2 = Wholesale trade	857	2.63
	3 = Retail trade, or	2623	8.05
	4 = Something else? (SPECIFY)	665	2.04
	5 = AGRICULTURE/FORESTRY/FISHERIES	276	0.85
	6 = MINING	55	0.17
	7 = CONSTRUCTION	915	2.81
	8 = TRANSPORTATION	888	2.72
	9 = COMMUNICATIONS	208	0.64
	10 = UTILITIES/SANITARY SERVICES	246	0.75
	11 = FINANCE/INSURANCE/REAL ESTATE	604	1.85
	12 = BUSINESS/REPAIR SERVICES	795	2.44
	13 = PERSONAL SERVICES	623	1.91
	14 = ENTERTAINMENT/RECREATION SERVICES	145	0.44
	15 = PROFESSIONAL AND RELATED SERVICES	2692	8.26
	16 = PUBLIC ADMINISTRATION	1629	5.00
	17 = BAD DATA	1	0.00
	85 = BAD DATA Logically assigned	5	0.02
	89 = LEGITIMATE SKIP Logically assigned	14	0.04
	94 = DON'T KNOW	223	0.68
	96 = MULTIPLE RESPONSE	111	0.34

97 = REFUSED	159	0.49
98 = BLANK (NO ANSWER)	673	2.06
99 = LEGITIMTE SKIP	15099	46.32

20. What is the last grade or year that you completed in school?

EDUC

2 LAST GRADE COMPLETED IN SCHOOL

0 = No schooling	105	0.32
1 = First Grade	35	0.11
2 = Second grade	106	0.33
3 = Third grade	168	0.52
4 = Fourth grade	265	0.81
5 = Fifth grade	759	2.33
6 = Sixth grade	1749	5.37
7 = Seventh Grade	1663	5.10
8 = Eighth grade	2068	6.34
9 = Ninth grade	2120	6.50
10 = Tenth grade	2479	7.61
11 = Eleventh grade	2629	8.07
12 = Twelfth grade	8522	26.15
13 = One year college	1838	5.64
14 = 2 years college	2584	7.93
15 = 3 years college	1069	3.28
16 = 4 years college	2676	8.21
17 = Graduate/professional school	1519	4.66
85 = BAD DATA Logically assigned	69	0.21
94 = DON'T KNOW	7	0.02
97 = REFUSED	34	0.10
98 = BLANK (NO ANSWER)	130	0.40

21. Have you graduated from high school?

GRADHS

2 GRADUATED FROM HIGH SCHOOL

1 = Yes	8156	25.02
2 = No	13770	42.25
4 = No LOGICALLY ASSIGNED	284	0.87
89 = LEGITIMATE SKIP Logically assigned	2888	8.86
94 = DON'T KNOW	2	0.01
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	31	0.10
98 = BLANK (NO ANSWER)	731	2.24
99 = LEGITIMATE SKIP	6731	20.65

22. Have you received a high school diploma or a GED certificate of high school completion?

DIPLOMA

2 EVIDENCE OF HIGH SCHOOL COMPLETION

1 = High school diploma	8017	24.60
2 = GED certificate	1061	3.26
3 = Neither of the above	8060	24.73
89 = LEGITIMATE SKIP Logically assigned	4219	12.94
94 = DON'T KNOW	5	0.02
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	32	0.10
98 = BLANK (NO ANSWER)	634	1.95
99 = LEGITIMATE SKIP	10565	32.41

23. Are you now enrolled in any kind of school?

ENROLLD	2 NOW ENROLLED IN ANY SCHOOL		
	1 = Yes	12445	38.18
	2 = No	19701	60.44
	3 = Yes LOGICALLY ASSIGNED	88	0.27
	4 = No LOGICALLY ASSIGNED	200	0.61
	97 = REFUSED	26	0.08
	98 = BLANK (NO ANSWER)	134	0.41

24. Do you have plans to enroll in any kind of school in the future, or have you completed all the schooling you expect to get?

SCHPLANS	2 PLANS FOR FUTURE SCHOOLING		
	1 = Has plans to enroll in a school in futur	9063	27.81
	2 = Has completed all schooling	10593	32.50
	89 = LEGITIMATE SKIP Logically assigned	516	1.58
	94 = DON'T KNOW	77	0.24
	96 = MULTIPLE RESPONSE	2	0.01
	97 = REFUSED	26	0.08
	98 = BLANK (NO ANSWER)	300	0.92
	99 = LEGITIMATE SKIP	12017	36.87

25. Which of the following best describes your student status now? Are you:

STUDENT	2 STUDENT STATUS NOW		
	1 = A full-time student	10288	31.56
	2 = A part-time student	1918	5.88
	89 = LEGITIMATE SKIP Logically assigned	2	0.01
	97 = REFUSED	25	0.08
	98 = BLANK (NO ANSWER)	461	1.41
	99 = LEGITIMATE SKIP	19900	61.05

26. During the last month of school, how many whole days did you miss because you were sick or injured?

SCHDAYS	2 # OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO.		
	RANGE = 0 - 31	12140	37.25
	89 = LEGITIMATE SKIP Logically assigned	42	0.13
	94 = DON'T KNOW	13	0.04
	95 = BAD DATA	1	0.00
	97 = REFUSED	25	0.08
	98 = BLANK (NO ANSWER)	513	1.57
	99 = LEGITIMATE SKIP	19860	60.93

27. During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SKIPPED	2 # DAYS SKIPPED SCHOOL LAST MONTH		
	RANGE = 0 - 31	12184	37.38
	89 = LEGITIMATE SKIP Logically assigned	92	0.28
	94 = DON'T KNOW	8	0.02
	95 = BAD DATA	2	0.01
	97 = REFUSED	26	0.08
	98 = BLANK (NO ANSWER)	472	1.45
	99 = LEGITIMATE SKIP	19810	60.78

28. During a typical week, how many total miles would you estimate you usually drive a motor vehicle--car, truck, or motorcycle?

MILES	5 # MILES RESPONDENT DRIVES IN A TYPICAL WEEK		
	RANGE = 0 - 25000	22341	68.54
	99985 = BAD DATA Logically assigned	1	0.00
	99989 = LEGITIMATE SKIP Logically assigned	619	1.90
	99991 = HAS NEVER DRIVEN A MOTOR VEHICLE	5667	17.39
	99994 = DON'T KNOW	116	0.36
	99995 = BAD DATA	1	0.00
	99997 = REFUSED	31	0.10
	99998 = BLANK (NO ANSWER)	461	1.41
	99999 = LEGITIMATE SKIP	3357	10.30

29. During the past 12 months, have you had an accident while you were driving a motor vehicle, whether or not you were responsible?

ACCID	2 HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS		
	1 = Yes	2490	7.64
	2 = No	19085	58.55
	3 = Did not drive in past 12 months	776	2.38
	89 = LEGITIMATE SKIP Logically assigned	670	2.06
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	28	0.09

98 = BLANK (NO ANSWER)	569	1.75
99 = LEGITIMATE SKIP	8973	27.53

30. How many living biological children do you have? For this question, do not include any adopted, step, or foster children.

NOCHILD	2 # OF BIOLOGICAL CHILDREN		
	RANGE = 0 - 20	28046	86.05
	89 = LEGITIMATE SKIP Logically assigned	595	1.83
	94 = DON'T KNOW	3	0.01
	95 = BAD DATA	24	0.07
	97 = REFUSED	47	0.14
	98 = BLANK (NO ANSWER)	498	1.53
	99 = LEGITIMATE SKIP (IRAGE<15)	3381	10.37

31. What is the age and sex of each of these children, from oldest to youngest?

CHAGE1	2 NUMBER OF CHILDREN AGES 0 TO 2		
	RANGE = 0 - 4	32594	100.00
CRAGE2	2 NUMBER OF CHILDREN AGES 3 TO 5		
	RANGE = 0 - 4	32594	100.00
CHAGE3	2 NUMBER OF CHILDREN AGES 6 TO 8		
	RANGE = 0 - 3	32594	100.00
CHAGE4	2 NUMBER OF CHILDREN AGES 9 TO 11		
	RANGE = 0 - 4	32594	100.00
CHAGE5	2 NUMBER OF CHILDREN AGES 12 TO 14		
	RANGE = 0 - 3	32594	100.00
CHAGE6	2 NUMBER OF CHILDREN AGES 15 TO 17		
	RANGE = 0 - 4	32594	100.00
CHAGE7	2 NUMBER OF CHILDREN AGES 18 TO 24		
	RANGE = 0 - 7	32594	100.00
CHAGE8	2 NUMBER OF CHILDREN AGES 25 TO 34		
	RANGE = 0 - 8	32594	100.00

CHAGE9	2 NUMBER OF CHILDREN AGES 35+		
	RANGE = 0 - 12	32594	100.00

CHAGE10	2 NUMBER OF CHILDREN W/ AGES UNKNOWN OR UNSPECIFIED		
	RANGE = 0 - 12	32594	100.00

32. Altogether, how many people live here, including yourself?

TOTPEOP	2 # OF RESIDENTS IN HOUSEHOLD		
	RANGE = 1 - 20	32427	99.49
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	149	0.46

33. How are the people who live here related to you?

34. How many (EACH RELATIONSHIP IN Q.33) live here with you?

MOTHER	2 MOTHER OF RESPONDENT MEMBER OF HOUSEHOLD		
	0 = No (i.e., Legitimate skip or response not circled)	20286	62.24
	1 = Yes	11897	36.50
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	393	1.21

FATHER	2 FATHER OF RESPONDENT MEMBER OF HOUSEHOLD		
	0 = No (i.e., Legitimate skip or response not circled)	24198	74.24
	1 = Yes	7981	24.49
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	397	1.22

STEPMOM	2 STEPMOTHER OF RESPONDENT MEMBER OF HOUSEHOLD		
	0 = No (i.e., Legitimate skip or response not circled)	31995	98.16
	1 = Yes	181	0.56
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	400	1.23

STEPDAD	2 STEPFATHER OF RESPONDENT MEMBER OF HOUSEHOLD		
---------	--	--	--

	0 = No (i.e., Legitimate skip or response not circled)	31552	96.80
	1 = Yes	624	1.91
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	400	1.23
SPOUSE	2 SPOUSE/LIVE-IN PARTNER OF RESP MEMBER OF HOUSEHOLD		
	0 = No (i.e., Legitimate skip or response not circled)	21323	65.42
	1 = Yes	10858	33.31
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	17	0.05
	98 = BLANK (NO ANSWER)	395	1.21
INLAW	2 # PARENT(S)-IN-LAW OF RESP LIVING IN HOUSEHOLD		
	RANGE = 1 - 7	262	0.80
	0 = No (i.e., Legitimate skip or response not circled)	31720	97.32
	85 = BAD DATA Logically assigned	57	0.17
	93 = RELATION INDICATED, NO COUNT RECORDED ..	11	0.03
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	525	1.61
OWNCHILD	2 # BIOLOGICAL CHILDREN OF RESP LIVING IN HOUSEHOLD		
	RANGE = 1 - 12	9980	30.62
	0 = No (i.e., Legitimate skip or response not circled)	21962	67.38
	85 = BAD DATA Logically assigned	70	0.21
	93 = RELATION INDICATED, NO COUNT RECORDED ..	92	0.28
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	471	1.45
STEPCHLD	2 # ADOPTED/STEPCHILDREN OF RESP LIVING IN HOUSEHOLD		
	RANGE = 1 - 7	685	2.10
	0 = No (i.e., Legitimate skip or response not circled)	31293	96.01
	85 = BAD DATA Logically assigned	20	0.06
	93 = RELATION INDICATED, NO COUNT RECORDED ..	13	0.04
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	564	1.73
BROSIS	2 # BROTHERS/SISTERS OF RESP LIVING IN HOUSEHOLD		

	RANGE = 1 - 15	9364	28.73
	0 = No (i.e., Legitimate skip or response not circled)	22543	69.16
	85 = BAD DATA Logically assigned	33	0.10
	93 = RELATION INDICATED, NO COUNT RECORDED ..	125	0.38
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	510	1.56
OTHREL	2 # OTHER RELATIVES OF RESP LIVING IN HOUSEHOLD		
	RANGE = 1 - 13	3790	11.63
	0 = No (i.e., Legitimate skip or response not circled)	28134	86.32
	85 = BAD DATA Logically assigned	23	0.07
	93 = RELATION INDICATED, NO COUNT RECORDED ..	118	0.36
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	510	1.56
FRIENDS	2 # FRIENDS/ROOMMATES OF RESP LIVING IN HOUSEHOLD		
	RANGE = 1 - 19	1955	6.00
	0 = No (i.e., Legitimate skip or response not circled)	30023	92.11
	85 = BAD DATA Logically assigned	9	0.03
	93 = RELATION INDICATED, NO COUNT RECORDED ..	17	0.05
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	571	1.75
OTHERNON	2 # OTHER PEOPLE UNRELATD TO RESP LIVING IN HOUSEHLD		
	RANGE = 1 - 18	711	2.18
	0 = No (i.e., Legitimate skip or response not circled)	31269	95.93
	85 = BAD DATA Logically assigned	11	0.03
	93 = RELATION INDICATED, NO COUNT RECORDED ..	10	0.03
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	18	0.06
	98 = BLANK (NO ANSWER)	574	1.76
	35. Are there any of your family members who lived here for six months or more in the past year, who are now living somewhere else?		
MOVDAWAY	2 ANY RESIDENT FOR 6 MONTHS IN PAST YEAR NOW MOVED		
	1 = Yes	2642	8.11
	2 = No	29575	90.74
	3 = Yes LOGICALLY ASSIGNED	36	0.11

4 = No LOGICALLY ASSIGNED	27	0.08
85 = BAD DATA Logically assigned	2	0.01
94 = DON'T KNOW	2	0.01
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	19	0.06
98 = BLANK (NO ANSWER)	290	0.89

36. How many of these persons who used to live here (for most of the past year) are now living in a ... (READ ALL CATEGORIES.)

DORM	2 # OF FORMER RESIDENTS NOW LIVING AT COLLEGE		
	RANGE = 0 - 20	2521	7.73
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	9	0.03
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	466	1.43
	99 = LEGITIMATE SKIP (MOVDAWAY=2)	29575	90.74
MILBASE	2 # OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE		
	RANGE = 0 - 3	2518	7.73
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	9	0.03
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	469	1.44
	99 = LEGITIMATE SKIP (MOVDAWAY=2)	29575	90.74
HOSP	2 # OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST		
	RANGE = 0 - 2	2519	7.73
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	10	0.03
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	467	1.43
	99 = LEGITIMATE SKIP (MOVDAWAY=2)	29575	90.74
OTHGPH	1 # OF FORMER RESIDENTS NOW LIVING IN OTHER HOUSING		
	RANGE = 0 - 15	2517	7.72
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	10	0.03
	97 = REFUSED	22	0.07
	98 = BLANK (NO ANSWER)	469	1.44
	99 = LEGITIMATE SKIP	29575	90.74
OTHGPHSP	1 RESIDENTS NOW LIVING IN OTHER HOUSING (SPEC. CODE)		
	1 = Own home	99	0.30
	2 = Married	33	0.10

3 = Moved to another home, not specified ...	62	0.19
4 = Apartment	142	0.44
5 = Own apartment	8	0.02
6 = Trailer	4	0.01
7 = Foster home	2	0.01
8 = Nursing home	3	0.01
9 = Died	3	0.01
10 = Lives out of state/city	15	0.05
11 = Staying with a friend	4	0.01
12 = Job corp	3	0.01
13 = Townhouse	3	0.01
14 = Overseas/out of country	10	0.03
15 = Lives with his mother/relatives	41	0.13
16 = Relative traveling out of country	2	0.01
17 = With other children	3	0.01
18 = Group housing in college	3	0.01
19 = Runaway	2	0.01
20 = Hotel	6	0.02
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	13	0.04
97 = REFUSED	22	0.07
98 = BLANK (NO ANSWER)	2506	7.69
99 = LEGITIMATE SKIP	29602	90.82

37. Have you ever been in the armed forces?

SERVICE	2	EVER SERVED IN ARMED FORCES		
	1	= Yes	2242	6.88
	2	= No	23383	71.74
	3	= Yes LOGICALLY ASSIGNED	46	0.14
	89	= LEGITIMATE SKIP Logically assigned	1300	3.99
	94	= DON'T KNOW	1	0.00
	97	= REFUSED	21	0.06
	98	= BLANK (NO ANSWER)	205	0.63
	99	= LEGITIMATE SKIP	5396	16.56

38. Are you... (READ ANSWER CHOICES)

MILSTAT	2	CURRENT MILITARY STATUS		
	2	= In a Reserves component	219	0.67
	3	= Separated/retired from Reserves or active duty	2029	6.23
	85	= BAD DATA Logically assigned	1	0.00
	89	= LEGITIMATE SKIP Logically assigned	9	0.03
	97	= REFUSED	21	0.06
	98	= BLANK (NO ANSWER)	245	0.75
	99	= LEGITIMATE SKIP	30070	92.26

39. How many different, non-business, telephone numbers

do you have in this household? Don't count extensions with the same number.

TELNO	2 # OF NON-BUSINESS PHONE NUMBERS IN HOUSEHOLD		
	RANGE = 0 - 13	32360	99.28
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	26	0.08
	98 = BLANK (NO ANSWER)	206	0.63

40. How many times in the past five years have you moved?

MOVES	2 # OF TIMES MOVED PAST 5 YEARS		
	RANGE = 0 - 81	31226	95.80
	94 = DON'T KNOW	15	0.05
	97 = REFUSED	27	0.08
	98 = BLANK (NO ANSWER)	1326	4.07

44. Is there some other family member who lives here that you think would be better able to give me the correct information about your health insurance coverage and the kinds of income you receive?

PROXABLE	2 OTHR FMLY MEMBR ABLE TO GIVE INFO ON HLTH INS/INCM		
	1 = Yes	7580	23.26
	2 = No	18691	57.34
	3 = Yes LOGICALLY ASSIGNED	126	0.39
	89 = LEGITIMATE SKIP Logically assigned	3749	11.50
	97 = REFUSED	23	0.07
	98 = BLANK (NO ANSWER)	829	2.54
	99 = LEGITIMATE SKIP	1596	4.90

45. Who is the person you think can help us get better information for these questions?

PROXYREL	2 RELATN TO R OF PERSN ABLE TO GIVE INFO ON NEXT Q'S		
	1 = Respondent's spouse/live-in partner	406	1.25
	2 = Respondent's father	1685	5.17
	3 = Respondent's mother	4531	13.90
	4 = Respondent's brother	73	0.22
	5 = Respondent's sister	100	0.31
	6 = Other family member, relation not specified	21	0.06
	12 = Spouse	3	0.01
	13 = Live-in partner, fiancée	1	0.00
	14 = Mother	9	0.03
	15 = Father	3	0.01
	16 = Daughter	12	0.04

17 = Son	5	0.02
18 = Sister	3	0.01
19 = Brother	2	0.01
20 = Grandmother	141	0.43
21 = Grandfather	24	0.07
22 = Other female blood relative	63	0.19
23 = Other male blood relative	28	0.09
26 = Other female in-laws	10	0.03
27 = Other male in-laws	6	0.02
29 = Close male friend	1	0.00
32 = Step-mother	16	0.05
33 = Step-father	17	0.05
40 = Friend (sex unspecified), boarder	3	0.01
42 = Grandparents	2	0.01
43 = Guardian (sex unspecified)	1	0.00
44 = Foster mother, female guardian	1	0.00
45 = Foster father, male guardian	1	0.00
50 = Multiple people listed	2	0.01
51 = Relative, sex not specified	10	0.03
89 = LEGITIMATE SKIP Logically assigned	36	0.11
94 = DON'T KNOW	2	0.01
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	32	0.10
98 = BLANK (NO ANSWER)	1343	4.12
99 = LEGITIMATE SKIP	24000	73.63

46. Is your (RELATIVE FROM Q.45) here at home now?

PROXHOME	2	RELATIVE HERE AT HOME NOW		
	1 = Yes	6149	18.87	
	2 = No	992	3.04	
	3 = Yes LOGICALLY ASSIGNED	95	0.29	
	89 = LEGITIMATE SKIP Logically assigned	100	0.31	
	94 = DON'T KNOW	1	0.00	
	97 = REFUSED	26	0.08	
	98 = BLANK (NO ANSWER)	1295	3.97	
	99 = LEGITIMATE SKIP	23936	73.44	

47. Would you ask your (RELATIVE FROM Q.45) to join us to help with these last few questions about health insurance and income?

PROXJOIN	2	WOULD YOU ASK RELATIVE TO JOIN US NOW		
	1 = Yes	5932	18.20	
	2 = No	78	0.24	
	89 = LEGITIMATE SKIP Logically assigned	108	0.33	
	97 = REFUSED	26	0.08	
	98 = BLANK (NO ANSWER)	1530	4.69	
	99 = LEGITIMATE SKIP	24920	76.46	

48. Several government programs provide medical care or help pay medical bills. People covered by Medicare have a card that looks like this. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by Medicare? (Medicare is a health insurance program for persons 65 and older and for certain disabled persons.)

MEDICARE	2	COVERED BY MEDICARE LAST FULL CALENDAR MONTH (LFCM)		
		1 = Yes	2466	7.57
		2 = No	29613	90.85
		94 = DON'T KNOW	71	0.22
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	56	0.17
		98 = BLANK (NO ANSWER)	387	1.19

49. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by Medicaid or (MEDICAL ASSISTANCE/CAL. -KAN. -AZ. NAME)? (MEDIC-AID or (Medical Assistance/CAL. -KAN. -AZ. NAME) is a public assistance program that pays for medical care.)

MEDICAID	2	COVERED BY MEDICAID LAST FULL CALENDAR MONTH (LFCM)		
		1 = Yes	3332	10.22
		2 = No	28804	88.37
		94 = DON'T KNOW	117	0.36
		97 = REFUSED	65	0.20
		98 = BLANK (NO ANSWER)	276	0.85

50. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by CHAMPUS, CHAMPVA, the VA, or military health care? (These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.)

CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MIL. HLTH CARE LFCM.		
		1 = Yes	1047	3.21
		2 = No	30988	95.07
		94 = DON'T KNOW	84	0.26
		97 = REFUSED	62	0.19
		98 = BLANK (NO ANSWER)	413	1.27

51. Health insurance can also be obtained through a current or former employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. Were you covered by private health insurance or by membership in a HMO purchased this way or by health

insurance provided by a current/former employer or union in (MONTH)?

PRVHLTIN 2 COVERED BY PRIVATE HEALTH INSURANCE LFCM.

1 = Yes	20620	63.26
2 = No	11448	35.12
3 = Yes LOGICALLY ASSIGNED	65	0.20
94 = DON'T KNOW	177	0.54
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	67	0.21
98 = BLANK (NO ANSWER)	216	0.66

52. Was (your/(SAMPLE MEMBER's)) private health insurance coverage provided by a plan in (your/SAMPLE MEMBER's)) own name or in the name of some other family member?

OWNHLTIN 2 PRIVATE PLAN IN OWN NAME OR FAMILY NAME LFCM.

1 = Yes	19540	59.95
2 = No	775	2.38
3 = Yes LOGICALLY ASSIGNED	251	0.77
89 = LEGITIMATE SKIP Logically assigned	2315	7.10
94 = DON'T KNOW	185	0.57
96 = MULTIPLE RESPONSE	1	0.00
97 = REFUSED	69	0.21
98 = BLANK (NO ANSWER)	325	1.00
99 = LEGITIMATE SKIP	9133	28.02

53. Was this private health insurance plan offered through (your/(SAMPLE MEMBER's)) current or former employer or union or through the current or former employer or union of some other family member?

GRPHLTIN 2 PRIVATE PLAN OFFERED BY YOUR/FAMILY EMPLOYER LFCM.

1 = Yes	17913	54.96
2 = No	1627	4.99
89 = LEGITIMATE SKIP Logically assigned	2184	6.70
94 = DON'T KNOW	210	0.64
96 = MULTIPLE RESPONSE	2	0.01
97 = REFUSED	69	0.21
98 = BLANK (NO ANSWER)	550	1.69
99 = LEGITIMATE SKIP	10039	30.80

54. Did (your/(SAMPLE MEMBER's)) private health insurance plan or HMO include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES)

HLTINALC	2	PRIVATE PLAN COVERED ALCOHOL ABUSE LFCM.		
		1 = Yes	10758	33.01
		2 = No	4328	13.28
		89 = LEGITIMATE SKIP Logically assigned	1816	5.57
		94 = DON'T KNOW	5577	17.11
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	73	0.22
		98 = BLANK (NO ANSWER)	408	1.25
		99 = LEGITIMATE SKIP	9632	29.55

HLTINDRG	2	PRIVATE PLAN COVERED DRUG ABUSE LFCM.		
		1 = Yes	10533	32.32
		2 = No	4446	13.64
		89 = LEGITIMATE SKIP Logically assigned	1811	5.56
		94 = DON'T KNOW	5666	17.38
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	73	0.22
		98 = BLANK (NO ANSWER)	427	1.31
		99 = LEGITIMATE SKIP	9637	29.57

HLTIMMNT	2	PRIVATE PLAN COVERED MENTAL DIFFICULTIES LFCM.		
		1 = Yes	11843	36.33
		2 = No	3795	11.64
		89 = LEGITIMATE SKIP Logically assigned	1818	5.58
		94 = DON'T KNOW	5007	15.36
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	73	0.22
		98 = BLANK (NO ANSWER)	427	1.31
		99 = LEGITIMATE SKIP	9630	29.55

55. WHO ANSWERED MOST OF THE QUESTIONS ABOUT (SAMPLE MEMBER'S) HEALTH INSURANCE?

WHOANSHI	2	WHO ANSWERED QUESTIONS ABOUT HEALTH INSURANCE		
		1 = Sample member	26100	80.08
		2 = Proxy	1426	4.38
		11 = Head of the Household, Employer	4	0.01
		12 = Spouse	178	0.55
		13 = Live-in partner, fiancée	3	0.01
		14 = Mother	3080	9.45
		15 = Father	985	3.02
		16 = Daughter	12	0.04
		17 = Son	8	0.02
		18 = Sister	81	0.25
		19 = Brother	58	0.18
		20 = Grandmother	99	0.30
		21 = Grandfather	22	0.07
		22 = Other female blood relative	44	0.13

23 = Other male blood relative	14	0.04
26 = Other female in-laws	8	0.02
27 = Other male in-laws	5	0.02
28 = Close female friend	3	0.01
29 = Close male friend	3	0.01
30 = Other female acquaintance, roommate	1	0.00
32 = Step-mother	23	0.07
33 = Step-father	30	0.09
40 = Friend (sex unspecified), boarder	5	0.02
41 = Parents	35	0.11
42 = Grandparents	1	0.00
44 = Guardian (sex unspecified)	4	0.01
50 = Multiple people listed	3	0.01
51 = Relative, sex not specified	8	0.02
52 = Roommate, sex not specified	1	0.00
53 = Neighbor, sex not specified	1	0.00
54 = Foster parent, sex not specified	1	0.00
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	4	0.01
96 = MULTIPLE RESPONSE	11	0.03
97 = REFUSED	35	0.11
98 = BLANK (NO ANSWER)	297	0.91

56. Now we would like to get some information about
(your/SAMPLE MEMBER's) employment. Did you have a job
or business in (MONTH)?

JOB	2 HAVE A JOB IN (MONTH)		
	1 = Yes	17020	52.22
	2 = No	15012	46.06
	3 = Yes LOGICALLY ASSIGNED	236	0.72
	4 = No LOGICALLY ASSIGNED	2	0.01
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	57	0.17
	98 = BLANK (NO ANSWER)	263	0.81

57. How many hours total did you work at all jobs in
(MONTH)? (A typical full-time job requires 35 or
more hours each week).

HOURS	3 TOTAL HOURS WORKED IN (MONTH)		
	RANGE = 1 - 484	16855	51.71
	985 = BAD DATA Logically assigned	152	0.47
	994 = DON'T KNOW	56	0.17
	995 = BAD DATA	1	0.00
	997 = REFUSED	80	0.25
	998 = BLANK (NO ANSWER)	436	1.34
	999 = LEGITIMATE SKIP	15014	46.06

58. Were you working for an employer or were you self-employed in (MONTH)? (Examples of self-employment include working in your own business, professional practice, or farm.)

WORK	2 SELF-EMPLOYED OR WORKING FOR EMPLOYER		
	1 = Worked only for an employer	15477	47.48
	2 = Was self-employed only	1480	4.54
	3 = Self-employed and working for an employee	382	1.17
	4 = Did not work during the month	14615	44.84
	5 = Did work during the month, logically assigned	242	0.74
	6 = Did not work during the month LOGICALLY ASSIGNED	96	0.29
	94 = DON'T KNOW	2	0.01
	97 = REFUSED	50	0.15
	98 = BLANK (NO ANSWER)	250	0.77

WAG1	2 PERSONALLY RECEIVED WAGES IN MONTH - RECODE		
	1 = Yes	17543	53.82
	2 = No	14710	45.13
	3 = Yes LOGICALLY ASSIGNED	38	0.12
	4 = No LOGICALLY ASSIGNED	1	0.00
	98 = BLANK (NO ANSWER)	302	0.93

59. How much income did you personally receive in (MONTH), before deductions, from all your jobs and from your own self-employment? Include any tips, bonuses, overtime pay or commissions. For self employment, report net income after business expenses. For farms, include any earnings as a tenant farmer or sharecropper.

AWAG1	6 INCOME RECEIVED FROM ALL JOBS AND SELF EMPLOYMENT		
	RANGE = 5 - 97452	14435	44.29
	999985 = BAD DATA Logically assigned	624	1.91
	999998 = BLANK (NO ANSWER)	2824	8.66
	999999 = LEGITIMATE SKIP	14711	45.13

60. Now think about the past 12 months, since (MONTH) of 1990 up to now. How many weeks in the past 12 months did you either have a job or were self-employed? (There were 52 weeks in that 12 months.) (IF "NONE," ENTER ZERO.)

WEEKS	2 # WEEKS LAST YEAR YOU WORKED		
	RANGE = 0 - 52	31646	97.09

94 = DON'T KNOW	78	0.24
95 = BAD DATA	7	0.02
97 = REFUSED	136	0.42
98 = BLANK (NO ANSWER)	727	2.23

61. Now, I would like for you to think about the month of (LAST FULL CALENDAR MONTH) again. In (MONTH), did (you/SAMPLE MEMBER) receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in a gold-colored envelope.)

SOC1	2 RECEIVED SS OR RR PAYMENTS		
	1 = Yes	2533	7.77
	2 = No	29693	91.10
	3 = Yes LOGICALLY ASSIGNED	23	0.07
	94 = DON'T KNOW	37	0.11
	97 = REFUSED	87	0.27
	98 = BLANK (NO ANSWER)	221	0.68

62. How much income did (you/SAMPLE MEMBER) receive in (MONTH) from Social Security or Railroad Retirement?

ASOC1	6 AMOUNT OF INCOME RECEIVED FROM RR OR SS		
	RANGE = 9 - 1500	1962	6.02
	999985 = BAD DATA Logically assigned	59	0.18
	999994 = DON'T KNOW	37	0.11
	999997 = REFUSED	87	0.27
	999998 = BLANK (NO ANSWER)	756	2.32
	999999 = LEGITIMATE SKIP	29693	91.10

63. In (MONTH), did (you/SAMPLE MEMBER) receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue colored envelope.)

SSI1	2 RECEIVED MONEY FROM SSI		
	1 = Yes	654	2.01
	2 = No	31532	96.74
	3 = Yes LOGICALLY ASSIGNED	17	0.05
	4 = No LOGICALLY ASSIGNED	1	0.00
	94 = DON'T KNOW	43	0.13
	97 = REFUSED	86	0.26
	98 = BLANK (NO ANSWER)	261	0.80

64. How much income did (you/SAMPLE MEMBER) receive in

(MONTH) from Supplemental Security Income or SSI?

ASSI1	6 AMOUNT OF INCOME RECEIVED FROM SSI		
	RANGE = 11 - 1788	530	1.63
	999985 = BAD DATA Logically assigned	21	0.06
	999994 = DON'T KNOW	43	0.13
	999997 = REFUSED	86	0.26
	999998 = BLANK (NO ANSWER)	381	1.17
	999999 = LEGITIMATE SKIP	31533	96.74

65. In (MONTH), did (you/SAMPLE MEMBER) receive public assistance or welfare payments from the State or local welfare office? Do not include SSI.

PUB1	2 RECEIVED PUBLIC ASSISTANCE OR WELFARE PAYMENTS		
	1 = Yes	1784	5.47
	2 = No	30214	92.70
	3 = Yes LOGICALLY ASSIGNED	238	0.73
	4 = No LOGICALLY ASSIGNED	2	0.01
	94 = DON'T KNOW	32	0.10
	97 = REFUSED	79	0.24
	98 = BLANK (NO ANSWER)	245	0.75

66. Did (you/SAMPLE MEMBER) receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?

AFDC1	2 RECEIVED AFDC OR OTHER TYPE OF ASSISTANCE		
	1 = Income from AFDC/ADC	1468	4.50
	2 = Income from Other	268	0.82
	3 = Income from Both	163	0.50
	94 = DON'T KNOW	55	0.17
	97 = REFUSED	82	0.25
	98 = BLANK (NO ANSWER)	342	1.05
	99 = LEGITIMATE SKIP	30216	92.70

WEL1	2 PERSONALLY RECEIVED INCOME FROM WELFARE - RECODE		
	1 = Yes	2011	6.17
	2 = No	30214	92.70
	3 = Yes LOGICALLY ASSIGNED	11	0.03
	4 = No LOGICALLY ASSIGNED	2	0.01
	98 = BLANK (NO ANSWER)	356	1.09

67. How much income did (you/SAMPLE MEMBER) receive from public assistance or welfare in (MONTH)?

AWEL1	6 AMOUNT OF INCOME RECEIVED FROM PUB.ASSITCE/WELFARE		
	RANGE = 45 - 1200	1510	4.63
	999985 = BAD DATA Logically assigned	97	0.30
	999998 = BLANK (NO ANSWER)	771	2.37
	999999 = LEGITIMATE SKIP	30216	92.70

68. In (MONTH), did (you/SAMPLE MEMBER) have money in any kind of savings or other bank account that earned interest or did you receive dividend income from stocks or mutual funds or income from rental property, royalties, estates or trusts? (Include MM funds, treasury notes, IRAs or certificates of deposit, interest earning checking accounts, bonds or other investments that earn interest.

INT1	2 HAD MONEY THAT EARNED INTEREST		
	1 = Yes	11536	35.39
	2 = No	20233	62.08
	3 = Yes LOGICALLY ASSIGNED	107	0.33
	4 = No LOGICALLY ASSIGNED	4	0.01
	94 = DON'T KNOW	95	0.29
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	399	1.22
	98 = BLANK (NO ANSWER)	219	0.67

69. What is your best estimate of the total amount of this type of income that (you/SAMPLE MEMBER) earned in (MONTH)?

AINTI	6 AMOUNT OF INCOME FROM INTEREST		
	RANGE = 1 - 3524	6363	19.52
	999985 = BAD DATA Logically assigned	816	2.50
	999994 = DON'T KNOW	95	0.29
	999997 = REFUSED	399	1.22
	999998 = BLANK (NO ANSWER)	4684	14.37
	999999 = LEGITIMATE SKIP	20237	62.09

70. In (MONTH), did (you/SAMPLE MEMBER) receive any child support payments?

CHD1	2 RECEIVED ANY CHILD SUPPORT PAYMENTS		
	1 = Yes	974	2.99
	2 = No	31088	95.38
	3 = Yes LOGICALLY ASSIGNED	34	0.10
	4 = No LOGICALLY ASSIGNED	8	0.02
	94 = DON'T KNOW	21	0.06
	97 = REFUSED	97	0.30
	98 = BLANK (NO ANSWER)	372	1.14

71. What was the total amount of child support payments (you/SAMPLE MEMBER) received in (MONTH)?

ACHD1	6 AMOUNT OF INCOME RECEIVED FROM CHILD SUPPORT		
	RANGE = 19 - 1500	868	2.66
	999985 = BAD DATA Logically assigned	31	0.10
	999994 = DON'T KNOW	21	0.06
	999997 = REFUSED	97	0.30
	999998 = BLANK (NO ANSWER)	481	1.48
	999999 = LEGITIMATE SKIP	31096	95.40

72. In (MONTH), did (you/SAMPLE MEMBER) receive income from any other sources, such as Veterans Administration payments workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or the sale of a home.

OTH1	2 RECEIVED INCOME FROM OTHER SOURCES		
	1 = Yes	1461	4.48
	2 = No	30181	92.60
	3 = Yes LOGICALLY ASSIGNED	430	1.32
	4 = No LOGICALLY ASSIGNED	23	0.07
	94 = DON'T KNOW	26	0.08
	97 = REFUSED	115	0.35
	98 = BLANK (NO ANSWER)	358	1.10

73. How much income did (you/SAMPLE MEMBER) receive in (MONTH) from all other sources?

AOTH1	6 AMOUNT OF INCOME RECEIVED FROM OTHER SOURCES		
	RANGE = 1 - 35000	1586	4.87
	999985 = BAD DATA Logically assigned	59	0.18
	999994 = DON'T KNOW	26	0.08
	999997 = REFUSED	115	0.35
	999998 = BLANK (NO ANSWER)	604	1.85
	999999 = LEGITIMATE SKIP	30204	92.67

74. Besides (you/SAMPLE MEMBER), did any other family member living here receive any income in (MONTH) from jobs or self-employment?

WAG2	2 DID MEMBER OF FAMILY RECEIVE INCOME FROM SELF-EMP		
	1 = Yes	19324	59.29
	2 = No	6821	20.93

3 = Yes LOGICALLY ASSIGNED	269	0.83
4 = No LOGICALLY ASSIGNED	5	0.02
89 = LEGITIMATE SKIP Logically assigned	1666	5.11
94 = DON'T KNOW	31	0.10
96 = MULTIPLE RESPONSE	2	0.01
97 = REFUSED	116	0.36
98 = BLANK (NO ANSWER)	681	2.09
99 = LEGITIMATE SKIP	3679	11.29

75. How much income in (MONTH) was received from jobs or self-employment by all members of the family, before deductions? Include any tips, bonuses, overtime pay or commissions. For self-employment, report net income after business expenses.

AWAG2	6 INCOME RECEIVED FROM ALL MEMS OF FAMILY/SELF-EMPL RANGE = 70 - 100000	11804	36.22
	999985 = BAD DATA Logically assigned	686	2.10
	999989 = LEGITIMATE SKIP Logically assigned	395	1.21
	999994 = DON'T KNOW	31	0.10
	999997 = REFUSED	116	0.36
	999998 = BLANK (NO ANSWER)	7786	23.89
	999999 = LEGITIMATE SKIP	11776	36.13

76. Besides (you/SAMPLE MEMBER), in (MONTH), did any other family member living here receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on the 3rd of every month, if mailed, they are sent in a gold-colored envelope.

SOC2	2 DID FAM MEM RECEIVE MONEY FROM SS OR RR		
	1 = Yes	2454	7.53
	2 = No	23743	72.84
	3 = Yes LOGICALLY ASSIGNED	41	0.13
	4 = No LOGICALLY ASSIGNED	3	0.01
	89 = LEGITIMATE SKIP Logically assigned	1632	5.01
	94 = DON'T KNOW	208	0.64
	97 = REFUSED	111	0.34
	98 = BLANK (NO ANSWER)	689	2.11
	99 = LEGITIMATE SKIP	3713	11.39

77. How much income did everyone in your family receive in (MONTH) from Social Security or Railroad Retirement?

ASOC2	6 FAMILY INCOME FROM SS OR RR
-------	-------------------------------

RANGE = 35 - 3200	1485	4.56
999985 = BAD DATA Logically assigned	79	0.24
999989 = LEGITIMATE SKIP Logically assigned	30	0.09
999994 = DON'T KNOW	208	0.64
999997 = REFUSED	111	0.34
999998 = BLANK (NO ANSWER)	1620	4.97
999999 = LEGITIMATE SKIP	29061	89.16

78. Besides (you/SAMPLE MEMBER), in (MONTH), did any other family member living here receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are send in a blue-colored enveloped.)

SSI2	2 OTHER FAMILY MEMBER RECIVED MONEY FROM SSI		
	1 = Yes	690	2.12
	2 = No	25499	78.23
	3 = Yes LOGICALLY ASSIGNED	23	0.07
	4 = No LOGICALLY ASSIGNED	4	0.01
	89 = LEGITIMATE SKIP Logically assigned	1625	4.99
	94 = DON'T KNOW	225	0.69
	97 = REFUSED	109	0.33
	98 = BLANK (NO ANSWER)	699	2.14
	99 = LEGITIMATE SKIP	3720	11.41

79. How much income did everyone in your family receive in (MONTH) from Supplemental Security Income or SSI?

ASSI2	6 AMOUNT OF FAMILY INCOME RECEIVED FROM SSI		
	RANGE = 15 - 1700	495	1.52
	999985 = BAD DATA Logically assigned	26	0.08
	999989 = LEGITIMATE SKIP Logically assigned	16	0.05
	999994 = DON'T KNOW	225	0.69
	999997 = REFUSED	109	0.33
	999998 = BLANK (NO ANSWER)	891	2.73
	999999 = LEGITIMATE SKIP	30832	94.59

80. Besides (you/SAMPLE MEMBER), in (MONTH), did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.

PUB2	2 OTHR FAM MEMBR RECEIVED PUB ASSISTANCE OR WELFARE		
	1 = Yes	1301	3.99
	2 = No	24771	76.00
	3 = Yes LOGICALLY ASSIGNED	228	0.70
	4 = No LOGICALLY ASSIGNED	4	0.01

89 = LEGITIMATE SKIP Logically assigned	1607	4.93
94 = DON'T KNOW	138	0.42
97 = REFUSED	106	0.33
98 = BLANK (NO ANSWER)	701	2.15
99 = LEGITIMATE SKIP	3738	11.47

81. Did anyone in the family receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?

AFDC2	2 OTHER FAMILY MEMBER RECEIVED AFDC OR ADC		
	1 = Income from AFDC/ADC	1038	3.18
	2 = Income from Other	203	0.62
	3 = Income from Both	105	0.32
	89 = LEGITIMATE SKIP Logically assigned	32	0.10
	94 = DON'T KNOW	183	0.56
	97 = REFUSED	110	0.34
	98 = BLANK (NO ANSWER)	835	2.56
	99 = LEGITIMATE SKIP	30088	92.31

WEL2	2 OTHR FAMLY MEM RECVD INCOME FROM WELFARE - RECODE		
	1 = Yes	1473	4.52
	2 = No	24771	76.00
	3 = Yes LOGICALLY ASSIGNED	56	0.17
	4 = No LOGICALLY ASSIGNED	4	0.01
	89 = LEGITIMATE SKIP Logically assigned	5345	16.40
	98 = BLANK (NO ANSWER)	945	2.90

82. How much income did everyone in your family receive from public assist- ance or welfare in (MONTH)?

AWEL2	6 AMOUNT FAMLY RECEIVED FROM PUB ASSISTCE OR WELFARE		
	RANGE = 23 - 1500	955	2.93
	999985 = BAD DATA Logically assigned	110	0.34
	999989 = LEGITIMATE SKIP Logically assigned	32	0.10
	999998 = BLANK (NO ANSWER)	1409	4.32
	999999 = LEGITIMATE SKIP	30088	92.31

83. Besides (you/SAMPLE MEMBER), in (MONTH), did any other family member living here have money in any kind of savings or other bank account that earned interest or did anyone receive dividend income from stocks or mutual funds or income from rental property, royalties, estates or trusts? (Include money market funds, treasury notes, IRAs or CDs, interest earning checking accounts, bonds, or any other investments that earn interest.)

INT2	2	OTHER FAMILY MEMBER HAD MONEY THAT EARNED INTEREST		
	1	= Yes	8624	26.46
	2	= No	16462	50.51
	3	= Yes LOGICALLY ASSIGNED	153	0.47
	4	= No LOGICALLY ASSIGNED	7	0.02
	89	= LEGITIMATE SKIP Logically assigned	1625	4.99
	94	= DON'T KNOW	881	2.70
	96	= MULTIPLE RESPONSE	2	0.01
	97	= REFUSED	375	1.15
	98	= BLANK (NO ANSWER)	745	2.29
	99	= LEGITIMATE SKIP	3720	11.41

84. What is your best estimate of the total amount that everyone in your family earned from interest, dividends, net rental property income, royalties, estates or trusts in (MONTH)?

AIN2	6	AMOUNT OF FAMILY INCOME EARNED FROM INTEREST		
	RANGE	= 1 - 26050	2958	9.08
	999985	= BAD DATA Logically assigned	463	1.42
	999989	= LEGITIMATE SKIP Logically assigned	89	0.27
	999994	= DON'T KNOW	881	2.70
	999997	= REFUSED	375	1.15
	999998	= BLANK (NO ANSWER)	6103	18.72
	999999	= LEGITIMATE SKIP	21725	66.65

85. Besides (yourself/SAMPLE MEMBER), in (MONTH), did any other family member living here receive child support payments?

CHD2	2	OTHER FAM MEMBER RECEIVED CHILD SUPPORT PAYMENTS		
	1	= Yes	930	2.85
	2	= No	25248	77.46
	3	= Yes LOGICALLY ASSIGNED	36	0.11
	4	= No LOGICALLY ASSIGNED	6	0.02
	89	= LEGITIMATE SKIP Logically assigned	1618	4.96
	94	= DON'T KNOW	146	0.45
	97	= REFUSED	112	0.34
	98	= BLANK (NO ANSWER)	771	2.37
	99	= LEGITIMATE SKIP	3727	11.43

86. How much did everyone in your family receive from child support payments in (MONTH)?

ACHD2	6	AMOUNT OF INCOME FAMLY RECEIVED FROM CHILD SUPPORT		
	RANGE	= 18 - 2000	726	2.23
	999985	= BAD DATA Logically assigned	43	0.13
	999989	= LEGITIMATE SKIP Logically assigned	16	0.05

999994 = DON'T KNOW	146	0.45
999997 = REFUSED	112	0.34
999998 = BLANK (NO ANSWER)	968	2.97
999999 = LEGITIMATE SKIP	30583	93.83

87. Besides (you/SAMPLE MEMBER), in (MONTH), did any other family member living here receive income from other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, or retirement or survivor pension (other than SS or RR)? Do not include lump sum payments like money from an inheritance or the sale of a home.

OTH2	2	OTHER FAMLY MEM RECEIVED INCOME FROM OTHER SOURCES		
	1	= Yes	1308	4.01
	2	= No	24183	74.19
	3	= Yes LOGICALLY ASSIGNED	618	1.90
	4	= No LOGICALLY ASSIGNED	6	0.02
	89	= LEGITIMATE SKIP Logically assigned	1610	4.94
	94	= DON'T KNOW	226	0.69
	97	= REFUSED	128	0.39
	98	= BLANK (NO ANSWER)	780	2.39
	99	= LEGITIMATE SKIP	3735	11.46

88. How much income did everyone in your family receive in (MONTH) from all other sources?

AOTH2	6	AMOUNT OF INCOME FAMILY RECEIVED FROM OTHR SOURCES		
		RANGE = 10 - 75000	1439	4.41
	999985	= BAD DATA Logically assigned	63	0.19
	999989	= LEGITIMATE SKIP Logically assigned	64	0.20
	999994	= DON'T KNOW	226	0.69
	999997	= REFUSED	128	0.39
	999998	= BLANK (NO ANSWER)	1204	3.69
	999999	= LEGITIMATE SKIP	29470	90.42

89. (WHO ANSWERED MOST OF THE QUESTIONS ABOUT TOTAL FAMILY INCOME SOURCES AND AMOUNTS?)

WHOANSIN	2	WHO ANSWERED MOST QUESTIONS ABOUT FAMILY INCOME		
	1	= Sample member	20353	62.44
	2	= Pro	1161	3.56
	11	= Head of the Household, Employer	3	0.01

12 = Spouse	184	0.56
13 = Live-in partner, fiancée	2	0.01
14 = Mother	2946	9.04
15 = Father	951	2.92
16 = Daughter	18	0.06
17 = Son	7	0.02
18 = Sister	83	0.25
19 = Brother	60	0.18
20 = Grandmother	94	0.29
21 = Grandfather	23	0.07
22 = Other female blood relative	44	0.13
23 = Other male blood relative	19	0.06
24 = Mother-in-law	1	0.00
26 = Other female in-laws	12	0.04
27 = Other male in-laws	5	0.02
28 = Close female friend	1	0.00
29 = Close male friend	1	0.00
30 = Other female acquaintance, roommate	3	0.01
31 = Other male acquaintance, roommate	1	0.00
32 = Step-mother	18	0.06
33 = Step-father	27	0.08
39 = Other 'step' relative, male	1	0.00
40 = Friend (sex unspecified), boarder	9	0.03
41 = Parents	46	0.14
42 = Grandparents	3	0.01
44 = Foster mother, female guardian	5	0.02
50 = Multiple people listed	3	0.01
51 = Relative, sex not specified	11	0.03
52 = Roommate, sex not specified	1	0.00
54 = Foster Parent, sex not specified	2	0.01
89 = LEGITIMATE SKIP Logically assigned	1689	5.18
94 = DON'T KNOW	11	0.03
96 = MULTIPLE RESPONSE	22	0.07
97 = REFUSED	53	0.16
98 = BLANK (NO ANSWER)	1065	3.27
99 = LEGITIMATE SKIP	3656	11.22

90. In (MONTH), did (you/anyone in your family living here) receive food stamps?

PSTAMP	2 YOU OR FAMILY LIVING HERE RECEIVED FOOD STAMPS		
	1 = Yes	3790	11.63
	2 = No	28303	86.84
	3 = Yes LOGICALLY ASSIGNED	62	0.19
	94 = DON'T KNOW	68	0.21
	97 = REFUSED	89	0.27
	98 = BLANK (NO ANSWER)	282	0.87

91. Including yourself, others in your family, and non-family members living here, how many people in

this household were included in the food stamp allotment during (MONTH)?

PEOPFD	2 # PEOPLE COUNTED IN FOOD STAMP ALLOTMENT		
	RANGE = 1 - 17	3610	11.08
	85 = BAD DATA Logically assigned	10	0.03
	94 = DON'T KNOW	132	0.40
	95 = BAD DATA	3	0.01
	97 = REFUSED	116	0.36
	98 = BLANK (NO ANSWER)	420	1.29
	99 = LEGITIMATE SKIP	28303	86.84

FOOD	2 ANY FAMILY MEMBER RECEIVED FOOD STAMPS - RECODE		
	1 = Yes	3843	11.79
	2 = No	28303	86.84
	3 = Yes LOGICALLY ASSIGNED	9	0.03
	98 = BLANK (NO ANSWER)	439	1.35

92. What was the total value of the food stamp allotment received by this household during (MONTH)?

AFOOD	6 TOTAL VALUE OF FOOD STAMP ALLOTMENT		
	RANGE = 13 - 719	3162	9.70
	999985 = BAD DATA Logically assigned	97	0.30
	999994 = DON'T KNOW	68	0.21
	999997 = REFUSED	89	0.27
	999998 = BLANK (NO ANSWER)	875	2.68
	999999 = LEGITIMATE SKIP	28303	86.84

INTERVIEW INFORMATION

LABEL	LEN DESCRIPTION	FREQ	%
-----	---	----	-
INTERVIEW INFORMATION			

INTMONTH	2 INTERVIEW MONTH		
BTIME	4 BEGINNING TIME OF INTERVIEW		
BAP	1 BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
	1 = AM	4677	14.35
	2 = PM	27446	84.21
	98 = BLANK (NO ANSWER)	471	1.45
ETIME	4 ENDING TIME OF INTERVIEW		
EAP	1 ENDING TIME OF INTERVIEW - AM/PM INDICATOR		
	1 = AM	2625	8.05
	2 = PM	29323	89.96
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	644	1.98
LANGVER	1 LANGUAGE VERSION		
	1 = English	30352	93.12
	2 = Spanish	2190	6.72
	98 = BLANK (NO ANSWER)	52	0.16
FI-1. Estimate the respondent's understanding of the interview.			
UNDINT	2 ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
	1 = No difficulty-no language or reading problem	26378	80.93
	2 = Just a little difficulty-almost no lang/readg prob	3812	11.70
	3 = Fair amount of difficulty-some lang prob	1394	4.28
	94 = DON'T KNOW	5	0.02

97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	429	1.32

FI-2. How cooperative has the respondent been?

COOPINT	2 COOPERATION OF RESPONDENT		
	1 = Very cooperative	27290	83.73
	2 = Fairly cooperative	3555	10.91
	3 = Not very cooperative	770	2.36
	4 = Openly hostile	126	0.39
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	852	2.61

FI-3. Indicate on this scale of 01 through 09 how private the interview was. (IF COMPLETELY PRIVATE, CIRCLE CODE 01 AND SKIP TO Q.F1-5.)

PRIVACY	2 SCALE FOR PRIVACY DURING INTERVIEW		
	1 = Completely private-no one present/able to overhear	18187	55.80
	2 =	861	2.64
	3 = Minor distractions	5223	16.02
	4 =	420	1.29
	5 = Person(s) in room or listening 1/3 of the time	2764	8.48
	6 =	187	0.57
	7 = Serious interruptions more than half the time	441	1.35
	8 =	83	0.25
	9 = Constant presence of other person(s) ...	3744	11.49
	85 = BAD DATA Logically assigned	197	0.60
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	485	1.49

FI-4. Others present or listening to the interview were:

PPRES	2 PARENT(S) PRESENT OR LISTENING TO INTERVIEW		
	1 = Response circled	4295	13.18
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	10110	31.02
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80

SPRES	2 SPOUSE PRESENT OR LISTENING TO INTERVIEW		
	2 = Response Circled	2357	7.23
	97 = REFUSED	1	0.00

	98 = BLANK (NO ANSWER)	12049	36.97
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80
PARPRES	2 LIVE-IN PARTNR/DATE PRSNT OR LISTENNG TO INTERVIEW		
	3 = Response Circled	461	1.41
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	13945	42.78
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80
OARPRES	2 ADULT RELATIVE(S) PRESENT/LISTENING TO INTERVIEW		
	4 = Response Circled	1651	5.07
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	12755	39.13
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80
OAPRES	2 OTHER ADULT(S) PRESENT OR LISTENING TO INTERVIEW		
	5 = Response Circled	1236	3.79
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	13170	40.41
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80
CPRES	2 CHILD(REN) UNDER 15 PRESENT/LISTENING TO INTERVIEW		
	6 = Response Circled	4485	13.76
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	9921	30.44
	99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80
OPRESSPA	2 OTHER PERSON(S) PRESENT/LISTENING (FIRST MENTION)		
	11 = Head of household, employer	1	0.00
	12 = Spouse	12	0.04
	13 = Live-in partner, fiancée	7	0.02
	14 = Mother	26	0.08
	15 = Father	7	0.02
	16 = Daughter	20	0.06
	17 = Son	18	0.06
	18 = Sister	50	0.15
	19 = Brother	48	0.15
	20 = Grandmother	29	0.09
	21 = Grandfather	4	0.01
	22 = Other female blood relative	22	0.07
	23 = Other male blood relative	4	0.01
	26 = Other female in-laws	4	0.01
	27 = Other male in-laws	4	0.01
	28 = Close female friend	21	0.06
	29 = Close male friend	14	0.04
	30 = Other female acquaintance, roommate	4	0.01

32 = Step-mother	2	0.01
33 = Step-father	1	0.00
40 = Friend (sex unspecified), boarder	168	0.52
41 = Parents	2	0.01
42 = Grandparents	2	0.01
43 = Guardian (sex unspecified)	2	0.01
44 = Foster mother, female guardian	1	0.00
46 = Governess, nanny or live-in babysitter ..	3	0.01
47 = Home care worker or health care aide ...	4	0.01
48 = Housekeeper or maid	6	0.02
50 = Multiple people listed	43	0.13
51 = Relative, sex not specified	20	0.06
52 = Roommate, sex not specified	48	0.15
53 = Neighbor, sex not specified	21	0.06
55 = Escort	3	0.01
56 = Unspecified relationship	22	0.07
58 = Foreign exchange student/student	7	0.02
59 = Adult children/children	17	0.05
60 = Foster grandchild/foster child	1	0.00
61 = Siblings	11	0.03
62 = Co-worker	5	0.02
63 = Visitor	9	0.03
64 = Students	1	0.00
66 = Child (specified or not specified)	4	0.01
71 = Male child	1	0.00
72 = Customers	5	0.02
85 = BAD DATA Logically assigned	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	13699	42.03
99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80

OPRESNSP 2 OTHER PERSON(S) PRESENT/LISTENING (NOT SPECIFIED)		
7 = Response circled	172	0.53
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	14234	43.67
99 = LEGITIMATE SKIP (PRIVACY=1)	18187	55.80

FI-5. Who marked the responses on the Answer Sheets?
(CIRCLE ONLY ONE NUMBER.)

WHOMARKED 2 WHO MARKED ANSWERS ON ANSWER SHEET		
1 = Respondent marked ALL the Answer Sheet responses	24553	75.33
2 = Interviewer marked All the Answer Sheet responses	5363	16.45
3 = Combination of respondent and F.I	1996	6.12
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	681	2.09

The variable FAMSKIP indicates whether the respondent has other family members in the household or not.

FAMSKIP	1 OTHER FAMILY MEMBERS IN THE HH INDICATOR		
	0 = Respondent has other family members in household	27249	83.60
	1 = Respondent didn't have other family in household	5345	16.40

The variable TWOFAM indicates whether two people in a household were sampled and belong to the same family or not.

TWOFAM	1 TWO PEOPLE SAMPLED AND BELONG TO FAM INDICATOR		
	0 = 1 was sampled or 2 unrelated people were sampled	26118	80.13
	1 = Respondent is 1 of 2 related people sampled	6476	19.87

GQTYP	1 GROUP QUARTERS INDICATOR		
	1 = Dormitory	532	1.63
	2 = Other Group Quarters	58	0.18
	3 = Not Group Quarters	32004	98.19

GEOGRAPHIC

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

GEOGRAPHIC

As part of standard practice of providing estimates with maximum precision per unit of cost, large-scale surveys must involve multi-stage sampling based on selection probabilities derived from counts of occupied housing units and civilian noninstitutionalized group quarters (i.e., occupied dwelling units). It is therefore necessary to oversample minority groups so that precise estimates may be obtained. The most reliable source of information on minority or race/ethnicity counts are from the decennial census. Since the 1990 Census data would not be available until the year 1992, it was necessary to use data from the 1980 Census for the 1991 survey. The definitions for all geographic variables were based on the 1980 Census and were defined at the segment level. Percentages for population and housing groups have been adjusted at the county level by the ratio of the 1991 Market Statistics estimated count of households to the corresponding 1980 Census counts. This adjustment should account for the segment's growth or decline in population and housing since the 1980 Census was conducted. The geographic variables CENCTY, URBARE, CHICAGO, DENVER, DC, LA, MIAMI, NEW YORK define domains for estimates in regard to the six over-sampled Metropolitan Statistical Areas (MSAs). CENCTY defines segment location inside or outside an MSA's central city, and URBARE defines segment location as being inside or outside a central city's urbanized area. For each of the six MSAs, socioeconomic status (SES) has been derived from distributions of census blocks and enumeration districts by housing unit values and contract rents.

POPDEN	1	POPULATION DENSITY		
	1	= Segment in a SMSA with 1 million or more persons	21295	65.33
	2	= Segment in a SMSA with fewer than 1 million	7075	21.71
	3	= Segment not in a SMSA	4224	12.96
POPDEN2	1	POPULATION DENSITY - FIVE LEVELS		
	1	= Segment in a SMSA with 1 million or more persons	21295	65.33
	2	= Segm. in a SMSA w/betw. 250000 to 999999		

persons	5414	16.61
3 = Segment in a SMSA with fewer than 250000 persons	1661	5.10
4 = Segment not in a SMSA and not in a rural area	1663	5.10
5 = Segment not in a SMSA and in a rural area	2561	7.86

The following variables, PDEN and PDEN2, were created based on the 1990 Population Census and 1984 MSA definitions.

PDEN	1 POPULATION DENSITY		
	1 = Segment in a MSA with 1 million or more persons	22087	67.76
	2 = Segment in a MSA with fewer than 1 million persons	6575	20.17
	3 = Segment not in a MSA	3932	12.06
PDEN2	1 POPULATION DENSITY - FIVE LEVELS		
	1 = Segment in a MSA with 1 million or more persons	22087	67.76
	2 = Segm. in a MSA w/ between 250000 to 999999 persons	5169	15.86
	3 = Segment in an MSA with fewer than 250,000 persons	1406	4.31
	4 = Segment not in a MSA and not in a rural area	1513	4.64
	5 = Segment not in a MSA and in a rural area	2419	7.42
DC	1 DC MSA INDICATOR		
	1 = Low SES - DC	1203	3.69
	2 = Not low SES - DC	1344	4.12
	9 = NOT IN DC	30047	92.19
CHICAGO	1 CHICAGO MSA INDICATOR		
	1 = Low SES - CHICAGO	1363	4.18
	2 = Not Low SES - CHICAGO	1230	3.77
	9 = Not in CHICAGO	30001	92.04
DENVER	1 DENVER MSA INDICATOR		
	1 = Low SES - DENVER	1135	3.48
	2 = Not Low SES - DENVER	1196	3.67
	9 = Not in DENVER	30263	92.85
LA	1 LOS ANGELES MSA INDICATOR		

		1 = Low SES - LA	1458	4.47
		2 = Not Low SES - LA	1129	3.46
		9 = Not in LA	30007	92.06
MIAMI	1 MSA INDICATOR			
		1 = Low SES - MIAMI	1462	4.49
		2 = Not Low SES - MIAMI	1313	4.03
		9 = Not in MIAMI	29819	91.49
NEWYORK	1 NEW YORK MSA INDICATOR			
		1 = Low SES - NEW YORK	1340	4.11
		2 = Not Low SES - NEW YORK	1582	4.85
		9 = Not in NEW YORK	29672	91.04
REGION	1 CENSUS REGION			
		1 = Northeast	5480	16.81
		2 = North Central	5722	17.56
		3 = South	13117	40.24
		4 = West	8275	25.39
DIVISION	1 CENSUS DIVISION CODE			
		1 = New England	711	2.18
		2 = Middle Atlantic	4769	14.63
		3 = East North Central	4751	14.58
		4 = West North Central	971	2.98
		5 = South Atlantic	8505	26.09
		6 = East South Central	1365	4.19
		7 = West South Central	3247	9.96
		8 = Mountain	3287	10.08
		9 = Pacific	4988	15.30
CENCTY	1 CENTRAL CITY IN THE SIX MSAs			
		1 = Yes	7935	24.34
		2 = No	7820	23.99
		3 = Not in any of the 6 metropolitan areas .	16839	51.66
HSPHCONC	1 CATEG. % HISPANIC HH'S IN SEGMENT IN 1980			
		1 = Greater than or equal to 50	3268	10.03
		2 = Greater than or equal to 10, but less than 50	6490	19.91
		3 = Less than 10	22836	70.06
HSPPCONC	1 CATEG. % HISPANIC POP. IN SEGMENT IN 1980			
		1 = Greater than or equal to 50	4076	12.51

	2 = Greater than or equal to 10, but less than 50	6936	21.28
	3 = Less than 10	21582	66.21
NHBHCONC	1 CATEG. % NONHISP. BLACK HH'S IN SEGMENT IN 1980		
	1 = Greater than or equal to 50	6152	18.87
	2 = Greater than or equal to 10, but less than 50	4722	14.49
	3 = Less than 10	21720	66.64
NHBPCONC	1 CATEG. % NONHISP. BLACK POP. IN SEGMENT IN 1980		
	1 = Greater than or equal to 50	6306	19.35
	2 = Greater than or equal to 10, but less than 50	4875	14.96
	3 = Less than 10	21413	65.70
OWNOCONC	1 CATEG. % OWNER-OCCUPIED HH'S IN SEGMENT IN 1980		
	1 = Greater than or equal to 50	19708	60.47
	2 = Greater than or equal to 10, but less than 50	8141	24.98
	3 = Less than 10	4745	14.56
URBARE	1 URBAN AREA IN THE SIX MSAs		
	1 = Yes	15130	46.42
	2 = No	625	1.92
	3 = Not in any of the 6 metropolitan areas .	16839	51.66
METRO	1 METROPOLITAN AREA		
	1 = Chicago Metropolitan area	2593	7.96
	2 = Denver Metropolitan area	2331	7.15
	3 = Los Angeles Metropolitan area	2587	7.94
	4 = Miami Metropolitan area	2775	8.51
	5 = New York Metropolitan area	2922	8.96
	6 = Washington, D.C. Metropolitan area	2547	7.81
	9 = Not in any of the 6 Metropolitan areas .	16839	51.66

This page intentionally left blank.

IMPUTED DEMOGRAPHICS

LABEL	LEN DESCRIPTION	FREQ	%
-----	-----	-----	-----
IMPUTED DEMOGRAPHICS			

IRAGE	2 IMPUTATION-REVISED AGE OF RESPONDENT RANGE = 12 - 101	32594	100.00
IIAGE	1 IMPUTATION INDICATOR FOR AGE 1 = Age from birthdate 2 = Age from cover of questionnaire 3 = Age from roster 4 = Age statistically imputed using age gr from roster	31611 954 22 7	96.98 2.93 0.07 0.02
IRSEX	1 SEX - IMPUTATION REVISED 1 = Male 2 = Female	14422 18172	44.25 55.75
IISEX	1 SEX - IMPUTATION INDICATOR 1 = Sex from questionnaire 2 = Sex from roster 3 = Sex statistically imputed	32357 235 2	99.27 0.72 0.01
IRRACE	1 IMPUTATION-REVISED RACE OF RESPONDENT 1 = American Indian or Alaskan Native 2 = Asian or Pacific Islander 3 = Black 4 = White	471 936 8370 22817	1.45 2.87 25.68 70.00
IIRACE	1 IMPUTATION INDICATOR FOR RACE 1 = Race from questionnaire 2 = Race from interviewer observation 3 = Race from roster 4 = Race statis imputed using race - "Other" on roster 5 = Race statistically imputed, no infor. from roster	31406 1093 28 48 19	96.36 3.35 0.09 0.15 0.06

IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	7916	24.29
		2 = Nonhispanic	24678	75.71
IIHOIND	1	IMPUTATION INDICATOR FOR HISPANIC ORIGIN		
		1 = Hispanicity derived from questionnaire .	32374	99.33
		2 = Hispanicity derived from roster	220	0.67
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	1024	3.14
		2 = Mexican	4218	12.94
		3 = Cuban	854	2.62
		4 = Other	1820	5.58
		99 = LEGITIMATE SKIP	24678	75.71
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC-ORIGIN GROUP		
		1 = Hispanic-origin Group taken from questionnaire	7718	23.68
		3 = Statistically imputed data	198	0.61
		9 = LEGITIMATE SKIP	24678	75.71
IRHOGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	1032	3.17
		2 = Mexican	4253	13.05
		3 = Cuban	859	2.64
		4 = Other	555	1.70
		5 = Central American	586	1.80
		6 = South American	404	1.24
		7 = Carribean	227	0.70
		99 = LEGITIMATE SKIP Respondent is not hispanic	24678	75.71
IIHOGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire	7718	23.68
		3 = Statistically imputed data	198	0.61
		9 = LEGITIMATE SKIP Respondent is not hispanic	24678	75.71
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married	10572	32.44
		2 = Widowed	1418	4.35
		3 = Divorced or Separated	3246	9.96
		4 = Never Married	13382	41.06
		99 = LEGITIMATE SKIP	3976	12.20

IIMARIT	1 MARITAL STATUS - IMPUTATION INDICATOR		
	1 = Questionnaire data	28183	86.47
	2 = Logically imputed data	35	0.11
	3 = Statistically imputed data	400	1.23
	9 = LEGITIMATE SKIP	3976	12.20
IREduc	2 EDUCATION - IMPUTATION REVISED		
	0 = No schooling	106	0.33
	1 = First grade	36	0.11
	2 = Second grade	106	0.33
	3 = Third grade	169	0.52
	4 = Fourth grade	267	0.82
	5 = Fifth grade	774	2.37
	6 = Sixth grade	1774	5.44
	7 = Seventh grade	1685	5.17
	8 = Eighth grade	2092	6.42
	9 = Ninth grade	2139	6.56
	10 = Tenth grade	2505	7.69
	11 = Eleventh grade	2647	8.12
	12 = Twelfth grade	8562	26.27
	13 = One year of college	1846	5.66
	14 = Two years of college	2590	7.95
	15 = Three years of college	1073	3.29
	16 = Four years of college	2695	8.27
	17 = Graduate/professional school	1528	4.69
IIEDUC	1 EDUCATION - IMPUTATION INDICATOR		
	1 = Questionnaire data	32354	99.26
	3 = Statistically imputed data	240	0.74
IRHSGRAD	1 HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
	1 = Yes, graduated from high school	18205	55.85
	2 = No, did not graduate from high school ..	14389	44.15
IIHSGRAD	1 HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
	1 = Questionnaire data	24931	76.49
	2 = Logically imputed data	7505	23.03
	3 = Statistically imputed data	158	0.48
IRWORKST	2 WORK STATUS - IMPUTATION REVISED		
	1 = Working full-time, 35 hours or more a week	12743	39.10
	2 = Working part-time, less than 35 hours a week	3955	12.13
	3 = Have job but out: illness/leave/furlough /strike	199	0.61

	4 = Unemployed or laid off and looking for work	1572	4.82
	5 = Unemployed and not looking for work	678	2.08
	6 = Full-time homemaker only	2588	7.94
	7 = In school only	8419	25.83
	8 = Retired	1680	5.15
	9 = Disabled, not able to work	581	1.78
	10 = Other, in labor force	74	0.23
	11 = Other, not in labor force	105	0.32
IIWORKST	1 WORK STATUS - IMPUTATION INDICATOR		
	1 = Questionnaire data	32084	98.44
	2 = Logically imputed data	310	0.95
	3 = Statistically imputed data	200	0.61
IRPINSUR	1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
	1 = Yes, respondent does have private health insurance	20975	64.35
	2 = No, respondent does not have private health insur.	11619	35.65
IIPINSUR	1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
	1 = Questionnaire data	32068	98.39
	2 = Logically imputed data	65	0.20
	3 = Statistically imputed data	461	1.41
IRINSUR	1 HEALTH INSURANCE - IMPUTATION REVISED		
	1 = Yes, respondent does have health insurance	25585	78.50
	2 = No, respondent does not have health insurance	7009	21.50
IIINSUR	1 HEALTH INSURANCE - IMPUTATION INDICATOR		
	1 = Questionnaire data	31997	98.17
	2 = Logically imputed data	54	0.17
	3 = Statistically imputed data	543	1.67

The following variables, IRWAG1 through IIAFOOD relate to income for the past month. IRWAG1 through IIAOTH1 are for the respondent. IRWAG2 through IIAOTH2 are for the other members of the household.

IRWAG1	1 RECEIVED WAGES - IMPUTATION REVISED		
	1 = Yes	17697	54.30
	2 = No	14897	45.70

IIWAG1	1 RECEIVED WAGES - IMPUTATION INDICATOR		
	1 = Questionnaire data	32291	99.07
	2 = Logically imputed data	1	0.00
	3 = Statistically imputed data	302	0.93
IRAWAG1	6 AMNT RECEIVED FROM WAGES - IMPUTATION REVISED		
	RANGE = 5 - 15000	17697	54.30
	0 = zero income received	14897	45.70
IIAWAG1	1 AMOUNT RECEIVED FROM WAGES - IMPUTATION INDICATOR		
	1 = Questionnaire data	14433	44.28
	2 = Logically imputed data	6	0.02
	3 = Statistically imputed data	3259	10.00
	9 = LEGITIMATE SKIP	14896	45.70
IRSOC1	1 RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
	1 = Yes	2593	7.96
	2 = No	30001	92.04
IISOC1	1 RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
	1 = Questionnaire data	32249	98.94
	3 = Statistically imputed data	345	1.06
IRASOC1	6 AMNT RECEIVED FROM SS OR RR - IMPUTATION REVISED		
	RANGE = 9 - 1500	2593	7.96
	0 = zero income received	30001	92.04
IIASOC1	1 AMT RECEIVED FROM SS/RR - IMPUTATION INDICATOR		
	1 = Questionnaire data	1962	6.02
	3 = Statistically imputed data	631	1.94
	9 = LEGITIMATE SKIP	30001	92.04
IRSSI1	1 RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
	1 = Yes	683	2.10
	2 = No	31911	97.90
IISSI1	1 RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	32204	98.80
	3 = Statistically imputed data	390	1.20
IRASSI1	6 AMNT RECEIVED FROM SSI - IMPUTATION REVISED		
	RANGE = 11 - 1788	683	2.10

	0 = Zero income received	31911	97.90
IIASSI1	1 AMOUNT RECEIVED FROM SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	530	1.63
	2 = Logically imputed data	1	0.00
	3 = Statistically imputed data	152	0.47
	9 = LEGITIMATE SKIP	31911	97.90
IRWEL1	1 RECEIVED WELFARE - IMPUTATION REVISED		
	1 = Yes	2044	6.17
	2 = No	30550	93.73
IIWEL1	1 RECEIVED WELFARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	32238	98.91
	3 = Statistically imputed data	356	1.09
IRAWEL1	6 AMNT RECEIVED FROM WELFARE - IMPUTATION REVISED		
	RANGE = 25 - 1200	2044	6.27
	0 = Zero income received	30550	93.73
IIAWEL1	1 AMT RECEIVED FROM WELFARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	1510	4.63
	3 = Statistically imputed data	534	1.64
	9 = LEGITIMATE SKIP	30550	93.73
IRINT1	1RECEIVED INTEREST - IMPUTATION REVISED		
	1 = Yes	11946	36.65
	2 = No	20648	63.35
IIINT1	1 RECEIVED INTEREST - IMPUTATION INDICATOR		
	1 = Questionnaire data	31880	97.81
	3 = Statistically imputed data	714	2.19
IRAI1NT1	6 AMNT RECEIVED FROM INTEREST - IMPUTATION REVISED		
	RANGE = 1 - 3810	11946	36.65
	0 = Zero income received	20648	63.35
IIAI1NT1	1 AMT RECEIVED FROM INTEREST - IMPUTATION INDICATOR		
	1 = Questionnaire data	6363	19.52
	2 = Logically imputed data	3	0.01
	3 = Statistically imputed data	5580	17.12
	9 = LEGITIMATE SKIP	20648	63.35

IRCHD1	1 RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
	1 = Yes	1027	3.15
	2 = No	31567	96.85
IICH1	1 RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
	1 = Questionnaire data	32104	98.50
	3 = Statistically imputed data	490	1.50
IRACHD1	6 AMNT RECEIVED FROM CHILD SUPPORT - IMPUT. REVISED		
	RANGE = 19 - 1500	1027	3.15
	0 = Zero income received	31567	96.85
IIACHD1	1 AMT RECVD FR CHILD SUPPORT - IMPUTATION INDICATOR		
	1 = Questionnaire data	868	2.66
	2 = Logically imputed data	1	0.00
	3 = Statistically imputed data	158	0.48
	9 = LEGITIMATE SKIP	31567	96.85
IROTH1	1 RECEIVED OTHER SOURCES - IMPUTATION REVISED		
	1 = Yes	1917	5.88
	2 = No	30677	94.12
IIOTH1	1 RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
	1 = Questionnaire data	32095	98.47
	3 = Statistically imputed data	499	1.53
IRAOTH1	6 AMNT RECEIVED FROM OTHER SOURCES - IMPUT. REVISED		
	RANGE = 1 - 7300	1917	5.88
	0 = Zero income received	30677	94.12
IIAOTH1	1 AMT RECVD FR OTHR SOURCES - IMPUTATION INDICATOR		
	1 = Questionnaire data	1586	4.87
	2 = Logically imputed data	4	0.01
	3 = Statistically imputed data	327	1.00
	9 = LEGITIMATE SKIP	30677	94.12
IRWAG2	1 OTHR FAM MEM RECEIVED WAGES - IMPUTATION REVISED		
	1 = Yes	20097	61.66
	2 = No	12497	38.34
IIWAG2	1 OTHR FAM MEM RECVD WAGES - IMPUTATION INDICATOR		
	1 = Questionnaire data	26420	81.06

	2 = Logically imputed data	1	0.00
	3 = Statistically imputed data	828	2.54
	9 = LEGITIMATE SKIP	5345	16.40
IRAWAG2	6 AMNT OTHR FAM RECVD FR WAGES - IMPUTATION REVISED		
	RANGE = 10 - 16620	20097	61.66
	0 = Zero income received	12497	38.34
IIAWAG2	1 AMT OTHR FAM RECVD FR WAGES - IMPUTATION INDICATOR		
	1 = Questionnaire data	11804	36.22
	2 = Logically imputed data	99	0.30
	3 = Statistically imputed data	8195	25.14
	9 = LEGITIMATE SKIP	12496	38.34
IRSOC2	1 OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
	1 = Yes	2588	7.94
	2 = No	30006	92.06
IISOC2	1 OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
	1 = Questionnaire data	26241	80.51
	3 = Statistically imputed data	1008	3.09
	9 = LEGITIMATE SKIP	5345	16.40
IRASOC2	6 AMNT OTHR FAM RECVD FROM SS/RR - IMPUT. REVISED		
	RANGE = 33 - 1710	2588	7.94
	0 = zero income received	30006	92.06
IIASOC2	1 AMT OTHR FAM RECVD FR SS/RR - IMPUTATION INDICATOR		
	1 = Questionnaire data	1485	4.56
	2 = Logically imputed data	8	0.02
	3 = Statistically imputed data	1095	3.36
	9 = LEGITIMATE SKIP	30006	92.06
IRSSI2	1 OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
	1 = Yes	745	2.29
	2 = No	31849	97.71
IISSI2	1 OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	26216	80.43
	2 = Logically imputed data	1	0.00
	3 = Statistically imputed data	1032	3.17
	9 = LEGITIMATE SKIP	5345	16.40

IRASSI2	6 AMNT OTHR FAM RECVD FROM SSI - IMPUTATION REVISED		
	RANGE = 14 - 1700	745	2.29
	0 = Zero income received	31849	97.71
IIASSI2	1 AMT OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	495	1.52
	2 = Logically imputed data	4	0.01
	3 = Statistically imputed data	247	0.76
	9 = LEGITIMATE SKIP	31848	97.71
IRWEL2	1 OTHR FAM MEM RECEIVED WELFARE - IMPUTATION REVISED		
	1 = Yes	1631	5.00
	2 = No	30963	95.00
IIWEL2	1 OTHR FAM MEM RECVD WELFARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	26302	80.70
	2 = Logically imputed data	3	0.01
	3 = Statistically imputed data	944	2.90
	9 = LEGITIMATE SKIP	5345	16.40
IRAWEL2	6 AMNT OTHR FAM RECVD FR WELFARE - IMPUT. REVISED		
	RANGE = 23 - 1500	1631	5.00
	0 = Zero income received	30963	95.00
IIAWEL2	1 AMT OTHR FAM RECVD FROM WELFARE - IMPUT. INDICATOR		
	1 = Questionnaire data	953	2.92
	2 = Logically imputed data	13	0.04
	3 = Statistically imputed data	668	2.05
	9 = LEGITIMATE SKIP	30960	94.99
IRINT2	1 OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
	1 = Yes	9442	28.97
	2 = No	23152	71.03
IIINT2	1 OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
	1 = Questionnaire data	25246	77.46
	3 = Statistically imputed data	2003	6.15
	9 = LEGITIMATE SKIP	5345	16.40
IRAIINT2	6 AMNT FAM RECVD FROM INTEREST - IMPUTATION REVISED		
	RANGE = 1 - 3000	9442	28.97
	0 = Zero income received	23152	71.03

IIAINT2	1	AMT OTHR FAM RECVD FR INTEREST - IMPUT. INDICATOR		
	1	= Questionnaire data	2958	9.08
	2	= Logically imputed data	17	0.05
	3	= Statistically imputed data	6467	19.84
	9	= LEGITIMATE SKIP	23152	71.03
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED		
	1	= Yes	1012	3.10
	2	= No	31582	96.90
IICH2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
	1	= Questionnaire data	26220	80.44
	3	= Statistically imputed data	1029	3.16
	9	= LEGITIMATE SKIP	5345	16.40
IRACHD2	6	AMNT OTHR FAM RECVD FR CHLD SUPRT - IMPUT. REVISED		
	RANGE = 15 - 2000		1012	3.10
	0 = Zero income received		31582	96.90
IIACHD2	1	AMT OTHR RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
	1	= Questionnaire data	726	2.23
	2	= Logically imputed data	3	0.01
	3	= Statistically imputed data	283	0.87
	9	= LEGITIMATE SKIP	31582	96.90
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
	1	= Yes	2008	6.16
	2	= No	30586	93.84
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
	1	= Questionnaire data	26115	80.12
	3	= Statistically imputed data	1134	3.48
	9	= LEGITIMATE SKIP	5345	16.40
IRAOTH2	6	AMNT OTHR FAM RECVD FR OTHR SRCES - IMPUT. REVISED		
	RANGE = 10 - 10500		2008	6.16
	0 = Zero income received		30586	93.84
IIAOTH2	1	AMT OTHR FAM RECVD FR OTHR SOURCS - IMPUT. INDICTR		
	1	= Questionnaire data	1439	4.41
	2	= Logically imputed data	17	0.05
	3	= Statistically imputed data	552	1.69
	9	= LEGITIMATE SKIP	30586	93.84

IRFOOD	1 ANY FAM MEM RECVD FOOD STAMP - IMPUTATION REVISED		
	1 = Yes	4035	12.38
	2 = No	28559	87.62
IIFOOD	1 ANY FAM MEM RECVD FOOD STMP - IMPUTATION INDICATOR		
	1 = Questionnaire data	32029	98.27
	2 = Logically imputed data	136	0.42
	3 = Statistically imputed data	429	1.32
IRAFOOD	6 VALUE OF FOOD STAMP - IMPUTATION REVISED		
	RANGE = 13 - 719	4035	12.38
	0 = Zero income received	28559	87.62
IIAFOOD	1 AMT FAM RECVD FR FOOD STAMP - IMPUTATION INDICATOR		
	1 = Questionnaire data	3024	9.28
	2 = Logically imputed data	359	1.10
	3 = Statistically imputed data	652	2.00
	9 = LEGITIMATE SKIP	28559	87.62

IMPUTED DRUG USE

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
IMPUTED DRUG USE			

IRALCRC	1 ALCOHOL RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	14829	45.50
	2 = More than 1 month ago but less than 6 months ago	3885	11.92
	3 = 6 or more months ago but less than 1 year ago	1865	5.72
	4 = 1 or more years ago but less than 3 years ago	1257	3.86
	5 = 3 or more years ago	2587	7.94
	9 = Never used alcohol	8171	25.07
IIALCRC	1 ALCOHOL RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	30212	92.69
	2 = Imputed data	1368	4.20
	3 = Statistically imputed data	1014	3.11
IRMJRC	1 MARIJUANA RECENCY - IMPUTATION REVISED		
	1 = Within the past week (7 days)	1348	4.14
	2 = More than 1 week ago but less than 1 month ago	777	2.38
	3 = 1 or more months ago but less than 6 months ago	906	2.78
	4 = 6 or more months ago but less than 1 year ago	999	3.06
	5 = 1 or more years ago but less than 3 years ago	1060	3.25
	6 = 3 or more years ago	5732	17.59
	9 = Never used marijuana	21772	66.80
IIMJRC	1 MARIJUANA RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	31402	96.34
	3 = Statistically imputed data	1192	3.66
IRCOCRC	1 COCAINE RECENCY - IMPUTATION REVISED		
	1 = Within the past week (7 days)	254	0.78

	2 = More than 1 week ago but less than 1 month ago	230	0.71
	3 = 1 or more months ago but less than 6 months ago	374	1.15
	4 = 6 or more months ago but less than 1 year ago	421	1.29
	5 = 1 or more years ago but less than 3 years ago	628	1.93
	6 = 3 or more years ago	2144	6.58
	9 = Never used cocaine	28543	87.57
IICOCRC	1 COCAINE RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32052	98.34
	2 = Imputed data	5	0.02
	3 = Statistically imputed data	537	1.65
IRSEDRC	1 SEDATIVES RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	160	0.49
	2 = More than 1 month ago but less than 6 months ago	138	0.42
	3 = 6 or more months ago but less than 1 year ago	107	0.33
	4 = 1 or more years ago but less than 3 years ago	130	0.40
	5 = 3 or more years ago	746	2.29
	9 = Never used sedatives	31313	96.07
IISEDRC	1 SEDATIVES RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32330	99.19
	3 = Statistically imputed data	264	0.81
IRTRNRC	1 TRANQUILIZERS RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	152	0.47
	2 = More than 1 month ago but less than 6 months ago	217	0.67
	3 = 6 or more months ago but less than 1 year ago	205	0.63
	4 = 1 or more years ago but less than 3 years ago	258	0.79
	5 = 3 or more years ago	813	2.49
	9 = Never used tranquilizers	30949	94.95
IITRNRC	1 TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32294	99.08
	3 = Statistically imputed data	300	0.92

IRSTMRC	1	STIMULANTS RECENCY - IMPUTATION REVISED		
	1	= Within the past month (30 days)	139	0.43
	2	= More than 1 month ago but less than 6 months ago	204	0.63
	3	= 6 or more months ago but less than 1 year ago	168	0.52
	4	= 1 or more years ago but less than 3 years ago	242	0.74
	5	= 3 or more years ago	1214	3.72
	9	= Never used stimulants	30627	93.97
IISTMRC	1	STIMULANTS RECENCY - IMPUTATION INDICATOR		
	1	= Questionnaire data	32296	99.09
	2	= Imputed data	1	0.00
	3	= Statistically imputed data	297	0.91
IRANLRC	1	ANALGESICS RECENCY - IMPUTATION REVISED		
	1	= Within the past month (30 days)	295	0.91
	2	= More than 1 month ago but less than 6 months ago	377	1.16
	3	= 6 or more months ago but less than 1 year ago	287	0.88
	4	= 1 or more years ago but less than 3 years ago	305	0.94
	5	= 3 or more years ago	694	2.13
	9	= Never used analgesics	30636	93.99
IIANLRC	1	ANALGESICS RECENCY - IMPUTATION INDICATOR		
	1	= Questionnaire data	32171	98.70
	3	= Statistically imputed data	423	1.30
IRCIGRC	1	CIGARETTES RECENCY - IMPUTATION REVISED		
	1	= Within the past month (30 days)	7811	23.96
	2	= More than 1 month ago but less than 6 months ago	1157	3.55
	3	= 6 or more months ago but less than 1 year ago	797	2.45
	4	= 1 or more years ago but less than 3 years ago	1575	4.83
	5	= 3 or more years ago	8064	24.74
	9	= Never smoked cigarettes	13190	40.47
IICIGRC	1	CIGARETTES RECENCY - IMPUTATION INDICATOR		
	1	= Questionnaire data	30671	94.10
	2	= Imputed data	120	0.37
	3	= Statistically imputed data	1803	5.53

IROTBR	1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	714	2.19
	2 = More than 1 month ago but less than 6 months ago	211	0.65
	3 = 6 or more months ago but less than 1 year ago	195	0.60
	4 = 1 or more years ago but less than 3 years ago	400	1.23
	5 = 3 or more years ago	1831	5.62
	9 = Never used smokeless tobacco	29243	89.72
IIOTBR	1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32003	98.19
	3 = Statistically imputed data	591	1.81
IRINHR	1 INHALANTS RECENCY - IMPUTATION REVISED		
	1 = Within the past week (7 days)	139	0.43
	2 = More than 1 week ago but less than 1 month ago	180	0.55
	3 = 1 or more months ago but less than 6 months ago	171	0.52
	4 = 6 or more months ago but less than 1 year ago	149	0.46
	5 = 1 or more years ago but less than 3 years ago	201	0.62
	6 = 3 or more years ago	1251	3.84
	9 = Never used inhalants	30503	93.58
IIINHR	1 INHALANTS RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32133	98.59
	3 = Statistically imputed data	461	1.41
IRCRKR	1 CRACK RECENCY - IMPUTATION REVISED		
	1 = Within the past week (7 days)	83	0.25
	2 = More than 1 week ago but less than 1 month ago	61	0.19
	3 = 1 or more months ago but less than 6 months ago	64	0.20
	4 = 6 or more months ago but less than 1 year ago	76	0.23
	5 = 1 or more years ago but less than 3 years ago	219	0.67
	6 = 3 or more years ago	336	1.03
	9 = Never used crack	31755	97.43
IIICRKR	1 CRACK RECENCY - IMPUTATION INDICATOR		

	1 = Questionnaire data	32551	99.87
	2 = Imputed data	2	0.01
	3 = Statistically imputed data	41	0.13
IRHALRC	1 HALLUCINOGENS RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	157	0.48
	2 = More than 1 month ago but less than 6 months ago	203	0.62
	3 = 6 or more months ago but less than 1 year ago	180	0.55
	4 = 1 or more years ago but less than 3 years ago	279	0.86
	5 = 3 or more years ago	1666	5.11
	9 = Never used hallucinogens	30109	92.38
IIHALRC	1 HALLUCINOGENS RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32351	99.25
	2 = Imputed data	33	0.10
	3 = Statistically imputed data	210	0.64
IRHERRC	1 HEROIN RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	33	0.10
	2 = More than 1 month ago but less than 6 months ago	37	0.11
	3 = 6 or more months ago but less than 1 year ago	37	0.11
	4 = 1 or more years ago but less than 3 years ago	35	0.11
	5 = 3 or more years ago	264	0.81
	9 = Never used heroin	32188	98.75
IIHERRC	1 HEROIN RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32518	99.77
	2 = Imputed data	11	0.03
	3 = Statistically imputed data	65	0.20
IRPCPRC	1 PCP RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	23	0.07
	2 = More than 1 month ago but less than 6 months ago	47	0.14
	3 = 6 or more months ago but less than 1 year ago	45	0.14
	4 = 1 or more years ago but less than 3 years ago	119	0.37
	5 = 3 or more years ago	911	2.79
	9 = Never used PCP	31449	96.49

IIPCPRC	1 PCP RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32565	99.91
	3 = Statistically imputed data	29	0.09
IRICERC = ICE RECENCY - IMPUTATION REVISED			
	1 = Within the past year (7 days)	19	0.06
	2 = More than 1 week ago but less than 1 month ago	79	0.24
	3 = 1 or more months ago but less than 6 months ago	29	0.09
	4 = 6 or more months ago but less than 1 year ago	46	0.14
	5 = 1 or more years ago but less than 3 years ago	23	0.07
	6 = 3 or more years ago	11	0.03
	9 = Never used ice	32387	99.36
IIICERC	1 ICE RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32561	99.90
	3 = Statistically imputed data	33	0.10
IRSTSRC	1 ANABOLIC STEROIDS RECENCY - IMPUTATION REVISED		
	1 = Within the past month (30 days)	12	0.04
	2 = More than 1 month ago but less than 6 months ago	22	0.07
	3 = 6 or more months ago but less than 1 year ago	22	0.07
	4 = 1 or more years ago but less than 3 years ago	53	0.16
	5 = 3 or more years ago	69	0.21
	9 = Never used anabolic steroids	32416	99.45
IISTRRC	1 ANABOLIC STEROIDS RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	32485	99.67
	3 = Statistically imputed data	109	0.33
IRALCFQ	1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
	1 = Used daily in past year	793	2.43
	2 = Used almost daily in past year	1506	4.62
	3 = Used 1-2 days per week in past year	3740	11.47
	4 = Used several times a month in past year.	2225	6.83
	5 = Used 1-2 times per month in past year ..	3756	11.52
	6 = Used every other month in past year	2483	7.62
	7 = Used 3-5 times in past year	2642	8.11
	8 = Used 1-2 times in past year	3434	10.54
	9 = Never used or did not use in the past		

	year	12015	36.86
IIALCFQ	1 ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	19329	59.30
	2 = Imputed data	12015	36.86
	3 = Statistically imputed data	1250	3.84
IRMJFQ	2 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
	1 = Used several times per day in past year	236	0.72
	2 = Used daily in past year	133	0.41
	3 = Used almost daily in past year	347	1.06
	4 = Used 1-2 days per week in past year ...	521	1.60
	5 = Used several times per month in past year	313	0.96
	6 = Used 1-2 times per month in past year ..	485	1.49
	7 = Used every other month in past year	459	1.41
	8 = Used 3-5 times in past year	553	1.70
	9 = Used 1-2 times in past year	983	3.02
	10 = Never used or did not use in the past year	28564	87.64
IIMJFQ	1 MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	3354	10.29
	2 = Imputed data	28564	87.64
	3 = Statistically imputed data	676	2.07
IRCOCFQ	1 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
	1 = Used daily in past year	34	0.10
	2 = Used almost daily in past year	58	0.18
	3 = Used 1-2 days per week in past year	125	0.38
	4 = Used several times per month in past year	127	0.39
	5 = Used 1-2 times per month in past year ..	138	0.42
	6 = Used every other month in past year	160	0.49
	7 = Used 3-5 times in past year	222	0.68
	8 = Used 1-2 times in past year	415	1.27
	9 = Never used or did not use in the past year	31315	96.08
IICOCFQ	1 COCAINE RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	921	2.83
	2 = Imputed data	31315	96.08
	3 = Statistically imputed data	358	1.10
IRSEDFQ	1 SEDATIVES FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	18	0.06

	2 = Used almost daily in past year	17	0.05
	3 = Used 1-2 days per week in past year	47	0.14
	4 = Used several times a month in past year ..	36	0.11
	5 = Used 1-2 times per month in past year ..	62	0.19
	6 = Used every other month in past year	33	0.10
	7 = Used 3-5 times in past year	59	0.18
	8 = Used 1-2 times in past year	133	0.41
	9 = Never used or did not use in the past year	32189	98.76
IISEDFAQ	1 SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	323	0.99
	2 = Imputed data	32189	98.76
	3 = Statistically imputed data	82	0.25
IRTRNFQ	1 TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	16	0.05
	2 = Used almost daily in past year	16	0.05
	3 = Used 1-2 days per week in past year	32	0.10
	4 = Used several times a month in past year ..	51	0.16
	5 = Used 1-2 times per month in past year ..	80	0.25
	6 = Used every other month in past year	56	0.17
	7 = Used 3-5 times in past year	96	0.29
	8 = Used 1-2 times in past year	227	0.70
	9 = Never used or did not use in the past year	32020	98.24
IITRNFQ	1 TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	495	1.52
	2 = Imputed data	32020	98.24
	3 = Statistically imputed data	79	0.24
IRSTMFQ	1 STIMULANTS FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	25	0.08
	2 = Used almost daily in past year	28	0.09
	3 = Used 1-2 days per week in past year	25	0.08
	4 = Used several times a month in past year ..	43	0.13
	5 = Used 1-2 times per month in past year ..	81	0.25
	6 = Used every other month in past year	81	0.25
	7 = Used 3-5 times in past year	85	0.26
	8 = Used 1-2 times in past year	143	0.44
	9 = Never used or did not use in the past year	32083	98.43
IISTMFQ	1 STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	426	1.31

	2 = Imputed data	32083	98.43
	3 = Statistically imputed data	85	0.26
IRANLFQ	1 ANALGESICS FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	22	0.07
	2 = Used almost daily in past year	28	0.09
	3 = Used 1-2 days per week in past year	49	0.15
	4 = Used several times a month in past year	73	0.22
	5 = Used 1-2 times per month in past year ..	124	0.38
	6 = Used every other month in past year	110	0.34
	7 = Used 3-5 times in past year	190	0.58
	8 = Used 1-2 times in past year	363	1.11
	9 = Never used or did not use in the past year	31635	97.06
IIANLFQ	1 ANALGESICS FREQUENCY - IMPUTATION INDICTOR		
	1 = Questionnaire data	838	2.57
	2 = Imputed data	31635	97.06
	3 = Statistically imputed data	121	0.37
IROTBQ	1 SMOKELESS TOBACCO FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	383	1.18
	2 = Used almost daily in past year	114	0.35
	3 = Used 1-2 days per week in past year	113	0.35
	4 = Used several times a month in past year	63	0.19
	5 = Used 1-2 times per month in past year ..	99	0.30
	6 = Used every other month in past year	62	0.19
	7 = Used 3-5 times in past year	80	0.25
	8 = Used 1-2 times in past year	206	0.63
	9 = Never used or did not use in the past year	31474	96.56
IIOTBFQ	1 SMOKELESS TOBACCO FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	1061	3.26
	2 = Imputed data	31474	96.56
	3 = Statistically imputed data	59	0.18
IRINHFQ	1 INHALANTS FREQUENCY - IMPUTATION REVISED		
	1 = Use daily in past year	21	0.06
	2 = Used almost daily in past year	24	0.07
	3 = Used 1-2 days per week in past year	53	0.16
	4 = Used several times a month in past year	38	0.12
	5 = Used 1-2 times per month in past year ..	70	0.21
	6 = Used every other month in past year	71	0.22
	7 = Used 3-5 times in past year	129	0.40
	8 = Used 1-2 times in past year	233	0.71

	9 = Never used or did not use in the past year	31955	98.04
IIINHFAQ	1 INHALANTS FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	413	1.27
	2 = Imputed data	31955	98.04
	3 = Statistically imputed data	226	0.69
IRHALFAQ	1 HALLUCINOGEN FREQUENCY - IMPUTATION REVISED		
	1 = Used daily in past year	5	0.02
	2 = Used almost daily in past year	10	0.03
	3 = Used 1-2 days per week in past year	15	0.05
	4 = Used several times a month in past year	33	0.10
	5 = Used 1-2 times per month in past year ..	70	0.21
	6 = Used every other month in past year	68	0.21
	7 = Used 3-5 times in past year	97	0.30
	8 = Used 1-2 times in past year	242	0.74
	9 = Never used or did not use in the past year	32054	98.34
IIHALFAQ	1 HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	440	1.35
	2 = Imputed data	32054	98.34
	3 = Statistically imputed data	100	0.31

RECODED DEMOGRAPHICS

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
RECODED DEMOGRAPHICS			

CATAGE	1 AGE CATEGORY		
	1 = 12-17 years (IRAGE = 12-17)	8005	24.56
	2 = 18-25 years (IRAGE = 18-25)	7937	24.35
	3 = 26-34 years (IRAGE = 26-34)	8126	24.93
	4 = 35+ years (IRAGE > 34)	8526	26.16
CATAG2	1 AGE CATEGORY RECODE		
	1 = 12-17 years (CATAGE = 1)	8005	24.56
	2 = 18-25 years (CATAGE = 2)	7937	24.35
	3 = 26+ years (CATAGE = 3-4)	16652	51.09
RACE	1 RACE/HISPANIC-ORIGIN RECODE		
	1 = White (IRRACE = 4 and IRHOIND = 2)	15648	48.01
	2 = Black (IRRACE = 3 and IRHOIND = 2)	8050	24.70
	3 = Hispanic (IRHOIND = 1)	7916	24.29
	4 = Other (IRRACE = 1-2 and IRHOIND = 2) ...	980	3.01
EDUCCAT2	1 EDUCATION RECODE		
	1 = Less than high school (IREduc = 0-11 and IRAGE=>18)	6422	19.70
	2 = High school graduate (IREduc = 12 and IRAGE=>18)	8442	25.90
	3 = Some college (IREduc = 13-15 and IRAGE=>18)	5502	16.88
	4 = College graduate (IREduc = 16-17 and IRAGE=>12-17)	4223	12.96
	5 = 12-17 year olds (IRAGE = 12-17)	8005	24.56
EMPSTAT2	1 EMPLOYMENT STATUS RECODE		
	1 = Full-time (IRWORKST = 1,3 and IRAGE =>18)	12849	39.42
	2 = Part-time (IRWORKST = 2 and IRAGE =>18)	3030	9.30
	3 = Unemployed (IRWORKST = 4,5,10 and IRAGE =>18)	2157	6.62
	4 = Other (IRWORKST = 6-9,11 and IRAGE =>18)		

18)	6553	20.10
5 = 12-17 year olds (IRAGE = 12-17)	8005	24.56

* * * * * CAUTION * * * * *

The 1990 and 1991 total family income variables and the personal family income variables may not be comparable due to differences between the questions asked and the items collected. In 1990, annual family income was derived by summing the imputation-revised responses to nine income questions and annual personal income was derived from an imputation-revised response to a single question on the questionnaire. In 1990, the reference period for all of the income questions was the past 12 months. In contrast, in 1991 a monthly family income was derived by summing the imputation-revised responses to seven family income questions and a monthly personal income was derived by summing the imputation-revised responses to seven personal income questions. Note that in 1991, the reference period to all income questions was the last calendar month, thus an annual income amount was estimated simply by multiplying the past 30 days responses by 12. These differences between the 1990 and 1991 income questions may introduce bias in any analysis that attempts to compare distributions by income between the two survey years.

INDINC	6 ANNUAL TOTAL PERSONAL INCOME RECEIVED		
	RANGE = 12 - 183600	25180	77.25
	0 = No personal earnings	7414	22.75
IIINDINC	1 TOTL PERSONAL INCOME - IMPUTATION INDICATOR		
	1 = All personal income sources from questionnaire	23429	71.88
	3 = At least 1 of sources were stat or logic imputed	9165	28.12
INDCAT	2 ANNUAL TOTAL PERSONAL INCOME RECODE (13 CATEGORS)		
	1 = \$0	7414	22.75
	2 = \$1-\$4,999	6993	21.45
	3 = \$5,000-\$6,999	1959	6.01
	4 = \$7,000-\$8,999	1818	5.58
	5 = \$9,000-\$11,999	2192	6.73
	6 = \$12,000-\$14,999	2579	7.91
	7 = \$15,000-\$19,999	2905	8.91
	8 = \$20,000-\$24,999	2104	6.46
	9 = \$25,000-\$29,999	1183	3.63
	10 = \$30,000-\$39,999	1890	5.80

	11 = \$40,000-\$49,999	794	2.44
	12 = \$50,000-\$74,999	593	1.82
	13 = \$75,000 +	170	0.52
PERINC	1 ANNUAL TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
	1 = \$0-\$8,999	18184	55.79
	2 = \$9,000-\$19,999	7676	23.55
	3 = \$20,000-\$39,999	5177	15.88
	4 = \$40,000-\$74,999	1387	4.26
	5 = \$75,000 +	170	0.52
PERINC2	1 ANNUAL TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
	1 = \$0-\$9,999	19225	58.98
	2 = \$10,000-\$19,999	6635	20.36
	3 = \$20,000-\$29,999	3287	10.08
	4 = \$30,000-\$39,999	1890	5.80
	5 = \$40,000-\$49,999	794	2.44
	6 = \$50,000-\$74,999	593	1.82
	7 = \$75,000 +	170	0.52
PERINC3	1 ANNUAL TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
	1 = \$0-\$9,999	11346	34.81
	2 = \$10,000-\$19,999	6544	20.08
	3 = \$20,000-\$29,999	3263	10.01
	4 = \$30,000-\$39,999	1880	5.77
	5 = \$40,000-\$49,999	793	2.43
	6 = \$50,000-\$74,999	593	1.82
	7 = \$75,000 +	170	0.52
	8 = 12-17 Years Old	8005	24.56
TOTINC	7 TOTAL FAMILY INCOME FROM IRINC49A - IRINC49I		
	RANGE = 12 - 301932	31789	97.53
	0 = No family income	805	2.47
IITOTINC	1 TOTL FAM INCOME (NOT FD STMP) - IMPUT. INDICATOR		
	1 = All income sources from questionnaire ..	16162	49.59
	3 = At least 1 of sources were stat or logic imputed	16432	50.41
TOTCAT	2 TOTAL FAMILY INCOME - CATEGORIZED TOTINC		
	1 = \$0	805	2.47
	2 = \$1-\$4,999	1966	6.03
	3 = \$5,000-\$6,999	1186	3.64
	4 = \$7,000-\$8,999	1329	4.08
	5 = \$9,000-\$11,999	1762	5.41

	6 = \$12,000-\$14,999	2347	7.20
	7 = \$15,000-\$19,999	3652	11.20
	8 = \$20,000-\$24,999	3723	11.42
	9 = \$25,000-\$29,999	2867	8.80
	10 = \$30,000-\$39,999	5024	15.41
	11 = \$40,000-\$49,999	3157	9.69
	12 = \$50,000-\$74,999	3253	9.98
	13 = \$75,000 +	1523	4.67
FAMINC	1 TOTAL FAMILY INCOME RECODE		
	1 = \$0-\$8,999	5286	16.22
	2 = \$9,000-\$19,999	7761	23.81
	3 = \$20,000-\$39,999	11614	35.63
	4 = \$40,000-\$74,999	6410	19.67
	5 = \$75,000 +	1523	4.67
FAMINC2	1 ANNUAL TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
	1 = \$0-\$9,999	6028	18.49
	2 = \$10,000-\$19,999	7019	21.53
	3 = \$20,000-\$29,999	6590	20.22
	4 = \$30,000-\$39,999	5024	15.41
	5 = \$40,000-\$49,999	3157	9.69
	6 = \$50,000-\$74,999	3253	9.98
	7 = \$75,000 +	1523	4.67
FAMINC3	1 ANNUAL TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
	1 = \$0-\$9,999	4834	14.83
	2 = \$10,000-\$19,999	5472	16.79
	3 = \$20,000-\$29,999	4804	14.74
	4 = \$30,000-\$39,999	3690	11.32
	5 = \$40,000-\$49,999	2314	7.10
	6 = \$50,000-\$74,999	2354	7.22
	7 = \$75,000 +	1121	3.44
	8 = 12-17 Years Old	8005	24.56
WELFARE	2 ANY FAMILY MEMBER ON WELFARE PAST MONTH INDICATOR		
	1 = Yes, respondent or another fam member on welfare	2989	9.17
	2 = No, there was no one in the family on welfare	29605	90.83

The following variable, WPSTAT, was created by examination of Q.3. Questions on parental status were not asked of females 12-14 and thus they are included in the category of females with no children.

WPSTAT	1 WOMEN'S PARENTAL STATUS		
	1 = Females w/at least 1 under age 2 (either 0 or 1)	1748	5.36
	2 = Females w/all children age 2 or older ..	7450	22.86
	3 = Females w/no children	8693	26.67
	4 = Females w/missing information about children	281	0.86
	5 = Males	14422	44.25

RECODED DRUG USE

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-
RECODED DRUG USE			

HALFLAG	1 HALLUCINOGENS - EVER USED		
	0 = Never used (IRHALRC = 9)	30109	92.38
	1 = Ever used (IRHALRC = 1-5)	2485	7.62
HALYR	1 HALLUCINOGENS - PAST YEAR USE		
	0 = Did not use in the past year (IRHALRC = 4-5,9)	32054	98.34
	1 = Used within the past year (IRHALRC = 1-3)	540	1.66
HALMON	1 HALLUCINOGENS - PAST MONTH USE		
	0 = Did not use in the past month (IRHAL = 2-5,9)	32437	99.52
	1 = Used within the past month (IRHALRC = 1)	157	0.48
PCPFLAG	1 PCP - EVER USED		
	0 = Never	31449	96.49
	1 = Ever used (IRPCPRC = 1,5)	1145	3.51
PCPYR	1 PCP - PAST YEAR USE		
	0 = Did not use in the past year (IRPCPRC = 4-5,9)	32479	99.65
	1 = Used within the past year (IRPCPRC = 1-3)	115	0.35
PCPMON	1 PCP - PAST MONTH USE		
	0 = Did not use in the past month (IRPCPRC = 2-5,9)	32571	99.93
	1 = Used within the past month (IRPCPRC = 1)	23	0.07
STMFLAG	1 STIMULANTS - EVER USED		
	0 = Never used (IRSTMRC = 9)	30627	93.97
	1 = Ever used (IRSTMRC = 1-5)	1967	6.03

STMYR	1 STIMULANTS - PAST YEAR USE		
	0 = Did not use in the past year (IRSTMRC = 4-5,9)	32083	98.43
	1 = Used within the past year (IRSTMRC = 1-3)	511	1.57
STMMON	1 STIMULANTS - PAST MONTH USE		
	0 = Did not use in the past month (IRSTMRC = 2-5,9)	32455	99.57
	1 = Used within the past month (IRSTMRC = 1)	139	0.43
SEDFLAG	1 SEDATIVES - EVER USED		
	0 = Never used (IRSEDRC = 9)	31313	96.07
	1 = Ever used (IRSEDRC = 1-5)	1281	3.93
SEDYR	1 SEDATIVES - PAST YEAR USE		
	0 = Did not use in the past year (IRSEDRC = 4-5,9)	32189	98.76
	1 = Used within the past year (IRSEDRC = 1-3)	405	1.24
SEDMON	1 SEDATIVES - PAST MONTH USE		
	0 = Did not use in the past month (IRSEDRC = 2-5,9)	32434	99.51
	1 = Used within the past month (IRSEDRC = 1)	160	0.49
TRQFLAG	1 TRANQUILIZERS - EVER USED		
	0 = Never used (IRTRNRC = 9)	30949	94.95
	1 = Ever used (IRTRNRC = 1-5)	1645	5.05
TRQYR	1 TRANQUILIZERS - PAST YEAR USE		
	0 = Did not use in the past year (IRTRNRC = 4-5,9)	32020	98.24
	1 = Used within the past year (IRTRNRC = 1-3)	574	1.76
TRQMON	1 TRANQUILIZERS - PAST MONTH USE		
	0 = Did not use in the past month (IRTRNRC = 2-5,9)	32442	99.53
	1 = Used within the past month (IRTRNRC = 1)	152	0.47
ANLFLAG	1 ANALGESICS - EVER USED		
	0 = Never used (IRANLRC = 9)	30636	93.99
	1 = Ever used (IRANLRC = 1-5)	1958	6.01

ANLYR	1 ANALGESICS - PAST YEAR USE		
	0 = Did not use in the past year (IRANLRC = 4-5,9)	31635	97.06
	1 = Used within the past year (IRANLRC = 1-3)	959	2.94
ANLMON	1 ANALGESICS - PAST MONTH USE		
	0 = Did not use in the past month (IRANLRC = 2-5,9)	32299	99.09
	1 = Used within the past month (IRANLRC = 1)	295	0.91
ALCFLAG	1 ALCOHOL - EVER USED		
	0 = Never used (IRALCRC = 9)	8171	25.07
	1 = Ever used (IRALCRC = 1-5)	24423	74.93
ALCYR	1 ALCOHOL - PAST YEAR USE		
	0 = Did not use in the past year (IRALCRC = 4-5,9)	12015	36.86
	1 = Used within the past year (IRALCRC = 1-3)	20579	63.14
ALCMON	1 ALCOHOL - PAST MONTH USE		
	0 = Did not use in the past month (IRALCRC = 2-5,9)	17765	54.50
	1 = Used within the past month (IRALCRC = 1)	14829	45.50
CIGFLAG	1 CIGARETTES - EVER USED		
	0 = Never used (IRCIGRC = 9)	13190	40.47
	1 = Ever used (IRCIGRC = 1-5)	19404	59.53
CIGYR	1 CIGARETTES - PAST YEAR USE		
	0 = Did not use in the past year (IRCIGRC = 4-5,9)	22829	70.04
	1 = Used within the past year (IRCIGRC = 1-3)	9765	29.96
CIGMON	1 CIGARETTES - PAST MONTH USE		
	0 = Did not use in the past month (IRCIGRC = 2-5,9)	24783	76.04
	1 = Used within the past month (IRCIGRC = 1)	7811	23.96
SMKFLAG	1 SMOKELESS TOBACCO - EVER USED		
	0 = Never used (IROTBRC = 9)	29243	89.72
	1 = Ever used (IROTBRC = 1-5)	3351	10.28

SMKYR	1 SMOKELESS TOBACCO - PAST YEAR USE		
	0 = Did not use in the past year (IROTBC = 4-5,9)	31474	96.56
	1 = Used within the past year (IROTBC = 1-3)	1120	3.44
SMKMON	1 SMOKELESS TOBACCO - PAST MONTH USE		
	0 = Did not use in the past month (IROTBC = 2-5,9)	31880	97.81
	1 = Used within the past month (IROTBC = 1)	714	2.19
HERFLAG	1 HEROIN - EVER USED		
	0 = Never used (IRHERRC = 9)	32188	98.75
	1 = Ever used (IRHERRC = 1-5)	406	1.25
HERYR	1 HEROIN - PAST YEAR USE		
	0 = Did not use in the past year (IRHERRC = 4-5,9)	32487	99.67
	1 = Used within the past year (IRHERRC = 1-3)	107	0.33
HERMON	1 HEROIN - PAST MONTH USE		
	0 = Did not use in the past month (IRHERRC = 2-5,9)	32561	99.90
	1 = Used within the past month (IRHERRC = 1)	33	0.10
STRFLAG	1 STEROID USE - LIFETIME		
	0 = Never used (IRSTRRC = 9)	32416	99.45
	1 = Ever used (IRSTRRC = 1-5)	178	0.55
STRYR	1 STEROID USE - PAST YEAR		
	0 = Did not use in the past year (IRSTRRC = 4-5,9)	32538	99.83
	1 = Used within the past year (IRSTRRC = 1-3)	56	0.17
STRMON	1 STEROID USE - PAST MONTH		
	0 = Did not use in the past month (IRSTRRC = 2-5,9)	32582	99.96
	1 = Used within the past month (IRSTRRC = 1)	12	0.04
MRJFLAG	1 MARIJUANA - EVER USED		
	0 = Never used (IRMJRC = 9)	21772	66.80
	1 = Ever used (IRMJRC = 1-6)	10822	33.20

MRJYR	1 MARIJUANA - PAST YEAR USE		
	0 = Did not use in the past year (IRMJRC = 5-6,9)	28564	87.64
	1 = Used within the past year (IRMJRC = 1-4)	4030	12.36
MRJMON	1 MARIJUANA - PAST MONTH USE		
	0 = Did not use in the past month (IRMJRC = 3-6,9)	30469	93.48
	1 = Used within the past month (IRMJRC = 1-2)	2125	6.52
COCFLAG	1 COCAINE - EVER USED		
	0 = Never used (IRCOCRC = 9)	28543	87.57
	1 = Ever used (IRCOCRC = 1-6)	4051	12.43
COCYR	1 COCAINE - PAST YEAR USE		
	0 = Did not use in the past year (IRCOCRC = 5-6,9)	31315	96.08
	1 = Used within the past year (IRCOCRC = 1-4)	1279	3.92
COCMON	1 COCAINE - PAST MONTH USE		
	0 = Did not use in the past month (IRCOCRC = 3-6,9)	32110	98.52
	1 = Used within the past month (IRCOCRC = 1-2)	484	1.48
CRKFLAG	1 CRACK - EVER USED		
	0 = Never used (IRCRKRC = 9)	31755	97.43
	1 = Ever used (IRCRKRC = 1-6)	839	2.57
CRKYR	1 CRACK - PAST YEAR USE		
	0 = Did not use in the past year (IRCRKCR = 5-6,9)	32310	99.13
	1 = Used within the past year (IRCRKRC = 1-4)	284	0.87
CRKMON	1 CRACK - PAST MONTH USE		
	0 = Did not use in the past month (IRCRKRC = 3-6,9)	32450	99.56
	1 = Used within the past month (IRCRKRC = 1-2)	144	0.44
INHFLAG	1 INHALANTS - EVER USED		
	0 = Never used (IRINHRC = 9)	30503	93.58
	1 = Ever used (IRINHRC = 1-6)	2091	6.42

INHHR	1 INHALANTS - PAST YEAR USE		
	0 = Did not use in the past year (IRINHRC = 5-6,9)	31955	98.04
	1 = Used within the past year (IRINHRC = 1-4)	639	1.96

INHMON	1 INHALANTS - PAST MONTH USE		
	0 = Did not use in the past month (IRINHRC = 3-6,9)	32275	99.02
	1 = Used within the past month (IRINHRC = 1-2)	319	0.98

The following variable, NEEDLREC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-9), CONDLREC(Q.CN-10), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). The variable, NEEDLREC, is identical for the 1988, 1990 and 1991 NHSDAs.

NEEDLREC	2 MOST RECENT TIME USED STM, COC OR HER WITH A NEEDLE		
	1 = Within the past month (30 days)	54	0.17
	2 = More than 1 month ago but less than 6 months ago	40	0.12
	3 = 6 or more months ago but less than 1 year ago	33	0.10
	4 = 1 or more years ago but less than 3 years ago	55	0.17
	5 = 3 or more years ago but less than 10 years ago	124	0.38
	6 = 10 or more years ago	87	0.27
	8 = Use in past year LOGICALLY IMPUTED	17	0.05
	9 = Use in lifetime LOGICALLY IMPUTED	49	0.15
	91 = NEVER USED A NEEDLE TO INJECT ANY DRUG .	31793	97.54
	98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK	342	1.05

The following variable, NDL90REC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-9), CONDLREC(Q.CN-10), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). In addition, finally edited versions of the following variables were examined: GNNDLLIF(Q.DR-7), GNNDLREC (Q.DR-8), the series GNNDLSED(Q.DR-9) through GNNDLNON (Q.DR-9), and GNNDLSHR (Q.DR-10). The variable NDL90REC is not comparable for the 1988 and 1990 NHSDAs. The 1991 NDL90REC is instead comparable to the 1990 NDL90RC2 variable. In 1990, NDL90REC was found to be incorrect; the corrected variable is NDL90C2.

NDL90REC	2 MOST RECENT TIME USED DRUG W/ A NEEDLE (INCORRECT)		
	1 = Within the past month (30 days)	100	0.31

2 = More than 1 month ago but less than 6 months ago	52	0.16
3 = 6 or more months ago but less than 1 year ago	45	0.14
4 = 1 or more years ago but less than 3 years ago	79	0.24
5 = 3 or more years ago but less than 10 years ago	164	0.50
6 = 10 or more years ago	118	0.36
8 = Use in past year LOGICALLY IMPUTED	15	0.05
9 = Use in lifetime LOGICALLY IMPUTED	82	0.25
91 = NEVER USED A NEEDLE TO INJECT ANY DRUG .	31914	97.91
98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK	25	0.08

The variable NEDFLAG3 is identical for both the 1990 and 1991 NHSDAs. The source variable has been named differently, but is defined in the same manner for both years.

NEDFLAG3	1 NEEDLE USE (ANY DRUG) - EVER USE		
	0 = Never used (NDL90REC=91,98)	31939	97.99
	1 = Ever used (NDL90REC=1-9)	655	2.01
NEDYR3	1 NEEDLE USE (ANY DRUG) - PAST YEAR USE		
	0 = Never used (NDL90REC=4-6,9,91,98)	32382	99.35
	1 = Ever used (NDL90REC=1-3,8)	212	0.65
HALYRF	1 HALLUCINOGENS YEAR FLAG		
	0 = Never used or did not use in past year (IRHALFQ=9)	32054	98.34
	1 = Any use within the past year (IRHALFQ=1-8)	540	1.66
HALMONF	1 HALLUCINOGENS MONTH FLAG		
	0 = Did not use monthly/more past year (IRHALFQ=6-9)	32461	99.59
	1 = Used monthly or more often past year (IRHALFQ=1-5)	133	0.41
HALWKF	1 HALLUCINOGENS WEEK FLAG		
	0 = Did not use weekly or more past year (IRHALFQ=4-9)	32564	99.91
	1 = Used weekly or more often past year (IRHALFQ=1-3)	30	0.09

HALOCCF	1 HALLUCINOGENS OCCASIONAL FLAG		
	0 = Used monthly/more or none in pst yr (IRHALFQ=1-5,9)	32187	98.75
	1 = Used past year but less than monthly (IRHALFQ=6-8)	407	1.25
HALDLYF	1 HALLUCINOGENS DAILY/ALMOST DAILY FLAG		
	0 = Did not use daily/almost daily pst yr (IRHALFQ=3-9)	32579	99.95
	1 = Used daily/almost daily in past year (IRHALFQ=1-2)	15	0.05
STMYRF	1 STIMULANTS YEAR FLAG		
	0 = Never used or did not use in past year (IRSTMFQ=9)	32083	98.43
	1 = Any use within the past year (IRSTMFQ=1-8)	511	1.57
STMMONF	1 STIMULANTS MONTH FLAG		
	0 = Did not use monthly/more past year (IRSTMFQ=6-9)	32392	99.38
	1 = Used monthly or more often past year (IRSTMFQ=1-5)	202	0.62
STMWKF	1 STIMULANTS WEEK FLAG		
	0 = Did not use weekly or more past year (IRSTMFQ=4-9)	32516	99.76
	1 = Used weekly or more often past year (IRSTMFQ=1-3)	78	0.24
STMOCCF	1 STIMULANTS OCCASIONAL FLAG		
	0 = Used monthly/more or none in pst yr (IRSTMFQ=1-5,9)	32285	99.05
	1 = Used past year but less than monthly (IRSTMFQ=6-8)	309	0.95
STMDLYF	1 STIMULANTS DAILY/ALMOST DAILY FLAG		
	0 = Did not use daily/almost daily pst yr (IRSTMFQ=3-9)	32541	99.84
	1 = Used daily/almost daily in past year (IRSTMFQ=1-2)	53	0.16
SEDYRF	1 SEDATIVES YEAR FLAG		
	0 = Never used or did not use in past year		

		(IRSEDFQ=9)	32189	98.76
	1 = Any use within the past year			
		(IRSEDFQ=1-8)	405	1.24
SEDMONF	1 SEDATIVES MONTH FLAG			
	0 = Did not use monthly/more past year			
		(IRSEDFQ=6-9)	32414	99.45
	1 = Used monthly or more often past year			
		(IRSEDFQ=1-5)	180	0.55
SEDWKF	1 SEDATIVES WEEK FLAG			
	0 = Did not use weekly or more past year			
		(IRSEDFQ=4-9)	32512	99.75
	1 = Used weekly or more often past year			
		(IRSEDFQ=1-3)	82	0.25
SEDOCCF	1 SEDATIVES OCCASIONAL FLAG			
	0 = Used monthly/more or none in pst yr			
		(IRSEDFQ=1-5,9)	32369	99.31
	1 = Used past year but less than monthly			
		(IRSEDFQ=6-8)	225	0.69
SEDDLIF	1 SEDATIVES DAILY/ALMOST DAILY FLAG			
	0 = Did not use daily/almost daily pst yr			
		(IRSEDFQ=3-9)	32559	99.89
	1 = Used daily/almost daily in past year			
		(IRSEDFQ=1-2)	35	0.11
TRQYRF	1 TRANQUILIZERS YEAR FLAG			
	0 = Never used or did not use in past year			
		(IRTRNFQ=9)	32020	98.24
	1 = Any Use within the past year			
		(IRTRNFQ=1-8)	574	1.76
TRQMONF	1 TRANQUILIZERS MONTH FLAG			
	0 = Did not use monthly/more past year			
		(IRTRNFQ=6-9)	32399	99.40
	1 = Used monthly or more often past year			
		(IRTRNFQ=1-5)	195	0.60
TRQWKF	1 TRANQUILIZERS WEEK FLAG			
	0 = Did not use weekly or more past year			
		(IRTRNFQ=4-9)	32530	99.80
	1 = Used weekly or more often past year			

		(IRTRNFQ=1-3)	64	0.20
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr		
		(IRTRNFQ=1-5,9)	32215	98.84
		1 = Used past year but less than monthly		
		(IRTRNFQ=6-8)	379	1.16
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr		
		(IRTRNFQ=3-9)	32562	99.90
		1 = Used daily/almost daily in past year		
		(IRTRNFQ=1-2)	32	0.10
ANLYRF	1	ANALGESICS YEAR FLAG		
		0 = Never used or did not use in past year		
		(IRANLFQ=9)	31635	97.06
		1 = Any use within the past year		
		(IRANLFQ=1-8)	959	2.94
ANLMOF	1	ANALGESICS MONTH FLAG		
		0 = Did not use monthly/more past year		
		(IRANLFQ=6-9)	32298	99.09
		1 = Used monthly or more often past year		
		(IRANLFQ=1-5)	296	0.91
ANLWKF	1	ANALGESICS WEEK FLAG		
		0 = Did not use weekly or more past year		
		(IRANLFQ=4-9)	32495	99.70
		1 = Used weekly or more often past year		
		(IRANLFQ=1-3)	99	0.30
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr		
		(IRANLFQ=1-5,9)	31931	97.97
		1 = Used past year but less than monthly		
		(IRANLFQ=6-8)	663	2.03
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr		
		(IRANLFQ=3-9)	32544	99.85
		1 = Used daily/almost daily in past year		
		(IRANLFQ=1-2)	50	0.15

ALCYRF	1 ALCOHOL - ANY USE PAST YEAR		
	0 = Never used or not used in past year		
	(IRALCFQ=9)	12015	36.86
	1 = Any use within the past year		
	(IRALCFQ=1-8)	20579	63.14
ALCMONF	1 ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
	0 = Did not use monthly/more past year		
	(IRALCFQ=6-9)	20574	63.12
	1 = Used monthly or more often past year		
	(IRALCFQ=1-5)	12020	36.88
ALCWKF	1 ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
	0 = Did not use weekly or more past year		
	(IRALCFQ=4-9)	26555	81.47
	1 = Used weekly or more in past year		
	(IRALCFQ=1-3)	6039	18.53
ALCOCCF	1 ALCOHOL OCCASIONAL FLAG		
	0 = Used monthly/more or none in pst yr		
	(IRALCFQ=1-5,9)	24035	73.74
	1 = Used past year but less than monthly		
	(IRALCFQ=6-8)	8559	26.26
ALCDLYF	1 ALCOHOL DAILY/ALMOST FLAG		
	0 = Did not use daily/almost daily pst yr		
	(IRALCFQ=3-9)	30295	92.95
	1 = Used daily/almost daily in past year		
	(IRALCFQ=1-2)	2299	7.05
SMKYRF	1 SMOKELESS TOBACCO YEAR FLAG		
	0 = Never used or did not use in past year		
	(IROTBFQ=9)	31474	96.56
	1 = Any use within the past year		
	(IROTBFQ=1-8)	1120	3.44
SMKMONF	1 SMOKELESS TOBACCO MONTH FLAG		
	0 = Did not use monthly/more past year		
	(IROTBFQ=6-9)	31822	97.63
	1 = Used monthly or more often past year		
	(IROTBFQ=1-5)	772	2.37
SMKWKF	1 SMOKELESS TOBACCO WEEK FLAG		
	0 = Did not use weekly or more past year		

		(IROTBFQ=4-9)	31984	98.13
	1 = Used weekly or more often past year			
		(IROTBFQ=1-3)	610	1.87
SMKOCCF	1 SMOKELESS TOBACCO OCCASIONAL FLAG			
	0 = Used monthly/more or none in pst yr			
		(IROTBFQ=1-5,9)	32246	98.93
	1 = Used past year but less than monthly			
		(IROTBFQ=6-8)	348	1.07
SMKDLYF	1 SMOKELESS TOBACCO DAILY/ALMOST FLAG			
	0 = Did not use daily/almost daily pst yr			
		(IROTBFQ=3-9)	32097	98.48
	1 = Used daily/almost daily in past year			
		(IROTBFQ=1-2)	497	1.52
MRJYRF	1 MARIJUANA - ANY USE PAST YEAR			
	0 = Never used or did not use in past year			
		(IRMJFQ=10)	28564	87.64
	1 = Any use within the past year			
		(IRMJFQ=1-9)	4030	12.36
MRJMONF	1 MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR			
	0 = Did not use monthly/more past year			
		(IRMJFQ=7-10)	30559	93.76
	1 = Used monthly or more in past year			
		(IRMJFQ=1-6)	2035	6.24
MRJWKF	1 MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR			
	0 = Did not use weekly/more past year			
		(IRMJFQ=5-10)	31357	96.20
	1 = Used weekly or more in past year			
		(IRMJFQ=1-4)	1237	3.80
MRJOCCF	1 MARIJUANA OCCASIONAL FLAG			
	0 = Used monthly/more or none in pst yr			
		(IRMJFQ=1-6,10)	30599	93.88
	1 = Used past year but less than monthly			
		(IRMJFQ=7-9)	1995	6.12
MRJDLYF	1 MARIJUANA DAILY/ALMOST FLAG			
	0 = Did not use daily/almost daily pst yr			
		(IRMJFQ=4-10)	31878	97.80
	1 = Used daily/almost daily in past year			

		(IRMJFQ=1-3)	716	2.20
COCYRF	1 COCAINE - ANY USE PAST YEAR			
	0 = Never used or did not use in past year			
	(IRCOCFQ=9)	31315	96.08	
	1 = Any use within the past year			
	(IRCOCFQ = 1-8)	1279	3.92	
COCMONF	1 COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR			
	0 = Did not use monthly/more past year			
	(IRCOCFQ=6-9)	32112	98.52	
	1 = Used monthly or more often past year			
	(IRCOCFQ=1-5)	482	1.48	
COCWKF	1 COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR			
	0 = Did not use weekly or more past year			
	(IRCOCFQ=4-9)	32377	99.33	
	1 = Used weekly or more often past year			
	(IRCOCFQ=1-3)	217	0.67	
COCOCCF	1 COCAINE OCCASIONAL FLAG			
	0 = Used monthly/more or none in pst yr			
	(IRCOCFQ=1-5,9)	31797	97.55	
	1 = Used past year but less than monthly			
	(IRCOCFQ=6-8)	797	2.45	
COCDLYF	1 COCAINE DAILY/ALMOST FLAG			
	0 = Did not use daily/almost daily pst yr			
	(IRCOCFQ=3-9)	32502	99.72	
	1 = Used daily/almost daily in past year			
	(IRCOCFQ=1-2)	92	0.28	
INH YRF	1 INHALANTS YEAR FLAG			
	0 = Never used or did not use in past year			
	(IRINHFQ=9)	31955	98.04	
	1 = Any use within the past year			
	(IRINHFQ=1-8)	639	1.96	
INHMONF	1 INHALANTS MONTH FLAG			
	0 = Did not use monthly/more past year			
	(IRINHFQ=6-9)	32388	99.37	
	1 = Used monthly or more often past year			
	(IRINHFQ=1-5)	206	0.63	

INHWKF	1 INHALANTS WEEK FLAG		
	0 = Did not use weekly or more past year		
	(IRINHFQ=4-9)	32496	99.70
	1 = Used weekly or more often past year		
	(IRINHFQ=1-3)	98	0.30

INHOCCF	1 INHALANTS OCCASIONAL FLAG		
	0 = Used monthly/more or none in pst yr		
	(IRINHFQ=1-5,9)	32161	98.67
	1 = Used past year but less than monthly		
	(IRINHFQ=6-8)	433	1.33

INHDLF	1 INHALANTS DAILY/ALMOST FLAG		
	0 = Did not use daily/almost daily pst yr		
	(IRINHFQ=3-9)	32549	99.86
	1 = Used daily/almost daily in past year		
	(IRINHFQ=1-2)	45	0.14

The following three variables were created by examination of IRSEDRC(Q.S-4) ITRNRC(Q.T-4),IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).

PSYFLAG2	1 ANY PSYCHOTHERAPEUTICS - EVER USED		
	0 = Never used (ALL SOURCE VARIABLES = 9) ..	28789	88.33
	1 = Ever used (ANY SOURCE VARIABLE < 9)	3805	11.67

PSYYR2	1 ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
	0 = Did not use within past year (ALL SOURCE VARS > 3)	30953	94.97
	1 = Used in past year (ANY SOURCE VARIABLE < 4)	1641	5.03

PSYMON2	1 ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
	0 = Did not use in past month (ALL SOURCE VARS > 1)	31999	98.17
	1 = Used in past month (ANY SOURCE VARIABLE = 1)	595	1.83

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

SUMFLAG	1 ANY ILLICIT DRUG - EVER USED		
	0 = Never used (ALL SOURCE VARIABLES = 0) ..	20417	62.64
	1 = Ever used (ANY SOURCE VARIABLE = 1)	12177	37.36

The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.

SUMYR	1 ANY ILLICIT DRUG - PAST YEAR USE		
	0 = Did not use in past year (ALL SOURCE VARS= 0)	27331	83.85
	1 = Used in past year (ANY SOURCE VARIABLE = 1)	5263	16.15

The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.

SUMMON	1 ANY ILLICIT DRUG - PAST MONTH USE		
	0 = Did not use in past month (ALL SOURCE VARS= 0)	29810	91.46
	1 = Used in past month (ANY SOURCE VARIABLE = 1)	2784	8.54

The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

MJOFLAG	1 MARIJUANA ONLY - EVER USED		
	0 = Never used MJ/has used both MJ & another illicit drug	27358	83.94
	1 = Marijuana is only (illicit) drug ever used	5236	16.06

The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.

MJOYR2	1 MARIJUANA ONLY - PAST YEAR USE		
	0 = MJ not used past yr/Used MJ & other drug past yr	30266	92.86
	1 = Marijuana is only (illicit) drug in past year	2328	7.14

The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.

MJOMON2	1 MARIJUANA ONLY - PAST MONTH USE		
	0 = MJ not used past mnth/Used MJ & other drug past mo	31087	95.38

1 = Marijuana only (illicit) drug in past
month 1507 4.62

The following variable, IEMFLAG, was created by
examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG and
PSYFLAG2.

IEMFLAG 1 USED ILLICIT DRUGS EXCEPT MARIJUANA - LIFETIME
0 = Never used drug/used only marijuana 25653 78.70
1 = Illicit drug except for marijuana
are ever used 6941 21.30

The following variable, IEMYR, was created by examination
of HALYR, HERYR, COCYR, INHYR and PSYYR2.

IEMYR 1 USED ILLICIT DRUGS EXCEPT MARIJUANA - PAST YEAR
0 = Never used drug/used only marijuana
past year 29659 91.00
1 = Illicit drug except for marijuana used
past year 2935 9.00

The following variable, IEMMON, was created by
examination of HALMON, HERMON, COCMON, INHMON and
PSYMON2.

IEMMON 1 USED ILLICIT DRUGS EXCEPT MARIJUANA - PAST MONTH
0 = Never used drug/used only marijuana past
month 31317 96.08
1 = Illicit drug except for marijuana used
past month 1277 3.92

The following variable, PLYFLAGC, was created by
examination of MRJFLAG, COCFLAG, HALFLAG, HERFLAG,
INHFLAG, SEDFLAG, TRQFLAG, STMFLAG and ANLFLAG.

PLYFLAGC 1 ILLICIT POLYDRUGS - EVER USED
1 = 0 drugs 20406 62.61
2 = 1 drug 6293 19.31
3 = 2 drugs 2473 7.59
4 = 3+ drugs 3422 10.50

The following variable, PLYMONC, was created by
examination of MRJYR, COCYR, HALYR, HERYR, INHYR, SEDYR,
TRQYR, STMYR and ANLYR.

PLYYRC 1 ILLICIT POLYDRUGS - USED IN PAST YEAR

1 = 0 drugs	27319	83.82
2 = 1 drug	3320	10.19
3 = 2 drugs	1068	3.28
4 = 3+ drugs	887	2.72

The following variable, PLYMONC, was created by examination of MRJMON, COCMON, HALMON, HERMON, INHMON, SEDMON, TRQMON, STMMON and ANLMON.

PLYMONC	1	ILLICIT POLYDRUGS - USED IN PAST MONTH		
		1 = 0 drugs	29811	91.46
		2 = 1 drug	2084	6.39
		3 = 2 drugs	466	1.43
		4 = 3+ drugs	233	0.71
HERREC92	2	MOST RECENT TIME USED HEROIN - 1992 EDITED VERSION		
		1 = Within the past month (30 days)	22	0.07
		2 = More than 1 month ago but less than 6 months ago	21	0.06
		3 = 6 or more months ago but less than 1 year ago	24	0.07
		4 = 1 or more years ago but less than 3 years ago	34	0.10
		5 = 3 or more years ago	254	0.78
		7 = Use in past 30 days LOGICALLY IMPUTED ..	11	0.03
		8 = Use in past year LOGICALLY IMPUTED	29	0.09
		9 = Use in lifetime LOGICALLY IMPUTED	9	0.03
		81 = NEVER USED HEROIN Logically imputed	201	0.62
		91 = NEVER USED HEROIN	31962	98.06
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	26	0.08

Source variable is HERREC92.

IRHERC92	1	HEROIN RECENCY - IMPUTATION REVISED - 1992 VERSION		
		1 = Within the past month (30 days)	33	0.10
		2 = More than 1 month ago but less than 6 months ago	32	0.10
		3 = 6 or more months ago but less than 1 year ago	42	0.13
		4 = 1 or more years ago but less than 3 years ago	37	0.11
		5 = 3 or more years ago	260	0.80
		9 = Never used heroin	32190	98.76
IIHERC92	1	HEROIN RECENCY - IMPUTATION INDICATOR - 1992 VERS		
		1 = Questionnaire data	32518	99.77

2 = Imputed data	11	0.03
3 = Statistically imputed data	65	0.20

DESIGN AND ESTIMATION VARIABLES

LABEL	LEN DESCRIPTION	FREQ	%
-----	---	----	-
DESIGN AND ESTIMATION VARIABLES			

VESTR	4 STRATUM TO BE USED IN ANALYSIS RANGE = 7001 - 8038	32594	100.00
VEREP	1 REPLICATE WITHIN ANALYSIS STRATUM 1 = 2 = 3 =	16292 15819 483	49.98 48.53 1.48
ANALWT	15 ANALYSIS WEIGHT RANGE = 2.68574 - 141689.63951	32594	100.00
ANALWT2	12 ANALYSIS WEIGHT IN THOUSANDS OF PERSONS		
ANALWTC	15 ANAL. WT FOR SUBSAMPLE ASSUMING 1990 FRAME (W4*A6)		
A1	11 SAMPLE PERSON SELECTION COMPONENT		
A2	10 SAMPLE PERSON TRUNCATE AND SMOOTH FACTOR		
A3	10 ROSTER ADJUSTMENT FACTOR		
A4	10 INTERVIEW NONRESPONSE ADJUSTMENT FACTOR		
A5	10 CPS ADJUSTMENT FACTOR FOR FULL SAMPLE		
A6	10 CPS ADJ. FACTOR FOR SUBSAMPLE ASSUMING 1990 FRAME		
W4	15 THE NR ADJUSTED PERSON WEIGHT (W0*A1*A2*A3*A4)		

WO 13 SCREENING NONRESPONSE ADJUSTED DU WEIGHT

WPNAC 15 1988-90-COMP. NONR.-ADJ. PERSON WEIGHT

MAIN FINDINGS 1991

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

MAIN FINDINGS 1991

Main Findings 1991 Report - Variable Creation

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1991 report. These variables consist of both recodes and logical imputations of previous codebook variables. In addition, there are some recodes of the logically imputed variables.

There are two sections of recodes of previous codebook variables: general and recoded drug use variables. Most of the recodes in the general section are simply the source variables reformatted and thus were given the same label as the source variable. However, for some of the recodes in the general section and for all the recodes in the recoded drug use section, the source variables are used to define a new variable. In these instances, the recoded variables are given a label which defines the new variable definition. In both sections, the source variables and recode instructions are given either in parentheses after the variable's level definition, or in a comment directly above the variable definition.

There are three sections of logical imputations: logically imputed variables concerning problems attributed to past year alcohol or drug use (from Answer Sheet #14), logically imputed variable concerning negative drinking experiences (from Answer Sheet #13), and logically imputed variables concerning components of dependence on drugs or alcohol (from Answer Sheet #11). Each of these three sections is preceded by text which describes the data structure of the answer sheet in question, and the method of logical imputation. There is also some additional information concerning answer sheet structure included in parentheses after the variable level definitions. Logically imputed variables are indicated in each of these sections by labels which include as much of the original variable label as permitted in the allotted space, and in parentheses the legend "L.I." followed by the original variable name.

Finally, there is a section of recodes of the logically imputed data: recoded variables concerning problems attributed to past year

use of cigarettes, alcohol, marijuana, and cocaine (from Answer Sheet #14). The recodes of logically imputed data have been given labels which describe the new variable definition. Unlike the previous recoded variables, these do not have the source variables and recoding instructions in parentheses after the associated variable levels, but rather are preceded by text which explains in detail the type of recoding implemented.

GENERAL VARIABLES (RECODED)

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
GENERAL VARIABLES (RECODED)				

AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = Never inhaled (AEROS = 2,81,91,98)	32441	99.53
		1 = Ever inhaled (AEROS = 1,3)	153	0.47
ALCDAYS2	1 #	DAYS DRANK ALCOHOL IN PAST 30 DAYS		
		. = Unknown (ALCDAYS=85,94,95,97,98)	1206	3.70
		1 = None or never used alcohol (ALCDAYS		
		= 0,81,91,93)	17765	54.50
		2 = 1-2 days (ALCDAYS = 1-2)	4651	14.27
		3 = 3-4 days (ALCDAYS = 3-4)	2882	8.84
		4 = 5-19 days (ALCDAYS = 5-19)	4730	14.51
		5 = 20-30 days (ALCDAYS = 20-31)	1360	4.17
ALCDAYS3	1	DAYS DRANK ALCOHOL IN PAST 30 DAYS		
		. = Unknown (ALCDAYS2 = .)	1206	3.70
		1 = None or never used alcohol (ALCDAYS2 = 1)	17765	54.50
		2 = 1-4 days (ALCDAYS2 2-3)	7533	23.11
		3 = 5-19 days (ALCDAYS2 = 4)	4730	14.51
		4 = 20-30 days (ALCDAYS2 = 5)	1360	4.17
ALCMON2	1	ALCOHOL - PAST MONTH USE		
		1 = Did not use in the past month (ALCMON		
		= 0)	17765	54.50
		2 = Used within the past month (ALCMON = 1)	14829	45.50
AMYLNIT2	1	EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH		
		0 = Never inhaled (AMYLNIT = 2,81,91,98) ...	31934	97.98
		1 = Ever inhaled (AMYLNIT = 1,3)	660	2.02
AVCIG2	1 #	CIG. SMOKED PER DAY LAST 30		
		. = Unknown (AVCIG = 94,97,98)	358	1.10
		1 = None/never smoked cigarettes (AVCIG=81,		
		89,91,99)	24702	75.79
		2 = Currently smoke < a pack per day (AV =		

	1-3)	4362	13.38
	3 = Currently smoke a pack or more per day (AVCIG=4-6)	3172	9.73
AVCIG3	1 # CIG. SMOKED PER DAY LAST 30		
	0 = None/never/< pack a day (AVCIG=1-3,81, 89,91,98,99)	29422	90.27
	1 = Currently smoke a pack or more per day (AVCIG=4-6)	3172	9.73
CIGMON2	1 CIGARETTES - PAST MONTH USE		
	1 = Did not use in past month (CIGMON = 0) .	24783	76.04
	2 = Used within past month (CIGMON = 1)	7811	23.96
CLEFLU2	1 EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD		
	0 = Never inhaled (CLEFLU = 2,81,91,98)	32395	99.39
	1 = Ever inhaled (CLEFLU = 1,3)	199	0.61
COCIV2	1 INJECTED COCAINE WITH NEEDLE PAST 12 MONTHS		
	0 = Never/no use past 12 mos (COCIV=2,81,83, 91,93,97)	32484	99.66
	1 = Injected in the past 12 months (COCIV = 1,3)	110	0.34
COCWAY2	1 OTHER WAY COCAINE USED PAST 12 MONTHS		
	0 = Never/no use pst 12 mos (COCWAY=2,3,81,83,91,93)	32560	99.90
	1 = Used other ways past 12 months (COCWAY=1,6-9)	34	0.10
COCSNIF2	1 SNIFFED/SNORTED COC. THRU NOSE PAST 12 MONTH		
	0 = Never/no use pst 12 mos (COCSNIFF=2,81,83,91,93,97)	31635	97.06
	1 = Sniffed/snorted in past 12 months (COCSNIFF = 1)	959	2.94
COCSWAL2	1 SWALLOWED/DRANK COCAINE PAST 12 MONTHS		
	0 = Never/no use pst 12 mos (COCSWAL=2,81,83,91,93,97)	32484	99.66
	1 = Swallowed/drunk in past 12 months (COCSWAL = 1)	110	0.34
COCTOT2	1 # TIMES USED COCAINE IN LIFE		

		1 = Never used cocaine (COCTOT = 81,91)	28543	87.57
		2 = 1-2 times (COCTOT = 1)	1121	3.44
		3 = 3-10 times (COCTOT = 2,3)	1191	3.65
		4 = 11-99 times (COCTOT = 4,5)	1100	3.37
		5 = 100 or more times (COCTOT = 6,7)	578	1.77
		6 = Unknown (COCTOT = 85,97,98)	61	0.19
COCTOT3	1 # TIMES USED COCAINE IN LIFE			
		. = Unknown (COCTOT2=6)	61	0.19
		1 = 1-2 times (COCTOT2 = 2)	1121	3.44
		2 = 3-10 times (COCTOT2 = 3)	1191	3.65
		3 = 11-99 times (COCTOT2 = 4)	1100	3.37
		4 = 100 or more times (COCTOT2 = 5)	578	1.77
		5 = Never used cocaine (COCTOT2 = 1)	28543	87.57
A value of 0 was assigned to the following variable, DRAHELP, if TRMTHLP2 or DRNKHLP2 was 0, and neither TRMTHLP2 nor DRNKHLP2 was 1.				
DRALHELP	1 TREATMENT RECEIVED FOR DRUGS OR DRINKING			
		. = Unknown (TRMTHLP2=. and DRNKHLP2=.) ...	185	0.57
		0 = No (see note above)	31962	98.06
		1 = Yes (TRMTHLP2=1 or DRNKHLP2=1)	447	1.37
DRINKER2	1 DRANK ALCOHOL - PAST 30 DAYS			
		. = Unknown (ALCMON = .1 and DR5DAY = 85,94,95,97,98)	525	1.61
		0 = Never/no ALC use (ALCMON=0 and DR5DAY=0,81,91,93)	17765	54.50
		1 = Alcohol use (ALCMON = 1 and DR5DAY = 0-30)	14304	43.89
DRNKHLP2	1 TREATMENT RECEIVED FOR DRINKING IN PAST 12 MONTHS			
		. = Unknown (DRNKHELP=97,98)	221	0.68
		0 = No (DRNKHELP=2)	32015	98.22
		1 = Yes (DRNKHELP=1)	358	1.10
DRUNKYR2	1 # TIMES DRUNK ON ALC PAST 12 MONTH			
		. = Never used/not in past yr (DRUNKYR = 81,83,91,93)	12015	36.86
		0 = Unknown (DRUNKYR = 85,96,97,98)	2014	6.18
		1 = Drunk more than twice a month (DRUNKYR = 1-4)	1926	5.91
		2 = Drunk twice a month or less (DRUNKYR = 5-8)	6499	19.94
		3 = Never drunk in past year (DRUNKYR = 9) .	10140	31.11

ETHER2	1 EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
	0 = Never inhaled (ETHER = 2,81,91,98)	32552	99.87
	1 = Ever inhaled (ETHER = 1,3)	42	0.13
FREEBAS2	1 SMOKED/FREE-BASED COCAINE PAST 12 MONTHS		
	0 = Never/no use pst 12 mos (FREEBASE=2,81,83,91,93,97)	32141	98.61
	1 = Freebased in past 12 months (FREEBASE = 1,3)	453	1.39
GAS2	1 EVER INHALED GASOLINE OR LIGHTER FLUID		
	0 = Never inhaled (GAS = 2,81,91,98)	32211	98.82
	1 = Ever inhaled (GAS = 1,3)	383	1.18
LGAS2	1 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
	0 = Never inhaled (LGAS=2,81,91,98)	32498	99.71
	1 = Ever inhaled (LGAS=1,3)	96	0.29
GLUE2	1 EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
	0 = Never inhaled (GLUE = 2,81,91,98)	32230	98.88
	1 = Ever inhaled (GLUE = 1,3)	364	1.12
HVYDRK2	1 DRANK ALCOHOL HEAVILY - PAST 30 DAYS		
	. = Unknown (DRSDAY = 85,94,95,97,98)	525	1.61
	0 = Never/no heavy use (DR5DAY=0-4,81,91,93)	30305	92.98
	1 = Heavy alcohol use (DR5DAY = 5-30)	1764	5.41
ICEFLAG	1 ICE - EVER USED		
	0 = Never used (IRICERC = 9)	32387	99.36
	1 = Ever used (IRICERC = 1-6)	207	0.64
ICEMON	1 ICE - PAST MONTH USE		
	0 = Did not use in the past month (IRICERC=3-6,9)	32496	99.70
	1 = Used within the past month (IRICERC=1-2)	98	0.30
ICEYR	1 ICE - PAST YEAR USE		
	0 = Did not use in past year (IRICERC=5-6,9)	32421	99.47
	1 = Used within the past year (IRICERC=1-4)	173	0.53
LSD2	1 EVER USED LSD		
	0 = Never used hallucinogens (LSD = 2,81,		

		91,97,98)	30887	94.76
		1 = Ever used LSD (LSD = 1)	1707	5.24
MESC2	1	EVER USED MESCALINE		
		0 = Never used hallucinogens (MESC = 2,81,91,97,98)	31913	97.91
		1 = Ever used Mescaline (MESC = 1)	681	2.09
ECSTASY2	1	EVER USED ECSTASY		
		0 = Never used hallucinogens (ECSTASY=2,81,91,97,98)	32272	99.01
		1 = Ever used Ecstasy (ECSTASY=1)	322	0.99
MJDY30A2	1	# DAYS USED MARIJUANA IN PAST 30 DAYS		
		1 = None/never used marijuana (MJDY30A = 0,81,91,93)	30469	93.48
		2 = 1-2 days (MJDY30A = 1-2)	655	2.01
		3 = 3-4 days (MJDY30A = 3-4)	285	0.87
		4 = 5-19 days (MJDY30A = 5-19)	592	1.82
		5 = 20-30 days (MJDY30A = 20-30)	312	0.96
		6 = Unknown (MJDY30A = 85,94,95,98)	281	0.86
MJDY30A3	1	# DAYS USED MARIJUANA IN PAST 30		
		. = Unknown (MJDY30A2 = 6)	281	0.86
		1 = 1-2 days (MJDY30A2 = 2)	655	2.01
		2 = 3-4 days (MJDY30A2 = 3)	285	0.87
		3 = 5-19 days (MJDY30A2 = 4)	592	1.82
		4 = 20-30 days (MJDY30A2 = 5)	312	0.96
		5 = None or never used marijuana (MJDY30A2 = 1)	30469	93.48
MJTOT2	1	# TIMES USED MARIJUANA IN LIFE		
		1 = Never used marijuana (MJTOT = 81,91) ...	21772	66.80
		2 = 1-2 times (MJTOT = 1)	2849	8.74
		3 = 3-10 times (MJTOT = 2,3)	2915	8.94
		4 = 11-99 times (MJTOT = 4,5)	2533	7.77
		5 = 100 or more times (MJTOT = 6,7)	2445	7.50
		6 = Unknown (MJTOT = 85,94,97,98)	80	0.25
MJTOT3	1	# TIMES USED MARIJUANA IN LIFE		
		. = Unknown (MJTOT2 = 6)	80	0.25
		1 = 1-2 times (MJTOT2 = 2)	2849	8.74
		2 = 3-10 times (MJTOT2 = 3)	2915	8.94
		3 = 11-99 times (MJTOT2 = 4)	2533	7.77
		4 = 100 or more times (MJTOT2 = 5)	2445	7.50

	5 = Never used marijuana (MJTOT2 = 1)	21772	66.80
MRJMON2	1 MARIJUANA - PAST MONTH USE		
	1 = Did not use in past month (MRJMON = 0) .	30469	93.48
	2 = Used within the past month (MRJMON = 1)	2125	6.52
NITOXID2	1 EVER INHALED NITROUS OXIDE/WHIPPETS RECODE		
	0 = Never inhaled (NITOXID = 2,81,91,98) . . .	32028	98.26
	1 = Ever inhaled (NITOXID = 1,3)	566	1.74
<p>The following variable, NOTMARJ, was created by examination of COCMON, INHMON, HALMON, HERMON, and PSYMON2. Note: This variable is created such that all past month users of illicit drugs other than marijuana alone are in the positive response category.</p>			
NOTMARJ	1 DRUG USE OTHER THAN MARIJUANA - PAST MONTH		
	0 = No (ALL SOURCE VARIABLES = 0)	31317	96.08
	1 = Yes (ANY SOURCE VARIABLES = 1)	1277	3.92
PEYOTE2	1 EVER USED PEYOTE		
	0 = Never used hallucinogens (PEYOTE = 2,81,91,97,98)	32240	98.91
	1 = Ever used Peyote (PEYOTE = 1)	354	1.09
PSILCY2	1 EVER USED PSILOCYBIN (MUSHROOMS)		
	0 = Never used hallucinogens (PSILCY = 2,81,91,97,98)	31767	97.46
	1 = Ever used Psilocybin (PSILCY = 1)	827	2.54
RACESEX	1 RACE AND SEX COMBINED		
	. = Other males and females (SEX=1 or 2 and RACE=4)	980	3.01
	1 = White male (SEX = 1 and RACE = 1)	7080	21.72
	2 = Black male (SEX = 1 and RACE = 2)	3328	10.21
	3 = Hispanic male (SEX = 1 and RACE 3)	3530	10.83
	4 = White female (SEX = 2 and RACE 1)	8568	26.29
	5 = Black female (SEX = 2 and RACE 2)	4722	14.49
	6 = Hispanic female (SEX = 2 and RACE = 3) .	4386	13.46
RACESEX2	1 RACE AND SEX COMBINED		
	1 = White male (SEX=1 and RACE=1)	7080	21.72
	2 = Black male (SEX=1 and RACE=2)	3328	10.21
	3 = Hispanic male (SEX=1 and RACE=3)	3530	10.83

	4 = Other male (SEX=1 and RACE=4)	484	1.48
	5 = White female (SEX=2 and RACE=1)	8568	26.29
	6 = Black female (SEX=2 and RACE=2)	4722	14.49
	7 = Hispanic female (SEX=2 and RACE=3)	4386	13.46
	8 = Other female (SEX=2 and RACE=4)	496	1.52
SOLVENT2	1 EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
	0 = Never inhaled (SOLVENT = 2,81,91,98) ...	32437	99.52
	1 = Ever inhaled (SOLVENT = 1,3)	157	0.48
SPPAINT2	1 EVER INHALED SPRAY PAINTS		
	0 = Never inhaled (SPPAINT = 2,81,91,98) ...	32349	99.25
	1 = Ever inhaled (SPPAINT = 1,3)	245	0.75
TRMTHLP2	1 TREATMENT RECEIVED FOR DRUG USE IN PAST 12 MONTHS		
	. = Unknown (TRMTHLP=85,94,97,98)	225	0.69
	0 = No (TRMTHLP=2)	32171	98.70
	1 = Yes (TRMTHLP=1)	198	0.61

DRUG PROBLEMS--ANSWER SHEET #14--LOGICALLY IMPUTED

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

The drug problems answer sheet #14, which is included in Appendix F, is structured with a lead-in question, 11 gate questions, and one subquestion per gate question. The lead-in question (AS13NONE) asks if any of the substances listed on a showcard had been used. (Note: Unlike the 1988 NHSDA instrumentation, both the 1990 and 1991 instrumentation include smokeless tobacco on the showcard for "if you ever used one of these substances.") The 11 gate questions (DRDEPRSS, DRARGUM, DRALONE, DRANX, DRHEALTH, DRNTHINK, DRUPSET, DRLSWORK, DRSUSPIC, DRCOPE and DREMGMED) ask whether each of 11 problems has been experienced in the past year, and the one subquestion per gate question asks for each problem experienced that the substances suspected of causing the problem be listed. The substances suspected of causing each individual problem are recorded in a series of five variables per gate question (DEPDRG1A-DEPDRG5A, ARGDRG1A-ARGDRG5A, ALNDRG1A-ALNDRG5A, ANXDRG1A-ANXDRG5A, HLTDRG1A-HLTDRG5A, NTKDRG1A-NTKDRG5A, UPSDRG1A-UPSDRG5A, LSWDRG1A-LSWDRG5A, SSPDRG1A-SSPDR05A, CPEDRG1A-CPEDRG5A, and EMGDRG1A-EMGDRG5A).

The above data were logically imputed as follows:

If no use of the substances listed on the showcard was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG and SMKFLAG), then the lead-in question was logically revised to indicate that no listed substance had been used (IRAS13=1). (Note: For the 1988 NHSDA data, it was necessary to exclude users of only smokeless tobacco because smokeless tobacco was not listed on the showcard. In 1990, to be consistent with the 1988 data, users of only smokeless tobacco were again excluded. However, in this 1991 data, only users of smokeless tobacco are being included as users of the listed substances. In doing so the variables for answer sheet #14 will not be strictly comparable with the same 1988 and 1990 variables.) Subsequently, the 11 gate questions were logically revised to the legitimate skip code (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG=99). In addition, the 36 variables representing the data reported for the one subquestion per gate question were logically revised to the legitimate skip code (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5, and IREMG1-IREMG5=999).

If use of one or more of the listed substances was indicated by

the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG, and SMKFLAG), then the lead-in question was revised to indicate that a listed substance had been used (IRAS13=2). Subsequently, each gate question was individually examined. Positive responses and positive responses logically imputed to the gate questions were combined to simply be a positive response, and the respective series of variables per gate question were then logically revised in the following manner: In a series of variables containing valid drug mentions, all valid drug mentions were listed consecutively in the series of logically revised variables, and all subsequent variables in the series were set to the legitimate skip code (999). Note this included converting both non-drug reason responses (900) and other consistency codes encountered at this stage to the legitimate skip code. (This is consistent with the 1990 NHSDA data for answer sheet #14.) In a series containing no valid drug mentions, the first variable in the series was logically revised to the blank code (998) and the subsequent variables in the series were logically revised to the legitimate skip code (999). Negative responses to the gate questions were left as is, and don't know (94), refused (97), blank data (98) or legitimate skip (999) responses to the gate questions were logically imputed to negative responses. The respective series of variables per gate question were then logically revised to the legitimate skip code (999) in both situations.

IRAS13	1 NEVER USED ANY LISTED SUBSTANCES (L.I. AS13NONE)		
	1 = Never used any of the substances listed	6464	19.83
	2 = Used one or more of the listed substances	26130	80.17
IRDEP	2 DEPRESSION PST YR DUE TO DRUGS (L.I. DRDEPRSS)		
	1 = Yes	1364	4.18
	2 = No	24766	75.98
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRDEP1	3 1ST DRUG CAUSING DEPRESSION (L.I. DEPDRG1A)		
	111 = Dalmane	1	0.00
	113 = Halcion	2	0.01
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	122 = Sleep Aid <OTC>	1	0.00
	201 = Valium	1	0.00
	207 = Ativan	1	0.00
	208 = Centrax	1	0.00
	209 = Xanax	1	0.00
	211 = Buspar	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.01
	322 = Methamphetamine ("speed" or "ice" or "crank")	14	0.04
	324 = OTHER Stimulant, NOT SPECIFIED, "uppers"	4	0.01

335 = Dexatrim	1	0.00
339 = Amphetamines (speed generically)	4	0.01
348 = Crystal	2	0.01
406 = Percodan, Oxycodone	1	0.00
409 = Tylenol with Codeine, Tylenol 3	3	0.01
415 = Codeine	2	0.01
423 = Percocet	1	0.00
510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
601 = LSD ("acid," "white lightning")	15	0.05
603 = Mescaline	1	0.00
604 = Psilocybin (mushrooms)	1	0.00
605 = PCP ("angel dust," phencyclidine)	2	0.01
702 = Heroin	9	0.03
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	138	0.42
805 = Cocaine, Coke	102	0.31
806 = Crack	16	0.05
807 = Alcohol	708	2.17
812 = Cigars	2	0.01
813 = Cigarettes, tobacco not specified	152	0.47
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
830 = Mad Bull	1	0.00
998 = BLANK (NO ANSWER)	163	0.50
999 = LEGITIMATE SKIP	31230	95.82
IRDEP2 3 2ND DRUG CAUSING DEPRESSION (L.I. DEPDRG2A)		
120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
209 = Xanax	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
339 = Amphetamines (speed generically)	4	0.01
355 = Crystal meth	1	0.00
407 = Demerol	1	0.00
415 = Codeine	1	0.00
418 = Methadone	1	0.00
601 = LSD ("acid," "white lightning")	2	0.01
604 = Psilocybin (mushrooms)	1	0.00
606 = "Ecstasy" (MDMA), X-TC	1	0.00
702 = Heroin	3	0.01
803 = Marijuana	52	0.16
804 = Hashish	2	0.01
805 = Cocaine, Coke	27	0.08
806 = Crack	3	0.01
807 = Alcohol	43	0.13
813 = Cigarettes, tobacco not specified	15	0.05
818 = Nicotine	2	0.01
999 = LEGITIMATE SKIP	32428	99.49

IRDEP3	3 3RD DRUG CAUSING DEPRESSION (L.I. DEPDRG3A)		
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	339 = Amphetamines (speed generically)	4	0.01
	601 = LSD ("acid," "white lightning")	2	0.01
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	7	0.02
	806 = Crack	1	0.00
	807 = Alcohol	8	0.02
	813 = Cigarettes, tobacco not specified	2	0.01
	999 = LEGITIMATE SKIP	32563	99.90
IRDEP4	3 4TH DRUG CAUSING DEPRESSION (L.I. DEPDRG4A)		
	355 = Crystal meth	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	803 = Marijuana	4	0.01
	807 = Alcohol	3	0.01
	999 = LEGITIMATE SKIP	32585	99.97
IRDEP5	3 5TH DRUG CAUSING DEPRESSION (L.I. DEPDRG5A)		
	999 = LEGITIMATE SKIP	32594	100.00
IRARG	2 ARGUMENTS PST YR DUE TO DRUGS (L.I. DRARGUM)		
	1 = Yes	1745	5.35
	2 = No	24385	74.81
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRARG1	3 1ST DRUG CAUSING ARGUMENTS (L.I. ARGDRG1A)		
	118 = Pentobarbital, Pentothal, Sodium Pentoth	1	0.00
	201 = Valium	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	12	0.04
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	327 = Black Beauty, Black beauties	1	0.00
	339 = Amphetamines (speed generically)	4	0.01
	348 = Crystal	1	0.00
	406 = Percodan, Oxycodone	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	1	0.00
	415 = Codeine	1	0.00
	423 = Percocet	1	0.00
	502 = Spray paints	1	0.00
	506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	3	0.01

	601 = LSD ("acid," "white lightning")	3	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	6	0.02
	801 = OTHER Drugs, NOT SPECIFIED	3	0.01
	803 = Marijuana	86	0.26
	805 = Cocaine, Coke	78	0.24
	806 = Crack	13	0.04
	807 = Alcohol	1082	3.32
	812 = Cigars	2	0.01
	813 = Cigarettes, tobacco not specified	177	0.54
	816 = Smokeless tobacco, snuff, chewing tobacc	2	0.01
	830 = Mad Bull	1	0.00
	998 = BLANK (NO ANSWER)	260	0.80
	999 = LEGITIMATE SKIP	30849	94.65
IRARG2	3 2ND DRUG CAUSING ARGUMENTS (L.I. ARGDRG2A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	209 = Xanax	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
	301 = Dexedrine	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	3	0.01
	407 = Demerol	1	0.00
	415 = Codeine	1	0.00
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	609 = Jimson "sic" weed	1	0.00
	702 = Heroin	5	0.02
	801 = OTHER Drugs, NOT SPECIFIED	3	0.01
	803 = Marijuana	40	0.12
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	27	0.08
	806 = Crack	2	0.01
	807 = Alcohol	45	0.14
	813 = Cigarettes, tobacco not specified	11	0.03
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32445	99.54
IRARG3	3 3RD DRUG CAUSING ARGUMENTS (L.I. ARGDRG3A)		
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	601 = LSD ("acid," "white lightning")	2	0.01
	607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	6	0.02

		805 = Cocaine, Coke	4	0.01
		807 = Alcohol	5	0.02
		813 = Cigarettes, tobacco not specified	4	0.01
		999 = LEGITIMATE SKIP	32567	99.92
IRARG4	3	4TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
		355 = Crystal meth	2	0.01
		803 = Marijuana	2	0.01
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	1	0.00
		814 = Caffeine	1	0.00
		999 = LEGITIMATE SKIP	32584	99.97
IRARG5	3	5TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG5A)		
		702 = Heroin	1	0.00
		999 = LEGITIMATE SKIP	32593	100.00
IRALN	2	FELT ALONE PST YR DUE TO DRUGS (L.I. DRALONE)		
		1 = Yes	890	2.73
		2 = No	25240	77.44
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRALN1	3	1ST DRUG CAUSING FEELING ALONE (L.I. ALNDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
		201 = Valium	1	0.00
		207 = Ativan	1	0.00
		211 = Buspar	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	12	0.04
		335 = Dexatrim	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		406 = Percodan, Oxycodone	1	0.00
		415 = Codeine	2	0.01
		423 = Percocet	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	12	0.04
		603 = Mescaline	2	0.01
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		606 = "Ecstasy" (MDMA), X-TC	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01

	702 = Heroin	8	0.02
	704 = Dope	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	1	0.00
	803 = Marijuana	73	0.22
	805 = Cocaine, Coke	66	0.20
	806 = Crack	13	0.04
	807 = Alcohol	433	1.33
	808 = All of the ones I've tried	1	0.00
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	64	0.20
	816 = Smokeless tobacco, snuff, chewing tobacc	1	0.00
	830 = Mad Bull	1	0.00
	998 = BLANK (NO ANSWER)	180	0.55
	999 = LEGITIMATE SKIP	31704	97.27
IRALN2	3 2ND DRUG CAUSING FEELING ALONE (L.I. ALNDRG2A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	209 = Xanax	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	407 = Demerol	1	0.00
	601 = LSD ("acid," "white lightning")	4	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	3	0.01
	803 = Marijuana	28	0.09
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	25	0.08
	806 = Crack	4	0.01
	807 = Alcohol	28	0.09
	813 = Cigarettes, tobacco not specified	7	0.02
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32487	99.67
IRALN3	3 3RD DRUG CAUSING FEELING ALONE (L.I. ALNDRG3A)		
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	4	0.01
	805 = Cocaine, Coke	2	0.01
	806 = Crack	1	0.00
	807 = Alcohol	5	0.02
	999 = LEGITIMATE SKIP	32577	99.95
IRALN4	3 4TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG4A)		
	322 = Methamphetamine ("speed" or "ice" or		

	"crank")	1	0.00
	803 = Marijuana	1	0.00
	805 = Cocaine, Coke	1	0.00
	807 = Alcohol	1	0.00
	814 = Caffeine	1	0.00
	999 = LEGITIMATE SKIP	32589	99.98
IRALN5	3 5TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG5A)		
	702 = Heroin	1	0.00
	999 = LEGITIMATE SKIP	32593	100.00
IRANX	2 FELT ANXIOUS PST YR DUE TO DRUGS (L.I. DRANX)		
	1 = Yes	1549	4.75
	2 = No	24581	75.42
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRANX1	3 1ST DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRGLA)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
	201 = Valium	1	0.00
	202 = Librium	1	0.00
	207 = Ativan	1	0.00
	209 = Xanax	2	0.01
	221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.01
	301 = Dexedrine	1	0.00
	313 = Fastin, Phentermine	2	0.01
	322 = Methamphetamine ("speed" or "ice" or "crank")	17	0.05
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	9	0.03
	326 = White cross	1	0.00
	328 = Pink hearts	1	0.00
	332 = Ephedrine	1	0.00
	335 = Dexatrim	1	0.00
	336 = Diet pills	2	0.01
	339 = Amphetamines (speed generically)	18	0.06
	348 = Crystal	1	0.00
	357 = Heart-shaped black pills	1	0.00
	358 = 20/20	1	0.00
	360 = Rainbow speed	3	0.01
	364 = Sudafed, Sinutab	1	0.00
	406 = Percodan, Oxycodone	1	0.00
	407 = Demerol	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	2	0.01
	420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
	435 = Tylenol <OTC>	1	0.00
	501 = Gasoline or lighter fluids	2	0.01
	510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	31	0.10
	604 = Psilocybin (mushrooms)	1	0.00

606 = "Ecstasy" (MDMA), X-TC	2	0.01
607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.01
609 = Jimson (sic) weed	1	0.00
702 = Heroin	6	0.02
704 = Dope	1	0.00
801 = OTHER Drugs, NOT SPECIFIED	2	0.01
803 = Marijuana	145	0.44
805 = Cocaine, Coke	155	0.48
806 = Crack	20	0.06
807 = Alcohol	436	1.34
812 = Cigars	2	0.01
813 = Cigarettes, tobacco not specified	402	1.23
814 = Caffeine	8	0.02
815 = Coffee	2	0.01
816 = Smokeless tobacco, snuff, chewing tobacco	9	0.03
818 = Nicotine	3	0.01
829 = Robitussin DM	1	0.00
998 = BLANK (NO ANSWER)	239	0.73
999 = LEGITIMATE SKIP	31045	95.25
IRANX2 3 2ND DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG2A)		
209 = Xanax	1	0.00
312 = Ionamin	1	0.00
322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
326 = White cross	1	0.00
333 = 357 Magnum, Magnum 44	1	0.00
339 = Amphetamines (speed generically)	7	0.02
407 = Demerol	1	0.00
415 = Codeine	1	0.00
506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
601 = LSD ("acid," "white lightning")	5	0.02
605 = PCP ("angel dust," phencyclidine)	2	0.01
606 = "Ecastasy" (MDMA), X-TC	2	0.01
702 = Heroin	4	0.01
803 = Marijuana	28	0.09
804 = Hashish	1	0.00
805 = Cocaine, Coke	24	0.07
806 = Crack	3	0.01
807 = Alcohol	35	0.11
813 = Cigarettes, tobacco not specified	15	0.05
814 = Caffeine	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
818 = Nicotine	1	0.00
999 = LEGITIMATE SKIP	32452	99.56
IRANX3 3 3RD DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG3A)		

	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	355 = Crystal meth	1	0.00
	420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	604 = Psilocybin (mushrooms)	1	0.00
	606 = "Ecstasy" (MDMA), X-TC	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	2	0.01
	805 = Cocaine, Coke	2	0.01
	807 = Alcohol	3	0.01
	813 = Cigarettes, tobacco not specified	2	0.01
	999 = LEGITIMATE SKIP	32576	99.94
IRANX4	3 4TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG4A)		
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	603 = Mescaline	1	0.00
	604 = Psilocybin (mushrooms)	1	0.00
	803 = Marijuana	1	0.00
	806 = Crack	1	0.00
	813 = Cigarettes, tobacco not specified	1	0.00
	814 = Caffeine	1	0.00
	999 = LEGITIMATE SKIP	32586	99.98
IRANX5	3 5TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG5A)		
	702 = Heroin	1	0.00
	703 = Opium	1	0.00
	999 = LEGITIMATE SKIP	32592	99.99
IRHLT	2 HEALTH PROBS PST YR DUE TO DRUGS (L.I. DRHEALTH)		
	1 = Yes	985	3.02
	2 = No	25145	77.15
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRHLT1	3 1ST DRUG CAUSING HEALTH PROBLEMS (L.I. HLTD RG1A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	123 = Unisom <OTC>	1	0.00
	201 = Valium	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.02
	333 = 357 Magnum, Magnum 44	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	348 = Crystal	1	0.00

	355 = Crystal meth	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	1	0.00
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	3	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	702 = Heroin	4	0.01
	801 = OTHER Drugs, NOT SPECIFIED	2	0.01
	803 = Marijuana	32	0.10
	805 = Cocaine, Coke	32	0.10
	806 = Crack	6	0.02
	807 = Alcohol	170	0.52
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	487	1.49
	815 = Coffee	1	0.00
	816 = Smokeless tobacco, snuff, chewing tobacco	5	0.02
	818 = Nicotine	1	0.00
	998 = BLANK (NO ANSWER)	221	0.68
	999 = LEGITIMATE SKIP	31609	96.98
IRHLT2	3 2ND DRUG CAUSING HEALTH PROBLEMS (L.I. HLTD RG2A)		
	339 = Amphetamines (speed generically)	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	702 = Heroin	3	0.01
	803 = Marijuana	11	0.03
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	12	0.04
	807 = Alcohol	29	0.09
	813 = Cigarettes, tobacco not specified	13	0.04
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32521	99.78
IRHLT3	3 3RD DRUG CAUSING HEALTH PROBLEMS (L.I. HLTD RG3A)		
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	803 = Marijuana	2	0.01
	805 = Cocaine, Coke	3	0.01
	807 = Alcohol	6	0.02
	813 = Cigarettes, tobacco not specified	2	0.01
	999 = LEGITIMATE SKIP	32578	99.95
IRHLT4	3 4TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTD RG4A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00

	601 = LSD ("acid," "white lightning")	1	0.00
	803 = Marijuana	1	0.00
	814 = Caffeine	1	0.00
	999 = LEGITIMATE SKIP	32589	99.98
IRHLT5	3 5TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG5A)		
	999 = LEGITIMATE SKIP	32594	100.00
IRNTK	2 DFF THNKNK CLR PST YR DUE TO DRUGS (L.I. DRNTHINK)		
	1 = Yes	2150	6.60
	2 = No	23980	73.57
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRNTK1	3 1ST DRUG CAUSNG DFFCLTY THNKNK CLR (L.I. NTKDRG1A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
	142 = Belladonna	1	0.00
	203 = Limbitrol	1	0.00
	209 = Xanax	1	0.00
	228 = Amitriptyline	1	0.00
	241 = Prozac	1	0.00
	313 = Fastin, Phentermine	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	11	0.03
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	339 = Amphetamines (speed generically)	4	0.01
	348 = Crystal	1	0.00
	360 = Rainbow speed	1	0.00
	401 = Darvon	1	0.00
	406 = Percodan, Oxycodone	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	3	0.01
	415 = Codeine	2	0.01
	422 = Motrin	1	0.00
	423 = Percocet	1	0.00
	462 = Norflex	1	0.00
	502 = Spray paints	2	0.01
	504 = Shoeshine lqd, glue/toluene; Super Glue; Rubber cemen	1	0.00
	508 = Nitrous oxide, "whippets," dentist gas .	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
	601 = LSD ("acid," "white lightning")	25	0.08
	604 = Psilocybin (mushrooms)	1	0.00
	605 = PCP ("angel dust," phencyclidine)	2	0.01
	606 = "Ecstasy" (MDMA), X-TC	1	0.00
	609 = Jimson "sich" weed	2	0.01
	702 = Heroin	4	0.01
	704 = Dope	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	2	0.01
	803 = Marijuana	291	0.89

	805 = Cocaine, Coke	57	0.17
	806 = Crack	14	0.04
	807 = Alcohol	1393	4.27
	808 = All of the ones I've tried	1	0.00
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	56	0.17
	814 = Caffeine	1	0.00
	816 = Smokeless tobacco, snuff, chewing tobacco	4	0.01
	830 = Mad Bull	1	0.00
	998 = BLANK (NO ANSWER)	251	0.77
	999 = LEGITIMATE SKIP	30444	93.40
IRNTK2	3 2ND DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG2A)		
	201 = Valium	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	247 = Sinequan	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	339 = Amphetamines (speed generically)	4	0.01
	360 = Rainbow speed	1	0.00
	407 = Demerol	1	0.00
	502 = Spray paints	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
	601 = LSD ("acid," "white lightning")	11	0.03
	604 = Psilocybin (mushrooms)	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	5	0.02
	702 = Heroin	3	0.01
	803 = Marijuana	104	0.32
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	23	0.07
	806 = Crack	2	0.01
	807 = Alcohol	64	0.20
	813 = Cigarettes, tobacco not specified	7	0.02
	818 = Nicotine	2	0.01
	999 = LEGITIMATE SKIP	32354	99.26
IRNTK3	3 3RD DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG3A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	4	0.01
	355 = Crystal meth	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	6	0.02
	604 = Psilocybin (mushrooms)	1	0.00
	803 = Marijuana	9	0.03
	805 = Cocaine, Coke	6	0.02

	807 = Alcohol	7	0.02
	813 = Cigarettes, tobacco not specified	2	0.01
	999 = LEGITIMATE SKIP	32555	99.88
IRNTK4	3 4TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG4A)		
	601 = LSD ("acid," "white lightning")	1	0.00
	604 = Psilocybin (mushrooms)	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	1	0.00
	802 = THC, Cannabinol	1	0.00
	803 = Marijuana	2	0.01
	999 = LEGITIMATE SKIP	32587	99.98
IRNTK5	3 5TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG5A)		
	503 = Other aerosol sprays	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	1	0.00
	999 = LEGITIMATE SKIP	32591	99.99
IRUPS	2 FELT UPSET PST YR DUE TO DRUGS (L.I. DRUPSET)		
	1 = Yes	1485	4.56
	2 = No	24645	75.61
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRUPS1	3 1ST DRUG CAUSING FEELING UPSET (L.I. UPSDRG1A)		
	118 = Pentobarbital, Pentothal, Sodium Pentothal	1	0.00
	203 = Limbitrol	1	0.00
	209 = Xanax	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
	301 = Dexedrine	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	13	0.04
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	335 = Dexatrim	1	0.00
	339 = Amphetamines (speed generically)	7	0.02
	348 = Crystal	1	0.00
	360 = Rainbow speed	1	0.00
	406 = Percodan, Oxycodone	1	0.00
	415 = Codeine	2	0.01
	601 = LSD ("acid," "white lightning")	5	0.02
	603 = Mescaline	1	0.00
	605 = PCP ("angel dust," phencyclidine)	2	0.01
	606 = "Ecstasy" (MDMA), X-TC	1	0.00
	702 = Heroin	7	0.02
	704 = Dope	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	3	0.01

	803 = Marijuana	71	0.22
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	86	0.26
	806 = Crack	12	0.04
	807 = Alcohol	754	2.31
	808 = All of the ones I've tried	1	0.00
	809 = Pills	1	0.00
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	244	0.75
	814 = Caffeine	1	0.00
	816 = Smokeless tobacco, snuff, chewing tobacco	5	0.02
	818 = Nicotine	1	0.00
	830 = Mad Bull	1	0.00
	998 = BLANK (NO ANSWER)	253	0.78
	999 = LEGITIMATE SKIP	31109	95.44
IRUPS2	3 2ND DRUG CAUSING FEELING UPSET (L.I. UPSDRG2A)		
	209 = Xanax	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
	336 = Diet pills	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	407 = Demerol	1	0.00
	502 = Spray paints	1	0.00
	601 = LSD ("acid," "white lightning")	2	0.01
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	702 = Heroin	2	0.01
	803 = Marijuana	34	0.10
	805 = Cocaine, Coke	17	0.05
	806 = Crack	3	0.01
	807 = Alcohol	36	0.11
	813 = Cigarettes, tobacco not specified	15	0.05
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32473	99.63
IRUPS3	3 3RD DRUG CAUSING FEELING UPSET (L.I. UPSDRG3A)		
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	355 = Crystal meth	1	0.00
	506 = Amyl nitrite, "poppers," lock. rm odorizer, "Rush"	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	803 = Marijuana	5	0.02
	806 = Crack	1	0.00
	807 = Alcohol	3	0.01
	813 = Cigarettes, tobacco not specified	1	0.00

	999 = LEGITIMATE SKIP	32577	99.95
IRUPS4	3 4TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG4A)		
	503 = Other aerosol sprays	1	0.00
	803 = Marijuana	1	0.00
	805 = Cocaine, Coke	1	0.00
	999 = LEGITIMATE SKIP	32591	99.99
IRUPS5	3 5TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG5A)		
	999 = LEGITIMATE SKIP	32594	100.00
IRLSW	2 DID LESS WORK PST YR DUE TO DRUGS (L.I. DRLSWORK)		
	1 = Yes	923	2.83
	2 = No	25207	77.34
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRLSW1	3 1ST DRUG CAUSING LESS WORK DONE (L.I. LSWDRG1A)		
	111 = Dalmane	1	0.00
	142 = Belladonna	1	0.00
	211 = Buspar	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
	335 = Dexatrim	1	0.00
	339 = Amphetamines (speed generically)	2	0.01
	348 = Crystal	1	0.00
	355 = Crystal meth	1	0.00
	360 = Rainbow speed	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	3	0.01
	415 = Codeine	2	0.01
	420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
	422 = Motrin	2	0.01
	423 = Percocet	1	0.00
	435 = Tylenol <OTC>	1	0.00
	510 = OTHER Inhalant, NOT SPECIFIED	4	0.01
	601 = LSD ("acid," "white lightning")	6	0.02
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	609 = Jimson ("sic) weed	1	0.00
	702 = Heroin	5	0.02
	704 = Dope	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	4	0.01
	803 = Marijuana	145	0.44
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	42	0.13
	806 = Crack	11	0.03
	807 = Alcohol	462	1.42
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	60	0.18

		814 = Caffeine	2	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		818 = Nicotine	1	0.00
		998 = BLANK (NO ANSWER)	149	0.46
		999 = LEGITIMATE SKIP	31671	97.17
IRLSW2	3	2ND DRUG CAUSING LESS WORK DONE (L.I. LSWDRG2A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		360 = Rainbow speed	1	0.00
		524 = White-Out	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		702 = Heroin	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	33	0.10
		805 = Cocaine, Coke	16	0.05
		806 = Crack	1	0.00
		807 = Alcohol	32	0.10
		813 = Cigarettes, tobacco not specified	4	0.01
		818 = Nicotine	1	0.00
		999 = LEGITIMATE SKIP	32500	99.71
IRLSW3	3	3RD DRUG CAUSING LESS WORK DONE (L.I. LSWDRG3A)		
		322 = Methamphetamine (,"speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		355 = Crystal meth	1	0.00
		503 = Other aerosol sprays	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		803 = Marijuana	3	0.01
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	32581	99.96
IRLSW4	3	4TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG4A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		999 = LEGITIMATE SKIP	32592	99.99
IRLSW5	3	5TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG5A)		
		601 = LSD ("acid," "white lightning")	1	0.00
		999 = LEGITIMATE SKIP	32593	100.00

IRSSP	2	FLT SUSPICIOUS PST YR DUE TO DRUGS (L.I. DRSUSPIC)		
	1	= Yes	792	2.43
	2	= No	25338	77.74
	99	= LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRSSP1	3	1ST DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG1A)		
	120	= OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	207	= Ativan	1	0.00
	211	= Buspar	1	0.00
	322	= Methamphetamine ("speed" or "ice" or "crank")	11	0.03
	324	= OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
	335	= Dexatrim	1	0.00
	339	= Amphetamines (speed generically)	8	0.02
	348	= Crystal	1	0.00
	360	= Rainbow speed	1	0.00
	371	= Cogentin	1	0.00
	415	= Codeine	1	0.00
	510	= OTHER Inhalant, NOT SPECIFIED	1	0.00
	601	= LSD ("acid," "white lightning")	22	0.07
	603	= Mescaline	1	0.00
	605	= PCP ("angel dust," phencyclidine)	1	0.00
	607	= OTHER Hallucinogen, NOT SPECIFIED	3	0.01
	609	= Jimson (sic) weed	1	0.00
	702	= Heroin	4	0.01
	704	= Dope	1	0.00
	801	= OTHER Drugs, NOT SPECIFIED	2	0.01
	803	= Marijuana	122	0.37
	804	= Hashish	1	0.00
	805	= Cocaine, Coke	93	0.29
	806	= Crack	15	0.05
	807	= Alcohol	281	0.86
	812	= Cigars	1	0.00
	813	= Cigarettes, tobacco not specified	31	0.10
	814	= Caffeine	1	0.00
	816	= Smokeless tobacco, snuff, chewing tobacco	1	0.00
	818	= Nicotine	1	0.00
	830	= Mad Bull	1	0.00
	998	= BLANK (NO ANSWER)	180	0.55
	999	= LEGITIMATE SKIP	31802	97.57
IRSSP2	3	2ND DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG2A)		
	131	= Haldol	1	0.00
	247	= Sinequan	1	0.00
	322	= Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	324	= OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	339	= Amphetamines (speed generically)	3	0.01
	601	= LSD ("acid," "white lightning")	4	0.01

	604 = Psilocybin (mushrooms)	2	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	609 = Jimson ("sic") weed	1	0.00
	702 = Heroin	2	0.01
	803 = Marijuana	29	0.09
	805 = Cocaine, Coke	16	0.05
	806 = Crack	2	0.01
	807 = Alcohol	28	0.09
	813 = Cigarettes, tobacco not specified	1	0.00
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32499	99.71
IRSSP3	3 3RD DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG3A)		
	339 = Amphetamines (speed generically)	1	0.00
	355 = Crystal meth	1	0.00
	601 = LSD ("acid," "white lightning")	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	2	0.01
	806 = Crack	1	0.00
	807 = Alcohol	1	0.00
	999 = LEGITIMATE SKIP	32584	99.97
IRSSP4	3 4TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG4A)		
	807 = Alcohol	1	0.00
	999 = LEGITIMATE SKIP	32593	100.00
IRSSP5	3 5TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG5A)		
	999 = LEGITIMATE SKIP	32594	100.00
IRCPE	2 PRB HARD TO HNDL PST YR DUE TO DRUGS (L.I. DRCOPE)		
	1 = Yes	777	2.38
	2 = No	25353	77.78
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IRCPE1	3 1ST DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG1A)		
	201 = Valium	1	0.00
	207 = Ativan	1	0.00
	211 = Buspar	1	0.00
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	11	0.03
	335 = Dexatrim	1	0.00
	339 = Amphetamines (speed generically)	4	0.01
	348 = Crystal	1	0.00
	355 = Crystal meth	1	0.00
	360 = Rainbow speed	1	0.00

	406 = Percodan, Oxycodone	1	0.00
	409 = Tylenol with Codeine, Tylenol 3	1	0.00
	415 = Codeine	1	0.00
	420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
	423 = Percocet	1	0.00
	502 = Spray paints	1	0.00
	601 = LSD ("acid," "white lightning")	7	0.02
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	609 = Jimson (sic) weed	1	0.00
	702 = Heroin	10	0.03
	704 = Dope	1	0.00
	801 = OTHER Drugs, NOT SPECIFIED	1	0.00
	803 = Marijuana	57	0.17
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	63	0.19
	806 = Crack	14	0.04
	807 = Alcohol	369	1.13
	812 = Cigars	1	0.00
	813 = Cigarettes, tobacco not specified	57	0.17
	814 = Caffeine	1	0.00
	816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
	998 = BLANK (NO ANSWER)	161	0.49
	999 = LEGITIMATE SKIP	31817	97.62
IRCPE2	3 2ND DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG2A)		
	120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
	201 = Valium	1	0.00
	324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
	339 = Amphetamines (speed generically)	3	0.01
	407 = Demerol	1	0.00
	502 = Spray paints	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
	702 = Heroin	2	0.01
	803 = Marijuana	26	0.08
	805 = Cocaine, Coke	19	0.06
	806 = Crack	2	0.01
	807 = Alcohol	36	0.11
	813 = Cigarettes, tobacco not specified	2	0.01
	818 = Nicotine	1	0.00
	999 = LEGITIMATE SKIP	32495	99.70
IRCPE3	3 3RD DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG3A)		
	221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
	229 = Librax	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
	339 = Amphetamines (speed generically)	2	0.01

	355 = Crystal meth	1	0.00
	360 = Rainbow speed	1	0.00
	701 = OTHER Opiates, NOT SPECIFIED	1	0.00
	702 = Heroin	1	0.00
	802 = THC, Cannabinol	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	2	0.01
	806 = Crack	1	0.00
	807 = Alcohol	2	0.01
	813 = Cigarettes, tobacco not specified	1	0.00
	999 = LEGITIMATE SKIP	32575	99.94
IRCPE4	3 4TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG4A)		
	209 = Xanax	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	803 = Marijuana	3	0.01
	805 = Cocaine, Coke	1	0.00
	999 = LEGITIMATE SKIP	32588	99.98
IRCPE5	3 5TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG5A)		
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	2	0.01
	999 = LEGITIMATE SKIP	32591	99.99
IREMG	2 EMERG MED HELP PST YR DUE TO DRUGS (L.I. DREMGMED)		
	1 = Yes	209	0.64
	2 = No	25921	79.53
	99 = LEGITIMATE SKIP (IRAS13 = 1)	6464	19.83
IREMG1	3 1ST DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG1A)		
	201 = Valium	1	0.00
	322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
	335 = Dexatrim	1	0.00
	339 = Amphetamines (speed generically)	1	0.00
	348 = Crystal	1	0.00
	420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
	601 = LSD ("acid," "white lightning")	3	0.01
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	615 = Homemade drugs	1	0.00
	702 = Heroin	4	0.01
	801 = OTHER Drugs, NOT SPECIFIED	2	0.01
	803 = Marijuana	7	0.02
	804 = Hashish	1	0.00
	805 = Cocaine, Coke	16	0.05
	806 = Crack	4	0.01
	807 = Alcohol	73	0.22

	813 = Cigarettes, tobacco not specified	27	0.08
	818 = Nicotine	1	0.00
	998 = BLANK (NO ANSWER)	61	0.19
	999 = LEGITIMATE SKIP	32385	99.36
IREMG2	3 2ND DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG2A)		
	339 = Amphetamines (speed generically)	1	0.00
	430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
	605 = PCP ("angel dust," phencyclidine)	1	0.00
	702 = Heroin	1	0.00
	803 = Marijuana	1	0.00
	805 = Cocaine, Coke	8	0.02
	806 = Crack	1	0.00
	807 = Alcohol	7	0.02
	809 = Pills	1	0.00
	999 = LEGITIMATE SKIP	32572	99.93
IREMG3	3 3RD DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG3A)		
	601 = LSD ("acid," "white lightning")	1	0.00
	999 = LEGITIMATE SKIP	32593	100.00
IREMG4	3 4TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG4A)		
	999 = LEGITIMATE SKIP	32594	100.00
IREMG5	3 5TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG5A)		
	999 = LEGITIMATE SKIP	32594	100.00
<p>The logically imputed gate questions (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG) for the drug problems, answer sheet #14, were used to obtain a count of the number of problems experienced. Indicator variables were then created which indicated whether the respondent had experienced any of the 11 problems (ANYPROB), two or more of the 11 problems (TWOPROB), and three or more of the 11 problems (THREPROB). For a discussion of the structure and logical imputation of the data for answer sheet #14, refer to Drug Problems - Answer Sheet #14 - Logically Imputed.</p>			
ANYPROB	1 ANY OF THE 11 PROBS ON DRUG SHEET #14		
	0 = No	27883	85.55
	1 = Yes	4711	14.45
TWOPROB	1 TWO OR MORE OF THE 11 PROBS ON DRUG SHEET #14		
	0 = No	29846	91.57

	1 = Yes	2748	8.43
THREPROB	1 THREE OR MORE OF THE 11 PROBS ON DRUG SHEET #14		
	0 = No	30823	94.57
	1 = Yes	1771	5.43

LABEL	LEN DESCRIPTION	FREQ	%
-----	---	----	-

DRUG PROBLEMS--ANSWER SHEET #14--RECODED

The logically imputed data for the gate questions (IRDEP, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG) and subquestions (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5 and IREMG1-IREMG5) for the drug problems, answer sheet # 14, were recoded to create variables which indicated past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCOC2, ANXCOC2, HLTCOC2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year. The procedure was as follows for cigarette use: Past year users of cigarettes who indicated having the problem, and who attributed the problem to past year use of cigarettes (subquestion response=813) were given a positive response to the recoded variable. Past year users of cigarettes who indicated having the problem, but attributed the problem to a substance other than cigarettes, or who indicated not having the problem were given a negative response to the recoded variable. The recoded variable was coded to the SAS missing code (.) for non-users in the past year of cigarettes. For cigarettes, this procedure was repeated for each problem. In addition, this entire process was repeated for alcohol (subquestion response=807) marijuana (subquestion response=803) and cocaine (subquestion response=805 or 806), respectively. For a discussion of the structure and logical imputation of the data for answer sheet#14, refer to Drug Problems - Answer Sheet #14 - Logically Imputed.

ALNALC2	1 FELT ALONE PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20130	61.76
	1 = Yes	449	1.38
ALNCIG2	1 FELT ALONE PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9701	29.76
	1 = Yes	64	0.20

ALNCOC2	1 FELT ALONE PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1185	3.64
	1 = Yes	94	0.29
ALNMRJ2	1 FELT ALONE PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3940	12.09
	1 = Yes	90	0.28
ANXALC2	1 FELT NERVOUS PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20124	61.74
	1 = Yes	455	1.40
ANXCIG2	1 FELT NERVOUS PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9365	28.73
	1 = Yes	400	1.23
ANXCOC2	1 FELT NERVOUS PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1105	3.39
	1 = Yes	174	0.53
ANXMRJ2	1 FELT NERVOUS PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3880	11.90
	1 = Yes	150	0.46
ARGALC2	1 HAD ARGUMNTS PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	19477	59.76
	1 = Yes	1102	3.38
ARGCIG2	1 HAD ARGUMNTS PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9583	29.40
	1 = Yes	182	0.56
ARGCOC2	1 HAD ARGUMNTS PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1170	3.59

	1 = Yes	109	0.33
ARGMRJ2	1 HAD ARGUMNTS PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3912	12.00
	1 = Yes	118	0.36
CPEALC2	1 PROB HARD TO HANDLE DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20186	61.93
	1 = Yes	393	1.21
CPECIG2	1 PROB HARD TO HANDLE DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9709	29.79
	1 = Yes	56	0.17
CPECOC2	1 PROB HARD TO HANDLE DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1192	3.66
	1 = Yes	87	0.27
CPEMRJ2	1 PROB HARD TO HANDLE DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3955	12.13
	1 = Yes	75	0.23
DEPALC2	1 BECAME DEPRESSED PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	19842	60.88
	1 = Yes	737	2.26
DEPCIG2	1 BECAME DEPRESSED PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9603	29.46
	1 = Yes	162	0.50
DEPCOC2	1 BECAME DEPRESSED PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1141	3.50
	1 = Yes	138	0.42

DEPMRJ2	1 BECAME DEPRESSED PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3853	11.82
	1 = Yes	177	0.54
EMALC2	1 EMERG NED HELP PST YR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20504	62.91
	1 = Yes	75	0.23
EMCIG2	1 EMERG MED HELP PST YR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9742	29.89
	1 = Yes	23	0.07
EMCOC2	1 EMERG MED HELP PST YR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1253	3.84
	1 = Yes	26	0.08
EMMRJ2	1 EMERG MED HELP PST YR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	4023	12.34
	1 = Yes	7	0.02
HLTALC2	1 HEALTH PROBS PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20396	62.58
	1 = Yes	183	0.56
HLTCIG2	1 HEALTH PROBS PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9305	28.55
	1 = Yes	460	1.41
HLTCOC2	1 HEALTH PROBS PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1234	3.79
	1 = Yes	45	0.14
HLTMRJ2	1 HEALTH PROBS PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3996	12.26

	1 = Yes	34	0.10
LSWALC2	1 LESS WRK SCH/JOB PST YR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20092	61.64
	1 = Yes	487	1.49
LSWCIG2	1 LESS WRK SCH/JOB PST YR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9706	29.78
	1 = Yes	59	0.18
LSWCOC2	1 LESS WRK SCH/JOB PST YR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1216	3.73
	1 = Yes	63	0.19
LSWMRJ2	1 LESS WRK SCH/JOB PST YR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3862	11.85
	1 = Yes	168	0.52
NTKALC2	1 DIFF THNKNG CLEARLY PST YR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	19142	58.73
	1 = Yes	1437	4.41
NTKCIG2	1 DIFF THNKNG CLEARLY PST YR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9707	29.78
	1 = Yes	58	0.18
NTKCOC2	1 DIFF THNKNG CLEARLY PST YR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1192	3.66
	1 = Yes	87	0.27
NTKMRJ2	1 DIFF THNKNG CLEARLY PST YR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3666	11.25
	1 = Yes	364	1.12

SSPALC2	1 FELT SUSPICIOUS PST YR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	20278	62.21
	1 = Yes	301	0.92
SSPCIG2	1 FELT SUSPICIOUS PST YR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9740	29.88
	1 = Yes	25	0.08
SSPCOC2	1 FELT SUSPICIOUS PST YR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1165	3.57
	1 = Yes	114	0.35
SSPMRJ2	1 FELT SUSPICIOUS PST YR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3891	11.94
	1 = Yes	139	0.43
UPSALC2	1 FELT UPSET PAST YEAR DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	19805	60.76
	1 = Yes	774	2.37
UPSCIG2	1 FELT UPSET PAST YEAR DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	9520	29.21
	1 = Yes	245	0.75
UPSCOC2	1 FELT UPSET PAST YEAR DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1178	3.61
	1 = Yes	101	0.31
UPSMRJ2	1 FELT UPSET PAST YEAR DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3934	12.07
	1 = Yes	96	0.29

The logically imputed recoded data for the drug problems, answer sheet #14, which indicate past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2,

ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCOC2, ANXCOC2, HLTCCOC2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year were used to obtain counts of the problems attributed to each of the four substances. Indicator variables were then created for past year users of cigarettes, alcohol, marijuana and cocaine, which indicated that any of the problems experienced were attributed to the substance in question (PRB1CIG, PRB1ALC, PRB1MRJ and PRB1COC), that two or more of the problems indicated were attributed to the substance in question (PRB2CIG, PRB2ALC, PRB2MRJ and PRB2COC), and that three or more of the problems indicated were attributed to the substance in question (PRB3CIG, PRB3ALC, PRB3MRJ and PRB3COC). For a discussion of the development of the variables indicating past year problems associated with cigarettes, alcohol, marijuana and cocaine use in the past year, refer to Drug Problems - Answer Sheet #14 - Recoded.

PRB1ALC	1 ALC USER WITH 1 OR MORE PROBS DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	17943	55.05
	1 = Yes	2636	8.09
PRB1CIG	1 CIG USER WITH 1 OR MORE PROBS DUE TO CIG		
	. = Did not use cigarettes in the past year	22829	70.04
	0 = No	8809	27.03
	1 = Yes	956	2.93
PRB1COC	1 COC USER WITH 1 OR MORE PROBS DUE TO COC		
	. = Did not use cocaine in the past year ...	31315	96.08
	0 = No	1012	3.10
	1 = Yes	267	0.82
PRB1MRJ	1 MRJ USER WITH 1 OR MORE PROBS DUE TO MRJ		
	. = Did not use marijuana in the past year .	28564	87.64
	0 = No	3409	10.46
	1 = Yes	621	1.91
PRB2ALC	1 ALC USER WITH 2 OR MORE PROBS DUE TO ALC		
	. = Did not use alcohol in the past year ...	12015	36.86
	0 = No	19155	58.77
	1 = Yes	1424	4.37
PRB2CIG	1 CIG USER WITH 2 OR MORE PROBS DUE TO CIG		

		. = Did not use cigarettes in the past year	22829	70.04
		0 = No	9378	28.77
		1 = Yes	387	1.19
PRB2COC	1	COC USER WITH 2 OR MORE PROBS DUE TO COC		
		. = Did not use cocaine in the past year ...	31315	96.08
		0 = No	1093	3.35
		1 = Yes	186	0.57
PRB2MRJ	1	MRJ USER WITH 2 OR MORE PROBS DUE TO MRJ		
		. = Did not use marijuana in the past year .	28564	87.64
		0 = No	3697	11.34
		1 = Yes	333	1.02
PRB3ALC	1	ALC USER WITH 3 OR MORE PROBS DUE TO ALC		
		. = Did not use alcohol in the past year ...	12015	36.86
		0 = No	19710	60.47
		1 = Yes	869	2.67
PRB3CIG	1	CIG USER WITH 3 OR MORE PROBS DUE TO CIG		
		. = Did not use cigarettes in the past year	22829	70.04
		0 = No	9584	29.40
		1 = Yes	181	0.56
PRB3COC	1	COC USER WITH 3 OR MORE PROBS DUE TO COC		
		. = Did not use cocaine in the past year ...	31315	96.08
		0 = No	1132	3.47
		1 = Yes	147	0.45
PRB3MRJ	1	MRJ USER WITH 3 OR MORE PROBS DUE TO MRJ		
		. = Did not use marijuana in the past year .	28564	87.64
		0 = No	3843	11.79
		1 = Yes	187	0.57

LABEL	LEN DESCRIPTION	FREQ	%
-----	---	-----	-

DRUGS-ANSWER SHEET#11-LOGICALLY IMPUTED

The drugs answer sheet #1 1, which is included in appendix F, contains questions regarding symptoms of dependency. These questions ask whether each of six symptoms of dependency had been experienced in the past year for any of 15 choices: 12 specific substances, no used substance for these six questions, or did not use drugs in past 12 months. (Note: this differs from the 1988 and 1990 NHSDA instrumentation in that an additional symptom of dependency question has been added and an additional response choice concerning non drug usage has been added to each question.) All applicable responses were to be indicated.

The data for these six questions were then coded to appear as 78 variables which indicate for each of the choices, with the exception of did not use listed drugs in past 12 months or never used drugs, whether each of the six specific problems had been experienced. Of these 78 variables, 20 were of current analytical interest. These 20 variables indicate whether each of five symptoms of dependency had been experienced in the past year for alcohol, cigarettes, cocaine and marijuana (CDALC, CDCIG, CDCOC, CDMJ, EFFALC, EFFCIG, EFFCOC, EFFMJ, UDAYALC, UDAYCIG, UDAYCOC, UDAYMJ, DEPALC, DEPCIG, DEPCOC, DEPMJ, WSALC, WSCIG, WSCOC and WSMJ).

The data of current analytical interest were logically imputed as follows: If no use of cigarettes, alcohol or drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then the responses did not use any drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically assigned (83), bad data-logically assigned (85), never used any drugs (91) and blank (98), for the 20 variables of current analytical interest were logically revised to the legitimate skip code (IRCDALC, IRCDCIG, IRCDCOC, IRCDMJ, IRDPALC, IRDPCIG, IRDPCOC, IRDPMJ, IREFALC, IREFCIG, IREFCOC, IREFMJ, IRUDALC, IRUDCIG, IRUDCOC, IRUDMJ, IRWSALC, IRWSCIG, IRWSCOC and IRWSMJ=99).

If use of cigarettes, alcohol or other drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MMYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then each of the 20 variables of current interest was examined. Positive and negative responses were left as is. The did not use drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically

assigned (83), never used any drugs (91), don't know (94), refused (97) and blank data (98) responses were logically revised to the negative response (13): did not experience the symptom of dependency in question for any drug in the past year.

Note that the drugs answer sheet was edited slightly differently in 1991 than in previous years. For a discussion of the editing differences, refer to Drugs - Answer Sheet #1 1. While this editing difference changes the distribution of negative responses, it does not change the positive responses. Thus the resulting analyses from answer sheet #11 are comparable for all years, but the individual logically revised variables will not be strictly comparable between years.

IRCDALC	2 TRIED TO CUT DOWN ALC USE PST YR (L.I. CDALC)		
	1 = Yes	5191	15.93
	2 = No	8533	26.18
	13 = Did not try to cut down on any drug in past year	8542	26.21
	99 = LEGITIMATE SKIP	10328	31.69
IRCDCIG	2 TRIED TO CUT DOWN CIG USE PST YR (L.I. CDCIG)		
	1 = Yes	5849	17.95
	2 = No	7875	24.16
	13 = Did not try to cut down on any drug in past year	8542	26.21
	99 = LEGITIMATE SKIP	10328	31.69
IRCDCOC	2 TRIED TO CUT DOWN COC USE PST YR (L.I. CDCOC)		
	1 = Yes	408	1.25
	2 = No	13316	40.85
	13 = Did not try to cut down on any drug in past year	8542	26.21
	99 = LEGITIMATE SKIP	10328	31.69
IRCDMJ	2 TRIED TO CUT DOWN MRJ USE PST YR (L.I. CDMJ)		
	1 = Yes	1107	3.40
	2 = No	12617	38.71
	13 = Did not try to cut down on any drug in past year	8542	26.21
	99 = LEGITIMATE SKIP	10328	31.69
IREFALC	2 NEED MORE ALC SAME EFFECT PST YR (L.I. EFFALC)		
	1 = Yes	1484	4.55
	2 = No	6503	19.95
	13 = Did not need more of any drug used for		

	same effect	14279	43.81
	99 = LEGITIMATE SKIP	10328	31.69
IREFCIG	2 NEED MORE CIG SAME EFFECT PST YR (L.I. EFFCIG)		
	1 = Yes	1325	4.07
	2 = No	6662	20.44
	13 = Did not need more of any drug used for same effect	14279	43.81
	99 = LEGITIMATE SKIP	10328	31.69
IREFCOC	2 NEED MORE COC SAME EFFECT PST YR (L.I. EFFCOC)		
	1 = Yes	145	0.44
	2 = No	7842	24.06
	13 = Did not need more of any drug used for same effect	14279	43.81
	99 = LEGITIMATE SKIP	10328	31.69
IREFMJ	2 NEED MORE MRJ SAME EFFECT PST YR (L.I. EFFMJ)		
	1 = Yes	318	0.98
	2 = No	7669	23.53
	13 = Did not need more of any drug used for same effect	14279	43.81
	99 = LEGITIMATE SKIP	10328	31.69
IRUDALC	2 USED ALC DAILY 2+ WEEKS PST YR (L.I. UDAYALC)		
	1 = Yes	2064	6.33
	2 = No	10381	31.85
	13 = Did not use any drug daily in the past year	9821	30.13
	99 = LEGITIMATE SKIP	10328	31.69
IRUDCIG	2 USED CIG DAILY 2+ WEEKS PST YR (L.I. UDAYCIG)		
	1 = Yes	5979	18.34
	2 = No	6466	19.84
	13 = Did not use any drug daily in the past year	9821	30.13
	99 = LEGITIMATE SKIP	10328	31.69
IRUDCOC	2 USED COC DAILY 2+ WEEKS PST YR (L.I. UDAYCOC)		
	1 = Yes	107	0.33
	2 = No	12338	37.85
	13 = Did not use any drug daily in the past year	9821	30.13
	99 = LEGITIMATE SKIP	10328	31.69

IRUDMJ	2 USED MRJ DAILY 2+ WEEKS PST YR (L.I. UDAYMJ)		
	1 = Yes	527	1.62
	2 = No	11918	36.57
	13 = Did not use any drug daily in the past year	9821	30.13
	99 = LEGITIMATE SKIP	10328	31.69
IRDPALC	2 FELT DEPENDENT ON ALC PST YR (L.I. DEPALC)		
	1 = Yes	1300	3.99
	2 = No	9679	29.70
	13 = Did not feel like had to have any drug used past year	11287	34.63
	99 = LEGITIMATE SKIP	10328	31.69
IRDPCIG	2 FELT DEPENDENT ON CIG PST YR (L.I. DEPCIG)		
	1 = Yes	5125	15.72
	2 = No	5854	17.96
	13 = Did not feel like had to have any drug used pst yr	11287	34.63
	99 = LEGITIMATE SKIP	10328	31.69
IRDPCOC	2 FELT DEPENDENT ON COC PST YR (L.I. DEPCOC)		
	1 = Yes	128	0.39
	2 = No	10851	33.29
	13 = Did not feel like had to have any drug used pst yr	11287	34.63
	99 = LEGITIMATE SKIP	10328	31.69
IRDPMJ	2 FELT DEPENDENT ON MRJ PST YR (L.I. DEPMJ)		
	1 = Yes	339	1.04
	2 = No	10640	32.64
	13 = Did not feel like had to have any drug used pst yr	11287	34.63
	99 = LEGITIMATE SKIP	10328	31.69
IRWSALC	2 FELT SICK WHEN CUT DOWN ALC PST YR (L.I. WSALC)		
	1 = Yes	725	2.22
	2 = No	7368	22.63
	13 = Did not have withdrawal symptoms in the past year	14173	43.48
	99 = LEGITIMATE SKIP	10328	31.69
IRWSCIG	2 FELT SICK WHEN CUT DOWN CIG PST YR (L.I. WSCIG)		
	1 = Yes	2005	6.15
	2 = No	6088	18.68

	13 = Did not have withdrawal symptoms in the past year	14173	43.48
	99 = LEGITIMATE SKIP	10328	31.69
IRWSCOC	2 FELT SICK WHEN CUT DOWN COC PST YR (L.I. WSCOC)		
	1 = Yes	111	0.34
	2 = No	7982	24.49
	13 = Did not have withdrawal symptoms in the past year	14173	43.48
	99 = LEGITIMATE SKIP	10328	31.69
IRWSMJ	2 FELT SICK WHEN CUT DOWN MRJ PST YR (L.I. WSMJ)		
	1 = Yes	158	0.48
	2 = No	7935	24.34
	13 = Did not have withdrawal symptoms in the past year	14173	43.48
	99 = LEGITIMATE SKIP	10328	31.69

The logically imputed variables for drugs, answer sheet #11, which indicate past year symptoms of dependency with alcohol (IRCDALC, IRDPALC, IREFALC, IRUDALC and IRWSALC), cigarettes (IRDCIG, IRDPCIG, IREFCIG, IRUDCIG and IRWSCIG), cocaine (IRDCOC, IRDPCOC, IREFCOC, IRUDCOC and IRWSCOC), and marijuana (IRCDMJ, IRDPMJ, IREFMJ, IRUDMJ and IRWSMJ) were used to obtain counts of the symptoms of dependency associated with each of the four substances respectively. Indicator variables were then created for alcohol, cigarettes, cocaine and marijuana, respectively, which indicated whether any of the symptoms of dependency had been experienced for the substance in question (ALCPROBS, CIGPROBS, COCPROBS and MJPROBS). For a discussion of the structure and logical imputation of the data for answer sheet #11, refer to Drugs-Answer Sheet #11-Logically Imputed.

ALCPROBS	1 ANY PROBS DUE TO ALCOHOL		
	0 = No	26253	80.55
	1 = Yes	6341	19.45
CIGPROBS	1 ANY PROBS DUE TO CIGARETTES		
	0 = No	25267	77.52
	1 = Yes	7327	22.48
COCPROBS	1 ANY PROBS DUE TO COCAINE		
	0 = No	32127	98.57
	1 = Yes	467	1.43

MJPROBS	1 ANY PROBS DUE TO MARIJUANA		
	0 = No	31165	95.62
	1 = Yes	1429	4.38

DRINKING--ANSWER SHEET #13--LOGICALLY IMPUTED

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

The drinking experience answer sheet # 1 3, which is included in Appendix F, is structured with a lead-in question and 18 subquestions. The lead-in question (NOBOOZYR) asks if beer, wine or liquor has been used in the past year. The 18 subquestions (ALCAGGR, ALCARGUM, ALCABSNT, ALCHIGH, ALCJOB, ALCMATCD, ALCRELCD, ALCFRDCD, ALCTOSS, ALCHOLIC, ALCDRUNK, ALCINTOX, ALCREM, ALCQUICK, ALCMORN, ALCSHOOK, ALCALONE and ALCBRKPRM) ask whether each of the 18 negative experiences associated with drinking had been experienced in the past year.

The above data were logically imputed as follows:

If no use of alcohol was indicated by the past year alcohol use variable (ALCYR=0), then the lead-in question was logically revised to indicate that no alcohol had been used in the past year (IRNOBOOZ=1). Subsequently, the 18 subquestions were logically revised to the legitimate skip code (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMORE, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS=99).

If use of alcohol was indicated by the past year alcohol use variable (ALCYR=1), then the lead-in question was logically revised to indicate that alcohol had been used in the past year (IRNOBOOZ=2). Subsequently, each subquestion was examined. Positive and negative responses were left as is. The don't know (94), refused (97) and blank (98) responses were logically revised to the negative response.

IRNOBOOZ	1 NO USE OF BEER/WINE/LIQUOR PST YR (L.I. NOBOOZYR)		
	1 = No use of alcohol in the past year	12015	36.86
	2 = Used alcohol in the past year	20579	63.14
IRALCABS	2 ABSNT WRK/SCH FROM HANGOVER PST YR (L.I. ALCABSNT)		
	1 = Yes	1085	3.33
	2 = No	19494	59.81
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCAGG	2 FELT AGGRESSIVE WHILE DRNKNG PST YR (L.I. ALCAGGR)		
	1 = Yes	2683	8.23
	2 = No	17896	54.91
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86

IRALCALO	2	GOT DRUNK WHLE DRNKNG ALONE PST YR (L.I. ALCALONE)		
		1 = Yes	2430	7.46
		2 = No	18149	55.68
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCARG	2	HEATED ARGUMNTS WHLE DRNKNG PST YR (L.I. ALCARGUM)		
		1 = Yes	2230	6.84
		2 = No	18349	56.30
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCBRK	2	KPT DRNKNG AFT PROMISNG STP PST YR (L.I. ALCBRKPM)		
		1 = Yes	1239	3.80
		2 = No	19340	59.34
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCDRU	2	STAYD DRUNK >1DAY AT A TIME PST YR (L.I. ALCDRUNK)		
		1 = Yes	731	2.24
		2 = No	19848	60.89
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCFRD	2	FRNDS SAID CUT DOWN DRINKNG PST YR (L.I. ALCFRDCD)		
		1 = Yes	977	3.00
		2 = No	19602	60.14
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCHIG	2	HIGH/LITTLE DRUNK AT WRK/SCH PST YR (L.I. ALCHIGH)		
		1 = Yes	1154	3.54
		2 = No	19425	59.60
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCHOL	2	AFRAID MGHT BE/BECME ALCHLC PST YR (L.I. ALCHOLIC)		
		1 = Yes	1535	4.71
		2 = No	19044	58.43
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCINT	2	NOT STP DRNKNG TILL INTXCTD PST YR (L.I. ALCINTOX)		
		1 = Yes	1128	3.46
		2 = No	19451	59.68
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCJOB	2	LOST/NRLY LOST JOB FRM DRNKNG PST YR (L.I. ALCJOB)		
		1 = Yes	166	0.51
		2 = No	20413	62.63

	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCMAT	2 SPOUS/DATE SAY CUT DWN DRNK PST YR (L.I. ALCMATCD)		
	1 = Yes	1715	5.26
	2 = No	18864	57.88
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCMOR	2 OFTEN DRINK 1ST THNG MORNING PST YR (L.I. ALCMORN)		
	1 = Yes	371	1.14
	2 = No	20208	62.00
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCQUI	2 QUICK DRINKS NO ONE LOOKING PST YR (L.I. ALCQUICK)		
	1 = Yes	1258	3.86
	2 = No	19321	59.28
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCREL	2 RELATIVE SAY CUT DWN DRNKNG PST YR (L.I. ALCRELCD)		
	1 = Yes	1349	4.14
	2 = No	19230	59.00
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCREM	2 NOT REMEMBR THNGS WHLE DRNKNG PST YR (L.I. ALCREM)		
	1 = Yes	2676	8.21
	2 = No	17903	54.93
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCSHO	2 HNDS SHK AFT DRNK DAY BEFOR PST YR (L.I. ALCSHOOK)		
	1 = Yes	573	1.76
	2 = No	20006	61.38
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86
IRALCTOS	2 DRNK FAST FOR QUICKER EFFECT PST YR (L.I. ALCTOSS)		
	1 = Yes	2527	7.75
	2 = No	18052	55.38
	99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	12015	36.86

The logically revised subquestions (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS) for drinking experiences, answer sheet #13, were used to obtain a count the number of problems associated with drinking. Indicator variables were then

created which indicated whether any of the 18 problems (ANYALC) and three of more of the 18 problems (THREALC) had been experienced. For a discussion of the structure and logical imputation of the data for answer sheet #13, refer to Drinking- Answer Sheet #13 - Logically Imputed.

ANYALC	1 ANY PROBS W/ALCOHOL PAST YR		
	0 = No	25471	78.15
	1 = Yes	7123	21.85
THREALC	1 GE 3 PROBS W/ALCOHOL PAST YR		
	0 = No	29009	89.00
	1 = Yes	3585	11.00

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

RECODED DRUG USE VARIABLES

The following variables were created from the recoded drug use variables. The values of the source variables which define the yes response are given, and all other combinations of the source variables define the no response.

ALCONLYL	1	ONLY ALCOHOL - EVER USED		
		0 = No	19964	61.25
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0)	12630	38.75
ALCONLYY	1	ONLY ALCOHOL - PAST YEAR USE		
		0 = No	16922	51.92
		1 = Yes (ALCYR=1 AND SUMYR=0)	15672	48.08
ALCONLYM	1	ONLY ALCOHOL - PAST MONTH USE		
		0 = No	20090	61.64
		1 = Yes (ALCMON=1 AND SUMMON=0)	12504	38.36
ILLONLYL	1	ONLY ILLICIT DRUGS - EVER USED		
		0 = No	32210	98.82
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	384	1.18
ILLONLYY	1	ONLY ILLICIT DRUGS - PAST YEAR USE		
		0 = No	32238	98.91
		1 = Yes (SUMYR=1 AND ALCYR=0)	356	1.09
ILLONLYM	1	ONLY ILLICIT DRUGS - PAST MONTH USE		
		0 = No	32135	98.59
		1 = Yes (SUMMON=1 AND ALCMON=0)	459	1.41
MRJONLYL	1	ONLY MARIJUANA - EVER USED		
		0 = No	32479	99.65
		1 = Yes (MJOFLAG=1 AND ALCFLAG=0)	115	0.35

MRJONLYY	1 ONLY MARIJUANA - PAST YEAR USE		
	0 = No	32475	99.63
	1 = Yes (MJOYR2=1,AND ALCYR=0)	119	0.37

MJONLYM	1 ONLY MARIJUANA - PAST MONTH USE		
	0 = No	32401	99.41
	1 = Yes (MJOMON2=1 AND ALCMON=0)	193	0.59

The following variable, PSYONLYL, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG and ALCFLAG.

PSYONLYL	1 ONLY PSYCHOTHEPAEUTICS - EVER USED		
	0 = No	32470	99.62
	1 = Yes (PSYFLAG2=1 AND ALL OTHER SOURCE VARS=0)	124	0.38

The following variable, PSYONLYY, was created by examination of PSYYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.

PSYONLYY	1 ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE		
	0 = No	32479	99.65
	1 = Yes (PSYYR2=1 AND ALL OTHER SOURCE VARS=0)	115	0.35

The following variable, PSYONLYM, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.

PSYONLYM	1 ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE		
	0 = No	32471	99.62
	1 = Yes (PSYMON2=1 AND ALL OTHER SOURCE VARS=0)	123	0.38

The following variable, OTHONLYL, was created by examination of ALCFLAG, MRJONLYL, PSYONLYL, PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, and HERFLAG.

OTHONLYL	1 ONLY OTHER DRUGS AND DRUG COMB. - EVER USED		
	0 = No	32449	99.56
	1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	145	0.44

The following variable, OTHONLYY, was created by examination of ALCYR, MRJONLYY, PSYONLYY, PSYR2, MRJYR, COCYR, INHYR, HALYR, and HERYR.

OTHONLYY	1 ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE		
	0 = No	32472	99.63
	1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	122	0.37

The following variable, OTHONLYM, was created by examination of ALCMON, MRJONLYM, PSYONLYM, PSYMON2, MRJMON, COCMON, INHMON, HALMON, and HERMON.

OTHONLYM	1 ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE		
	0 = No	32451	99.56
	1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	143	0.44

ALCILLL	1 ALCOHOL & ILLICIT DRUGS - EVER USED		
	0 = No	20801	63.82
	1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	11793	36.18

ALCILLY	1 ALCOHOL & ILLICIT DRUGS - PAST YEAR USE		
	0 = No	27687	84.95
	1 = Yes (ALCYR=1 AND SUMYR=1)	4907	15.05

ALCILLM	1 ALCOHOL & ILLICIT DRUGS - PAST MONTH USE		
	0 = No	30269	92.87
	1 = Yes (ALCMON=1 AND SUMMON=1)	2325	7.13

The following variable, ALCMRJL, was created by examination of ALCFLAG, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and PSYFLAG2.

ALCMRJL	1 ALCOHOL & MARIJUANA - EVER USED		
	0 = No	27473	84.29
	1 = Yes (ALCFLAG, MRJFLAG=1 AND ALL OTHER SOURCE VAR=0)	5121	15.71

The following variable, ALCMRJY, was created by examination of ALCYR, MRJYR, COCYR, INHYR, HALYR, HERYR, and PSYR2.

ALCMRJY	1 ALCOHOL & MARIJUANA - PAST YEAR USE		
---------	---------------------------------------	--	--

0 = No	30385	93.22
1 = Yes (ALCYR AND MRJYR=1 AND ALL OTHER SOURCE VAR=0)	2209	6.78

The following variable, ALCMRJM, was created by examination of ALCMON, MRJMON COCMON, INHMON, HALMON, HERMON, and PSYMON2.

ALCMRJM	1 ALCOHOL & MARIJUANA - PAST MONTH USE		
	0 = No	31280	95.97
	1 = Yes (ALCMON & MRJMON=1 AND ALL OTHER SOURCE VAR=0)	1314	4.03

The following variable, ALCPSYL, was created by examination of ALCFLAG, PSYFLAG2, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and MRJFLAG.

ALCPSYL	1 ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED		
	0 = No	31982	98.12
	1 = Yes (ALCFLAG, PSYFLAG2=1 & ALL OTHER SOURCE VAR=0)	612	1.88

The following variable, ALCPSYY, was created by examination of ALCYR, PSYYR2, COCYR, INHYR, RALYR, HERYR, and MRJYR.

ALCPSYY	1 ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE		
	0 = No	32001	98.18
	1 = Yes (ALCYR & PSYYR2=1 AND ALL OTHER SOURCE VAR=0)	593	1.82

The following variable, ALCPSYM, was created by examination of ALCMON, PSYMON2, COCMON, INHMON, HALMON, HERMON, and MRJMON

ALCPSYM	1 ALCOHOL & PSYCHOTHERAPEUTICS PAST MONTH USE		
	0 = No	32397	99.40
	1 = Yes (ALCMON & PSYMON2=1 & ALL OTHER SOURCE VAR=0)	197	0.60

The following variable, ALCOTHL, was created by examination of ALCFLAG, ALCMRJL, ALCPSYL, COCFLAG, INHFLAG, HALFLAG, HERFLAG, MRJFLAG, and PSYFLAG2.

ALCOTHL	1 ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED		
	0 = No	26534	81.41

1 = Yes (ALCFLAG=1 & NEXT 2 VAR=0 & ANY OTHER
VAR=1) 6060 18.59

The following variable, ALCOTHY, was created by
examination of ALCYR, ALCMRJY, ALCPSYY, COCYR, INHYR,
HALYR, HERYR, MRJYR, and PSYYR2.

ALCOTHY 1 ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE
0 = No 30489 93.54
1 = Yes (ALCYR=1 & NEXT 2 VAR=0 & ANY OTHER
VAR=1) 2105 6.46

The following variable, ALCOTHM, was created by
examination of ALCMON, ALCMRJM, ALCPSYM, COCMON, INHMON,
HALMON, HERMON, MRJMON, and PSYMON2.

ALCOTHM 1 ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE
0 = No 31780 97.50
1 = Yes (ALCMON=1 & NEXT 2 VAR=0 & ANY OTHER
VAR=1) 814 2.50

The following variable, SUB1LIF, was created by
examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG,
HALFLAG, HERFLAG, and ALCFLAG.

SUB1LIF 1 USED ONLY 1 SUBSTANCE - EVER
0 = No 19636 60.24
1 = Yes (ONLY ONE OF THE SOURCE VARS=1) 12958 39.76

The following variable, SUB1YR, was created by
examination of PSYYR2, MRJYR, COCYR, INHYR, HALYR, HERYR,
AND ALCYR.

SUB1YR 1 USED ONLY 1 SUBSTANCE - PAST YEAR
0 = No 16620 50.99
1 = Yes (ONLY ONE OF THE SOURCE VARS=1) 15974 49.01

The following variable, SUB1MON, was created by
examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON,
HERMON, and ALCMON.

SUB1MON 1 USED ONLY 1 SUBSTANCE - PAST MONTH
0 = No 19684 60.39
1 = Yes (ONLY ONE OF THE SOURCE VARS=1) 12910 39.61

The following variable, SUB2LIF, was created by

examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

SUB2LIF	1 USED ONLY 2 SUBSTANCES - EVER		
	0 = No	26423	81.07
	1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	6171	18.93

The following variable, SUB2YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, AND ALCYR.

SUB2YR	1 USED ONLY 2 SUBSTANCES - PAST YEAR		
	0 = No	29408	90.23
	1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	3186	9.77

The following variable, SUB2MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.

SUB2MON	1 USED ONLY 2 SUBSTANCES - PAST MONTH		
	0 = No	30843	94.63
	1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	1751	5.37

The following variable, SUB3LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

SUB3LIF	1 USED 3 OR MORE SUBSTANCES - EVER		
	0 = No	26916	82.58
	1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	5678	17.42

The following variable, SUB3YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.

SUB3YR	1 USED 3 OR MORE SUBSTANCES - PAST YEAR		
	0 = No	30819	94.55
	1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	1775	5.45

The following variable, SUB3MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.

SUB3MON	1 USED 3 OR MORE SUBSTANCES - PAST MONTH		
	0 = No	31967	98.08

1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	627	1.92
--	-----	------

UNEDITED RECENCIES

LABEL	LEN DESCRIPTION	FREQ	%
-----	--- -----	----	-

UNEDITED RECENCIES

These are the unedited versions of the edited
recency-of-use variables presented earlier in this
document.

C-6. When was the most recent time you smoked a
cigarette? (Unedited version of CIGREC)

QC06	2 MOST RECENT TIME SMOKED A CIGARETTE (UNEDITED)		
	1 = Within the past month (30 days)	7671	23.54
	2 = More than 1 month ago but less than 6 months ago	888	2.72
	3 = 6 or more months ago but less than 1 year ago	591	1.81
	4 = 1 or more years ago but less than 3 years ago	1524	4.68
	5 = 3 or more years ago	7305	22.41
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	14613	44.83

C-9. When was the most recent time you used chewing
tobacco or snuff or other smokeless tobacco? (IF NEEDED,
READ ANSWER CHOICES.) (Unedited version of SNUFREC)

QC09	2 MOST RECENT TIME USED SMOKELESS TOBACCO (UNEDITED)		
	1 = Within the past month (30 days)	698	2.14
	2 = More than 1 month ago but less than 6 months ago	206	0.63
	3 = 6 or more months ago but less than 1 year ago	188	0.58
	4 = 1 or more years ago but less than 3 years ago	403	1.24
	5 = 3 or more years ago	1806	5.54
	91 = NEVER USED SMOKELESS TOBACCO	28701	88.06
	98 = BLANK (NO ANSWER)	592	1.82

A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink? (Unedited version of ALCREC)

AL02	2 MOST RECENT ALCOHOL DRINK (UNEDITED)		
	1 = Within the past month (30 days)	13461	41.30
	2 = More than 1 month ago but less than 6 months ago	4237	13.00
	3 = 6 or more months ago but less than 1 year ago	1759	5.40
	4 = 1 or more years ago but less than 3 years ago	1726	5.30
	5 = 3 or more years ago	2785	8.54
	91 = NEVER USED ALCOHOL	8257	25.33
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	367	1.13

S-4. When was the most recent time you took any sedative for nonmedical reasons? (Unedited version of SEDREC)

SE04	2 MOST RECENT USE OF SEDATIVE-NONMED REASN (UNEDITED)		
	1 = Within the past month (30 days)	123	0.38
	2 = More than 1 month ago but less than 6 months ago	110	0.34
	3 = 6 or more months ago but less than 1 year ago	75	0.23
	4 = 1 or more years ago but less than 3 years ago	134	0.41
	5 = 3 or more years ago	688	2.11
	98 = BLANK (NO ANSWER)	31464	96.53

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons? (Unedited version of TRANREC)

TR04	2 MOST RECENT USE OF TRANQ-NONMED REASON (UNEDITED)		
	1 = Within the past month (30 days)	117	0.36
	2 = More than 1 month ago but less than 6 months ago	169	0.52
	3 = 6 or more months ago but less than 1 year ago	149	0.46
	4 = 1 or more years ago but less than 3 years ago	303	0.93
	5 = 3 or more years ago	750	2.30
	94 = DON'T KNOW	1	0.00
	98 = BLANK (NO ANSWER)	31105	95.43

ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons? (Unedited version of STIMREC)

ST04	2 MOST RECENT USE OF STIMULANT-NONMED REAS (UNEDITED)		
	1 = Within the past month (30 days)	138	0.42
	2 = More than 1 month ago but less than 6 months ago	132	0.40
	3 = 6 or more months ago but less than 1 year ago	122	0.37
	4 = 1 or more years ago but less than 3 years ago	264	0.81
	5 = 3 or more years ago	1151	3.53
	98 = BLANK (NO ANSWER)	30787	94.46

ST-7. When was the most recent time you used amphetamines with a needle? (Unedited version of STNDLREC)

ST07	2 MOST RECENT AMPHETAMINE USE W/NEEDLE (UNEDITED)		
	1 = Within the past month (30 days)	15	0.05
	2 = More than 1 month ago but less than 6 months ago	11	0.03
	3 = 6 or more months ago but less than 1 year ago	10	0.03
	4 = 1 or more years ago but less than 3 years ago	31	0.10
	5 = 3 or more years ago but less than 10 years ago	59	0.18
	6 = 10 or more years ago	39	0.12
	91 = NEVER USED ANY AMPHETAMINE WITH A NEEDLE	2094	6.42
	98 = BLANK (NO ANSWER)	30335	93.07

AN-4. When was the most recent time you took any analgesic for nonmedical reasons? (Unedited version of ANALREC)

AN04	2 MOST RECENT ANALGESIC USE-NONMED REASON (UNEDITED)		
	1 = Within past month (30 days)	237	0.73
	2 = More than 1 month ago but less than 6 months ago	297	0.91
	3 = 6 or more months ago but less than 1 year ago	232	0.71
	4 = 1 or more years ago but less than 3 years ago	333	1.02
	5 = 3 or more years ago	614	1.88
	98 = BLANK (NO ANSWER)	30881	94.74

M-4. When was the most recent time that you used

marijuana or hash? (Unedited version of MJREC)

MJ04	2 MOST RECENT TIME USED MARIJUANA/HASH (UNEDITED)		
	1 = Within the past week (7 days)	1084	3.33
	2 = More than 1 week ago but less than 1 month ago	602	1.85
	3 = 1 or more months ago but less than 6 months ago	799	2.45
	4 = 6 or more months ago but less than 1 year ago	716	2.20
	5 = 1 or more years ago but less than 3 years ago	1444	4.43
	6 = 3 or more years ago	6045	18.55
	91 = NEVER USED MARIJUANA	21698	66.57
	94 = DON'T KNOW	2	0.01
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	202	0.62

IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something to get high or for kicks? (Unedited version of INHREC)

IN04	2 MOST RECENT TIME USED INHALANT (UNEDITED)		
	1 = Within the past week (7 days)	54	0.17
	2 = More than 1 week ago but less than 1 month ago	68	0.21
	3 = 1 or more months ago but less than 6 months ago	160	0.49
	4 = 6 or more months ago but less than 1 year ago	120	0.37
	5 = 1 or more years ago but less than 3 years ago	255	0.78
	6 = 3 or more years ago	1269	3.89
	91 = NEVER USED INHALANTS	30229	92.74
	96 = MULTIPLE RESPONSE	2	0.01
	98 = BLANK (NO ANSWER)	436	1.34
	99 = LEGITIMATE SKIP	1	0.00

CN-4. When was the most recent time that you used cocaine in any form? (Unedited version of COCREC)

CC04	2 MOST RECENT TIME USED COCAINE (ANY FORM) (UNEDITED)		
	1 = Within the past week (7 days)	163	0.50
	2 = More than 1 week ago but less than 1 month ago	157	0.48
	3 = 1 or more months ago but less than 6 months ago	284	0.87

4 = 6 or more months ago but less than 1 year ago	272	0.83
5 = 1 or more years ago but less than 3 years ago	810	2.49
6 = 3 or more years ago	2303	7.07
91 = NEVER USED COCAINE	28466	87.34
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	138	0.42

CN-10. When was the most recent time you used cocaine with a needle? (Unedited version of CONDLREC)

CC10	2 MOST RECENT USE COCAINE W/NEEDLE PAST YR (UNEDITED)		
	1 = Within past month (30 days)	34	0.10
	2 = More than 1 month ago but less than 6 months ago	30	0.09
	3 = 6 or more months ago but less than 1 year ago	29	0.09
	4 = 1 or more years ago but less than 3 years ago	43	0.13
	5 = 3 or more years ago but less than 10 years ago	100	0.31
	6 = 10 or more years ago	46	0.14
	91 = NEVER USED COCAINE	28643	87.88
	93 = NEVER USED COCAINE WITH A NEEDLE	3419	10.49
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	248	0.76

CN-11. When was the most recent time you used the form of cocaine known as "crack?" (Unedited version of CRAKREC)

CC11	2 MOST RECENT TIME USED CRACK (UNEDITED)		
	1 = Within the past week (7 days)	70	0.21
	2 = More than 1 week ago but less than 1 month ago	46	0.14
	3 = 1 or more months ago but less than 6 months ago	74	0.23
	4 = 6 or more months ago but less than 1 year ago	83	0.25
	5 = 1 or more years ago but less than 3 years ago	222	0.68
	6 = 3 or more years ago	335	1.03
	91 = NEVER USED "CRACK"	30924	94.88
	97 = REFUSED	2	0.01
	98 = BLANK (NO ANSWER)	837	2.57
	99 = LEGITIMATE SKIP	1	0.00

L-5. When was the most recent time that you used LSD or PCP or another hallucinogen? (Unedited version of

HALLREC)

LS05	2 MOST RECENT TIME USED HALLUCINOGEN (UNEDITED)		
	1 = Within the past month (30 days)	124	0.38
	2 = More than 1 month ago but less than 6 months ago	169	0.52
	3 = 6 or more months ago but less than 1 year ago	139	0.43
	4 = 1 or more years ago but less than 3 years ago	314	0.96
	5 = 3 or more years ago	1653	5.07
	91 = NEVER USED HALLUCINOGENS	29910	91.77
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	283	0.87

L-8. When was the most recent time that you used PCP?
(Unedited version of PCPREC)

LS08	2 MOST RECENT TIME USED PCP (UNEDITED)		
	1 = Within the past month (30 days)	23	0.07
	2 = More than 1 month ago but less than 6 months ago	47	0.14
	3 = 6 or more months ago but less than 1 year ago	45	0.14
	4 = 1 or more years ago but less than 3 years ago	114	0.35
	5 = 3 or more years ago	888	2.72
	91 = NEVER USED PCP	31137	95.53
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	337	1.03
	99 = LEGITIMATE SKIP	1	0.00

H-4. When was the most recent time that you used heroin?
(Unedited version of HERREC)

HE04	2 MOST RECENT TIME USED HEROIN (UNEDITED)		
	1 = Within the past month (30 days)	22	0.07
	2 = More than 1 month ago but less than 6 months ago	25	0.08
	3 = 6 or more months ago but less than 1 year ago	27	0.08
	4 = 1 or more years ago but less than 3 years ago	42	0.13
	5 = 3 or more years ago	264	0.81
	91 = NEVER USED HEROIN	31984	98.13
	96 = MULTIPLE RESPONSE	1	0.00

97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	228	0.70

H-7. When was the most recent time you used heroin with a needle? (Unedited version of HRNDLREC)

HE07	2 MOST RECENT TIME USED HEROIN W/NEEDLE (UNEDITED)		
	1 = within the past month (30 days)	15	0.05
	2 = More than 1 month ago but less than 6 months ago	14	0.04
	3 = 6 or more months ago but less than 1 year ago	17	0.05
	4 = 1 or more years ago but less than 3 years ago	19	0.06
	5 = 3 or more years ago but less than 10 years ago	64	0.20
	6 = 10 or more years ago	69	0.21
	91 = NEVER USED HEROIN	31691	97.23
	93 = NEVER USED HEROIN WITH A NEEDLE (HERNEEDL=2)	169	0.52
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	534	1.64

DR-8. When was the most recent time you used any drug for nonmedical reasons with a needle? (Unedited version of GNNDLREC)

DR08	2 MOST RECENT TIME USED ANY DRUG W/NEEDLE (UNEDITED)		
	1 = Within the past month (30 days)	80	0.25
	2 = More than 1 month ago but less than 6 months ago	36	0.11
	3 = 6 or more months ago but less than 1 year ago	38	0.12
	4 = 1 or more years ago but less than 3 years ago	67	0.21
	5 = 3 or more years ago but less than 10 years ago	157	0.48
	6 = 10 or more years ago	120	0.37
	91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	22920	70.32
	93 = NEVER USED A NEEDLE TO TAKE ANY DRUG ...	8583	26.33
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	591	1.81

SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice?" (Unedited version of ICEREC)

SP04	2 MOST RECENT TIME USED "ICE" (UNEDITED)		
	1 = Within the past month (30 days)	18	0.06
	2 = More than 1 month ago but less than 6 months ago	60	0.18
	3 = 6 or more months ago but less than 1 year ago	28	0.09
	4 = 1 or more years ago but less than 3 years ago	42	0.13
	5 = 3 or more years ago but less than 10 years ago	23	0.07
	6 = 10 or more years ago	7	0.02
	91 = Never used the smokable form of amphetamine	32142	98.61
	94 = DON'T KNOW	1	0.00
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	271	0.83

SP-8. When was the most recent time you used anabolic
steroids? (Unedited version of STERREC)

SP08	2 MOST RECENT TIME USED ANABOLIC STEROIDS (UNEDITED)		
	1 = Within the past month (30 days)	12	0.04
	2 = More than 1 month ago but less than 6 months ago	22	0.07
	3 = 6 or more months ago but less than 1 year ago	22	0.07
	4 = 1 or more years ago but less than 3 years ago	48	0.15
	5 = 3 or more years ago	63	0.19
	91 = NEVER USED STEROIDS IN LIFE	32159	98.67
	96 = MULTIPLE RESPONSE	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	266	0.82

ALPHA INDEX OF LABELS

LABEL	PAGE
A1	301
A2	301
A3	301
A4	301
A5	301
A6	301
ACCID	222
ACHD1	239
ACHD2	243
AEROS	94
AEROS2	305
AEROS30A	99
AFDC1	237
AFDC2	242
AFOOD	246
AIN1	238
AIN2	243
AL02	361
ALCABSNT	168
ALCAGE	55
ALCAGGR	167
ALCALONE	170
ALCANAL	171
ALCARGUM	167
ALCBEER	57
ALCBRKPM	171
ALCCOC	172
ALCDAYS	55
ALCDAYS2	305
ALCDAYS3	305
ALCDLYF	293
ALCDRUNK	169
ALCFLAG	285
ALCFRDCD	169
ALCHAL	172
ALCHIGH	168
ALCHOLIC	169
ALCILLL	355
ALCILLM	355
ALCILLY	355
ALCINH	172
ALCINTOX	169
ALCJOB	168
ALCLIQR	58
ALCMATCD	168
ALCMJ	172
ALCMON	285

ALCMON2	305
ALCMONF	293
ALCMORN	170
ALCMRJL	355
ALCMRJM	356
ALCMRJY	355
ALCNONE	173
ALCOCCF	293
ALCONLYL	353
ALCONLYM	353
ALCONLYY	353
ALCOPT	172
ALCOTHL	356
ALCOTHM	357
ALCOTHY	357
ALCPAT	56
ALCPROBS	347
ALCPSYL	356
ALCPSYM	356
ALCPSYY	356
ALCQUICK	170
ALCREC	54
ALCRELCD	168
ALCREM	170
ALCSED	171
ALCSHOOK	170
ALCSTM	171
ALCTOSS	169
ALCTRAN	171
ALCTRY	54
ALCVARY	58
ALCWINE	58
ALCWKF	293
ALCYR	285
ALCYRF	293
ALLERG	211
ALNALC2	335
ALNCIG2	335
ALNCOC2	336
ALNDRG1A	179
ALNDRG2A	180
ALNDRG3A	180
ALNDRG4A	181
ALNDRG5A	181
ALNMRJ2	336
AMLNT30A	99
AMOBARB	61
AMYLNIT	94
AMYLNIT2	305
AMYTAL	59
AN04	362

ANALAGE	86
ANALNEWA	84
ANALNEWB	85
ANALNEWC	85
ANALNEWD	85
ANALNEWE	86
ANALNONE	81
ANALREC	87
ANALTOT	86
ANALWT	301
ANALWT2	301
ANALWTC	301
ANILERID	84
ANLDKNAM	86
ANLDLYF	292
ANLFLAG	284
ANLMON	285
ANLMONF	292
ANLNOSP	86
ANLOCCF	292
ANLWKF	292
ANLYR	285
ANLYRF	292
ANLYRFRQ	87
ANXALC2	336
ANXCIG2	336
ANXCOC2	336
ANXDRG1A	181
ANXDRG2A	183
ANXDRG3A	183
ANXDRG4A	184
ANXDRG5A	184
ANXMRJ2	336
ANYALC	352
ANYPROB	333
AOTH1	239
AOTH2	244
ARGALC2	336
ARGCIG2	336
ARGCOC2	336
ARGDRG1A	177
ARGDRG2A	178
ARGDRG3A	178
ARGDRG4A	178
ARGDRG5A	179
ARGMRJ2	337
AS10READ	120
AS11READ	123
AS12READ	154
AS13NONE	174
AS13READ	167

AS15READ	200
AS3READ	66
AS4READ	72
AS5READ	81
AS7READ	93
AS9READ	113
ASOC1	236
ASOC2	240
ASSI1	237
ASSI2	241
ASTHMA	210
ATARAX	68
ATIVAN	67
AVCIG	52
AVCIG2	305
AVCIG3	306
AWAG1	235
AWAG2	240
AWEL1	238
AWEL2	242
BAP	247
BENZ	73
BIPHET	73
BIRMON	213
BIRYEAR	213
BKAGASLT	159
BKARSON	160
BKBURGL	159
BKDRUG	161
BKDRUNK	161
BKDRVINF	160
BKLARCNY	159
BKMURDER	160
BKMOVTHFT	160
BKOTHOFF	161
BKPROS	161
BKRAPE	160
BKROB	160
BKSMASLT	159
BKVANDAL	161
BOOKED	158
BPMED	209
BREAKIN	163
BROSIS	225
BTIME	247
BUSINES2	216
BUSPAR	68
BUTICAPS	59
BUTISOL	59
CARSTEAL	163
CATAG2	278

CATAGE	278
CC04	363
CC10	364
CC11	364
CDALC	124
CDANAL	125
CDCIG	123
CDCOC	126
CDHALL	126
CDHER	126
CDINH	125
CDMJ	125
CDNONE	127
CDOTHOP	127
CDSER	124
CDSTM	125
CDTRAN	124
CENCTY	254
CENTRAX	67
CHAGE1	223
CHAGE10	224
CHAGE2	223
CHAGE3	223
CHAGE4	223
CHAGE5	223
CHAGE6	223
CHAGE7	223
CHAGE8	223
CHAGE9	224
CHAMPUS	231
CHD1	238
CHD2	243
CHHYD	61
CHICAGO	253
CIG5PK	50
CIGAGE	50
CIGFLAG	285
CIGHLP	200
CIGMON	285
CIGMON2	306
CIGPROBS	347
CIGREC	51
CIGTIME	52
CIGTRY	50
CIGYR	285
CIGYRS	50
CLEFLU	95
CLEFLU2	306
CLFL30A	100
COCAGE	106
COCAM30A	107

COCBUCK	108
COCDLYF	295
COCFLAG	287
COCIV	109
COCIV2	306
COCMON	287
COCMONF	295
COCOCCF	295
COCOPP	106
COCPROBS	347
COCREC	107
COCSNIF2	306
COCSNIFF	109
COCSWAL	109
COCSWAL2	306
COCTOT	106
COCTOT2	306
COCTOT3	307
COCUS30A	107
COCWAY	110
COCWAY2	306
COCWKF	295
COCYR	287
COCYRF	295
COCYRFRQ	108
CODEINE	84
CONDLREC	110
COOPINT	248
COUGHYR	212
CPEALC2	337
CPECIG2	337
CPECOC2	337
CPEDRG1A	195
CPEDRG2A	196
CPEDRG3A	197
CPEDRG4A	197
CPEDRG5A	197
CPEMRJ2	337
CPRES	249
CRAKBUCK	111
CRAKREC	111
CRKAM30A	111
CRKFLAG	287
CRKMON	287
CRKYR	287
CWE	217
CWEBUS2	219
CWE OCC2	219
CWESECTR	219
CYLERT	75
DALMANE	60

DAMAGE	163
DARVON	81
DC	253
DEMEROL	82
DENVER	253
DEPALC	141
DEPALC2	337
DEPANAL	142
DEPCIG	141
DEPCIG2	337
DEPCOC	143
DEPCOC2	337
DEPDRG1A	174
DEPDRG2A	175
DEPDRG3A	176
DEPDRG4A	176
DEPDRG5A	176
DEPHALL	143
DEPHER	144
DEPINH	143
DEPMJ	143
DEPMRJ2	338
DEPNONE	144
DEPOTHOP	144
DEPROL	68
DEPSED	141
DEPSTM	142
DEPTRAN	142
DESOXYN	73
DETAMP	75
DEXAMYL	73
DEXED	72
DIAZEPAM	69
DIDREX	74
DILAUD	82
DIPLOMA	220
DIVISION	254
DOLENE	81
DORIDEN	60
DORM	227
DR08	366
DR5DAY	55
DRALHELP	307
DRALONE	179
DRANX	181
DRARGUM	177
DRCOPE	195
DRDEPRSS	174
DREMGMED	198
DRHEALTH	184
DRINKER2	307

DRLSWORK	191
DRNKHELP	201
DRNKHLP2	307
DRNTHINK	186
DRSUSPIC	193
DRUGTEST	154
DRUNKDRV	164
DRUNKYR	57
DRUNKYR2	307
DRUPSET	189
DURRAX	69
EAP	247
ECSTASY	114
ECSTASY2	309
EDUC	220
EDUCCAT2	278
EFFALC	132
EFFANAL	134
EFFCIG	132
EFFCOC	135
EFFHALL	135
EFFHER	135
EFFINH	134
EFFMJ	134
EFFNONE	136
EFFOTHOP	135
EFFSED	133
EFFSTM	133
EFFTRAN	133
EMALC2	338
EMCIG2	338
EMCOC2	338
EMDRG1A	198
EMDRG2A	198
EMDRG3A	199
EMDRG4A	199
EMDRG5A	199
EMMRJ2	338
EMPDRUG	200
EMPSTAT2	278
ENCCASE	49
ENCPSU	49
ENCSEG	49
ENROLLD	221
EQUANIL	68
ESKAT	73
ETHER	94
ETHER2	308
ETHER30A	99
ETIME	247
FAMINC	281

FAMINC2	281
FAMINC3	281
FAMSKIP	251
FASTIN	74
FATHER	224
FLU	211
FOOD	246
FORCEMON	163
FREEBAS2	308
FREEBASE	109
FRIENDS	226
FSTAMP	245
FULLPART	218
GAS	93
GAS2	308
GAS30A	98
GLUE	94
GLUE2	308
GLUE30A	99
GNNDLANL	151
GNNDLCOC	152
GNNDLHAL	152
GNNDLHER	152
GNNDLINH	151
GNNDLLIF	149
GNNDLMJ	151
GNNDLNON	153
GNNDLOPT	153
GNNDLREC	149
GNNDLSED	150
GNNDLSHR	153
GNNDLSTM	151
GNNDLTRA	150
GQTYP	251
GRADHS	220
GRPHLTIN	232
GUNMONEY	164
HAL30USE	118
HALCION	61
HALDKNAM	116
HALDLYF	290
HALFLAG	283
HALLAGE	117
HALLOPP	116
HALLREC	117
HALLTOT	117
HALMON	283
HALMONF	289
HALNEWA	114
HALNEWB	115
HALNEWC	115

HALNEW	115
HALNEW	116
HALNOSP	116
HALOCCF	290
HALWKF	289
HALYR	283
HALYRF	289
HALYRFRQ	118
HE04	365
HE07	366
HEALTHYR	212
HEART	210
HER30USE	121
HERAGE	120
HERFLAG	286
HERMON	286
HERNEEDL	122
HEROPP	120
HERREC	121
HERREC92	299
HERTOT	121
HERYR	286
HIGHBP	209
HLTALC2	338
HLTCIG2	338
HLTCOC2	338
HLTDRG1A	184
HLTDRG2A	185
HLTDRG3A	185
HLTDRG4A	186
HLTDRG5A	186
HLTINALC	233
HLTINDRG	233
HLTIMMNT	233
HLTMRJ2	338
HOSP	227
HOSPYR	211
HOURS	234
HRNDLREC	122
HSPHCONC	254
HSPPCONC	254
HURTBAD	163
HVYDRK2	308
ICEFLAG	308
ICELIFE	155
ICEMON	308
ICEREC	155
ICEYR	308
IEMFLAG	298
IEMMON	298
IEMYR	298

IIACHD1	263
IIACHD2	266
IIAFOOD	267
IIAGE	257
IIAINT1	262
IIAINT2	266
IIALCFQ	274
IIALCRC	268
IIANLFQ	276
IIANLRC	270
IIAOTH1	263
IIAOTH2	266
IIASOC1	261
IIASOC2	264
IIASSI1	262
IIASSI2	265
IIAWAG1	261
IIAWAG2	264
IIAWEL1	262
IIAWEL2	265
IICH1	263
IICH2	266
IICIGRC	270
IICOCFQ	274
IICOCRC	269
IICRKRC	271
IIEDUC	259
IIFOOD	267
IIHALFQ	277
IIHALRC	272
IIHERC92	299
IIHERRC	272
IIHOGRP	258
IIHOGRP2	258
IIHOIND	258
IIHSGRAD	259
IIICERC	273
IIINDINC	279
IIINH1	277
IIINHRC	271
IIINSUR	260
IIINT1	262
IIINT2	265
IIMARIT	259
IIMJFQ	274
IIMJRC	268
IIOTBFQ	276
IIOTBRC	271
IIOTH1	263
IIOTH2	266
IIPCPRC	273

IIPINSUR	260
IIRACE	257
IISEDFO	275
IISEDRC	269
IISEX	257
IISOC1	261
IISOC2	264
IISSI1	261
IISSI2	264
IISTMFQ	275
IISTMRC	270
IISTRRC	273
IITOTINC	280
IITRNFQ	275
IITRNR	269
IIWAG1	261
IIWAG2	263
IIWEL1	262
IIWEL2	265
IWORKST	260
ILLONLYL	353
ILLONLYM	353
ILLONLYY	353
IN04	363
IN30NOSP	101
INDCAT	279
INDINC	279
INH30NO	102
INHAGE	97
INHANSY	105
INHDKNAM	97
INHDLF	296
INHDI30A	102
INHEFF	103
INHFLAG	287
INHMON	288
INHMONF	295
INHNEWA	95
INHNEWB	96
INHNEWC	96
INHNEWD	96
INHNEWE	96
INHNO	97
INHOCCF	296
INHPO	103
INHQNC1	104
INHQNC10	105
INHQNC2	104
INHQNC3	104
INHQNC4	104
INHQNC5	104

INHQNC6	104
INHQNC7	104
INHQNC8	104
INHQNC9	104
INHREC	98
INHTOT	97
INHWKF	296
INHYR	288
INHYRF	295
INHYRFRQ	102
INLAW	225
INNEW30A	100
INNEW30B	101
INNEW30C	101
INNEW30D	101
INNEW30E	101
INT1	238
INT2	243
INTMONTH	247
IONAMIN	74
IRACHD1	263
IRACHD2	266
IRAFOD	267
IRAGE	257
IRAI1T1	262
IRAI1T2	265
IRALCABS	349
IRALCAGG	349
IRALCALO	350
IRALCARG	350
IRALCBRK	350
IRALCDRU	350
IRALCFQ	273
IRALCFRD	350
IRALCHIG	350
IRALCHOL	350
IRALCINT	350
IRALCJOB	350
IRALCMAT	351
IRALCMOR	351
IRALCQUI	351
IRALCRC	268
IRALCREL	351
IRALCREM	351
IRALCSHO	351
IRALCTOS	351
IRALN	317
IRALN1	317
IRALN2	318
IRALN3	318
IRALN4	318

IRALN5	319
IRANLFQ	276
IRANLRC	270
IRANX	319
IRANX1	319
IRANX2	320
IRANX3	320
IRANX4	321
IRANX5	321
IRAOTH1	263
IRAOTH2	266
IRARG	315
IRARG1	315
IRARG2	316
IRARG3	316
IRARG4	317
IRARG5	317
IRAS13	313
IRASOC1	261
IRASOC2	264
IRASSI1	261
IRASSI2	265
IRAWAG1	261
IRAWAG2	264
IRAWEL1	262
IRAWEL2	265
IRCDALC	344
IRCDCIG	344
IRCDCOC	344
IRCDMJ	344
IRCHD1	263
IRCHD2	266
IRCIIGRC	270
IRCOCFQ	274
IRCOCRC	268
IRCPE	330
IRCPE1	330
IRCPE2	331
IRCPE3	331
IRCPE4	332
IRCPE5	332
IRCRKRC	271
IRDEP	313
IRDEP1	313
IRDEP2	314
IRDEP3	315
IRDEP4	315
IRDEP5	315
IRDPALC	346
IRDPCIG	346
IRDPCOC	346

IRDPMJ	346
IREduc	259
IREFALC	344
IREFCIG	345
IREFCOC	345
IREFMJ	345
IREMG	332
IREMG1	332
IREMG2	333
IREMG3	333
IREMG4	333
IREMG5	333
IRFOOD	267
IRHALFQ	277
IRHALRC	272
IRHERC92	299
IRHERRC	272
IRHLT	321
IRHLT1	321
IRHLT2	322
IRHLT3	322
IRHLT4	322
IRHLT5	323
IRHOGRP	258
IRHOGRP2	258
IRHOIND	258
IRHSGRAD	259
IRICERC	273
IRINHFQ	276
IRINHRC	271
IRINSUR	260
IRINT1	262
IRINT2	265
IRLSW	327
IRLSW1	327
IRLSW2	328
IRLSW3	328
IRLSW4	328
IRLSW5	328
IRMARIT	258
IRMJFQ	274
IRMJRC	268
IRNOBOOZ	349
IRNTK	323
IRNTK1	323
IRNTK2	324
IRNTK3	324
IRNTK4	325
IRNTK5	325
IROTBQ	276
IROTBRC	271

IROTH1	263
IROTH2	266
IRPCPRC	272
IRPINSUR	260
IRRACE	257
IRSEDFQ	274
IRSEDRC	269
IRSEX	257
IRSOC1	261
IRSOC2	264
IRSSI1	261
IRSSI2	264
IRSSP	329
IRSSP1	329
IRSSP2	329
IRSSP3	330
IRSSP4	330
IRSSP5	330
IRSTMFQ	275
IRSTMRC	270
IRSTRRC	273
IRTRNFQ	275
IRTRNRC	269
IRUDALC	345
IRUDCIG	345
IRUDCOC	345
IRUDMJ	346
IRUPS	325
IRUPS1	325
IRUPS2	326
IRUPS3	326
IRUPS4	327
IRUPS5	327
IRWAG1	260
IRWAG2	263
IRWEL1	262
IRWEL2	265
IRWORKST	259
IRWSALC	346
IRWSCIG	346
IRWSCOC	347
IRWSMJ	347
JOB	234
LA	253
LANGVER	247
LEVODRO	82
LGAS	93
LGAS2	308
LGAS30A	98
LIBRIUM	66
LIMBTROL	67

LS05	365
LS08	365
LSD	113
LSD2	308
LSWALC2	339
LSWCIG2	339
LSWCOC2	339
LSWDRG1A	191
LSWDRG2A	192
LSWDRG3A	192
LSWDRG4A	193
LSWDRG5A	193
LSWMRJ2	339
MARITAL	213
MAZANOR	75
MEBARAL	60
MEDICAID	231
MEDICARE	231
MENRIUM	67
MEPROB	69
MESC	113
MESC2	309
METHAMP	76
METHAQ	61
METHDON	84
METHI	75
METRO	255
MIAMI	254
MILBASE	227
MILES	222
MILSTAT	228
MILTOWN	68
MJ04	363
MJAGE	88
MJAMT30A	90
MJAV30A	89
MJAV30B	90
MJBAKE	91
MJCHEW	92
MJDAY30A	89
MJDY30A2	309
MJDY30A3	309
MJJOINT	91
MJOFLAG	297
MJOMON2	297
MJOPP	88
MJOYR2	297
MJPIPE	91
MJPROBS	348
MJREC	89
MJTOT	88

MJTOT2	309
MJTOT3	309
MJWAY	92
MJYRFREQ	90
MODR30A	56
MODR30DY	56
MORPHINE	84
MOTHER	224
MOVDAWAY	226
MOVES	229
MRJDLYF	294
MRJFLAG	286
MRJMON	287
MRJMON2	310
MRJMONF	294
MRJOCCF	294
MRJONLYL	353
MRJONLYM	354
MRJONLYY	354
MRJWKF	294
MRJYR	287
MRJYRF	294
NDL90REC	288
NEDFLAG3	289
NEDYR3	289
NEEDLREC	288
NEMBUTAL	60
NEWYORK	254
NHBHCONC	255
NHBPCONC	255
NITOXID	94
NITOXID2	310
NO5JOB	216
NOBOOKYR	159
NOBOOZYR	167
NOCHILD	223
NODR30A	55
NOLUDAR	60
NOMARR	213
NOSEDAT	59
NOSTIMS	72
NOTBKED	162
NOTMARJ	310
NOTRANQ	66
NOX30A	100
NTKALC2	339
NTKCIG2	339
NTKCOC2	339
NTKDRG1A	186
NTKDRG2A	187
NTKDRG3A	188

NTKDRG4A	188
NTKDRG5A	189
NTKMRJ2	339
OAPRES	249
OARPRES	249
OBLA	76
OPRESNSP	250
OPRESSPA	249
OTH1	239
OTH2	244
OTHDOING	164
OTHDOSP1	164
OTHDOSP2	165
OTHERNON	226
OTHGPH	227
OTHGPHSP	227
OTHONLYL	354
OTHONLYM	355
OTHONLYY	355
OTHREL	226
OTHSTEAL	163
OTHTOB	53
OWNCHILD	225
OWNHLTIN	232
OWNOCONC	255
PACKS	51
PAROLE	162
PARPRES	249
PAXIPAM	68
PAYMO	215
PAYYR	215
PCP	114
PCPFLAG	283
PCPMON	283
PCPREC	119
PCPYR	283
PDEN	253
PDEN2	253
PENTOB	61
PEOPFD	246
PERCODAN	82
PERINC	280
PERINC2	280
PERINC3	280
PEYOTE	113
PEYOTE2	310
PHENCOD	83
PHENOBAR	61
PHLEGMYR	212
PHYFIGHT	163
PLACIDYL	60

PLEGINE	74
PLYFLAGC	298
PLYMONC	299
PLYYRC	298
PONDIMIN	74
POPDEN	252
POPDEN2	252
PPRES	248
PRB1ALC	341
PRB1CIG	341
PRB1COC	341
PRB1MRJ	341
PRB2ALC	341
PRB2CIG	341
PRB2COC	342
PRB2MRJ	342
PRB3ALC	342
PRB3CIG	342
PRB3COC	342
PRB3MRJ	342
PRELUDIN	74
PRIVACY	248
PROBATON	162
PROPOXY	83
PROXABLE	229
PROXHOME	230
PROXJOIN	230
PROXYREL	229
PRVHLTIN	232
PSILCY	114
PSILCY2	310
PSYFLAG2	296
PSYMON2	296
PSYONLYL	354
PSYONLYM	354
PSYONLYY	354
PSYYR2	296
PUB1	237
PUB2	241
QC06	360
QC09	360
RACE	278
RACESEX	310
RACESEX2	310
REGION	254
RESPID	49
RESTORIL	61
RITALIN	75
RK2DRINK	207
RK5DRINK	207
RKANSOCC	206

RKANSREG	206
RKCOCOCC	206
RKCOCREG	206
RKCRKOCC	206
RKDIFCOC	208
RKDIFHER	208
RKDIFLSD	208
RKDIFPCP	208
RKHERREG	205
RKPCPREG	205
RKTRYCOC	205
RKTRYHER	205
RKTRYPCP	205
ROCCUP2	215
RSKBINGE	207
RSKDIFMJ	207
RSKMJOCC	204
RSKMJREG	205
RSKPKCIG	204
RSKTRYMJ	204
RUNNYR	212
SANOREX	75
SCHDAYS	222
SCHPLANS	221
SE04	361
SECOB	62
SECONAL	60
SECTOR	216
SEDAGE	64
SEDDKNAM	64
SEDDLIF	291
SEDFLAG	284
SEDMON	284
SEDMONF	291
SEDNEWA	62
SEDNEWB	63
SEDNEWC	63
SEDNEWD	63
SEDNEWE	63
SEDNOSP	63
SEDOCCF	291
SEDREC	64
SEDTOT	64
SEDWKF	291
SEDYR	284
SEDYRF	290
SEDYRFRQ	65
SERAX	67
SERVICE	228
SK65A	82
SKIPPED	222

SKLY	69
SMKDLYF	294
SMKFLAG	285
SMKMON	286
SMKMONF	293
SMKOCCF	294
SMKWKF	293
SMKYR	286
SMKYRF	293
SNUFREC	52
SOC1	236
SOC2	240
SOLDDRUG	164
SOLVENT	94
SOLVENT2	311
SOLVN30A	99
SOREYR	211
SP04	367
SP08	367
SPNEWA	157
SPNEWB	157
SPNEWC	158
SPNEWD	158
SPNEWE	158
SPOUSE	225
SPPAINT	93
SPPAINT2	311
SPPAN30A	98
SPRES	248
SSI1	236
SSI2	241
SSPALC2	340
SSPCIG2	340
SSPCOC2	340
SSPDRG1A	193
SSPDRG2A	194
SSPDRG3A	195
SSPDRG4A	195
SSPDRG5A	195
SSPMRJ2	340
ST04	362
ST07	362
STADOL	84
STEPCHLD	225
STEPDAD	224
STPMOM	224
STERAGE	155
STEROPP	155
STERREC	156
STERTOT	156
STIMAGE	78

STIMNEWA	76
STIMNEWB	77
STIMNEWC	77
STIMNEWD	77
STIMNEWE	78
STIMNOSP	78
STIMREC	79
STIMTOT	78
STMDKNAM	78
STMDLYF	290
STMFLAG	283
STMMON	284
STMMONF	290
STMOCCF	290
STMWKF	290
STMYR	284
STMYRF	290
STMYRFRQ	79
STNDLREC	80
STNEEDLE	79
STRFLAG	286
STRMON	286
STRSTEAL	162
STRYR	286
STUDENT	221
SUB1LIF	357
SUB1MON	357
SUB1YR	357
SUB2LIF	358
SUB2MON	358
SUB2YR	358
SUB3LIF	358
SUB3MON	358
SUB3YR	358
SUMFLAG	296
SUMMON	297
SUMYR	297
TALACEN	83
TALWIN	83
TALWINNX	83
TELNO	229
TENUATE	73
TEPANIL	73
TESTPOS	154
THREALC	352
THREPROB	334
TIMEPAIN	210
TOTCAT	280
TOTINC	280
TOTPEOP	224
TR04	361

TRANAGE	70
TRANREC	71
TRANTOT	71
TRANXENE	67
TRDKNAM	70
TRMTDOC	201
TRMTEMRG	201
TRMTHelp	201
TRMTHLP2	311
TRMTHOSP	201
TRMTMHC	202
TRMTSHG	202
TRMTSOP	202
TRMTSP	203
TRMTTRMT	202
TRNEWA	69
TRNEWB	70
TRNEWC	70
TRNEWD	70
TRNEWE	70
TRNOSP	70
TRNYRFRQ	71
TRPSYCH	210
TRQDLYF	292
TRQFLAG	284
TRQMON	284
TRQMONF	291
TRQOCF	292
TRQWKF	291
TRQYR	284
TRQYRF	291
TUINAL	60
TWOFAM	251
TWOPROB	333
TYLCOD	83
UCDALC	128
UCDANAL	129
UCDCIG	128
UCDCOC	130
UCDHALL	130
UCDHER	131
UCDINH	130
UCDMJ	129
UCDNONE	131
UCDOTHOP	131
UCDSED	128
UCDSTM	129
UCDTRAN	129
UDAYALC	137
UDAYANAL	138
UDAYCIG	136

UDAYCOC	139
UDAYHALL	139
UDAYHER	139
UDAYINH	139
UDAYMJ	138
UDAYNONE	140
UDAYOTH	140
UDAYSED	137
UDAYSTM	138
UDAYTRAN	137
UNDINT	247
UPSALC2	340
UPSCIG2	340
UPSCOC2	340
UPSDRG1A	189
UPSDRG2A	190
UPSDRG3A	190
UPSDRG4A	191
UPSDRG5A	191
UPSHOR	210
UPSMRJ2	340
URBARE	255
VALIUM	66
VEREP	301
VESTR	301
VISTAR	68
VORANIL	75
W4	301
WAG1	235
WAG2	239
WALKPAIN	209
WEEKS	235
WEL1	237
WEL2	242
WELFARE	281
WHOANSHI	233
WHOANSIN	244
WHOMARKD	250
WO	302
WORK	235
WORKBLAH	217
WORKDAYS	217
WORKSTAT	214
WPNAC	302
WPSTAT	282
WSALC	145
WSANAL	147
WSCIG	145
WSCOC	148
WSHALL	148
WSHER	148

WSINH	147
WSMJ	147
WSNONE	149
WSOTHOP	149
WSSED	146
WSSTM	146
WSTRAN	146
WYGESIC	82
XANAX	67

INDEX OF LABELS

LABEL	PAGE
RESPID	49
ENCPSU	49
ENCSEG	49
ENCCASE	49
CIGTRY	50
CIG5PK	50
CIGAGE	50
CIGYRS	50
PACKS	51
CIGREC	51
AVCIG	52
CIGTIME	52
SNUFREC	52
OTHTOB	53
ALCTRY	54
ALCREC	54
ALCAGE	55
ALCDAYS	55
NODR30A	55
DR5DAY	55
MODR30A	56
MODR30DY	56
ALCPAT	56
DRUNKYR	57
ALCBEER	57
ALCWINE	58
ALCLIQR	58
ALCVARY	58
NOSEDAT	59
BUTISOL	59
BUTICAPS	59
AMYTAL	59
MEBARAL	60
PLACIDYL	60
DORIDEN	60
NOLUDAR	60
NEMBUTAL	60
SECONAL	60
TUINAL	60
DALMANE	60
RESTORIL	61
HALCION	61
AMOBARB	61
PHENOBAR	61
METHAQ	61
CHHYD	61
PENTOB	61

SECOB	62
SEDNEWA	62
SEDNEWB	63
SEDNEWC	63
SEDNEWD	63
SEDNEWE	63
SEDNOSP	63
SEDDKNAM	64
SEDAGE	64
SEDTOT	64
SEDREC	64
SEDYRFRQ	65
AS3READ	66
NOTRANQ	66
VALIUM	66
LIBRIUM	66
LIMBTROL	67
MENRIUM	67
SERAX	67
TRANXENE	67
ATIVAN	67
CENTRAX	67
XANAX	67
PAXIPAM	68
BUSPAR	68
MILTOWN	68
EQUANIL	68
DEPROL	68
VISTAR	68
ATARAX	68
DURRAX	69
DIAZEPAM	69
SKLY	69
MEPROB	69
TRNEWA	69
TRNEWB	70
TRNEWC	70
TRNEWD	70
TRNEWE	70
TRNOSP	70
TRDKNAM	70
TRANAGE	70
TRANTOT	71
TRANREC	71
TRNYRFRQ	71
AS4READ	72
NOSTIMS	72
DEXED	72
DEXAMYL	73
ESKAT	73
BENZ	73

BIPHET	73
DESOXYN	73
TENUATE	73
TEPANIL	73
DIDREX	74
PLEGINE	74
PRELUDIN	74
IONAMIN	74
FASTIN	74
PONDIMIN	74
VORANIL	75
SANOREX	75
MAZANOR	75
RITALIN	75
CYLERT	75
DETAMP	75
METHI	75
METHAMP	76
OBLA	76
STIMNEWA	76
STIMNEWB	77
STIMNEWC	77
STIMNEWD	77
STIMNEWE	78
STIMNOSP	78
STMDKNAM	78
STIMAGE	78
STIMTOT	78
STIMREC	79
STMYRFRQ	79
STNEEDLE	79
STNDLREC	80
AS5READ	81
ANALNONE	81
DARVON	81
DOLENE	81
SK65A	82
WYGESIC	82
LEVODRO	82
PERCODAN	82
DEMEROL	82
DILAUD	82
TYLCOD	83
PHENCOD	83
TALWIN	83
TALWINNX	83
TALACEN	83
PROPOXY	83
CODEINE	84
ANILERID	84
MORPHINE	84

METHDON	84
STADOL	84
ANALNEWA	84
ANALNEWB	85
ANALNEWC	85
ANALNEWD	85
ANALNEWE	86
ANLNOSP	86
ANLDKNAM	86
ANALAGE	86
ANALTOT	86
ANALREC	87
ANLYRFRQ	87
MJOPP	88
MJAGE	88
MJTOT	88
MJREC	89
MJDAY30A	89
MJAV30A	89
MJAV30B	90
MJAMT30A	90
MJYRFREQ	90
MJJOINT	91
MJPIPE	91
MJBAKE	91
MJCHEW	92
MJWAY	92
AS7READ	93
GAS	93
LGAS	93
SPPAINT	93
AEROS	94
GLUE	94
SOLVENT	94
AMYLNIT	94
ETHER	94
NITOXID	94
CLEFLU	95
INHNEWA	95
INHNEWB	96
INHNEWC	96
INHNEWD	96
INHNEWE	96
INHNOSP	97
INHDKNAM	97
INHAGE	97
INHTOT	97
INHREC	98
GAS30A	98
LGAS30A	98
SPPAN30A	98

AEROS30A	99
GLUE30A	99
SOLVN30A	99
AMLNT30A	99
ETHER30A	99
NOX30A	100
CLFL30A	100
INNEW30A	100
INNEW30B	101
INNEW30C	101
INNEW30D	101
INNEW30E	101
IN30NOSP	101
INH30NO	102
INH30DY30A	102
INHYRFRQ	102
INHEFF	103
INHPO	103
INHQNC1	104
INHQNC2	104
INHQNC3	104
INHQNC4	104
INHQNC5	104
INHQNC6	104
INHQNC7	104
INHQNC8	104
INHQNC9	104
INHQNC10	105
INHANSY	105
COCOPP	106
COCAGE	106
COCTOT	106
COCREC	107
COCUS30A	107
COCAM30A	107
COCBUCK	108
COCYRFRQ	108
COCSNIFF	109
COCSWAL	109
COCIV	109
FREEBASE	109
COCWAY	110
CONDLREC	110
CRAKREC	111
CRKAM30A	111
CRAKBUCK	111
AS9READ	113
LSD	113
PEYOTE	113
MESC	113
PSILCY	114

PCP	114
ECSTASY	114
HALNEWA	114
HALNEWB	115
HALNEWC	115
HALNEWD	115
HALNEWE	116
HALNOSP	116
HALDKNAM	116
HALLOPP	116
HALLAGE	117
HALLTOT	117
HALLREC	117
HAL30USE	118
HALYRFRQ	118
PCPREC	119
AS10READ	120
HEROPP	120
HERAGE	120
HERTOT	121
HERREC	121
HER30USE	121
HERNEEDL	122
HRNDLREC	122
AS11READ	123
CDCIG	123
CDALC	124
CDSED	124
CDTRAN	124
CDSTM	125
CDANAL	125
CDMJ	125
CDINH	125
CDCOC	126
CDHALL	126
CDHER	126
CDOTHOP	127
CDNONE	127
UCDCIG	128
UCDALC	128
UCDSED	128
UCDTRAN	129
UCDSTM	129
UCDANAL	129
UCDMJ	129
UCDINH	130
UCDCOC	130
UCDHALL	130
UCDHER	131
UCDOTHOP	131
UCDNONE	131

EFFCIG	132
EFFALC	132
EFFSED	133
EFFTRAN	133
EFFSTM	133
EFFANAL	134
EFFMJ	134
EFFINH	134
EFFCOC	135
EFFHALL	135
EFFHER	135
EFFOTHOP	135
EFFNONE	136
UDAYCIG	136
UDAYALC	137
UDAYSED	137
UDAYTRAN	137
UDAYSTM	138
UDAYANAL	138
UDAYMJ	138
UDAYINH	139
UDAYCOC	139
UDAYHALL	139
UDAYHER	139
UDAYOTH	140
UDAYNONE	140
DEPCIG	141
DEPALC	141
DEPSED	141
DEPTRAN	142
DEPSTM	142
DEPANAL	142
DEPMJ	143
DEPINH	143
DEPCOC	143
DEPHALL	143
DEPHER	144
DEPOTHOP	144
DEPNONE	144
WSCIG	145
WSALC	145
WSED	146
WSTRAN	146
WSSTM	146
WSANAL	147
WSMJ	147
WSINH	147
WSCOC	148
WSHALL	148
WSHER	148
WSOTHOP	149

WSNONE	149
GNNDLLIF	149
GNNDLREC	149
GNNDLSED	150
GNNDLTRA	150
GNNDLSTM	151
GNNDLANL	151
GNNDLMJ	151
GNNDLINH	151
GNNDLCOC	152
GNNDLHAL	152
GNNDLHER	152
GNNDLOPT	153
GNNDLNON	153
GNNDLSHR	153
AS12READ	154
DRUGTEST	154
TESTPOS	154
ICELIFE	155
ICEREC	155
STEROPP	155
STERAGE	155
STERTOT	156
STERREC	156
SPNEWA	157
SPNEWB	157
SPNEWC	158
SPNEWD	158
SPNEWE	158
BOOKED	158
NOBOOKYR	159
BKLARCNY	159
BKBURGL	159
BKAGASLT	159
BKSMASLT	159
BKMVTHFT	160
BKROB	160
BKRAPE	160
BKMURDER	160
BKARSON	160
BKDRVINF	160
BKDRUNK	161
BKDRUG	161
BKPROS	161
BKVANDAL	161
BKOTHOFF	161
NOTBKED	162
PROBATON	162
PAROLE	162
STRSTEAL	162
OTHSTEAL	163

DAMAGE	163
CARSTEAL	163
FORCEMON	163
BREAKIN	163
PHYFIGHT	163
HURTBAD	163
GUNMONEY	164
DRUNKDRV	164
SOLDDRUG	164
OTHDOING	164
OTHDOSP1	164
OTHDOSP2	165
AS13READ	167
NOBOOZYR	167
ALCAGGR	167
ALCARGUM	167
ALCABSNT	168
ALCHIGH	168
ALCJOB	168
ALCMATCD	168
ALCRELCD	168
ALCFRDCD	169
ALCTOSS	169
ALCHOLIC	169
ALCDRUNK	169
ALCINTOX	169
ALCREM	170
ALCQUICK	170
ALCMORN	170
ALCSHOOK	170
ALCALONE	170
ALCBRKPM	171
ALCSED	171
ALCTRAN	171
ALCSTM	171
ALCANAL	171
ALCMJ	172
ALCINH	172
ALCCOC	172
ALCHAL	172
ALCOPT	172
ALCNONE	173
AS13NONE	174
DRDEPRSS	174
DEPDRG1A	174
DEPDRG2A	175
DEPDRG3A	176
DEPDRG4A	176
DEPDRG5A	176
DRARGUM	177
ARGDRG1A	177

ARGDRG2A	178
ARGDRG3A	178
ARGDRG4A	178
ARGDRG5A	179
DRALONE	179
ALNDRG1A	179
ALNDRG2A	180
ALNDRG3A	180
ALNDRG4A	181
ALNDRG5A	181
DRANX	181
ANXDRG1A	181
ANXDRG2A	183
ANXDRG3A	183
ANXDRG4A	184
ANXDRG5A	184
DRHEALTH	184
HLTDRG1A	184
HLTDRG2A	185
HLTDRG3A	185
HLTDRG4A	186
HLTDRG5A	186
DRNTHINK	186
NTKDRG1A	186
NTKDRG2A	187
NTKDRG3A	188
NTKDRG4A	188
NTKDRG5A	189
DRUPSET	189
UPSDRG1A	189
UPSDRG2A	190
UPSDRG3A	190
UPSDRG4A	191
UPSDRG5A	191
DRLSWORK	191
LSWDRG1A	191
LSWDRG2A	192
LSWDRG3A	192
LSWDRG4A	193
LSWDRG5A	193
DRSUSPIC	193
SSPDRG1A	193
SSPDRG2A	194
SSPDRG3A	195
SSPDRG4A	195
SSPDRG5A	195
DRCOPE	195
CPEDRG1A	195
CPEDRG2A	196
CPEDRG3A	197
CPEDRG4A	197

CPEDRG5A	197
DREMGMED	198
EMDRG1A	198
EMDRG2A	198
EMDRG3A	199
EMDRG4A	199
EMDRG5A	199
AS15READ	200
EMPDRUG	200
CIGHELP	200
DRNKHELP	201
TRMTHelp	201
TRMTEMRG	201
TRMTHOSP	201
TRMTDOC	201
TRMTTRMT	202
TRMTMHC	202
TRMTSHG	202
TRMTSOP	202
TRMTSP	203
RSKPKCIG	204
RSKTRYMJ	204
RSKMJOCC	204
RSKMJREG	205
RKTRYPCP	205
RKPCPREG	205
RKTRYHER	205
RKHERREG	205
RKTRYCOC	205
RKCOCOC	206
RKCOCREG	206
RKCRKOC	206
RKANSOC	206
RKANSREG	206
RK2DRINK	207
RK5DRINK	207
RSKBINGE	207
RSKDIFMJ	207
RKDIFLSD	208
RKDIFPCP	208
RKDIFCOC	208
RKDIFHER	208
HIGHBP	209
BPMED	209
WALKPAIN	209
TIMEPAIN	210
UPSHOR	210
ASTHMA	210
TRPSYCH	210
HEART	210
FLU	211

ALLERG	211
HOSPYP	211
SOREYR	211
RUNNYR	212
COUGHYR	212
PHLEGMYR	212
HEALTHYR	212
BIRMON	213
BIRYEAR	213
MARITAL	213
NOMARR	213
WORKSTAT	214
PAYMO	215
PAYYR	215
ROCCUP2	215
BUSINES2	216
SECTOR	216
NO5JOB	216
WORKDAYS	217
WORKBLAH	217
CWE	217
FULLPART	218
CWEOCC2	219
CWEBUS2	219
CWESECTR	219
EDUC	220
GRADHS	220
DIPLOMA	220
ENROLLD	221
SCHPLANS	221
STUDENT	221
SCHDAYS	222
SKIPPED	222
MILES	222
ACCID	222
NOCHILD	223
CHAGE1	223
CHAGE2	223
CHAGE3	223
CHAGE4	223
CHAGE5	223
CHAGE6	223
CHAGE7	223
CHAGE8	223
CHAGE9	224
CHAGE10	224
TOTPEOP	224
MOTHER	224
FATHER	224
STEPMOM	224
STEPPAD	224

SPOUSE	225
INLAW	225
OWNCHILD	225
STEPCHLD	225
BROSIS	225
OTHREL	226
FRIENDS	226
OTHERNON	226
MOVDAWAY	226
DORM	227
MILBASE	227
HOSP	227
OTHGPH	227
OTHGPHSP	227
SERVICE	228
MILSTAT	228
TELNO	229
MOVES	229
PROXABLE	229
PROXYREL	229
PROXHOME	230
PROXJOIN	230
MEDICARE	231
MEDICAID	231
CHAMPUS	231
PRVHLTIN	232
OWNHLTIN	232
GRPHLTIN	232
HLTINALC	233
HLTINDRG	233
HLTINMNT	233
WHOANSHI	233
JOB	234
HOURS	234
WORK	235
WAG1	235
AWAG1	235
WEEKS	235
SOC1	236
ASOC1	236
SSI1	236
ASSI1	237
PUB1	237
AFDC1	237
WEL1	237
AWEL1	238
INT1	238
AIN1	238
CHD1	238
ACHD1	239
OTH1	239

AOTH1	239
WAG2	239
AWAG2	240
SOC2	240
ASOC2	240
SSI2	241
ASSI2	241
PUB2	241
AFDC2	242
WEL2	242
AWEL2	242
INT2	243
AIN2	243
CHD2	243
ACHD2	243
OTH2	244
AOTH2	244
WHOANSIN	244
FSTAMP	245
PEOPFD	246
FOOD	246
AFOOD	246
INTMONTH	247
BTIME	247
BAP	247
ETIME	247
EAP	247
LANGVER	247
UNDINT	247
COOPINT	248
PRIVACY	248
PPRES	248
SPRES	248
PARPRES	249
OAPRES	249
CPRES	249
OPRESSPA	249
OPRESNSP	250
WHOMARKD	250
FAMSKIP	251
TWOFAM	251
GQTYP	251
POPDEN	252
POPDEN2	252
PDEN	253
PDEN2	253
DC	253
CHICAGO	253
DENVER	253
LA	253

MIAMI	254
NEWYORK	254
REGION	254
DIVISION	254
CENCTY	254
HSPHCONC	254
HSPPCONC	254
NHBHCONC	255
NHBPCONC	255
OWNOCONC	255
URBARE	255
METRO	255
IRAGE	257
IIAGE	257
IRSEX	257
IISEX	257
IRRACE	257
IIRACE	257
IRHOIND	258
IIHOIND	258
IRHOGRP	258
IIHOGRP	258
IRHOGRP2	258
IIHOGRP2	258
IRMARIT	258
IIMARIT	259
IREduc	259
IIEDUC	259
IRHSGRAD	259
IIHSGRAD	259
IRWORKST	259
IIWORKST	260
IRPINSUR	260
IIPINSUR	260
IRINSUR	260
IIINSUR	260
IRWAG1	260
IIWAG1	261
IRAWAG1	261
IIAWAG1	261
IRSOC1	261
IISOC1	261
IRASOC1	261
IIASOC1	261
IRSSI1	261
IISSI1	261
IRASSI1	261
IIASSI1	262
IRWEL1	262
IIWEL1	262
IRAWEL1	262

IIAWEL1	262
IRINT1	262
IIINT1	262
IRAIN1	262
IIAIN1	262
IRCHD1	263
IICH1	263
IRACHD1	263
IIACHD1	263
IROTH1	263
IIOTH1	263
IRAOTH1	263
IIAOTH1	263
IRWAG2	263
IIWAG2	263
IRAWAG2	264
IIAWAG2	264
IRSOC2	264
IISOC2	264
IRASOC2	264
IIASOC2	264
IRSSI2	264
IISSI2	264
IRASSI2	265
IIASSI2	265
IRWEL2	265
IIWEL2	265
IRAWEL2	265
IIAWEL2	265
IRINT2	265
IIINT2	265
IRAIN2	265
IIAIN2	266
IRCHD2	266
IICH2	266
IRACHD2	266
IIACHD2	266
IROTH2	266
IIOTH2	266
IRAOTH2	266
IIAOTH2	266
IRFOOD	267
IIFOOD	267
IRAFOD	267
IIAFOD	267
IRALCRC	268
IIALCRC	268
IRMJRC	268
IIMJRC	268
IRCOCRC	268
IICOCRC	269

IRSEDRC	269
IISEDRC	269
IRTRNRC	269
IIIRNRC	269
IRSTMRC	270
IISTMRC	270
IRANLRC	270
IIANLRC	270
IRCIIRC	270
IICIIRC	270
IROTBRC	271
IIOTBRC	271
IRINHRC	271
IIINHRC	271
IRCRKRC	271
IIIRKRC	271
IRHALRC	272
IIHALRC	272
IRHERRC	272
IIHERRC	272
IRPCPRC	272
IIPCPRC	273
IRICERC	273
IIICERC	273
IRSTRRC	273
IISTRRC	273
IRALCFQ	273
IIALCFQ	274
IRMJFQ	274
IIIMJFQ	274
IRCOCFQ	274
IIOCOCFQ	274
IRSEDFQ	274
IISEDFQ	275
IRTRNFQ	275
IIIRNFQ	275
IRSTMFQ	275
IIISTMFQ	275
IRANLFQ	276
IIANLFQ	276
IROTBQ	276
IIOTBQ	276
IRINHFQ	276
IIINHFQ	277
IRHALFQ	277
IIHALFQ	277
CATAGE	278
CATAG2	278
RACE	278
EDUCCAT2	278
EMPSTAT2	278

INDINC	279
IIINDINC	279
INDCAT	279
PERINC	280
PERINC2	280
PERINC3	280
TOTINC	280
IITOTINC	280
TOTCAT	280
FAMINC	281
FAMINC2	281
FAMINC3	281
WELFARE	281
WPSTAT	282
HALFLAG	283
HALYR	283
HALMON	283
PCPFLAG	283
PCPYR	283
PCPMON	283
STMFLAG	283
STMYR	284
STMMON	284
SEDFLAG	284
SEDYR	284
SEDMON	284
TRQFLAG	284
TRQYR	284
TRQMON	284
ANLFLAG	284
ANLYR	285
ANLMON	285
ALCFLAG	285
ALCYR	285
ALCMON	285
CIGFLAG	285
CIGYR	285
CIGMON	285
SMKFLAG	285
SMKYR	286
SMKMON	286
HERFLAG	286
HERYR	286
HERMON	286
STRFLAG	286
STRYR	286
STRMON	286
MRJFLAG	286
MRJYR	287
MRJMON	287
COCFLAG	287

COCYR	287
COCMON	287
CRKFLAG	287
CRKYR	287
CRKMON	287
INHFLAG	287
INHYR	288
INHMON	288
NEEDLREC	288
NDL90REC	288
NEDFLAG3	289
NEDYR3	289
HALYRF	289
HALMONF	289
HALWKF	289
HALOCCF	290
HALDLYF	290
STMYRF	290
STMMONF	290
STMWKF	290
STMOCCF	290
STMDLYF	290
SEDYRF	290
SEDMONF	291
SEDWKF	291
SEDOCCF	291
SEDDLYF	291
TRQYRF	291
TRQMONF	291
TRQWKF	291
TRQOCCF	292
TRQDLYF	292
ANLYRF	292
ANLMONF	292
ANLWKF	292
ANLOCCF	292
ANLDLYF	292
ALCYRF	293
ALCMONF	293
ALCWKF	293
ALCOCCF	293
ALCDLYF	293
SMKYRF	293
SMKMONF	293
SMKWKF	293
SMKOCCF	294
SMKDLYF	294
MRJYRF	294
MRJMONF	294
MRJWKF	294
MRJOCCF	294

MRJDLYF	294
COCYRF	295
COCMONF	295
COCWKF	295
COCOCCF	295
COCDLYF	295
INHRYF	295
INHMONF	295
INHWKF	296
INHOCF	296
INHDLF	296
PSYFLAG2	296
PSYR2	296
PSYMON2	296
SUMFLAG	296
SUMYR	297
SUMMON	297
MJOFLAG	297
MJOYR2	297
MJOMON2	297
IEMFLAG	298
IEMYR	298
IEMMON	298
PLYFLAGC	298
PLYRC	298
PLYMONC	299
HERREC92	299
IRHERC92	299
IIHERC92	299
VESTR	301
VEREP	301
ANALWT	301
ANALWT2	301
ANALWTC	301
A1	301
A2	301
A3	301
A4	301
A5	301
A6	301
W4	301
WO	302
WPNAC	302
AEROS2	305
ALCDAYS2	305
ALCDAYS3	305
ALCMON2	305
AMYLNIT2	305
AVCIG2	305
AVCIG3	306
CIGMON2	306

CLEFLU2	306
COCIV2	306
COCWAY2	306
COCSNIF2	306
COCSWAL2	306
COCTOT2	306
COCTOT3	307
DRALHELP	307
DRINKER2	307
DRNKHLP2	307
DRUNKYR2	307
ETHER2	308
FREEBAS2	308
GAS2	308
LGAS2	308
GLUE2	308
HVYDRK2	308
ICEFLAG	308
ICEMON	308
ICEYR	308
LSD2	308
MESC2	309
ECSTASY2	309
MJDY30A2	309
MJDY30A3	309
MJTOT2	309
MJTOT3	309
MRJMON2	310
NITOXID2	310
NOTMARJ	310
PEYOTE2	310
PSILCY2	310
RACESEX	310
RACESEX2	310
SOLVENT2	311
SPPAINT2	311
TRMTHLP2	311
IRAS13	313
IRDEP	313
IRDEP1	313
IRDEP2	314
IRDEP3	315
IRDEP4	315
IRDEP5	315
IRARG	315
IRARG1	315
IRARG2	316
IRARG3	316
IRARG4	317
IRARG5	317
IRALN	317

IRALN1	317
IRALN2	318
IRALN3	318
IRALN4	318
IRALN5	319
IRANX	319
IRANX1	319
IRANX2	320
IRANX3	320
IRANX4	321
IRANX5	321
IRHLT	321
IRHLT1	321
IRHLT2	322
IRHLT3	322
IRHLT4	322
IRHLT5	323
IRNTK	323
IRNTK1	323
IRNTK2	324
IRNTK3	324
IRNTK4	325
IRNTK5	325
IRUPS	325
IRUPS1	325
IRUPS2	326
IRUPS3	326
IRUPS4	327
IRUPS5	327
IRLSW	327
IRLSW1	327
IRLSW2	328
IRLSW3	328
IRLSW4	328
IRLSW5	328
IRSSP	329
IRSSP1	329
IRSSP2	329
IRSSP3	330
IRSSP4	330
IRSSP5	330
IRCPE	330
IRCPE1	330
IRCPE2	331
IRCPE3	331
IRCPE4	332
IRCPE5	332
IREMG	332
IREMG1	332
IREMG2	333
IREMG3	333

IREMG4	333
IREMG5	333
ANYPROB	333
TWOPROB	333
THREPROB	334
ALNALC2	335
ALNCIG2	335
ALNCOC2	336
ALNMRJ2	336
ANXALC2	336
ANXCIG2	336
ANXCOC2	336
ANXMRJ2	336
ARGALC2	336
ARGCIG2	336
ARGCOC2	336
ARGMRJ2	337
CPEALC2	337
CPECIG2	337
CPECOC2	337
CPEMRJ2	337
DEPALC2	337
DEPCIG2	337
DEPCOC2	337
DEPMRJ2	338
EMALC2	338
EMCIG2	338
EMCOC2	338
EMMRJ2	338
HLTALC2	338
HLTCIG2	338
HLTCOC2	338
HLTMRJ2	338
LSWALC2	339
LSWCIG2	339
LSWCOC2	339
LSWMRJ2	339
NTKALC2	339
NTKCIG2	339
NTKCOC2	339
NTKMRJ2	339
SSPALC2	340
SSPCIG2	340
SSPCOC2	340
SSPMRJ2	340
UPSALC2	340
UPSCIG2	340
UPSCOC2	340
UPSMRJ2	340
PRB1ALC	341
PRB1CIG	341

PRB1COC	341
PRB1MRJ	341
PRB2ALC	341
PRB2CIG	341
PRB2COC	342
PRB2MRJ	342
PRB3ALC	342
PRB3CIG	342
PRB3COC	342
PRB3MRJ	342
IRCDALC	344
IRCDCIG	344
IRCDCOC	344
IRCDMJ	344
IREFALC	344
IREFCIG	345
IREFCOC	345
IREFMJ	345
IRUDALC	345
IRUDCIG	345
IRUDCOC	345
IRUDMJ	346
IRDPALC	346
IRDPCIG	346
IRDPCOC	346
IRDPMJ	346
IRWSALC	346
IRWSCIG	346
IRWSCOC	347
IRWSMJ	347
ALCPROBS	347
CIGPROBS	347
COCPROBS	347
MJPROBS	348
IRNOBOOZ	349
IRALCABS	349
IRALCAGG	349
IRALCALO	350
IRALCARG	350
IRALCBRK	350
IRALCDRU	350
IRALCFRD	350
IRALCHIG	350
IRALCHOL	350
IRALCINT	350
IRALCJOB	350
IRALCMAT	351
IRALCMOR	351
IRALCQUI	351
IRALCREL	351
IRALCREM	351

IRALCSHO	351
IRALCTOS	351
ANYALC	352
THREALC	352
ALCONLYL	353
ALCONLYY	353
ALCONLYM	353
ILLONLYL	353
ILLONLYY	353
ILLONLYM	353
MRJONLYL	353
MRJONLYY	354
MRJONLYM	354
PSYONLYL	354
PSYONLYY	354
PSYONLYM	354
OTHONLYL	354
OTHONLYY	355
OTHONLYM	355
ALCILLL	355
ALCILLY	355
ALCILLM	355
ALCMRJL	355
ALCMRJY	355
ALCMRJM	356
ALCPSYL	356
ALCPSYY	356
ALCPSYM	356
ALCOTHL	356
ALCOTHY	357
ALCOTHM	357
SUB1LIF	357
SUB1YR	357
SUB1MON	357
SUB2LIF	358
SUB2YR	358
SUB2MON	358
SUB3LIF	358
SUB3YR	358
SUB3MON	358
QC06	360
QC09	360
AL02	361
SE04	361
TR04	361
ST04	362
ST07	362
AN04	362
MJ04	363
IN04	363
CC04	363

CC10	364
CC11	364
LS05	365
LS08	365
HE04	365
HE07	366
DR08	366
SP04	367
SP08	367

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

APPENDIX A
CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
NORTHEAST	NEW ENGLAND	CONNECTICUT	CT
NORTHEAST	NEW ENGLAND	MAINE	ME
NORTHEAST	NEW ENGLAND	MASSACHUSETTS	MA
NORTHEAST	NEW ENGLAND	NEW HAMPSHIRE	NH
NORTHEAST	NEW ENGLAND	RHODE ISLAND	RI
NORTHEAST	NEW ENGLAND	VERMONT	VT
NORTHEAST	MIDDLE ATLANTIC	NEW JERSEY	NJ
NORTHEAST	MIDDLE ATLANTIC	NEW YORK	NY
NORTHEAST	MIDDLE ATLANTIC	PENNSYLVANIA	PA
NORTH CENTRAL	EAST NORTH CENTRAL	ILLINOIS	IL
NORTH CENTRAL	EAST NORTH CENTRAL	INDIANA	IN
NORTH CENTRAL	EAST NORTH CENTRAL	MICHIGAN	MI
NORTH CENTRAL	EAST NORTH CENTRAL	OHIO	OH
NORTH CENTRAL	EAST NORTH CENTRAL	WISCONSIN	WI
NORTH CENTRAL	WEST NORTH CENTRAL	IOWA	IA
NORTH CENTRAL	WEST NORTH CENTRAL	KANSAS	KS
NORTH CENTRAL	WEST NORTH CENTRAL	MINNESOTA	MN
NORTH CENTRAL	WEST NORTH CENTRAL	MISSOURI	MO
NORTH CENTRAL	WEST NORTH CENTRAL	NEBRASKA	NE
NORTH CENTRAL	WEST NORTH CENTRAL	NORTH DAKOTA	ND
NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH DAKOTA	SD
SOUTH	SOUTH ATLANTIC	DELAWARE	DE
SOUTH	SOUTH ATLANTIC	DISTRICT OF COLUMBIA	DC
SOUTH	SOUTH ATLANTIC	FLORIDA	FL
SOUTH	SOUTH ATLANTIC	GEORGIA	GA
SOUTH	SOUTH ATLANTIC	MARYLAND	MD
SOUTH	SOUTH ATLANTIC	NORTH CAROLINA	NC
SOUTH	SOUTH ATLANTIC	SOUTH CAROLINA	SC
SOUTH	SOUTH ATLANTIC	VIRGINIA	VA
SOUTH	SOUTH ATLANTIC	WEST VIRGINIA	WV
SOUTH	EAST SOUTH CENTRAL	ALABAMA	AL
SOUTH	EAST SOUTH CENTRAL	KENTUCKY	KY
SOUTH	EAST SOUTH CENTRAL	MISSISSIPPI	MS
SOUTH	EAST SOUTH CENTRAL	TENNESSEE	TN
SOUTH	WEST SOUTH CENTRAL	ARKANSAS	AR
SOUTH	WEST SOUTH CENTRAL	LOUISIANA	LA
SOUTH	WEST SOUTH CENTRAL	OKLAHOMA	OK
SOUTH	WEST SOUTH CENTRAL	TEXAS	TX
WEST	MOUNTAIN	ARIZONA	AZ
WEST	MOUNTAIN	COLORADO	CO
WEST	MOUNTAIN	IDAHO	ID
WEST	MOUNTAIN	MONTANA	MT
WEST	MOUNTAIN	NEVADA	NV
WEST	MOUNTAIN	NEW MEXICO	NM
WEST	MOUNTAIN	UTAH	UT
WEST	MOUNTAIN	WYOMING	WY
WEST	PACIFIC	ALASKA	AK
WEST	PACIFIC	CALIFORNIA	CA
WEST	PACIFIC	HAWAII	HI
WEST	PACIFIC	OREGON	OR
WEST	PACIFIC	WASHINGTON	WA

Appendix B
Occupation Codes

Occupational Classification System

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the occupation categories are the 1977 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Occupation code	Occupation category	Occupation code	Occupation category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS—Con.
1	Executive, Administrative, and Managerial Occupations		Professional Specialty Occupations—Con.
	Legislators (112)		Engineers, surveyors and mapping scientists—Con.
	Chief executives and general administrators, public administration (111)		Chemical engineers (1626)
	Administrators and officials, public administration (pt 113 and 119, except 1138)		Nuclear engineers (1627)
	Administrators, protective services (pt 113)		Civil engineers (1628)
	Financial managers (122)		Agricultural engineers (1632)
	Personnel and labor relations managers (123)		Electrical and electronic engineers (1633, 1638)
	Purchasing managers (124)		Industrial engineers (1634)
	Managers; marketing, advertising, and public relations (125)		Mechanical engineers (1635)
	Administrators, education and related fields (128)		Marine engineers and naval architects (1637)
	Managers, medicine and health (131)		Engineers, n.e.c. (1639)
	Managers, properties and real estate (135J)		Surveyors and mapping scientists (1642)
	Postmasters and mail superintendents (1344)		Mathematical and computer scientists
	Funeral directors (pt 1359)		Computer systems analysts and scientists (171)
	Managers and administrators, n.e.c. (1138, 121, 128, 127, 132-139, except 1344, 1353, pt 1359)		Operations and systems researchers and analysts (172)
	Management related occupations		Actuaries (1732)
2	Accountants and auditors (1412)		Statisticians (1733)
	Underwriters (pt 1419)		Mathematical scientists, n.e.c. (1739)
	Other financial officers (pt 1419)		Natural scientists
	Management analysts (142)		Physicists and astronomers (1842, 1843)
	Personnel, training, and labor relations specialists (143)		Chemists, except biochemists (1845)
	Purchasing agents and buyers, farm products (pt 144)		Atmospheric and space scientists (1846)
	Buyers, wholesale and retail trade, except farm products (432)		Geologists and geodesists (1847)
	Purchasing agents and buyers, n.e.c. (pt 144)		Physical scientists, n.e.c. (1849)
	Business and promotion agents (145)		Agricultural and food scientists (1853)
	Construction inspectors (1171, 613)		Biological and life scientists (1854, 1859)
	Inspectors and compliance officers, exc. construction (1172, 147)		Forestry and conservation scientists (1852)
	Management related occupations, n.e.c. (149)		Medical scientists (1855)
			Health diagnosing occupations
			Physicians (261)
			Dentists (262)
			Veterinarians (27)
			Optometrists (281)
			Podiatrists (283)
			Health diagnosing practitioners, n.e.c. (289)
			Health assessment and treating occupations
			Registered nurses (29)
2	Professional Specialty Occupations		Pharmacists (301)
	Architects (15)		Dietitians (302)
	Engineers, surveyors and mapping scientists		Therapists
	Aerospace engineers (1622)		Inhalation therapists (pt 303)
	Metallurgical and materials engineers (1623)		Occupational therapists (pt 303)
	Mining engineers (1624)		Physical therapists (pt 303)
	Petroleum engineers (1625)		Speech therapists (pt 303)
			Therapists, n.e.c. (pt 303)

Occupation code	Occupation category	Occupation code	Occupation category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS—Con.		MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS—Con.
	Professional Specialty Occupations—Con.		Professional Specialty Occupations—Con.
	Health assessment and treating occupations—Con.		Social, recreation, and religious workers
	Physicians' assistants (304)		Social workers (2032)
	Teachers, postsecondary		Recreation workers (2033)
	Earth, environmental, and marine science teachers (2212)		Clergy (2042)
	Biological science teachers (2213)		Religious workers, n.e.c. (2049)
	Chemistry teachers (2214)		Lawyers and judges
	Physics teachers (2215)		Lawyers (211)
	Natural science teachers, n.e.c. (2216)		Judges (212)
	Psychology teachers (2217)		Writers, artists, entertainers, and athletes
	Economics teachers (2218)		Authors (pt 321)
	History teachers (2222)		Technical writers (pt 321)
	Political science teachers (2223)		Designers (322)
	Sociology teachers (2224)		Musicians and composers (323)
	Social science teachers, n.e.c. (2225)		Actors and directors (324)
	Engineering teachers (2226)		Painters, sculptors, craft-artists, and artist printmakers (325, pt 7263)
	Mathematical science teachers (2227)		Photographers (326)
	Computer science teachers (2228)		Dancers (327)
	Medical science teachers (pt 2232)		Artists, performers, and related workers, n.e.c. (329)
	Health specialties teachers (pt 2232)		Editors and reporters (331)
	Business, commerce, and marketing teachers (2233)		Public relations specialists (332)
	Agriculture and forestry teachers (2234)		Announcers (333)
	Art, drama, and music teachers (2235)		Athletes (34)
	Physical education teachers (2236)		
	Education teachers (2237)		
	English teachers (2238)		
	Foreign language teachers (2242)		
	Law teachers (2243)		
	Social work teachers (2244)		
	Theology teachers (2245)		
	Trade and industrial teachers (2246)		
	Home economics teachers (pt 2249)		
	Teachers, postsecondary, n.e.c. (pt 2249)		
	Postsecondary teachers, subject not specified		
	Teachers, except postsecondary		
	Teachers, prekindergarten and kindergarten (231)		
	Teachers, elementary school (232)		
	Teachers, secondary school (233)		
	Teachers, special education (235)		
	Teachers, n.e.c. (234, 239)		
	Counselors, educational and vocational (24)		
	Librarians, archivists, and curators		
	Librarians (251)		
	Archivists and curators (252)		
	Social scientists and urban planners		
	Economists (1912)		
	Psychologists (1915)		
	Sociologists (1916)		
	Social scientists, n.e.c. (1913, 1914, 1919)		
	Urban planners (192)		
			TECHNICAL SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS
		3	Technicians and Related Support Occupations
			Health technologists and technicians
			Clinical laboratory technologists and technicians (362)
			Dental hygienists (363)
			Health record technologists and technicians (364)
			Radiologic technicians (365)
			Licensed practical nurses (368)
			Health technologists and technicians, n.e.c. (369)
			Technologists and technicians, except health
			Engineering and related technologists and technicians
			Electrical and electronic technicians (3711)
			Industrial engineering technicians (3712)
			Mechanical engineering technicians (3713)
			Engineering technicians, n.e.c. (3719)
			Drafting occupations (3721)
			Surveying and mapping technicians (3722)
			Science technicians
			Biological technicians (382)
			Chemical technicians (3831)
			Science technicians, n.e.c. (3832, 3833, 384)

Occupation
code

Occupation category

TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS—Con.

Technicians and Related Support Occupations—Con.

Technicians, except health, engineering, and science

Airplane pilots and navigators (645)

Air traffic controllers (391)

Broadcast equipment operators (392)

Computer programmers (3931, 3932)

Tool programmers, numerical control (3934)

Legal assistants (396)

Technicians, n.e.c. (399)

4 Sales Occupations

Supervisors and proprietors, sales occupations (40,
pt 4518)

Sales occupations, business goods and services

Insurance sales occupations (4222)

Real estate sales occupations (4223)

Securities and financial services sales occupations
(4224)

Advertising and related sales occupations (4253)

Sales occupations, other business services (4252)

Sales engineers (pt 16)

Sales representatives, mining, manufacturing, and
wholesale (412, 413)

Sales occupations, personal goods and services

Sales workers, motor vehicles and boats (4142, 4144)

Sales workers, apparel (pt 4146)

Sales workers, shoes (pt 4146)

Sales workers, furniture and home furnishings (4148)

Sales workers; radio, television, hi-fi, and
appliances (4143, 4152)

Sales workers, hardware and building supplies (4153)

Sales workers, parts (4167)

Sales workers, other commodities (4145, 4147,
4154, 4156, 4159, pt 4162, 4169, 4259, 4665)

Sales counter clerks (pt 4162)

Cashiers (4683)

Street and door-to-door sales workers (4163)

News vendors (4165)

Sales related occupations

Demonstrators, promoters and models, sales (435)

Auctioneers (pt 439)

Sales support occupations, n.e.c. (434, 436, pt 439)

5 Administrative Support Occupations, Including Clerical

Supervisors, administrative support occupations

Supervisors, general office (4511-4514, 4516, pt
4518, 4519, 4529, 4537)

Supervisors, computer equipment operators (4535)

Supervisors, financial records processing (4521,
4536)

Chief communications operators (4515)

Occu-
pation
code

Occupation category

TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS—Con.Administrative Support Occupations, Including
Clerical—Con.

Supervisors, administrative support occupations—C

Supervisors: distribution, scheduling, and adjust-
ment clerks (4522-4528)

Computer equipment operators

Computer operators (4852)

Peripheral equipment operators (4853)

Secretaries, stenographers, and typists

Secretaries (4812)

Stenographers (4613)

Typists (4622)

Information clerks

Interviewers (4642)

Hotel clerks (4643)

Transportation ticket and reservation agents (4644)

Receptionists (4645)

Information clerks, n.e.c. (4649)

Records processing occupations, except financial

Classified-ad clerks (4662)

Correspondence clerks (4663)

Order clerks (4664)

Personnel clerks, except payroll and timekeeping
(4692)

Library clerks (4694)

File clerks (4696)

Records clerks (4693, 4699)

Financial records processing occupations

Bookkeepers, accounting, and auditing clerks (4700)

Payroll and timekeeping clerks (4713)

Billing clerks (4715)

Cost and rate clerks (4716)

Billing, posting, and calculating machine operators
(486)

Duplicating, mail and other office machine operator

Duplicating machine operators (4872)

Mail preparing and paper handling machine operators
(4873)

Office machine operators, n.e.c. (4879)

Communications equipment operators

Telephone operators (4652)

Telegraphers (4623)

Communications equipment operators, n.e.c. (4653)

Mail and message distributing occupations

Postal clerks, exc. mail carriers (4723)

Mail carriers, postal service (4733)

Mail clerks, exc. postal service (4722)

Messengers (4732)

Material recording, scheduling, and distributing
clerks, n.e.c.

Dispatchers (4741)

Production coordinators (4742)

Occupation code	Occupation category	Occupation code	Occupation category
	TECHNICAL, SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS—Con.		SERVICE OCCUPATIONS—Con.
	Administrative Support Occupations, Including Clerical—Con.		Protective Service Occupations—Con.
	Material recording, scheduling, and distributing clerks, n.a.c.—Con.		Guards
	Traffic, shipping, and receiving clerks (4743)	8	Crossing guards (5132)
	Stock and inventory clerks (4744)		Guards and police, exc. public service (5134)
	Meter readers (4745)		Protective service occupations, n.a.c. (5139)
	Weighers, measurers, and checkers (4746)		
	Samplers (4747)		Service Occupations, Except Protective and Private Household
	Expeditors (4748)		Food preparation and service occupations
	Material recording, scheduling, and distributing clerks, n.a.c. (4749)		Supervisors, food preparation and service occupations (5021)
	Adjusters and investigators		Bartenders (5212)
	Insurance adjusters, examiners, and investigators (4782)		Walters and waitresses (5213)
	Investigators and adjusters, except insurance (4783)		Cooks, except short order (5214)
	Eligibility clerks, social welfare (4784)		Short-order cooks (5215)
	Bill and account collectors (4786)		Food counter, fountain and related occupations (5216)
	Miscellaneous administrative support occupations		Kitchen workers, food preparation (5217)
	General office clerks (4632)		Waiters/waitresses' assistants (5218)
	Bank tellers (4682)		Miscellaneous food preparation occupations (5219)
	Proofreaders (4792)		Health service occupations
	Data-entry keyers (4624)		Dental assistants (5232)
	Statistical clerks (4717)		Health aides, except nursing (5233)
	Teachers' aides (4695)		Nursing aides, orderlies, and attendants (5236)
	Administrative support occupations, n.a.c. (4787, 4799)		Cleaning and building service occupations, except private household
			Supervisors, cleaning and building service occupations (5024)
			Maid and housemen (5242, 5249)
			Janitors and cleaners (5244)
			Elevator operators (5245)
			Pest control occupations (5248)
			Personal service occupations
			Supervisors, personal service occupations (5025)
			Barbers (5251)
			Hairdressers and cosmetologists (5252)
			Attendants, amusement and recreation facilities (5253)
			Guides (5254)
			Ushers (5255)
			Public transportation attendants (5256)
			Baggage porters and bellhops (5258)
			Welfare service aides (5262)
			Child care workers, except private household (5265)
			Personal service occupations, n.a.c. (5257, 5269)
6	Private Household Occupations		
	Launderers and ironers (533)		
	Cooks, private household (534)		
	Housekeepers and butlers (535)		
	Child care workers, private household (536)		
	Private household cleaners and servants (532, 537, 539)		
7	Protective Service Occupations		
	Supervisors, protective service occupations		
	Supervisors, firefighting and fire prevention occupations (5011)		
	Supervisors, police and detectives (5012)		
	Supervisors, guards (5013)		
	Firefighting and fire prevention occupations		
	Fire inspection and fire prevention occupations (5112)		
	Firefighting occupations (5113)		
	Police and detectives		
	Police and detectives, public service (5122)		
	Sheriffs, bailiffs, and other law enforcement officers (5124)		
	Correctional institution officers (5133)		
		9	FARMING, FORESTRY, AND FISHING OCCUPATIONS
			Farm operators and managers
			Farmers, except horticultural (5512-5514)
			Horticultural specialty farmers (5515)
			Managers, farms, except horticultural (5522-5524)
			Managers, horticultural specialty farms (5525)

Occupation
code

Occupation category

Occupation
code

Occupation category

**FARMING, FORESTRY, AND FISHING
OCCUPATIONS—Con.****Other agricultural and related occupations**

Farm occupations, except managerial

Supervisors, farm workers (5611)

Farm workers (5612-5617)

Marine life cultivation workers (5618)

Nursery workers (5619)

Related agricultural occupationsSupervisors, related agricultural occupations
(5621)

Groundskeepers and gardeners, except farm (5622)

Animal caretakers, except farm (5624)

Graders and sorters, agricultural products (5625)

Inspectors, agricultural products (5627)

Forestry and logging occupations

Supervisors, forestry and logging workers (571)

Forestry workers, except logging (572)

Timber cutting and logging occupations (573, 579)

Fishers, hunters, and trappers

Captains and other officers, fishing vessels (582)

Fishers (583)

Hunters and trappers (584)

**PRECISION PRODUCTION, CRAFT, AND REPAIR
OCCUPATIONS**

10

Mechanics and repairers

Supervisors, mechanics and repairers (66)

Mechanics and repairers, except supervisors

Vehicle and mobile equipment mechanics and
repairers

Automobile mechanics (6711)

Automobile mechanic apprentices (pt 6711)

Bus, truck, and stationary engine mechanics
(6712)

Aircraft engine mechanics (6713)

Small engine repairers (6714)

Automobile body and related repairers (6715)

Aircraft mechanics, exc. engine (6716)

Heavy equipment mechanics (6717)

Farm equipment mechanics (6718)

Industrial machinery repairers (673)

Machinery maintenance occupations (674)

Electrical and electronic equipment repairers

Electronic repairers, communications and

Industrial equipment (6751, 6753, 6755)

Data processing equipment repairers (6754)

Household appliance and power tool repairers
(6756)

Telephone line installers and repairers (6757)

Telephone installers and repairers (6758)

Miscellaneous electrical and electronic equip-
ment repairers (6752, 6759)Heating, air conditioning, and refrigeration
mechanics (676)**PRECISION PRODUCTION, CRAFT, AND REPAIR
OCCUPATIONS—Con.****Mechanics and repairers—Con.**

Mechanics and repairers, except supervisors—Con.

Miscellaneous mechanics and repairers

Camera, watch, and musical instrument repairer
(6771, 6772)

Locksmiths and safe repairers (6773)

Office machine repairers (6774)

Mechanical controls and valve repairers (6775)

Elevator installers and repairers (6776)

Millwrights (6778)

Specified mechanics and repairers, n.e.c. (6777,
6779)

Not-specified mechanics and repairers

11

Construction trades

Supervisors, construction occupations

Supervisors: brickmasons, stonemasons, and tile
setters (6012)

Supervisors, carpenters and related workers (6013)

Supervisors, electricians and power transmission
installers (6014)Supervisors: painters, paperhangers, and plasterers
(6015)Supervisors: plumbers, pipefitters, and steamfitters
(6016)

Supervisors, n.e.c. (6011, 6018)

Construction trades, except supervisors

Brickmasons and stonemasons (6112, 6113)

Brickmason and stonemason apprentices (pt
6112-6113)

Tile setters, hard and soft (6114, pt 6162)

Carpet installers (pt 6162)

Carpenters (6122)

Carpenter apprentices (pt 6122)

Drywall installers (6124)

Electricians (6132)

Electrician apprentices (pt 6132)

Electrical power installers and repairers (6133)

Painters, construction and maintenance (6142)

Paperhangers (6143)

Plasterers (6144)

Plumbers, pipefitters, and steamfitters (6150)

Plumber, pipefitter, and steamfitter apprentices
(pt 6150)

Concrete and terrazzo finishers (6163)

Glaziers (6164)

Insulation workers (6165)

Paving, surfacing, and tamping equipment
operators (6166)

Roofers (6168)

Sheetmetal duct installers (6172)

Structural metal workers (6173)

Drillers, earth (6174)

XV

Occupational Classification System

Occupation
code

Occupation category

PRECISION PRODUCTION, CRAFT, AND REPAIR
OCCUPATIONS—Con.

Construction trades—Con.

Construction trades, except supervisors—Con.

Construction trades, n.s.c. (6167, 6175, 6176,
6179)

12 Extractive occupations

Supervisors, extractive occupations (602)

Drillers, oil well (622)

Explosives workers (623)

Mining machine operators (624)

Mining occupations, n.s.c. (626)

Precision production occupations

Supervisors, production occupations (pt 711, 712)

Precision metal working occupations

Tool and die makers (7211)

Tool and die maker apprentices (pt 7211)

Precision assemblers, metal (7212)

Machinists (7213)

Machinist apprentices (pt 7213)

Boilermakers (7214)

Precision grinders, fitters, and tool sharpeners
(7216)

Patternmakers and model makers, metal (7217)

Lay-out workers (7221)

Precious stones and metals workers (jewelers)
(7222, 7268)

Engravers, metal (7223)

Sheet metal workers (7224)

Sheet metal worker apprentices (pt 7224)

Miscellaneous precision metal workers (7229)

Precision woodworking occupations

Patternmakers and model makers, wood (7231)

Cabinet makers and bench carpenters (7232)

Furniture and wood finishers (pt 7234, pt 7756)

Miscellaneous precision woodworkers (pt 7234,
7239)Precision textile, apparel, and furnishings machine
workers

Dressmakers (7251, pt 7752)

Tailors (7252)

Upholsterers (7253)

Shoe repairers (7254)

Apparel and fabric patternmakers (pt 7259)

Miscellaneous precision apparel and fabric workers
(pt 7259, pt 7752)

Precision workers, assorted materials

Hand molders and shapers, except jewelers (7261)

Patternmakers, lay-out workers, and cutters (7262)

Optical goods workers (7264, pt 7677)

Dental laboratory and medical appliance tech-
nicians (7265)

Bookbinders (pt 7249, pt 7449)

Electrical and electronic equipment assemblers
(7267)Occupation
code

Occupation category

PRECISION PRODUCTION, CRAFT, AND REPAIR
OCCUPATIONS—Con.

Precision production occupations—Con.

Precision workers, assorted materials—Con.

Miscellaneous precision workers, n.s.c. (7268)

Precision food production occupations

Butchers and meat cutters (7271)

Bakers (7272)

Food batchmakers (7273, 7279)

Precision inspectors, testers, and related workers

Inspectors, testers, and graders (7281)

Adjusters and calibrators (7282)

Plant and system operators

Water and sewage treatment plant operators (7796)

Power plant operators (pt 793)

Stationary engineers (pt 793, 7668)

Miscellaneous plant and system operators (792,
794, 795, 796)

OPERATORS, FABRICATORS, AND LABORERS

13 Machine Operators, Assemblers, and Inspectors

Machine operators and tenders, except precision

Metalworking and plastic working machine operators

Lathe and turning machine set-up operators
(7312)

Lathe and turning machine operators (7512)

Milling and planing machine operators (7313,
7513)Punching and stamping press machine operators
(7314, 7317, 7514, 7517)

Rolling machine operators (7316, 7516)

Drilling and boring machine operators (7318,
7518)Grinding, abrading, buffing, and polishing machine
operators (7322, 7324, 7522)

Forging machine operators (7319, 7519)

Numerical control machine operators (7326)

Miscellaneous metal, plastic, stone, and glass
working machine operators (7329, 7529)

Fabricating machine operators, n.s.c. (7339, 7539)

Metal and plastic processing machine operators

Molding and casting machine operators (7315,
7342, 7515, 7542)

Metal plating machine operators (7343, 7543)

Heat treating equipment operators (7344, 7544)

Miscellaneous metal and plastic processing machine
operators (7349, 7549)

Woodworking machine operators

Wood lathe, routing, and planing machine opera-
tors (7431, 7432, 7631, 7632)

Sawing machine operators (7433, 7633)

Shaping and joining machine operators (7435,
7635)

Occupational Classification System

Occupation
code

Occupation category

OPERATORS, FABRICATORS, AND
LABORERS—Con.

Machine Operators, Assemblers, and Inspectors—Con.

Machine operators and tenders, except precision—Con.

Woodworking machine operators—Con.

Nailing and tacking machine operators (7636)

Miscellaneous woodworking machine operators
(7434, 7439, 7634, 7639)

Printing machine operators

Printing machine operators (7443, 7643)

Photoengravers and lithographers (7242, 7444,
7644)

Typesetters and compositors (7241, 7442, 7642)

Miscellaneous printing machine operators (pt
7249, pt 7449, 7649)

Textile, apparel, and furnishings machine operators

Winding and twisting machine operators (7451,
7651)Knitting, looping, taping, and weaving machine
operators (7452, 7652)

Textile cutting machine operators (7654)

Textile sewing machine operators (7655, pt 7656)

Shoe machine operators (pt 7656, pt 7659)

Pressing machine operators (7657)

Laundering and dry cleaning machine operators
(7255, 7658)Miscellaneous textile machine operators (7453,
7653, pt 7659)

Machine operators, assorted materials

Cementing and gluing machine operators (7661)

Packaging and filling machine operators (7462,
7662)Extruding and forming machine operators (7463,
7663)

Mixing and blending machine operators (7664)

Separating, filtering, and clarifying machine
operators (7476, 7666, 7676)Compressing and compacting machine operators
(7467, 7667)Painting and paint spraying machine operators
(7669)Roasting and baking machine operators, food
(7472, 7672)Washing, cleaning, and pickling machine operators
(7673)

Folding machine operators (7474, 7674)

Furnace, kiln, and oven operators, exc. food
(7668, 7671, 7675)Crushing and grinding machine operators (7477,
pt 7677)Slicing and cutting machine operators (7478,
7678)

Motion picture projectionists (pt 7679)

Photographic process machine operators (pt
7263, pt 7679)Occupation
code

Occupation category

OPERATORS, FABRICATORS, AND
LABORERS—Con.

Machine operators, Assemblers, and Inspectors—Con.

Machine operators and tenders, except precision—Con.

Machine operators, assorted materials—Con.

Miscellaneous machine operators, n.s.c. (7479,
7665, pt 7679)

Machine operators, not specified

Fabricators, assemblers, and hand working occupa-
tions

Welders and cutters (7332, 7532, 7714)

Solderers and brazers (7333, 7533, 7717)

Assemblers (772, 774)

Hand cutting and trimming occupations (7753)

Hand molding, casting, and forming occupations,
(7754, 7755)Hand painting, coating, and decorating occupations
(pt 7756)

Hand engraving and printing occupations (7757)

Hand grinding and polishing occupations (7758)

Miscellaneous hand working occupations (7759)

Production inspectors, testers, samplers, and weighers

Production inspectors, checkers, and examiners (782,
786, 787)

Production testers (783)

Production samplers and weighers (784)

Graders and sorters, except agricultural (785)

14

Transportation and Material Moving Occupations

Motor vehicle operators

Supervisors, motor vehicle operators (6311)

Truck drivers, heavy (6412, 6413)

Truck drivers, light (6414)

Driver-sales workers (433)

Bus drivers (6415)

Taxi cab drivers and chauffeurs (6416)

Parking lot attendants (6417)

Motor transportation occupations, n.s.c. (6419)

Transportation occupations, except motor vehicles

Rail transportation occupations

Railroad conductors and yardmasters (6313)

Locomotive operating occupations (6432)

Railroad brake, signal, and switch operators (6433)

Rail vehicle operators, n.s.c. (6439)

Water transportation occupations

Ship captains and mates, except fishing boats
(6441, 6442)

Sailors and deckhands (6443)

Marine engineers (6444)

Bridge, lock, and lighthouse tenders (6445)

Material moving equipment operators

Supervisors, material moving equipment operators
(632)

Operating engineers (6512)

Occupational Classification System

Occupation code	Occupation category	Occupation code	Occupation category
	OPERATORS, FABRICATORS, AND LABORERS—Con. Transportation and Material Moving Occupations—Con. Material moving equipment operators—Con. Longshore equipment operators (6513) Hoist and winch operators (6514) Crane and tower operators (6515) Excavating and loading machine operators (6516) Grader, dozer, and scraper operators (6517) Industrial truck and tractor equipment operators (6518) Miscellaneous material moving equipment operators (6519, pt 659)		OPERATORS, FABRICATORS, AND LABORERS—Con. Handlers, Equipment Cleaners, Helpers, and Laborers—Con. Construction laborers (81) Production helpers (769, 779) Freight, stock, and material movers, hand Garbage collectors (822) Stevedores (823) Stock handlers and baggers (824) Machine feeders and offbearers (825) Freight, stock, and material movers, hand, n.s.c. (849, 826) Garage and service station related occupations (872) Vehicle washers and equipment cleaners (83) Hand packers and packagers (841) Laborers, except construction (842, 846, pt 659)
15	Handlers, Equipment Cleaners, Helpers, and Laborers Supervisors: handlers, equipment cleaners, and laborers, n.s.c. (pt 711) Helpers, mechanics and repairers (679) Helpers, construction and extractive occupations Helpers, construction trades (6191-6195, 6198) Helpers, surveyor (6196) Helpers, extractive occupations (629)	16	Active Military Duty
		990	OCCUPATION NOT REPORTED ¹

¹ Code used when not-reported cases are not allocated.

Appendix C

Industrial Classification System

Industrial Classification System

Equivalent numeric codes follow the alphabetic codes. Either code may be used, depending on the processing method. Numbers in parentheses following the industry categories are the SIC definitions. The abbreviation "pt" means "part" and "n.s.c." means "not elsewhere classified."

Industry code	Industry category	Industry code	Industry category
1	AGRICULTURE, FORESTRY, AND FISHERIES		MANUFACTURING—Con.
	Agricultural production, crops (01)		Nondurable Goods—Con.
	Agricultural production, livestock (02)		Paper and allied products
	Agricultural services, except horticultural (07, except 078)		Pulp, paper, and paperboard mills (261-263, 266)
	Horticultural services (078)		Miscellaneous paper and pulp products (264)
	Forestry (08)		Paperboard containers and boxes (265)
	Fishing, hunting, and trapping (09)		Printing, publishing, and allied industries
			Newspaper publishing and printing (271)
			Printing, publishing, and allied industries, except newspapers (272-279)
2	MINING		Chemicals and allied products
	Metal mining (10)		Plastics, synthetics, and resins (282)
	Coal mining (11, 12)		Drugs (283)
	Crude petroleum and natural gas extraction (13)		Soaps and cosmetics (284)
	Nonmetallic mining and quarrying, except fuel (14)		Paints, varnishes, and related products (285)
			Agricultural chemicals (287)
			Industrial and miscellaneous chemicals (281, 288, 289)
3	CONSTRUCTION (15, 16, 17)		Petroleum and coal products
			Petroleum refining (291)
			Miscellaneous petroleum and coal products (295, 299)
	MANUFACTURING		Rubber and miscellaneous plastics products
4	Nondurable Goods		Tires and inner tubes (301)
	- Food and kindred products		Other rubber products, and plastics footwear and belting (302-304, 306)
	Meat products (201)		Miscellaneous plastics products (307)
	Dairy products (202)		Leather and leather products
	Canned and preserved fruits and vegetables (203)		Leather tanning and finishing (311)
	Grain mill products (204)		Footwear, except rubber and plastic (313, 314)
	Bakery products (205)		Leather products, except footwear (315-317, 319)
	Sugar and confectionery products (206)		
	Beverage industries (208)		
	Miscellaneous food preparations and kindred products (207, 209)		
	Not specified food industries		
	Tobacco manufactures (21)		
	Textile mill products	5	Durable Goods
	Knitting mills (225)		Lumber and wood products, except furniture
	Dyeing and finishing textiles, except wool and knit goods (226)		Logging (241)
	Floor coverings, except hard surface (227)		Sawmills, planing mills, and millwork (242, 243)
	Yarn, thread, and fabric mills (228, 221-224)		Wood buildings and mobile homes (245)
	Miscellaneous textile mill products (229)		Miscellaneous wood products (244, 249)
	Apparel and other finished textile products		Furniture and fixtures (25)
	Apparel and accessories, except knit (231-238)		Stone, clay, glass, and concrete products
	Miscellaneous fabricated textile products (239)		Glass and glass products (321-323)
			Cement, concrete, gypsum, and plaster products (324, 327)
			Structural clay products (325)
			Pottery and related products (326)
			Miscellaneous nonmetallic mineral and stone products (328, 329)

Industrial Classification System

Industry code	Industry category	Industry code	Industry category
	MANUFACTURING—Con. Durable Goods—Con.	6	TRANSPORTATION, COMMUNICATIONS, AND OTHER PUBLIC UTILITIES
	Metal industries		Transportation
	Blast furnaces, steelworks, rolling and finishing mills (331)		Railroads (40)
	Iron and steel foundries (332)		Bus service and urban transit (41, except 412)
	Primary aluminum industries (3334, pt 334, 3353-3355, 3361)		Taxicab service (412)
	Other primary metal industries (3331-3333, 3339, pt 334, 3351, 3356, 3357, 3362, 3369, 339)		Trucking service (421, 423)
	Cutlery, hand tools, and other hardware (342)		Warehousing and storage (422)
	Fabricated structural metal products (344)		U.S. Postal Service (43)
	Screw machine products (345)		Water transportation (44)
	Metal forgings and stampings (346)		Air transportation (45)
	Ordnance (348)		Pipe lines, except natural gas (46)
	Miscellaneous fabricated metal products (341, 343, 347, 349)		Services incidental to transportation (47)
	Not specified metal industries		Communications
	Machinery, except electrical		Radio and television broadcasting (483)
	Engines and turbines (351)		Telephone (wire and radio) (481)
	Farm machinery and equipment (352)		Telegraph and miscellaneous communication service (482, 489)
	Construction and material handling machines (353)		Utilities and sanitary services
	Metalworking machinery (354)		Electric light and power (491)
	Office and accounting machines (357, except 3573)		Gas and steam supply systems (492, 496)
	Electronic computing equipment (3573)		Electric and gas, and other combinations (493)
	Machinery, except electrical, n.e.c. (355, 356, 358, 359)		Water supply and irrigation (494, 497)
	Not specified machinery		Sanitary services (495)
	Electrical machinery, equipment, and supplies		Not specified utilities
	Household appliances (363)		
	Radio, TV, and communication equipment (365, 366)		WHOLESALE TRADE
	Electrical machinery, equipment, and supplies, n.e.c. (361, 362, 364, 367, 369)		
	Not specified electrical machinery, equipment, and supplies	7	Durable Goods
	Transportation equipment		Motor vehicles and equipment (501)
	Motor vehicles and motor vehicle equipment (371)		Furniture and home furnishings (502)
	Aircraft and parts (372)		Lumber and construction materials (503)
	Ship and boat building and repairing (373)		Sporting goods, toys, and hobby goods (504)
	Railroad locomotives and equipment (374)		Metals and minerals, except petroleum (505)
	Guided missiles, space vehicles, and parts (376)		Electrical goods (506)
	Cycles and miscellaneous transportation equipment (375, 379)		Hardware, plumbing and heating supplies (507)
	Professional and photographic equipment, and watches		Not specified electrical and hardware products
	Scientific and controlling instruments (381, 382)		Machinery, equipment, and supplies (508)
	Optical and health services supplies (383, 384, 385)		Scrap and waste materials (5093)
	Photographic equipment and supplies (386)		Miscellaneous wholesale, durable goods (5094, 5099)
	Watches, clocks, and clockwork operated devices (387)		
	Not specified professional equipment	8	Nondurable Goods
	Toys, amusement, and sporting goods (394)		Paper and paper products (511)
	Miscellaneous manufacturing industries (39 exc. 394)		Drugs, chemicals, and allied products (512, 516)
	Not specified manufacturing industries		Apparel, fabrics, and notions (513)
			Groceries and related products (514)
			Farm-product raw materials (515)
			Petroleum products (517)
			Alcoholic beverages (518)
			Farm supplies (5191)
			Miscellaneous wholesale, nondurable goods (5194, 5198, 5199)
			Not specified wholesale trade

Industry code	Industry category	Industry code	Industry category
9	RETAIL TRADE		BUSINESS AND REPAIR SERVICES—Con.
	Lumber and building material retailing (521, 523)		Commercial research, development, and testing labs (7391, 7397)
	Hardware stores (525)		Personnel supply services (738)
	Retail nurseries and garden stores (526)		Business management and consulting services (7392)
	Mobile home dealers (527)		Computer and data processing services (737)
	Department stores (531)		Detective and protective services (7393)
	Variety stores (533)		Business services, n.e.c. (732, 733, 735, 7394, 7395, 7396, 7399)
	Miscellaneous general merchandise stores (539)		Automotive services, except repair (751, 752, 754)
	Grocery stores (541)		Automotive repair shops (753)
	Dairy products stores (545)		Electrical repair shops (762, 7694)
	Retail bakeries (546)		Miscellaneous repair services (763, 764, 7692, 7699)
	Food stores, n.e.c. (542, 543, 544, 549)	12	PERSONAL SERVICES
	Motor vehicle dealers (551, 552)		Private households (88)
	Auto and home supply stores (553)		Hotels and motels (701)
	Gasoline service stations (554)		Lodging places, except hotels and motels (702, 703, 704)
	Miscellaneous vehicle dealers (555, 556, 557, 559)		Laundry, cleaning, and garment services (721)
	Apparel and accessory stores, except shoe (56, except 566)		Beauty shops (723)
	Shoe stores (566)		Barber shops (724)
	Furniture and home furnishings stores (571)		Funeral service and crematories (726)
	Household appliances, TV, and radio stores (572, 573)		Shoe repair shops (725)
	Eating and drinking places (58)		Dressmaking shops (pt 729)
	Drug stores (591)		Miscellaneous personal services (722, pt 729)
	Liquor stores (592)	13	ENTERTAINMENT AND RECREATION SERVICE
	Sporting goods, bicycles, and hobby stores (5941, 5945, 5946)		Theaters and motion pictures (78, 792)
	Book and stationery stores (5942, 5943)		Bowling alleys, billiard and pool parlors (793)
	Jewelry stores (5944)		Miscellaneous entertainment and recreation services (791, 794, 799)
	Sewing, needlework, and piece goods stores (5949)	14	PROFESSIONAL AND RELATED SERVICES
	Mail order houses (5961)		Offices of physicians (801, 803)
	Vending machine operators (5962)		Offices of dentists (802)
	Direct selling establishments (5963)		Offices of chiropractors (8041)
	Fuel and ice dealers (598)		Offices of optometrists (8042)
	Retail florists (5992)		Offices of health practitioners, n.e.c. (8049)
	Miscellaneous retail stores (593, 5947, 5948, 5993, 5994, 5999)		Hospitals (806)
	Not specified retail trade		Nursing and personal care facilities (805)
10	FINANCE, INSURANCE, AND REAL ESTATE		Health services, n.e.c. (807, 808, 809)
	Banking (60)		Legal services (81)
	Savings and loan associations (612)		Elementary and secondary schools (821)
	Credit agencies, n.e.c. (61, except 612)		Colleges and universities (822)
	Security, commodity brokerage, and investment companies (62, 67)		Business, trade, and vocational schools (824)
	Insurance (63, 64)		Libraries (823)
	Real estate, including real estate-insurance-law offices (65, 66)		Educational services, n.e.c. (829)
11	BUSINESS AND REPAIR SERVICES		Job training and vocational rehabilitation services (83)
	Advertising (731)		Child day care services (835)
	Services to dwellings and other buildings (734)		

Industrial Classification System

Indus-
try
code

Industry category

PROFESSIONAL AND RELATED SERVICES—Con.

Residential care facilities, without nursing (836)
 Social services, n.s.c. (832, 839)
 Museums, art galleries, and zoos (84)
 Religious organizations (866)
 Membership organizations (861-865, 869)
 Engineering, architectural, and surveying services (891)
 Accounting, auditing, and bookkeeping services (893)
 Noncommercial educational and scientific research
 (892)
 Miscellaneous professional and related services (899)

15

PUBLIC ADMINISTRATION

Executive and legislative offices (911-913)
 General government, n.s.c. (919)

Indus-
try
code

Industry category

PUBLIC ADMINISTRATION—Con.

Justice, public order, and safety (92)
 Public finance, taxation, and monetary policy (93)
 Administration of human resources programs (94)
 Administration of environmental quality and housing
 programs (95)
 Administration of economic programs (96)
 National security and international affairs (97)

16

Active Military Duty

990

INDUSTRY NOT REPORTED¹¹ Code used when not-reported cases are not allocated.

Appendix D

Code Values for Drugs in the Open-Ended Questions

Alphabetical Listing

244	=	2, Roche (Mexican) [sic]	859	=	Aside [sic]
358	=	20/20	430	=	Aspirin
439	=	222	444	=	Aspirin with codeine
439	=	222, Canadian	255	=	Assival [sic]
429	=	222, Frost	530	=	Asthma inhaler
340	=	250, Tiamina [sic]	530	=	Asthma medication
444	=	3, Empirin	216	=	Atarax
410	=	3, Phenaphen	207	=	Ativan
851	=	3, Thyrolan [sic]	236	=	Avatir [sic]
409	=	3, Tylenol			
333	=	357 Magnum	529	=	Balls, Moth
837	=	400, Paris	363	=	Bam(s)
333	=	44, Magnum	327	=	Beauties, Black
149	=	50, Ekilid [sic]	327	=	Beauty, Black
137	=	7-14	452	=	Becadan [sic]
			807	=	Beer
450	=	Acetaminophen	860	=	Bees [sic]
518	=	Acetone	863	=	Beetlenut
601	=	Acid	142	=	Belladonna
618	=	(Acid), Blotter	362	=	Benadryl
618	=	Acid paper	344	=	Bennies
148	=	Actifed <otc>	146	=	Bentyl
247	=	Adapin	304	=	Benzedrine
313	=	Adipex	350	=	Betin SS [sic]
425	=	Advil	541	=	Binaca
503	=	Aerosol sprays other than spray paints	305	=	Biphetamine
122	=	Aid, Sleep	330	=	Birds, Blue
504	=	Airplane glue	327	=	Black beauties
807	=	Alcohol	327	=	Black Beauty
548	=	Alcohol, Rubbing	345	=	Black Molly
808	=	All of the ones I've tried	630	=	Black Owsley
841	=	Allerest <otc>	357	=	Black pills, Heart-shaped
827	=	Aluminum chloride	139	=	Black widows
826	=	Alupent	823	=	Blast (KJ) [sic]
228	=	Amitriptyline	844	=	Blood pressure medication
542	=	Ammonia, Spirits of	618	=	Blotter (acid)
114	=	Amobarbital	330	=	Blue birds
821	=	Amoxicillin	620	=	Blue dragon
339	=	Amphetamines (speed generically)	330	=	Blue jays
821	=	Ampicillin	330	=	Blue robins
506	=	Amyl nitrite	457	=	Blues, T's and
103	=	Amytal	537	=	Boat horn
438	=	Anaprox	833	=	Bone
507	=	Anesthetics other than halothane and ether	530	=	Bronchial dilators
605	=	Angel dust	436	=	Bufferin
416	=	Anileridine	830	=	Bull, Mad
451	=	Ansaid [sic]	211	=	Buspar
836	=	Antabuse	426	=	Butalbital
338	=	Antiadiposum X112 [sic]	525	=	Butane
858	=	Antibiotic	102	=	Buticaps
843	=	Antihistamine <otc>	101	=	Butisol
369	=	Artane	368	=	Butter Crank, Peanut
249	=	Asendin			

814 = Caffeine
 528 = Can, Whipped-cream
 439 = Canadian 222
 531 = Candy
 802 = Cannabinol
 373 = Captagon [sic]
 514 = Carbona [sic]
 240 = Carbonate, Lithium
 504 = Cement, Rubber
 208 = Centrax
 816 = Chewing tobacco
 117 = Chloral Hydrate
 827 = Chloride, Aluminum
 251 = CIBA;S [sic]
 813 = Cigarettes
 812 = Cigars
 509 = Cleaning fluids
 246 = Clonopin
 805 = Cocaine
 415 = Codeine
 455 = Codeine, Fiorinal with
 453 = Codeine, Organidin with
 410 = Codeine, Phenapfen with
 409 = Codeine, Tylenol with
 815 = Coffee
 371 = Cogentin
 434 = Co-Gesic
 805 = Coke
 230 = Compazine
 538 = Condensed horn
 535 = Copies, Rexo [sic]
 509 = Correction fluids
 806 = Crack
 322 = Crank
 368 = Crank, Peanut Butter
 359 = Criss Cross
 359 = Cross, Criss
 326 = Cross, White
 334 = Crossroads
 334 = Cross tops
 348 = Crystal
 355 = Crystal meth
 610 = Crystal T
 234 = Cyclobenzaprine
 319 = Cylert

238 = Dafermil [sic]
 111 = Dalmane
 461 = Daopar [sic]
 427 = Darvocet
 401 = Darvon
 509 = Degreasers
 407 = Demerol
 508 = Dentist gas
 534 = Deodorant
 214 = Deprol
 365 = Desecon [sic]
 306 = Desoxyn
 225 = Desyrel
 302 = Dexamyl
 335 = Dexatrim
 301 = Dexedrine
 356 = Dexies
 320 = Dextroamphetamine
 134 = Diasetan [sic]
 218 = Diazepam
 309 = Didrex
 307 = Diethylpropion
 308 = Diethylpropion
 336 = Diet pills
 141 = Dilantin
 530 = Dilators, Bronchial
 408 = Dilaudid
 136 = Dimetapp
 616 = DMT
 402 = Dolene
 443 = Dolobid
 704 = Dope
 106 = Doriden
 120 = Downers
 620 = Dragon, Blue
 621 = Dragon, Red
 615 = Drugs, Homemade
 613 = Duckweed
 366 = Duromine [sic]
 217 = Durrax
 605 = Dust, Angel

430 = Ecotrin
 606 = Ecstasy
 329 = Eggs, Robin's
 329 = Eggs, Speckled
 239 = Elavil
 430 = Empirin
 444 = Empirin 3
 332 = Ephedrine
 346 = Ephedrine Sulfate
 242 = Equagesic
 213 = Equanil
 303 = Eskatrol
 507 = Ether
 243 = Etrafon
 428 = Execl [sic]

 313 = Fastin
 511 = Felt-tip pens
 424 = Fioricet
 426 = Fiorinal
 455 = Fiorinal with Codeine
 536 = Fire Halt
 234 = Flexeril
 509 = Fluids, Cleaning
 509 = Fluids, Correction
 501 = Fluids, Lighter
 632 = Folifundia [sic]
 445 = Forte, Norgesic
 437 = Forte, Parafon
 426 = Forte, Phrenilin
 458 = Fortis, Mepergan
 516 = Freon
 429 = Frost 222
 626 = Fuel, Jet
 629 = Fuel, Rocket

 508 = Gas, Dentist
 521 = Gases, Lighter
 525 = Gases, Lighter
 501 = Gasoline
 635 = Ginseng seeds
 617 = Glory seeds, Morning
 504 = Glue
 504 = Glue, Super
 611 = Greens

113 = Halcion
 131 = Haldol
 507 = Halothane
 536 = Halt, Fire
 612 = Happy stick
 817 = Hard stuff
 804 = Hashish
 628 = Hawaiian Rosebud seed tea
 627 = Hawaiian Woodrow seeds
 328 = Hearts, Pink
 342 = Hearts, Purple
 357 = Heart-shaped black pills
 519 = Helium
 702 = Heroin
 615 = Homemade drugs
 831 = Honey Oil
 537 = Horn, Boat
 538 = Horn, Condensed
 117 = Hydrate, Chloral
 434 = Hydrocodone

 442 = Ibuprofen
 322 = Ice
 235 = Imipramine
 512 = Incense
 819 = Inderal
 530 = Inhaler, Asthma
 312 = Ionamin
 361 = Isutrars [sic]
 361 = Isyfiars [sic]

 124 = Jackets, Yellow
 330 = Jays, Blue
 626 = Jet Fuel
 609 = Jimson [sic] weed

 459 = Ketamine

505 = Lacquer thinner
 352 = Lemons
 405 = Levo-Dromoran
 229 = Librax
 202 = Librium
 501 = Lighter fluids
 521 = Lighter gases
 525 = Lighter gases
 601 = Lightning, White
 203 = Limbitrol
 504 = Liquid, Shoeshine
 543 = Liquid oxygen
 509 = Liquid Paper
 463 = Lisalgil [sic]
 240 = Lithium Carbonate
 506 = Locker room odorizer
 456 = Lorcet HD
 834 = Loveboat
 601 = LSD
 441 = Luitab [sic]

830 = Mad Bull
 460 = Magnopyrol [sic]
 333 = Magnum, 357
 333 = Magnum 44
 138 = Mandrax [sic]
 803 = Marijuana
 511 = Markers
 523 = Matches
 317 = Mazanor
 614 = MDA
 606 = MDMA
 104 = Mebaral
 372 = Mejoral [Spanish]
 232 = Mellaril
 204 = Menrium
 458 = Mepergan Fortis
 220 = Meproamate
 603 = Mescaline
 370 = Mess Tab [sic]
 355 = Meth, Crystal
 418 = Methadone
 322 = Methamphetamine
 116 = Methaqualone
 355 = Meth, Crystal
 321 = Methedrine
 318 = Methylphenidate
 623 = Mickey Mousers
 622 = Microdot, purple
 622 = Microdot(s)
 212 = Miltown
 135 = Mini Thins
 633 = Mr. Natural
 345 = Molly, Black
 337 = Molly, White
 617 = Morning glory seeds
 417 = Morphine
 529 = Moth balls
 422 = Motrin
 623 = Mousers, Mickey
 633 = Mr. Natural
 231 = MS [sic]
 811 = Muscle relaxers
 604 = Mushrooms

526	=	Nail polish	520	=	Paint, Old
518	=	Nail polish remover	505	=	Paint solvents other than lacquer thinner
438	=	Naprosyn	502	=	Paints, Spray
108	=	Nembutal	540	=	PAM
128	=	Nervine	625	=	Pane, Window
818	=	Nicotine	618	=	Paper, Acid
527	=	Nitrate, Phenyl	509	=	Paper, Liquid
506	=	Nitrite, Amyl	437	=	Parafon Forte
343	=	Nitroglycerine	433	=	Paregoric
508	=	Nitrous oxide	210	=	Paxipam
353	=	No-Doz	605	=	PCP
107	=	Noludar	368	=	Peanut Butter Crank
462	=	Norflex	820	=	Penicillin
445	=	Norgesic Forte	511	=	Pens, Felt-tip
250	=	Nortriptyline	118	=	Pentobarbital
454	=	Novocain	118	=	Pentothal
127	=	Nytol	118	=	Pentothal, Sodium
323	=	Obedrin-L.A.	423	=	Percocet
506	=	Odorizer, Locker room	406	=	Percodan
831	=	Oil, Honey	602	=	Peyote
520	=	Old paint	410	=	Phenaphen 3
703	=	Opium	410	=	Phenaphen with Codeine
624	=	Orange sunshine	605	=	Phencyclidine
608	=	Organes-25 [sic]	130	=	Phenergan
453	=	Organidin with Codeine	115	=	Phenobarbital
446	=	Orvais [sic]	349	=	Phentametrazine [sic]
503	=	Other aerosol sprays besides spray paints	313	=	Phentermine
507	=	Other anesthetics besides halothane and ether	527	=	Phenyl nitrate
505	=	Other paint solvents besides lacquer thinner	347	=	Phenylpropanolamine
630	=	Owsley, Black	426	=	Phrenilin Forte
631	=	Owsley, Purple	809	=	Pills
508	=	Oxide, Nitrous	336	=	Pills, Diet
406	=	Oxycodone	357	=	Pills, Heart-shaped black
543	=	Oxygen, Liquid	328	=	Pink hearts
			341	=	Pink roses
			105	=	Placidyl
			310	=	Plegine
			526	=	Polish, Nail
			518	=	Polish remover, Nail
			314	=	Pondimin
			506	=	Poppers
			311	=	Preludin
			832	=	Primo
			454	=	Procaine
			521	=	Propane
			414	=	Propoxyphene
			241	=	Prozac
			532	=	PRW [sic]
			604	=	Psilocybin
			342	=	Purple hearts
			622	=	Purple microdot
			631	=	Purple Owsley

351 = Q'at
 116 = Quaalude
 125 = Qulande [sic]

 822 = Rabbit tobacco
 360 = Rainbow speed
 621 = Red dragon
 129 = Reds
 811 = Relaxers, Muscle
 518 = Remover, Nail polish
 112 = Restoril
 535 = Rexo [sic] copies
 144 = Reynolds [sic]
 318 = Ritalin
 367 = Rite, Slender [sic]
 223 = Robaxin
 329 = Robin's eggs
 829 = Robitussin DM
 244 = Roche 2 (Mexican) [sic]
 629 = Rocket Fuel
 506 = Room odorizer, Locker
 628 = Rosebud seed tea, Hawaiian
 341 = Roses, Pink
 835 = Rotan [sic]
 504 = Rubber cement
 432 = Rufen
 506 = Rush
 133 = Ryoxine [sic]

316 = Sanorex
 539 = ScotchGard
 533 = Sealant, Window
 119 = Secobarbital
 109 = Seconal
 143 = Sedoxen [sic]
 635 = Seeds, Ginseng
 627 = Seeds, Hawaiian Woodrow
 617 = Seeds, Morning glory
 628 = Seed tea, Hawaiian Rosebud
 140 = Seldane
 205 = Serax
 612 = Shermstick
 504 = Shoeshine liquid
 247 = Sinequan
 364 = Sinutab
 403 = SK-65
 219 = SK-Lygen
 122 = Sleep Aid
 132 = Sleepettes [sic]
 367 = Slender Rite [sic]
 816 = Smokeless tobacco
 816 = Snuff
 118 = Sodium Pentothal
 505 = Solvents, Paint, other than lacquer thinner
 440 = Soma
 126 = Somenex [sic]
 248 = Sooper Cool [sic]
 116 = Sopor
 329 = Speckled eggs
 339 = Speed (amphetamines generically)
 322 = Speed (methamphetamine)
 360 = Speed, Rainbow
 542 = Spirits of ammonia
 502 = Spray paints
 503 = Sprays, Aerosol, other than spray paints
 419 = Stadol
 226 = Stelazine
 824 = Steroids
 612 = Stick, Happy
 636 = STP
 817 = Stuff, Hard
 364 = Sudafed
 346 = Sulfate, Ephedrine
 624 = Sunshine, Orange
 504 = Super Glue
 447 = Synalgos

370 = Tab, Mess [sic]
 413 = Talacen
 411 = Talwin
 412 = Talwin NX
 628 = Tea, Hawaiian Rosebud seed
 307 = Tenuate
 308 = Tepanil
 828 = Tetracycline
 802 = THC
 825 = Theo-Dur
 505 = Thinner, Lacquer
 135 = Thins, Mini
 227 = Thorazine
 340 = Tiamina 250 [sic]
 619 = TIC [sic]
 816 = Tobacco, Chewing
 822 = Tobacco, Rabbit
 816 = Tobacco, Smokeless
 813 = Tobacco not specified
 448 = Tobutrol [sic]
 504 = Toluene
 517 = Tolyol [sic]
 334 = Tops, Cross
 206 = Tranxene
 224 = Triavil
 226 = Trifluoperazine HCl
 233 = Trilafon
 245 = Tryptophan
 457 = T's and Blues
 110 = Tuinal
 513 = Tulio [sic]
 522 = Tuner, TV
 522 = TV Tuner
 435 = Tylenol
 409 = Tylenol 3
 409 = Tylenol with Codeine
 431 = Tylox

 634 = Unicorn
 123 = Unisom
 324 = Uppers

201 = Valium
 237 = Versed
 515 = Vicks
 434 = Vicodin
 215 = Vistaril
 354 = Vivarin
 315 = Voranil

 609 = Weed, Jimson [sic]
 528 = Whipped-cream can
 508 = Whippets
 326 = White cross
 601 = White lightning
 337 = White Molly
 524 = White-Out
 331 = Whites
 139 = Widows, Black
 625 = Window pane
 533 = Window sealant
 627 = Woodrow seeds, Hawaiian
 404 = Wygesic

 338 = X112, Antiadiposium [sic]
 209 = Xanax
 606 = X-TC
 449 = Xycodone [sic]

 124 = Yellow jackets

Numerical Listing

101	=	Butisol	141	=	Dilantin
102	=	Buticaps	142	=	Belladona
103	=	Amytal	143	=	Sedoxen [sic]
104	=	Mebaral	144	=	Reynolds [sic]
105	=	Placidyl			
106	=	Doriden	201	=	Valium
107	=	Noludar	202	=	Librium
108	=	Nembutal	203	=	Limbitrol
109	=	Seconal	204	=	Menrium
110	=	Tuinal	205	=	Serax
111	=	Dalmane	206	=	Tranxene
112	=	Restoril	207	=	Ativan
113	=	Halcion	208	=	Centrax
114	=	Amobarbital	209	=	Xanax
115	=	Phenobarbital	210	=	Paxipam
116	=	Methaqualone	211	=	Buspar
116	=	Quaalude	212	=	Miltown
116	=	Sopor	213	=	Equanil
117	=	Chloral Hydrate	214	=	Deprol
117	=	Hydrate, Chloral	215	=	Vistaril
118	=	Pentobarbital	216	=	Atarax
118	=	Pentothal	217	=	Durax
118	=	Pentothal, Sodium	218	=	Diazepam
118	=	Sodium Pentothal	219	=	SK-Lygen
119	=	Secobarbital	220	=	Meproamate
120	=	Downers	223	=	Robaxin
122	=	Aid, Sleep	224	=	Triavil
122	=	Sleep Aid	225	=	Desyrel
123	=	Unisom	226	=	Stelazine
124	=	Jackets, Yellow	226	=	Trifluoperazine HCl
124	=	Yellow jackets	227	=	Thorazine
125	=	Qulande [sic]	228	=	Amitriptyline
126	=	Somenex [sic]	229	=	Librax
127	=	Nytol	230	=	Compazine
128	=	Nervine	231	=	MS [sic]
129	=	Reds	232	=	Mellaril
130	=	Phenergan	233	=	Trilafon
131	=	Haldol	234	=	Cyclobenzaprine
132	=	Sleepettes [sic]	234	=	Flexeril
133	=	Ryoxine [sic]	235	=	Imipramine
134	=	Diasetan [sic]	236	=	Avatir [sic]
135	=	Mini Thins	237	=	Versed
135	=	Thins, Mini	238	=	Dafermil [sic]
136	=	Dimetapp	239	=	Elavil
137	=	7-14	240	=	Carbonate, Lithium
138	=	Mandrax [sic]	240	=	Lithium Carbonate
139	=	Black widows	241	=	Prozac
139	=	Widows, Black	242	=	Equagesic
140	=	Seldane	243	=	Etrafon

244 = 2, Roche (Mexican) [sic]
 244 = Roche 2 (Mexican) [sic]
 245 = Tryptophan
 246 = Clonopin
 247 = Sinequan
 248 = Sooper Cool [sic]
 249 = Asendin
 250 = Nortriptyline
 251 = CIBA;S [sic]

 301 = Dexedrine
 302 = Dexamyl
 303 = Eskatrol
 304 = Benzedrine
 305 = Biphetamine
 306 = Desoxyn
 307 = Diethylpropion
 307 = Tenuate
 308 = Diethylpropion
 308 = Tepanil
 309 = Didrex
 310 = Plegine
 311 = Preludin
 312 = Ionamin
 313 = Fastin
 313 = Phentermine
 314 = Pondimin
 315 = Voranil
 316 = Sanorex
 317 = Mazanor
 318 = Methylphenidate
 318 = Ritalin
 319 = Cylert
 320 = Dextroamphetamine
 321 = Methedrine
 322 = Crank
 322 = Ice
 322 = Methamphetamine
 322 = Speed (methamphetamine)
 323 = Obedrin-L.A.
 324 = Uppers
 326 = Cross, White
 326 = White cross
 327 = Beauties, Black
 327 = Beauty, Black
 327 = Black beauties
 327 = Black Beauty
 328 = Hearts, Pink
 328 = Pink hearts

329 = Eggs, Robin's
 329 = Eggs, Speckled
 329 = Robin's eggs
 329 = Speckled eggs
 330 = Birds, Blue
 330 = Blue birds
 330 = Blue jays
 330 = Jays, Blue
 331 = Whites
 332 = Ephedrine
 333 = 357 Magnum
 333 = 44, Magnum
 333 = Magnum, 357
 333 = Magnum 44
 334 = Crossroads
 334 = Cross tops
 334 = Tops, Cross
 335 = Dexatrim
 336 = Diet pills
 336 = Pills, Diet
 337 = Molly, White
 337 = White Molly
 338 = Antiadiposium X112 [sic]
 338 = X112, Antiadiposium [sic]
 339 = Amphetamines (speed generically)
 339 = Speed (amphetamines generically)
 340 = 250, Tiamina [sic]
 340 = Tiamina 250 [sic]
 341 = Pink roses
 341 = Roses, Pink
 342 = Hearts, Purple
 342 = Purple hearts
 343 = Nitroglycerine
 344 = Bennies
 345 = Black Molly
 345 = Molly, Black
 346 = Ephedrine Sulfate
 346 = Sulfate, Ephedrine
 347 = Phenylpropanolamine
 348 = Crystal
 349 = Phentametrizine [sic]
 350 = Betin SS [sic]
 351 = Q'at
 352 = Lemons
 353 = No-Doz
 354 = Vivarin
 355 = Crystal meth

355 = Meth, Crystal
 355 = Meth, Crystal
 356 = Dexies
 357 = Black pills, Heart-shaped
 357 = Heart-shaped black pills
 357 = Pills, Heart-shaped black
 358 = 20/20
 359 = Criss Cross
 359 = Cross, Criss
 360 = Rainbow speed
 360 = Speed, Rainbow
 361 = Isutrars [sic]
 361 = Isyfiars [sic]
 362 = Benadryl
 363 = Bams
 364 = Sinutab
 364 = Sudafed
 365 = Desecon [sic]
 366 = Duromine [sic]
 367 = Rite, Slender [sic]
 367 = Slender Rite [sic]
 368 = Butter Crank, Peanut
 368 = Crank, Peanut Butter
 368 = Peanut Butter Crank
 369 = Artane
 370 = Mess Tab [sic]
 370 = Tab, Mess [sic]
 371 = Cogentin
 372 = Mejoral [Spanish]
 373 = Captagon [sic]

 401 = Darvon
 402 = Dolene
 403 = SK-65
 404 = Wygesic
 405 = Levo-Dromoran
 406 = Oxycodone
 406 = Percodan
 407 = Demerol
 408 = Dilaudid
 409 = 3, Tylenol
 409 = Codeine, Tylenol with
 409 = Tylenol 3
 409 = Tylenol with Codeine
 410 = 3, Phenaphen
 410 = Codeine, Phenaphen with
 410 = Phenaphen 3
 410 = Phenaphen with Codeine
 411 = Talwin

412 = Talwin NX
 413 = Talacen
 414 = Propoxyphene
 415 = Codeine
 416 = Anileridine
 417 = Morphine
 418 = Methadone
 419 = Stadol
 422 = Motrin
 423 = Percocet
 424 = Fioricet
 425 = Advil
 426 = Butalbital
 426 = Fiorinal
 426 = Forte, Phrenilin
 426 = Phrenilin Forte
 427 = Darvocet
 428 = Execl [sic]
 429 = 222, Frost
 429 = Frost 222
 430 = Aspirin
 430 = Ecotrin
 430 = Empirin
 431 = Tylox
 432 = Rufen
 433 = Paregoric
 434 = Co-Gesic
 434 = Hydrocodone
 434 = Vicodin
 435 = Tylenol
 436 = Bufferin
 437 = Forte, Parafon
 437 = Parafon Forte
 438 = Anaprox
 438 = Naprosyn
 439 = 222
 439 = 222, Canadian
 439 = Canadian 222
 440 = Soma
 441 = Luitab [sic]
 442 = Ibuprofen
 443 = Dolobid
 444 = 3, Empirin
 444 = Empirin 3
 445 = Forte, Norgesic
 445 = Norgesic Forte
 446 = Orvais [sic]
 447 = Synalgos
 448 = Tobutrol [sic]

449	=	Xycodone [sic]	506	=	Locker room odorizer
450	=	Acetaminophen	506	=	Nitrite, Amyl
451	=	Ansaid [sic]	506	=	Odorizer, Locker room
452	=	Becadan [sic]	506	=	Poppers
453	=	Codeine, Organidin with	506	=	Room odorizer, Locker
453	=	Organidin with Codeine	506	=	Rush
454	=	Novocain	507	=	Anesthetics other than halothane and ether
454	=	Procaine	507	=	Ether
455	=	Codeine, Fiorinal with	507	=	Halothane
455	=	Fiorinal with Codeine	507	=	Other anesthetics besides halothane and ether
456	=	Lorcet HD	508	=	Dentist gas
457	=	Blues, T's and	508	=	Gas, Dentist
457	=	T's and Blues	508	=	Nitrous oxide
458	=	Fortis, Mepergan	508	=	Oxide, Nitrous
458	=	Mepergan Fortis	508	=	Whippets
459	=	Ketamine	509	=	Cleaning fluids
460	=	Magnopyrol [sic]	509	=	Correction fluids
461	=	Daopar [sic]	509	=	Degreasers
462	=	Norflex	509	=	Fluids, Cleaning
463	=	Lisalgil [sic]	509	=	Fluids, Correction
501	=	Fluids, Lighter	509	=	Liquid Paper
501	=	Gasoline	509	=	Paper, Liquid
501	=	Lighter fluids	511	=	Felt-tip pens
502	=	Paints, Spray	511	=	Markers
502	=	Spray paints	511	=	Pens, Felt-tip
503	=	Aerosol sprays other than spray paints	512	=	Incense
503	=	Other aerosol sprays besides spray paints	513	=	Tulio [sic]
503	=	Sprays, Aerosol, other than spray paints	514	=	Carbona [sic]
504	=	Cement, Rubber	515	=	Vicks
504	=	Glue	516	=	Freon
504	=	Glue, Super	517	=	Tolyol [sic]
504	=	Liquid, Shoeshine	518	=	Acetone
504	=	Rubber cement	518	=	Nail polish remover
504	=	Shoeshine liquid	518	=	Polish remover, Nail
504	=	Super Glue	518	=	Remover, Nail polish
504	=	Toluene	519	=	Helium
505	=	Lacquer thinner	520	=	Old paint
505	=	Other paint solvents besides lacquer thinner	520	=	Paint, Old
505	=	Paint solvents other than lacquer thinner	521	=	Gases, Lighter
505	=	Solvents, Paint, other than lacquer thinner	521	=	Lighter gases
505	=	Thinner, Lacquer	521	=	Propane
506	=	Amyl nitrite	522	=	Tuner, TV
			522	=	TV Tuner
			523	=	Matches
			524	=	White-Out
			525	=	Butane
			525	=	Gases, Lighter

525 = Lighter gases
 526 = Nail polish
 526 = Polish, Nail
 527 = Nitrate, Phenyl
 527 = Phenyl nitrate
 528 = Can, Whipped-cream
 528 = Whipped-cream can
 529 = Balls, Moth
 529 = Moth balls
 530 = Asthma inhaler
 530 = Bronchial dilators
 530 = Dilators, Bronchial
 530 = Inhaler, Asthma
 531 = Candy
 532 = PRW [sic]
 533 = Sealant, Window
 533 = Window sealant
 534 = Deodorant
 535 = Copies, Rexo [sic]
 535 = Rexo [sic] copies
 536 = Fire Halt
 536 = Halt, Fire
 537 = Boat horn
 537 = Horn, Boat
 538 = Condensed horn
 538 = Horn, Condensed
 539 = ScotchGard
 540 = PAM
 541 = Binaca
 542 = Ammonia, Spirits of
 542 = Spirits of ammonia
 543 = Liquid oxygen
 543 = Oxygen, Liquid

601 = Acid
 601 = Lightning, White
 601 = LSD
 601 = White lightning
 602 = Peyote
 603 = Mescaline
 604 = Mushrooms
 604 = Psilocybin
 605 = Angel dust
 605 = Dust, Angel
 605 = PCP
 605 = Phencyclidine
 606 = Ecstasy
 606 = MDMA
 606 = X-TC

608 = Organes-25 [sic]
 609 = Jimson [sic] weed
 609 = Weed, Jimson [sic]
 610 = Crystal T
 611 = Greens
 612 = Happy stick
 612 = Shermstick
 612 = Stick, Happy
 613 = Duckweed
 614 = MDA
 615 = Drugs, Homemade
 615 = Homemade drugs
 616 = DMT
 617 = Glory seeds, Morning
 617 = Morning glory seeds
 617 = Seeds, Morning glory
 618 = Acid paper
 618 = Paper, Acid
 619 = TIC [sic]
 620 = Blue dragon
 620 = Dragon, Blue
 621 = Dragon, Red
 621 = Red dragon
 622 = Microdot, purple
 622 = Microdot(s)
 622 = Purple microdot
 623 = Mickey Mousers
 623 = Mousers, Mickey
 624 = Orange sunshine
 624 = Sunshine, Orange
 625 = Pane, Window
 625 = Window pane
 626 = Fuel, Jet
 626 = Jet Fuel
 627 = Hawaiian Woodrow seeds
 627 = Seeds, Hawaiian Woodrow
 627 = Woodrow seeds, Hawaiian
 628 = Hawaiian Rosebud seed tea
 628 = Rosebud seed tea, Hawaiian
 628 = Seed tea, Hawaiian Rosebud
 628 = Tea, Hawaiian Rosebud seed
 629 = Fuel, Rocket
 629 = Rocket Fuel
 630 = Black Owsley
 630 = Owsley, Black
 631 = Owsley, Purple
 631 = Purple Owsley
 632 = Folifundia [sic]
 633 = Mr. Natural

633 = Mr. Natural
634 = Unicorn
635 = Ginseng seeds
635 = Seeds, Ginseng
636 = STP

702 = Heroin
703 = Opium
704 = Dope

802 = Cannabinol
802 = THC
803 = Marijuana
804 = Hashish
805 = Cocaine
805 = Coke
806 = Crack
807 = Alcohol
808 = All of the ones I've tried
809 = Pills
811 = Muscle relaxers
811 = Relaxers, Muscle
812 = Cigars
813 = Cigarettes
813 = Tobacco not specified
814 = Caffeine
815 = Coffee
816 = Chewing tobacco
816 = Smokeless tobacco
816 = Snuff
816 = Tobacco, Chewing
816 = Tobacco, Smokeless
817 = Hard stuff
817 = Stuff, Hard
818 = Nicotine
819 = Inderal
820 = Penicillin
821 = Amoxicillin
821 = Ampicillin
822 = Rabbit tobacco
822 = Tobacco, Rabbit
823 = Blast(KJ) [sic]
824 = Steroids
825 = Theo-Dur
826 = Alupent
827 = Aluminum chloride
827 = Chloride, Aluminum
828 = Tetracycline
829 = Robitussin DM

830 = Bull, Mad
830 = Mad Bull
831 = Honey Oil
831 = Oil, Honey
832 = Primo
833 = Bone
834 = Loveboat
835 = Rotan [sic]

APPENDIX E

SUDAAN EXAMPLE PROGRAM AND OUTPUT

APPENDIX E

SUDAAN Example Program and Output

As noted by Cohen et al. (1986), national surveys conducted by government organizations, industry, political organizations, and market research firms, need to provide the greatest precision in estimates from sample data for fixed cost and time constraints. Consequently, many national surveys are characterized by design components which include stratification, clustering, and disproportionate sampling. Such design features complicate the data analysis while reducing the cost of data collection. Data from complex survey designs of this type deviate from the assumption of simple random sampling, and thus require special consideration with regard to variance estimation and analysis. Statistical software packages are currently available which accommodate these complex survey designs, and allow for the generation of variance estimates of statistics expressed in terms of means, totals, ratios, and multivariate regression coefficients. The procedures vary, however, in terms of program capabilities, computational efficiency, and user facilities. For an overview of various computer software packages available and a discussion of criteria important to selecting appropriate software for various situations see Wolter (1985). Three widely used and available software packages are: the SUDAAN procedure developed by the Research Triangle Institute (1990), the WESVAR procedure developed by Westat (Flyer, and Mohadjer, 1988), and the PC-CARP procedure developed by the Statistical Laboratory at Iowa State University (Fuller, 1986).

The 1991 NHSDA is a national survey of complex design as described in the survey methodology section of this document. Thus, the SUDAAN software package has been used to generate statistics and variance estimations for the 1991 Main Findings report.

The following is an example of a SUDAAN program used to generate the estimates in Table 3.1 of the NHSDA 1991 Main Findings report and the corresponding standard errors available upon request from SAMHSA. This example includes the final tables, a listing of the contents of the SAS file used to generate this example, the SUDAAN program, and the SUDAAN output. The final tables are reproduced here to add completeness to this example. The SUDAAN program is briefly described below. This example and description are not intended as a guide to using SUDAAN, but rather as an example of its use with NHSDA data.

The SUDAAN program reads data from the SAS file which has been sorted by the sampling levels used in the NHSDA sampling design, VESTR and VEREP, listed on the NEST statement. The default sampling design, with replacement sampling at the first stage is used here. The data has been weighted using the analysis weight, ANALWT, listed on the WEIGHT statement. The only estimate option requested is MEANS, which requests the computation of weighted means and their standard errors for all variables on the VAR statement. The TABLES statement specifies the cross tabulations for which estimates are to be calculated. The variables on the TABLES statement must be listed in the SUBGROUP statement and their number of levels provided on the LEVELS statement. The estimates are printed by specified instructions using the SETENV and PRINT options. The data is also output to an ASCII file using the OUTPUT option.

REFERENCES

- Cohen, S. B., J. H. Xanthopoulos and G. K. Jones (1986). "An Evaluation of Available Software for the Analysis of Complex Survey Data," Proceedings of the Section on Survey Research Methods, American Statistical Association, Washington, D.C.
- Flyer, P. and L. Mohadjer (1988). The WESVAR Procedure, Westat Inc., Rockville, MO.
- Fuller, W. A. (1986). PC CARP, Statistical Laboratory, Iowa State University, Ames, IA.
- Research Triangle Institute (1991), SUDAAN User's Manual, Release 5.50. Research Triangle Park, N.C.: Research Triangle Institute.
- Wolter, K. M. (1985). Introduction to Variance Estimation, Springer-Verlag, New York, NY.

Table 3.1 Percentage Reporting Marijuana Use In the Lifetime, by Age Group and Demographic Characteristics: 1991

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥35	
Total	13.0	50.5	59.5	23.7	33.2
Sex					
Male	14.7	53.2	64.8	28.6	37.8
Female	11.2	47.8	54.2	19.4	29.0
Race/Ethnicity¹					
White	13.2	54.8	63.4	23.1	33.8
Black	13.7	43.0	55.1	31.3	35.7
Hispanic	12.1	36.2	39.3	21.6	27.2
Population Density					
Large metro	12.4	52.0	59.9	27.8	36.3
Small metro	14.9	52.9	61.6	21.1	32.7
Nonmetro	11.5	44.4	55.0	20.0	28.4
Region					
Northeast	12.5	52.8	59.8	24.8	34.1
North Central	12.3	49.2	61.5	23.3	33.0
South	12.2	46.4	56.1	19.2	29.2
West	16.1	57.4	62.3	31.1	39.8
Adult Education²					
Less than high school	N/A	53.5	56.4	12.9	25.4
High school graduate	N/A	48.2	61.3	21.7	34.7
Some college	N/A	51.4	61.6	33.6	43.9
College graduate	N/A	49.7	56.7	29.9	38.4
Current Employment³					
Full-time	N/A	55.2	60.1	33.0	43.4
Part-time	N/A	45.7	61.9	26.5	38.3
Unemployed	N/A	55.4	69.1	40.9	52.3
Other ⁴	N/A	44.5	50.3	8.5	17.4

N/A: Not applicable.

¹The category "other" for Race/Ethnicity is not included.

²Data on adult education are not applicable for persons aged 12 to 17. Total refers to persons aged 18 and older (unweighted N = 24,589).

³Data on current employment are not applicable for persons aged 12 to 17. Total refers to persons aged 18 and older (unweighted N = 24,589).

⁴Retired, disabled, homemaker, student, or "other."

Source: OAS, National Household Survey on Drug Abuse, 1991.

Table 3.1.S Standard Error of Percentage Reporting Marijuana Use in the Lifetime, by Age Group and Demographic Characteristics: 1991

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥35	
Total	0.7	1.2	1.0	0.8	0.6
Sex					
Male	1.0	1.6	1.3	1.2	0.9
Female	0.9	1.4	1.3	1.0	0.7
Race/Ethnicity¹					
White	1.0	1.5	1.2	0.9	0.8
Black	1.1	1.9	1.8	2.1	1.2
Hispanic	1.3	1.7	1.8	1.9	1.1
Other ^{3,3}	4.2	6.0	4.7	3.0	
Population Density					
Large metro	1.0	1.6	1.5	1.1	0.8
Small metro	1.2	2.2	2.2	1.4	1.4
Nonmetro	1.7	2.6	2.3	1.7	1.5
Region					
Northeast	1.3	2.7	2.1	2.1	1.5
North Central	1.6	2.0	2.2	1.7	1.5
South	1.2	1.9	1.7	1.1	1.2
West	1.7	2.1	2.1	2.0	1.5
Adult Education²					
Less than high school	N/A	1.9	2.0	1.1	1.0
High school graduate	N/A	1.5	1.7	1.2	1.0
Some college	N/A	2.1	1.8	2.3	1.4
College graduate	N/A	3.1	1.9	1.8	1.5
Current Employment³					
Full-time	N/A	1.4	1.2	1.2	0.9
Part-time	N/A	2.4	2.8	2.6	1.9
Unemployed	N/A	2.8	2.7	4.3	2.2
Other ⁴	N/A	1.8	2.4	0.8	0.8

N/A: Not applicable.

¹The category "other" for Race/Ethnicity is not included.

²Data on adult education are not applicable for persons aged 12 to 17. Total refers to persons aged 18 and older (unweighted N = 24,589).

³Data on current employment are not applicable for persons aged 12 to 17. Total refers to persons aged 18 and older (unweighted N = 24,589).

⁴Retired, disabled, homemaker, student, or "other."

Source: OAS, National Household Survey on Drug Abuse, 1991.

1991 NHSDA DATA

CONTENTS PROCEDURE

Data Set Name:	OUT.SUDAANEX	Observations:	32594
Member Type:	DATA	Variables:	12
Engine:	V5	Indexes:	0
Created:	16:23 Thursday, December 17, 1992	Observation Length:	34
Last Modified:	16:24 Thursday, December 17, 1992	Deleted Observations:	0
Data Set Type:		Compressed:	NO
Label:			

-----Engine/Host Dependent Information-----

Filename: DISK50:[MFLEP.DATA91]SUDAANEX.SSD
 Disk Blocks Allocated: 2178

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
10	ANALWT	Num	8	20	ANALYSIS FACTOR FOR FULL SAMPLE (W4*A5)
8	CATAGE	Num	2	16	AGE CATEGORY
5	EDUCCAT2	Num	2	10	EDUCATION RECODE
6	EMPSTAT2	Num	2	12	EMPLOYMENT STATUS RECODE
4	IRSEX	Num	2	8	SEX - IMPUTATION REVISED
7	MRJFLAG	Num	2	14	MARIJUANA - EVER USED
2	PDEN	Num	2	4	POPULATION DENSITY
9	RACE	Num	2	18	RACE/HISPANIC-ORIGIN RECODE
3	REGION	Num	2	6	CENSUS REGION
1	RESPID	Num	4	0	RESPONDENT IDENTIFICATION NUMBER
12	VEREP	Num	3	31	REPLICATE WITHIN ANALYSIS STRATUM
11	VESTR	Num	3	28	ANALYSIS STRATUM NUMBER


```
1  .JC DESCRIPT DATA="DISK50:[MFLEP.DATA91]SUDAANEX" FILETYPE=SAS DESIGN=WR MEANS;  
2  NEST VESTR VEREP;  
3  WEIGHT ANALWT;  
4  VAR MRJFLAG;  
5  SUBGROUP CATAGE IRSEX RACE PDEN REGION EDUCCAT2 EMPSTAT2;  
6  LEVELS 4 2 4 3 4 4 4 ;  
7  TABLES CATAGE (IRSEX RACE PDEN REGION EDUCCAT2 EMPSTAT2)*CATAGE;  
8  SETENV LINESIZE=132 DECWIDTH=5 COLWIDTH=12 ROWWIDTH=18;  
9  PRINT NSUM MEAN SEMEAN;  
10 OUTPUT MEAN SEMEAN NSUM / FILETYPE=ASCII REPLACE  
    FILENAME="[MFLEP.DATA91]TABLE" MEANFMT=F15.5 SEMEANFMT=F15.5 NSUMFMT=F10.0;  
11 TITLE "MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS";
```

Number of observations read : 32594
Denominator degrees of freedom : 134

date: 12-29-92
time: 11:15:18

Research Triangle Institute

Page : 1
Table : 1

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS
by: Variable, AGE CATEGORY.

Variable		AGE CATEGORY				
		Total	1	2	3	4
MARIJUANA - EVER	Sample Size	32594.00000	8005.00000	7937.00000	8126.00000	8526.00000
USED	Mean	0.33215	0.13009	0.50489	0.59460	0.23673
	SE Mean	0.00644	0.00730	0.01204	0.01007	0.00747

Date: 12-29-92

Research Triangle Institute

Page : 2

Time: 11:15:18

Table : 2

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, SEX - IMPUTATION REVISED, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

SEX - IMPUTATION REVISED		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	32594.00000	8005.00000	7937.00000	8126.00000	8526.00000
	Mean	0.33215	0.13009	0.50489	0.59460	0.23673
	SE Mean	0.00644	0.00730	0.01204	0.01007	0.00747
1	Sample Size	14422.00000	3995.00000	3470.00000	3416.00000	3541.00000
	Mean	0.37766	0.14689	0.53248	0.64837	0.28595
	SE Mean	0.00898	0.01015	0.01627	0.01312	0.01058
2	Sample Size	18172.00000	4010.00000	4467.00000	4710.00000	4985.00000
	Mean	0.29024	0.11249	0.47846	0.54241	0.19364
	SE Mean	0.00747	0.00890	0.01410	0.01348	0.00961

date: 12-29-92
 time: 11:15:18

Research Triangle Institute

Page : 3
 Table : 3

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, RACE/HISPANIC-ORIGIN RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

RACE/HISPANIC- ORIGIN RECODE		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	32594.00000	8005.00000	7937.00000	8126.00000	8526.00000
	Mean	0.33215	0.13009	0.50489	0.59460	0.23673
	SE Mean	0.00644	0.00730	0.01204	0.01007	0.00747
1	Sample Size	15648.00000	3646.00000	3689.00000	4001.00000	4312.00000
	Mean	0.33778	0.13182	0.54836	0.63440	0.23106
	SE Mean	0.00796	0.00952	0.01535	0.01235	0.00888
2	Sample Size	8050.00000	2036.00000	2032.00000	1938.00000	2044.00000
	Mean	0.35743	0.13688	0.42994	0.55065	0.31265
	SE Mean	0.01236	0.01081	0.01881	0.01839	0.02055
3	Sample Size	7916.00000	2029.00000	1917.00000	1962.00000	2008.00000
	Mean	0.27226	0.12126	0.36173	0.39314	0.21614
	SE Mean	0.01096	0.01294	0.01690	0.01759	0.01912
4	Sample Size	980.00000	294.00000	299.00000	225.00000	162.00000
	Mean	0.25272	0.09500	0.33786	0.46248	0.18202
	SE Mean	0.03027	0.03188	0.04227	0.05957	0.04711

ate: 12-29-92
ime: 11:15:18

Research Triangle Institute

Page : 4
Table : 4

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS
y: Variable, POPULATION DENSITY, AGE CATEGORY.

or: Variable = MARIJUANA - EVER USED.

POPULATION DENSITY		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	32594.00000	8005.00000	7937.00000	8126.00000	8526.00000
	Mean	0.33215	0.13009	0.50489	0.59460	0.23673
	SE Mean	0.00644	0.00730	0.01204	0.01007	0.00747
1	Sample Size	22087.00000	5341.00000	5207.00000	5700.00000	5839.00000
	Mean	0.36263	0.12381	0.51980	0.59904	0.27780
	SE Mean	0.00762	0.01000	0.01574	0.01450	0.01060
2	Sample Size	6575.00000	1658.00000	1734.00000	1534.00000	1649.00000
	Mean	0.32709	0.14909	0.52881	0.61624	0.21101
	SE Mean	0.01408	0.01203	0.02182	0.02188	0.01439
3	Sample Size	3932.00000	1006.00000	996.00000	892.00000	1038.00000
	Mean	0.28392	0.11471	0.44412	0.55025	0.19958
	SE Mean	0.01479	0.01668	0.02626	0.02319	0.01707

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, CENSUS REGION, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

CENSUS REGION		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	32594.00000	8005.00000	7937.00000	8126.00000	8526.00000
	Mean	0.33215	0.13009	0.50489	0.59460	0.23673
	SE Mean	0.00644	0.00730	0.01204	0.01007	0.00747
1	Sample Size	5480.00000	1277.00000	1289.00000	1363.00000	1551.00000
	Mean	0.34124	0.12482	0.52771	0.59800	0.24750
	SE Mean	0.01455	0.01158	0.02736	0.02064	0.02073
2	Sample Size	5722.00000	1418.00000	1392.00000	1436.00000	1476.00000
	Mean	0.32997	0.12343	0.49177	0.61450	0.23312
	SE Mean	0.01518	0.01636	0.02041	0.02217	0.01715
3	Sample Size	13117.00000	3300.00000	3305.00000	3122.00000	3390.00000
	Mean	0.29207	0.12175	0.46434	0.56133	0.19189
	SE Mean	0.01160	0.01162	0.01943	0.01736	0.01142
4	Sample Size	8275.00000	2010.00000	1951.00000	2205.00000	2109.00000
	Mean	0.39777	0.16081	0.57361	0.62277	0.31069
	SE Mean	0.01490	0.01663	0.02130	0.02078	0.02030

ate: 12-29-92
 ime: 11:15:18

Research Triangle Institute

Page : 6
 Table : 6

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, EDUCATION RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

EDUCATION RECODE	AGE CATEGORY					
		Total	1	2	3	4
Total	Sample Size	24589.00000	0.00000	7937.00000	8126.00000	8526.00000
	Mean	0.35443	.	0.50489	0.59460	0.23673
	SE Mean	0.00703	.	0.01204	0.01007	0.00747
1	Sample Size	6422.00000	0.00000	2000.00000	1617.00000	2805.00000
	Mean	0.25376	.	0.53537	0.56395	0.12908
	SE Mean	0.00883	.	0.01884	0.01959	0.01025
2	Sample Size	8442.00000	0.00000	2938.00000	2817.00000	2687.00000
	Mean	0.34679	.	0.48231	0.61324	0.21710
	SE Mean	0.01040	.	0.01511	0.01695	0.01189
3	Sample Size	5502.00000	0.00000	2231.00000	1838.00000	1433.00000
	Mean	0.43852	.	0.51374	0.61608	0.33639
	SE Mean	0.01432	.	0.02081	0.01689	0.02340
4	Sample Size	4223.00000	0.00000	768.00000	1854.00000	1601.00000
	Mean	0.38396	.	0.49676	0.56650	0.29887
	SE Mean	0.01450	.	0.03101	0.01907	0.01824

Date: 12-29-92
Time: 11:15:18

Research Triangle Institute

Page : 7
Table : 7

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, EMPLOYMENT STATUS RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

EMPLOYMENT STATUS RECODE		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	24589.00000	0.00000	7937.00000	8126.00000	8526.00000
	Mean	0.35443	.	0.50489	0.59460	0.23673
	SE Mean	0.00703	.	0.01204	0.01007	0.00747
1	Sample Size	12849.00000	0.00000	3268.00000	5352.00000	4229.00000
	Mean	0.43384	.	0.55181	0.60068	0.33036
	SE Mean	0.00918	.	0.01437	0.01220	0.01137
2	Sample Size	3030.00000	0.00000	1561.00000	747.00000	722.00000
	Mean	0.38285	.	0.45718	0.61890	0.26457
	SE Mean	0.01882	.	0.02409	0.02411	0.02640
3	Sample Size	2157.00000	0.00000	969.00000	742.00000	446.00000
	Mean	0.52259	.	0.55377	0.69053	0.40918
	SE Mean	0.02000	.	0.02762	0.02360	0.03415
4	Sample Size	6553.00000	0.00000	2139.00000	1285.00000	3129.00000
	Mean	0.17384	.	0.44527	0.50313	0.08478
	SE Mean	0.00793	.	0.01794	0.02369	0.00755

