

National Household Survey on Drug Abuse, 1992

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

**Substance Abuse and Mental Health
Services Administration**

**National Household Survey
on Drug Abuse:**

Public Release Codebook 1992

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Office of Applied Studies**

October 1994

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE, 1992

Principal Investigator

United States Department of Health and Human Services
Substance Abuse and Mental Health Services Administration

First Release
October 1994

The National Opinion Research Center
1350 Connecticut Avenue, Suite 500
Washington, D.C. 20036

CODEBOOK DESCRIPTION

United States Department of Health and Human Services.
Substance Abuse and Mental Health Services Administration.

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE, 1992

SUMMARY: This codebook contains a description of the data collected for the 1992 National Household Survey on Drug Abuse (NHSDA). The NHSDA reports the prevalence and correlates of drug use in the United States. Information is provided on the use of illicit drugs, alcohol, anabolic steroids, and tobacco among members of the United States household population aged 12 and older. Data are also provided on treatment for drug use and on illegal activities related to drug use. Questions include age at first use as well as lifetime, annual, and past month usage for the following drug classes: cannabis, inhalants, cocaine, hallucinogens, heroin, alcohol, tobacco, and nonmedical use of psychotherapeutics. Standard demographic data are also supplied, along with information on problems resulting from the use of drugs, alcohol, and tobacco, and respondents' perceptions of the risks involved. Demographic data include gender, race, ethnicity, educational level, job status, income level, household composition, and population density.

UNIVERSE: The noninstitutionalized civilian population of the United States, aged 12 and older.

SAMPLING: Multistage area sample design with oversampling of six special-interest Metropolitan Statistical Areas: Washington, DC, New York, Miami, Chicago, Denver, and Los Angeles. Minorities and youth aged 12-17 were also oversampled.

EXTENT OF COLLECTION: 1 data file

Data File:
File Structure: SAS Export
Cases: 28832
Variables: 1360
Record Length: 80
Records Per Case: 1

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1992

**Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16C-06
Rockville, Maryland 20857**

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the National Opinion Research Center, under contract No. 283-94-0002.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

	Page
INTRODUCTION	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-2
Overview of the NHSDA Survey Methodology	i-2
Sample Design	i-3
Selection of the First-Stage Sample	i-4
Selection of the Second-Stage Sample	i-6
Selection of the Third-Stage Sample	i-7
Within-Dwelling Sampling	i-7
Weighting Procedures	i-8
Data Collection and Response Rates	i-9
Sampling Errors and Confidence Intervals	i-10
Statistical Significance of Differences	i-12
Sample Design Effects and Variance Estimation	i-13
IMPUTATIONS	i-17
Logical Imputations	i-17
Statistical Imputations	i-19
CONTENTS AND ORGANIZATION OF THE 1992 NHSDA PUBLIC USE FILE	i-20
Data File Description	i-20
Variable Naming Conventions	i-21
Standard Code Conventions	i-21
Use of Sample Weights and Sample Design Variables	i-22
1990 Census Variables	i-23
Confidentiality of Data	i-23
Contact Persons	i-24
References	i-25
IDENTIFICATION	1
CIGARETTE & SMOKELESS TOBACCO	2
ALCOHOL -- ANSWER SHEET #1	6
SEDATIVES -- ANSWER SHEET #2	11
TRANQUILIZERS -- ANSWER SHEET #3	17
STIMULANTS -- ANSWER SHEET #4	23
ANALGESICS -- ANSWER SHEET #5	31
MARIJUANA AND HASHISH -- ANSWER SHEET #6	37
INHALANTS -- ANSWER SHEET #7	44
COCAINE -- ANSWER SHEET #8	55
"CRACK" -- ANSWER SHEET #9	62
HALLUCINOGENS -- ANSWER SHEET #10	66
HEROIN -- ANSWER SHEET #11	73
DRUGS -- ANSWER SHEET #12	76
NEEDLES -- ANSWER SHEET #13	101
SPECIAL TOPICS -- ANSWER SHEET #14	106
DRINKING EXPERIENCES -- ANSWER SHEET #15	118
DRUG PROBLEMS -- ANSWER SHEET #16	123
TREATMENT -- ANSWER SHEET #17	152
RISK -- ANSWER SHEET #18	166
HEALTH CONDITIONS	172
DEMOGRAPHICS	178
INTERVIEW INFORMATION	211
GEOGRAPHIC	216
IMPUTED DEMOGRAPHICS	218
IMPUTED DRUG USE	228
RECODED DEMOGRAPHICS	236
RECODED DRUG USE	241
DESIGN AND ESTIMATION VARIABLES	252
UNEDITED RECENCIES	255
GENERAL VARIABLES (RECODED)	262
DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED	267
DRUG PROBLEMS--ANSWER SHEET #16--RECODED	293
DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED	300
DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED	305
RECODED DRUG USE VARIABLES	309
INDEX OF LABELS	316
ALPHA INDEX OF LABELS	344

APPENDICES

APPENDIX A - OCCUPATION CODES
APPENDIX B - INDUSTRY CODES
APPENDIX C - CENSUS REGION/DIVISION/STATE TABLE
APPENDIX D - DRUG CODES FOR OPEN-ENDED QUESTIONS
APPENDIX E - QUESTIONNAIRES

LIST OF TABLES

TABLE		Page

Table 1	Optimal Allocation of Segments Over Strata	i-26
Table 2	Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1992 NHSDA	i-27
Table 3	Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1992 NHSDA	i-28
Table 4	Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1992 NHSDA	i-29
Table 5	Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimated: 1992 NHSDA	i-31
Table 6	Generalized Standard Efforts for Estimated percentages of Licit Drug Use Estimates: 1992 NHSDA	i-32

INTRODUCTION AND DESCRIPTION OF THE 1992 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

INTRODUCTION

This codebook provides documentation for the 1992 National Household Survey on Drug Abuse (NHSDA) public use file. The 1992 NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is routinely provided to users on an unlabelled 9-track tape with density of 6250 BPI.

For each variable on the 1992 public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook.

Overview of the NHSDA

The 1992 NHSDA is the twelfth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, and 1992. Currently, public use files are available for 1985, 1988, 1990, 1991, and 1992. The target population for the 1992 survey is the same as defined for the 1991 NHSDA: the civilian, noninstitutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older. Prior to the 1991 NHSDA, survey coverage was restricted to the household population of the coterminous 48 states. Also, prior to the 1992 and 1991 studies, previous surveys excluded all persons, military and civilian, living on military bases.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985 blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these important groups. Since 1988, additional information has also been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sampled population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of

anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 NHSDA retains these innovations and is also designed to provide quarterly as well as annual estimates.

A description of the 1992 survey, including more detailed information on sampling issues, is found in two reports from the study:

National Household Survey on Drug Abuse: Main Findings 1992. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 94-3012).

National Household Survey on Drug Abuse: Population Estimates 1992. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 93-2053).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys therefore provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

SURVEY METHODOLOGY

Overview of the NHSDA Survey Methodology

The respondent universe for the 1992 NHSDA was the civilian, non-institutionalized population

aged 12 years and older within the United States, including residents of noninstitutional group quarters (e.g., shelters, rooming houses, dormitories) as well as residents of civilian housing on military bases. Persons excluded from the universe include those with no fixed address, residents of institutional quarters (such as jails and hospitals), and active military personnel. The sample design used to survey this population was a multistage area probability sample. As in the 1988, 1990, and 1991 NHSDA sample designs, the 1992 sample design used a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes would be achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for these subgroups. To reduce survey costs, the design sampled Hispanics at higher rates in geographic areas where they were most concentrated. Like the 1991 NHSDA, the 1992 NHSDA oversampled six Metropolitan Statistical Areas (MSAs): Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC. In the 1992 NHSDA, each of the six MSAs was oversampled in a way to allow separate estimation for their "low-socioeconomic status (low-SES) urbanized" areas of the MSA and for all other areas of the MSA.

The basic sample design involved several selection stages: (a) the selection of primary areas (e.g., counties), (b) the selection of subareas (blocks or block groups) within these primary areas, (c) the selection of listing units (housing units or civilian, non-institutionalized group quarters' units) within these subareas, (d) the selection of age group domains within sampled listing units, and (e) the selection of eligible individuals within the sampled age groups. Details of these sampling procedures are provided in the following sections.

Sample Design

In the first stage of sampling, the 1992 NHSDA used 118 of the 125 primary sampling units (PSUs) that were selected in the first stage of the 1991 NHSDA. The 1992 survey included the same 45 certainty PSUs as the 1991 survey, plus a subsample of 73 PSUs from the original 80 Noncertainty PSUs. Of the 45 Certainty PSUs, six contained special interest MSAs that were oversampled to allow separate estimation for low SES urbanized areas within the MSA as well as for all other areas within the MSA. Each Noncertainty PSU was selected with probability proportional to size and minimum replacement. The number of 1992 PSUs was slightly reduced relative to the 1991 design in order to facilitate a revised allocation scheme allowing for a more balanced workload for the four quarter samples and a more efficient total sample.

The second-stage sample for the 1992 survey involved selection of a total of 3,218 area segments within the sample PSUs. These area segments were defined using aggregation of blocks and enumeration districts that had at least 75 housing units or occupied dwelling units.

In the third stage, approximately 80,000 dwelling units for the regular survey were selected from within these sample segments. At the initial household screening stage of NHSDA data collection, these dwelling units were classified as to race/ethnicity and age composition.

The selection of sample persons from selected dwelling units depended upon the race/ethnicity

and age composition classification of the dwelling unit. The number of age groups sampled from a dwelling unit was typically zero or one, but two age groups were occasionally specified to mitigate the loss in precision that would otherwise result from undersampling persons in multi-age-group households. The interviewer selected a single sample person from each specified age group. The total number of completed interviews in the 1992 NHSDA equalled 28,832.

Selection of First-Stage Sample

For the 1991 survey, a first-stage sampling frame was constructed that partitioned the entire land area of the 50 states and the District of Columbia into nonoverlapping PSUs. These PSUs were defined in terms of counties, groups of counties, and independent cities, using 1980 census data. Within each of the PSUs, Census blocks were grouped by combining adjacent blocks to create non-overlapping area segments that contained at least 75 occupied dwellings. For the 1991 survey, a total of 125 PSUs were selected from this frame, and, for the 1992 survey, a subset of 118 of the 125 previously selected were used.

Because of the desire to oversample Hispanics, 45 of the 118 PSUs in the 1992 first-stage sample, PSUs with relatively high concentrations of Hispanics, were selected with certainty. The remaining 73 PSUs were selected from the remainder of the country with probabilities proportional to size with minimum replacement. Of the 45 Certainty PSUs, six contained special interest MSAs that were oversampled to allow separate estimation for low SES urbanized areas of these MSAs and for all other areas of these MSAs.

The 45 Certainty PSUs were constructed from MSAs (or adjoining MSAs) that were large enough to result in a suitable sample size for field purposes. The segments that formed the 45 Certainty PSUs were partitioned into three strata:

- Stratum 1: High-Concentration Hispanic area segments. These segments had 73 % or more Hispanic dwellings in 1990.
- Stratum 2: Moderate-Concentration Hispanic area segments. These segments had between 21 % and 73 % Hispanic dwellings in 1990.
- Stratum 3: Low-Concentration Hispanic area segments. These segments had less than 21 % Hispanic dwellings in 1990.

A fourth stratum was created for the residual (noncertainty) portion of the United States that was defined as:

- Stratum 4: Outside the 45 Certainty PSUs, i.e., outside the 39 high Hispanic concentration Certainty PSUs and also outside the six oversampled MSAs.

An optimal allocation procedure was used to allocate the sample to the four strata listed above.

The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic nonblack dwellings would be identified so that these interviews could be proportionally allocated to strata.

The 45 Certainty PSUs contain approximately 80% of the Hispanic population in the United States. They also contain approximately 50% of the non-Hispanic blacks and 40% of the non-Hispanic nonblacks in the United States. The segments of Stratum 1 have 87.6% Hispanic dwellings on average and contain 11.9% of the U.S. Hispanic population. The segments of Stratum 2 have 39.4% Hispanic dwelling units and contain 19.7% of the U.S. Hispanic population. The segments of Stratum 3 have 4.8% Hispanic dwelling units and contain 14.5% of the U.S. Hispanic population.

The remaining 73 Noncertainty PSUs were selected from Stratum 4. The Noncertainty PSUs were selected with probabilities proportional to a composite size measure. The composite size measure was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 73 PSUs with probabilities proportional to their composite size measure.

The design for the 1992 NHSDA incorporates an oversampling of six MSAs—Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC—in such a way that separate estimation was possible for their "low-SES urbanized" areas versus the remainder of the MSA. The "low-SES urbanized" areas were defined as the lowest third of the urbanized area dwellings in terms of SES. Urbanized areas are areas (having a total population of at least 50,000) designed by the Bureau of the Census to include the densely settled area around a large place. SES was defined based on housing value and rent. Low SES was assigned to segments that ranked in the lowest third of segments by median housing value and median rent.

For the purpose of selecting the second-stage sample (below), segments from these six MSAs were removed from the frame for Strata 1 to 3 and stratified as follows:

- Stratum 5: Chicago low-SES urbanized area segments.
- Stratum 6: Remainder of the Chicago MSA.
- Stratum 7: Denver low-SES urbanized area segments.
- Stratum 8: Remainder of the Denver MSA.
- Stratum 9: Washington, DC, low-SES urbanized area segments.
- Stratum 10: Remainder of the Washington, DC, MSA.

- Stratum 11: Los Angeles low-SES urbanized area segments.
- Stratum 12: Remainder of the Los Angeles MSA.
- Stratum 13: Miami low-SES urbanized area segments.
- Stratum 14: Remainder of the Miami MSA.
- Stratum 15: New York low-SES urbanized area segments.
- Stratum 16: Remainder of the New York MSA.
- Stratum 17: Low Hispanic and low black area segments- segments originally selected in Stratum 3 with less than 2% combined Hispanic and non-Hispanic black population according to the 1990 Census.
- Stratum 18: Noncertainty, low Hispanic and low black area segments- segments originally selected in Stratum 4 with less than 2% combined Hispanic and non-Hispanic black population according to the 1990 Census.

In the second-stage sampling, segments from Strata 5-16 were oversampled, while segments from Strata 17-18 were undersampled relative to the sampling rates of Strata 1-3.

Selection of the Second-Stage Sample

Except for the six oversampled MSAs, the 1990 redistricting data were used for segment definition and selection. For the six oversampled MSAs, there were no suitable indications of low income status in the 1990 redistricting data. Therefore, the 1980 census data together with the associated 1991 NHSDA sampling frame were used to obtain the required oversampling of low socio-economic status in the six oversampled MSAs.

Each of the six MSAs of special interest was oversampled such that separate estimation would be possible for low SES urbanized areas and for all other areas of the MSA. Low SES urbanized areas were defined as the lowest third of the urbanized area households in terms of socio-economic status (SES) where SES was defined based upon median housing value and median rent for the segment. Urbanized areas are areas constructed by the Bureau of the Census to include the densely settled area around a large place and to have a total population of at least 50,000. Specifically, a composite index equal to the weighted average of median housing value and median rent, where the weights equalled the percentages of owners and renters, was constructed for each segment. The one-third of households ranking lowest on this composite index in the urbanized area of each MSA were classified as low SES.

Within each stratum of each sample PSU, census blocks were combined with adjacent blocks whenever necessary to create nonoverlapping area segments with at least 75 housing units or occupied dwelling units. Table 1 presents the sample segment size allocations of Strata 1- 18. These allocations are based on optimal allocation and on the expected precision requirements of individual strata. The optimal allocation algorithm also assumed an expected nine completed interviews per segment.

The area segments from each stratum of each sample PSU were selected with probabilities proportional to a composite size measure. For Strata 1-4 and 17-18, the composite size measure was defined to equal a weighted average of the numbers of Hispanic, non-Hispanic black, and non-Hispanic non-black dwelling units with weights proportional to the desired racial/ethnic sampling rates. A variable number of segments was selected from each metropolitan PSU depending on the PSU's overall composite size measure. For strata of the six oversampled MSA strata (Strata 5-16), segments were also selected with probabilities proportional to a size measure. For Los Angeles and New York (Strata 11-12, 15-16), the size measure was a composite measure analogous to the racial/ethnic measure employed in Strata 1-4 and 17-18. For the remaining four special interest MSAs (Strata 5-10, 13-14), the size measure was the 1990 Census housing unit count.

Selection of the Third-Stage Sample

Projections indicated that screenings had to be completed for 67,000 dwelling units in the 1992 NHSDA in order to yield a total of approximately 28,000 completed interviews and to identify sufficient households to yield Hispanic and non-Hispanic age-domain samples of the required size. Assuming an average 94 % screening completion rate and an average 89 % listing eligibility rate, a total of about 80,000 dwelling unit listings had to be selected in order to yield 67,000 screeners of eligible dwelling units. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; or (c) not a dwelling unit; or (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

For the 1992 NHSDA, the numbers of sample dwellings allocated to area segments were adjusted to account for population changes since 1980. These allocation adjustments were designed to reduce the unequal weighting effect noted in the 1988 NHSDA that was due to segment-specific growth (or decline) in occupied dwelling units since the 1980 Census.

The selection of dwelling unit listings was performed using systematic sampling. The sampled listings were then sent to the field for screening. Having first determined that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents aged 12 and older with their age and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

Within-Dwelling Sampling

Following the third-stage sampling, the interviewers screened each sampled dwelling unit. Following screening, the dwelling was classified by race/ethnicity based on the head of the dwelling. The interviewers, then, determined the age group composition of the dwelling in terms of presence versus absence of five age domains (12- to 17-year-olds, 18- to 25-year-olds, 26- to 34-year-olds, 35- to 49-years-olds, and 50 years and older). Interviewers were provided a mechanism for selecting none, one, or two age group domains and, subsequently, one sampled person from each selected domain. The age group selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. The probabilities of selecting the person within the age group were based on the number of persons found in the age group.

Weighting Procedures

At the conclusion of data collection, sample weights were constructed that reflect the five stages of sampling described above. Specifically, the person-level sampling weight is the product of the five stagewise sampling weights, each of which is equal to the inverse of the selection probability for that stage.

Five adjustments were made to the sampling weights at various stages of selection. Regression-based methods were used to compensate for nonresponse and sampling error. For nonresponse adjustments, logistic regression was used to model the response probability. For sampling error adjustments, an exponential regression was used to model the ratio of the observed sample selection frequencies divided by the specified selection probabilities. Other adjustments included trimming the sample weights to reduce excessive weight variation and a poststratification to Census population estimates.

The first adjustment was a poststratification for dwelling units. An adjustment factor was constructed so that when it is applied to the sample dwelling weight, the adjusted weight sums would equal specified control totals of the dwelling unit population. These specified totals were derived from county-level projections of the December 1991 housing unit count obtained from Market Statistics Inc. These housing unit counts were ratio adjusted upward to account for group quarter units. Specifically, the housing unit counts were divided by the observed fraction of all listed dwelling units in the 1991 survey, including group quarters units, that were housing units. A total of eight post-strata were formed: one for the high Hispanic concentration MSAs, six for each of the oversampled MSAs, and one for the remainder portion of the country.

The second adjustment was to compensate for dwelling nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. Sample weights were adjusted for nonresponse using a logistic adjustment. This procedure uses logistic regression to model the expected value of a zero-one response indicator given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). In this generalization, the weight sums of each regression variable are forced to reproduce the corresponding unadjusted weight sums over respondents and nonrespondents (Folsom, 1991). Separate models were fit to sample dwellings from different geographically or demographically defined areas related to design strata. Final models were determined by screening variables in a backward elimination process. The potential predictor variables were based on 1980 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, median rent, region, and metropolitan status. Both categorical and continuous variables were created from which main effects and interactions were defined. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

The third adjustment was performed on person-level weights. The distributions for these weights were examined within classes defined by strata, race/ethnicity, and age group to determine if there was a need for truncation of very large weights. When there appeared to be a need for truncation, an upper limit was established for that class. The weights were then truncated and smoothed.

The fourth adjustment was a combined adjustment compensating for the sampling error associated

with subsampling persons within responding dwellings and for the bias associated with interview nonresponse. The adjustment was based on an exponential regression model subjected to a generalized raking procedure. This exponential regression modeled the ratio of observed selection frequencies and planned selection probabilities given a vector of person and dwelling unit characteristics. The dependent variable in the exponential model was a zero-one variable indicating sampled person(s) divided by the specified person selection probability. Because survey estimates on age, race/ethnicity, and sex were of primary interest, all of the main effects and interactions involving these variables were forced into the models during the backward elimination process. The contribution from the roster adjustment was small relative to the nonresponse adjustment contribution in the combined adjustment factor. By incorporating both adjustments into one factor, greater precision was achieved in the final survey estimates than if just a nonresponse adjustment was performed.

The final adjustment was a post-stratification adjustment. This adjustment was designed to force the sums of weights within specified demographic subgroups to equal U.S. Bureau of the Census projections of the civilian, noninstitutionalized populations of these subgroups. The post-stratification totals were obtained from the National Estimates and Projections Branch of the U.S. Bureau of the Census and were classified by age group, sex, race, and Hispanic origin. The samples from each quarter were post-stratified to one-fourth of the projected population totals. These totals represent the population at the midpoint of each quarter's data collection period. The resulting sample weights, across all four quarters, sum to the average of the four quarter-specific projections. The final analysis weight can be regarded as the number of population members that each respondent represents.

Data Collection and Response Rates

The fieldwork for the 1992 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). They were assisted by 20 field supervisors managed by four regional supervisors reporting through two regional directors to the national field director and the project director. The data collection effort required approximately 360 field interviewers. Initially, 353 field interviewers were hired and sent to training. Of these, 62 (18%) were black and 53 (15%) were Hispanic. A total of 66 (19%) of those recruited were bilingual in Spanish; 77 of the interviewers were male. A total of 28,832 completed interviews was obtained between January 9, 1992 and December 31, 1992. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 82.5%. Of the 28,832 completed interviews, 15,173 were with whites and other (i.e., non-Hispanic, nonblacks), 6,511 were with non-Hispanic blacks, and 7,148 were with Hispanics. Of the 28,832 interviews completed, 2,018 were conducted by bilingual interviewers using the Spanish version of the questionnaire. These completed interviews represented a 95% completion rate for screening sample households and an 82.5% rate for interviewing sample individuals. The response rates for these three racial/ethnic groups were 80.1% for whites and others, 84.8% for blacks, and 86% for Hispanics.

Six major metropolitan statistical areas (MSAs) – Washington DC, New York City, Miami, Chicago, Denver and Los Angeles – were oversampled to provide the necessary data to determine incidence and prevalence rates for specific MSAs, and for each of four age groups by inner city/remainder of the MSA combinations. Of the 28,832 completed interviews for the total United States, 15,935 were completed in the six MSAs, with 12,897 being in the remaining National sample.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Sampling Errors and Confidence Intervals

In the 1992 National Household Survey on Drug Abuse (NHSDA), sampling error occurs due to the random process of sampling the total population of inferential interest (i.e., the civilian, non-institutionalized population aged 12 and older of the United States). NHSDA reports have used 95% confidence intervals to quantify sampling error. Because the estimates in the NHSDA are frequently small percentages, the confidence intervals were based on logit transformations. Logit transformations yield asymmetric interval boundaries that provide a more suitable measure of sampling error for small percentages.

To illustrate, let the proportion P_d represent the true prevalence rate for a particular analysis domain "d." Then the logit transformation of P_d , commonly referred to as the "log odds," is defined as

$$L = \ln [P_d / (1 - P_d)]$$

where "ln" denotes the natural logarithm.

Letting p_d be the estimate of the proportion, the log odds estimate becomes $\hat{L} = \ln [P_d / (1 - P_d)]$. Then the lower and upper limits of L are calculated as

$$A = \hat{L} - K \left[\frac{\sqrt{\text{var}(p_d)}}{P_d (1 - P_d)} \right]$$

$$B = \hat{L} + K \left[\frac{\sqrt{\text{var}(p_d)}}{P_d (1 - P_d)} \right]$$

where $\text{var}(p_d)$ is the variance estimate of p_d , and K is the constant chosen to yield the proper level of confidence (e.g., $K = 1.96$ for 95% confidence limits).

Applying the inverse logit transformation to A and B above yields a confidence interval for p_d as follows:

$$P_{d, lower} = \frac{1}{1 + \exp(-A)}$$

$$P_{d, upper} = \frac{1}{1 + \exp(-B)}$$

where "exp" denotes the inverse log transformation. The upper and lower limits of the percentage estimate are obtained by simply multiplying the upper and lower limits of p by 100.

Corresponding to the percentage estimates, the number of drug users, Y_d , can be estimated as

$$\hat{Y}_d = \hat{N}_d * P_d$$

where

\hat{N}_d = estimated population total for domain d

P_d = estimated proportion for domain d .

The confidence interval for \hat{Y}_d is obtained by multiplying the lower and upper limits of the proportion confidence interval by \hat{N}_d .

In addition, the variance of \hat{Y}_d can be estimated as

$$\text{var}(\hat{Y}_d) = \hat{N}_d^2 * \text{var}(P_d)$$

For the 1992 NHSDA reports, the design-based variance was estimated using a Taylor series linearization. For a given variance estimate, the associated design effect equals the design-based variance estimate divided by the variance that would have been obtained from a simple random sample of the same size. Because the combined design features of stratification, clustering, and unequal weighting are expected to increase the variance estimates, the design effect should virtually always be greater than one. However, for prevalence rates near zero, the variance inflating effects of unequal weighting and clustering were sometimes underestimated resulting in design effects less than one. Because the corresponding variance estimates were considered anomalously small, two other variance estimates were computed as quality control measures. The first was based only on the stratification and unequal weighting effects and the second was based on no effects or simple random sampling. The reported variance estimate was then the maximum of these three estimates.

In 1992 NHSDA reports, estimates with low precision were not reported. The criterion used for

suppressing estimates was based on the relative standard error (RSE). The RSE equals the standard error of the estimate divided by the estimate. For the 1992 NHSDA reports, the log transformation of the proportion estimate was used to calculate the RSE. Specifically, percentages and corresponding population estimates were suppressed if

$$RSE[-\ln(p)] > 0.175 \quad \text{when } p \leq 0.5$$

or

$$RSE[-\ln(1-p)] > 0.175 \quad \text{when } p > 0.5$$

For computational purposes, this is equivalent to

$$\frac{SE(p)/p}{-\ln(p)} > 0.175 \quad \text{when } p \leq 0.5$$

or

$$\frac{SE(p)/(1-p)}{-\ln(1-p)} > 0.175 \quad \text{when } p > 0.5$$

where $SE(p)$ equals the standard error estimate of p . The log transformation of p is used to provide a more balanced suppression criterion for small, large, and intermediate p values. The switch to $(1-p)$ for p greater than 0.5 provides a symmetric suppression rule across the range of possible p values.

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. The "p value" of an observed difference is the probability that a difference at least as large as that observed would have occurred by chance if there were no difference between the prevalence rates of the population groups being compared. In the 1992 NHSDA Main Findings report, comparisons were made between estimates in the 1991 and 1992 surveys and between estimates within the 1992 survey. The significance of observed differences was reported at the 0.05, 0.01, and 0.001 levels. Differences that were "statistically significant" at each level were those that had p values that were equal to or less than the level. For example, an observed difference was statistically significant at the 0.05 level if and only if the probability that a difference as large or larger would have arisen by chance is less than or equal to 0.05.

The reader may wish to compare prevalence estimates from two groups for which the significance of the difference is not reported. To compare the prevalence of drug use for 1991 versus 1992, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{|p1 - p2|}{\sqrt{\text{var}(p1) + \text{var}(p2) - 2\text{cov}(p1, p2)}}$$

where

p1 = 1991 estimated proportion

var(p1) = 1991 variance estimate for p1

p2 = 1992 estimated proportion

var(p2) = 1992 variance estimate of p2

cov(p1,p2) = covariance between p1 and p2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable. Therefore, calculated values of Z can be compared to the unit normal distribution to determine the p value.

The 1991 and 1992 surveys were not independent samples because there is substantial overlap between the PSUs that were sampled in the two surveys. The effect of the PSU overlap is taken into account by including a covariance term $-2\text{cov}(p_1, p_2)$ under the square root sign in the denominator of Z. Since the covariance $\text{cov}(p_1, p_2)$ is ordinarily positive, statistical tests which treat the two surveys as independent by omitting this covariance term are likely to be conservative. That is, tests assuming independent samples generally yield test statistics which are too small and understate the statistical significance of differences between the 1991 and 1992 surveys. Since the dependence between the 1991 and 1992 samples occurred only at the PSU level, the magnitude of any such bias is likely to be small.

For comparing prevalence estimates within the same survey, the same Z statistic defined above can be used. The covariance term $-2\text{cov}(p_1, p_2)$ under the square root sign in the denominator of Z represents the dependence between observations due to the use of cluster sampling. Again, omission of the covariance term would result in statistical test results that are slightly conservative.

Sample Design Effects and Variance Estimation (Tables 2 to 6)

This section describes methods for estimating the variances and standard errors of NHSDA sample statistics. (The standard error estimate is the square root of the variance estimate.) Correct variance estimates must take into account the complex features of the NHSDA sample design, such as the unequal selection probabilities of sample respondents, stratification, and clustering.

The best variance estimation approach is to use commercially available variance estimation software packages together with three sample design variables that are included on the public use file: VESTR

(sample stratum), VEREP (replicate within stratum), and ANALWT (analysis weight). Wolter (1985) provides a review of the known quality and capabilities of many such software packages, a discussion of the statistical methods used by the packages, and purchasing information. Most of these packages, including SUDAAN (Shah, et al., 1994), compute variance estimates for means, percentages, and other statistics based on a first-order Taylor Series approximation of the deviations of estimates from their expected values. The variance estimates calculated in this way are approximately unbiased for sufficiently large sample sizes. Estimated standard errors have already been computed for all parameter estimates appearing in 1992 NHSDA reports and are available from the Office of Applied Studies (OAS) upon request.

The stratum and replicate variance estimation variables (VESTR and VEREP) on the 1992 public use file are coded the same for matching PSUs as the corresponding variables on the 1991 public use file. This allows the covariance between 1991 and 1992 estimates to be calculated using a variance estimation package such as SUDAAN when records from the two public use files are concatenated.

A less accurate approach to variance estimation is to use the approximate standard error estimates that are provided in this section. These approximations are designed for situations when commercially available variance estimation software packages are not available.

Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

As noted previously, the design effect equals the design-based variance estimate divided by the variance of a simple random sample of the same size. The design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

For estimates reported in 1992 NHSDA reports, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

The median design effects presented in Tables 2-4 are based on prevalence estimates computed for three domains:

- **15 illicit drug use categories:** any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; anabolic steroids;

- **3 licit drug use categories:** cigarettes; alcohol; and smokeless tobacco; and
- **3 recency-of-use categories:** ever used; used in past year; used in past month.

For each specified domain, a median rather than an average design effect was calculated. The median was chosen as the measure of central tendency because a single extreme value can distort the mean or average. The domains were defined by cross-classifications of age by sex, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Table 2 presents the median design effects for the illicit drugs, and Table 3 presents the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain as follows:

$$var(p_d)_{approx} = DEFF_{d,MED} * [p_d(1-p_d) / n_d] \quad (1)$$

where

p_d =estimated proportion for domain d

n_d =sample size for domain d

$DEFF_{d,MED}$ =median design effect for domain d .

The approximate standard error estimate for p_d , $SE(p_d)_{approx}$, is simply the square root of $var(p_d)_{approx}$.

To approximate standard errors of estimates computed for one of the six oversampled MSAs, the user should substitute the median domain design effects based only on this oversampled MSA. Table 4 presents median design effects for the six oversampled MSAs, which were computed for cross-classifications of age by sex, race/ethnicity, and socioeconomic status.

When a median design effect for a domain under investigation is not listed in Tables 2 and 3, an alternative standard error approximation is available. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect is the basis for the mathematical form of the prediction equation:

$$DEFF(p) = var(p) / [p(1-p) / n]$$

where

$\text{var}(p)$ = design-based variance estimate of p

$[p(1-p)/n]$ = simple random sample variance estimate of p .

Taking the log (base 10) of both sides of the above relation leads to the following log-linear model:

$$\log [DEFF(p)] = \beta_0 + \beta_1 \log(p) + \beta_2 \log(1-p) + \beta_3 \log(n)$$

where

$\beta_0, \beta_1, \beta_2, \beta_3$ = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Using least-squares regression, the regression coefficients of this model were estimated separately for the licit and illicit drug estimates. The design effects used to calculate the medians in Tables 2 and 3 were used as data to fit the two models.

A prediction equation for the approximate standard error is obtained by substituting the estimated regression coefficients in the definition of the design effect:

$$SE_i(p)_{\text{appx}} = \frac{10^{(\beta_{0i}/2)} * p^{(1+\beta_{1i})/2} * (1-p)^{(1+\beta_{2i})/2}}{n^{(1-\beta_{3i})/2}}$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index- i indicates whether the standard error approximation applies to licit drug prevalence estimates or to illicit drug prevalence estimates.

Based on least-squares regressions using 1992 NHSDA data, the prediction equations for the standard errors of illicit and licit drug prevalence estimates are as follows:

$$SE(p_{illegal})_{appx} = \frac{1.0498 * p^{(0.5980)} * (1-p)^{(0.7354)}}{n^{(0.4068)}} \quad (2)$$

and

$$SE(p_{legal})_{appx} = \frac{.7676 * p^{(0.5052)} * (1-p)^{(0.5247)}}{n^{(0.3357)}} \quad (3)$$

Table 5 and Table 6 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 28,832), predicted from Equations (2) and (3). The generalized standard errors in the shaded areas of these tables correspond to estimated percentages that would not meet the precision constraint.

In summary, the user may obtain 1992 NHSDA standard error estimates from the following recommended order of sources:

1. Commercially available variance estimation software packages such as SUDAAN; otherwise,
2. Published standard errors for parameter estimates in 1992 NHSDA reports (obtainable upon request from the OAS at SAMHSA); otherwise,
3. Median domain design effects appearing in Tables 2 through 4 and application of Equation (1); otherwise,
4. Model-based prediction, using Equations (2) and (3) or Tables 5 and 6 for national or regional estimates. Note that this model-based prediction method would not be used for estimates from the six oversampled MSAs.

If a domain within an oversampled MSA is not presented in Table 4, users should choose a reported domain that is thought to be similar to the domain of interest.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

IMPUTATIONS

Logical Imputations

The variables in the 1992 NHSDA public release data set have been edited to ensure a legitimate response was collected and recorded for each item, and to a limited degree, to ensure data items do not contradict one another within a record. In most cases, when a reported response was changed to ensure

the legitimacy and consistency of the item, the code-value description for the logically imputed response will either be labeled with the phrase "...LOGICALLY IMPUTED" or "...LOGICALLY ASSIGNED" in this codebook.

The first step in the logical editing of the variables was to check the legitimacy of the responses. For example, in a multiple choice question with 5 sequentially numbered responses, the only legitimate responses would be 1, 2, 3, 4, 5 or one of the special 90 codes used in this survey. An explanation of the 90 codes (and their post-edit equivalent 80 codes) is presented in the section "Standard Code Conventions" of this report.

After the legitimacy of each response was verified, responses were compared within each record to identify possible contradictions. For each drug recency-of-use variable, this procedure involved checking other variables in the data set that might indirectly yield evidence of recency-of-use. For example, question A-2 (ALCREC) is the alcohol recency question and question A-4 (ALCDAYS) asks about the number of days the respondent drank alcohol in the past 30 days. Thus, by responding to A-4 with a response of 1-30 days, a respondent is indirectly yielding evidence of past month recency-of-use and this information was used to edit the response to A-2. In the NHSDA, when other data items suggested a more recent use response than the one provided to the recency question, the response to the recency question was changed to indicate the more recent use. Unique code values (7, 8 or 9) were assigned to the recency-of-use variables when such logical imputation occurred. In this codebook, these code values are readily identifiable by the phrase "...LOGICALLY IMPUTED" in the code value descriptions. For the recency-of-use variables with missing data for which no indication of drug use could be found after examining all relevant variables in the record, a code value of 91 (indicating Never Used) was assigned if there were one or more indications of such non-use among the set of relevant variables. If no indication of non-use could be found then the response to the recency item remained missing. In the 1992 NHSDA, these recency-of-use logical imputations were done with the following variables: CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, STNDLREC, ANALREC, MJREC, INHREC, COCREC, CONDLREC, CRAKREC, HALLREC, PCPREC, HERREC, HRNDLREC, SNUFREC, ICEREC, GNNDLREC, NEEDLREC, STERREC, and NLD90REC.

After the logically imputed recency-of-use variables were constructed, most other relevant drug variables were edited against the logically imputed drug recency variables to ensure consistency within the record.

In addition to editing the drug recency and the associated drug variables, a minimal amount of editing was done with the remaining variables on the data set. These editing procedures basically involved checking the legitimacy of the responses and to a lesser extent, checking the consistency of the responses. Thus, some inconsistencies may still be found within a record, particularly for some of the demographic and socio-economic data in the data set.

In the 1992 NHSDA, a record was considered to be minimally complete (i.e. a person-level respondent to the survey) only if an edited recency-of-use response could be determined at one of four levels (past month use, use between one month ago and one year ago, use more than one year ago, never

used) for each of alcohol, marijuana and cocaine. If the recency-of-use of these three drugs could not be determined after the completion of editing, then the case was omitted from the person-level data set and the sample weights of the remaining respondents were adjusted to account for the nonrespondent. The public use file contains only the records of completed cases (respondents).

Statistical Imputations

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest. When forming population estimates, often statistical imputations will reduce the bias associated with the estimate. For example, data with missing responses which are not statistically imputed, will produce estimates of totals which will necessarily be underestimated and consequently biased since the total population will not be accounted for in the estimates. Also the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from this data, but depending on the type of analyses being done, the statistical imputation should help reduce the bias.

For analyses of relationships involving multiple data items, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best.

Variables in the data base that had one or more cases statistically imputed are identified by the designation "IMPUTATION-REVISED" in the variable label. The names of all such variables begin with the letters "IR" (e.g. IRRACE). For each imputation-revised variable, there is a corresponding imputation indicator variable which indicates whether a case's value on the variable resulted from the interview response, a logical imputation, or a statistical imputation. Typically, the names of imputation indicator variables begin with the letters "II" (e.g. IIRACE). In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past year frequency-of-use items, age, race, sex, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health insurance and the personal and family income items.

In the 1992 NHSDA, imputations for all imputation-imputation revised variables, except for 1) the alcohol, marijuana, and cocaine recency and frequency-of-use variables and 2) the personal earnings and family income variables, were constructed using a technique known as "hot deck imputation." The first step in this procedure was to sort the data file with a progressive sorting series using data on recency of use of alcohol, marijuana, cocaine, age, sex, Hispanic origin, and race. The second step of the hot deck imputation procedure was to replace the missing item(s) on a particular record by the last encountered nonmissing response from an adjacent record on the sorted database. The hot deck imputation procedure was appropriate for the recency-of-use variables because the levels of item nonresponse of these variables

were low.

Missing data for all frequency-of-use variables and personal and family income variables were statistically imputed using a regression-based method of imputation. This imputation procedure involves estimating a polytomous logistic regression model using item respondent data. The explanatory variables used in these models included recency of use (four levels) of alcohol, marijuana, and cocaine, age, sex, Hispanic origin, and race. After the model parameters were estimated, the resulting model was used to predict a categorical response for each frequency-of-use item nonrespondent. The model-based imputation procedure was appropriate for two reasons: (a) the level of nonresponse to these questions was larger than observed for the recency-of-use items; and (b) the model-based imputation procedure allows a greater number of statistically significant explanatory variables to affect an imputed response than is possible with the hot deck method. As discussed above, each of alcohol, marijuana, and cocaine recency-of-use was initially determined to be at one of four levels, ranging from past month use to never used, for each completed case. These three recency variables were subsequently extended to more levels using the regression-based model of imputation.

CONTENTS AND ORGANIZATION OF THE 1992 NHSDA PUBLIC USE FILE

Data File Description

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is recorded on a non-labeled nine-track tape at 6,250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Internal SAS name.....	NHSDA92
SAS version	6.08
Number of observations	28,832
Number of variables	1,360

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file and are documented on pp. 1-217. These variables contain missing data; see the section on "Standard Code Conventions" below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file (pp. 218-251). These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described earlier. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey

on Drug Abuse: Main Findings 1992 (DHHS Publication No. (SMA) 94-3012) or other SAMHSA reports should use these imputation-revised variables rather than raw data from the questionnaire or drug answer sheets.

Sample weights and other design and estimation variables are documented on pages 252-254. The remaining variables in the file are recoded or logically imputed variables created for the National Household Survey on Drug Abuse : Main Findings 1992. These variables include recodes of questionnaire and imputation revised drug variables (pp. 262-266 and 309-315), and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems (267-299), symptoms of dependency (300-304) and negative drinking experiences (305-308). The recodes of questionnaire variables have the various types of missing data combined and indicated by the SAS missing code (.). The number of observations for which data are missing for each recoded variable is given in the entry for that variable. Missing data for the logically imputed variables have been logically assigned using the procedure described in the text preceding these variables, not by the procedures described in the statistical and logical imputation sections described earlier. For the recodes of the logically imputed variables, the SAS missing code (.) has been used to indicate non-users of a specific substance for which the variable in question is not applicable.

Variables containing the original responses to recency-of-use questions are presented on pages 255-261. These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, and 1991 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

91 or 991 or 9991, etc.	=	Never used the substance
92 or 992, or 9992, etc.	=	Response illegible
93 or 993 or 9993, etc.	=	Did not use drug under conditions in the question (e.g., during time period)

94 or 994 or 9994, etc.	= Don't know
95 or 995 or 9995, etc.	= Bad data (usually, inconsistent with other data)
96 or 996 or 9996, etc.	= Multiple response
97 or 997 or 997, etc.	= Refusal
98 or 998 or 9998, etc.	= Blank (not answered)
99 or 999 or 9999, etc.	= Legitimate skip.

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

81 or 981 or 9981, etc.	= Never used the substance LOGICALLY ASSIGNED
83 or 983 or 9983, etc.	= Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED
85 or 985 or 9985, etc.	= Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1992 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the sample weighting procedures and the sample weight components may be found in the sample design report for the 1992 NHSDA.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum). As discussed in the section on "Sample Design Effects and Variance Estimation," these design variables must be used to estimate

variances and standard errors using commercially available variance estimation software packages.

1990 Census Variables

In addition to 1992 NHSDA variables, the 1992 NHSDA public use file includes a number of census variables which provide information about the population and housing characteristics of segments. The census variables are based on the 1990 Decennial Census data. A small percentage of NHSDA respondents (about 1%) were not able to be matched to 1990 segments. These records represented a subset of respondents in the survey's six big city strata. For these respondents, data from the 1980 Decennial Census were used. The following census variables were extracted from the Census STF3A files and linked to 1992 NHSDA respondent records:

PBLACKHH	Percent of households in the segment with a non-Hispanic black householder.
PBLACKP	Percent of population in the segment that is non-Hispanic black.
HSPHCONC	Percent of households in the segment with a Hispanic householder.
HSPPCONC	Percent of population in the segment that is Hispanic.
OWNOCONC	Percent owner-occupied households in segment.
RURORURB	Rural or Urban segment indicator.

The following variables were taken from the Census STF3A file as above at the tract level and linked to the 1992 NHSDA respondent records:

OWNEDAVE	Median value of owned homes in the tract.
PPOVERTY	Percent of families below the poverty level in the tract.
POWNED	Percent of housing units owned in the tract.
PRENTED	Percent of housing units rented in the tract.
RENTAVE	Median rent for rental units in the tract.

Confidentiality of data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables, including census variables described in the preceding section, have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. Finally, a special reserve code denoting, "data suppressed for reasons of confidentiality," has been assigned whenever necessary to prevent identification of small geographic areas. The total number of data elements that have been suppressed for reasons of confidentiality is small. These data modifications and suppressions should not greatly affect most analytical uses of the 1992 NHSDA public use file.

Contact Persons

For additional information about the file documented in this codebook, the following individuals may be contacted:

Substantive Issues: Janet Greenblatt
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-06
Rockville, MD 20857
(301) 443-7980

Programming Issues: NHSDA Codebook/Data Coordinator
National Opinion Research Center
1155 E. 60th Street
Chicago IL 60637
(312) 753-7500

REFERENCES

- Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). Discrete multivariate analysis: Theory and practice. Cambridge, MA: The MIT Press.
- Chromy, J.R. (1979). Sequential sample selection methods. In Proceedings of the American Statistical Association, Survey Research Methods Section (pp. 401-406). Alexandria, VA: American Statistical Association.
- Folsom, R.E. (1991). Exponential and logistic weight adjustments for sampling and nonresponse error reduction. In Proceedings of the American Statistical Association, Social Statistics Section (pp. 197-202). Alexandria, VA: American Statistical Association.
- Office of Applied Statistics, Substance Abuse and Mental Health Services Administration (1994). National Household Survey on Drug Abuse: Main Findings 1992, Rockville, MD.
- Office of Applied Statistics, Substance Abuse and Mental Health Services Administration (1994). National Household Survey on Drug Abuse: Population Estimates 1992, Rockville, MD.
- Research Triangle Institute (1992). Sample design for the 1992 National Household Survey on Drug Abuse, Research Triangle Park, NC: Research Triangle Institute (RTI/5071-30-01F)
- Shah, B.V., Barnwell, B.G., Hunt, P.N., & LaVange, L.M. (1994). SUDAAN User's Manual: Release 6.4, Research Triangle Park, NC: Research Triangle Institute.
- Wolter, K.M. (1985). Introduction to Variance Estimation. New York: Springer-Verlag.

Table 1 Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	High Hispanic	96
2	Moderate Hispanic	156
3	Low Hispanic-Revised	320
4	Noncertainty-Revised	568
5	Chicago MSA, Low-SES	140
6	Chicago MSA, Remainder	140
7	Denver MSA, Low-SES Urbanized	140
8	Denver MSA, Remainder	140
9	DC MSA, Low-SES Urbanized	140
10	DC MSA, Remainder	140
11	Los Angeles MSA, Low-SES Urbanized	140
12	Los Angeles MSA, Remainder	140
13	Miami MSA, Low-SES	140
14	Miami MSA, Remainder	140
15	New York MSA, Low-SES Urbanized	140
16	New York MSA, Remainder	140
17	Low Hispanic/Low Black	78
18	Noncertainty, Low Hispanic/Black	320
		3,218

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

Table 2 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1992 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Total	2.80	3.62	2.59	1.81	3.02
Sex					
Male	2.99	3.63	2.47	1.67	2.77
Female	2.62	3.58	2.27	2.16	2.98
Race/Ethnicity ¹					
White	2.02	2.62	2.02	1.46	2.18
Black	3.18	2.54	2.84	1.47	2.94
Hispanic	2.33	2.56	2.53	1.23	2.28
Population Density					
Large Metro	4.55	5.07	3.40	2.92	4.38
Small Metro	1.54	1.81	1.74	1.05	1.98
Nonmetro	1.38	1.63	1.35	1.01	1.53
Region					
Northeast	2.41	3.37	2.41	1.69	2.47
North Central	2.01	2.88	1.65	1.55	2.29
South	3.37	3.44	2.76	1.67	2.71
West	2.65	4.95	3.38	2.50	3.93
Adult Education ²					
Less than high school	N/A	3.40	3.27	2.11	2.54
High school graduate	N/A	3.11	2.31	1.30	1.95
Some college	N/A	3.24	2.34	1.61	2.35
College graduate	N/A	3.05	2.81	2.31	2.83
Current Employment ³					
Full-time	N/A	3.67	2.76	2.32	2.98
Part-time	N/A	3.12	2.02	1.51	2.17
Unemployed	N/A	3.07	2.53	2.12	2.83
Other ⁴	N/A	3.29	2.34	2.13	2.54

N/A: Not applicable.

¹The category "Other for Race/Ethnicity is not included.

²Data on adult education are not applicable of 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

Table 3 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1992 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Total	3.59	4.63	3.75	4.66	9.37
Sex					
Male	3.92	4.28	2.95	3.62	6.76
Female	2.99	3.01	2.29	3.19	6.45
Race/Ethnicity ¹					
White	2.42	3.38	3.02	3.74	6.86
Black	2.95	2.63	2.40	3.15	5.35
Hispanic	2.91	2.39	2.57	2.10	4.35
Population Density					
Large Metro	4.31	3.82	4.11	5.20	8.14
Small Metro	1.99	2.22	2.29	2.44	5.56
Nonmetro	1.45	2.55	2.46	2.97	6.44
Region					
Northeast	2.73	3.07	3.39	3.00	4.56
North Central	2.68	3.39	3.45	3.00	6.02
South	3.55	4.40	4.63	4.33	9.40
West	3.57	6.37	3.97	4.94	7.42
Adult Education ²					
Less than high school	N/A	2.96	3.51	4.39	7.41
High school graduate	N/A	3.27	2.56	3.96	6.27
Some college	N/A	3.24	2.30	3.15	4.77
College graduate	N/A	2.57	3.02	3.12	4.39
Current Employment ³					
Full-time	N/A	3.26	3.26	3.83	6.57
Part-time	N/A	3.08	2.19	3.10	4.96
Unemployed	N/A	2.77	2.68	3.55	4.94
Other ⁴	N/A	4.79	2.32	3.53	5.99

N/A: Not applicable.

¹The category "Other for Race/Ethnicity is not included.

²Data on adult education are not applicable of 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

Table 4 Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1992 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
<u>Chicago MSA</u>					
Total	1.78	1.53	1.44	1.15	1.77
Sex					
Male	2.12	1.51	1.51	1.00	1.82
Female	1.47	1.60	1.34	1.38	1.61
Race/Ethnicity ¹					
White	1.60	1.52	1.40	1.30	1.45
Black	2.22	1.54	1.51	1.00	1.99
Hispanic	1.27	1.64	1.39	1.27	1.97
Socioeconomic Status of Area					
Low SES ²	1.33	1.51	1.38	1.55	2.37
Other SES	1.62	1.34	1.23	1.07	1.37
<u>Denver MSA</u>					
Total	1.49	1.64	1.37	1.50	2.14
Sex					
Male	1.63	1.48	1.39	1.55	2.56
Female	1.44	1.55	1.33	1.27	1.63
Race/Ethnicity ¹					
White	1.36	1.50	1.37	1.21	1.76
Black	*	1.18	1.00	*	1.21
Hispanic	1.73	1.68	1.31	1.00	2.00
Socioeconomic Status of Area					
Low SES ²	1.26	1.48	1.54	1.02	1.68
Other SES	1.21	1.47	1.17	1.45	2.01
<u>Washington, DC, MSA</u>					
Total	1.65	1.70	1.47	1.36	1.79
Sex					
Male	1.65	1.59	1.40	1.49	1.86
Female	1.32	1.62	1.44	1.36	1.95
Race/Ethnicity ¹					
White	1.59	1.48	1.42	1.21	1.59
Black	1.15	1.54	1.16	1.18	1.39
Hispanic	*	1.37	*	*	1.56
Socioeconomic Status of Area					
Low SES ²	1.26	1.41	1.19	1.08	1.46
Other SES	1.31	1.49	1.41	1.15	1.62

(continued)

Table 4 (Continued)

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Los Angeles MSA					
Total	1.31	1.53	1.38	1.56	2.28
Sex					
Male	1.26	1.45	1.21	1.09	1.84
Female	1.28	1.55	1.62	1.69	2.08
Race/Ethnicity ¹					
White	1.10	1.54	1.40	1.02	1.55
Black	1.57	1.37	1.37	1.20	1.57
Hispanic	1.43	1.32	1.32	1.19	1.53
Socioeconomic Status of Area					
Low SES ²	1.00	1.34	1.36	1.00	1.42
Other SES	1.41	1.67	1.28	1.48	2.39
Miami MSA					
Total	1.30	1.60	1.72	1.18	2.25
Sex					
Male	1.40	1.35	1.44	1.46	2.03
Female	1.16	1.83	1.66	1.00	1.53
Race/Ethnicity ¹					
White	1.22	1.47	1.27	1.00	1.40
Black	1.43	1.26	1.14	1.05	1.75
Hispanic	1.33	1.59	1.62	1.24	1.53
Socioeconomic Status of Area					
Low SES ²	1.22	1.19	1.37	1.26	2.21
Other SES	1.26	1.47	1.59	1.02	1.72
New York MSA					
Total	1.25	1.43	1.55	1.31	2.15
Sex					
Male	1.51	1.41	1.43	1.11	1.93
Female	1.36	1.44	1.39	1.48	1.58
Race/Ethnicity ¹					
White	1.04	1.56	1.74	1.47	2.03
Black	1.18	1.67	1.66	1.22	2.01
Hispanic	1.46	1.16	1.20	1.42	1.03
Socioeconomic Status of Area					
Low SES ²	1.39	1.20	1.45	1.13	1.38
Other SES	1.13	1.40	1.45	1.21	1.88

*Not enough estimates to produce reliable median.

¹The category "Other" for Race/Ethnicity is not included.

²Low SES is defined as the third of population segments in the urbanized area with the lowest housing value and rent.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

Table 5 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1992 NHSDA

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.02	1.53	1.94	2.59	3.77	5.23	6.04	6.40	6.40	6.06	5.37	4.32	2.78	1.73	1.20	0.90	0.54
300	0.65	0.98	1.24	1.66	2.41	3.34	3.86	4.10	4.09	3.87	3.44	2.76	1.78	1.10	0.77	0.57	0.35
500	0.53	0.80	1.01	1.35	1.96	2.72	3.14	3.33	3.32	3.15	2.79	2.24	1.45	0.90	0.62	0.47	0.28
700	0.46	0.69	0.88	1.17	1.71	2.37	2.74	2.90	2.90	2.74	2.44	1.96	1.26	0.78	0.54	0.41	0.25
900	0.42	0.63	0.79	1.06	1.54	2.14	2.47	2.62	2.62	2.48	2.20	1.77	1.14	0.71	0.49	0.37	0.22
1,000	0.40	0.60	0.76	1.01	1.48	2.05	2.37	2.51	2.51	2.37	2.11	1.69	1.09	0.68	0.47	0.35	0.21
1,250	0.36	0.55	0.69	0.93	1.35	1.87	2.16	2.29	2.29	2.17	1.92	1.55	1.00	0.62	0.43	0.32	0.19
1,500	0.34	0.51	0.64	0.86	1.25	1.74	2.01	2.13	2.13	2.01	1.79	1.44	0.93	0.57	0.40	0.30	0.18
1,750	0.32	0.48	0.60	0.81	1.18	1.63	1.88	2.00	2.00	1.89	1.68	1.35	0.87	0.54	0.37	0.28	0.17
2,000	0.30	0.45	0.57	0.77	1.11	1.55	1.79	1.89	1.89	1.79	1.59	1.28	0.82	0.51	0.36	0.27	0.16
2,500	0.28	0.41	0.52	0.70	1.02	1.41	1.63	1.73	1.73	1.63	1.45	1.17	0.75	0.47	0.32	0.24	0.15
3,000	0.26	0.38	0.49	0.65	0.94	1.31	1.51	1.61	1.60	1.52	1.35	1.08	0.70	0.43	0.30	0.22	0.14
4,000	0.23	0.34	0.43	0.58	0.84	1.17	1.35	1.43	1.43	1.35	1.20	0.96	0.62	0.39	0.27	0.20	0.12
5,000	0.21	0.31	0.39	0.53	0.77	1.06	1.23	1.30	1.30	1.23	1.09	0.88	0.57	0.35	0.24	0.18	0.11
7,500	0.18	0.26	0.33	0.45	0.65	0.90	1.04	1.11	1.10	1.05	0.93	0.75	0.48	0.30	0.21	0.15	0.09
10,000	0.16	0.24	0.30	0.40	0.58	0.80	0.93	0.98	0.98	0.93	0.83	0.66	0.43	0.27	0.18	0.14	0.08
15,000	0.13	0.20	0.25	0.34	0.49	0.68	0.79	0.83	0.83	0.79	0.70	0.56	0.36	0.22	0.16	0.12	0.07
20,000	0.12	0.18	0.22	0.30	0.44	0.61	0.70	0.74	0.74	0.70	0.62	0.50	0.32	0.20	0.14	0.10	0.06
25,000	0.11	0.16	0.20	0.27	0.40	0.55	0.64	0.68	0.68	0.64	0.57	0.46	0.29	0.18	0.13	0.09	0.06
28,832 ¹	0.10	0.15	0.19	0.26	0.38	0.52	0.60	0.64	0.64	0.60	0.54	0.43	0.28	0.17	0.12	0.09	0.05

Note: Generalized standard errors in the shaded area correspond to estimated proportions that do not meet the precision constraint. They are predicted from the following equation: $SE = 100 * [1.0498 * p^{(10.5990)} * (1-p)^{(10.7354)} / n^{(10.4068)}]$.

¹The total sample size for the 1992 NHSDA is 28,832.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

Table 6 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1992 NHSDA

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.69	2.24	2.74	3.51	4.84	6.45	7.38	7.88	8.01	7.81	7.26	6.28	4.63	3.31	2.66	2.08	1.45
300	1.10	1.55	1.89	2.42	3.34	4.46	5.11	5.45	5.54	5.40	5.02	4.34	3.20	2.29	1.77	1.44	1.00
500	0.93	1.31	1.60	2.04	2.82	3.76	4.30	4.59	4.67	4.55	4.23	3.66	2.70	1.93	1.49	1.21	0.85
700	0.83	1.17	1.42	1.82	2.52	3.36	3.84	4.10	4.17	4.07	3.78	3.27	2.41	1.72	1.33	1.08	0.76
900	0.76	1.07	1.31	1.68	2.31	3.09	3.53	3.77	3.83	3.74	3.47	3.00	2.22	1.58	1.22	0.99	0.69
1,000	0.73	1.04	1.26	1.62	2.23	2.98	3.41	3.64	3.70	3.61	3.35	2.90	2.14	1.53	1.18	0.96	0.67
1,250	0.68	0.96	1.17	1.50	2.07	2.76	3.16	3.37	3.43	3.35	3.11	2.69	1.98	1.42	1.10	0.89	0.62
1,500	0.64	0.90	1.10	1.41	1.95	2.60	2.97	3.17	3.23	3.15	2.93	2.53	1.87	1.33	1.03	0.84	0.59
1,750	0.61	0.86	1.05	1.34	1.85	2.47	2.82	3.01	3.06	2.99	2.78	2.40	1.77	1.27	0.98	0.80	0.56
2,000	0.58	0.82	1.00	1.28	1.77	2.36	2.70	2.88	2.93	2.86	2.66	2.30	1.69	1.21	0.94	0.76	0.53
2,500	0.54	0.76	0.93	1.19	1.64	2.19	2.51	2.67	2.72	2.65	2.47	2.13	1.57	1.12	0.87	0.71	0.49
3,000	0.51	0.72	0.87	1.12	1.54	2.06	2.36	2.51	2.56	2.49	2.32	2.01	1.48	1.08	0.82	0.66	0.46
4,000	0.46	0.65	0.79	1.02	1.40	1.87	2.14	2.28	2.32	2.26	2.11	1.82	1.34	0.96	0.74	0.60	0.42
5,000	0.43	0.60	0.74	0.94	1.30	1.74	1.99	2.12	2.15	2.10	1.95	1.69	1.25	0.89	0.69	0.56	0.39
7,500	0.37	0.53	0.64	0.82	1.14	1.51	1.73	1.85	1.88	1.83	1.70	1.47	1.09	0.78	0.60	0.49	0.34
10,000	0.34	0.48	0.58	0.75	1.03	1.38	1.57	1.68	1.71	1.67	1.55	1.34	0.99	0.71	0.55	0.44	0.31
15,000	0.30	0.42	0.51	0.65	0.90	1.20	1.37	1.46	1.49	1.45	1.35	1.17	0.86	0.62	0.48	0.39	0.27
20,000	0.27	0.38	0.46	0.59	0.82	1.09	1.25	1.33	1.35	1.32	1.23	1.06	0.78	0.56	0.43	0.35	0.25
25,000	0.25	0.35	0.43	0.55	0.76	1.01	1.16	1.23	1.26	1.22	1.14	0.98	0.73	0.52	0.40	0.33	0.23
28,832 ¹	0.24	0.33	0.41	0.52	0.72	0.96	1.10	1.18	1.20	1.17	1.08	0.94	0.69	0.49	0.38	0.31	0.22

Note: Generalized standard errors in the shaded area correspond to estimated proportions that do not meet the precision constraint. They are predicted from the following equation: $SE = 100 \cdot [0.7676 \cdot p^{10.6082} \cdot (1-p)^{10.8247} / n^{10.3387}]$.

¹The total sample size for the 1992 NHSDA is 28,832.

Source Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1992.

LABEL	LEN	IDENTIFICATION DESCRIPTION	FREQ
-----	---	-----	-----
		IDENTIFICATION -----	
RESPID	6	RESPONDENT IDENTIFICATION NUMBER	
ENCPSU	8	PRIMARY SAMPLING UNIT (ENCRYPTED)	
ENCSEG	8	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)	
ENCCASE	8	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)	

CIGARETTE & SMOKELESS TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	
----	---	-----	----	----
CIGARETTE & SMOKELESS TOBACCO				

C-1. About how old were you when you first tried a cigarette?				
CIGTRY	3	AGE WHEN FIRST TRIED A CIGARETTE		
		RANGE = 2 - 80	16395	56.86
		985 = BAD DATA Logically assigned	130	0.45
		991 = NEVER USED CIGARETTES	12230	42.42
		994 = DON'T KNOW	10	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	66	0.23
C-2. Since that time, have you smoked at least 100 cigarettes in all, in your lifetime? (That's about as many as 5 packs.)				
CIG5PK	2	SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME		
		1 = Yes	9415	32.65
		2 = No	6758	23.44
		3 = Yes LOGICALLY IMPUTED	238	0.83
		81 = NEVER USED CIGARETTES Logically assigned	33	0.11
		91 = NEVER USED CIGARETTES	12197	42.30
		98 = BLANK (NO ANSWER)	191	0.66
C-3. About how old were you when you first started smoking daily?				
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING DAILY		
		RANGE = 4 - 63	8560	29.69
		981 = NEVER USED CIGARETTES Logically assigned	19	0.07
		985 = BAD DATA Logically assigned	215	0.75
		989 = LEGITIMATE SKIP Logically assigned	510	1.77
		991 = NEVER USED CIGARETTES	12211	42.35
		993 = NEVER SMOKED DAILY	749	2.60
		994 = DON'T KNOW	10	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	309	1.07
		999 = LEGITIMATE SKIP	6248	21.67

CIGARETTE & SMOKELESS TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		C-4. For how many years did you smoke daily?		
CIGYRS	3	# YEARS SMOKED DAILY		
		RANGE = 0 - 66	8574	29.74
		985 = BAD DATA Logically assigned	2	0.01
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		991 = NEVER USED CIGARETTES	12230	42.42
		994 = DON'T KNOW	9	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	509	1.77
		999 = LEGITIMATE SKIP	7506	26.03
		C-5. During the period when you smoked daily, about how many cigarettes did you smoke per day, on the average?		
PACKS	2	# CIGARETTES SMOKED DAILY		
		1 = One to five cigarettes a day	1369	4.75
		2 = About 1/2 pack a day (6-15 cigarettes)	2918	10.12
		3 = About a pack a day (16-25 cigarettes)	3114	10.80
		4 = About 1 1/2 packs a day (26-35 cigarettes)	695	2.41
		5 = About 2 packs or more a day (over 35 cigarettes) ..	523	1.81
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	12230	42.42
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	475	1.65
		99 = LEGITIMATE SKIP	7506	26.03
		C-6. When was the most recent time you smoked a cigarette?		
CIGREC	2	MOST RECENT TIME SMOKED A CIGARETTE		
		1 = Within the past month(30 days)	6792	23.56
		2 = More than 1 month ago but less than 6 months ago .	729	2.53
		3 = 6 or more months ago but less than 1 year ago	574	1.99
		4 = 1 or more years ago but less than 3 years ago	1169	4.05
		5 = 3 or more years ago	5879	20.39
		7 = Use in past 30 days LOGICALLY IMPUTED	74	0.26
		8 = Use in past year LOGICALLY IMPUTED	469	1.63
		9 = Use in lifetime LOGICALLY IMPUTED	849	2.94
		91 = NEVER USED CIGARETTES	12230	42.42
		98 = BLANK (NO ANSWER)	67	0.23

CIGARETTE & SMOKELESS TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		C-7. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day.		
AVCIG	2	# CIGARETTES SMOKED PER DAY LAST 30 DAYS		
		1 = Less than one cigarette a day	755	2.62
		2 = One to five cigarettes a day	1087	3.77
		3 = About 1/2 pack a day (6-15 cigarettes)	1910	6.62
		4 = About a pack a day (16-25 cigarettes)	2015	6.99
		5 = About 1 1/2 packs a day (26-35 cigarettes)	494	1.71
		6 = About 2 packs or more a day (over 35 cigarettes) .	283	0.98
		89 = LEGITIMATE SKIP Logically assigned	259	0.90
		91 = NEVER USED CIGARETTES	12230	42.42
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	387	1.34
		99 = LEGITIMATE SKIP	9410	32.64
		C-8. For about how many years have you smoked (AMOUNT FROM Q.C-7)? (IF "Less than 1 year," PROBE FOR NUMBER OF MONTHS; RECORD IN LOWER BOXES.)		
CIGTIME	4	NUMBER OF MONTHS SMOKED # CIGARETTES/DAY IN AVCIG		
		RANGE = 0 - 792	6481	22.48
		9981 = NEVER USED CIGARETTES Logically assigned	2	0.01
		9985 = BAD DATA Logically assigned	3	0.01
		9989 = LEGITIMATE SKIP Logically assigned	236	0.82
		9991 = NEVER USED CIGARETTES	12228	42.41
		9994 = DON'T KNOW	6	0.02
		9998 = BLANK (NO ANSWER)	443	1.54
		9999 = LEGITIMATE SKIP	9433	32.72
		C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)		
SNUFREC	2	MOST RECENT TIME USED SMOKELESS TOBACCO		
		1 = Within the past month (30 days)	565	1.96
		2 = More than 1 month ago but less than 6 months ago .	234	0.81
		3 = 6 or more months ago but less than 1 year ago	145	0.50
		4 = 1 or more years ago but less than 3 years ago	369	1.28
		5 = 3 or more years ago	1645	5.71
		8 = Use in past year LOGICALLY IMPUTED	66	0.23
		91 = NEVER USED SMOKELESS TOBACCO	25393	88.07
		98 = BLANK (NO ANSWER)	415	1.44

CIGARETTE & SMOKELESS TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-----
		C-10. On the average, in the past 12 months, how often have you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)		
OTHTOB	2	FREQUENCY USED SMOKELESS TOBACCO PAST 12 MONTHS		
		1 = Daily in the past 12 Months	281	0.97
		2 = Almost daily (3-6 days a week)	84	0.29
		3 = 1 or 2 days a week	97	0.34
		4 = Several times a month (25-51 days a year)	44	0.15
		5 = 1 or 2 times a month (12-24 days a year)	92	0.32
		6 = Every other month or so (6-11 days a year)	50	0.17
		7 = 3-5 days this past year	69	0.24
		8 = 1 or 2 days this past year	236	0.82
		81 = NEVER USED SMOKELESS TOBACCO Logically assigned ..	1	0.00
		83 = DID NOT USE SMOKELESS TOBACCO PST YR Logic.assign.	2014	6.99
		91 = NEVER USED SMOKELESS TOBACCO	25392	88.07
		98 = BLANK (NO ANSWER)	472	1.64

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ	%
-----	---	-----		----	-
		ALCOHOL -- ANSWER SHEET #1 -----			
		A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin scotch, etc.? Do not include childhood sips that you might have had from an older person's drink. (IF YOU HAVE NEVER HAD A DRINK OF BEER, WINE, OR LIQUOR, ONLY CIRCLE THE 991.)			
ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOL			
		RANGE = 2 - 76 20847 72.31 981 = NEVER USED ALCOHOL Logically assigned 132 0.46 985 = BAD DATA Logically assigned 135 0.47 991 = NEVER USED ALCOHOL 7637 26.49 994 = DON'T KNOW 24 0.08 998 = BLANK (NO ANSWER) 57 0.20			
		A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?			
ALCREC	2	MOST RECENT ALCOHOL DRINK			
		1 = Within the past month (30 days) 12022 41.70 2 = More than 1 month ago but less than 6 months ago . 2775 9.62 3 = 6 or more months ago but less than 1 year ago 1484 5.15 4 = 1 or more years ago but less than 3 years ago 1106 3.84 5 = 3 or more years ago 2011 6.97 7 = Use in past 30 days LOGICALLY IMPUTED 963 3.34 8 = Use in past year LOGICALLY IMPUTED 555 1.92 9 = Use in lifetime LOGICALLY IMPUTED 147 0.51 81 = NEVER USED ALCOHOL Logically assigned 192 0.67 91 = NEVER USED ALCOHOL 7577 26.28			
		A-3. About how old were you when you first began to drink beer, wine or liquor once a month or more often?			
ALCAGE	3	AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN			
		RANGE = 2 - 67 12772 44.30 981 = NEVER USED ALCOHOL Logically assigned 101 0.35 985 = BAD DATA Logically assigned 757 2.63 991 = NEVER USED ALCOHOL 7668 26.60 993 = NEVER USED ALCOHOL MONTHLY OR MORE OFTEN 7443 25.82 994 = DON'T KNOW 17 0.06 998 = BLANK (NO ANSWER) 74 0.26			

ALCOHOL					
LABEL	LEN	DESCRIPTION	FREQ		%
		A-4. On about how many different days did you have one or more drinks of beer, wine or liquor during the past 30 days?			
ALCDAYS	2	# OF DAYS DRANK ALCOHOL PAST 30 DAYS			
		RANGE = 1 - 30	12191	42.28	
		81 = NEVER USED ALCOHOL Logically assigned	84	0.29	
		85 = BAD DATA Logically assigned	728	2.52	
		91 = NEVER USED ALCOHOL	7685	26.65	
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	8078	28.02	
		94 = DON'T KNOW	9	0.03	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	53	0.18	
		A-5. About how many drinks of beer, wine or liquor did you usually have in a day on the days that you drank during the past 30 days?			
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS			
		RANGE = 1 - 80	12550	43.53	
		81 = NEVER USED ALCOHOL Logically assigned	101	0.35	
		85 = BAD DATA Logically assigned	399	1.38	
		91 = NEVER USED ALCOHOL	7668	26.60	
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	8078	28.02	
		94 = DON'T KNOW	5	0.02	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	29	0.10	
		A-6. On about how many days did you have five or more drinks of beer, wine or liquor on the same occasion during the past 30 days? By "occasion" we mean at the same time or within a couple of hours of each other.			
DR5DAY	2	# DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS			
		RANGE = 0 - 30	12642	43.85	
		81 = NEVER USED ALCOHOL Logically assigned	161	0.56	
		85 = BAD DATA Logically assigned	300	1.04	
		91 = NEVER USED ALCOHOL	7608	26.39	
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	8078	28.02	
		94 = DON'T KNOW	6	0.02	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	33	0.11	

ALCOHOL				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		A-7. What is the most you had to drink on any one day you drank beer, wine or liquor during the past 30 days?		
MODR30A	2	MOST # DRINKS ON ONE DAY IN PAST 30 DAYS		
		RANGE = 1 - 80	12308	42.69
		81 = NEVER USED ALCOHOL Logically assigned	96	0.33
		85 = BAD DATA Logically assigned	591	2.05
		91 = NEVER USED ALCOHOL	7673	26.61
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	8078	28.02
		94 = DON'T KNOW	11	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	70	0.24
		 A-8. On how many days did you have this number of drinks of beer, wine or liquor in the past 30 days? (ANSWER FOR THE AMOUNT YOU RECORDED IN QUESTION A-7 ABOVE.)		
MODR30DY	2	# DAYS DRANK AMOUNT IN MODR30A PAST 30 DAYS		
		RANGE = 1 - 30	12109	42.00
		81 = NEVER USED ALCOHOL Logically assigned	77	0.27
		85 = BAD DATA Logically assigned	787	2.73
		91 = NEVER USED ALCOHOL	7692	26.68
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	8078	28.02
		94 = DON'T KNOW	16	0.06
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	69	0.24
		 A-9. On the average, how often in the past 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?		
ALCPAT	2	FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS		
		1 = Daily in the past 12 months	509	1.77
		2 = Almost daily or 3 to 6 days a week	1275	4.42
		3 = About 1 or 2 days a week	3333	11.56
		4 = Several times a month (about 25 to 51 days a year)	1846	6.40
		5 = 1 to 2 times a month (12 to 24 days a year)	3237	11.23
		6 = Every other month or so (6 to 11 days a year)	2076	7.20
		7 = 3 to 5 days in the past 12 months	2206	7.65
		8 = 1 or 2 days in the past 12 months	2439	8.46
		81 = NEVER USED ALCOHOL Logically assigned	84	0.29
		83 = DID NOT USE ALCOHOL PAST 12 MOS. Logic.assigned	157	0.54
		85 = BAD DATA Logically assigned	811	2.81
		91 = NEVER USED ALCOHOL	7685	26.65
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	3107	10.78
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	62	0.22

		ALCOHOL			
LABEL	LEN	DESCRIPTION		FREQ	
-----	---	-----		----	-
		A-10. How many times in the past 12 months have you gotten very high or drunk on alcohol, that is, beer, wine or liquor?			
DRUNKYR	2	# TIMES GOT DRUNK ON ALCOHOL PAST 12 MONTHS			
		1 = Daily in the past 12 months	108	0.37	
		2 = Almost daily or 3 to 6 days a week	200	0.69	
		3 = About 1 or 2 days a week	729	2.53	
		4 = Several times a month (about 25 to 51 days a year)	490	1.70	
		5 = 1 to 2 times a month (12 to 24 days a year)	1168	4.05	
		6 = Every other month or so (6 to 11 days a year)	863	2.99	
		7 = 3 to 5 days in the past 12 months	1216	4.22	
		8 = 1 or 2 days in the past 12 months	2500	8.67	
		9 = Never got very high or drunk in past 12 months	9096	31.55	
		81 = NEVER USED ALCOHOL Logically assigned	113	0.39	
		83 = DID NOT USE ALCOHOL PAST 12 MOS. Logic.assigned ..	169	0.59	
		85 = BAD DATA Logically assigned	1306	4.53	
		91 = NEVER USED ALCOHOL	7656	26.55	
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	3095	10.73	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	120	0.42	
		A-11. On those occasions when you drink alcohol, is it usually beer, wine, or liquor? (PLEASE CIRCLE ONLY ONE ANSWER.)			
ALCBEER	2	USUAL ALCOHOL BEVERAGE-BEER			
		1 = Response circled	9367	32.49	
		2 = Response not circled	11496	39.87	
		81 = NEVER USED ALCOHOL Logically assigned	348	1.21	
		85 = BAD DATA Logically assigned	193	0.67	
		91 = NEVER USED ALCOHOL	7421	25.74	
		94 = DON'T KNOW	5	0.02	
		97 = REFUSED	2	0.01	
ALCWINE	2	USUAL ALCOHOL BEVERAGE-WINE			
		1 = Response circled	4373	15.17	
		2 = Response not circled	16497	57.22	
		81 = NEVER USED ALCOHOL Logically assigned	348	1.21	
		85 = BAD DATA Logically assigned	193	0.67	
		91 = NEVER USED ALCOHOL	7421	25.74	
ALCLIQR	2	USUAL ALCOHOL BEVERAGE-LIQUOR			
		1 = Response circled	2893	10.03	
		2 = Response not circled	17977	62.35	
		81 = NEVER USED ALCOHOL Logically assigned	348	1.21	
		85 = BAD DATA Logically assigned	193	0.67	
		91 = NEVER USED ALCOHOL	7421	25.74	

		ALCOHOL			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	---	-----		----	-
ALCVARY	2	USUAL ALCOHOL BEVERAGE-IT VARIES			
		1 = Response circled		4272	14.82
		2 = Response not circled		16598	57.57
		81 = NEVER USED ALCOHOL Logically assigned		348	1.21
		85 = BAD DATA Logically assigned		193	0.67
		91 = NEVER USED ALCOHOL		7421	25.74

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SEDATIVES -- ANSWER SHEET #2		

		IF YOU HAVE NEVER TAKEN ANY SEDATIVE FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH S-2 BELOW.		
NOSEDAT	2	HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS		
		1 = Response circled	27866	96.65
		2 = Response not circled	825	2.86
		4 = Response not circled LOGICALLY IMPUTED	112	0.39
		98 = BLANK (NO ANSWER)	29	0.10
		S-1. Circle the number next to each sedative you have ever taken for nonmedical reasons--on your own, either without your own prescription from a doctor, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.		
BUTISOL	2	BUTISOL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	18	0.06
		2 = Response not circled	919	3.19
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
BUTICAPS	2	BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.03
		2 = Response not circled	927	3.22
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
AMYTAL	2	AMYTAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	21	0.07
		2 = Response not circled	916	3.18
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
MEBARAL	2	MEBARAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	20	0.07
		2 = Response not circled	917	3.18
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
PLACIDYL	2	PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	94	0.33
		2 = Response not circled	843	2.92
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
DORIDEN	2	DORIDEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	22	0.08
		2 = Response not circled	915	3.17
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
NOLUDAR	2	NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	11	0.04
		2 = Response not circled	926	3.21
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
NEMBUTAL	2	NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	62	0.22
		2 = Response not circled	875	3.03
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
SECONAL	2	SECONAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	187	0.65
		2 = Response not circled	750	2.60
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
TUINAL	2	TUINAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	113	0.39
		2 = Response not circled	824	2.86
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
DALMANE	2	DALMANE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	71	0.25
		2 = Response not circled	866	3.00
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
RESTORIL	2	RESTORIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	20	0.07
		2 = Response not circled	917	3.18
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
HALCION	2	HALCION EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	79	0.27
		2 = Response not circled	858	2.98
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10

		SEDATIVES			
LABEL	LEN	DESCRIPTION		FREQ	%
----	---	-----		----	-
AMOBARB	2	AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	9	0.03	
		2 = Response not circled	928	3.22	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	
PHENOBAR	2	PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	78	0.27	
		2 = Response not circled	859	2.98	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	
METHAQ	2	METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	367	1.27	
		2 = Response not circled	570	1.98	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	
CHHYD	2	CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	20	0.07	
		2 = Response not circled	917	3.18	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	
PENTOB	2	PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	26	0.09	
		2 = Response not circled	911	3.16	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	
SECOB	2	SECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	18	0.06	
		2 = Response not circled	919	3.19	
		91 = NEVER USED SEDATIVES	27866	96.65	
		98 = BLANK (NO ANSWER)	29	0.10	

		SEDATIVES			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
SEDNEWA	3	OTHER SEDATIVE EVER USED-1ST MENTION			
		116 = Methaqualone, Quaalude, Sopor	1	0.00	
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.01	
		123 = Unisom	2	0.01	
		124 = Yellow jackets	1	0.00	
		126 = Somenex [sic]	1	0.00	
		138 = Mandrax [sic]	1	0.00	
		140 = Seldane	1	0.00	
		145 = Red devil(s)	1	0.00	
		149 = Skilid [sic] 50	1	0.00	
		150 = Weed.Cote [sic]	1	0.00	
		151 = VEOBO [sic]	1	0.00	
		201 = Valium	14	0.05	
		202 = Librium	1	0.00	
		209 = Xanax	1	0.00	
		234 = Cyclobenzaprine, Flexeril	1	0.00	
		239 = Elavil [see also 228]	1	0.00	
		241 = Prozac	1	0.00	
		318 = Ritalin, Methylphenidate	1	0.00	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		327 = Black beauties, Black Beauty	3	0.01	
		353 = No-Doz	2	0.01	
		362 = Benadryl	1	0.00	
		401 = Darvon	1	0.00	
		406 = Oxycodone, Percodan, Roxicet	2	0.01	
		407 = Demerol	1	0.00	
		408 = Dilaudid	1	0.00	
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00	
		422 = Motrin	3	0.01	
		423 = Percocet	1	0.00	
		425 = Advil	1	0.00	
		435 = Tylenol, Tylenol Extrastrength	2	0.01	
		440 = Soma	2	0.01	
		458 = Mepergan, Mepergan Fortis	1	0.00	
		515 = Vicks	1	0.00	
		811 = Muscle relaxers	1	0.00	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00	
		981 = NEVER USED SEDATIVES Logically assigned	3	0.01	
		991 = NEVER USED SEDATIVES	27863	96.64	
		998 = BLANK (NO ANSWER)	906	3.14	
SEDNEWB	3	OTHER SEDATIVE EVER USED-2ND MENTION			
		201 = Valium	1	0.00	
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		336 = Diet pills	1	0.00	
		415 = Codeine	1	0.00	
		605 = PCP ("angel dust," phencyclidine)	1	0.00	
		991 = NEVER USED SEDATIVES	27866	96.65	
		998 = BLANK (NO ANSWER)	961	3.33	
SEDNEWC	3	OTHER SEDATIVE EVER USED-3RD MENTION			
		805 = Cocaine, coke	1	0.00	
		991 = NEVER USED SEDATIVES	27866	96.65	
		998 = BLANK (NO ANSWER)	965	3.35	

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
SEDNEWD	3	OTHER SEDATIVE EVER USED-4TH MENTION		
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		991 = NEVER USED SEDATIVES	27866	96.65
		998 = BLANK (NO ANSWER)	965	3.35
SEDNEWE	3	OTHER SEDATIVE EVER USED-5TH MENTION		
		991 = NEVER USED SEDATIVES	27866	96.65
		998 = BLANK (NO ANSWER)	966	3.35
SEDNOSP	2	OTHER SEDATIVE EVER USED (NOT SPECIFIED)		
		1 = Response circled	55	0.19
		2 = Response not circled	779	2.70
		3 = Sedative use LOGICALLY IMPUTED	103	0.36
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
SEDDKNAM	2	USED SEDATIVE, DON'T KNOW NAME		
		1 = Response circled	221	0.77
		2 = Response not circled	716	2.48
		91 = NEVER USED SEDATIVES	27866	96.65
		98 = BLANK (NO ANSWER)	29	0.10
S-2. About how old were you the first time you took a sedative for any nonmedical reason?				
SEDAGE	3	AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS		
		RANGE = 6 - 60	830	2.88
		981 = NEVER USED SEDATIVES Logically assigned	45	0.16
		985 = BAD DATA Logically assigned	17	0.06
		991 = NEVER USED SEDATIVES	27821	96.49
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	118	0.41
S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?				
SEDTOT	2	# TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	238	0.83
		2 = 3 to 5 times	141	0.49
		3 = 6 to 10 times	154	0.53
		4 = 11 to 49 times	138	0.48
		5 = 50 to 99 times	63	0.22
		6 = 100 to 199 times	35	0.12
		7 = 200 or more times	76	0.26
		91 = NEVER USED SEDATIVES	27866	96.65
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	120	0.42

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		S-4. When was the most recent time you took any sedative for nonmedical reasons?		
SEDREC	2	MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL RSN		
		1 = Within the past month(30 days)	84	0.29
		2 = More than 1 month ago but less than 6 months ago .	59	0.20
		3 = 6 or more months ago but less than 1 year ago	61	0.21
		4 = 1 or more years ago but less than 3 years ago	74	0.26
		5 = 3 or more years ago	525	1.82
		8 = Use in past year LOGICALLY IMPUTED	72	0.25
		9 = Use in lifetime LOGICALLY IMPUTED	62	0.22
		81 = NEVER USED SEDATIVES Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES	27865	96.65
		98 = BLANK (NO ANSWER)	29	0.10
		S-5. On the average, how often in the past 12 months have you taken any sedative for nonmedical reasons?		
SEDYRFRQ	2	HOW OFTEN TKN SEDATIVES PAST YR FOR NONMDCL RSN		
		1 = Daily in the past 12 months	12	0.04
		2 = Almost daily or 3 to 6 days a week	15	0.05
		3 = About 1 or 2 days a week	23	0.08
		4 = Several times a month (25 to 51 days a year)	15	0.05
		5 = 1 to 2 times a month (12 to 24 days a year)	26	0.09
		6 = Every other month or so (6 to 11 days a year)	17	0.06
		7 = 3 to 5 days in the past 12 months	33	0.11
		8 = 1 or 2 days in the past 12 months	84	0.29
		81 = NEVER USED SEDATIVES Logically assigned	134	0.46
		83 = DID NOT USE SEDATIVE PAST 12 MOS. Logic.assigned .	59	0.20
		85 = BAD DATA Logically assigned	27	0.09
		91 = NEVER USED SEDATIVES	27732	96.18
		93 = DID NOT USE ANY SEDATIVE IN THE PAST 12 MONTHS ...	602	2.09
		98 = BLANK (NO ANSWER)	53	0.18

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TRANQUILIZERS -- ANSWER SHEET #3				

T-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way would you prefer to do it?				
TRNREAD	2	TRANQUILIZERS - READING PREF. (1988-91 = AS3READ)		
		1 = Wants interviewer to continue reading	10743	37.26
		2 = Wants to do it himself/herself	17063	59.18
		3 = Wants interviewer to continue LOGICALLY IMPUTED ..	5	0.02
		98 = BLANK (NO ANSWER)	1021	3.54
IF YOU HAVE NEVER TAKEN ANY TRANQUILIZER FOR NONMEDICAL REASONS, CIRCLE THE 91 IN BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH T-2 BELOW.				
NOTRANQ	2	HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS		
		1 = Response circled	27401	95.04
		2 = Response not circled	1258	4.36
		4 = Response not circled LOGICALLY IMPUTED	83	0.29
		98 = BLANK (NO ANSWER)	90	0.31
T-1. Circle the number next to each tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.				
VALIUM	2	VALIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	1000	3.47
		2 = Response not circled	341	1.18
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
LIBRIUM	2	LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	170	0.59
		2 = Response not circled	1171	4.06
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
LIMBTROL	2	LIMBITROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	18	0.06
		2 = Response not circled	1323	4.59
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
MENRIUM	2	MENRIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	3	0.01
		2 = Response not circled	1338	4.64
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
SERAX	2	SERAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	20	0.07
		2 = Response not circled	1321	4.58
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
TRANXENE	2	TRANXENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	43	0.15
		2 = Response not circled	1298	4.50
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
ATIVAN	2	ATIVAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	70	0.24
		2 = Response not circled	1271	4.41
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
CENTRAX	2	CENTRAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	26	0.09
		2 = Response not circled	1315	4.56
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
XANAX	2	XANAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	246	0.85
		2 = Response not circled	1095	3.80
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
PAXIPAM	2	PAXIPAM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	6	0.02
		2 = Response not circled	1335	4.63
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
BUSPAR	2	BUSPAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	23	0.08
		2 = Response not circled	1318	4.57
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
MILTOWN	2	MILTOWN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	19	0.07
		2 = Response not circled	1322	4.59
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
EQUANIL	2	EQUANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	19	0.07
		2 = Response not circled	1322	4.59
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
DEPROL	2	DEPROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	15	0.05
		2 = Response not circled	1326	4.60
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
VISTAR	2	VISTARIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	25	0.09
		2 = Response not circled	1316	4.56
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
ATARAX	2	ATARAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	23	0.08
		2 = Response not circled	1318	4.57
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
DURRAX	2	DURRAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	12	0.04
		2 = Response not circled	1329	4.61
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
DIAZEPAM	2	DIAZEPAM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	48	0.17
		2 = Response not circled	1293	4.48
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
SKLY	2	SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS		
		2 = Response not circled	1341	4.65
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
MEPROB	2	MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	11	0.04
		2 = Response not circled	1330	4.61
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
TRNEWA	3	OTHER TRANQUILIZER EVER USED-1ST MENTION		
		105 = Placidyl	1	0.00
		113 = Halcion	1	0.00
		116 = Methaqualone, Quaalude, Sopor	2	0.01
		131 = Haldol, Haloperidol	2	0.01
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		229 = Librax	1	0.00
		234 = Cyclobenzaprine, Flexeril	1	0.00
		241 = Prozac	1	0.00
		252 = Strawberry whip cream	1	0.00
		254 = Vilonopin [sic]	1	0.00
		255 = Assival [sic]	2	0.01
		257 = Zestril	1	0.00
		258 = Hoses [sic]	1	0.00
		260 = PCB	1	0.00
		261 = Roperals [sic]	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		811 = Muscle relaxers	1	0.00
		991 = NEVER USED TRANQUILIZERS	27401	95.04
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	1408	4.88
TRNEWB	3	OTHER TRANQUILIZER EVER USED-2ND MENTION		
		225 = Desyrel, Trazodone	1	0.00
		991 = NEVER USED TRANQUILIZERS	27401	95.04
		998 = BLANK (NO ANSWER)	1430	4.96
TRNEWC	3	OTHER TRANQUILIZER EVER USED-3RD MENTION		
		991 = NEVER USED TRANQUILIZERS	27401	95.04
		998 = BLANK (NO ANSWER)	1431	4.96
TRNEWD	3	OTHER TRANQUILIZER EVER USED-4TH MENTION		
		991 = NEVER USED TRANQUILIZERS	27401	95.04
		998 = BLANK (NO ANSWER)	1431	4.96
TRNEWE	3	OTHER TRANQUILIZER EVER USED-5TH MENTION		
		991 = NEVER USED TRANQUILIZERS	27401	95.04
		998 = BLANK (NO ANSWER)	1431	4.96
TRNOSP	2	OTHER TRANQUILIZER EVER USED (NOT SPECIFIED)		
		1 = Response circled	17	0.06
		2 = Response not circled	1249	4.33
		3 = Tranquilizer use LOGICALLY IMPUTED	75	0.26
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31
TRDKNAM	2	USED TRANQUILIZER, DON'T KNOW NAME		
		1 = Response circled	119	0.41
		2 = Response not circled	1222	4.24
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		98 = BLANK (NO ANSWER)	90	0.31

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?		
TRANAGE	3	AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS		
		RANGE = 5 - 70	1235	4.28
		981 = NEVER USED TRANQUILIZERS Logically assigned	18	0.06
		985 = BAD DATA Logically assigned	11	0.04
		991 = NEVER USED TRANQUILIZERS	27383	94.97
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	184	0.64
		T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?		
TRANTOT	2	# TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS		
		1 = 1 or 2 times	429	1.49
		2 = 3 to 5 times	265	0.92
		3 = 6 to 10 times	159	0.55
		4 = 11 to 49 times	200	0.69
		5 = 50 to 99 times	84	0.29
		6 = 100 to 199 times	46	0.16
		7 = 200 or more times	84	0.29
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	163	0.57
		T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?		
TRANREC	2	MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
		1 = Within the past month (30 days)	106	0.37
		2 = More than 1 month ago but less than 6 months ago .	116	0.40
		3 = 6 or more months ago but less than 1 year ago	116	0.40
		4 = 1 or more years ago but less than 3 years ago	181	0.63
		5 = 3 or more years ago	666	2.31
		8 = Use in past year LOGICALLY IMPUTED	91	0.32
		9 = Use in lifetime LOGICALLY IMPUTED	65	0.23
		91 = NEVER USED TRANQUILIZERS	27401	95.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	89	0.31

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	t
		T-5. On the average, how often in the past 12 months have you taken any tranquilizer for nonmedical reasons?		
TRNYRFRQ	2	FREQ IN PAST YR TKN TRANQUILIZERS FOR NONMDCAL RSN		
		1 = Daily in the past 12 months	11	0.04
		2 = Almost daily or 3 to 6 days a week	14	0.05
		3 = About 1 or 2 days a week	29	0.10
		4 = Several times a month (about 25 to 51 days a year)	28	0.10
		5 = 1 to 2 times a month (12 to 24 days a year)	34	0.12
		6 = Every other month or so (6 to 11 days a year)	37	0.13
		7 = 3 to 5 days in the past 12 months	65	0.23
		8 = 1 or 2 days in the past 12 months	158	0.55
		81 = NEVER USED TRANQUILIZERS Logically assigned	125	0.43
		83 = DID NOT USE TRANQUILIZER PAST 12 MOS. Logic.assgnd	61	0.21
		85 = BAD DATA Logically assigned	34	0.12
		91 = NEVER USED TRANQUILIZERS	27276	94.60
		93 = DID NOT USE ANY TRANQUILIZER IN THE PAST 12 MONTHS	851	2.95
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	108	0.37

		STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	---	-----		----	-
		STIMULANTS -- ANSWER SHEET #4			

		ST-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way do you want to do it?			
STMREAD	2	STIMULANTS - READING PREF. (1988-91 = AS4READ)			
		1 = Wants interviewer to continue reading	10400	36.07	
		2 = Wants to do it himself/herself	17416	60.41	
		96 = MULTIPLE RESPONSE	2	0.01	
		98 = BLANK (NO ANSWER)	1014	3.52	
		IF YOU HAVE NEVER TAKEN ANY STIMULANT FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 *			
		THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH ST-2 BELOW.			
NOSTIMS	2	HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS			
		1 = Response circled	27121	94.07	
		2 = Response not circled	1562	5.42	
		4 = Response not circled LOGICALLY IMPUTED	96	0.33	
		98 = BLANK (NO ANSWER)	53	0.18	
		ST-1. Circle the number next to each stimulant you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.			
DEXED	2	DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	278	0.96	
		2 = Response not circled	1380	4.79	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
DEXAMYL	2	DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	69	0.24	
		2 = Response not circled	1589	5.51	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	

		STIMULANTS		
LABEL	LEN	DESCRIPTION	FREQ	%
ESKAT	2	ESKATROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	19	0.07
		2 = Response not circled	1639	5.68
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
BENZ	2	BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	183	0.63
		2 = Response not circled	1475	5.12
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
BIPHET	2	BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	175	0.61
		2 = Response not circled	1483	5.14
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
DESOXYN	2	DESOXYN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	39	0.14
		2 = Response not circled	1619	5.62
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
TENUATE	2	TENUATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	39	0.14
		2 = Response not circled	1619	5.67
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
TEPANIL	2	TEPANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	5	0.02
		2 = Response not circled	1653	5.73
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
DIDREX	2	DIDREX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	7	0.02
		2 = Response not circled	1651	5.73
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
PLEGINE	2	PLEGINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	9	0.03
		2 = Response not circled	1649	5.72
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18
PRELUDIN	2	PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	86	0.30
		2 = Response not circled	1572	5.45
		91 = NEVER USED STIMULANTS	27121	94.07
		98 = BLANK (NO ANSWER)	53	0.18

		STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	---	-----		----	-
IONAMIN	2	IONAMIN EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	57	0.20	
		2 = Response not circled	1601	5.55	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
FASTIN	2	FASTIN EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	84	0.29	
		2 = Response not circled	1574	5.46	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
PONDIMIN	2	PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	2	0.01	
		2 = Response not circled	1656	5.74	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
VORANIL	2	VORANIL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	25	0.09	
		2 = Response not circled	1633	5.66	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
SANOREX	2	SANOREX EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	18	0.06	
		2 = Response not circled	1640	5.69	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
MAZANOR	2	MAZANOR EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	20	0.07	
		2 = Response not circled	1638	5.68	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
RITALIN	2	RITALIN EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	48	0.17	
		2 = Response not circled	1610	5.58	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
CYLERT	2	CYLERT EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	8	0.03	
		2 = Response not circled	1650	5.72	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	
DETAMP	2	DEXTROAMPHETAMINE EVER TAKEN FOR NONMED REASONS			
		1 = Response circled	32	0.11	
		2 = Response not circled	1626	5.64	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	

LABEL	LEN	DESCRIPTION	STIMULANTS	FREQ	%
-----	----	-----		----	-
METHI	2	METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled		101	0.35
		2 = Response not circled		1557	5.40
		91 = NEVER USED STIMULANTS		27121	94.07
		98 = BLANK (NO ANSWER)		53	0.18
METHAMP	2	METHAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled		651	2.26
		2 = Response not circled		1007	3.49
		91 = NEVER USED STIMULANTS		27121	94.07
		98 = BLANK (NO ANSWER)		53	0.18
OBLA	2	OBEDRIN-L.A. EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled		1	0.00
		2 = Response not circled		1657	5.75
		91 = NEVER USED STIMULANTS		27121	94.07
		98 = BLANK (NO ANSWER)		53	0.18

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-----	
STIMNEWA	3	OTHER STIMULANT EVER USED-1ST MENTION			
		301 = Dexedrine	2	0.01	
		312 = Ionamin	1	0.00	
		313 = Fastin, Phentermine	2	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01	
		326 = White cross	43	0.15	
		327 = Black beauties, Black Beauty	17	0.06	
		328 = Pink hearts	3	0.01	
		329 = Robin's eggs, speckled eggs	2	0.01	
		330 = Blue birds, blue jays, blue robins	1	0.00	
		331 = Whites	6	0.02	
		332 = Ephedrine (HCl) [see also 346]	6	0.02	
		333 = 357 Magnum, Magnum 44	3	0.01	
		334 = Crossroads, cross tops	10	0.03	
		335 = Dexatrim	7	0.02	
		336 = Diet pills	5	0.02	
		339 = Amphetamines (speed generically)	7	0.02	
		344 = Bennies	1	0.00	
		345 = Black Molly	1	0.00	
		346 = Ephedrine sulfate, Marax [see also 332]	1	0.00	
		348 = Crystal	2	0.01	
		353 = No-Doz	6	0.02	
		354 = Vivarin	14	0.05	
		355 = Crystal meth	1	0.00	
		359 = Criss cross	1	0.00	
		375 = Coco puffs [sic]	1	0.00	
		376 = TAC [sic]	1	0.00	
		378 = Control [sic]	1	0.00	
		423 = Percocet	1	0.00	
		442 = Ibuprofen	1	0.00	
		468 = Excedrin	1	0.00	
		526 = Nail polish	1	0.00	
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00	
		605 = PCP ("angel dust," phencyclidine)	1	0.00	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00	
		622 = Microdot(s), purple microdot	1	0.00	
		802 = THC, cannabinal	1	0.00	
		805 = Cocaine, coke	6	0.02	
		809 = Pills	1	0.00	
		814 = Caffeine	4	0.01	
		815 = Coffee	1	0.00	
		848 = Liquid vitamin	1	0.00	
		851 = Thyrolar-3 [sic]	1	0.00	
		981 = NEVER USED STIMULANTS Logically assigned	2	0.01	
		991 = NEVER USED STIMULANTS	27119	94.06	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	1536	5.33	

			STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	%	
STIMNEWB	3	OTHER STIMULANT EVER USED-2ND MENTION				
		326 = White cross	4	0.01		
		327 = Black beauties, Black Beauty	2	0.01		
		328 = Pink hearts	1	0.00		
		333 = 357 Magnum, Magnum 44	2	0.01		
		334 = Crossroads, cross tops	1	0.00		
		348 = Crystal	1	0.00		
		354 = Vivarin	2	0.01		
		377 = Ventolin	1	0.00		
		379 = Hearts	1	0.00		
		380 = Pink ladies	1	0.00		
		415 = Codeine	1	0.00		
		805 = Cocaine, coke	1	0.00		
		814 = Caffeine	3	0.01		
		981 = NEVER USED STIMULANTS Logically assigned	1	0.00		
		991 = NEVER USED STIMULANTS	27120	94.06		
		998 = BLANK (NO ANSWER)	1690	5.86		
STIMNEWC	3	OTHER STIMULANT EVER USED-3RD MENTION				
		326 = White cross	1	0.00		
		327 = Black beauties, Black Beauty	1	0.00		
		328 = Pink hearts	1	0.00		
		329 = Robin's eggs, speckled eggs	1	0.00		
		345 = Black Molly	1	0.00		
		417 = Morphine	1	0.00		
		991 = NEVER USED STIMULANTS	27121	94.07		
		998 = BLANK (NO ANSWER)	1705	5.9		
STIMNEWD	3	OTHER STIMULANT EVER USED-4TH MENTION				
		124 = Yellow jackets	1	0.00		
		418 = Methadone	1	0.00		
		991 = NEVER USED STIMULANTS	27121	94.07		
		998 = BLANK (NO ANSWER)	1709	5.93		
STIMNEWE	3	OTHER STIMULANT EVER USED-5TH MENTION				
		991 = NEVER USED STIMULANTS	27121	94.07		
		998 = BLANK (NO ANSWER)	1711	5.93		
STIMNOSP	2	OTHER STIMULANT EVER USED (NOT SPECIFIED)				
		1 = Response circled	122	0.42		
		2 = Response not circled	1437	4.98		
		3 = Stimulant use LOGICALLY IMPUTED	99	0.34		
		91 = NEVER USED STIMULANTS	27121	94.07		
		98 = BLANK (NO ANSWER)	53	0.18		
STMDKNAM	2	USED STIMULANT, DON'T KNOW NAME				
		1 = Response circled	336	1.17		
		2 = Response not circled	1322	4.59		
		91 = NEVER USED STIMULANTS	27121	94.07		
		98 = BLANK (NO ANSWER)	53	0.18		

		STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	---	-----		----	-
		ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?			
STIMAGE	3	AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS			
		RANGE = 7 - 50	1529	5.30	
		981 = NEVER USED STIMULANTS Logically assigned	19	0.07	
		985 = BAD DATA Logically assigned	11	0.04	
		991 = NEVER USED STIMULANTS	27102	94.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	170	0.59	
		ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?			
STIMTOT	2	# TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS			
		1 = 1 or 2 times	329	1.14	
		2 = 3 to 5 times	225	0.78	
		3 = 6 to 10 times	246	0.85	
		4 = 11 to 49 times	335	1.16	
		5 = 50 to 99 times	167	0.58	
		6 = 100 to 199 times	99	0.34	
		7 = 200 or more times	165	0.57	
		91 = NEVER USED STIMULANTS	27121	94.07	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	144	0.50	
		ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?			
STIMREC	2	MOST RECENT TIME USED STIMULANT FOR NONMED RSNS			
		1 = Within the past month (30 days)	100	0.35	
		2 = More than 1 month ago but less than 6 months ago ..	87	0.30	
		3 = 6 or more months ago but less than 1 year ago	82	0.28	
		4 = 1 or more years ago but less than 3 years ago	159	0.55	
		5 = 3 or more years ago	1050	3.64	
		8 = Use in past year LOGICALLY IMPUTED	87	0.30	
		9 = Use in lifetime LOGICALLY IMPUTED	93	0.32	
		91 = NEVER USED STIMULANTS	27121	94.07	
		98 = BLANK (NO ANSWER)	53	0.18	

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
		ST-5. On the average, how often in the past 12 months have you taken any amphetamine or other stimulant for nonmedical reasons?			
STMYRFRO	2	# TIMES USED STIMULANTS PAST 12 MONTHS			
		1 = Daily in the past 12 months	8	0.03	
		2 = Almost daily or 3 to 6 days a week	10	0.03	
		3 = About 1 or 2 days a week	29	0.10	
		4 = Several times a month (about 25 to 51 days a year)	33	0.11	
		5 = 1 to 2 times a month (12 to 24 days a year)	53	0.18	
		6 = Every other month or so (6 to 11 days a year)	34	0.12	
		7 = 3 to 5 days in the past 12 months	37	0.13	
		8 = 1 or 2 days in the past 12 months	96	0.33	
		81 = NEVER USED STIMULANTS Logically assigned	117	0.41	
		83 = DID NOT USE STIMULANT PAST 12 MOS. Logic.assigned	97	0.34	
		85 = BAD DATA Logically assigned	30	0.10	
		91 = NEVER USED STIMULANTS	27004	93.66	
		93 = DID NOT USE STIMULANT IN THE PAST 12 MONTHS	1205	4.18	
		98 = BLANK (NO ANSWER)	79	0.27	
		ST-6. Have you ever used amphetamines with a needle?			
STNEEDLE	2	EVER USED AMPHETAMINES WITH A NEEDLE			
		1 = Yes	100	0.34	
		2 = No	1392	4.81	
		3 = Yes LOGICALLY IMPUTED	42	0.15	
		81 = NEVER USED STIMULANTS Logically assigned	157	0.54	
		91 = NEVER USED STIMULANTS	26964	93.52	
		98 = BLANK (NO ANSWER)	177	0.61	
		ST-7. When was the most recent time you used amphetamines with a needle?			
STNDLREC	2	MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE			
		1 = Within the past month (30 days)	6	0.02	
		2 = More than 1 month ago but less than 6 months ago .	8	0.03	
		3 = 6 or more months ago but less than 1 year ago	6	0.02	
		4 = 1 or more years ago but less than 3 years ago	17	0.06	
		5 = 3 or more years ago but less than 10 years ago ...	47	0.16	
		6 = 10 or more years ago	31	0.11	
		9 = Use in lifetime LOGICALLY IMPUTED	27	0.09	
		81 = NEVER USED STIMULANTS Logically assigned	169	0.59	
		83 = NEVER USED AMPHETAMINES W/A NEEDLE Logic.assigned	71	0.25	
		91 = NEVER USED STIMULANTS	26952	93.48	
		93 = NEVER USED AMPHETAMINES WITH A NEEDLE	1330	4.61	
		98 = BLANK (NO ANSWER)	168	0.58	

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		ANALGESICS -- ANSWER SHEET #5		

		AN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
ANLREAD	2	ANALGESICS - READING PREF. (1988-91 = AS5READ)		
		1 = Wants interviewer to read questions	10197	35.37
		2 = Wants to do it himself/herself	17618	61.11
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	1015	3.52
		IF YOU HAVE NEVER TAKEN ANY ANALGESIC FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 *		
		THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH AN-2 BELOW.		
ANALNONE	2	HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS		
		1 = Response circled	27121	94.07
		2 = Response not circled	1545	5.36
		4 = Response not circled LOGICALLY IMPUTED	123	0.43
		98 = BLANK (NO ANSWER)	43	0.15
		AN-1. Circle the number next to each analgesic you have ever taken for non-medical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.		
DARVON	2	DARVON EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	344	1.19
		2 = Response not circled	1324	4.59
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
DOLENE	2	DOLENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	19	0.07
		2 = Response not circled	1649	5.72
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
SK65A	2	SK-65 EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.03
		2 = Response not circled	1658	5.75
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
WYGESIC	2	WYGESIC EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	20	0.07
		2 = Response not circled	1648	5.72
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
LEVODRO	2	LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	8	0.03
		2 = Response not circled	1660	5.76
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
PERCODAN	2	PERCODAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	309	1.07
		2 = Response not circled	1359	4.71
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
DEMEROL	2	DEMEROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	217	0.75
		2 = Response not circled	1451	5.03
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
DILAUD	2	DILAUDID EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	76	0.26
		2 = Response not circled	1592	5.5
		91 = NEVER USED ANALGESICS	27121	94.0
		98 = BLANK (NO ANSWER)	43	0.15
TYLCOD	2	TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REASON		
		1 = Response circled	1071	3.71
		2 = Response not circled	597	2.07
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
PHENCOD	2	PHENAPHEN W/CODEINE EVER TAKEN FOR NONMEDICAL REAS		
		1 = Response circled	73	0.25
		2 = Response not circled	1595	5.53
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
TALWIN	2	TALWIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	61	0.21
		2 = Response not circled	1607	5.57
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
TALWINNX	2	TALWIN NX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	17	0.06
		2 = Response not circled	1651	5.73
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
TALACEN	2	TALACEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	17	0.06
		2 = Response not circled	1651	5.73
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
PROPOXY	2	PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	9	0.03
		2 = Response not circled	1659	5.75
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
CODEINE	2	CODEINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	342	1.19
		2 = Response not circled	1326	4.60
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
ANILERID	2	ANILERIDINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.03
		2 = Response not circled	1658	5.75
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
MORPHINE	2	MORPHINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	89	0.31
		2 = Response not circled	1579	5.48
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
METHDON	2	METHADONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	67	0.23
		2 = Response not circled	1601	5.55
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
STADOL	2	STADOL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	11	0.04
		2 = Response not circled	1657	5.75
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWA	3	OTHER ANALGESICS EVER USED-1ST MENTION		
		140 = Seldane	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
		352 = Lemons	1	0.00
		406 = Oxycodone, Percodan, Roxicet	4	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		415 = Codeine	1	0.00
		422 = Motrin	11	0.04
		423 = Percocet	8	0.03
		424 = Fioricet	1	0.00
		425 = Advil	2	0.01
		426 = Butalbital, Fiorinal, Phrenilin Forte	2	0.01
		427 = Darvocet	10	0.03
		430 = Aspirin, Ecotrin, Empirin	3	0.01
		431 = Tylox	3	0.01
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	6	0.02
		435 = Tylenol, Tylenol Extrastrength	3	0.01
		438 = Anaprox, Naprosyn	5	0.02
		439 = 222, Canadian 222	3	0.01
		440 = Soma	1	0.00
		442 = Ibuprofen	3	0.01
		444 = Aspirin with Codeine, Empirin 3	1	0.00
		447 = Synalgos	1	0.00
		450 = Acetaminophen	1	0.00
		455 = Fiorinal with Codeine	1	0.00
		456 = Lorcet HD, Lorcet Plus [see also 434]	1	0.00
		459 = Ketamine	1	0.00
		462 = Norflex	1	0.00
		465 = Fentanyl	1	0.00
		466 = Midol	2	0.01
		467 = Tolectin	1	0.00
		702 = Heroin	2	0.01
		991 = NEVER USED ANALGESICS	27121	94.07
		995 = BAD DATA	1	0.00
		998 = BLANK (NO ANSWER)	1627	5.64
ANALNEWB	3	OTHER ANALGESICS EVER USED-2ND MENTION		
		222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
		422 = Motrin	2	0.01
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		991 = NEVER USED ANALGESICS	27121	94.07
		998 = BLANK (NO ANSWER)	1706	5.92
ANALNEWC	3	OTHER ANALGESICS EVER USED-3RD MENTION		
		991 = NEVER USED ANALGESICS	27121	94.07
		998 = BLANK (NO ANSWER)	1711	5.93
ANALNEWD	3	OTHER ANALGESICS EVER USED-4TH MENTION		
		991 = NEVER USED ANALGESICS	27121	94.07
		998 = BLANK (NO ANSWER)	1711	5.93

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWE	3	OTHER ANALGESICS EVER USED-5TH MENTION		
		991 = NEVER USED ANALGESICS	27121	94.07
		998 = BLANK (NO ANSWER)	1711	5.93
ANLNOSP	2	OTHER ANALGESICS EVER USED (NOT SPECIFIED)		
		1 = Response circled	66	0.23
		2 = Response not circled	1493	5.18
		3 = Analgesic use LOGICALLY IMPUTED	109	0.38
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
ANLDKNAM	2	USED ANALGESICS, DON'T KNOW NAME		
		1 = Response circled	98	0.34
		2 = Response not circled	1570	5.45
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?				
ANALAGE	3	AGE FIRST TOOK ANALGESICS FOR NONMED REASONS		
		RANGE = 2 - 58	1458	5.06
		981 = NEVER USED ANALGESICS Logically assigned	22	0.08
		985 = BAD DATA Logically assigned	10	0.03
		991 = NEVER USED ANALGESICS	27099	93.99
		994 = DON'T KNOW	4	0.01
		998 = BLANK (NO ANSWER)	239	0.83
AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reason?				
ANALTOT	2	# TIMES EVER TOOK ANALGESICS FOR NONMEDICAL REASON		
		1 = 1 or 2 times	489	1.70
		2 = 3 to 5 times	295	1.02
		3 = 6 to 10 times	267	0.93
		4 = 11 to 49 times	224	0.78
		5 = 50 to 99 times	97	0.34
		6 = 100 to 199 times	56	0.19
		7 = 200 or more times	84	0.29
		91 = NEVER USED ANALGESICS	27121	94.07
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	196	0.68

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		AN-4. When was the most recent time you took any analgesic for nonmedical reasons?		
ANALREC	2	MOST RECENT TIME USED ANALGESIC FOR NONMED REASONS		
		1 = Within past month (30 days)	205	0.71
		2 = More than 1 month ago but less than 6 months ago .	221	0.77
		3 = 6 or more months ago but less than 1 year ago	206	0.71
		4 = 1 or more years ago but less than 3 years ago	229	0.79
		5 = 3 or more years ago	540	1.87
		8 = Use in past year LOGICALLY IMPUTED	129	0.45
		9 = Use in lifetime LOGICALLY IMPUTED	138	0.48
		91 = NEVER USED ANALGESICS	27121	94.07
		98 = BLANK (NO ANSWER)	43	0.15
		AN-5. On the average, how often in the past 12 months have you taken any analgesic for nonmedical reasons?		
ANLYRFRQ	2	# TIMES USED ANALGESIC PAST 12 MONTHS		
		1 = Daily in the past 12 months	18	0.06
		2 = Almost daily or 3 to 6 days a week	22	0.08
		3 = About 1 or 2 days a week	53	0.18
		4 = Several times a month (about 25 to 51 days a year)	48	0.17
		5 = 1 to 2 times a month (12 to 24 days a year)	82	0.28
		6 = Every other month or so (6 to 11 days a year)	56	0.19
		7 = 3 to 5 days in the past 12 months	122	0.42
		8 = 1 or 2 days in the past 12 months	265	0.92
		81 = NEVER USED ANALGESICS Logically assigned	119	0.41
		83 = DID NOT USE ANALGESICS PAST 12 MO. Logic.assigned	136	0.47
		85 = BAD DATA Logically assigned	46	0.16
		91 = NEVER USED ANALGESICS	27002	93.65
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS	771	2.67
		98 = BLANK (NO ANSWER)	92	0.32

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	t
-------	-----	-------------	------	---

MARIJUANA AND HASHISH -- ANSWER SHEET #6

M-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?

MJOPP	3	AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH		
		RANGE = 1 - 72	15146	52.53
		981 = NEVER HAD CHANCE TO TRY MARIJUANA Logically assigned	16	0.06
		985 = BAD DATA Logically assigned	45	0.16
		991 = NEVER HAD CHANCE TO TRY MARIJUANA	13537	46.95
		994 = DON'T KNOW	8	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	79	0.27

M-2. About how old were you the first time you actually used marijuana or hash, even once?

MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASH		
		RANGE = 2 - 65	9886	34.29
		981 = NEVER USED MARIJUANA Logically assigned	169	0.59
		985 = BAD DATA Logically assigned	86	0.30
		991 = NEVER USED MARIJUANA	18647	64.67
		994 = DON'T KNOW	4	0.01
		998 = BLANK (NO ANSWER)	40	0.14

M-3. About how many times in your life have you used marijuana or hash?

MJTOT	2	# TIMES USED MARIJUANA/HASH IN LIFE		
		1 = 1 or 2 times	2651	9.19
		2 = 3 to 5 times	1582	5.49
		3 = 6 to 10 times	1148	3.98
		4 = 11 to 49 times	1490	5.17
		5 = 50 to 99 times	752	2.61
		6 = 100 to 199 times	566	1.96
		7 = 200 or more times	1743	6.05
		81 = NEVER USED MARIJUANA Logically assigned	163	0.57
		85 = BAD DATA Logically assigned	65	0.23
		91 = NEVER USED MARIJUANA	18653	64.70
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	17	0.06

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
		M-4. When was the most recent time that you used marijuana or hash?		
MJREC	2	MOST RECENT TIME USED MARIJUANA/HASH		
		1 = Within the past week (7 days)	944	3.27
		2 = More than 1 week ago but less than 1 month ago ...	502	1.74
		3 = 1 or more months ago but less than 6 months ago ..	562	1.95
		4 = 6 or more months ago but less than 1 year ago	591	2.05
		5 = 1 or more years ago but less than 3 years ago	818	2.84
		6 = 3 or more years ago	5586	19.37
		7 = Use in past 30 days LOGICALLY IMPUTED	333	1.15
		8 = Use in past year LOGICALLY IMPUTED	579	2.01
		9 = Use in lifetime LOGICALLY IMPUTED	101	0.35
		81 = NEVER USED MARIJUANA Logically assigned	123	0.43
		91 = NEVER USED MARIJUANA	18693	64.83
		M-5. On about how many different days did you use marijuana or hash during the past 30 days?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASH IN PAST 30 DAYS		
		RANGE = 1 - 30	1558	5.40
		81 = NEVER USED MARIJUANA Logically assigned	175	0.61
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	510	1.77
		85 = BAD DATA Logically assigned	198	0.69
		91 = NEVER USED MARIJUANA	18641	64.65
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7727	26.80
		94 = DON'T KNOW	1	0.00
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	21	0.07
		M-6. On the days that you used marijuana, about how much did you smoke each day, on the average, during the past 30 days?		
MJAV30A	2	# JOINTS SMOKED PER DAY IN PAST 30 DAYS		
		RANGE = 0 - 60	1453	5.04
		81 = NEVER USED MARIJUANA Logically assigned	312	1.08
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	817	2.83
		85 = BAD DATA Logically assigned	152	0.53
		91 = NEVER USED MARIJUANA	18504	64.18
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7420	25.74
		98 = BLANK (NO ANSWER)	174	0.60

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJAV30B	2	# BONGS SMOKED PER DAY IN PAST 30 DAYS		
		RANGE = 0 - 50	542	1.88
		81 = NEVER USED MARIJUANA Logically assigned	301	1.04
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	817	2.83
		85 = BAD DATA Logically assigned	152	0.53
		91 = NEVER USED MARIJUANA	18515	64.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7420	25.74
		98 = BLANK (NO ANSWER)	1085	3.76

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

MJAMT30A	2	TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS		
		1 = 1 to 10 joints in the past 30 days	1163	4.03
		2 = 11 to 20 joints in the past 30 days	264	0.92
		3 = About 1 ounce in the past 30 days	184	0.64
		4 = About 2 ounces in the past 30 days	43	0.15
		5 = 3 to 4 ounces in the past 30 days	13	0.05
		6 = 5 to 6 ounces in the past 30 days	14	0.05
		8 = 8 ounces in the past 30 days	1	0.00
		77 = More than 6 oz. exact amt not spec. in pst 30 days	9	0.03
		81 = NEVER USED MARIJUANA Logically assigned	160	0.55
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	243	0.84
		85 = BAD DATA Logically assigned	68	0.24
		91 = NEVER USED MARIJUANA	18656	64.71
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7994	27.73
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07

M-8. How did you obtain any marijuana that you used during the past 30 days?

MJFRIEND	2	BOUGHT IT FROM FRIENDS, ACQUAINTANCES OR FAMILY		
		1 = Response circled	688	2.39
		2 = Response not circled	1087	3.77
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	606	2.10
		85 = BAD DATA Logically assigned	122	0.42
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJDEALER	2	BOUGHT IT FROM A DEALER		
		1 = Response circled	342	1.19
		2 = Response not circled	1433	4.97
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	684	2.37
		85 = BAD DATA Logically assigned	44	0.15
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJOTSHR	2	OTHERS SHARED WITH ME		
		1 = Response circled	887	3.08
		2 = Response not circled	888	3.08
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	442	1.53
		85 = BAD DATA Logically assigned	286	0.99
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJGIVEN	2	GIVEN TO ME		
		1 = Response circled	520	1.80
		2 = Response not circled	1255	4.35
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	544	1.89
		85 = BAD DATA Logically assigned	184	0.64
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJTRGOOD	2	TRADED GOODS FOR IT		
		1 = Response circled	33	0.11
		2 = Response not circled	1742	6.04
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	720	2.50
		85 = BAD DATA Logically assigned	8	0.03
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJTRSERV	2	TRADED SERVICES FOR IT		
		1 = Response circled	24	0.08
		2 = Response not circled	1751	6.07
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	725	2.51
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJSTOLE	2	STOLE IT		
		1 = Response circled	17	0.06
		2 = Response not circled	1758	6.10
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	723	2.51
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJTRICK	2	OBTAINED IT BY TRICK OR FRAUD		
		1 = Response circled	7	0.02
		2 = Response not circled	1768	6.13
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	717	2.49
		85 = BAD DATA Logically assigned	11	0.04
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
MJOBTONON	2	DID NOT USE MARIJUANA IN PAST 30 DAYS		
		2 = Response not circled	1670	5.79
		81 = NEVER USED MARIJUANA Logically assigned	210	0.73
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	728	2.52
		85 = BAD DATA Logically assigned	105	0.36
		91 = NEVER USED MARIJUANA	18606	64.53
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7509	26.04
		97 = REFUSED	4	0.01
M-9. About how much money did all the marijuana you used in the past 30 days cost you? (Do not include money you spent for any marijuana that you sold or gave away.)				
MJBUCK	4	\$ AMOUNT SPENT ON MARIJUANA USED IN PAST 30 DAYS		
		RANGE = 1 - 7500	805	2.79
		0 = Did not spend any money on marijuana pst 30 days	589	2.04
		9981 = NEVER USED MARIJUANA Logically assigned	416	1.44
		9983 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	772	2.68
		9985 = BAD DATA Logically assigned	117	0.41
		9991 = NEVER USED MARIJUANA	18400	63.82
		9993 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	7465	25.89
		9994 = DON'T KNOW	6	0.02
		9997 = REFUSED	3	0.01
		9998 = BLANK (NO ANSWER)	259	0.90

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
		M-10. On the average, how often in the past 12 months have you used marijuana?		
MJYRFREQ	2	FREQUENCY USED MARIJUANA PAST 12 MONTHS		
		1 = Several times a day in the past 12 months	154	0.53
		2 = Daily in the past 12 months	96	0.33
		3 = Almost daily or 3 to 6 days a week	291	1.01
		4 = 1 or 2 days a week	377	1.31
		5 = Several times a month (about 25 to 51 days a year)	264	0.92
		6 = 1 to 2 times a month (12 to 24 days a year)	372	1.29
		7 = Every other month or so (6 to 11 days a year)	271	0.94
		8 = 3 to 5 days in the past 12 months	415	1.44
		9 = 1 or 2 days in the past 12 months	620	2.15
		81 = NEVER USED MARIJUANA Logically assigned	180	0.62
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		85 = BAD DATA Logically assigned	603	2.09
		91 = NEVER USED MARIJUANA	18636	64.64
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS	6314	21.90
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	46	0.16
		M-11. Circle the numbers to the right of all the ways you have used marijuana in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)		
MJJOINT	2	SMOKED MARIJUANA CIGARETTES OR JOINTS IN PST 12 MO		
		1 = Response circled	2879	9.99
		2 = Response not circled	632	2.19
		81 = NEVER USED MARIJUANA Logically assigned	339	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		91 = NEVER USED MARIJUANA	18477	64.09
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6314	21.90
MJPIPE	2	SMOKED MARIJUANA WITH A PIPE OR BONG IN PAST 12 MO		
		1 = Response circled	1546	5.36
		2 = Response not circled	1965	6.82
		81 = NEVER USED MARIJUANA Logically assigned	339	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		91 = NEVER USED MARIJUANA	18477	64.09
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6314	21.90
MJBAKE	2	ATE MARIJUANA THAT'S BEEN BAKED IN FOOD PAST 12 MO		
		1 = Response circled	160	0.55
		2 = Response not circled	3351	11.62
		81 = NEVER USED MARIJUANA Logically assigned	339	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		91 = NEVER USED MARIJUANA	18477	64.09
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6314	21.90

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJCHEW	2	CHEWED MARIJUANA LIKE CHEWING TOBACCO IN PST 12 MO		
		1 = Response circled	54	0.19
		2 = Response not circled	3457	11.99
		81 = NEVER USED MARIJUANA Logically assigned	339	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		91 = NEVER USED MARIJUANA	18477	64.09
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6314	21.90
MJWAY	2	USED MARIJUANA SOME OTHER WAY IN PAST 12 MO		
		1 = Response circled, method not specified	12	0.04
		2 = Response not circled	3172	11.00
		4 = PST 30 DAY OR PST 12 MTH MJ USER W/NO Q.M-11 ANS.	292	1.01
		6 = Can with holes/in a bowl	12	0.04
		7 = One hitter	1	0.00
		8 = Boiled with tea	3	0.01
		9 = Smoky small room(burn in small room like bathroom)	1	0.00
		10 = "Knifa" hits	1	0.00
		11 = Shot gun	1	0.00
		12 = Chewing/eating/suck on stems	4	0.01
		17 = Blunts	3	0.01
		19 = With cocaine	1	0.00
		24 = Drank it	1	0.00
		25 = Hash under glass/can, glass bottle	1	0.00
		27 = Smoked in Philllies	1	0.00
		28 = In tobacco paper	1	0.00
		29 = Eat "roaches"	1	0.00
		30 = Hash	1	0.00
		31 = Joint	1	0.00
		32 = Pipe	1	0.00
		81 = NEVER USED MARIJUANA Logically assigned	339	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	191	0.66
		91 = NEVER USED MARIJUANA	18477	64.09
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	6314	21.90
M-12. Thinking back over your whole life, has there ever been a period when you used marijuana or hash daily or almost daily for two or more weeks?				
MJLFDALY	2	EVER USED MARIJUANA DAILY FOR 2 OR MORE WEEKS		
		1 = Yes	2472	8.57
		2 = No	7353	25.50
		3 = Yes LOGICALLY IMPUTED (from UDAYMJ)	45	0.16
		81 = NEVER USED MARIJUANA Logically assigned	1277	4.43
		91 = NEVER USED MARIJUANA	17539	60.83
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	144	0.50

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		INHALANTS -- ANSWER SHEET #7		

		IN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
INHREAD	2	INHALANTS - READING PREFERENCE (1988-91 = AS7READ)		
		1 = Wants interviewer to read questions	10123	35.11
		2 = Wants to do it himself/herself	15893	55.12
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	2813	9.76
		IN-1. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE NUMBERS FOR ALL THAT APPLY.)		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUIDS		
		1 = Response circled	330	1.14
		2 = Response not circled	1495	5.19
		3 = Response circled LOGICALLY IMPUTED (from GAS30A) .	9	0.03
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Response circled	78	0.27
		2 = Response not circled	1753	6.08
		3 = Response circled LOGICALLY IMPUTED (from LGAS30A)	3	0.01
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Response circled	196	0.68
		2 = Response not circled	1631	5.66
		3 = Response circled LOGICALLY IMPUTED (frm SPPAN30A)	7	0.02
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Response circled	126	0.44
		2 = Response not circled	1706	5.92
		3 = Response circled LOGICALLY IMPUTED (frm AEROS30A)	2	0.01
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
GLUE	2	EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
		1 = Response circled	281	0.97
		2 = Response not circled	1553	5.39
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
SOLVENT	2	EVER INHALED LACQUER THINNER/OTHER PAINT SOLVENTS		
		1 = Response circled	114	0.40
		2 = Response not circled	1719	5.96
		3 = Response circled LOGICALLY IMPUTED (frm SOLVN30A)	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
AMYLNIT	2	EVER INHLD AMYL NITRITE/POPPERS/LOCK RM ODRZR/RUSH		
		1 = Response circled	581	2.02
		2 = Response not circled	1251	4.34
		3 = Response circled LOGICALLY IMPUTED (frm AMLNT30A)	2	0.01
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
ETHER	2	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		1 = Response circled	29	0.10
		2 = Response not circled	1804	6.26
		3 = Response circled LOGICALLY IMPUTED (frm ETHER30A)	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
NITOXID	2	EVER INHALED NITROUS OXIDE/WHIPPETS		
		1 = Response circled	576	2.00
		2 = Response not circled	1258	4.36
		3 = Response circled LOGICALLY IMPUTED (frm NOX30A)	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
CLEFLU	2	EVER INHLD CORRECTN FLDS/DEGREASERS/CLEANING FLDS		
		1 = Response circled	112	0.39
		2 = Response not circled	1721	5.97
		3 = Response circled LOGICALLY IMPUTED (frm CLFL30A)	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
INHNEWA	3	OTHER SUBSTANCE EVER INHALED-1ST MENTION		
		304 = Benzedrine	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	2	0.01
		503 = Other aerosol sprays	2	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	26	0.09
		506 = Amyl nitrite, "poppers," locker rm odorizer, "rush"	10	0.03
		507 = Halothane, ether, or other anesthetics; chloroform	2	0.01
		508 = Nitrous oxide, "whippets," dentist gas	2	0.01
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	5	0.02
		511 = Markers, felt-tip pens, ink pens	17	0.06
		512 = Incense	1	0.00
		514 = Carbona [sic], carbone [sic]	1	0.00
		515 = Vicks	1	0.00
		516 = Freon	1	0.00
		518 = Acetone, nail polish remover	12	0.04
		519 = Helium	2	0.01
		524 = White-Out [see also 509]	11	0.04
		525 = Butane [see also 521, 544]	13	0.05
		526 = Nail polish	1	0.00
		528 = Whipped-cream can	4	0.01
		539 = ScotchGard	8	0.03
		540 = PAM	3	0.01
		542 = Spirits of ammonia	7	0.02
		545 = Car tailpipe exhaust fumes, CO2	1	0.00
		547 = Propel [sic]	2	0.01
		548 = Cologne, rubbing alcohol	1	0.00
		549 = Smarties [sic]	4	0.01
		550 = Methyl chloride	1	0.00
		551 = Spam [sic], oven cleaner (Spam [sic])	1	0.00
		552 = Valo [sic]	2	0.01
		553 = Pixie sticks	1	0.00
		554 = Raid	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	3	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	5	0.02
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		852 = Formaldehyde, wak [sic], whack (embalming fluid)	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	1	0.00
		991 = NEVER USED INHALANTS	143	0.50
		995 = BAD DATA	26834	93.07
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2	0.01
			1693	5.87

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWB	3	OTHER SUBSTANCE EVER INHALED-2ND MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		503 = Other aerosol sprays	1	0.00
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	3	0.01
		505 = Lacquer thinner or other paint solvents	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	2	0.01
		518 = Acetone, nail polish remover	3	0.01
		524 = White-Out [see also 509]	2	0.01
		526 = Nail polish	3	0.01
		531 = Candy, powdered candy	1	0.00
		542 = Spirits of ammonia	1	0.00
		546 = Leather protector	2	0.01
		553 = Pixie sticks	1	0.00
		804 = Hashish	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	143	0.50
		991 = NEVER USED INHALANTS	26834	93.07
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1829	6.34
INHNEWC	3	OTHER SUBSTANCE EVER INHALED-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		518 = Acetone, nail polish remover	1	0.00
		806 = Crack, rock	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	143	0.50
		991 = NEVER USED INHALANTS	26834	93.07
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1850	6.42
INHNEWD	3	OTHER SUBSTANCE EVER INHALED-4TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	143	0.50
		991 = NEVER USED INHALANTS	26834	93.07
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1853	6.43
INHNEWE	3	OTHER SUBSTANCE EVER INHALED-5TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	143	0.50
		991 = NEVER USED INHALANTS	26834	93.07
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1853	6.43
INHNOSE	2	OTHER SUBSTANCE EVER INHALED (NOT SPECIFIED)		
		1 = Response circled	110	0.38
		2 = Response not circled	1669	5.79
		3 = Inhalant use LOGICALLY IMPUTED	55	0.19
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

		INHALANTS		
LABEL	LEN	DESCRIPTION	FREQ	t
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Response circled	116	0.40
		2 = Response not circled	1718	5.96
		81 = NEVER USED INHALANTS Logically assigned	143	0.50
		91 = NEVER USED INHALANTS	26834	93.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

IN-2. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?

INHAGE	3	AGE WHEN FIRST SNIFFED ONE OF THESE INHALANTS		
		RANGE = 2 - 41	1752	6.08
		981 = NEVER USED INHALANTS Logically assigned	1257	4.36
		985 = BAD DATA Logically assigned	73	0.25
		991 = NEVER USED INHALANTS	25720	89.21
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	28	0.10

IN-3. About how many times in your life have you used an inhalant for kicks or to get high?

INHTOT	2	# TIMES USED INHALANT IN LIFETIME		
		1 = 1 or 2 times	748	2.59
		2 = 3 to 5 times	396	1.37
		3 = 6 to 10 times	267	0.93
		4 = 11 to 49 times	205	0.71
		5 = 50 to 99 times	63	0.22
		6 = 100 to 199 times	29	0.10
		7 = 200 or more times	36	0.12
		81 = NEVER USED INHALANTS Logically assigned	208	0.72
		85 = BAD DATA Logically assigned	87	0.30
		91 = NEVER USED INHALANTS	26769	92.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23	0.08

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
		IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?		
INHREC	2	MOST RECENT TIME USED INHALANT		
		1 = Within the past week (7 days)	28	0.10
		2 = More than 1 week ago but less than 1 month ago	50	0.17
		3 = 1 or more months ago but less than 6 months ago	98	0.34
		4 = 6 or more months ago but less than 1 year ago	109	0.38
		5 = 1 or more years ago but less than 3 years ago	179	0.62
		6 = 3 or more years ago	1102	3.82
		7 = Use in past 30 days LOGICALLY IMPUTED	128	0.44
		8 = Use in past year LOGICALLY IMPUTED	81	0.28
		9 = Use in lifetime LOGICALLY IMPUTED	60	0.21
		81 = NEVER USED INHALANTS Logically assigned	184	0.64
		91 = NEVER USED INHALANTS	26793	92.93
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
		IN-5. Circle the number to the right of each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)		
GAS30A	2	INHALED GASOLINE OR LIGHTER FLUIDS PAST 30 DAYS		
		1 = Response circled	57	0.20
		2 = Response not circled	149	0.52
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
LGAS30A	2	INHALED LIGHTER GASES (BUTANE,PROPANE) PST 30 DAYS		
		1 = Response circled	13	0.05
		2 = Response not circled	193	0.67
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07

		INHALANTS		
LABEL	LEN	DESCRIPTION	FREQ	%
SPPAN30A	2	INHALED SPRAY PAINTS PAST 30 DAYS		
		1 = Response circled	26	0.09
		2 = Response not circled	180	0.62
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic. assigned ..	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
AEROS30A	2	INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS		
		1 = Response circled	14	0.05
		2 = Response not circled	192	0.67
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned ..	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
GLUE30A	2	INHALED SHOESHINE LIQUID/GLUE/TOLUENE PAST 30 DAYS		
		1 = Response circled	16	0.06
		2 = Response not circled	190	0.66
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USED INHALANT PAST 30 DAYS Logic.assigned ..	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
SOLVN30A	2	INHALED LACQUER THINNER/PAINT SOLVENTS PST 30 DAYS		
		1 = Response circled	9	0.03
		2 = Response not circled	197	0.68
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned ..	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
AMLNT30A	2	INHLD AMYL NITRITE/POPRS/LCR.RM ODZ/RUSH PST 30 DY		
		1 = Response circled	28	0.10
		2 = Response not circled	178	0.62
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned ..	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
ETHER30A	2	INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS		
		1 = Response circled	4	0.01
		2 = Response not circled	202	0.70
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USED INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
NOX30A	2	INHALED NITROUS OXIDE/WHIPPETS PAST 30 DAYS		
		1 = Response circled	34	0.12
		2 = Response not circled	172	0.60
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
CLFL30A	2	INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY		
		1 = Response circled	11	0.04
		2 = Response not circled	195	0.68
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
INNEW30A	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-1ST MENTION		
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.00
		511 = Markers, felt-tip pens, ink pens	5	0.02
		516 = Freon	1	0.00
		524 = White-Out [see also 509]	2	0.01
		528 = Whipped-cream can	1	0.00
		539 = ScotchGard	1	0.00
		548 = Cologne, rubbing alcohol	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	207	0.72
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	108	0.37
		991 = NEVER USED INHALANTS	26770	92.85
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1521	5.28
		995 = BAD DATA	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	210	0.73

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
INNEW30B	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-2ND MENTION		
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	207	0.72
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	108	0.37
		991 = NEVER USED INHALANTS	26770	92.85
		993 = DID NOT USE INHALANTS PAST 30 DAYS	1521	5.28
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	224	0.78
INNEW30C	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-3RD MENTION		
		981 = NEVER USED INHALANTS Logically assigned	207	0.72
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	108	0.37
		991 = NEVER USED INHALANTS	26770	92.85
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1521	5.28
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	225	0.78
INNEW30D	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-4TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	207	0.72
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	108	0.37
		991 = NEVER USED INHALANTS	26770	92.85
		993 = DID NOT USE INHALANTS PAST 30 DAYS	1521	5.28
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	225	0.78
INNEW30E	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-5TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	207	0.72
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	108	0.37
		991 = NEVER USED INHALANTS	26770	92.85
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1521	5.28
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	225	0.78
IN30NOSP	2	OTH SUBSTANCE INHALED PAST 30 DAYS (NOT SPECIFIED)		
		1 = Response circled	31	0.11
		2 = Response not circled	164	0.57
		3 = Inhalant use LOGICALLY IMPUTED	11	0.04
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	108	0.37
		91 = NEVER USED INHALANTS	26770	92.85
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1521	5.28
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07
INH30NO	2	DID NOT USE ANY INHALANT PAST 30 DAYS		
		1 = Response circled	1521	5.28
		2 = Response not circled	138	0.48
		3 = Response circled LOGICALLY IMPUTED	108	0.37
		4 = Response not circled LOGICALLY IMPUTED	68	0.24
		81 = NEVER USED INHALANTS Logically assigned	207	0.72
		91 = NEVER USED INHALANTS	26770	92.85
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	19	0.07

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?		
INHDY30A	2	# DAYS USED AN INHALANT IN PAST 30 DAYS		
		RANGE = 1 - 30	94	0.33
		81 = NEVER USED INHALANTS Logically assigned	224	0.78
		83 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	111	0.38
		85 = BAD DATA Logically assigned	106	0.37
		91 = NEVER USED INHALANTS	26753	92.79
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1518	5.26
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	25	0.09
		IN-7. On the average, how often in the past 12 months have you sniffed or inhaled any substance for kicks or to get high?		
INHYRFRQ	2	FREQ IN PAST YR SNIFFED OR INHALED SUBSTANCE		
		1 = Daily in the past 12 months	5	0.02
		2 = Almost daily or 3 to 6 days a week	8	0.03
		3 = About 1 or 2 days a week	23	0.08
		4 = Several times a month (about 25 to 51 days a year)	18	0.06
		5 = 1 to 2 times a month (12 to 24 days a year)	40	0.14
		6 = Every other month or so (6 to 11 days a year)	34	0.12
		7 = 3 to 5 days in the past 12 months	61	0.21
		8 = 1 or 2 days in the past 12 months	157	0.54
		81 = NEVER USED INHALANTS Logically assigned	3061	10.62
		83 = DID NOT USE INHALANT PAST 12 MOS. Logic.assigned	90	0.31
		85 = BAD DATA Logically assigned	137	0.48
		91 = NEVER USED INHALANTS	23916	82.95
		93 = DID NOT USE INHALANT IN THE PAST 12 MONTHS	1251	4.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	30	0.10
		IN-8. Have you ever passed out from using any of these inhalants for kicks or to get high?		
INHPO	2	EVER PASSED OUT FROM USING INHALANTS		
		1 = Yes	199	0.69
		2 = No	1497	5.19
		3 = Yes LOGICALLY IMPUTED	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	273	0.95
		85 = BAD DATA Logically assigned	95	0.33
		91 = NEVER USED INHALANTS	26704	92.62
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	62	0.22

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IN-9. Please tell me which questions, if any, were not clear.		
INHQN1	2	QUESTION 1 NOT CLEAR		
		1 = QUESTION 1 NOT CLEAR	35	0.12
		98 = BLANK (NO ANSWER)	28797	99.88
INHQN2	2	QUESTION 2 NOT CLEAR		
		2 = QUESTION 2 NOT CLEAR	22	0.08
		98 = BLANK (NO ANSWER)	28810	99.92
INHQN3	2	QUESTION 3 NOT CLEAR		
		3 = QUESTION 3 NOT CLEAR	16	0.06
		98 = BLANK (NO ANSWER)	28816	99.94
INHQN4	2	QUESTION 4 NOT CLEAR		
		4 = QUESTION 4 NOT CLEAR	11	0.04
		98 = BLANK (NO ANSWER)	28821	99.96
INHQN5	2	QUESTION 5 NOT CLEAR		
		5 = QUESTION 5 NOT CLEAR	27	0.09
		98 = BLANK (NO ANSWER)	28805	99.91
INHQN6	2	QUESTION 6 NOT CLEAR		
		6 = QUESTION 6 NOT CLEAR	13	0.05
		98 = BLANK (NO ANSWER)	28819	99.95
INHQN7	2	QUESTION 7 NOT CLEAR		
		7 = QUESTION 7 NOT CLEAR	18	0.06
		98 = BLANK (NO ANSWER)	28814	99.94
INHQN8	2	QUESTION 8 NOT CLEAR		
		8 = QUESTION 8 NOT CLEAR	68	0.24
		98 = BLANK (NO ANSWER)	28764	99.76
INHQN10	2	ALL QUESTIONS WERE CLEAR		
		10 = ALL QUESTIONS WERE CLEAR	21539	74.71
		98 = BLANK (NO ANSWER)	7293	25.29
		IN-10. Have you marked an answer for each question?		
INHANSY	2	ANSWER MARKED FOR EACH QUESTION		
		1 = Yes	20174	69.97
		2 = No	946	3.28
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	7710	26.74

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%

COCAINE -- ANSWER SHEET #8				

THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER, "CRACK," FREE BASE, AND COCA PASTE.				
CN-1. About how old were you when you first had a chance to try cocaine, in any form, if you had wanted to?				
COCOPP	3	AGE AT FIRST CHANCE TO TRY COCAINE		
		RANGE = 3 - 74	7462	25.88
		981 = NEVER HAD A CHANCE TO TRY COCAINE Logically assigned	6	0.02
		985 = BAD DATA Logically assigned	65	0.23
		991 = NEVER HAD A CHANCE TO TRY COCAINE IN ANY FORM	21133	73.30
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	165	0.57
CN-2. About how old were you the first time you actually used cocaine, in any form, even once?				
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 3 - 50	3579	12.41
		981 = NEVER USED COCAINE Logically assigned	155	0.54
		985 = BAD DATA Logically assigned	83	0.29
		991 = NEVER USED COCAINE	24999	86.71
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	15	0.05
CN-3. About how many times in your life have you used cocaine, in any form?				
COCTOT	2	# TIMES USED COCAINE IN LIFE		
		1 = 1 or 2 times	1050	3.64
		2 = 3 to 5 times	581	2.02
		3 = 6 to 10 times	486	1.69
		4 = 11 to 49 times	645	2.24
		5 = 50 to 99 times	301	1.04
		6 = 100 to 199 times	176	0.61
		7 = 200 or more times	354	1.23
		81 = NEVER USED COCAINE Logically assigned	135	0.47
		85 = BAD DATA Logically assigned	81	0.28
		91 = NEVER USED COCAINE	25019	86.78
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	3	0.01

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		CN-4. When was the most recent time that you used cocaine, in any form?		
COCREC	2	MOST RECENT TIME USED COCAINE (IN ANY FORM)		
		1 = Within the past week (7 days)	106	0.37
		2 = More than 1 week ago but less than 1 month ago ...	95	0.33
		3 = 1 or more months ago but less than 6 months ago ..	195	0.68
		4 = 6 or more months ago but less than 1 year ago	232	0.80
		5 = 1 or more years ago but less than 3 years ago	438	1.52
		6 = 3 or more years ago	2129	7.38
		7 = Use in past 30 days LOGICALLY IMPUTED	136	0.47
		8 = Use in past year LOGICALLY IMPUTED	297	1.03
		9 = Use in lifetime LOGICALLY IMPUTED	50	0.17
		81 = NEVER USED COCAINE Logically assigned	100	0.35
		91 = NEVER USED COCAINE	25054	86.90
		CN-5. On about how many different days did you use cocaine during the past 30 days?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	238	0.83
		81 = NEVER USED COCAINE Logically assigned	162	0.56
		83 = DID NOT USE COCAINE IN PAST 30 DAYS Logic.assigned	190	0.66
		85 = BAD DATA Logically assigned	96	0.33
		91 = NEVER USED COCAINE	24992	86.61
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3151	10.91
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	2	0.01
		CN-6. How many grams of cocaine have you used in the past 30 days?		
COCAM30A	2	# OF GRAMS OF COCAINE USED IN PAST 30 DAYS		
		1 = Used some but less than 1/4 gram in past 30 days .	141	0.49
		2 = About 1/4 gram in the past 30 days	30	0.10
		3 = About 1/2 gram in the past 30 days	38	0.13
		4 = About 1 gram in the past 30 days	25	0.09
		5 = About 2 grams in the past 30 days	18	0.06
		6 = About 3 grams in the past 30 days	16	0.06
		9 = About 6 grams in the past 30 days	1	0.00
		11 = About 8 grams in the past 30 days	1	0.00
		13 = About 10 grams in the past 30 days	1	0.00
		16 = About 13 grams in the past 30 days	1	0.00
		18 = About 15 grams in the past 30 days	2	0.01
		77 = More than 3 grams exact amt not spec. pst 30 days	10	0.03
		81 = NEVER USED COCAINE Logically assigned	129	0.45
		83 = DID NOT USE COCAINE IN PAST 30 DAYS Logic.assigned	126	0.44
		85 = BAD DATA Logically assigned	48	0.17
		91 = NEVER USED COCAINE	25025	86.80
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3215	11.15
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	4	0.01

		COCAINE		
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-----
		CN-7. How did you obtain any cocaine that you used during the past 30 days?		
CCFRIEND	2	BOUGHT COC FRM FRIENDS, ACQNTNCS, FAMLY PST 30 DAYS		
		1 = Response circled	100	0.35
		2 = Response not circled	225	0.78
		3 = Response circled LOGICALLY IMPUTED (frm CKFRIEND)	11	0.04
		81 = NEVER USED COCAINE Logically assigned	140	0.49
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	281	0.97
		85 = BAD DATA Logically assigned	62	0.22
		91 = NEVER USED COCAINE	25014	86.76
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40
		97 = REFUSED	1	0.00
CCDEALER	2	BOUGHT COCAINE FROM DEALER PAST 30 DAYS		
		1 = Response circled	96	0.33
		2 = Response not circled	225	0.78
		3 = Response circled LOGICALLY IMPUTED (frm CKDEALER)	15	0.05
		81 = NEVER USED COCAINE Logically Assigned	140	0.49
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	299	1.04
		85 = BAD DATA Logically assigned	44	0.15
		91 = NEVER USED COCAINE	25014	86.76
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40
		97 = REFUSED	1	0.00
CCOTSHSR	2	OTHERS SHARED COCAINE WITH ME PAST 30 DAYS		
		1 = Response circled	122	0.42
		2 = Response not circled	199	0.69
		3 = Response circled LOGICALLY IMPUTED (frm CKOTSHSR)	15	0.05
		81 = NEVER USED COCAINE Logically assigned	140	0.49
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	218	0.76
		85 = BAD DATA Logically assigned	125	0.43
		91 = NEVER USED COCAINE	25014	86.76
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40
		97 = REFUSED	1	0.00
CCGIVEN	2	COCAINE WAS GIVEN TO ME PAST 30 DAYS		
		1 = Response circled	74	0.26
		2 = Response not circled	254	0.88
		3 = Response circled LOGICALLY IMPUTED (frm CKGIVEN)	8	0.03
		81 = NEVER USED COCAINE Logically Assigned	140	0.49
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	269	0.93
		85 = BAD DATA Logically assigned	74	0.26
		91 = NEVER USED COCAINE	25014	86.76
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40
		97 = REFUSED	1	0.00

		COCAINE			
LABEL	LEN	DESCRIPTION	FREQ		
CCTRGOOD	2	TRADED GOODS FOR COCAINE PAST 30 DAYS			
		1 = Response circled	12	0.04	
		2 = Response not circled	320	1.11	
		3 = Response circled LOGICALLY IMPUTED (frm CKTRGOOD)	4	0.01	
		81 = NEVER USED COCAINE Logically assigned	140	0.49	
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	337	1.17	
		85 = BAD DATA Logically assigned	6	0.02	
		91 = NEVER USED COCAINE	25014	86.76	
		93 = DID NOT USE COCAINE IN PST 30 DAYS Logic assign. .	2998	10.40	
		97 = REFUSED	1	0.00	
CCTRSERV	2	TRADED SERVICES FOR COCAINE PAST 30 DAYS			
		1 = Response circled	9	0.03	
		2 = Response not circled	326	1.13	
		3 = Response circled LOGICALLY IMPUTED (frm CKTRSERV)	1	0.00	
		81 = NEVER USED COCAINE Logically assigned	140	0.49	
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	335	1.16	
		85 = BAD DATA Logically assigned	8	0.03	
		91 = NEVER USED COCAINE	25014	86.76	
		93 = DID NOT USE COCAINE IN PST 30 DAYS Logic assign. .	2998	10.40	
		97 = REFUSED	1	0.00	
CCSTOLE	2	STOLE COCAINE PAST 30 DAYS			
		1 = Response circled	6	0.02	
		2 = Response not circled	329	1.14	
		3 = Response circled LOGICALLY IMPUTED (from CKSTOLE)	1	0.00	
		81 = NEVER USED COCAINE Logically assigned	140	0.49	
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	338	1.17	
		85 = BAD DATA Logically assigned	5	0.02	
		91 = NEVER USED COCAINE	25014	86.76	
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40	
		97 = REFUSED	1	0.00	
CCTRICK	2	OBTAINED COCAINE BY TRICK OR FRAUD PAST 30 DAYS			
		1 = Response circled	5	0.02	
		2 = Response not circled	329	1.14	
		3 = Response circled LOGICALLY IMPUTED (frm CKTRICK)	2	0.01	
		81 = NEVER USED COCAINE Logically assigned	140	0.49	
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	338	1.17	
		85 = BAD DATA Logically assigned	5	0.02	
		91 = NEVER USED COCAINE	25014	86.76	
		93 = DID NOT USE COCAINE IN PST 30 DAYS	2998	10.40	
		97 = REFUSED	1	0.00	
CCOBTNON	2	DID NOT USE COCAINE IN PAST 30 DAYS			
		2 = Response not circled	275	0.95	
		81 = NEVER USED COCAINE Logically assigned	140	0.49	
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	343	1.19	
		85 = BAD DATA Logically assigned	61	0.21	
		91 = NEVER USED COCAINE	25014	86.76	
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	2998	10.40	
		97 = REFUSED	1	0.00	

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	t
		-----	----	-
		CN-8. About how much money did all the cocaine you used in the past 30 days cost you? (Do not include money you spent for any cocaine that you sold or gave away.)		
COCBUCK	4	\$ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS		
		RANGE = 1 - 3000	155	0.54
		0 = Did not spend any money on cocaine pst 30 days ...	80	0.28
		9981 = NEVER USED COCAINE Logically assigned	404	1.40
		9983 = DID NOT USE COCAINE PAST 30 DAYS Logic.assigned ..	258	0.89
		9985 = BAD DATA Logically assigned	57	0.20
		9991 = NEVER USED COCAINE	24750	85.84
		9993 = DID NOT USE COCAINE IN PAST 30 DAYS	3083	10.69
		9994 = DON'T KNOW	3	0.01
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	41	0.14
		CN-9. On the average, how often in the past 12 months have you used cocaine, in any form?		
COCYRFRQ	2	FREQUENCY USED COCAINE PAST 12 MONTHS		
		1 = Daily in the past 12 months	16	0.06
		2 = Almost daily or 3 to 6 days a week	35	0.12
		3 = About 1 or 2 days a week	58	0.20
		4 = Several times a month (about 25 to 51 days a year)	50	0.17
		5 = 1 to 2 times a month (12 to 24 days a year)	108	0.37
		6 = Every other month or so (6 to 11 days a year)	90	0.31
		7 = 3 to 5 days in the past 12 months	133	0.46
		8 = 1 or 2 days in the past 12 months	230	0.80
		81 = NEVER USED COCAINE Logically assigned	135	0.47
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Logic.assgnd	75	0.26
		85 = BAD DATA Logically assigned	336	1.17
		91 = NEVER USED COCAINE	25019	86.78
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2542	8.82
		98 = BLANK (NO ANSWER)	5	0.02
		CN-10. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)		
COCSNIFF	2	SMIFFED/SNORTED COCAINE THRU NOSE IN PAST 12 MOS		
		1 = Response circled	809	2.81
		2 = Response not circled	252	0.87
		81 = NEVER USED COCAINE Logically assigned	410	1.42
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	76	0.26
		91 = NEVER USED COCAINE	24744	85.82
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2541	8.81

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
COCSWAL	2	SWALLOWED/DRANK COCAINE IN PAST 12 MONTHS		
		1 = Response circled	51	0.18
		2 = Response not circled	1010	3.50
		81 = NEVER USED COCAINE Logically assigned	410	1.42
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	76	0.26
		91 = NEVER USED COCAINE	24744	85.82
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2541	8.81
COCIV	2	INJECTED COCAINE WITH A NEEDLE IN PAST 12 MONTHS		
		1 = Response circled	48	0.17
		2 = Response not circled	979	3.40
		3 = Response circled LOGICALLY IMPUTED (frm CONDLREC)	34	0.12
		81 = NEVER USED COCAINE Logically assigned	410	1.42
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	76	0.26
		91 = NEVER USED COCAINE	24744	85.82
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2541	8.81
FREEBASE	2	SMOKED/FREE-BASED COCAINE IN PAST 12 MONTHS		
		1 = Response circled	295	1.02
		2 = Response not circled	685	2.38
		3 = Response circled LOGICALLY IMPUTED (frm CRAKREC)	81	0.28
		81 = NEVER USED COCAINE Logically assigned	410	1.42
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	76	0.26
		91 = NEVER USED COCAINE	24744	85.82
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2541	8.81
COCWAY	2	USED COCAINE SOME OTH WAY PST 12 MOS-ONLY MENTION		
		1 = Response circled, method not specified	4	0.01
		2 = Response not circled	921	3.19
		4 = PST 30 DAYS OR PST 12 MTH COC USR W/NO Q.CN-10 ANS	110	0.38
		7 = On my gums/mouth	2	0.01
		8 = "Freeze," put on tongue	3	0.01
		9 = Smoked in a cigarette/"Snowcap"	5	0.02
		10 = Laced with marijuana	14	0.05
		11 = Smoked using aluminum foil	1	0.00
		81 = NEVER USED COCAINE Logically assigned	410	1.42
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	76	0.26
		91 = NEVER USED COCAINE	24744	85.82
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2541	8.81
		95 = BAD DATA	1	0.00

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		CN-11. When was the most recent time you used cocaine with a needle?		
CONDLREC	2	MOST RECENT TIME USED COCAINE WITH A NEEDLE		
		1 = Within past month (30 days)	19	0.07
		2 = More than 1 month ago but less than 6 months ago .	29	0.10
		3 = 6 or more months ago but less than 1 year ago	18	0.06
		4 = 1 or more years ago but less than 3 years ago	25	0.09
		5 = 3 or more years ago but less than 10 years ago ...	88	0.31
		6 = 10 or more years ago	51	0.18
		8 = Use in past year LOGICALLY IMPUTED	16	0.06
		9 = Use in lifetime LOGICALLY IMPUTED	29	0.10
		81 = NEVER USED COCAINE Logically assigned	566	1.96
		83 = USED COCAINE BUT NEVER W/A NEEDLE Logic. assigned	260	0.90
		91 = NEVER USED COCAINE	24588	85.28
		93 = USED COCAINE BUT NEVER W/A NEEDLE	3106	10.77
		98 = BLANK (NO ANSWER)	37	0.13
		CN-12. Thinking back over your whole life, has there ever been a period when you used cocaine, in any form, daily or almost daily for two or more weeks?		
CCLFDALY	2	EVER USED COCAINE DAILY FOR 2 OR MORE WEEKS		
		1 = Yes	655	2.27
		2 = No	2940	10.20
		3 = Yes LOGICALLY IMPUTED (from UDAYCOC)	33	0.11
		81 = NEVER USED COCAINE Logically assigned	1621	5.62
		91 = NEVER USED COCAINE	23533	81.62
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	49	0.17

LABEL	LEN	DESCRIPTION	CRACK	FREQ	t
-------	-----	-------------	-------	------	---

"CRACK" -- ANSWER SHEET #9

THE QUESTIONS ON THIS ANSWER SHEET
REFER JUST TO "CRACK" (COCAINE IN ROCK
OR CHUNK FORM) AND NOT THE OTHER FORMS
OF COCAINE.

CK-1. When was the most recent time you
used the form of cocaine known as
"crack"?

CRAKREC	2	MOST RECENT TIME USED "CRACK"			
		1 = Within the past week (7 days)	48	0.17	
		2 = More than 1 week ago but less than 1 month ago	19	0.07	
		3 = 1 or more months ago but less than 6 months ago	54	0.19	
		4 = 6 or more months ago but less than 1 year ago	63	0.22	
		5 = 1 or more years ago but less than 3 years ago	159	0.55	
		6 = 3 or more years ago	257	0.89	
		7 = Use in past 30 days LOGICALLY IMPUTED	25	0.09	
		9 = Use in lifetime LOGICALLY IMPUTED	10	0.03	
		81 = NEVER USED "CRACK" Logically assigned	49	0.17	
		91 = NEVER USED "CRACK"	28147	97.62	
		97 = REFUSED	1	0.00	

THE NEXT THREE QUESTIONS ARE ABOUT THE
USE OF "CRACK" IN THE PAST 30 DAYS.

CK-2. How many vials or small
containers of "crack" have you used in
the past 30 days?

CRKAM30A	3	# OF VIALS OF "CRACK" USED IN PAST 30 DAYS			
		RANGE = 1 - 100	83	0.29	
		981 = NEVER USED "CRACK" Logically assigned	189	0.66	
		983 = DID NOT USE "CRACK" IN PAST 30 DAYS Logic.assignd	36	0.12	
		985 = BAD DATA Logically assigned	5	0.02	
		991 = NEVER USED "CRACK"	28007	97.14	
		993 = DID NOT USE "CRACK" IN PAST 30 DAYS	507	1.76	
		994 = DON'T KNOW	2	0.01	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	2	0.01	

		CRACK			
LABEL	LEN	DESCRIPTION		FREQ	%
		CK-3. How did you obtain any "crack" that you used during the past 30 days?			
CKFRIEND	2	BOUGHT "CRACK" FRM FRNDS,ACQNTNCES,FAMLY PST 30 DY			
		1 = Response circled	27	0.09	
		2 = Response not circled	65	0.23	
		81 = NEVER USED "CRACK" Logically assigned	169	0.59	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	59	0.20	
		85 = BAD DATA Logically assigned	26	0.09	
		91 = NEVER USED "CRACK"	28027	97.21	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59	
		97 = REFUSED	1	0.00	
CKDEALER	2	BOUGHT "CRACK" FROM DEALER PAST 30 DAYS			
		1 = Response circled	48	0.17	
		2 = Response not circled	44	0.15	
		81 = NEVER USED "CRACK" Logically assigned	169	0.59	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	65	0.23	
		85 = BAD DATA Logically assigned	20	0.07	
		91 = NEVER USED "CRACK"	28027	97.21	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59	
		97 = REFUSED	1	0.00	
CKOTHSR	2	OTHERS SHARED "CRACK" WITH ME PAST 30 DAYS			
		1 = Response circled	34	0.12	
		2 = Response not circled	58	0.20	
		81 = NEVER USED "CRACK" Logically assigned	169	0.59	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	49	0.17	
		85 = BAD DATA Logically assigned	36	0.12	
		91 = NEVER USED "CRACK"	28027	97.21	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59	
		97 = REFUSED	1	0.00	
CKGIVEN	2	"CRACK" WAS GIVEN TO ME PAST 30 DAYS			
		1 = Response circled	25	0.09	
		2 = Response not circled	67	0.23	
		81 = NEVER USED "CRACK" Logically assigned	169	0.59	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	65	0.23	
		85 = BAD DATA Logically assigned	20	0.07	
		91 = NEVER USED "CRACK"	28027	97.21	
		93 = DID NOT USE "CRACK" IN PST 30 DAYS	458	1.59	
		97 = REFUSED	1	0.00	
CKTRGOOD	2	TRADED GOODS FOR "CRACK" PAST 30 DAYS			
		1 = Response circled	11	0.04	
		2 = Response not circled	81	0.28	
		81 = NEVER USED "CRACK" Logically assigned	169	0.59	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	81	0.28	
		85 = BAD DATA Logically assigned	4	0.01	
		91 = NEVER USED "CRACK"	28027	97.21	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59	
		97 = REFUSED	1	0.00	

		CRACK		
LABEL	LEN	DESCRIPTION	FREQ	%
CKTRSERV	2	TRADED SERVICES FOR "CRACK" PAST 30 DAYS		
		1 = Response circled	7	0.02
		2 = Response not circled	85	0.29
		81 = NEVER USED "CRACK" Logically assigned	169	0.59
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	82	0.28
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED "CRACK"	28027	97.21
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59
		97 = REFUSED	1	0.00
CKSTOLE	2	STOLE "CRACK" PAST 30 DAYS		
		1 = Response circled	4	0.01
		2 = Response not circled	88	0.31
		81 = NEVER USED "CRACK" Logically assigned	169	0.59
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	81	0.28
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED "CRACK"	28027	97.21
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59
		97 = REFUSED	1	0.00
CKTRICK	2	OBTAINED "CRACK" BY TRICK OR FRAUD PAST 30 DAYS		
		1 = Response circled	7	0.02
		2 = Response not circled	85	0.29
		81 = NEVER USED "CRACK" Logically assigned	169	0.59
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	81	0.28
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED "CRACK"	28027	97.21
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59
		97 = REFUSED	1	0.00
CKOBTNON	2	DID NOT USE "CRACK" IN PAST 30 DAYS		
		2 = Response not circled	85	0.29
		81 = NEVER USED "CRACK" Logically assigned	169	0.59
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	85	0.29
		85 = BAD DATA Logically assigned	7	0.02
		91 = NEVER USED "CRACK"	28027	97.21
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	458	1.59
		97 = REFUSED	1	0.00

LABEL	LEN	DESCRIPTION	CRACK	FREQ	%
		CK-4. About how much money did the "crack" you used in the past 30 days cost you? (Do not include money you spent for any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")			
CRACKBUCK	4	\$ AMOUNT SPENT ON "CRACK" USED IN PAST 30 DAYS			
		RANGE = 3 - 2500		56	0.19
		0 = Did not spend any money on "crack" pst 30 days		17	0.06
		9981 = NEVER USED "CRACK" Logically assigned		354	1.23
		9983 = DID NOT USE "CRACK" PAST 30 DAYS Logic.assigned		52	0.18
		9985 = BAD DATA Logically assigned		6	0.02
		9991 = NEVER USED "CRACK"		27842	96.57
		9993 = DID NOT USE "CRACK" IN PAST 30 DAYS		491	1.70
		9997 = REFUSED		2	0.01
		9998 = BLANK (NO ANSWER)		12	0.04
		CK-5. Thinking back over your whole life, has there ever been a period when you used "crack" daily or almost daily for two or more weeks?			
CKLFDALY	2	EVER USED "CRACK" DAILY FOR 2 OR MORE WEEKS			
		1 = Yes		181	0.63
		2 = No		450	1.56
		81 = NEVER USED "CRACK" Logically assigned		1328	4.61
		91 = NEVER USED "CRACK"		26868	93.19
		95 = BAD DATA		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		3	0.01

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALLUCINOGENS -- ANSWER SHEET #10				
L-0. Shall I read these questions to you, or do you prefer to complete the answer sheet on your own?				
HALREAD	2	HALLUCINOGENS - READING PREF. (1988-91 = AS9READ)		
		1 = Wants interviewer to continue reading	9568	33.19
		2 = Wants to do it himself/herself	18226	63.21
		3 = Wants interviewer to continue LOGICALLY IMPUTED ..	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	1035	3.59
L-1. Which of the following hallucinogens have you ever used? (PLEASE CIRCLE THE NUMBERS TO THE RIGHT OF ALL YOU HAVE EVER USED, EVEN ONCE.)				
LSD	2	EVER USED LSD ("ACID," "WHITE LIGHTNING")		
		1 = Response circled	1876	6.51
		2 = Response not circled	666	2.31
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	19	0.07
PEYOTE	2	EVER USED PEYOTE		
		1 = Response circled	366	1.27
		2 = Response not circled	2176	7.55
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
MESC	2	EVER USED Mescaline		
		1 = Response circled	644	2.23
		2 = Response not circled	1898	6.58
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Response circled	931	3.23
		2 = Response not circled	1611	5.59
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Response circled	588	2.04
		2 = Response not circled	1346	4.67
		3 = Response circled LOGICALLY IMPUTED (frm PCPREC) ..	608	2.11
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Response circled	284	0.99
		2 = Response not circled	2258	7.83
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

		HALLUCINOGENS		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
HALNEWA	3	OTHER HALLUCINOGENS EVER USED-1ST MENTION		
		245 = Tryptophan	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		326 = White cross	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		342 = Purple hearts	1	0.00
		522 = Liquid TV (MTV), TV tuner	1	0.00
		537 = Boat horn	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	5	0.02
		604 = Psilocybin (mushrooms)	22	0.08
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		609 = Jimson [sic] weed	1	0.00
		612 = Happy stick, sherm, shermstick	1	0.00
		614 = MDA	4	0.01
		616 = DMT	1	0.00
		617 = Morning glory seeds	2	0.01
		622 = Microdot(s), purple microdot	2	0.01
		623 = Mickey Mouse club, Mickey Mousers	1	0.00
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
		625 = Window pane	2	0.01
		636 = STP	4	0.01
		638 = Lovlez [sic]	1	0.00
		639 = Nutmeg	1	0.00
		640 = Purple pyramid	1	0.00
		641 = Maze [sic]	1	0.00
		644 = San Pedro [Spanish]	1	0.00
		645 = Thai stick	1	0.00
		647 = Macullen [sic]	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		703 = Opium	5	0.02
		802 = THC, cannabinol	7	0.02
		981 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		991 = NEVER USED HALLUCINOGENS	26175	90.78
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	2484	8.62

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWB	3	OTHER HALLUCINOGENS EVER USED-2ND MENTION		
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01
		609 = Jimson [sic] weed	1	0.00
		616 = DMT	1	0.00
		621 = Red dragon	1	0.00
		622 = Microdot(s), purple microdot	2	0.01
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
		636 = STP	1	0.00
		643 = Queen	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		804 = Hashish	1	0.00
		981 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		991 = NEVER USED HALLUCINOGENS	26175	90.78
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	2548	8.84
HALNEWC	3	OTHER HALLUCINOGENS EVER USED-3RD MENTION		
		618 = Acid paper, blotter (acid) [see also 601]	1	0.00
		622 = Microdot(s), purple microdot	1	0.00
		642 = Pink Floyd	1	0.00
		646 = Poppy [sic]	1	0.00
		981 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		991 = NEVER USED HALLUCINOGENS	26175	90.78
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	2557	8.87
HALNEWD	3	OTHER HALLUCINOGENS EVER USED-4TH MENTION		
		981 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		991 = NEVER USED HALLUCINOGENS	26175	90.78
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	2561	8.88
HALNEWE	3	OTHER HALLUCINOGENS EVER USED-5TH MENTION		
		981 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		991 = NEVER USED HALLUCINOGENS	26175	90.78
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	2561	8.88
HALNOSP	2	OTHER HALLUCINOGENS EVER USED (NOT SPECIFIED)		
		1 = Response circled	78	0.27
		2 = Response not circled	2442	8.47
		3 = Response circled LOGICALLY IMPUTED	22	0.08
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALDKNAM	2	USED A HALLUCINOGEN, DON'T KNOW NAME		
		1 = Response circled	129	0.45
		2 = Response not circled	2413	8.37
		81 = NEVER USED HALLUCINOGENS Logically assigned	93	0.32
		91 = NEVER USED HALLUCINOGENS	26175	90.78
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.07

L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?

LABEL	LEN	DESCRIPTION	FREQ	%
HALLOPP	3	AGE AT FIRST CHANCE TO TRY HALLUCINOGENS		
		RANGE = 1 - 47	3784	13.12
		981 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS Logic.asgn	9	0.03
		985 = BAD DATA Logically assigned	24	0.08
		991 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS	23893	82.87
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	3	0.01
		998 = BLANK (NO ANSWER)	1118	3.88

L-3. About how old were you the first time you actually used LSD or PCP or another hallucinogen?

LABEL	LEN	DESCRIPTION	FREQ	%
HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 7 - 47	2474	8.58
		981 = NEVER USED HALLUCINOGENS Logically assigned	383	1.33
		985 = BAD DATA Logically assigned	45	0.16
		991 = NEVER USED HALLUCINOGENS	25885	89.78
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	43	0.15

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		L-4. About how many times in your life have you used LSD or PCP or another hallucinogen?		
HALLTOT	2	# TIMES USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = 1 or 2 times	868	3.01
		2 = 3 to 5 times	518	1.80
		3 = 6 to 10 times	387	1.34
		4 = 11 to 49 times	453	1.57
		5 = 50 to 99 times	136	0.47
		6 = 100 to 199 times	61	0.21
		7 = 200 or more times	85	0.29
		81 = NEVER USED HALLUCINOGENS Logically assigned	90	0.31
		85 = BAD DATA Logically assigned	33	0.11
		91 = NEVER USED HALLUCINOGENS	26178	90.79
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	20	0.07
		L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?		
HALLREC	2	MOST RECENT TIME USED HALLUCINOGENS		
		1 = Within the past month (30 days)	123	0.43
		2 = More than 1 month ago but less than 6 months ago ..	172	0.60
		3 = 6 or more months ago but less than 1 year ago	150	0.52
		4 = 1 or more years ago but less than 3 years ago	273	0.95
		5 = 3 or more years ago	1660	5.76
		7 = Use in past 30 days LOGICALLY IMPUTED	33	0.11
		8 = Use in past year LOGICALLY IMPUTED	92	0.32
		9 = Use in lifetime LOGICALLY IMPUTED	39	0.14
		81 = NEVER USED HALLUCINOGENS Logically assigned	122	0.42
		91 = NEVER USED HALLUCINOGENS	26146	90.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	20	0.07
		L-6. On about how many different days did you use LSD or PCP or another hallucinogen during the past 30 days?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 30	151	0.52
		81 = NEVER USED HALLUCINOGENS Logically assigned	148	0.51
		83 = DID NOT USE HALLUCINOGENS PST 30 DAYS Logic.assgnd	130	0.45
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED HALLUCINOGENS	26120	90.59
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	2256	7.82
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	20	0.07

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
		L-7. On the average, how often in the past 12 months have you used LSD or PCP or another hallucinogen?		
HALYRFRQ	2	# TIMES USED HALLUCINOGENS PAST 12 MONTHS		
		1 = Daily in the past 12 months	7	0.02
		2 = Almost daily or 3 to 6 days a week	8	0.03
		3 = About 1 or 2 days a week	15	0.05
		4 = Several times a month (about 25 to 51 days a year)	24	0.08
		5 = 1 to 2 times a month (12 to 24 days a year)	43	0.15
		6 = Every other month or so (6 to 11 days a year)	51	0.18
		7 = 3 to 5 days in the past 12 months	82	0.28
		8 = 1 or 2 days in the past 12 months	218	0.76
		81 = NEVER USED HALLUCINOGENS Logically assigned	120	0.42
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS. Logic.assgnd	59	0.20
		85 = BAD DATA Logically assigned	120	0.42
		91 = NEVER USED HALLUCINOGENS	26148	90.69
		93 = DID NOT USE HALLUCINOGENS IN THE PST 12 MONTHS	1913	6.63
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	21	0.07

THE NEXT QUESTION REFERS TO PCP ONLY.

L-8. When was the most recent time that you used PCP?

PCPREC	2	MOST RECENT TIME USED PCP		
		1 = Within the past month (30 days)	38	0.13
		2 = More than 1 month ago but less than 6 months ago	45	0.16
		3 = 6 or more months ago but less than 1 year ago	51	0.18
		4 = 1 or more years ago but less than 3 years ago	119	0.41
		5 = 3 or more years ago	930	3.23
		9 = Use in lifetime LOGICALLY IMPUTED	13	0.05
		81 = NEVER USED PCP Logically assigned	131	0.45
		91 = NEVER USED PCP	27457	95.23
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	45	0.16

LABEL	LEN	DESCRIPTION	HEROIN	FREQ	t
HEROIN -- ANSWER SHEET #11					
H-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?					
HERREAD	2	HEROIN - READING PREFERENCE (1988-91 = AS10READ)			
		1 = Wants interviewer to continue reading	9174	31.82	
		2 = Wants to do it himself/herself	18010	62.47	
		96 = MULTIPLE RESPONSE	1	0.00	
		98 = BLANK (NO ANSWER)	1647	5.71	
H-1. About how old were you when you first had a chance to try heroin if you had wanted to?					
HEROPP	3	AGE AT FIRST CHANCE TO TRY HEROIN			
		RANGE = 1 - 50	1358	4.71	
		981 = NEVER HAD A CHANCE TO TRY HEROIN Logic.assigned ..	7	0.02	
		985 = BAD DATA Logically assigned	3	0.01	
		991 = NEVER HAD A CHANCE TO TRY HEROIN	27038	93.78	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	424	1.47	
H-2. About how old were you the first time you actually used heroin?					
HERAGE	3	AGE WHEN FIRST USED HEROIN			
		RANGE = 7 - 38	281	0.97	
		981 = NEVER USED HEROIN Logically assigned	241	0.84	
		985 = BAD DATA Logically assigned	8	0.03	
		991 = NEVER USED HEROIN	28265	98.03	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	35	0.12	

HEROIN				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		H-3. About how many times in your life have you used heroin?		
HERTOT	2	# TIMES USED HEROIN IN LIFE		
		1 = 1 or 2 times	99	0.34
		2 = 3 to 5 times	42	0.15
		3 = 6 to 10 times	35	0.12
		4 = 11 to 49 times	23	0.08
		5 = 50 to 99 times	17	0.06
		6 = 100 to 199 times	16	0.06
		7 = 200 or more times	52	0.18
		81 = NEVER USED HEROIN Logically assigned	273	0.95
		85 = BAD DATA Logically assigned	6	0.02
		91 = NEVER USED HEROIN	28233	97.92
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	35	0.12
		H-4. When was the most recent time that you used heroin?		
HERREC	2	MOST RECENT TIME USED HEROIN		
		1 = Within the past month (30 days)	24	0.08
		2 = More than 1 month ago but less than 6 months ago .	12	0.04
		3 = 6 or more months ago but less than 1 year ago	9	0.03
		4 = 1 or more years ago but less than 3 years ago	29	0.10
		5 = 3 or more years ago	187	0.65
		7 = Use in past 30 days LOGICALLY IMPUTED	7	0.02
		8 = Use in past year LOGICALLY IMPUTED	19	0.07
		9 = Use in lifetime LOGICALLY IMPUTED	4	0.01
		81 = NEVER USED HEROIN Logically assigned	134	0.46
		91 = NEVER USED HEROIN	28372	98.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	34	0.12
		H-5. During the past 30 days, on about how many different days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	31	0.11
		81 = NEVER USED HEROIN Logically assigned	127	0.44
		83 = DID NOT USE HEROIN PAST 30 DAYS Logic.assigned ...	11	0.04
		91 = NEVER USED HEROIN	28379	98.43
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	249	0.86
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	34	0.12

		HEROIN			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		H-6. Have you ever used heroin with a needle?			
HERNEEDL	2	EVER USED HEROIN WITH A NEEDLE			
		1 = Yes, have used heroin with a needle	151	0.52	
		2 = No, have used heroin, but not with a needle	109	0.38	
		3 = Yes, used heroin w/a needle LOGICALLY IMPUTED	20	0.07	
		4 = No, used heroin, but w/o a needle LOGIC. IMPUTED ..	10	0.03	
		81 = NEVER USED HEROIN Logically assigned	341	1.18	
		91 = NEVER USED HEROIN	28165	97.69	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	35	0.12	
		H-7. When was the most recent time you used heroin with a needle?			
HRNDLREC	2	MOST RECENT TIME USED HEROIN WITH A NEEDLE			
		1 = Within the past month (30 days)	13	0.05	
		2 = More than 1 month ago but less than 6 months ago ..	9	0.03	
		3 = 6 or more months ago but less than 1 year ago	7	0.02	
		4 = 1 or more years ago but less than 3 years ago	17	0.06	
		5 = 3 or more years ago but less than 10 years ago ...	67	0.23	
		6 = 10 or more years ago	54	0.19	
		9 = Use in lifetime LOGICALLY IMPUTED	4	0.01	
		81 = NEVER USED HEROIN Logically assigned	321	1.11	
		83 = NEVER USED HEROIN WITH A NEEDLE Logically assigned	11	0.04	
		91 = NEVER USED HEROIN	28185	97.76	
		93 = NEVER USED HEROIN WITH A NEEDLE	108	0.37	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	35	0.12	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
-----	----	-----		----	----
		DRUGS -- ANSWER SHEET #12			

		DR-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?			
DRGREAD	2	DRUGS - READING PREFERENCE (1988-91 = AS11READ)			
		1 = Wants interviewer to continue reading	9607	33.32	
		2 = Wants to do it himself/herself	18068	62.67	
		96 = MULTIPLE RESPONSE	4	0.01	
		98 = BLANK (NO ANSWER)	1153	4.00	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
-----	----	-----		----	-
		<p>The following set of variables, CDCIG-CDNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the CDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-1. During the past 12 months, for which drugs have you consciously tried to cut down on your use? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
CDCIG	2	TRIED TO CUT DOWN ON USE OF CIGARETTES PAST YEAR			
		1 = Response circled		4872	16.90
		2 = Response not circled		5930	20.57
		3 = Response circled LOGICALLY IMPUTED (from UCDCIG) .		11	0.04
		13 = Did not try to cut down on any drug in past year .		8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned		37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic assigned		1279	4.44
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1903	6.60
		95 = BAD DATA		1	0.00
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		4	0.01

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
CDALC	2	TRIED TO CUT DOWN ON USE OF ALCOHOL PAST YEAR			
		1 = Response circled	4235	14.69	
		2 = Response not circled	6574	22.80	
		3 = Response circled LOGICALLY IMPUTED (frm UCDAIC) ..	2	0.01	
		13 = Did not try to cut down on any drug in past year ..	8410	29.17	
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44	
		85 = BAD DATA Logically assigned	3	0.01	
		91 = NEVER USED ANY DRUGS	6382	22.14	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
CDSED	2	TRIED TO CUT DOWN ON USE OF SEDATIVES PAST YEAR			
		1 = Response circled	63	0.22	
		2 = Response not circled	10746	37.27	
		3 = Response circled LOGICALLY IMPUTED (frm UCDSER) ..	3	0.01	
		13 = Did not try to cut down on any drug in past year ..	8410	29.17	
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44	
		85 = BAD DATA Logically assigned	2	0.01	
		91 = NEVER USED ANY DRUGS	6382	22.14	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
CDTRAN	2	TRIED TO CUT DOWN ON USE OF TRANQUILIZERS PAST YR			
		1 = Response circled	74	0.26	
		2 = Response not circled	10737	37.24	
		3 = Response circled LOGICALLY IMPUTED (Frm UCTRAN) ..	1	0.00	
		13 = Did not try to cut down on any drug in past year ..	8410	29.17	
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44	
		85 = BAD DATA Logically assigned	2	0.01	
		91 = NEVER USED ANY DRUGS	6382	22.14	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
CDSTM	2	TRIED TO CUT DOWN ON USE OF STIMULANTS PAST YEAR			
		1 = Response circled	74	0.26	
		2 = Response not circled	10738	37.24	
		13 = Did not try to cut down on any drug in past year ..	8410	29.17	
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44	
		85 = BAD DATA Logically assigned	2	0.01	
		91 = NEVER USED ANY DRUGS	6382	22.14	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	

		DRUGS		
LABEL	LEN	DESCRIPTION	FREQ	%
CDANAL	2	TRIED TO CUT DOWN ON USE OF ANALGESICS PAST YEAR		
		1 = Response circled	79	0.27
		2 = Response not circled	10732	37.22
		3 = Response circled LOGICALLY IMPUTED (firm UCDANAL) ..	1	0.00
		13 = Did not try to cut down on any drug in past year ..	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDMJ	2	TRIED TO CUT DOWN ON USE OF MARIJUANA PAST YEAR		
		1 = Response circled	974	3.38
		2 = Response not circled	9839	34.13
		13 = Did not try to cut down on any drug in past year ..	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDINH	2	TRIED TO CUT DOWN ON USE OF INHALANTS PAST YEAR		
		1 = Response circled	82	0.28
		2 = Response not circled	10729	37.21
		3 = Response circled LOGICALLY IMPUTED (firm UCDINH) ..	1	0.00
		13 = Did not try to cut down on any drug in past year ..	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDCOC	2	TRIED TO CUT DOWN ON USE OF COCAINE PAST YEAR		
		1 = Response circled	327	1.13
		2 = Response not circled	10485	36.37
		13 = Did not try to cut down on any drug in past year ..	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01

		DRUGS		
LABEL	LEN	DESCRIPTION	FREQ	%
CDHALL	2	TRIED TO CUT DOWN ON USE OF HALLUCINOGENS PAST YR		
		1 = Response circled	138	0.48
		2 = Response not circled	10672	37.01
		3 = Response circled LOGICALLY IMPUTED (frm UCDHALL) .	2	0.01
		13 = Did not try to cut down on any drug in past year .	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDHER	2	TRIED TO CUT DOWN ON USE OF HEROIN PAST YEAR		
		1 = Response circled	48	0.17
		2 = Response not circled	10763	37.33
		13 = Did not try to cut down on any drug in past year .	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDOTHOP	2	TRIED TO CUT DOWN ON USE OF OTHER OPIATES PAST YR		
		1 = Response circled	40	0.14
		2 = Response not circled	10766	37.34
		3 = Response circled LOGICALLY IMPUTED (frm UCDOHOP)	6	0.02
		13 = Did not try to cut down on any drug in past year .	8410	29.17
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
CDNONE	2	DID NOT TRY TO CUT DOWN ON ANY DRUG USED PAST YR		
		1 = Response circled	8410	29.17
		2 = Response not circled	7079	24.55
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1279	4.44
		85 = BAD DATA Logically assigned	3736	12.96
		91 = NEVER USED ANY DRUGS	6382	22.14
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1903	6.60
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01

LABEL	LEN	DESCRIPTION	DRUGS		FREQ	
-----	----	-----		----		
<p>The following set of variables, UCDCIG-UCDNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the UCDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-2. During the past 12 months, for which drugs have you been unable to cut down on your use, even though you tried? (PLEASE CIRCLE ALL THAT APPLY.)</p>						
UCDCIG	2	UNABLE TO CUT DOWN ON CIGARETTES DURING PAST 12 MO				
		1 = Response circled			3182	11.04
		2 = Response not circled			6505	22.56
		13 = Did not try to cut down on any drug in past year .			9320	32.33
		81 = NEVER USED ANY DRUGS Logically assigned			47	0.16
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .			1297	4.50
		85 = BAD DATA Logically assigned (CDCIG > 1)			216	0.75
		91 = NEVER USED ANY DRUGS			6372	22.10
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS			1885	6.54
		95 = BAD DATA			2	0.01
		97 = REFUSED			2	0.01
		98 = BLANK (NO ANSWER)			4	0.01

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ		
UCDALC	2	UNABLE TO CUT DOWN ON ALCOHOL IN PAST 12 MONTHS			
		1 = Response circled	1470	5.10	
		2 = Response not circled	8281	28.72	
		13 = Did not try to cut down on any drug in past year .	9353	32.44	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned (CDALC > 1)	119	0.41	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDSED	2	UNABLE TO CUT DOWN ON SEDATIVES DURING PAST 12 MO			
		1 = Response circled	21	0.07	
		2 = Response not circled	9803	34.00	
		13 = Did not try to cut down on any drug in past year .	9398	32.60	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDTRAN	2	UNABLE TO CUT DOWN ON TRANQUILIZERS PAST 12 MONTHS			
		1 = Response circled	16	0.06	
		2 = Response not circled	9806	34.01	
		13 = Did not try to cut down on any drug in past year .	9398	32.60	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	3	0.01	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDSTM	2	UNABLE TO CUT DOWN ON STIMULANTS DURING PAST 12 MO			
		1 = Response circled	14	0.05	
		2 = Response not circled	9807	34.01	
		13 = Did not try to cut down on any drug in past year .	9398	32.60	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	4	0.01	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	----
UCDANAL	2	UNABLE TO CUT DOWN ON ANALGESICS DURING PAST 12 MO			
		1 = Response circled	20	0.07	
		2 = Response not circled	9804	34.00	
		13 = Did not try to cut down on any drug in past year .	9398	32.60	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDMJ	2	UNABLE TO CUT DOWN ON MARIJUANA DURING PAST 12 MO			
		1 = Response circled	271	0.94	
		2 = Response not circled	9513	32.99	
		13 = Did not try to cut down on any drug in past year .	9392	32.57	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned (CDMJ > 1)	47	0.16	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDINH	2	UNABLE TO CUT DOWN ON INHALANTS DURING PAST 12 MO			
		1 = Response circled	24	0.08	
		2 = Response not circled	9796	33.98	
		13 = Did not try to cut down on any drug in past year .	9397	32.59	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	6	0.02	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
UCDCOC	2	UNABLE TO CUT DOWN ON COCAINE IN PAST 12 MONTHS			
		1 = Response circled	97	0.34	
		2 = Response not circled	9724	33.73	
		13 = Did not try to cut down on any drug in past year .	9398	32.60	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50	
		85 = BAD DATA Logically assigned	4	0.01	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54	
		95 = BAD DATA	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	

LABEL	LEN	DESCRIPTION	FREQ	%
UCDHALL	2	UNABLE TO CUT DOWN ON HALLUCINOGENS PAST 12 MONTHS		
		1 = Response circled	27	0.09
		2 = Response not circled	9795	33.97
		13 = Did not try to cut down on any drug in past year .	9398	32.60
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54
		95 = BAD DATA	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
UCDHER	2	UNABLE TO CUT DOWN ON HEROIN DURING PAST 12 MONTHS		
		1 = Response circled	15	0.05
		2 = Response not circled	9808	34.02
		13 = Did not try to cut down on any drug in past year .	9398	32.60
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54
		95 = BAD DATA	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
UCDOTHOP	2	UNABLE TO CUT DOWN ON OPIATES/MORPHINE PAST 12 MO		
		1 = Response circled	10	0.03
		2 = Response not circled	9812	34.03
		13 = Did not try to cut down on any drug in past year .	9398	32.60
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54
		95 = BAD DATA	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01
UCDNONE	2	DID NOT TRY TO CUT DOWN ON ANY DRUG IN PAST 12 MO		
		1 = Response circled	9322	32.33
		2 = Response not circled	6087	21.11
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.16
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1297	4.50
		85 = BAD DATA Logically assigned	3815	13.23
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1885	6.54
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.01

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
		<p>The following set of variables, EFFCIG-EFFNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the EFFNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-3. During the past 12 months, for which drugs have you needed larger amounts to get the same effect; that is, for which drugs could you no longer get high on the same amount you used to use? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
EFFCIG	2	NEEDED MORE CIGARETTES TO GET SAME EFFECT PAST YR			
		1 = Response circled		1090	3.78
		2 = Response not circled		4778	16.57
		13 = Did not need more of any drug used for same effect		13355	46.32
		81 = NEVER USED ANY DRUGS Logically assigned		46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1278	4.43
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		6371	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1904	6.60
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		6	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
EFFALC	2	NEEDED MORE ALCOHOL TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	1226	4.25	
		2 = Response not circled	4642	16.10	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFSED	2	NEEDED MORE SEDATIVES TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	16	0.06	
		2 = Response not circled	5852	20.30	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFTRAN	2	NEEDED MORE TRANQ. TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	16	0.06	
		2 = Response not circled	5852	20.30	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFSTM	2	NEEDED MORE STIMULANTS TO GET SAME EFFECT PAST YR			
		1 = Response circled	18	0.06	
		2 = Response not circled	5850	20.29	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ		
EFFANAL	2	NEEDED MORE ANALGESICS TO GET SAME EFFECT PAST YR			
		1 = Response circled	15	0.05	
		2 = Response not circled	5853	20.30	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFMJ	2	NEEDED MORE MARIJUANA TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	260	0.90	
		2 = Response not circled	5608	19.45	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFINH	2	NEEDED MORE INHALANTS TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	15	0.05	
		2 = Response not circled	5853	20.30	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
EFFCOC	2	NEEDED MORE COCAINE TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	106	0.37	
		2 = Response not circled	5762	19.98	
		13 = Did not need more of any drug used for same effect	13355	46.32	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6371	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	

DRUGS

LABEL	LEN	DESCRIPTION	FREQ	
EFFHALL	2	NEEDED MORE HALLUCIN. TO GET SAME EFFECT PAST YEAR		
		1 = Response circled	30	0.10
		2 = Response not circled	5838	20.25
		13 = Did not need more of any drug used for same effect	13355	46.32
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6371	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	6	0.02
EFFHER	2	NEEDED MORE HEROIN TO GET SAME EFFECT PAST YEAR		
		1 = Response circled	24	0.08
		2 = Response not circled	5844	20.27
		13 = Did not need more of any drug used for same effect	13355	46.32
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6371	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	6	0.02
EFFOTHOP	2	NEEDED MORE OTHER OPIATES TO GET SAME EFF PAST YR		
		1 = Response circled	9	0.0.
		2 = Response not circled	5859	20.32
		13 = Did not need more of any drug used for same effect	13355	46.32
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6371	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	6	0.02
EFFNONE	2	DID NOT NEED MORE OF ANY DRUG FOR SAME EFF PAST YR		
		1 = Response circled	13355	46.32
		2 = Response not circled	2031	7.04
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1278	4.43
		85 = BAD DATA Logically assigned	3838	13.31
		91 = NEVER USED ANY DRUGS	6371	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1904	6.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	6	0.02

LABEL	LEN	DESCRIPTION	DRUGS		FREQ	t
-----	----	-----		-----		
<p>The following set of variables, UDAYCIG-UDAYNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the UDAYNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-4. During the past 12 months, which drugs have you used every day or almost daily for 2 or more weeks in a row? (PLEASE CIRCLE ALL THAT APPLY.)</p>						
UDAYCIG	2	USED CIGARETTES DAILY FOR 2+ WEEKS IN PAST YEAR				
		1 = Response circled		5227	18.13	
		2 = Response not circled		4669	16.19	
		13 = Did not use any drug daily in past year		9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned		45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic assigned		1247	4.33	
		85 = BAD DATA Logically assigned		1	0.00	
		91 = NEVER USED ANY DRUGS		6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1935	6.71	
		97 = REFUSED		2	0.01	
		98 = BLANK (NO ANSWER)		6	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
UDAYALC	2	USED ALCOHOL DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	1691	5.87	
		2 = Response not circled	8205	28.46	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYSED	2	USED SEDATIVES DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	19	0.07	
		2 = Response not circled	9877	34.26	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYTRAN	2	USED TRANQUILIZERS DAILY FOR 2+ WKS IN PAST YEAR			
		1 = Response circled	26	0.09	
		2 = Response not circled	9870	34.23	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYSTM	2	USED STIMULANTS DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	13	0.05	
		2 = Response not circled	9883	34.28	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----		
UDAYANAL	2	USED ANALGESICS DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	24	0.08	
		2 = Response not circled	9872	34.24	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYMJ	2	USED MARIJUANA DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	445	1.54	
		2 = Response not circled	9451	32.78	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYINH	2	USED INHALANTS DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	11	0.04	
		2 = Response not circled	9885	34.28	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYCOC	2	USED COCAINE DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	80	0.28	
		2 = Response not circled	9816	34.05	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
UDAYHALL	2	USED HALLUCINOGENS DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	8	0.03	
		2 = Response not circled	9888	34.30	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYHER	2	USED HEROIN DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	18	0.06	
		2 = Response not circled	9878	34.26	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYOTH	2	USED OTHER OPIATES DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled	9	0.03	
		2 = Response not circled	9887	34.27	
		13 = Did not use any drug daily in past year	9328	32.35	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	
UDAYNONE	2	DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS IN PAST YR			
		1 = Response circled	9328	32.35	
		2 = Response not circled	6041	20.95	
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1247	4.33	
		85 = BAD DATA Logically assigned	3856	13.37	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1935	6.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	6	0.02	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		----	-
		<p>The following set of variables, DEPCIG-DEPNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the DEPNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-5. Which drugs have you felt that you needed or were dependent on in the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
DEPCIG	2	FELT DEPENDENT ON CIGARETTES PAST YEAR			
		1 = Response circled		4515	15.66
		2 = Response not circled		4185	14.52
		13 = Did not feel like had to have any drug used pastyr		10521	36.49
		81 = NEVER USED ANY DRUGS Logically assigned		43	0.15
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1259	4.37
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		6375	22.11
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1923	6.67
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.01
		98 = BLANK (NO ANSWER)		5	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
DEPALC	2	FELT DEPENDENT ON ALCOHOL PAST YEAR			
		1 = Response circled	1089	3.78	
		2 = Response not circled	7611	26.40	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPSED	2	FELT DEPENDENT ON SEDATIVES PAST YEAR			
		1 = Response circled	20	0.07	
		2 = Response not circled	8680	30.11	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPTRAN	2	FELT DEPENDENT ON TRANQUILIZERS PAST YEAR			
		1 = Response circled	31	0.11	
		2 = Response not circled	8669	30.07	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPSTM	2	FELT DEPENDENT ON STIMULANTS PAST YEAR			
		1 = Response circled	15	0.05	
		2 = Response not circled	8685	30.12	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ	%	
DEPANAL	2	FELT DEPENDENT ON ANALGESICS PAST YEAR			
		1 = Response circled	25	0.09	
		2 = Response not circled	8675	30.09	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPMJ	2	FELT DEPENDENT ON MARIJUANA PAST YEAR			
		1 = Response circled	269	0.93	
		2 = Response not circled	8431	29.24	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPINH	2	FELT DEPENDENT ON INHALANTS PAST YEAR			
		1 = Response circled	14	0.05	
		2 = Response not circled	8686	30.13	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
DEPCOC	2	FELT DEPENDENT ON COCAINE PAST YEAR			
		1 = Response circled	97	0.34	
		2 = Response not circled	8603	29.84	
		13 = Did not feel like had to have any drug used pastyr	10521	36.49	
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6375	22.11	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	

		DRUGS		
LABEL	LEN	DESCRIPTION	FREQ	%
DEPHALL	2	FELT DEPENDENT ON HALLUCINOGENS PAST YEAR		
		1 = Response circled	9	0.03
		2 = Response not circled	8691	30.14
		13 = Did not feel like had to have any drug used pastyr	10521	36.49
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6375	22.11
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
DEPHER	2	FELT DEPENDENT ON HEROIN PAST YEAR		
		1 = Response circled	23	0.08
		2 = Response not circled	8677	30.10
		13 = Did not feel like had to have any drug used pastyr	10521	36.49
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6375	22.11
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
DEPOTHOP	2	FELT DEPENDENT ON OTHER OPIATES PAST YEAR		
		1 = Response circled	6	0.02
		2 = Response not circled	8694	30.15
		13 = Did not feel like had to have any drug used pastyr	10521	36.49
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6375	22.11
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
DEPNONE	2	DID NOT FEEL DEPENDENT ON ANY DRUG USED PAST YEAR		
		1 = Response circled	10521	36.49
		2 = Response not circled	5071	17.59
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1259	4.37
		85 = BAD DATA Logically assigned	3630	12.59
		91 = NEVER USED ANY DRUGS	6375	22.11
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1923	6.67
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		-----	-
		<p>The following set of variables, WSCIG-WSNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the CDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. This year, 1992, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-6. For which drugs have you had withdrawal symptoms; that is, you felt sick because you stopped or cut down on your use of them during the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
WSCIG	2	FELT SICK WHEN CUT DOWN ON CIGARETTES PAST YEAR			
		1 = Response circled		1851	6.42
		2 = Response not circled		4381	15.19
		13 = Did not have withdrawal symptoms in past year		12990	45.05
		81 = NEVER USED ANY DRUGS Logically assigned		46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1250	4.34
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		6372	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1932	6.70
		97 = REFUSED		4	0.01
		98 = BLANK (NO ANSWER)		5	0.02

LABEL	LEN	DESCRIPTION	FREQ	%
DRUGS				
WSALC	2	FELT SICK WHEN CUT DOWN ON ALCOHOL PAST YEAR		
		1 = Response circled	616	2.14
		2 = Response not circled	5616	19.48
		13 = Did not have withdrawal symptoms in past year	12990	45.05
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
WSSED	2	FELT SICK WHEN CUT DOWN ON SEDATIVES PAST YEAR		
		1 = Response circled	11	0.04
		2 = Response not circled	6221	21.58
		13 = Did not have withdrawal symptoms in past year	12990	45.05
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
WSTRAN	2	FELT SICK WHEN CUT DOWN ON TRANQUILIZERS PAST YEAR		
		1 = Response circled	17	0.06
		2 = Response not circled	6215	21.56
		13 = Did not have withdrawal symptoms in past year	12990	45.05
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02
WSSTM	2	FELT SICK WHEN CUT DOWN ON STIMULANTS PAST YEAR		
		1 = Response circled	15	0.05
		2 = Response not circled	6217	21.56
		13 = Did not have withdrawal symptoms in past year	12990	45.05
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	6372	22.10
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	5	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ		
WSANAL	2	FELT SICK WHEN CUT DOWN ON ANALGESICS PAST YEAR			
		1 = Response circled	12	0.04	
		2 = Response not circled	6220	21.57	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSMJ	2	FELT SICK WHEN CUT DOWN ON MARIJUANA PAST YEAR			
		1 = Response circled	99	0.34	
		2 = Response not circled	6133	21.27	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSINH	2	FELT SICK WHEN CUT DOWN ON INHALANTS PAST YEAR			
		1 = Response circled	11	0.04	
		2 = Response not circled	6221	21.58	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSCOC	2	FELT SICK WHEN CUT DOWN ON COCAINE PAST YEAR			
		1 = Response circled	84	0.29	
		2 = Response not circled	6148	21.32	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	----
WSHALL	2	FELT SICK WHEN CUT DOWN ON HALLUCINOGENS PAST YEAR			
		1 = Response circled	10	0.03	
		2 = Response not circled	6222	21.58	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSHER	2	FELT SICK WHEN CUT DOWN ON HEROIN PAST YEAR			
		1 = Response circled	29	0.10	
		2 = Response not circled	6203	21.51	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSOTHOP	2	FELT SICK WHEN CUT DOWN ON OTHER OPIATES PAST YEAR			
		1 = Response circled	14	0.05	
		2 = Response not circled	6218	21.57	
		13 = Did not have withdrawal symptoms in past year	12990	45.05	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	
WSNONE	2	DID NOT HAVE WITHDRAWAL SYMPTOMS PAST YEAR			
		1 = Response circled	12990	45.05	
		2 = Response not circled	2520	8.74	
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1250	4.34	
		85 = BAD DATA Logically assigned	3713	12.88	
		91 = NEVER USED ANY DRUGS	6372	22.10	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1932	6.70	
		97 = REFUSED	4	0.01	
		98 = BLANK (NO ANSWER)	5	0.02	

		NEEDLES			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
		NEEDLES -- ANSWER SHEET #13			

		ND-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?			
NDLREAD	2	NEEDLES - READING PREFERENCE			
		1 = Wants interviewer to continue reading	9431	32.71	
		2 = Wants to do it himself/herself	18436	63.94	
		96 = MULTIPLE RESPONSE	2	0.01	
		98 = BLANK (NO ANSWER)	963	3.34	
		ND-1. Have you ever used a needle to get any drug injected under your skin, into a muscle, or into a vein for nonmedical reasons?			
GNNDLLIF	2	EVER USED NEEDLE TO INJECT DRUGS FOR NONMED REASON			
		1 = Yes, have used a needle to take a drug	317	1.10	
		2 = No, have never used a needle to take a drug	1	0.00	
		3 = Yes, have used a ndle to take a drug LOGIC.IMPUTED	119	0.41	
		81 = NEVER USED A NEEDLE TO TAKE A DRUG Logic.assigned	1241	4.30	
		91 = NEVER USED A NEEDLE TO TAKE A DRUG	27136	94.12	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	17	0.06	
		ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?			
GNNDLREC	2	MOST RECENT TIME USED ANY DRUG WITH A NEEDLE			
		1 = Within the past month (30 days)	23	0.08	
		2 = More than 1 month ago but less than 6 months	20	0.07	
		3 = 6 or more months ago but less than 1 year ago	12	0.04	
		4 = 1 or more years ago but less than 3 years ago	37	0.13	
		5 = 3 or more years ago but less than 10 years ago ...	122	0.42	
		6 = 10 or more years ago	74	0.26	
		7 = Use in past 30 days LOGICALLY IMPUTED	12	0.04	
		8 = Use in past year LOGICALLY IMPUTED	46	0.16	
		9 = Use in lifetime LOGICALLY IMPUTED	90	0.31	
		81 = NEVER USED ANY DRUG FOR NONMDCL RSN Logic.assigned	1642	5.70	
		83 = NEVER USED A NDL TO TAKE ANY DRUG Logic. assigned	7232	25.08	
		91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	16072	55.74	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3431	11.90	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	17	0.06	

		NEEDLES			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
ND-3. Circle the number to the right of each kind of drug you have ever used with a needle, for nonmedical reasons. (PLEASE CIRCLE ALL THAT APPLY.)					
GNNDLSED	2	USED SEDATIVE W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	32	0.11	
		2 = Response not circled	401	1.39	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLTRA	2	USED TRANQUILIZER W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	27	0.09	
		2 = Response not circled	406	1.41	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLSTM	2	USED STIMULANT W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	94	0.33	
		2 = Response not circled	291	1.01	
		3 = Response circled LOGICALLY IMPUTED (frm STNDLREC)	48	0.17	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLANL	2	USED ANALGESIC W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	27	0.09	
		2 = Response not circled	406	1.41	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	

		NEEDLES			
LABEL	LEN	DESCRIPTION		FREQ	%
----	---	-----		----	-
GNNDLINH	2	USED INHALANTS W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	3	0.01	
		2 = Response not circled	430	1.49	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLCOC	2	USED COCAINE W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	187	0.65	
		2 = Response not circled	159	0.55	
		3 = Response circled LOGICALLY IMPUTED (frm CONDLREC)	88	0.31	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLHAL	2	USED HALLUCINOGENS W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	22	0.08	
		2 = Response not circled	411	1.43	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLHER	2	USED HEROIN W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	140	0.49	
		2 = Response not circled	263	0.91	
		3 = Response circled LOGICALLY IMPUTED (frm HRNDLREC)	31	0.11	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	

		NEEDLES			
LABEL	LEN	DESCRIPTION	FREQ	%	
GNNDLOPT	2	USED OTHER OPIATES W/NEEDLE FOR NONMEDICAL RSN			
		1 = Response circled	38	0.13	
		2 = Response not circled	395	1.37	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLSTR	2	USED ANABOLIC STEROIDS W/NEEDLE FOR NONMED REASON			
		1 = Response circled	19	0.07	
		2 = Response not circled	414	1.44	
		81 = NEVER USED ANY DRUGS LSTD ABOVE Logically assigned	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3551	12.32	
		95 = BAD DATA	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	18	0.06	
GNNDLNON	2	NEVER USED A NEEDLE TO TAKE ANY DRUG			
		2 = Response not circled	304	1.05	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1615	5.60	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	7112	24.67	
		85 = BAD DATA Logically assigned	130	0.45	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	16099	55.84	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3552	12.32	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	17	0.06	
ND-4. Have you ever used a needle for injecting drugs when you knew or suspected that the needle had been used by someone else?					
GNNDLSH1	2	EVER USED A NEEDLE AFTER SOMEONE ELSE USED IT			
		1 = Yes, have used a needle after someone else used it	139	0.48	
		2 = No, have not used a needle after someone used it ..	157	0.54	
		81 = NEVER USED ANY DRUG Logically assigned	1829	6.34	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6973	24.18	
		85 = BAD DATA Logically assigned	131	0.45	
		91 = NEVER USED ANY DRUG	15885	55.10	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3691	12.80	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	24	0.08	

		NEEDLES			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		ND-5. Has someone else ever injected drugs with a needle after you used the needle?			
GNNDLSH2	2	SOMEONE ELSE EVER USED A NEEDLE AFTER YOU USED IT			
		1 = Yes, someone used a needle after I used it	163	0.57	
		2 = No, no one has used a needle after I used it	135	0.47	
		81 = NEVER USED ANY DRUG Logically assigned	1823	6.32	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic. assigned .	6939	24.07	
		85 = BAD DATA Logically assigned	129	0.45	
		91 = NEVER USED ANY DRUG	15891	55.12	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3725	12.92	
		94 = DON'T KNOW	3	0.01	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	23	0.08	

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%

SPECIAL TOPICS -- ANSWER SHEET #14				

SP-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?				
SPTREAD	2	SPECIAL TOPICS - READING PREF.(1990-91 = AS12READ)		
		1 = Wants interviewer to continue reading	9549	33.12
		2 = Wants to do it himself/herself	18209	63.16
		3 = Wants interviewer to continue LOGICALLY IMPUTED ..	5	0.02
		98 = BLANK (NO ANSWER)	1069	3.71
SP-1. During the past 12 months, have you been required by your employer to take a drug test?				
DRUGTEST	2	BEEN REQUIRED TO TAKE DRUG TEST IN PAST 12 MONTH		
		1 = Yes	2072	7.19
		2 = No	16797	58.26
		3 = Did not have a job during past 12 months	9787	33.94
		85 = BAD DATA Logically assigned	9	0.03
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	149	0.5.
SP-2. During the past 12 months, did a drug test given to you by your employer indicate the presence of any drug?				
TESTPOS	2	DRUG TEST INDICATED PRESENCE OF DRUG IN PAST 12 MO		
		1 = Yes	64	0.22
		2 = No	6551	22.72
		3 = Did not receive test in past 12 months	12306	42.68
		4 = Did not have a job during past 12 months	9732	33.75
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	16	0.06
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	154	0.53

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION	FREQ		
----	---	-----	----		
		SP-3. Have you ever used the smokable form of methamphetamine called "ice"?			
ICELIFE	2	HAVE YOU USED "ICE"?			
		1 = Yes	93	0.32	
		3 = Yes LOGICALLY IMPUTED	39	0.14	
		81 = NEVER USED "ICE" Logically assigned	333	1.15	
		91 = NEVER USED "ICE"	28360	98.36	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
		SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice"?			
ICEREC	2	MOST RECENT TIME USED "ICE".			
		1 = Within the past month (30 days)	10	0.03	
		2 = More than 1 month ago but less than 6 months ago ..	30	0.10	
		3 = 6 or more months ago but less than 1 year ago	11	0.04	
		4 = 1 or more years ago but less than 3 years ago	21	0.07	
		5 = 3 or more years ago but less than 10 years ago ...	29	0.10	
		6 = 10 or more years ago	8	0.03	
		9 = Use in lifetime LOGICALLY IMPUTED	23	0.08	
		81 = NEVER USED "ICE" Logically assigned	263	0.91	
		91 = NEVER USED "ICE"	28430	98.61	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.01	
		SP-5. About how old were you when you first had a chance to try anabolic steroids if you had wanted to?			
STEROPP	3	AGE FIRST HAD CHANCE TO TRY ANABOLIC STEROIDS.			
		RANGE = 1 - 67	947	3.28	
		981 = NEVER HAD CHANCE TO TRY ANABOLIC STEROIDS Log.asn	13	0.05	
		985 = BAD DATA Logically assigned	14	0.05	
		991 = NEVER HAD A CHANCE TO TRY ANABOLIC STEROIDS	27701	96.08	
		994 = DON'T KNOW	6	0.02	
		997 = REFUSED	3	0.01	
		998 = BLANK (NO ANSWER)	148	0.51	

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		SP-6. About how old were you the first time you actually tried anabolic steroids?		
STERAGE	3	AGE FIRST TIME ACTUALLY TRIED ANABOLIC STEROIDS.		
		RANGE = 3 - 67	109	0.38
		981 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	550	1.91
		985 = BAD DATA Logically assigned	9	0.03
		991 = NEVER USED ANABOLIC STEROIDS	28101	97.46
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	3	0.01
		998 = BLANK (NO ANSWER)	58	0.20
		SP-7. About how many times in your life have you used anabolic steroids?		
STERTOT	2	# TIMES YOU HAVE USED ANABOLIC STEROIDS		
		1 = 1 or 2 times	36	0.12
		2 = 3 to 5 times	22	0.08
		3 = 6 to 10 times	14	0.05
		4 = 11 to 49 times	26	0.09
		5 = 50 to 99 times	5	0.02
		6 = 100 to 199 times	3	0.01
		7 = 200 or more times	10	0.03
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	340	1.18
		85 = BAD DATA Logically assigned	5	0.01
		91 = NEVER USED ANABOLIC STEROIDS	28311	98.1
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	57	0.20
		SP-8. When was the most recent time that you used anabolic steroids?		
STERREC	2	MOST RECENT TIME YOU USED ANABOLIC STEROIDS		
		1 = Within the past month (30 days)	8	0.03
		2 = More than 1 month ago but less than 6 months ago ..	12	0.04
		3 = 6 or more months ago but less than 1 year ago	8	0.03
		4 = 1 or more years ago but less than 3 years ago	28	0.10
		5 = 3 or more years ago	56	0.19
		9 = Use in lifetime LOGICALLY IMPUTED	9	0.03
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	131	0.45
		91 = NEVER USED ANABOLIC STEROIDS	28520	98.92
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	57	0.20

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	
-----	---	-----		-----	---
		SP-9. Have you used any other illegal drugs in the past 12 months that have not been mentioned in any of the previous questions on these answer sheets? Please write the names of all of these drugs on the lines below. If you have not used any other illegal drugs, write the word "NONE."			
SPNEWA	3	OTHER DRUGS USED IN PAST 12 MONTHS-1ST MENTION			
		0 = None (code used only for question SP-9)	26235	90.99	
		116 = Methaqualone, Quaalude, Sopor	1	0.00	
		244 = Roche 2 (Mexican) [sic]	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	4	0.01	
		326 = White cross	1	0.00	
		327 = Black beauties, Black Beauty	3	0.01	
		331 = Whites	1	0.00	
		333 = 357 Magnum, Magnum 44	1	0.00	
		334 = Crossroads, cross tops	1	0.00	
		336 = Diet pills	1	0.00	
		339 = Amphetamines (speed generically)	2	0.01	
		343 = Nitroglycerine	1	0.00	
		348 = Crystal	6	0.02	
		355 = Crystal meth	2	0.01	
		422 = Motrin	1	0.00	
		427 = Darvocet	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01	
		604 = Psilocybin (mushrooms)	6	0.02	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00	
		609 = Jimson [sic] weed	2	0.01	
		703 = Opium	2	0.01	
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00	
		802 = THC, cannabinol	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	28	0.10	
		804 = Hashish	2	0.01	
		805 = Cocaine, coke	2	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.02	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01	
		814 = Caffeine	3	0.01	
		846 = Erythromycin	1	0.00	
		847 = GHB [sic]	1	0.00	
		850 = Slack	1	0.00	
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.00	
		853 = Funti [sic] leaf	2	0.01	
		854 = Juice	1	0.00	
		856 = Rooft [sic]	1	0.00	
		859 = Aside [sic]	1	0.00	
		861 = Doen [sic], doer [sic]	1	0.00	
		862 = Thornapple [sic] leaves	1	0.00	
		863 = Beetlenut	1	0.00	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	2497	8.66	

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
SPNEWB	3	OTHER DRUGS USED IN PAST 12 MONTHS-2ND MENTION		
		0 = None (code used only for question SP-9)	102	0.35
		326 = White cross	1	0.00
		352 = Lemons	1	0.00
		355 = Crystal meth	1	0.00
		427 = Darvocet	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		805 = Cocaine, coke	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.00
		997 = REFUSED	4	0.01
		998 = BLANK (NO ANSWER)	28713	99.59
SPNEWC	3	OTHER DRUGS USED IN PAST 12 MONTHS-3RD MENTION		
		0 = None (code used only for question SP-9)	92	0.32
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	4	0.01
		998 = BLANK (NO ANSWER)	28733	99.66
SPNEWD	3	OTHER DRUGS USED IN PAST 12 MONTHS-4TH MENTION		
		0 = None (code used only for question SP-9)	90	0.31
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	4	0.01
		998 = BLANK (NO ANSWER)	28737	99.67
SPNEWE	3	OTHER DRUGS USED IN PAST 12 MONTHS-5TH MENTION		
		0 = None (code used only for question SP-9)	86	0.30
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	4	0.01
		998 = BLANK (NO ANSWER)	28741	99.68

SP-10. Not counting minor traffic violations, have you ever been arrested and booked for breaking a law? (Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.)

BOOKED	2	EVER ARRESTED & BOOKED FOR BREAKING THE LAW		
		1 = Yes	2442	8.47
		2 = No	25953	90.01
		3 = Yes LOGICALLY IMPUTED	172	0.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	256	0.89

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		SP-11. Not counting minor traffic violations, how many times in the past 12 months have you been arrested and booked for breaking a law? (IF NONE, WRITE IN ZERO.)			
NOBOOKYR	3	# TIMES ARRESTED AND BOOKED IN PAST 12 MONTHS			
		RANGE = 1 - 20	759	2.63	
		0 = Was not arrested and booked in past 12 months	27237	94.47	
		85 = BAD DATA Logically assigned	267	0.93	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	562	1.95	
		SP-12. Not counting minor traffic violations, in the past 12 months, for what offenses listed below were you arrested and booked?			
BKLARCNY	2	ARRSTD & BOOKED FOR LARCENY/THEFT IN PAST 12 MOS			
		1 = Response circled	153	0.53	
		2 = Response not circled	28656	99.39	
		85 = BAD DATA Logically assigned	3	0.01	
		97 = REFUSED	9	0.03	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04	
BKBURGL	2	ARRSTD & BOOKED FOR BURGLARY OR B&E IN PST 12 MOS			
		1 = Response circled	76	0.26	
		2 = Response not circled	28733	99.66	
		85 = BAD DATA Logically assigned	3	0.01	
		97 = REFUSED	9	0.03	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04	
BKAGASLT	2	ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PST 12 MOS			
		1 = Response circled	72	0.25	
		2 = Response not circled	28737	99.67	
		85 = BAD DATA Logically assigned	3	0.01	
		97 = REFUSED	9	0.03	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04	
BKSMASLT	2	ARRSTD & BOOKED FOR OTHER ASSAULT IN PST 12 MOS			
		1 = Response circled	119	0.41	
		2 = Response not circled	28690	99.51	
		85 = BAD DATA Logically assigned	3	0.01	
		97 = REFUSED	9	0.03	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04	
BKMTHTFT	2	ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MOS			
		1 = Response circled	54	0.19	
		2 = Response not circled	28755	99.73	
		85 = BAD DATA Logically assigned	3	0.01	
		97 = REFUSED	9	0.03	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04	

SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
BKROB	2	ARRSTD & BOOKED FOR ROBBERY IN PAST 12 MONTHS		
		1 = Response circled	35	0.12
		2 = Response not circled	28774	99.80
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKRAPE	2	ARRSTD & BOOKED FOR FORCIBLE RAPE IN PST 12 MONTHS		
		1 = Response circled	4	0.01
		2 = Response not circled	28805	99.91
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKMURDER	2	ARRST & BKD FOR MURDER/HOMICIDE/MNSLGHTR PST 12 MO		
		2 = Response not circled	28805	99.91
		85 = BAD DATA Logically assigned	7	0.02
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKARSON	2	ARRSTD & BOOKED FOR ARSON IN PAST 12 MONTHS		
		1 = Response circled	8	0.03
		2 = Response not circled	28801	99.89
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKDRVINF	2	ARRSTD & BOOKED FOR DUI IN PAST 12 MONTHS		
		1 = Response circled	210	0.73
		2 = Response not circled	28598	99.19
		85 = BAD DATA Logically assigned	4	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKDRUNK	2	ARRST & BKD FOR DRKNKNSS/OTH LIQ LAW VIO PST 12 MO		
		1 = Response circled	99	0.34
		2 = Response not circled	28710	99.58
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKDRUG	2	ARRSTD & BKED FOR POSSESS/SALE OF DRUGS PST 12 MOS		
		1 = Response circled	112	0.39
		2 = Response not circled	28697	99.53
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKPROS	2	ARRSTD & BOOKED FOR PROSTITUTION IN PAST 12 MONTHS		
		1 = Response circled	8	0.03
		2 = Response not circled	28801	99.89
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
BKVANDAL	2	ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS		
		1 = Response circled	62	0.22
		2 = Response not circled	28747	99.71
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04

		SPECIAL TOPICS		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
BKOTHOFF	2	ARRSTD & BOOKED FOR OTHER OFFENSES		
		1 = Larceny or theft	20	0.07
		2 = Burglary or breaking and entering	1	0.00
		3 = Aggravated assault	6	0.02
		4 = Other assault, such as simple assault or battery ..	11	0.04
		8 = Murder, homicide, or nonnegligent manslaughter ...	1	0.00
		10 = Driving under the influence	8	0.03
		11 = Drunkenness or other liquor law violation	11	0.04
		12 = Possession or sale of drugs	4	0.01
		14 = Oth proprty offns:- fraud, poss stln goods, vndlsm	32	0.11
		15 = Other offenses (NOT SPECIFIED)	13	0.05
		16 = Weapons offenses	29	0.10
		18 = Violation of court order, parole, probation	17	0.06
		19 = Public order offenses	76	0.26
		20 = Juvenile status offenses	20	0.07
		22 = Traffic violations	27	0.09
		85 = BAD DATA Logically assigned	12	0.04
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	28533	98.96
NOTBKED	2	NOT ARRSTD & BOOKED FOR ANY OFFENSE PAST 12 MONTHS		
		1 = Response circled	26744	92.76
		2 = Response not circled	1531	5.31
		3 = Response circled LOGICALLY IMPUTED	489	1.70
		85 = BAD DATA Logically assigned	48	0.17
		97 = REFUSED	9	0.03
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	11	0.04
SP-13. Were you on probation at any time in the past 12 months?				
PROBATON	2	ON PROBATION AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	533	1.85
		2 = No	27892	96.74
		3 = Yes LOGICALLY IMPUTED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	398	1.38
SP-14. Were you on parole at any time in the past 12 months?				
PAROLE	2	ON PAROLE AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	94	0.33
		2 = No	28397	98.49
		85 = BAD DATA Logically assigned	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	334	1.16

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
		SP-15. This section deals with activities that may be against the law. Read each item, then circle the 01 if you have done this activity in the past 12 months. If you did not do the activity in the past 12 months, circle the 02.			
		a. During the past 12 months, have you taken something from a store without paying for it?			
STRSTEAL	2	TAKEN SOMETHING FROM STORE W/O PAYING PAST 12 MOS			
		1 = Yes	1407	4.88	
		2 = No	27118	94.06	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	294	1.02	
		b. During the past 12 months, have you, other than from a store, taken money or property that did not belong to you?			
OTHSTEAL	2	TAKEN SMTHNG NOT YOURS (NOT FROM STORE) PST 12 MOS			
		1 = Yes	1138	3.95	
		2 = No	27411	95.07	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	270	0.94	
		c. During the past 12 months, have you purposely damaged or destroyed property that did not belong to you?			
DAMAGE	2	PURPOSELY DAMAGED PROPERTY NOT YOURS PAST 12 MOS			
		1 = Yes	1021	3.54	
		2 = No	27520	95.45	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	277	0.96	
		d. During the past 12 months, have you taken a car that didn't belong to someone in your family without the owner's permission?			
CARSTEAL	2	TAKEN A CAR NOT YOUR FAMILY'S IN PAST 12 MONTHS			
		1 = Yes	215	0.75	
		2 = No	28327	98.25	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	276	0.96	

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	---	-----		----	-
		e. During the past 12 months, have you used a weapon, force, or strong-arm methods to get money or things from a person?			
FORCEMON	2	USE WEAPON/FRCE GET MONEY/THNGS FRM PERS PST 12 MOS			
		1 = Yes	133	0.46	
		2 = No	28406	98.52	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	279	0.97	
		f. During the past 12 months, have you broken into a house or building to steal something or just to look around?			
BREAKIN	2	BROKEN INTO A HOUSE/BUILDING IN THE PAST 12 MONTHS			
		1 = Yes	206	0.71	
		2 = No	28332	98.27	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	280	0.97	
		g. During the past 12 months, have you hit someone or gotten into a physical fight?			
PHYFIGHT	2	GOTTEN INTO A PHYSICAL FIGHT IN PAST 12 MONTHS			
		1 = Yes	2980	10.34	
		2 = No	25556	88.64	
		3 = Yes LOGICALLY IMPUTED	2	0.01	
		85 = BAD DATA Logically assigned	8	0.03	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	280	0.97	
		h. During the past 12 months, have you hurt someone badly enough to need bandages or a doctor?			
HURTBAD	2	HRT SOMEONE ENOUGH TO NEED BANDAGE/A DR. PST 12 MO			
		1 = Yes	729	2.53	
		2 = No	27798	96.41	
		85 = BAD DATA Logically assigned	8	0.03	
		94 = DON'T KNOW	3	0.01	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	288	1.00	

SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		i. During the past 12 months, have you used a knife or gun or some other thing (like a club) to get something from a person?	
GUNMONEY	2	USED WEAPON TO GET SOMETHING FRM PERSON PST 12 MO	
		1 = Yes	99 0.34
		2 = No	28444 98.65
		85 = BAD DATA Logically assigned	8 0.03
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	275 0.95
		j. During the past 12 months, have you driven any kind of vehicle while you were under the influence of alcohol or illegal drugs?	
DRUNKDRV	2	DRIVEN UNDER INFLUENCE OF ALC/DRUGS PST 12 MONTHS	
		1 = Yes	2443 8.47
		2 = No	26099 90.52
		3 = Yes LOGICALLY IMPUTED	1 0.00
		85 = BAD DATA Logically assigned	12 0.04
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	271 0.94
		k. During the past 12 months, have you sold any illegal drugs?	
SOLDDRUG	2	SOLD ILLEGAL DRUGS IN PAST 12 MONTHS	
		1 = Yes	290 1.01
		2 = No	28236 97.93
		3 = Yes LOGICALLY IMPUTED	1 0.00
		85 = BAD DATA Logically assigned	8 0.03
		97 = REFUSED	7 0.02
		98 = BLANK (NO ANSWER)	290 1.01
		l. During the past 12 months, have you done anything else that would have gotten you into trouble with the police if they had known about it?	
OTHDOING	2	ANYTHING ELSE TO GET IN TROUBL W/POLICE PST 12 MOS	
		1 = Yes	1262 4.38
		2 = No	27249 94.51
		3 = Yes LOGICALLY IMPUTED	37 0.13
		85 = BAD DATA Logically assigned	8 0.03
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	270 0.94

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
OTHDOSP1	2	OTHER CRIMINAL BEHAVIOR PST 12 MONTHS-1ST MENTION			
		1 = Shoplifting	13	0.05	
		2 = Other larceny or theft	28	0.10	
		3 = Property damage/destruction (incl.vandalism)	80	0.28	
		4 = Motor vehicle theft	4	0.01	
		5 = Robbery	2	0.01	
		6 = Breaking and entering, burglary	7	0.02	
		7 = Hitting someone or physically fighting	22	0.08	
		9 = Other assault, battery	11	0.04	
		10 = Driving under the influence of alcohol or drugs ..	61	0.21	
		11 = Selling illegal drugs	16	0.06	
		12 = Drug offense (except sales) involving marijuana ..	69	0.24	
		13 = Other drug-related offense	56	0.19	
		14 = Drunkenness or other liquor law violation	138	0.48	
		15 = Forcible rape	1	0.00	
		16 = Murder, homicide, or nonnegligent manslaughter ...	2	0.01	
		17 = Other offenses against persons	1	0.00	
		18 = Arson	1	0.00	
		19 = Nondestructive prop offenses, fraud, stln goods ..	12	0.04	
		20 = Prostitution or commercialized sex	2	0.01	
		21 = Weapons offenses	15	0.05	
		22 = Violation of court order, parole, probation	3	0.01	
		23 = Public order offenses	96	0.33	
		24 = Juvenile status offenses	47	0.16	
		26 = Traffic violations	256	0.89	
		27 = Other offenses, NOT SPECIFIED	10	0.03	
		85 = BAD DATA Logically assigned	24	0.08	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	29	0.10	
		98 = BLANK (NO ANSWER)	27824	96.50	
OTHDOSP2	2	OTHER CRIMINAL BEHAVIOR PAST 12 MONTHS-2ND MENTION			
		1 = Shoplifting	1	0.00	
		2 = Other larceny or theft	5	0.02	
		3 = Property damage/destruction (incl.vandalism)	6	0.02	
		4 = Motor vehicle theft	1	0.00	
		6 = Breaking and entering, burglary	2	0.01	
		7 = Hitting someone or physically fighting	2	0.01	
		9 = Other assault, battery	4	0.01	
		10 = Driving under the influence of alcohol or drugs ..	7	0.02	
		11 = Selling illegal drugs	4	0.01	
		12 = Drug offense (except sales) involving marijuana ..	9	0.03	
		13 = Other drug-related offense	6	0.02	
		14 = Drunkenness or other liquor law violation	16	0.06	
		19 = Nondestructive prop offenses, fraud, stln goods ..	2	0.01	
		21 = Weapons offenses	2	0.01	
		23 = Public order offenses	9	0.03	
		24 = Juvenile status offenses	8	0.03	
		26 = Traffic violations	8	0.03	
		85 = BAD DATA Logically assigned	10	0.03	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	28729	99.64	

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
DRINKING EXPERIENCES -- ANSWER SHEET #15				

DE-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. Which way would you like to do it?				
DEXREAD	2	DRINKING EXPER. READING PREF. (1988-91 = AS13READ)		
		1 = Wants interviewer to continue reading	9269	32.15
		2 = Wants to do it himself/herself	18418	63.88
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	1143	3.96
DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in the past 12 months, please circle an answer for each statement below. Circle the 01 if you had the experience in the past 12 months, or circle the 02 if you did not have the experience in the past 12 months.				
NOBOOZYR	2	DID NOT USE BEER, WINE, OR LIQUOR IN PAST YEAR		
		1 = Response circled	10450	36.27
		2 = Response not circled	16786	58.21
		3 = Response circled LOGICALLY IMPUTED	583	2.02
		85 = BAD DATA Logically assigned	1013	3.51
ALCAGGR	2	FELT AGGRESSIVE OR CROSS WHILE DRINKING PAST YEAR		
		1 = Yes	2164	7.51
		2 = No	14649	50.81
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	981	3.40
		99 = LEGITIMATE SKIP	11033	38.27
ALCARGUM	2	GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR		
		1 = Yes	2019	7.00
		2 = No	14788	51.29
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	989	3.43
		99 = LEGITIMATE SKIP	11033	38.27
ALCABSNT	2	STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR		
		1 = Yes	889	3.08
		2 = No	15905	55.16
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1003	3.48
		99 = LEGITIMATE SKIP	11033	38.27

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
ALCHIGH	2	HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR		
		1 = Yes	918	3.18
		2 = No	15878	55.07
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1000	3.47
		99 = LEGITIMATE SKIP	11033	38.27
ALCJOB	2	LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR		
		1 = Yes	149	0.52
		2 = No	16639	57.71
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1008	3.50
		99 = LEGITIMATE SKIP	11033	38.27
ALCMATCD	2	TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	1447	5.02
		2 = No	15349	53.24
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1001	3.47
		99 = LEGITIMATE SKIP	11032	38.26
ALCRELCD	2	TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	1187	4.12
		2 = No	15610	54.14
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1000	3.47
		99 = LEGITIMATE SKIP	11033	38.27
ALCFRDCD	2	TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	774	2.68
		2 = No	16025	55.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	998	3.46
		99 = LEGITIMATE SKIP	11033	38.27
ALCTOSS	2	TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR		
		1 = Yes	2227	7.72
		2 = No	14580	50.57
		3 = Yes LOGICALLY IMPUTED	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	989	3.43
		99 = LEGITIMATE SKIP	11033	38.27
ALCHOLIC	2	WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR		
		1 = Yes	1369	4.75
		2 = No	15427	53.51
		3 = Yes LOGICALLY IMPUTED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	998	3.46
		99 = LEGITIMATE SKIP	11031	38.26

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
ALCDRUNK	2	STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR		
		1 = Yes	631	2.19
		2 = No	16162	56.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1004	3.48
		99 = LEGITIMATE SKIP	11033	38.27
ALCINTOX	2	COULDN'T STOP TILL COMPLETELY INTOXICATED PAST YR		
		1 = Yes	1021	3.54
		2 = No	15758	54.65
		3 = Yes LOGICALLY IMPUTED	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1015	3.52
		99 = LEGITIMATE SKIP	11033	38.27
ALCREM	2	COULDN'T RECALL THINGS DONE WHILE DRINKING PAST YR		
		1 = Yes	2234	7.75
		2 = No	14339	49.73
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1224	4.25
		99 = LEGITIMATE SKIP	11033	38.27
ALCQUICK	2	HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR		
		1 = Yes	945	3.28
		2 = No	15623	54.19
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1229	4.26
		99 = LEGITIMATE SKIP	11032	38.26
ALCMORN	2	OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR		
		1 = Yes	333	1.15
		2 = No	16229	56.29
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1235	4.28
		99 = LEGITIMATE SKIP	11033	38.27
ALCSHOOK	2	HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR		
		1 = Yes	595	2.06
		2 = No	15965	55.37
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1237	4.29
		99 = LEGITIMATE SKIP	11033	38.27
ALCALONE	2	SOMETIMES GOT HIGH/DRUNK WHILE DRNKNG ALONE PST YR		
		1 = Yes	1956	6.78
		2 = No	14608	50.67
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1233	4.28
		99 = LEGITIMATE SKIP	11033	38.27

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ALCBRKPM	2	KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP		
		1 = Yes	1166	4.04
		2 = No	15394	53.39
		3 = Yes LOGICALLY IMPUTED	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1235	4.28
		99 = LEGITIMATE SKIP	11033	38.27
DE-2. In the past 12 months, what drugs listed below did you use on your own, that is, nonmedically, at the same time or within a couple hours of when you drank beer, wine, or liquor? (PLEASE CIRCLE ALL THAT APPLY.)				
ALCSED	2	SEDATIVES USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	77	0.27
		2 = Response not circled	17698	61.38
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCTRAN	2	TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	104	0.36
		2 = Response not circled	17671	61.29
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCSTM	2	STIMULANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	154	0.53
		2 = Response not circled	17621	61.12
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCANAL	2	ANALGESICS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	159	0.55
		2 = Response not circled	17616	61.10
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCMJ	2	MARIJUANA USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	1736	6.02
		2 = Response not circled	16039	55.63
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCINH	2	INHALANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	73	0.25
		2 = Response not circled	17702	61.40
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
ALCCOC	2	COCAINE USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	420	1.46
		2 = Response not circled	17355	60.19
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCHAL	2	HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	196	0.68
		2 = Response not circled	17579	60.97
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCOPT	2	HEROIN USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled	30	0.10
		2 = Response not circled	17745	61.55
		85 = BAD DATA Logically assigned	21	0.07
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	11033	38.27
ALCNONE	2	NONE OF LISTED DRUGS USED W/ALCOHOL IN PAST 12 MOS		
		1 = Response circled	12922	44.82
		2 = Response not circled	3276	11.36
		85 = BAD DATA Logically assigned	1671	5.80
		97 = REFUSED	3	0.01
		99 = LEGITIMATE SKIP	10960	38.01

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
DRUG PROBLEMS -- ANSWER SHEET #16				

<p>DP-1. If you have ever used cigarettes, alcohol, or any of the other substances listed on the card, please circle an answer for each question below. If you had any of these problems in the past 12 months from your use of any of the substances listed on the card, please circle the 01 for "yes" and write in the names of the substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 02.</p>				
AS13NONE	2	NEVER USED CIGARETTES, ALCOHOL, OR DRUGS IN LIFE		
		1 = Response circled	6242	21.65
		2 = Response not circled	20009	69.40
		3 = Response circled LOGICALLY IMPUTED	102	0.35
		85 = BAD DATA Logically assigned	2478	8.59
		97 = REFUSED	1	0.00
DRDEPRSS	2	BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE		
		1 = Yes	1151	3.99
		2 = No	18905	65.57
		3 = Yes LOGICALLY IMPUTED	41	0.14
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2390	8.29
		99 = LEGITIMATE SKIP	6344	22.00

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
DEPDRG1A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		301 = Dexedrine	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	8	0.03
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	3	0.01
		333 = 357 Magnum, Magnum 44	1	0.00
		339 = Amphetamines (speed generically)	7	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		407 = Demerol	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		423 = Percocet	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	14	0.05
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	17	0.06
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		802 = THC, cannabinal	1	0.00
		803 = Marijuana, MarrJane [sic], weed	139	0.48
		804 = Hashish	1	0.00
		805 = Cocaine, coke	85	0.29
		806 = Crack, rock	30	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	638	2.21
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	119	0.41
		814 = Caffeine	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		900 = Non-drug reason given for drug problem	20	0.07
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	8	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2463	8.54
		999 = LEGITIMATE SKIP	25247	87.57

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
DEPDRG2A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	2	0.01
		501 = Gasoline or lighter fluids	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	5	0.02
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	34	0.12
		804 = Hashish	1	0.00
		805 = Cocaine, coke	12	0.04
		806 = Crack, rock	8	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	46	0.16
		813 = Cigarettes, smoking (subst spec), tobacco not spec	9	0.03
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		818 = Nicotine	1	0.00
		900 = Non-drug reason given for drug problem	5	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3443	11.94
		999 = LEGITIMATE SKIP	25249	87.57
DEPDRG3A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	3	0.01
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3569	12.38
		999 = LEGITIMATE SKIP	25249	87.57
DEPDRG4A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3578	12.41
		999 = LEGITIMATE SKIP	25249	87.57
DEPDRG5A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3581	12.42
		999 = LEGITIMATE SKIP	25249	87.57

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
DRARGUM	2	HAD ARGUMENTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE		
		1 = Yes	1593	5.53
		2 = No	18444	63.97
		3 = Yes LOGICALLY IMPUTED	42	0.15
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2408	8.35
		99 = LEGITIMATE SKIP	6343	22.00
ARGDRG1A	3	DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.01
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	7	0.02
		348 = Crystal	1	0.00
		401 = Darvon	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	8	0.03
		603 = Mescaline	1	0.00
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		702 = Heroin	13	0.05
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	70	0.24
		805 = Cocaine, coke	51	0.18
		806 = Crack, rock	21	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1108	3.84
		808 = All of the ones I've tried	2	0.01
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	154	0.53
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	1	0.00
		824 = Steroids	2	0.01
		900 = Non-drug reason given for drug problem	27	0.09
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	7	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2539	8.81
		999 = LEGITIMATE SKIP	24787	85.97

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	
ARGDRG2A	3	DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		802 = THC, cannabinal	1	0.00
		803 = Marijuana, MarrJane [sic], weed	27	0.09
		805 = Cocaine, coke	11	0.04
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	43	0.15
		813 = Cigarettes, smoking (subst spec), tobacco not spec	6	0.02
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		845 = ECT [sic]	1	0.00
		900 = Non-drug reason given for drug problem	5	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3925	13.61
		999 = LEGITIMATE SKIP	24788	85.97
ARGDRG3A	3	DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		803 = Marijuana, MarrJane [sic], weed	5	0.02
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	4029	13.97
		999 = LEGITIMATE SKIP	24788	85.97
ARGDRG4A	3	DRUG CAUSING ARGUMENTS/FIGHTS-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	4037	14.00
		999 = LEGITIMATE SKIP	24788	85.97

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
ARGDRG5A	3	DRUG CAUSING ARGUMENTS/FIGHTS-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	4042	14.02
		999 = LEGITIMATE SKIP	24788	85.97
DRALONE	2	FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE		
		1 = Yes	744	2.58
		2 = No	19275	66.85
		3 = Yes LOGICALLY IMPUTED	28	0.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2440	8.46
		99 = LEGITIMATE SKIP	6344	22.00
ALNDRG1A	3	DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	4	0.01
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		301 = Dexedrine	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	9	0.03
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		401 = Darvon	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	21	0.07
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	9	0.03
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	67	0.23
		805 = Cocaine, coke	59	0.20
		806 = Crack, rock	19	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	422	1.46
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	41	0.14
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		824 = Steroids	1	0.00
		860 = Bees [sic]	1	0.00
		900 = Non-drug reason given for drug problem	1	0.00
		989 = LEGITIMATE SKIP Logically assigned	10	0.03
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	7	0.02
		998 = BLANK (NO ANSWER)	1	0.00
		999 = LEGITIMATE SKIP	2513	8.72
			25618	88.85

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	
ALNDRG2A	3	DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION			
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00	
		209 = Xanax	1	0.00	
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		339 = Amphetamines (speed generically)	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	3	0.01	
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01	
		605 = PCP ("angel dust," phencyclidine)	2	0.01	
		702 = Heroin	2	0.01	
		803 = Marijuana, MarrJane [sic], weed	26	0.09	
		805 = Cocaine, coke	7	0.02	
		806 = Crack, rock	3	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	33	0.11	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.01	
		815 = Coffee	1	0.00	
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3124	10.84	
		999 = LEGITIMATE SKIP	25619	88.86	
ALNDRG3A	3	DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION			
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00	
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	2	0.01	
		805 = Cocaine, coke	2	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3203	11.11	
		999 = LEGITIMATE SKIP	25619	88.86	
ALNDRG4A	3	DRUG CAUSING FEELING ALONE/ISOLATED-4TH MENTION			
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3207	11.12	
		999 = LEGITIMATE SKIP	25619	88.86	
ALNDRG5A	3	DRUG CAUSING FEELING ALONE/ISOLATED-5TH MENTION			
		703 = Opium	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3211	11.14	
		999 = LEGITIMATE SKIP	25619	88.86	

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----		
DRANX	2	FELT VERY NERVOUS/ANXIOUS PAST YR DUE TO DRUG USE			
		1 = Yes	1220	4.23	
		2 = No	18800	65.21	
		3 = Yes LOGICALLY IMPUTED	35	0.12	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	2432	8.44	
		99 = LEGITIMATE SKIP	6344	22.00	

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
ANXDGRG1A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		209 = Xanax	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		311 = Preludin	1	0.00
		313 = Fastin, Phentermine	2	0.01
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	14	0.05
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	5	0.02
		326 = White cross	1	0.00
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	16	0.06
		348 = Crystal	4	0.01
		353 = No-Doz	1	0.00
		355 = Crystal meth	2	0.01
		364 = Sinutab, Sudafed {OTC}	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		415 = Codeine	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	3	0.01
		505 = Lacquer thinner or other paint solvents	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	25	0.09
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		618 = Acid paper, blotter (acid) [see also 601]	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	7	0.02
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	118	0.41
		805 = Cocaine, coke	125	0.43
		806 = Crack, rock	29	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	381	1.32
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	327	1.13
		814 = Caffeine	8	0.03
		815 = Coffee	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	9	0.03
		818 = Nicotine	3	0.01
		824 = Steroids	1	0.00
		900 = Non-drug reason given for drug problem	20	0.07
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	6	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2551	8.85
		999 = LEGITIMATE SKIP	25143	87.21

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	
----	----	-----		----	
ANXDRG2A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION			
		102 = Buticaps	1	0.00	
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.01	
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		312 = Ionamin	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
		339 = Amphetamines (speed generically)	1	0.00	
		348 = Crystal	1	0.00	
		401 = Darvon	1	0.00	
		468 = Excedrin	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	8	0.03	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00	
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		702 = Heroin	2	0.01	
		803 = Marijuana, MarrJane [sic], weed	21	0.07	
		805 = Cocaine, coke	11	0.04	
		806 = Crack, rock	3	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	33	0.11	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	8	0.03	
		815 = Coffee	1	0.00	
		900 = Non-drug reason given for drug problem	4	0.01	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3584	12.43	
		999 = LEGITIMATE SKIP	25144	87.21	
ANXDRG3A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION			
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	5	0.02	
		805 = Cocaine, coke	2	0.01	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3675	12.75	
		999 = LEGITIMATE SKIP	25144	87.21	
ANXDRG4A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-4TH MENTION			
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3682	12.77	
		999 = LEGITIMATE SKIP	25144	87.21	
ANXDRG5A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-5TH MENTION			
		703 = Opium	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3686	12.78	
		999 = LEGITIMATE SKIP	25144	87.21	

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
DRHEALTH	2	HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE		
		1 = Yes	747	2.59
		2 = No	19265	66.82
		3 = Yes LOGICALLY IMPUTED	35	0.12
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2440	8.46
		99 = LEGITIMATE SKIP	6344	22.00
HLTDRG1A	3	DRUG CAUSING HEALTH PROBLEMS-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.01
		146 = Bentlyl, Dicyclomine	1	0.00
		259 = Desipramine, Norpramin, Pertofrane	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	1	0.00
		355 = Crystal meth	2	0.01
		364 = Sinutab, Sudafed {OTC}	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	9	0.03
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	30	0.10
		805 = Cocaine, coke	28	0.10
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	185	0.64
		808 = All of the ones I've tried	3	0.01
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	392	1.36
		814 = Caffeine	2	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	4	0.01
		818 = Nicotine	2	0.01
		900 = Non-drug reason given for drug problem	32	0.11
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2499	8.67
		999 = LEGITIMATE SKIP	25608	88.82

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
HLTDRG2A	3	DRUG CAUSING HEALTH PROBLEMS-2ND MENTION		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	15	0.05
		805 = Cocaine, coke	8	0.03
		806 = Crack, rock	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	17	0.06
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	9	0.03
		814 = Caffeine	2	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		818 = Nicotine	1	0.00
		900 = Non-drug reason given for drug problem	15	0.05
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3141	10.89
		999 = LEGITIMATE SKIP	25609	88.82
HLTDRG3A	3	DRUG CAUSING HEALTH PROBLEMS-3RD MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		326 = White cross	1	0.00
		415 = Codeine	1	0.00
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		804 = Hashish	1	0.00
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3212	11.14
		999 = LEGITIMATE SKIP	25609	88.82
HLTDRG4A	3	DRUG CAUSING HEALTH PROBLEMS-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3218	11.16
		999 = LEGITIMATE SKIP	25609	88.82
HLTDRG5A	3	DRUG CAUSING HEALTH PROBLEMS-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3221	11.17
		999 = LEGITIMATE SKIP	25609	88.82

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----		
DRNTHINK	2	HAD DIFFCLTY THINKG CLEARLY PST YR DUE TO DRUG USE			
		1 = Yes	1651	5.73	
		2 = No	18369	63.71	
		3 = Yes LOGICALLY IMPUTED	45	0.16	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	2422	8.40	
		99 = LEGITIMATE SKIP	6344	22.00	

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
NTKDRG1A	3	DRUG CAUSING DIFFICULTY THINKING CLEARLY-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.01
		209 = Xanax	1	0.00
		211 = Buspar	1	0.00
		241 = Prozac	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.01
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		364 = Sinutab, Sudafed {OTC}	1	0.00
		401 = Darvon	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		418 = Methadone	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	4	0.01
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		505 = Lacquer thinner or other paint solvents	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	4	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	29	0.10
		604 = Psilocybin (mushrooms)	2	0.01
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	10	0.03
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		802 = THC, cannabinol	1	0.00
		803 = Marijuana, MarrJane [sic], weed	245	0.85
		804 = Hashish	1	0.00
		805 = Cocaine, coke	64	0.22
		806 = Crack, rock	18	0.06
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1077	3.74
		808 = All of the ones I've tried	7	0.02
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	59	0.20
		814 = Caffeine	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		844 = Blood pressure medication	1	0.00
		855 = Oanol [sic]	1	0.00
		858 = Antibiotic	1	0.00
		900 = Non-drug reason given for drug problem	14	0.05
		989 = LEGITIMATE SKIP Logically assigned	3	0.01
		994 = DON'T KNOW	5	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2526	8.76
		999 = LEGITIMATE SKIP	24710	85.70

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
NTKDRG2A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION		
		102 = Buticaps	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	2	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	12	0.04
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	3	0.01
		802 = THC, cannabinal	1	0.00
		803 = Marijuana, MarrJane [sic], weed	76	0.26
		804 = Hashish	1	0.00
		805 = Cocaine, coke	14	0.05
		806 = Crack, rock	8	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	63	0.22
		813 = Cigarettes, smoking (subst spec), tobacco not spec	6	0.02
		815 = Coffee	2	0.01
		900 = Non-drug reason given for drug problem	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3907	13.55
		999 = LEGITIMATE SKIP	24713	85.71
NTKDRG3A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		415 = Codeine	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	5	0.02
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	9	0.03
		804 = Hashish	1	0.00
		805 = Cocaine, coke	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		845 = ECT [sic]	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	4082	14.16
		999 = LEGITIMATE SKIP	24713	85.71

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	%
NTKDRG4A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION			
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00	
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01	
		803 = Marijuana, MarrJane [sic], weed	1	0.00	
		805 = Cocaine, coke	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	4108	14.25	
		999 = LEGITIMATE SKIP	24713	85.71	
NTKDRG5A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-5TH MENTION			
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00	
		703 = Opium	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	4116	14.28	
		999 = LEGITIMATE SKIP	24713	85.71	
DRUPSET	2	FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE			
		1 = Yes	1360	4.72	
		2 = No	18484	64.11	
		3 = Yes LOGICALLY IMPUTED	30	0.10	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	2613	9.06	
		99 = LEGITIMATE SKIP	6344	22.00	

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	t
UPSDRG1A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.01
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		241 = Prozac	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	5	0.02
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	1	0.00
		353 = No-Doz	1	0.00
		355 = Crystal meth	1	0.00
		364 = Sinutab, Sudafed {OTC}	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		438 = Anaprox, Naprosyn	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	7	0.02
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	11	0.04
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	73	0.25
		805 = Cocaine, coke	63	0.22
		806 = Crack, rock	28	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	762	2.64
		808 = All of the ones I've tried	4	0.01
		809 = Pills	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	223	0.77
		814 = Caffeine	2	0.01
		815 = Coffee	3	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	6	0.02
		818 = Nicotine	1	0.00
		824 = Steroids	1	0.00
		900 = Non-drug reason given for drug problem	24	0.08
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	6	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2744	9.52
		999 = LEGITIMATE SKIP	24826	86.11

DRUG PROBLEMS			FREQ	%
LABEL	LEN	DESCRIPTION		
UPSDRG2A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		328 = Pink hearts	1	0.00
		339 = Amphetamines (speed generically)	4	0.01
		348 = Crystal	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	25	0.09
		804 = Hashish	1	0.00
		805 = Cocaine, coke	15	0.05
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	31	0.11
		813 = Cigarettes, smoking (subst spec), tobacco not spec	10	0.03
		815 = Coffee	1	0.00
		900 = Non-drug reason given for drug problem	6	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3889	13.49
		999 = LEGITIMATE SKIP	24828	86.11
UPSDRG3A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	3	0.01
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3992	13.85
		999 = LEGITIMATE SKIP	24828	86.11
UPSDRG4A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3998	13.87
		999 = LEGITIMATE SKIP	24828	86.11
UPSDRG5A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	4002	13.88
		999 = LEGITIMATE SKIP	24828	86.11

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
DRLSWORK	2	GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE			
		1 = Yes	750	2.60	
		2 = No	19097	66.24	
		3 = Yes LOGICALLY IMPUTED	18	0.06	
		89 = LEGITIMATE SKIP Logically assigned	1	0.00	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	2622	9.09	
		99 = LEGITIMATE SKIP	6343	22.00	
LSWDRG1A	3	DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION			
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00	
		146 = Bentyl, Dicyclomine	1	0.00	
		206 = Tranxene	1	0.00	
		209 = Xanax	1	0.00	
		313 = Fastin, Phentermine	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.01	
		339 = Amphetamines (speed generically)	2	0.01	
		348 = Crystal	2	0.01	
		355 = Crystal meth	1	0.00	
		364 = Sinutab, Sudafed {OTC}	1	0.00	
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00	
		440 = Soma	1	0.00	
		502 = Spray paints	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01	
		524 = White-Out [see also 509]	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	8	0.03	
		605 = PCP ("angel dust," phencyclidine)	2	0.01	
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00	
		702 = Heroin	5	0.02	
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	125	0.43	
		805 = Cocaine, coke	28	0.10	
		806 = Crack, rock	13	0.05	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	426	1.48	
		808 = All of the ones I've tried	3	0.01	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	47	0.16	
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01	
		900 = Non-drug reason given for drug problem	10	0.03	
		989 = LEGITIMATE SKIP Logically assigned	2	0.01	
		994 = DON'T KNOW	3	0.01	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	2691	9.33	
		999 = LEGITIMATE SKIP	25439	88.23	

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
LSWDRG2A	3	DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	1	0.00
		208 = Centrax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	26	0.09
		805 = Cocaine, coke	9	0.03
		806 = Crack, rock	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	18	0.06
		813 = Cigarettes, smoking (subst spec), tobacco not spec	5	0.02
		815 = Coffee	1	0.00
		900 = Non-drug reason given for drug problem	3	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3312	11.49
		999 = LEGITIMATE SKIP	25441	88.24
LSWDRG3A	3	DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	4	0.01
		805 = Cocaine, coke	3	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3375	11.71
		999 = LEGITIMATE SKIP	25441	88.24
LSWDRG4A	3	DRUG CAUSING LESS WORK GETTING DONE-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3384	11.74
		999 = LEGITIMATE SKIP	25441	88.24
LSWDRG5A	3	DRUG CAUSING LESS WORK GETTING DONE-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3389	11.75
		999 = LEGITIMATE SKIP	25441	88.24

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
DRSUSPIC	2	FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE		
		1 = Yes	646	2.24
		2 = No	19201	66.60
		3 = Yes LOGICALLY IMPUTED	20	0.07
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2620	9.09
		99 = LEGITIMATE SKIP	6343	22.00
SSPDRG1A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.01
		201 = Valium	2	0.01
		209 = Xanax	1	0.00
		312 = Ionamin	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	9	0.03
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		505 = Lacquer thinner or other paint solvents	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	17	0.06
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	4	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	108	0.37
		805 = Cocaine, coke	81	0.28
		806 = Crack, rock	23	0.08
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	269	0.93
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	26	0.09
		815 = Coffee	1	0.00
		900 = Non-drug reason given for drug problem	17	0.06
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2700	9.36
		999 = LEGITIMATE SKIP	25543	88.59

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
SSPDRG2A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	4	0.01
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	24	0.08
		805 = Cocaine, coke	9	0.03
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	20	0.07
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.01
		815 = Coffee	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3211	11.14
		999 = LEGITIMATE SKIP	25545	88.60
SSPDRG3A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	2	0.01
		806 = Crack, rock	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3276	11.3
		999 = LEGITIMATE SKIP	25545	88.60
SSPDRG4A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3282	11.38
		999 = LEGITIMATE SKIP	25545	88.60
SSPDRG5A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3285	11.39
		999 = LEGITIMATE SKIP	25545	88.60
DRCOPE	2	PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE		
		1 = Yes	644	2.23
		2 = No	19204	66.61
		3 = Yes LOGICALLY IMPUTED	14	0.05
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2625	9.10
		99 = LEGITIMATE SKIP	6344	22.00

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION	FREQ		
CPEDRG1A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION			
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.01	
		201 = Valium	1	0.00	
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00	
		312 = Ionamin	1	0.00	
		318 = Ritalin, Methylphenidate	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		339 = Amphetamines (speed generically)	1	0.00	
		348 = Crystal	2	0.01	
		355 = Crystal meth	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618]	8	0.03	
		605 = PCP ("angel dust," phencyclidine)	2	0.01	
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00	
		702 = Heroin	7	0.02	
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	54	0.19	
		805 = Cocaine, coke	52	0.18	
		806 = Crack, rock	22	0.08	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	361	1.25	
		808 = All of the ones I've tried	3	0.01	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	41	0.14	
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00	
		900 = Non-drug reason given for drug problem	6	0.02	
		989 = LEGITIMATE SKIP Logically assigned	2	0.01	
		994 = DON'T KNOW	3	0.01	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	2704	9.38	
		999 = LEGITIMATE SKIP	25546	88.60	
CPEDRG2A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION			
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00	
		209 = Xanax	1	0.00	
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00	
		339 = Amphetamines (speed generically)	2	0.01	
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01	
		604 = Psilocybin (mushrooms)	1	0.00	
		702 = Heroin	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	21	0.07	
		804 = Hashish	1	0.00	
		805 = Cocaine, coke	11	0.04	
		806 = Crack, rock	4	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	19	0.07	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01	
		815 = Coffee	1	0.00	
		900 = Non-drug reason given for drug problem	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	3209	11.13	
		999 = LEGITIMATE SKIP	25548	88.61	

DRUG PROBLEMS			FREQ	%
LABEL	LEN	DESCRIPTION		
CPEDRG3A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	3	0.01
		805 = Cocaine, coke	2	0.01
		806 = Crack, rock	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3272	11.35
		999 = LEGITIMATE SKIP	25548	88.61
CPEDRG4A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3278	11.37
		999 = LEGITIMATE SKIP	25548	88.61
CPEDRG5A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3282	11.38
		999 = LEGITIMATE SKIP	25548	88.61
DREMGMED	2	HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE		
		1 = Yes	127	0.44
		2 = No	19714	68.38
		3 = Yes LOGICALLY IMPUTED	23	0.08
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2623	9.10
		99 = LEGITIMATE SKIP	6344	22.00

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
EMDRG1A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		201 = Valium	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		336 = Diet pills	1	0.00
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		440 = Soma	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	4	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	6	0.02
		805 = Cocaine, coke	13	0.05
		806 = Crack, rock	4	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	62	0.22
		813 = Cigarettes, smoking (subst spec), tobacco not spec	10	0.03
		814 = Caffeine	1	0.00
		900 = Non-drug reason given for drug problem	5	0.02
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2655	9.21
		999 = LEGITIMATE SKIP	26056	90.37
EMDRG2A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION		
		109 = Seconal	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	3	0.01
		805 = Cocaine, coke	3	0.01
		806 = Crack, rock	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		900 = Non-drug reason given for drug problem	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2755	9.56
		999 = LEGITIMATE SKIP	26058	90.38
EMDRG3A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		805 = Cocaine, coke	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2768	9.60
		999 = LEGITIMATE SKIP	26058	90.38

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
EMDRG4A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2770	9.61
		999 = LEGITIMATE SKIP	26058	90.38
EMDRG5A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-5TH MENTION		
		703 = Opium	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2772	9.61
		999 = LEGITIMATE SKIP	26058	90.38
DTRMT	2	SOMEONE SUGGEST TREATMENT PST YR DUE TO DRUG USE		
		1 = Yes	518	1.80
		2 = No	19336	67.06
		3 = Yes LOGICALLY IMPUTED	17	0.06
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2616	9.07
		99 = LEGITIMATE SKIP	6344	22.00
TMDRG1A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		355 = Crystal meth	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	6	0.02
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		702 = Heroin	12	0.04
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	35	0.12
		805 = Cocaine, coke	45	0.16
		806 = Crack, rock	20	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	248	0.86
		808 = All of the ones I've tried	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	81	0.28
		818 = Nicotine	1	0.00
		900 = Non-drug reason given for drug problem	11	0.04
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2668	9.25
		999 = LEGITIMATE SKIP	25680	89.07

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TMTDRG2A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.01
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	5	0.02
		803 = Marijuana, MarrJane [sic], weed	15	0.05
		805 = Cocaine, coke	7	0.02
		806 = Crack, rock	3	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	26	0.09
		813 = Cigarettes, smoking (subst spec), tobacco not spec	3	0.01
		900 = Non-drug reason given for drug problem	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3079	10.68
		999 = LEGITIMATE SKIP	25680	89.07
TMTDRG3A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-3RD MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	4	0.01
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3139	10.89
		999 = LEGITIMATE SKIP	25680	89.07
TMTDRG4A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-4TH MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3149	10.92
		999 = LEGITIMATE SKIP	25680	89.07
TMTDRG5A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-5TH MENTION		
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3151	10.93
		999 = LEGITIMATE SKIP	25680	89.07
DRDRVUN	2	DROVE UNSAFELY IN PAST YEAR DUE TO DRUG USE		
		1 = Yes	1108	3.84
		2 = No	18741	65.00
		3 = Yes LOGICALLY IMPUTED	28	0.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2610	9.05
		99 = LEGITIMATE SKIP	6344	22.00

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	t
DRVDRG1A	3	DRUG CAUSING UNSAFE DRIVING-1ST MENTION		
		116 = Methaqualone, Quaalude, Sopor	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		355 = Crystal meth	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		440 = Soma	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	4	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		702 = Heroin	4	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	29	0.10
		804 = Hashish	1	0.00
		805 = Cocaine, coke	15	0.05
		806 = Crack, rock	6	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	972	3.37
		808 = All of the ones I've tried	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	9	0.03
		900 = Non-drug reason given for drug problem	10	0.03
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	4	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2678	9.29
		999 = LEGITIMATE SKIP	25083	87.00
DRVDRG2A	3	DRUG CAUSING UNSAFE DRIVING-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	42	0.15
		805 = Cocaine, coke	7	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	22	0.08
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3667	12.72
		999 = LEGITIMATE SKIP	25085	87.00
DRVDRG3A	3	DRUG CAUSING UNSAFE DRIVING-3RD MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		703 = Opium	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	3740	12.97
		999 = LEGITIMATE SKIP	25085	87.00

LABEL	LEN	DESCRIPTION	DRUG PROBLEMS		FREQ	%
-----	----	-----			----	-
DRVDRG4A	3	DRUG CAUSING UNSAFE DRIVING-4TH MENTION				
		322 = Methamphetamine ("speed" or "ice" or "crank")		2		0.01
		997 = REFUSED		1		0.00
		998 = BLANK (NO ANSWER)		3744		12.99
		999 = LEGITIMATE SKIP		25085		87.00
DRVDRG5A	3	DRUG CAUSING UNSAFE DRIVING-5TH MENTION				
		997 = REFUSED		1		0.00
		998 = BLANK (NO ANSWER)		3746		12.99
		999 = LEGITIMATE SKIP		25085		87.00

		TREATMENT			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	---	-----		----	-
		TREATMENT -- ANSWER SHEET #17			

		TR-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. Which do you prefer?			
TMTREAD	2	TREATMENT - READING PREFERENCE (1991 = AS15READ)			
		1 = Wants interviewer to continue reading	9408	32.63	
		2 = Wants to do it himself/herself	18392	63.79	
		96 = MULTIPLE RESPONSE	1	0.00	
		98 = BLANK (NO ANSWER)	1031	3.58	
		TR-1. During the past 12 months, were you referred to any type of drug treat- ment through an employee assistance program?			
EMPDRUG	2	REFD. TO DRG TRMT THRU EMPLOYEE ASST.PGM PST 12 MO			
		1 = Yes	79	0.27	
		2 = No	28647	99.36	
		3 = Yes LOGICALLY IMPUTED	1	0.00	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	104	0.36	
		TR-2. During the past 12 months, have you gone to a clinic, self-help group, counselor, doctor or other professional to get help to stop smoking cigarettes?			
CIGHLP	2	GONE TO TRTMT PROF. TO QUIT SMOKING IN PAST 12 MO			
		1 = Yes	304	1.05	
		2 = No	16232	56.30	
		81 = NEVER USED CIGARETTES Logically assigned	75	0.26	
		91 = NEVER USED CIGARETTES	12155	42.16	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	65	0.23	
		TR-3. During the past 12 months, have you gotten any treatment for drinking-- such as from a clinic, self-help group, counselor, doctor or other professional?			
DRNKHELP	2	GOTTEN TREATMENT FOR DRINKING IN PAST 12 MONTHS			
		1 = Yes	326	1.13	
		2 = No	20652	71.63	
		81 = NEVER USED ALCOHOL Logically assigned	51	0.18	
		91 = NEVER USED ALCOHOL	7718	26.77	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	84	0.29	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
-----	----	-----		-----	-
		TR-4. During the past 12 months, have you received treatment for other drug use, not counting cigarettes or alcohol?			
TRMTHelp	2	RECEIVED TREATMENT FOR DRUG USE IN PAST 12 MONTHS			
		1 = Yes		168	0.58
		2 = No		505	1.75
		3 = Yes LOGICALLY IMPUTED		120	0.42
		4 = NO LOGICALLY IMPUTED		1	0.00
		81 = NEVER USED DRUGS Logically assigned		97	0.34
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		15	0.05
		91 = NEVER USED DRUGS		17533	60.81
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10344	35.88
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		48	0.17
		TR-5. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in an emergency room?			
TRMTEMRG	2	RECEIVED TRTMNT/DRUG USE/EMERGENCY RM PST 12 MO			
		1 = Yes		47	0.16
		2 = No		741	2.57
		3 = Yes LOGICALLY IMPUTED		3	0.01
		4 = NO LOGICALLY IMPUTED		2	0.01
		81 = NEVER USED DRUGS Logically assigned		99	0.34
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		14	0.05
		91 = NEVER USED DRUGS		17531	60.80
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10345	35.88
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		48	0.17
		TR-6. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a hospital as an inpatient?			
TRMTHOSP	2	RECVD TRTMNT/DRUG USE/HOSPITAL INPATIENT/PST 12 MO			
		1 = Yes		62	0.22
		2 = No		720	2.50
		3 = Yes LOGICALLY IMPUTED		7	0.02
		4 = NO LOGICALLY IMPUTED		1	0.00
		81 = NEVER USED DRUGS Logically assigned		110	0.38
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		20	0.07
		91 = NEVER USED DRUGS		17520	60.77
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10339	35.86
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		51	0.18

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
-----	-----	-----		-----	
		TR-7. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a private doctor's office?			
TRMTDOC	2	RECEIVED TREATMENT/DRUG USE/DR'S OFFICE/PAST 12 MO			
		1 = Yes		34	0.12
		2 = No		743	2.58
		3 = Yes LOGICALLY IMPUTED		5	0.02
		4 = NO LOGICALLY IMPUTED		5	0.02
		81 = NEVER USED DRUGS Logically assigned		133	0.46
		83 = NEVER RECEIVED TREATMENT BUT MAT USE DRUGS Lg. ass		24	0.08
		91 = NEVER USED DRUGS		17497	60.69
		93 = NEVER RECEIVED TREATMENT BUT MAT USE DRUGS		10335	35.85
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		54	0.19

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	t
-----	----	-----		----	-
		TR-8. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a drug treatment or rehabilitation facility?			
TRMTTRMT	2	REC TRTMNT/DRG USE/TRTMNT OR REHAB FCLTY/PST 12 MO			
		1 = Yes		128	0.44
		2 = No		633	2.20
		3 = Yes LOGICALLY IMPUTED		21	0.07
		4 = NO LOGICALLY ASSIGNED		5	0.02
		81 = NEVER USED DRUGS Logically assigned		131	0.45
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		17	0.06
		91 = NEVER USED DRUGS		17499	60.69
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10342	35.87
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		54	0.19
		TR-9. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol in a mental health center or facility?			
TRMTMHC	2	RECVD TRTMNT/DRUG USE/MENTAL HLTH CENTER/PST 12 MO			
		1 = Yes		52	0.18
		2 = No		725	2.51
		3 = Yes LOGICALLY IMPUTED		4	0.01
		4 = NO LOGICALLY IMPUTED		6	0.02
		81 = NEVER USED DRUGS Logically assigned		138	0.48
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		21	0.07
		91 = NEVER USED DRUGS		17492	60.67
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10338	35.86
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		54	0.19
		TR-10. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a self-help group?			
TRMTSHG	2	RECVD TRTMNT/DRUG USE/SELF-HELP GROUP/PST 12 MO			
		1 = Yes		149	0.52
		2 = No		622	2.16
		3 = Yes LOGICALLY IMPUTED		10	0.03
		4 = NO LOGICALLY IMPUTED		4	0.01
		81 = NEVER USED DRUGS Logically assigned		137	0.48
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass		23	0.08
		91 = NEVER USED DRUGS		17493	60.67
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10336	35.85
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		56	0.19

		TREATMENT			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		TR-11. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in some other place?			
TRMTSOP	2	RECEIVED TRTMNT/DRUG USE/SOME OTHR PLACE/PST 12 MO			
		1 = Yes	61	0.21	
		2 = No	667	2.31	
		3 = Yes LOGICALLY IMPUTED	53	0.18	
		4 = NO LOGICALLY IMPUTED	5	0.02	
		81 = NEVER USED DRUGS Logically assigned	155	0.54	
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg. ass	28	0.10	
		91 = NEVER USED DRUGS	17475	60.61	
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	10331	35.83	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	55	0.19	
TRMTSP	2	OTHER PLACE RECEIVED TREATMENT (SPECIFIED)			
		4 = AA or NA or CA	10	0.03	
		5 = Residential placement	2	0.01	
		9 = Within myself (self-treatment)	2	0.01	
		10 = Church	8	0.03	
		12 = Friends	2	0.01	
		13 = Court or correctional facilities	3	0.01	
		14 = Counselor, therapist, psychologist	4	0.01	
		15 = School	3	0.01	
		21 = ER, Ambulance	1	0.00	
		22 = Hospital	3	0.01	
		24 = Drug treatment or Rehab. Center	1	0.00	
		25 = Mental health center	2	0.01	
		26 = Self-help group	1	0.00	
		27 = All types mentioned	1	0.00	
		81 = NEVER USED DRUGS Logically assigned	155	0.54	
		85 = BAD DATA Logically assigned	4	0.01	
		91 = NEVER USED DRUGS	17475	60.61	
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	10359	35.93	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	795	2.76	
		TR-12. When was the last time you received treatment or counseling for use of any other drug, not counting cigarettes or alcohol?			
TRMTREC	2	LAST TIME RECEIVED TREATMENT FOR DRUGS			
		1 = Within the past month	104	0.36	
		2 = More than one month ago but less than 6 months ago	73	0.25	
		3 = 6 or more months ago but less than 1 year ago	54	0.19	
		4 = 1 or more years ago but less than 3 years ago	104	0.36	
		5 = 3 or more years ago	251	0.87	
		8 = Received treatment in past year LOGICALLY IMPUTED	57	0.20	
		9 = Received treatment in lifetime LOGICALLY IMPUTED .	140	0.49	
		81 = NEVER USED DRUGS Logically assigned	475	1.65	
		83 = NEVER RECEIVED TREATMENT Logically assigned	78	0.27	
		91 = NEVER USED DRUGS	17155	59.50	
		93 = NEVER RECEIVED TREATMENT	10281	35.66	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	59	0.20	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
-----	----	-----		----	-
		If you never received treatment or counseling for drug use, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with question TR-13 below.			
NOTRMT	2	NEVER RECEIVED TRMT OR COUNSELING FOR DRUG USE			
		1 = Response circled		27487	95.34
		2 = Response not circled		635	2.20
		3 = Response circled LOGICALLY IMPUTED		502	1.74
		85 = BAD DATA Logically assigned		148	0.51
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		59	0.20
		TR-13. Where did you receive treatment the last time you were treated for other drug use, not counting cigarettes or alcohol?			
TXEMRG	2	LAST DRUG TREATMENT IN AN EMERGENCY ROOM			
		1 = Response circled		24	0.08
		2 = Response not circled		605	2.10
		3 = Response circled LOGICALLY IMPUTED		7	0.02
		89 = LEGITIMATE SKIP Logically assigned		3	0.01
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27986	97.07
TXHOSP	2	LAST DRUG TREATMENT IN A HOSPITAL AS AN INPATIENT			
		1 = Response circled		68	0.24
		2 = Response not circled		563	1.95
		3 = Response circled LOGICALLY IMPUTED		5	0.02
		89 = LEGITIMATE SKIP Logically assigned		14	0.05
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27975	97.03
TXDOC	2	LAST DRUG TREATMENT IN A PRIVATE DOCTOR'S OFFICE			
		1 = Response circled		25	0.09
		2 = Response not circled		610	2.12
		3 = Response circled LOGICALLY IMPUTED		1	0.00
		89 = LEGITIMATE SKIP Logically assigned		5	0.02
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27984	97.06

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
TXTRMT	2	LAST DRUG TRTMNT IN A DRUG TRTMNT OR REHAB FCLTY			
		1 = Response circled		252	0.87
		2 = Response not circled		380	1.32
		3 = Response circled LOGICALLY IMPUTED		4	0.01
		89 = LEGITIMATE SKIP Logically assigned		3	0.01
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27986	97.07
TXMHC	2	LAST DRUG TRTMNT IN A MENTAL HEALTH CENTER			
		1 = Response circled		65	0.23
		2 = Response not circled		569	1.97
		3 = Response circled LOGICALLY IMPUTED		2	0.01
		89 = LEGITIMATE SKIP Logically assigned		2	0.01
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27987	97.07
TXSHG	2	LAST DRUG TRTMNT IN A SELF-HELP GROUP			
		1 = Response circled		171	0.59
		2 = Response not circled		459	1.59
		3 = Response circled LOGICALLY IMPUTED		6	0.02
		89 = LEGITIMATE SKIP Logically assigned		5	0.02
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27984	97.06
TXSOP	2	LAST DRUG TRTMNT IN SOME OTHER PLACE			
		1 = Response circled		92	0.32
		2 = Response not circled		515	1.79
		3 = Response circled LOGICALLY IMPUTED		29	0.10
		89 = LEGITIMATE SKIP Logically assigned		53	0.18
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		206	0.71
		99 = LEGITIMATE SKIP		27936	96.89

		TREATMENT			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	----
TXSP	2	OTHER PLACE LAST RECVD TRTMT SPECIFIED			
		4 = AA or NA or CA		7	0.02
		5 = Residential placement		4	0.01
		9 = Within myself (self-treatment)		2	0.01
		10 = Church or religious influence		7	0.02
		12 = Friends		2	0.01
		13 = Court or Correctional Facilities		10	0.03
		14 = Counselor, therapist, psychologist		13	0.05
		15 = School		9	0.03
		16 = Home, Family		1	0.00
		21 = ER, Ambulance		1	0.00
		22 = Hospital		1	0.00
		23 = Doctor's Office		1	0.00
		24 = Drug treatment or Rehab.		16	0.06
		25 = Mental Health Center		2	0.01
		26 = Self-help Group		4	0.01
		85 = BAD DATA Logically assigned		4	0.01
		89 = LEGITIMATE SKIP Logically assigned		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		758	2.63
		99 = LEGITIMATE SKIP		27988	97.07
TR-14. How important were each of the following reasons to you for seeking treatment the last time you received treatment or counseling for drug use? (CIRCLE ONE NUMBER FOR EACH REASON.)					
TRMTLIFE	2	IMPORT OF WANTING TO CHNGE LIFESTYLE AS RSN FOR TRM			
		1 = Very important		423	1.47
		2 = Somewhat important		89	0.31
		3 = Not at all important		96	0.33
		89 = LEGITIMATE SKIP Logically assigned		157	0.54
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		233	0.81
		99 = LEGITIMATE SKIP		27832	96.53
TRMTRESP	2	IMPORT OF FAMILY RESPONSBLTY AS RSN FOR TREATMENT			
		1 = Very important		292	1.01
		2 = Somewhat important		126	0.44
		3 = Not at all important		178	0.62
		89 = LEGITIMATE SKIP Logically assigned		151	0.52
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		245	0.85
		99 = LEGITIMATE SKIP		27838	96.55

		TREATMENT			
LABEL	LEN	DESCRIPTION	FREQ		
TRMTFEAR	2	IMPORT OF FEAR OF BEING JAILED AS REASON FOR TRMT			
		1 = Very important	215	0.75	
		2 = Somewhat important	107	0.37	
		3 = Not at all important	273	0.95	
		89 = LEGITIMATE SKIP Logically assigned	148	0.51	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	246	0.85	
		99 = LEGITIMATE SKIP	27841	96.56	
TRMTCOST	2	IMPORT OF DRUGS BEING TOO COSTLY AS RSN FOR TRMT			
		1 = Very important	144	0.50	
		2 = Somewhat important	125	0.43	
		3 = Not at all important	319	1.11	
		89 = LEGITIMATE SKIP Logically assigned	143	0.50	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	254	0.88	
		99 = LEGITIMATE SKIP	27846	96.58	
TRMTEVNT	2	IMPORT OF SIGNIFICANT EVENT AS REASON FOR TRMT			
		1 = Very important	212	0.74	
		2 = Somewhat important	126	0.44	
		3 = Not at all important	250	0.87	
		89 = LEGITIMATE SKIP Logically assigned	144	0.50	
		97 = REFUSED	1	0.0	
		98 = BLANK (NO ANSWER)	254	0.8	
		99 = LEGITIMATE SKIP	27845	96.58	
TRMTPR	2	IMPORT OF PRESSR FRM FAMILY/FRNDS AS RSN FOR TRMT			
		1 = Very important	273	0.95	
		2 = Somewhat important	133	0.46	
		3 = Not at all important	190	0.66	
		89 = LEGITIMATE SKIP Logically assigned	146	0.51	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	246	0.85	
		99 = LEGITIMATE SKIP	27843	96.57	
TRMTHLTH	2	IMPORT OF CONCERNS ABOUT HEALTH AS REASON FOR TRM			
		1 = Very important	242	0.84	
		2 = Somewhat important	140	0.49	
		3 = Not at all important	218	0.76	
		89 = LEGITIMATE SKIP Logically assigned	146	0.51	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	242	0.84	
		99 = LEGITIMATE SKIP	27843	96.57	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
TRMTJOB	2	IMPORT OF CONCERNS ABOUT JOB AS REASON FOR TRMT			
		1 = Very important		165	0.57
		2 = Somewhat important		119	0.41
		3 = Not at all important		309	1.07
		89 = LEGITIMATE SKIP Logically assigned		145	0.50
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		248	0.86
		99 = LEGITIMATE SKIP		27844	96.57
TRMTJAIL	2	IMPORT OF HAVING BEEN SENT TO JAIL AS RSN FOR TRMT			
		1 = Very important		159	0.55
		2 = Somewhat important		73	0.25
		3 = Not at all important		353	1.22
		89 = LEGITIMATE SKIP Logically assigned		140	0.49
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		257	0.89
		99 = LEGITIMATE SKIP		27849	96.59
TRMTSERV	2	IMPORT OF AVAILABILITY OF SVCS AS RSN FOR TRMT			
		1 = Very important		149	0.52
		2 = Somewhat important		138	0.48
		3 = Not at all important		292	1.01
		89 = LEGITIMATE SKIP Logically assigned		143	0.50
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		262	0.91
		99 = LEGITIMATE SKIP		27846	96.58
TRMTBQD	2	IMPORT OF BAD QUALITY DRUGS AS REASON FOR TRMT			
		1 = Very important		89	0.31
		2 = Somewhat important		71	0.25
		3 = Not at all important		420	1.46
		89 = LEGITIMATE SKIP Logically assigned		142	0.49
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		262	0.91
		99 = LEGITIMATE SKIP		27847	96.58
TRMTDNA	2	IMPORT OF DRGS NOT BEING AVAILBL AS RSN FOR TRMT			
		1 = Very important		55	0.19
		2 = Somewhat important		58	0.20
		3 = Not at all important		462	1.60
		89 = LEGITIMATE SKIP Logically assigned		141	0.49
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		267	0.93
		99 = LEGITIMATE SKIP		27848	96.59

		TREATMENT			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
TRMTSOR	2	IMPORTANCE OF SOME OTHER REASON FOR TRMT			
		1 = Very important	109	0.38	
		2 = Somewhat important	13	0.05	
		3 = Not at all important	258	0.89	
		4 = Response circled only	14	0.05	
		5 = Reason specified but no ranking	32	0.11	
		89 = LEGITIMATE SKIP Logically assigned	134	0.46	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	415	1.44	
		99 = LEGITIMATE SKIP	27855	96.61	
TRMTRSP	2	OTHER REASON FOR TRMT SPECIFIED			
		1 = Wanted to change lifestyle	11	0.04	
		2 = Had family responsibilities	10	0.03	
		3 = Fear of being jailed	11	0.04	
		4 = Drugs were too costly	2	0.01	
		5 = Occurrence of a sig. personal or special event ...	5	0.02	
		6 = Pressure from family (or close friends)	17	0.06	
		7 = Had concerns about health	6	0.02	
		9 = Sent to jail	1	0.00	
		10 = Availability of services	1	0.00	
		12 = Drugs not available	1	0.00	
		14 = Depression	4	0.01	
		15 = Fear of dying/suicide(fear of, or attempted)	7	0.02	
		16 = Church or other religious influence	6	0.02	
		17 = Forced/Compelled (but by whom is unknown)	9	0.03	
		18 = Wanted to quit drugs	10	0.03	
		19 = Reason connected to the military	3	0.01	
		20 = Overdose	3	0.01	
		21 = Loss of control/Dependency	2	0.01	
		22 = Felt bad about self/Wanted to do/be better	9	0.03	
		23 = Reason connected to Driver's License	2	0.01	
		24 = Physical victimization	1	0.00	
		25 = Committing violence	1	0.00	
		26 = Pressure from counselor/soc. srvcs/etc.	2	0.01	
		27 = Psychological disorders	1	0.00	
		85 = BAD DATA Logically assigned	7	0.02	
		89 = LEGITIMATE SKIP Logically assigned	7	0.02	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	710	2.46	
		99 = LEGITIMATE SKIP	27982	97.05	

		TREATMENT			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	---	-----		----	-
		TR-15. What was the outcome of the treatment or counseling you last received? (PLEASE CIRCLE ONLY THE ONE NUMBER FOR THE BEST ANSWER.)			
TRMTOUTC	2	OUTCOME OF THE TREATMENT OR COUNSELING LAST RECEIV			
		1 = Still in treatment	112	0.39	
		2 = Successfully completed treatment	284	0.99	
		3 = Had a problem with program	37	0.13	
		4 = Couldn't afford to continue treatment	13	0.05	
		5 = Family needed me	20	0.07	
		6 = Began using drug(s) again	95	0.33	
		7 = Other outcome, not specified	73	0.25	
		8 = Didn't need treatment	5	0.02	
		9 = Treatment is for lifetime	2	0.01	
		10 = Successful because of own efforts, not trmt.	7	0.02	
		11 = Use to a lesser extent	4	0.01	
		12 = Kicked out of program	1	0.00	
		13 = Moved	1	0.00	
		14 = Successful because of religious reasons	4	0.01	
		15 = Discontinued treatment, success unknown	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned	131	0.45	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	180	0.62	
		99 = LEGITIMATE SKIP	27858	96.62	
		TR-16. How was the last treatment or counseling for drug use paid for? (PLEASE CIRCLE ALL THAT APPLY.)			
TMTPHI	2	LAST TREATMENT PAID BY HEALTH INSURANCE			
		1 = Response circled	148	0.51	
		2 = Response not circled	512	1.78	
		89 = LEGITIMATE SKIP Logically assigned	13	0.05	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	180	0.62	
		99 = LEGITIMATE SKIP	27976	97.03	
TMTPSAVE	2	LAST TREATMENT PAID BY OWN SAVINGS OR EARNINGS			
		1 = Response circled	105	0.36	
		2 = Response not circled	555	1.92	
		89 = LEGITIMATE SKIP Logically assigned	15	0.05	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	180	0.62	
		99 = LEGITIMATE SKIP	27974	97.02	

LABEL	LEN	DESCRIPTION	TREATMENT		FREQ	%
TMTPFMLY	2	LAST TREATMENT PAID BY FAMILY MEMBERS				
		1 = Response circled		67	0.23	
		2 = Response not circled		593	2.06	
		89 = LEGITIMATE SKIP Logically assigned		5	0.02	
		94 = DON'T KNOW		2	0.01	
		97 = REFUSED		1	0.00	
		98 = BLANK (NO ANSWER)		180	0.62	
		99 = LEGITIMATE SKIP		27984	97.06	
TMTPEMPR	2	LAST TREATMENT PAID BY EMPLOYER				
		1 = Response circled		18	0.06	
		2 = Response not circled		642	2.23	
		89 = LEGITIMATE SKIP Logically assigned		5	0.02	
		94 = DON'T KNOW		2	0.01	
		97 = REFUSED		1	0.00	
		98 = BLANK (NO ANSWER)		180	0.62	
		99 = LEGITIMATE SKIP		27984	97.06	
TMTPMEDI	2	LAST TREATMENT PAID BY MEDICARE OR MEDICAID				
		1 = Response circled		63	0.22	
		2 = Response not circled		597	2.07	
		89 = LEGITIMATE SKIP Logically assigned		8	0.03	
		94 = DON'T KNOW		2	0.01	
		97 = REFUSED		1	0.00	
		98 = BLANK (NO ANSWER)		180	0.62	
		99 = LEGITIMATE SKIP		27981	97.0	
TMTPFREE	2	LAST TREATMENT WAS FREE				
		1 = Response circled		192	0.67	
		2 = Response not circled		468	1.62	
		89 = LEGITIMATE SKIP Logically assigned		7	0.02	
		94 = DON'T KNOW		2	0.01	
		97 = REFUSED		1	0.00	
		98 = BLANK (NO ANSWER)		180	0.62	
		99 = LEGITIMATE SKIP		27982	97.05	
TMTPOTH	2	LAST TREATMENT PAID BY OTHER				
		1 = Response circled		110	0.38	
		2 = Response not circled		535	1.86	
		3 = Response circled LOGICALLY IMPUTED		15	0.05	
		89 = LEGITIMATE SKIP Logically assigned		87	0.30	
		94 = DON'T KNOW		2	0.01	
		97 = REFUSED		1	0.00	
		98 = BLANK (NO ANSWER)		180	0.62	
		99 = LEGITIMATE SKIP		27902	96.77	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
-----	----	-----		----	-
TMTASP	20	OTHER PAYER FOR LAST TREATMENT SPECIFIED			
		2 = Own savings or earnings		3	0.01
		3 = Family member		3	0.01
		4 = Employer		2	0.01
		5 = Medicare or Medicaid		10	0.03
		6 = Free		7	0.02
		8 = Friend/Sponsor		3	0.01
		9 = State/City		12	0.04
		10 = Court		4	0.01
		11 = Church		2	0.01
		12 = School		2	0.01
		13 = Hospital		2	0.01
		14 = Veterans Administration/Military Service		2	0.01
		15 = Treatment program		4	0.01
		85 = BAD DATA Logically assigned		9	0.03
		89 = LEGITIMATE SKIP Logically assigned		2	0.01
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		777	2.69
		99 = LEGITIMATE SKIP		27987	97.07

LABEL	LEN	DESCRIPTION	RISK	FREQ	
-----	---	-----		----	-
RISK -- ANSWER SHEET #18					

<p>R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities? (If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. CIRCLE ONE NUMBER ON EACH LINE.)</p>					
RSKPKCIG	2	RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY			
		1 = No risk		802	2.78
		2 = Slight risk		2340	8.12
		3 = Moderate risk		7322	25.40
		4 = Great risk		18207	63.15
		94 = DON'T KNOW		38	0.13
		96 = MULTIPLE RESPONSE		13	0.05
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		99	0.34
RSKTRYMJ	2	RISK IF TRY MARIJUANA ONCE OR TWICE			
		1 = No risk		5702	19.78
		2 = Slight risk		7703	26.71
		3 = Moderate risk		5669	19.66
		4 = Great risk		9543	33.10
		94 = DON'T KNOW		83	0.29
		96 = MULTIPLE RESPONSE		14	0.05
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		107	0.37
RSKMJOCC	2	RISK IF SMOKE MARIJUANA OCCASIONALLY			
		1 = No risk		2130	7.39
		2 = Slight risk		5585	19.37
		3 = Moderate risk		8392	29.11
		4 = Great risk		12423	43.09
		94 = DON'T KNOW		76	0.26
		96 = MULTIPLE RESPONSE		16	0.06
		97 = REFUSED		12	0.04
		98 = BLANK (NO ANSWER)		198	0.69
RSKMJREG	2	RISK IF SMOKE MARIJUANA REGULARLY			
		1 = No risk		757	2.63
		2 = Slight risk		1496	5.19
		3 = Moderate risk		4619	16.02
		4 = Great risk		21694	75.24
		94 = DON'T KNOW		72	0.25
		96 = MULTIPLE RESPONSE		5	0.02
		97 = REFUSED		12	0.04
		98 = BLANK (NO ANSWER)		177	0.61

LABEL	LEN	DESCRIPTION	RISK	FREQ	%
RKTRYP	2	RISK IF TRY PCP ONCE OR TWICE			
		1 = No risk		903	3.13
		2 = Slight risk		3060	10.61
		3 = Moderate risk		5683	19.71
		4 = Great risk		18580	64.44
		94 = DON'T KNOW		423	1.47
		96 = MULTIPLE RESPONSE		15	0.05
		97 = REFUSED		14	0.05
		98 = BLANK (NO ANSWER)		154	0.53
RKPCPREG	2	RISK IF USE PCP REGULARLY			
		1 = No risk		432	1.50
		2 = Slight risk		287	1.00
		3 = Moderate risk		1429	4.96
		4 = Great risk		26077	90.44
		94 = DON'T KNOW		415	1.44
		96 = MULTIPLE RESPONSE		7	0.02
		97 = REFUSED		14	0.05
		98 = BLANK (NO ANSWER)		171	0.59
RKTRYHER	2	RISK IF TRY HEROIN ONCE OR TWICE			
		1 = No risk		734	2.55
		2 = Slight risk		2370	8.22
		3 = Moderate risk		5432	18.84
		4 = Great risk		20003	69.38
		94 = DON'T KNOW		142	0.49
		96 = MULTIPLE RESPONSE		19	0.07
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		119	0.41
RKHERREG	2	RISK IF USE HEROIN REGULARLY			
		1 = No risk		414	1.44
		2 = Slight risk		195	0.68
		3 = Moderate risk		908	3.15
		4 = Great risk		27023	93.73
		94 = DON'T KNOW		131	0.45
		96 = MULTIPLE RESPONSE		4	0.01
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		144	0.50
RKTRYCOC	2	RISK IF TRY COCAINE ONCE OR TWICE			
		1 = No risk		1250	4.34
		2 = Slight risk		3349	11.62
		3 = Moderate risk		5932	20.57
		4 = Great risk		18083	62.72
		94 = DON'T KNOW		79	0.27
		96 = MULTIPLE RESPONSE		16	0.06
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		110	0.38

LABEL	LEN	DESCRIPTION	RISK	FREQ	
RKCOCOCC	2	RISK IF USE COCAINE OCCASIONALLY			
		1 = No risk		534	1.85
		2 = Slight risk		1065	3.69
		3 = Moderate risk		4392	15.23
		4 = Great risk		22612	78.43
		94 = DON'T KNOW		75	0.26
		96 = MULTIPLE RESPONSE		18	0.06
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		123	0.43
RKCOCREG	2	RISK IF USE COCAINE REGULARLY			
		1 = No risk		413	1.43
		2 = Slight risk		207	0.72
		3 = Moderate risk		964	3.34
		4 = Great risk		27012	93.69
		94 = DON'T KNOW		68	0.24
		96 = MULTIPLE RESPONSE		5	0.02
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		150	0.52
RKCRKOCC	2	RISK IF USE "CRACK" OCCASIONALLY			
		1 = No risk		440	1.53
		2 = Slight risk		528	1.83
		3 = Moderate risk		2703	9.38
		4 = Great risk		24906	86.38
		94 = DON'T KNOW		96	0.33
		96 = MULTIPLE RESPONSE		6	0.02
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		140	0.49
RKANSOCC	2	RISK IF USE ANABOLIC STEROIDS OCCASIONALLY			
		1 = No risk		602	2.09
		2 = Slight risk		2337	8.11
		3 = Moderate risk		7451	25.84
		4 = Great risk		17993	62.41
		94 = DON'T KNOW		297	1.03
		96 = MULTIPLE RESPONSE		4	0.01
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		135	0.47
RKANSREG	2	RISK IF USE ANABOLIC STEROIDS REGULARLY			
		1 = No risk		460	1.60
		2 = Slight risk		485	1.68
		3 = Moderate risk		2898	10.05
		4 = Great risk		24515	85.03
		94 = DON'T KNOW		280	0.97
		96 = MULTIPLE RESPONSE		3	0.01
		97 = REFUSED		13	0.05
		98 = BLANK (NO ANSWER)		178	0.62

LABEL	LEN	DESCRIPTION	RISK	
			FREQ	%
RK2DRINK	2	RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY	----	-
		1 = No risk	2753	9.55
		2 = Slight risk	7318	25.38
		3 = Moderate risk	9445	32.76
		4 = Great risk	9082	31.50
		94 = DON'T KNOW	26	0.09
		96 = MULTIPLE RESPONSE	7	0.02
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	190	0.66
RK5DRINK	2	RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY		
		1 = No risk	529	1.83
		2 = Slight risk	1657	5.75
		3 = Moderate risk	6428	22.29
		4 = Great risk	19954	69.21
		94 = DON'T KNOW	21	0.07
		96 = MULTIPLE RESPONSE	17	0.06
		97 = REFUSED	10	0.03
		98 = BLANK (NO ANSWER)	216	0.75
RSKBINGE	2	RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = No risk	1024	3.55
		2 = Slight risk	2925	10.14
		3 = Moderate risk	7586	26.31
		4 = Great risk	17019	59.03
		94 = DON'T KNOW	34	0.12
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	10	0.03
		98 = BLANK (NO ANSWER)	226	0.78
R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (CIRCLE ONE NUMBER ON EACH LINE.)				
RSKDIFMJ	2	DIFFICULTY OF GETTING MARIJUANA IF YOU WANTED		
		1 = Probably impossible	4480	15.54
		2 = Very difficult	2905	10.08
		3 = Fairly difficult	3157	10.95
		4 = Fairly easy	7297	25.31
		5 = Very easy	10426	36.16
		94 = DON'T KNOW	315	1.09
		96 = MULTIPLE RESPONSE	26	0.09
		97 = REFUSED	19	0.07
		98 = BLANK (NO ANSWER)	207	0.72

LABEL	LEN	DESCRIPTION	RISK	FREQ	%
RKDIFLSD	2	DIFFICULTY OF GETTING LSD IF YOU WANTED			
		1 = Probably impossible		8811	30.56
		2 = Very difficult		6081	21.09
		3 = Fairly difficult		5245	18.19
		4 = Fairly easy		4133	14.33
		5 = Very easy		3605	12.50
		94 = DON'T KNOW		648	2.25
		96 = MULTIPLE RESPONSE		13	0.05
		97 = REFUSED		18	0.06
		98 = BLANK (NO ANSWER)		278	0.96
RKDIFPCP	2	DIFFICULTY OF GETTING PCP IF YOU WANTED			
		1 = Probably impossible		9472	32.85
		2 = Very difficult		6358	22.05
		3 = Fairly difficult		4899	16.99
		4 = Fairly easy		3643	12.64
		5 = Very easy		3375	11.71
		94 = DON'T KNOW		709	2.46
		96 = MULTIPLE RESPONSE		41	0.14
		97 = REFUSED		18	0.06
		98 = BLANK (NO ANSWER)		317	1.10
RKDIFCOC	2	DIFF. OF GETTING COCAINE OR "CRACK" IF YOU WANTED			
		1 = Probably impossible		6906	23.95
		2 = Very difficult		4456	15.46
		3 = Fairly difficult		3782	13.12
		4 = Fairly easy		5217	18.09
		5 = Very easy		7707	26.73
		94 = DON'T KNOW		483	1.68
		96 = MULTIPLE RESPONSE		20	0.07
		97 = REFUSED		19	0.07
		98 = BLANK (NO ANSWER)		242	0.84
RKDIFHER	2	DIFFICULTY OF GETTING HEROIN IF YOU WANTED			
		1 = Probably impossible		9616	33.35
		2 = Very difficult		5986	20.76
		3 = Fairly difficult		4391	15.23
		4 = Fairly easy		3758	13.03
		5 = Very easy		4232	14.68
		94 = DON'T KNOW		573	1.99
		96 = MULTIPLE RESPONSE		8	0.03
		97 = REFUSED		19	0.07
		98 = BLANK (NO ANSWER)		249	0.86

		RISK			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		R-3. In the past month, has someone approached you to sell you an illegal drug?			
RSKSELL	2	SOMEONE APPR YOU TO SELL YOU ILLEG DRG PST MONTH			
		1 = Yes	4291	14.88	
		2 = No	23897	82.88	
		3 = Yes LOGICALLY IMPUTED	7	0.02	
		94 = DON'T KNOW	5	0.02	
		97 = REFUSED	11	0.04	
		98 = BLANK (NO ANSWER)	621	2.15	
		R-4. How often do you see people who are drunk or high on drugs in your neighbor- hood?			
RKNEIDRN	2	FREQ. OF SEEING DRUNK/HIGH PEOPLE IN NEIGHBORHOOD			
		1 = Often	5312	18.42	
		2 = Occasionally	7133	24.74	
		3 = Rarely	7354	25.51	
		4 = Never	8776	30.44	
		94 = DON'T KNOW	30	0.10	
		96 = MULTIPLE RESPONSE	17	0.06	
		97 = REFUSED	11	0.04	
		98 = BLANK (NO ANSWER)	199	0.69	
		R-5. How often do you see people selling drugs in your neighborhood?			
RKNEISEL	2	FREQ. OF SEEING PEOPLE SELL DRUGS IN NEIGHBORHOOD			
		1 = Often	3154	10.94	
		2 = Occasionally	3128	10.85	
		3 = Rarely	4413	15.31	
		4 = Never	17885	62.03	
		94 = DON'T KNOW	32	0.11	
		96 = MULTIPLE RESPONSE	9	0.03	
		97 = REFUSED	11	0.04	
		98 = BLANK (NO ANSWER)	200	0.69	

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
HEALTH CONDITIONS				

HE-1. Have you ever been told by a doctor or nurse that you had high blood pressure or hypertension?				
HIGHBP	2	EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE		
		1 = Yes	3498	12.13
		2 = No	25248	87.57
		3 = Yes LOGICALLY IMPUTED	14	0.05
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	67	0.23
HE-2. Has a doctor ever prescribed medicine for your high blood pressure or hypertension?				
BPMED	2	MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE		
		1 = Yes	1607	5.57
		2 = No	1817	6.30
		89 = LEGITIMATE SKIP Logically assigned	899	3.17
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	154	0.53
		99 = LEGITIMATE SKIP	24349	84.45
HE-3. Have you ever had trouble with pain, discomfort or pressure in your chest when you walked fast or uphill?				
WALKPAIN	2	EVER HAD PAIN IN CHEST FROM EXERTION		
		1 = Yes	3416	11.85
		2 = No	25303	87.76
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	105	0.36
HE-4. Have you ever had severe pain across the front of your chest that lasted for a half hour or more?				
TIMEPAIN	2	EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE		
		1 = Yes	1353	4.69
		2 = No	27293	94.66
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	178	0.62

LABEL	LEN	DESCRIPTION	FREQ	
HEALTH CONDITIONS				
HE-5. Have you ever had shortness of breath either when hurrying on level ground or walking up a slight hill?				
UPSHOR	2	EVER HAD SHORTNESS OF BREATH FROM EXERTION		
		1 = Yes	6450	22.37
		2 = No	22211	77.04
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	163	0.57
HE-6. Have you ever been told by a doctor that you had a lung or chest condition such as emphysema, asthma, chronic bronchitis, pneumonia, pleurisy or TB?				
ASTHMA	2	EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION		
		1 = Yes	4283	14.86
		2 = No	24465	84.85
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	77	0.27
HE-7. Have you ever been treated for psychological or emotional difficulties?				
TRPSYCH	2	EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION		
		1 = Yes	2122	7.36
		2 = No	26588	92.22
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	112	0.39
HE-8. Have you ever been told by a doctor that you had a heart condition or heart problem?				
HEART	2	EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM		
		1 = Yes	1764	6.12
		2 = No	26980	93.58
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	79	0.27

		HEALTH CONDITIONS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----		
		HE-9. Do you seem to get a bad cold or the flu every year?			
FLU	2	GET BAD COLD OR FLU EVERY YEAR			
		1 = Yes	12626	43.79	
		2 = No	16121	55.91	
		94 = DON'T KNOW	1	0.00	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	77	0.27	
		HE-10. Do you have hay fever?			
ALLERG	2	HAS HAY FEVER			
		1 = Yes	5867	20.35	
		2 = No	22820	79.15	
		94 = DON'T KNOW	25	0.09	
		96 = MULTIPLE RESPONSE	3	0.01	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	111	0.38	
		HE-11. Have you been hospitalized overnight because of injury or illness in the past 12 months?			
HOSPYR	2	HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR			
		1 = Yes	2122	7.36	
		2 = No	26612	92.30	
		96 = MULTIPLE RESPONSE	2	0.01	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	90	0.31	
		HE-12. Have you had a sore throat lasting three days or more in the past 12 months?			
SOREYR	2	HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR			
		1 = Yes	10396	36.06	
		2 = No	18337	63.60	
		94 = DON'T KNOW	4	0.01	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	88	0.31	

LABEL	LEN	DESCRIPTION	FREQ	t
HEALTH CONDITIONS				
HE-13. Have you had a runny nose lasting three days or more in the past 12 months?				
RUNNYR	2	HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR		
		1 = Yes	13763	47.74
		2 = No	14956	51.87
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	100	0.35
HE-14. Have you had a cough lasting almost a week, three or more times in the past 12 months?				
COUGHYR	2	HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR		
		1 = Yes	5164	17.91
		2 = No	23534	81.62
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	122	0.42
HE-15. Have you had a period of cough with phlegm, lasting for three weeks or more, in the past 12 months?				
PHLEGMYR	2	HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR		
		1 = Yes	2355	8.17
		2 = No	26099	90.52
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	370	1.28
HE-16. Would you describe your health for the past 12 months as ... (READ ANSWER CHOICES)				
HEALTHYR	2	HEALTH FOR PAST 12 MONTHS		
		1 = Excellent	7957	27.60
		2 = Very good	10947	37.97
		3 = Good	7079	24.55
		4 = Fair	2419	8.39
		5 = Poor	356	1.23
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	4	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	64	0.22

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		HE-17. Please tell me how often you felt this way during the past week--rarely or none of the time, some or a little of the time, occasionally or a moderate amount of the time, or most or all of the time. Just tell me the number from this card.		
FLTEAT	2	DID NOT FEEL LIKE EATING; APPETITE POOR PAST WK		
		1 = Rarely or none of the time (less than a day)	22619	78.45
		2 = Some or a little of the time (1-2 days)	4062	14.09
		3 = Occasion. or a moderate amount of time (3-4 days)	1467	5.09
		4 = Most or all of the time (5-7 days)	523	1.81
		94 = DON'T KNOW	4	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.05
		98 = BLANK (NO ANSWER)	141	0.49
FLTMIND	2	HAD TRBL KEEPING MIND ON WHAT I WAS DOING PAST WK		
		1 = Rarely or none of the time (less than a day)	19434	67.40
		2 = Some or a little of the time (1-2 days)	6407	22.22
		3 = Occasion. or a moderate amount of time (3-4 days)	2050	7.11
		4 = Most or all of the time (5-7 days)	759	2.63
		94 = DON'T KNOW	4	0.01
		96 = MULTIPLE RESPONSE	4	0.01
		97 = REFUSED	14	0.01
		98 = BLANK (NO ANSWER)	160	0.55
FLTDEPRS	2	FELT DEPRESSED PAST WK		
		1 = Rarely or none of the time (less than a day)	21027	72.93
		2 = Some or a little of the time (1-2 days)	5173	17.94
		3 = Occasion. or a moderate amount of time (3-4 days)	1666	5.78
		4 = Most or all of the time (5-7 days)	761	2.64
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.05
		98 = BLANK (NO ANSWER)	186	0.65
FLTEFFRT	2	FELT EVERYTHING I DID WAS AN EFFORT PAST WK		
		1 = Rarely or none of the time (less than a day)	19237	66.72
		2 = Some or a little of the time (1-2 days)	5095	17.67
		3 = Occasion. or a moderate amount of time (3-4 days)	2258	7.83
		4 = Most or all of the time (5-7 days)	2045	7.09
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	4	0.01
		97 = REFUSED	14	0.05
		98 = BLANK (NO ANSWER)	174	0.60

		HEALTH CONDITIONS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
FLTSLEEP	2	MY SLEEP WAS RESTLESS PAST WK			
		1 = Rarely or none of the time (less than a day)	18660	64.72	
		2 = Some or a little of the time (1-2 days)	6188	21.46	
		3 = Occasion. or a moderate amount of time (3-4 days)	2333	8.09	
		4 = Most or all of the time (5-7 days)	1432	4.97	
		94 = DON'T KNOW	3	0.01	
		96 = MULTIPLE RESPONSE	9	0.03	
		97 = REFUSED	14	0.05	
		98 = BLANK (NO ANSWER)	193	0.67	
FLTSAD	2	FELT SAD PAST WK			
		1 = Rarely or none of the time (less than a day)	20178	69.98	
		2 = Some or a little of the time (1-2 days)	5983	20.75	
		3 = Occasion. or a moderate amount of time (3-4 days)	1694	5.88	
		4 = Most or all of the time (5-7 days)	787	2.73	
		94 = DON'T KNOW	5	0.02	
		96 = MULTIPLE RESPONSE	6	0.02	
		97 = REFUSED	14	0.05	
		98 = BLANK (NO ANSWER)	165	0.57	
FLTGOING	2	COULD NOT GET "GOING" PAST WK			
		1 = Rarely or none of the time (less than a day)	19818	68.74	
		2 = Some or a little of the time (1-2 days)	6117	21.22	
		3 = Occasion. or a moderate amount of time (3-4 days)	1758	6.10	
		4 = Most or all of the time (5-7 days)	962	3.34	
		94 = DON'T KNOW	5	0.02	
		97 = REFUSED	14	0.05	
		98 = BLANK (NO ANSWER)	158	0.55	

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	---
		DEMOGRAPHICS		

		3. Which of the following best describes your current marital status. Are you ...		
MARITAL	2	MARITAL STATUS		
		1 = Married	9246	32.07
		2 = Widowed	679	2.36
		3 = Divorced or separated	2534	8.79
		4 = Has never married	12390	42.97
		85 = BAD DATA Logically assigned	63	0.22
		89 = LEGITIMATE SKIP Logically assigned	1538	5.33
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	251	0.87
		99 = LEGITIMATE SKIP	2120	7.35
		4. How many times have you been married?		
NOMARR	2	# TIMES MARRIED		
		RANGE = 0 - 10	12008	41.6
		85 = BAD DATA Logically assigned	33	0.1
		89 = LEGITIMATE SKIP Logically assigned	234	0.81
		97 = REFUSED	14	0.05
		98 = BLANK (NO ANSWER)	729	2.53
		99 = LEGITIMATE SKIP	15814	54.85

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
		5. Please look at this card and tell me which of the statements describes your present work situation. (CIRCLE THE LOWEST CODE THAT APPLIES)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	11603	40.24
		2 = Working part-time, less than 35 hours a week	3533	12.25
		3 = Have job but out: illness/leave/furlough/strike ..	157	0.54
		4 = Unemployed or laid off and looking for work	1567	5.43
		5 = Unemployed and not looking for work	655	2.27
		6 = Full-time homemaker only	2282	7.91
		7 = In school only	7432	25.78
		8 = Retired	760	2.64
		9 = Disabled, not able to work	485	1.68
		21 = Working full time, 35 hours or more a week	6	0.02
		22 = Working part time, less than 35 hours a week	65	0.23
		23 = Have a job but out: illness/leave/furlough/strike	7	0.02
		24 = Unemployed or laid off and looking for work	5	0.02
		25 = Unemployed and not looking for work	2	0.01
		26 = Full-time homemaker	9	0.03
		27 = In school only	28	0.10
		28 = Retired	3	0.01
		29 = Disabled, not able to work	3	0.01
		30 = Other, in labor force	75	0.26
		31 = Other, not in the labor force	51	0.18
		85 = BAD DATA Logically assigned	10	0.03
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	86	0.30
		6. In what month and year did you last work for pay?		
PAYMO	2	MONTH LAST WORKED FOR PAY		
		RANGE = 1 - 12		
		89 = LEGITIMATE SKIP Logically assigned	6502	22.55
		91 = NEVER WORKED FOR PAY	2249	7.80
		94 = DON'T KNOW	6205	21.52
		97 = REFUSED	285	0.99
		98 = BLANK (NO ANSWER)	23	0.08
		99 = LEGITIMATE SKIP	446	1.55
			13122	45.51
PAYYR	3	YEAR (19__) LAST WORKED FOR PAY		
		RANGE = 26 - 92		
		985 = BAD DATA Logically assigned	6922	24.01
		989 = LEGITIMATE SKIP Logically assigned	6	0.02
		991 = NEVER WORKED FOR PAY	2246	7.79
		994 = DON'T KNOW	6205	21.52
		997 = REFUSED	38	0.13
		998 = BLANK (NO ANSWER)	23	0.08
		999 = LEGITIMATE SKIP	267	0.93
			13125	45.52

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
		11. How many different jobs have you had in the past 5 years?		
NO5JOB	2	# OF JOBS LAST 5 YEARS		
		RANGE = 0 - 60	21839	75.75
		89 = LEGITIMATE SKIP Logically assigned	17	0.06
		94 = DON'T KNOW	16	0.06
		95 = BAD DATA	5	0.02
		97 = REFUSED	24	0.08
		98 = BLANK (NO ANSWER)	743	2.58
		99 = LEGITIMATE SKIP	6188	21.46
		12. During the last 30 days, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS		
		RANGE = 0 - 30	15148	52.54
		89 = LEGITIMATE SKIP Logically assigned	7118	24.69
		95 = BAD DATA	2	0.01
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	310	1.08
		99 = LEGITIMATE SKIP	6243	21.65
		13. During the last 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK LAST 30 DAYS		
		RANGE = 0 - 30	15108	52.40
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	7103	24.64
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	10	0.03
		98 = BLANK (NO ANSWER)	350	1.21
		99 = LEGITIMATE SKIP	6258	21.71
		14. Who is considered to be the chief wage earner or source of income in in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD		
		1 = Respondent	6350	22.02
		2 = Someone else (Specified in CWESC)	16017	55.55
		3 = Income contributed equally (Specified in CWESC) ..	1816	6.30
		4 = No one	779	2.70
		89 = LEGITIMATE SKIP Logically assigned	2605	9.04
		94 = DON'T KNOW	8	0.03
		97 = REFUSED	21	0.07
		98 = BLANK (NO ANSWER)	155	0.54
		99 = LEGITIMATE SKIP	1081	3.75

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		15. Does (he/she) work ...		
FULLPART	2	WORK STATUS OF CHIEF WAGE EARNER		
		1 = Full-time	14791	51.30
		2 = Part-time	752	2.61
		3 = Chief source of income does not work	2401	8.33
		89 = LEGITIMATE SKIP Logically assigned	105	0.36
		94 = DON'T KNOW	17	0.06
		97 = REFUSED	34	0.12
		98 = BLANK (NO ANSWER)	382	1.32
		99 = LEGITIMATE SKIP	10350	35.90
		20. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	60	0.21
		1 = First Grade	18	0.06
		2 = Second grade	36	0.12
		3 = Third grade	104	0.36
		4 = Fourth grade	122	0.42
		5 = Fifth grade	532	1.85
		6 = Sixth grade	1520	5.27
		7 = Seventh Grade	1402	4.86
		8 = Eighth grade	1704	5.91
		9 = Ninth grade	1965	6.82
		10 = Tenth grade	2182	7.57
		11 = Eleventh grade	2427	8.42
		12 = Twelfth grade	7406	25.69
		13 = One year college	1739	6.03
		14 = 2 years college	2493	8.65
		15 = 3 years college	969	3.36
		16 = 4 years college	2525	8.76
		17 = Graduate/professional school	1474	5.11
		85 = BAD DATA Logically assigned	44	0.15
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	18	0.06
		98 = BLANK (NO ANSWER)	89	0.31
		21. Have you graduated from high school?		
GRADHS	2	GRADUATED FROM HIGH SCHOOL		
		1 = Yes	7150	24.80
		2 = No	11962	41.49
		4 = NO LOGICALLY IMPUTED (firm DIPLOMA)	134	0.46
		89 = LEGITIMATE SKIP Logically assigned	2467	8.56
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	15	0.05
		98 = BLANK (NO ANSWER)	424	1.47
		99 = LEGITIMATE SKIP	6679	23.17

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		22. Have you received a high school diploma or a GED certificate of high school completion?		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High school diploma	6924	24.01
		2 = GED certificate	1011	3.51
		3 = Neither of the above	6574	22.80
		89 = LEGITIMATE SKIP Logically assigned	3544	12.29
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	15	0.05
		98 = BLANK (NO ANSWER)	466	1.62
		99 = LEGITIMATE SKIP	10295	35.71
		23. Are you now enrolled in any kind of school?		
ENROLLED	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	11274	39.10
		2 = No	17240	59.79
		3 = Yes LOGICALLY IMPUTED	112	0.39
		4 = No LOGICALLY IMPUTED	108	0.37
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	12	0.0
		98 = BLANK (NO ANSWER)	85	0.2
		24. Do you have plans to enroll in any kind of school in the future, or have you completed all the schooling you expect to get?		
SCHPLANS	2	PLANS FOR FUTURE SCHOOLING		
		1 = Has plans to enroll in a school in future	8857	30.72
		2 = Has completed all schooling	8313	28.83
		89 = LEGITIMATE SKIP Logically assigned	423	1.47
		94 = DON'T KNOW	67	0.23
		97 = REFUSED	16	0.06
		98 = BLANK (NO ANSWER)	193	0.67
		99 = LEGITIMATE SKIP	10963	38.02

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		25. Which of the following best describes your student status now? Are you...?		
STUDENT	2	STUDENT STATUS NOW		
		1 = A full-time student	9413	32.65
		2 = A part-time student	1743	6.05
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	313	1.09
		99 = LEGITIMATE SKIP	17347	60.17
		26. During the last month of school, how many whole days did you miss because you were sick or injured?		
SCHDAYS	2	# OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO		
		RANGE = 0 - 31	11086	38.45
		89 = LEGITIMATE SKIP Logically assigned	17	0.06
		94 = DON'T KNOW	8	0.03
		95 = BAD DATA	2	0.01
		97 = REFUSED	13	0.05
		98 = BLANK (NO ANSWER)	374	1.30
		99 = LEGITIMATE SKIP	17332	60.11
		27. During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SKIPPED	2	# DAYS SKIPPED SCHOOL LAST MONTH		
		RANGE = 0 - 30	11078	38.42
		89 = LEGITIMATE SKIP Logically assigned	33	0.11
		94 = DON'T KNOW	6	0.02
		95 = BAD DATA	1	0.00
		97 = REFUSED	13	0.05
		98 = BLANK (NO ANSWER)	385	1.34
		99 = LEGITIMATE SKIP	17316	60.06

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		28. During a typical week, how many total miles would you estimate you usually drive a motor vehicle, such as a car, truck, or motorcycle?		
MILES	5	# MILES RESPONDENT DRIVES IN A TYPICAL WEEK		
		RANGE = 0 - 10000	19863	68.89
		99989 = LEGITIMATE SKIP Logically assigned	818	2.84
		99991 = HAS NEVER DRIVEN A MOTOR VEHICLE	4841	16.79
		99994 = DON'T KNOW	111	0.38
		99997 = REFUSED	14	0.05
		99998 = BLANK (NO ANSWER)	345	1.20
		99999 = LEGITIMATE SKIP	2840	9.85
		29. During the past 12 months, have you had an accident while you were driving a motor vehicle, whether or not you were responsible?		
ACCID	2	HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS		
		1 = Yes	2098	7.28
		2 = No	17266	59.88
		3 = Did not drive in past 12 months	627	2.17
		89 = LEGITIMATE SKIP Logically assigned	433	1.50
		94 = DON'T KNOW	1	0.0
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.03
		98 = BLANK (NO ANSWER)	329	1.14
		99 = LEGITIMATE SKIP	8066	27.98
		30. How many living biological children do you have? For this question, do not include any adopted, step, or foster children.		
NOCHILD	2	# OF BIOLOGICAL CHILDREN		
		0 = None	13095	45.42
		1 = One	4012	13.92
		2 = Two	4152	14.40
		3 = Three	2094	7.26
		4 = Four	881	3.06
		5 = Five	364	1.26
		6 = Six or more	325	1.13
		89 = LEGITIMATE SKIP Logically assigned	1117	3.87
		95 = BAD DATA	14	0.05
		97 = REFUSED	20	0.07
		98 = BLANK (NO ANSWER)	217	0.75
		99 = LEGITIMATE SKIP	2541	8.81
		32. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# OF RESIDENTS IN HOUSEHOLD		
		RANGE = 1 - 20	28754	99.73
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER)	74	0.26

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		33. Now, I need to know the relationship to you of the other person(s) who live(s) here.		
		33a.-33l. (Does your/Do any of your/Do either of your/Do any other/Are there) (RELATIONSHIP(s)) (live here/ living here/living here now)?		
		34. How many (EACH RELATIONSHIP IN Q.33) live here now?		
MOTHER	2	MOTHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	17430	60.45
		1 = Yes	11180	38.78
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	216	0.75
FATHER	2	FATHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	21044	72.99
		1 = Yes	7532	26.12
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	249	0.86
STEPMOM	2	STEPMOTHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	28343	98.30
		1 = Yes	208	0.72
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	272	0.94
STEPDAD	2	STEPFATHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	27781	96.35
		1 = Yes	773	2.68
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	270	0.94
SPOUSE	2	SPOUSE/LIVE-IN PARTNER OF RESP RESIDES IN HSEHOLD		
		0 = No	18545	64.32
		1 = Yes	10027	34.78
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	253	0.88
INLAW	2	# PARENT(S) -IN-LAW OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 4	255	0.88
		0 = None	28293	98.13
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	2	0.01
		97 = REFUSED	7	0.02
		98 = BLANK (NO ANSWER)	275	0.95

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
OWNCHILD	2	# BIOLOGICAL CHILDREN OF RESP RESIDES IN HOUSEHOLD	
		RANGE = 1 - 12	9454
		0 = None	32.79
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	19304
		94 = DON'T KNOW	2
		97 = REFUSED	1
		98 = BLANK (NO ANSWER)	6
			0.01
			0.00
			0.02
			0.23
STEPCHLD	2	# ADOPTED/STEPCHILDREN OF RESP RESIDES IN HOUSEHOL	
		RANGE = 1 - 5	530
		0 = None	1.84
		97 = REFUSED	28020
		98 = BLANK (NO ANSWER)	7
			0.02
			0.95
BROSIS	2	# BROTHERS/SISTERS OF RESP RESIDES IN HOUSEHOLD	
		RANGE = 1 - 11	8936
		0 = None	30.99
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	19674
		97 = REFUSED	2
		98 = BLANK (NO ANSWER)	7
			0.01
			0.02
			0.74
OTHREL	2	# OTHER RELATIVES OF RESP RESIDES IN HOUSEHOLD	
		RANGE = 1 - 14	3511
		0 = None	12.18
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	25061
		97 = REFUSED	3
		98 = BLANK (NO ANSWER)	7
			0.01
			0.01
			0.87
FRIENDS	2	# FRIENDS/ROOMMATES OF RESP RESIDES IN HOUSEHOLD	
		RANGE = 1 - 14	1810
		0 = None	6.28
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	26736
		97 = REFUSED	6
		98 = BLANK (NO ANSWER)	7
			0.02
			0.02
			0.95
OTHERNON	2	# OTHER PEOPLE UNRELATD TO RESP RESIDES IN HOUSEHL	
		RANGE = 1 - 14	609
		0 = None	2.11
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	27943
		97 = REFUSED	1
		98 = BLANK (NO ANSWER)	7
			0.00
			0.02
			0.94

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		35. Are there any of your family members who lived here for six months or more in the past year, who are now living somewhere else?		
MOVDAWAY	2	ANY RESIDENT FOR 6 MONTHS IN PAST YEAR NOW MOVED		
		1 = Yes	993	3.44
		2 = No	26537	92.04
		3 = Yes LOGICALLY IMPUTED	13	0.05
		4 = No LOGICALLY IMPUTED	1135	3.94
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	143	0.50
		36. How many of these persons who used to live here (for most of the past year) are now living in a... (READ ALL CATEGORIES.)		
DORM	2	# OF FORMER RESIDENTS NOW LIVING AT COLLEGE		
		RANGE = 0 - 15	1979	6.86
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	309	1.07
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	26537	92.04
MILBASE	2	# OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE		
		RANGE = 0 - 2	1975	6.85
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	313	1.09
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	26537	92.04
HOSP	2	# OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST		
		RANGE = 0 - 3	1975	6.85
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	313	1.09
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	26537	92.04
OTHGPH	2	# OF FORMR RESDNTS NOW LIVING IN OTHR GRP HOUSING		
		RANGE = 0 - 9	1971	6.84
		85 = BAD DATA Logically assigned	5	0.02
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	308	1.07
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	26537	92.04

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTHGPHSP	2	OTHR GRP HOUSING (SPECIFIED) WHERE FORMER RESIDENTS LIVE		
		1 = Own home	69	0.24
		2 = Married	12	0.04
		3 = (Moved to) another dwelling, ownership not specified	73	0.25
		4 = (Moved to) apartment, ownership not specified	117	0.41
		6 = Trailer = Code 01	1	0.00
		7 = Foster home	3	0.01
		8 = Nursing home/home for handicapped/retirement home	5	0.02
		9 = Died	4	0.01
		10 = Lives out of state/city/county	6	0.02
		11 = Staying/living with a friend	12	0.04
		12 = Job Corp	4	0.01
		13 = Townhouse	2	0.01
		14 = Overseas/out of country	11	0.04
		15 = Lives with mother/father/relatives	33	0.11
		17 = With other children in school group housing	2	0.01
		18 = Group housing in college	2	0.01
		21 = Group home/halfway house/shelter/tx or rehab	6	0.02
		85 = BAD DATA Logically assigned	6	0.02
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	344	1.19
		99 = LEGITIMATE SKIP	28112	97.50
37. Have you ever been in the armed forces?				
SERVICE	2	EVER SERVED IN ARMED FORCES		
		1 = Yes	1714	5.94
		2 = No	20841	72.28
		3 = Yes LOGICALLY IMPUTED	26	0.09
		89 = LEGITIMATE SKIP Logically assigned	935	3.24
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	200	0.69
		99 = LEGITIMATE SKIP	5111	17.73
38. Are you... (READ ANSWER CHOICES)				
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a Reserves component	234	0.81
		3 = Separated/retired from Reserves or active duty ...	1467	5.09
		89 = LEGITIMATE SKIP Logically assigned	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	239	0.83
		99 = LEGITIMATE SKIP	26881	93.23

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		39. How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO	2	# OF TELEPHONE NUMBERS IN HOUSEHOLD		
		RANGE = 0 - 7	28547	99.01
		97 = REFUSED	21	0.07
		98 = BLANK (NO ANSWER)	264	0.92
		40. How many times in the past five years have you moved?		
MOVES	2	# OF TIMES MOVED PAST 5 YEARS		
		RANGE = 0 - 75	28037	97.24
		94 = DON'T KNOW	11	0.04
		97 = REFUSED	19	0.07
		98 = BLANK (NO ANSWER)	765	2.65
		44. Is there some other family member who lives here that you think would be better able to give me the correct information about your health insurance coverage and the kinds of income you receive?		
PROXABLE	2	OTHR FMLY MEMBR ABLE TO GIVE INFO ON HLTH INS/INCM		
		1 = Yes	6376	22.11
		2 = No	18344	63.62
		3 = Yes LOGICALLY IMPUTED	128	0.44
		89 = LEGITIMATE SKIP Logically assigned	2699	9.36
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	19	0.07
		98 = BLANK (NO ANSWER)	467	1.62
		99 = LEGITIMATE SKIP	793	2.75

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		45. Who is the person you think can help us get better information for these questions?		
PROXYREL	2	RELATN TO R OF PERSON ABLE TO GIVE INFO ON NEXT Q'S		
		1 = Respondent's spouse/live-in partner = Code 12/13	217	0.75
		2 = Respondent's father = Code 15	1314	4.56
		3 = Respondent's mother = Code 14	3923	13.61
		4 = Respondent's brother = Code 19	58	0.20
		5 = Respondent's sister = Code 18	100	0.35
		6 = Other family member, relation not specified	3	0.01
		12 = Spouse	6	0.02
		14 = Mother	12	0.04
		15 = Father	3	0.01
		16 = Daughter	12	0.04
		17 = Son	6	0.02
		20 = Grandmother	128	0.44
		21 = Grandfather	19	0.07
		22 = Other female blood relative	56	0.19
		23 = Other male blood relative	29	0.10
		25 = Father-in-law	2	0.01
		26 = Other female in-laws	6	0.02
		27 = Other male in-laws	8	0.03
		28 = Female friend, girlfriend	2	0.01
		29 = Male friend, boyfriend	1	0.00
		30 = Other female acquaintance, roommate	1	0.00
		31 = Other male acquaintance, roommate	2	0.01
		32 = Step-mother	25	0.09
		33 = Step-father	26	0.09
		40 = Friend (sex unspecified), boarder	1	0.00
		41 = Parents	2	0.01
		43 = Guardian (sex unspecified)	1	0.00
		44 = Foster mother, female guardian	3	0.01
		50 = Multiple people listed	1	0.00
		51 = Relative, sex not specified	3	0.01
		52 = Roommate, sex not specified	1	0.00
		63 = Visitor	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	11	0.04
		94 = DON'T KNOW	4	0.01
		96 = MULTIPLE RESPONSE	50	0.17
		97 = REFUSED	21	0.07
		98 = BLANK (NO ANSWER)	949	3.29
		99 = LEGITIMATE SKIP	21825	75.70

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		46. Is your (RELATIVE FROM Q.45) here at home now?		
PROXHOME	2	RELATIVE FROM PROXYREL HERE AT HOME NOW		
		1 = Yes	5299	18.38
		2 = No	621	2.15
		3 = Yes LOGICALLY IMPUTED	133	0.46
		89 = LEGITIMATE SKIP Logically assigned	50	0.17
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	19	0.07
		98 = BLANK (NO ANSWER)	920	3.19
		99 = LEGITIMATE SKIP	21786	75.56
		47. Would you ask your (RELATIVE FROM Q.45) to join us to help with these last few questions about health insurance and income?		
PROXJOIN	2	WOULD R ASK RELATIVE FROM PROXYREL TO JOIN US NOW		
		1 = Yes	5224	18.12
		2 = No	50	0.17
		89 = LEGITIMATE SKIP Logically assigned	66	0.23
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	21	0.07
		98 = BLANK (NO ANSWER)	1075	3.73
		99 = LEGITIMATE SKIP	22391	77.66
		48. Several government programs provide medical care or help pay medical bills. People covered by Medicare have a card that looks like this. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by Medicare? (Medicare is a health insurance program for persons 65 and older and for certain disabled persons.)		
MEDICARE	2	COVERED BY MEDICARE LAST FULL CALENDAR MONTH(LFCM)		
		1 = Yes	1400	4.86
		2 = No	27140	94.13
		94 = DON'T KNOW	41	0.14
		96 = MULTIPLE RESPONSE	9	0.03
		97 = REFUSED	33	0.11
		98 = BLANK (NO ANSWER)	209	0.72

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		49. In (month), (were you/was (SAMPLE MEMBER)) covered by Medicaid or (MEDICAL ASSISTANCE/CAL.-KAN.-AZ.NAME)? (MEDICAID or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.)		
MEDICAID	2	COVERED BY MEDICAID LAST FULL CALENDAR MONTH(LFCM)		
		1 = Yes	3074	10.66
		2 = No	25529	88.54
		94 = DON'T KNOW	56	0.19
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	39	0.14
		98 = BLANK (NO ANSWER)	133	0.46
		50. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by CHAMPUS, CHAMPVA, the VA, or military health care? (These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.)		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MIL HLTH CARE LFCM		
		1 = Yes	713	2.47
		2 = No	27824	96.50
		94 = DON'T KNOW	47	0.16
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	37	0.13
		98 = BLANK (NO ANSWER)	210	0.73
		51. Health insurance can also be obtained through a current or former employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was (SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by a current/former employer or union in (MONTH)?		
PRVHLTIN	2	COVERED BY PRIVATE HEALTH INSURANCE LFCM		
		1 = Yes	18126	62.87
		2 = No	10099	35.03
		3 = Yes LOGICALLY IMPUTED	340	1.18
		94 = DON'T KNOW	116	0.40
		97 = REFUSED	45	0.16
		98 = BLANK (NO ANSWER)	106	0.37

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		52. Was (your/(SAMPLE MEMBER's)) private health insurance coverage provided by a plan in (your/(SAMPLE MEMBER's)) own name or in the name of some other family member?		
OWNHLTIN	2	PRIVATE PLAN IN OWN NAME OR FAMILY NAME LFCM		
		1 = Yes	17617	61.10
		2 = No	731	2.54
		3 = Yes LOGICALLY IMPUTED	110	0.38
		89 = LEGITIMATE SKIP Logically assigned	419	1.45
		94 = DON'T KNOW	129	0.45
		97 = REFUSED	45	0.16
		98 = BLANK (NO ANSWER)	224	0.78
		99 = LEGITIMATE SKIP	9557	33.15
		53. Was this private health insurance plan offered through (your/(SAMPLE MEMBERS's)) current or former employer or union or through the current or former employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED BY YOUR/FAMILY EMPLOYER LFCM		
		1 = Yes	16241	56.33
		2 = No	1397	4.85
		89 = LEGITIMATE SKIP Logically assigned	366	1.27
		94 = DON'T KNOW	155	0.54
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	45	0.16
		98 = BLANK (NO ANSWER)	366	1.27
		99 = LEGITIMATE SKIP	10260	35.59
		54. Did (your/(SAMPLE MEMBERS's)) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	PRIVATE PLAN COVERED ALCOHOL ABUSE LFCM		
		1 = Yes	10150	35.20
		2 = No	3306	11.47
		89 = LEGITIMATE SKIP Logically assigned	262	0.91
		94 = DON'T KNOW	5121	17.76
		97 = REFUSED	48	0.17
		98 = BLANK (NO ANSWER)	231	0.80
		99 = LEGITIMATE SKIP	9714	33.69

		DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
HLTINDRG	2	PRIVATE PLAN COVERED DRUG ABUSE LFCM			
		1 = Yes		10006	34.70
		2 = No		3343	11.59
		89 = LEGITIMATE SKIP Logically assigned		263	0.91
		94 = DON'T KNOW		5225	18.12
		97 = REFUSED		48	0.17
		98 = BLANK (NO ANSWER)		234	0.81
		99 = LEGITIMATE SKIP		9713	33.69
HLTIMMNT	2	PRIVATE PLAN COVERED MENTAL DIFFICULTIES LFCM			
		1 = Yes		10870	37.70
		2 = No		3004	10.42
		89 = LEGITIMATE SKIP Logically assigned		263	0.91
		94 = DON'T KNOW		4692	16.27
		97 = REFUSED		48	0.17
		98 = BLANK (NO ANSWER)		242	0.84
		99 = LEGITIMATE SKIP		9713	33.69

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		(55.) (WHO ANSWERED MOST OF THE QUESTIONS ABOUT (SAMPLE MEMBERS'S) HEALTH INSURANCE?)		
WHOANSHI	2	WHO ANSWERED QUESTIONS ABOUT HEALTH INSURANCE		
		1 = Sample member	23068	80.01
		2 = Proxy, relationship to sample member not specified	906	3.14
		12 = Spouse	140	0.49
		13 = Live-in partner, fiancée	5	0.02
		14 = Mother	3117	10.81
		15 = Father	958	3.32
		16 = Daughter	8	0.03
		17 = Son	7	0.02
		18 = Sister	87	0.30
		19 = Brother	33	0.11
		20 = Grandmother	110	0.38
		21 = Grandfather	10	0.03
		22 = Other female blood relative	48	0.17
		23 = Other male blood relative	20	0.07
		26 = Other female in-laws	7	0.02
		27 = Other male in-laws	7	0.02
		28 = Close female friend	6	0.02
		29 = Close male friend	2	0.01
		30 = Other female acquaintance, roommate	1	0.00
		31 = Other male acquaintance, roommate	2	0.01
		32 = Step-mother	29	0.10
		33 = Step-father	38	0.13
		40 = Friend (sex unspecified), boarder	3	0.01
		41 = Parents	15	0.05
		43 = Guardian (sex unspecified)	4	0.01
		44 = Foster mother, female guardian	4	0.01
		45 = Foster father, male guardian	1	0.00
		50 = Multiple people listed	2	0.01
		51 = Relative, sex not specified	4	0.01
		52 = Roommate, sex not specified	2	0.01
		61 = Siblings	1	0.00
		62 = Co-worker	1	0.00
		94 = DON'T KNOW	7	0.02
		96 = MULTIPLE RESPONSE	9	0.03
		97 = REFUSED	23	0.08
		98 = BLANK (NO ANSWER)	147	0.51

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		56. Now we would like to get some information about (your/(SAMPLE MEMBER's)) employment. Did you have a job or business in (MONTH)?		
JOB	2	HAVE A JOB IN (MONTH)		
		1 = Yes	15607	54.13
		2 = No	12742	44.19
		3 = Yes LOGICALLY IMPUTED	346	1.20
		4 = No LOGICALLY IMPUTED	2	0.01
		94 = DON'T KNOW	8	0.03
		97 = REFUSED	36	0.12
		98 = BLANK (NO ANSWER)	91	0.32
		57. How many hours total did you work at all jobs in (MONTH)? (A typical full-time job requires 35 or more hours each week.)		
HOURS	3	TOTAL HOURS WORKED IN (MONTH)		
		RANGE = 1 - 480	15632	54.22
		985 = BAD DATA Logically assigned	127	0.44
		994 = DON'T KNOW	44	0.15
		995 = BAD DATA	2	0.01
		997 = REFUSED	55	0.11
		998 = BLANK (NO ANSWER)	228	0.79
		999 = LEGITIMATE SKIP	12744	44.20
		58. Were you working for an employer or were you self-employed in (MONTH)? (Examples of self-employment include working in your own business, professional practice, or farm.)		
WORK	2	SELF-EMPLOYED OR WORKING FOR EMPLOYER		
		1 = Worked only for an employer	14176	49.17
		2 = Was self-employed only	1273	4.42
		3 = Self-employed and working for an employer	390	1.35
		4 = Did not work during the month	12501	43.36
		5 = Did work during the month LOGICALLY IMPUTED	283	0.98
		6 = Did not work during the month LOGICALLY IMPUTED ..	79	0.27
		94 = DON'T KNOW	8	0.03
		97 = REFUSED	31	0.11
		98 = BLANK (NO ANSWER)	91	0.32
WAG1	2	PERSONALLY RECEIVED WAGES IN MONTH - RECODE		
		1 = Yes	16109	55.87
		2 = No	12580	43.63
		3 = Yes LOGICALLY IMPUTED	13	0.05
		94 = DON'T KNOW	8	0.03
		97 = REFUSED	31	0.11
		98 = BLANK (NO ANSWER)	91	0.32

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		59. How much income did you personally receive in (MONTH), before deductions, from all your jobs and from your own self-employment? Include any tips, bonuses, overtime pay, or commissions. For self-employment, report net income, after business expenses. (For farms, include any earnings as a tenant farmer or sharecropper.)		
AWAG1	6	INCOME RECEIVED FROM ALL JOBS AND SELF EMPLOYMENT		
		RANGE = 5 - 22000	13644	47.32
		999985 = BAD DATA Logically assigned	326	1.13
		999994 = DON'T KNOW	464	1.61
		999997 = REFUSED	1491	5.17
		999998 = BLANK (NO ANSWER)	327	1.13
		999999 = LEGITIMATE SKIP	12580	43.63
		60. Now think about the past 12 months, since (MONTH) of 1991 up to now. How many weeks in the past 12 months did you either have a job or were self-employed? (There were 52 weeks in that 12 months.) (If "NONE," ENTER ZERO.)		
WEEKS	2	# WEEKS LAST YEAR YOU WORKED		
		RANGE = 0 - 52	28244	97.96
		94 = DON'T KNOW	54	0.19
		97 = REFUSED	57	0.20
		98 = BLANK (NO ANSWER)	477	1.65
		61. Now, I would like for you to think about the month of (LAST FULL CALENDAR MONTH) again. In (MONTH), did (you/(SAMPLE MEMBER)) receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in a gold-colored envelope.)		
SOC1	2	RECEIVED SS OR RR PAYMENTS		
		1 = Yes	1370	4.75
		2 = No	27268	94.58
		3 = Yes LOGICALLY IMPUTED	21	0.07
		94 = DON'T KNOW	23	0.08
		97 = REFUSED	48	0.17
		98 = BLANK (NO ANSWER)	102	0.35

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		62. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from Social Security or Railroad Retirement?	
ASOC1	6	AMOUNT OF INCOME RECEIVED FROM SS OR RR	
		RANGE = 17 - 2000	1092 3.79
		999985 = BAD DATA Logically assigned	19 0.07
		999994 = DON'T KNOW	82 0.28
		999997 = REFUSED	242 0.84
		999998 = BLANK (NO ANSWER)	129 0.45
		999999 = LEGITIMATE SKIP	27268 94.58
		63. In (MONTH), did (you/(SAMPLE MEMBER)) receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue-colored envelope.)	
SSI1	2	RECEIVED MONEY FROM SSI	
		1 = Yes	490 1.70
		2 = No	28121 97.53
		3 = Yes LOGICALLY IMPUTED	7 0.07
		94 = DON'T KNOW	31 0.11
		97 = REFUSED	50 0.17
		98 = BLANK (NO ANSWER)	133 0.46
		64. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from Supplemental Security Income or SSI?	
ASSI1	6	AMOUNT OF INCOME RECEIVED FROM SSI	
		RANGE = 7 - 2917	396 1.37
		999985 = BAD DATA Logically assigned	14 0.05
		999994 = DON'T KNOW	60 0.21
		999997 = REFUSED	94 0.33
		999998 = BLANK (NO ANSWER)	147 0.51
		999999 = LEGITIMATE SKIP	28121 97.53

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		65. In (MONTH), did (you/(SAMPLE MEM- BER)) receive public assistance or welfare payments from the State or local welfare office? Do not include SSI.		
PUB1	2	RECEIVED PUBLIC ASSISTANCE OR WELFARE PAYMENTS		
		1 = Yes	1671	5.80
		2 = No	26807	92.98
		3 = Yes LOGICALLY IMPUTED	159	0.55
		94 = DON'T KNOW	30	0.10
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	51	0.18
		98 = BLANK (NO ANSWER)	112	0.39
		66. Did (you/(SAMPLE MEMBER)) receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?		
AFDC1	2	RECEIVED AFDC OR OTHER TYPE OF ASSISTANCE		
		1 = Income from AFDC/ADC	1422	4.93
		2 = Income from other	261	0.91
		3 = Income from both	78	0.27
		94 = DON'T KNOW	41	0.14
		97 = REFUSED	52	0.18
		98 = BLANK (NO ANSWER)	171	0.59
		99 = LEGITIMATE SKIP	26807	92.98
WEL1	2	PERSONALLY RECEIVED INCOME FROM WELFARE - RECODE		
		1 = Yes	1824	6.33
		2 = No	26807	92.98
		3 = Yes LOGICALLY IMPUTED	6	0.02
		94 = DON'T KNOW	19	0.07
		97 = REFUSED	40	0.14
		98 = BLANK (NO ANSWER)	136	0.47
		67. How much income did (you/(SAMPLE MEMBER)) receive from public assistance or welfare in (MONTH)?		
AWEL1	6	AMOUNT OF INCOME RECEIVED FROM PUB.ASSITCE/WELFARE		
		RANGE = 20 - 1600	1440	4.99
		999985 = BAD DATA Logically assigned	51	0.18
		999994 = DON'T KNOW	123	0.43
		999997 = REFUSED	147	0.51
		999998 = BLANK (NO ANSWER)	264	0.92
		999999 = LEGITIMATE SKIP	26807	92.98

		DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION		FREQ	
-----	---	-----		----	-
		68. In (MONTH), did (you/(SAMPLE MEMBER)) have money in any kind of savings or other bank account that earned interest or did you receive dividend income from stocks or mutual funds or income from rental property, royalties, estates or trusts? (Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.)			
INT1	2	HAD MONEY THAT EARNED INTEREST			
		1 = Yes	9701	33.65	
		2 = No	18727	64.95	
		3 = Yes LOGICALLY IMPUTED	57	0.20	
		4 = No LOGICALLY IMPUTED	1	0.00	
		94 = DON'T KNOW	49	0.17	
		96 = MULTIPLE RESPONSE	2	0.01	
		97 = REFUSED	180	0.62	
		98 = BLANK (NO ANSWER)	115	0.40	
		69. What is your best estimate of the total amount of this type of income that (you/(SAMPLE MEMBER)) earned in (MONTH)?			
AIN1	6	AMOUNT OF INCOME FROM INTEREST			
		RANGE = 1 - 5084	4967	17.23	
		999985 = BAD DATA Logically assigned	436	1.51	
		999994 = DON'T KNOW	3271	11.35	
		999997 = REFUSED	1154	4.00	
		999998 = BLANK (NO ANSWER)	276	0.96	
		999999 = LEGITIMATE SKIP	18728	64.96	
		70. IN (MONTH), did (you/(SAMPLE MEMBER)) receive any child support payments?			
CHD1	2	RECEIVED ANY CHILD SUPPORT PAYMENTS			
		1 = Yes	886	3.07	
		2 = No	27549	95.55	
		3 = Yes LOGICALLY IMPUTED	27	0.09	
		4 = No LOGICALLY IMPUTED	1	0.00	
		94 = DON'T KNOW	22	0.08	
		97 = REFUSED	52	0.18	
		98 = BLANK (NO ANSWER)	295	1.02	

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		71. What was the total amount of child support payments (you/(SAMPLE MEMBER)) received in (MONTH)?		
ACHD1	6	AMOUNT OF INCOME RECEIVED FROM CHILD SUPPORT		
		RANGE = 10 - 1600	798	2.77
		999985 = BAD DATA Logically assigned	19	0.07
		999994 = DON'T KNOW	51	0.18
		999997 = REFUSED	104	0.36
		999998 = BLANK (NO ANSWER)	310	1.08
		999999 = LEGITIMATE SKIP	27550	95.55
		72. In (MONTH), did (you/(SAMPLE MEMBER)) receive income from any other sources such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or sale of a home.		
OTH1	2	RECEIVED INCOME FROM OTHER SOURCES		
		1 = Yes	1102	3.82
		2 = No	27139	94.13
		3 = Yes LOGICALLY IMPUTED	235	0.82
		4 = No LOGICALLY IMPUTED	18	0.06
		94 = DON'T KNOW	31	0.11
		97 = REFUSED	65	0.23
		98 = BLANK (NO ANSWER)	242	0.84
		73. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from all other sources?		
AOTH1	6	AMOUNT OF INCOME RECEIVED FROM OTHER SOURCES		
		RANGE = 8 - 5000	1127	3.91
		999985 = BAD DATA Logically assigned	46	0.16
		999989 = LEGITIMATE SKIP Logically assigned	2	0.01
		999994 = DON'T KNOW	57	0.20
		999997 = REFUSED	185	0.64
		999998 = BLANK (NO ANSWER)	260	0.90
		999999 = LEGITIMATE SKIP	27155	94.18

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		BOX K: DOES RESPONDENT HAVE ANY FAMILY MEMBERS LIVING IN THIS RESIDENCE?		
FAMILYRES	2	FAMILY MEMBERS ARE LIVING IN THIS RESIDENCE		
		1 = Yes	23706	82.22
		2 = No	4625	16.04
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	16	0.06
		98 = BLANK (NO ANSWER)	477	1.65
		74. Besides (yourself/(SAMPLE MEMBER)), did any other family member living here receive any income in (MONTH) from jobs or self-employment?		
WAG2	2	DID MEMBER OF FAMILY RECEIVE INCOME FROM SELF-EMP		
		1 = Yes	18073	62.68
		2 = No	5542	19.22
		3 = Yes LOGICALLY IMPUTED	206	0.71
		4 = No LOGICALLY IMPUTED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	324	1.12
		94 = DON'T KNOW	59	0.20
		97 = REFUSED	71	0.25
		98 = BLANK (NO ANSWER)	1149	3.91
		99 = LEGITIMATE SKIP	3406	11.81
		75. How much income in (MONTH) was received from jobs or self-employment by all members of the family, before deductions? Include any tips, bonuses, overtime pay, or commissions. For self-employment, report net income, after business expenses.		
AWAG2	6	INCOME RECEIVED FROM ALL MEMS OF FAMILY/SELF-EMPL		
		RANGE = 42 - 23433	10796	37.44
		999985 = BAD DATA Logically assigned	507	1.76
		999989 = LEGITIMATE SKIP Logically assigned	193	0.67
		999994 = DON'T KNOW	5119	17.75
		999997 = REFUSED	1761	6.11
		999998 = BLANK (NO ANSWER)	1375	4.77
		999999 = LEGITIMATE SKIP	9081	31.50

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		76. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on the 3rd of every month. If mailed, they are sent in a gold-colored envelope.)		
SOC2	2	DID FAM MEM RECEIVE MONEY FROM SS OR RR		
		1 = Yes	2085	7.23
		2 = No	21516	74.63
		3 = Yes LOGICALLY IMPUTED	35	0.12
		4 = No LOGICALLY IMPUTED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	318	1.10
		94 = DON'T KNOW	178	0.62
		97 = REFUSED	76	0.26
		98 = BLANK (NO ANSWER)	1211	4.20
		99 = LEGITIMATE SKIP	3412	11.83
		77. How much income did everyone in your family receive in (MONTH) from Social Security or Railroad Retirement?		
ASOC2	6	FAMILY INCOME FROM SS OR RR		
		RANGE = 50 - 2800	1184	4.11
		999985 = BAD DATA Logically assigned	52	0.18
		999989 = LEGITIMATE SKIP Logically assigned	13	0.05
		999994 = DON'T KNOW	827	2.87
		999997 = REFUSED	268	0.93
		999998 = BLANK (NO ANSWER)	1254	4.35
		999999 = LEGITIMATE SKIP	25234	87.52

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		78. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposit- ed in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue-colored envelope.)		
SSI2	2	OTHER FAMILY MEMBER RECEIVED MONEY FROM SSI		
		1 = Yes	651	2.26
		2 = No	22948	79.59
		3 = Yes LOGICALLY IMPUTED	30	0.10
		4 = No LOGICALLY IMPUTED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	317	1.10
		94 = DON'T KNOW	192	0.67
		97 = REFUSED	66	0.23
		98 = BLANK (NO ANSWER)	1214	4.21
		99 = LEGITIMATE SKIP	3413	11.84
		79. How much income did everyone in your family receive in (MONTH) from Supplemental Security Income or SSI?		
ASSI2	6	AMOUNT OF FAMILY INCOME RECEIVED FROM SSI		
		RANGE = 30 - 2000	430	1.49
		999985 = BAD DATA Logically assigned	26	0.09
		999989 = LEGITIMATE SKIP Logically assigned	9	0.03
		999994 = DON'T KNOW	350	1.21
		999997 = REFUSED	107	0.37
		999998 = BLANK (NO ANSWER)	1240	4.30
		999999 = LEGITIMATE SKIP	26670	92.50
		80. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive public assistance or welfare payments from the State or local welfare office? Do not include SSI.		
PUB2	2	OTHR FAM MEMBR RECEIVED PUB ASSISTANCE OR WELFARE		
		1 = Yes	1229	4.26
		2 = No	22349	77.51
		3 = Yes LOGICALLY IMPUTED	163	0.57
		89 = LEGITIMATE SKIP Logically assigned	320	1.11
		94 = DON'T KNOW	112	0.39
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	69	0.24
		98 = BLANK (NO ANSWER)	1178	4.09
		99 = LEGITIMATE SKIP	3410	11.83

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		81. Did anyone in the family receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?		
AFDC2	2	OTHER FAMILY MEMBER RECEIVED AFDC OR ADC		
		1 = Income from AFDC/ADC	1020	3.54
		2 = Income from other	160	0.55
		3 = Income from both	95	0.33
		89 = LEGITIMATE SKIP Logically assigned	6	0.02
		94 = DON'T KNOW	154	0.53
		97 = REFUSED	70	0.24
		98 = BLANK (NO ANSWER)	1257	4.36
		99 = LEGITIMATE SKIP	26070	90.42
WEL2	2	OTHR FAMLY MEM RECVD INCOME FROM WELFARE - RECODE		
		1 = Yes	1369	4.75
		2 = No	22346	77.50
		3 = Yes LOGICALLY IMPUTED	23	0.08
		89 = LEGITIMATE SKIP Logically assigned	320	1.11
		94 = DON'T KNOW	56	0.19
		97 = REFUSED	49	0.17
		98 = BLANK (NO ANSWER)	1259	4.37
		99 = LEGITIMATE SKIP	3410	11.83
		82. How much income did everyone in your family receive from public assistance or welfare in (MONTH)?		
AWEL2	6	AMOUNT FAMLY RECEIVED FROM PUB ASSISTCE OR WELFARE		
		RANGE = 15 - 2020	831	2.88
		999985 = BAD DATA Logically assigned	74	0.26
		999989 = LEGITIMATE SKIP Logically assigned	7	0.02
		999994 = DON'T KNOW	349	1.21
		999997 = REFUSED	130	0.45
		999998 = BLANK (NO ANSWER)	1372	4.76
		999999 = LEGITIMATE SKIP	26069	90.42

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		83. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here have money in any kind of savings or other bank account that earn- ed interest or did anyone receive divid- end income from stocks or mutual funds or income from rental property, royal- ties, estates, or trusts? (Include money market funds, treasury notes, IRA's or certificates of deposit, interest earn- ing checking accounts, bonds, or any other investments that earned interest.)		
INT2	2	OTHER FAMILY MEMBER HAD MONEY THAT EARNED INTEREST		
		1 = Yes	7744	26.86
		2 = No	15163	52.59
		3 = Yes LOGICALLY IMPUTED	79	0.27
		4 = No LOGICALLY IMPUTED	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	324	1.12
		94 = DON'T KNOW	703	2.44
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	204	0.71
		98 = BLANK (NO ANSWER)	1205	4.18
		99 = LEGITIMATE SKIP	3406	11.81
		84. What is your best estimate of the total amount that everyone in your family earned from interest, dividends, net rental property income, royalties, estates, or trusts in (MONTH)?		
AIN2	6	AMOUNT OF FAMILY INCOME EARNED FROM INTEREST		
		RANGE = 1 - 3000	2188	7.59
		999985 = BAD DATA Logically assigned	357	1.24
		999989 = LEGITIMATE SKIP Logically assigned	77	0.27
		999994 = DON'T KNOW	5006	17.36
		999997 = REFUSED	937	3.25
		999998 = BLANK (NO ANSWER)	1448	5.02
		999999 = LEGITIMATE SKIP	18819	65.27

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		85. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive child support pay- ments?		
CHD2	2	OTHER FAM MEMBER RECEIVED CHILD SUPPORT PAYMENTS		
		1 = Yes	800	2.77
		2 = No	22828	79.18
		3 = Yes LOGICALLY IMPUTED	34	0.12
		4 = No LOGICALLY IMPUTED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	321	1.11
		94 = DON'T KNOW	100	0.35
		97 = REFUSED	55	0.19
		98 = BLANK (NO ANSWER)	1284	4.45
		99 = LEGITIMATE SKIP	3409	11.82
		86. How much did everyone in your fam- ily receive from child support payments in (MONTH)?		
ACHD2	6	AMOUNT OF INCOME FAMILY RECEIVED FROM CHILD SUPPORT		
		RANGE = 20 - 2000	622	2.16
		999985 = BAD DATA Logically assigned	20	0.07
		999989 = LEGITIMATE SKIP Logically assigned	9	0.03
		999994 = DON'T KNOW	223	0.77
		999997 = REFUSED	103	0.36
		999998 = BLANK (NO ANSWER)	1305	4.53
		999999 = LEGITIMATE SKIP	26550	92.09
		87. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive income from other sources, such as Veterans Administration payments, workers or unemployment com- pensation, alimony, other disability re- tirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or the sale of a home.		
OTH2	2	OTHER FAMILY MEM RECEIVED INCOME FROM OTHER SOURCES		
		1 = Yes	1276	4.43
		2 = No	22118	76.71
		3 = Yes LOGICALLY IMPUTED	229	0.79
		4 = No LOGICALLY IMPUTED	7	0.02
		89 = LEGITIMATE SKIP Logically assigned	349	1.21
		94 = DON'T KNOW	191	0.66
		97 = REFUSED	72	0.25
		98 = BLANK (NO ANSWER)	1209	4.19
		99 = LEGITIMATE SKIP	3381	11.73

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		88. How much income did everyone in your family receive in (MONTH) from all other sources?		
AOTH2	6	AMOUNT OF INCOME FAMILY RECEIVED FROM OTHR SOURCES		
		RANGE = 10 - 7225	976	3.39
		999985 = BAD DATA Logically assigned	53	0.18
		999989 = LEGITIMATE SKIP Logically assigned	29	0.10
		999994 = DON'T KNOW	545	1.89
		999997 = REFUSED	169	0.59
		999998 = BLANK (NO ANSWER)	1234	4.28
		999999 = LEGITIMATE SKIP	25826	89.57

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		(89.) (WHO ANSWERED MOST OF THE QUESTIONS ABOUT TOTAL FAMILY INCOME SOURCES AND AMOUNTS?)		
WHOANSIN	2	WHO ANSWERED MOST QUESTIONS ABOUT FAMILY INCOME		
		1 = Sample member	18254	63.31
		2 = Proxy, relationship to sample member not specified	781	2.71
		12 = Spouse	138	0.48
		13 = Live-in partner, fiancée	7	0.02
		14 = Mother	2887	10.01
		15 = Father	912	3.16
		16 = Daughter	13	0.05
		17 = Son	5	0.02
		18 = Sister	91	0.32
		19 = Brother	36	0.12
		20 = Grandmother	111	0.38
		21 = Grandfather	13	0.05
		22 = Other female blood relative	48	0.17
		23 = Other male blood relative	19	0.07
		25 = Father-in-law	2	0.01
		26 = Other female in-laws	7	0.02
		27 = Other male in-laws	6	0.02
		28 = Close female friend	5	0.02
		29 = Other male acquaintance, roommate	1	0.00
		30 = Other female acquaintance, roommate	2	0.01
		31 = Other male acquaintance, roommate	2	0.01
		32 = Step-mother	27	0.09
		33 = Step-father	41	0.14
		40 = Friend (sex unspecified), boarder	5	0.02
		41 = Parents	33	0.11
		42 = Grandparents	1	0.00
		43 = Guardian (sex unspecified)	2	0.01
		44 = Foster mother, female guardian	3	0.01
		50 = Multiple people listed	6	0.02
		51 = Relative, sex not specified	6	0.02
		56 = Unspecified	4	0.01
		61 = Siblings	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	224	0.78
		94 = DON'T KNOW	12	0.04
		96 = MULTIPLE RESPONSE	10	0.03
		97 = REFUSED	27	0.09
		98 = BLANK (NO ANSWER)	1822	6.32
		99 = LEGITIMATE SKIP	3268	11.33

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
		90. In (MONTH), did (you/anyone in your family living here) receive food stamps?		
FSTAMP	2	YOU OR FAMILY LIVING HERE RECEIVED FOOD STAMPS		
		1 = Yes	3462	12.01
		2 = No	24664	85.54
		3 = Yes LOGICALLY IMPUTED	125	0.43
		4 = No LOGICALLY IMPUTED	4	0.01
		94 = DON'T KNOW	55	0.19
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	52	0.18
		98 = BLANK (NO ANSWER)	468	1.62
		91. Including yourself, others in your family, and non-family members living here, how many people in this household were included in the food stamp allotment during (MONTH)?		
PEOPFD	2	# PEOPLE COUNTED IN FOOD STAMP ALLOTMENT		
		RANGE = 1 - 20	3328	11.54
		85 = BAD DATA Logically assigned	5	0.02
		94 = DON'T KNOW	144	0.50
		97 = REFUSED	77	0.27
		98 = BLANK (NO ANSWER)	614	2.1
		99 = LEGITIMATE SKIP	24664	85.54
FOOD	2	ANY FAMILY MEMBER RECEIVED FOOD STAMPS - RECODE		
		1 = Yes	3573	12.39
		2 = No	24660	85.53
		3 = Yes LOGICALLY IMPUTED	14	0.05
		4 = No LOGICALLY IMPUTED	4	0.01
		94 = DON'T KNOW	30	0.10
		97 = REFUSED	35	0.12
		98 = BLANK (NO ANSWER)	516	1.79
		92. What was the total value of the food stamp allotment received by this household during (MONTH)?		
AFOOD	6	TOTAL VALUE OF FOOD STAMP ALLOTMENT		
		RANGE = 18 - 1165	2879	9.99
		999985 = BAD DATA Logically assigned	51	0.18
		999994 = DON'T KNOW	417	1.45
		999997 = REFUSED	206	0.71
		999998 = BLANK (NO ANSWER)	615	2.13
		999999 = LEGITIMATE SKIP	24664	85.54

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
INTERVIEW INFORMATION				

INTMONTH	2	INTERVIEW MONTH		
BHOUR	2	BEGINNING HOUR OF INTERVIEW		
		RANGE = 1 - 50	28703	99.55
		98 = BLANK (NO ANSWER)	129	0.45
BMIN	2	BEGINNING MINUTE OF INTERVIEW		
		RANGE = 0 - 59	28585	99.14
		98 = BLANK (NO ANSWER)	247	0.86
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
		1 = AM	4136	14.35
		2 = PM	24123	83.67
		98 = BLANK (NO ANSWER)	573	1.99
EHOUR	2	ENDING HOUR OF INTERVIEW		
		RANGE = 0 - 21	28517	98.91
		98 = BLANK (NO ANSWER)	315	1.09
EMIN	2	ENDING MINUTE OF INTERVIEW		
		RANGE = 0 - 64	28458	98.70
		98 = BLANK (NO ANSWER)	374	1.30
EAP	2	ENDING TIME OF INTERVIEW - AM/PM INDICATOR		
		1 = AM	2380	8.25
		2 = PM	25877	89.75
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	574	1.99
LANGVER	2	LANGUAGE VERSION		
		1 = English	26802	92.96
		2 = Spanish	2018	7.00
		98 = BLANK (NO ANSWER)	12	0.04
FI-1. Estimate the respondent's understanding of the interview.				
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty-no language or reading problem	23482	81.44
		2 = Just a little difficulty-almost no lang/readg prob	3263	11.32
		3 = Fair amount of difficulty-some lang/reading prob	1250	4.34
		4 = A lot of difficulty-considerable lang/reading prob	451	1.56
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	8	0.03
		98 = BLANK (NO ANSWER)	376	1.30

		INTERVIEW INFORMATION			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		FI-2. How cooperative has the respondent been?			
COOPINT	2	COOPERATION OF RESPONDENT			
		1 = Very cooperative	24068	83.48	
		2 = Fairly cooperative	3226	11.19	
		3 = Not very cooperative	689	2.39	
		4 = Openly hostile	97	0.34	
		96 = MULTIPLE RESPONSE	6	0.02	
		98 = BLANK (NO ANSWER)	746	2.59	

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI-3. Indicate on this scale of 01 through 09 how private the interview was. (IF COMPLETELY PRIVATE, CIRCLE CODE 01 AND SKIP TO Q.F1-5.)		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	16641	57.72
		2 =	928	3.22
		3 = Minor distractions	4145	14.38
		4 =	392	1.36
		5 = Person(s) in room or listening 1/3 of the time ...	2400	8.32
		6 =	180	0.62
		7 = Serious interruptions more than half the time	370	1.28
		8 =	67	0.23
		9 = Constant presence of other person(s)	3131	10.86
		85 = BAD DATA Logically assigned	195	0.68
		98 = BLANK (NO ANSWER)	383	1.33
		FI-4. Others present or listening to the interview were ...		
PPRES	2	PARENT(S) PRESENT OR LISTENING		
		1 = Response circled	3901	13.53
		98 = BLANK (NO ANSWER)	8290	28.75
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
SPRES	2	SPOUSE PRESENT OR LISTENING		
		2 = Response circled	1934	6.71
		98 = BLANK (NO ANSWER)	10257	35.58
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
PARPRES	2	LIVE-IN PARTNR/FRIEND PRSNT OR LISTENING		
		3 = Response circled	420	1.46
		98 = BLANK (NO ANSWER)	11771	40.83
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
OARPRES	2	ADULT RELATIVE(S) PRESENT/LISTENING		
		4 = Response circled	1339	4.64
		98 = BLANK (NO ANSWER)	10852	37.64
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
OAPRES	2	OTHER ADULT(S) PRESENT OR LISTENING		
		5 = Response circled	1024	3.55
		98 = BLANK (NO ANSWER)	11167	38.73
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
CPRES	2	CHILD(REN) UNDER 15 PRESENT/LISTENING		
		6 = Response circled	3974	13.78
		98 = BLANK (NO ANSWER)	8217	28.50
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
OPRESNSP	2	OTHER PERSON(S) (NOT SPECIFIED) PRESENT/LISTENING		
		7 = Response circled	619	2.15
		98 = BLANK (NO ANSWER)	11572	40.14
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72
OPRESSPA	2	OTHER PERSON(S) PRESENT/LISTENING-1ST MENTION		
		11 = Head of household, employer	3	0.01
		12 = Spouse, ex-husband supports	3	0.01
		13 = Live-in partner, fiancée	1	0.00
		14 = Mother	18	0.06
		15 = Father	4	0.01
		16 = Daughter	23	0.08
		17 = Son	14	0.05
		18 = Sister	44	0.15
		19 = Brother	26	0.09
		20 = Grandmother	26	0.09
		21 = Grandfather	6	0.02
		22 = Other female blood relative	7	0.02
		23 = Other male blood relative	7	0.02
		25 = Father-in-law	1	0.00
		27 = Other male in-laws	5	0.02
		28 = Close female friend	40	0.14
		29 = Close male friend	25	0.09
		30 = Other female acquaintance, roommate	6	0.02
		31 = Other male acquaintance, roommate	3	0.01
		32 = Step-mother	1	0.00
		33 = Step-father	3	0.01
		34 = Step-son	1	0.00
		35 = Step-daughter	1	0.00
		38 = Other 'step' relative, female	2	0.01
		40 = Friend (sex unspecified), boarder	54	0.19
		41 = Parents	2	0.01
		42 = Grandparents	1	0.00
		43 = Guardian (sex unspecified)	2	0.01
		44 = Foster mother, female guardian	1	0.00
		46 = Governess, nanny or live-in babysitter	5	0.02
		47 = Home care worker or health care aide	4	0.01
		48 = Housekeeper or maid	3	0.01
		50 = Multiple people listed	32	0.11
		51 = Relative, sex not specified	3	0.01
		52 = Roommate, sex not specified	18	0.06
		53 = Neighbor, sex not specified	31	0.11
		55 = Escort	1	0.00
		56 = Unspecified relationship	129	0.45
		59 = Adult children/children	26	0.09
		61 = Siblings	3	0.01
		62 = Co-worker	9	0.03
		63 = Visitor	21	0.07
		66 = Child (specified or not specified) = Code 59	2	0.01
		72 = Customers	10	0.03
		98 = BLANK (NO ANSWER)	11564	40.11
		99 = LEGITIMATE SKIP (PRIVACY=1)	16641	57.72

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI-5. Who marked the responses on the Answer Sheets? (CIRCLE ONLY ONE NUMBER.)		
WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked ALL the Answer Sheet responses .	19457	67.48
		2 = Interviewer marked All the Answer Sheet responses	5931	20.57
		3 = Combination of respondent and F.I.	2311	8.02
		96 = MULTIPLE RESPONSE	4	0.01
		98 = BLANK (NO ANSWER)	1129	3.92
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	7149	24.80
		2 = Quarter 2	7421	25.74
		3 = Quarter 3	7222	25.05
		4 = Quarter 4	7040	24.42
		The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not.		
FAMSKIP	1	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household .	24961	86.57
		1 = Respondent didn't have other family in household .	3730	12.94
		98 = BLANK (NO ANSWER)	141	0.49
GQTYPE	1	DWELLING UNIT/GROUP QUARTERS INDICATOR		
		1 = Halfway house	10	0.03
		9 = Not group quarters	28482	98.79
		C = College dorm	281	0.97
		O = Other	22	0.08
		S = Shelter	37	0.13

LABEL	LEN	DESCRIPTION	GEOGRAPHIC		FREQ	t
-----	---	-----		----	-	
GEOGRAPHIC						

<p>The geographic and confidential variables include a combination of 1980 and 1990 Census data. Sample segments selected from the six oversampled metropolitan areas are based on the 1980 Census. The remainder of the sample are based on the 1990 Census.</p> <p>The six oversampled metropolitan areas consist of one metropolitan statistical area (MSA) and five primary metropolitan statistical areas (PMSAs) as defined by the 1990 Census. They include the Washington, DC-MD-VA MSA; Chicago, IL PMSA, Denver, CO PMSA; Los Angeles-Long Beach, CA PMSA; Miami-Hialeah, FL PMSA; and New York, NY PMSA. For simplicity, the common term "MSA" will refer to these metropolitan areas.</p> <p>The following variables, PDEN - DIVISION are based on the 1990 Census.</p>						
PDEN	1	POPULATION DENSITY				
		1 = Segment in an MSA with 1 million or more persons .	20977	72.76		
		2 = Segment in an MSA with fewer than 1 million person	4706	16.32		
		3 = Segment not in an MSA	3149	10.92		
PDEN2	1	POPULATION DENSITY - FIVE LEVELS				
		1 = Segment in an MSA with 1 million or more persons .	20977	72.76		
		2 = Segm. in an MSA from 250000 to 999999 persons	3619	12.55		
		3 = Segment in an MSA with fewer than 250000 persons .	1087	3.77		
		4 = Segment not in an MSA and not in a rural area	1095	3.80		
		5 = Segment not in an MSA and in a rural area	2054	7.12		
DC	1	DC MSA INDICATOR				
		1 = Low SES - DC	1241	4.30		
		2 = Not Low SES - DC	1291	4.48		
		9 = NOT IN DC	26300	91.22		
CHICAGO	1	CHICAGO MSA INDICATOR				
		1 = Low SES - CHICAGO	1432	4.97		
		2 = Not Low SES - CHICAGO	1087	3.77		
		9 = Not in CHICAGO	26313	91.26		
DENVER	1	DENVER MSA INDICATOR				
		1 = Low SES - DENVER	1276	4.43		
		2 = Not Low SES - DENVER	1473	5.11		
		9 = Not in DENVER	26083	90.47		

GEOGRAPHIC				
LABEL	LEN	DESCRIPTION	FREQ	%
LA	1	LOS ANGELES MSA INDICATOR		
		1 = Low SES - LA	1229	4.26
		2 = Not Low SES - LA	1462	5.07
		9 = Not in LA	26141	90.67
MIAMI	1	MIAMI MSA INDICATOR		
		1 = Low SES - MIAMI	1390	4.82
		2 = Not Low SES - MIAMI	1260	4.37
		9 = Not in MIAMI	26182	90.81
NEWYORK	1	NEW YORK MSA INDICATOR		
		1 = Low SES - NEW YORK	1275	4.42
		2 = Not Low SES - NEW YORK	1387	4.81
		9 = Not in NEW YORK	26170	90.77
REGION	1	CENSUS REGION		
		1 = Northeast	4577	15.87
		2 = North Central	5041	17.48
		3 = South	10931	37.91
		4 = West	8283	28.73
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England	477	1.65
		2 = Middle Atlantic	4100	14.22
		3 = East North Central	4182	14.50
		4 = West North Central	859	2.98
		5 = South Atlantic	7560	26.22
		6 = East South Central	921	3.19
		7 = West South Central	2450	8.50
		8 = Mountain	3457	11.99
		9 = Pacific	4826	16.74
CENCTY	1	CENTRAL CITY IN THE SIX MSAs BASED ON 1980 CENSUS		
		1 = Yes	7868	27.29
		2 = No	7935	27.52
		3 = Not in any of the 6 metropolitan areas	13029	45.19
URBARE	1	URBANIZED AREA IN THE 6 MSAs BASED ON 1980 CENSUS		
		1 = Yes	9876	34.25
		2 = No	615	2.13
		3 = Not in any of the 6 Metropolitan areas	13029	45.19
		9 = Data suppressed for reasons of confidentiality	5312	18.42
METRO	1	METROPOLITAN AREA BASED ON 1990 CENSUS		
		1 = Chicago Metropolitan area	2519	8.74
		2 = Denver Metropolitan area	2749	9.53
		3 = Los Angeles Metropolitan area	2691	9.33
		4 = Miami Metropolitan area	2650	9.19
		5 = New York Metropolitan area	2662	9.23
		6 = Washington, D.C. Metropolitan area	2532	8.78
		9 = Not in any of the 6 Metropolitan areas	13029	45.19
CENTRALC	1	CENTRAL CITY FOR ALL MSA'S		
		1 = Sample segm. within a central city of metro area	12924	44.83
		2 = Sam. segm. not within a central city of metro area	12759	44.25
		3 = Sample segment not within in a central city	3149	10.92

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IMPUTED DEMOGRAPHICS				

BIRMONTH	2	BIRTH MONTH		
BIRYEAR	2	BIRTH YEAR		
IRAGE	3	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 100	28832	100.00
IIAGE	1	IMPUTATION INDICATOR FOR AGE		
		1 = Age from birthdate	28130	97.57
		2 = Age from cover of questionnaire	687	2.38
		3 = Age from roster	7	0.02
		4 = Age statistically imputed using age gr from roster	8	0.03
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male	12988	45.05
		2 = Female	15844	54.95
IISEX	1	SEX - IMPUTATION INDICATOR		
		1 = Sex from questionnaire	28570	99.09
		2 = Sex from roster	262	0.91
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American indian or Alaskan native	406	1.41
		2 = Asian or Pacific islander	1033	3.58
		3 = Black	6770	23.48
		4 = White	20623	71.53
IIRACE	1	IMPUTATION INDICATOR FOR RACE		
		1 = Race from questionnaire	27921	96.84
		2 = Race from interviewer observation	739	2.56
		3 = Race from roster	18	0.06
		4 = Race statis imputed using race - "Other" on roster	10	0.03
		5 = Race statistically imputed, no infor. from roster	144	0.50
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	7148	24.79
		2 = Nonhispanic	21684	75.21
IIHOIND	1	IMPUTATION INDICATOR FOR HISPANIC ORIGIN		
		1 = Hispanicity derived from questionnaire	28712	99.58
		2 = Hispanicity derived from roster	120	0.42

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	1015	3.52
		2 = Mexican	3806	13.20
		3 = Cuban	823	2.85
		4 = Other	1504	5.22
		99 = LEGITIMATE SKIP	21684	75.21

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRHGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	1015	3.52
		2 = Mexican	3806	13.20
		3 = Cuban	823	2.85
		4 = Other	322	1.12
		5 = Central American	681	2.36
		6 = South American	324	1.12
		7 = Caribbean	177	0.61
		99 = LEGITIMATE SKIP Respondent is not hispanic	21684	75.21
IIHGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire ...	6924	24.01
		3 = Statistically imputed data	224	0.78
		9 = LEGITIMATE SKIP Respondent is not hispanic	21684	75.21
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married	9325	32.34
		2 = Widowed	686	2.38
		3 = Divorced or Separated	2558	8.87
		4 = Never Married	12605	43.72
		99 = LEGITIMATE SKIP	3658	12.69
IIMARIT	1	MARITAL STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	24849	86.19
		2 = Logically imputed data	6	0.02
		3 = Statistically imputed data	319	1.11
		9 = LEGITIMATE SKIP	3658	12.69
IREduc	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	61	0.21
		1 = First grade	18	0.06
		2 = Second grade	36	0.12
		3 = Third grade	105	0.36
		4 = Fourth grade	124	0.43
		5 = Fifth grade	543	1.88
		6 = Sixth grade	1531	5.31
		7 = Seventh grade	1416	4.91
		8 = Eighth grade	1716	5.95
		9 = Ninth grade	1978	6.86
		10 = Tenth grade	2186	7.58
		11 = Eleventh grade	2443	8.47
		12 = Twelfth grade	7446	25.83
		13 = One year of college	1742	6.04
		14 = Two years of college	2498	8.66
		15 = Three years of college	971	3.37
		16 = Four years of college	2535	8.79
		17 = Graduate/professional school	1483	5.14
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	28678	99.47
		3 = Statistically imputed data	154	0.53

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	16534	57.35
		2 = No, did not graduate from high school	12298	42.65
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	21636	75.04
		2 = Logically imputed data	7100	24.63
		3 = Statistically imputed data	96	0.33
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	11644	40.39
		2 = Working part-time, less than 35 hours a week	3608	12.51
		3 = Have job but out: illness/leave/furlough/strike ..	164	0.57
		4 = Unemployed or laid off and looking for work	1581	5.48
		5 = Unemployed and not looking for work	659	2.29
		6 = Full-time homemaker only	2296	7.96
		7 = In school only	7502	26.02
		8 = Retired	764	2.65
		9 = Disabled, not able to work	488	1.69
		10 = Other, in labor force	75	0.26
		11 = Other, not in labor force	51	0.18
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	28474	98.76
		2 = Logically imputed data	258	0.89
		3 = Statistically imputed data	100	0.35
IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	18630	64.62
		2 = No, respondent does not have private health insur.	10202	35.38
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	28225	97.89
		2 = Logically imputed data	340	1.18
		3 = Statistically imputed data	267	0.93
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	22326	77.43
		2 = No, respondent does not have health insurance	6506	22.57
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	28500	98.85
		2 = Logically imputed data	149	0.52
		3 = Statistically imputed data	183	0.63
<p>The following variables, IRWAG1 thru IIAFOOD relate to income for the past month. IRWAG1 thru IIAOTH1 are for the respondent. IRWAG2 thru IIAOTH2 are for the other members in the household.</p>				
IRWAG1	1	RECEIVED WAGES - IMPUTATION REVISED		
		1 = Yes	16176	56.10
		2 = No	12656	43.90

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IIWAG1	1	RECEIVED WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	28689	99.50
		2 = Logically imputed data	13	0.05
		3 = Statistically imputed data	130	0.45
IRAWAG1	6	AMNT RECEIVED FROM WAGES - IMPUTATION REVISED		
		RANGE = 5 - 22000	16176	56.10
		0 = Zero income received	12656	43.90
IIAWAG1	1	AMOUNT RECEIVED FROM WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	13610	47.20
		2 = Logically imputed data	36	0.12
		3 = Statistically imputed data	2530	8.77
		9 = LEGITIMATE SKIP	12656	43.90
IRSOC1	1	RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	1401	4.86
		2 = No	27431	95.14
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	28638	99.33
		2 = Logically imputed data	21	0.07
		3 = Statistically imputed data	173	0.60
IRASOC1	6	AMNT RECEIVED FROM SS OR RR - IMPUTATION REVISED		
		RANGE = 17 - 2000	1401	4.86
		0 = Zero income received	27431	95.14
IIASOC1	1	AMT RECEIVED FROM SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	1091	3.78
		2 = Logically imputed data	1	0.00
		3 = Statistically imputed data	309	1.07
		9 = LEGITIMATE SKIP	27431	95.14
IRSSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	502	1.74
		2 = No	28330	98.26
IISSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	28611	99.23
		2 = Logically imputed data	7	0.02
		3 = Statistically imputed data	214	0.74
IRASSI1	6	AMNT RECEIVED FROM SSI - IMPUTATION REVISED		
		RANGE = 7 - 2917	502	1.74
		0 = Zero income received	28330	98.26
IIASSI1	1	AMOUNT RECEIVED FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	395	1.37
		2 = Logically imputed data	1	0.00
		3 = Statistically imputed data	106	0.37
		9 = LEGITIMATE SKIP	28330	98.26

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRWEL1	1	RECEIVED WELFARE - IMPUTATION REVISED		
		1 = Yes	1839	6.38
		2 = No	26993	93.62
IIWEL1	1	RECEIVED WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	28631	99.30
		2 = Logically imputed data	6	0.02
		3 = Statistically imputed data	195	0.68
IRAWEL1	6	AMNT RECEIVED FROM WELFARE - IMPUTATION REVISED		
		RANGE = 20 - 1600	1839	6.38
		0 = Zero income received	26993	93.62
IIAWEL1	1	AMT RECEIVED FROM WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	1440	4.99
		3 = Statistically imputed data	399	1.38
		9 = LEGITIMATE SKIP	26993	93.62
IRINT1	1	RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	9829	34.09
		2 = No	19003	65.91
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	28428	98.60
		2 = Logically imputed data	58	0.20
		3 = Statistically imputed data	346	1.20
IRAIN1	6	AMNT RECEIVED FROM INTEREST - IMPUTATION REVISED		
		RANGE = 1 - 5084	9829	34.09
		0 = Zero income received	19003	65.91
IIAIN1	1	AMT RECEIVED FROM INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	4965	17.22
		2 = Logically imputed data	4	0.01
		3 = Statistically imputed data	4860	16.86
		9 = LEGITIMATE SKIP	19003	65.91
IRCHD1	1	RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	921	3.19
		2 = No	27911	96.81
IICH1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	28435	98.62
		2 = Logically imputed data	28	0.10
		3 = Statistically imputed data	369	1.28
IRACHD1	6	AMNT RECEIVED FROM CHILD SUPPORT - IMPUT. REVISED		
		RANGE = 10 - 1600	921	3.19
		0 = Zero income received	27911	96.81
IIACHD1	1	AMT RECVD FR CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	798	2.77
		3 = Statistically imputed data	123	0.43
		9 = LEGITIMATE SKIP	27911	96.81

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IROTH1	1	RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	1353	4.69
		2 = No	27479	95.31
IIOTH1	1	RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	28241	97.95
		2 = Logically imputed data	253	0.88
		3 = Statistically imputed data	338	1.17
IRAOTH1	6	AMNT RECEIVED FROM OTHER SOURCES - IMPUT. REVISED		
		RANGE = 8 - 5000	1353	4.69
		0 = Zero income received	27479	95.31
IIAOTH1	1	AMT RECVD FR OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	1124	3.90
		2 = Logically imputed data	4	0.01
		3 = Statistically imputed data	225	0.78
		9 = LEGITIMATE SKIP	27479	95.31
IRWAG2	1	OTHR FAM MEM RECEIVED WAGES - IMPUTATION REVISED		
		1 = Yes	18898	65.55
		2 = No	9934	34.45
IIWAG2	1	OTHR FAM MEM RECVD WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	23615	81.91
		2 = Logically imputed data	220	0.76
		3 = Statistically imputed data	1267	4.39
		9 = LEGITIMATE SKIP	3730	12.94
IRAWAG2	6	AMNT OTHR FAM RECVD FR WAGES - IMPUTATION REVISED		
		RANGE = 2 - 99605	18898	65.55
		0 = Zero income received	9934	34.45
IIAWAG2	1	AMT OTHR FAM RECVD FR WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	10882	37.74
		2 = Logically imputed data	733	2.54
		3 = Statistically imputed data	7283	25.26
		9 = LEGITIMATE SKIP	9934	34.45
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	2180	7.56
		2 = No	26652	92.44
IISOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	23601	81.86
		2 = Logically imputed data	40	0.14
		3 = Statistically imputed data	1461	5.07
		9 = LEGITIMATE SKIP	3730	12.94
IRASOC2	6	AMNT OTHR FAM RECVD FROM SS/RR - IMPUT. REVISED		
		RANGE = 20 - 2219	2180	7.56
		0 = Zero income received	26652	92.44

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IIASOC2	1	AMT OTHR FAM RECVD FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	1194	4.14
		2 = Logically imputed data	32	0.11
		3 = Statistically imputed data	954	3.31
		9 = LEGITIMATE SKIP	26652	92.44
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	706	2.45
		2 = No	28126	97.55
IISSI2	1	OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	23599	81.85
		2 = Logically imputed data	39	0.14
		3 = Statistically imputed data	1464	5.08
		9 = LEGITIMATE SKIP	3730	12.94
IRASSI2	6	AMNT OTHR FAM RECVD FROM SSI - IMPUTATION REVISED		
		RANGE = 11 - 5000	706	2.45
		0 = Zero income received	28126	97.55
IIASSI2	1	AMT OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	433	1.50
		2 = Logically imputed data	24	0.08
		3 = Statistically imputed data	249	0.86
		9 = LEGITIMATE SKIP	28126	97.55
IRWEL2	1	OTHR FAM MEM RECEIVED WELFARE - IMPUTATION REVISED		
		1 = Yes	1422	4.93
		2 = No	27410	95.07
IIWEL2	1	OTHR FAM MEM RECVD WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	23715	82.25
		2 = Logically imputed data	31	0.11
		3 = Statistically imputed data	1356	4.70
		9 = LEGITIMATE SKIP	3730	12.94
IRAWEL2	6	AMNT OTHR FAM RECVD FR WELFARE - IMPUT. REVISED		
		RANGE = 15 - 1513	1422	4.93
		0 = Zero income received	27410	95.07
IIAWEL2	1	AMT OTHR FAM RECVD FROM WELFARE - IMPUT. INDICATOR		
		1 = Questionnaire data	844	2.93
		2 = Logically imputed data	100	0.35
		3 = Statistically imputed data	478	1.66
		9 = LEGITIMATE SKIP	27410	95.07
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	8046	27.91
		2 = No	20786	72.09

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	22907	79.45
		2 = Logically imputed data	112	0.39
		3 = Statistically imputed data	2083	7.22
		9 = LEGITIMATE SKIP	3730	12.94
IRINT2	6	AMNT FAM RECVD FROM INTEREST - IMPUTATION REVISED		
		RANGE = 1 - 4954	8046	27.91
		0 = Zero income received	20786	72.09
IIAINT2	1	AMT OTHR FAM RECVD FR INTEREST - IMPUT. INDICATOR		
		1 = Questionnaire data	2253	7.81
		2 = Logically imputed data	323	1.12
		3 = Statistically imputed data	5470	18.97
		9 = LEGITIMATE SKIP	20786	72.09
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	882	3.06
		2 = No	27950	96.94
IICHD2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	23628	81.95
		2 = Logically imputed data	47	0.16
		3 = Statistically imputed data	1427	4.95
		9 = LEGITIMATE SKIP	3730	12.94
IRACHD2	6	AMNT OTHR FAM RECVD FR CHLD SUPRT - IMPUT. REVISED		
		RANGE = 8 - 1750	882	3.06
		0 = Zero income received	27950	96.94
IIACHD2	1	AMT OTHR RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	629	2.18
		2 = Logically imputed data	39	0.14
		3 = Statistically imputed data	214	0.74
		9 = LEGITIMATE SKIP	27950	96.94
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
		1 = Yes	1553	5.39
		2 = No	27279	94.61
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	23394	81.14
		2 = Logically imputed data	245	0.85
		3 = Statistically imputed data	1463	5.07
		9 = LEGITIMATE SKIP	3730	12.94
IRAOH2	6	AMNT OTHR FAM RECVD FR OTHR SRCES - IMPUT. REVISED		
		RANGE = 10 - 7225	1553	5.39
		0 = Zero income received	27279	94.61

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IIAOTH2	1	AMT OTHR FAM RECVD FR OTHR SOURCS - IMPUT. INDICTR		
		1 = Questionnaire data	987	3.42
		2 = Logically imputed data	53	0.18
		3 = Statistically imputed data	513	1.78
		9 = LEGITIMATE SKIP	27279	94.61
IRFOOD	1	ANY FAM MEM RECVD FOOD STAMP - IMPUTATION REVISED		
		1 = Yes	3645	12.64
		2 = No	25187	87.36
IIFOOD	1	ANY FAM MEM RECVD FOOD STMP - IMPUTATION INDICATOR		
		1 = Questionnaire data	28233	97.92
		2 = Logically imputed data	25	0.09
		3 = Statistically imputed data	574	1.99
IRAFOOD	6	VALUE OF FOOD STAMP - IMPUTATION REVISED		
		RANGE = 18 - 1165	3645	12.64
		0 = Zero income received	25187	87.36
IIAFOOD	1	AMT FAM RECVD FR FOOD STAMP - IMPUTATION INDICATOR		
		1 = Questionnaire data	2879	9.99
		2 = Logically imputed data	82	0.28
		3 = Statistically imputed data	684	2.37
		9 = LEGITIMATE SKIP	25187	87.36

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IMPUTED DRUG USE				

IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	12985	45.04
		2 = More than 1 month ago but less than 6 months ago ..	3129	10.85
		3 = 6 or more months ago but less than 1 year ago	1685	5.84
		4 = 1 or more years ago but less than 3 years ago	1170	4.06
		5 = 3 or more years ago	2094	7.26
		9 = Never used alcohol	7769	26.95
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	27167	94.23
		2 = Imputed data	963	3.34
		3 = Statistically imputed data	702	2.43
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	1150	3.99
		2 = More than 1 week ago but less than 1 month ago ...	629	2.18
		3 = 1 or more months ago but less than 6 months ago ..	822	2.85
		4 = 6 or more months ago but less than 1 year ago	910	3.16
		5 = 1 or more years ago but less than 3 years ago	836	2.90
		6 = 3 or more years ago	5669	19.66
		9 = Never used marijuana	18816	65.26
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	27819	96.49
		3 = Statistically imputed data	1013	3.51
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	179	0.62
		2 = More than 1 week ago but less than 1 month ago ...	158	0.55
		3 = 1 or more months ago but less than 6 months ago ..	322	1.12
		4 = 6 or more months ago but less than 1 year ago	402	1.39
		5 = 1 or more years ago but less than 3 years ago	459	1.59
		6 = 3 or more years ago	2158	7.48
		9 = Never used cocaine	25154	87.24
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28349	98.32
		2 = Imputed data	11	0.04
		3 = Statistically imputed data	472	1.64
IRSEDRC	1	SEDATIVES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	114	0.40
		2 = More than 1 month ago but less than 6 months ago ..	84	0.29
		3 = 6 or more months ago but less than 1 year ago	78	0.27
		4 = 1 or more years ago but less than 3 years ago	85	0.29
		5 = 3 or more years ago	576	2.00
		9 = Never used sedatives	27895	96.75

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
IISEDRC	1	SEDATIVES REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28669	99.43
		3 = Statistically imputed data	163	0.57
IRTRNRC	1	TRANQUILIZERS REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	128	0.44
		2 = More than 1 month ago but less than 6 months ago .	153	0.53
		3 = 6 or more months ago but less than 1 year ago	149	0.52
		4 = 1 or more years ago but less than 3 years ago	198	0.69
		5 = 3 or more years ago	714	2.48
		9 = Never used tranquilizers	27490	95.35
IITRNRC	1	TRANQUILIZERS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28586	99.15
		3 = Statistically imputed data	246	0.85
IRSTMRC	1	STIMULANTS REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	100	0.35
		2 = More than 1 month ago but less than 6 months ago .	130	0.45
		3 = 6 or more months ago but less than 1 year ago	127	0.44
		4 = 1 or more years ago but less than 3 years ago	184	0.64
		5 = 3 or more years ago	1120	3.88
		9 = Never used stimulants	27171	94.24
IISTMRC	1	STIMULANTS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28599	99.19
		3 = Statistically imputed data	233	0.81
IRANLRC	1	ANALGESICS REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	240	0.83
		2 = More than 1 month ago but less than 6 months ago .	270	0.94
		3 = 6 or more months ago but less than 1 year ago	252	0.87
		4 = 1 or more years ago but less than 3 years ago	286	0.99
		5 = 3 or more years ago	621	2.15
		9 = Never used analgesics	27163	94.21
IIANLRC	1	ANALGESICS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28522	98.92
		3 = Statistically imputed data	310	1.08
IRCIGRC	1	CIGARETTES REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	6877	23.85
		2 = More than 1 month ago but less than 6 months ago .	998	3.46
		3 = 6 or more months ago but less than 1 year ago	776	2.69
		4 = 1 or more years ago but less than 3 years ago	1346	4.67
		5 = 3 or more years ago	6563	22.76
		9 = Never smoked cigarettes	12272	42.56
IICIGRC	1	CIGARETTES REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	27373	94.94
		2 = Imputed data	74	0.26
		3 = Statistically imputed data	1385	4.80

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IROTBR	1	SMOKELESS TOBACCO RECENTY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	611	2.12
		2 = More than 1 month ago but less than 6 months ago ..	253	0.88
		3 = 6 or more months ago but less than 1 year ago	152	0.53
		4 = 1 or more years ago but less than 3 years ago	374	1.30
		5 = 3 or more years ago	1658	5.75
		9 = Never used smokeless tobacco	25784	89.43
IIOTBR	1	SMOKELESS TOBACCO RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28351	98.33
		3 = Statistically imputed data	481	1.67
IRINHRC	1	INHALANTS RECENTY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	74	0.26
		2 = More than 1 week ago but less than 1 month ago ...	132	0.46
		3 = 1 or more months ago but less than 6 months ago ..	136	0.47
		4 = 6 or more months ago but less than 1 year ago	152	0.53
		5 = 1 or more years ago but less than 3 years ago	194	0.67
		6 = 3 or more years ago	1148	3.98
		9 = Never used inhalants	26996	93.63
IIINHRC	1	INHALANTS RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28543	99.00
		3 = Statistically imputed data	289	1.00
IRCRKRC	1	"CRACK" RECENTY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	54	0.19
		2 = More than 1 week ago but less than 1 month ago ...	38	0.13
		3 = 1 or more months ago but less than 6 months ago ..	54	0.19
		4 = 6 or more months ago but less than 1 year ago	63	0.22
		5 = 1 or more years ago but less than 3 years ago	160	0.55
		6 = 3 or more years ago	266	0.92
		9 = Never used "crack"	28197	97.80
IICRKRC	1	"CRACK" RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28796	99.88
		2 = Imputed data	6	0.02
		3 = Statistically imputed data	30	0.10
IRHALRC	1	HALLUCINOGENS RECENTY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	157	0.54
		2 = More than 1 month ago but less than 6 months ago ..	229	0.79
		3 = 6 or more months ago but less than 1 year ago	185	0.64
		4 = 1 or more years ago but less than 3 years ago	283	0.98
		5 = 3 or more years ago	1690	5.86
		9 = Never used hallucinogens	26288	91.18
IIHALRC	1	HALLUCINOGENS RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28646	99.35
		2 = Imputed data	34	0.12
		3 = Statistically imputed data	152	0.53

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IRHERRC	1	HEROIN REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	31	0.11
		2 = More than 1 month ago but less than 6 months ago .	22	0.08
		3 = 6 or more months ago but less than 1 year ago	18	0.06
		4 = 1 or more years ago but less than 3 years ago	30	0.10
		5 = 3 or more years ago	190	0.66
		9 = Never used heroin	28541	98.99
IIHERRC	1	HEROIN REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28767	99.77
		2 = Imputed data	7	0.02
		3 = Statistically imputed data	58	0.20
IRPCPRC	1	PCP REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	38	0.13
		2 = More than 1 month ago but less than 6 months ago .	46	0.16
		3 = 6 or more months ago but less than 1 year ago	53	0.18
		4 = 1 or more years ago but less than 3 years ago	122	0.42
		5 = 3 or more years ago	948	3.29
		9 = Never used PCP	27625	95.81
IIPCPRC	1	PCP REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28771	99.79
		3 = Statistically imputed data	61	0.21
IRICERC	1	ICE REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	12	0.04
		2 = More than 1 month ago but less than 6 months ago .	41	0.14
		3 = 6 or more months ago but less than 1 year ago	11	0.04
		4 = 1 or more years ago but less than 3 years ago	24	0.08
		5 = 3 or more years ago but less than 10 years ago ...	32	0.11
		6 = 10 or more years ago	12	0.04
		9 = Never used ice	28700	99.54
IIICERC	1	ICE REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28802	99.90
		3 = Statistically imputed data	30	0.10
IRSTRRC	1	ANABOLIC STEROIDS REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	8	0.03
		2 = More than 1 month ago but less than 6 months ago .	12	0.04
		3 = 6 or more months ago but less than 1 year ago	8	0.03
		4 = 1 or more years ago but less than 3 years ago	28	0.10
		5 = 3 or more years ago	65	0.23
		9 = Never used anabolic steroids	28711	99.58
IISTRRC	1	ANABOLIC STEROIDS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	28763	99.76
		3 = Statistically imputed data	69	0.24

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IRALCFQ	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	524	1.82
		2 = Used almost daily in past year	1298	4.50
		3 = Used 1-2 days per week in past year	3400	11.79
		4 = Used several times a month in past year	1885	6.54
		5 = Used 1-2 times per month in past year	3346	11.61
		6 = Used every other month in past year	2192	7.60
		7 = Used 3-5 times in past year	2395	8.31
		8 = Used 1-2 times in past year	2759	9.57
		9 = Never used or did not use in the past year	11033	38.27
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16921	58.69
		2 = Imputed data	11033	38.27
		3 = Statistically imputed data	878	3.05
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used several times per day in past year	179	0.62
		2 = Used daily in past year	106	0.37
		3 = Used almost daily in past year	320	1.11
		4 = Used 1-2 days per week in past year	430	1.49
		5 = Used several times per month in past year	299	1.04
		6 = Used 1-2 times per month in past year	435	1.51
		7 = Used every other month in past year	329	1.14
		8 = Used 3-5 times in past year	572	1.98
		9 = Used 1-2 times in past year	841	2.91
		10 = Never used or did not use in the past year	25321	87.82
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	2860	9.92
		2 = Imputed data	25321	87.82
		3 = Statistically imputed data	651	2.26
IRCOCFQ	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	25	0.09
		2 = Used almost daily in past year	56	0.19
		3 = Used 1-2 days per week in past year	75	0.26
		4 = Used several times per month in past year	72	0.25
		5 = Used 1-2 times per month in past year	155	0.54
		6 = Used every other month in past year	125	0.43
		7 = Used 3-5 times in past year	198	0.69
		8 = Used 1-2 times in past year	355	1.23
		9 = Never used or did not use in the past year	27771	96.32
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	720	2.50
		2 = Imputed data	27771	96.32
		3 = Statistically imputed data	341	1.18

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IRSEDFQ	1	SEDATIVES FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	14	0.05
		2 = Used almost daily in past year	17	0.06
		3 = Used 1-2 days per week in past year	34	0.12
		4 = Used several times a month in past year	16	0.06
		5 = Used 1-2 times per month in past year	32	0.11
		6 = Used every other month in past year	22	0.08
		7 = Used 3-5 times in past year	37	0.13
		8 = Used 1-2 times in past year	104	0.36
		9 = Never used or did not use in the past year	28556	99.04
IISEDFO	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	225	0.78
		2 = Imputed data	28556	99.04
		3 = Statistically imputed data	51	0.18
IRTRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	12	0.04
		2 = Used almost daily in past year	15	0.05
		3 = Used 1-2 days per week in past year	36	0.12
		4 = Used several times a month in past year	30	0.10
		5 = Used 1-2 times per month in past year	39	0.14
		6 = Used every other month in past year	41	0.14
		7 = Used 3-5 times in past year	69	0.24
		8 = Used 1-2 times in past year	188	0.65
		9 = Never used or did not use in the past year	28402	98.51
IITRNFO	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	376	1.30
		2 = Imputed data	28402	98.51
		3 = Statistically imputed data	54	0.19
IRSTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	9	0.03
		2 = Used almost daily in past year	10	0.03
		3 = Used 1-2 days per week in past year	34	0.12
		4 = Used several times a month in past year	41	0.14
		5 = Used 1-2 times per month in past year	60	0.21
		6 = Used every other month in past year	41	0.14
		7 = Used 3-5 times in past year	42	0.15
		8 = Used 1-2 times in past year	120	0.42
		9 = Never used or did not use in the past year	28475	98.76
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	300	1.04
		2 = Imputed data	28475	98.76
		3 = Statistically imputed data	57	0.20

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IRANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	19	0.07
		2 = Used almost daily in past year	24	0.08
		3 = Used 1-2 days per week in past year	58	0.20
		4 = Used several times a month in past year	54	0.19
		5 = Used 1-2 times per month in past year	93	0.32
		6 = Used every other month in past year	63	0.22
		7 = Used 3-5 times in past year	141	0.49
		8 = Used 1-2 times in past year	310	1.08
		9 = Never used or did not use in the past year	28070	97.36
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICTOR		
		1 = Questionnaire data	666	2.31
		2 = Imputed data	28070	97.36
		3 = Statistically imputed data	96	0.33
IROTBQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	296	1.03
		2 = Used almost daily in past year	88	0.31
		3 = Used 1-2 days per week in past year	99	0.34
		4 = Used several times a month in past year	46	0.16
		5 = Used 1-2 times per month in past year	101	0.35
		6 = Used every other month in past year	51	0.18
		7 = Used 3-5 times in past year	72	0.25
		8 = Used 1-2 times in past year	263	0.91
		9 = Never used or did not use in the past year	27816	96.41
IIOTBFQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	953	3.31
		2 = Imputed data	27816	96.48
		3 = Statistically imputed data	63	0.22
IRINHFQ	1	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = Use daily in past year	7	0.02
		2 = Used almost daily in past year	15	0.05
		3 = Used 1-2 days per week in past year	49	0.17
		4 = Used several times a month in past year	24	0.08
		5 = Used 1-2 times per month in past year	65	0.23
		6 = Used every other month in past year	44	0.15
		7 = Used 3-5 times in past year	86	0.30
		8 = Used 1-2 times in past year	204	0.71
		9 = Never used or did not use in the past year	28338	98.29
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	346	1.20
		2 = Imputed data	28338	98.29
		3 = Statistically imputed data	148	0.51

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	10	0.03
		2 = Used almost daily in past year	9	0.03
		3 = Used 1-2 days per week in past year	17	0.06
		4 = Used several times a month in past year	31	0.11
		5 = Used 1-2 times per month in past year	52	0.18
		6 = Used every other month in past year	68	0.24
		7 = Used 3-5 times in past year	100	0.35
		8 = Used 1-2 times in past year	284	0.99
		9 = Never used or did not use in the past year	28261	98.02
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	448	1.55
		2 = Imputed data	28261	98.02
		3 = Statistically imputed data	123	0.43

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 years (IRAGE = 12-17)	7254	25.16
		2 = 18-25 years (IRAGE = 18-25)	7721	26.78
		3 = 26-34 years (IRAGE = 26-34)	7516	26.07
		4 = 35+ years (IRAGE > 34)	6341	21.99
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years (CATAGE = 1)	7254	25.16
		2 = 18-25 years (CATAGE = 2)	7721	26.78
		3 = 26+ years (CATAGE = 3-4)	13857	48.06
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years (IRAGE = 12-17)	7254	25.16
		2 = 18-25 years IRAGE = 18-25)	7721	26.78
		3 = 26-34 years IRAGE = 26-34)	7516	26.07
		4 = 35-49 years IRAGE = 35-49)	4491	15.58
		5 = 50+ years (IRAGE > 49)	1850	6.42
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	14080	48.83
		2 = Black (IRRACE = 3 and IRHOIND = 2)	6511	22.58
		3 = Hispanic (IRHOIND = 1)	7148	24.79
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	1093	3.79
HISPRACE	1	RACE ETHNICITY		
		1 = HISPANIC	7148	24.79
		2 = NONHISPANIC BLACK	6511	22.58
		3 = NONHISPANIC NONBLACK	15173	52.63
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=>18)	5055	17.53
		2 = High school graduate (IREduc = 12 and IRAGE=>18)	7299	25.32
		3 = Some college (IREduc = 13-15 and IRAGE => 18)	5206	18.06
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	4018	13.94
		5 = 12-17 year olds (IRAGE = 12-17)	7254	25.16
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST =1,3 and IRAGE => 18)	11700	40.58
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	2782	9.65
		3 = Unemployed (IRWORKST = 4,5,10 and IRAGE => 18) ...	2156	7.48
		4 = Other (IRWORKST = 6-9,11 and IRAGE => 18)	4940	17.13
		5 = 12-17 year olds (IRAGE = 12-17)	7254	25.16

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following four variables, ROCCUP2, BUSINESS2, CWE OCC2, and CWEBUS2, are the recoded versions of ROCCUP, BUSINESS, CWE OCC, and CWEBUS as prepared for public release.		
ROCCUP2	3	KIND OF WORK OF RESPONDENT		
		RANGE = 1 - 16	22277	77.26
		990 = OCCUPATION NOT REPORTED	69	0.24
		995 = BAD DATA	1	0.00
		997 = REFUSED	21	0.07
		998 = BLANK (NO ANSWER)	259	0.90
		999 = LEGITIMATE SKIP	6205	21.52
BUSINES2	3	BUSINESS OR INDUSTRY OF RESPONDENT		
		RANGE = 1 - 16	22204	77.01
		990 = INDUSTRY NOT REPORTED	144	0.50
		995 = BAD DATA		
		997 = REFUSED	20	0.07
		998 = BLANK (NO ANSWER)	259	0.90
		999 = LEGITIMATE SKIP	6205	21.52
CWE OCC2	3	KIND OF WORK OF CHIEF WAGE EARNER		
		RANGE = 1 - 16	15342	53.21
		990 = INDUSTRY NOT REPORTED	309	1.07
		994 = DON'T KNOW		
		995 = BAD DATA	2	0.01
		997 = REFUSED	24	0.08
		998 = BLANK (NO ANSWER)	339	1.18
		999 = LEGITIMATE SKIP	12816	44.45
CWEBUS2	3	BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER		
		RANGE = 1 - 16	15282	53.00
		990 = INDUSTRY NOT REPORTED	371	1.29
		994 = DON'T KNOW		
		995 = BAD DATA		
		997 = REFUSED	24	0.08
		998 = BLANK (NO ANSWER)	339	1.18
		999 = LEGITIMATE SKIP	12816	44.45
		The following ten variables, CHAGE1-CHAGE10, are the collapsed versions of the ages of children in the household as prepared for public release.		
CHAGE1	2	NUMBER OF CHILDREN AGES 0 TO 2		
		RANGE = 0 - 3	28832	100.00
CHAGE2	2	NUMBER OF CHILDREN AGES 3 TO 5		
		RANGE = 0 - 4	28832	100.00
CHAGE3	2	NUMBER OF CHILDREN AGES 6 TO 8		
		RANGE = 0 - 3	28832	100.00

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
CHAGE4	2	NUMBER OF CHILDREN AGES 9 TO 11 RANGE = 0 - 4	28832	100.00
CHAGE5	2	NUMBER OF CHILDREN AGES 12 TO 14 RANGE = 0 - 4	28832	100.00
CHAGE6	2	NUMBER OF CHILDREN AGES 15 TO 17 RANGE = 0 - 3	28832	100.00
CHAGE7	2	NUMBER OF CHILDREN AGES 18 TO 24 RANGE = 0 - 6	28832	100.00
CHAGE8	2	NUMBER OF CHILDREN AGES 25 TO 34 RANGE = 0 - 8	28832	100.00
CHAGE9	2	NUMBER OF CHILDREN AGES 35+ RANGE = 0 - 9	28832	100.00
CHAGE10	2	NUMBER OF CHILDREN W/AGES UNKNOWN OR UNSPECIFIED RANGE = 0 - 12	28832	100.00
INDINC	6	ANNUAL TOTAL PERSONAL INCOME RECEIVED RANGE = 0 - 282000	28832	100.00
IIINDINC	1	TOTL PERSONAL INCOME - IMPUTATION INDICATOR 1 = All personal income sources from questionnaire ... 3 = At least 1 of sources were stat or logic imputed .	20823 8009	72.2. 27.78
INDCAT	2	ANNUAL TOTAL PERSONAL INCOME RECODE (13 CATEGS.) 1 = \$0 2 = \$1-\$4,999 3 = \$5,000-\$6,999 4 = \$7,000-\$8,999 5 = \$9,000-\$11,999 6 = \$12,000-\$14,999 7 = \$15,000-\$19,999 8 = \$20,000-\$24,999 9 = \$25,000-\$29,999 10 = \$30,000-\$39,999 11 = \$40,000-\$49,999 12 = \$50,000-\$74,999 13 = \$75,000+	6953 5718 1731 1680 1912 2445 2215 1860 1007 1617 847 672 175	24.12 19.83 6.00 5.83 6.63 8.48 7.68 6.45 3.49 5.61 2.94 2.33 0.61
PERINC	1	ANNUAL TOTAL PERSONAL INCOME RECODE (5 CATEGORIES) 1 = \$0-\$8,999 2 = \$9,000-\$19,999 3 = \$20,000-\$39,999 4 = \$40,000-\$74,999 5 = \$75,000+	16082 6572 4484 1519 175	55.78 22.79 15.55 5.27 0.61

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
PERINC2	1	ANNUAL TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	17041	59.10
		2 = \$10,000-\$19,999	5613	19.47
		3 = \$20,000-\$29,999	2867	9.94
		4 = \$30,000-\$39,999	1617	5.61
		5 = \$40,000-\$49,999	847	2.94
		6 = \$50,000-\$74,999	672	2.33
		7 = \$75,000+	175	0.61
PERINC3	1	ANNUAL TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	9928	34.43
		2 = \$10,000-\$19,999	5515	19.13
		3 = \$20,000-\$29,999	2843	9.86
		4 = \$30,000-\$39,999	1606	5.57
		5 = \$40,000-\$49,999	844	2.93
		6 = \$50,000-\$74,999	667	2.31
		7 = \$75,000+	175	0.61
		8 = 12-17 Years Old	7254	25.16
TOTINC	7	ANNUAL TOTAL FAMILY INCOME (NOT INCLD FOOD STAMP)		
		RANGE = 12 - 1200516	28187	97.76
		0 = No family income	645	2.24
IITOTINC	1	TOTL FAM INCOME (NOT FD STMP) - IMPUT. INDICATOR		
		1 = All income sources from questionnaire	12872	44.64
		3 = At least 1 of sources were stat or logic imputed ..	15960	55.36
TOTCAT	2	TOTAL FAMILY INCOME - CATEGORIZED TOTINC		
		1 = \$0	645	2.24
		2 = \$1-\$4,999	1363	4.73
		3 = \$5,000-\$6,999	1006	3.49
		4 = \$7,000-\$8,999	1284	4.45
		5 = \$9,000-\$11,999	1795	6.23
		6 = \$12,000-\$14,999	2157	7.48
		7 = \$15,000-\$19,999	3011	10.44
		8 = \$20,000-\$24,999	2690	9.33
		9 = \$25,000-\$29,999	2347	8.14
		10 = \$30,000-\$39,999	3991	13.84
		11 = \$40,000-\$49,999	2379	8.25
		12 = \$50,000-\$74,999	4368	15.15
		13 = \$75,000+	1796	6.23
FAMINC	1	ANNUAL TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	4298	14.91
		2 = \$9,000-\$19,999	6963	24.15
		3 = \$20,000-\$39,999	9028	31.31
		4 = \$40,000-\$74,999	6747	23.40
		5 = \$75,000+	1796	6.23

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
FAMINC2	1	ANNUAL TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	5106	17.71
		2 = \$10,000-\$19,999	6155	21.35
		3 = \$20,000-\$29,999	5037	17.47
		4 = \$30,000-\$39,999	3991	13.84
		5 = \$40,000-\$49,999	2379	8.25
		6 = \$50,000-\$74,999	4368	15.15
		7 = \$75,000+	1796	6.23
FAMINC3	1	ANNUAL TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	3815	13.23
		2 = \$10,000-\$19,999	4744	16.45
		3 = \$20,000-\$29,999	3716	12.89
		4 = \$30,000-\$39,999	2987	10.36
		5 = \$40,000-\$49,999	1867	6.48
		6 = \$50,000-\$74,999	3002	10.41
		7 = \$75,000+	1447	5.02
		8 = 12-17 Years Old	7254	25.16
WELFARE	1	ANY FAMILY MEMBER ON WELFARE PAST MONTH INDICATOR		
		1 = Yes, respondent or another fam member on welfare	2800	9.71
		2 = No, there was no one in the family on welfare	26032	90.29

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		RECODED DRUG USE		

HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)	26288	91.18
		1 = Ever used (IRHALRC = 1-5)	2544	8.82
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 4-5,9) ...	28261	98.02
		1 = Used within the past year (IRHALRC = 1-3)	571	1.98
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-5,9) ..	28675	99.46
		1 = Used within the past month (IRHALRC = 1)	157	0.54
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	27625	95.81
		1 = Ever used (IRPCPRC = 1,5)	1207	4.19
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 4-5,9) ...	28695	99.52
		1 = Used within the past year (IRPCPRC = 1-3)	137	0.48
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-5,9) ..	28794	99.87
		1 = Used within the past month (IRPCPRC = 1)	38	0.13
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)	27171	94.24
		1 = Ever used (IRSTMRC = 1-5)	1661	5.76
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 4-5,9) ...	28475	98.76
		1 = Used within the past year (IRSTMRC = 1-3)	357	1.24
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-5,9) ..	28732	99.65
		1 = Used within the past month (IRSTMRC = 1)	100	0.35
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)	27895	96.75
		1 = Ever used (IRSEDRC = 1-5)	937	3.25
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 4-5,9) ...	28556	99.04
		1 = Used within the past year (IRSEDRC = 1-3)	276	0.96
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-5,9) ..	28718	99.60
		1 = Used within the past month (IRSEDRC = 1)	114	0.40

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)	27490	95.35
		1 = Ever used (IRTRNRC = 1-5)	1342	4.65
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 4-5,9) ...	28402	98.51
		1 = Used within the past year (IRTRNRC = 1-3)	430	1.49
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-5,9) ..	28704	99.56
		1 = Used within the past month (IRTRNRC = 1)	128	0.44
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	27163	94.21
		1 = Ever used (IRANLRC = 1-5)	1669	5.79
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 4-5,9) ...	28070	97.36
		1 = Used within the past year (IRANLRC = 1-3)	762	2.64
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-5,9) ..	28592	99.17
		1 = Used within the past month (IRANLRC = 1)	240	0.83
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)	7769	26.91
		1 = Ever used (IRALCRC = 1-5)	21063	73.05
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 4-5,9) ...	11033	38.27
		1 = Used within the past year (IRALCRC = 1-3)	17799	61.73
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-5,9) ..	15847	54.96
		1 = Used within the past month (IRALCRC = 1)	12985	45.04
CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)	12272	42.56
		1 = Ever used (IRCIGRC = 1-5)	16560	57.44
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 4-5,9) ...	20181	70.00
		1 = Used within the past year (IRCIGRC = 1-3)	8651	30.00
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-5,9) ..	21955	76.15
		1 = Used within the past month (IRCIGRC = 1)	6877	23.85
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRC = 9)	25784	89.43
		1 = Ever used (IROTBRC = 1-5)	3048	10.57

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBC = 4-5,9) ...	27816	96.48
		1 = Used within the past year (IROTBC = 1-3)	1016	3.52
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IROTBC = 2-5,9) ..	28221	97.88
		1 = Used within the past month (IROTBC = 1)	611	2.12
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9)	28541	98.99
		1 = Ever used (IRHERRC = 1-5)	291	1.01
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 4-5,9) ...	28761	99.75
		1 = Used within the past year (IRHERRC = 1-3)	71	0.25
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-5,9) ..	28801	99.89
		1 = Used within the past month (IRHERRC = 1)	31	0.11
STRFLAG	1	ANABOLIC STEROIDS - EVER USED		
		0 = Never used (IRSTRC = 9)	28711	99.58
		1 = Ever used (IRSTRC = 1-5)	121	0.42
STRYR	1	ANABOLIC STEROIDS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTRC = 4-5,9) ...	28804	99.90
		1 = Used within the past year (IRSTRC = 1-3)	28	0.10
STRMON	1	ANABOLIC STEROIDS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTRC = 2-5,9) ..	28824	99.97
		1 = Used within the past month (IRSTRC = 1)	8	0.03
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9)	18816	65.26
		1 = Ever used (IRMJRC = 1-6)	10016	34.74
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 5-6,9)	25321	87.82
		1 = Used within the past year (IRMJRC = 1-4)	3511	12.18
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 3-6,9) ...	27053	93.83
		1 = Used within the past month (IRMJRC = 1-2)	1779	6.17
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9)	25154	87.24
		1 = Ever used (IRCOCRC = 1-6)	3678	12.76
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 5-6,9) ...	27771	96.32
		1 = Used within the past year (IRCOCRC = 1-4)	1061	3.68

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 3-6,9) ..	28495	98.83
		1 = Used within the past month (IRCOCRC = 1-2)	337	1.17
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCKRC = 9)	28197	97.80
		1 = Ever used (IRCKRC = 1-6)	635	2.20
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCKRC = 5-6,9)	28623	99.28
		1 = Used within the past year (IRCKRC = 1-4)	209	0.72
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCKRC = 3-6,9) ..	28740	99.68
		1 = Used within the past month (IRCKRC = 1-2)	92	0.32
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	26996	93.63
		1 = Ever used (IRINHRC = 1-6)	1836	6.37
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 5-6,9) ...	28338	98.29
		1 = Used within the past year (IRINHRC = 1-4)	494	1.71
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 3-6,9) ..	28626	99.21
		1 = Used within the past month (IRINHRC = 1-2)	206	0.71
ICEFLAG	1	EVER USED "ICE"		
		0 = Never used (IRICERC = 9)	28700	99.54
		1 = Ever used (IRICERC = 1-6)	132	0.46
ICEYR	1	USED "ICE" PAST YEAR		
		0 = Did not use in the past year (IRICERC = 5-6,9) ...	28768	99.78
		1 = Used within the past year (IRICERC = 1-4)	64	0.22
ICEMON	1	USED "ICE" PAST MONTH		
		0 = Did not use in the past month (IRICERC = 5-6,9) .	28820	99.96
		1 = Used within the past month (IRICERC = 1-2)	12	0.04

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
		The following variable, NEEDLREC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-10), CONDLREC(Q.CN-11), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). The variable, NEEDLREC, is identical for the 1988, 1990, 1991, and 1992 NHSDAs.		
NEEDLREC	2	MOST RECENT TIME USED STM,COC OR HER WITH A NEEDLE		
		1 = Within the past month (30 days)	30	0.10
		2 = More than 1 month ago but less than 6 months ago .	36	0.12
		3 = 6 or more months ago but less than 1 year ago	22	0.08
		4 = 1 or more years ago but less than 3 years ago	44	0.15
		5 = 3 or more years ago but less than 10 years ago ...	131	0.45
		6 = 10 or more years ago	76	0.26
		8 = Use in past year LOGICALLY IMPUTED	13	0.05
		9 = Use in lifetime LOGICALLY IMPUTED	23	0.08
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	28233	97.92
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	224	0.78

The following variable, NDL90REC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-10), CONDLREC(Q.CN-11), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). In addition, finally edited versions of the following variables were examined: GNNDLLIF(Q.ND-1), GNNDLREC(Q.ND-2), the series GNNDLSED(Q.ND-3) through GNNDLNON (Q.ND-3), GNNDLSH1(Q.ND-4) and GNNDLSH2(Q.ND-5).

The 1992 variable NDL90REC here is roughly comparable to the same 1991 variable and to the 1990 variable, NDL90RC2.

NDL90REC	2	MOST RECENT TIME USED DRUG W/ A NEEDLE		
		1 = Within the past month (30 days)	35	0.12
		2 = More than 1 month ago but less than 6 months ago .	42	0.15
		3 = 6 or more months ago but less than 1 year ago	24	0.08
		4 = 1 or more years ago but less than 3 years ago	49	0.17
		5 = 3 or more years ago but less than 10 years ago ...	158	0.55
		6 = 10 or more years ago	88	0.31
		8 = Use in past year LOGICALLY IMPUTED	12	0.04
		9 = Use in lifetime LOGICALLY IMPUTED	28	0.10
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	28368	98.39
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	28	0.10

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		The variable, NEDFLAG3, is identical for all the 1990, 1991, and 1992 NHSDAs. The source variable NDL90RC2 in 1990 was named differently, but is defined in the same manner as is NDL90REC in 1991 and 1992.		
NEDFLAG3	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (NDL90REC=91,98)	28396	98.49
		1 = Ever used (NDL90REC=1-9)	436	1.51
NEDYR3	1	NEEDLE USE (ANY DRUG) - PAST YEAR USE		
		0 = Never used (NDL90REC=4-6,9,91,98)	28719	99.61
		1 = Ever used (NDL90REC=1-3,8)	113	0.39
HALYRF	1	HALLUCINOGENS YEAR FLAG		
		0 = Never used or did not use in past year (IRHALFQ=9)	28261	98.02
		1 = Any use within the past year (IRHALFQ=1-8)	571	1.98
HALMONF	1	HALLUCINOGENS MONTH FLAG		
		0 = Did not use monthly/more past year (IRHALFQ=6-9) .	28713	99.59
		1 = Used monthly or more often past year (IRHALFQ=1-5)	119	0.41
HALWKF	1	HALLUCINOGENS WEEK FLAG		
		0 = Did not use weekly or more past year (IRHALFQ=4-9)	28796	99.88
		1 = Used weekly or more often past year (IRHALFQ=1-3)	36	0.12
HALOCCF	1	HALLUCINOGENS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRHALFQ=1-5,9)	28380	98.43
		1 = Used past year but less than monthly (IRHALFQ=6-8)	452	1.57
HALDLYF	1	HALLUCINOGENS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRHALFQ=3-9)	28813	99.93
		1 = Used daily/almost daily in past year (IRHALFQ=1-2)	19	0.07
STMYRF	1	STIMULANTS YEAR FLAG		
		0 = Never used or did not use in past year (IRSTMFQ=9)	28475	98.76
		1 = Any use within the past year (IRSTMFQ=1-8)	357	1.24
STMMONF	1	STIMULANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRSTMFQ=6-9) .	28678	99.47
		1 = Used monthly or more often past year (IRSTMFQ=1-5)	154	0.53
STMWKF	1	STIMULANTS WEEK FLAG		
		0 = Did not use weekly or more past year (IRSTMFQ=4-9)	28779	99.82
		1 = Used weekly or more often past year (IRSTMFQ=1-3)	53	0.18
STMOCCF	1	STIMULANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRSTMFQ=1-5,9)	28629	99.30
		1 = Used past year but less than monthly (IRSTMFQ=6-8)	203	0.70
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRSTMFQ=3-9)	28813	99.93
		1 = Used daily/almost daily in past year (IRSTMFQ=1-2)	19	0.07

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
SEDYRF	1	SEDATIVES YEAR FLAG		
		0 = Never used or did not use in past year (IRSEDFQ=9)	28556	99.04
		1 = Any use within the past year (IRSEDFQ=1-8)	276	0.96
SEDMONF	1	SEDATIVES MONTH FLAG		
		0 = Did not use monthly/more past year (IRSEDFQ=6-9) .	28719	99.61
		1 = Used monthly or more often past year (IRSEDFQ=1-5)	113	0.39
SEDWKF	1	SEDATIVES WEEK FLAG		
		0 = Did not use weekly or more past year (IRSEDFQ=4-9)	28767	99.77
		1 = Used weekly or more often past year (IRSEDFQ=1-3)	65	0.23
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRSEDFQ=1-5,9)	28669	99.43
		1 = Used past year but less than monthly (IRSEDFQ=6-8)	163	0.57
SEDDLYF	1	SEDATIVES DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRSEDFQ=3-9)	28801	99.89
		1 = Used daily/almost daily in past year (IRSEDFQ=1-2)	31	0.11
TRQYRF	1	TRANQUILIZERS YEAR FLAG		
		0 = Never used or did not use in past year (IRTRNFQ=9)	28402	98.51
		1 = Any use within the past year (IRTRNFQ=1-8)	430	1.49
TRQMONF	1	TRANQUILIZERS MONTH FLAG		
		0 = Did not use monthly/more past year (IRTRNFQ=6-9) .	28700	99.54
		1 = Used monthly or more often past year (IRTRNFQ=1-5)	132	0.46
TRQWKF	1	TRANQUILIZERS WEEK FLAG		
		0 = Did not use weekly or more past year (IRTRNFQ=4-9)	28769	99.78
		1 = Used weekly or more often past year (IRTRNFQ=1-3)	63	0.22
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRTRNFQ=1-5,9)	28534	98.97
		1 = Used past year but less than monthly (IRTRNFQ=6-8)	298	1.03
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRTRNFQ=3-9)	28805	99.91
		1 = Used daily/almost daily in past year (IRTRNFQ=1-2)	27	0.09
ANLYRF	1	ANALGESICS YEAR FLAG		
		0 = Never used or did not use in past year (IRANLFQ=9)	28070	97.36
		1 = Any use within the past year (IRANLFQ=1-8)	762	2.64
ANLMONF	1	ANALGESICS MONTH FLAG		
		0 = Did not use monthly/more past year (IRANLFQ=6-9) .	28584	99.14
		1 = Used monthly or more often past year (IRANLFQ=1-5)	248	0.86
ANLWKF	1	ANALGESICS WEEK FLAG		
		0 = Did not use weekly or more past year (IRANLFQ=4-9)	28731	99.65
		1 = Used weekly or more often past year (IRANLFQ=1-3)	101	0.35

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRANLFQ=1-5,9)	28318	98.22
		1 = Used past year but less than monthly (IRANLFQ=6-8)	514	1.78
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRANLFQ=3-9)	28789	99.85
		1 = Used daily/almost daily in past year (IRANLFQ=1-2)	43	0.15
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=9)	11033	38.27
		1 = Any use within the past year (IRALCFQ=1-8)	17799	61.73
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=6-9)	18379	63.75
		1 = Used monthly or more often past year (IRALCFQ=1-5)	10453	36.25
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRALCFQ=4-9)	23610	81.89
		1 = Used weekly or more in past year (IRALCFQ=1-3)	5222	18.11
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRALCFQ=1-5,9)	21486	74.52
		1 = Used past year but less than monthly (IRALCFQ=6-8)	7346	25.48
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRALCFQ=3-9)	27010	93.61
		1 = Used daily/almost daily in past year (IRALCFQ=1-2)	1822	6.32
SMKYRF	1	SMOKELESS TOBACCO YEAR FLAG		
		0 = Never used or did not use in past year (IROTBFQ=9)	27816	96.48
		1 = Any use within the past year (IROTBFQ=1-8)	1016	3.52
SMKMONF	1	SMOKELESS TOBACCO MONTH FLAG		
		0 = Did not use monthly/more past year (IROTBFQ=6-9)	28202	97.81
		1 = Used monthly or more often past year (IROTBFQ=1-5)	630	2.19
SMKWKF	1	SMOKELESS TOBACCO WEEK FLAG		
		0 = Did not use weekly or more past year (IROTBFQ=4-9)	28349	98.32
		1 = Used weekly or more often past year (IROTBFQ=1-3)	483	1.68
SMKOCCF	1	SMOKELESS TOBACCO OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IROTBFQ=1-5,9)	28446	98.66
		1 = Used past year but less than monthly (IROTBFQ=6-8)	386	1.34
SMKDLYF	1	SMOKELESS TOBACCO DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IROTBFQ=3-9)	28448	98.67
		1 = Used daily/almost daily in past year (IROTBFQ=1-2)	384	1.33
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRMJFQ=10)	25321	87.82
		1 = Any use within the past year (IRMJFQ=1-9)	3511	12.18

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
----	---	-----	----	-
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRMJFQ=7-10)	27063	93.86
		1 = Used monthly or more in past year (IRMJFQ=1-6)	1769	6.14
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly/more past year (IRMJFQ=5-10)	27797	96.41
		1 = Used weekly or more in past year (IRMJFQ=1-4)	1035	3.59
MRJOCFF	1	MARIJUANA OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10)	27090	93.96
		1 = Used past year but less than monthly (IRMJFQ=7-9)	1742	6.04
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10)	28227	97.90
		1 = Used daily/almost daily in past year (IRMJFQ=1-3)	605	2.10
COCYRF	1	COCAINE - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRCOCFQ=9)	27771	96.32
		1 = Any use within the past year (IRCOCFQ = 1-8)	1061	3.68
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRCOCFQ=6-9)	28449	98.67
		1 = Used monthly or more often past year (IRCOCFQ=1-5)	383	1.33
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRCOCFQ=4-9)	28676	99.46
		1 = Used weekly or more often past year (IRCOCFQ=1-3)	156	0.54
COCOCCF	1	COCAINE OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRCOCFQ=1-5,9)	28154	97.65
		1 = Used past year but less than monthly (IRCOCFQ=6-8)	678	2.35
COCDLyf	1	COCAINE DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRCOCFQ=3-9)	28751	99.72
		1 = Used daily/almost daily in past year (IRCOCFQ=1-2)	81	0.28
INH YRF	1	INHALANTS YEAR FLAG		
		0 = Never used or did not use in past year (IRINH FQ=9)	28338	98.29
		1 = Any use within the past year (IRINH FQ=1-8)	494	1.71
INHMONF	1	INHALANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRINH FQ=6-9)	28672	99.45
		1 = Used monthly or more often past year (IRINH FQ=1-5)	160	0.55
INH WKF	1	INHALANTS WEEK FLAG		
		0 = Did not use weekly or more past year (IRINH FQ=4-9)	28761	99.75
		1 = Used weekly or more often past year (IRINH FQ=1-3)	71	0.25
INHOCFF	1	INHALANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRINH FQ=1-5,9)	28498	98.84
		1 = Used past year but less than monthly (IRINH FQ=6-8)	334	1.16

LABEL	LEN	DESCRIPTION	FREQ	%
INHDLYF	1	INHALANTS DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRINHFAQ=3-9)	28810	99.92
		1 = Used daily/almost daily in past year (IRINHFAQ=1-2)	22	0.08

The following three variables were created by examination of IRSEDR (Q.S-4), IRTNR (Q.T-4), IRSTM (Q.ST-4), and IRANL (Q.AN-4).

PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9)	25568	88.68
		1 = Ever used (ANY SOURCE VARIABLE < 9)	3264	11.32

PSYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 3)	27576	95.64
		1 = Used in past year (ANY SOURCE VARIABLE < 4)	1256	4.36

PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1)	28388	98.46
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	444	1.54

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0)	17760	61.60
		1 = Ever used (ANY SOURCE VARIABLE = 1)	11072	38.40

The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.

SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS = 0)	24351	84.46
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	4481	15.54

The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.

SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0)	26556	92.11
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	2276	7.89

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
The following variable, MJOF2, was created by examination of MRJ2 and then HAL2, HER2, COC2, INH2, and PSY2.				
MJOF2	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & another illicit drug	23979	83.17
		1 = Marijuana is only (illicit) drug ever used	4853	16.83
The following variable, MJOF2, was created by examination of MRJ2 and then HAL2, HER2, COC2, INH2, and PSY2.				
MJOF2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & other drug past yr	26791	92.92
		1 = Marijuana is only (illicit) drug in past year	2041	7.08
The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.				
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past month/Used MJ & other drug past mo	27533	95.49
		1 = Marijuana only (illicit) drug in past month	1299	4.51
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	22613	78.43
		1 = Illicit drug except for marijuana are ever used	6219	21.57
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYR2.				
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	26392	91.54
		1 = Illicit drug except for marijuana used past year	2440	8.46
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PST MONTH USED		
		0 = Never used drug/used only marijuana past month	27855	96.61
		1 = Illicit drug except for marijuana used past month	977	3.39

DESIGN AND ESTIMATION VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DESIGN AND ESTIMATION VARIABLES				

VESTR	4	STRATUM TO BE USED IN ANALYSIS		
VEREP	2	REPLICATE WITHIN ANALYSIS STRATUM		
<p>The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about survey's target population or about any subgroup of the target population.</p>				
ANALWT	8	ANNUAL ANALYSIS WEIGHT		
<p>The following variables RURORURB through OWNCONC were taken from the 1990 Decennial Census STF3A file at the segment level. For a small percentage (1%) of respondents, a match was not made to the 1990 segments and data from the 1980 Decennial Census STF3A file were used.</p>				
<p>The following variable, RURORURB, is based on the 1990 census data. For each census segment, if the rural population is equal to the total population, the segment is considered to be rural. Otherwise, the segment is considered to be urban.</p>				
RURORURB	8	RURAL OR URBAN SEGMENT		
		1 = Rural	3491	12.11
		2 = Urban	25341	87.89
PBLACKHH	8	CATEG. NONHISP. BLACK HH IN SEGMENT		
		1 = Greater than or equal to 50 percent	4820	16.72
		2 = Greater than or equal to 10 percent, less than 50 percent	4072	14.12
		3 = Less than 10 percent	19940	69.16
PBLACKP	8	CATEG. NONHISP BLACK POP. IN SEGMENT		
		1 = Greater than or equal to 50 percent	4389	15.22
		2 = Greater than or equal to 10 percent, less than 50 percent	3546	12.30
		3 = Less than 10 percent	20897	72.48

DESIGN AND ESTIMATION VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
HSPHCONC	1	CATEG. % HISPANIC HH'S IN SEGMENT		
		1 = Greater than or equaled to 50 percent	2925	10.14
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	6479	22.47
		3 = Less than 10 percent	19428	67.38
HSPPCONC	1	CATEG. % HISPANIC POP. IN SEGMENT		
		1 = Greater than or equaled 50 percent	3692	12.81
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	6742	23.38
		3 = Less than 10 percent	18398	63.81
OWNOCONC	1	CATEG. % OWNER-OCCUPIED HH'S IN SEGMENT		
		1 = Greater than or equaled 50 percent	17197	59.65
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	7850	27.23
		3 = Less than 10 percent	3785	13.13

The following variables, PPOVERTY through RENTAVE, are 1990 census variables taken from the STF3A tapes that provide data on the census tract level. For a small percentage (1%) of respondents, a match was not made to the 1990 tracks and data from the 1980 STF3A file were used. Each variable has been recoded into five categories based on their weighted quintiles.

PPOVERTY uses the definition of poverty level as the sum of the responses to Census questions P123_13 through P123_24.

PPOVERTY	8	CATEG. FAMILIES BELOW POVERTY LEVEL IN TRACT		
		. = missing	261	0.91
		1 = 0 - 2.65 percent	4763	16.52
		2 = 2.66 - 5.12 percent	4419	15.33
		3 = 5.13 - 9.02 percent	4765	16.53
		4 = 9.03 - 16.15 percent	5631	19.53
		5 = 16.16 percent or more	8993	31.19
POWNED	8	CATEG. PERCENT OF HOUSING OWNED IN TRACT		
		. = missing	248	0.86
		1 = 0 - 50.25 percent	10765	37.34
		2 = 50.26 - 67.58 percent	5788	20.07
		3 = 67.59 - 76.38 percent	4545	15.76
		4 = 76.39 - 83.96 percent	3515	12.19
		5 = 83.97 percent or more	3971	13.77
PRENTED	8	CATEG. PERCENT OF HOUSING RENTED IN TRACT		
		. = missing	248	0.86
		1 = 0 - 16.04 percent	3971	13.77
		2 = 16.05 - 23.62 percent	3515	12.19
		3 = 23.63 - 32.42 percent	4545	15.76
		4 = 32.43 - 49.75 percent	5788	20.07
		5 = 49.75 percent or more	10765	37.34

DESIGN AND ESTIMATION VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
<p>The following variables OWNEDAVE and RENTAVE were taken from the 1990 Decennial Census STF3A file at the tract level. For a small percentage (1%) of respondents, a match was not made to the 1990 tracts and data from the 1980 Decennial Census STF3A file were used.</p>				
OWNEDAVE	8	CATEG. MEDIAN VALUE OF OWNED HOMES IN TRACT		
		. = missing	292	1.01
		1 = 0 - \$44,777	4328	15.01
		2 = \$44,778 - \$60,832	4644	16.11
		3 = \$60,833 - \$85,121	5896	20.45
		4 = \$85,122 - \$142,831	6647	23.05
		5 = \$142,832 or more	7025	24.37
RENTAVE	8	CATEG. MEDIAN RENT FOR RENTAL UNITS IN TRACT		
		. = missing	189	0.66
		1 = 0 - \$315.81	3972	13.78
		2 = \$315.82 - \$393.95	4834	16.77
		3 = \$393.96 - \$476.96	5946	20.62
		4 = \$476.97 - \$619.72	7076	24.54
		5 = \$619.72 or more	6815	23.6
<p>This variable, created by the Urban Institute from 1990 CENSUS data, applies to a CENSUS tract. It identifies "underclass" CENSUS tracts. A tract is defined as underclass based on a combination of 4 factors: 1) families headed by a woman, with children; 2) persons 16-19 years not enrolled in school and not high school graduates; 3) males 16+ who worked 26 or fewer weeks in the past year plus males 16+ not in the labor force; and 4) households with public assistance income.</p>				
UCLASS9	1	UNDERCLASS		
		. = NOT DEFINED FOR SEGMENT	189	0.66
		0 = Above underclass level	27953	96.95
		1 = Below underclass level	690	2.39

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	%
UNEDITED RECENCIES				
C-6. When was the most recent time you smoked a cigarette?				
QC06	2	MOST RECENT TIME SMOKED A CIGARETTE		
		1 = Within the past month (30 days)	6792	23.56
		2 = More than 1 month ago but less than 6 months ago	743	2.58
		3 = 6 or more months ago but less than 1 year ago	578	2.00
		4 = 1 or more years ago but less than 3 years ago	1351	4.69
		5 = 3 or more years ago	6049	20.98
		98 = BLANK (NO ANSWER)	13319	46.20
C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)				
QC09	2	MOST RECENT TIME USED SMOKELESS TOBACCO		
		1 = Within the past month (30 days)	565	1.96
		2 = More than 1 month ago but less than 6 months ago	234	0.81
		3 = 6 or more months ago but less than 1 year ago	145	0.50
		4 = 1 or more years ago but less than 3 years ago	388	1.35
		5 = 3 or more years ago	1653	5.73
		91 = NEVER USED SMOKELESS TOBACCO	25430	88.20
		98 = BLANK (NO ANSWER)	417	1.45
A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?				
AL02	2	MOST RECENT TIME HAD AN ALCOHOL DRINK		
		1 = Within the past month (30 days)	12022	41.70
		2 = More than 1 month ago but less than 6 months ago	3373	11.70
		3 = 6 or more months ago but less than 1 year ago	1583	5.49
		4 = 1 or more years ago but less than 3 years ago	1514	5.25
		5 = 3 or more years ago	2203	7.64
		91 = NEVER USED ALCOHOL	7719	26.77
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	417	1.45

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	
		S-4. When was the most recent time you took any sedative for nonmedical reasons?		
SE04	2	MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS		
		1 = Within the past month (30 days)	84	0.29
		2 = More than 1 month ago but less than 6 months ago	59	0.20
		3 = 6 or more months ago but less than 1 year ago	61	0.21
		4 = 1 or more years ago but less than 3 years ago	100	0.35
		5 = 3 or more years ago	541	1.88
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	27986	97.07
		T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?		
TR04	2	MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
		1 = Within the past month (30 days)	106	0.37
		2 = More than 1 month ago but less than 6 months ago	116	0.40
		3 = 6 or more months ago but less than 1 year ago	116	0.40
		4 = 1 or more years ago but less than 3 years ago	231	0.80
		5 = 3 or more years ago	684	2.37
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	27578	95.65
		ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?		
ST04	2	MOST RECENT TIME USED STIMULANT FOR NONMEDICAL RSN		
		1 = Within the past month (30 days)	100	0.35
		2 = More than 1 month ago but less than 6 months ago	86	0.30
		3 = 6 or more months ago but less than 1 year ago	83	0.29
		4 = 1 or more years ago but less than 3 years ago	199	0.69
		5 = 3 or more years ago	1066	3.70
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	27297	94.68
		ST-7. When was the most recent time you used amphetamines with a needle?		
ST07	2	MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE		
		1 = Within the past month (30 days)	6	0.02
		2 = More than 1 month ago but less than 6 months ago	8	0.03
		3 = 6 or more months ago but less than 1 year ago	6	0.02
		4 = 1 or more years ago but less than 3 years ago	17	0.06
		5 = 3 or more years ago but less than 10 years ago	47	0.16
		6 = 10 or more years ago	31	0.11
		93 = NEVER USED AMPHETAMINES WITH A NEEDLE	1513	5.25
		98 = BLANK (NO ANSWER)	27204	94.35

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	%
AN-4.		When was the most recent time you took any analgesic for nonmedical reasons?		
AN04	2	MOST RECENT TIME USED ANALGESICS NONMEDICAL REASON		
		1 = Within past month (30 days)	205	0.71
		2 = More than 1 month ago but less than 6 months ago ..	221	0.77
		3 = 6 or more months ago but less than 1 year ago	206	0.71
		4 = 1 or more years ago but less than 3 years ago	286	0.99
		5 = 3 or more years ago	562	1.95
		98 = BLANK (NO ANSWER)	27352	94.87
M-4.		When was the most recent time that you used marijuana or hash?		
MJ04	2	MOST RECENT TIME USED MARIJUANA/HASH		
		1 = Within the past week (7 days)	944	3.27
		2 = More than 1 week ago but less than 1 month ago ...	502	1.74
		3 = 1 or more months ago but less than 6 months ago ..	733	2.54
		4 = 6 or more months ago but less than 1 year ago	644	2.23
		5 = 1 or more years ago but less than 3 years ago	1125	3.90
		6 = 3 or more years ago	5939	20.60
		91 = NEVER USED MARIJUANA	18799	65.20
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	143	0.50
IN-4.		When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?		
IN04	2	MOST RECENT TIME USED INHALANT		
		1 = Within the past week (7 days)	28	0.10
		2 = More than 1 week ago but less than 1 month ago ...	50	0.17
		3 = 1 or more months ago but less than 6 months ago ..	128	0.44
		4 = 6 or more months ago but less than 1 year ago	120	0.42
		5 = 1 or more years ago but less than 3 years ago	238	0.83
		6 = 3 or more years ago	1171	4.06
		91 = NEVER USED INHALANTS	26886	93.25
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	210	0.73

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	
		CN-4. When was the most recent time that you used cocaine, in any form?		
CC04	2	MOST RECENT TIME USED COCAINE (IN ANY FORM)		
		1 = Within the past week (7 days)	104	0.36
		2 = More than 1 week ago but less than 1 month ago	97	0.34
		3 = 1 or more months ago but less than 6 months ago	240	0.83
		4 = 6 or more months ago but less than 1 year ago	257	0.89
		5 = 1 or more years ago but less than 3 years ago	566	1.96
		6 = 3 or more years ago	2315	8.03
		91 = NEVER USED COCAINE	25151	87.23
		98 = BLANK (NO ANSWER)	102	0.35
		CN-11. When was the most recent time you used cocaine with a needle?		
CC11	2	MOST RECENT TIME USED COCAINE WITH A NEEDLE		
		1 = Within past month (30 days)	19	0.07
		2 = More than 1 month ago but less than 6 months ago	29	0.10
		3 = 6 or more months ago but less than 1 year ago	18	0.06
		4 = 1 or more years ago but less than 3 years ago	28	0.10
		5 = 3 or more years ago but less than 10 years ago	95	0.33
		6 = 10 or more years ago	52	0.18
		91 = NEVER USED COCAINE	24850	86.1
		93 = NEVER USED COCAINE WITH A NEEDLE	3138	10.8
		98 = BLANK (NO ANSWER)	603	2.09
		CK-1. When was the most recent time you used the form of cocaine known as "crack"?		
CK01	2	MOST RECENT TIME USED "CRACK"		
		1 = Within the past week (7 days)	48	0.17
		2 = More than 1 week ago but less than 1 month ago	19	0.07
		3 = 1 or months ago but less than 6 months ago	63	0.22
		4 = 6 or months ago but less than 1 year ago	72	0.25
		5 = 1 or more years ago but less than 3 years ago	162	0.56
		6 = 3 or more years ago	259	0.90
		81 = NEVER USED "CRACK" Logically assigned	1	0.00
		91 = NEVER USED "CRACK"	28159	97.67
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	48	0.17

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	%
		L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?		
LS05	2	MOST RECENT TIME USED HALLUCINOGENS		
		1 = Within the past month (30 days)	123	0.43
		2 = More than 1 month ago but less than 6 months ago	182	0.63
		3 = 6 or more months ago but less than 1 year ago	157	0.54
		4 = 1 or more years ago but less than 3 years ago	326	1.13
		5 = 3 or more years ago	1700	5.90
		91 = NEVER USED HALLUCINOGENS	26196	90.86
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	146	0.51
		L-8. When was the most recent time that you used PCP?		
LS08	2	MOST RECENT TIME USED PCP		
		1 = Within the past month (30 days)	38	0.13
		2 = More than 1 month ago but less than 6 months ago	45	0.16
		3 = 6 or more months ago but less than 1 year ago	51	0.18
		4 = 1 or more years ago but less than 3 years ago	119	0.41
		5 = 3 or more years ago	930	3.23
		91 = NEVER USED PCP	27468	95.27
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	178	0.62
		H-4. When was the most recent time that you used heroin?		
HE04	2	MOST RECENT TIME USED HEROIN		
		1 = Within the past month (30 days)	24	0.08
		2 = More than 1 month ago but less than 6 months ago	15	0.05
		3 = 6 or more months ago but less than 1 year ago	12	0.04
		4 = 1 or more years ago but less than 3 years ago	37	0.13
		5 = 3 or more years ago	196	0.68
		91 = NEVER USED HEROIN	28379	98.43
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	168	0.58

UNEDITED RECENCIES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		H-7. When was the most recent time you used heroin with a needle?		
HE07	2	MOST RECENT TIME USED HEROIN WITH A NEEDLE		
		1 = Within the past month (30 days)	13	0.05
		2 = More than 1 month ago but less than 6 months ago .	9	0.03
		3 = 6 or more months ago but less than 1 year ago	7	0.02
		4 = 1 or more years ago but less than 3 years ago	17	0.06
		5 = 3 or more years ago but less than 10 years ago ...	67	0.23
		6 = 10 or more years ago	54	0.19
		91 = NEVER USED HEROIN	28200	97.81
		93 = NEVER USED HEROIN WITH A NEEDLE	109	0.38
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	355	1.23
		ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?		
ND02	2	MOST RECENT TIME USED ANY DRUG WITH A NEEDLE		
		1 = Within the past month (30 days)	25	0.09
		2 = More than 1 month ago but less than 6 months	23	0.08
		3 = 6 or more months ago but less than a year ago	16	0.06
		4 = 1 or more years ago but less than 3 years ago	38	0.13
		5 = 3 or more years ago but less than 10 years ago ...	125	0.41
		6 = 10 or more years ago	88	0.31
		91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	23337	80.94
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	5062	17.56
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	115	0.40
		SP-4. When was the most recent time you used the smokable form of methamphet- amine called "ice"?		
SP04	2	MOST RECENT TIME USED "ICE".		
		1 = Within the past month (30 days)	10	0.03
		2 = More than 1 month ago but less than 6 months ago .	30	0.10
		3 = 6 or more months ago but less than 1 year ago	11	0.04
		4 = 1 or more years ago but less than 3 years ago	21	0.07
		5 = 3 or more years ago but less than 10 years ago ...	29	0.10
		6 = 10 or more years ago	8	0.03
		91 = NEVER USED "ICE"	28453	98.69
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	267	0.93

UNEDITED RECNCIES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SP-8. When was the most recent time that you used anabolic steroids?		
SP08	2	MOST RECENT TIME USED ANABOLIC STEROIDS		
		1 = Within the past month (30 days)	8	0.03
		2 = More than 1 month ago but less than 6 months ago .	12	0.04
		3 = More than 6 months ago but less than 1 year ago ..	8	0.03
		4 = 1 or more years ago but less than 3 years ago	28	0.10
		5 = 3 or more years ago	56	0.19
		91 = NEVER USED ANABOLIC STEROIDS	28529	98.95
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	188	0.65

GENERAL VARIABLES (RECODED)			
LABEL	LEN	DESCRIPTION	FREQ
-----	---	-----	----
GENERAL VARIABLES (RECODED)			

AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS	
		0 = Never inhaled (AEROS = 2,81,91,98)	28704 99.56
		1 = Ever inhaled (AEROS = 1,3)	128 0.44
ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS	
		. = Unknown (ALCDAYS=85,94,95,97,98)	794 2.75
		1 = None or never used alcohol (ALCDAYS = 0,81,91,93)	15847 54.96
		2 = 1-2 days (ALCDAYS = 1-2)	4390 15.23
		3 = 3-4 days (ALCDAYS = 3-4)	2692 9.34
		4 = 5-19 days (ALCDAYS = 5-19)	3940 13.67
		5 = 20-30 days (ALCDAYS = 20-31)	1169 4.05
ALCDAYS3	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS	
		. = Unknown (ALCDAYS2 = .)	794 2.75
		1 = None or never used alcohol (ALCDAYS2 = 1)	15847 54.96
		2 = 1-4 days (ALCDAYS2 = 2-3)	7082 24.56
		3 = 5-19 days (ALCDAYS2 = 4)	3940 13.67
		4 = 20-30 days (ALCDAYS2 = 5)	1169 4.05
ALCMON2	1	ALCOHOL - PAST MONTH USE	
		1 = Did not use in the past month (ALCMON = 0)	15847 54.96
		2 = Used within the past month (ALCMON = 1)	12985 45.04
AMYLNIT2	1	EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH	
		0 = Never inhaled (AMYLNIT = 2,81,91,98)	28249 97.9
		1 = Ever inhaled (AMYLNIT = 1,3)	583 2.6
AVCIG2	1	# CIG. SMOKED PER DAY LAST 30	
		. = Unknown (AVCIG = 94,97,98)	389 1.35
		1 = None/never smoked cigarettes (AVCIG=81,89,91,99) .	21899 75.95
		2 = Currently smoke < a pack per day (AVCIG = 1-3) ...	3752 13.01
		3 = Currently smoke a pack or more per day (AVCIG=4-6)	2792 9.68
AVCIG3	1	# CIG. SMOKED PER DAY LAST 30	
		0 = None/never/< pack a day (AVCIG=1-3,81,89,91,98,99)	26040 90.32
		1 = Currently smoke a pack or more per day (AVCIG=4-6)	2792 9.68
CIGMON2	1	CIGARETTES - PAST MONTH USE	
		1 = Did not use in past month (CIGMON = 0)	21955 76.15
		2 = Used within past month (CIGMON = 1)	6877 23.85
CLEFLU2	1	EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD	
		0 = Never inhaled (CLEFLU = 2,81,91,98)	28719 99.61
		1 = Ever inhaled (CLEFLU = 1,3)	113 0.39
COCIV2	1	INJECTED COCAINE WITH NEEDLE PAST 12 MONTHS	
		0 = Never/no use past 12 mos (COCIV=2,81,83,91,93,97)	28750 99.72
		1 = Injected in the past 12 months (COCIV = 1,3)	82 0.28

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
COCWAY2	1	OTHER WAY COCAINE USED PAST 12 MONTHS		
		. = Unknown (COCWAY=4,10,11,95)	126	0.44
		0 = Never/no use past 12 months (COCWAY=2,81,83,91,93)	28692	99.51
		1 = Used other ways past 12 months (COCWAY=1,3,6-9) ..	14	0.05
COCSNIF2	1	SMIFFED/SNORTED COC. THRU NOSE PAST 12 MONTH		
		0 = Never/no use pst 12 mos(COCSNIFF=2,81,83,91,93,97)	28023	97.19
		1 = Sniffed/snorted in past 12 months (COCSNIFF = 1) .	809	2.81
COCSWAL2	1	SWALLOWED/DRANK COCAINE PAST 12 MONTHS		
		0 = Never/no use pst 12 mos(COCSWAL=2,81,83,91,93,97)	28781	99.82
		1 = Swallowed/drunk in past 12 months (COCSWAL = 1) ..	51	0.18
COCTOT2	1	# TIMES USED COCAINE IN LIFE		
		1 = Never used cocaine (COCTOT = 81,91)	25154	87.24
		2 = 1-2 times (COCTOT = 1)	1050	3.64
		3 = 3-10 times (COCTOT = 2,3)	1067	3.70
		4 = 11-99 times (COCTOT = 4,5)	946	3.28
		5 = 100 or more times (COCTOT = 6,7)	530	1.84
		6 = Unknown (COCTOT = 85,97,98)	85	0.29
COCTOT3	1	# TIMES USED COCAINE IN LIFE		
		. = Unknown (COCTOT2=6)	85	0.29
		1 = 1-2 times (COCTOT2 = 2)	1050	3.64
		2 = 3-10 times (COCTOT2 = 3)	1067	3.70
		3 = 11-99 times (COCTOT2 = 4)	946	3.28
		4 = 100 or more times (COCTOT2 = 5)	530	1.84
		5 = Never used cocaine (COCTOT2 = 1)	25154	87.24
A value of 0 was assigned to the following variable, DRAHELP, if TRMTHLP2 or DRNKHLP2 was 0, and neither TRMTHLP2 nor DRNKHLP2 was 1.				
DRAHELP	1	TREATMENT RECEIVED FOR DRUGS OR DRINKING		
		. = Unknown (TRMTHLP2=. and DRNKHLP2=.)	32	0.10
		0 = No (see note above)	28312	98.20
		1 = Yes (TRMTHLP2=1 or DRNKHLP2=1)	488	1.70
DRINKER2	1	DRANK ALCOHOL - PAST 30 DAYS		
		. = Unknown (ALCMON = 1 and DR5DAY = 85,94,95,97,98) .	343	1.19
		0 = Never/no ALC use (ALCMON=0 and DR5DAY=0,81,91,93)	15847	54.96
		1 = Alcohol use (ALCMON = 1 and DR5DAY = 0-30)	12642	43.85
DRNKHLP2	1	TREATMENT RECEIVED FOR DRINKING IN PAST 12 MONTHS		
		. = Unknown (DRNKHELP=97,98)	85	0.30
		0 = No (DRNKHELP=2)	28421	98.60
		1 = Yes (DRNKHELP=1)	326	1.10

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DRUNKYR2	1	# TIMES DRUNK ON ALC PAST 12 MONTH		
		. = Never used/not in past yr (DRUNKYR = 81,83,91,93)	11033	38.27
		0 = Unknown (DRUNKYR = 85,96,97,98)	1429	4.96
		1 = Drunk more than twice a month (DRUNKYR = 1-4)	1527	5.30
		2 = Drunk twice a month or less (DRUNKYR = 5-8)	5747	19.93
		3 = Never drunk in past year (DRUNKYR = 9)	9096	31.55
ETHER2	1	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		0 = Never inhaled (ETHER = 2,81,91,98)	28802	99.90
		1 = Ever inhaled (ETHER = 1,3)	30	0.10
FREEBAS2	1	SMOKED/FREE-BASED COCAINE PAST 12 MONTHS		
		0 = Never/no use pst 12 mos (FREEBASE=2,81,83,91,93,97)	28456	98.70
		1 = Freebased in past 12 months (FREEBASE = 1,3)	376	1.30
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = Never inhaled (GAS = 2,81,91,98)	28493	98.82
		1 = Ever inhaled (GAS = 1,3)	339	1.18
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = Never inhaled (LGAS=2,81,91,98)	28751	99.72
		1 = Ever inhaled (LGAS=1,3)	81	0.28
GLUE2	1	EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
		0 = Never inhaled (GLUE = 2,81,91,98)	28551	99.7
		1 = Ever inhaled (GLUE = 1,3)	281	0
HVYDRK2	1	DRANK ALCOHOL HEAVILY - PAST 30 DAYS		
		. = Unknown (DR5DAY = 85,94,95,97,98)	343	1.19
		0 = Never/no heavy use (DR5DAY=0-4,81,91,93)	27022	93.72
		1 = Heavy alcohol use (DR5DAY = 5-30)	1467	5.09
LSD2	1	EVER USED LSD		
		0 = Never used hallucinogens (LSD = 2,81,91,97,98)	26956	93.49
		1 = Ever used LSD (LSD = 1)	1876	6.51
MESC2	1	EVER USED Mescaline		
		0 = Never used hallucinogens (MESC = 2,81,91,97,98)	28188	97.77
		1 = Ever used Mescaline (MESC = 1)	644	2.23

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
ECSTASY2	1	EVER USED ECSTASY		
		0 = Never used hallucinogens (ECSTASY=2,81,91,97,98)	28548	99.01
		1 = Ever used Ecstasy (ECSTASY=1)	284	0.99
MJDY30A2	1	# DAYS USED MARIJUANA IN PAST 30 DAYS		
		1 = None/never used marijuana (MJDY30A = 0,81,91,93)	27053	93.83
		2 = 1-2 days (MJDY30A = 1-2)	559	1.94
		3 = 3-4 days (MJDY30A = 3-4)	262	0.91
		4 = 5-19 days (MJDY30A = 5-19)	472	1.64
		5 = 20-30 days (MJDY30A = 20-30)	265	0.92
		6 = Unknown (MJDY30A = 85,94,95,98)	221	0.77
MJDY30A3	1	# DAYS USED MARIJUANA IN PAST 30		
		. = Unknown (MJDY30A2 = 6)	221	0.77
		1 = 1-2 days (MJDY30A2 = 2)	559	1.94
		2 = 3-4 days (MJDY30A2 = 3)	262	0.91
		3 = 5-19 days (MJDY30A2 = 4)	472	1.64
		4 = 20-30 days (MJDY30A2 = 5)	265	0.92
		5 = None or never used marijuana (MJDY30A2 = 1)	27053	93.83
MJTOT2	1	# TIMES USED MARIJUANA IN LIFE		
		1 = Never used marijuana (MJTOT = 81,91)	18816	65.26
		2 = 1-2 times (MJTOT = 1)	2651	9.19
		3 = 3-10 times (MJTOT = 2,3)	2730	9.47
		4 = 11-99 times (MJTOT = 4,5)	2242	7.78
		5 = 100 or more times (MJTOT = 6,7)	2309	8.01
		6 = Unknown (MJTOT = 85,94,97,98)	84	0.29
MJTOT3	1	# TIMES USED MARIJUANA IN LIFE		
		. = Unknown (MJTOT2 = 6)	84	0.29
		1 = 1-2 times (MJTOT2 = 2)	2651	9.19
		2 = 3-10 times (MJTOT2 = 3)	2730	9.47
		3 = 11-99 times (MJTOT2 = 4)	2242	7.78
		4 = 100 or more times (MJTOT2 = 5)	2309	8.01
		5 = Never used marijuana (MJTOT2 = 1)	18816	65.26
MRJMON2	1	MARIJUANA - PAST MONTH USE		
		1 = Did not use in past month (MRJMON = 0)	27053	93.83
		2 = Used within the past month (MRJMON = 1)	1779	6.17
NITOXID2	1	EVER INHALED NITROUS OXIDE/WHIPPETS RECODE		
		0 = Never inhaled (NITOXID = 2,81,91,98)	28255	98.00
		1 = Ever inhaled (NITOXID = 1,3)	577	2.00

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following variable, NOTMARJ, was created by examination of COCMON, INHMON, HALMON, HERMON, and PSYMON2. Note: This variable is created such that all past month users of illicit drugs other than marijuana alone are in the positive response category.		
NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH		
		0 = No (ALL SOURCE VARIABLES = 0)	27855	96.61
		1 = Yes (ANY SOURCE VARIABLES = 1)	977	3.39
PEYOTE2	1	EVER USED PEYOTE		
		0 = Never used hallucinogens (PEYOTE = 2,81,91,97,98)	28466	98.73
		1 = Ever used Peyote (PEYOTE = 1)	366	1.27
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = Never used hallucinogens (PSILCY = 2,81,91,97,98)	27901	96.77
		1 = Ever used Psilocybin (PSILCY = 1)	931	3.23
RACESEX	1	RACE AND SEX COMBINED		
		. = Other males and females (SEX=1 or 2 and RACE=4) ..	1093	3.79
		1 = White male (SEX = 1 and RACE = 1)	6503	22.55
		2 = Black male (SEX = 1 and RACE = 2)	2663	9.24
		3 = Hispanic male (SEX = 1 and RACE = 3)	3282	11.3
		4 = White female (SEX = 2 and RACE = 1)	7577	26.1
		5 = Black female (SEX = 2 and RACE = 2)	3848	13.35
		6 = Hispanic female (SEX = 2 and RACE = 3)	3866	13.41
RACESEX2	1	RACE AND SEX COMBINED		
		1 = White male (SEX=1 and RACE=1)	6503	22.55
		2 = Black male (SEX=1 and RACE=2)	2663	9.24
		3 = Hispanic male (SEX=1 and RACE=3)	3282	11.38
		4 = Other male (SEX=1 and RACE=4)	540	1.87
		5 = White female (SEX=2 and RACE=1)	7577	26.28
		6 = Black female (SEX=2 and RACE=2)	3848	13.35
		7 = Hispanic female (SEX=2 and RACE=3)	3866	13.41
		8 = Other female (SEX=2 and RACE=4)	553	1.92
SOLVENT2	1	EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
		0 = Never inhaled (SOLVENT = 2,81,91,98)	28717	99.60
		1 = Ever inhaled (SOLVENT = 1,3)	115	0.40
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = Never inhaled (SPPAINT = 2,81,91,98)	28629	99.30
		1 = Ever inhaled (SPPAINT = 1,3)	203	0.70
TRMTHLP2	1	TREATMENT RECEIVED FOR DRUG USE IN PAST 12 MONTHS		
		. = Unknown (TRMTHLP=85,94,97,98)	49	0.20
		0 = No (TRMTHLP=2)	28495	98.80
		1 = Yes (TRMTHLP=1)	288	1.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED

The drug problems answer sheet #16, which is included in Appendix E, is structured with a lead-in question, 11 gate questions, and one subquestion per gate question. The lead-in question (AS13NONE) asks if any of the substances listed on a showcard had been used. (Note: Unlike the 1988 NHSDA instrumentation, both the 1990 and 1991 instrumentation include smokeless tobacco on the showcard for "if you ever used one of these substances.") The 11 gate questions (DRDEPRSS, DRARGUM, DRALONE, DRANX, DRHEALTH, DRNTHINK, DRUPSET, DRLSWORK, DRSUSPIC, DRCOPE and DREMGMED) ask whether each of 11 problems has been experienced in the past year, and the one subquestion per gate question asks for each problem experienced that the substances suspected of causing the problem be listed. The substances suspected of causing each individual problem are recorded in a series of five variables per gate question (DEPDRG1A-DEPDRG5A, ARGDRG1A-ARGDRG5A, ALNDRG1A-ALNDRG5A, ANXDRG1A-ANXDRG5A, HLTDRG1A-HLTDRG5A, NTKDRG1A-NTKDRG5A, UPSDRG1A-UPSDRG5A, LSWDRG1A-LSWDRG5A, SSPDRG1A-SSPDRG5A, CPEDRG1A-CPEDRG5A, and EMGDRG1A-EMGDRG5A).

The above data were logically imputed as follows:

If no use of the substances listed on the showcard was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG and SMKFLAG), then the lead-in question was logically revised to indicate that no listed substance had been used (IRAS13=1). (Note: For the 1988 NHSDA data, it was necessary to exclude users of only smokeless tobacco because smokeless tobacco was not listed on the showcard. In 1990, to be consistent with the 1988 data, users of only smokeless tobacco were again excluded. However, in this data, only users of smokeless tobacco are being included as users of the listed substances. In doing so the variables for answer sheet #16 will not be strictly comparable with the same 1988 and 1990 variables.) Subsequently, the 11 gate questions were logically revised to the legitimate skip code (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG=99). In addition, the 36 variables representing the data reported for the one subquestion per gate question were logically revised to the legitimate skip code (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5, and IREMG1-IREMG5=999).

If use of one or more of the listed substances was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG, and SMKFLAG), then the lead-in question was revised to indicate that a listed substance had been used (IRAS13=2). Subsequently, each gate question was individually examined. Positive responses and positive responses logically imputed to the gate questions were combined to simply be a positive response, and the respective series of variables per gate question were then logically revised in the following manner: In a series of variables containing valid drug mentions, all valid drug mentions were listed consecutively in the series of logically revised variables, and all subsequent variables in the series were set to the legitimate skip code (999). Note this included converting both non-drug reason responses (900) and other consistency codes encountered at this stage to the legitimate skip code. (This is consistent with the 1990 NHSDA data for answer sheet #16.) In a series containing no valid drug mentions, the first variable in the series was logically revised to the blank code (998) and the subsequent variables in the series were logically revised to the legitimate skip code (999). Negative responses to the gate questions were left as is, and don't know (94), refused (97), blank data (98) or legitimate skip (999) responses to the gate questions were logically imputed to negative responses. The respective series of variables per gate question were then logically revised to the legitimate skip code (999) in both situations.

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
IRAS13	1	NEVER USED ANY LISTED SUBSTANCES (L.I. AS13NONE)		
		1 = Never used any of the substances listed	6343	22.00
		2 = Used one or more of the listed substances	22489	78.00
IRDEP	2	DEPRESSION PST YR DUE TO DRUGS (L.I. DRDEPRSS)		
		1 = Yes	1192	4.13
		2 = No	21297	73.87
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRDEP1	3	1ST DRUG CAUSING DEPRESSION (L.I. DEPDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		301 = Dexedrine	1	0.00
		318 = Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	8	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
		333 = 357 Magnum, Magnum 44	1	0.00
		339 = Amphetamines (speed generically)	7	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		407 = Demerol	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		423 = Percocet	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	14	0.05
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		702 = Heroin	17	0.06
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		802 = Cannabinol	1	0.00
		803 = Marijuana	140	0.49
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	85	0.29
		806 = Crack	30	0.10
		807 = Alcohol	641	2.22
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	119	0.41
		814 = Caffeine	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		998 = BLANK (NO ANSWER)	97	0.34
		999 = LEGITIMATE SKIP	27640	95.87

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRDEP2	3	2ND DRUG CAUSING DEPRESSION (L.I. DEPDRG2A)		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	2	0.01
		501 = Lighter fluids, Gasoline	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	5	0.02
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	33	0.11
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	12	0.04
		806 = Crack	8	0.03
		807 = Alcohol	43	0.15
		813 = Cigarettes, tobacco not specified	9	0.03
		815 = Coffee	1	0.00
		816 = Chewing tobacco, smokeless tobacco, snuff	1	0.00
		818 = Nicotine	1	0.00
		999 = LEGITIMATE SKIP	28702	99.55
IRDEP3	3	3RD DRUG CAUSING DEPRESSION (L.I. DEPDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.0
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.0
		803 = Marijuana	3	0.01
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	3	0.01
		999 = LEGITIMATE SKIP	28819	99.95
IRDEP4	3	4TH DRUG CAUSING DEPRESSION (L.I. DEPDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28828	99.99
IRDEP5	3	5TH DRUG CAUSING DEPRESSION (L.I. DEPDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRARG	2	ARGUMENTS PST YR DUE TO DRUGS (L.I. DRARGUM)		
		1 = Yes	1635	5.67
		2 = No	20854	72.33
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00
IRARG1	3	1ST DRUG CAUSING ARGUMENTS (L.I. ARGDRG1A)		
		120 = Downers	2	0.01
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		318 = Methylphenidate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
		339 = Amphetamines (speed generically)	7	0.02
		348 = Crystal	1	0.00
		401 = Darvon	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		601 = LSD ("acid," "white lightning")	8	0.03
		603 = Mescaline	1	0.00
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		606 = X-TC ("ecstasy," MDMA)	1	0.00
		702 = Heroin	13	0.05
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	71	0.25
		805 = Cocaine, Coke	51	0.18
		806 = Crack	21	0.07
		807 = Alcohol	1108	3.84
		808 = All of the ones I've tried	2	0.01
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	154	0.53
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	1	0.00
		824 = Steroids	2	0.01
		998 = BLANK (NO ANSWER)	164	0.57
		999 = LEGITIMATE SKIP	27197	94.33

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRARG2	3	2ND DRUG CAUSING ARGUMENTS (L.I. ARGDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		802 = Cannabinol	1	0.00
		803 = Marijuana	26	0.09
		805 = Cocaine, Coke	11	0.04
		806 = Crack	5	0.02
		807 = Alcohol	43	0.15
		813 = Cigarettes, tobacco not specified	6	0.02
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		845 = ECT [sic]	1	0.00
		999 = LEGITIMATE SKIP	28720	99.61
IRARG3	3	3RD DRUG CAUSING ARGUMENTS (L.I. ARGDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		803 = Marijuana	5	0.02
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	28818	99.95

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
IRARG4	3	4TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28826	99.98
IRARG5	3	5TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRALN	2	FELT ALONE PST YR DUE TO DRUGS (L.I. DRALONE)		
		1 = Yes	772	2.68
		2 = No	21717	75.32
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRALN1	3	1ST DRUG CAUSING FEELING ALONE (L.I. ALNDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	4	0.01
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		301 = Dexedrine	1	0.00
		318 = Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	9	0.03
		324 = Uppers	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		401 = Darvon	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	21	0.07
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	9	0.03
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	67	0.23
		805 = Cocaine, Coke	59	0.20
		806 = Crack	19	0.07
		807 = Alcohol	423	1.47
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, tobacco not specified	41	0.14
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		824 = Steroids	1	0.00
		860 = Bees [sic]	1	0.00
		998 = BLANK (NO ANSWER)	89	0.31
		999 = LEGITIMATE SKIP	28060	97.32

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRALN2	3	2ND DRUG CAUSING FEELING ALONE (L.I. ALNDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
		601 = LSD ("acid," "white lightning")	2	0.01
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		702 = Heroin	2	0.01
		803 = Marijuana	26	0.09
		805 = Cocaine, Coke	7	0.02
		806 = Crack	3	0.01
		807 = Alcohol	32	0.11
		813 = Cigarettes, tobacco not specified	4	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		999 = LEGITIMATE SKIP	28745	99.7
IRALN3	3	3RD DRUG CAUSING FEELING ALONE (L.I. ALNDRG3A)		
		120 = Downers	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	2	0.01
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28823	99.97
IRALN4	3	4TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = Uppers	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28827	99.98
IRALN5	3	5TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRANX	2	FELT ANXIOUS PST YR DUE TO DRUGS (L.I. DRANX)		
		1 = Yes	1255	4.35
		2 = No	21234	73.65
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

LABEL	LEN	DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED DESCRIPTION	FREQ	%
IRANX1	3	1ST DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		209 = Xanax	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		311 = Preludin	1	0.00
		313 = Fastin, Phentermine	2	0.01
		318 = Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	14	0.05
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	5	0.02
		326 = White cross	1	0.00
		332 = Ephedrine	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	16	0.06
		348 = Crystal	4	0.01
		353 = No-Doz	1	0.00
		355 = Crystal meth	2	0.00
		364 = Sudafed, Sinutab	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		415 = Codeine	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	3	0.01
		505 = Lacquer thinner	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	25	0.09
		605 = Phencyclidine ("angel dust", "PCP")	4	0.01
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		618 = Acid paper	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	7	0.02
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	118	0.41
		805 = Cocaine, Coke	125	0.43
		806 = Crack	29	0.10
		807 = Alcohol	381	1.32
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	327	1.13
		814 = Caffeine	8	0.03
		815 = Coffee	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	9	0.03
		818 = Nicotine	3	0.01
		824 = Steroids	1	0.00
		998 = Blank (not answered)	145	0.50
		999 = Legitimate skip	27577	95.65

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRANX2	3	2ND DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG2A)		
		102 = Buticaps	1	0.00
		120 = Downers	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		401 = Darvon	1	0.00
		468 = Excedrin <OTC>	1	0.00
		601 = LSD ("acid," "white lightning")	8	0.03
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	21	0.07
		805 = Cocaine, Coke	11	0.04
		806 = Crack	3	0.01
		807 = Alcohol	33	0.11
		813 = Cigarettes, tobacco not specified	8	0.03
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	28733	99.66
IRANX3	3	3RD DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	5	0.02
		805 = Cocaine, Coke	2	0.01
		999 = LEGITIMATE SKIP	28820	99.96

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	\$
IRANX4	3	4TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = Uppers	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28827	99.98
IRANX5	3	5TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRHLT	2	HEALTH PROBS PST YR DUE TO DRUGS (L.I. DRHEALTH)		
		1 = Yes	782	2.71
		2 = No	21707	75.29
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00
IRHLT1	3	1ST DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
		146 = Bentyl, Dicyclomine	1	0.00
		259 = Desipramine, Norpramin, Pertofrane	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Methylphenidate, Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	1	0.0
		355 = Crystal meth	2	0.0
		364 = Sinutab, Sudafed	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		530 = Asthma inhaler, bronchial dilators	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	9	0.03
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	30	0.10
		805 = Cocaine, Coke	28	0.10
		806 = Crack	5	0.02
		807 = Alcohol	186	0.65
		808 = All of the ones I've tried	3	0.01
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	393	1.36
		814 = Caffeine	2	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	4	0.01
		818 = Nicotine	2	0.01
		998 = BLANK (NO ANSWER)	91	0.32
		999 = LEGITIMATE SKIP	28050	97.29

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRHLT2	3	2ND DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG2A)		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	15	0.05
		805 = Cocaine, Coke	8	0.03
		806 = Crack	1	0.00
		807 = Alcohol	16	0.06
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	8	0.03
		814 = Caffeine	2	0.01
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		818 = Nicotine	1	0.00
		999 = LEGITIMATE SKIP	28768	99.78
IRHLT3	3	3RD DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG3A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		326 = White cross	1	0.00
		415 = Codeine	1	0.00
		803 = Marijuana	2	0.01
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28822	99.97
IRHLT4	3	4TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	28828	99.99
IRHLT5	3	5TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRNTK	2	DFF THINKG CLR PST YR DUE TO DRUGS (L.I. DRNTHINK)		
		1 = Yes	1696	5.88
		2 = No	20793	72.12
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRNTK1	3	1ST DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	3	0.01
		209 = Xanax	1	0.00
		211 = Buspar	1	0.00
		241 = Prozac	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	4	0.01
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		364 = Sinutab, Sudafed	1	0.00
		401 = Darvon	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		418 = Methadone	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	4	0.01
		435 = Tylenol	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		505 = Lacquer thinner	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	4	0.01
		601 = LSD ("acid," "white lightning")	29	0.10
		604 = Psilocybin (mushrooms)	2	0.01
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		606 = "Ecstasy" (MDMA), X-TC	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	10	0.03
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		802 = Cannabinol	1	0.00
		803 = Marijuana	246	0.85
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	64	0.22
		806 = Crack	18	0.06
		807 = Alcohol	1079	3.74
		808 = All of the ones I've tried	7	0.02
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	59	0.20
		814 = Caffeine	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		844 = Blood pressure medication	1	0.00
		855 = Oanol [sic]	1	0.00
		858 = Antibiotic	1	0.00
		998 = BLANK (NO ANSWER)	120	0.42
		999 = LEGITIMATE SKIP	27136	94.12

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRNTK2	3	2ND DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG2A)		
		102 = Buticaps	1	0.00
		120 = Downers	1	0.00
		201 = Valium	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		504 = Rubber cement, glue, super glue, shoeshine liquid	2	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning")	12	0.04
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		606 = "Ecstasy" (MDMA), X-TC	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	3	0.01
		802 = Cannabinol	1	0.00
		803 = Marijuana	75	0.26
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	14	0.05
		806 = Crack	8	0.03
		807 = Alcohol	62	0.22
		813 = Cigarettes, tobacco not specified	7	0.02
		815 = Coffee	2	0.01
		999 = LEGITIMATE SKIP	28624	99.28
IRNTK3	3	3RD DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG3A)		
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		415 = Codeine	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		601 = LSD ("acid," "white lightning")	5	0.02
		702 = Heroin	1	0.00
		803 = Marijuana	9	0.03
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	5	0.02
		807 = Alcohol	5	0.02
		845 = ECT [sic]	1	0.00
		999 = LEGITIMATE SKIP	28798	99.88
IRNTK4	3	4TH DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	3	0.01
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	28822	99.97

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRNTK5	3	5TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG5A)		
		601 = LSD ("acid," "white lightning")	1	0.00
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28830	99.99
IRUPS	2	FELT UPSET PST YR DUE TO DRUGS (L.I. DRUPSET)		
		1 = Yes	1390	4.82
		2 = No	21099	73.18
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRUPS1	3	1ST DRUG CAUSING FEELING UPSET (L.I. UPSDRG1A)		
		120 = Downers.....	3	0.01
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		241 = Prozac	1	0.00
		313 = Fastin, Phentermine	1	0.00
		318 = Methylphenidate, Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	5	0.02
		332 = Ephedrine	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	1	0.00
		353 = No-Doz	1	0.00
		355 = Crystal meth	1	0.00
		364 = Sinutab, Sudafed	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		418 = Methadone	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		438 = Anaprox, Naprosyn	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	7	0.02
		605 = PCP ("angel dust," phencyclidine)	4	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	11	0.03
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	73	0.25
		805 = Cocaine, Coke	63	0.22
		806 = Crack	28	0.10
		807 = Alcohol	764	2.65
		808 = All of the ones I've tried	4	0.01
		809 = Pills	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	224	0.78
		814 = Caffeine	2	0.01
		815 = Coffee	3	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	6	0.02
		818 = Nicotine	1	0.00
		824 = Steroids	1	0.00
		998 = BLANK (NO ANSWER)	158	0.55
		999 = LEGITIMATE SKIP	27442	95.18

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRUPS2	3	2ND DRUG CAUSING FEELING UPSET (L.I. UPSDRG2A)		
		120 = Downers	1	0.00
		201 = Valium	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		328 = Pink hearts	1	0.00
		339 = Amphetamines (speed generically)	4	0.01
		348 = Crystal	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	25	0.09
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	15	0.05
		806 = Crack	5	0.02
		807 = Alcohol	29	0.10
		813 = Cigarettes, tobacco not specified	10	0.03
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	28726	99.63
IRUPS3	3	3RD DRUG CAUSING FEELING UPSET (L.I. UPSDRG3A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	3	0.01
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28822	99.97
IRUPS4	3	4TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	2	0.01
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28827	99.98
IRUPS5	3	5TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRLSW	2	DID LESS WORK PST YR DUE TO DRUGS (L.I. DRLSWORK)		
		1 = Yes	768	2.66
		2 = No	21721	75.34
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRLSW1	3	1ST DRUG CAUSING LESS WORK DONE (L.I. LSWDRGLA)		
		120 = Downers.....	1	0.00
		146 = Bentyl, Dicyclomine	1	0.00
		206 = Tranxene	1	0.00
		209 = Xanax	1	0.00
		313 = Fastin, Phentermine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
		324 = Uppers	4	0.01
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		364 = Sinutab, Sudafed	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		440 = Soma	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		524 = White-Out	1	0.00
		601 = LSD ("acid," "white lightning")	8	0.03
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	5	0.02
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	125	0.43
		805 = Cocaine, Coke	28	0.10
		806 = Crack	13	0.05
		807 = Alcohol	426	1.48
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, tobacco not specified	47	0.16
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		998 = BLANK (NO ANSWER)	82	0.28
		999 = LEGITIMATE SKIP	28064	97.34

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRLSW2	3	2ND DRUG CAUSING LESS WORK DONE (L.I. LSWDRG2A)		
		120 = Downers	1	0.00
		201 = Valium	1	0.00
		208 = Centrax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana	26	0.09
		805 = Cocaine, Coke	9	0.03
		806 = Crack	2	0.01
		807 = Alcohol	18	0.06
		813 = Cigarettes, tobacco not specified	5	0.02
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	28757	99.74
IRLSW3	3	3RD DRUG CAUSING LESS WORK DONE (L.I. LSWDRG3A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		501 = Lighter fluids, gasoline	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	4	0.01
		805 = Cocaine, Coke	3	0.01
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	28817	99.95
IRLSW4	3	4TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	28826	99.98
IRLSW5	3	5TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRSSP	2	FLT SUSPICIOUS PST YR DUE TO DRUGS (L.I. DRSUSPIC)		
		1 = Yes	666	2.31
		2 = No	21823	75.69
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRSSP1	3	1ST DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG1A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	2	0.01
		201 = Valium	2	0.01
		209 = Xanax	1	0.00
		312 = Ionamin	1	0.00
		318 = Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	9	0.03
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		505 = Lacquer thinner	1	0.00
		601 = LSD ("acid," "white lightning")	17	0.06
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	4	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	108	0.37
		805 = Cocaine, Coke	81	0.28
		806 = Crack	23	0.08
		807 = Alcohol	269	0.93
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, tobacco not specified	26	0.09
		815 = Coffee	1	0.00
		998 = BLANK (NO ANSWER)	100	0.35
		999 = LEGITIMATE SKIP	28166	97.69

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRSSP2	3	2ND DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG2A)		
		120 = Downers	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		601 = LSD ("acid," "white lightning")	4	0.01
		702 = Heroin	2	0.01
		803 = Marijuana	24	0.08
		805 = Cocaine, Coke	9	0.03
		806 = Crack	5	0.02
		807 = Alcohol	20	0.07
		813 = Cigarettes, tobacco not specified	4	0.01
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	28757	99.74
IRSSP3	3	3RD DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG3A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	2	0.01
		806 = Crack	1	0.00
		999 = LEGITIMATE SKIP	28822	99.97
IRSSP4	3	4TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.0
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.0
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28828	99.99
IRSSP5	3	5TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IRCPE	2	PRB HARD TO HNDL PST YR DUE TO DRUGS (L.I. DRCOPE)		
		1 = Yes	658	2.28
		2 = No	21831	75.72
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRCPE1	3	1ST DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG1A)		
		120 = Downers	3	0.01
		201 = Valium	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		312 = Ionamin	1	0.00
		318 = Methylphenidate, Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		324 = Uppers	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		601 = LSD ("acid," "white lightning")	8	0.03
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		702 = Heroin	7	0.02
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	54	0.19
		805 = Cocaine, Coke	52	0.18
		806 = Crack	22	0.08
		807 = Alcohol	361	1.25
		808 = All of the ones I've tried	3	0.01
		813 = Cigarettes, tobacco not specified	41	0.14
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		998 = BLANK (NO ANSWER)	88	0.31
		999 = LEGITIMATE SKIP	28174	97.72

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRCPE2	3	2ND DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG2A)		
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		601 = LSD ("acid," "white lightning")	2	0.01
		604 = Psilocybin (mushrooms)	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	21	0.07
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	11	0.04
		806 = Crack	4	0.01
		807 = Alcohol	19	0.07
		813 = Cigarettes, tobacco not specified	2	0.01
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	28759	99.75
IRCPE3	3	3RD DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG3A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	3	0.01
		805 = Cocaine, Coke	2	0.01
		806 = Crack	1	0.00
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	28821	99.9
IRCPE4	3	4TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG4A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	28827	99.98
IRCPE5	3	5TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG5A)		
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28831	100.00
IREMG	2	EMERG MED HELP PST YR DUE TO DRUGS (L.I. DREMGMED)		
		1 = Yes	150	0.52
		2 = No	22339	77.48
		99 = LEGITIMATE SKIP (IRAS13 = 1)	6343	22.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IREMG1	3	1ST DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG1A)		
		. = Unknown	1	0.00
		120 = Downers	1	0.00
		201 = Valium	1	0.00
		318 = Ritalin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		336 = Diet pills	1	0.00
		348 = Crystal	1	0.00
		355 = Crystal meth	1	0.00
		435 = Tylenol	1	0.00
		440 = Soma	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	4	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	6	0.02
		805 = Cocaine, Coke	13	0.05
		806 = Crack	4	0.01
		807 = Alcohol	61	0.21
		813 = Cigarettes, tobacco not specified	10	0.03
		814 = Caffeine	1	0.00
		998 = BLANK (NO ANSWER)	38	0.13
		999 = LEGITIMATE SKIP	28682	99.48
IREMG2	3	2ND DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG2A)		
		. = Unknown	1	0.00
		109 = Seconal	1	0.00
		120 = Downers	1	0.00
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	3	0.01
		805 = Cocaine, Coke	3	0.01
		806 = Crack	1	0.00
		807 = Alcohol	3	0.01
		999 = LEGITIMATE SKIP	28814	99.94
IREMG3	3	3RD DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG3A)		
		. = Unknown	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		805 = Cocaine, Coke	2	0.01
		999 = LEGITIMATE SKIP	28827	99.98
IREMG4	3	4TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG4A)		
		. = Unknown	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		803 = Marijuana	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	28828	99.99
IREMG5	3	5TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG5A)		
		. = Unknown	1	0.00
		703 = Opium	1	0.00
		999 = LEGITIMATE SKIP	28830	99.99

LABEL	LEN	DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		<p>The logically imputed gate questions (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG) for the drug problems, answer sheet #16, were used to obtain a count of the number of problems experienced. Indicator variables were then created which indicated whether the respondent had experienced any of the 11 problems (ANYPROB), two or more of the 11 problems (TWOPROB), and three or more of the 11 problems (THREPROB). For a discussion of the structure and logical imputation of the data for answer sheet #16, refer to Drug Problems - Answer Sheet #16 - Logically Imputed.</p>		
ANYPROB	1	ANY OF THE 11 PROBS ON DRUG SHEET #16 0 = No 1 = Yes	24968 3864	86.60 13.40
TWOPROB	1	TWO OR MORE OF THE 11 PROBS ON DRUG SHEET #16 0 = No 1 = Yes	26472 2360	91.81 8.19
THREPROB	1	THREE OR MORE OF THE 11 PROBS ON DRUG SHEET #16 0 = No 1 = Yes	27312 1520	94.73 5.27

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

The logically imputed data for the gate questions (IRDEP, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG) and subquestions (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5 and IREMG1-IREMG5) for the drug problems, answer sheet #16, were recoded to create variables which indicated past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCOC2, ANXCOC2, HLTcoc2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year. The procedure was as follows for cigarette use: Past year users of cigarettes who indicated having the problem, and who attributed the problem to past year use of cigarettes (subquestion response=813) were given a positive response to the recoded variable. Past year users of cigarettes who indicated having the problem, but attributed the problem to a substance other than cigarettes, or who indicated not having the problem were given a negative response to the recoded variable. The recoded variable was coded to the SAS missing code (.) for non-users in the past year of cigarettes. For cigarettes, this procedure was repeated for each problem. In addition, this entire process was repeated for alcohol (subquestion response=807) marijuana (subquestion response=803) and cocaine (subquestion response=805 or 806), respectively. For a discussion of the structure and logical imputation of the data for answer sheet #16, refer to Drug Problems - Answer Sheet #16 - Logically Imputed.

DRUG PROBLEMS--ANSWER SHEET #16--RECODED				
LABEL	LEN	DESCRIPTION	FREQ	%
ALNALC2	1	FELT ALONE PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17366	60.23
		1 = Yes	433	1.50
ALNCIG2	1	FELT ALONE PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8608	29.86
		1 = Yes	43	0.15
ALNCOC2	1	FELT ALONE PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	989	3.43
		1 = Yes	72	0.25
ALNMRJ2	1	FELT ALONE PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3426	11.88
		1 = Yes	85	0.29
ANXALC2	1	FELT NERVOUS PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17410	60.38
		1 = Yes	389	1.35
ANXCIG2	1	FELT NERVOUS PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8327	28.81
		1 = Yes	324	1.12
ANXCOC2	1	FELT NERVOUS PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	920	3.19
		1 = Yes	141	0.49
ANXMRJ2	1	FELT NERVOUS PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3382	11.73
		1 = Yes	129	0.45
ARGALC2	1	HAD ARGUMNTS PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	16688	57.88
		1 = Yes	1111	3.85
ARGCIG2	1	HAD ARGUMNTS PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8495	29.46
		1 = Yes	156	0.54

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
ARGCOC2	1	HAD ARGUMNTS PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	988	3.43
		1 = Yes	73	0.25
ARGMRJ2	1	HAD ARGUMNTS PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3420	11.86
		1 = Yes	91	0.32
CPEALC2	1	PROB HARD TO HANDLE DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17430	60.45
		1 = Yes	369	1.28
CPECIG2	1	PROB HARD TO HANDLE DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8611	29.87
		1 = Yes	40	0.14
CPECOC2	1	PROB HARD TO HANDLE DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	985	3.42
		1 = Yes	76	0.26
CPEMRJ2	1	PROB HARD TO HANDLE DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3439	11.93
		1 = Yes	72	0.25
DEPALC2	1	BECAME DEPRESSED PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17138	59.44
		1 = Yes	661	2.29
DEPCIG2	1	BECAME DEPRESSED PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8527	29.57
		1 = Yes	124	0.43
DEPCOC2	1	BECAME DEPRESSED PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	952	3.30
		1 = Yes	109	0.38
DEPMRJ2	1	BECAME DEPRESSED PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3348	11.61
		1 = Yes	163	0.57
EMALC2	1	EMERG MED HELP PST YR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17741	61.53
		1 = Yes	58	0.20

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
EMCIG2	1	EMERG MED HELP PST YR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8641	29.97
		1 = Yes	10	0.03
EMCOC2	1	EMERG MED HELP PST YR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	1044	3.62
		1 = Yes	17	0.06
EMMRJ2	1	EMERG MED HELP PST YR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3503	12.15
		1 = Yes	8	0.03
HLTALC2	1	HEALTH PROBS PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17612	61.08
		1 = Yes	187	0.65
HLTCIG2	1	HEALTH PROBS PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8275	28.70
		1 = Yes	376	1.30
HLTCOC2	1	HEALTH PROBS PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	1026	3.56
		1 = Yes	35	0.12
HLTMRJ2	1	HEALTH PROBS PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3472	12.04
		1 = Yes	39	0.14
LSWALC2	1	LESS WRK SCH/JOB PST YR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17363	60.22
		1 = Yes	436	1.51
LSWCIG2	1	LESS WRK SCH/JOB PST YR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8601	29.83
		1 = Yes	50	0.17
LSWCOC2	1	LESS WRK SCH/JOB PST YR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	1014	3.52
		1 = Yes	47	0.16
LSWMRJ2	1	LESS WRK SCH/JOB PST YR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3367	11.68
		1 = Yes	144	0.50

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
NTKALC2	1	DIFF THINKNG CLEARLY PST YR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	16697	57.91
		1 = Yes	1102	3.82
NTKCIG2	1	DIFF THINKNG CLEARLY PST YR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8587	29.78
		1 = Yes	64	0.22
NTKCOC2	1	DIFF THINKNG CLEARLY PST YR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	968	3.36
		1 = Yes	93	0.32
NTKMRJ2	1	DIFF THINKNG CLEARLY PST YR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3207	11.12
		1 = Yes	304	1.05
SSPALC2	1	FELT SUSPICIOUS PST YR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17525	60.78
		1 = Yes	274	0.95
SSPCIG2	1	FELT SUSPICIOUS PST YR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8622	29.90
		1 = Yes	29	0.10
SSPCOC2	1	FELT SUSPICIOUS PST YR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	964	3.34
		1 = Yes	97	0.34
SSPMRJ2	1	FELT SUSPICIOUS PST YR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3390	11.76
		1 = Yes	121	0.42
UPSALC2	1	FELT UPSET PAST YEAR DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17024	59.05
		1 = Yes	775	2.69
UPSCIG2	1	FELT UPSET PAST YEAR DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8422	29.21
		1 = Yes	229	0.79
UPSCOC2	1	FELT UPSET PAST YEAR DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	972	3.37
		1 = Yes	89	0.31

DRUG PROBLEMS--ANSWER SHEET #16--RECODED				
LABEL	LEN	DESCRIPTION	FREQ	t
UPSMRJ2	1	FELT UPSET PAST YEAR DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3419	11.86
		1 = Yes	92	0.32

The logically imputed recoded data for the drug problems, answer sheet #16, which indicate past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCOC2, ANXCOC2, HLTCOC2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year were used to obtain counts of the problems attributed to each of the four substances. Indicator variables were then created for past year users of cigarettes, alcohol, marijuana and cocaine, which indicated that any of the problems experienced were attributed to the substance in question (PRB1CIG, PRB1ALC, PRB1MRJ and PRB1COC), that two or more of the problems indicated were attributed to the substance in question (PRB2CIG, PRB2ALC, PRB2MRJ and PRB2COC), and that three or more of the problems indicated were attributed to the substance in question (PRB3CIG, PRB3ALC, PRB3MRJ and PRB3COC). For a discussion of the development of the variables indicating past year problems associated with cigarettes, alcohol, marijuana and cocaine use in the past year, refer to Drug Problems - Answer Sheet #16 - Recoded.

PRB1ALC	1	ALC USER WITH 1 OR MORE PROBS DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	15476	53.68
		1 = Yes	2323	8.06
PRB1CIG	1	CIG USER WITH 1 OR MORE PROBS DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	7861	27.26
		1 = Yes	790	2.74
PRB1COC	1	COC USER WITH 1 OR MORE PROBS DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	836	2.90
		1 = Yes	225	0.78
PRB1MRJ	1	MRJ USER WITH 1 OR MORE PROBS DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	2972	10.31
		1 = Yes	539	1.87
PRB2ALC	1	ALC USER WITH 2 OR MORE PROBS DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	16493	57.20
		1 = Yes	1306	4.53

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
PRB2CIG	1	CIG USER WITH 2 OR MORE PROBS DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8329	28.89
		1 = Yes	322	1.12
PRB2COC	1	COC USER WITH 2 OR MORE PROBS DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	900	3.12
		1 = Yes	161	0.56
PRB2MRJ	1	MRJ USER WITH 2 OR MORE PROBS DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3233	11.21
		1 = Yes	278	0.96
PRB3ALC	1	ALC USER WITH 3 OR MORE PROBS DUE TO ALC		
		. = Did not use alcohol in the past year	11033	38.27
		0 = No	17021	59.04
		1 = Yes	778	2.70
PRB3CIG	1	CIG USER WITH 3 OR MORE PROBS DUE TO CIG		
		. = Did not use cigarettes in the past year	20181	70.00
		0 = No	8490	29.45
		1 = Yes	161	0.56
PRB3COC	1	COC USER WITH 3 OR MORE PROBS DUE TO COC		
		. = Did not use cocaine in the past year	27771	96.32
		0 = No	945	3.28
		1 = Yes	116	0.40
PRB3MRJ	1	MRJ USER WITH 3 OR MORE PROBS DUE TO MRJ		
		. = Did not use marijuana in the past year	25321	87.82
		0 = No	3349	11.62
		1 = Yes	162	0.56

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED

The drugs answer sheet #12, which is included in appendix E, contains questions regarding symptoms of dependency. These questions ask whether each of six symptoms of dependency had been experienced in the past year for any of 15 choices: 12 specific substances, no used substance for these six questions, or did not use drugs in past 12 months. (Note: this differs from the 1988 and 1990 NHSDA instrumentation in that an additional symptom of dependency question has been added and an additional response choice concerning non drug usage has been added to each question.) All applicable responses were to be indicated. The data for these six questions were then coded to appear as 78 variables which indicate for each of the choices, with the exception of did not use listed drugs in past 12 months or never used drugs, whether each of the six specific problems had been experienced. Of these 78 variables, 20 were of current analytical interest. These 20 variables indicate whether each of five symptoms of dependency had been experienced in the past year for alcohol, cigarettes, cocaine and marijuana (CDALC, CDCIG, CDCOC, CDMJ, EFFALC, EFFCIG, EFFCOC, EFFMJ, UDAYALC, UDAYCIG, UDAYCOC, UDAYMJ, DEPALC, DEPCIG, DEPCOC, DEPMJ, WSALC, WSCIG, WSCOC and WSMJ).

The data of current analytical interest were logically imputed as follows:

If no use of cigarettes, alcohol or drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then the responses did not use any drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically assigned (83), bad data-logically assigned (85), never used any drugs (91) and blank (98), for the 20 variables of current analytical interest were logically revised to the legitimate skip code (IRCDALC, IRCDCIG, IRCDCOC, IRCDMJ, IRDPALC, IRDPCIG, IRDPCOC, IRDPMJ, IREFALC, IREFCIG, IREFCOC, IREFMJ, IRUDALC, IRUDCIG, IRUDCOC, IRUDMJ, IRWSALC, IRWSCIG, IRWSCOC and IRWSMJ=99).

If use of cigarettes, alcohol or other drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then each of the 20 variables of current interest was examined. Positive and negative responses were left as is. The did not use drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically assigned (83), never used any drugs (91), don't know (94), refused (97) and blank data (98) responses were logically revised to the negative response (13): did not experience the symptom of dependency in question for any drug in the past year.

Note that the drugs answer sheet was edited slightly differently in 1991 than in previous years. For a discussion of the editing differences, refer to Drugs - Answer Sheet #12. While this editing difference changes the distribution of negative responses, it does not change the positive responses. Thus the resulting analyses from answer sheet #12 are comparable for all years, but the individual logically revised variables will not be strictly comparable between years.

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRCDALC	2	TRIED TO CUT DOWN ALC USE PST YR (L.I. CDALC)		
		1 = Yes	4235	14.69
		2 = No	6574	22.80
		3 = Response circled LOGICALLY IMPUTED (from UCDALC) .	2	0.01
		13 = Did not try to cut down on any drug in past year .	8418	29.20
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		99 = LEGITIMATE SKIP	9566	33.18
IRCDCIG	2	TRIED TO CUT DOWN CIG USE PST YR (L.I. CDCIG)		
		1 = Yes	4872	16.90
		2 = No	5930	20.57
		3 = Response circled LOGICALLY IMPUTED (from UCDIG) .	11	0.04
		13 = Did not try to cut down on any drug in past year .	8416	29.19
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		99 = LEGITIMATE SKIP	9566	33.18
IRCDCOC	2	TRIED TO CUT DOWN COC USE PST YR (L.I. CDCOC)		
		1 = Yes	327	1.13
		2 = No	10485	36.37
		13 = Did not try to cut down on any drug in past year .	8417	29.19
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		99 = LEGITIMATE SKIP	9566	33.18
IRCDMJ	2	TRIED TO CUT DOWN MRJ USE PST YR (L.I. CDMJ)		
		1 = Yes	974	3.38
		2 = No	9839	34.13
		13 = Did not try to cut down on any drug in past year .	8416	29.19
		81 = NEVER USED ANY DRUGS Logically assigned	37	0.13
		99 = LEGITIMATE SKIP	9566	33.18
IREFALC	2	NEED MORE ALC SAME EFFECT PST YR (L.I. EFFALC)		
		1 = Yes	1226	4.25
		2 = No	4642	16.10
		13 = Did not need more of any drug used for same effect	13361	46.34
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15
IREFCIG	2	NEED MORE CIG SAME EFFECT PST YR (L.I. EFFCIG)		
		1 = Yes	1090	3.78
		2 = No	4778	16.57
		13 = Did not need more of any drug used for same effect	13361	46.34
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15
IREFCOC	2	NEED MORE COC SAME EFFECT PST YR (L.I. EFFCOC)		
		1 = Yes	106	0.37
		2 = No	5762	19.98
		13 = Did not need more of any drug used for same effect	13361	46.34
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15
IREFMJ	2	NEED MORE MRJ SAME EFFECT PST YR (L.I. EFFMJ)		
		1 = Yes	260	0.90
		2 = No	5608	19.45
		13 = Did not need more of any drug used for same effect	13361	46.34
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRUDALC	2	USED ALC DAILY 2+ WEEKS PST YR (L.I. UDAYALC)		
		1 = Yes	1691	5.87
		2 = No	8205	28.46
		13 = Did not use any drug daily in the past year	9333	32.37
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16
		99 = LEGITIMATE SKIP	9558	33.15
IRUDCIG	2	USED CIG DAILY 2+ WEEKS PST YR (L.I. UDAYCIG)		
		1 = Yes	5227	18.13
		2 = No	4669	16.19
		13 = Did not use any drug daily in the past year	9333	32.37
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16
		99 = LEGITIMATE SKIP	9558	33.15
IRUDCOC	2	USED COC DAILY 2+ WEEKS PST YR (L.I. UDAYCOC)		
		1 = Yes	80	0.28
		2 = No	9816	34.05
		13 = Did not use any drug daily in the past year	9333	32.37
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16
		99 = LEGITIMATE SKIP	9558	33.15
IRUDMJ	2	USED MRJ DAILY 2+ WEEKS PST YR (L.I. UDAYMJ)		
		1 = Yes	445	1.54
		2 = No	9451	32.78
		13 = Did not use any drug daily in the past year	9333	32.37
		81 = NEVER USED ANY DRUGS Logically assigned	45	0.16
		99 = LEGITIMATE SKIP	9558	33.1
IRDPALC	2	FELT DEPENDENT ON ALC PST YR (L.I. DEPALC)		
		1 = Yes	1089	3.78
		2 = No	7611	26.40
		13 = Did not feel like had to have any drug used past y	10529	36.52
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		99 = LEGITIMATE SKIP	9560	33.16
IRDPCIG	2	FELT DEPENDENT ON CIG PST YR (L.I. DEPCIG)		
		1 = Yes	4515	15.66
		2 = No	4185	14.52
		13 = Did not feel like had to have any drug used pst yr	10529	36.52
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		99 = LEGITIMATE SKIP	9560	33.16
IRDPCOC	2	FELT DEPENDENT ON COC PST YR (L.I. DEPCOC)		
		1 = Yes	97	0.34
		2 = No	8603	29.84
		13 = Did not feel like had to have any drug used pst yr	10529	36.52
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		99 = LEGITIMATE SKIP	9560	33.16
IRDPMJ	2	FELT DEPENDENT ON MRJ PST YR (L.I. DEPMJ)		
		1 = Yes	269	0.93
		2 = No	8431	29.24
		13 = Did not feel like had to have any drug used pst yr	10529	36.52
		81 = NEVER USED ANY DRUGS Logically assigned	43	0.15
		99 = LEGITIMATE SKIP	9560	33.16
IRWSALC	2	FELT SICK WHEN CUT DOWN ALC PST YR (L.I. WSALC)		
		1 = Yes	616	2.1
		2 = No	5616	19.48
		13 = Did not have withdrawal symptoms in the past year	12997	45.08
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
IRWSCIG	2	FELT SICK WHEN CUT DOWN CIG PST YR (L.I. WSCIG)		
		1 = Yes	1851	6.42
		2 = No	4381	15.19
		13 = Did not have withdrawal symptoms in the past year	12997	45.08
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15
IRWSCOC	2	FELT SICK WHEN CUT DOWN COC PST YR (L.I. WSCOC)		
		1 = Yes	84	0.29
		2 = No	6148	21.32
		13 = Did not have withdrawal symptoms in the past year	12997	45.08
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15
IRWSMJ	2	FELT SICK WHEN CUT DOWN MRJ PST YR (L.I. WSMJ)		
		1 = Yes	99	0.34
		2 = No	6133	21.27
		13 = Did not have withdrawal symptoms in the past year	12997	45.08
		81 = NEVER USED ANY DRUGS Logically assigned	46	0.16
		99 = LEGITIMATE SKIP	9557	33.15

The logically imputed variables for drugs, answer sheet #12, which indicate past year symptoms of dependency with alcohol (IRCDALC, IRDPALC, IREFALC, IRUDALC and IRWSALC), cigarettes (IRCDCIG, IRDPCIG, IREFCIG, IRUDCIG and IRWSCIG), cocaine (IRCDCOC, IRDPCOC, IREFCOC, IRUDCOC and IRWSCOC), and marijuana (IRCDMJ, IRDPMJ, IREFMJ, IRUDMJ and IRWSMJ) were used to obtain counts of the symptoms of dependency associated with associated with each of the four substances respectively. indicator variables were then created for alcohol, cigarettes, cocaine and marijuana, respectively, which indicated whether any of the symptoms of dependency had been experienced for the substance in question (ALCPROBS, CIGPROBS, COCPROBS and MJPROBS). For a discussion of the structure and logical imputation of the data for answer sheet #12, refer to Drugs-Answer Sheet #12-Logically Imputed.

ALCPROBS	1	ANY PROBS DUE TO ALCOHOL		
		0 = No	23696	82.19
		1 = Yes	5136	17.81
CIGPROBS	1	ANY PROBS DUE TO CIGARETTES		
		0 = No	22515	78.09
		1 = Yes	6317	21.91

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
COCPROBS	1	ANY PROBS DUE TO COCAINE		
		0 = No	28470	98.74
		1 = Yes	362	1.26
MJPROBS	1	ANY PROBS DUE TO MARIJUANA		
		0 = No	27613	95.77
		1 = Yes	1219	4.23

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED

The drinking experience answer sheet #15, which is included in Appendix E, is structured with a lead-in question and 18 subquestions. The lead-in question (NOBOOZYR) asks if beer, wine or liquor has been used in the past year. The 18 subquestions (ALCAGGR, ALCARGUM, ALCABSNT, ALCHIGH, ALCJOB, ALCMATCD, ALCRELCD, ALCFRDCD, ALCTOSS, ALCHOLIC, ALCDRUNK, ALCINTOX, ALCREM, ALCQUICK, ALCMORN, ALCSHOOK, ALCALONE and ALCBRKPRM) ask whether each of the 18 negative experiences associated with drinking had been experienced in the past year.

The above data were logically imputed as follows:

If no use of alcohol was indicated by the past year alcohol use variable (ALCYR=0), then the lead-in question was logically revised to indicate that no alcohol had been used in the past year (IRNOBOOZ=1). Subsequently, the 18 subquestions were logically revised to the legitimate skip code (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMORE, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS=99).

If use of alcohol was indicated by the past year alcohol use variable (ALCYR=1), then the lead-in question was logically revised to indicate that alcohol had been used in the past year (IRNOBOOZ=2). Subsequently, each subquestion was examined. Positive and negative responses were left as is. The don't know (94), refused (97) and blank (98) responses were logically revised to the negative response.

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRNOBOOZ	1	NO USE OF BEER/WINE/LIQUOR PST YR (L.I. NOBOOZYR)		
		1 = No use of alcohol in the past year	11033	38.27
		2 = Used alcohol in the past year	17799	61.73
IRALCABS	2	ABSNT WRK/SCH FROM HANGOVER PST YR (L.I. ALCABSNT)		
		1 = Yes	889	3.08
		2 = No	16910	58.65
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCAGG	2	FELT AGGRESSIVE WHILE DRNKNG PST YR (L.I. ALCAGGR)		
		1 = Yes	2164	7.51
		2 = No	15635	54.23
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCALO	2	GOT DRUNK WHLE DRNKNG ALONE PST YR (L.I. ALCALONE)		
		1 = Yes	1956	6.78
		2 = No	15843	54.95
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCARG	2	HEATED ARGUMNTS WHLE DRNKNG PST YR (L.I. ALCARGUM)		
		1 = Yes	2019	7.00
		2 = No	15780	54.73
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCBRK	2	KPT DRNKNG AFT PROMISNG STP PST YR (L.I. ALCBRKPM)		
		1 = Yes	1166	4.04
		2 = No	16631	57.62
		3 = Yes, LOGICALLY IMPUTED	2	0.01
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCDRU	2	STAYD DRUNK >1DAY AT A TIME PST YR (L.I. ALCDRUNK)		
		1 = Yes	631	2.19
		2 = No	17168	59.54
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCFRD	2	FRNDS SAID CUT DOWN DRINKNG PST YR (L.I. ALCFRDCD)		
		1 = Yes	774	2.68
		2 = No	17025	59.05
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCHIG	2	HIGH/LITTLE DRUNK AT WRK/SCH PST YR (L.I. ALCHIGH)		
		1 = Yes	918	3.18
		2 = No	16881	58.55
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCHOL	2	AFRAID MGHT BE/BECME ALCHLC PST YR (L.I. ALCHOLIC)		
		1 = Yes	1369	4.75
		2 = No	16428	56.98
		3 = Yes, LOGICALLY IMPUTED	2	0.01
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
IRALCINT	2	NOT STP DRNKNG TILL INTXCTD PST YR (L.I. ALCINTOX)		
		1 = Yes	1021	3.54
		2 = No	16775	58.18
		3 = Yes, LOGICALLY IMPUTED	3	0.01
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCJOB	2	LOST/NRLY LOST JOB FRM DRNKNG PST YR (L.I. ALCJOB)		
		1 = Yes	149	0.52
		2 = No	17650	61.22
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCMAT	2	SPOUS/DATE SAY CUT DWN DRNK PST YR (L.I. ALCMATCD)		
		1 = Yes	1447	5.02
		2 = No	16352	56.71
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCMOR	2	OFTEN DRINK 1ST THNG MORNING PST YR (L.I. ALCMORN)		
		1 = Yes	333	1.15
		2 = No	17466	60.58
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCQUI	2	QUICK DRINKS NO ONE LOOKING PST YR (L.I. ALCQUICK)		
		1 = Yes	945	3.28
		2 = No	16854	58.46
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCREL	2	RELATIVE SAY CUT DWN DRNKNG PST YR (L.I. ALCRELCD)		
		1 = Yes	1187	4.12
		2 = No	16612	57.62
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCREM	2	NOT REMEMBER THNGS WHLE DRNKNG PST YR (L.I. ALCREM)		
		1 = Yes	2234	7.75
		2 = No	15565	53.99
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCSHO	2	HNDS SHK AFT DRNK DAY BEFOR PST YR (L.I. ALCSHOOK)		
		1 = Yes	595	2.06
		2 = No	17204	59.67
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27
IRALCTOS	2	DRNK FAST FOR QUICKER EFFECT PST YR (L.I. ALCTOSS)		
		1 = Yes	2227	7.72
		2 = No	15571	54.01
		3 = Yes, LOGICALLY IMPUTED	1	0.00
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	11033	38.27

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The logically revised subquestions (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS) for drinking experiences, answer sheet #15, were used to obtain a count the number of problems associated with drinking. Indicator variables were then created which indicated whether any of the 18 problems (ANYALC) and three of more of the 18 problems (THREALC) had been experienced. For a discussion of the structure and logical imputation of the data for answer sheet #15, refer to Drinking-Answer Sheet #15 - Logically Imputed.</p>		
ANYALC	1	ANY PROBS W/ALCOHOL PAST YR		
		0 = No	22853	79.26
		1 = Yes	5979	20.74
THREALC	1	GE 3 PROBS W/ALCOHOL PAST YR		
		0 = No	25808	89.51
		1 = Yes	3024	10.49

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	---
RECODED DRUG USE VARIABLES				

<p>The following variables were created from the recoded drug use variables. The values of the source variables which define the yes response are given, and all other combinations of the source variables define the no response.</p>				
ALCONLYL	1	ONLY ALCOHOL - EVER USED		
		0 = No	18492	64.14
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0)	10340	35.86
ALCONLYY	1	ONLY ALCOHOL - PAST YEAR USE		
		0 = No	15195	52.70
		1 = Yes (ALCYR=1 AND SUMYR=0)	13637	47.30
ALCONLYM	1	ONLY ALCOHOL - PAST MONTH USE		
		0 = No	17731	61.50
		1 = Yes (ALCMON=1 AND SUMMON=0)	11101	38.50
ILLONLYL	1	ONLY ILLICIT DRUGS - EVER USED		
		0 = No	28483	98.79
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	349	1.21
ILLONLYY	1	ONLY ILLICIT DRUGS - PAST YEAR USE		
		0 = No	28513	98.89
		1 = Yes (SUMYR=1 AND ALCYR=0)	319	1.11
ILLONLYM	1	ONLY ILLICIT DRUGS - PAST MONTH USE		
		0 = No	28440	98.64
		1 = Yes (SUMMON=1 AND ALCMON=0)	392	1.36
MRJONLYL	1	ONLY MARIJUANA - EVER USED		
		0 = No	28725	99.63
		1 = Yes (MJOFLAG=1 AND ALCFLAG=0)	107	0.37
MRJONLYY	1	ONLY MARIJUANA - PAST YEAR USE		
		0 = No	28725	99.63
		1 = Yes (MJOYR2=1 AND ALCYR=0)	107	0.37
MRJONLYM	1	ONLY MARIJUANA - PAST MONTH USE		
		0 = No	28662	99.41
		1 = Yes (MJOMON2=1 AND ALCMON=0)	170	0.59

LABEL	LEN	RECODED DRUG USE VARIABLES DESCRIPTION	FREQ	
-----	---	-----	----	
<p>The following variable, PSYONLYL, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG and ALCFLAG.</p>				
PSYONLYL	1	ONLY PSYCHOTHERAPEUTICS - EVER USED		
		0 = No 28722	28722	99.62
		1 = Yes (PSYFLAG2=1 AND ALL OTHER SOURCE VARS=0) 110	110	0.38
<p>The following variable, PSYONLYY, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.</p>				
PSYONLYY	1	ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No 28721	28721	99.62
		1 = Yes (PSYR2=1 AND ALL OTHER SOURCE VARS=0) 111	111	0.38
<p>The following variable, PSYONLYM, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.</p>				
PSYONLYM	1	ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No 28732	28732	99.65
		1 = Yes (PSYMON2=1 AND ALL OTHER SOURCE VARS=0) 100	100	0.35
<p>The following variable, OTHONLYL, was created by examination of ALCFLAG, MRJONLYL, PSYONLYL, PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, and HERFLAG.</p>				
OTHONLYL	1	ONLY OTHER DRUGS AND DRUG COMB. - EVER USED		
		0 = No 28700	28700	99.54
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1) 132	132	0.46
<p>The following variable, OTHONLYY, was created by examination of ALCYR, MRJONLYY, PSYONLYY, PSYR2, MRJYR, COCYR, INHYR, HALYR, and HERYR.</p>				
OTHONLYY	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE		
		0 = No 28731	28731	99.65
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1) 101	101	0.35

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
The following variable, OTHONLYM, was created by examination of ALCMON, MRJONLYM, PSYONLYM, PSYMON2, MRJMON, COCMON, INHMON, HALMON, and HERMON.				
OTHONLYM	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE		
		0 = No	28710	99.58
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHER SOURCE VAR=1)	122	0.42
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED		
		0 = No	18109	62.81
		1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	10723	37.19
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE		
		0 = No	24670	85.56
		1 = Yes (ALCYR=1 AND SUMYR=1)	4162	14.44
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE		
		0 = No	26948	93.47
		1 = Yes (ALCMON=1 AND SUMMON=1)	1884	6.53
The following variable, ALCMRJL, was created by examination of ALCFLAG, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and PSYFLAG2.				
ALCMRJL	1	ALCOHOL & MARIJUANA - EVER USED		
		0 = No	24086	83.54
		1 = Yes (ALCFLAG,MRJFLAG=1 AND ALL OTHER SOURCE VAR=0)	4746	16.46
The following variable, ALCMRJY, was created by examination of ALCYR, MRJYR, COCYR, INHYR, HALYR, HERYR, and PSYR2.				
ALCMRJY	1	ALCOHOL & MARIJUANA - PAST YEAR USE		
		0 = No	26898	93.29
		1 = Yes (ALCYR AND MRJYR=1 AND ALL OTHER SOURCE VAR=0)	1934	6.71
The following variable, ALCMRJM, was created by examination of ALCMON, MRJMON, COCMON, INHMON, HALMON, HERMON, and PSYMON2.				
ALCMRJM	1	ALCOHOL & MARIJUANA - PAST MONTH USE		
		0 = No	27703	96.08
		1 = Yes (ALCMON & MRJMON=1 AND ALL OTHER SOURCE VAR=0)	1129	3.92

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following variable, ALCPSYL, was created by examination of ALCFLAG, PSYFLAG2, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and MRJFLAG.</p>				
ALCPSYL	1	ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	28380	98.43
		1 = Yes (ALCFLAG, PSYFLAG2=1 & ALL OTHER SOURCE VAR=0)	452	1.57
<p>The following variable, ALCPSYY, was created by examination of ALCYR, PSYYR2, COCYR, INHYR, HALYR, HERYR, and MRJYR.</p>				
ALCPSYY	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	28404	98.52
		1 = Yes (ALCYR & PSYYR2=1 AND ALL OTHER SOURCE VAR=0)	428	1.48
<p>The following variable, ALCPSYM, was created by examination of ALCMON, PSYMON2, COCMON, INHMON, HALMON, HERMON, and MRJMON.</p>				
ALCPSYM	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	28699	99.54
		1 = Yes (ALCMON & PSYMON2=1 & ALL OTHER SOURCE VAR=0)	133	0.46
<p>The following variable, ALCOTHL, was created by examination of ALCFLAG, ALCMRJL, ALCPSYL, COCFLAG, INHFLAG, HALFLAG, HERFLAG, MRJFLAG, and PSYFLAG2.</p>				
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED		
		0 = No	23307	80.84
		1 = Yes (ALCFLAG=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	5525	19.16
<p>The following variable, ALCOTHY, was created by examination of ALCYR, ALCMRJY, ALCPSYY, COCYR, INHYR, HALYR, HERYR, MRJYR, and PSYYR2.</p>				
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE		
		0 = No	27032	93.76
		1 = Yes (ALCYR=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	1800	6.24

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following variable, ALCOTHM, was created by examination of ALCMON, ALCMRJM,ALCPSYM, COCMON, INHMON, HALMON, HERMON, MRJMON, and PSYMON2.</p>				
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE		
		0 = No	28210	97.84
		1 = Yes (ALCMON=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1) ..	622	2.16
<p>The following variable, SUB1LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.</p>				
SUB1LIF	1	USED ONLY 1 SUBSTANCE - EVER		
		0 = No	18193	63.10
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	10639	36.90
<p>The following variable, SUB1YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, AND ALCYR.</p>				
SUB1YR	1	USED ONLY 1 SUBSTANCE - PAST YEAR		
		0 = No	14912	51.72
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	13920	48.28
<p>The following variable, SUB1MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.</p>				
SUB1MON	1	USED ONLY 1 SUBSTANCE - PAST MONTH		
		0 = No	17390	60.31
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	11442	39.69
<p>The following variable, SUB2LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.</p>				
SUB2LIF	1	USED ONLY 2 SUBSTANCES - EVER		
		0 = No	23302	80.82
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	5530	19.18

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following variable, SUB2YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, AND ALCYR.</p>				
SUB2YR	1	USED ONLY 2 SUBSTANCES - PAST YEAR		
		0 = No	26167	90.76
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	2665	9.24
<p>The following variable, SUB2MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.</p>				
SUB2MON	1	USED ONLY 2 SUBSTANCES - PAST MONTH		
		0 = No	27364	94.91
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	1468	5.09
<p>The following variable, SUB3LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.</p>				
SUB3LIF	1	USED 3 OR MORE SUBSTANCES - EVER		
		0 = No	23589	81.1
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	5243	18.18
<p>The following variable, SUB3YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.</p>				
SUB3YR	1	USED 3 OR MORE SUBSTANCES - PAST YEAR		
		0 = No	27299	94.68
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	1533	5.32
<p>The following variable, SUB3MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.</p>				
SUB3MON	1	USED 3 OR MORE SUBSTANCES - PAST MONTH		
		0 = No	28365	98.38
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	467	1.62

RECODED DRUG USE VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
CHANCMJ2	2	OPPORTUNITY TO USE MARIJUANA - REVISED		
		. = UNKNOWN	133	0.46
		0 = Did not have a chance to use marijuana	13553	47.01
		1 = Had a chance to use marijuana	15146	52.53
CHANCOC2	2	OPPORTUNITY TO USE COCAINE - REVISED		
		. = UNKNOWN	231	0.80
		0 = Did not have a chance to use cocaine	21139	73.32
		1 = Had a chance to use cocaine	7462	25.88
CHANHAL2	2	OPPORTUNITY TO USE HALLUCINOGENS - REVISED		
		. = UNKNOWN	1146	3.97
		0 = Did not have a chance to use hallucinogens	23902	82.90
		1 = Had a chance to use hallucinogens	3784	13.12
CHANHER2	2	OPPORTUNITY TO USE HEROIN - REVISED		
		. = UNKNOWN	429	1.49
		0 = Did not have a chance to use heroin	27045	93.80
		1 = Had a chance to use heroin	1358	4.71

INDEX OF LABELS

LABEL	PAGE
-----	-----
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
CIGTRY	2
CIG5PK	2
CIGAGE	2
CIGYRS	3
PACKS	3
CIGREC	3
AVCIG	4
CIGTIME	4
SNUFREC	4
OTHTOB	5
ALCTRY	6
ALCREC	6
ALCAGE	6
ALCDAYS	7
NODR30A	7
DR5DAY	7
MODR30A	8
MODR30DY	8
ALCPAT	8
DRUNKYR	9
ALCBEER	9
ALCWINE	9
ALCLIQR	9
ALCVARY	10
NOSEDAT	11
BUTISOL	11
BUTICAPS	11
AMYTAL	11
MEBARAL	11
PLACIDYL	12
DORIDEN	12
NOLUDAR	12
NEMBUTAL	12
SECONAL	12
TUINAL	12
DALMANE	12
RESTORIL	12
HALCION	12
AMOBARB	13
PHENOBAR	13
METHAQ	13
CHHYD	13
PENTOB	13
SECOB	13
SEDNEWA	14
SEDNEWB	14

INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDNEWC	14
SEDNEWB	15
SEDNEWE	15
SEDNOSP	15
SEDDKNAM	15
SEDAGE	15
SEDTOT	15
SEDREC	16
SEDYRFRQ	16
TRNREAD	17
NOTRANQ	17
VALIUM	17
LIBRIUM	17
LIMBTROL	18
MENRIUM	18
SERAX	18
TRANKEKE	18
ATIVAN	18
CENTRAX	18
XANAX	18
PAXIPAM	18
BUSPAR	18
MILTOWN	19
EQUANIL	19
DEPROL	19
VISTAR	19
ATARAX	19
DURRAX	19
DIAZEPAM	19
SKLY	19
MEPROB	19
TRNEWA	20
TRNEWB	20
TRNEWC	20
TRNEWB	20
TRNEWE	20
TRNOSP	20
TRDKNAM	20
TRANAGE	21
TRANTOT	21
TRANREC	21
TRNYRFRQ	22
STMREAD	23
NOSTIMS	23
DEXED	23
DEXAMYL	23
ESKAT	24
BENZ	24
BIPHET	24
DESXYN	24

INDEX OF LABELS

LABEL	PAGE
-----	-----
TENUATE	24
TEPANIL	24
DIDREX	24
PLEGINE	24
PRELUDIN	24
IONAMIN	25
FASTIN	25
PONDIMIN	25
VORANIL	25
SANOREX	25
MAZANOR	25
RITALIN	25
CYLERT	25
DETAMP	25
METHI	26
METHAMP	26
OBLA	26
STIMNEWA	27
STIMNEWB	28
STIMNEWC	28
STIMNEWD	28
STIMNEWE	28
STIMNOSP	28
STMDKNAM	28
STIMAGE	29
STIMTOT	29
STIMREC	29
STMYRFRQ	30
STNEEDLE	30
STNDLREC	30
ANLREAD	31
ANALNONE	31
DARVON	31
DOLENE	31
SK65A	31
WYGESIC	32
LEVODRO	32
PERCODAN	32
DEMEROL	32
DILAUD	32
TYLCOD	32
PHENCOD	32
TALWIN	32
TALWINNX	32
TALACEN	33
PROPOXY	33
CODEINE	33
ANILERID	33
MORPHINE	33
METHDON	33

INDEX OF LABELS

LABEL	PAGE
-----	-----
STADOL	33
ANALNEWA	34
ANALNEWB	34
ANALNEWC	34
ANALNEWD	34
ANALNEWE	35
ANLNOSP	35
ANLDKNAM	35
ANALAGE	35
ANALTOT	35
ANALREC	36
ANLYRFRQ	36
MJOPP	37
MJAGE	37
MJTOT	37
MJREC	38
MJDAY30A	38
MJAV30A	38
MJAV30B	39
MJAMT30A	39
MJFRIEND	39
MJDEALER	39
MJOTHSHR	40
MJGIVEN	40
MJTRGOOD	40
MJTRSERV	40
MJSTOLE	40
MJTRICK	41
MJOBTONON	41
MJBUCK	41
MJYRFREQ	42
MJJOINT	42
MJPIPE	42
MJBAKE	42
MJCHEW	43
MJWAY	43
MJLFDALY	43
INHREAD	44
GAS	44
LGAS	44
SPPAINT	44
AEROS	45
GLUE	45
SOLVENT	45
AMYLNIT	45
ETHER	45
NITOXID	45
CLEFLU	46
INHNEWA	46
INHNEWB	47

INDEX OF LABELS

LABEL	PAGE
-----	-----
INHNEWC	47
INHNEWWD	47
INHNEWWE	47
INHNO SP	47
INHDKNAM	48
INHAGE	48
INH TOT	48
INHREC	49
GAS30A	49
LGAS30A	49
SPPAN30A	50
AEROS30A	50
GLUE30A	50
SOLVN30A	50
AMLNT30A	50
ETHER30A	51
NOX30A	51
CLFL30A	51
INNEW30A	51
INNEW30B	52
INNEW30C	52
INNEW30D	52
INNEW30E	52
IN30NOSP	52
INH30NO	52
INH DY30A	53
INH YRFRQ	53
INHPO	53
INH QNC1	54
INH QNC2	54
INH QNC3	54
INH QNC4	54
INH QNC5	54
INH QNC6	54
INH QNC7	54
INH QNC8	54
INH QNC10	54
INHANSY	54
COCOPP	55
COCAGE	55
COCTOT	55
COCREC	56
COCUS30A	56
COCAM30A	56
CCFRIEND	57
CCDEALER	57
CCOTHSHR	57
CCGIVEN	57
CCTRGOOD	58
CCTR SERV	58

INDEX OF LABELS

LABEL	PAGE
-----	-----
CCSTOLE	58
CCTRICK	58
CCOBTNON	58
COCBUCK	59
COCYRFRQ	59
COCSNIFF	59
COCSWAL	60
COCIV	60
FREEBASE	60
COCWAY	60
CONDLREC	61
CCLFDALY	61
CRAKREC	62
CRKAM30A	62
CKFRIEND	63
CKDEALER	63
CKOTHSHR	63
CKGIVEN	63
CKTRGOOD	63
CKTRSERV	64
CKSTOLE	64
CKTRICK	64
CKOBTNON	64
CRAKBUCK	65
CKLFDALY	65
HALREAD	66
LSD	66
PEYOTE	66
MESC	66
PSILCY	67
PCP	67
ECSTASY	67
HALNEWA	68
HALNEWB	69
HALNEWC	69
HALNEWD	69
HALNEWE	69
HALNOSP	69
HALDKNAM	70
HALLOPP	70
HALLAGE	70
HALLTOT	71
HALLREC	71
HAL30USE	71
HALYRFRQ	72
PCPREC	72
HERREAD	73
HEROPP	73
HERAGE	73
HERTOT	74

INDEX OF LABELS

LABEL	PAGE
-----	-----
HERREC	74
HER3OUSE	74
HERNEEDL	75
HRNDLREC	75
DRGREAD	76
CDCIG	77
CDALC	78
CDSED	78
CDTRAN	78
CDSTM	78
CDANAL	79
CDMJ	79
CDINH	79
CDCOC	79
CDHALL	80
CDHER	80
CDOTHOP	80
CDNONE	80
UCDCIG	81
UCDALC	82
UCDSED	82
UCDTRAN	82
UCDSTM	82
UCDANAL	83
UCDMJ	83
UCDINH	83
UCDCOC	83
UCDHALL	84
UCDHER	84
UCDOTHOP	84
UCDNONE	84
EFFCIG	85
EFFALC	86
EFFSED	86
EFFTRAN	86
EFFSTM	86
EFFANAL	87
EFFMJ	87
EFFINH	87
EFFCOC	87
EFFHALL	88
EFFHER	88
EFFOTHOP	88
EFFNONE	88
UDAYCIG	89
UDAYALC	90
UDAYSED	90
UDAYTRAN	90
UDAYSTM	90
UDAYANAL	91

INDEX OF LABELS

LABEL	PAGE
-----	-----
UDAYMJ	91
UDAYINH	91
UDAYCOC	91
UDAYHALL	92
UDAYHER	92
UDAYOTH	92
UDAYNONE	92
DEPCIG	93
DEPALC	94
DEPSED	94
DEPTRAN	94
DEPSTM	94
DEPANAL	95
DEPMJ	95
DEPINH	95
DEPCOC	95
DEPHALL	96
DEPHER	96
DEPOTHOP	96
DEPNONE	96
WSCIG	97
WSALC	98
WSED	98
WSTRAN	98
WSSTM	98
WSANAL	99
WSMJ	99
WSINH	99
WSCOC	99
WSHALL	100
WSHER	100
WSOTHOP	100
WSNONE	100
NDLREAD	101
GNNDLLIF	101
GNNDLREC	101
GNNDLSED	102
GNNDLTRA	102
GNNDLSTM	102
GNNDLANL	102
GNNDLINH	103
GNNDLCOC	103
GNNDLHAL	103
GNNDLHER	103
GNNDLOPT	104
GNNDLSTR	104
GNNDLNON	104
GNNDLSH1	104
GNNDLSH2	105
SPTREAD	106

INDEX OF LABELS

LABEL	PAGE
-----	-----
DRUGTEST	106
TESTPOS	106
ICELIFE	107
ICEREC	107
STEROPP	107
STERAGE	108
STERTOT	108
STERREC	108
SPNEWA	109
SPNEWB	110
SPNEWC	110
SPNEWD	110
SPNEWE	110
BOOKED	110
NOBOOKYR	111
BKLARCNY	111
BKBURGL	111
BKAGASLT	111
BKSMASLT	111
BKMVTHFT	111
BKROB	112
BKRAPE	112
BKMURDER	112
BKARSON	112
BKDRVINF	112
BKDRUNK	112
BKDRUG	112
BKPROS	112
BKVANDAL	112
BKOTHOFF	113
NOTBKED	113
PROBATON	113
PAROLE	113
STRSTEAL	114
OTHSTEAL	114
DAMAGE	114
CARSTEAL	114
FORCEMON	115
BREAKIN	115
PHYFIGHT	115
HURTBAD	115
GUNMONEY	116
DRUNKDRV	116
SOLDDRUG	116
OTHDOING	116
OTHDOSP1	117
OTHDOSP2	117
DEXREAD	118
NOBOOZYR	118
ALCAGGR	118

INDEX OF LABELS

LABEL	PAGE
-----	-----
ALCARGUM	118
ALCABSNT	118
ALCHIGH	119
ALCJOB	119
ALCMATCD	119
ALCRELCD	119
ALCFRDCD	119
ALCTOSS	119
ALCHOLIC	119
ALCDRUNK	120
ALCINTOX	120
ALCREM	120
ALCQUICK	120
ALCMORN	120
ALCSHOOK	120
ALCALONE	120
ALCBRKPM	121
ALCSED	121
ALCTRAN	121
ALCSTM	121
ALCANAL	121
ALCMJ	121
ALCINH	121
ALCCOC	122
ALCHAL	122
ALCOPT	122
ALCNONE	122
AS13NONE	123
DRDEPRSS	123
DEPDRG1A	124
DEPDRG2A	125
DEPDRG3A	125
DEPDRG4A	125
DEPDRG5A	125
DRARGUM	126
ARGDRG1A	126
ARGDRG2A	127
ARGDRG3A	127
ARGDRG4A	127
ARGDRG5A	128
DRALONE	128
ALNDRG1A	128
ALNDRG2A	129
ALNDRG3A	129
ALNDRG4A	129
ALNDRG5A	129
DRANX	130
ANXDRG1A	131
ANXDRG2A	132
ANXDRG3A	132

INDEX OF LABELS

LABEL	PAGE
-----	-----
ANXDRG4A	132
ANXDRG5A	132
DRHEALTH	133
HLTDRG1A	133
HLTDRG2A	134
HLTDRG3A	134
HLTDRG4A	134
HLTDRG5A	134
DRNTHINK	135
NTKDRG1A	136
NTKDRG2A	137
NTKDRG3A	137
NTKDRG4A	138
NTKDRG5A	138
DRUPSET	138
UPSDRG1A	139
UPSDRG2A	140
UPSDRG3A	140
UPSDRG4A	140
UPSDRG5A	140
DRLSWORK	141
LSWDRG1A	141
LSWDRG2A	142
LSWDRG3A	142
LSWDRG4A	142
LSWDRG5A	142
DRSUSPIC	143
SSPDRG1A	143
SSPDRG2A	144
SSPDRG3A	144
SSPDRG4A	144
SSPDRG5A	144
DRCOPE	144
CPEDRG1A	145
CPEDRG2A	145
CPEDRG3A	146
CPEDRG4A	146
CPEDRG5A	146
DREMGMED	146
EMDRG1A	147
EMDRG2A	147
EMDRG3A	147
EMDRG4A	148
EMDRG5A	148
DRTRMT	148
TMTDRG1A	148
TMTDRG2A	149
TMTDRG3A	149
TMTDRG4A	149
TMTDRG5A	149

INDEX OF LABELS

LABEL	PAGE
-----	-----
DRDRVUN	149
DRVDRG1A	150
DRVDRG2A	150
DRVDRG3A	150
DRVDRG4A	151
DRVDRG5A	151
TMTREAD	152
EMPDUG	152
CIGHELP	152
DRNKHELP	152
TRMTHelp	153
TRMTEMRG	153
TRMTHOSP	153
TRMTDOC	154
TRMTTRMT	155
TRMTMHC	155
TRMTSHG	155
TRMTSOP	156
TRMTSP	156
TRMTREC	156
NOTRMT	157
TXEMRG	157
TXHOSP	157
TXDOC	157
TXTRMT	158
TXMHC	158
TXSHG	158
TXSOP	158
TXSP	159
TRMTLIFE	159
TRMTRESP	159
TRMTFEAR	160
TRMTCOST	160
TRMTEVNT	160
TRMTPR	160
TRMTHLTH	160
TRMTJOB	161
TRMTJAIL	161
TRMTSERV	161
TRMTBQD	161
TRMTDNA	161
TRMTSOR	162
TRMTRSP	162
TRMTOUTC	163
TMTPHI	163
TMTPSAVE	163
TMTPFMLY	164
TMTPEMPR	164
TMTPMEDI	164
TMTPFREE	164

INDEX OF LABELS

LABEL	PAGE
-----	-----
TMTPOTH	164
TMTPASP	165
RSKPKCIG	166
RSKTRYMJ	166
RSKMJOCC	166
RSKMJREG	166
RKTRYPCP	167
RKPCPREG	167
RKTRYHER	167
RKHJERREG	167
RKTRYCOC	167
RKCOCOCC	168
RKCOCREG	168
RKCRKOCC	168
RKANSOCC	168
RKANSREG	168
RK2DRINK	169
RK5DRINK	169
RSKBINGE	169
RSKDIFMJ	169
RKDIFLSD	170
RKDIFPCP	170
RKDIFCOC	170
RKDIFHER	170
RSKSELL	171
RKNEIDRN	171
RKNEISEL	171
HIGHBP	172
BPMED	172
WALKPAIN	172
TIMEPAIN	172
UPSHOR	173
ASTHMA	173
TRPSYCH	173
HEART	173
FLU	174
ALLERG	174
HOSPYR	174
SOREYR	174
RUNNYR	175
COUGHYR	175
PHLEGMYR	175
HEALTHYR	175
FLTEAT	176
FLTMIND	176
FLTDEPRS	176
FLTEFFRT	176
FLTSLEEP	177
FLTSAD	177
FLTGOING	177

INDEX OF LABELS

LABEL	PAGE
-----	-----
MARITAL	178
NOMARR	178
WORKSTAT	179
PAYMO	179
PAYYR	179
NO5JOB	180
WORKDAYS	180
WORKBLAH	180
CWE	180
FULLPART	181
EDUC	181
GRADHS	181
DIPLOMA	182
ENROLLD	182
SCHPLANS	182
STUDENT	183
SCHDAYS	183
SKIPPED	183
MILES	184
ACCID	184
NOCHILD	184
TOTPEOP	184
MOTHER	185
FATHER	185
STEPMOM	185
STEPDAD	185
SPOUSE	185
INLAW	185
OWNCHILD	186
STEPCHILD	186
BROSIS	186
OTHREL	186
FRIENDS	186
OTHERNON	186
MOVDAWAY	187
DORM	187
MILBASE	187
HOSP	187
OTHGPH	187
OTHGPHSP	188
SERVICE	188
MILSTAT	188
TELNO	189
MOVES	189
PROXABLE	189
PROXYREL	190
PROXHOME	191
PROXJOIN	191
MEDICARE	191
MEDICAID	192

INDEX OF LABELS

LABEL	PAGE
-----	-----
CHAMPUS	192
PRVHLTIN	192
OWNHLTIN	193
GRPHLTIN	193
HLTINALC	193
HLTINDRG	194
HLTINMNT	194
WHOANSHI	195
JOB	196
HOURS	196
WORK	196
WAG1	196
AWAG1	197
WEEKS	197
SOC1	197
ASOC1	198
SSI1	198
ASSI1	198
PUB1	199
AFDC1	199
WEL1	199
AWEL1	199
INT1	200
AIN1	200
CHD1	200
ACHD1	201
OTH1	201
AOTH1	201
FAMILYRES	202
WAG2	202
AWAG2	202
SOC2	203
ASOC2	203
SSI2	204
ASSI2	204
PUB2	204
AFDC2	205
WEL2	205
AWEL2	205
INT2	206
AIN2	206
CHD2	207
ACHD2	207
OTH2	207
AOTH2	208
WHOANSIN	209
FSTAMP	210
PEOPFD	210
FOOD	210
AFOOD	210

INDEX OF LABELS

LABEL	PAGE
-----	-----
INTMONTH	211
BHOUR	211
BMIN	211
BAP	211
EHOUR	211
EMIN	211
EAP	211
LANGVER	211
UNDINT	211
COOPINT	212
PRIVACY	213
PPRES	213
SPRES	213
PARPRES	213
OARPRES	213
OAPRES	213
CPRES	213
OPRESNSP	214
OPRESSPA	214
WHOMARKD	215
QUARTER	215
FAMSKIP	215
GQTYPE	215
PDEN	216
PDEN2	216
DC	216
CHICAGO	216
DENVER	216
LA	217
MIAMI	217
NEWYORK	217
REGION	217
DIVISION	217
CENCTY	217
URBARE	217
METRO	217
CENTRALC	217
BIRMONTH	218
BIRYEAR	218
IRAGE	218
IIAGE	218
IRSEX	218
IISEX	218
IRRACE	218
IIRACE	218
IRHOIND	218
IIHOIND	218
IRHGRP	219
IRHGRP2	220
IIHGRP2	220

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRMARIT	220
IIMARIT	220
IREduc	220
IIEduc	220
IRHSGRAD	221
IIHSGRAD	221
IRWORKST	221
IIWORKST	221
IRPINSUR	221
IIPINSUR	221
IRINSUR	221
IIINSUR	221
IRWAG1	221
IIWAG1	222
IRAWAG1	222
IIAWAG1	222
IRSOC1	222
IISOC1	222
IRASOC1	222
IIASOC1	222
IRSSI1	222
IISSI1	222
IRASSI1	222
IIASSI1	222
IRWEL1	223
IIWEL1	223
IRAWEL1	223
IIAWEL1	223
IRINT1	223
IIINT1	223
IRAIN1	223
IIAIN1	223
IRCHD1	223
IICHD1	223
IRACHD1	223
IIACHD1	223
IROTH1	224
IIOTH1	224
IRAO1	224
IIAO1	224
IRWAG2	224
IIWAG2	224
IRAWAG2	224
IIAWAG2	224
IRSOC2	224
IISOC2	224
IRASOC2	224
IIASOC2	225
IRSSI2	225
IISSI2	225

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRASSI2	225
IIASSI2	225
IRWEL2	225
IIWEL2	225
IRAWEL2	225
IIAWEL2	225
IRINT2	225
IIINT2	226
IRAIN2	226
IIAIN2	226
IRCHD2	226
IICHD2	226
IRACHD2	226
IIACHD2	226
IROTH2	226
IIOTH2	226
IRAO2	226
IIAO2	227
IRFOOD	227
IIFOOD	227
IRAFOD	227
IIAFOD	227
IRALCRC	228
IIALCRC	228
IRMJRC	228
IIMJRC	228
IRCOCRC	228
IICOCRC	228
IRSEDRC	228
IISEDRC	229
IRTRNRC	229
IITRNRC	229
IRSTMRC	229
IISTMRC	229
IRANLRC	229
IIANLRC	229
IRCIGRC	229
IICIGRC	229
IROTBRC	230
IIOTBRC	230
IRINHRC	230
IIINHRC	230
IRCRKRC	230
IICRKRC	230
IRHALRC	230
IIHALRC	230
IRHERRC	231
IIHERRC	231
IRPCPRC	231
IIPCPRC	231

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRICERC	231
IIICERC	231
IRSTRRC	231
IISTRRC	231
IRALCFQ	232
IIALCFQ	232
IRMJFQ	232
IIMJFQ	232
IRCOCFQ	232
IICOCFQ	232
IRSEDFQ	233
IISEDFQ	233
IRTRNFQ	233
IITRNFQ	233
IRSTMFQ	233
IISTMFQ	233
IRANLFQ	234
IIANLFQ	234
IROTBFQ	234
IIOTBFQ	234
IRINHFQ	234
IIINHFQ	234
IRHALFQ	235
IIHALFQ	235
CATAGE	236
CATAG2	236
CATAG3	236
RACE	236
HISPRACE	236
EDUCCAT2	236
EMPSTAT2	236
ROCCUP2	237
BUSINES2	237
CWEOCC2	237
CWEBUS2	237
CHAGE1	237
CHAGE2	237
CHAGE3	237
CHAGE4	238
CHAGE5	238
CHAGE6	238
CHAGE7	238
CHAGE8	238
CHAGE9	238
CHAGE10	238
INDINC	238
IIINDINC	238
INDCAT	238
PERINC	238
PERINC2	239

INDEX OF LABELS

LABEL	PAGE
-----	-----
PERINC3	239
TOTINC	239
IITOTINC	239
TOTCAT	239
FAMINC	239
FAMINC2	240
FAMINC3	240
WELFARE	240
HALFLAG	241
HALYR	241
HALMON	241
PCPFLAG	241
PCPYR	241
PCPMON	241
STMFLAG	241
STMYR	241
STMMON	241
SEDFLAG	241
SEDYR	241
SEDMON	241
TRQFLAG	242
TRQYR	242
TRQMON	242
ANLFLAG	242
ANLYR	242
ANLMON	242
ALCFLAG	242
ALCYR	242
ALCMON	242
CIGFLAG	242
CIGYR	242
CIGMON	242
SMKFLAG	242
SMKYR	243
SMKMON	243
HERFLAG	243
HERYR	243
HERMON	243
STRFLAG	243
STRYR	243
STRMON	243
MRJFLAG	243
MRJYR	243
MRJMON	243
COCFLAG	243
COCYR	243
COCMON	244
CRKFLAG	244
CRKYR	244
CRKMON	244

INDEX OF LABELS

LABEL	PAGE
-----	-----
INHFLAG	244
INHYR	244
INHMON	244
ICEFLAG	244
ICEYR	244
ICEMON	244
NEEDLREC	245
NDL90REC	245
NEDFLAG3	246
NEDYR3	246
HALYRF	246
HALMONF	246
HALWKF	246
HALOCCF	246
HALDLYF	246
STMYRF	246
STMMONF	246
STMWKF	246
STMOCCF	246
STMDLYF	246
SEDYRF	247
SEDMONF	247
SEDWKF	247
SEDOCCF	247
SEDDLYF	247
TRQYRF	247
TRQMONF	247
TRQWKF	247
TRQOCCF	247
TRQDLYF	247
ANLYRF	247
ANLMONF	247
ANLWKF	247
ANLOCCF	248
ANLDLYF	248
ALCYRF	248
ALCMONF	248
ALCWKF	248
ALCOCCF	248
ALCDLYF	248
SMKYRF	248
SMKMONF	248
SMKWKF	248
SMKOCCF	248
SMKDLYF	248
MRJYRF	248
MRJMONF	249
MRJWKF	249
MRJOCCF	249
MRJDLYF	249

INDEX OF LABELS

LABEL	PAGE
-----	-----
COCYRF	249
COCMONF	249
COCWKF	249
COCOCCF	249
COCPLYF	249
INHRYF	249
INHMONT	249
INHWF	249
INHOCCF	249
INHPLYF	250
PSYFLAG2	250
PSYR2	250
PSYMON2	250
SUMFLAG	250
SUMYR	250
SUMMON	250
MJOFLAG	251
MJOYR2	251
MJOMON2	251
IEMFLAG	251
IEMYR	251
IEMMON	251
VESTR	252
VEREP	252
ANALWT	252
RURORURB	252
PBLACKHH	252
PBLACKP	252
HSPHCONC	253
HSPPCONC	253
OWNOCONC	253
PPOVERTY	253
POWNED	253
PRENTED	253
OWNEDAVE	254
RENTAVE	254
UCLASS9	254
QC06	255
QC09	255
AL02	255
SE04	256
TR04	256
ST04	256
ST07	256
AN04	257
MJ04	257
IN04	257
CC04	258
CC11	258
CK01	258

INDEX OF LABELS

LABEL	PAGE
-----	-----
LS05	259
LS08	259
HE04	259
HE07	260
ND02	260
SP04	260
SP08	261
AEROS2	262
ALCDAYS2	262
ALCDAYS3	262
ALCMON2	262
AMYLNIT2	262
AVCIG2	262
AVCIG3	262
CIGMON2	262
CLEFLU2	262
COCIV2	262
COCWAY2	263
COCSNIF2	263
COCSWAL2	263
COCTOT2	263
COCTOT3	263
DRALHELP	263
DRINKER2	263
DRNGHLP2	263
DRUNKYR2	264
ETHER2	264
FREEBAS2	264
GAS2	264
LGAS2	264
GLUE2	264
HVYDRK2	264
LSD2	264
MESC2	264
ECSTASY2	265
MJDY30A2	265
MJDY30A3	265
MJTOT2	265
MJTOT3	265
MRJMON2	265
NITOXID2	265
NOTMARJ	266
PEYOTE2	266
PSILCY2	266
RACESEX	266
RACESEX2	266
SOLVENT2	266
SPPAINT2	266
TRMTHLP2	266

INDEX OF LABELS

LABEL	PAGE
-----	----
IRAS13	268
IRDEP	268
IRDEP1	269
IRDEP2	270
IRDEP3	270
IRDEP4	270
IRDEP5	270
IRARG	271
IRARG1	271
IRARG2	272
IRARG3	272
IRARG4	273
IRARG5	273
IRALN	273
IRALN1	274
IRALN2	275
IRALN3	275
IRALN4	275
IRALN5	275
IRANX	275
IRANX1	276
IRANX2	277
IRANX3	277
IRANX4	278
IRANX5	278
IRHLT	278
IRHLT1	278
IRHLT2	279
IRHLT3	279
IRHLT4	279
IRHLT5	279
IRNTK	279
IRNTK1	280
IRNTK2	281
IRNTK3	281
IRNTK4	281
IRNTK5	282
IRUPS	282
IRUPS1	283
IRUPS2	284
IRUPS3	284
IRUPS4	284
IRUPS5	284
IRLSW	284
IRLSW1	285
IRLSW2	286
IRLSW3	286
IRLSW4	286
IRLSW5	286
IRSSP	286

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRSSP1	287
IRSSP2	288
IRSSP3	288
IRSSP4	288
IRSSP5	288
IRCPE	288
IRCPE1	289
IRCPE2	290
IRCPE3	290
IRCPE4	290
IRCPE5	290
IEMG	290
IEMG1	291
IEMG2	291
IEMG3	291
IEMG4	291
IEMG5	291
ANYPROB	292
TWOPROB	292
THREPROB	292
ALNALC2	294
ALNCIG2	294
ALNCOC2	294
ALNMRJ2	294
ANXALC2	294
ANXCIG2	294
ANXCOC2	294
ANXMRJ2	294
ARGALC2	294
ARGCIG2	294
ARGCOC2	295
ARGMRJ2	295
CPEALC2	295
CPECIG2	295
CPECOC2	295
CPEMRJ2	295
DEPALC2	295
DEPCIG2	295
DEPCOC2	295
DEPMRJ2	295
EMALC2	295
EMCIG2	296
EMCOC2	296
EMMRJ2	296
HLTALC2	296
HLTCIG2	296
HLTCOC2	296
HLTMRJ2	296
LSWALC2	296
LSWCIG2	296

INDEX OF LABELS

LABEL	PAGE
-----	-----
LSWCOC2	296
LSWMRJ2	296
NTKALC2	297
NTKCIG2	297
NTKCOC2	297
NTKMRJ2	297
SSPALC2	297
SSPCIG2	297
SSPCOC2	297
SSPMRJ2	297
UPSALC2	297
UPSCIG2	297
UPSCOC2	297
UPSMRJ2	298
PRB1ALC	298
PRB1CIG	298
PRB1COC	298
PRB1MRJ	298
PRB2ALC	298
PRB2CIG	299
PRB2COC	299
PRB2MRJ	299
PRB3ALC	299
PRB3CIG	299
PRB3COC	299
PRB3MRJ	299
IRCDALC	301
IRCDCIG	301
IRCDCOC	301
IRCDMJ	301
IREFALC	301
IREFCIG	301
IREFCOC	301
IREFMJ	301
IRUDALC	302
IRUDCIG	302
IRUDCOC	302
IRUDMJ	302
IRDPALC	302
IRDPCIG	302
IRDPCOC	302
IRDPMJ	302
IRWSALC	302
IRWSCIG	303
IRWSCOC	303
IRWSMJ	303
ALCPROBS	303
CIGPROBS	303
COCPROBS	304
MJPROBS	304

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRNOBOOZ	306
IRALCABS	306
IRALCAGG	306
IRALCALO	306
IRALCARG	306
IRALCBRK	306
IRALCDRU	306
IRALCFRD	306
IRALCHIG	306
IRALCHOL	306
IRALCINT	307
IRALCJOB	307
IRALCMAT	307
IRALCMOR	307
IRALCQUI	307
IRALCREL	307
IRALCREM	307
IRALCSHO	307
IRALCTOS	307
ANYALC	308
THREALC	308
ALCONLYL	309
ALCONLYY	309
ALCONLYM	309
ILLONLYL	309
ILLONLYY	309
ILLONLYM	309
MRJONLYL	309
MRJONLYY	309
MRJONLYM	309
PSYONLYL	310
PSYONLYY	310
PSYONLYM	310
OTHONLYL	310
OTHONLYY	310
OTHONLYM	311
ALCILLL	311
ALCILLY	311
ALCILLM	311
ALCMRJL	311
ALCMRJY	311
ALCMRJM	311
ALCPSYL	312
ALCPSYY	312
ALCPSYM	312
ALCOTHL	312
ALCOTHY	312
ALCOTHM	313
SUB1LIF	313
SUB1YR	313

INDEX OF LABELS

LABEL	PAGE
-----	-----
SUB1MON	313
SUB2LIF	313
SUB2YR	314
SUB2MON	314
SUB3LIF	314
SUB3YR	314
SUB3MON	314
CHANCWJ2	315
CHANCOC2	315
CHANHAL2	315
CHANHER2	315

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ACCID	184
ACHD1	201
ACHD2	207
AEROS	45
AEROS2	262
AEROS30A	50
AFDC1	199
AFDC2	205
AFOOD	210
AIN1	200
AIN2	206
AL02	255
ALCABSNT	118
ALCAGE	6
ALCAGGR	118
ALCALONE	120
ALCANAL	121
ALCARGUM	118
ALCBEER	9
ALCBKPM	121
ALCCOC	122
ALCDAYS	7
ALCDAYS2	262
ALCDAYS3	262
ALCDLYF	248
ALCDRUNK	120
ALCFLAG	242
ALCFRDCD	119
ALCHAL	122
ALCHIGH	119
ALCHOLIC	119
ALCILLL	311
ALCILLM	311
ALCILLY	311
ALCINH	121
ALCINTOX	120
ALCJOB	119
ALCLIQR	9
ALCMATCD	119
ALCMJ	121
ALCMON	242
ALCMON2	262
ALCMONF	248
ALCMORN	120
ALCMRJL	311
ALCMRJM	311
ALCMRJY	311
ALCNONE	122
ALCOCCF	248
ALCONLYL	309

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
ALCONLYM	309
ALCONLYY	309
ALCOPT	122
ALCOTHL	312
ALCOTHM	313
ALCOTHY	312
ALCPAT	8
ALCPROBS	303
ALCPSYL	312
ALCPSYM	312
ALCPSYY	312
ALCQUICK	120
ALCREC	6
ALCRELCD	119
ALCREM	120
ALCSED	121
ALCSHOOK	120
ALCSTM	121
ALCTOSS	119
ALCTRAN	121
ALCTRY	6
ALCVARY	10
ALCWINE	9
ALCWKF	248
ALCYR	242
ALCYRF	248
ALLERG	174
ALNALC2	294
ALNCIG2	294
ALNCOC2	294
ALNDRG1A	128
ALNDRG2A	129
ALNDRG3A	129
ALNDRG4A	129
ALNDRG5A	129
ALNMRJ2	294
AMLNT30A	50
AMOBARB	13
AMYLNIT	45
AMYLNIT2	262
AMYTAL	11
AN04	257
ANALAGE	35
ANALNEWA	34
ANALNEWB	34
ANALNEWC	34
ANALNEWD	34
ANALNEWE	35
ANALNONE	31
ANALREC	36

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ANALTOT	35
ANALWT	252
ANILERID	33
ANLDKNAM	35
ANLDLYF	248
ANLFLAG	242
ANLMON	242
ANLMONF	247
ANLNOSP	35
ANLOCCF	248
ANLREAD	31
ANLWKF	247
ANLYR	242
ANLYRF	247
ANLYRFRQ	36
ANXALC2	294
ANXCIG2	294
ANXCOC2	294
ANXDRG1A	131
ANXDRG2A	132
ANXDRG3A	132
ANXDRG4A	132
ANXDRG5A	132
ANXMRJ2	294
ANYALC	308
ANYPROB	292
AOTH1	201
AOTH2	208
ARGALC2	294
ARGCIG2	294
ARGCOC2	295
ARGDRG1A	126
ARGDRG2A	127
ARGDRG3A	127
ARGDRG4A	127
ARGDRG5A	128
ARGMRJ2	295
AS13NONE	123
ASOC1	198
ASOC2	203
ASSI1	198
ASSI2	204
ASTHMA	173
ATARAX	19
ATIVAN	18
AVCIG	4
AVCIG2	262
AVCIG3	262
AWAG1	197
AWAG2	202

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
AWEL1	199
AWEL2	205
BAP	211
BENZ	24
BHOUR	211
BIPHET	24
BIRMONTH	218
BIRYEAR	218
BKAGASLT	111
BKARSON	112
BKBURGL	111
BKDRUG	112
BKDRUNK	112
BKDRVINF	112
BKLARCNY	111
BKMURDER	112
BKMTHTFT	111
BKOTHOFF	113
BKPROS	112
BKRAPE	112
BKROB	112
BKSMASLT	111
BKVANDAL	112
BMIN	211
BOOKED	110
BPMED	172
BREAKIN	115
BROSIS	186
BUSINES2	237
BUSPAR	18
BUTICAPS	11
BUTISOL	11
CARSTEAL	114
CATAG2	236
CATAG3	236
CATAGE	236
CC04	258
CC11	258
CCDEALER	57
CCFRIEND	57
CCGIVEN	57
CCLFDALY	61
CCOBTNON	58
CCOTHSHR	57
CCSTOLE	58
CCTRGOOD	58
CCTRICK	58
CCTRSESV	58
CDALC	78
CDANAL	79

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CDCIG	77
CDCOC	79
CDHALL	80
CDHER	80
CDINH	79
CDMJ	79
CDNONE	80
CDOOTHOP	80
CDSER	78
CDSTM	78
CDTRAN	78
CENCTY	217
CENTRALC	217
CENTRAX	18
CHAGE1	237
CHAGE10	238
CHAGE2	237
CHAGE3	237
CHAGE4	238
CHAGE5	238
CHAGE6	238
CHAGE7	238
CHAGE8	238
CHAGE9	238
CHAMPUS	192
CHANCMJ2	315
CHANCOC2	315
CHANHAL2	315
CHANHER2	315
CHD1	200
CHD2	207
CHHYD	13
CHICAGO	216
CIG5PK	2
CIGAGE	2
CIGFLAG	242
CIGHHELP	152
CIGMON	242
CIGMON2	262
CIGPROBS	303
CIGREC	3
CIGTIME	4
CIGTRY	2
CIGYR	242
CIGYRS	3
CK01	258
CKDEALER	63
CKFRIEND	63
CKGIVEN	63
CKLFDALY	65

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CKOBTNON	64
CKOTHSHR	63
CKSTOLE	64
CKTRGOOD	63
CKTRICK	64
CKTRSERV	64
CLEFLU	46
CLEFLU2	262
CLFL30A	51
COCAGE	55
COCAM30A	56
COCBUCK	59
COCDLVF	249
COCFLAG	243
COCIV	60
COCIV2	262
COCMON	244
COCMONF	249
COCOCCF	249
COCOPP	55
COCPROBS	304
COCREC	56
COCSNIF2	263
COCSNIFF	59
COCSWAL	60
COCSWAL2	263
COCTOT	55
COCTOT2	263
COCTOT3	263
COCUS30A	56
COCWAY	60
COCWAY2	263
COCWKF	249
COCYR	243
COCYRF	249
COCYRFRQ	59
CODEINE	33
CONDLREC	61
COOPINT	212
COUGHYR	175
CPEALC2	295
CPECIG2	295
CPECOC2	295
CPEDRG1A	145
CPEDRG2A	145
CPEDRG3A	146
CPEDRG4A	146
CPEDRG5A	146
CPEMRJ2	295
CPRES	213

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CRAKBUCK	65
CRAKREC	62
CRKAM30A	62
CRKFLAG	244
CRKMON	244
CRKYR	244
CWE	180
CWEBUS2	237
CWBOCC2	237
CYLERT	25
DALMANE	12
DAMAGE	114
DARVON	31
DC	216
DEMEROL	32
DENVER	216
DEPALC	94
DEPALC2	295
DEPANAL	95
DEPCIG	93
DEPCIG2	295
DEPCOC	95
DEPCOC2	295
DEPDRG1A	124
DEPDRG2A	125
DEPDRG3A	125
DEPDRG4A	125
DEPDRG5A	125
DEPHALL	96
DEPHER	96
DEPINH	95
DEPMJ	95
DEPMRJ2	295
DEPNONE	96
DEPOTHOP	96
DEPROL	19
DEPSED	94
DEPSTM	94
DEPTRAN	94
DESOXYN	24
DETAMP	25
DEXAMYL	23
DEXED	23
DEXREAD	118
DIAZEPAM	19
DIDREX	24
DILAUD	32
DIPLOMA	182
DIVISION	217
DOLENE	31

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
DORIDEN	12
DORM	187
DR5DAY	7
DRALHELP	263
DRALONE	128
DRANK	130
DRARGUM	126
DRCOPE	144
DRDEPRSS	123
DRDRVUN	149
DREMGMED	146
DRGREAD	76
DRHEALTH	133
DRINKER2	263
DRLSWORK	141
DRNKHELP	152
DRNKHLP2	263
DRNTHINK	135
DRSUSPIC	143
DRTRMT	148
DRUGTEST	106
DRUNKDRV	116
DRUNKYR	9
DRUNKYR2	264
DRUPSET	138
DRVDRG1A	150
DRVDRG2A	150
DRVDRG3A	150
DRVDRG4A	151
DRVDRG5A	151
DURRAX	19
EAP	211
ECSTASY	67
ECSTASY2	265
EDUC	181
EDUCCAT2	236
EFFALC	86
EFFANAL	87
EFFCIG	85
EFFCOC	87
EFFHALL	88
EFFHER	88
EFFINH	87
EFFMJ	87
EFFNONE	88
EFFOTHOP	88
EFFSED	86
EFFSTM	86
EFFTRAN	86
EHOOR	211

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
EMALC2	295
EMCIG2	296
EMCOC2	296
EMDRG1A	147
EMDRG2A	147
EMDRG3A	147
EMDRG4A	148
EMDRG5A	148
EMIN	211
EMMRJ2	296
EMPDRUG	152
EMPSTAT2	236
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENROLLD	182
EQUANIL	19
ESKAT	24
ETHER	45
ETHER2	264
ETHER30A	51
FAMINC	239
FAMINC2	240
FAMINC3	240
FAMILYRES	202
FAMSKIP	215
FASTIN	25
FATHER	185
FLTDEPRS	176
FLTEAT	176
FLTEFFRT	176
FLTGOING	177
FLTMIND	176
FLTSAD	177
FLTSLEEP	177
FLU	174
FOOD	210
FORCEMON	115
FREEBAS2	264
FREEBASE	60
FRIENDS	186
FSTAMP	210
FULLPART	181
GAS	44
GAS2	264
GAS30A	49
GLUE	45
GLUE2	264
GLUE30A	50
GNNDLANL	102

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
GNNDLCOC	103
GNNDLHAL	103
GNNDLHER	103
GNNDLINH	103
GNNDLLIF	101
GNNDLNON	104
GNNDLOPT	104
GNNDLREC	101
GNNDLSED	102
GNNDLSH1	104
GNNDLSH2	105
GNNDLSTM	102
GNNDLSTR	104
GNNDLTRA	102
GQTYPE	215
GRADHS	181
GRPHLTIN	193
GUNMONEY	116
HAL3OUSE	71
HALCION	12
HALDKNAM	70
HALDLYF	246
HALFLAG	241
HALLAGE	70
HALLOPP	70
HALLREC	71
HALLTOT	71
HALMON	241
HALMONF	246
HALNEWA	68
HALNEWB	69
HALNEWC	69
HALNEWD	69
HALNEWE	69
HALNOSP	69
HALOCCF	246
HALREAD	66
HALWKF	246
HALYR	241
HALYRF	246
HALYRFRQ	72
HE04	259
HE07	260
HEALTHYR	175
HEART	173
HER3OUSE	74
HERAGE	73
HERFLAG	243
HERMON	243
HERNEEDL	75

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
HEROPP	73
HERREAD	73
HERREC	74
HERTOT	74
HERYR	243
HIGHBP	172
HISPRACE	236
HLTALC2	296
HLTCIG2	296
HLTCOC2	296
HLTDRG1A	133
HLTDRG2A	134
HLTDRG3A	134
HLTDRG4A	134
HLTDRG5A	134
HLTINALC	193
HLTINDRG	194
HLTINMNT	194
HLTMRJ2	296
HOSP	187
HOSPYR	174
HOURS	196
HRNDLREC	75
HSPHCONC	253
HSPPCONC	253
HURTBAD	115
HVYDRK2	264
ICEFLAG	244
ICELIFE	107
ICEMON	244
ICEREC	107
ICEYR	244
IEMFLAG	251
IEMMON	251
IEMYR	251
IIACHD1	223
IIACHD2	226
IIAFOOD	227
IIAGE	218
IIAINT1	223
IIAINT2	226
IIALCFQ	232
IIALCRC	228
IIANLFQ	234
IIANLRC	229
IIAOTH1	224
IIAOTH2	227
IIASOC1	222
IIASOC2	225

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IIASSI1	222
IIASSI2	225
IIAWAG1	222
IIAWAG2	224
IIAWEL1	223
IIAWEL2	225
IICHD1	223
IICHD2	226
IICIGRC	229
IICOCFQ	232
IICOCRC	228
IICRKRC	230
IIEDUC	220
IIFOOD	227
IIHALFQ	235
IIHALRC	230
IIHERRC	231
IIHOGRP2	220
IIHOIND	218
IIHSGRAD	221
IIICERC	231
IIINDINC	238
IIINHFO	234
IIINHRC	230
IIINSUR	221
IIINT1	223
IIINT2	226
IIMARIT	220
IIMJFQ	232
IIMJRC	228
IIOTBFQ	234
IIOTBRC	230
IIOTH1	224
IIOTH2	226
IIPCPRC	231
IIPINSUR	221
IIRACE	218
IISEDFQ	233
IISEDRC	229
IISEX	218
IISOC1	222
IISOC2	224
IISSI1	222
IISSI2	225
IISTMFQ	233
IISTMRC	229
IISTRRC	231
IITOTINC	239
IITRNFQ	233
IITRNRC	229

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IIWAG1	222
IIWAG2	224
IIWEL1	223
IIWEL2	225
IIWORKST	221
ILLONLYL	309
ILLONLYM	309
ILLONLYY	309
IN04	257
IN30NOSP	52
INDCAT	238
INDINC	238
INH30NO	52
INHAGE	48
INHANSY	54
INHDKNAM	48
INHDLFY	250
INHDI30A	53
INHFLAG	244
INHMON	244
INHMONF	249
INHNEWA	46
INHNEWB	47
INHNEWC	47
INHNEWD	47
INHNEWE	47
INHNOSE	47
INHOCCE	249
INHPO	53
INHQNC1	54
INHQNC10	54
INHQNC2	54
INHQNC3	54
INHQNC4	54
INHQNC5	54
INHQNC6	54
INHQNC7	54
INHQNC8	54
INHREAD	44
INHREC	49
INHTOT	48
INHWKF	249
INHYR	244
INHYRF	249
INHYRFRQ	53
INLAW	185
INNEW30A	51
INNEW30B	52
INNEW30C	52
INNEW30D	52

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
INNEW30E	52
INT1	200
INT2	206
INTMONTH	211
IONAMIN	25
IRACHD1	223
IRACHD2	226
IRAFOD	227
IRAGE	218
IRAIINT1	223
IRAIINT2	226
IRALCABS	306
IRALCAGG	306
IRALCALO	306
IRALCARG	306
IRALCBRK	306
IRALCDRU	306
IRALCFQ	232
IRALCFRD	306
IRALCHIG	306
IRALCHOL	306
IRALCINT	307
IRALCJOB	307
IRALCMAT	307
IRALCMOR	307
IRALCQUI	307
IRALCRC	228
IRALCREL	307
IRALCREM	307
IRALCSHO	307
IRALCTOS	307
IRALN	273
IRALN1	274
IRALN2	275
IRALN3	275
IRALN4	275
IRALN5	275
IRANLFQ	234
IRANLRC	229
IRANX	275
IRANX1	276
IRANX2	277
IRANX3	277
IRANX4	278
IRANX5	278
IRAOOTH1	224
IRAOOTH2	226
IRARG	271
IRARG1	271
IRARG2	272

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRARG3	272
IRARG4	273
IRARG5	273
IRAS13	268
IRASOC1	222
IRASOC2	224
IRASSI1	222
IRASSI2	225
IRAWAG1	222
IRAWAG2	224
IRAWEL1	223
IRAWEL2	225
IRCDALC	301
IRCDCIG	301
IRCDCOC	301
IRCDMJ	301
IRCHD1	223
IRCHD2	226
IRCIGRC	229
IRCOCFQ	232
IRCOCRC	228
IRCPE	288
IRCPE1	289
IRCPE2	290
IRCPE3	290
IRCPE4	290
IRCPE5	290
IRCRKRC	230
IRDEP	268
IRDEP1	269
IRDEP2	270
IRDEP3	270
IRDEP4	270
IRDEP5	270
IRDPALC	302
IRDPCIG	302
IRDPCOC	302
IRDPMJ	302
IREduc	220
IREFALC	301
IREFCIG	301
IREFCOC	301
IREFMJ	301
IREMG	290
IREMG1	291
IREMG2	291
IREMG3	291
IREMG4	291
IREMG5	291
IRFOOD	227

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRHALFQ	235
IRHALRC	230
IRHERRC	231
IRHLT	278
IRHLT1	278
IRHLT2	279
IRHLT3	279
IRHLT4	279
IRHLT5	279
IRHOGRP	219
IRHOGRP2	220
IRHOIND	218
IRHSGRAD	221
IRICERC	231
IRINHFO	234
IRINHRC	230
IRINSUR	221
IRINT1	223
IRINT2	225
IRLSW	284
IRLSW1	285
IRLSW2	286
IRLSW3	286
IRLSW4	286
IRLSW5	286
IRMARIT	220
IRMJFQ	232
IRMJRC	228
IRNOBOOZ	306
IRNTK	279
IRNTK1	280
IRNTK2	281
IRNTK3	281
IRNTK4	281
IRNTK5	282
IROTBFO	234
IROTBRC	230
IROTH1	224
IROTH2	226
IRPCPRC	231
IRPINSUR	221
IRRACE	218
IRSEDFQ	233
IRSEDRG	228
IRSEX	218
IRSOC1	222
IRSOC2	224
IRSSI1	222
IRSSI2	225
IRSSP	286

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
IRSSP1	287
IRSSP2	288
IRSSP3	288
IRSSP4	288
IRSSP5	288
IRSTMFQ	233
IRSTMRC	229
IRSTRRC	231
IRTRNFQ	233
IRTRNRC	229
IRUDALC	302
IRUDCIG	302
IRUDCOC	302
IRUDMJ	302
IRUPS	282
IRUPS1	283
IRUPS2	284
IRUPS3	284
IRUPS4	284
IRUPS5	284
IRWAG1	221
IRWAG2	224
IRWEL1	223
IRWEL2	225
IRWORKST	221
IRWSALC	302
IRWSCIG	303
IRWSCOC	303
IRWSMJ	303
JOB	196
LA	217
LANGVER	211
LEVODRO	32
LGAS	44
LGAS2	264
LGAS30A	49
LIBRIUM	17
LIMBTROL	18
LS05	259
LS08	259
LSD	66
LSD2	264
LSWALC2	296
LSWCIG2	296
LSWCOC2	296
LSWDRG1A	141
LSWDRG2A	142
LSWDRG3A	142
LSWDRG4A	142
LSWDRG5A	142

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
LSWMRJ2	296
MARITAL	178
MAZANOR	25
MEBARAL	11
MEDICAID	192
MEDICARE	191
MENRIUM	18
MEPROB	19
MESC	66
MESC2	264
METHAMP	26
METHAQ	13
METHDON	33
METHI	26
METRO	217
MIAMI	217
MILBASE	187
MILES	184
MILSTAT	188
MILTOWN	19
MJ04	257
MJAGE	37
MJAMT30A	39
MJAV30A	38
MJAV30B	39
MJBAKE	42
MJBUCK	41
MJCHEW	43
MJDAY30A	38
MJDEALER	39
MJDY30A2	265
MJDY30A3	265
MJFRIEND	39
MJGIVEN	40
MJJOINT	42
MJLFDALY	43
MJOBTONON	41
MJOFLAG	251
MJOMON2	251
MJOPP	37
MJOTHSHR	40
MJOYR2	251
MJPIPE	42
MJPROBS	304
MJREC	38
MJSTOLE	40
MJTOT	37
MJTOT2	265
MJTOT3	265
MJTRGOOD	40

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
MJTRICK	41
MJTRSERV	40
MJWAY	43
MJYRFREQ	42
MODR30A	8
MODR30DY	8
MORPHINE	33
MOTHER	185
MOVDAWAY	187
MOVES	189
MRJDLYF	249
MRJFLAG	243
MRJMON	243
MRJMON2	265
MRJMONF	249
MRJOCCF	249
MRJONLYL	309
MRJONLYM	309
MRJONLYY	309
MRJWKF	249
MRJYR	243
MRJYRF	248
ND02	260
NDL90REC	245
NDLREAD	101
NEDFLAG3	246
NEDYR3	246
NEEDLREC	245
NEMBUTAL	12
NEWYORK	217
NITOXID	45
NITOXID2	265
NOSJOB	180
NOBOOKYR	111
NOBOOZYR	118
NOCHILD	184
NODR30A	7
NOLUDAR	12
NOMARR	178
NOSEDAT	11
NOSTIMS	23
NOTBKED	113
NOTMARJ	266
NOTRANQ	17
NOTRMT	157
NOX30A	51
NTKALC2	297
NTKCIG2	297
NTKCOC2	297
NTKDRG1A	136

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
NTKDRG2A	137
NTKDRG3A	137
NTKDRG4A	138
NTKDRG5A	138
NTKMRJ2	297
OAPRES	213
OARPRES	213
OBLA	26
OPRESNSP	214
OPRESSPA	214
OTH1	201
OTH2	207
OTHDOING	116
OTHDOSP1	117
OTHDOSP2	117
OTHERNON	186
OTHGPH	187
OTHGPHSP	188
OTHONLYL	310
OTHONLYM	311
OTHONLYY	310
OTHREL	186
OTHSTEAL	114
OTHTOB	5
OWNCHILD	186
OWNEDAVE	254
OWNHLTIN	193
OWNOCONC	253
PACKS	3
PAROLE	113
PARPRES	213
PAXIPAM	18
PAYMO	179
PAYYR	179
PBLACKHH	252
PBLACKP	252
PCP	67
PCPFLAG	241
PCPMON	241
PCPREC	72
PCPYR	241
PDEN	216
PDEN2	216
PENTOB	13
PEOPFD	210
PERCODAN	32
PERINC	238
PERINC2	239
PERINC3	239
PEYOTE	66

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
PEYOTE2	266
PHENCOD	32
PHENOBAR	13
PHLEGMYR	175
PHYFIGHT	115
PLACIDYL	12
PLEGINE	24
PONDIMIN	25
POWNED	253
PPOVERTY	253
PPRES	213
PRB1ALC	298
PRB1CIG	298
PRB1COC	298
PRB1MRJ	298
PRB2ALC	298
PRB2CIG	299
PRB2COC	299
PRB2MRJ	299
PRB3ALC	299
PRB3CIG	299
PRB3COC	299
PRB3MRJ	299
PRELUDIN	24
PRENTED	253
PRIVACY	213
PROBATON	113
PROPOXY	33
PROXABLE	189
PROXHOME	191
PROXJOIN	191
PROXYREL	190
PRVHLTIN	192
PSILCY	67
PSILCY2	266
PSYFLAG2	250
PSYMON2	250
PSYONLYL	310
PSYONLYM	310
PSYONLYY	310
PSYYR2	250
PUB1	199
PUB2	204
QC06	255
QC09	255
QUARTER	215
RACE	236
RACESEX	266
RACESEX2	266
REGION	217

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
RENTAVE	254
RESPID	1
RESTORIL	12
RITALIN	25
RK2DRINK	169
RK5DRINK	169
RKANSOCC	168
RKANSREG	168
RKCOCOCC	168
RKCOCREG	168
RKCRKOCC	168
RKDIFCOC	170
RKDIFHER	170
RKDIFLSD	170
RKDIFPCP	170
RKHERREG	167
RKNEIDRN	171
RKNEISEL	171
RKPCPREG	167
RKTRYCOC	167
RKTRYHER	167
RKTRYPCP	167
ROCCUP2	237
RSKBINGE	169
RSKDIFMJ	169
RSKMJOCC	166
RSKMJREG	166
RSKPKCIG	166
RSKSELL	171
RSKTRYMJ	166
RUNNYR	175
RURORURB	252
SANOREX	25
SCHDAYS	183
SCHPLANS	182
SE04	256
SECOB	13
SECONAL	12
SEDAGE	15
SEDDKNAM	15
SEDDLIF	247
SEDFLAG	241
SEDMON	241
SEDMONF	247
SEDNEWA	14
SEDNEWB	14
SEDNEWC	14
SEDNEWD	15
SEDNEWE	15
SEDNOSP	15

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDOCCF	247
SEDREC	16
SEDTOT	15
SEDWKF	247
SEDYR	241
SEDYRF	247
SEDYRFRQ	16
SERAX	18
SERVICE	188
SK65A	31
SKIPPED	183
SKLY	19
SMKDLYF	248
SMKFLAG	242
SMKMON	243
SMKMONF	248
SMKOCCF	248
SMKWKF	248
SMKYR	243
SMKYRF	248
SNUFREC	4
SOC1	197
SOC2	203
SOLDDRUG	116
SOLVENT	45
SOLVENT2	266
SOLVN30A	50
SOREYR	174
SP04	260
SP08	261
SPNEWA	109
SPNEWB	110
SPNEWC	110
SPNEWD	110
SPNEWE	110
SPOUSE	185
SPPAINT	44
SPPAINT2	266
SPPAN30A	50
SPRES	213
SPTREAD	106
SSI1	198
SSI2	204
SSPALC2	297
SSPCIG2	297
SSPCOC2	297
SSPDRG1A	143
SSPDRG2A	144
SSPDRG3A	144
SSPDRG4A	144

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SSPDRG5A	144
SSPMRJ2	297
ST04	256
ST07	256
STADOL	33
STEPCHLD	186
STEPDAD	185
STEPMOM	185
STERAGE	108
STEROPP	107
STERREC	108
STERTOT	108
STIMAGE	29
STIMNEWA	27
STIMNEWB	28
STIMNEWC	28
STIMNEWD	28
STIMNEWE	28
STIMNOSP	28
STIMREC	29
STIMTOT	29
STMDKNAM	28
STMDLYF	246
STMFLAG	241
STMMON	241
STMMONF	246
STMOCCF	246
STMREAD	23
STMWKF	246
STMYR	241
STMYRF	246
STMYRFRQ	30
STNDLREC	30
STNEEDLE	30
STRFLAG	243
STRMON	243
STRSTEAL	114
STRYR	243
STUDENT	183
SUB1LIF	313
SUB1MON	313
SUB1YR	313
SUB2LIF	313
SUB2MON	314
SUB2YR	314
SUB3LIF	314
SUB3MON	314
SUB3YR	314
SUMFLAG	250
SUMMON	250

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SUMYR	250
TALACEN	33
TALWIN	32
TALWINNX	32
TELNO	189
TENUATE	24
TEPANIL	24
TESTPOS	106
THREALC	308
THREPROB	292
TIMEPAIN	172
TMTDRG1A	148
TMTDRG2A	149
TMTDRG3A	149
TMTDRG4A	149
TMTDRG5A	149
TMTPASP	165
TMTPEMPR	164
TMTPFMLY	164
TMTPFREE	164
TMTPHI	163
TMTPMEDI	164
TMTPOTH	164
TMTPSAVE	163
TMTREAD	152
TOTCAT	239
TOTINC	239
TOTPEOP	184
TR04	256
TRANAGE	21
TRANREC	21
TRANTOT	21
TRANXENE	18
TRDKNAM	20
TRMTBQD	161
TRMTCOST	160
TRMTDNA	161
TRMTDOC	154
TRMTEMRG	153
TRMTEVNT	160
TRMTFEAR	160
TRMTHELP	153
TRMTHLP2	266
TRMTHLTH	160
TRMTHOSP	153
TRMTJAIL	161
TRMTJOB	161
TRMTLIFE	159
TRMTMHC	155
TRMTOUTC	163

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
TRMTPR	160
TRMTREC	156
TRMTRESP	159
TRMTRSP	162
TRMTSERV	161
TRMTSHG	155
TRMTSOP	156
TRMTSOR	162
TRMTSP	156
TRMTTRMT	155
TRNEWA	20
TRNEWB	20
TRNEWC	20
TRNEWD	20
TRNEWE	20
TRNOSP	20
TRNREAD	17
TRNYRFRQ	22
TRPSYCH	173
TRQDLYF	247
TRQFLAG	242
TROMON	242
TROMONF	247
TRQCCF	247
TRQWKF	247
TRQYR	242
TRQYRF	247
TUINAL	12
TWOPROB	292
TXDOC	157
TXEMRG	157
TXHOSP	157
TXMHC	158
TXSHG	158
TXSOP	158
TXSP	159
TXTRMT	158
TYLCOD	32
UCDALC	82
UCDANAL	83
UCDCIG	81
UCDCOC	83
UCDHALL	84
UCDHER	84
UCDINH	83
UCDMJ	83
UCDNONE	84
UCDOTHOP	84
UCDSED	82
UCDSTM	82

ALPHA INDEX OF LABELS

LABEL	PAGE
UCDTRAN	82
UCLASS9	254
UDAYALC	90
UDAYANAL	91
UDAYCIG	89
UDAYCOC	91
UDAYHALL	92
UDAYHER	92
UDAYINH	91
UDAYMJ	91
UDAYNONE	92
UDAYOTH	92
UDAYSED	90
UDAYSTM	90
UDAYTRAN	90
UNDINT	211
UPSALC2	297
UPSCIG2	297
UPSCOC2	297
UPSDRG1A	139
UPSDRG2A	140
UPSDRG3A	140
UPSDRG4A	140
UPSDRG5A	140
UPSHOR	173
UPSMRJ2	298
URBARE	217
VALIUM	17
VEREP	252
VESTR	252
VISTAR	19
VORANIL	25
WAG1	196
WAG2	202
WALKPAIN	172
WEEKS	197
WEL1	199
WEL2	205
WELFARE	240
WHOANSHI	195
WHOANSIN	209
WHOMARKD	215
WORK	196
WORKBLAH	180
WORKDAYS	180
WORKSTAT	179
WSALC	98
WSANAL	99
WSCIG	97
WSCOC	99

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
WSHALL	100
WSHER	100
WSINH	99
WSMJ	99
WSNONE	100
WSOTHOP	100
WSSD	98
WSSTM	98
WSTRAN	98
WYGESIC	32
XANAX	18

APPENDIX A
OCCUPATION CODES

OCCUPATIONAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the occupation categories are the 1977 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Occupation Category	Code	Occupation Category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS	2	Professional Specialty Occupations
1	Executive, Administrative, and Managerial Occupations		Architects (15)
	Legislators (112)		Engineers, surveyors and mapping scientists
	Chief executives and general administrators, public administration (111)		Aerospace engineers (1622)
	Administrators and officials, public adminis- tration (pt 113 and 199, except 1136)		Metallurgical and materials engineers (1623)
	Administrators, protective services (pt 113)		Mining engineers (1624)
	Financial managers (122)		Petroleum engineers (1625)
	Personnel and labor relations managers (123)		Chemical engineers (1626)
	Purchasing managers (124)		Nuclear engineers (1627)
	Managers; marketing, advertising, and public relations (125)		Civil engineers (1628)
	Administrators, education and related fields (128)		Agricultural engineers (1632)
	Managers, medicine and health (131)		Electrical and electronic engineers (1633, 1636)
	Managers, properties and real estate (1353)		Industrial engineers (1634)
	Postmasters and mail superintendents (1344)		Mechanical engineers (1635)
	Funeral directors (pt 1359)		Marine engineers and naval architects (1637)
	Managers and administrators, n.e.c. (1136, 121, 126, 127, 132-139, except 1344, 1353, pt 1359)		Engineers, n.e.c. (1639)
	Management related occupations		Surveyors and mapping scientists (1642)
	Accountants and auditors (1412)		Mathematical and computer scientists
	Underwriters (pt 1419)		Computer systems analysts and scientists (171)
	Other financial officers (pt 1419)		Operations and systems researchers and analysts (172)
	Management analysts (142)		Actuaries (1732)
	Personnel, training, and labor relations specialists (143)		Statisticians (1733)
	Purchasing agents and buyers, farm products (pt 144)		Mathematical scientists, n.e.c. (1739)
	Buyers, wholesale and retail trade, except farm products (432)		Natural Scientists
	Purchasing agents and buyers, n.e.c. (pt 144)		Physicists and astronomers (1842, 1843)
	Business and promotion agents (145)		Chemists, except biochemists (1845)
	Construction inspectors (1171, 613)		Atmospheric and space scientists (1846)
	Inspectors and compliance officers, exc. construction (1172, 147)		Geologists and geodesists (1847)
	Management related occupations, n.e.c. (149)		Physical scientists, n.e.c. (1849)
			Agricultural and food scientists (1853)
			Biological and life scientist (1854, 1854)
			Forestry and conservation scientists (1852)
			Medical scientists (1855)
			Health diagnosing occupations
			Physicians (261)
			Dentists (262)
			Veterinarians
			Optometrists (27)
			Podiatrists (283)
			Health diagnosing practitioners, n.e.c. (289)
			Health assessment and treating occupations

Registered nurses (29)
 Pharmacists (301)
 Dietitians (302)
 Therapists
 Inhalation therapists (pt 303)
 Occupational therapists (pt 303)
 Physical therapists (pt 303)
 Speech therapists (pt 303)
 Therapists, n.e.c. (pt 303)
 Physicians' assistants (304)
 Teachers, postsecondary
 Earth, environmental, and marine science teachers (2212)
 Biological science teachers (2213)
 Chemistry teachers (2214)
 Physics teachers (2215)
 Natural science teachers, n.e.c. (2216)
 Psychology teachers (2217)
 Economics teachers (2218)
 History teachers (2222)
 Political science teachers (2223)
 Sociology teachers (2224)
 Social science teachers, n.e.c. (2225)
 Engineering teachers (2226)
 Mathematical science teachers (2227)
 Computer science teachers (2228)
 Medical science teachers (pt 2232)
 Health specialties teachers (pt 2232)
 Business, commerce, and marketing teachers (2233)
 Agriculture and forestry teachers (2234)
 Art, drama, and music teachers (2235)
 Physical education teachers (2236)
 Education teachers (2238)
 English teachers (2238)
 Foreign language teachers (2242)
 Law teachers (2243)
 Social work teachers (2244)
 Theology teachers (2245)
 Trade and industrial teachers (2246)
 Home economics teachers (pt 2249)
 Teachers, postsecondary, n.e.c. (pt 2249)
 Postsecondary teachers, subject not specified
 Teachers, except postsecondary
 Teachers, prekindergarten and kindergarten (231)
 Teachers, elementary school (232)
 Teachers, secondary school (233)
 Teachers, special education (235)
 Teachers, n.e.c. (234, 239)
 Counselors, educational and vocation (24)
 Librarians, archivists, and curators
 Librarians (251)
 Archivists and curators (252)
 Social scientists and urban planners
 Economists (1912)
 Psychologists (1915)
 Sociologists (1916)
 Social scientists, n.e.c. (1913, 1914, 1919)
 Urban planners (192)
 Social, recreation, and religious workers

Social workers (2032)
 Recreation workers (2033)
 Clergy (2042)
 Religious workers, n.e.c. (2049)
 Lawyers and judges
 Lawyers (211)
 Judges (212)
 Writers, artists, entertainers, and athletes
 Authors (pt 321)
 Technical writers (pt 321)
 Designers (322)
 Musicians and composers (323)
 Actors and directors (324)
 Painters, sculptors, craft-artists, and artist printmakers (325, pt 7263)
 Photographers (326)
 Dancers (327)
 Artists, performers, and related workers, n.e.c. (328, 329)
 Editors and reporters (331)
 Public relations specialists (332)
 Announcers (333)
 Athletes (34)

TECHNICAL, SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS

3 Technicians and Related Support Occupations

Health technologists and technicians
 Clinical laboratory and technologists (362)
 Dental hygienists (363)
 Health record technologists and technicians (364)
 Radiologic technicians (365)
 Licensed practical nurses (366)
 Health technologists and technicians, n.e.c. (369)
 Technologists and technicians, except health
 Engineering and related technologists and technicians
 Electrical and electronic technicians (3711)
 Industrial engineering technicians (3712)
 Mechanical engineering technicians (3713)
 Engineering technicians, n.e.c. (3719)
 Drafting occupations (3721)
 Surveying and mapping technicians (3722)
 Science technicians
 Biological technicians (382)
 Chemical technicians (3831)
 Science technicians, n.e.c. (3832, 3833, 384, 389)
 Technicians, except health, engineering, and science
 Airplane pilots and navigators (645)
 Air traffic controllers (391)
 Broadcast equipment operators (392)
 Computer programmers (3931, 3932)
 Tool programmers, numerical control (3934)
 Legal assistants (396)
 Technicians, n.e.c. (399)

4 Sales Occupations

Supervisors and proprietors, sales occupations (40, pt 4518)
 Sales occupations, business goods and services Insurance sales occupations (4222)
 Real estate sales occupations (4223)
 Securities and financial services sales occupations (4224)
 Advertising and related sales occupations (4253)
 Sales occupations, other business services (4252)
 Sales engineers (pt 16)
 Sales representatives, mining, manufacturing, and wholesale (412, 413)
 Sales occupations, personal goods and services
 Sales workers, motor vehicles and boats (4142, 4144)
 Sales workers, apparel (pt 4146)
 Sales workers, shoes (pt 4146)
 Sales workers, furniture and home furnishings (4148)
 Sales workers' radio, television, hi-fi, and appliances (4143, 4152)
 Sales workers, hardware and building supplies (4153)
 Sales workers, parts (4167)
 Sales workers, other commodities (4145, 4147, 4154, 4156, 4159, pt 4162, 4169, 4259, 4665)
 Sales counter clerks (pt 4162)
 Cashiers (4683)
 Street and door-to-door sales workers (4163)
 News vendors (4165)
 Sales related occupations
 Demonstrators, promoters and models, sales (435)
 Auctioneers (pt 439)
 Sales support occupations, n.e.c. (434, 436, pt 439)

5 Administrative Support Occupations, Including Clerical

Supervisors, administrative support occupations
 Supervisors, general office (4511-4514, 4516, pt 4518, 4519, 4529, 4537)
 Supervisors, computer equipment operators (4535)
 Supervisors, financial records processing (4521, 4536)
 Chief communications operators (4515)
 Supervisors; distribution, scheduling, and adjusting clerks (4522-4528)
 Computer equipment operators
 Computer operators (4852)
 Peripheral equipment operators (4853)
 Secretaries, stenographers, and typists
 Secretaries (4612)
 Stenographers (4613)
 Typists (4622)
 Information clerks
 Interviewers (4642)

Hotel clerks (4643)
 Transportation ticket and reservation agents (4644)
 Receptionists (4645)
 Information clerks, n.e.c. (4649)
 Records processing occupations, except financial
 Classified-ad clerks (4662)
 Correspondence clerks (4663)
 Order clerks (4664)
 Personnel clerks, except payroll and timekeeping (4692)
 Library clerks (4694)
 File clerks (4696)
 Records clerks (4693, 4699)
 Financial records processing occupations
 Bookkeepers, accounting and auditing clerks (4712)
 Payroll and timekeeping clerks (4713)
 Billing clerks (4715)
 Cost and rate clerks (4716)
 Billing, posting, and calculating machine operators (486)
 Duplicating, mail and other office machine operators
 Duplicating machine operators (4872)
 Mail preparing and paper handling machine operators (4873)
 Office machine operators, n.e.c. (4879)
 Communications equipment operators
 Telephone operators (4652)
 Telegraphers (4623)
 Communications equipment operators, n.e.c. (4659)
 Mail and message distributing occupations
 Postal clerks, exc. mail carriers (4723)
 Mail carriers, postal service (4733)
 Mail clerks, exc. postal service (4722)
 Messengers (4732)
 Material recording, scheduling, and distributing clerks, n.e.c.
 Dispatchers (4741)
 Production Coordinators (4742)
 Traffic, shipping, and receiving clerks (4743)
 Stock and inventory clerks (4744)
 Meter readers (4745)
 Weighers, measurers, and checkers (4746)
 Samplers (4747)
 Expeditors (4748)
 Material recording, scheduling, and distributing clerks, n.e.c. (4749)
 Adjusters and investigators
 Insurance adjusters, examiners, and investigators (4782)
 Investigators and adjusters, except insurance (4783)
 Eligibility clerks, social welfare (4784)
 Bill and account collectors (4786)
 Miscellaneous administrative support occupations
 General office clerks (4632)
 Bank tellers (4682)
 Proofreaders (4792)
 Data-entry keyers (4624)
 Statistical clerks (4717)
 Teachers' aides (4695)

Administrative support occupations, n.e.c.
(4787, 4799)

SERVICE OCCUPATIONS

6 Private Household Occupations

Launderers and ironers (533)
COOKS, private household (534)
Housekeepers and butlers (535)
Child care workers, private household (536)
Private household cleaners and servants (532,
537, 539)

7 Protective Service Occupations

Supervisors, protective service occupations
Supervisors, firefighting and fire prevention
occupations (5011)
Supervisors, police and detectives (5012)
Supervisors, guards (5013)
Firefighting and fire prevention occupations
Fire inspection and fire prevention occupations
(5112)
Firefighting occupations (5113)
Police and detectives
Police and detectives, public service (5122)
Sheriffs, bailiffs, and other law enforcement
officers (5124)
Correctional institution officers (5133)
Guards
Crossing guards (5132)
Guards and police, exc. public service (5134)
Protective service occupations, n.e.c. (5139)

8 Service Occupations, Except Protective and Private Household

Food preparation and service occupations
Supervisors, food preparation and service
occupations (5021)
Bartenders (5121)
Waiters and waitresses (5213)
Cooks, except short order (5214)
Short-order cooks (5215)
Food counter, fountain and related occupations
(5216)
Kitchen workers, food preparation (5217)
Waiters'/waitresses' assistants (5218)
Miscellaneous food preparation occupations
(5219)
Health service occupations
Dental assistants (5232)
Health aides, except nursing (5233)
Nursing aides, orderlies, and attendants (5236)
Cleaning and building service occupations,
except private household
Supervisors, cleaning and building service
workers (5024)
Maids and housemen (5242, 5249)
Janitors and cleaners (5244)

Elevator operators (5245)
Pest control occupations (5246)
Personal service occupations
Supervisors, personal service occupations (5025)
Barbers (5251)
Hairdressers and cosmetologists (5252)
Attendants, amusement and recreation facilities
(5253)
Guides (5254)
Ushers (5255)
Public transportation attendants (5256)
Baggage porters and bellhops (5258)
Welfare service aides (5262)
Child care workers, except private household
(5263)
Personal service occupations, n.e.c. (5257, 5269)

9 FARMING, FORESTRY, AND FISHING OCCUPATIONS

Farm operators and managers
Farmers, except horticultural (5512-5514)
Horticultural specialty farmers (5515)
Managers, farms, except horticultural (5522-5524)
Managers, horticultural specialty farms (5525)

Other agricultural and related occupations
Farm occupations, except managerial
Supervisors, farm workers (5611)
Farm workers (5612-5617)
Marine life cultivation workers (5618)
Nursery workers (5619)
Related agricultural occupations
Supervisors, related agricultural occupations (5621)
Groundskeepers and gardeners, except farm (5622)
Animal caretakers, except farm (5624)
Graders and sorters, agricultural products (5625)
Inspectors, agricultural products (5627)
Forestry and logging occupations
Supervisors, forestry and logging workers (571)
Forestry workers, except logging (572)
Timber cutting and logging occupations (573, 579)
Fishers, hunters, and trappers
Captains and other officers, fishing vessels (582)
Fishers (583)
Hunters and trappers (584)

PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS

10 Mechanics and repairers
Supervisors, mechanics and repairers (66)
Mechanics and repairers, except supervisors
Vehicle and mobile equipment mechanics and
repairers
Automobile mechanics (6711)
Automobile mechanic apprentices (pt 6711)
Bus, truck, and stationary engine mechanics (6712)
Aircraft engine mechanics (6713)
Small engine repairers (6714)
Automobile body and related repairers (6715)

Aircraft mechanics, exc. engine (6716)
 Heavy equipment mechanics (6717)
 Farm equipment mechanics (6718)
 Industrial machinery repairers (673)
 Machinery maintenance occupations (674)
 Electrical and electronic equipment repairers
 Electronic repairers, communications and
 industrial equipment (6751, 6753, 6755)
 Data processing equipment repairers (6754)
 Household appliance and power tool repairers
 (6756)
 Telephone line installers and repairers (6757)
 Telephone installers and repairers (6758)
 Miscellaneous electrical and electronic equip-
 ment repairers (6752, 6759)
 Heating, air conditioning, and refrigeration
 mechanics (676)
 Miscellaneous mechanics and repairers
 Camera, watch, and musical instrument
 repairers (6771, 6772)
 Locksmiths and saw repairers (6773)
 Office machine repairers (6774)
 Mechanical controls and valve repairers (6775)
 Elevator installers and repairers (6776)
 Millwrights (6778)
 Specified mechanics and repairers, n.e.c.
 (6777, 6779)
 Not specified mechanics and repairers

11

Construction trades
 Supervisors, construction occupations
 Supervisors; brickmasons, stonemasons, and
 tile setters (6012)
 Supervisors, carpenters and related workers
 (6013)
 Supervisors; electricians and power transmis-
 sion installers (6014)
 Supervisors, painters, paperhangers, and
 plasterers (6015)
 Supervisors; plumbers, pipefitters, and
 steamfitters (6016)
 Supervisors, n.e.c. (6011, 6018)
 Construction trades, except supervisors
 Brickmasons and stonemasons (6112, 6113)
 Brickmason and stonemason apprentices (6112,
 6113)
 Tile setters, hard and soft (6114, pt 6162)
 Carpet installers (pt 6162)
 Carpenters (6122)
 Carpenter apprentices (pt 6122)
 Drywall installers (6124)
 Electricians (6132)
 Electrician apprentices (pt 6132)
 Electrical power installers and repairers (6133)
 Painters, construction and maintenance (6142)
 Paperhangers (6143)
 Plasterers (6144)
 Plumbers, pipefitters, and steamfitters (6150)
 Plumber, pipefitter, and steam fitter apprentices
 (pt 6150)
 Concrete and terrazzo finishers (6163)

Glaziers (6164)
 Insulation workers (6165)
 Paving, surfacing, and tamping equipment
 operators (6166)
 Roofers (6168)
 Sheetmetal duct installers (6172)
 Structural metal workers (6172)
 Drillers, earth (6174)
 Construction trades, n.e.c. (6167, 6175, 6176,
 6179)

12

Extractive Occupations

Supervisors, extractive occupations (602)
 Drillers, oil well (622)
 Explosives workers (623)
 Mining machine operators (624)
 Mining occupations, n.e.c. (626)
 Precisions Production occupations
 Supervisors, production occupations (pt 711, 712)
 Precision metal working occupations
 Tool and die makers (7211)
 Tool and die maker apprentices (pt 7211)
 Precision assemblers, metal (7212)
 Machinists (7213)
 Machinist apprentices (pt 7213)
 Boilermakers (7214)
 Precision grinders, fitters, and tool sharpeners
 (7216)
 Patternmakers and model makers metal (7217)
 Lay-out workers (7221)
 Precious stones and metals workers (jewelers)
 (7222, 7266)
 Engravers, metal (7223)
 Sheet metal workers (7224)
 Sheet metal worker apprentices (pt 7224)
 Miscellaneous precision metal workers (7229)
 Precision woodworking occupations
 Patternmakers and model makers, wood (7231)
 Cabinet makers and bench carpenters (7232)
 Furniture and wood finishers (pt 7234, pt 7756)
 Miscellaneous precision woodworkers (pt 7234,
 7239)
 Precision textile, apparel, and furnishings machine
 workers
 Dressmakers (7251, pt 7752)
 Tailors (7252)
 Upholsterers (7253)
 Shoe repairers (7254)
 Apparel and fabric patternmakers (pt 7259)
 Miscellaneous precision apparel and fabric workers
 (pt 7259, pt 7752)
 Precision workers, assorted materials
 Hand molders and shapers, except jewelers (7261)
 Patternmakers, lay-out workers, and cutters (7262)
 Optical goods workers (7264, pt 7677)
 Dental laboratory and medical appliance technicians
 (7265)
 Bookbinders (pt 7249, pt 7449)
 Electrical and electronic equipment assemblers
 (7267)

Miscellaneous Precision workers N.E.C.(7269)
 Precision food production occupations
 Butchers and meat cutters (7271)
 Bakers (7272)
 Food batchmakers (7273, 7279)
 Precision inspectors, testers, and related workers
 Inspectors, testers, and graders (7281)
 Adjusters and calibrators (7282)
 Plant and system operators
 Water and sewage treatment plant operators (791)
 Power plant operators (pt 793)
 Stationary engineers (pt 793, 7668)
 Miscellaneous plant and system operators (792, 794, 795, 796)

OPERATORS, FABRICATORS, AND LABORERS

13 Machine Operators, Assemblers, and Inspectors

Machine operators and tenders, except precision Metalworking and plastic working machine operators
 Lathe and turning machine set-up operators (7312)
 Lathe and turning machine operators (7512)
 Milling and planing machine operators (7313, 7513)
 Punching and stamping press machine operators (7314, 7317, 7514, 7517)
 Rolling machine operators (7316, 7516)
 Drilling and boring machine operators (7318, 7518)
 Grinding, abrading, buffing, and polishing machine operators (7322, 7324, 7522)
 Forging machine operators (7319, 7519)
 Numerical control machine operators (7326)
 Miscellaneous metal, plastic, stone, and glass working machine operators (7329, 7529)
 Fabricating machine operators, n.e.c. (7339, 7539)
 Metal and plastic processing machine operators
 Molding and casting machine operators (7315, 7342, 7515, 7542)
 Metal plating machine operators (7343, 7543)
 Heat treating equipment operators (7344, 7544)
 Miscellaneous metal and plastic processing machine operators (7349, 7549)
 Woodworking machine operators
 Wood lathe, routing, and planing machine operators (7431, 7432, 7631, 7632)
 Sawing machine operators (7433, 7633)
 Shaping and joining machine operators (7435, 7635)
 Nailing and tacking machine operators (7636)
 Miscellaneous woodworking machine operators (7434, 7439, 7634, 7639)
 Printing machine operators
 Printing machine operators (7443, 7643)

Photoengravers and lithographers (7242, 7444, 7644)
 Typesetters and compositors (7241, 7442, 7642)
 Miscellaneous printing machine operators (pt 7249, pt 7449, 7649)
 Textile, apparel, and furnishings machine operators
 Winding and twisting machine operators (7451, 7651)
 Knitting, looping, tying, and weaving machine operators (7452, 7652)
 Textile cutting machine operators (7654)
 Textile sewing machine operators (7655, pt 7656)
 Shoe machine operators (pt 7656, pt 7659)
 Pressing machine operators (7657)
 Laundering and dry cleaning machine operators (7255, 7658)
 Miscellaneous textile machine operators (7453, 7653, pt 7659)
 Machine operators, assorted materials
 Cementing and gluing machine operators (7661)
 Packaging and filling machine operators (7462, 7662)
 Extruding and forming machine operators (7463, 7663)
 Mixing and blending machine operators (7664)
 Separating, filtering, and clarifying machine operators (7476, 7666, 7676)
 Compressing and compacting machine operators (7467, 7667)
 Painting and paint spraying machine operators (7669)
 Roasting and baking machine operators, food (7472, 7672)
 Washing, cleaning, and pickling machine operators (7673)
 Folding machine operators (7474, 7674)
 Furnace, kiln, and oven operators, exc. food (7668, 7671, 7675)
 Crushing and grinding machine operators (7477, pt 7677)
 Slicing and cutting machine operators (7478, 7678)
 Motion picture projectionists (pt 7679)
 Photographic process machine operators (pt 7263, pt 7679)
 Miscellaneous machine operators, n.e.c. (7479, 7665, pt 7679)
 Machine operators, not specified
 Fabricators, assemblers, and hand working occupations
 Welders and cutters (7332, 7532, 7714)
 Solderers and brazers (7333, 7533, 7717)
 Assemblers (772, 774)
 Hand cutting and trimming occupations (7753)
 Hand molding, casting, and forming occupations (7754, 7755)
 Hand painting, coating, and decorating occupations (pt 7756)
 Hand engraving and printing occupations (7757)
 Hand grinding and polishing occupations (7758)
 Miscellaneous hand working occupations (7759)
 Production inspectors, testers, samplers, and

weighers
 Production inspectors, checkers, and examiners (782, 786, 787)
 Production testers (783)
 Production samplers and weighers (784)
 Graders and sorters, except agricultural (785)

14 Transportation and Material Moving Occupations

Motor vehicle operators
 Supervisors, motor vehicle operators (6311)
 Truck drivers, heavy (6412, 6413)
 Truck drivers, light (6414)
 Driver-sales workers (433)
 Bus drivers (6415)
 Taxi cab drivers and chauffeurs (6416)
 Parking lot attendants (6417)
 Motor transportation occupations, n.e.c. (6419)
 Transportation occupations, except motor vehicles
 Rail transportation occupations
 Railroad conductors and yardmasters (6313)
 Locomotive operating occupations (6432)
 Railroad brake, signal, and switch operators (6433)
 Rail vehicle operators, n.e.c. (6439)
 Water transportation occupations
 Ship captains and mates, except fishing boats (6441, 6442)
 Sailors and deckhands (6443)
 Marine engineers (6444)
 Bridge, lock, and lighthouse tenders (6445)
 Materials moving equipment operators
 Supervisors, material moving equipment operators (632)
 Operating engineers (6512)
 Longshore equipment operators (6513)
 Hoist and winch operators (6514)
 Crane and tower operators (6515)
 Excavating and loading machine operators (6516)
 Grader, dozer, and scraper operators (6517)
 Industrial truck and tractor equipment operators (6518)
 Miscellaneous material moving equipment operators (6519, pt 659)

15 Handlers, Equipment Cleaners, Helpers, and Laborers

Supervisors; handlers, equipment cleaners, and laborers, n.e.c. (pt 711)
 Helpers, mechanics and repairers (679)
 Helpers, construction and extractive occupations
 Helpers, construction trades (6191-6195, 6198)
 Helpers, surveyors (6196)
 Helpers, extractive occupations (629)
 Construction laborers (81)
 Production helpers (769, 779)

Freight, stock, and material movers
 Garbage collectors (822)
 Stevedores (823)
 Stock handlers and baggers (824)
 Machine feeders and offbearers (825)
 Freight, stock, and material handlers, n.e.c. (649,826)
 Garage and service station related occupations (672)
 Vehicle washers and equipment cleaners (83)
 Hand packers and packagers (841)
 Laborers, except construction (842, 846, pt 659)

16 Active military duty

990 OCCUPATION NOT REPORTED¹

¹Code used when not-reported cases are not allocated

APPENDIX B
INDUSTRY CODES

INDUSTRIAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the industry categories are the SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Industry Category	Code	Industry Category
1	AGRICULTURE, FORESTRY, AND FISHERIES		Miscellaneous fabricated textile products (239)
	Agricultural production, crops (01)		Paper and allied products
	Agricultural production, livestock (02)		Pulp, paper, and paperboard mills (261-263, 266)
	Agricultural services, except horticultural (07, except 078)		Miscellaneous paper and pulp products (264)
	Horticultural services (078)		Paperboard containers and boxes (265)
	Forestry (08)		Printing, publishing and printing
	Fishing, hunting, and trapping (09)		Newspaper publishing and printing (271)
			Printing, publishing, and allied industries, except newspapers (272-279)
2	MINING		Chemicals and allied products
	Metal mining (10)		Plastics, synthetics, and resins (282)
	Coal mining (11, 12)		Drugs (283)
	Crude petroleum and natural gas extraction (13)		Soaps and cosmetics (284)
	Nonmetallic mining and quarrying, except fuel (14)		Paints, varnishes, and related products (285)
3	CONSTRUCTION (15, 16, 17)		Agricultural chemicals (287)
	MANUFACTURING		Industrial and miscellaneous chemicals (281, 286, 289)
4	Nondurable Goods		Petroleum and coal products
	Food and kindred products		Petroleum refining (291)
	Meat products (201)		Miscellaneous petroleum and coal products (295, 299)
	Dairy products (202)		Rubber and miscellaneous plastics products
	Canned and preserved fruits and vegetables (203)		Tires and inner tubes (301)
	Grain mill products (204)		Other rubber products, and plastics footwear and belting (302-304, 306)
	Bakery products (205)		Miscellaneous plastics products (307)
	Sugar and confectionery products (206)		Leather and leather products
	Beverage industries (208)		Leather tanning and finishing (311)
	Miscellaneous food preparations and kindred products (207, 209)		Footwear, except rubber and plastic (313, 314)
	Not specified food industries		Leather products, except footwear (315-317, 319)
	Tobacco manufactures (21)	5	Durable Goods
	Textile mill products		Lumber and wood products, except furniture
	Knitting mills (225)		Logging (241)
	Dyeing and finishing textiles, except wool and knit goods (226)		Sawmills, planing mills, and millwork (242, 243)
	Floor coverings, except hard surface (227)		Wood buildings and mobile homes (245)
	Yarn, thread, and fabric mills (228, 221-224)		Miscellaneous wood products (244, 249)
	Miscellaneous textile mill products (229)		Furniture and fixtures (25)
	Apparel and other finished textile products		Stone, clay, glass, and concrete products
	Apparel and accessories, except knit (231-238)		Glass and glass products (321-323)
			Cement, concrete, gypsum, and PLASTIC products (324, 327)
			Structural clay products (325)
			Pottery and related products (326)
			Miscellaneous nonmetallic mineral and stone products (328, 329)

Metal industries
 Blast furnaces, steelworks, rolling and finishing mills (331)
 Iron and steel foundries (332)
 Primary aluminum industries (3334, pt 334, 3353-3355, 3361)
 Other primary metal industries (3331-3333, 3339, pt 334, 3351, 3356, 3357, 3362, 3369, 339)
 Cutlery, hand tools, and other hardware (342)
 Fabricated structural metal products (344)
 Screw machine products (345)
 Metal forgings and stampings (346)
 Ordnance (348)
 Miscellaneous fabricated metal products (341, 343, 347, 349)
 Not specified metal industries

Machinery, except electrical
 Engines and turbines (351)
 Farm machinery and equipment (352)
 Construction and material handling machines (353)
 Metalworking machinery (354)
 Office and accounting machines, (357, except 3573)
 Electronic computing equipment (3573)
 Machinery, except electrical, n.e.c. (355, 356, 358, 358)
 Not specified machinery

Electrical machinery, equipment, and supplies
 Household appliance (363)
 Radio, TV, and communication equipment (365, 366)
 Electrical machinery, equipment, and supplies, n.e.c. (361, 362, 364, 367, 369)
 Not specified electrical machinery, equipment, and supplies

Transportation equipment
 Motor vehicles and motor vehicle equipment (371)
 Aircraft and parts (372)
 Ship and boat building and repairing (373)
 Railroad locomotives and equipment (374)
 Guided missiles, space vehicles, and parts (376)
 Cycles and miscellaneous transportation equipment (375, 379)

Professional and photographic equipment, and watches
 Scientific and controlling instruments (381, 382)
 Optical and health services supplies (383, 384, 385)
 Photographic equipment and supplies (386)
 Watches, clocks, and clockwork operated devices (387)
 Not specified professional equipment

Toys, amusement, and sporting goods (394)
 Miscellaneous manufacturing industries (39 exc. 394)
 Not specified manufacturing industries

6 TRANSPORTATION, COMMUNICATIONS, AND OTHER PUBLIC UTILITIES

Transportation
 Railroads (40)
 Bus service and urban transit (41, exc. 412)
 Taxicab service (412)
 Trucking service (421, 423)
 Warehousing and storage (422)
 U.S. Postal Service (43)
 Water transportation (44)
 Air transportation (45)
 Pipe lines, except natural gas (46)
 Services incidental to transportation (47)
 Communications
 Radio and television broadcasting (483)
 Telephone (wire and radio) (481)
 Telegraph and miscellaneous communication services (482, 489)
 Utilities and sanitary services
 Electric light and power (491)
 Gas and steam supply systems (492, 496)
 Electric and gas, and other combinations (493)
 Water supply and irrigation (494, 496)
 Sanitary services (495)
 Not specified utilities

WHOLESALE TRADE

7 Durable Goods

Motor vehicles and equipment (501)
 Furniture and home furnishings (502)
 Lumber and construction materials (503)
 Sporting goods, toys, and hobby goods (504)
 Metals and minerals, except petroleum (505)
 Electrical goods (506)
 Hardware, plumbing and heating supplies (507)
 Not specified electrical and hardware products
 Machinery, equipment, and supplies (508)
 Scrap and waste materials (5093)
 Miscellaneous whole, durable goods (5094, 5099)

8 Nondurable Goods

Paper and paper products (511)
 Drugs, chemicals, and allied products (512, 516)
 Apparel, fabrics, and notions (513)
 Groceries and related products (514)
 Farm-product raw materials (515)
 Petroleum products (517)
 Alcoholic beverages (518)
 Farm supplies (5191)
 Miscellaneous wholesale, nondurable goods (5194, 5198, 5199)

	Not specified wholesale trade		Services to dwellings and other buildings (734)
9	RETAIL TRADE		Commercial research, development, and testing labs (7391, 7397)
	Lumber and building material retailing (521, 523)		Personnel supply services (736)
	Hardware stores (525)		Business management and consulting services (7392)
	Retail nurseries and garden stores (526)		Computer and data processing services (737)
	Mobile home dealers (527)		Detective and protective services (7393)
	Department stores (531)		Business services, n.e.c. (732, 733, 735, 7394, 7395, 7396, 7399)
	Variety stores (533)		Automotive services, except repair (751, 752, 754)
	Miscellaneous general merchandise stores (539)		Automotive repair shops (753)
	Grocery stores (541)		Electrical repair shops (762, 7694)
	Dairy products stores (545)		Miscellaneous repair services (763, 764, 7692, 7699)
	Retail bakeries (546)	12	PERSONAL SERVICES
	Food stores, n.e.c. (542, 543, 544, 549)		Private households (88)
	Motor vehicle dealers (551, 552)		Hotels and motels (701)
	Auto and home supply stores (553)		Lodging places, except hotels and motels (702, 703, 704)
	Gasoline service stations (554)		Laundry, cleaning, and garment services (721)
	Miscellaneous vehicle dealers (555, 556, 557, 559)		Beauty shops (723)
	Apparel and accessory stores, except shoe (56, except 566)		Barber shops (724)
	Shoe stores (566)		Funeral service and crematories (726)
	Furniture and home furnishings stores (571)		Shoe repair shops (725)
	Household appliances, TV, and radio stores (572, 573)		Dressmaking shops (pt 729)
	Eating and drinking places (58)		Miscellaneous personal services (722, pt 729)
	Drug stores (591)	13	ENTERTAINMENT AND RECREATION SERVICES
	Liquor stores (592)		Theaters and motion pictures (78, 792)
	Sporting goods, bicycles, and hobby stores (5941, 5945, 5946)		Bowling alleys, billiard and pool parlors (793)
	Book and stationery stores (5942, 5943)		Miscellaneous entertainment and recreation services (791, 794, 799)
	Jewelry stores (5944)	14	PROFESSIONAL AND RELATED SERVICES
	Sewing, needlework, and piece goods stores (5949)		Offices of physicians (801, 803)
	Mail order houses (5961)		Offices of dentists (802)
	Vending machine operators (5962)		Offices of chiropractors (8041)
	Direct selling establishments (5963)		Offices of optometrists (8042)
	Fuel and ice dealers (598)		Offices of health practitioners, n.e.c. (8049)
	Retail florists (5992)		Hospitals (806)
	Miscellaneous retail stores (593, 5947, 5948, 5993, 5994, 5999)		Nursing and personal care facilities (805)
	Not specified retail trade		Health services, n.e.c. (807, 808, 809)
10	FINANCE, INSURANCE, AND REAL ESTATE		Legal services (81)
	Banking (60)		Elementary and secondary schools (821)
	Savings and loan associations (612)		Colleges and universities (822)
	Credit agencies, n.e.c. (61, except 612)		Business, trade, and vocational schools (824)
	Security, commodity brokerage, and investment companies (62, 67)		Libraries (823)
	Insurance (63, 64)		Educational services, n.e.c. (829)
	Real estate, including real estate-insurance-law offices (65, 66)		Job training and vocational rehabilitation services (833)
11	BUSINESS AND REPAIR SERVICES		Child day care services (835)
	Advertising (731)		Residential care facilities, without nursing (836)
			Social services, n.e.c. (832, 839)
			Museums, art galleries, and zoos (84)
			Religious organization (866)

Membership organizations (861-865, 869)
Engineering, architectural, and surveying
services (891)
Accounting, auditing, and bookkeeping services
(893)
Noncommercial educational and scientific
research (892)
Miscellaneous professional and related services
(899)

15 PUBLIC ADMINISTRATION

Executive and legislative offices (911-913)
General government, n.e.c. (919)
Justice, public order, and safety (92)
Public finance, taxation, and monetary policy
(93)
Administration of human resources programs
(94)
Administration of environmental quality and
housing programs (95)
Administration of economic programs (96)
National security and international affairs (97)

16 ACTIVE MILITARY DUTY

990 INDUSTRY NOT REPORTED¹

¹Code used when not reported cases are not
allocated.

APPENDIX C

CENSUS REGION/DIVISION/STATE TABLE

APPENDIX C
CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
Northeast	New England	Connecticut	CT
Northeast	New England	Maine	ME
Northeast	New England	Massachusetts	MA
Northeast	New England	New Hampshire	NH
Northeast	New England	Rhode Island	RI
Northeast	New England	Vermont	VT
Northeast	Middle Atlantic	New Jersey	NJ
Northeast	Middle Atlantic	New York	NY
Northeast	Middle Atlantic	Pennsylvania	PA
North Central	East North Central	Illinois	IL
North Central	East North Central	Indiana	IN
North Central	East North Central	Michigan	MI
North Central	East North Central	Ohio	OH
North Central	East North Central	Wisconsin	WI
North Central	West North Central	Iowa	IA
North Central	West North Central	Kansas	KS
North Central	West North Central	Minnesota	MN
North Central	West North Central	Missouri	MO
North Central	West North Central	Nebraska	NE
North Central	West North Central	North Dakota	ND
North Central	West North Central	South Dakota	SD
South	South Atlantic	Delaware	DE
South	South Atlantic	District of Columbia	DC
South	South Atlantic	Florida	FL
South	South Atlantic	Georgia	GA
South	South Atlantic	Maryland	MD
South	South Atlantic	North Carolina	NC
South	South Atlantic	South Carolina	SC
South	South Atlantic	Virginia	VA
South	South Atlantic	West Virginia	WV
South	East South Central	Alabama	AL
South	East South Central	Kentucky	KY
South	East South Central	Mississippi	MS
South	East South Central	Tennessee	TN
South	West South Central	Arkansas	AR
South	West South Central	Louisiana	LA
South	West South Central	Oklahoma	OK
West	West South Central	Texas	TX
West	Mountain	Arizona	AZ
West	Mountain	Colorado	CO
West	Mountain	Idaho	ID
West	Mountain	Montana	MT
West	Mountain	Nevada	NV
West	Mountain	New Mexico	NM
West	Mountain	Utah	UT
West	Pacific	Wyoming	WY
West	Pacific	Alaska	AK
West	Pacific	California	CA
West	Pacific	Hawaii	HI
West	Pacific	Oregon	OR
West	Pacific	Washington	WA

APPENDIX D

DRUG CODES FOR OPEN-ENDED QUESTIONS

Appendix of Drugs

Alphabetical Listing

244 =	2, Roche (Mexican) [sic]	416 =	Anileridine
358 =	20/20	451 =	Ansaid [sic]
439 =	222	836 =	Antabuse
439 =	222, Canadian	338 =	Antiadiposium X112 [sic]
429 =	222, Frost	858 =	Antibiotic
340 =	250, Tiamina [sic]	843 =	Antihistamine
444 =	3, Empirin	264 =	Anxidel [sic]
410 =	3, Phenaphen	369 =	Artane
851 =	3, Thyrolar- [sic]	249 =	Asendin
409 =	3, Tylenol	859 =	Aside [sic]
333 =	357 Magnum	430 =	Aspirin
409 =	4, Tylenol	444 =	Aspirin with codeine
837 =	400, Paris	255 =	Assival [sic]
333 =	44, Magnum	530 =	Asthma inhaler
149 =	50, Ekilid [sic]	530 =	Asthma medication
137 =	7-14	216 =	Atarax
450 =	Acetaminophen	207 =	Ativan
518 =	Acetone	236 =	Avatir [sic]
601 =	Acid	529 =	Balls, Moth
618 =	(Acid), Blotter	363 =	Bam(s)
618 =	Acid paper	156 =	Barital, Sodium
148 =	Actifed	157 =	Baritirates
247 =	Adapin	327 =	Beauties, Black
313 =	Adipex	327 =	Beauty, Black
425 =	Advil	452 =	Becadan [sic]
503 =	Aerosol sprays other than spray paints	807 =	Beer
122 =	Aid, Sleep	860 =	Bees [sic]
504 =	Airplane glue	863 =	Beetlenut
807 =	Alcohol	142 =	Belladona
548 =	Alcohol, Rubbing	362 =	Benadryl
808 =	All of the ones I've tried	344 =	Bennies
841 =	Allerest	146 =	Bentyl
827 =	Aluminum chloride	304 =	Benzedrine
826 =	Alupent	350 =	Betin SS [sic]
154 =	Alurate	541 =	Binaca
228 =	Amitriptyline	305 =	Biphetamine
542 =	Ammonia, Spirits of	330 =	Birds, Blue
114 =	Amobarbital	327 =	Black beauties
821 =	Amoxicillin	327 =	Black Beauty
339 =	Amphetamines (speed generically)	265 =	Black Caddy
821 =	Ampicillin	345 =	Black Molly
506 =	Amyl nitrite	630 =	Black Owsley
103 =	Amytal	357 =	Black pills, Heart-shaped
438 =	Anaprox	139 =	Black widows
507 =	Anesthetics other than halothane or ether	823 =	Blast (KJ) [sic]
605 =	Angel dust	844 =	Blood pressure medication
		618 =	Blotter (acid)

330 =	Blue birds	453 =	Codeine, Organidin with
620 =	Blue dragon	410 =	Codeine, Phenaphen with
330 =	Blue jays	409 =	Codeine, Tylenol with
330 =	Blue robins	815 =	Coffee
457 =	Blues, T's and	371 =	Cogentin
537 =	Boat horn	434 =	Co-Gesic
833 =	Bone	805 =	Coke
530 =	Bronchial dilators	843 =	Cold tablets
436 =	Bufferin	548 =	Cologne
830 =	Bull, Mad	230 =	Compazine
211 =	Buspar	538 =	Condensed horn
426 =	Butalbital	378 =	Control
525 =	Butane	248 =	Cool, Sooper [sic]
102 =	Buticaps	535 =	Copies, Rexo [sic]
101 =	Butisol	509 =	Correction fluids
368 =	Butter Crank, Peanut	840 =	Cough medicine (contents not specified)
		434 =	Co-Gesic
265 =	Caddy, Black	806 =	Crack
814 =	Caffeine	322 =	Crank
842 =	Callipress [sic]	368 =	Crank, Peanut Butter
528 =	Can, Whipped-cream	252 =	Cream, Strawberry whip
439 =	Canadian 222	359 =	Criss Cross
531 =	Candy	359 =	Cross, Criss
531 =	Candy, Powdered	326 =	Cross, White
802 =	Cannabinol	334 =	Crossroads
373 =	Captagon [sic]	334 =	Cross tops
545 =	Car tailpipe exhaust fumes	348 =	Crystal
514 =	Carbona [sic]	355 =	Crystal meth
240 =	Carbonate, Lithium	610 =	Crystal T
514 =	Carbone [sic]	234 =	Cyclobenzaprine
108 =	Carbital	319 =	Cylert
504 =	Cement, Rubber		
208 =	Centrax	238 =	Dafernil [sic]
807 =	Champagne, Pink	111 =	Dalmane
504 =	Chemical glue	461 =	Daopar [sic]
816 =	Chewing tobacco	427 =	Darvocet
117 =	Chloral hydrate	401 =	Darvon
827 =	Chloride, Aluminum	650 =	Daytura
550 =	Chloride, Methyl	509 =	Degreasers
507 =	Chloroform	407 =	Demerol
374 =	Christmas tree(s)	508 =	Dentist gas
251 =	CIBA:S [sic]	534 =	Deodorant
813 =	Cigarettes	214 =	Deprol
812 =	Cigars	365 =	Desecon [sic]
551 =	Cleaner (Spam [sic]), Oven	648 =	Designer drugs
509 =	Cleaning fluids	259 =	Desipramine
246 =	Clonopin	306 =	Desoxyn
623 =	Club, Mickey Mouse	225 =	Desyrel
545 =	CO2	145 =	Devil(s), Red
805 =	Cocaine	302 =	Dexamyl
375 =	Coco puffs [sic]	335 =	Dexatrim
415 =	Codeine	301 =	Dexedrine
444 =	Codeine, Aspirin with	356 =	Dexies
455 =	Codeine, Fiorinal with	320 =	Dextroamphetamine

134 =	Diasetan [sic]	545 =	Exhaust fumes, Car tailpipe
218 =	Diazepam	606 =	Extasi [sic]
146 =	Dicyclomine	435 =	Extra-Strength, Tylenol
309 =	Didrex		
336 =	Diet pills	313 =	Fastin
307 =	Diethylpropion (Tenuate)	511 =	Felt-tip pens
308 =	Diethylpropion (Tepanil)	465 =	Fentanyl
141 =	Dilantin	424 =	Fioricet
530 =	Dilators, Bronchial	426 =	Fiorinal
408 =	Dilaudid	455 =	Fiorinal with Codeine
136 =	Dimetapp	536 =	Fire Halt
616 =	DMT	234 =	Flexeril
861 =	Doen [sic]	642 =	Floyd, Pink
861 =	Doer [sic]	852 =	Fluid), Whack (embalming
402 =	Dolene	509 =	Fluids, Cleaning
443 =	Dolobid	509 =	Fluids, Correction
418 =	Dolophine	501 =	Fluids, Lighter
704 =	Dope	632 =	Folifundia [sic]
106 =	Doriden	382 =	Footballs, Purple
120 =	Downers	852 =	Formaldehyde
247 =	Doxepin	445 =	Forte, Norgesic
620 =	Dragon, Blue	437 =	Forte, Parafon
621 =	Dragon, Red	426 =	Forte, Phrenilin
648 =	Drugs, Designer	458 =	Fortis, Mepergan
615 =	Drugs, Homemade	516 =	Freon
613 =	Duckweed	429 =	Frost 222
366 =	Duromine [sic]	626 =	Fuel, Jet
217 =	Durrax	629 =	Fuel, Rocket
605 =	Dust, Angel	545 =	Fumes, Car tailpipe exhaust
		853 =	Funti [sic] leaf
430 =	Ecotrin		
606 =	Ecstasy	508 =	Gas, Dentist
845 =	ECT [sic]	544 =	Gases, Lighter, not specified
329 =	Eggs, Robin's	501 =	Gasoline
329 =	Eggs, Speckled	847 =	GHB [sic]
149 =	Ekilid [sic] 50	635 =	Ginseng seeds
239 =	Elavil	617 =	Glory seeds, Morning
852 =	(Embalming fluid), Whack	504 =	Glue
430 =	Empirin	504 =	Glue, Airplane
444 =	Empirin 3	504 =	Glue, Chemical
332 =	Ephedrine	504 =	Glue, Model
332 =	Ephedrine (HCT)	504 =	Glue, Super
346 =	Ephedrine Sulfate	849 =	Glutamate (MSG), Monosodium
242 =	Equagesic	611 =	Greens
213 =	Equanil		
846 =	Erythromycin	113 =	Halcion
152 =	Eskabarb	131 =	Haldol
303 =	Eskatrol	131 =	Haloperidol
807 =	Ethanol	507 =	Halothane
507 =	Ether	536 =	Halt, Fire
807 =	EtOH	612 =	Happy stick
243 =	Etrafon	817 =	Hard stuff
468 =	Excedrin	804 =	Hashish
428 =	Execl [sic]	628 =	Hawaiian rosebud seed tea

627 =	Hawaiian Woodrow seeds	543 =	Liquid oxygen
637 =	Haze, Purple	509 =	Liquid paper
456 =	HD, Lorcet	522 =	Liquid TV (MTV)
379 =	Hearts	848 =	Liquid vitamin
328 =	Hearts, Pink	463 =	Lisalgil [sic]
342 =	Hearts, Purple	240 =	Lithium carbonate
357 =	Heart-shaped black pills	506 =	Locker room odorizer
519 =	Helium	456 =	Lorcet HD
702 =	Heroin	456 =	Lorcet Plus
615 =	Homemade drugs	834 =	Loveboat
831 =	Honey Oil	638 =	Lovlez [sic]
537 =	Horn, Boat	601 =	LSD
538 =	Horn, Condensed	441 =	Luitab [sic]
258 =	Hoses [sic]	153 =	Luminal
117 =	Hydrate, Chloral		
434 =	Hydrocodone	647 =	Macullen [sic]
		830 =	Mad Bull
442 =	Ibuprofen	460 =	Magnopyrol [sic]
322 =	Ice	333 =	Magnum, 357
235 =	Imipramine	333 =	Magnum, 44
512 =	Incense	138 =	Mandrax [sic]
819 =	Inderal	346 =	Marax
530 =	Inhaler, Asthma	803 =	Marijuana
511 =	Ink pens	511 =	Markers
312 =	Ionamin	803 =	Marijuana
361 =	Isutrans [sic]	523 =	Matches
361 =	Isyfiars [sic]	317 =	Mazanor
		641 =	Maze [sic]
124 =	Jackets, Yellow	614 =	MDA
330 =	Jays, Blue	606 =	MDMA
626 =	Jet Fuel	104 =	Mebaral
609 =	Jimson [sic] weed	530 =	Medication, Asthma
854 =	Juice	844 =	Medication, Blood pressure
		840 =	Medicine, Cough (contents not specified)
509 =	K2R Spot Remover	372 =	Mejoral [Spanish]
459 =	Ketamine	232 =	Mellaril
246 =	Klonopin	651 =	Mellow Yellow
		204 =	Menrium
505 =	Lacquer thinner	458 =	Mepergan
380 =	Ladies, Pink	458 =	Mepergan Fortis
853 =	Leaf, Funti [sic]	220 =	Meprobamate
546 =	Leather protector	220 =	Meprospan
862 =	Leaves, Thornapple [sic]	603 =	Mescaline
352 =	Lemons	370 =	Mess Tab [sic]
469 =	Leritine	355 =	Meth, Crystal
405 =	Levo-Dromoran	418 =	Methadone
229 =	Librax	322 =	Methamphetamine
203 =	Libritabs	116 =	Methaqualone
202 =	Librium	355 =	Meth, Crystal
501 =	Lighter fluids	321 =	Methedrine
544 =	Lighter gases, not specified	550 =	Methyl chloride
601 =	Lightning, White	318 =	Methylphenidate
203 =	Limbitrol	623 =	Mickey Mouse club
504 =	Liquid, Shoeshine	623 =	Mickey Mousers

622 =	Microdot, Purple	464 =	Oratab [sic]
622 =	Microdot(s)	608 =	Oranges-25 [sic]
466 =	Midol	453 =	Orangidin with Codeine
212 =	Miltown	446 =	Orvais [sic]
135 =	Mini Thins	503 =	Other aerosol sprays besides spray paints
633 =	Mr. Natural	507 =	Other anesthetics besides halothane and ether
504 =	Model glue	505 =	Other paint solvents besides lacquer thinner
345 =	Molly, Black	551 =	Oven cleaner (Spam [sic])
337 =	Molly, White	630 =	Owsley, Black
849 =	Monosodium glutamate (MSG)	631 =	Owsley, Purple
617 =	Morning glory seeds	508 =	Oxide, Nitrous
417 =	Morphine	406 =	Oxycodone
529 =	Moth balls	543 =	Oxygen, Liquid
422 =	Motrin		
623 =	Mouse club, Mickey	520 =	Paint, Old
623 =	Mousers, Mickey	505 =	Paint solvents other than lacquer thinner
633 =	Mr. Natural	502 =	Paints, Spray
231 =	MS [sic]	540 =	PAM
849 =	(MSG), Monosodium glutamate	625 =	Pane, Window
522 =	(MTV), Liquid TV	618 =	Paper, Acid
811 =	Muscle relaxers	509 =	Paper, Liquid
604 =	Mushrooms	437 =	Parafon Forte
		433 =	Paregoric
526 =	Nail polish	116 =	Parest
518 =	Nail polish remover	837 =	Paris 400
438 =	Naprosyn	155 =	Pasatorim [sic]
633 =	Natural, Mr.	210 =	Paxipam
108 =	Nembutal	260 =	PCB
128 =	Nervine	605 =	PCP
147 =	Nicol [sic]	368 =	Peanut Butter Crank
818 =	Nicotine	644 =	Pedro, San [Spanish]
527 =	Nitrate, Phenyl	820 =	Penicillin
506 =	Nitrate, Amyl	511 =	Pens, Felt-tip
343 =	Nitroglycerine	511 =	Pens, Ink
508 =	Nitrous oxide	118 =	Pentobarbital
117 =	Noctec	118 =	Pentothal
353 =	No-Doz	118 =	Pentothal, Sodium
107 =	Noludar	423 =	Percocet
462 =	Norflex	406 =	Percodan
445 =	Norgesic Forte	259 =	Pertofrane
259 =	Norpramin	602 =	Peyote
250 =	Nortriptyline	410 =	Phenaphen 3
454 =	Novocain	410 =	Phenaphen with Codeine
639 =	Nutmeg	605 =	Phencyclidine
127 =	Nytol	130 =	Phenergan
		115 =	Phenobarbital
855 =	Oanol [sic]	349 =	Phentametrizine [sic]
838 =	Obainedin	313 =	Phentermine
323 =	Obedrin-L.A.	527 =	Phenyl nitrate
506 =	Odorizer, Locker room	347 =	Phenylpropanolamine
831 =	Oil, Honey	426 =	Phrenilin Forte
520 =	Old paint	809 =	Pills
703 =	Opium	336 =	Pills, Diet
624 =	Orange sunshine	357 =	Pills, Heart-shaped black

807 =	Pink champagne	318 =	Ritalin
642 =	Pink Floyd	367 =	Rite, Slender [sic]
328 =	Pink hearts	223 =	Robaxin
380 =	Pink ladies	330 =	Robins, Blue
341 =	Pink roses	329 =	Robin's eggs
553 =	Pixie sticks	829 =	Robinussin DM
105 =	Placidyl	244 =	Roche 2 (Mexican) [sic]
310 =	Plegine	806 =	Rock
456 =	Plus, Lorcet	629 =	Rocket Fuel
526 =	Polish, Nail	856 =	Roofe [sic]
518 =	Polish remover, Nail	506 =	Room odorizer, Locker
314 =	Pondimin	261 =	Roperals [sic]
506 =	Poppers	628 =	Rosebud seed tea, Hawaiian
646 =	Poppy	341 =	Roses, Pink
381 =	P.O.T.C.	835 =	Rotan [sic]
531 =	Powdered candy	406 =	Roxicet
311 =	Preludin	504 =	Rubber cement
383 =	Pre-Sate	548 =	Rubbing alcohol
844 =	Pressure medication, Blood	432 =	Rufen
832 =	Primo	506 =	Rush
454 =	Procaine	133 =	Ryoxine [sic]
262 =	Prolixin		
521 =	Propane	316 =	Sanorex
547 =	Propel [sic]	644 =	San Pedro [Spanish]
414 =	Propoxyphene	539 =	ScotchGard
546 =	Protector, Leather	533 =	Sealant, Window
241 =	Prozac	119 =	Secobarital
532 =	PRW [sic]	109 =	Seconal
604 =	Psilocybin	143 =	Sedoxen [sic]
375 =	Puffs, Coco [sic]	628 =	Seed tea, Hawaiian rosebud
382 =	Purple footballs	635 =	Seeds, Ginseng
637 =	Purple haze	627 =	Seeds, Hawaiian Woodrow
342 =	Purple hearts	617 =	Seeds, Morning glory
622 =	Purple microdot	140 =	Seldane
631 =	Purple Owsley	205 =	Serax
640 =	Pyramid, Purple	612 =	Sherm [sic]
		612 =	Shermstick
351 =	Q'at	504 =	Shoeshine liquid
116 =	Quaalude	839 =	Siloquan [sic]
643 =	Queen	247 =	Sinequan
125 =	Qulande [sic]	364 =	Sinutab
		403 =	SK-65
822 =	Rabbit tobacco	219 =	SK-Lygen
554 =	Raid	122 =	Sleep Aid
360 =	Rainbow speed	132 =	Sleepettes [sic]
		367 =	Slender Rite [sic]
145 =	Red devil(s)	549 =	Smarties [sic]
621 =	Red dragon	816 =	Smokeless tobacco
129 =	Reds	813 =	Smoking (substance not specified)
811 =	Relaxers, Muscle	816 =	Snuff
518 =	Remover, Nail polish	156 =	Sodium barbital
112 =	Restoril	118 =	Sodium pentothal
535 =	Rexo [sic] copies	505 =	Solvents, Paint, other than lacquer thinner
144 =	Reynolds [sic]	440 =	Soma

126 = Somenex [sic]
 248 = Sooper Cool [sic]
 116 = Sopor
 551 = Spam [sic]
 551 = (Spam [sic]), Oven cleaner
 329 = Speckled eggs
 339 = Speed (amphetamines generically)
 322 = Speed (methamphetamine)
 360 = Speed, Rainbow
 705 = Speedball (heroin + cocaine)
 542 = Spirits of ammonia
 509 = Spot Remover, K2R
 502 = Spray paints
 503 = Sprays, Aerosol, other than spray paints
 419 = Stadol
 226 = Stelazine
 824 = Steroids
 612 = Stick, Happy
 645 = Stick, Thai
 857 = Stick, Wicky [sic]
 553 = Sticks, Pixie
 636 = STP
 252 = Strawberry whip cream
 817 = Stuff, Hard
 364 = Sudafed
 346 = Sulfate, Ephedrine
 624 = Sunshine
 624 = Sunshine, Orange
 624 = Sunshine, Yellow
 504 = Super Glue
 447 = Synalgos

 843 = Tablets, Cold
 370 = Tab, Mess [sic]
 376 = TAC
 545 = Tailpipe exhaust fumes, Car
 413 = Talacen
 411 = Talwin
 412 = Talwin NX
 649 = Tea
 628 = Tea, Hawaiian Rosebud seed
 307 = Tenuate
 308 = Tepanil
 828 = Tetracycline
 645 = Thai stick
 802 = THC
 825 = Theo-Dur
 505 = Thinner, Lacquer
 135 = Thins, Mini
 227 = Thorazine
 862 = Thornapple [sic] leaves
 851 = Thyrolar-3 [sic]
 340 = Tiamina 250 [sic]
 619 = TIC [sic]

816 = Tobacco, Chewing
 822 = Tobacco, Rabbit
 816 = Tabacco, Smokeless
 813 = Tobacco not specified
 448 = Tobutrol [sic]
 467 = Tolectin
 504 = Toluene
 517 = Tolyol [sic]
 334 = Tops, Cross
 206 = Tranxene
 225 = Trazodone
 374 = Tree(s), Christmas
 224 = Triavil
 226 = Trifluoperazine HCl
 233 = Trilafon
 256 = Tripjone [sic]
 245 = Tryptophan
 457 = T's and Blues
 110 = Tuinal
 513 = Tulio [sic]
 522 = Tuner, TV
 435 = Tylenol
 409 = Tylenol 3
 409 = Tylenol 4
 409 = Tylenol Extra-Strength
 409 = Tylenol with Codeine
 431 = Tylox
 457 = T's and Blues

 634 = Unicorn
 123 = Unisom
 324 = Uppers
 253 = Urbadan [sic]

 201 = Valium
 552 = Valo [sic]
 377 = Ventolin
 237 = Versed
 266 = Verstran
 515 = Vicks
 434 = Vicodin
 254 = Vilonopin [sic]
 215 = Vistaril
 848 = Vitamin, Liquid
 264 = Vivactil
 354 = Vivarin
 151 = VOEOBO [sic]
 315 = Voranil

 852 = Wak [sic]
 803 = Weed
 150 = Weed, Cote [sic]
 609 = Weed, Jimson [sic]
 418 = Westodone

852 = Whack
252 = Whip cream, Strawberry
528 = Whipped-cream can
508 = Whippets
326 = White cross
601 = White lightning
337 = White Molly
524 = White-Out
331 = Whites
857 = Wicky [sic] stick
139 = Widows, Black
625 = Window pane
533 = Window sealant
627 = Woodrow seed, Hawaiian
404 = Wygesic

338 = X112, Antiadipositum [sic]
209 = Xanax
606 = X-TC
449 = Xycodone [sic]

124 = Yellow jackets
651 = Yellow, Mellow
624 = Yellow, sunshine
257 = Zestril

Appendix of Drugs

Numerical Listing

101 = Butisol	137 = 7-14
102 = Buticaps	138 = Mandrax [sic]
103 = Amytal	139 = Black widows
104 = Mebaral	139 = Widows, Black
105 = Placidyl	140 = Seldane
106 = Doriden	141 = Dilantin
107 = Noludar	142 = Belladona
108 = Carbrital	143 = Sedoxen [sic]
108 = Nembutal	144 = Reynolds [sic]
109 = Seconal	145 = Devil(s), Red
110 = Tuinal	145 = Red devil(s)
111 = Dalmane	146 = Dicyclomine
112 = Restoril	146 = Bentyl
113 = Halcion	147 = Nicol [sic]
114 = Amobarbital	148 = Actifed
115 = Phenobarbital	149 = Ekilid [sic] 50
116 = Quaalude	149 = 50, Ekilid [sic]
116 = Parest	150 = Weed, Cote [sic]
116 = Methaqualone	151 = VOEOBO [sic]
116 = Sopor	152 = Eskabarb
117 = Chloral hydrate	153 = Luminal
117 = Hydrate, Chloral	154 = Alurate
117 = Noctec	155 = Pasatorim [sic]
118 = Pentobarbital	156 = Barital, Sodium
118 = Pentothal, Sodium	156 = Sodium barbital
118 = Pentothal	157 = Baritirates
118 = Sodium pentothal	201 = Valium
119 = Secobarital	202 = Librium
120 = Downers	203 = Libritabs
122 = Aid, Sleep	203 = Limbitrol
122 = Sleep Aid	204 = Menrium
123 = Unisom	205 = Serax
124 = Jackets, Yellow	206 = Tranxene
124 = Yellow jackets	207 = Ativan
125 = Qulande [sic]	208 = Centrax
126 = Somenex [sic]	209 = Xanax
127 = Nytol	210 = Paxipam
128 = Nervine	211 = Buspar
129 = Reds	212 = Miltown
130 = Phenergan	213 = Equanil
131 = Haloperidol	214 = Deprol
131 = Haldol	215 = Vistaril
132 = Sleepettes [sic]	216 = Atarax
133 = Ryoxine [sic]	217 = Durrax
134 = Diasetan [sic]	218 = Diazepam
135 = Mini Thins	219 = SK-Lygen
135 = Thins, Mini	220 = Meproamate
136 = Dimetapp	220 = Meprospan

223 =	Robaxin	264 =	Vivactil
224 =	Triavil	265 =	Black Caddy
225 =	Desyrel	265 =	Caddy, Black
225 =	Trazodone	266 =	Verstran
226 =	Trifluoperazine HCl	301 =	Dexedrine
226 =	Stelazine	302 =	Dexamyl
227 =	Thorazine	303 =	Eskatrol
228 =	Amitriptyline	304 =	Benzedrine
229 =	Librax	305 =	Biphetamine
230 =	Compazine	306 =	Desoxyn
231 =	MS [sic]	307 =	Diethylpropion (Tenuate)
232 =	Mellaril	307 =	Tenuate
233 =	Trilafon	308 =	Diethylpropion (Tepanil)
234 =	Flexeril	308 =	Tepanil
234 =	Cyclobenzaprine	309 =	Didrex
235 =	Imipramine	310 =	Plegine
236 =	Avatir [sic]	311 =	Preludin
237 =	Versed	312 =	Ionamin
238 =	Dafernil [sic]	313 =	Fastin
239 =	Elavil	313 =	Adipex
240 =	Carbonate, Lithium	313 =	Phentermine
240 =	Lithium carbonate	314 =	Pondimin
241 =	Prozac	315 =	Voranil
242 =	Equagesic	316 =	Sanorex
243 =	Etrafon	317 =	Mazanor
244 =	2, Roche (Mexican) [sic]	318 =	Methylphenidate
244 =	Roche 2 (Mexican) [sic]	318 =	Ritalin
245 =	Tryptophan	319 =	Cylert
246 =	Clonopin	320 =	Dextroamphetamine
246 =	Klonopin	321 =	Methedrine
247 =	Adapin	322 =	Crank
247 =	Doxepin	322 =	Ice
247 =	Sinequan	322 =	Methamphetamine
248 =	Cool, Sooper [sic]	322 =	Speed (methamphetamine)
248 =	Sooper Cool [sic]	323 =	Obedrin-L.A.
249 =	Asendin	324 =	Uppers
250 =	Nortriptyline	326 =	Cross, White
251 =	CIBA:S [sic]	326 =	White cross
252 =	Cream, Strawberry whip	327 =	Black Beauty
252 =	Strawberry whip cream	327 =	Black beauties
252 =	Whip cream, Strawberry	327 =	Beauty, Black
253 =	Urbadan [sic]	327 =	Beauties, Black
254 =	Vilonopin [sic]	328 =	Hearts, Pink
255 =	Assival [sic]	328 =	Pink hearts
256 =	Tripjone [sic]	329 =	Eggs, Robin's
257 =	Zestril	329 =	Eggs, Speckled
258 =	Hoses [sic]	329 =	Speckled eggs
259 =	Desipramine	329 =	Robin's eggs
259 =	Pertofrane	330 =	Blue jays
259 =	Norpramin	330 =	Blue birds
260 =	PCB	330 =	Birds, Blue
261 =	Roperals [sic]	330 =	Blue robins
262 =	Prolixin	330 =	Robins, Blue
264 =	Anxidel [sic]	330 =	Jays, Blue

331 =	Whites	362 =	Benadryl
332 =	Ephedrine	363 =	Bam(s)
332 =	Ephedrine (HCl)	364 =	Sudafed
333 =	357 Magnum	364 =	Sinutab
333 =	44, Magnum	365 =	Desecon [sic]
333 =	Magnum, 357	366 =	Duromine [sic]
333 =	Magnum, 44	367 =	Rite, Slender [sic]
334 =	Cross tops	367 =	Slender Rite [sic]
334 =	Crossroads	368 =	Butter Crank, Peanut
334 =	Tops, Cross	368 =	Crank, Peanut Butter
335 =	Dexatrim	368 =	Peanut Butter Crank
336 =	Diet pills	369 =	Artane
336 =	Pills, Diet	370 =	Mess Tab [sic]
337 =	Molly, White	370 =	Tab, Mess [sic]
337 =	White Molly	371 =	Cogentin
338 =	Antiadiposium X112 [sic]	372 =	Mejoral [Spanish]
338 =	X112, Antiadiposium [sic]	373 =	Captagon [sic]
339 =	Amphetamines (speed generically)	374 =	Christmas tree(s)
339 =	Speed (amphetamines generically)	374 =	Tree(s), Christmas
340 =	250, Tiamina [sic]	375 =	Coco puffs [sic]
340 =	Tiamina 250 [sic]	375 =	Puffs, Coco [sic]
341 =	Pink roses	376 =	TAC
341 =	Roses, Pink	377 =	Ventolin
342 =	Purple hearts	378 =	Control
342 =	Hearts, Purple	379 =	Hearts
343 =	Nitroglycerine	380 =	Pink ladies
344 =	Bennies	380 =	Ladies, Pink
345 =	Black Molly	381 =	P.O.T.C.
345 =	Molly, Black	382 =	Footballs, Purple
346 =	Ephedrine Sulfate	382 =	Purple footballs
346 =	Marax	383 =	Pre-Sate
346 =	Sulfate, Ephedrine	401 =	Darvon
347 =	Phenylpropanolamine	402 =	Dolene
348 =	Crystal	403 =	SK-65
349 =	Phentametrizine [sic]	404 =	Wygesic
350 =	Betin SS [sic]	405 =	Levo-Dromoran
351 =	Q'at	406 =	Percodan
352 =	Lemons	406 =	Oxycodone
353 =	No-Doz	406 =	Roxicet
354 =	Vivarin	407 =	Demerol
355 =	Crystal meth	408 =	Dilaudid
355 =	Meth, Crystal	409 =	Codeine, Tylenol with
355 =	Meth, Crystal	409 =	4, Tylenol
356 =	Dexies	409 =	3, Tylenol
357 =	Black pills, Heart-shaped	409 =	Tylenol with Codeine
357 =	Pills, Heart-shaped black	409 =	Tylenol 3
357 =	Heart-shaped black pills	409 =	Tylenol 4
358 =	20/20	409 =	Tylenol Extra-Strength
359 =	Criss Cross	410 =	3, Phenaphen
359 =	Cross, Criss	410 =	Codeine, Phenaphen with
360 =	Rainbow speed	410 =	Phenaphen with Codeine
360 =	Speed, Rainbow	410 =	Phenaphen 3
361 =	Isyfiars [sic]	411 =	Talwin
361 =	Isutrars [sic]	412 =	Talwin NX

413 =	Talacen	449 =	Xycodone [sic]
414 =	Propoxyphene	450 =	Acetaminophen
415 =	Codeine	451 =	Ansaid [sic]
416 =	Anileridine	452 =	Becadan [sic]
417 =	Morphine	453 =	Codeine, Organidin with
418 =	Dolophine	453 =	Orangidin with Codeine
418 =	Methadone	454 =	Novocain
418 =	Westodone	454 =	Procaine
419 =	Stadol	455 =	Codeine, Fiorinal with
422 =	Motrin	455 =	Fiorinal with Codeine
423 =	Percocet	456 =	Lorcet HD
424 =	Fioricet	456 =	Plus, Lorcet
425 =	Advil	456 =	HD, Lorcet
426 =	Forte, Phrenilin	456 =	Lorcet Plus
426 =	Fiorinal	457 =	Blues, T's and
426 =	Butalbital	457 =	T's and Blues
426 =	Phrenilin Forte	457 =	T's and Blues
427 =	Darvocet	458 =	Fortis, Mepergan
428 =	Execl [sic]	458 =	Mepergan
429 =	Frost 222	458 =	Mepergan Fortis
429 =	222, Frost	459 =	Ketamine
430 =	Ecotrin	460 =	Magnopyrol [sic]
430 =	Empirin	461 =	Daopar [sic]
430 =	Aspirin	462 =	Norflex
431 =	Tylox	463 =	Lisalgil [sic]
432 =	Rufen	464 =	Oratab [sic]
433 =	Paregoric	465 =	Fentanyl
434 =	Co-Gesic	466 =	Midol
434 =	Co-Gesic	467 =	Tolectin
434 =	Hydrocodone	468 =	Excedrin
434 =	Vicodin	469 =	Leritine
435 =	Extra-Strength, Tylenol	501 =	Fluids, Lighter
435 =	Tylenol	501 =	Lighter fluids
436 =	Bufferin	501 =	Gasoline
437 =	Forte, Parafon	502 =	Paints, Spray
437 =	Parafon Forte	502 =	Spray paints
438 =	Anaprox	503 =	Aerosol sprays other than spray paints
438 =	Naprosyn	503 =	Other aerosol sprays besides spray paints
439 =	222	503 =	Sprays, Aerosol, other than spray paints
439 =	222, Canadian	504 =	Airplane glue
439 =	Canadian 222	504 =	Cement, Rubber
440 =	Soma	504 =	Chemical glue
441 =	Luitab [sic]	504 =	Model glue
442 =	Ibuprofen	504 =	Glue, Model
443 =	Dolobid	504 =	Glue
444 =	Empirin 3	504 =	Glue, Airplane
444 =	3, Empirin	504 =	Glue, Chemical
444 =	Aspirin with codeine	504 =	Liquid, Shoeshine
444 =	Codeine, Aspirin with	504 =	Glue, Super
445 =	Forte, Norgesic	504 =	Toluene
445 =	Norgesic Forte	504 =	Shoeshine liquid
446 =	Orvais [sic]	504 =	Rubber cement
447 =	Synalgos	504 =	Super Glue
448 =	Tobutrol [sic]	505 =	Paint solvents other than lacquer thinner

505 = Lacquer thinner	524 = White-Out
505 = Other paint solvents besides lacquer thinner	525 = Butane
505 = Solvents, Paint, other than lacquer thinner	526 = Nail polish
505 = Thinner, Lacquer	526 = Polish, Nail
506 = Amyl nitrite	527 = Phenyl nitrate
506 = Locker room odorizer	527 = Nitrate, Phenyl
506 = Nitrate, Amyl	528 = Can, Whipped-cream
506 = Poppers	528 = Whipped-cream can
506 = Odorizer, Locker room	529 = Balls, Moth
506 = Rush	529 = Moth balls
506 = Room odorizer, Locker	530 = Dilators, Bronchial
507 = Ether	530 = Asthma inhaler
507 = Chloroform	530 = Asthma medication
507 = Anesthetics other than halothane or ether	530 = Bronchial dilators
507 = Halothane	530 = Medication, Asthma
507 = Other anesthetics besides halothane and ether	530 = Inhaler, Asthma
508 = Dentist gas	531 = Candy, Powdered
508 = Oxide, Nitrous	531 = Candy
508 = Nitrous oxide	531 = Powdered candy
508 = Gas, Dentist	532 = PRW [sic]
508 = Whippets	533 = Sealant, Window
509 = Degreasers	533 = Window sealant
509 = Correction fluids	534 = Deodorant
509 = Cleaning fluids	535 = Copies, Rexo [sic]
509 = Fluids, Cleaning	535 = Rexo [sic] copies
509 = Fluids, Correction	536 = Fire Halt
509 = Liquid paper	536 = Halt, Fire
509 = Paper, Liquid	537 = Boat horn
509 = K2R Spot Remover	537 = Horn, Boat
509 = Spot Remover, K2R	538 = Condensed horn
511 = Felt-tip pens	538 = Horn, Condensed
511 = Ink pens	539 = ScotchGard
511 = Pens, Felt-tip	540 = PAM
511 = Markers	541 = Binaca
511 = Pens, Ink	542 = Ammonia, Spirits of
512 = Incense	542 = Spirits of ammonia
513 = Tulio [sic]	543 = Oxygen, Liquid
514 = Carbone [sic]	543 = Liquid oxygen
514 = Carbona [sic]	544 = Gases, Lighter, not specified
515 = Vicks	544 = Lighter gases, not specified
516 = Freon	545 = Car tailpipe exhaust fumes
517 = Tolyol [sic]	545 = Exhaust fumes, Car tailpipe
518 = Acetone	545 = Fumes, Car tailpipe exhaust
518 = Nail polish remover	545 = CO2
518 = Polish remover, Nail	545 = Tailpipe exhaust fumes, Car
518 = Remover, Nail polish	546 = Leather protector
519 = Helium	546 = Protector, Leather
520 = Paint, Old	547 = Propel [sic]
520 = Old paint	548 = Alcohol, Rubbing
521 = Propane	548 = Cologne
522 = (MTV), Liquid TV	548 = Rubbing alcohol
522 = Liquid TV (MTV)	549 = Smarties [sic]
522 = Tuner, TV	550 = Chloride, Methyl
523 = Matches	550 = Methyl chloride

551 =	Cleaner (Spam [sic]), Oven	623 =	Mickey Mousers
551 =	Oven cleaner (Spam [sic])	623 =	Mickey Mouse club
551 =	(Spam [sic]), Oven cleaner	623 =	Mouse club, Mickey
551 =	Spam [sic]	623 =	Mousers, Mickey
552 =	Valo [sic]	624 =	Orange sunshine
553 =	Pixie sticks	624 =	Yellow, sunshine
553 =	Sticks, Pixie	624 =	Sunshine, Yellow
554 =	Raid	624 =	Sunshine, Orange
601 =	Acid	624 =	Sunshine
601 =	Lightning, White	625 =	Pane, Window
601 =	LSD	625 =	Window pane
601 =	White lightning	626 =	Fuel, Jet
602 =	Peyote	626 =	Jet Fuel
603 =	Mescaline	627 =	Hawaiian Woodrow seeds
604 =	Psilocybin	627 =	Woodrow seed, Hawaiian
604 =	Mushrooms	627 =	Seeds, Hawaiian Woodrow
605 =	Angel dust	628 =	Hawaiian rosebud seed tea
605 =	Dust, Angel	628 =	Rosebud seed tea, Hawaiian
605 =	Phencyclidine	628 =	Seed tea, Hawaiian rosebud
605 =	PCP	628 =	Tea, Hawaiian Rosebud seed
606 =	Ecstasy	629 =	Fuel, Rocket
606 =	Extasi [sic]	629 =	Rocket Fuel
606 =	MDMA	630 =	Black Owsley
606 =	X-TC	630 =	Owsley, Black
608 =	Oranges-25 [sic]	631 =	Purple Owsley
609 =	Jimson [sic] weed	631 =	Owsley, Purple
609 =	Weed, Jimson [sic]	632 =	Folifundia [sic]
610 =	Crystal T	633 =	Mr. Natural
611 =	Greens	633 =	Natural, Mr.
612 =	Happy stick	633 =	Mr. Natural
612 =	Stick, Happy	634 =	Unicorn
612 =	Sherm [sic]	635 =	Ginseng seeds
612 =	Shermstick	635 =	Seeds, Ginseng
613 =	Duckweed	636 =	STP
614 =	MDA	637 =	Haze, Purple
615 =	Drugs, Homemade	637 =	Purple haze
615 =	Homemade drugs	638 =	Lovlez [sic]
616 =	DMT	639 =	Nutmeg
617 =	Morning glory seeds	640 =	Pyramid, Purple
617 =	Glory seeds, Morning	641 =	Maze [sic]
617 =	Seeds, Morning glory	642 =	Floyd, Pink
618 =	Blotter (acid)	642 =	Pink Floyd
618 =	(Acid), Blotter	643 =	Queen
618 =	Acid paper	644 =	Pedro, San [Spanish]
618 =	Paper, Acid	644 =	San Pedro [Spanish]
619 =	TIC [sic]	645 =	Thai stick
620 =	Blue dragon	645 =	Stick, Thai
620 =	Dragon, Blue	646 =	Poppy
621 =	Dragon, Red	647 =	Macullen [sic]
621 =	Red dragon	648 =	Drugs, Designer
622 =	Purple microdot	648 =	Designer drugs
622 =	Microdot, Purple	649 =	Tea
622 =	Microdot(s)	650 =	Daytura
623 =	Club, Mickey Mouse	651 =	Mellow Yellow

651 =	Yellow, Mellow	830 =	Mad Bull
702 =	Heroin	831 =	Honey Oil
703 =	Opium	831 =	Oil, Honey
704 =	Dope	832 =	Primo
705 =	Speedball (heroin + cocaine)	833 =	Bone
802 =	Cannabinol	834 =	Loveboat
802 =	THC	835 =	Rotan [sic]
803 =	Marijuana	836 =	Antabuse
803 =	Marijuana	837 =	400, Paris
803 =	Weed	837 =	Paris 400
804 =	Hashish	838 =	Obainedin
805 =	Coke	839 =	Siloquan [sic]
805 =	Cocaine	840 =	Cough medicine (contents not specified)
806 =	Crack	840 =	Medicine, Cough (contents not specified)
806 =	Rock	841 =	Allerest
807 =	Champagne, Pink	842 =	Callipress [sic]
807 =	EtOH	843 =	Cold tablets
807 =	Beer	843 =	Antihistamine
807 =	Alcohol	843 =	Tablets, Cold
807 =	Ethanol	844 =	Blood pressure medication
807 =	Pink champagne	844 =	Medication, Blood pressure
808 =	All of the ones I've tried	844 =	Pressure medication, Blood
809 =	Pills	845 =	ECT [sic]
811 =	Relaxers, Muscle	846 =	Erythromycin
811 =	Muscle relaxers	847 =	GHB [sic]
812 =	Cigars	848 =	Liquid vitamin
813 =	Cigarettes	848 =	Vitamin, Liquid
813 =	Tobacco not specified	849 =	Glutamate (MSG), Monosodium
813 =	Smoking (substance not specified)	849 =	(MSG), Monosodium glutamate
814 =	Caffeine	849 =	Monosodium glutamate (MSG)
815 =	Coffee	851 =	3, Thyrolar- [sic]
816 =	Chewing tobacco	851 =	Thyrolar-3 [sic]
816 =	Smokeless tobacco	852 =	Formaldehyde
816 =	Tobacco, Chewing	852 =	Fluid), Whack (embalming
816 =	Tabacco, Smokeless	852 =	(Embalming fluid), Whack
816 =	Snuff	852 =	Wak [sic]
817 =	Hard stuff	852 =	Whack
817 =	Stuff, Hard	853 =	Funti [sic] leaf
818 =	Nicotine	853 =	Leaf, Funti [sic]
819 =	Inderal	854 =	Juice
820 =	Penicillin	855 =	Oanol [sic]
821 =	Ampicillin	856 =	Roofe [sic]
821 =	Amoxicillin	857 =	Stick, Wicky [sic]
822 =	Rabbit tobacco	857 =	Wicky [sic] stick
822 =	Tobacco, Rabbit	858 =	Antibiotic
823 =	Blast (KJ) [sic]	859 =	Aside [sic]
824 =	Steroids	860 =	Bees [sic]
825 =	Theo-Dur	861 =	Doer [sic]
826 =	Alupent	861 =	Doen [sic]
827 =	Aluminum chloride	862 =	Leaves, Thornapple [sic]
827 =	Chloride, Aluminum	862 =	Thornapple [sic] leaves
828 =	Tetracycline	863 =	Beetlenut
829 =	Robitussin DM		
830 =	Bull, Mad		

APPENDIX E
QUESTIONNAIRES

CIGARETTES

The first questions are about smoking tobacco.

C-1. About how old were you when you first tried a cigarette?

AGE WHEN FIRST TRIED A CIGARETTE ----- []

NEVER TRIED A CIGARETTE IN LIFETIME ----- 991 → (SKIP TO
BOX A,
NEXT PAGE)

C-2. Since that time, have you smoked at least 100 cigarettes in all, in your lifetime? (That's about as many as 5 packs.)

YES ----- 01

NO ----- 02 → (SKIP TO Q.C-6)

C-3. About how old were you when you first started smoking daily?

AGE WHEN FIRST STARTED SMOKING DAILY ----- []

NEVER SMOKED DAILY ----- 993 → (SKIP TO Q.C-6)

C-4. For how many years did you smoke daily?

NUMBER OF YEARS SMOKED DAILY ----- []

SMOKED DAILY LESS THAN 1 YEAR ----- 00

C-5. During the period when you smoked daily, about how many cigarettes did you smoke per day, on the average? (IF NEEDED, READ ANSWER CHOICES.)

One to five cigarettes a day ----- 01

About 1/2 pack a day (6-15 cigarettes) ----- 02

About a pack a day (16-25 cigarettes) ----- 03

About 1 1/2 packs a day (26-35 cigarettes) ----- 04

About 2 packs or more a day (over 35 cigarettes) ----- 05

C-6. When was the most recent time you smoked a cigarette? (IF NEEDED, READ ANSWER CHOICES.)

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago ----- 05

(SKIP TO
BOX A,
NEXT PAGE)

C-7. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day. (IF NEEDED, READ ANSWER CHOICES.)

- Less than one cigarette a day ----- 01
- One to five cigarettes a day ----- 02
- About 1/2 pack a day (6-15 cigarettes) ----- 03
- About a pack a day (16-25 cigarettes) ----- 04
- About 1 1/2 packs a day (26-35 cigarettes) ----- 05
- About 2 packs or more a day (over 35 cigarettes) ----- 06

C-8. For about how many years have you smoked (AMOUNT FROM Q.C-7)? (IF "Less than 1 year," PROBE FOR NUMBER OF MONTHS; RECORD IN LOWER BOXES.)

NUMBER OF YEARS ® HAS SMOKED AMOUNT
 IN Q.C-7 ----- []

(IF "Less than 1 year" RECORD
 NUMBER OF MONTHS HERE) ----- []

A	The next two questions are about smokeless tobacco, such as chewing tobacco or snuff.
---	---

C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

- Within the past month (30 days) ----- 01
 - More than 1 month ago but less than 6 months ago ----- 02
 - 6 or more months ago but less than 1 year ago ----- 03
 - 1 or more years ago but less than 3 years ago ----- 04
 - 3 or more years ago ----- 05
 - NEVER USED SMOKELESS TOBACCO IN LIFETIME ----- 91
- } (SKIP TO
 → NEXT PAGE,
 ALCOHOL)

C-10. On the average, in the past 12 months, how often have you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

- Daily in the past 12 months ----- 01
- Almost daily (3-6 days a week) ----- 02
- 1 or 2 days a week ----- 03
- Several times a month (25-51 days a year) ----- 04
- 1 or 2 times a month (12-24 days a year) ----- 05
- Every other month or so (6-11 days a year) ----- 06
- 3-5 days this past year ----- 07
- 1 or 2 days this past year ----- 08

ALCOHOL--ANSWER SHEET #1

- 1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin, scotch, etc.? Do not include childhood sips that you might have had from an older person's drink. (IF YOU HAVE NEVER HAD A DRINK OF BEER, WINE OR LIQUOR, ONLY CIRCLE THE 991.)

Age when you had your first drink of beer, wine, or liquor ----- []

Never had a drink of beer, wine, or liquor in your life ----- 991

- A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago ----- 05

Never had a drink of beer, wine, or liquor in your life ----- 91

- A-3. About how old were you when you first began to drink beer, wine or liquor once a month or more often?

IF YOU EVER DRANK ALCOHOL MONTHLY, ENTER NUMBER
IN SPACES FOR:

Age when you began to drink alcohol at least once a month ----- []

IF YOU NEVER DRANK ALCOHOL MONTHLY, CIRCLE ONE NUMBER
FOR THE ANSWER THAT BEST FITS YOU:

Used alcohol in your life but never drank alcohol once a month or more often ----- 993

Never had a drink of beer, wine, or liquor in your life ----- 991

THE NEXT FIVE QUESTIONS ARE ABOUT DRINKING ALCOHOL IN THE PAST 30 DAYS.

- A-4. On about how many different days did you have one or more drinks of beer, wine or liquor during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you drank any kind of alcohol in past month ----- []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TURN THE PAGE)

- A-5. About how many drinks of beer, wine or liquor did you usually have in a day on the days that you drank during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Usual number of drinks per day on the days you drank in the past 30 days — []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days — 93

Never had a drink of beer, wine, or liquor in your life — 91

- A-6. On about how many days did you have five or more drinks of beer, wine or liquor on the same occasion during the past 30 days? By "occasion" we mean at the same time or within a couple of hours of each other.

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days in the past 30 days you drank five or more drinks — []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Drank alcohol in past 30 days but did not have five or more drinks on one day — 00

Used alcohol in your life but did not drink any alcohol in the past 30 days — 93

Never had a drink of beer, wine, or liquor in your life — 91

- A-7. What is the most you had to drink on any one day you drank beer, wine or liquor during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Most number of drinks you had in one day in the past 30 days — []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days — 93

Never had a drink of beer, wine, or liquor in your life — 91

- A-8. On how many days did you have this number of drinks of beer, wine or liquor in the past 30 days?
(ANSWER FOR THE AMOUNT YOU RECORDED IN QUESTION A-7 ABOVE.)

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you drank amount in question A-7 in the past 30 days — []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days — 93

Never had a drink of beer, wine, or liquor in your life — 91

(PLEASE GO TO THE NEXT PAGE)

THE NEXT TWO QUESTIONS ARE ABOUT DRINKING ALCOHOL IN THE PAST 12 MONTHS.

A-9. On the average, how often in the past 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?

- Daily in the past 12 months ----- 01
- Almost daily or 3 to 6 days a week ----- 02
- About 1 or 2 days a week ----- 03
- Several times a month (about 25 to 51 days a year) ----- 04
- 1 to 2 times a month (12 to 24 days a year) ----- 05
- Every other month or so (6 to 11 days a year) ----- 06
- 3 to 5 days in the past 12 months ----- 07
- 1 or 2 days in the past 12 months ----- 08
- Used alcohol in your life but did not drink any alcohol in the past 12 months ----- 93
- Never had a drink of beer, wine, or liquor in your life ----- 91

A-10. How many times in the past 12 months have you gotten very high or drunk on alcohol, that is, beer, wine or liquor?

- Daily in the past 12 months ----- 01
- Almost daily or 3 to 6 days a week ----- 02
- About 1 or 2 days a week ----- 03
- Several times a month (about 25 to 51 days a year) ----- 04
- 1 to 2 times a month (12 to 24 days a year) ----- 05
- Every other month or so (6 to 11 days a year) ----- 06
- 3 to 5 days in the past 12 months ----- 07
- 1 or 2 days in the past 12 months ----- 08
- Drank beer, wine, or liquor in past 12 months but did not get very high or drunk ----- 09
- Used alcohol in your life but did not drink any alcohol in the past 12 months ----- 93
- Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TURN TO THE NEXT PAGE)

A-11. On those occasions when you drink alcohol, is it usually beer, wine, or liquor? (PLEASE CIRCLE ONLY ONE ANSWER.)

Beer ----- 02
Wine ----- 03
Liquor ----- 04
It varies ----- 04
Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

NOTICE

Public respondent burden for this collection of information is estimated to average 62 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate, or any other aspect of this collection of information, including suggestions for reducing this burden, to: Public Health Service Reports Clearance Officer, Attn: PRA, Hubert H. Humphrey Building, Room 721B, 200 Independence Avenue, SW, Washington, DC 20201; and to the Paperwork Reduction Project (0930-0110), Office of Management and Budget, Washington, DC 20503.

SEDATIVES--ANSWER SHEET #2

- S-1. Circle the number next to each sedative you have ever taken for nonmedical reasons--on your own, either without your own prescription from a doctor, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

BUTISOL ----- 01	TUINAL ----- 10	CHLORAL HYDRATE ---- 17
BUTICAPS ----- 02	DALMANE ----- 11	PENTOBARBITAL ----- 18
AMYTAL ----- 03	RESTORIL ----- 12	SECOBARBITAL ----- 19
MEBARAL ----- 04	HALCION ----- 13	OTHER (SPECIFY):
PLACIDYL ----- 05	AMOBARBITAL ----- 14	_____ 20
DORIDEN ----- 06	PHENOBARBITAL ----- 15	USED SEDATIVE, DON'T KNOW NAME ---- 21
NOLUDAR ----- 07	METHAQUALONE (including SOPOR, QUAALUDE) ----- 16	
NEMBUTAL ----- 08		
SECONAL ----- 09		

If you have never taken any sedative for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with S-2 below.

91

- S-2. About how old were you the first time you took a sedative for any nonmedical reason?

Age when you first used a sedative for a nonmedical reason -----

- S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

S-4. When was the most recent time you took any sedative for nonmedical reasons?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05

S-5. On the average, how often in the past 12 months have you taken any sedative for nonmedical reasons?

Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Did not use any sedative for a nonmedical reason in the past 12 months ----- 9

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

TRANQUILIZERS--ANSWER SHEET #3

1. Circle the number next to each tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

VALIUM ----- 01	PAXIPAM ----- 10	DIAZEPAM ----- 18
LIBRIUM ----- 02	BUSPAR ----- 11	SK-LYGEN ----- 19
LIMBITROL ----- 03	MILTOWN ----- 12	MEPROBAMATE ----- 20
MENRIUM ----- 04	EQUANIL ----- 13	OTHER (SPECIFY):
SERAX ----- 05	DEPROL ----- 14	_____ 21
TRANXENE ----- 06	VISTARIL ----- 15	USED TRANQUILIZER,
ATTIVAN ----- 07	ATARAX ----- 16	DON'T KNOW NAME --- 22
CENTRAX ----- 08	DURRAX ----- 17	
XANAX ----- 09		

If you have never taken any tranquilizer for nonmedical reasons, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.

91

- T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?

Age when you first used a tranquilizer for a nonmedical reason -----

- T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05

T-5. On the average, how often in the past 12 months have you taken any tranquilizer for nonmedical reasons?

Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Did not use any tranquilizer for a nonmedical reason in the past 12 months ----- 9.

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

STIMULANTS--ANSWER SHEET #4

01

ST-1. Circle the number next to each stimulant you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.

DEXEDRINE ----- 01	PRELUDIN ----- 11	METHEDRINE ----- 21
DEXAMYL ----- 02	IONAMIN ----- 12	METHAMPHETAMINE
ESKATROL ----- 03	FASTIN ----- 13	("speed" or "ice" or
		"crank") ----- 22
BENZEDRINE ----- 04	PONDIMIN ----- 14	OBEDRIN-L.A. ----- 23
BIPHETAMINE ----- 05	VORANIL ----- 15	OTHER (SPECIFY):
DESOXYN ----- 06	SANOREX ----- 16	----- 24
TENUATE ----- 07	MAZANOR ----- 17	USED STIMULANT,
TEPANIL ----- 08	RITALIN ----- 18	DON'T KNOW NAME --- 25
DIDREX ----- 09	CYLERT ----- 19	
PLEGINE ----- 10	DEXTROAMPHETAMINE -- 20	

If you have never taken any stimulant for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with ST-2 below.

91

ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?

Age when you first used a stimulant for a nonmedical reason -----

ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05

ST-5. On the average, how often in the past 12 months have you taken any amphetamine or other stimulant for nonmedical reasons?

Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Did not use any stimulant for a nonmedical reason in the past 12 months ----- 9'

THE NEXT TWO QUESTIONS ARE ABOUT USE OF AMPHETAMINES WITH A NEEDLE.

ST-6. Have you ever used amphetamines with a needle?

Yes ----- 01
No ----- 02

ST-7. When was the most recent time you used amphetamines with a needle?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago but less than 10 years ago ----- 05
10 or more years ago ----- 06
Never used any amphetamine with a needle ----- 93

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

ANALGESICS--ANSWER SHEET #5

AN-1. Circle the number next to each analgesic you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.

DARVON ----- 01	TYLENOL WITH CODEINE ----- 09	ANILERIDINE ----- 16
DOLENE ----- 02		MORPHINE ----- 17
SK-65 ----- 03	PHENAPHEN WITH CODEINE ----- 10	METHADONE ----- 18
WYGESIC ----- 04	TALWIN ----- 11	STADOL ----- 19
LEVO-DROMORAN ----- 05	TALWIN NX ----- 12	OTHER (SPECIFY):
PERCODAN ----- 06	TALACEN ----- 13	----- 20
DEMEROL ----- 07	PROPOXYPHENE ----- 14	USED ANALGESIC, DON'T KNOW NAME ----- 21
DILAUDID ----- 08	CODEINE ----- 15	

If you have never taken any analgesic for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with AN-2 below.

91

AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?

Age when you first used an analgesic for a nonmedical reason -----

AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

AN-4. When was the most recent time you took any analgesic for nonmedical reasons?

- Within the past month (30 days) ----- 01
- More than 1 month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago ----- 05

AN-5. On the average, how often in the past 12 months have you taken any analgesic for nonmedical reasons?

- Daily in the past 12 months ----- 01
- Almost daily or 3 to 6 days a week ----- 02
- About 1 or 2 days a week ----- 03
- Several times a month (about 25 to 51 days a year) ----- 04
- 1 to 2 times a month (12 to 24 days a year) ----- 05
- Every other month or so (6 to 11 days a year) ----- 06
- 3 to 5 days in the past 12 months ----- 07
- 1 or 2 days in the past 12 months ----- 08
- Did not use any analgesic for a nonmedical reason in the past 12 months ----- 9:

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

MARIJUANA AND HASHISH--ANSWER SHEET #6

M-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?

Age when you first had a chance to try marijuana or hashish -----

Never had a chance to try marijuana or hashish in your life ----- 991

M-2. About how old were you the first time you actually used marijuana or hash, even once?

Age when you actually used marijuana or hash the first time -----

Never used marijuana or hashish in your life ----- 991

M-3. About how many times in your life have you used marijuana or hash?

1 or 2 times ----- 01

3 to 5 times ----- 02

6 to 10 times ----- 03

11 to 49 times ----- 04

50 to 99 times ----- 05

100 to 199 times ----- 06

200 or more times ----- 07

Never used marijuana or hashish in your life ----- 91

M-4. When was the most recent time that you used marijuana or hash?

Within the past week (7 days) ----- 01

More than 1 week ago but less than 1 month (30 days) ago ----- 02

1 or more months ago but less than 6 months ago ----- 03

6 or more months ago but less than 1 year ago ----- 04

1 or more years ago but less than 3 years ago ----- 05

3 or more years ago ----- 06

Never used marijuana or hashish in your life ----- 91

(PLEASE TURN THE PAGE)

THE NEXT FIVE QUESTIONS ARE ABOUT MARIJUANA OR HASH USE IN THE PAST 30 DAYS.

M-5. On about how many different days did you use marijuana or hash during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used marijuana or hash in past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana or hash in your life but did not use any in the past 30 days ----- 93

Never used marijuana or hashish in your life ----- 91

M-6. On the days that you used marijuana, about how much did you smoke each day, on the average, during the past 30 days?

IF ANY, ENTER NUMBER(S) IN ONE OR BOTH SPACES FOR:

Average number of marijuana cigarettes or joints per day on the days you used marijuana in the past 30 days -----

Average number of full pipes or bongs per day on the days you used marijuana in the past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana in your life but did not smoke any marijuana in the past 30 days ----- 93

Never used marijuana in your life ----- 91

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

1 to 10 joints (1/2 to 5 grams or up to 1/5 ounce) in the past 30 days ----- 01

11 to 20 joints (5-1/2 to 10 grams or 1/5 to 1/3 ounce) in the past 30 days ----- 02

About 1 ounce (21 to 85 joints or 11 to 42 grams) in the past 30 days ----- 03

About 2 ounces (86 to 145 joints or 43 to 72 grams) in the past 30 days ----- 04

3 to 4 ounces (146 to 255 joints or 73 to 127 grams) in the past 30 days ----- 05

5 to 6 ounces (256 to 370 joints or 128 to 185 grams) in the past 30 days ----- 06

More than 6 ounces in the past 30 days (WRITE IN THE AMOUNT OF MARIJUANA YOU USED DURING THE PAST 30 DAYS, IN OUNCES): ----- 77

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana in your life but did not use any marijuana in the past 30 days ----- 93

Never used marijuana in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

M-8. How did you obtain any marijuana that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED MARIJUANA:

- Bought it from friends, acquaintances or family ----- 01
- Bought it from a dealer ----- 02
- Others shared with me ----- 03
- Given to me ----- 04
- Traded goods for it ----- 05
- Traded services for it ----- 06
- Stole it ----- 07
- Obtained it by trick or fraud ----- 08

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used marijuana in your life but did not use any marijuana in the past 30 days ----- 93
- Never used marijuana in your life ----- 91

M-9. About how much money did all the marijuana you used in the past 30 days cost you? (Do not include money you spent for any marijuana that you sold or gave away.)

- Total cost of marijuana that you used in the past 30 days ----- \$ []
- Did not spend any money on the marijuana you used in the past 30 days ----- 0000
- Used marijuana in your life but did not use any marijuana in the past 30 days ----- 9993
- Never used marijuana in your life ----- 9991

THE NEXT TWO QUESTIONS ARE ABOUT MARIJUANA USE IN THE PAST 12 MONTHS.

M-10. On the average, how often in the past 12 months have you used marijuana?

- Several times a day in the past 12 months ----- 01
- Daily in the past 12 months ----- 02
- Almost daily or 3 to 6 days a week ----- 03
- About 1 or 2 days a week ----- 04
- Several times a month (about 25 to 51 days a year) ----- 05
- 1 to 2 times a month (12 to 24 days a year) ----- 06
- Every other month or so (6 to 11 days a year) ----- 07
- 3 to 5 days in the past 12 months ----- 08
- 1 or 2 days in the past 12 months ----- 09
- Used marijuana in your life but did not use any marijuana in the past 12 months ----- 93
- Never used marijuana in your life ----- 91

(PLEASE TURN TO THE NEXT PAGE)

M-11. Circle the numbers to the right of all the ways you have used marijuana in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

- Smoking marijuana cigarettes or joints ----- (
- Smoking marijuana with a pipe or "bong" ----- 02
- Eating marijuana that's been baked in any kind of food ----- 03
- Chewing marijuana like chewing tobacco ----- 04
- Some other way (PLEASE DESCRIBE): -----
- 05
- Used marijuana in your life but did not use any marijuana in the past 12 months ----- 93
- Never used marijuana in any form in your life ----- 91

M-12. Thinking back over your whole life, has there ever been a period when you used marijuana or hash daily or almost daily for two or more weeks?

- Yes ----- 01
- No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

1. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE NUMBERS FOR ALL THAT APPLY.)

Gasoline or lighter fluids ----- 01

Lighter gases (butane, propane) ----- 02

Spray paints ----- 03

Other aerosol sprays ----- 04

Shoeshine liquid, glue, or toluene ----- 05

Lacquer thinner or other paint solvents ----- 06

Amyl nitrite, "poppers," locker room odorizer, "rush" ----- 07

Halothane, ether, or other anesthetics ----- 08

Nitrous oxide, "whippets" ----- 09

Correction fluids, degreasers, cleaning fluids ----- 10

Other substances you inhaled for kicks or to get high (SPECIFY): _____

_____ 11

Inhaled a substance for kicks or to get high, but you don't know its name ----- 12

Never used an inhalant for kicks or to get high in your life ----- 91

- IN-2. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?

Age when you first sniffed or inhaled one of these substances to get high _____

Never used an inhalant for kicks or to get high in your life ----- 991

- IN-3. About how many times in your life have you used an inhalant for kicks or to get high?

1 or 2 times ----- 01

3 to 5 times ----- 02

6 to 10 times ----- 03

11 to 49 times ----- 04

50 to 99 times ----- 05

100 to 199 times ----- 06

200 or more times ----- 07

Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE TURN THE PAGE)

IN-4. When was the most recent time that you used an inhalant: that is, sniffed or inhaled something for kicks or to get high?

- Within the past week (7 days) ----- 01
More than 1 week ago but less than 1 month (30 days) ago ----- 02
1 or more months ago but less than 6 months ago ----- 03
6 or more months ago but less than 1 year ago ----- 04
1 or more years ago but less than 3 years ago ----- 05
3 or more years ago ----- 06
Never used an inhalant for kicks or to get high in your life ----- 91

THE NEXT TWO QUESTIONS ARE ABOUT USE OF INHALANTS IN THE PAST 30 DAYS.

IN-5. Circle the number to the right of each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)

IF ANY, CIRCLE NUMBERS FOR ALL SUBSTANCES YOU INHALED:

- Gasoline or lighter fluids ----- 01
Lighter gases (butane, propane) ----- 02
Spray paints ----- 03
Other aerosol sprays ----- 04
Shoeshine liquid, glue, or toluene ----- 05
Lacquer thinner or other paint solvents ----- 06
Amyl nitrite, "poppers," locker room odorizer, "rush" ----- 07
Halothane, ether, or other anesthetics ----- 08
Nitrous oxide, "whippets" ----- 09
Correction fluids, degreasers, cleaning fluids ----- 10
Other substances you inhaled for kicks or to get high (SPECIFY): -----
----- 11

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Inhaled something for kicks or to get high in your life but not in the past 30 days ----- 93
Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used an inhalant for kicks/to get high in past 30 days — []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Inhaled something for kicks or to get high in your life but not during the past 30 days ----- 93

Never used an inhalant for kicks or to get high in your life ----- 91

THE NEXT QUESTION IS ABOUT USE OF INHALANTS IN THE PAST 12 MONTHS.

IN-7. On the average, how often in the past 12 months have you sniffed or inhaled any substance for kicks or to get high?

Daily in the past 12 months ----- 01

Almost daily or 3 to 6 days a week ----- 02

About 1 or 2 days a week ----- 03

Several times a month (about 25 to 51 days a year) ----- 04

1 to 2 times a month (12 to 24 days a year) ----- 05

Every other month or so (6 to 11 days a year) ----- 06

3 to 5 days in the past 12 months ----- 07

1 or 2 days in the past 12 months ----- 08

Inhaled something for kicks or to get high in your life but not in the past 12 months --- 93

Never used an inhalant for kicks or to get high in your life ----- 91

IN-8. Have you ever passed out from using any of these inhalants for kicks or to get high?

Yes ----- 01

No ----- 02

Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

COCAINE--ANSWER SHEET #8

THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER, "CRACK," FREE BASE, AND COCA PASTE.

CN-1. About how old were you when you first had a chance to try cocaine, in any form, if you had wanted to?

Age when you first had a chance to try cocaine in any form -----

Never had a chance to try cocaine in any form ----- 991

CN-2. About how old were you the first time you actually used cocaine, in any form, even once?

Age when you first used cocaine in any form -----

Never used cocaine in any form in your life ----- 991

CN-3. About how many times in your life have you used cocaine, in any form?

1 or 2 times ----- 01

3 to 5 times ----- 02

6 to 10 times ----- 03

11 to 49 times ----- 04

50 to 99 times ----- 05

100 to 199 times ----- 06

200 or more times ----- 07

Never used cocaine in any form in your life ----- 91

CN-4. When was the most recent time that you used cocaine, in any form?

Within the past week (7 days) ----- 01

More than 1 week ago but less than 1 month (30 days) ago ----- 02

1 or more months ago but less than 6 months ago ----- 03

6 or more months ago but less than 1 year ago ----- 04

1 or more years ago but less than 3 years ago ----- 05

3 or more years ago ----- 06

Never used cocaine in any form in your life ----- 91

(PLEASE TURN THE PAGE)

THE NEXT FOUR QUESTIONS ARE ABOUT COCAINE USE IN THE PAST 30 DAYS.

CN-5. On about how many different days did you use cocaine during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days when you used cocaine in past 30 days _____

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used cocaine in your life but did not use any cocaine in the past 30 days _____ 93

Never used cocaine in any form in your life _____ 91

CN-6. How many grams of cocaine have you used in the past 30 days?

Used some cocaine, but less than 1/4 gram (about 4 big lines of powder or 1 to 3 rocks of "crack") _____ 01

About 1/4 gram (about 5 to 8 big lines of powder or a vial (4 to 5 rocks) of "crack") _____ 02

About 1/2 gram (about 9 to 16 big lines of powder or 1-1/2 to 3 vials (6 to 12 rocks) of "crack") _____ 03

About 1 gram (about 17 to 36 big lines of powder or 3 to 5 vials (13 to 25 rocks) of "crack") _____ 04

About 2 grams (about 37 to 60 big lines of powder or 6 to 8 vials (26 to 40 rocks) of "crack") _____ 05

About 3 grams (about 61 to 85 big lines of powder or 9 to 12 vials (41 to 60 rocks) of "crack") _____ 06

More than 3 grams in the past 30 days (WRITE IN THE AMOUNT OF COCAINE YOU USED DURING THE PAST 30 DAYS, IN GRAMS): _____ 77

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used cocaine in your life but did not use any cocaine in the past 30 days _____ 93

Never used cocaine in any form in your life _____ 91

(PLEASE GO TO THE NEXT PAGE)

CN-7. How did you obtain any cocaine that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED COCAINE:

- Bought it from friends, acquaintances or family 01
Bought it from a dealer 02
Others shared with me 03
Given to me 04
Traded goods for it 05
Traded services for it 06
Stole it 07
Obtained it by trick or fraud 08

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used cocaine in your life but did not use any cocaine in the past 30 days 93
Never used cocaine in your life 91

CN-8. About how much money did all the cocaine you used in the past 30 days cost you? (Do not include money you spent for any cocaine that you sold or gave away.)

- Total cost of cocaine that you used in the past 30 days \$ [.....]
Did not spend any money on the cocaine you used in the past 30 days 0000
Used cocaine in your life but did not use any cocaine in the past 30 days 9993
Never used cocaine in any form in your life 9991

THE NEXT TWO QUESTIONS ARE ABOUT COCAINE USE IN THE PAST 12 MONTHS.

CN-9. On the average, how often in the past 12 months have you used cocaine, in any form?

- Daily in the past 12 months 01
Almost daily or 3 to 6 days a week 02
About 1 or 2 days a week 03
Several times a month (about 25 to 51 days a year) 04
1 to 2 times a month (12 to 24 days a year) 05
Every other month or so (6 to 11 days a year) 06
3 to 5 days in the past 12 months 07
1 or 2 days in the past 12 months 08
Used cocaine in your life but did not use any cocaine in the past 12 months 93
Never used cocaine in any form in your life 91

(PLEASE TURN THE PAGE)

CN-10. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

- Sniffing through the nose ("snorting") ----- 0
- Swallowing or drinking ----- 02
- Injecting in a muscle or vein with a needle ----- 03
- Smoking or free basing ----- 04
- Some other way (PLEASE DESCRIBE): -----
- 05
- Used cocaine in your life but did not use any cocaine in the past 12 months ----- 93
- Never used cocaine in any form in your life ----- 91

CN-11. When was the most recent time you used cocaine with a needle?

- Within the past month (30 days) ----- 01
- More than 1 month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago but less than 10 years ago ----- 05
- 10 or more years ago ----- 06
- Used cocaine in your life but never with a needle ----- 93
- Never used cocaine in any form in your life ----- 91

CN-12. Thinking back over your whole life, has there ever been a period when you used cocaine, in any form, daily or almost daily for two or more weeks?

- Yes ----- 01
- No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

THE QUESTIONS ON THIS ANSWER SHEET REFER JUST TO "CRACK" (COCAINE IN ROCK OR CHUNK FORM) AND NOT THE OTHER FORMS OF COCAINE.

CK-1. When was the most recent time you used the form of cocaine known as "crack"?

- Within the past week (7 days) ----- 01
- More than 1 week ago but less than 1 month (30 days) ago ----- 02
- 1 or more months ago but less than 6 months ago ----- 03
- 6 or more months ago but less than 1 year ago ----- 04
- 1 or more years ago but less than 3 years ago ----- 05
- 3 or more years ago ----- 06
- Never used "crack" in your life ----- 91

THE NEXT THREE QUESTIONS ARE ABOUT USE OF "CRACK" IN THE PAST 30 DAYS.

CK-2. How many vials or small containers of "crack" have you used in the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of vials or containers of "crack" you used in the
past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used "crack" in your life but did not use any "crack" in the past 30 days ----- 993
- Never used "crack" in your life ----- 991

CK-3. How did you obtain any "crack" that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED "CRACK":

- Bought it from friends, acquaintances or family ----- 01
- Bought it from a dealer ----- 02
- Others shared with me ----- 03
- Given to me ----- 04
- Traded goods for it ----- 05
- Traded services for it ----- 06
- Stole it ----- 07
- Obtained it by trick or fraud ----- 08

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used crack in your life but did not use any crack in the past 30 days ----- 93
- Never used crack in your life ----- 91

(PLEASE TURN THE ANSWER SHEET OVER)

CK-4. About how much money did the "crack" you used in the past 30 days cost you? (Do not include money you spent for any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")

Total cost of "crack" you used in the past 30 days ----- \$

Did not spend any money on the "crack" you used in the past 30 days ----- 0000

Used "crack" in your life but did not use any "crack" in the past 30 days ----- 9993

Never used "crack" in your life ----- 9991

CK-5. Thinking back over your whole life, has there ever been a period when you used "crack" daily or almost daily for two or more weeks?

Yes ----- 01

No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

HALLUCINOGENS--ANSWER SHEET #10

- L-1. Which of the following hallucinogens have you ever used? (PLEASE CIRCLE THE NUMBERS TO THE RIGHT OF ALL YOU HAVE EVER USED, EVEN ONCE.)

LSD ("acid," "white lightning") ----- 01
 Peyote ----- 02
 Mescaline ----- 03
 Psilocybin (mushrooms) ----- 04
 PCP ("angel dust," phencyclidine) ----- 05
 "Ecstasy" (MDMA) ----- 06
 Other hallucinogen (SPECIFY): ----- 07
 Used a hallucinogen, but you don't know its name ----- 08
 Never used any hallucinogen in your life ----- 91

- L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?

Age when you first had a chance to try LSD, PCP, or another hallucinogen ()
 Never had a chance to try LSD, PCP, or another hallucinogen ----- 991

- L-3. About how old were you the first time you actually used LSD or PCP or another hallucinogen?

Age when you first used LSD, PCP, or another hallucinogen ----- ()
 Never used LSD, PCP, or another hallucinogen in your life ----- 991

- L-4. About how many times in your life have you used LSD or PCP or another hallucinogen?

1 or 2 times ----- 01
 3 to 5 times ----- 02
 6 to 10 times ----- 03
 11 to 49 times ----- 04
 50 to 99 times ----- 05
 100 to 199 times ----- 06
 200 or more times ----- 07
 Never used LSD, PCP, or another hallucinogen in your life ----- 91

(PLEASE TURN THE PAGE)

L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?

- Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05
Never used LSD, PCP, or another hallucinogen in your life ----- 91

THE NEXT QUESTION IS ABOUT USE OF HALLUCINOGENS IN THE PAST 30 DAYS.

L-6. On about how many different days did you use LSD or PCP or another hallucinogen during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used LSD, PCP, or another hallucinogen
in past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used LSD, PCP, or another hallucinogen in your life but not in the past 30 days ----- 93
Never used LSD, PCP, or another hallucinogen in your life ----- 5

QUESTION L-7 IS ABOUT USE OF HALLUCINOGENS IN THE PAST 12 MONTHS.

L-7. On the average, how often in the past 12 months have you used LSD or PCP or another hallucinogen?

- Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Used LSD, PCP, or another hallucinogen in your life but not in the past 12 months ----- 93
Never used LSD, PCP, or another hallucinogen in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

THE NEXT QUESTION REFERS TO PCP ONLY.

L-8. When was the most recent time that you used PCP?

- Within the past month (30 days) ----- 01
- More than 1 month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago ----- 05
- Never used PCP in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

H-1. About how old were you when you first had a chance to try heroin if you had wanted to?

Age when you first had a chance to try heroin _____

Never had a chance to try heroin _____ 991

H-2. About how old were you the first time you actually used heroin?

Age when you first used heroin _____

Never used heroin in your life _____ 991

H-3. About how many times in your life have you used heroin?

1 or 2 times _____ 01

3 to 5 times _____ 02

6 to 10 times _____ 03

11 to 49 times _____ 04

50 to 99 times _____ 05

100 to 199 times _____ 06

200 or more times _____ 07

Never used heroin in your life _____ 91

H-4. When was the most recent time that you used heroin?

Within the past month (30 days) _____ 01

More than 1 month ago but less than 6 months ago _____ 02

6 or more months ago but less than 1 year ago _____ 03

1 or more years ago but less than 3 years ago _____ 04

3 or more years ago _____ 05

Never used heroin in your life _____ 91

THE NEXT QUESTION IS ABOUT USE OF HEROIN IN THE PAST 30 DAYS.

H-5. During the past 30 days, on about how many different days did you use heroin?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used heroin in past 30 days _____

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used heroin in your life but did not use any heroin in the past 30 days _____ 93

Never used heroin in your life _____ 91

(PLEASE TURN THE ANSWER SHEET OVER)

THE LAST TWO QUESTIONS ARE ABOUT USE OF HEROIN WITH A NEEDLE.

H-6. Have you ever used heroin with a needle?

Yes, have used heroin with a needle ----- 01
No (have used heroin, but not with a needle) ----- 02
Never used heroin in your life ----- 91

H-7. When was the most recent time you used heroin with a needle?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago but less than 10 years ago ----- 05
10 or more years ago ----- 06
Used heroin in your life but never with a needle ----- 93
Never used heroin in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

<p>ALL QUESTIONS ON THIS ANSWER SHEET REFER TO THE PAST 12 MONTHS.</p>

DR-1. During the past 12 months, for which drugs have you consciously tried to cut down on your use?
(PLEASE CIRCLE ALL THAT APPLY.)

- Cigarenes ----- 01
- Alcohol ----- 02
- Sedatives ----- 03
- Tranquilizers ----- 04
- Stimulants ----- 05
- Analgesics ----- 06
- Marijuana ----- 07
- Inhalants ----- 08
- Cocaine (including "crack") ----- 09
- Hallucinogens ----- 10
- Heroin ----- 11
- Other opiates, morphine, codeine ----- 12
- Did not try to cut down on any drug you used in the past 12 months ----- 13
- Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
- Never used any of the drugs listed above in your life ----- 91

DR-2. During the past 12 months, for which drugs have you been unable to cut down on your use, even though you tried? (PLEASE CIRCLE ALL THAT APPLY.)

- Cigarettes ----- 01
- Alcohol ----- 02
- Sedarives ----- 03
- Tranquilizers ----- 04
- Stimulants ----- 05
- Analgesics ----- 06
- Marijuana ----- 07
- Inhalants ----- 08
- Cocaine (including "crack") ----- 09
- Hallucinogens ----- 10
- Heroin ----- 11
- Other opiates, morphine, codeine ----- 12
- Did not try to cut down on any drug you used in the past 12 months ----- 13
- Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
- Never used any of the drugs listed above in your life ----- 91

(PLEASE TURN THE PAGE)

DR-3. During the past 12 months, for which drugs have you needed larger amounts to get the same effect; that is, for which drugs could you no longer get high on the same amount you used to use? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes -----	01
Alcohol -----	02
Sedatives -----	03
Tranquilizers -----	04
Stimulants -----	05
Analgesics -----	06
Marijuana -----	07
Inhalants -----	08
Cocaine (including "crack") -----	09
Hallucinogens -----	10
Heroin -----	11
Other opiates, morphine, codeine -----	12
Did not need larger amounts of any drug you used in the past 12 months -----	13
Used at least one of the drugs listed above in your life but <u>not</u> in the past 12 months -----	93
Never used any of the drugs listed above in your life -----	91

DR-4. During the past 12 months, which drugs have you used every day or almost daily for 2 or more weeks in a row? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes -----	01
Alcohol -----	02
Sedatives -----	03
Tranquilizers -----	04
Stimulants -----	05
Analgesics -----	06
Marijuana -----	07
Inhalants -----	08
Cocaine (including "crack") -----	09
Hallucinogens -----	10
Heroin -----	11
Other opiates, morphine, codeine -----	12
Used at least one drug in the past 12 months but <u>not</u> as often as every day or almost daily -----	13
Used at least one of the drugs listed above in your life but <u>not</u> in the past 12 months -----	93
Never used any of the drugs listed above in your life -----	9.

(PLEASE GO TO THE NEXT PAGE)

DR-5. Which drugs have you felt that you needed or were dependent on in the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
Alcohol ----- 02
Sedatives ----- 03
Tranquilizers ----- 04
Stimulants ----- 05
Analgesics ----- 06
Marijuana ----- 07
Inhalants ----- 08
Cocaine (including "crack") ----- 09
Hallucinogens ----- 10
Heroin ----- 11
Other opiates, morphine, codeine ----- 12
Did not feel like you had to have any drug you used in the past 12 months ----- 13
Used at least one of the drugs listed above in your life but not in the past 12 months ----- 93
Never used any of the drugs listed above in your life ----- 91

DR-6. For which drugs have you had withdrawal symptoms: that is, you felt sick because you stopped or cut down on your use of them during the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
Alcohol ----- 02
Sedatives ----- 03
Tranquilizers ----- 04
Stimulants ----- 05
Analgesics ----- 06
Marijuana ----- 07
Inhalants ----- 08
Cocaine (including "crack") ----- 09
Hallucinogens ----- 10
Heroin ----- 11
Other opiates, morphine, codeine ----- 12
Did not have withdrawal symptoms from cutting down on any drug you used
in the past 12 months ----- 13
Used at least one of the drugs listed above in your life but not in the past 12 months ----- 93
Never used any of the drugs listed above in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT NONMEDICAL USE OF DRUGS WITH A NEEDLE.

ND-1. Have you ever used a needle to get any drug injected under your skin, into a muscle, or into a vein for nonmedical reasons?

Yes, have used a needle to take a drug ----- 01

No, have never used a needle to take a drug ----- 02

ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago but less than 10 years ago ----- 05

10 or more years ago ----- 06

Never used a needle to take any drug in your life ----- 93

Never used any drug for nonmedical reasons in your life ----- 91

D-3. Circle the number to the right of each kind of drug you have ever used with a needle, for nonmedical reasons. (PLEASE CIRCLE ALL THAT APPLY.)

Sedatives (barbiturates, sleeping pills, Seconal ("downers")) ----- 21

Tranquilizers (antianxiety drugs like Librium and Valium) ----- 22

Stimulants (amphetamines, Preludin ("uppers" or "speed"),
methamphetamine ("crank" or "ice")) ----- 23

Analgesics (pain killers like Darvon, Demerol, Talwin, Talacen) ----- 24

Inhalants (toluene, paint thinner, amyl nitrite, "poppers," ether) ----- 25

Cocaine ----- 26

Hallucinogens like LSD, PCP, peyote, mescaline, "Ecstasy" ----- 27

Heroin ----- 28

Other opiates like morphine, codeine, Percodan ----- 29

Anabolic steroids ----- 30

Never used a needle to take any drug in your life ----- 93

Never used any of the drugs listed above for nonmedical reasons in your life ----- 91

(PLEASE TURN THE ANSWER SHEET OVER)

"SHARING A NEEDLE" MEANS USING A NEEDLE FOR INJECTING DRUGS WHEN YOU KNOW OR SUSPECT THAT THE NEEDLE HAS BEEN USED BY SOMEONE ELSE. IT ALSO MEANS SOMEONE ELSE INJECTING DRUGS WITH A NEEDLE YOU HAVE USED.

ND-4. Have you ever used a needle for injecting drugs when you knew or suspected that the needle had been used by someone else?

Yes, have used a needle after someone else used it ----- 01

No, have not used a needle after someone else used it ----- 02

Never used a needle to take any drug in your life ----- 93

Never used any drug for nonmedical reasons in your life ----- 91

ND-5. Has someone else ever injected drugs with a needle after you used the needle?

Yes, someone used a needle after I used it ----- 01

No, no one has used a needle after I used it ----- 02

Never used a needle to take any drug in your life ----- 93

Never used any drug for nonmedical reasons in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

SP-1. During the past 12 months, have you been required by your employer to take a drug test?

Yes ----- 01

No ----- 02

Did not have a job during past 12 months ----- 03

SP-2. During the past 12 months, did a drug test given to you by your employer indicate the presence of any drug?

Yes ----- 01

No ----- 02

Did not receive test in past 12 months ----- 03

Did not have a job during past 12 months ----- 04

THE NEXT TWO QUESTIONS ARE ABOUT THE SMOKABLE FORM OF METHAMPHETAMINE CALLED "ICE."

SP-3. Have you ever used the smokable form of methamphetamine called "ice"?

Yes ----- 01

No ----- 02

SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice"?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago but less than 10 years ago ----- 05

10 or more years ago ----- 06

Never used the smokable form of methamphetamine ("ice") in your life ----- 01

THE NEXT FOUR QUESTIONS ARE ABOUT USE OF ANABOLIC STEROIDS.

SP-5. About how old were you when you first had a chance to try anabolic steroids if you had wanted to?

Age when you first had a chance to try anabolic steroids ----- []

Never had a chance to try anabolic steroids ----- 991

(PLEASE TURN THE PAGE)

SP-6. About how old were you the first time you actually tried anabolic steroids?

Age when you first tried anabolic steroids _____
Never used anabolic steroids in your life _____ 95

SP-7. About how many times in your life have you used anabolic steroids?

1 or 2 times _____ 01
3 to 5 times _____ 02
6 to 10 times _____ 03
11 to 49 times _____ 04
50 to 99 times _____ 05
100 to 199 times _____ 06
200 or more times _____ 07
Never used anabolic steroids in your life _____ 91

SP-8. When was the most recent time that you used anabolic steroids?

Within the past month (30 days) _____ 01
More than 1 month ago but less than 6 months ago _____ 02
6 or more months ago but less than 1 year ago _____ 03
1 or more years ago but less than 3 years ago _____ 04
3 or more years ago _____ 05
Never used anabolic steroids in your life _____ 91

THE NEXT QUESTION IS ABOUT DRUGS THAT HAVEN'T BEEN MENTIONED BEFORE.

SP-9. Have you used any other illegal drugs in the past 12 months that have not been mentioned in any of the previous questions on these answer sheets? Please write the names of all of these drugs on the lines below. If you have not used any other illegal drugs, write the word "NONE."

(PLEASE GO TO THE NEXT PAGE)

THE NEXT FIVE QUESTIONS ARE ABOUT ENCOUNTERS WITH THE POLICE OR SOMEONE CONNECTED WITH THE COURTS.

- JP-10. Not counting minor traffic violations, have you ever been arrested and booked for breaking a law? (Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.)

Yes _____ 01
No _____ 02

- SP-11. Not counting minor traffic violations, how many times in the past 12 months have you been arrested and booked for breaking a law? (IF NONE, WRITE IN ZERO.)

Number of times arrested and booked in past 12 months _____

- SP-12. Not counting minor traffic violations, in the past 12 months, for what offenses listed below were you arrested and booked? (PLEASE CIRCLE ALL THAT APPLY.)

Larceny or theft _____ 01
Burglary or breaking and entering _____ 02
Aggravated assault _____ 03
Other assault, such as simple assault or battery _____ 04
Motor vehicle theft _____ 05
Robbery _____ 06
Forcible rape _____ 07
Murder, homicide, or nonnegligent manslaughter _____ 08
Arson _____ 09
Driving under the influence _____ 10
Drunkness or other liquor law violation _____ 11
Possession or sale of drugs _____ 12
Prostitution or commercialized sex _____ 13
Other property offenses, such as fraud, possessing stolen goods, vandalism _____ 14
Other offenses (PLEASE SPECIFY): _____ 15
Was not arrested and booked for any offense in the past 12 months _____ 93

- SP-13. Were you on probation at any time in the past 12 months?

Yes _____ 01
No _____ 02

- SP-14. Were you on parole at any time in the past 12 months?

Yes _____ 01
No _____ 02

(PLEASE TURN TO THE NEXT PAGE)

SP-15. This section deals with activities that may be against the law. Read each item, then circle the 01 if you have done the activity in the past 12 months. If you did not do the activity in the past 12 months, circle the 02.

(PLEASE CIRCLE ONE ANSWER NUMBER FOR EVERY QUESTION BELOW.)

- | | | <u>YES</u> | <u>NO</u> |
|----|--|------------|-----------|
| a. | During the <u>past 12 months</u> , have you taken something from a store without paying for it? -- | 01 | 02 |
| b. | During the <u>past 12 months</u> , have you, other than from a store, taken money or property that did not belong to you? ----- | 01 | 02 |
| c. | During the <u>past 12 months</u> , have you purposely damaged or destroyed property that did not belong to you? ----- | 01 | 02 |
| d. | During the <u>past 12 months</u> , have you taken a car that didn't belong to someone in your family without the owner's permission? ----- | 01 | 02 |
| e. | During the <u>past 12 months</u> , have you used a weapon, force, or strong-arm methods to get money or things from a person? ----- | 01 | 02 |
| f. | During the <u>past 12 months</u> , have you broken into a house or building to steal something or just to look around? ----- | 01 | 02 |
| g. | During the <u>past 12 months</u> , have you hit someone or gotten into a physical fight? ----- | 01 | 02 |
| h. | During the <u>past 12 months</u> , have you hurt someone badly enough to need bandages or a doctor? ----- | 01 | 02 |
| i. | During the <u>past 12 months</u> , have you used a knife or gun or some other thing (like a club) to get something from a person? ----- | 01 | 02 |
| j. | During the <u>past 12 months</u> , have you driven any kind of vehicle while you were under the influence of alcohol or illegal drugs? ----- | 01 | 02 |
| k. | During the <u>past 12 months</u> , have you sold any illegal drugs? ----- | 01 | 02 |
| l. | During the <u>past 12 months</u> , have you done anything else that would have gotten you into trouble with the police if they had known about it? ----- | 01 | 02 |

(PLEASE DESCRIBE): _____

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

DRINKING EXPERIENCES--ANSWER SHEET #15

01

DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in the past 12 months, please circle an answer for each statement below. Circle the 01 if you had the experience in the past 12 months, or circle the 02 if you did not have the experience in the past 12 months.

If you did not drink any beer, wine, or liquor in the past 12 months, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, circle an answer number for every statement below.

93

<u>In the past 12 months, ...</u>	<u>YES</u>	<u>NO</u>
a. I felt aggressive or cross while drinking -----	01	02
b. I got into a heated argument while drinking -----	01	02
c. I stayed away from work or school because of a hangover -----	01	02
d. I was high or a little drunk when on the job or at school -----	01	02
e. I lost a job, or nearly lost one, because of drinking -----	01	02
f. My wife/husband or girl/boyfriend told me that I should cut down on my drinking -----	01	02
g. A relative (other than my wife/husband) told me I should cut down on my drinking -----	01	02
h. Friends told me that I should cut down on my drinking -----	01	02
i. I tossed down several drinks pretty fast to get a quicker effect -----	01	02
j. I was afraid I might be an alcoholic or that I might become one -----	01	02
k. I stayed drunk for more than one day at a time -----	01	02
l. Once I started drinking, it was difficult for me to stop before I became completely intoxicated -----	01	02

(PLEASE TURN THE ANSWER SHEET OVER)

In the past 12 months. ...

YES NO

- m. I have awakened unable to remember some of the things I had done
while drinking the day before ----- 01 02
- n. I had a quick drink or so when no one was looking ----- 01 02
- o. I often took a drink the first thing when I got up in the morning ----- 01 02
- p. My hands shook a lot after drinking the day before ----- 01 02
- q. Sometimes I got high or a little drunk when drinking by myself ----- 01 02
- r. Sometimes I kept on drinking after promising myself not to ----- 01 02

DE-2. In the past 12 months, what drugs listed below did you use on your own, that is, nonmedically, at the same time or within a couple hours of when you drank beer, wine, or liquor?
(PLEASE CIRCLE ALL THAT APPLY.)

- Sedatives (barbiturates, sleeping pills, Seconal ("downers")) ----- 01
- Tranquilizers (anxiety drugs like Librium and Valium) ----- 02
- Stimulants (amphetamines, Preludin ("uppers" or "speed")) ----- 03
- Analgesics (pain killers like Darvon, Demerol, Percodan,
Tylenol with codeine) ----- 04
- Marijuana ----- 05
- Inhalants (glue, amyl nitrite, "poppers," aerosol sprays) ----- 06
- Cocaine (including "crack") ----- 07
- Hallucinogens like LSD, PCP, peyote, mescaline ----- 08
- Heroin ----- 09
- Used alcohol but did not use any of these kinds of drugs in the past 12 months at the
same time or within a couple hours of drinking alcohol ----- 10
- Used alcohol in your life but did not drink beer, wine, or
liquor in the past 12 months ----- 93
- Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

DP-1. If you have ever used cigarettes, alcohol, or any of the other substances listed on the card, please circle an answer for each question below. If you had any of these problems in the past 12 months from your use of any of the substances listed on the card, please circle the 01 for "yes" and write in the names of the substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 02.

If you have NEVER used cigarettes, alcohol, or any of the other substances listed on the card **IN YOUR LIFETIME**, circle the 91 in the box to the right. -----▶
Then tell the interviewer that you are finished.
Otherwise, circle an answer number for **EVERY** statement.

91

As a result of drug use at any time in your life,
did you, in the past 12 months ...

WRITE NAMES OF DRUGS THAT CAUSED THE PROBLEM

- | | |
|--|--|
| a. Become depressed or lose interest in things? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |
| b. Have arguments and fights with family or friends? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |
| c. Feel completely alone and isolated? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |
| d. Feel very nervous and anxious? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |
| e. Have health problems? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |
| f. Find it difficult to think clearly? | Yes ----- 01 → Drug(s) that caused problem: _____
No ----- 02 |

(PLEASE TURN THE ANSWER SHEET OVER)

As a result of drug use at any time in your life,
did you, in the past 12 months ...

WRITE NAMES OF DRUGS THAT CAUSED THE PROBLEM

g. Feel irritable and upset?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

h. Get less work done than usual at school
or on the job?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

i. Feel suspicious and distrustful of people?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

j. Find it harder to handle your problems?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

k. Have to get emergency medical help?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

l. Have someone suggest you seek treatment?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

m. Drive unsafely?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

- R-1. During the past 12 months, were you referred to any type of drug treatment through an employee assistance program?
- Yes ----- 01
- No ----- 02
- TR-2. During the past 12 months, have you gone to a clinic, self-help group, counselor, doctor or other professional to get help to stop smoking cigarettes?
- Yes ----- 01
- No ----- 02
- TR-3. During the past 12 months, have you gotten any treatment for drinking--such as from a clinic, self-help group, counselor, doctor or other professional?
- Yes ----- 01
- No ----- 02

IN THE REST OF THE QUESTIONS ON THIS ANSWER SHEET, WE ARE INTERESTED IN TREATMENT FOR USE OF OTHER DRUGS: THAT IS, DRUGS NOT INCLUDING CIGARETTES OR ALCOHOL.

- TR-4. During the past 12 months, have you received treatment for other drug use, not counting cigarettes or alcohol?
- Yes ----- 01
- No ----- 02
- TR-5. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in an emergency room?
- Yes ----- 01
- No ----- 02
- TR-6. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a hospital as an inpatient?
- Yes ----- 01
- No ----- 02

(PLEASE TURN THE PAGE)

- TR-7. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a private doctor's office?
- Yes ----- 01
- No ----- 02
- TR-8. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a drug treatment or rehabilitation facility?
- Yes ----- 01
- No ----- 02
- TR-9. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a mental health center or facility?
- Yes ----- 01
- No ----- 02
- TR-10. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a self-help group?
- Yes ----- 01
- No ----- 01
- TR-11. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in some other place?
- Yes (PLEASE DESCRIBE): ----- 01
- No ----- 02
- TR-12. When was the last time you received treatment or counseling for use of any other drug, not counting cigarettes or alcohol?
- Within the past month ----- 01
- More than one month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago ----- 05
- Never received treatment or counseling for drug use ----- 93

(PLEASE GO TO THE NEXT PAGE)

If you never received treatment or counseling for drug use, circle the 93 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with question TR-13 below.

93

TR-13. Where did you receive treatment the last time you were treated for other drug use, not counting cigarettes or alcohol?

- In an emergency room ----- 01
 In a hospital as an inpatient ----- 02
 In a private doctor's office ----- 03
 In a drug treatment or rehabilitation facility ----- 04
 In a mental health center or facility ----- 05
 In a self-help group ----- 06
 In some other place (PLEASE DESCRIBE
THIS OTHER PLACE) ----- 07

TR-14. How important were each of the following reasons to you for seeking treatment the last time you received treatment or counseling for drug use? (CIRCLE ONE NUMBER FOR EACH REASON.)

VERY IMPORTANT SOMEWHAT IMPORTANT NOT AT ALL IMPORTANT

- a. Wanted to change lifestyle ----- 01 ----- 02 ----- 03
 b. Had family responsibilities ----- 01 ----- 02 ----- 03
 c. Fear of being jailed ----- 01 ----- 02 ----- 03
 d. Drugs were too costly ----- 01 ----- 02 ----- 03
 e. Occurrence of a significant personal or special event ----- 01 ----- 02 ----- 03
 f. Pressure from family (or close friends) ----- 01 ----- 02 ----- 03
 g. Had concerns about health ----- 01 ----- 02 ----- 03
 h. Had concerns about job ----- 01 ----- 02 ----- 03
 i. Sent to jail ----- 01 ----- 02 ----- 03
 j. Availability of services ----- 01 ----- 02 ----- 03
 k. Bad quality of drugs ----- 01 ----- 02 ----- 03
 l. Drugs not available ----- 01 ----- 02 ----- 03
 m. Some other reason ----- 01 ----- 02 ----- 03
 (PLEASE DESCRIBE): ----- 04

(PLEASE TURN TO THE NEXT PAGE)

TR-15. What was the outcome of the treatment or counseling you last received? (PLEASE CIRCLE ONLY THE ONE NUMBER FOR THE BEST ANSWER.)

- Still in treatment ----- (
- Successfully completed treatment ----- 02
- Had a problem with program ----- 03
- Couldn't afford to continue treatment ----- 04
- Family needed me ----- 05
- Began using drug(s) again ----- 06
- Other (PLEASE SPECIFY): ----- 07

TR-16. How was the last treatment or counseling for drug use paid for? (PLEASE CIRCLE ALL THAT APPLY.)

- Health insurance ----- 01
- Your own savings or earnings ----- 02
- Family members paid ----- 03
- Your employer paid ----- 04
- Medicare or Medicaid ----- 05
- Treatment was free ----- 06
- Other (PLEASE DESCRIBE): ----- 07

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

7-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

(If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. **CIRCLE ONE NUMBER ON EACH LINE.**)

How much do people risk harming themselves
physically and in other ways when they ...

NO
RISK

SLIGHT
RISK

MODERATE
RISK

GREAT
RISK

- a. Smoke one or more packs of cigarettes per day? ----- 01 ----- 02 ----- 03 ----- 04
- b. Try marijuana once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- c. Smoke marijuana occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- d. Smoke marijuana regularly? ----- 01 ----- 02 ----- 03 ----- 04
- e. Try PCP once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- f. Use PCP regularly? ----- 01 ----- 02 ----- 03 ----- 04
- g. Try heroin once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- h. Use heroin regularly? ----- 01 ----- 02 ----- 03 ----- 04
- i. Try cocaine once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- j. Use cocaine occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- k. Use cocaine regularly? ----- 01 ----- 02 ----- 03 ----- 04
- l. Use "crack" occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- m. Use anabolic steroids occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- n. Use anabolic steroids regularly? ----- 01 ----- 02 ----- 03 ----- 04

(PLEASE TURN THE ANSWER SHEET OVER)

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

How much do people risk harming themselves physically and in other ways when they ...

NO
RISK

SLIGHT
RISK

MODERATE
RISK

GREAT
RISK

o. Take one or two drinks nearly every day? ----- 01 ----- 02 ----- 03 ----- 04

p. Take four or five drinks nearly every day? ----- 01 ----- 02 ----- 03 ----- 04

q. Have five or more drinks once or twice a week? ----- 01 ----- 02 ----- 03 ----- 04

R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (CIRCLE ONE NUMBER ON EACH LINE.)

How difficult or easy would it be for you to get some ...

PROBABLY
IMPOSSIBLE

VERY
DIFFICULT

FAIRLY
DIFFICULT

FAIRLY
EASY

VERY
EASY

a. Marijuana ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

b. LSD ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

c. PCP ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

d. Cocaine or "crack" ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

e. Heroin ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

R-3. In the past month, has someone approached you to sell you an illegal drug?

Yes ----- 01

No ----- 02

OFTEN

OCCASIONALLY

RARELY

NEVER

R-4. How often do you see people who are drunk or high on drugs in your neighborhood? ----- 01 ----- 02 ----- 03 ----- 04

R-5. How often do you see people selling drugs in your neighborhood? ----- 01 ----- 02 ----- 03 ----- 04

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)