National Household Survey on Drug Abuse, 1994

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

1994-B Data Codebook

Terms of Use

The terms of use for this study can be found at:

http://datafiles.samhsa.gov/terms-use-nid3422

*****Processor Note*****
NHSDA 1994-B:
National Household Survey on Drug Abuse

Processor Note on Version 1

1) Variables ending in ...NEWA, ...NEWB, ...NEWC, and ...NEWD(e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.

2) IRHSGRAD (High School Graduation - Imputation Revised) does not distinguish between respondents aged 12-17 and those 18and older. Accordingly, most respondents aged 12-17 are included in the "No" category.

3) Family and personal income range variables were constructed from two imputation-revised variables that were deleted from the public use data set and codebook to protect confidentiality. Users are advised that the recoded income range variables cannot be replicated from the imputation-revised variables (IRFINC1 and IRPINC1) contained in the public use file.

Processor Note on Version 3

1) Modified value labels and missing values for variable GQTYPE to correct previous errors. The variable CASEID was also added to the dataset.

SAMHSA *Substance Abuse and Mental Health Services Administration*

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE:

Public Release Codebook 1994-B

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

June 1996

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1994-B

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16C-06
Rockville, Maryland 20857

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the National Opinion Research Center, under contract No. 283-95-0002.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

For additional information, the following individual may be contacted:

Janet Greenblatt
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-06
Rockville, MD 20857
(301) 443-7981

TABLE OF CONTENTS

	PAGE
INTRODUCTION AND DESCRIPTION OF THE 1994-B NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-3
Selection of Primary Sampling Units	i-4
Selection of the Second-Stage Sample	i-5
Selection of the Third-Stage Sample	i-6
Selection of the Fourth-Stage Sample	i-7
Weighting Procedures	i-7
SPLIT SAMPLE EVALUATION OF THE NEW NHSDA QUESTIONNAIRE	i-9
Effects of the New NHSDA Questionnaire on Data Quality	i-10
Effects of the New NHSDA Questionnaire on Prevalence Estimates	i-11
Implications of the New Questionnaire for Uses of NHSDA Data	i-11
DATA COLLECTION AND RESPONSE RATES	i-12
CONTENTS AND ORGANIZATION OF THE 1994-B NHSDA PUBLIC USE FILE	i-12
Data File Description	i-12
Variable Naming Conventions	i-13
IMPUTATIONS	i-13
Logical Imputations	i-13
Statistical Imputations	i-14
Standard Code Conventions	i-16
VARIANCE ESTIMATION AND DESIGN EFFECTS	i-17
Statistical Significance of Differences	i-17
Sample Design Effects and Generalized Standard Errors	i-18
Median Design Effects	i-18
Model-Based Prediction	i-19
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES	i-22
ADOLESCENT MENTAL HEALTH VARIABLES	i-22
CONFIDENTIALITY OF DATA	i-22
REFERENCES	i-23
IDENTIFICATION	1
DEMOGRAPHICS	2
HEALTH	6
TOBACCO	7
ALCOHOL -- ANSWER SHEET #2	11
MARIJUANA -- ANSWER SHEET #3	16
COCAINE -- ANSWER SHEET #4	19
"CRACK" COCAINE -- ANSWER SHEET #5	22
HEROIN -- ANSWER SHEET #6	25
HALLUCINOGENS -- ANSWER SHEET #7	28
INHALANTS -- ANSWER SHEET #8	35
ANALGESICS -- ANSWER SHEET #9	42
TRANQUILIZERS -- ANSWER SHEET #10	49
STIMULANTS -- ANSWER SHEET #11	55
SEDATIVES -- ANSWER SHEET #12	62
IMPUTED DEMOGRAPHICS	68
RECENCY OF DRUG USE	72
FREQUENCY OF DRUG USE	76
RECODED DEMOGRAPHICS	80

RECODED DRUG USE 82
SELECTED UNEDITED VARIABLES 91
NON-CORE ANABOLIC STEROIDS -- ANSWER SHEET #13 95
NON-CORE SPECIAL DRUGS -- ANSWER SHEET #14 98
NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #15 104
NON-CORE DRUGS -- ANSWER SHEET #16 112
NON-CORE TREATMENT -- ANSWER SHEET #17 132
NON-CORE SELECTED UNEDITED VARIABLES 149
NON-CORE WORKPLACE ISSUES -- ANSWER SHEET #18 152
NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #19 156
NON-CORE DEMOGRAPHICS 181
NON-CORE HEALTH 198
NON-CORE HEALTH CARE 219
NON-CORE PROXY INFORMATION 221
NON-CORE ACCESS TO CARE 224
NON-CORE HEALTH INSURANCE 230
NON-CORE INCOME 234
NON-CORE IMPUTED DEMOGRAPHICS 243
NON-CORE RECODED DEMOGRAPHICS 248
NON-CORE RECODED DRUG USE 251
NON-CORE RECODED YOUTH CHECKLIST VARIABLES 253
NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES 256
INTERVIEW INFORMATION 260
GEOGRAPHIC 265
SAMPLE WEIGHTING AND ESTIMATION VARIABLES 266
RECODES FOR MAIN FINDINGS 268
MENTAL HEALTH VARIABLES (RECODED) 278
ALPHA INDEX OF LABELS 285
INDEX OF LABELS 310

APPENDICES

APPENDIX A OCCUPATION CODES
APPENDIX B INDUSTRY CODES
APPENDIX C CENSUS REGION/DIVISION/STATE TABLE
APPENDIX D DRUG CODES FOR OPEN-ENDED QUESTIONS
APPENDIX E QUESTIONNAIRE ANSWER SHEETS

TABLE		PAGE
Table 1	Optimal Allocation of Segments Over Strata	i-24
Table 2	Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Total Population aged 12 And Older	i-25
Table 3	Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population aged 12 to 17 Years Old	i-26
Table 4	Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population aged 18 to 25 Years Old	i-27
Table 5	Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population aged 26 to 34 Years Old	i-28
Table 6	Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population 35 and Older	i-29
Table 7	Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-A NHSDA Questionnaire	i-30
Table 8	Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-B NHSDA Questionnaire	i-31
Table 9	Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-A NHSDA Questionnaire	i-32
Table 10	Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-B NHSDA Questionnaire	i-33
Table 11	Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1994-A	i-34
Table 12	Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1994-B	i-35
Table 13	Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1994-A	i-36
Table 14	Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1994-B	i-37

INTRODUCTION AND DESCRIPTION OF THE 1994-B NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 1994-B (new questionnaire) National Household Survey on Drug Abuse (NHSDA) public use file. The 1994-B NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is routinely provided to users on CD-ROM or on an unlabeled 9-track tape with density of 6250 BPI. ***The 1994-A NHSDA public use file should <u>only</u> be used to analyze trend data from the past NHSDA surveys. In order to get drug use prevalence estimates for 1994, <u>only</u> the 1994-B NHSDA public use file should be used***.

For each variable on the 1994-B public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook.

<u>Overview of the NHSDA</u>

The 1994 NHSDA is the fourteenth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993 and 1994. Currently, public use files are available for 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, and 1994-A (old questionnaire) and 1994-B (new questionnaire).

The target population for the 1994 survey is the same as defined for the 1991 1992, and 1993 NHSDAs: the civilian, noninstitutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sampled population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 and 1993 NHSDAs retained these innovations and were also designed to provide quarterly as well as annual estimates.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985 blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these important groups. Since 1988, additional information has also been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985.

In 1994, two questionnaires were used: the old questionnaire which retained all the core questions from the previous surveys, and the new questionnaire in which new questions on access to care and mental health were introduced. Four-fifths of the respondents received the new questionnaire and one-fifth were administered the old questionnaire. The 1994 survey also included a rural supplementary sample to obtain substance abuse prevalence estimates for rural areas in the U.S.

A description of the 1994 survey, including more detailed information on sampling issues, is found in two reports from the study:

> National Household Survey on Drug Abuse: Main Findings 1994. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 96-3085).
>
> National Household Survey on Drug Abuse: Population Estimates 1994. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 95-3063).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys therefore provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of

these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

Survey Methodology

The survey used basically the same multistage area probability sample design that has been employed since the 1988 NHSDA. This design uses a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes would be achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for these subgroups and current smokers age 18-34 were oversampled. To reduce survey costs, the design sampled Hispanics at higher rates in geographic areas where they were most concentrated. Unlike previous NHSDAs in the 1990s, the 1994 NHSDA no longer oversampled particular Metropolitan Statistical Areas (MSAs).

The 1994 NHSDA has one modified and two new sample design features that distinguish it from earlier NHSDAs:

1.) Reuse of 1993 NHSDA sample PSUs and segments. About 93 percent of the sample PSUs of the 1994 NHSDA (117 of 127) are PSUs that were previously surveyed in the 1993 NHSDA. About 83 percent of the sample segments in the 1994 NHSDA (1,707 of 2,060) are segments that were previously sampled in the 1993 NHSDA. In the "overlap segments," i.e., segments surveyed in both 1993 and 1994, the 1994 NHSDA sampled, screened, and listed only households that were not sampled in 1993. The purposes of the overlap of PSUs and segments between 1993 and 1994 were a) to increase the precision of comparisons between the 1993 and 1994 NHSDAs and b) to reduce field costs by eliminating the costs associated with counting and listing dwelling units in the overlap segments.

2.) Split sample design. About four-fifths of total sampled dwelling units in the 1994 NHSDA were randomly assigned to be interviewed using the new 1994 NHSDA questionnaire. The remaining one-fifth were assigned to be interviewed using the 1993 NHSDA questionnaire. The purpose of the split sample design was to compare estimates and the quality of data obtained using the new and old questionnaires.

3.) Rural supplementary sample. To increase the precision of estimates of substance abuse in rural areas, the 1994 survey includes a supplementary sample of about 1,000 interviews from 120 additional rural segments drawn from 10 additional non-MSA counties. This rural oversample was sponsored by the U.S. Department of Agriculture. The 120 rural supplement segments comprise about six percent of total 1994 NHSDA sample segments (120 of 2,060). The split sample design was implemented in the same way in the rural supplement as it was in the main NHSDA sample.

As in previous NHSDAs, the basic sample design of the 1994 NHSDA involved several selection stages: (a) the selection of primary areas (e.g., counties), (b) the selection of subareas (blocks or block groups) within these primary areas, (c) the selection of listing units (housing units or civilian, noninstitutionalized group quarters' units) within these subareas, (d) the selection of age-group-smoking classes within sampled listing units, and (e) the selection of eligible individuals within the sampled age-group-smoking classes. These sampling procedures are described in the following sections. A more complete description of the sample design can be found in the 1994 *Methodological Resource Book (*Office

of Applied Studies, SAMHSA, 1995).

Selection of Primary Sampling Units

In the 1994 NHSDA, 117 of the 127 sample PSUs were the same PSUs (45 certainty PSUs and 72 noncertainty PSUs) that were surveyed in the 1993 NHSDA. These 117 PSUs made up the "main sample." In addition to the main sample, the 1994 NHSDA included a "rural supplement" consisting of 10 additional non-MSA rural PSUs. All sample PSUs in the main sample and rural supplement were selected from a first-stage sampling frame which partitioned the entire land area of the 50 states and the District of Columbia into non-overlapping PSUs. The population of non-overlapping PSUs, from which the sample of 127 PSUs was selected, was defined in terms of counties, groups of counties, and independent cities, using 1990 Census data.

Because of a need for precise estimates for the Hispanic population, 45 of the 117 PSUs in the main sample--PSUs with relatively high concentrations of Hispanics--were selected with certainty. The remaining 72 PSUs in the main sample were selected from the remainder of the country with probabilities proportional to size with minimum replacement. Six of the 45 certainty PSUs were metropolitan areas that were oversampled in the 1993 NHSDA--Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC. However, these six metro areas were *not* oversampled in the 1994 NHSDA.

The 45 Certainty PSUs were constructed from MSAs (or adjoining MSAs) that were large enough to result in a suitable sample size for field purposes. The segments that formed the 45 Certainty PSUs were partitioned into four strata:

- Stratum 1: High-Concentration Hispanic area segments. These segments had 71 percent or more Hispanic dwellings according to the 1990 Census.

- Stratum 2: Moderate-Concentration Hispanic area segments. These segments had between 20 percent and 71 percent Hispanic dwellings according to the 1990 Census.

- Stratum 3: Low-Concentration Hispanic area segments. These segments had less than 20 percent Hispanic dwellings but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census.

- Stratum 4: Low-Hispanic and low-black area segments. These segments had 2 percent or less combined Hispanic and non-Hispanic black population according to the 1990 Census.

A fifth stratum and sixth stratum were created for the residual (noncertainty) portion of the United States:

- Stratum 5: Outside the 45 Certainty PSUs with more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census.

- Stratum 6: Outside the 45 Certainty PSUs with 2 percent or less combined Hispanic and non-Hispanic black population according to the 1990 Census.

An optimal allocation procedure was used to allocate the sample to the six strata listed above. The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic nonblack dwellings would be identified so that these interviews could be proportionally allocated to strata.

The 45 Certainty PSUs contain 79 percent of the Hispanic population in the United States, according to the 1990 Census. They also contain approximately 50 percent of the non-Hispanic blacks and 40 percent of the non-Hispanic nonblacks in the United States. The segments of Stratum 1 have 87.6 percent Hispanic dwellings on average and contain 11.9 percent of the U.S. Hispanic population. The segments of Stratum 2 have 39.4 percent Hispanic dwelling units and contain 19.7 percent of the U.S. Hispanic population. The segments of Strata 3 and 4 have 4.8 percent Hispanic dwelling units and contain 14.5 percent of the U.S. Hispanic population.

The remaining 72 Noncertainty PSUs in the main sample were selected from Strata 4 and 6. Within each of Strata 4 and 6, the Noncertainty PSUs were selected with probabilities proportional to a composite size measure. The composite size measure was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 72 PSUs with probabilities proportional to their composite size measures. The use of a composite size measure ensured 1) roughly equal sample sizes per sample segment (the second-stage unit of selection) and 2) roughly equal probabilities of selecting eligible individuals (the fourth- or final-stage unit of selection) within race/ethnicity, age group, and current smoking status domains.

The same first-stage sampling frame and sampling procedures that were used to select the Noncertainty sample of PSUs in the main sample were the basis for selecting an independent sample of 10 PSUs to comprise the rural supplemental sample of the 1994 NHSDA. The 10 PSUs in the supplement were selected with probabilities proportional to their composite size measures from the rural portion of the sampling frame, i.e., counties in the United States that were not part of a metropolitan area as defined by the 1990 Census.

Selection of the Second-Stage Sample

The precision requirements of the 1994 NHSDA required a total of 2,060 sample segments, 1,940 main study segments and 120 rural supplement segments. Within each sample PSU, Census blocks were grouped by combining adjacent blocks to create non-overlapping area segments that contained at least 90 occupied

dwellings. The sample segment size allocations, based on optimal allocation and the expected precision requirements of individual strata, are given in Table 1 for each stratum. These allocations assumed that about 11.6 interviews would be completed per sample segment. The number of interviews per segment was increased from 9 in 1993 to 11.6 in 1994 to accommodate the requirements of the 1994 split sample design.

To the extent possible, the 1994 NHSDA used the same sample segments that were used in the 1993 NHSDA. Of the 2,060 sample segments, about 83% (1,707 of 2,060) were segments that had previously been surveyed in the 1993 NHSDA. Except for the rural supplement, the six metropolitan areas that were formerly oversampled, and a small number of 1993 segments that had too few unused lists to support the requirements of the 1994 NHSDA, the sample of segments surveyed in the 1994 NHSDA is the same as the sample of segments surveyed in the 1993 NHSDA. Only a subsample of 1993 NHSDA segments from the six formerly oversampled metro areas was needed to meet the precision requirements of the 1994 NHSDA.

The area segments from each stratum of each of the PSUs were selected with probabilities proportional to a size measure. For Strata 1-4 and 5-6, a composite size measure was defined to equal a weighted average of the numbers of Hispanic, non-Hispanic black, and non-Hispanic non-black dwelling units with weights proportional to the desired racial/ethnic sampling rates.

The segment selection procedures for the rural supplementary sample were analogous to the procedures used for the Noncertainty part of the main sample. From the sampling frame of non-MSA/rural segments of the 10 PSUs in the Rural supplement, a sample of 12 segments was selected from each sample PSU with probabilities proportional to the composite size measures of the segments.

Selection of the Third-Stage Sample

Projections indicated that screenings had to be completed for 54,000 dwelling units from the new questionnaire component of the sample in order to identify sufficient dwelling units to yield Hispanic and non-Hispanic black age-domain samples of the desired size. Assuming an average 94 percent screening completion rate and an average 88 percent listing unit eligibility rate implied that approximately 65,000 listings had to be selected for the new questionnaire component of the sample. An additional 16,000 listings were needed for the old questionnaire component of the sample. Thus, the total sample listings from new and old questionnaire components equals about 81,000. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; (c) not a dwelling unit; (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

The selection of dwelling unit listings was performed using systematic sampling. The sampled listings were then sent to the field for screening. Having first determined that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents age 12 and older with their age, smoking status, and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

To achieve the desired split-sample design for comparing the new and old questionnaires, the sample of dwelling units within each sample segment was randomly partitioned into two subsamples: a four-fifths subsample to be interviewed using the new questionnaire and a one-fifth subsample to be interviewed using the old questionnaire.

Selection of the Fourth-Stage Sample

The 1994 NHSDA used basically the same within-dwelling unit sample selection approach that has been applied since the 1988 NHSDA. Following the third-stage sampling, interviewers screened each sampled dwelling unit. Based on the screening, the dwelling was classified according to the race/ethnicity of the head of the dwelling. The interviewers also determined the age-group-smoking composition of members in terms of presence or absence of domain members age 12 to 17, 18 to 34 smoker (i.e., past-month smoker), 18 to 34 nonsmoker, 35 to 49, and 50 and up. Interviewers were provided a mechanism for selecting none, one, or two age-group-smoking domains and, subsequently, one sample person from each selected domain. The age-group-smoking selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. The probabilities of selecting the person within the age-group-smoking domain were based on the number of persons found in the age-smoking group. The majority of cases where two selections were made involved one 12-17-year-old and one adult. In most instances, the involved two adult selections included one smoker and a non-smoker. For more details on the sample design of NHSDA 1994 please see Section 2, 1994 Sample Design Report in the 1994 NHSDA Methodological Resource Book Volume I.

Weighting Procedures

The NHSDA estimates are based on sample survey data rather than on complete data for the population. This means that the data must be weighted to obtain unbiased estimates of drug use in the population represented by the 1994 NHSDA. The "final sampling weight" of the ith respondent, say w_i, can be interpreted as the number of persons in the NHSDA target population that are represented by the ith respondent. The sum of the weights over all respondents estimates the size of the total target population, i.e.,

$$\sum_i w_i = \textit{Size of target population}, \qquad (1)$$

where the summation is over all NHSDA respondents in the 1994 NHSDA.

The "basic sampling weights" for the 1994 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight of that respondent in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of four stagewise sampling probabilities. The probability of selecting respondent i equals the product of 1) the probability of selecting respondent i's PSU, 2) the probability of selecting respondent i's segment given selection of her PSU, 3) the probability of selecting respondent i's dwelling unit given selection of her segment, and 4) the probability of selecting respondent i given selection of her dwelling unit.

To obtain the "final NHSDA weights," the "basic sampling weights" were adjusted to reflect household-level and individual-level nonresponse and further adjusted to ensure consistency with U.S. census population totals. The weight adjustments in the 1994 NHSDA were closely similar to the weight adjustments that were applied in previous NHSDAs. The principal difference is that, in the 1994 NHSDA, the weight adjustments were implemented independently between individuals who were interviewed using the old and new questionnaires. The independent adjustments ensure that, for each subclass defined by

variables used in the weight adjustments, the sum of weights computed using the subsample interviewed using the old questionnaire equals the corresponding sum of weights computed using the subsample interviewed using the new questionnaire.

The adjustments that were made to the basic sampling weights, independently for new questionnaire and old questionnaire respondents, were as follows:

Adjustment 1. Adjustment for dwelling unit nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. As in the 1991 through 1993 NHSDAs, sample weights were adjusted for this type of nonresponse using a logistic regression model. This procedure uses logistic regression to model the expected value of a zero-one response indicator given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). The potential predictor variables were based on 1990 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, median rent, region, and metropolitan status. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

Adjustment 2. Person weight trimming adjustment. In order to minimize the effect of extreme weights on estimated variances, the largest person-level weights were truncated or "trimmed." The distributions of person-level weights were examined within classes defined by strata, race/ethnicity, and age/smoking group to determine if there was a need for truncation of very large weights. When there appeared to be a need for truncation, an upper limit was established for that class. The weights were then truncated and smoothed.

Adjustment 3. Person nonresponse/roster adjustment. This adjustment was designed to adjust for both 1) bias associated with nonresponse to the interview and 2) sampling error associated with subsampling persons within responding dwellings. The adjustment was based on an exponential regression model subjected to a generalized raking procedure. The contribution from the roster adjustment was small relative to the nonresponse adjustment contribution in the combined adjustment factor. By incorporating both adjustments into one factor, greater precision was achieved in the final survey estimates than if just a nonresponse adjustment had been performed.

Adjustment 4. Post-stratification to ensure consistency with Bureau of the Census projections. This adjustment was designed to ensure consistency between the sums of weights within specified demographic subgroups to equal U.S. Bureau of the Census projections of the civilian, noninstitutionalized populations of these subgroups. The post-stratification totals were obtained from the National Estimates and Projections Branch of the U.S. Bureau of the Census and were classified by age group, sex, race, and Hispanic origin. The samples from each quarter were post-stratified to one-fourth of the projected population totals. These totals represent the population at the midpoint of each quarter's data collection period. The resulting sample weights, summed across all four quarters, equal the average of the four quarter-specific projections. The final analysis weight can be regarded as the number of population members that each respondent represents.

As in the 1993 NHSDA, the population totals that were used to post-stratify the 1994 NHSDA were based on projections derived from 1990 Census population counts, while the population totals used to post-stratify the 1992 and earlier NHSDAs were based on projections derived from 1980 Census counts. This

change in the source of population totals used in post-stratification caused some small changes in the distribution of weights by age, race, ethnicity, and gender. However, the effect of changing to the 1990 Census on estimated rates of drug use was inconsequential (see Table D.2 of Office of Applied Studies, SAMHSA Main Findings 1993.)

Split Sample Evaluation of the New NHSDA Questionnaire

The 1994 NHSDA introduced a new questionnaire designed to facilitate respondent cooperation, enhance the clarity of questions, improve the accuracy of responses, and increase the reliability of measurements of drug use across survey years. The major questionnaire changes are the following:

- A new "core" self-administered answer sheet is now used for measuring the use of each drug. The wording of questions is now consistent across different core answer sheets, and each new core answer sheet includes fewer questions than were used in the corresponding answer sheet of the old questionnaire. The new "core" questionnaire design makes it possible to add questions on emerging policy and research topics while maintaining consistency over time in basic measures of drug use.

- All questions about drug and alcohol use, including questions about tobacco use (i.e., cigarettes and smokeless tobacco), are now asked using a self-administered answer sheet. In prior survey years, the questions about tobacco use, unlike other questions about drug and alcohol use, were interviewer-administered.

- Some questions have been reworded to eliminate vague terms. For example, respondents are now asked whether they use a specific drug "once a month" instead of whether they use the drug "occasionally."

- Nonmedical use of prescription-type psychotherapeutic drugs (analgesics, tranquilizers, stimulants, and sedatives) is now defined as the use of psychotherapeutics "when it was <u>not</u> prescribed for you, or only for the experience or feeling it caused." In the old questionnaire, nonmedical use was defined as use "on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them."

- A calendar is now used in the interview process to help respondents identify the beginning dates of their past-30-day and past-12-month reference periods.

- Respondents now indicate their answers by checking boxes, a procedure that is easier and less error-prone than the old procedure of circling numbers to indicate answers.

- The list of questions to be answered is now shorter for many respondents. For example, respondents are not asked to answer detailed questions about needle use if they report never having injected a drug for nonmedical reasons.

- As part of the change to a new questionnaire, the procedures for editing the data changed as well. A new editing procedure was adopted in which all possible reports of use (and nonuse) within each drug's core answer sheet are taken into account in determining whether the respondent is a drug user.

To evaluate the effects on estimates and data quality of the new questionnaire, the 1994 NHSDA was designed as a split sample experiment. Approximately four-fifths of the sample was administered the new questionnaire (final sample size of 17,809 respondents), and one-fifth was administered the old questionnaire (final sample size of 4,372 respondents). Data from the old questionnaire serve as a criterion against which to gauge the effects on estimates and data quality of the new questionnaire. Data from the old questionnaire also serve as a point of reference for measuring trends in drug use between 1994 and years prior to 1994.

SAMHSA carried out two evaluations comparing 1994 NHSDA data collected using the new questionnaire with 1994 NHSDA data collected using the old questionnaire. The first evaluation examined the effects of questionnaire on *data quality*, specifically, on item nonresponse (i.e., rates of missing data for specific questionnaire items), the effects of editing, and inconsistencies between responses to different items of the same questionnaire. The second evaluation examined the effects of questionnaire on *prevalence estimates*, specifically, on estimates of the percents of the population using drugs and alcohol and the percents perceiving risk in the use of drugs and alcohol. The evaluation results are discussed in detail in Office of Applied Studies, SAMHSA (1996). The next two sections summarize the principal findings. The final section discusses the implications of the new NHSDA questionnaire for uses of NHSDA data.

Effects of the New NHSDA Questionnaire on Data Quality

- Item nonresponse rates were very low for most items on both the new and old questionnaires. For example, fewer than 1.5% of respondents to both questionnaires had missing data for questions on the recency of use of different drugs. Missing data rates for both questionnaires were less than 0.5% for questions on the recency of use of cigarettes, alcohol, marijuana, cocaine, crack, and heroin.

- For both questionnaires, the application of questionnaire editing rules, which use responses from related questions to replace missing data with nonmissing values whenever possible, virtually eliminated item nonresponse to the drug use recency questions.

- For the new questionnaire, editing generally reduced missing data rates for core questions on illicit drug use, including age at first use, frequency of use during the past year, and days of use during the past 30 days. For the old questionnaire, editing did not always produce this favorable result.

- Editing of new questionnaire data on frequency of drug use in the past year reduced item nonresponse substantially more than editing of analogous old questionnaire data. This reduction in missing data for almost all drugs on the frequency-of-use question represents a substantial data quality improvement attributable to the new questionnaire.

- Rates of inconsistent reporting, i.e., conflicting answers to different items, were lower for the new questionnaire than for the old questionnaire. However, this apparent data quality improvement may be largely due to the fact that the new questionnaire asked fewer questions about each drug than the old questionnaire, thus providing fewer opportunities for inconsistent reports to arise.

- Interview completion rates in 1994 were similar for the old and new questionnaires, about 76.5% and 78.2%, respectively. Thus, the new questionnaire did not appear to affect interview completion.

Effects of the New NHSDA Questionnaire on Prevalence Estimates

- Estimates of illicit drug use based on the new questionnaire tend to be *lower* than those based on the old questionnaire. For example, after editing, 34.8% of persons aged 12 or older reported illicit drug use in their lifetimes according to the new questionnaire, as compared with 37.6% according to the old questionnaire.

- Estimates of alcohol use, cigarette use, and smokeless tobacco use based on the new questionnaire tend to be *higher* than those based on the old questionnaire. For example, 31.7% of persons aged 12 or older reported cigarette use in the past year according to the new questionnaire, as compared with 28.1% according to the old questionnaire.

- Differences in prevalence estimates between the new and old questionnaires appear to be largely due to changes in the editing rules rather than to changes in the original responses given by respondents. Editing had a greater effect on data from the old questionnaire, because the old questionnaire asked more questions about each drug, allowing more opportunities for editing based on related questions.

- Both before editing and after editing, estimates of cigarette and smokeless tobacco use based on the new questionnaire are *higher* than those based on the old questionnaire, especially among persons aged 12 to 17. This change may be due to the introduction of self-administered answer sheets for tobacco use.

- The evaluation of estimated percents of the population perceiving "great risk" in the use of particular drugs produced mixed results, with the new questionnaire yielding higher estimates of perceived risk for some drugs (cigarettes, alcohol, and anabolic steroids) and the old questionnaire yielding generally higher estimates for other drugs (marijuana, cocaine, PCP, and heroin. These changes in the estimated levels of perceived risk of different drugs may be due to the introduction of more specific language in the new questionnaire, such as the substitution of "using [a specific drug] once or twice a week" for "using [a specific drug] regularly" and the substitution of “using [a specific drug] once a month” for “using [a specific drug] occasionally.

Implications of the New Questionnaire for Uses of NHSDA Data

On balance, the new questionnaire produces higher quality and more accurate data. Thus, most users of NHSDA data will benefit from the change to the new questionnaire. However, because of the differences in prevalence estimates between the new and old questionnaires, trend analyses comparing NHSDA data collected before 1994 (old questionnaire) with NHSDA data collected after 1994 (new questionnaire) will need to be sensitive to the possibility that some part of any apparent trend in an estimate might be due to the use of a different questionnaire. For example, a future analysis might show that NHSDA estimates of cigarette use among persons aged 12 to 17 are higher in the late 1990s than in the early 1990s. Such an apparent change could be due in large part to the introduction of a self-administered answer sheet for cigarette use in 1994, rather than to a true change in cigarette use. SAMHSA is developing adjustments to trend analyses to take into account the change from the old to the new questionnaire.

Tables 2 through 6 present differences in drug use prevalence estimates between the 1994 old questionnaire data (1994-A) and the 1994 new questionnaire data (1994-B). Tables 2, 3, 4, 5, and 6 present the estimated differences for total persons aged 12 and older, persons aged 12 to 17, persons aged 18 to 25, persons aged 26 to 34, and persons aged 35 and older, respectively. These tables can serve as rough guides to the magnitudes of adjustments that will need to be made to trend analyses to take into account the effects of the new NHSDA questionnaire.

Data Collection and Response Rates

The fieldwork for the 1994 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). A total of 4,372 completed interviews was obtained for the 1994-A (old questionnaire) survey and 17,809 obtained for the 1994-B (new questionnaire) survey. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 78.2% for the 1994-B (new questionnaire) survey. Of the 17,809 completed interviews, 9,093 were with whites and other (i.e., non-Hispanic, nonblacks), 4,010 were with non-Hispanic blacks, and 4,706 were with Hispanics. These completed interviews represented a 85.3% completion rate for screening sample households and an 93.8% rate for screening eligible households. The response rates for these three racial/ethnic groups were 76.7% for whites and others, 79% for blacks, and 80.4% for Hispanics.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Contents and Organization of the 1994-B NHSDA Public Use File

Data File Description

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is provided on either CD-ROM or on an unlabeled nine-track tape at 6250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Internal SAS name	NHSDA94B
SAS version	6.10
Number of observations	17,809
Number of variables	1,269

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file. These variables contain missing data; see the section on "Standard Code Conventions" below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file. These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1994 (DHHS Publication No. (SMA) 96-3085) or other SAMHSA reports should use 1994-A imputation-revised variables for trends only otherwise use the 1994-B NHSDA imputed data for prevalence estimates rather than raw data from the questionnaire or drug answer sheets.

Many of the remaining variables in the 1994-B file are recoded or logically imputed variables created for the prevalence section of the National Household Survey on Drug Abuse: Main Findings 1994. These variables include recodes of questionnaire and imputation revised drug variables, and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems, symptoms of dependency and negative drinking experiences.

Variables containing the original responses to recency-of-use questions are presented in a section called "Unedited Recencies." These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, 1991, 1992 and 1993 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

Imputations

Logical Imputations

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with nonmissing values. The two different imputation procedures used are distinguished in this codebook by the code-value descriptive phrases "... LOGICALLY IMPUTED" and "... imputed" or by the designation "IMPUTATION-REVISED" in the variable label.

Logical imputation was carried out in the earliest stage of editing for the original recency-of-use variables. This procedure involved checking, for each recency-of use variable, other variables in the same answer sheet only that could yield evidence of use of that specific subject drug or class of drugs. Then the

most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase "... LOGICALLY IMPUTED" in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the same answer sheet, a code value of 91 (Never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, GNNDLREC, STERREC, NEEDLREC, and NDL90RC2.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Following logical imputation, any remaining missing data for recency-of-use variables, for the frequency-of-use-in-past-12-months variables (other than alcohol, marijuana, and cocaine) for age, race, and Hispanic-origin variables, marital status, work status, education, high school graduate and health insurance were imputed by using a technique known as hot-deck imputation (using various sorts and classing variables). The income variables, as well as the alcohol, marijuana, and cocaine frequency-of-use-in-past-12months variables, were imputed using regression based methods. Variables in this database for which the imputation procedures were implemented may be identified by the designation "IMPUTATION-REVISED" in the variable label and their variable names begin with the letters IR. In addition, for each imputation-revised variable, there is an "IMPUTATION INDICATOR" variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed.

Results published in the 1994 NHSDA Population Estimates report were generated using variables (or their derivatives) that were derived by means of logical imputation and/or hot-deck imputation methods described above. The imputation-revised and resultant recode variables used in that document are documented at the end of the codebook. The 1994 NHSDA Population Estimates reported results based on these and additional imputation-revised variables.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Statistical Imputations

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest. When forming population estimates, often statistical imputations will reduce the bias

associated with the estimate. For example, data with missing responses which are not statistically imputed, will produce estimates of totals which will necessarily be underestimated and consequently biased since the total population will not be accounted for in the estimates. Also the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from these data, but depending on the type of analyses being done, the statistical imputation should help reduce the bias.

For analyses of relationships involving multiple data items, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best.

Variables in the data base that had one or more cases statistically imputed are identified by the designation "IMPUTATION-REVISED" in the variable label. The names of all such variables begin with the letters "IR" (e.g. IRRACE). For each imputation-revised variable, there is a corresponding imputation indicator variable which indicates whether a case's value on the variable resulted from the interview response, a logical imputation, or a statistical imputation. Typically, the names of imputation indicator variables begin with the letters "II" (e.g. IIRACE). In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past year frequency-of-use items, age, race, sex, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health insurance and the personal and family income items.

In the 1994 NHSDA, imputations for all imputation-revised variables, except for 1) the alcohol, marijuana, and cocaine frequency-of-use variables and 2) the personal earnings and family income variables, were constructed using a technique known as "hot deck imputation." The first step in this procedure was to sort the data file with a progressive sorting series using data on recency of use of alcohol, marijuana, cocaine, age, sex, Hispanic origin, and race. The second step of the hot deck imputation procedure was to replace the missing item(s) on a particular record by the last encountered nonmissing response from an adjacent record on the sorted database. The hot deck imputation procedure was appropriate for the recency-of-use variables because the levels of item nonresponse of these variables were low.

Missing data for all frequency-of-use variables and personal and family income variables were statistically imputed using a regression-based method of imputation. This imputation procedure involves estimating a logistic regression model using item respondent data. The explanatory variables used in these models included recency of use (four levels) of alcohol, marijuana, and cocaine, age, sex, Hispanic origin, and race. After the model parameters were estimated, the resulting model was used to predict a categorical response for each frequency-of-use item nonrespondent. The model-based imputation procedure was appropriate for two reasons: (a) the level of nonresponse to these questions was larger than observed for the recency-of-use items; and (b) the model-based imputation procedure allows a greater number of statistically significant explanatory variables to affect an imputed response than is possible with the hot deck method.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

91 or 991 or 9991, etc.	=	Never used the substance
92 or 992 or 9992, etc.	=	Response illegible
93 or 993 or 9993, etc.	=	Did not use drug under conditions in the question (e.g., during time period)
94 or 994 or 9994, etc.	=	Don't know
95 or 995 or 9995, etc.	=	Bad data (usually, inconsistent with other data)
96 or 996 or 9996, etc.	=	Multiple response
97 or 997 or 9997, etc.	=	Refusal
98 or 998 or 9998, etc.	=	Blank (not answered)
99 or 999 or 9999, etc.	=	Legitimate skip

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

81 or 981 or 9981, etc.	=	Never used the substance LOGICALLY ASSIGNED
83 or 983 or 9983, etc.	=	Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED
85 or 985 or 9985, etc.	=	Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED

Variables from the SPECIAL DRUGS, DRUGS, and TREATMENT answer sheets were not edited to be made consistent with any drug recency-of-use variables. However, editing was conducted to ensure consistency within each of these answer sheets' own set of variables. It should be noted that, as a result of not editing across answer sheets drug-use variables from the SPECIAL DRUGS, DRUGS, and TREATMENT answer sheets may be inconsistent with the edited recency-of-use variables. In this codebook, variables from these 3 answer sheets that might be inconsistent with a drug's recency-of-use variable are denoted with an asterisk (*) at the beginning of the variable label.

Variance Estimation and Design Effects

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. In the Main Findings 1994 report, comparisons were made between estimates in the 1993 NHSDA and the 1994-A subsample and between estimates within the 1994-B subsamples. The significance of observed differences is reported at the 0.05, 0.01, and 0.001 levels. However, the reader may wish to compare prevalence estimates from two groups for which the significance of the difference is not reported.

To compare the prevalence of drug use for 1993 versus 1994-A, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{|p1 - p2|}{\sqrt{var(p1) + var(p2) - 2cov(p1,p2)}}$$

where

p1 = 1993 estimated proportion

var(p1) = 1993 variance estimate for p1

p2 = 1994-A estimated proportion

var(p2) = 1994-A variance estimate of p2

cov(p1,p2) = covariance between p1 and p2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). The covariance term, equal to -2cov(p1,p2), in the denominator of the test statistic is included because 117 of the 127 primary sampling units that were used in the 1994 NHSDA were the same primary sampling units that were used in the 1993 NHSDA, and because more segments selected for 1993 were reused in 1994.

For comparing prevalence estimates within the same subsample, 1994-A or 1994-B, the same Z statistic quoted above can be used. In within-subsample comparisons, the covariance term, equal to -2 cov(p1,p2), represents the dependence between observations due to the use of cluster sampling. Since cov(p1,p2) is generally positive, tests that omitted the covariance term would be slightly conservative. That is, tests assuming independent samples generally yield test statistics that are too small and understate the

statistical significance of differences between 1993 and 1994-A or between prevalence estimates within the same subsample. Since the dependence between 1993 and 1994-A occurred only at the PSU and segment levels, the magnitude of any such bias in comparisons of 1993 and 1994-A is likely to be small.

Sample Design Effects and Generalized Standard Errors

This section describes methods for approximating sampling variability by computing generalized standard errors. (The standard error estimate is the square root of the variance estimate.) Correct variance estimates must take into account the complex features of the NHSDA sample design, such as the unequal selection probabilities of sample respondents, stratification, and clustering.

The best variance estimation approach is to use commercially available variance estimation software packages together with three sample design variables that are included on the public use file: VESTR (sample stratum), VEREP (replicate within stratum), and ANALWT (analysis weight). Wolter (1985) provides a review of the known quality and capabilities of many such software packages, a discussion of the statistical methods used by the packages, and purchasing information. Most of these packages, including SUDAAN (Shah, et al., 1994), compute variance estimates for means, percentages, and other statistics based on a first-order Taylor Series approximation of the deviations of estimates from their expected values. The variance estimates calculated in this way are approximately unbiased for sufficiently large sample sizes. Estimated standard errors have already been computed for many parameter estimates appearing in 1994 NHSDA Main Findings and are available from the Office of Applied Studies (OAS) upon request.

A less accurate approach to variance estimation is to use the approximate standard error estimates that are provided in this section. These approximations are designed for situations when commercially available variance estimation software packages are not available. Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the standard error estimates available from OAS or those obtained by using a variance estimation software package are described below.

Median Design Effects

The design effect is the ratio of the design-based variance estimate divided by the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

However, as discussed earlier, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

For both 1994-A and 1994-B, the median design effects were based on estimates from:

- ***15 illicit drug use categories:*** any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; anabolic steroids;
- ***3 licit drug use categories:*** cigarettes; alcohol; and smokeless tobacco; and
- ***3 recency-of-use categories:*** ever used; used in past year; used in past month.

For each specified domain within each of 1994-A and 1994-B, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age by sex, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Tables 7 (1994-A) and 8 (1994-B) contain the median design effects for the illicit drugs, and Tables 9 (1994-A) and 10 (1994-B) contain the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain of 1994-A or 1994-B as follows:

$$var(p_d)_{appx} = DEFF_{d,MED} * [p_d(1-p_d)/n_d] \qquad \text{(C-1)}$$

where

p_d =estimated proportion for domain d

n_d =sample size for domain d

$DEFF_{d,MED}$ =median design effect for domain d .

The approximate standard error estimate for p_d, $SE(p_d)_{appx}$, is simply the square root of $var(p_d)_{appx}$.

<u>Model-Based Prediction</u>

When a median design effect for a domain under investigation is not listed in Tables 7 and 9 (1994-A), or in Tables 8 and 10 (1994-B), an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect is the basis for the regression model:

$$DEFF(p) = var(p)/[p(1-p)/n]$$

where

var(p) = design-based variance estimate of p

[p(1-p)/n] = simple random sample variance estimate of p .

Taking the log (base 10) of both sides of the above equation leads to the following log-linear model:

$$\log[DEFF(p)] = \beta_0 + \beta_1 \log(p) + \beta_2 \log(1-p) + \beta_3 \log(n)$$

where

$\beta_0, \beta_1, \beta_2, \beta_3$ = regression coefficients for the intercept, log(p), log(1-p), and log(n), respectively.

Separate models were fit for the licit and illicit drug use estimates for each of 1994-A and 1994-B. The design effects used to calculate the medians in Tables 7 and 9 were used to fit the licit and illicit drug use models for 1994-A, and the design effects used to calculate the medians in Tables 8 and 10 were used as data to fit these two models for 1994-B.

By substituting the fitted model into the definition of the design effect, a prediction equation for the approximate standard error is obtained:

$$SE_i\ (p)_{appx} = \frac{10^{(b_{0i}/2)} * p^{(1+b_{1i})/2} * (1-p)^{(1+b_{2i})/2}}{n^{(1-b_{3i})/2}}$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, log(p), log(1-p), and log(n), respectively.

The index-i indicates whether the standard error approximation is for a licit drug or illicit drug prevalence estimate and whether the approximation is for 1994-A or 1994-B.

After solving for the regression coefficients, the above approximation reduces to the following four prediction equations:

$$SE(p_{illegal,1994-A})_{appx} = \frac{0.9973 * p^{(0.5911)} * (1-p)^{(0.6274)}}{n^{(0.4116)}}. \qquad \text{(C-2)}$$

and

$$SE(p_{legal,1994-A})_{appx} = \frac{0.9143 * p^{(0.5569)} * (1-p)^{(0.5667)}}{n^{(0.3853)}}. \qquad \text{(C-3)}$$

$$SE(p_{illegal,1994-B})_{appx} = \frac{1.0548 * p^{(0.5640)} * (1-p)^{(0.5903)}}{n^{(0.4506)}}. \qquad \text{(C-4)}$$

$$SE(p_{legal,1994-B})_{appx} = \frac{0.8552 * p^{(0.5202)} * (1-p)^{(0.5185)}}{n^{(0.3853)}}. \qquad \text{(C-5)}$$

Tables 11 and 13 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 4,372) for 1994-A, predicted from Equations (C-2) and (C-3). Tables 12 and 14 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 17,809) for 1994-B, predicted from Equations (C-4) and (C-5). The generalized standard errors in the shaded areas of these tables correspond to estimated percentages that would not meet the precision requirement.

In summary, the user may obtain 1994-A and 1994-B NHSDA standard error estimates from the following recommended order of sources:

1. Commercially available variance estimation software packages such as SUDAAN, otherwise.

2. Standard errors from this or other 1994 NHSDA reports (obtainable upon request from the OAS at SAMHSA); otherwise,

3. Median domain design effects appearing in Tables 7, 8, 9 and 10 and application of Equation (C-1); otherwise,

4. Model-based prediction, using Equations (C-2) and (C-3) for 1994-A and Equations (C-4) and (C-5) for 1994-B or Tables 11 and 13 (1994-A) and 12 and 14 (1994-B) for national or regional estimates.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1994 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the sample weighting procedures and the sample weight components may be found in the Sample Design Report for the 1994 NHSDA, available from OAS.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages such as SUDAAN or any other.

Adolescent Mental Health Variables

The 1994-B NHSDA public use file includes a number of adolescent mental health recodes that were created using a battery of 100 items (see Non-Core Youth Checklist, page 156) from the Youth Self-Report (YSR), a checklist developed by Achenbach (1991) which has been used extensively in studies of adolescents age 11 to 18. YSR items have been used by Achenbach and colleagues to define a variety of categories of problems. Eight of these problem categories are included in the NHSDA, each constructed by summing specific subsets of items from the YSR (these eight problem categories were derived from principal components/varimax analyses of the YSR items (Achenbach, 1991)). In addition, the eight problem categories were partially combined into two major subscales, an “internalizing/emotional problem” subscale and an “externalizing/behavioral problem” subscale. Lastly, responses to all 100 checklist items were summed to compute a “total psychosocial problem” score. The public use file contains raw scores for the syndromes and composite subscales, as well as T scores for the eight problem categories. T scores are based on percentiles for Achenbach’s normative sample, and provide a convenient way of quickly judging whether a youth reports relatively many or few problems as compared to their nonreferred peers (Achenbach, 1991).

Confidentiality of Data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. These data modifications should not greatly affect most analytical uses of the 1994-B NHSDA public use file.

References

Achenbach, T.M., (1991). *Manual for the Youth Self-Report.* Burlington, VT: University of Vermont Department of Psychiatry.

Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, MA: The MIT Press.

Chromy, J.R. (1979). Sequential sample selection methods. In *Proceedings of the American Statistical Association, Survey Research Methods Section* (pp.401-406). Alexandria, VA: American Statistical Association.

Office of Applied Studies, SAMHSA. *1994 National Household Survey On Drug Abuse Methodological Resource Book.* Rockville, MD: SAMHSA (February, 1995).

Office of Applied Studies, SAMHSA. *National Household Survey On Drug Abuse: Main Findings 1993.* DHHS Publication No. (SMA) 95-3020, Rockville, MD: SAMHSA (June, 1995).

Office of Applied Statistics, SAMHSA. The Development and Implementation of a New Data Collection Instrument for the 1994 National Household Survey on Drug Abuse. Rockville, MD: SAMHSA (1996).

Shah, B.V., Barnwell, B.G., Hunt, P.N., & LaVange, L.M. (1994). *SUDAAN User's Manual: Release 6.4,* Research Triangle Park, NC: Research Triangle Institute.

Wolter, K.M. (1985). *Introduction to Variance Estimation.* New York: Springer-Verlag.

Table 1 Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	Certainty- High Hispanic	158
2	Certainty- Moderate Hispanic	355
3	Certainty- Low Hispanic	482
4	Certainty- Low Hispanic and Low Black	81
5*	Noncertainty	599
6*	Noncertainty- Low Hispanic and Low Black	265
Rural supplement		120
		2,060

* Strata 17 and 18 in previous years.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994.

Table 2 Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Total Population aged 12 and older.

	TIME PERIOD					
	Lifetime		Past Year		Past Month	
Drug	**1994-A**	**1994-B**	**1994-A**	**1994-B**	**1994-A**	**1994-B**
Any Illicit Drug[1]	37.56	34.35[a]	12.38	10.82	5.83	5.99
Marijuana and Hashish	34.12	31.15[a]	9.17	8.51	4.66	4.83
Cocaine	9.70	10.42	1.86	1.75	0.60	0.66
Crack	1.80	1.93	0.37	0.60[a]	0.16	0.25
Inhalants	5.13	5.82	1.27	1.06	0.72	0.38[a]
Hallucinogens	8.10	8.70	1.37	1.30	0.33	0.46
PCP	4.31	2.82[b]	0.23	0.10[a]	0.10	0.02
Heroin	1.06	0.99	0.17	0.13	0.09	0.06
Nonmedical Use of Any Psychotherapeutic[2]	10.05	9.99	3.42	2.89	0.77	1.23
Stimulants	5.53	4.62	0.68	0.68	0.13	0.32[b]
Sedatives	3.54	2.61	0.82	0.35	0.10	0.11
Tranquilizers	4.11	4.01	1.24	1.15	0.16	0.46[b]
Analgesics	5.00	5.99	1.88	2.03	0.56	0.74
Any Illicit Drug other than Marijuana[3]	18.53	18.81	6.24	5.31	2.23	2.34
Alcohol	85.26	84.18	66.90	66.91	52.65	53.87
Cigarettes	71.23	73.31	28.14	31.74[a]	23.37	28.63[b]
Smokeless Tobacco	15.05	17.21	4.66	4.78	3.03	3.27
Anabolic Steroids	0.31	0.52	0.03	0.15[b]	*	0.02

*Low precison; no estimate reported.
[1]Nonmedical use of marijuana or hashish, cocaine (including crack), inhalants, hallucinogens (including LSD and PCP), heroin or psychotherapeutics at least once.
[2]Nonmedical use of any prescription-type stimulant, sedative, tranquilizer, or analgesic; does not include over-the-counter drugs.
[3]Nonmedical use of cocaine (including crack), inhalants, hallucinogens (Including LSD and PCP), heroin or psychotherapeutics at least once; includes marijuana users who also have used any of these listed drugs; does not include users of marijuana only.
[a]Difference between 1994-Old and 1994-New is statistically significant at the .05 level.
[b]Difference between 1994-Old and 1994-New is statistically significant at the .01 level.
Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse.

Table 3 Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population 12 to 17 years old.

	TIME PERIOD					
	Lifetime		Past Year		Past Month	
Drug	**1994-A**	**1994-B**	**1994-A**	**1994-B**	**1994-A**	**1994-B**
Any Illicit Drug[1]	22.21	20.34	17.58	15.49	9.49	8.16
Marijuana and Hashish	15.99	13.61	13.56	11.44	7.34	6.04
Cocaine	1.30	1.68	1.13	1.10	0.41	0.32
Crack	0.52	0.63	0.31	0.42	*	0.10
Inhalants	6.22	7.00	3.48	4.04	1.97	1.56
Hallucinogens	3.98	4.02	3.19	2.69	1.22	1.06
PCP	1.62	0.98	0.69	0.42	0.28	0.08
Heroin	0.41	0.31	0.36	0.23	*	0.11
Nonmedical Use of Any Psychotherapeutic[2]	6.53	6.47	4.48	3.68	1.54	1.68
Stimulants	2.60	1.87	1.28	1.23	0.42	0.46
Sedatives	3.24	0.96[b]	2.05	0.48[a]	0.33	0.15
Tranquilizers	2.01	1.86	1.09	0.87	0.20	0.18
Analgesics	4.70	5.27	3.19	2.76	1.27	1.26
Any Illicit Drug other than Marijuana[3]	12.82	13.08	9.12	8.24	4.16	3.74
Alcohol	41.22	41.70	35.45	36.19	16.32	21.64[b]
Cigarettes	33.50	37.56	20.92	24.55[a]	9.83	18.92[b]
Smokeless Tobacco	9.27	12.75[b]	4.61	6.48[a]	2.49	2.75
Anabolic Steroids	0.65	0.71	0.28	0.45	*	0.06

*Low precison; no estimate reported.
[1]Nonmedical use of marijuana or hashish, cocaine (including crack), inhalants, hallucinogens (including LSD and PCP), heroin or psychotherapeutics at least once.
[2]Nonmedical use of any prescription-type stimulant, sedative, tranquilizer, or analgesic; does not include over-the-counter drugs.
[3]Nonmedical use of cocaine (including crack), inhalants, hallucinogens (Including LSD and PCP), heroin or psychotherapeutics at least once; includes marijuana users who also have used any of these listed drugs; does not include users of marijuana only.
[a]Difference between 1994-Old and 1994-New is statistically significant at the .05 level.
[b]Difference between 1994-Old and 1994-New is statistically significant at the .01 level.
Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse.

Table 4 Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population 18 to 25 years old.

	TIME PERIOD					
	Lifetime		Past Year		Past Month	
Drug	**1994-A**	**1994-B**	**1994-A**	**1994-B**	**1994-A**	**1994-B**
Any Illicit Drug[1]	47.04	46.28	27.14	24.61	13.25	13.31
Marijuana and Hashish	43.44	41.88	23.40	21.78	12.20	12.09
Cocaine	9.63	12.07	4.34	3.60	1.01	1.23
Crack	2.88	2.94	0.65	0.99	0.20	0.27
Inhalants	8.29	10.03	3.30	2.98	0.91	0.78
Hallucinogens	11.68	14.52	4.55	5.14	1.50	1.80
PCP	4.43	2.52[a]	0.88	0.31	0.50	0.01
Heroin	0.21	0.75[b]	0.15	0.11	0.11	0.01
Nonmedical Use of Any Psychotherapeutic[2]	11.92	11.10	7.31	5.04[a]	1.35	1.64
Stimulants	5.28	3.26	2.00	1.28	0.27	0.48
Sedatives	1.88	1.52	1.23	0.61	0.33	0.13
Tranquilizers	4.55	4.52	2.67	1.92	0.42	0.44
Analgesics	7.12	7.46	4.65	3.46	0.74	1.18
Any Illicit Drug other than Marijuana[3]	23.43	27.06	12.95	11.22	4.09	4.38
Alcohol	86.80	86.29	80.81	78.53	63.77	63.06
Cigarettes	68.65	69.07	35.96	41.10[a]	26.55	34.63[b]
Smokeless Tobacco	24.77	24.85	9.96	10.13	5.43	6.18
Anabolic Steroids	0.50	1.14	*	0.55	*	0.07

*Low precison; no estimate reported.
[1]Nonmedical use of marijuana or hashish, cocaine (including crack), inhalants, hallucinogens (including LSD and PCP), heroin or psychotherapeutics at least once.
[2]Nonmedical use of any prescription-type stimulant, sedative, tranquilizer, or analgesic; does not include over-the-counter drugs.
[3]Nonmedical use of cocaine (including crack), inhalants, hallucinogens (Including LSD and PCP), heroin or psychotherapeutics at least once; includes marijuana users who also have used any of these listed drugs; does not include users of marijuana only.
[a]Difference between 1994-Old and 1994-New is statistically significant at the .05 level.
[b]Difference between 1994-Old and 1994-New is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse.

Table 5 Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population 26 to 34 years old.

	TIME PERIOD					
	Lifetime		Past Year		Past Month	
Drug	**1994-A**	**1994-B**	**1994-A**	**1994-B**	**1994-A**	**1994-B**
Any Illicit Drug[1]	58.87	56.07	17.65	14.84	7.75	8.53
Marijuana and Hashish	56.91	52.74	14.34	11.50[a]	6.32	6.89
Cocaine	22.94	22.95	4.06	3.48	1.48	1.30
Crack	3.69	4.55	0.93	1.31	0.56	0.61
Inhalants	9.47	11.06	1.06	0.90	0.73	0.40
Hallucinogens	14.18	15.46	1.25	1.07	*	0.37
PCP	6.75	5.37	0.12	0.06	*	0.03
Heroin	0.96	1.54	0.10	0.28[a]	0.06	0.14
Nonmedical Use of Any Psychotherapeutic[2]	15.18	16.59	4.15	4.51	0.97	1.84[b]
Stimulants	8.75	7.84	1.40	0.98	0.30	0.44
Sedatives	4.34	4.82	0.82	0.53	0.15	0.12
Tranquilizers	6.37	8.17	1.45	1.87	0.37	0.56
Analgesics	7.93	9.88	2.75	3.10	0.44	1.05[b]
Any Illicit Drug other than Marijuana[3]	31.74	32.96	7.83	7.75	2.93	3.35
Alcohol	92.23	91.79	80.53	78.76	64.31	65.31
Cigarettes	71.98	75.91	32.66	36.01	28.54	32.39[a]
Smokeless Tobacco	20.66	24.37[a]	5.84	6.83	3.57	4.88
Anabolic Steroids	0.16	0.98[b]	*	0.14	*	0.05

*Low precison; no estimate reported.

[1]Nonmedical use of marijuana or hashish, cocaine (including crack), inhalants, hallucinogens (including LSD and PCP), heroin or psychotherapeutics at least once.
[2]Nonmedical use of any prescription-type stimulant, sedative, tranquilizer, or analgesic; does not include over-the-counter drugs.
[3]Nonmedical use of cocaine (including crack), inhalants, hallucinogens (Including LSD and PCP), heroin or psychotherapeutics at least once; includes marijuana users who also have used any of these listed drugs; does not include users of marijuana only.
[a]Difference between 1994-Old and 1994-New is statistically significant at the .05 level.
[b]Difference between 1994-Old and 1994-New is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse.

Table 6 Differences in Prevalence Estimates between the Old (1994-A) and New (1994-B) NHSDA Questionnaires. Population 35 and older.

	TIME PERIOD					
	Lifetime		Past Year		Past Month	
Drug	**1994-A**	**1994-B**	**1994-A**	**1994-B**	**1994-A**	**1994-B**
Any Illicit Drug[1]	31.78	27.65	6.53	5.66	2.93	3.19
Marijuana and Hashish	28.43	25.39	3.62	4.07	1.98	2.35
Cocaine	7.27	7.86	0.77	0.93	0.29	0.40
Crack	1.22	1.15	0.15	0.33	*	0.16
Inhalants	2.92	3.09	0.47	0.14	0.45	0.08
Hallucinogens	6.21	6.19	0.36	0.25	*	0.07
PCP	4.03	2.46[a]	*	*	*	*
Heroin	1.40	1.01	0.16	0.08	0.11	0.03
Nonmedical Use of Any Psychotherapeutic[2]	8.72	8.40	2.14	1.78	0.44	0.87
Stimulants	5.15	4.45	0.06	0.35[b]	*	0.23
Sedatives	3.73	2.49	0.51	0.22	*	0.09
Tranquilizers	3.72	3.03	0.88	0.81	*	0.48
Analgesics	3.70	4.63	0.76	1.25	0.44	0.45
Any Illicit Drug other than Marijuana[3]	14.50	13.73	3.74	2.73	1.26	1.33
Alcohol	90.64	88.96	65.24	66.18	53.07	54.07
Cigarettes	78.27	79.82	26.29	29.62	23.50	27.86[a]
Smokeless Tobacco	12.19	14.13	3.11	2.66	2.42	2.21
Anabolic Steroids	0.25	0.20	*	*	*	*

*Low precison; no estimate reported.
[1]Nonmedical use of marijuana or hashish, cocaine (including crack), inhalants, hallucinogens (including LSD and PCP), heroin or psychotherapeutics at least once.
[2]Nonmedical use of any prescription-type stimulant, sedative, tranquilizer, or analgesic; does not include over-the-counter drugs.
[3]Nonmedical use of cocaine (including crack), inhalants, hallucinogens (Including LSD and PCP), heroin or psychotherapeutics at least once; includes marijuana users who also have used any of these listed drugs; does not include users of marijuana only.
[a]Difference between 1994-Old and 1994-New is statistically significant at the .05 level.
[b]Difference between 1994-Old and 1994-New is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse.

Table 7 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-A NHSDA Questionnaire

Demographic Characteristic	Age Group (Years) 12-17	18-25	26-34	35+	Total
Total	**1.93**	**1.34**	**1.39**	**1.35**	**2.00**
Sex					
Male	1.90	1.36	1.27	1.01	1.52
Female	1.72	1.34	1.27	2.26	1.81
Race/Ethnicity[1]					
White	1.41	1.03	1.10	1.20	1.37
Black	1.11	1.27	1.32	1.22	1.64
Hispanic	1.33	2.09	1.35	1.14	1.65
Population Density					
Large Metro	1.99	1.62	1.50	1.22	2.11
Small Metro	1.98	1.41	1.39	1.20	1.34
Nonmetro	1.00	1.20	1.10	1.04	1.29
Region					
Northeast	1.68	1.44	1.57	1.22	1.17
North Central	1.59	1.11	1.27	1.00	1.00
South	2.16	1.40	1.26	1.48	1.32
West	1.31	2.20	1.76	1.67	2.56
Adult Education[2]					
Less than high school	N/A	1.68	1.77	1.27	1.33
High school graduate	N/A	1.61	1.12	1.11	1.59
Some college	N/A	1.07	1.64	1.15	1.39
College graduate	N/A	1.00	1.58	1.16	1.43
Current Employment[3]					
Full-time	N/A	1.42	1.50	1.30	1.76
Part-time	N/A	1.24	1.59	1.16	1.47
Unemployed	N/A	1.33	1.46	*	1.53
Other[4]	N/A	1.32	1.27	1.35	1.00

N/A: Not applicable.
[1]The category "Other" for Race/Ethnicity is not included.
[2]Data on adult education are not applicable of 12- to 17-year-olds.
[3]Data on current employment are not applicable for 12- to 17-year-olds.
[4]Retired, disabled, homemaker, student, or"other."
*Median DEFF could not be calculated; none of the respondents in this cell reported use of illegal drugs.
Note: These design effects apply to the following drugs: any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutics; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; and anabolic steroids.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-A.

Table 8 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-B NHSDA Questionnaire

Demographic Characteristic	Age Group (Years) 12-17	18-25	26-34	35+	Total
Total	**1.75**	**1.80**	**1.71**	**1.22**	**2.14**
Sex					
Male	1.54	1.63	1.62	1.00	1.71
Female	1.71	1.68	1.41	1.36	1.86
Race/Ethnicity[1]					
White	1.42	1.31	1.36	1.00	1.45
Black	1.54	1.17	1.41	1.24	1.75
Hispanic	1.51	1.65	1.84	1.33	1.86
Population Density					
Large Metro	1.66	1.77	1.85	1.25	2.12
Small Metro	1.68	1.73	1.69	1.11	1.86
Nonmetro	1.38	1.67	1.27	1.32	2.12
Region					
Northeast	1.92	1.57	1.56	1.00	1.58
North Central	1.82	1.52	1.67	1.00	1.62
South	1.67	1.87	1.59	1.34	2.26
West	1.55	1.67	1.79	1.52	2.21
Adult Education[2]					
Less than high school	N/A	1.79	1.95	1.13	1.63
High school graduate	N/A	1.49	1.56	1.36	1.64
Some college	N/A	1.64	1.62	1.05	1.53
College graduate	N/A	1.30	1.51	1.16	1.54
Current Employment[3]					
Full-time	N/A	1.67	1.68	1.52	2.06
Part-time	N/A	1.29	1.57	1.00	1.44
Unemployed	N/A	1.88	1.78	1.57	2.09
Other[4]	N/A	1.63	1.56	1.00	1.04

N/A: Not applicable.
[1]The category "Other" for Race/Ethnicity is not included.
[2]Data on adult education are not applicable of 12- to 17-year-olds.
[3]Data on current employment are not applicable for 12- to 17-year-olds.
[4]Retired, disabled, homemaker, student, or"other."
Note: These design effects apply to the following drugs: any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutics; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; and anabolic steroids.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-B.

Table 9 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-A NHSDA Questionnaire

Demographic Characteristic	Age Group (Years) 12-17	18-25	26-34	35+	Total
Total	**1.68**	**1.75**	**2.04**	**2.05**	**3.45**
Sex					
Male	1.82	1.70	1.91	1.93	3.36
Female	1.56	1.83	1.83	2.19	3.29
Race/Ethnicity[1]					
White	1.33	1.50	1.65	1.64	2.63
Black	1.96	1.63	1.47	1.53	2.42
Hispanic	1.90	1.97	1.66	1.39	2.26
Population Density					
Large Metro	1.91	1.86	2.08	1.98	3.31
Small Metro	1.64	1.68	1.79	1.72	2.90
Nonmetro	1.29	1.87	1.94	2.45	3.60
Region					
Northeast	1.67	1.59	2.23	2.01	3.96
North Central	1.41	1.73	1.67	1.76	2.83
South	1.73	1.90	1.69	2.42	4.28
West	1.84	1.87	1.98	1.93	2.88
Adult Education[2]					
Less than high school	N/A	1.84	2.13	2.71	4.00
High school graduate	N/A	1.84	1.67	1.98	3.22
Some college	N/A	1.57	1.99	2.21	3.20
College graduate	N/A	1.00	1.68	2.15	2.46
Current Employment[3]					
Full-time	N/A	1.78	2.04	2.20	2.78
Part-time	N/A	1.56	1.74	1.67	3.17
Unemployed	N/A	1.59	1.90	*	2.05
Other[4]	N/A	2.10	1.97	1.81	2.94

N/A: Not applicable.
[1]The category "Other" for Race/Ethnicity is not included.
[2]Data on adult education are not applicable of 12- to 17-year-olds.
[3]Data on current employment are not applicable for 12- to 17-year-olds.
[4]Retired, disabled, homemaker, student, or"other."
*Median DEFF could not be calculated; none of the respondents in this cell reported use of legal drugs.
Note: These design effects apply to the following to the following drugs: cigarettes; alcohol; and smokeless tobacco.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-A.

Table 10 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1994-B NHSDA Questionnaire

Demographic Characteristic	Age Group (Years) 12-17	18-25	26-34	35+	Total
Total	**1.92**	**2.49**	**2.34**	**2.39**	**4.27**
Sex					
Male	2.05	2.36	2.22	2.01	3.74
Female	1.77	1.70	1.57	3.30	4.96
Race/Ethnicity[1]					
White	1.29	1.74	1.87	1.69	3.06
Black	1.98	1.50	1.94	1.80	2.92
Hispanic	2.01	1.79	1.98	1.51	2.38
Population Density					
Large Metro	1.99	2.33	2.59	2.71	4.34
Small Metro	1.72	2.27	2.05	2.85	4.38
Nonmetro	2.39	2.58	2.96	2.28	4.05
Region					
Northeast	1.91	1.78	2.00	2.65	3.88
North Central	1.64	1.80	1.95	1.95	3.36
South	2.77	2.76	2.60	2.65	5.24
West	1.86	4.83	2.56	2.97	3.69
Adult Education[2]					
Less than high school	N/A	2.26	2.42	2.93	4.96
High school graduate	N/A	1.77	1.87	2.29	3.58
Some college	N/A	2.30	1.97	2.48	3.37
College graduate	N/A	1.59	1.61	1.84	2.22
Current Employment[3]					
Full-time	N/A	1.81	2.23	2.22	3.16
Part-time	N/A	1.99	1.64	2.05	3.45
Unemployed	N/A	2.38	2.11	2.52	3.26
Other[4]	N/A	3.56	1.92	2.46	4.31

N/A: Not applicable.
[1]The category "Other" for Race/Ethnicity is not included.
[2]Data on adult education are not applicable of 12- to 17-year-olds.
[3]Data on current employment are not applicable for 12- to 17-year-olds.
[4]Retired, disabled, homemaker, student, or"other."
Note: These design effects apply to the following to the following drugs: cigarettes; alcohol; and smokeless tobacco.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-B.

Table 11 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1994-A

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	**2**	**3**	**5**	**10**	**20**	**30**	**40**	**50**	**60**	**70**	**80**	**90**	**95**	**97**	**98**	**99**
100	0.98	1.47	1.85	2.47	3.60	5.03	5.88	6.33	6.44	6.23	5.70	4.78	3.32	2.22	1.63	1.27	0.83
300	0.62	0.93	1.18	1.57	2.29	3.20	3.74	4.03	4.10	3.97	3.63	3.04	2.11	1.41	1.04	0.81	0.53
500	0.50	0.76	0.95	1.27	1.85	2.59	3.03	3.26	3.32	3.21	2.94	2.47	1.71	1.14	0.84	0.66	0.43
700	0.44	0.66	0.83	1.11	1.61	2.26	2.64	2.84	2.89	2.80	2.56	2.15	1.49	1.00	0.73	0.57	0.37
900	0.40	0.59	0.75	1.00	1.46	2.04	2.38	2.56	2.61	2.52	2.31	1.94	1.34	0.90	0.66	0.51	0.34
1,000	0.38	0.57	0.72	0.96	1.39	1.95	2.28	2.45	2.50	2.42	2.21	1.85	1.29	0.86	0.63	0.49	0.32
1,250	0.35	0.52	0.65	0.87	1.27	1.78	2.08	2.24	2.28	2.20	2.02	1.69	1.17	0.78	0.58	0.45	0.29
1,500	0.32	0.48	0.61	0.81	1.18	1.65	1.93	2.08	2.11	2.05	1.87	1.57	1.09	0.73	0.53	0.42	0.27
1,750	0.30	0.45	0.57	0.76	1.11	1.55	1.81	1.95	1.98	1.92	1.76	1.47	1.02	0.68	0.50	0.39	0.26
2,000	0.29	0.43	0.54	0.72	1.05	1.47	1.71	1.84	1.88	1.82	1.66	1.39	0.97	0.65	0.48	0.37	0.24
2,500	0.26	0.39	0.49	0.66	0.96	1.34	1.56	1.68	1.71	1.66	1.52	1.27	0.88	0.59	0.43	0.34	0.22
3,000	0.24	0.36	0.46	0.61	0.89	1.24	1.45	1.56	1.59	1.54	1.41	1.18	0.82	0.55	0.40	0.31	0.20
4,000	0.21	0.32	0.41	0.54	0.79	1.10	1.29	1.39	1.41	1.37	1.25	1.05	0.73	0.49	0.36	0.28	0.18
4,372[1]	0.21	0.31	0.39	0.52	0.76	1.06	1.24	1.34	1.36	1.32	1.20	1.01	0.70	0.47	0.34	0.27	0.17

Note: Generalized standard errors are predicted from the following equation: $SE=100*[.9973p^{(.5911)}*(1-p)^{(.6274)}/n^{(.4116)}]$.

[1]The total sample size for the 1994-A NHSDA is 4,372.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-A.

Table 12 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1994-B

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	**2**	**3**	**5**	**10**	**20**	**30**	**40**	**50**	**60**	**70**	**80**	**90**	**95**	**97**	**98**	**99**
100	0.98	1.44	1.80	2.37	3.40	4.68	5.44	5.84	5.95	5.78	5.32	4.52	3.21	2.19	1.64	1.30	0.87
300	0.60	0.88	1.10	1.45	2.07	2.85	3.32	3.56	3.63	3.52	3.24	2.75	1.95	1.34	1.00	0.79	0.53
500	0.47	0.70	0.87	1.15	1.64	2.27	2.63	2.83	2.88	2.80	2.58	2.19	1.55	1.06	0.80	0.63	0.42
700	0.41	0.60	0.75	0.99	1.41	1.95	2.26	2.43	2.48	2.41	2.21	1.88	1.33	0.91	0.68	0.54	0.36
900	0.36	0.54	0.67	0.88	1.26	1.74	2.02	2.17	2.21	2.15	1.98	1.68	1.19	0.82	0.61	0.48	0.32
1,000	0.35	0.51	0.64	0.84	1.20	1.66	1.93	2.07	2.11	2.05	1.89	1.60	1.14	0.78	0.58	0.46	0.31
1,250	0.31	0.46	0.58	0.76	1.09	1.50	1.74	1.87	1.91	1.85	1.70	1.45	1.03	0.70	0.53	0.42	0.28
1,500	0.29	0.43	0.53	0.70	1.00	1.38	1.61	1.72	1.76	1.71	1.57	1.33	0.95	0.65	0.48	0.38	0.26
1,750	0.27	0.40	0.50	0.65	0.94	1.29	1.50	1.61	1.64	1.59	1.46	1.24	0.88	0.60	0.45	0.36	0.24
2,000	0.25	0.37	0.47	0.61	0.88	1.21	1.41	1.51	1.54	1.50	1.38	1.17	0.83	0.57	0.43	0.34	0.23
2,500	0.23	0.34	0.42	0.56	0.80	1.10	1.28	1.37	1.40	1.36	1.25	1.06	0.75	0.51	0.39	0.30	0.20
3,000	0.21	0.31	0.39	0.51	0.73	1.01	1.17	1.26	1.28	1.25	1.15	0.98	0.69	0.47	0.35	0.28	0.19
4,000	0.19	0.27	0.34	0.45	0.64	0.89	1.03	1.11	1.13	1.10	1.01	0.86	0.61	0.42	0.31	0.25	0.16
5,000	0.17	0.25	0.31	0.41	0.58	0.80	0.93	1.00	1.02	0.99	0.91	0.77	0.55	0.38	0.28	0.22	0.15
7,500	0.14	0.21	0.26	0.34	0.49	0.67	0.78	0.83	0.85	0.83	0.76	0.65	0.46	0.31	0.23	0.19	0.12
10,000	0.12	0.18	0.23	0.30	0.43	0.59	0.68	0.73	0.75	0.73	0.67	0.57	0.40	0.28	0.21	0.16	0.11
15,000	0.10	0.15	0.19	0.25	0.36	0.49	0.57	0.61	0.62	0.60	0.56	0.47	0.34	0.23	0.17	0.14	0.09
17,809[1]	0.09	0.14	0.17	0.23	0.33	0.45	0.53	0.57	0.58	0.56	0.52	0.44	0.31	0.21	0.16	0.13	0.08

Note: Generalized standard errors are predicted from the following equation: $SE=100*[1.0548p^{(.5640)}(1-p)^{(.5903)}/n^{(.4506)}]$.
[1]The total sample size for the 1994-B NHSDA is 17,809.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-B.

Table 13 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1994-A

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	**2**	**3**	**5**	**10**	**20**	**30**	**40**	**50**	**60**	**70**	**80**	**90**	**95**	**97**	**98**	**99**
100	1.19	1.74	2.16	2.84	4.05	5.58	6.48	6.97	7.12	6.94	6.43	5.50	3.97	2.76	2.09	1.67	1.13
300	0.78	1.14	1.42	1.86	2.65	3.65	4.24	4.56	4.66	4.55	4.21	3.60	2.60	1.81	1.37	1.09	0.74
500	0.64	0.93	1.16	1.53	2.18	3.00	3.48	3.75	3.83	3.73	3.46	2.96	2.13	1.48	1.12	0.90	0.61
700	0.56	0.82	1.02	1.34	1.91	2.63	3.06	3.29	3.36	3.28	3.04	2.60	1.87	1.30	0.99	0.79	0.54
900	0.51	0.74	0.93	1.22	1.74	2.39	2.78	2.99	3.05	2.98	2.76	2.36	1.70	1.18	0.90	0.72	0.49
1,000	0.49	0.71	0.89	1.17	1.67	2.30	2.67	2.87	2.93	2.86	2.65	2.27	1.63	1.14	0.86	0.69	0.47
1,250	0.45	0.66	0.82	1.07	1.53	2.11	2.45	2.63	2.69	2.62	2.43	2.08	1.50	1.04	0.79	0.63	0.43
1,500	0.42	0.61	0.76	1.00	1.43	1.96	2.28	2.45	2.51	2.45	2.26	1.94	1.40	0.97	0.74	0.59	0.40
1,750	0.39	0.58	0.72	0.94	1.34	1.85	2.15	2.31	2.36	2.30	2.13	1.83	1.32	0.92	0.69	0.55	0.38
2,000	0.37	0.55	0.68	0.90	1.28	1.76	2.04	2.20	2.24	2.19	2.03	1.73	1.25	0.87	0.66	0.53	0.36
2,500	0.34	0.50	0.63	0.82	1.17	1.61	1.87	2.02	2.06	2.01	1.86	1.59	1.15	0.80	0.60	0.48	0.33
3,000	0.32	0.47	0.58	0.77	1.09	1.50	1.75	1.88	1.92	1.87	1.73	1.48	1.07	0.74	0.56	0.45	0.31
4,000	0.29	0.42	0.52	0.69	0.98	1.35	1.56	1.68	1.72	1.68	1.55	1.33	0.96	0.67	0.50	0.40	0.27
4,372[1]	0.28	0.40	0.50	0.66	0.95	1.30	1.51	1.63	1.66	1.62	1.50	1.28	0.93	0.64	0.49	0.39	0.26

Note: Generalized standard errors are predicted from the following equation: $SE=100*[.9143p^{(.5569)}*(1-p)^{(.5667)}/n^{(.3853)}]$.

[1]The total sample size for the 1994-A NHSDA is 4,372.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-A.

Table 14 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1994-B

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	**2**	**3**	**5**	**10**	**20**	**30**	**40**	**50**	**60**	**70**	**80**	**90**	**95**	**97**	**98**	**99**
100	1.31	1.88	2.30	2.97	4.15	5.59	6.44	6.91	7.06	6.91	6.45	5.61	4.16	2.99	2.32	1.89	1.32
300	0.86	1.23	1.51	1.95	2.71	3.66	4.22	4.52	4.62	4.53	4.23	3.67	2.72	1.96	1.52	1.24	0.87
500	0.71	1.01	1.24	1.60	2.23	3.01	3.47	3.72	3.80	3.72	3.47	3.02	2.24	1.61	1.25	1.02	0.71
700	0.62	0.89	1.09	1.40	1.96	2.64	3.04	3.26	3.34	3.27	3.05	2.65	1.97	1.41	1.09	0.89	0.63
900	0.56	0.80	0.99	1.27	1.78	2.40	2.76	2.96	3.03	2.97	2.77	2.40	1.78	1.28	0.99	0.81	0.57
1,000	0.54	0.77	0.95	1.22	1.71	2.30	2.65	2.85	2.91	2.85	2.66	2.31	1.71	1.23	0.95	0.78	0.55
1,250	0.50	0.71	0.87	1.12	1.57	2.11	2.44	2.61	2.67	2.61	2.44	2.12	1.57	1.13	0.88	0.71	0.50
1,500	0.46	0.66	0.81	1.05	1.46	1.97	2.27	2.43	2.49	2.44	2.27	1.97	1.47	1.05	0.82	0.67	0.47
1,750	0.44	0.62	0.76	0.99	1.38	1.86	2.14	2.29	2.34	2.30	2.14	1.86	1.38	0.99	0.77	0.63	0.44
2,000	0.41	0.59	0.73	0.94	1.31	1.76	2.03	2.18	2.23	2.18	2.03	1.77	1.31	0.94	0.73	0.60	0.42
2,500	0.38	0.54	0.67	0.86	1.20	1.62	1.86	2.00	2.04	2.00	1.87	1.62	1.20	0.86	0.67	0.55	0.38
3,000	0.35	0.51	0.62	0.80	1.12	1.51	1.74	1.86	1.90	1.86	1.74	1.51	1.12	0.81	0.62	0.51	0.36
4,000	0.32	0.45	0.56	0.72	1.00	1.35	1.56	1.67	1.70	1.67	1.56	1.35	1.00	0.72	0.56	0.46	0.32
5,000	0.29	0.42	0.51	0.66	0.92	1.24	1.43	1.53	1.56	1.53	1.43	1.24	0.92	0.66	0.51	0.42	0.29
7,500	0.25	0.36	0.44	0.56	0.79	1.06	1.22	1.31	1.34	1.31	1.22	1.06	0.79	0.57	0.44	0.36	0.25
10,000	0.22	0.32	0.39	0.50	0.70	0.95	1.09	1.17	1.20	1.17	1.09	0.95	0.71	0.51	0.39	0.32	0.22
15,000	0.19	0.27	0.33	0.43	0.60	0.81	0.93	1.00	1.02	1.00	0.94	0.81	0.60	0.43	0.34	0.27	0.19
17,809[1]	0.18	0.25	0.31	0.40	0.56	0.76	0.87	0.94	0.96	0.94	0.88	0.76	0.56	0.41	0.31	0.26	0.18

Note: Generalized standard errors are predicted from the following equation: $SE=100*[.8552p^{(.5202)}*(1-p)^{(.5185)}/n^{(.3853)}]$.
[1]The total sample size for the 1994-B NHSDA is 17,809.
Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1994-B.

IDENTIFICATION

LABEL	LEN	DESCRIPTION	FREQ	%
		IDENTIFICATION		
RESPID	6	RESPONDENT IDENTIFICATION NUMBER		
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)		
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)		
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)		

LABEL	LEN	DESCRIPTION	FREQ	%
		DEMOGRAPHICS		
		FI CHECKPOINT A; MARK ONE BOX for R's age.		
SKPMARTL	1	SKIP OVER MARITAL Q'S TO SKPMILT, BASED ON AGE		
		1 = Respondent is 12-14 years old - SKIP	2377	13.35
		2 = Respondent is 15 years old or older	14772	82.95
		3 = 12-14 years old LOGICALLY ASSIGNED - SKIP	54	0.30
		4 = 15 years or older LOGICALLY ASSIGNED	606	3.40
		D-6. Which of the following best describes your current marital status. Are you...		
MARITAL	2	MARITAL STATUS		
		1 = Married	5990	33.63
		2 = Widowed	342	1.92
		3 = Divorced or separated	1743	9.79
		4 = Never been married	7133	40.05
		85 = BAD DATA Logically assigned	31	0.17
		89 = LEGITIMATE SKIP Logically assigned	227	1.27
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	133	0.75
		99 = LEGITIMATE SKIP	2204	12.38
		D-7. How many times have you been married?		
NOMARR	2	# TIMES MARRIED		
		RANGE = 1 - 9	7872	44.20
		85 = BAD DATA Logically assigned	8	0.04
		89 = LEGITIMATE SKIP Logically assigned	91	0.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	363	2.04
		99 = LEGITIMATE SKIP	9473	53.19
		FI CHECKPOINT B; MARK ONE BOX for R's age.		
SKPMILT	1	SKIP OVER MILITARY Q'S TO EDUC, BASED ON AGE		
		1 = Respondent is 12-16 years old - SKIP	3870	21.73
		2 = Respondent is 17 years old or older	13338	74.89
		3 = 12-16 years old LOGICALLY ASSIGNED - SKIP	119	0.67
		4 = 17 years or older LOGICALLY ASSIGNED	482	2.71

LABEL	LEN	DESCRIPTION	FREQ	%
		D-8. Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN UNITED STATES' ARMED FORCES		
		1 = Yes	987	5.54
		2 = No	12702	71.32
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		89 = LEGITIMATE SKIP Logically assigned	138	0.77
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	116	0.65
		99 = LEGITIMATE SKIP	3851	21.62
		D-9. Are you currently... (READ ANSWER CHOICES)		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component	95	0.53
		3 = Now separated or retired from reserves/active duty	868	4.87
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.01
		98 = BLANK (NO ANSWER)	151	0.85
		99 = LEGITIMATE SKIP	16690	93.72
		D-10. The next questions are about your schooling. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	38	0.21
		1 = First grade	15	0.08
		2 = Second grade	43	0.24
		3 = Third grade	75	0.42
		4 = Fourth grade	83	0.47
		5 = Fifth grade	355	1.99
		6 = Sixth grade	1037	5.82
		7 = Seventh grade	985	5.53
		8 = Eighth grade	1131	6.35
		9 = Ninth grade	1289	7.24
		10 = Tenth grade	1388	7.79
		11 = Eleventh grade	1488	8.36
		12 = Twelfth grade	4605	25.86
		13 = Freshman/13th year	1005	5.64
		14 = Sophomore/14th year	1535	8.62
		15 = Junior/15th year	521	2.93
		16 = Senior/16th year	1354	7.60
		17 = Graduate/Professional School (or higher)	768	4.31
		85 = BAD DATA Logically assigned	41	0.23
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	51	0.29

LABEL	LEN	DESCRIPTION	FREQ	%
		D-11. Have you received a high school diploma, or a GED certificate of high school completion? Which have you received? (MARK ONLY ONE ANSWER.)		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High School Diploma	4288	24.08
		2 = GED Certificate	708	3.98
		3 = Neither of the above	4304	24.17
		89 = LEGITIMATE SKIP Logically assigned	4268	23.97
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP	4079	22.90
		The variable ENROLLD is edited comparable to 1993 and past NHSDA years. The variables EENROLLD has been edited using the INTDATE (interview date) variables.		
		D-12. Are you now enrolled in any kind of school?		
ENROLLD	1	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	6517	36.59
		2 = No	11014	61.85
		3 = Yes LOGICALLY ASSIGNED	172	0.97
		4 = No LOGICALLY ASSIGNED	106	0.60
EENROLLD	1	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	5756	32.32
		2 = No	11048	62.04
		3 = Yes LOGICALLY ASSIGNED	134	0.75
		4 = No LOGICALLY ASSIGNED	871	4.89

LABEL	LEN	DESCRIPTION	FREQ	%
		D-13. (HAND RESPONDENT SHOWCARD 2.) Please look at this card and tell me which of the statements describes your present work situation. (MARK THE FIRST ANSWER THAT APPLIES.)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	7265	40.79
		2 = Working part-time, less than 35 hours a week	2233	12.54
		3 = Have a job but out: illness/leave/furlough/strike	112	0.63
		4 = Have a job but it is seasonal	81	0.45
		5 = Unemployed or laid off and looking for work	776	4.36
		6 = Unemployed and not looking for work	202	1.13
		7 = Full-time homemaker	1666	9.35
		8 = In school only	4520	25.38
		9 = Retired	383	2.15
		10 = Disabled, not able to work	330	1.85
		21 = Working full-time, 35 hours or more a week	8	0.04
		22 = Working part-time, less than 35 hours a week	15	0.08
		23 = Have a job but out: illness/leave/furlough/strike	6	0.03
		24 = Have a job, but it is seasonal	2	0.01
		25 = Unemployed or laid off and looking for work	2	0.01
		26 = Unemployed and not looking for work	8	0.04
		27 = Full-time homemaker	24	0.13
		29 = Retired	2	0.01
		30 = Disabled, not able to work	42	0.24
		31 = Other, in labor force	16	0.09
		85 = BAD DATA Logically assigned	21	0.12
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	92	0.52

LABEL	LEN	DESCRIPTION	FREQ	%
		HEALTH ------ Now we have some questions concerning your health. HE-1. About how tall are you, without shoes?		
HTININCH	3	HEIGHT IN INCHES (WITHOUT SHOES)		
		RANGE = 38 - 107	17644	99.07
		985 = BAD DATA Logically assigned	3	0.02
		994 = DON'T KNOW	79	0.44
		995 = BAD DATA	6	0.03
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	75	0.42
		HE-2. About how much do you weigh, without shoes?		
POUNDS	3	WEIGHT IN POUNDS WITHOUT SHOES		
		RANGE = 55 - 392	17505	98.29
		985 = BAD DATA Logically assigned	13	0.07
		994 = DON'T KNOW	105	0.59
		995 = BAD DATA	1	0.01
		996 = MULTIPLE RESPONSE	1	0.01
		997 = REFUSED	68	0.38
		998 = BLANK (NO ANSWER)	116	0.65
		HE-3. Would you say your health in general is...(READ ANSWER CHOICES)		
HEALTH	2	HEALTH IN GENERAL		
		1 = Excellent	5553	31.18
		2 = Very good	5940	33.35
		3 = Good	4612	25.90
		4 = Fair	1351	7.59
		5 = Poor	280	1.57
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39

LABEL	LEN	DESCRIPTION	FREQ	%
		TOBACCO -- ANSWER SHEET #1		
		The first 10 questions are about cigarettes only.		
		C-1. Have you ever smoked a cigarette, even one or two puffs?		
CIGEVER	2	EVER SMOKED A CIGARETTE		
		1 = Yes, I have smkd at least one/two puffs from a cig	11616	65.23
		2 = No, I have never smoked a cigarette in my life ...	6019	33.80
		3 = Yes LOGICALLY ASSIGNED	92	0.52
		4 = No LOGICALLY ASSIGNED	79	0.44
		98 = BLANK (NO ANSWER)	3	0.02
		C-2. How old were you the first time you smoked a cigarette, even one or two puffs?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 2 - 68	11602	65.15
		981 = NEVER USED CIGARETTES Logically assigned	10	0.06
		985 = BAD DATA Logically assigned	28	0.16
		991 = NEVER USED CIGARETTES	6088	34.18
		994 = DON'T KNOW	16	0.09
		995 = BAD DATA	9	0.05
		998 = BLANK (NO ANSWER)	56	0.31
		C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?		
CIGTOT	2	# DAYS SMOKED CIGARETTES IN LIFE		
		1 = More than 300 days	6315	35.46
		2 = 101 to 300 days	674	3.78
		3 = 12 to 100 days	1101	6.18
		4 = 3 to 11 days	1081	6.07
		5 = 1 to 2 days	2375	13.34
		81 = NEVER USED CIGARETTES Logically assigned	4	0.02
		85 = BAD DATA Logically assigned	136	0.76
		91 = NEVER USED CIGARETTES	6094	34.22
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	27	0.15

LABEL	LEN	DESCRIPTION	FREQ	%
		C-4. How long has it been since you last smoked a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	5746	32.26
		2 = More than 30 days ago but within the past 12 mths	644	3.62
		3 = More than 12 months ago but within the past 3 yrs	836	4.69
		4 = More than 3 years ago	3553	19.95
		7 = Use in past 30 days LOGICALLY ASSIGNED	808	4.54
		9 = Use in lifetime LOGICALLY ASSIGNED	121	0.68
		81 = NEVER USED CIGARETTES Logically assigned	21	0.12
		91 = NEVER USED CIGARETTES	6077	34.12
		98 = BLANK (NO ANSWER)	3	0.02
		C-5. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?		
CIG30USE	2	# DAYS SMOKED PAST 30 DAYS		
		RANGE = 1 - 30	5661	31.79
		35 = Date specified with the past 30 days	89	0.50
		81 = NEVER USED CIGARETTES Logically assigned	4	0.02
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn	413	2.32
		85 = BAD DATA Logically assigned	639	3.59
		91 = NEVER USED CIGARETTES	6094	34.22
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	4741	26.62
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	58	0.33
		98 = BLANK (NO ANSWER)	106	0.60
		C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.		
AVCIG	2	# CIGARETTES SMOKED PER DAY PAST 30 DAYS		
		1 = At least a puff or two, but less than 1 cig ea day	806	4.53
		2 = 1 to 5 cigarettes each day	1838	10.32
		3 = 6 to 15 cigarettes (about 1/2 pack) each day	1561	8.77
		4 = 16 to 25 cigarettes (about 1 pack) each day	1477	8.29
		5 = 26 to 35 cigarettes (about 1 1/2 packs) each day	472	2.65
		6 = 35 or more cigarettes (about 2 packs) each day	225	1.26
		81 = NEVER USED CIGARETTES Logically assigned	6	0.03
		83 = DID NOT USE CIGARETTES PAST 30 DAYS Log assn	261	1.47
		85 = BAD DATA Logically assigned	150	0.84
		91 = NEVER USED CIGARETTES	6092	34.21
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	4893	27.47
		98 = BLANK (NO ANSWER)	28	0.16

LABEL	LEN	DESCRIPTION	FREQ	%
		C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?		
CIG30WOK	2	TIME BEFORE SMOKING FIRST CIGARETTE AFTER WAKING		
		1 = 5 minutes or less	1222	6.86
		2 = 6 to 30 minutes	1795	10.08
		3 = 31 to 60 minutes	796	4.47
		4 = 1 to 3 hours	1003	5.63
		5 = 4 hours or more	1332	7.48
		81 = NEVER USED CIGARETTES Logically assigned	28	0.16
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn	260	1.46
		85 = BAD DATA Logically assigned	368	2.07
		91 = NEVER USED CIGARETTES	6070	34.08
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	4894	27.48
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	39	0.22
		C-8. Has there ever been a period in your life when you smoked cigarettes everyday?		
CIGEVYDA	2	EVER SMOKED DAILY		
		1 = Yes	6463	36.29
		2 = No	9781	54.92
		3 = Yes LOGICALLY ASSIGNED	543	3.05
		4 = No LOGICALLY ASSIGNED	969	5.44
		98 = BLANK (NO ANSWER)	53	0.30
		C-9. How old were you when you first started smoking cigarettes everyday?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 4 - 59	6822	38.31
		981 = NEVER USED CIGARETTES Logically assigned	5	0.03
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	214	1.20
		985 = BAD DATA Logically assigned	152	0.85
		991 = NEVER USED CIGARETTES	6093	34.21
		993 = NEVER USED CIGARETTES EVERYDAY	4424	24.84
		994 = DON'T KNOW	17	0.10
		995 = BAD DATA	2	0.01
		998 = BLANK (NO ANSWER)	80	0.45

LABEL	LEN	DESCRIPTION	FREQ	%
		C-10. For how many years have you smoked or did you smoke cigarettes everyday?		
CIGYRS	3	# OF YEARS SMOKED CIGARETTES EVERYDAY		
		RANGE = 1 - 70	6206	34.85
		0 = No years	571	3.21
		981 = NEVER USED CIGARETTES Logically assigned	28	0.16
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	183	1.03
		985 = BAD DATA Logically assigned	193	1.08
		991 = NEVER USED CIGARETTES	6070	34.08
		993 = NEVER USED CIGARETTES EVERYDAY	4448	24.98
		994 = DON'T KNOW	9	0.05
		995 = BAD DATA	15	0.08
		998 = BLANK (NO ANSWER)	86	0.48
		The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.		
		C-11. Have you ever, even once, used chewing tobacco or snuff?		
SNUFEVER	2	EVER USED SMOKELESS TOBACCO		
		1 = Yes, I have used chewing tobacco/snuff	2639	14.82
		2 = No, I have never used chewing tobacco/snuff	14388	80.79
		3 = Yes LOGICALLY ASSIGNED	68	0.38
		4 = No LOGICALLY ASSIGNED	605	3.40
		98 = BLANK (NO ANSWER)	109	0.61
		C-12. How long has it been since you last used chewing tobacco or snuff?		
SNUFREC	2	TIME SINCE LAST USE OF SMOKELESS TOBACCO		
		1 = Within the past 30 days	523	2.94
		2 = More than 30 days ago but within the past 12 mths	346	1.94
		3 = More than 12 months ago but within the past 3 yrs.	359	2.02
		4 = More than 3 years ago	1420	7.97
		9 = Use in lifetime LOGICALLY ASSIGNED	59	0.33
		81 = NEVER USED SMOKELESS TOBACCO Logically assigned	170	0.95
		91 = NEVER USED SMOKELESS TOBACCO	14823	83.23
		98 = BLANK (NO ANSWER)	109	0.61

LABEL	LEN	DESCRIPTION	FREQ	%
		ALCOHOL -- ANSWER SHEET #2		
		FI CHECKPOINT C; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPALCRD	2	CAN RESPONDENT COMPLETE ALCOHOL ANSWER SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	16464	92.45
		2 = No, I doubt that resp. can complt. it alone - SKIP	1180	6.63
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	162	0.91
		A-0. You may complete this answer sheet on you own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
ALCREAD	2	ALCOHOL - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	2792	15.68
		2 = Wants to complete the answer sheet on his/her own	14381	80.75
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	207	1.16
		99 = LEGITIMATE SKIP	426	2.39
		A-1. The next few questions are about drinks of alcoholic beverages. By a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot a liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? Do not include sips from another person's drink.		
ALCEVER	1	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes, I have had a drink of an alcoholic beverage .	13294	74.65
		2 = No, I have never had a drink of any alcoholic bev.	4363	24.50
		3 = Yes LOGICALLY ASSIGNED	93	0.52
		4 = No LOGICALLY ASSIGNED	59	0.33

LABEL	LEN	DESCRIPTION	FREQ	%
		A-2. How old were you the first time you had a drink of any alcoholic beverage? Do not include sips from another person's drink.		
ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOLIC BEVERAGE		
		RANGE = 2 - 65	13281	74.57
		981 = NEVER USED ALCOHOL Logically assigned	87	0.49
		985 = BAD DATA Logically assigned	46	0.26
		991 = NEVER USED ALCOHOL	4335	24.34
		994 = DON'T KNOW	26	0.15
		995 = BAD DATA	7	0.04
		998 = BLANK (NO ANSWER)	27	0.15
		A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7760	43.57
		2 = More than 30 days ago but within the past 12 mths	2032	11.41
		3 = More than 12 months ago but within the past 3 yrs	684	3.84
		4 = More than 3 years ago	1326	7.45
		7 = Use in past 30 days LOGICALLY ASSIGNED	1112	6.24
		8 = Use in past year LOGICALLY ASSIGNED	461	2.59
		9 = Use in lifetime LOGICALLY ASSIGNED	12	0.07
		81 = NEVER USED ALCOHOL Logically assigned	25	0.14
		91 = NEVER USED ALCOHOL	4397	24.69

LABEL	LEN	DESCRIPTION	FREQ	%
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
ALCPAT	2	# DAYS DRANK ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	502	2.82
		2 = 201 to 300 days (5 to 6 days a week)	292	1.64
		3 = 101 to 200 days (3 to 4 days a week)	798	4.48
		4 = 51 to 100 days (1 to 2 days a week)	1725	9.69
		5 = 25 to 50 days (3 to 4 days a month)	1454	8.16
		6 = 12 to 24 days (1 to 2 days a month)	1617	9.08
		7 = 6 to 11 days (less than one day a month)	1415	7.95
		8 = 3 to 5 days in the past 12 months	1518	8.52
		9 = 1 to 2 days in the past 12 months	1715	9.63
		81 = NEVER USED ALCOHOL Logically assigned	55	0.31
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	30	0.17
		85 = BAD DATA Logically assigned	316	1.77
		91 = NEVER USED ALCOHOL	4367	24.52
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	1992	11.19
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	8	0.04
		A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?		
DRUNKYR	2	# DAYS GOT DRUNK OR VERY HIGH PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	115	0.65
		2 = 201 to 300 days (5 to 6 days a week)	56	0.31
		3 = 101 to 200 days (3 to 4 days a week)	181	1.02
		4 = 51 to 100 days (1 to 2 days a week)	425	2.39
		5 = 25 to 50 days (3 to 4 days a month)	434	2.44
		6 = 12 to 24 days (1 to 2 days a month)	722	4.05
		7 = 6 to 11 days (less than one day a month)	762	4.28
		8 = 3 to 5 days in the past 12 months	1028	5.77
		9 = 1 to 2 days in the past 12 months	2138	12.01
		81 = NEVER USED ALCOHOL Logically assigned	56	0.31
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	43	0.24
		85 = BAD DATA Logically assigned	344	1.93
		90 = HAD A DRINK BUT DID NOT GET DRUNK PAST 12 MONTHS .	5113	28.71
		91 = NEVER USED ALCOHOL	4366	24.52
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	1979	11.11
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	43	0.24

LABEL	LEN	DESCRIPTION	FREQ	%
		A-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	7612	42.74
		35 = Date specified within the past 30 days	192	1.08
		81 = NEVER USED ALCOHOL Logically assigned	46	0.26
		83 = DID NOT USED ALCOHOL IN THE PAST 30 DAYS Log assn	181	1.02
		85 = BAD DATA Logically assigned	916	5.14
		91 = NEVER USED ALCOHOL	4376	24.57
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4334	24.34
		94 = DON'T KNOW	13	0.07
		95 = BAD DATA	65	0.36
		98 = BLANK (NO ANSWER)	74	0.42
		A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 80	8348	46.88
		81 = NEVER USED ALCOHOL Logically assigned	25	0.14
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn	126	0.71
		85 = BAD DATA Logically assigned	448	2.52
		91 = NEVER USED ALCOHOL	4397	24.69
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4389	24.64
		94 = DON'T KNOW	6	0.03
		95 = BAD DATA	19	0.11
		98 = BLANK (NO ANSWER)	51	0.29

LABEL	LEN	DESCRIPTION	FREQ	%
		A-8. During the past 30 days, on how many days did you have five or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	3245	18.22
		0 = No days	720	4.04
		35 = Date specified within the past 30 days	50	0.28
		81 = NEVER USED ALCOHOL Logically assigned	39	0.22
		83 = DID NOT DRINK ALCOHOL IN PAST 30 DAYS Log assn ...	141	0.79
		85 = BAD DATA Logically assigned	614	3.45
		90 = HAD A DRINK BUT NEVER MORE THAN 5 PAST 30 DAYS ...	4146	23.28
		91 = NEVER USED ALCOHOL	4383	24.61
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4374	24.56
		94 = DON'T KNOW	5	0.03
		95 = BAD DATA	23	0.13
		98 = BLANK (NO ANSWER)	69	0.39

LABEL	LEN	DESCRIPTION	FREQ	%
		MARIJUANA -- ANSWER SHEET #3		

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked--either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

MJEVER	1	EVER USED MARIJUANA/HASHISH		
		1 = Yes, I have used marijuana or hashish	6200	34.81
		2 = No, I have never used marijuana or hashish	11468	64.39
		3 = Yes LOGICALLY ASSIGNED	28	0.16
		4 = No LOGICALLY ASSIGNED	113	0.63

M-2. How old were you the first time you used marijuana or hashish?

MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 2 - 76	6187	34.74
		981 = NEVER USED MARIJUANA Logically assigned	187	1.05
		985 = BAD DATA Logically assigned	18	0.10
		991 = NEVER USED MARIJUANA	11394	63.98
		994 = DON'T KNOW	5	0.03
		995 = BAD DATA	3	0.02
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	14	0.08

LABEL	LEN	DESCRIPTION	FREQ	%
		M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?		
MJTOT	2	# DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = More than 300 days	1227	6.89
		2 = 101 to 300 days	528	2.96
		3 = 12 to 100 days	1460	8.20
		4 = 3 to 11 days	1312	7.37
		5 = 1 to 2 days	1659	9.32
		81 = NEVER USED MARIJUANA Logically assigned	38	0.21
		85 = BAD DATA Logically assigned	29	0.16
		91 = NEVER USED MARIJUANA	11543	64.82
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	11	0.06
		M-4. How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	1041	5.85
		2 = More than 30 days ago but within the past 12 mths	704	3.95
		3 = More than 12 months ago but within the past 3 yrs	582	3.27
		4 = More than 3 years ago	3293	18.49
		7 = Use in past 30 days LOGICALLY ASSIGNED	283	1.59
		8 = Use in past year LOGICALLY ASSIGNED	293	1.65
		9 = Use in lifetime LOGICALLY ASSIGNED	32	0.18
		81 = NEVER USED MARIJUANA Logically assigned	30	0.17
		91 = NEVER USED MARIJUANA	11551	64.86

LABEL	LEN	DESCRIPTION	FREQ	%
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?		
MJYRFREQ	2	# DAYS USED MARIJUANA PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	186	1.04
		2 = 201 to 300 days (5 to 6 days a week)	109	0.61
		3 = 101 to 200 days (3 to 4 days a week)	194	1.09
		4 = 51 to 100 days (1 to 2 days a week)	209	1.17
		5 = 25 to 50 days (3 to 4 days a month)	216	1.21
		6 = 12 to 24 days (1 to 2 days a month)	214	1.20
		7 = 6 to 11 days (less than one day a month)	266	1.49
		8 = 3 to 5 days in the past 12 months	322	1.81
		9 = 1 to 2 days in the past 12 months	545	3.06
		81 = NEVER USED MARIJUANA Logically assigned	100	0.56
		83 = DID NOT USE MARIJUANA PAST 12 MTHS Logic assn	57	0.32
		85 = BAD DATA Logically assigned	48	0.27
		91 = NEVER USED MARIJUANA	11481	64.47
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	3850	21.62
		98 = BLANK (NO ANSWER)	12	0.07
		M-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	1233	6.92
		35 = Date specified within the past 30 days	22	0.12
		81 = NEVER USED MARIJUANA Logically assigned	83	0.47
		83 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS Log assn	346	1.94
		85 = BAD DATA Logically assigned	48	0.27
		91 = NEVER USED MARIJUANA	11498	64.56
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	4558	25.59
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	10	0.06
		98 = BLANK (NO ANSWER)	10	0.06

LABEL	LEN	DESCRIPTION	FREQ	%
		COCAINE -- ANSWER SHEET #4		
		FI CHECKPOINT D; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPCOCRD	2	SKIP OVER COC-READ-PREFERENCE		
		1 = Yes, respondent can complete the answer sht. alone	16782	94.23
		2 = No, I doubt that resp. can complt. it alone - SKIP	911	5.12
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	113	0.63
		CN-0. You may complete this answer sheet on you own, or if you prefer, I'll read the questions out loud. Which do do you prefer?		
COCREAD	2	COCAINE - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1884	10.58
		2 = Wants to complete the answer sheet on his/her own	15491	86.98
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	143	0.80
		99 = LEGITIMATE SKIP	290	1.63
		The questions in this section are about cocaine, including all the different forms of cocaine, such as powder, "crack," free base, and coca paste.		
		CN-1. Have you ever, even once, used any form of cocaine?		
COCEVER	1	EVER USED COCAINE		
		1 = Yes, I have used some form of cocaine	2196	12.33
		2 = No, I have never used cocaine in my life	15141	85.02
		3 = Yes LOGICALLY ASSIGNED	39	0.22
		4 = No LOGICALLY ASSIGNED	433	2.43
		CN-2. How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 7 - 49	2222	12.48
		981 = NEVER USED COCAINE Logically assigned	254	1.43
		985 = BAD DATA Logically assigned	7	0.04
		991 = NEVER USED COCAINE	15320	86.02
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	5	0.03

LABEL	LEN	DESCRIPTION	FREQ	%
		CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?		
COCTOT	2	# DAYS USED COCAINE IN LIFE		
		1 = More than 300 days	241	1.35
		2 = 101 to 300 days	186	1.04
		3 = 12 to 100 days	571	3.21
		4 = 3 to 11 days	565	3.17
		5 = 1 to 2 days	663	3.72
		81 = NEVER USED COCAINE Logically assigned	76	0.43
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED COCAINE	15498	87.02
		98 = BLANK (NO ANSWER)	3	0.02
		CN-4. How long has it been since you last used any form of cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	147	0.83
		2 = More than 30 days ago but within the past 12 mths	208	1.17
		3 = More than 12 months ago but within the past 3 yrs	253	1.42
		4 = More than 3 years ago	1396	7.84
		7 = Use in past 30 days LOGICALLY ASSIGNED	84	0.47
		8 = Use in past year LOGICALLY ASSIGNED	127	0.71
		9 = Use in lifetime LOGICALLY ASSIGNED	20	0.11
		81 = NEVER USED COCAINE Logically assigned	36	0.20
		91 = NEVER USED COCAINE	15538	87.25
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?		
COCYRFRQ	2	# DAYS USED COCAINE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	30	0.17
		2 = 201 to 300 days (5 to 6 days a week)	19	0.11
		3 = 101 to 200 days (3 to 4 days a week)	27	0.15
		4 = 51 to 100 days (1 to 2 days a week)	43	0.24
		5 = 25 to 50 days (3 to 4 days a month)	40	0.22
		6 = 12 to 24 days (1 to 2 days a month)	48	0.27
		7 = 6 to 11 days (less than one day a month)	83	0.47
		8 = 3 to 5 days in the past 12 months	89	0.50
		9 = 1 to 2 days in the past 12 months	165	0.93
		81 = NEVER USED COCAINE Logically assigned	219	1.23
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Log assn	56	0.31
		85 = BAD DATA Logically assigned	16	0.09
		91 = NEVER USED COCAINE	15355	86.22
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	1613	9.06
		98 = BLANK (NO ANSWER)	6	0.03

LABEL	LEN	DESCRIPTION	FREQ	%
		CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	217	1.22
		35 = Date specified within the past 30 days	3	0.02
		81 = NEVER USED COCAINE Logically assigned	240	1.35
		83 = DID NOT USE COCAINE IN THE PAST 30 DAYS Log assn	240	1.35
		85 = BAD DATA Logically assigned	9	0.05
		91 = NEVER USED COCAINE	15334	86.10
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	1764	9.91
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	1	0.01

LABEL	LEN	DESCRIPTION	FREQ	%
		"CRACK" COCAINE -- ANSWER SHEET #5		
		FI CHECKPOINT E; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPCRKRD	2	SKIP OVER CRK-READ-PREFERENCE		
		1 = Yes, respondent can complete answer sheet alone ..	16839	94.55
		2 = No, I doubt that resp. can complt. it alone - SKIP	833	4.68
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	136	0.76
		CK-0. You may complete this answer sheet on you own, or if you prefer, I'll read the questions out loud. Which do do you prefer?		
CRKREAD	2	"CRACK" - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1580	8.87
		2 = Wants to complete the answer sheet on his/her own	15799	88.71
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP	272	1.53
		The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.		
		CK-1. Have you ever, even once, used "crack?"		
CRKEVER	2	EVER USED "CRACK"		
		1 = Yes, I have used "crack"	573	3.22
		2 = No, I have never used "crack" in my life	16876	94.76
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		4 = No LOGICALLY ASSIGNED	353	1.98
		98 = BLANK (NO ANSWER)	4	0.02
		CK-2. How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED "CRACK"		
		RANGE = 10 - 58	568	3.19
		981 = NEVER USED "CRACK" Logically assigned	458	2.57
		985 = BAD DATA Logically assigned	3	0.02
		991 = NEVER USED "CRACK"	16771	94.17
		998 = BLANK (NO ANSWER)	9	0.05

LABEL	LEN	DESCRIPTION	FREQ	%
		CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"		
CRKTOT	2	# DAYS USED "CRACK" IN LIFE		
		1 = More than 300 days	87	0.49
		2 = 101 to 300 days	62	0.35
		3 = 12 to 100 days	118	0.66
		4 = 3 to 11 days	109	0.61
		5 = 1 to 2 days	195	1.09
		81 = NEVER USED "CRACK" Logically assigned	88	0.49
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17141	96.25
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	6	0.03
		CK-4. How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED "CRACK" (IN ANY FORM)		
		1 = Within the past 30 days	70	0.39
		2 = More than 30 days ago but within the past 12 mths	81	0.45
		3 = More than 12 months ago but within the past 3 yrs	94	0.53
		4 = More than 3 years ago	261	1.47
		7 = Use in past 30 days LOGICALLY ASSIGNED	28	0.16
		8 = Use in past year LOGICALLY ASSIGNED	39	0.22
		9 = Use in lifetime LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED "CRACK" Logically assigned	54	0.30
		91 = NEVER USED "CRACK"	17175	96.44
		98 = BLANK (NO ANSWER)	4	0.02
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CRKYRFRQ	2	# DAYS USED "CRACK" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	15	0.08
		4 = 51 to 100 days (1 to 2 days a week)	25	0.14
		5 = 25 to 50 days (3 to 4 days a month)	22	0.12
		6 = 12 to 24 days (1 to 2 days a month)	21	0.12
		7 = 6 to 11 days (less than one day a month)	25	0.14
		8 = 3 to 5 days in the past 12 months	21	0.12
		9 = 1 to 2 days in the past 12 months	53	0.30
		81 = NEVER USED "CRACK" Logically assigned	330	1.85
		83 = DID NOT USE "CRACK" PAST 12 MONTHS Logic assn	16	0.09
		85 = BAD DATA Logically assigned	9	0.05
		91 = NEVER USED "CRACK"	16899	94.89
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	342	1.92
		98 = BLANK (NO ANSWER)	8	0.04

LABEL	LEN	DESCRIPTION	FREQ	%
		CK-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED "CRACK" PAST 30 DAYS		
		RANGE = 1 - 30	91	0.51
		35 = Date specified within the past 30 days	2	0.01
		81 = NEVER USED "CRACK" Logically assigned	319	1.79
		83 = DID NOT USE "CRACK" IN THE PAST 30 DAYS Log assn .	64	0.36
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	16910	94.95
		93 = DID NOT USE "CRACK" IN THE PAST 30 DAYS	414	2.32
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	6	0.03

LABEL	LEN	DESCRIPTION	FREQ	%
		HEROIN -- ANSWER SHEET #6		
		FI CHECKPOINT F; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPHERRD	2	CAN RESPONDENT COMPLETE HEROIN ANS. SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16831	94.51
		2 = No, I doubt that resp. can complt. it alone - SKIP	821	4.61
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	155	0.87
		H-0. You may complete this answer sheet on you own, or if you prefer, I'll read the questions out loud. Which do do you prefer?		
HERREAD	2	HEROIN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1425	8.00
		2 = Wants to complete the answer sheet on his/her own	15942	89.52
		98 = BLANK (NO ANSWER)	173	0.97
		99 = LEGITIMATE SKIP	269	1.51
		H-1. Have you ever, even once, used heroin?		
HEREVER	2	EVER USED HEROIN		
		1 = Yes, I have used heroin	227	1.27
		2 = No, I have never used heroin in my life	17040	95.68
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		4 = No LOGICALLY ASSIGNED	527	2.96
		98 = BLANK (NO ANSWER)	10	0.06
		H-2. How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 9 - 52	224	1.26
		981 = NEVER USED HEROIN Logically assigned	360	2.02
		985 = BAD DATA Logically assigned	5	0.03
		991 = NEVER USED HEROIN	17207	96.62
		998 = BLANK (NO ANSWER)	13	0.07

LABEL	LEN	DESCRIPTION	FREQ	%
		H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?		
HERTOT	2	# DAYS USED HEROIN IN LIFE		
		1 = More than 300 days	35	0.20
		2 = 101 to 300 days	17	0.10
		3 = 12 to 100 days	44	0.25
		4 = 3 to 11 days	39	0.22
		5 = 1 to 2 days	91	0.51
		81 = NEVER USED HEROIN Logically assigned	72	0.40
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED HEROIN	17495	98.24
		98 = BLANK (NO ANSWER)	12	0.07
		H-4. How long has it been since you last used heroin?		
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	19	0.11
		2 = More than 30 days ago but within the past 12 mths	20	0.11
		3 = More than 12 months ago but within the past 3 yrs	18	0.10
		4 = More than 3 years ago	153	0.86
		7 = Use in past 30 days LOGICALLY ASSIGNED	10	0.06
		8 = Use in past year LOGICALLY ASSIGNED	10	0.06
		9 = Use in lifetime LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED HEROIN Logically assigned	41	0.23
		91 = NEVER USED HEROIN	17526	98.41
		98 = BLANK (NO ANSWER)	10	0.06
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?		
HERYRFRQ	2	# DAYS USED HEROIN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	10	0.06
		2 = 201 to 300 days (5 to 6 days a week)	3	0.02
		3 = 101 to 200 days (3 to 4 days a week)	2	0.01
		4 = 51 to 100 days (1 to 2 days a week)	3	0.02
		5 = 25 to 50 days (3 to 4 days a month)	5	0.03
		6 = 12 to 24 days (1 to 2 days a month)	3	0.02
		7 = 6 to 11 days (less than one day a month)	5	0.03
		8 = 3 to 5 days in the past 12 months	10	0.06
		9 = 1 to 2 days in the past 12 months	13	0.07
		81 = NEVER USED HEROIN Logically assigned	367	2.06
		83 = DID NOT USE HEROIN PAST 12 MONTHS Logically assn	5	0.03
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED HEROIN	17200	96.58
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	168	0.94
		98 = BLANK (NO ANSWER)	11	0.06

LABEL	LEN	DESCRIPTION	FREQ	%
		H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	26	0.15
		81 = NEVER USED HEROIN Logically assigned	356	2.00
		83 = DID NOT USE HEROIN IN PAST 30 DAYS Log assn	18	0.10
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED HEROIN	17211	96.64
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	185	1.04
		98 = BLANK (NO ANSWER)	10	0.06

LABEL	LEN	DESCRIPTION	FREQ	%
		HALLUCINOGENS -- ANSWER SHEET #7		
		FI CHECKPOINT G; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPHALRD	2	CAN RESP. COMPLETE HALLUCINOGEN ANS. SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16807	94.37
		2 = No, I doubt that resp. can complt. it alone - SKIP	784	4.40
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	216	1.21
		L-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
HALREAD	2	HALLUCINOGEN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1461	8.20
		2 = Wants to complete the answer sheet on his/her own	15833	88.90
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	254	1.43
		99 = LEGITIMATE SKIP	260	1.46
		L-1. As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes	1328	7.46
		2 = No	304	1.71
		3 = Yes LOGICALLY ASSIGNED (LSDREC=1,2,3,4,7,8 or 9) .	71	0.40
		4 = No LOGICALLY ASSIGNED (LSDREC=81 or 91)	32	0.18
		81 = NEVER USED HALLUCINOGENS Logically assigned	367	2.06
		91 = NEVER USED HALLUCINOGENS	15697	88.14
		98 = BLANK (NO ANSWER)	10	0.06
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes	425	2.39
		2 = No	1008	5.66
		3 = Yes LOGICALLY ASSIGNED (PCPREC=1,2,3,4,7,8 or 9) .	163	0.92
		4 = No LOGICALLY ASSIGNED (PCPREC=81 or 91)	136	0.76
		81 = NEVER USED HALLUCINOGENS Logically assigned	375	2.11
		91 = NEVER USED HALLUCINOGENS	15689	88.10
		98 = BLANK (NO ANSWER)	13	0.07

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes	245	1.38
		2 = No	1290	7.24
		81 = NEVER USED HALLUCINOGENS Logically assigned	381	2.14
		91 = NEVER USED HALLUCINOGENS	15683	88.06
		98 = BLANK (NO ANSWER)	210	1.18
MESC	2	EVER USED MESCALINE		
		1 = Yes	424	2.38
		2 = No	1145	6.43
		81 = NEVER USED HALLUCINOGENS Logically assigned	382	2.14
		91 = NEVER USED HALLUCINOGENS	15682	88.06
		98 = BLANK (NO ANSWER)	176	0.99
PSILCY	2	EVER USED PSILOCYBIN (mushrooms)		
		1 = Yes	764	4.29
		2 = No	824	4.63
		3 = Yes LOGICALLY ASSIGNED	13	0.07
		81 = NEVER USED HALLUCINOGENS Logically assigned	385	2.16
		91 = NEVER USED HALLUCINOGENS	15679	88.04
		98 = BLANK (NO ANSWER)	144	0.81
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes	249	1.40
		2 = No	1274	7.15
		81 = NEVER USED HALLUCINOGENS Logically assigned	516	2.90
		91 = NEVER USED HALLUCINOGENS	15548	87.30
		98 = BLANK (NO ANSWER)	222	1.25
HALDKNAM	2	USED HALLUCINOGEN, DON'T KNOW NAME		
		1 = Yes	158	0.89
		2 = No	1403	7.88
		81 = NEVER USED HALLUCINOGENS Logically assigned	462	2.59
		91 = NEVER USED HALLUCINOGENS	15602	87.61
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	183	1.03
HALNOLST	2	USED HALLUCINOGEN NOT LISTED ABOVE		
		1 = Yes	89	0.50
		2 = No	1416	7.95
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		4 = No LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED HALLUCINOGENS Logically assigned	426	2.39
		91 = NEVER USED HALLUCINOGENS	15638	87.81
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	224	1.26

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWA	3	OTHER HALLUCINOGEN (FIRST MENTIONED)		
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01
		135 = Mini Thins	1	0.01
		269 = Pasidrin (in Mexico)	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.03
		339 = Amphetamines (speed generically)	1	0.01
		355 = Crystal meth	1	0.01
		457 = T's and blues	1	0.01
		459 = Ketamine	1	0.01
		504 = Shoeshine liq, glue,toluene,Super Glue,rubber cem	1	0.01
		506 = Amyl nitrite, "poppers," locker rm odorizer,"rush"	2	0.01
		508 = Nitrous oxide, "whippets," dentist gas	1	0.01
		520 = Old paint	1	0.01
		521 = Propane [see also 525,544]	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.02
		604 = Psilocybin (mushrooms)	12	0.07
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		609 = Gymsom [sic] pods, Jimson [sic] weed	2	0.01
		614 = MDA	4	0.02
		616 = DET, Dimethyltryptamine, DMT	2	0.01
		617 = Morning glory seeds	2	0.01
		622 = Microdot(s), purple microdot	2	0.01
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.01
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.01
		636 = STP	1	0.01
		639 = Cloves, Nutmeg	2	0.01
		649 = Tea, Choc. [sic] tea	1	0.01
		650 = Daytura	1	0.01
		665 = Paniolis	1	0.01
		666 = Zonick	1	0.01
		667 = Cody Robert	1	0.01
		670 = Monkey dust	1	0.01
		672 = Suncrush	1	0.01
		703 = Opium	2	0.01
		802 = THC, cannabinol	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	2	0.01
		809 = Pills	1	0.01
		829 = Robitussin DM	1	0.01
		843 = Antihistamine, cold tablets <OTC>	1	0.01
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.01
		883 = Dextromethorphan Hydrobromide <OTC>	1	0.01
		884 = Snow	1	0.01
		981 = NEVER USED HALLUCINOGENS Logically assigned	6	0.03
		991 = NEVER USED HALLUCINOGENS	16058	90.17
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	1674	9.40

LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWB	3	OTHER HALLUCINOGEN (SECOND MENTIONED)		
		307 = Tenuate, Diethylpropion	1	0.01
		501 = Gasoline or lighter fluids	1	0.01
		503 = Other aerosol sprays	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		604 = Psilocybin (mushrooms)	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		616 = DET, Dimethyltryptamine, DMT	2	0.01
		618 = Acid paper, blotter (acid) [see also 601]	1	0.01
		664 = Purple fingers	1	0.01
		669 = Stropharia	1	0.01
		671 = Blomstedt	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	1	0.01
		991 = NEVER USED HALLUCINOGENS	16064	90.20
		998 = BLANK (NO ANSWER)	1731	9.72
HALNEWC	3	OTHER HALLUCINOGEN (THIRD MENTIONED)		
		166 = Roinol [sic]	1	0.01
		360 = Rainbow speed	1	0.01
		614 = MDA	1	0.01
		618 = Acid paper, blotter (acid) [see also 601]	1	0.01
		668 = Yellow tiny pills	1	0.01
		991 = NEVER USED HALLUCINOGENS	16064	90.20
		998 = BLANK (NO ANSWER)	1740	9.77
HALNEWD	3	OTHER HALLUCINOGEN (FOURTH MENTIONED)		
		207 = Ativan	1	0.01
		673 = Orange	1	0.01
		991 = NEVER USED HALLUCINOGENS	16064	90.20
		998 = BLANK (NO ANSWER)	1743	9.79
HALNEWE	3	OTHER HALLUCINOGEN (FIFTH MENTIONED)		
		991 = NEVER USED HALLUCINOGENS	16064	90.20
		998 = BLANK (NO ANSWER)	1745	9.80

L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?

HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 2 - 37	1699	9.54
		981 = NEVER USED HALLUCINOGENS Logically assigned	5	0.03
		985 = BAD DATA Logically assigned	25	0.14
		991 = NEVER USED HALLUCINOGENS	16059	90.17
		995 = BAD DATA	2	0.01
		998 = BLANK (NO ANSWER)	19	0.11

LABEL	LEN	DESCRIPTION	FREQ	%
		L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?		
HALLTOT	2	# DAYS USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = More than 300 days	123	0.69
		2 = 101 to 300 days	61	0.34
		3 = 12 to 100 days	350	1.97
		4 = 3 to 11 days	510	2.86
		5 = 1 to 2 days	664	3.73
		81 = NEVER USED HALLUCINOGENS Logically assigned	68	0.38
		85 = BAD DATA Logically assigned	20	0.11
		91 = NEVER USED HALLUCINOGENS	15996	89.82
		98 = BLANK (NO ANSWER)	17	0.10
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
HALLREC	2	TIME SINCE LAST USED LSD/PCP/OTHER HALLUCINOGEN		
		1 = Within the past 30 days	72	0.40
		2 = More than 30 days ago but within the past 12 mths	177	0.99
		3 = More than 12 months ago but within the past 3 yrs	203	1.14
		4 = More than 3 years ago	1133	6.36
		7 = Use in past 30 days LOGICALLY ASSIGNED	66	0.37
		8 = Use in past year LOGICALLY ASSIGNED	61	0.34
		9 = Use in lifetime LOGICALLY ASSIGNED	19	0.11
		81 = NEVER USED HALLUCINOGENS Logically assigned	113	0.63
		91 = NEVER USED HALLUCINOGENS	15951	89.57
		98 = BLANK (NO ANSWER)	14	0.08

LABEL	LEN	DESCRIPTION	FREQ	%
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
HALYRFRQ	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day/almost every day) ..	15	0.08
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	2	0.01
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	11	0.06
		6 = 12 to 24 days (1 to 2 days a month)	21	0.12
		7 = 6 to 11 days (less than 1 day a month)	46	0.26
		8 = 3 to 5 days in the past 12 months	72	0.40
		9 = 1 to 2 days in the past 12 months	166	0.93
		81 = NEVER USED HALLUCINOGENS Logically assigned	118	0.66
		83 = DID NOT USE HALLUCINOGENS PST 12 MTHS Logic assn .	24	0.13
		85 = BAD DATA Logically assigned	23	0.13
		91 = NEVER USED HALLUCINOGENS	15946	89.54
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1331	7.47
		98 = BLANK (NO ANSWER)	14	0.08
		L-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 30	125	0.70
		35 = Date specified within the past 30 days	1	0.01
		81 = NEVER USED HALLUCINOGENS Logically assigned	13	0.07
		83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn	103	0.58
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER USED HALLUCINOGENS	16051	90.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	1490	8.37
		98 = BLANK (NO ANSWER)	14	0.08
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	60	0.34
		2 = More than 30 days ago but within the past 12 mths	166	0.93
		3 = More than 12 months ago but within the past 3 yrs	200	1.12
		4 = More than 3 years ago	934	5.24
		9 = Use in lifetime LOGICALLY ASSIGNED	39	0.22
		81 = NEVER USED LSD Logically assigned	130	0.73
		91 = NEVER USED LSD	16270	91.36
		98 = BLANK (NO ANSWER)	10	0.06

LABEL	LEN	DESCRIPTION	FREQ	%
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mths	34	0.19
		3 = More than 12 months ago but within the past 3 yrs	55	0.31
		4 = More than 3 years ago	475	2.67
		9 = Use in lifetime LOGICALLY ASSIGNED	13	0.07
		81 = NEVER USED PCP Logically assigned	189	1.06
		91 = NEVER USED PCP	17019	95.56
		98 = BLANK (NO ANSWER)	13	0.07

LABEL	LEN	DESCRIPTION	FREQ	%
		INHALANTS -- ANSWER SHEET #8		
		FI CHECKPOINT H; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPINHRD	2	CAN RESPONDENT COMPLETE INHALANTS ANS. SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	16867	94.71
		2 = No, I doubt that resp. can complt. it alone - SKIP	785	4.41
		98 = BLANK (NO ANSWER)	157	0.88
		CN-0. You may complete this answer sheet on you own, or if you prefer, I'll read the questions out loud. Which do do you prefer?		
INHREAD	2	INHALANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1371	7.70
		2 = Wants to complete the answer sheet on his/her own	16027	89.99
		96 = MULTIPLE RESPONSE	8	0.04
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	247	1.39
		IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes	524	2.94
		2 = No	695	3.90
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED INHALANTS Logically assigned	315	1.77
		91 = NEVER USED INHALANTS	16218	91.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	52	0.29
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		1 = Yes	145	0.81
		2 = No	1042	5.85
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		81 = NEVER USED INHALANTS Logically assigned	287	1.61
		91 = NEVER USED INHALANTS	16246	91.22
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	82	0.46

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes	276	1.55
		2 = No	924	5.19
		81 = NEVER USED INHALANTS Logically assigned	296	1.66
		91 = NEVER USED INHALANTS	16237	91.17
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	74	0.42
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes	264	1.48
		2 = No	933	5.24
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED INHALANTS Logically assigned	294	1.65
		91 = NEVER USED INHALANTS	16239	91.18
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	75	0.42
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes	44	0.25
		2 = No	1141	6.41
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED INHALANTS Logically assigned	290	1.63
		91 = NEVER USED INHALANTS	16243	91.21
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	88	0.49
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes	136	0.76
		2 = No	1054	5.92
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED INHALANTS Logically assigned	287	1.61
		91 = NEVER USED INHALANTS	16246	91.22
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	83	0.47
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes	80	0.45
		2 = No	1105	6.20
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED INHALANTS Logically assigned	285	1.60
		91 = NEVER USED INHALANTS	16248	91.23
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	86	0.48
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes	417	2.34
		2 = No	788	4.42
		81 = NEVER USED INHALANTS Logically assigned	292	1.64
		91 = NEVER USED INHALANTS	16241	91.20
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	69	0.39

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes	152	0.85
		2 = No	1039	5.83
		81 = NEVER USED INHALANTS Logically assigned	288	1.62
		91 = NEVER USED INHALANTS	16245	91.22
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	83	0.47
AEROS	2	EVER INHALED OTHER AEROSOL PAINTS		
		1 = Yes	128	0.72
		2 = No	1058	5.94
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		81 = NEVER USED INHALANTS Logically assigned	310	1.74
		91 = NEVER USED INHALANTS	16223	91.09
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	84	0.47
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Yes	74	0.42
		2 = No	1109	6.23
		81 = NEVER USED INHALANTS Logically assigned	399	2.24
		91 = NEVER USED INHALANTS	16134	90.59
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	91	0.51
INHNOLST	2	USED INHALANT NOT LISTED ABOVE		
		1 = Yes	83	0.47
		2 = No	1045	5.87
		3 = Yes LOGICALLY ASSIGNED	36	0.20
		81 = NEVER USED INHALANTS Logically assigned	432	2.43
		91 = NEVER USED INHALANTS	16101	90.41
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	110	0.62

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWA	3	OTHER INHALANT (FIRST MENTIONED)		
		118 = Pentobarbital, pentothal, sodium pentothal	1	0.01
		485 = Mark Vanan [sic]	1	0.01
		501 = Gasoline or lighter fluids	1	0.01
		502 = Spray paints	1	0.01
		503 = Other aerosol sprays	5	0.03
		504 = Shoeshine liq, glue,toluene,Super Glue,rubber cem	2	0.01
		505 = Lacquer thinner or other paint solvents	1	0.01
		506 = Amyl nitrite, "poppers," locker rm odorizer,"rush"	6	0.03
		507 = Halothane, ether, or other anesthetics; chloroform	1	0.01
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	2	0.01
		511 = Markers, felt-tip pens, ink pens	9	0.05
		514 = Carbona [sic], carbone [sic]	1	0.01
		515 = Vicks	1	0.01
		516 = Freon	15	0.08
		518 = Acetone, nail polish remover	1	0.01
		519 = Helium	2	0.01
		521 = Propane [see also 525,544]	1	0.01
		522 = Liquid TV (MTV), TV tuner, TV11Y	1	0.01
		524 = White-Out [see also 509]	2	0.01
		525 = Butane [see also 521,544]	1	0.01
		526 = Nail polish	2	0.01
		528 = Whipped-cream can	1	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.01
		539 = ScotchGard	5	0.03
		540 = PAM	7	0.04
		542 = Brasso, lens cleaner, spirits of ammonia	3	0.02
		544 = Lighter gases, not specified [see also 521,525] ..	1	0.01
		548 = Cologne, rubbing alcohol	3	0.02
		562 = Ban apple gas	1	0.01
		572 = Etam	1	0.01
		573 = Furniture polish	1	0.01
		574 = Tornado	1	0.01
		575 = Dykem blue	1	0.01
		577 = Rave runners	1	0.01
		667 = Cody Robert	1	0.01
		805 = Cocaine, coca, coke	1	0.01
		887 = Orange peel (dried)	1	0.01
		900 = NOT A DRUG	1	0.01
		981 = NEVER USED INHALANTS Logically assigned	4	0.02
		991 = NEVER USED INHALANTS	16529	92.81
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1186	6.66
INHNEWB	3	OTHER INHALANT (SECOND MENTIONED)		
		503 = Other aerosol sprays	1	0.01
		524 = White-Out [see also 509]	1	0.01
		540 = PAM	1	0.01
		571 = Black jack	1	0.01
		671 = Blomstedt	1	0.01
		991 = NEVER USED INHALANTS	16533	92.84
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1269	7.13

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWC	3	OTHER INHALANT (THIRD MENTIONED)		
		991 = NEVER USED INHALANTS	16533	92.84
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1274	7.15
INHNEWD	3	OTHER INHALANT (FOURTH MENTIONED)		
		991 = NEVER USED INHALANTS	16533	92.84
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1274	7.15
INHNEWE	3	OTHER INHALANT (FIFTH MENTIONED)		
		991 = NEVER USED INHALANTS	16533	92.84
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1274	7.15

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

INHAGE	3	AGE WHEN FIRST SNIFFED ANY INHALANTS		
		RANGE = 3 - 40	1211	6.80
		981 = NEVER USED INHALANTS Logically assigned	4	0.02
		985 = BAD DATA Logically assigned	39	0.22
		991 = NEVER USED INHALANTS	16529	92.81
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	22	0.12

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used any inhalant of any kind?

INHTOT	2	# DAYS USED INHALANTS IN LIFE		
		1 = More than 300 days	101	0.57
		2 = 101 to 300 days	39	0.22
		3 = 12 to 100 days	194	1.09
		4 = 3 to 11 days	327	1.84
		5 = 1 to 2 days	553	3.11
		81 = NEVER USED INHALANTS Logically assigned	52	0.29
		85 = BAD DATA Logically assigned	40	0.22
		91 = NEVER USED INHALANTS	16481	92.54
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	21	0.12

LABEL	LEN	DESCRIPTION	FREQ	%
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANT		
		1 = Within the past 30 days	69	0.39
		2 = More than 30 days ago but within the past 12 mths	128	0.72
		3 = More than 12 months ago but within the past 3 yrs	113	0.63
		4 = More than 3 years ago	798	4.48
		7 = Use in past 30 days LOGICALLY ASSIGNED	53	0.30
		8 = Use in past year LOGICALLY ASSIGNED	64	0.36
		9 = Use in lifetime LOGICALLY ASSIGNED	33	0.19
		81 = NEVER USED INHALANTS Logically assigned	148	0.83
		91 = NEVER USED INHALANTS	16385	92.00
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17	0.10
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?		
INHYRFRQ	2	# TIMES USED INHALANTS PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	14	0.08
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	10	0.06
		4 = 51 to 100 days (1 to 2 days a week)	5	0.03
		5 = 25 to 50 days (3 to 4 days a month)	6	0.03
		6 = 12 to 24 days (1 to 2 days a month)	26	0.15
		7 = 6 to 11 days (less than one day a month)	37	0.21
		8 = 3 to 5 days in the past 12 months	41	0.23
		9 = 1 to 2 days in the past 12 months	150	0.84
		81 = NEVER USED INHALANTS Logically assigned	163	0.92
		83 = DID NOT USE INHALANTS IN PAST 12 MONTHS Log assn	41	0.23
		85 = BAD DATA Logically assigned	24	0.13
		91 = NEVER USED INHALANTS	16370	91.92
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	903	5.07
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17	0.10

LABEL	LEN	DESCRIPTION	FREQ	%
		IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		
INHDY30A	2	# DAYS USED AN INHALANT PAST 30 DAYS		
		RANGE = 1 - 30	115	0.65
		35 = Date specified within the past 30 days	1	0.01
		81 = NEVER USED INHALANTS Logically assigned	21	0.12
		83 = DID NOT USE INHALANTS IN THE PAST 30 DAYS Log assn	87	0.49
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED INHALANTS	16512	92.72
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	1049	5.89
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17	0.10

LABEL	LEN	DESCRIPTION	FREQ	%
		ANALGESICS -- ANSWER SHEET #9		
		FI CHECKPOINT I; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPANLRD	2	CAN RESP. COMPLETE PAIN KILLERS ANS. SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16880	94.78
		2 = No, I doubt that resp. can complt. it alone - SKIP	761	4.27
		96 = MULTIPLE RESPONSE	10	0.06
		98 = BLANK (NO ANSWER)	158	0.89
ANLREAD	2	PAIN KILLERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1337	7.51
		2 = Wants to complete the answer sheet on his/her own	16006	89.88
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	207	1.16
		99 = LEGITIMATE SKIP	257	1.44
		PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription pain killers, in pill and non-pill form.		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Yes	440	2.47
		2 = No	778	4.37
		81 = NEVER USED ANALGESICS Logically assigned	158	0.89
		91 = NEVER USED ANALGESICS	16360	91.86
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	72	0.40
DARVON	2	EVER USED DARVON "NONMEDICALLY"		
		1 = Yes	235	1.32
		2 = No	958	5.38
		81 = NEVER USED ANALGESICS Logically assigned	161	0.90
		91 = NEVER USED ANALGESICS	16357	91.85
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	97	0.54

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Yes	178	1.00
		2 = No	997	5.60
		81 = NEVER USED ANALGESICS Logically assigned	164	0.92
		91 = NEVER USED ANALGESICS	16354	91.83
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	115	0.65
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Yes	77	0.43
		2 = No	1092	6.13
		81 = NEVER USED ANALGESICS Logically assigned	164	0.92
		91 = NEVER USED ANALGESICS	16354	91.83
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	121	0.68
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Yes	50	0.28
		2 = No	1116	6.27
		81 = NEVER USED ANALGESICS Logically assigned	163	0.92
		91 = NEVER USED ANALGESICS	16355	91.84
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Yes	113	0.63
		2 = No	1052	5.91
		81 = NEVER USED ANALGESICS Logically assigned	164	0.92
		91 = NEVER USED ANALGESICS	16354	91.83
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	125	0.70
PERCODAN	2	EVER USED PERCODAN "NONMEDICALLY"		
		1 = Yes	251	1.41
		2 = No	938	5.27
		81 = NEVER USED ANALGESICS Logically assigned	163	0.92
		91 = NEVER USED ANALGESICS	16355	91.84
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	100	0.56
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Yes	85	0.48
		2 = No	1081	6.07
		81 = NEVER USED ANALGESICS Logically assigned	168	0.94
		91 = NEVER USED ANALGESICS	16350	91.81
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
TYLCOD	2	EVER USED TYLENOL WITH CODEINE "NONMEDICALLY"		
		1 = Yes	726	4.08
		2 = No	493	2.77
		81 = NEVER USED ANALGESICS Logically assigned	198	1.11
		91 = NEVER USED ANALGESICS	16320	91.64
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	71	0.40
ANLDKNAM	2	USED PAIN KILLER, DON'T KNOW NAME		
		1 = Yes	289	1.62
		2 = No	888	4.99
		81 = NEVER USED ANALGESICS Logically assigned	514	2.89
		91 = NEVER USED ANALGESICS	16004	89.86
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.63
ANLNOLST	2	USED PAIN KILLER NOT LISTED ABOVE		
		1 = Yes	183	1.03
		2 = No	845	4.74
		3 = Yes LOGICALLY ASSIGNED	156	0.88
		4 = No LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED ANALGESICS Logically assigned	512	2.87
		91 = NEVER USED ANALGESICS	16006	89.88
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	103	0.58

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWA	3	OTHER PAIN KILLER (FIRST MENTIONED)		
		105 = Placidyl	1	0.01
		109 = Seconal	4	0.02
		110 = Tuinal	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	11	0.06
		168 = Rahypnol, Rohybenol [sic]	1	0.01
		201 = Valium	9	0.05
		209 = Xanax	6	0.03
		223 = Carbacot, Delaxin, Marbaxin, Methocarbamol,Robamol	1	0.01
		227 = Thorazine	1	0.01
		234 = Cyclobenzaprine, Flexeril	2	0.01
		244 = Roche 2 (Mexican) [sic]	1	0.01
		302 = Dexamyl	1	0.01
		326 = White cross	1	0.01
		336 = Diet pills	1	0.01
		404 = Wygesic	1	0.01
		407 = Demerol	1	0.01
		415 = Codeine	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01
		421 = USED ANALGESIC, DON'T KNOW NAME	3	0.02
		422 = Motrin	6	0.03
		423 = Percocet	14	0.08
		425 = Advil	1	0.01
		427 = Darvocet	13	0.07
		430 = Aspirin, Ecotrin, Empirin <OTC>	2	0.01
		431 = Tylox	2	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	16	0.09
		435 = Tylenol, Tylenol Extra Strength <OTC>	3	0.02
		438 = Anaprox, Naprosyn	4	0.02
		440 = Soma	6	0.03
		442 = Ibuprofen	4	0.02
		447 = Synalgos	1	0.01
		450 = Acetaminophen <OTC>	1	0.01
		456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]	4	0.02
		466 = Midol <OTC>	1	0.01
		481 = Acular, Ketorolactromethamine, Toradol	2	0.01
		483 = Rophynol (Rope) [sic]	1	0.01
		484 = Volume Roach 2-10-8 [sic]	1	0.01
		485 = Mark Vanan [sic]	1	0.01
		611 = Greens	1	0.01
		702 = Heroin	1	0.01
		802 = THC, cannabinol	1	0.01
		811 = Muscle relaxers	4	0.02
		820 = Penicillin	1	0.01
		841 = Allerest, Contact <OTC>	1	0.01
		885 = Drixoral <OTC>	1	0.01
		900 = NOT A DRUG	2	0.01
		981 = NEVER USED ANALGESICS Logically assigned	3	0.02
		991 = NEVER USED ANALGESICS	16515	92.73
		994 = DON'T KNOW	3	0.02
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	1143	6.42

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWB	3	OTHER PAIN KILLER (SECOND MENTIONED)		
		110 = Tuinal	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		138 = Mandrax [sic]	1	0.01
		163 = Blue meanies	1	0.01
		209 = Xanax	4	0.02
		273 = Insidod [sic], Insidon [sic]	1	0.01
		327 = Black beauties, Black Beauty	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		422 = Motrin	3	0.02
		423 = Percocet	2	0.01
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.01
		431 = Tylox	2	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	2	0.01
		442 = Ibuprofen	1	0.01
		455 = Fiorinal with Codeine	1	0.01
		482 = Coai d [sic]	1	0.01
		802 = THC, cannabinol	1	0.01
		900 = NOT A DRUG	1	0.01
		991 = NEVER USED ANALGESICS	16518	92.75
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	1263	7.09
ANALNEWC	3	OTHER PAIN KILLER (THIRD MENTIONED)		
		164 = Yellow zombies	1	0.01
		201 = Valium	1	0.01
		843 = Antihistamine, cold tablets <OTC>	1	0.01
		991 = NEVER USED ANALGESICS	16518	92.75
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	1287	7.23
ANALNEWD	3	OTHER PAIN KILLER (FOURTH MENTIONED)		
		991 = NEVER USED ANALGESICS	16518	92.75
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	1290	7.24
ANALNEWE	3	OTHER PAIN KILLER (FIFTH MENTIONED)		
		991 = NEVER USED ANALGESICS	16518	92.75
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	1290	7.24

LABEL	LEN	DESCRIPTION	FREQ	%
		If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.		
ANALNONE	2	NEVER TAKEN PAIN KILLER "NONMEDICALLY"		
		1 = Response circled	16070	90.24
		2 = Response not circled	1103	6.19
		3 = Response circled LOGICALLY ASSIGNED	448	2.52
		4 = Response not circled LOGICALLY ASSIGNED	124	0.70
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	63	0.35
		PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN KILLERS "NONMEDICALLY"		
		RANGE = 3 - 50	1001	5.62
		981 = NEVER USED ANALGESICS Logically assigned	66	0.37
		985 = BAD DATA Logically assigned	22	0.12
		991 = NEVER USED ANALGESICS	16452	92.38
		994 = DON'T KNOW	8	0.04
		995 = BAD DATA	4	0.02
		998 = BLANK (NO ANSWER)	256	1.44
		PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALTOT	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	149	0.84
		2 = 101 to 300 days	64	0.36
		3 = 12 to 100 days	206	1.16
		4 = 3 to 11 days	290	1.63
		5 = 1 to 2 days	415	2.33
		81 = NEVER USED ANALGESICS Logically assigned	7	0.04
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANALGESICS	16511	92.71
		98 = BLANK (NO ANSWER)	165	0.93

LABEL	LEN	DESCRIPTION	FREQ	%
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	137	0.77
		2 = More than 30 days ago but within the past 12 mths	220	1.24
		3 = More than 12 months ago but within the past 3 yrs	188	1.06
		4 = More than 3 years ago	448	2.52
		8 = Use in past year LOGICALLY ASSIGNED	132	0.74
		9 = Use in lifetime LOGICALLY ASSIGNED	102	0.57
		81 = NEVER USED ANALGESICS Logically assigned	452	2.54
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED ANALGESICS	16066	90.21
		98 = BLANK (NO ANSWER)	63	0.35
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANLYRFRQ	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MTH		
		1 = More than 300 days (every day or almost every day)	22	0.12
		2 = 201 to 300 days (5 to 6 days a week)	11	0.06
		3 = 101 to 200 days (3 to 4 days a week)	17	0.10
		4 = 51 to 100 days (1 to 2 days a week)	15	0.08
		5 = 25 to 50 days (3 to 4 days a month)	16	0.09
		6 = 12 to 24 days (1 to 2 days a month)	44	0.25
		7 = 6 to 11 days (less than one day a month)	74	0.42
		8 = 3 to 5 days in the past 12 months	86	0.48
		9 = 1 to 2 days in the past 12 months	183	1.03
		81 = NEVER USED ANALGESICS Logically assigned	500	2.81
		83 = DID NOT USE ANALGESICS IN PAST 12 MONTHS Log assn	105	0.59
		85 = BAD DATA Logically assigned	27	0.15
		91 = NEVER USED ANALGESICS	16018	89.94
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS	633	3.55
		98 = BLANK (NO ANSWER)	58	0.33

LABEL	LEN	DESCRIPTION	FREQ	%
		TRANQUILIZERS -- ANSWER SHEET #10		
		FI CHECKPOINT J; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPTRNRD	2	CAN RESP. COMPLETE TRANQUILIZERS ANS. SHEET ALONE		
		1 = Yes, I think resp can complete answer sheet alone	16928	95.05
		2 = No, I doubt that resp. can complt. it alone - SKIP	747	4.19
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	130	0.73
		T-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
TRNREAD	2	TRANQUILIZERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1298	7.29
		2 = Wants to complete the answer sheet on his/her own	16096	90.38
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP	253	1.42
		T-1. As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Yes	20	0.11
		2 = No	762	4.28
		81 = NEVER USED TRANQUILIZERS Logically assigned	198	1.11
		91 = NEVER USED TRANQUILIZERS	16704	93.80
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
ATIVAN	2	EVER USED ATIVAN "NONMEDICALLY"		
		1 = Yes	51	0.29
		2 = No	732	4.11
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned	201	1.13
		91 = NEVER USED TRANQUILIZERS	16701	93.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	122	0.69

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
DIAZEPAM	2	EVER USED DIAZEPAM "NONMEDICALLY"		
		1 = Yes	86	0.48
		2 = No	703	3.95
		81 = NEVER USED TRANQUILIZERS Logically assigned	201	1.13
		91 = NEVER USED TRANQUILIZERS	16701	93.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	117	0.66
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Yes	107	0.60
		2 = No	680	3.82
		81 = NEVER USED TRANQUILIZERS Logically assigned	200	1.12
		91 = NEVER USED TRANQUILIZERS	16702	93.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	119	0.67
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Yes	43	0.24
		2 = No	729	4.09
		81 = NEVER USED TRANQUILIZERS Logically assigned	201	1.13
		91 = NEVER USED TRANQUILIZERS	16701	93.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	134	0.75
VALIUM	2	EVER USED VALIUM "NONMEDICALLY"		
		1 = Yes	570	3.20
		2 = No	255	1.43
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned	201	1.13
		91 = NEVER USED TRANQUILIZERS	16701	93.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	80	0.45
XANAX	2	EVER USED XANAX "NONMEDICALLY"		
		1 = Yes	240	1.35
		2 = No	548	3.08
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned	222	1.25
		91 = NEVER USED TRANQUILIZERS	16680	93.66
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	117	0.66
TRDKNAM	2	USED TRANQUILIZER, DON'T KNOW NAME		
		1 = Yes	150	0.84
		2 = No	645	3.62
		81 = NEVER USED TRANQUILIZERS Logically assigned	554	3.11
		91 = NEVER USED TRANQUILIZERS	16348	91.80
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	111	0.62

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
TRNOLST	2	USED TRANQUILIZER NOT LISTED ABOVE		
		1 = Yes	81	0.45
		2 = No	610	3.43
		3 = Yes LOGICALLY ASSIGNED	90	0.51
		81 = NEVER USED TRANQUILIZERS Logically assigned	555	3.12
		91 = NEVER USED TRANQUILIZERS	16347	91.79
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
TRNEWA	3	OTHER TRANQUILIZER (FIRST MENTIONED)		
		105 = Placidyl	2	0.01
		112 = Rasepam, Restoril, Temaz, Temazepam	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	7	0.04
		129 = Reds	1	0.01
		137 = 7-14	1	0.01
		138 = Mandrax [sic]	1	0.01
		201 = Valium	2	0.01
		203 = Libritabs, Limbitrol, Mitran	2	0.01
		205 = Serax	1	0.01
		208 = Centrax	1	0.01
		209 = Xanax	1	0.01
		210 = Paxipam	1	0.01
		211 = Buspar	7	0.04
		214 = Deprol	1	0.01
		215 = Vistaril	1	0.01
		220 = Meprobamate, Meprospan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.01
		227 = Thorazine	1	0.01
		234 = Cyclobenzaprine, Flexeril	2	0.01
		240 = Lithium carbonate	2	0.01
		241 = Prozac	2	0.01
		246 = Clonopin, Klonopin	1	0.01
		272 = Megadon [sic], Mogadon, Nitrazepam	1	0.01
		273 = Insidod [sic], Insidon [sic]	1	0.01
		333 = 357 Magnum, Magnum 44	1	0.01
		362 = Benadryl	1	0.01
		366 = Duromine [sic]	1	0.01
		419 = Stadol	1	0.01
		423 = Percocet	1	0.01
		431 = Tylox	1	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	2	0.01
		611 = Greens	1	0.01
		900 = NOT A DRUG	3	0.02
		981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.01
		991 = NEVER USED TRANQUILIZERS	16900	94.90
		994 = DON'T KNOW	3	0.02
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	848	4.76

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWB	3	OTHER TRANQUILIZER (SECOND MENTIONED)		
		110 = Tuinal	1	0.01
		137 = 7-14	2	0.01
		201 = Valium	1	0.01
		207 = Ativan	1	0.01
		209 = Xanax	1	0.01
		212 = Miltown	1	0.01
		259 = Desipramine, Norpramin, Pertofrane	1	0.01
		274 = Nipam [sic]	1	0.01
		991 = NEVER USED TRANQUILIZERS	16902	94.91
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	897	5.04
TRNEWC	3	OTHER TRANQUILIZER (THIRD MENTIONED)		
		137 = 7-14	1	0.01
		167 = Dumolid [sic]	1	0.01
		210 = Paxipam	1	0.01
		991 = NEVER USED TRANQUILIZERS	16902	94.91
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	903	5.07
TRNEWD	3	OTHER TRANQUILIZER (FOURTH MENTIONED)		
		217 = Durrax	1	0.01
		991 = NEVER USED TRANQUILIZERS	16902	94.91
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	905	5.08
TRNEWE	3	OTHER TRANQUILIZER (FIFTH MENTIONED)		
		991 = NEVER USED TRANQUILIZERS	16902	94.91
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	906	5.09

If you answered "NO" to each of the
items a through i in Question T-1 above,
circle the 91 in the box to the right.
Then tell the interviewer that you are
finished with this answer sheet.
Otherwise, continue with T-2 below.

NOTRANQ	2	NEVER TAKEN TRANQUILIZER "NONMEDICALLY"		
		1 = Response circled	16471	92.49
		2 = Response not circled	768	4.31
		3 = Response circled LOGICALLY ASSIGNED	431	2.42
		4 = Response not circled LOGICALLY ASSIGNED	46	0.26
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	92	0.52

LABEL	LEN	DESCRIPTION	FREQ	%
		T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 8 - 62	717	4.03
		981 = NEVER USED TRANQUILIZERS Logically assigned	40	0.22
		985 = BAD DATA Logically assigned	13	0.07
		991 = NEVER USED TRANQUILIZERS	16862	94.68
		994 = DON'T KNOW	3	0.02
		995 = BAD DATA	3	0.02
		998 = BLANK (NO ANSWER)	171	0.96
		T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANTOT	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	104	0.58
		2 = 101 to 300 days	37	0.21
		3 = 12 to 100 days	154	0.86
		4 = 3 to 11 days	212	1.19
		5 = 1 to 2 days	282	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned	5	0.03
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED TRANQUILIZERS	16897	94.88
		98 = BLANK (NO ANSWER)	117	0.66
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZER "NONMEDICALLY"		
		1 = Within the past 30 days	56	0.31
		2 = More than 30 days ago but within the past 12 mths	125	0.70
		3 = More than 12 months ago but within the past 3 yrs	104	0.58
		4 = More than 3 years ago	432	2.43
		8 = Use in past year LOGICALLY ASSIGNED	66	0.37
		9 = Use in lifetime LOGICALLY ASSIGNED	31	0.17
		81 = NEVER USED TRANQUILIZERS Logically assigned	433	2.43
		91 = NEVER USED TRANQUILIZERS	16469	92.48
		98 = BLANK (NO ANSWER)	93	0.52

LABEL	LEN	DESCRIPTION	FREQ	%
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRNYRFRQ	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MT		
		1 = More than 300 days (every day or almost every day)	12	0.07
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	7	0.04
		4 = 51 to 100 days (1 to 2 days a week)	11	0.06
		5 = 25 to 50 days (3 to 4 days a month)	14	0.08
		6 = 12 to 24 days (1 to 2 days a month)	22	0.12
		7 = 6 to 11 days (less than one day a month)	33	0.19
		8 = 3 to 5 days in the past 12 months	52	0.29
		9 = 1 to 2 days in the past 12 months	92	0.52
		81 = NEVER USED TRANQUILIZERS Logically assigned	461	2.59
		83 = DID NOT USE TRANQUILIZERS PAST 12 MTHS Log assn ..	37	0.21
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED TRANQUILIZERS	16441	92.32
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	530	2.98
		98 = BLANK (NO ANSWER)	90	0.51

LABEL	LEN	DESCRIPTION	FREQ	%
		STIMULANTS -- ANSWER SHEET #11		
		FI CHECKPOINT K; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSTMRD	2	CAN RESP. COMPLETE STIMULANTS ANS. SHEET ALONE		
		1 = Yes, I think respondent can complete it alone	16907	94.94
		2 = No, I doubt that resp. can complt. it alone - SKIP	738	4.14
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	159	0.89
		ST-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
STMREAD	2	STIMULANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1253	7.04
		2 = Wants to complete the answer sheet on his/her own	16119	90.51
		98 = BLANK (NO ANSWER)	189	1.06
		99 = LEGITIMATE SKIP	248	1.39
		ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.		
BENZ	2	EVER USED BENZEDRINE "NONMEDICALLY"		
		1 = Yes	131	0.74
		2 = No	644	3.62
		81 = NEVER USED STIMULANTS Logically assigned	197	1.11
		91 = NEVER USED STIMULANTS	16751	94.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	84	0.47
BIPHET	2	EVER USED BIPHETAMINE "NONMEDICALLY"		
		1 = Yes	114	0.64
		2 = No	660	3.71
		81 = NEVER USED STIMULANTS Logically assigned	200	1.12
		91 = NEVER USED STIMULANTS	16748	94.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	86	0.48

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
DEXAMYL	2	EVER USED DEXAMYL "NONMEDICALLY"		
		1 = Yes	53	0.30
		2 = No	719	4.04
		81 = NEVER USED STIMULANTS Logically assigned	200	1.12
		91 = NEVER USED STIMULANTS	16748	94.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	88	0.49
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Yes	147	0.83
		2 = No	627	3.52
		81 = NEVER USED STIMULANTS Logically assigned	199	1.12
		91 = NEVER USED STIMULANTS	16749	94.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	86	0.48
FASTIN	2	EVER USED FASTIN "NONMEDICALLY"		
		1 = Yes	77	0.43
		2 = No	697	3.91
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED STIMULANTS Logically assigned	199	1.12
		91 = NEVER USED STIMULANTS	16749	94.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	85	0.48
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Yes	44	0.25
		2 = No	725	4.07
		81 = NEVER USED STIMULANTS Logically assigned	199	1.12
		91 = NEVER USED STIMULANTS	16749	94.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	91	0.51
METHAMP	2	EVER USED METHAMPHETAMINE "NONMEDICALLY"		
		1 = Yes	327	1.84
		2 = No	457	2.57
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED STIMULANTS Logically assigned	200	1.12
		91 = NEVER USED STIMULANTS	16748	94.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	73	0.41
METHI	2	EVER USED METHEDRINE "NONMEDICALLY"		
		1 = Yes	79	0.44
		2 = No	690	3.87
		81 = NEVER USED STIMULANTS Logically assigned	200	1.12
		91 = NEVER USED STIMULANTS	16748	94.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	91	0.51

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Yes	70	0.39
		2 = No	702	3.94
		81 = NEVER USED STIMULANTS Logically assigned	214	1.20
		91 = NEVER USED STIMULANTS	16734	93.96
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	87	0.49
STMDKNAM	2	USED STIMULANT, DON'T KNOW NAME		
		1 = Yes	230	1.29
		2 = No	534	3.00
		81 = NEVER USED STIMULANTS Logically assigned	542	3.04
		91 = NEVER USED STIMULANTS	16406	92.12
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	96	0.54
STMNOLST	2	USED STIMULANT NOT LISTED ABOVE		
		1 = Yes	127	0.71
		2 = No	529	2.97
		3 = Yes LOGICALLY ASSIGNED	98	0.55
		4 = No LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED STIMULANTS Logically assigned	570	3.20
		91 = NEVER USED STIMULANTS	16378	91.96
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	105	0.59

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWA	3	OTHER STIMULANT (FIRST MENTIONED)		
		124 = Yellow jackets	2	0.01
		135 = Mini Thins	2	0.01
		303 = Eskatrol	2	0.01
		306 = Desoxyn	5	0.03
		308 = Tepanil, Diethylpropion	1	0.01
		309 = Didrex	3	0.02
		313 = Adipex-P, Fastin, Phentermine	2	0.01
		315 = Voranil	1	0.01
		316 = Sanorex	2	0.01
		317 = Mazanor	1	0.01
		318 = Ritalin, Methylphenidate	9	0.05
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		325 = USED STIMULANT, DON'T KNOW NAME	2	0.01
		326 = White cross	9	0.05
		327 = Black beauties, Black Beauty	10	0.06
		328 = Pink hearts	4	0.02
		329 = Robin's eggs, speckled eggs	2	0.01
		331 = Blancas, Whites	4	0.02
		332 = Ephedrine (HCl) [see also 346]	5	0.03
		333 = 357 Magnum, Magnum 44	1	0.01
		334 = Crossroads, cross tops	6	0.03
		335 = Dexatrim	1	0.01
		336 = Diet pills	1	0.01
		339 = Amphetamines (speed generically)	11	0.06
		340 = Tiamina 250 [sic]	1	0.01
		345 = Black Molly	2	0.01
		354 = Vivarin <OTC>	1	0.01
		358 = 20/20	1	0.01
		374 = Christmas tree(s)	2	0.01
		392 = Obeesatol [sic]	1	0.01
		393 = OP 33	1	0.01
		394 = Debs	1	0.01
		395 = Black cats	1	0.01
		399 = Pasodoril [sic]	1	0.01
		614 = MDA	1	0.01
		663 = Animal tranquilizer, horse tranquilizer	1	0.01
		805 = Cocaine, coca, coke	1	0.01
		809 = Pills	1	0.01
		814 = Caffeine	1	0.01
		900 = NOT A DRUG	6	0.03
		981 = NEVER USED STIMULANTS Logically assigned	2	0.01
		991 = NEVER USED STIMULANTS	16946	95.15
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	747	4.19

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWB	3	OTHER STIMULANT (SECOND MENTIONED)		
		124 = Yellow jackets	2	0.01
		135 = Mini Thins	1	0.01
		303 = Eskatrol	2	0.01
		315 = Voranil	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.01
		326 = White cross	6	0.03
		327 = Black beauties, Black Beauty	3	0.02
		328 = Pink hearts	5	0.03
		329 = Robin's eggs, speckled eggs	1	0.01
		348 = Crystal	1	0.01
		374 = Christmas tree(s)	1	0.01
		398 = Pink crosses	1	0.01
		991 = NEVER USED STIMULANTS	16948	95.17
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	835	4.69
STIMNEWC	3	OTHER STIMULANT (THIRD MENTIONED)		
		124 = Yellow jackets	1	0.01
		307 = Tenuate, Diethylpropion	1	0.01
		323 = Obedrin-L.A.	1	0.01
		326 = White cross	1	0.01
		327 = Black beauties, Black Beauty	2	0.01
		328 = Pink hearts	1	0.01
		333 = 357 Magnum, Magnum 44	1	0.01
		396 = Black RJs	1	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators	1	0.01
		991 = NEVER USED STIMULANTS	16948	95.17
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	850	4.77
STIMNEWD	3	OTHER STIMULANT (FOURTH MENTIONED)		
		316 = Sanorex	1	0.01
		331 = Blancas, Whites	1	0.01
		374 = Christmas tree(s)	1	0.01
		991 = NEVER USED STIMULANTS	16948	95.17
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	857	4.81
STIMNEWE	3	OTHER STIMULANTS		
		320 = Dextroamphetamine	1	0.01
		991 = NEVER USED STIMULANTS	16948	95.17
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	859	4.82

LABEL	LEN	DESCRIPTION	FREQ	%
		If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.		
NOSTIMS	2	NEVER USED STIMULANTS "NONMEDICALLY"		
		1 = Response circled	16537	92.86
		2 = Response not circled	747	4.19
		3 = Response circled LOGICALLY ASSIGNED	411	2.31
		4 = Response not circled LOGICALLY ASSIGNED	43	0.24
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	70	0.39
		ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"		
		RANGE = 4 - 44	701	3.94
		981 = NEVER USED STIMULANTS Logically assigned	27	0.15
		985 = BAD DATA Logically assigned	11	0.06
		991 = NEVER USED STIMULANTS	16921	95.01
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	1	0.01
		998 = BLANK (NO ANSWER)	146	0.82
		ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMTOT	2	# DAYS USED STIMULANTS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	145	0.81
		2 = 101 to 300 days	83	0.47
		3 = 12 to 100 days	210	1.18
		4 = 3 to 11 days	161	0.90
		5 = 1 to 2 days	172	0.97
		81 = NEVER USED STIMULANTS Logically assigned	5	0.03
		91 = NEVER USED STIMULANTS	16943	95.14
		98 = BLANK (NO ANSWER)	90	0.51

LABEL	LEN	DESCRIPTION	FREQ	%
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANT "NONMEDICALLY"		
		1 = Within the past 30 days	52	0.29
		2 = More than 30 days ago but within the past 12 mths	71	0.40
		3 = More than 12 months ago but within the past 3 yrs	59	0.33
		4 = More than 3 years ago	539	3.03
		8 = Use in past year LOGICALLY ASSIGNED	52	0.29
		9 = Use in lifetime LOGICALLY ASSIGNED	17	0.10
		81 = NEVER USED STIMULANTS Logically assigned	413	2.32
		91 = NEVER USED STIMULANTS	16535	92.85
		98 = BLANK (NO ANSWER)	71	0.40
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STMYRFRQ	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MTHS		
		1 = More than 300 days (every day or almost every day)	14	0.08
		2 = 201 to 300 days (5 to 6 days a week)	8	0.04
		3 = 101 to 200 days (3 to 4 days a week)	13	0.07
		4 = 51 to 100 days (1 to 2 days a week)	12	0.07
		5 = 25 to 50 days (3 to 4 days a month)	19	0.11
		6 = 12 to 24 days (1 to 2 days a month)	13	0.07
		7 = 6 to 11 days (less than one day a month)	13	0.07
		8 = 3 to 5 days in the past 12 months	30	0.17
		9 = 1 to 2 days in the past 12 months	47	0.26
		81 = NEVER USED STIMULANTS Logically assigned	431	2.42
		83 = DID NOT USE STIMULANTS IN PAST 12 MONTHS Log assn	23	0.13
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER USED STIMULANTS	16517	92.75
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	592	3.32
		98 = BLANK (NO ANSWER)	65	0.36

LABEL	LEN	DESCRIPTION	FREQ	%
		SEDATIVES -- ANSWER SHEET #12		
		FI CHECKPOINT L; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSEDRD	2	CAN RESP. COMPLETE SEDATIVES ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16943	95.14
		2 = No, I doubt that resp. can complt. it alone - SKIP	735	4.13
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		S-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
SEDREAD	2	SEDATIVES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1231	6.91
		2 = Wants to complete the answer sheet on his/her own	16177	90.84
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	152	0.85
		99 = LEGITIMATE SKIP	248	1.39
		S-1. As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.		
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Yes	44	0.25
		2 = No	429	2.41
		81 = NEVER USED SEDATIVES Logically assigned	212	1.19
		91 = NEVER USED SEDATIVES	17056	95.77
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	67	0.38
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Yes	55	0.31
		2 = No	416	2.34
		81 = NEVER USED SEDATIVES Logically assigned	219	1.23
		91 = NEVER USED SEDATIVES	17049	95.73
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	69	0.39

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
METHAQ	2	EVER USED METHAQUALONE "NONMEDICALLY"		
		1 = Yes	244	1.37
		2 = No	232	1.30
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED SEDATIVES Logically assigned	211	1.18
		91 = NEVER USED SEDATIVES	17057	95.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	61	0.34
NEMBUTAL	2	EVER USED NEMBUTAL "NONMEDICALLY"		
		1 = Yes	51	0.29
		2 = No	420	2.36
		81 = NEVER USED SEDATIVES Logically assigned	212	1.19
		91 = NEVER USED SEDATIVES	17056	95.77
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	69	0.39
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Yes	96	0.54
		2 = No	375	2.11
		81 = NEVER USED SEDATIVES Logically assigned	210	1.18
		91 = NEVER USED SEDATIVES	17058	95.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	69	0.39
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Yes	77	0.43
		2 = No	396	2.22
		81 = NEVER USED SEDATIVES Logically assigned	210	1.18
		91 = NEVER USED SEDATIVES	17058	95.78
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	67	0.38
SECONAL	2	EVER USED SECONAL "NONMEDICALLY"		
		1 = Yes	135	0.76
		2 = No	342	1.92
		81 = NEVER USED SEDATIVES Logically assigned	210	1.18
		91 = NEVER USED SEDATIVES	17058	95.78
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	62	0.35
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Yes	106	0.60
		2 = No	366	2.06
		81 = NEVER USED SEDATIVES Logically assigned	219	1.23
		91 = NEVER USED SEDATIVES	17049	95.73
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	68	0.38

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
SEDDKNAM	2	USED SEDATIVE, DON'T KNOW NAME		
		1 = Yes	118	0.66
		2 = No	339	1.90
		81 = NEVER USED SEDATIVES Logically assigned	514	2.89
		91 = NEVER USED SEDATIVES	16754	94.08
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	83	0.47
SEDNOLST	2	USED SEDATIVE NOT LISTED ABOVE		
		1 = Yes	52	0.29
		2 = No	335	1.88
		3 = Yes LOGICALLY ASSIGNED	65	0.36
		81 = NEVER USED SEDATIVES Logically assigned	527	2.96
		91 = NEVER USED SEDATIVES	16741	94.00
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	88	0.49
SEDNEWA	3	OTHER SEDATIVE (FIRST MENTIONED)		
		101 = Butisol	1	0.01
		103 = Amytal	1	0.01
		107 = Noludar	1	0.01
		112 = Rasepam, Restoril, Temaz, Temazepam	2	0.01
		113 = Halcion	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	5	0.03
		121 = USED SEDATIVE, DON'T KNOW NAME	2	0.01
		145 = Red devil(s)	2	0.01
		161 = Rufonol	1	0.01
		165 = Trips	1	0.01
		216 = Atarax	1	0.01
		224 = Triavil	1	0.01
		250 = Aventyl, Nortriptyline, Pamelor	1	0.01
		274 = Nipam [sic]	1	0.01
		362 = Benadryl	1	0.01
		380 = Pink ladies	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	1	0.01
		900 = NOT A DRUG	3	0.02
		981 = NEVER USED SEDATIVES Logically assigned	2	0.01
		991 = NEVER USED SEDATIVES	17266	96.95
		994 = DON'T KNOW	1	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	512	2.87
SEDNEWB	3	OTHER SEDATIVE (SECOND MENTIONED)		
		108 = Nembutal	1	0.01
		272 = Megadon [sic], Mogadon, Nitrazepam	1	0.01
		397 = F-40	1	0.01
		991 = NEVER USED SEDATIVES	17268	96.96
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	537	3.02

LABEL	LEN	DESCRIPTION	FREQ	%
SEDNEWC	3	OTHER SEDATIVE (THIRD MENTIONED)		
		167 = Dumolid [sic]	1	0.01
		227 = Thorazine	1	0.01
		991 = NEVER USED SEDATIVES	17268	96.96
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	538	3.02
SEDNEWD	3	OTHER SEDATIVE (FOURTH MENTIONED)		
		991 = NEVER USED SEDATIVES	17268	96.96
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	540	3.03
SEDNEWE	3	OTHER SEDATIVE (FIFTH MENTIONED)		
		991 = NEVER USED SEDATIVES	17268	96.96
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	540	3.03

If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.

NOSEDAT	2	NEVER USED SEDATIVES "NONMEDICALLY"		
		1 = Response circled	16825	94.47
		2 = Response not circled	440	2.47
		3 = Response circled LOGICALLY ASSIGNED	443	2.49
		4 = Response not circled LOGICALLY ASSIGNED	23	0.13
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	77	0.43

S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 8 - 39	393	2.21
		981 = NEVER USED SEDATIVES Logically assigned	20	0.11
		985 = BAD DATA Logically assigned	16	0.09
		991 = NEVER USED SEDATIVES	17248	96.85
		998 = BLANK (NO ANSWER)	132	0.74

LABEL	LEN	DESCRIPTION	FREQ	%
		S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDTOT	2	# DAYS USED SEDATIVES "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	56	0.31
		2 = 101 to 300 days	36	0.20
		3 = 12 to 100 days	110	0.62
		4 = 3 to 11 days	103	0.58
		5 = 1 to 2 days	145	0.81
		81 = NEVER USED SEDATIVES Logically assigned	4	0.02
		91 = NEVER USED SEDATIVES	17264	96.94
		98 = BLANK (NO ANSWER)	91	0.51
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVE "NONMEDICALLY"		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mths	40	0.22
		3 = More than 12 months ago but within the past 3 yrs	32	0.18
		4 = More than 3 years ago	329	1.85
		8 = Use in past year LOGICALLY ASSIGNED	36	0.20
		9 = Use in lifetime LOGICALLY ASSIGNED	15	0.08
		81 = NEVER USED SEDATIVES Logically assigned	445	2.50
		91 = NEVER USED SEDATIVES	16823	94.46
		98 = BLANK (NO ANSWER)	78	0.44

LABEL	LEN	DESCRIPTION	FREQ	%
		ST-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDYRFRQ	2	# DAYS USED SEDATIVES "NONMEDICALLY" PST 12 MTHS		
		1 = More than 300 days (every day or almost every day)	12	0.07
		2 = 201 to 300 days (5 to 6 days a week)	3	0.02
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	9	0.05
		6 = 12 to 24 days (1 to 2 days a month)	8	0.04
		7 = 6 to 11 days (less than one day a month)	10	0.06
		8 = 3 to 5 days in the past 12 months	10	0.06
		9 = 1 to 2 days in the past 12 months	30	0.17
		81 = NEVER USED SEDATIVES Logically assigned	459	2.58
		83 = DID NOT USE SEDATIVES IN PAST 12 MONTHS Log assn .	15	0.08
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED SEDATIVES	16809	94.38
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	361	2.03
		98 = BLANK (NO ANSWER)	74	0.42

LABEL	LEN	DESCRIPTION	FREQ	%

IMPUTED DEMOGRAPHICS

The imputation-revised versions of age, race, ethnicity, gender, marital status, education and current work status were based on edited versions of the corresponding demographic questions on the core NHSDA answer sheet. When possible, screener data was used during the editing, however relevant data on any supplemental NHSDA answer sheet was not used.

BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12	17610	98.88
		98 = BLANK (NO ANSWER)	199	1.12
BIRYEAR	4	BIRTH YEAR		
		RANGE = 1896 - 1985	17610	98.88
		9998 = BLANK (NO ANSWER)	199	1.12
IRAGE	2	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 98	17809	100.00

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IIAGE	1	IRAGE INDICATOR		
		1 = Age from birthdate	17416	97.79
		2 = Age from cover of questionnaire	381	2.14
		3 = Age from roster	5	0.03
		4 = Age statistically imputed using age gr from roster	7	0.04
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male	7950	44.64
		2 = Female	9859	55.36
IISEX	1	IRSEX INDICATOR		
		1 = Sex from questionnaire	17608	98.87
		2 = Sex from relationship on roster	136	0.76
		3 = Sex from roster	65	0.36
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American indian or Alaskan native	263	1.48
		2 = Asian or Pacific islander	408	2.29
		3 = Black	4219	23.69
		4 = White	12919	72.54
IIRACE	1	IRRACE INDICATOR		
		1 = Race from questionnaire	17031	95.63
		2 = Race from interview observation	694	3.90
		3 = Race from roster	67	0.38
		5 = Race statistically imputed, no infor. from roster	17	0.10
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	4706	26.42
		2 = Nonhispanic	13103	73.58
IIHOIND	1	IRHOIND INDICATOR		
		1 = Hispanicity derived from questionnaire	17692	99.34
		2 = Hispanicity derived from roster	117	0.66
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	586	3.29
		2 = Mexican	2876	16.15
		3 = Cuban	218	1.22
		4 = Other	1026	5.76
		99 = LEGITIMATE SKIP	13103	73.58
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC GROUP		
		1 = Hispanic-Origin Group taken from questionnaire	4560	25.61
		3 = Statistically imputed data	146	0.82
		9 = LEGITIMATE SKIP Respondent is not hispanic	13103	73.58

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRHOGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	586	3.29
		2 = Mexican	2876	16.15
		3 = Cuban	218	1.22
		4 = Other	371	2.08
		5 = Central American	227	1.27
		6 = South American	160	0.90
		7 = Caribbean	268	1.50
		99 = LEGITIMATE SKIP Respondent is not hispanic	13103	73.58
IIHOGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire	4560	25.61
		3 = Statistically imputed data	146	0.82
		9 = LEGITIMATE SKIP Respondent is not hispanic	13103	73.58
IRMARIT	2	MARITAL STATUS - IMPUTATION INDICATOR		
		1 = Married	6142	34.49
		2 = Widowed	344	1.93
		3 = Divorced or Separated	1753	9.84
		4 = Never Married	7139	40.09
		99 = LEGITIMATE SKIP	2431	13.65
IIMARIT	1	IRMARIT INDICATOR		
		1 = Questionnaire data	15123	84.92
		3 = Statistically imputed data	51	0.29
		4 = Logically imputed data from roster	196	1.10
		5 = Statistically imputed data	8	0.04
		9 = LEGITIMATE SKIP (less than or = 14 years old)	2431	13.65
IREDUC	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	38	0.21
		1 = First grade	15	0.08
		2 = Second grade	43	0.24
		3 = Third grade	76	0.43
		4 = Fourth grade	83	0.47
		5 = Fifth grade	356	2.00
		6 = Sixth grade	1040	5.84
		7 = Seventh grade	991	5.56
		8 = Eighth grade	1137	6.38
		9 = Ninth grade	1298	7.29
		10 = Tenth grade	1408	7.91
		11 = Eleventh grade	1509	8.47
		12 = Twelfth grade	4621	25.95
		13 = Freshman/13th year	1011	5.68
		14 = Sophomore/14th year	1537	8.63
		15 = Junior/15th year	522	2.93
		16 = Senior/16th year	1356	7.61
		17 = Graduate/Professional School (or higher)	768	4.31
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	17715	99.47
		3 = Statistically imputed data	94	0.53

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	10191	57.22
		2 = No, did not graduate from high school	7618	42.78
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	13564	76.16
		2 = Logically imputed data	4203	23.60
		3 = Statistically imputed data	42	0.24
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	7308	41.04
		2 = Working part-time, less than 35 hours a week	2265	12.72
		3 = Have a job, but not at work, illness/maternity	120	0.67
		4 = Have a job but not at work b/c it is seasonal	82	0.46
		5 = Unemployed or laid off and looking for work	783	4.40
		6 = Unemployed or laid off and not looking for work	207	1.16
		7 = Full-time homemaker	1682	9.44
		8 = In school only	4582	25.73
		9 = Retired	385	2.16
		10 = Disabled for work	337	1.89
		11 = Other, in labor force	42	0.24
		12 = Other, not in labor force	16	0.09
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	17568	98.65
		2 = Logically imputed data	125	0.70
		3 = Statistically imputed data	116	0.65

LABEL	LEN	DESCRIPTION	FREQ	%
		RECENCY OF DRUG USE		
IRCIGRC	1	CIGARETTES RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	6555	36.81
		2 = More than 30 days ago but within the past 12 mths	653	3.67
		3 = More than 12 months ago but within the past 3 yrs	856	4.81
		4 = More than 3 years ago	3646	20.47
		9 = Never smoked cigarettes	6099	34.25
IICIGRC	1	CIGARETTES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16877	94.77
		2 = Imputed data	808	4.54
		3 = Statistically imputed data	124	0.70
IROTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	538	3.02
		2 = More than 30 days ago but within the past 12 mths	354	1.99
		3 = More than 12 months ago but within the past 3 yrs	366	2.06
		4 = More than 3 years ago	1461	8.20
		9 = Never used smokeless tobacco	15090	84.73
IIOTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17641	99.06
		3 = Statistically imputed data	168	0.94
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	8872	49.82
		2 = More than 30 days ago but within the past 12 mths	2493	14.00
		3 = More than 12 months ago but within the past 3 yrs	689	3.87
		4 = More than 3 years ago	1333	7.48
		9 = Never used alcohol	4422	24.83
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16224	91.10
		2 = Imputed data	1573	8.83
		3 = Statistically imputed data	12	0.07
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	1324	7.43
		2 = More than 30 days ago but within the past 12 mths	997	5.60
		3 = More than 12 months ago but within the past 3 yrs	583	3.27
		4 = More than 3 years ago	3324	18.66
		9 = Never used marijuana	11581	65.03
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17201	96.59
		2 = Imputed data	576	3.23
		3 = Statistically imputed data	32	0.18

RECENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	231	1.30
		2 = More than 30 days ago but within the past 12 mths	335	1.88
		3 = More than 12 months ago but within the past 3 yrs	262	1.47
		4 = More than 3 years ago	1407	7.90
		9 = Never used cocaine	15574	87.45
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17578	98.70
		2 = Imputed data	216	1.21
		3 = Statistically imputed data	15	0.08
IRCRKRC	1	"CRACK" RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	98	0.55
		2 = More than 30 days ago but within the past 12 mths	120	0.67
		3 = More than 12 months ago but within the past 3 yrs	95	0.53
		4 = More than 3 years ago	263	1.48
		9 = Never used "crack"	17233	96.77
IICRKRC	1	"CRACK" RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17735	99.58
		2 = Imputed data	67	0.38
		3 = Statistically imputed data	7	0.04
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	29	0.16
		2 = More than 30 days ago but within the past 12 mths	30	0.17
		3 = More than 12 months ago but within the past 3 yrs	19	0.11
		4 = More than 3 years ago	154	0.86
		9 = Never used heroin	17577	98.70
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17777	99.82
		2 = Imputed data	20	0.11
		3 = Statistically imputed data	12	0.07
IRHALRC	1	HALLUCINOGENS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	139	0.78
		2 = More than 30 days ago but within the past 12 mths	238	1.34
		3 = More than 12 months ago but within the past 3 yrs	211	1.18
		4 = More than 3 years ago	1146	6.43
		9 = Never used hallucinogens	16075	90.26
IIHALRC	1	HALLUCINOGENS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17649	99.10
		2 = Imputed data	127	0.71
		3 = Statistically imputed data	33	0.19
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	60	0.34
		2 = More than 30 days ago but within the past 12 mths	169	0.95
		3 = More than 12 months ago but within the past 3 yrs	205	1.15
		4 = More than 3 years ago	966	5.42
		9 = Never used LSD	16409	92.14

RECENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17760	99.72
		3 = Statistically imputed data	49	0.28
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mths	34	0.19
		3 = More than 12 months ago but within the past 3 yrs	59	0.33
		4 = More than 3 years ago	487	2.73
		9 = Never used PCP	17218	96.68
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17783	99.85
		3 = Statistically imputed data	26	0.15
IRINHRC	1	INHALANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	122	0.69
		2 = More than 30 days ago but within the past 12 mths	192	1.08
		3 = More than 12 months ago but within the past 3 yrs	121	0.68
		4 = More than 3 years ago	825	4.63
		9 = Never used inhalants	16549	92.92
IIINHRC	1	INHALANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17641	99.06
		2 = Imputed data	117	0.66
		3 = Statistically imputed data	51	0.29
IRANLRC	1	ANALGESICS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	184	1.03
		2 = More than 30 days ago but within the past 12 mths	305	1.71
		3 = More than 12 months ago but within the past 3 yrs	223	1.25
		4 = More than 3 years ago	518	2.91
		9 = Never used analgesics	16579	93.09
IIANLRC	1	ANALGESICS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17511	98.33
		3 = Statistically imputed data	298	1.67
IRTRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	79	0.44
		2 = More than 30 days ago but within the past 12 mths	168	0.94
		3 = More than 12 months ago but within the past 3 yrs	111	0.62
		4 = More than 3 years ago	462	2.59
		9 = Never used tranquilizers	16989	95.40
IITRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17619	98.93
		3 = Statistically imputed data	190	1.07

RECENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRSTMRC	1	STIMULANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	81	0.45
		2 = More than 30 days ago but within the past 12 mths	95	0.53
		3 = More than 12 months ago but within the past 3 yrs	62	0.35
		4 = More than 3 years ago	555	3.12
		9 = Never used stimulants	17016	95.55
IISTMRC	1	STIMULANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17669	99.21
		3 = Statistically imputed data	140	0.79
IRSEDRC	1	SEDATIVES RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	25	0.14
		2 = More than 30 days ago but within the past 12 mths	62	0.35
		3 = More than 12 months ago but within the past 3 yrs	33	0.19
		4 = More than 3 years ago	344	1.93
		9 = Never used sedatives	17345	97.39
IISEDRC	1	SEDATIVES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17680	99.28
		3 = Statistically imputed data	129	0.72
IRSTRRC	1	ANABOLIC STEROIDS RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	10	0.06
		2 = More than 30 days ago but within the past 12 mths	32	0.18
		3 = More than 12 months ago but within the past 3 yrs	15	0.08
		4 = More than 3 years ago	64	0.36
		9 = Never used anabolic steroids	17688	99.32
IISTRRC	1	ANABOLIC STEROIDS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17626	98.97
		2 = Imputed data	23	0.13
		3 = Statistically imputed data	160	0.90

LABEL	LEN	DESCRIPTION	FREQ	%
		FREQUENCY OF DRUG USE		
IRALCFQ	2	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	512	2.87
		2 = 201 to 300 days (5 to 6 days a week)	295	1.66
		3 = 101 to 200 days (3 to 4 days a week)	812	4.56
		4 = 51 to 100 days (1 to 2 days a week)	1748	9.82
		5 = 25 to 50 days (3 to 4 days a month)	1484	8.33
		6 = 12 to 24 days (1 to 2 days a month)	1652	9.28
		7 = 6 to 11 days (less than one day a month)	1478	8.30
		8 = 3 to 5 days in the past 12 months	1589	8.92
		9 = 1 to 2 days in the past 12 months	1795	10.08
		10 = Never used or did not use in the past year	6444	36.18
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	11036	61.97
		2 = Imputed data	6444	36.18
		3 = Statistically imputed data	329	1.85
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	189	1.06
		2 = 201 to 300 days (5 to 6 days a week)	111	0.62
		3 = 101 to 200 days (3 to 4 days a week)	197	1.11
		4 = 51 to 100 days (1 to 2 days a week)	216	1.21
		5 = 25 to 50 days (3 to 4 days a month)	222	1.25
		6 = 12 to 24 days (1 to 2 days a month)	220	1.24
		7 = 6 to 11 days (less than one day a month)	275	1.54
		8 = 3 to 5 days in the past 12 months	328	1.84
		9 = 1 to 2 days in the past 12 months	563	3.16
		10 = Never used or did not use in the past year	15488	86.97
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	2261	12.70
		2 = Imputed data.....	15488	86.97
		3 = Statistically imputed data	60	0.34
IRCOCFQ	2	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	31	0.17
		2 = 201 to 300 days (5 to 6 days a week)	19	0.11
		3 = 101 to 200 days (3 to 4 days a week)	28	0.16
		4 = 51 to 100 days (1 to 2 days a week)	45	0.25
		5 = 25 to 50 days (3 to 4 days a month)	41	0.23
		6 = 12 to 24 days (1 to 2 days a month)	50	0.28
		7 = 6 to 11 days (less than one day a month)	90	0.51
		8 = 3 to 5 days in the past 12 months	92	0.52
		9 = 1 to 2 days in the past 12 months	170	0.95
		10 = Never used or did not use in the past year	17243	96.82
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	544	3.05
		2 = Imputed data	17243	96.82
		3 = Statistically imputed data	22	0.12

FREQUENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRCRKFQ	2	"CRACK" FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	15	0.08
		4 = 51 to 100 days (1 to 2 days a week)	26	0.15
		5 = 25 to 50 days (3 to 4 days a month)	23	0.13
		6 = 12 to 24 days (1 to 2 days a month)	21	0.12
		7 = 6 to 11 days (less than one day a month)	27	0.15
		8 = 3 to 5 days in the past 12 months	26	0.15
		9 = 1 to 2 days in the past 12 months	57	0.32
		10 = Never used or did not use in the past year	17591	98.78
IICRKFQ	1	"CRACK" FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	205	1.15
		2 = Imputed data	17597	98.81
		3 = Statistically imputed data	7	0.04
IRHERFQ	2	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	11	0.06
		2 = 201 to 300 days (5 to 6 days a week)	5	0.03
		3 = 101 to 200 days (3 to 4 days a week)	2	0.01
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	6	0.03
		6 = 12 to 24 days (1 to 2 days a month)	3	0.02
		7 = 6 to 11 days (less than one day a month)	5	0.03
		8 = 3 to 5 days in the past 12 months	10	0.06
		9 = 1 to 2 days in the past 12 months	13	0.07
		10 = Never used or did not use in the past year	17750	99.67
IIHERFQ	1	HEROIN FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	54	0.30
		2 = Imputed data	17750	99.67
		3 = Statistically imputed data	5	0.03
IRHALFQ	2	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	18	0.10
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	2	0.01
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	11	0.06
		6 = 12 to 24 days (1 to 2 days a month)	21	0.12
		7 = 6 to 11 days (less than one day a month)	48	0.27
		8 = 3 to 5 days in the past 12 months	78	0.44
		9 = 1 to 2 days in the past 12 months	179	1.01
		10 = Never used or did not use in the past year	17432	97.88
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	353	1.98
		2 = Imputed data	17432	97.88
		3 = Statistically imputed data	24	0.13

FREQUENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRINHFQ	2	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	10	0.06
		4 = 51 to 100 days (1 to 2 days a week)	5	0.03
		5 = 25 to 50 days (3 to 4 days a month)	7	0.04
		6 = 12 to 24 days (1 to 2 days a month)	30	0.17
		7 = 6 to 11 days (less than one day a month)	39	0.22
		8 = 3 to 5 days in the past 12 months	42	0.24
		9 = 1 to 2 days in the past 12 months	164	0.92
		10 = Never used or did not use in the past year	17495	98.24
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	290	1.63
		2 = Imputed data	17495	98.24
		3 = Statistically imputed data	24	0.13
IRANLFQ	2	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	22	0.12
		2 = 201 to 300 days (5 to 6 days a week)	11	0.06
		3 = 101 to 200 days (3 to 4 days a week)	17	0.10
		4 = 51 to 100 days (1 to 2 days a week)	17	0.10
		5 = 25 to 50 days (3 to 4 days a month)	16	0.09
		6 = 12 to 24 days (1 to 2 days a month)	45	0.25
		7 = 6 to 11 days (less than one day a month)	75	0.42
		8 = 3 to 5 days in the past 12 months	90	0.51
		9 = 1 to 2 days in the past 12 months	196	1.10
		10 = Never used or did not use in the past year	17320	97.25
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICTOR		
		1 = Questionnaire data	468	2.63
		2 = Imputed data	17320	97.25
		3 = Statistically imputed data	21	0.12
IRTRNFQ	2	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	13	0.07
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	7	0.04
		4 = 51 to 100 days (1 to 2 days a week)	11	0.06
		5 = 25 to 50 days (3 to 4 days a month)	14	0.08
		6 = 12 to 24 days (1 to 2 days a month)	22	0.12
		7 = 6 to 11 days (less than one day a month)	34	0.19
		8 = 3 to 5 days in the past 12 months	52	0.29
		9 = 1 to 2 days in the past 12 months	93	0.52
		10 = Never used or did not use in the past year	17562	98.61
IITRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	244	1.37
		2 = Imputed data	17562	98.61
		3 = Statistically imputed data	3	0.02

FREQUENCY OF DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
IRSTMFQ	2	STIMULANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	15	0.08
		2 = 201 to 300 days (5 to 6 days a week)	8	0.04
		3 = 101 to 200 days (3 to 4 days a week)	14	0.08
		4 = 51 to 100 days (1 to 2 days a week)	12	0.07
		5 = 25 to 50 days (3 to 4 days a month)	21	0.12
		6 = 12 to 24 days (1 to 2 days a month)	13	0.07
		7 = 6 to 11 days (less than one day a month)	13	0.07
		8 = 3 to 5 days in the past 12 months	31	0.17
		9 = 1 to 2 days in the past 12 months	49	0.28
		10 = Never used or did not use in the past year	17633	99.01
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	169	0.95
		2 = Imputed data	17633	99.01
		3 = Statistically imputed data	7	0.04
IRSEDFQ	2	SEDATIVES FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	12	0.07
		2 = 201 to 300 days (5 to 6 days a week)	3	0.02
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	9	0.05
		6 = 12 to 24 days (1 to 2 days a month)	8	0.04
		7 = 6 to 11 days (less than one day a month)	10	0.06
		8 = 3 to 5 days in the past 12 months	11	0.06
		9 = 1 to 2 days in the past 12 months	30	0.17
		10 = Never used or did not use in the past year	17722	99.51
IISEDFQ	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	86	0.48
		2 = Imputed data	17722	99.51
		3 = Statistically imputed data.....	1	0.01
IRSTRFQ	2	STEROIDS FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	6	0.03
		3 = 101 to 200 days (3 to 4 days a week)	1	0.01
		4 = 51 to 100 days (1 to 2 days a week)	3	0.02
		5 = 25 to 50 days (3 to 4 days a month)	4	0.02
		6 = 12 to 24 days (1 to 2 days a month)	4	0.02
		7 = 6 to 11 days (less than one day a month)	4	0.02
		8 = 3 to 5 days in the past 12 months	6	0.03
		9 = 1 to 2 days in the past 12 months	14	0.08
		10 = Never used or did not use in the past year	17767	99.76
IISTRFQ	1	STEROIDS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	33	0.19
		2 = Imputed data	17767	99.76
		3 = Statistically imputed data	9	0.05

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		RECODED DEMOGRAPHICS		
CATAGE	1	AGE CATEGORY		
		1 = 12-17 years	4698	26.38
		2 = 18-25 years	3706	20.81
		3 = 26-34 years	5223	29.33
		4 = 35+ years	4182	23.48
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years	4698	26.38
		2 = 18-25 years	3706	20.81
		3 = 26+ years	9405	52.81
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years	4698	26.38
		2 = 18-25 years	3706	20.81
		3 = 26-34 years	5223	29.33
		4 = 35-49 years	3161	17.75
		5 = 50+ years	1021	5.73
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	8663	48.64
		2 = Black (IRRACE = 3 and IRHOIND = 2)	4010	22.52
		3 = Hispanic (IRHOIND = 1)	4706	26.42
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	430	2.41
HISPRACE	1	RACE ETHNICITY		
		1 = Hispanic	4706	26.42
		2 = Nonhispanic Black	4010	22.52
		3 = Nonhispanic Nonblack	9093	51.06
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREDUC=0-11 and IRAGE=>18)	3352	18.82
		2 = High school graduate (IREDUC = 12 and IRAGE=>18)	4566	25.64
		3 = Some college (IREDUC = 13-15 and IRAGE => 18)	3069	17.23
		4 = College graduate (IREDUC = 16-17 and IRAGE => 18)	2124	11.93
		5 = 12-17 year olds (IRAGE = 12-17)	4698	26.38
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full=time (IRWORKST =1,3 and IRAGE => 18)	7346	41.25
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	1722	9.67
		3 = Unemployed (IRWORKST = 4-6,11 and IRAGE => 18)	1007	5.65
		4 = Other (IRWORKST = 7-10,12 and IRAGE => 18)	3036	17.05
		5 = 12-17 year olds (IRAGE = 12-17)	4698	26.38
BUSINES2	3	BUSINESS OR INDUSTRY OF RESPONDENT		
		RANGE = 1 - 16	13479	75.69
		992 = UNEMPLOYED/NOT CLASSIFIED BY INDUSTRY	43	0.24
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	301	1.69
		999 = LEGITIMATE SKIP	3984	22.37

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
ROCCUP2	3	KIND OF WORK OF RESPONDENT		
		RANGE = 1 - 16	13518	75.95
		995 = BAD DATA	4	0.02
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	301	1.69
		999 = LEGITIMATE SKIP	3984	22.37

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
		RECODED DRUG USE		
CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)	6099	34.25
		1 = Ever used (IRCIGRC = 1-4)	11710	65.75
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 3,4,9)	10601	59.53
		1 = Used within the past year (IRCIGRC = 1,2)	7208	40.47
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-4,9)	11254	63.19
		1 = Used within the past month (IRCIGRC = 1)	6555	36.81
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRC = 9)	15090	84.73
		1 = Ever used (IROTBRC = 1-4)	2719	15.27
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBRC = 3,4,9)	16917	94.99
		1 = Used within the past year (IROTBRC = 1,2)	892	5.01
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IROTBRC = 2-4,9)	17271	96.98
		1 = Used within the past month (IROTBRC = 1)	538	3.02
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)	4422	24.83
		1 = Ever used (IRALCRC = 1-4)	13387	75.17
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,4,9)	6444	36.18
		1 = Used within the past year (IRALCRC = 1,2)	11365	63.82
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-4,9)	8937	50.18
		1 = Used within the past month (IRALCRC = 1)	8872	49.82
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9)	11581	65.03
		1 = Ever used (IRMJRC = 1-4)	6228	34.97
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,4,9)	15488	86.97
		1 = Used within the past year (IRMJRC = 1,2)	2321	13.03
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-4,9)	16485	92.57
		1 = Used within the past month (IRMJRC = 1)	1324	7.43

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9)	15574	87.45
		1 = Ever used (IRCOCRC = 1-4)	2235	12.55
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,4,9)	17243	96.82
		1 = Used within the past year (IRCOCRC = 1,2)	566	3.18
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-4,9)	17578	98.70
		1 = Used within the past month (IRCOCRC = 1)	231	1.30
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC = 9)	17233	96.77
		1 = Ever used (IRCRKRC = 1-4)	576	3.23
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC= 3,4,9)	17591	98.78
		1 = Used within the past year (IRCRKRC = 1,2)	218	1.22
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 2-4,9)	17711	99.45
		1 = Used within the past month (IRCRKRC = 1)	98	0.55
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9)	17577	98.70
		1 = Ever used (IRHERRC = 1-4)	232	1.30
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 3,4,9)	17750	99.67
		1 = Used within the past year (IRHERRC = 1,2)	59	0.33
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-4,9)	17780	99.84
		1 = Used within the past month (IRHERRC = 1)	29	0.16
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)	16075	90.26
		1 = Ever used (IRHALRC = 1-4)	1734	9.74
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 3,4,9)	17432	97.88
		1 = Used within the past year (IRHALRC = 1,2)	377	2.12
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-4,9)	17670	99.22
		1 = Used within the past month (IRHALRC = 1)	139	0.78
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC = 9)	16409	92.14
		1 = Ever used (IRLSDRC = 1-4)	1400	7.86

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,4,9) ...	17580	98.71
		1 = Used within the past year (IRLSDRC = 1,2)	229	1.29
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-4,9) ..	17749	99.66
		1 = Used within the past month (IRLSDRC = 1)	60	0.34
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	17218	96.68
		1 = Ever used (IRPCPRC = 1-4)	591	3.32
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,4,9) ...	17764	99.75
		1 = Used within the past year (IRPCPRC = 1,2)	45	0.25
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-4,9) ..	17798	99.94
		1 = Used within the past month (IRPCPRC = 1)	11	0.06
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	16549	92.92
		1 = Ever used (IRINHRC = 1-4)	1260	7.08
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,4,9) ...	17495	98.24
		1 = Used within the past year (IRINHRC = 1,2)	314	1.76
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-4,9) ..	17687	99.31
		1 = Used within the past month (IRINHRC = 1)	122	0.69
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	16579	93.09
		1 = Ever used (IRANLRC = 1-4)	1230	6.91
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,4,9) ...	17320	97.25
		1 = Used within the past year (IRANLRC = 1,2)	489	2.75
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-4,9) ..	17625	98.97
		1 = Used within the past month (IRANLRC = 1)	184	1.03
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)	16989	95.40
		1 = Ever used (IRTRNRC = 1-4)	820	4.60
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 3,4,9) ...	17562	98.61
		1 = Used within the past year (IRTRNRC = 1,2)	247	1.39

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-4,9) ..	17730	99.56
		1 = Used within the past month (IRTRNRC = 1)	79	0.44
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)	17016	95.55
		1 = Ever used (IRSTMRC = 1-4)	793	4.45
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 3,4,9) ...	17633	99.01
		1 = Used within the past year (IRSTMRC = 1,2)	176	0.99
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-4,9) ..	17728	99.55
		1 = Used within the past month (IRSTMRC = 1)	81	0.45
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)	17345	97.39
		1 = Ever used (IRSEDRC = 1-4)	464	2.61
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,4,9) ...	17722	99.51
		1 = Used within the past year (IRSEDRC = 1,2)	87	0.49
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-4,9) ..	17784	99.86
		1 = Used within the past month (IRSEDRC = 1)	25	0.14
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=10) .	6444	36.18
		1 = Any use within the past year (IRALCFQ=1-9)	11365	63.82
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=7-10)	11306	63.48
		1 = Used monthly or more often past year (IRALCFQ=1-6)	6503	36.52
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRALCFQ=5-10	14442	81.09
		1 = Used weekly or more in past year (IRALCFQ=1-4) ...	3367	18.91
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRALCFQ=1-6,10	12947	72.70
		1 = Used past year but less than monthly (IRALCFQ=7-9)	4862	27.30
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr(IRALCFQ=4-10	16190	90.91
		1 = Used daily/almost daily in past year (IRALCFQ=1-3)	1619	9.09
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRMJFQ=10)	15488	86.97
		1 = Any use within the past year (IRMJFQ=1-9)	2321	13.03

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRMJFQ=7-10) .	16654	93.51
		1 = Used monthly or more in past year (IRMJFQ=1-6) ...	1155	6.49
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly/more past year (IRMJFQ=5-10) ..	17096	96.00
		1 = Used weekly or more in past year (IRMJFQ=1-4)	713	4.00
MRJOCCF	1	MARIJUANA OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRMJFQ=1-6,10)	16643	93.45
		1 = Used past year but less than monthly (IRMJFQ=7-9)	1166	6.55
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr(IRMJFQ=4-10)	17312	97.21
		1 = Used daily/almost daily in past year (IRMJFQ=1-3)	497	2.79
COCYRF	1	COCAINE - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRCOCFQ=10	17243	96.82
		1 = Any use within the past year (IRCOCFQ = 1-9)	566	3.18
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRCOCFQ=7-10)	17595	98.80
		1 = Used monthly or more often past year (IRCOCFQ=1-6)	214	1.20
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRCOCFQ=5-10	17686	99.31
		1 = Used weekly or more often past year (IRCOCFQ=1-4)	123	0.69
COCOCCF	1	COCAINE OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRCOCFQ=1-6,9)	17457	98.02
		1 = Used past year but less than monthly (IRCOCFQ=7-9)	352	1.98
COCDLYF	1	COCAINE DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRCOCFQ=4-10	17731	99.56
		1 = Used daily/almost daily in past year (IRCOCFQ=1-3)	78	0.44
CRKYRF	1	"CRACK" YEAR FLAG		
		0 = Never used or did not use in past year (IRCRKFQ=10	17591	98.78
		1 = Any use within the past year (IRCRKFQ = 1-9)	218	1.22
CRKMONF	1	"CRACK" MONTH FLAG		
		0 = Did not use monthly/more past year (IRCRKFQ=7-10)	17701	99.39
		1 = Used monthly or more often past year (IRCRKFQ=1-6)	108	0.61
CRKWKF	1	"CRACK" WEEK FLAG		
		0 = Did not use weekly or more past year (IRCRKFQ=5-10	17745	99.64
		1 = Used weekly or more often past year (IRCRKFQ=1-4)	64	0.36
CRKOCCF	1	"CRACK" OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRCRKFQ=1-6,9)	17699	99.38
		1 = Used past year but less than monthly (IRCRKFQ=7-9)	110	0.62

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
INHWKF	1	INHALANTS WEEK FLAG		
		0 = Did not use weekly or more past year (IRINHFQ=5-10	17777	99.82
		1 = Used weekly or more often past year (IRINHFQ=1-4)	32	0.18
INHOCCF	1	INHALANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRINHFQ=1-6,10	17564	98.62
		1 = Used past year but less than monthly (IRINHFQ=7-9)	245	1.38
INHDLYF	1	INHALANTS DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr(IRINHFQ=4-10	17782	99.85
		1 = Used daily/almost daily in past year (IRINHFQ=1-3)	27	0.15
ANLYRF	1	ANALGESICS YEAR FLAG		
		0 = Never used or did not use in past year (IRANLFQ=10	17320	97.25
		1 = Any use within the past year (IRANLFQ=1-9)	489	2.75
ANLMONF	1	ANALGESICS MONTH FLAG		
		0 = Did not use monthly/more past year (IRANLFQ=7-10)	17681	99.28
		1 = Used monthly or more often past year (IRANLFQ=1-6)	128	0.72
ANLWKF	1	ANALGESICS WEEK FLAG		
		0 = Did not use weekly or more past year (IRANLFQ=5-10	17742	99.62
		1 = Used weekly or more often past year (IRANLFQ=1-4)	67	0.38
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRANLFQ=1-6,10	17448	97.97
		1 = Used past year but less than monthly (IRANLFQ=7-9)	361	2.03
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRANLFQ=4-10	17759	99.72
		1 = Used daily/almost daily in past year (IRANLFQ=1-3)	50	0.28
TRQYRF	1	TRANQUILIZERS YEAR FLAG		
		0 = Never used or did not use in past year (IRTRNFQ=10	17562	98.61
		1 = Any use within the past year (IRTRNFQ=1-9)	247	1.39
TRQMONF	1	TRANQUILIZERS MONTH FLAG		
		0 = Did not use monthly/more past year (IRTRNFQ=7-10)	17741	99.62
		1 = Used monthly or more often past year (IRTRNFQ=1-6)	68	0.38
TRQWKF	1	TRANQUILIZERS WEEK FLAG		
		0 = Did not use weekly or more past year (IRTRNFQ=5-10	17777	99.82
		1 = Used weekly or more often past year (IRTRNFQ=1-4)	32	0.18
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRTRNFQ=1-6,10	17630	98.99
		1 = Used past year but less than monthly (IRTRNFQ=7-9)	179	1.01
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRTRNFQ=4-10	17788	99.88
		1 = Used daily/almost daily in past year (IRTRNFQ=1-3)	21	0.12

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
STMYRF	1	STIMULANTS YEAR FLAG		
		0 = Never used or did not use in past year (IRSTMFQ=10	17633	99.01
		1 = Any use within the past year (IRSTMFQ=1-9)	176	0.99
STMMONF	1	STIMULANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRSTMFQ=7-10)	17726	99.53
		1 = Used monthly or more often past year (IRSTMFQ=1-6)	83	0.47
STMWKF	1	STIMULANTS WEEK FLAG		
		0 = Did not use weekly or more past year (IRSTMFQ=5-10	17760	99.72
		1 = Used weekly or more often past year (IRSTMFQ=1-4)	49	0.28
STMOCCF	1	STIMULANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRSTMFQ=1-6,9)	17716	99.48
		1 = Used past year but less than monthly (IRSTMFQ=7-9)	93	0.52
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRSTMFQ=4-10	17772	99.79
		1 = Used daily/almost daily in past year (IRSTMFQ=1-3)	37	0.21
SEDYRF	1	SEDATIVES YEAR FLAG		
		0 = Never used or did not use in past year (IRSEDFQ=10	17722	99.51
		1 = Any use within the past year (IRSEDFQ=1-9)	87	0.49
SEDMONF	1	SEDATIVES MONTH FLAG		
		0 = Did not use monthly/more past year (IRSEDFQ=7-10)	17773	99.80
		1 = Used monthly or more often past year (IRSEDFQ=1-6)	36	0.20
SEDWKF	1	SEDATIVES WEEK FLAG		
		0 = Did not use weekly or more past year (IRSEDFQ=5-10	17790	99.89
		1 = Used weekly or more often past year (IRSEDFQ=1-4)	19	0.11
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRSEDFQ=1-6,10	17758	99.71
		1 = Used past year but less than monthly (IRSEDFQ=7-9)	51	0.29
SEDDLYF	1	SEDATIVES DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRSEDFQ=4-10	17794	99.92
		1 = Used daily/almost daily in past year (IRSEDFQ=1-3)	15	0.08

The following three variables were created by examination of IRSEDRC(Q.S-4) IRTRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).

PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9)	15870	89.11
		1 = Ever used (ANY SOURCE VARIABLE < 9)	1939	10.89
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 2)	17114	96.10
		1 = Used in past year (ANY SOURCE VARIABLE < 3)	695	3.90

LABEL	LEN	DESCRIPTION	FREQ	%
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	17517	98.36
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	292	1.64
		The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0)	10857	60.96
		1 = Ever used (ANY SOURCE VARIABLE = 1)	6952	39.04
		The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.		
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0)	14898	83.65
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	2911	16.35
		The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.		
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	16160	90.74
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	1649	9.26
		The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & anothr illct drug	14826	83.25
		1 = Marijuana is only (illicit) drug ever used	2983	16.75
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr ..	16350	91.81
		1 = Marijuana is only (illicit) drug in past year	1459	8.19

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo	16826	94.48
		1 = Marijuana only (illicit) drug in past month	983	5.52
		The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	13840	77.71
		1 = Illicit drug except for marijuana are ever used ..	3969	22.29
		The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYYR2.		
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	16357	91.85
		1 = Illicit drug except for marijuana used past year .	1452	8.15
		The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	17143	96.26
		1 = Illicit drug except for marijuana used past month	666	3.74
HVYDRK2	2	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Did not drink heavily in the past 30 days	15836	88.92
		1 = Drank heavily in the past 30 days	1262	7.09
		98 = BLANK (NO ANSWER)	711	3.99

LABEL	LEN	DESCRIPTION	FREQ	%
		SELECTED UNEDITED VARIABLES		
		C-4. How long has it been since you last smoked a cigarette?		
CG04	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	5746	32.26
		2 = More than 30 days ago but within the past 12 mths	953	5.35
		3 = More than 12 months ago but within the past 3 yrs	982	5.51
		4 = More than 3 years ago	3851	21.62
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED CIGARETTES	6204	34.84
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	71	0.40
		C-12. How long has it been since you last used chewing tobacco or snuff?		
CG12	2	TIME SINCE LAST USE OF SMOKELESS TOBACCO		
		1 = Within the past 30 days	523	2.94
		2 = More than 30 days ago but within the past 12 mths	346	1.94
		3 = More than 12 months ago but within the past 3 yrs	359	2.02
		4 = More than 3 years ago	1420	7.97
		91 = NEVER USED SMOKELESS TOBACCO	14872	83.51
		98 = BLANK (NO ANSWER)	289	1.62
		A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?		
AL03	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7760	43.57
		2 = More than 30 days ago but within the past 12 mths	2882	16.18
		3 = More than 12 months ago but within the past 3 yrs	1170	6.57
		4 = More than 3 years ago	1529	8.59
		91 = NEVER USED ALCOHOL	4425	24.85
		98 = BLANK (NO ANSWER)	43	0.24
		M-4. How long has it been since you last used marijuana or hashish?		
MJ04	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	1041	5.85
		2 = More than 30 days ago but within the past 12 mths	914	5.13
		3 = More than 12 months ago but within the past 3 yrs	833	4.68
		4 = More than 3 years ago	3405	19.12
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED MARIJUANA	11579	65.02
		98 = BLANK (NO ANSWER)	36	0.20

LABEL	LEN	DESCRIPTION	FREQ	%
		CN-4. How long has it been since you last used any form of cocaine?		
CC04	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	147	0.83
		2 = More than 30 days ago but within the past 12 mths	256	1.44
		3 = More than 12 months ago but within the past 3 yrs	328	1.84
		4 = More than 3 years ago	1465	8.23
		91 = NEVER USED COCAINE	15571	87.43
		98 = BLANK (NO ANSWER)	42	0.24
		CK-4. How long has it been since you last used "crack?"		
CK04	2	TIME SINCE LAST USED "CRACK" (IN ANY FORM)		
		1 = Within the past 30 days	70	0.39
		2 = More than 30 days ago but within the past 12 mths	93	0.52
		3 = More than 12 months ago but within the past 3 yrs	131	0.74
		4 = More than 3 years ago	279	1.57
		91 = NEVER USED "CRACK"	17177	96.45
		98 = BLANK (NO ANSWER)	59	0.33
		H-4. How long has it been since you last used heroin?		
HE04	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	19	0.11
		2 = More than 30 days ago but within the past 12 mths	26	0.15
		3 = More than 12 months ago but within the past 3 yrs	27	0.15
		4 = More than 3 years ago	157	0.88
		91 = NEVER USED HEROIN	17528	98.42
		98 = BLANK (NO ANSWER)	52	0.29
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
LS04	2	TIME SINCE LAST USED LSD/PCP/OTHER HALLUCINOGENS		
		1 = Within the past 30 days	72	0.40
		2 = More than 30 days ago but within the past 12 mths	213	1.20
		3 = More than 12 months ago but within the past 3 yrs	245	1.38
		4 = More than 3 years ago	1178	6.61
		85 = BAD DATA Logically assigned	7	0.04
		91 = NEVER USED HALLUCINOGENS	15966	89.65
		98 = BLANK (NO ANSWER)	128	0.72

LABEL	LEN	DESCRIPTION	FREQ	%
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LS07	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	60	0.34
		2 = More than 30 days ago but within the past 12 mths	166	0.93
		3 = More than 12 months ago but within the past 3 yrs	200	1.12
		4 = More than 3 years ago	934	5.24
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED LSD	16298	91.52
		98 = BLANK (NO ANSWER)	146	0.82
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
LS08	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mths	34	0.19
		3 = More than 12 months ago but within the past 3 yrs	55	0.31
		4 = More than 3 years ago	476	2.67
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED PCP	17029	95.62
		98 = BLANK (NO ANSWER)	199	1.12
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
IN04	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	69	0.39
		2 = More than 30 days ago but within the past 12 mths	152	0.85
		3 = More than 12 months ago but within the past 3 yrs	167	0.94
		4 = More than 3 years ago	834	4.68
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED INHALANTS	16415	92.17
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK04	2	TIME SINCE LAST USED PAIN KILLER "NONMEDICALLY"		
		1 = Within the past 30 days	137	0.77
		2 = More than 30 days ago but within the past 12 mths	220	1.24
		3 = More than 12 months ago but within the past 3 yrs	272	1.53
		4 = More than 3 years ago	494	2.77
		85 = BAD DATA Logically assigned	7	0.04
		98 = BLANK (NO ANSWER)	16679	93.65

LABEL	LEN	DESCRIPTION	FREQ	%
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR04	2	TIME SINCE LAST USED TRANQUILIZER "NONMEDICALLY"		
		1 = Within the past 30 days	56	0.31
		2 = More than 30 days ago but within the past 12 mths	125	0.70
		3 = More than 12 months ago but within the past 3 yrs	141	0.79
		4 = More than 3 years ago	461	2.59
		85 = BAD DATA Logically assigned	6	0.03
		98 = BLANK (NO ANSWER)	17020	95.57
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST04	2	TIME SINCE LAST USED STIMULANT "NONMEDICALLY"		
		1 = Within the past 30 days	52	0.29
		2 = More than 30 days ago but within the past 12 mths	71	0.40
		3 = More than 12 months ago but within the past 3 yrs	80	0.45
		4 = More than 3 years ago	569	3.20
		85 = BAD DATA Logically assigned	4	0.02
		98 = BLANK (NO ANSWER)	17033	95.64
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE04	2	TIME SINCE LAST USED SEDATIVE "NONMEDICALLY"		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mths	40	0.22
		3 = More than 12 months ago but within the past 3 yrs	48	0.27
		4 = More than 3 years ago	349	1.96
		85 = BAD DATA Logically assigned	4	0.02
		98 = BLANK (NO ANSWER)	17357	97.46

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE ANABOLIC STEROIDS -- ANSWER SHEET #13		
		FI CHECKPOINT M; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPASRD	2	CAN RESP. COMPLETE ANA. STEROIDS ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16892	94.85
		2 = No, I doubt that resp. can complt. it alone - SKIP	774	4.35
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	141	0.79
		AS-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
ASREAD	2	ANABOLIC STEROIDS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1281	7.19
		2 = Wants to complete the answer sheet on his/her own	16082	90.30
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP	268	1.50
		AS-1. Have you ever, even once, used anabolic steroids, without your own prescription from a doctor?		
STREVER	2	EVER USED ANABOLIC STEROIDS W/O PRESCRIPTION		
		1 = Yes, I have used anabolic steroids w/o a prescrip.	73	0.41
		2 = No, I have never used anabolic steroids w/o pres.	17551	98.55
		3 = Yes LOGICALLY ASSIGNED	47	0.26
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	136	0.76
		AS-2. How old were you the first time you used anabolic steroids without your own prescription from a doctor?		
STERAGE	3	AGE WHEN FIRST USED ANABOLIC STEROIDS W/O PRES.		
		RANGE = 2 - 46	61	0.34
		981 = NEVER USED ANABOLIC STEROIDS Logically assigned	12	0.07
		985 = BAD DATA Logically assigned	7	0.04
		991 = NEVER USED ANABOLIC STEROIDS	17539	98.48
		998 = BLANK (NO ANSWER)	190	1.07

LABEL	LEN	DESCRIPTION	FREQ	%
		AS-3. Think about the entire time since you first used anabolic steroids. Altogether, on how many days in your life have you used anabolic steroids without your own prescription from a doctor?		
STERTOT	2	# DAYS USED ANA STEROIDS W/O PRESCRIPTION IN LIFE		
		1 = More than 300 days	17	0.10
		2 = 101 to 300 days	4	0.02
		3 = 12 to 100 days	28	0.16
		4 = 3 to 11 days	15	0.08
		5 = 1 to 2 days	29	0.16
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned	4	0.02
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANABOLIC STEROIDS	17547	98.53
		98 = BLANK (NO ANSWER)	163	0.92
		AS-4. How long has it been since you last used anabolic steroids without your own prescription from a doctor?		
STERREC	2	TIME SINCE LAST USED ANABOLIC STEROIDS W/O PRESCR.		
		1 = Within the past 30 days	6	0.03
		2 = More than 30 days ago but within the past 12 mths	13	0.07
		3 = More than 12 months ago but within the past 3 yrs	11	0.06
		4 = More than 3 years ago	45	0.25
		7 = Use in past 30 days LOGICALLY ASSIGNED	4	0.02
		8 = Use in past year LOGICALLY ASSIGNED	19	0.11
		9 = Use in lifetime LOGICALLY ASSIGNED	22	0.12
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANABOLIC STEROIDS	17549	98.54
		98 = BLANK (NO ANSWER)	136	0.76

LABEL	LEN	DESCRIPTION	FREQ	%
		AS-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use anabolic steroids without your own prescription from a doctor?		
STRYRFRQ	2	# DAYS USED ANABOLIC STEROID PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	5	0.03
		3 = 101 to 200 days (3 to 4 days a week)	1	0.01
		4 = 51 to 100 days (1 to 2 days a week)	2	0.01
		5 = 25 to 50 days (3 to 4 days a month)	3	0.02
		6 = 12 to 24 days (1 to 2 days a month)	3	0.02
		7 = 6 to 11 days (less than one day a month)	3	0.02
		8 = 3 to 5 days in the past 12 months	4	0.02
		9 = 1 to 2 days in the past 12 months	12	0.07
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	77	0.43
		83 = DID NOT USE ANA STEROIDS IN PST 12 MTHS Log assn .	31	0.17
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER USED ANABOLIC STEROIDS	17474	98.12
		93 = DID NOT USE ANABOLIC STEROIDS IN THE PAST 12 MTHS	47	0.26
		98 = BLANK (NO ANSWER)	135	0.76
		AS-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use anabolic steroids without your own prescription from a doctor?		
STR30USE	2	# DAYS USED ANABOLIC STEROIDS PAST 30 DAYS		
		RANGE = 2 - 12	6	0.03
		0 = No days	1	0.01
		35 = Date specified within the past 30 days	1	0.01
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	82	0.46
		83 = DID NOT USE ANA STEROIDS IN PST 30 DAYS Log assn .	44	0.25
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANABOLIC STEROIDS	17469	98.09
		93 = DID NOT USE ANA STEROIDS IN THE PAST 30 DAYS	72	0.40
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	131	0.74

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE SPECIAL DRUGS -- ANSWER SHEET #14		
		FI CHECKPOINT N; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSDRD	2	CAN RESP. COMPLETE SPECIAL DRUGS ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16895	94.87
		2 = No, I doubt that resp. can complt. it alone - SKIP	776	4.36
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	135	0.76
		SD-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
SDREAD	2	SPECIAL DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1317	7.40
		2 = Wants to complete the answer sheet on his/her own	16062	90.19
		98 = BLANK (NO ANSWER)	160	0.90
		99 = LEGITIMATE SKIP	270	1.52
		SD-1. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?		
GNNDLLIF	2	*EVER USED A NEEDLE TO INJECT DRUGS		
		1 = Yes, I have used a needle to inject a drug	200	1.12
		2 = No, I have never used a needle to inject a drug ..	17438	97.92
		3 = Yes LOGICALLY ASSIGNED	22	0.12
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	147	0.83

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-2. Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	*EVER USED A NEEDLE TO INJECT COCAINE		
		1 = Yes, I have used a needle to inject cocaine	143	0.80
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		81 = NEVER USED COCAINE Logically assigned	4	0.02
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	390	2.19
		91 = NEVER USED COCAINE	57	0.32
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	43	0.24
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	117	0.66
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17048	95.73
		SD-3. How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days	8	0.04
		2 = More than 30 days ago but within the past 12 mths	9	0.05
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	112	0.63
		9 = Use in lifetime LOGICALLY ASSIGNED	5	0.03
		81 = NEVER USED COCAINE Logically assigned	4	0.02
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	382	2.14
		91 = NEVER USED COCAINE	57	0.32
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	40	0.22
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	117	0.66
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17056	95.77
		SD-4. Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	*EVER USED A NEEDLE TO INJECT HEROIN		
		1 = Yes, I have used a needle to inject heroin	101	0.57
		3 = Yes LOGICALLY ASSIGNED	12	0.07
		81 = NEVER USED HEROIN Logically assigned	74	0.42
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	520	2.92
		91 = NEVER USED HEROIN	129	0.72
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	49	0.28
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16918	95.00

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-5. How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days	7	0.04
		2 = More than 30 days ago but within the past 12 mths	11	0.06
		3 = More than 12 months ago but within the past 3 yrs	8	0.04
		4 = More than 3 years ago	83	0.47
		9 = Use in lifetime LOGICALLY ASSIGNED	4	0.02
		81 = NEVER USED HEROIN Logically assigned	70	0.39
		83 = USED HEROIN BUT NEVER WITH A NEEDLE Log assn	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	527	2.96
		91 = NEVER USED HEROIN	133	0.75
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	49	0.28
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16911	94.96
		SD-6. Have you ever, even once, used a needle to inject an anabolic steroid not prescribed for you by a doctor?		
STRNEEDL	2	*EVER USED A NEEDLE TO INJECT ANABOLIC STEROIDS		
		1 = Yes, I have used a needle to inject ana. steroid	13	0.07
		3 = Yes LOGICALLY ASSIGNED	9	0.05
		83 = USED ANA STEROIDS BUT NEVER WITH A NEEDLE Log assn	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	501	2.81
		91 = NEVER USED ANABOLIC STEROIDS	215	1.21
		93 = USED ANABOLIC STEROIDS BUT NEVER WITH A NEEDLE	7	0.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
		99 = LEGITIMATE SKIP	16937	95.10
		SD-7. How long has it been since you last used a needle to inject an anabolic steroid not prescribed for you by a doctor?		
SRNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT ANA STER		
		1 = Within the past 30 days	3	0.02
		2 = More than 30 days ago but within the past 12 mths	1	0.01
		3 = More than 12 months ago but within the past 3 yrs	3	0.02
		4 = More than 3 years ago	15	0.08
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned	3	0.02
		83 = USED ANA STEROIDS BUT NEVER WITH A NEEDLE Log assn	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	484	2.72
		91 = NEVER USED ANABOLIC STEROIDS	212	1.19
		93 = USED ANABOLIC STEROIDS BUT NEVER WITH A NEEDLE	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
		99 = LEGITIMATE SKIP	16954	95.20

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-8. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNEEDLE	2	*EVER USED A NEEDLE TO INJECT A STIMULANT		
		1 = Yes, I have used a needle to inject a stimulant ..	81	0.45
		3 = Yes LOGICALLY ASSIGNED	22	0.12
		81 = NEVER USED STIMULANTS Logically assigned	1	0.01
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	487	2.73
		91 = NEVER USED STIMULANTS	120	0.67
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	18	0.10
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16951	95.18
		SD-9. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days	4	0.02
		2 = More than 30 days ago but within the past 12 mths	6	0.03
		3 = More than 12 months ago but within the past 3 yrs	6	0.03
		4 = More than 3 years ago	87	0.49
		81 = NEVER USED STIMULANTS Logically assigned	3	0.02
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	518	2.91
		91 = NEVER USED STIMULANTS	118	0.66
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	19	0.11
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	124	0.70
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16920	95.01
		SD-10. The last time you used a needle for injecting drugs, did you know or suspect that the needle had been used by someone else?		
GNNDLSH1	2	*LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes	63	0.35
		2 = No	161	0.90
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	348	1.95
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	146	0.82
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17090	95.96

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-11. The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	*SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes	57	0.32
		2 = No	169	0.95
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	347	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	143	0.80
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17091	95.97
		SD-12. Have you ever, even once, used heroin in any form?		
HRANYFRM	2	*EVER USED HEROIN		
		1 = Yes, I have used heroin	179	1.01
		2 = No, I have never used heroin	15730	88.33
		3 = Yes LOGICALLY ASSIGNED	31	0.17
		4 = No LOGICALLY ASSIGNED	150	0.84
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	1717	9.64
		SD-13. Have you ever, even once, smoked heroin?		
HERSMOKE	2	*EVER SMOKED HEROIN		
		1 = Yes, I have smoked heroin	67	0.38
		2 = No, I have used heroin, but never smoked it	124	0.70
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	78	0.44
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	1730	9.71
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	15802	88.73

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-14. How long has it been since you last smoked heroin?		
HRSMKREC	2	TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days	2	0.01
		2 = More than 30 days ago but within the past 12 mths	7	0.04
		3 = More than 12 months ago but within the past 3 yrs	11	0.06
		4 = More than 3 years ago	49	0.28
		9 = Use in lifetime LOGICALLY ASSIGNED	4	0.02
		83 = USED HEROIN BUT NEVER SMOKED IT Logically assigned	14	0.08
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	50	0.28
		93 = USED HEROIN BUT NEVER SMOKED IT	100	0.56
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	1740	9.77
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	15830	88.89
		SD-15. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?		
HERSNIFF	2	*EVER SNIFFED HEROIN		
		1 = Yes, I have sniffed ("snorted") heroin	112	0.63
		2 = No, I have used heroin, but have never sniffed it	62	0.35
		3 = Yes LOGICALLY ASSIGNED	9	0.05
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	78	0.44
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	1744	9.79
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	15802	88.73
		SD-16. How long has it been since you last sniffed ("snorted") heroin powder through your nose?		
HRSNFREC	2	*TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days	4	0.02
		2 = More than 30 days ago but within the past 12 mths	15	0.08
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	88	0.49
		83 = USED HEROIN BUT NEVER SNIFFED IT Log assn	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	58	0.33
		93 = USED HEROIN BUT NEVER SNIFFED IT	63	0.35
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	1742	9.78
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	15822	88.84

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #15		
		FI CHECKPOINT O; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPRSKRD	2	CAN RESP. COMPLETE RISK/AVAIL. ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16885	94.81
		2 = No, I doubt that resp. can complt. it alone - SKIP	758	4.26
		96 = MULTIPLE RESPONSE	6	0.03
		98 = BLANK (NO ANSWER)	160	0.90
		R-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
RSKREAD	2	RISK/AVAILABILITY - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1331	7.47
		2 = Wants to complete the answer sheet on his/her own	15993	89.80
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	203	1.14
		99 = LEGITIMATE SKIP	278	1.56
		R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?		
		(If you're not sure, cross the box for the amount of risk that comes closest to what you think might be true for that activity. MARK ONE BOX ON EACH LINE.)		
RSKPKCIG	2	RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk	490	2.75
		2 = Slight risk	1543	8.66
		3 = Moderate risk	4694	26.36
		4 = Great risk	10992	61.72
		94 = DON'T KNOW	9	0.05
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	62	0.35

NON-CORE RISK/AVAILABILITY

LABEL	LEN	DESCRIPTION	FREQ	%
RSKTRYMJ	2	RISK IF TRY MARIJUANA ONCE OR TWICE		
		1 = No risk	3643	20.46
		2 = Slight risk	4768	26.77
		3 = Moderate risk	3458	19.42
		4 = Great risk	5792	32.52
		94 = DON'T KNOW	38	0.21
		96 = MULTIPLE RESPONSE	30	0.17
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	75	0.42
RSKMJOCC	2	RISK IF SMOKE MARIJUANA ONCE A MONTH		
		1 = No risk	2372	13.32
		2 = Slight risk	4516	25.36
		3 = Moderate risk	4527	25.42
		4 = Great risk	6133	34.44
		94 = DON'T KNOW	39	0.22
		96 = MULTIPLE RESPONSE	35	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	182	1.02
RSKMJREG	2	RISK IF SMOKE MARIJUANA ONCE OR TWICE A WEEK		
		1 = No risk	1196	6.72
		2 = Slight risk	2502	14.05
		3 = Moderate risk	4369	24.53
		4 = Great risk	9517	53.44
		94 = DON'T KNOW	37	0.21
		96 = MULTIPLE RESPONSE	16	0.09
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	167	0.94
RKTRYPCP	2	RISK IF TRY PCP ONCE OR TWICE		
		1 = No risk	665	3.73
		2 = Slight risk	2025	11.37
		3 = Moderate risk	3312	18.60
		4 = Great risk	11540	64.80
		94 = DON'T KNOW	138	0.77
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	39	0.22
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	84	0.47
RKPCPREG	2	RISK IF USE PCP ONCE OR TWICE A WEEK		
		1 = No risk	342	1.92
		2 = Slight risk	547	3.07
		3 = Moderate risk	2292	12.87
		4 = Great risk	14332	80.48
		94 = DON'T KNOW	144	0.81
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	38	0.21
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	108	0.61

NON-CORE RISK/AVAILABILITY

LABEL	LEN	DESCRIPTION	FREQ	%
RKTRYLSD	2	RISK IF TRY LSD ONCE OR TWICE		
		1 = No risk	678	3.81
		2 = Slight risk	2015	11.31
		3 = Moderate risk	3077	17.28
		4 = Great risk	11776	66.12
		94 = DON'T KNOW	123	0.69
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	37	0.21
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	97	0.54
RKLSDREG	2	RISK IF USE LSD ONCE OR TWICE A WEEK		
		1 = No risk	354	1.99
		2 = Slight risk	500	2.81
		3 = Moderate risk	1982	11.13
		4 = Great risk	14708	82.59
		94 = DON'T KNOW	124	0.70
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	24	0.13
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	111	0.62
RKTRYHER	2	RISK IF TRY HEROIN ONCE OR TWICE		
		1 = No risk	514	2.89
		2 = Slight risk	1524	8.56
		3 = Moderate risk	2907	16.32
		4 = Great risk	12675	71.17
		94 = DON'T KNOW	80	0.45
		96 = MULTIPLE RESPONSE	25	0.14
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	79	0.44
RKHERREG	2	RISK IF USE HEROIN ONCE OR TWICE A WEEK		
		1 = No risk	326	1.83
		2 = Slight risk	348	1.95
		3 = Moderate risk	1401	7.87
		4 = Great risk	15527	87.19
		94 = DON'T KNOW	78	0.44
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	110	0.62
RKTRYCOC	2	RISK IF TRY COCAINE ONCE OR TWICE		
		1 = No risk	771	4.33
		2 = Slight risk	2035	11.43
		3 = Moderate risk	3253	18.27
		4 = Great risk	11580	65.02
		94 = DON'T KNOW	61	0.34
		96 = MULTIPLE RESPONSE	30	0.17
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	74	0.42

NON-CORE RISK/AVAILABILITY

LABEL	LEN	DESCRIPTION	FREQ	%
RKCOCOCC	2	RISK IF USE COCAINE ONCE A MONTH		
		1 = No risk	481	2.70
		2 = Slight risk	1101	6.18
		3 = Moderate risk	2883	16.19
		4 = Great risk	13155	73.87
		94 = DON'T KNOW	62	0.35
		96 = MULTIPLE RESPONSE	24	0.13
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	98	0.55
RKCOCREG	2	RISK IF USE COCAINE ONCE OR TWICE A WEEK		
		1 = No risk	353	1.98
		2 = Slight risk	396	2.22
		3 = Moderate risk	1297	7.28
		4 = Great risk	15572	87.44
		94 = DON'T KNOW	61	0.34
		96 = MULTIPLE RESPONSE	13	0.07
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	112	0.63
RKTRYCRK	2	RISK IF TRY "CRACK" ONCE OR TWICE		
		1 = No risk	542	3.04
		2 = Slight risk	1439	8.08
		3 = Moderate risk	2388	13.41
		4 = Great risk	13272	74.52
		94 = DON'T KNOW	72	0.40
		96 = MULTIPLE RESPONSE	20	0.11
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	71	0.40
RKCRKOCC	2	RISK IF USE "CRACK" ONCE A MONTH		
		1 = No risk	404	2.27
		2 = Slight risk	716	4.02
		3 = Moderate risk	2058	11.56
		4 = Great risk	14448	81.13
		94 = DON'T KNOW	73	0.41
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	94	0.53
RKCRKREG	2	RISK IF USE "CRACK" ONCE OR TWICE A WEEK		
		1 = No risk	332	1.86
		2 = Slight risk	268	1.50
		3 = Moderate risk	890	5.00
		4 = Great risk	16124	90.54
		94 = DON'T KNOW	73	0.41
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	106	0.60

NON-CORE RISK/AVAILABILITY

LABEL	LEN	DESCRIPTION	FREQ	%
RKTRYANS	2	RISK IF USE ANABOLIC STEROIDS ONCE OR TWICE		
		1 = No risk	955	5.36
		2 = Slight risk	3106	17.44
		3 = Moderate risk	3869	21.72
		4 = Great risk	9648	54.17
		94 = DON'T KNOW	129	0.72
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	89	0.50
RKANSOCC	2	RISK IF USE ANABOLIC STEROIDS ONCE A MONTH		
		1 = No risk	483	2.71
		2 = Slight risk	1472	8.27
		3 = Moderate risk	4098	23.01
		4 = Great risk	11514	64.65
		94 = DON'T KNOW	128	0.72
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	101	0.57
RKANSREG	2	RISK IF USE ANA.STEROIDS ONCE OR TWICE A WEEK		
		1 = No risk	356	2.00
		2 = Slight risk	461	2.59
		3 = Moderate risk	2051	11.52
		4 = Great risk	14705	82.57
		94 = DON'T KNOW	124	0.70
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	102	0.57
RK2DRINK	2	RISK OF HAVING ONE OR TWO DRINKS NEARLY EVERY DAY		
		1 = No risk	1763	9.90
		2 = Slight risk	4560	25.61
		3 = Moderate risk	5799	32.56
		4 = Great risk	5501	30.89
		94 = DON'T KNOW	16	0.09
		96 = MULTIPLE RESPONSE	16	0.09
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	151	0.85
RK5DRINK	2	RISK OF HAVING 4 TO 5 DRINKS NEARLY EVERY DAY		
		1 = No risk	413	2.32
		2 = Slight risk	1107	6.22
		3 = Moderate risk	3815	21.42
		4 = Great risk	12256	68.82
		94 = DON'T KNOW	13	0.07
		96 = MULTIPLE RESPONSE	13	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	189	1.06

LABEL	LEN	DESCRIPTION	FREQ	%
RSKBINGE	2	RISK OF HAVING FIVE+ DRINKS ONCE OR TWICE A WEEK		
		1 = No risk	736	4.13
		2 = Slight risk	2012	11.30
		3 = Moderate risk	4863	27.31
		4 = Great risk	9983	56.06
		94 = DON'T KNOW	14	0.08
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	190	1.07
		R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (MARK ONE BOX ON EACH LINE.)		
RSKDIFMJ	2	DIFFICULTY OF GETTING MARIJUANA		
		1 = Probably impossible	2617	14.69
		2 = Very difficult	1731	9.72
		3 = Fairly difficult	1732	9.73
		4 = Fairly easy	4377	24.58
		5 = Very easy	7011	39.37
		94 = DON'T KNOW	140	0.79
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	38	0.21
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	158	0.89
RKDIFLSD	2	DIFFICULTY OF GETTING LSD		
		1 = Probably impossible	4992	28.03
		2 = Very difficult	3425	19.23
		3 = Fairly difficult	3226	18.11
		4 = Fairly easy	3066	17.22
		5 = Very easy	2638	14.81
		94 = DON'T KNOW	223	1.25
		95 = BAD DATA	2	0.01
		96 = MULTIPLE RESPONSE	21	0.12
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	212	1.19
RKDIFPCP	2	DIFFICULTY OF GETTING PCP		
		1 = Probably impossible	5377	30.19
		2 = Very difficult	3682	20.67
		3 = Fairly difficult	3220	18.08
		4 = Fairly easy	2643	14.84
		5 = Very easy	2368	13.30
		94 = DON'T KNOW	232	1.30
		95 = BAD DATA	2	0.01
		96 = MULTIPLE RESPONSE	45	0.25
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	236	1.33

LABEL	LEN	DESCRIPTION	FREQ	%
RKDIFCOC	2	DIFFICULTY OF GETTING COCAINE		
		1 = Probably impossible	4087	22.95
		2 = Very difficult	2777	15.59
		3 = Fairly difficult	2443	13.72
		4 = Fairly easy	3601	20.22
		5 = Very easy	4480	25.16
		94 = DON'T KNOW	187	1.05
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	21	0.12
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	208	1.17
RKDIFCRK	2	DIFFICULTY OF GETTING "CRACK"		
		1 = Probably impossible	4498	25.26
		2 = Very difficult	2947	16.55
		3 = Fairly difficult	2226	12.50
		4 = Fairly easy	3050	17.13
		5 = Very easy	4662	26.18
		94 = DON'T KNOW	188	1.06
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	21	0.12
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	212	1.19
RKDIFHER	2	DIFFICULTY OF GETTING HEROIN		
		1 = Probably impossible	5430	30.49
		2 = Very difficult	3606	20.25
		3 = Fairly difficult	2757	15.48
		4 = Fairly easy	2604	14.62
		5 = Very easy	2987	16.77
		94 = DON'T KNOW	210	1.18
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	201	1.13

R-3. In the past 30 days, has someone approached you to sell you an illegal drug?

RSKSELL	2	APPROACHED BY SOMEONE SELLING ILLG DRGS PST 30 DYS		
		1 = Yes	2046	11.49
		2 = No	15551	87.32
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	196	1.10

LABEL	LEN	DESCRIPTION	FREQ	%
		R-4. How often do you see people who are drunk or high on drugs in your neighborhood?		
RKNEIDRN	2	FREQ. OF SEEING DRUNK/HIGH PEOPLE IN NEIGHBORHOOD		
		1 = Often	5289	29.70
		2 = Once a month	1578	8.86
		3 = Rarely	5329	29.92
		4 = Never	5428	30.48
		94 = DON'T KNOW	16	0.09
		96 = MULTIPLE RESPONSE	20	0.11
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	147	0.83
		R-5. How often do you see people selling drugs in your neighborhood?		
RKNEISEL	2	FREQ. OF SEEING PEOPLE SELL DRUGS IN NEIGHBORHOOD		
		1 = Often	2785	15.64
		2 = Once a month	566	3.18
		3 = Rarely	2885	16.20
		4 = Never	11402	64.02
		94 = DON'T KNOW	12	0.07
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	148	0.83

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE DRUGS -- ANSWER SHEET #16		
		FI CHECKPOINT P; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPDRGRD	2	CAN RESPONDENT COMPLETE DRUGS ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16810	94.39
		2 = No, I doubt that resp. can complt. it alone - SKIP	794	4.46
		96 = MULTIPLE RESPONSE	10	0.06
		98 = BLANK (NO ANSWER)	195	1.09
		DR-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
DRGREAD	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1512	8.49
		2 = Wants to complete the answer sheet on his/her own	15757	88.48
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	242	1.36
		99 = LEGITIMATE SKIP	297	1.67
		All the questions on this answer sheet refer to the past 12 months -- that is, since your 12-month reference date.		
		DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.		
USEDCIG	2	*USED CIGARETTES PAST 12 MONTHS		
		1 = Yes	6837	38.39
		2 = No	10693	60.04
		3 = Yes LOGICALLY ASSIGNED	65	0.36
		4 = No LOGICALLY ASSIGNED	103	0.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	109	0.61
USEDALC	2	*USED ALCOHOL PAST 12 MONTHS		
		1 = Yes	10165	57.08
		2 = No	7401	41.56
		3 = Yes LOGICALLY ASSIGNED	63	0.35
		4 = No LOGICALLY ASSIGNED	104	0.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	74	0.42

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
USEDMRJ	2	*USED MARIJUANA/HASHISH PAST 12 MONTHS		
		1 = Yes	2010	11.29
		2 = No	15385	86.39
		3 = Yes LOGICALLY ASSIGNED	128	0.72
		4 = No LOGICALLY ASSIGNED	111	0.62
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	173	0.97
USEDCOC	2	*USED COCAINE (INCLUDING "CRACK") PAST 12 MONTHS		
		1 = Yes	387	2.17
		2 = No	16974	95.31
		3 = Yes LOGICALLY ASSIGNED	142	0.80
		4 = No LOGICALLY ASSIGNED	115	0.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	189	1.06
USEDHER	2	*USED HEROIN PAST 12 MONTHS		
		1 = Yes	62	0.35
		2 = No	17325	97.28
		3 = Yes LOGICALLY ASSIGNED	112	0.63
		4 = No LOGICALLY ASSIGNED	112	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	196	1.10
USEDHAL	2	*USED HALLUCINOGENS (LSD,PCP,ETC.) PAST 12 MONTHS		
		1 = Yes	276	1.55
		2 = No	17109	96.07
		3 = Yes LOGICALLY ASSIGNED	122	0.69
		4 = No LOGICALLY ASSIGNED	109	0.61
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	191	1.07
USEDINH	2	*USED INHALANTS (GLUE,SPRAY PAINT,ETC) PAST 12 MTH		
		1 = Yes	198	1.11
		2 = No	17202	96.59
		3 = Yes LOGICALLY ASSIGNED	107	0.60
		4 = No LOGICALLY ASSIGNED	111	0.62
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	189	1.06
USEDSTR	2	*USED ANABOLIC STEROIDS PAST 12 MONTHS		
		1 = Yes	34	0.19
		2 = No	17306	97.18
		3 = Yes LOGICALLY ASSIGNED	113	0.63
		4 = No LOGICALLY ASSIGNED	115	0.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	239	1.34

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
USEDANL	2	*USED PAIN KILLERS (CODEINE,ETC) PAST 12 MONTHS		
		1 = Yes	506	2.84
		2 = No	16889	94.83
		3 = Yes LOGICALLY ASSIGNED	107	0.60
		4 = No LOGICALLY ASSIGNED	115	0.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	190	1.07
USEDTRN	2	*USED TRANQUILIZERS (VALIUM,ETC) PAST 12 MONTHS		
		1 = Yes	211	1.18
		2 = No	17184	96.49
		3 = Yes LOGICALLY ASSIGNED	105	0.59
		4 = No LOGICALLY ASSIGNED	112	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	195	1.09
USEDSTM	2	*USED STIMULANTS ("SPEED",ETC.) PAST 12 MONTHS		
		1 = Yes	149	0.84
		2 = No	17237	96.79
		3 = Yes LOGICALLY ASSIGNED	118	0.66
		4 = No LOGICALLY ASSIGNED	113	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	190	1.07
USEDSED	2	*USED SEDATIVES (METHAQUALONE,ETC.) PAST 12 MONTHS		
		1 = Yes	91	0.51
		2 = No	17299	97.14
		3 = Yes LOGICALLY ASSIGNED	112	0.63
		4 = No LOGICALLY ASSIGNED	112	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	193	1.08
		If you answered "NO" to each of the items a through l in question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2.		
NODRUGYR	2	*DID NOT USE DRUGS IN PAST 12 MONTHS		
		1 = Response circled	5909	33.18
		2 = Response not circled	11097	62.31
		3 = Response circled LOGICALLY ASSIGNED	203	1.14
		4 = Response not circled LOGICALLY ASSIGNED	554	3.11
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	44	0.25

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.		
GRTMCIG	2	*SPENT MONTH OR MORE ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	3364	18.89
		2 = No	7799	43.79
		4 = No LOGICALLY ASSIGNED	263	1.48
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	491	2.76
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	269	1.51
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5621	31.56
GRTMALC	2	*SPENT MONTH OR MORE ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	2061	11.57
		2 = No	9179	51.54
		4 = No LOGICALLY ASSIGNED	87	0.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	481	2.70
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	368	2.07
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5631	31.62
GRTMMRJ	2	*SPENT MONTH OR MORE ON MARIJUANA PAST 12 MONTHS		
		1 = Yes	650	3.65
		2 = No	10405	58.43
		4 = No LOGICALLY ASSIGNED	449	2.52
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	475	2.67
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	191	1.07
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5637	31.65
GRTMCOC	2	*SPENT MONTH OR MORE ON COCAINE/CRACK PAST 12 MTHS		
		1 = Yes	132	0.74
		2 = No	10892	61.16
		4 = No LOGICALLY ASSIGNED	505	2.84
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	472	2.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	166	0.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5640	31.67
GRTMHER	2	*SPENT MONTH OR MORE ON HEROIN PAST 12 MONTHS		
		1 = Yes	34	0.19
		2 = No	10985	61.68
		4 = No LOGICALLY ASSIGNED	510	2.86
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	468	2.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	166	0.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5644	31.69

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
GRTMHAL	2	*SPENT MONTH OR MORE ON HALLUCINOGENS PAST 12 MTHS		
		1 = Yes	69	0.39
		2 = No	10956	61.52
		4 = No LOGICALLY ASSIGNED	510	2.86
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	461	2.59
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	160	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5651	31.73
GRTMINH	2	*SPENT MONTH OR MORE ON INHALANTS PAST 12 MONTH		
		1 = Yes	33	0.19
		2 = No	10989	61.70
		4 = No LOGICALLY ASSIGNED	511	2.87
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	455	2.55
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5657	31.76
GRTMSTR	2	*SPENT MONTH OR MORE ON ANA STEROIDS PAST 12 MTHS		
		1 = Yes	22	0.12
		2 = No	10992	61.72
		4 = No LOGICALLY ASSIGNED	516	2.90
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	452	2.54
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5660	31.78
GRTMANL	2	*SPENT MONTH OR MORE ON PAIN KILLERS PAST 12 MTHS		
		1 = Yes	101	0.57
		2 = No	10927	61.36
		4 = No LOGICALLY ASSIGNED	502	2.82
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	448	2.52
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5664	31.80
GRTMTRN	2	*SPENT MONTH OR MORE ON TRANQUILIZERS PAST 12 MTHS		
		1 = Yes	58	0.33
		2 = No	10958	61.53
		4 = No LOGICALLY ASSIGNED	516	2.90
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	446	2.50
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5666	31.82
GRTMSTM	2	*SPENT MONTH OR MORE ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	58	0.33
		2 = No	10966	61.58
		4 = No LOGICALLY ASSIGNED	511	2.87
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	447	2.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	160	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5665	31.81

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
GRTMSED	2	*SPENT MONTH OR MORE ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	34	0.19
		2 = No	10985	61.68
		4 = No LOGICALLY ASSIGNED	518	2.91
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	448	2.52
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5664	31.80
		DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.		
LAMTCIG	2	*USED CIGARETTES MORE THAN INTENDED PAST 12 MTHS		
		1 = Yes	2934	16.47
		2 = No	8172	45.89
		4 = No LOGICALLY ASSIGNED	292	1.64
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	373	2.09
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	297	1.67
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5739	32.23
LAMTALC	2	*USED ALCOHOL MORE OFTEN THAN INTENDED PAST 12 MTH		
		1 = Yes	1794	10.07
		2 = No	9388	52.71
		4 = No LOGICALLY ASSIGNED	88	0.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	371	2.08
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	425	2.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5741	32.24
LAMTMRJ	2	*USED MARIJUANA MORE OFTEN INTENDED PAST 12 MTHS		
		1 = Yes	470	2.64
		2 = No	10533	59.14
		4 = No LOGICALLY ASSIGNED	496	2.79
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	369	2.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	196	1.10
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5743	32.25
LAMTCOC	2	*USED COCAINE MORE THAN INTENDED PAST 12 MONTHS		
		1 = Yes	129	0.72
		2 = No	10855	60.95
		4 = No LOGICALLY ASSIGNED	553	3.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	367	2.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5745	32.26

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
LAMTHER	2	*USED HEROIN MORE OFTEN THAN INTENDED PAST 12 MTHS		
		1 = Yes	29	0.16
		2 = No	10944	61.45
		4 = No LOGICALLY ASSIGNED	567	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	367	2.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	155	0.87
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5745	32.26
LAMTHAL	2	*USED HALLUCINOGEN MORE THAN INTENDED PAST 12 MTHS		
		1 = Yes	43	0.24
		2 = No	10931	61.38
		4 = No LOGICALLY ASSIGNED	567	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	367	2.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	154	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5745	32.26
LAMTINH	2	*USED INHALANTS MORE THAN INTENDED PAST 12 MTHS		
		1 = Yes	29	0.16
		2 = No	10946	61.46
		4 = No LOGICALLY ASSIGNED	567	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	365	2.05
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	153	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5747	32.27
LAMTSTR	2	*USED ANA STEROIDS MORE THAN INTENDED PAST 12 MTHS		
		1 = Yes	8	0.04
		2 = No	10966	61.58
		4 = No LOGICALLY ASSIGNED	564	3.17
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	364	2.04
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5748	32.28
LAMTANL	2	*USED PAIN KILLERS MORE THAN INTENDED PAST 12 MTHS		
		1 = Yes	59	0.33
		2 = No	10918	61.31
		4 = No LOGICALLY ASSIGNED	558	3.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	366	2.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	160	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5746	32.26
LAMTTRN	2	*USED TRANQUILIZERS MORE THAN INTENDED PST 12 MTHS		
		1 = Yes	33	0.19
		2 = No	10941	61.44
		4 = No LOGICALLY ASSIGNED	567	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	366	2.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	154	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5746	32.26

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
LAMTSTM	2	*USED STIMULANTS MORE THAN INTENDED PAST 12 MONTHS		
		1 = Yes	42	0.24
		2 = No	10933	61.39
		4 = No LOGICALLY ASSIGNED	568	3.19
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	365	2.05
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	152	0.85
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5747	32.27
LAMTSED	2	*USED SEDATIVES MORE THAN INTENDED PAST 12 MONTHS		
		1 = Yes	21	0.12
		2 = No	10951	61.49
		4 = No LOGICALLY ASSIGNED	573	3.22
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	365	2.05
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	150	0.84
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5747	32.27
		DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.		
BTOLCIG	2	*BUILT UP TOLERANCE FOR CIGARETTES PAST 12 MONTHS		
		1 = Yes	2341	13.15
		2 = No	8730	49.02
		4 = No LOGICALLY ASSIGNED	310	1.74
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	355	1.99
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	313	1.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5757	32.33
BTOLALC	2	*BUILT UP TOLERANCE FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	1491	8.37
		2 = No	9669	54.29
		4 = No LOGICALLY ASSIGNED	91	0.51
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	444	2.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33
BTOLMRJ	2	*BUILT UP TOLERANCE FOR MARIJUANA PAST 12 MONTHS		
		1 = Yes	459	2.58
		2 = No	10509	59.01
		4 = No LOGICALLY ASSIGNED	524	2.94
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	203	1.14
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
BTOLCOC	2	*BUILT UP TOLERANCE FOR COCAINE PAST 12 MONTHS		
		1 = Yes	109	0.61
		2 = No	10834	60.83
		4 = No LOGICALLY ASSIGNED	589	3.31
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	353	1.98
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5759	32.34
BTOLHER	2	*BUILT UP TOLERANCE FOR HEROIN PAST 12 MONTHS		
		1 = Yes	45	0.25
		2 = No	10895	61.18
		4 = No LOGICALLY ASSIGNED	597	3.35
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33
BTOLHAL	2	*BUILT UP TOLERANCE FOR HALLUCINOGENS PAST 12 MTHS		
		1 = Yes	61	0.34
		2 = No	10881	61.10
		4 = No LOGICALLY ASSIGNED	595	3.34
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33
BTOLINH	2	*BUILT UP TOLERANCE FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	44	0.25
		2 = No	10896	61.18
		4 = No LOGICALLY ASSIGNED	598	3.36
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33
BTOLSTR	2	*BUILT UP TOLERANCE FOR ANA STEROIDS PAST 12 MTHS		
		1 = Yes	28	0.16
		2 = No	10911	61.27
		4 = No LOGICALLY ASSIGNED	594	3.34
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	354	1.99
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5758	32.33
BTOLANL	2	*BUILT UP TOLERANCE FOR PAIN KILLERS PAST 12 MTHS		
		1 = Yes	70	0.39
		2 = No	10873	61.05
		4 = No LOGICALLY ASSIGNED	588	3.30
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	352	1.98
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	164	0.92
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5760	32.34

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
BTOLTRN	2	*BUILT UP TOLERANCE FOR TRANQUILIZERS PAST 12 MTHS		
		1 = Yes	48	0.27
		2 = No	10893	61.17
		4 = No LOGICALLY ASSIGNED	597	3.35
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	352	1.98
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5760	32.34
BTOLSTM	2	*BUILT UP TOLERANCE FOR STIMULANTS PAST 12 MONTHS		
		1 = Yes	61	0.34
		2 = No	10879	61.09
		4 = No LOGICALLY ASSIGNED	599	3.36
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	352	1.98
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5760	32.34
BTOLSED	2	*BUILT UP TOLERANCE FOR SEDATIVES PAST 12 MONTHS		
		1 = Yes	34	0.19
		2 = No	10901	61.21
		4 = No LOGICALLY ASSIGNED	604	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	352	1.98
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5760	32.34
		DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have often been under the effects or after-effects of that kind of drug in situations where your physical safety was threatened (such as driving a car or motorcycle, using heavy machinery, or swimming) during the past 12 months.		
SAFTCIG	2	*USED CIGARETTES IN PHYS THREAT SIT PST 12 MTH		
		1 = Yes	967	5.43
		2 = No	10082	56.61
		4 = No LOGICALLY ASSIGNED	311	1.75
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	347	1.95
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	335	1.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5765	32.37

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
SAFTALC	2	*USED ALCOHOL IN PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	1377	7.73
		2 = No	9762	54.81
		4 = No LOGICALLY ASSIGNED	95	0.53
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	461	2.59
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTMRJ	2	*USED MARIJUANA IN PHYS THREAT SIT PST 12 MTHS		
		1 = Yes	346	1.94
		2 = No	10610	59.58
		4 = No LOGICALLY ASSIGNED	534	3.00
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	205	1.15
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTCOC	2	*USED COCAINE IN PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	155	0.87
		2 = No	10774	60.50
		4 = No LOGICALLY ASSIGNED	605	3.40
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	161	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTHER	2	*USED HEROIN IN PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	85	0.48
		2 = No	10840	60.87
		4 = No LOGICALLY ASSIGNED	615	3.45
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	155	0.87
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTHAL	2	*USED HALLUCINOGENS PHYS THREAT SIT PST 12 MTH		
		1 = Yes	118	0.66
		2 = No	10807	60.68
		4 = No LOGICALLY ASSIGNED	611	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	159	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTINH	2	*USED INHALANTS PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	81	0.45
		2 = No	10843	60.88
		4 = No LOGICALLY ASSIGNED	617	3.46
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	154	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
SAFTSTR	2	*USED ANA STERIODS PHYS THREAT SIT PST 12 MTHS		
		1 = Yes	67	0.38
		2 = No	10857	60.96
		4 = No LOGICALLY ASSIGNED	613	3.44
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTANL	2	*USED PAIN KILLERS PHYS THREAT SIT PAST 12 MTH		
		1 = Yes	94	0.53
		2 = No	10832	60.82
		4 = No LOGICALLY ASSIGNED	607	3.41
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTTRN	2	*USED TRANQUILIZERS PHYS THREAT SIT PST 12 MTH		
		1 = Yes	89	0.50
		2 = No	10835	60.84
		4 = No LOGICALLY ASSIGNED	615	3.45
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTSTM	2	*USED STIMULANTS PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	90	0.51
		2 = No	10833	60.83
		4 = No LOGICALLY ASSIGNED	618	3.47
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	154	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38
SAFTSED	2	*USED SEDATIVES PHYS THREAT SIT PAST 12 MTHS		
		1 = Yes	79	0.44
		2 = No	10838	60.86
		4 = No LOGICALLY ASSIGNED	625	3.51
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	346	1.94
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	153	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5766	32.38

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		DR-6. As you read the following types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have problems with your family or friends, problems at work, school, or with the police, or any emotional or psychological problems during the past 12 months.		
PROBCIG	2	*CIGARETTES CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	946	5.31
		2 = No	10093	56.67
		4 = No LOGICALLY ASSIGNED	316	1.77
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	343	1.93
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	340	1.91
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5769	32.39
PROBALC	2	*ALCOHOL CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	983	5.52
		2 = No	10150	56.99
		4 = No LOGICALLY ASSIGNED	96	0.54
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	342	1.92
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	466	2.62
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5770	32.40
PROBMRJ	2	*MARIJUANA CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	311	1.75
		2 = No	10634	59.71
		4 = No LOGICALLY ASSIGNED	540	3.03
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	342	1.92
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	210	1.18
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5770	32.40
PROBCOC	2	*COCAINE CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	170	0.95
		2 = No	10748	60.35
		4 = No LOGICALLY ASSIGNED	610	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	342	1.92
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	167	0.94
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5770	32.40
PROBHER	2	*HEROIN CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	44	0.25
		2 = No	10871	61.04
		4 = No LOGICALLY ASSIGNED	621	3.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	342	1.92
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	159	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5770	32.40

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
PROBHAL	2	*HALLUCINOGENS CAUSED PROBS HOME/WORK PAST 12 MTHS		
		1 = Yes	70	0.39
		2 = No	10845	60.90
		4 = No LOGICALLY ASSIGNED	620	3.48
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	340	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	160	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5772	32.41
PROBINH	2	*INHALANTS CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	38	0.21
		2 = No	10877	61.08
		4 = No LOGICALLY ASSIGNED	622	3.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40
PROBSTR	2	*ANA STEROIDS CAUSED PROBS HOME/WORK PAST 12 MTHS		
		1 = Yes	21	0.12
		2 = No	10893	61.17
		4 = No LOGICALLY ASSIGNED	620	3.48
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	161	0.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40
PROBANL	2	*PAIN KILLERS CAUSED PROBS HOME/WORK PAST 12 MTH		
		1 = Yes	56	0.31
		2 = No	10862	60.99
		4 = No LOGICALLY ASSIGNED	611	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	166	0.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40
PROBTRN	2	*TRANQUILIZERS CAUSED PROBS HOME/WORK PAST 12 MTHS		
		1 = Yes	40	0.22
		2 = No	10876	61.07
		4 = No LOGICALLY ASSIGNED	621	3.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40
PROBSTM	2	*STIMULANTS CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	61	0.34
		2 = No	10853	60.94
		4 = No LOGICALLY ASSIGNED	624	3.50
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
PROBSED	2	*SEDATIVES CAUSED PROBLEMS HOME/WORK PAST 12 MTHS		
		1 = Yes	35	0.20
		2 = No	10877	61.08
		4 = No LOGICALLY ASSIGNED	628	3.53
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	341	1.91
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	155	0.87
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5771	32.40

DR-7a. As you read the following list of types of drugs, please mark one box beside each type of drug. On each line under Column A, mark the "YES" box on the left if you wanted to cut down or stop using that drug in the past 12 months. Mark the "NO" box on the right if you did not want to cut down or stop using that drug or if you did not use that drug in the past 12 months.

DR-7b. For each "YES" box you mark in Column A, please indicate in Column B whether you were able to cut down on or stop your use of that drug every time you wanted to during the past 12 months. Mark the "YES" box in Column B if you were able to cut down on or stop your use of that drug every time you wanted to during the past 12 months. Mark the "NO" box if you were unable to cut down on or stop your use of that drug when you wanted to during the past 12 months.

WCDCIG	2	*WANTED TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	4346	24.40
		2 = No	5415	30.41
		3 = Yes LOGICALLY ASSIGNED	634	3.56
		4 = No LOGICALLY ASSIGNED	609	3.42
		85 = BAD DATA Logically assigned	376	2.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	220	1.24
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	339	1.90
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5867	32.94
ACDCIG	2	*ABLE TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	2606	14.63
		2 = No	2096	11.77
		85 = BAD DATA Logically assigned	348	1.95
		89 = LEGITIMATE SKIP Logically assigned	677	3.80
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	617	3.46
		99 = LEGITIMATE SKIP	11462	64.36

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
WCDALC	2	*WANTED TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	2534	14.23
		2 = No	6480	36.39
		3 = Yes LOGICALLY ASSIGNED	1732	9.73
		4 = No LOGICALLY ASSIGNED	223	1.25
		85 = BAD DATA Logically assigned	126	0.71
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	221	1.24
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	620	3.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5870	32.96
ACDALC	2	*ABLE TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	2717	15.26
		2 = No	1388	7.79
		85 = BAD DATA Logically assigned	112	0.63
		89 = LEGITIMATE SKIP Logically assigned	383	2.15
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	781	4.39
		99 = LEGITIMATE SKIP	12425	69.77
WCDMRJ	2	*WANTED TO CUT DOWN ON MARIJUANA PAST 12 MONTHS		
		1 = Yes	700	3.93
		2 = No	8489	47.67
		3 = Yes LOGICALLY ASSIGNED	451	2.53
		4 = No LOGICALLY ASSIGNED	1279	7.18
		85 = BAD DATA Logically assigned	543	3.05
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	225	1.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	249	1.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5871	32.97
ACDMRJ	2	*ABLE TO CUT DOWN ON MARIJUANA PAST 12 MONTHS		
		1 = Yes	785	4.41
		2 = No	323	1.81
		85 = BAD DATA Logically assigned	503	2.82
		89 = LEGITIMATE SKIP Logically assigned	1548	8.69
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	292	1.64
		99 = LEGITIMATE SKIP	14356	80.61
WCDCOC	2	*WANTED TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes	239	1.34
		2 = No	8994	50.50
		3 = Yes LOGICALLY ASSIGNED	93	0.52
		4 = No LOGICALLY ASSIGNED	1496	8.40
		85 = BAD DATA Logically assigned	702	3.94
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	224	1.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	187	1.05
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5872	32.97

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
ACDCOC	2	*ABLE TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes	209	1.17
		2 = No	99	0.56
		85 = BAD DATA Logically assigned	653	3.67
		89 = LEGITIMATE SKIP Logically assigned	1816	10.20
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	211	1.18
		99 = LEGITIMATE SKIP	14819	83.21
WCDHER	2	*WANTED TO CUT DOWN ON HEROIN PAST 12 MONTHS		
		1 = Yes	65	0.36
		2 = No	9127	51.25
		3 = Yes LOGICALLY ASSIGNED	50	0.28
		4 = No LOGICALLY ASSIGNED	1575	8.84
		85 = BAD DATA Logically assigned	721	4.05
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	224	1.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	173	0.97
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5872	32.97
ACDHER	2	*ABLE TO CUT DOWN ON HEROIN PAST 12 MONTHS		
		1 = Yes	62	0.35
		2 = No	41	0.23
		85 = BAD DATA Logically assigned	667	3.75
		89 = LEGITIMATE SKIP Logically assigned	1869	10.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	185	1.04
		99 = LEGITIMATE SKIP	14983	84.13
WCDHAL	2	*WANTED TO CUT DOWN ON HALLUCINOGENS PAST 12 MTHS		
		1 = Yes	98	0.55
		2 = No	9105	51.13
		3 = Yes LOGICALLY ASSIGNED	105	0.59
		4 = No LOGICALLY ASSIGNED	1542	8.66
		85 = BAD DATA Logically assigned	679	3.81
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	221	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	182	1.02
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5875	32.99
ACDHAL	2	*ABLE TO CUT DOWN ON HALLUCINOGENS PAST 12 MONTHS		
		1 = Yes	125	0.70
		2 = No	68	0.38
		85 = BAD DATA Logically assigned	633	3.55
		89 = LEGITIMATE SKIP Logically assigned	1828	10.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	192	1.08
		99 = LEGITIMATE SKIP	14961	84.01

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
WCDINH	2	*WANTED TO CUT DOWN ON INHALANTS PAST 12 MONTHS		
		1 = Yes	83	0.47
		2 = No	9120	51.21
		3 = Yes LOGICALLY ASSIGNED	83	0.47
		4 = No LOGICALLY ASSIGNED	1562	8.77
		85 = BAD DATA Logically assigned	684	3.84
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	221	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	179	1.01
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5875	32.99
ACDINH	2	*ABLE TO CUT DOWN ON INHALANTS PAST 12 MONTHS		
		1 = Yes	103	0.58
		2 = No	54	0.30
		85 = BAD DATA Logically assigned	638	3.58
		89 = LEGITIMATE SKIP Logically assigned	1843	10.35
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	188	1.06
		99 = LEGITIMATE SKIP	14981	84.12
WCDSTR	2	*WANTED TO CUT DOWN ON ANA STEROIDS PAST 12 MTHS		
		1 = Yes	38	0.21
		2 = No	9160	51.43
		3 = Yes LOGICALLY ASSIGNED	67	0.38
		4 = No LOGICALLY ASSIGNED	1586	8.91
		85 = BAD DATA Logically assigned	687	3.86
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	220	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	173	0.97
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5876	32.99
ACDSTR	2	*ABLE TO CUT DOWN ON ANA STEROIDS PAST 12 MONTHS		
		1 = Yes	51	0.29
		2 = No	46	0.26
		85 = BAD DATA Logically assigned	643	3.61
		89 = LEGITIMATE SKIP Logically assigned	1853	10.40
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	181	1.02
		99 = LEGITIMATE SKIP	15033	84.41
WCDANL	2	*WANTED TO CUT DOWN ON PAIN KILLERS PAST 12 MTHS		
		1 = Yes	114	0.64
		2 = No	9071	50.93
		3 = Yes LOGICALLY ASSIGNED	150	0.84
		4 = No LOGICALLY ASSIGNED	1524	8.56
		85 = BAD DATA Logically assigned	650	3.65
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	220	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	203	1.14
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5875	32.99

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
ACDANL	2	*ABLE TO CUT DOWN ON PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	143	0.80
		2 = No	110	0.62
		85 = BAD DATA Logically assigned	607	3.41
		89 = LEGITIMATE SKIP Logically assigned	1781	10.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	214	1.20
		99 = LEGITIMATE SKIP	14952	83.96
WCDTRN	2	*WANTED TO CUT DOWN ON TRANQUILIZERS PAST 12 MTHS		
		1 = Yes	77	0.43
		2 = No	9129	51.26
		3 = Yes LOGICALLY ASSIGNED	81	0.45
		4 = No LOGICALLY ASSIGNED	1560	8.76
		85 = BAD DATA Logically assigned	686	3.85
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	220	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5876	32.99
ACDTRN	2	*ABLE TO CUT DOWN ON TRANQUILIZERS PAST 12 MONTHS		
		1 = Yes	87	0.49
		2 = No	63	0.35
		85 = BAD DATA Logically assigned	643	3.61
		89 = LEGITIMATE SKIP Logically assigned	1831	10.28
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP	14997	84.21
WCDSTM	2	*WANTED TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	94	0.53
		2 = No	9139	51.32
		3 = Yes LOGICALLY ASSIGNED	62	0.35
		4 = No LOGICALLY ASSIGNED	1570	8.82
		85 = BAD DATA Logically assigned	673	3.78
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	221	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	173	0.97
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5875	32.99
ACDSTM	2	*ABLE TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	97	0.54
		2 = No	48	0.27
		85 = BAD DATA Logically assigned	631	3.54
		89 = LEGITIMATE SKIP Logically assigned	1851	10.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	184	1.03
		99 = LEGITIMATE SKIP	14996	84.20

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
WCDSED	2	*WANTED TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	54	0.30
		2 = No	9163	51.45
		3 = Yes LOGICALLY ASSIGNED	59	0.33
		4 = No LOGICALLY ASSIGNED	1568	8.80
		85 = BAD DATA Logically assigned	692	3.89
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR=1,3)	221	1.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	175	0.98
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	5875	32.99
ACDSED	2	*ABLE TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	63	0.35
		2 = No	41	0.23
		85 = BAD DATA Logically assigned	648	3.64
		89 = LEGITIMATE SKIP Logically assigned	1856	10.42
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	184	1.03
		99 = LEGITIMATE SKIP	15015	84.31

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE TREATMENT -- ANSWER SHEET #17		
		FI CHECKPOINT Q; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPTMTRD	2	CAN RESPONDENT COMPLETE TREATMENT ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16882	94.79
		2 = No, I doubt that resp. can complt. it alone - SKIP	765	4.30
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	161	0.90
		TX-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
TMTREAD	2	TREATMENT - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1308	7.34
		2 = Wants to complete the answer sheet on his/her own	16050	90.12
		98 = BLANK (NO ANSWER)	189	1.06
		99 = LEGITIMATE SKIP	262	1.47
		This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.		
		TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXEVER	2	*EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes, I have received treatment for alc/drug use ..	614	3.45
		2 = No, I have never received treat. alc/drug use	16959	95.23
		3 = Yes, rcvd trmt for alc/drug use LOG ASSN	84	0.47
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	149	0.84

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		TX-2. How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXTIMELF	3	*# TIMES RECEIVD ALCOHOL OR DRUG TREATMENT IN LIFE		
		RANGE = 1 - 450	579	3.25
		0 = No times	2	0.01
		985 = BAD DATA Logically assigned	5	0.03
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	5	0.03
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	254	1.43
		999 = LEGITIMATE SKIP (TXEVER=2)	16950	95.18
		TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXYRFREQ	3	*# TIMES RECEIVD ALCOHOL/DRUG TRMT PAST 12 MONTHS		
		RANGE = 1 - 365	180	1.01
		0 = No times	248	1.39
		985 = BAD DATA Logically assigned	119	0.67
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03
		995 = BAD DATA	4	0.02
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	297	1.67
		999 = LEGITIMATE SKIP (TXEVER=2)	16953	95.19
		TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.		
TXALHOSP	2	*RCVD ALC TRMT IN HOSPITAL/OVERNIGHT PAST 12 MTHS		
		1 = Yes	60	0.34
		2 = No	588	3.30
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	326	1.83
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	192	1.08
		99 = LEGITIMATE SKIP (TXEVER=2)	16633	93.40

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXALRFIN	2	*RCVD ALC TRMT REHAB CENTER/OVERNIGHT PST 12 MTHS		
		1 = Yes	96	0.54
		2 = No	564	3.17
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	310	1.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	188	1.06
		99 = LEGITIMATE SKIP (TXEVER=2)	16649	93.49
TXALRFOP	2	*RCVD ALC TRMT REHAB CENTER/OUTPATIENT PST 12 MTHS		
		1 = Yes	116	0.65
		2 = No	528	2.96
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	305	1.71
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	196	1.10
		99 = LEGITIMATE SKIP (TXEVER=2)	16654	93.51
TXALMHC	2	*RCVD ALC TRMT MENT HEALTH CENTER/OUTPT PST 12 MTH		
		1 = Yes	46	0.26
		2 = No	603	3.39
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	304	1.71
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	198	1.11
		99 = LEGITIMATE SKIP (TXEVER=2)	16655	93.52
TXALEMRG	2	*RCVD ALC TRMT IN AN EMERGENCY ROOM PAST 12 MTHS		
		1 = Yes	33	0.19
		2 = No	615	3.45
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	302	1.70
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	200	1.12
		99 = LEGITIMATE SKIP (TXEVER=2)	16657	93.53
TXALDOC	2	*RCVD ALC TRMT IN PRIV DOCTOR'S OFFICE PST 12 MTHS		
		1 = Yes	40	0.22
		2 = No	605	3.40
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	300	1.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	203	1.14
		99 = LEGITIMATE SKIP (TXEVER=2)	16659	93.54
TXALJAIL	2	*RCVD ALC TRMT IN PRISON OR JAIL PAST 12 MONTHS		
		1 = Yes	47	0.26
		2 = No	601	3.37
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	301	1.69
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	200	1.12
		99 = LEGITIMATE SKIP (TXEVER=2)	16658	93.54

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
TXALSHG	2	*RCVD ALCOHOL TRMT IN SELF-HELP GROUP PAST 12 MTHS		
		1 = Yes	127	0.71
		2 = No	515	2.89
		3 = Yes LOGICALLY ASSIGNED	12	0.07
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	300	1.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	194	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16659	93.54
TXALSOP	2	*RCVD ALC TRMT IN SOME OTHER PLACE PAST 12 MONTHS		
		1 = Yes	65	0.36
		2 = No	483	2.71
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	250	1.40
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	292	1.64
		99 = LEGITIMATE SKIP (TXEVER=2)	16709	93.82
TXALSP	2	*OTHER FACILITY RECEIVED ALC TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	19	0.11
		5 = Residential placement	1	0.01
		9 = Within myself (self-treatment)	4	0.02
		10 = Church or religious influence	4	0.02
		12 = Friends	1	0.01
		13 = Court or correctional facilities	9	0.05
		14 = Counselor, therapist, psychologist	5	0.03
		15 = School	2	0.01
		22 = Hospital	9	0.05
		24 = Drug treatment or rehab. center	9	0.05
		25 = Mental health center	1	0.01
		26 = Self-help group	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	782	4.39
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23
		TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.		
TXDRHOSP	2	*RECEIVED DRUG TRMT HOSPITAL/OVERNIGHT PST 12 MTHS		
		1 = Yes	41	0.23
		2 = No	615	3.45
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	269	1.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16690	93.72

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXDRFIN	2	*RCVD DRUG TRMT REHAB CENTER/OVERNIGHT PST 12 MTHS		
		1 = Yes	60	0.34
		2 = No	601	3.37
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	269	1.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	187	1.05
		99 = LEGITIMATE SKIP (TXEVER=2)	16690	93.72
TXDRFOP	2	*RCVD DRUG TRMT REHAB CENTER/OP PAST 12 MONTHS		
		1 = Yes	62	0.35
		2 = No	594	3.34
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	266	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16693	93.73
TXDRMHC	2	*RCVD DRUG TRMT M.HEALTH CENTER PAST 12 MONTHS		
		1 = Yes	34	0.19
		2 = No	624	3.50
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	266	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	188	1.06
		99 = LEGITIMATE SKIP (TXEVER=2)	16693	93.73
TXDREMRG	2	*RCVD DRUG TRMT IN EMERGENCY ROOM PAST 12 MONTHS		
		1 = Yes	28	0.16
		2 = No	617	3.46
		3 = Yes LOGICALLY ASSIGNED	17	0.10
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	266	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16693	93.73
TXDRDOC	2	*RCVD DRUG TRMT IN PRIV DOCTOR'S OFF PST 12 MTHS		
		1 = Yes	27	0.15
		2 = No	633	3.55
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	265	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	188	1.06
		99 = LEGITIMATE SKIP (TXEVER=2)	16694	93.74
TXDRJAIL	2	*RCVD DRUG TRMT IN PRISON PAST 12 MONTHS		
		1 = Yes	32	0.18
		2 = No	630	3.54
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	265	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16694	93.74

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
TXDRSHG	2	*RCVD DRUG TREAT IN SELF-HELP GROUP PAST 12 MONTHS		
		1 = Yes	87	0.49
		2 = No	572	3.21
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	265	1.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	184	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16694	93.74
TXDRSOP	2	*RECEIVED DRUG TRMT IN SOME OTH PLACE PST 12 MTHS		
		1 = Yes	35	0.20
		2 = No	533	2.99
		3 = Yes LOGICALLY ASSIGNED	7	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	215	1.21
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	273	1.53
		99 = LEGITIMATE SKIP (TXEVER=2)	16744	94.02
TXDRSP	2	*OTHER FACILITY RECEIVED DRUG TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	11	0.06
		5 = Residential placement	1	0.01
		10 = Church or religious influence	3	0.02
		13 = Court or correctional facilities	1	0.01
		14 = Counselor, therapist, psychologist	4	0.02
		16 = Home, family	2	0.01
		22 = Hospital	6	0.03
		24 = Drug treatment or rehab. center	8	0.04
		25 = Mental health center	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	808	4.54
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23
		TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?		
TXYREMRG	3	*# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MTHS		
		RANGE = 1 - 5	29	0.16
		0 = No times	542	3.04
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	67	0.38
		995 = BAD DATA	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	276	1.55
		999 = LEGITIMATE SKIP (TXEVER=2)	16892	94.85

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.		
		TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXADGREC	2	*TIME SINCE LAST ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days	88	0.49
		2 = More than 30 days ago but within the past 12 mths	106	0.60
		3 = More than 12 months ago but within the past 3 yrs	64	0.36
		4 = More than 3 years ago	214	1.20
		8 = Use in past year LOGICALLY ASSIGNED	171	0.96
		9 = Use in lifetime LOGICALLY ASSIGNED	55	0.31
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03
		91 = NEVER USED ALCOHOL OR DRUGS	4098	23.01
		98 = BLANK (NO ANSWER)	150	0.84
		99 = LEGITIMATE SKIP (TXEVER=2)	12854	72.18
		TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes. MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXLTHOSP	2	*LAST ALCOHOL OR DRUG TRMT OVERNIGHT AT HOSPITAL		
		1 = Response marked	91	0.51
		3 = Response marked LOGICALLY ASSIGNED	13	0.07
		6 = Response not marked LOGICALLY ASSIGNED	538	3.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTRFIN	2	*LAST ALC/DRG TRMT OVERNITE AT RES DRUG REHAB CTR		
		1 = Response marked	151	0.85
		3 = Response marked LOGICALLY ASSIGNED	15	0.08
		6 = Response not marked LOGICALLY ASSIGNED	476	2.67
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXLTRFOP	2	*LAST ALC/DRUG TRMT OUTPATIENT DRUG REHAB CENTER		
		1 = Response marked	134	0.75
		3 = Response marked LOGICALLY ASSIGNED	23	0.13
		6 = Response not marked LOGICALLY ASSIGNED	485	2.72
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTMHC	2	*LAST ALC/DRG TRMT OUTPATIENT AT MENT HEALTH CENT		
		1 = Response marked	58	0.33
		3 = Response marked LOGICALLY ASSIGNED	10	0.06
		6 = Response not marked LOGICALLY ASSIGNED	574	3.22
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTEMRG	2	*LAST ALCOHOL OR DRUG TRMT AT EMERGENCY ROOM		
		1 = Response marked	34	0.19
		3 = Response marked LOGICALLY ASSIGNED	5	0.03
		6 = Response not marked LOGICALLY ASSIGNED	603	3.39
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTDOC	2	*LAST ALCOHOL OR DRUG TRMT AT PRIVATE DOCTOR OFF		
		1 = Response marked	32	0.18
		3 = Response marked LOGICALLY ASSIGNED	4	0.02
		6 = Response not marked LOGICALLY ASSIGNED	606	3.40
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTJAIL	2	*LAST ALCOHOL OR DRUG TREATMENT IN PRISON OR JAIL		
		1 = Response marked	42	0.24
		3 = Response marked LOGICALLY ASSIGNED	2	0.01
		6 = Response not marked LOGICALLY ASSIGNED	598	3.36
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTSHG	2	*LAST ALCOHOL OR DRUG TREATMENT IN SELF-HELP GROUP		
		1 = Response marked	142	0.80
		3 = Response marked LOGICALLY ASSIGNED	22	0.12
		6 = Response not marked LOGICALLY ASSIGNED	478	2.68
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
TXLTSOP	2	*LAST ALCOHOL OR DRUG TREATMENT IN SOME OTH PLACE		
		1 = Response marked	87	0.49
		3 = Response marked LOGICALLY ASSIGNED	21	0.12
		6 = Response not marked LOGICALLY ASSIGNED	534	3.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.21
TXLTSP	2	*OTHER FACILITY RECEIVED LAST TREATMENT		
		4 = AA or NA or CA	13	0.07
		5 = Residential placement	4	0.02
		9 = Within myself (self-treatment)	1	0.01
		10 = Church or religious influence	3	0.02
		13 = Court or correctional facilities	13	0.07
		14 = Counselor, therapist, psychologist	10	0.06
		15 = School	2	0.01
		16 = Home, family	4	0.02
		18 = Homeless shelter	1	0.01
		19 = Alternative medicine	1	0.01
		22 = Hospital	8	0.04
		24 = Drug treatment or rehab. center	17	0.10
		25 = Mental health center	4	0.02
		26 = Self-help group	3	0.02
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	762	4.28
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.

TXLTALC	2	*LAST TREATMENT FOR ALCOHOL		
		1 = Yes	453	2.54
		2 = No	161	0.90
		3 = Yes LOGICALLY ASSIGNED	22	0.12
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	134	0.75
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	212	1.19
		99 = LEGITIMATE SKIP (TXEVER=2)	16825	94.47
TXLTMJ	2	*LAST TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes	188	1.06
		2 = No	418	2.35
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	242	1.36
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXLTCOC	2	*LAST TREATMENT FOR COCAINE/"CRACK"		
		1 = Yes	176	0.99
		2 = No	429	2.41
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	240	1.35
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTHER	2	*LAST TREATMENT FOR HEROIN		
		1 = Yes	52	0.29
		2 = No	544	3.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	252	1.42
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTHAL	2	*LAST TREATMENT FOR HALLUCINOGENS		
		1 = Yes	65	0.36
		2 = No	527	2.96
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	255	1.43
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTINH	2	*LAST TREATMENT FOR INHALANTS		
		1 = Yes	31	0.17
		2 = No	555	3.12
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	262	1.47
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTANL	2	*LAST TREATMENT FOR PRESCRIPTION PAIN KILLERS		
		1 = Yes	40	0.22
		2 = No	548	3.08
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	258	1.45
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTRAN	2	*LAST TREATMENT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes	43	0.24
		2 = No	548	3.08
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	257	1.44
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXLTSTIM	2	*LAST TREATMENT FOR PRESCRIPTION STIMULANTS		
		1 = Yes	46	0.26
		2 = No	542	3.04
		3 = Yes LOGICALLY ASSIGNED	9	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	251	1.41
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTSED	2	*LAST TREATMENT FOR PRESCRIPTION SEDATIVES		
		1 = Yes	35	0.20
		2 = No	552	3.10
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	132	0.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	257	1.44
		99 = LEGITIMATE SKIP (TXEVER=2)	16827	94.49
TXLTSOD	2	*LAST TREATMENT FOR SOME OTHER DRUGS NOT ABOVE		
		1 = Yes	26	0.15
		2 = No	435	2.44
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	90	0.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	379	2.13
		99 = LEGITIMATE SKIP (TXEVER=2)	16869	94.72
TXLTA	3	*PRIMARY DRUG OF TREATMENT (FIRST MENTIONED)		
		109 = Seconal	1	0.01
		131 = Haldol, Haloperidol	1	0.01
		232 = Mellaril	1	0.01
		311 = Preludin	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.02
		339 = Amphetamines (speed generically)	3	0.02
		348 = Crystal	1	0.01
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.03
		808 = All of the ones I've tried	1	0.01
		812 = Cigars	1	0.01
		900 = NOT A DRUG	4	0.02
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	821	4.61
		999 = LEGITIMATE SKIP	16957	95.22
TXLTB	3	*PRIMARY DRUG OF TREATMENT (SECOND MENTIONED)		
		415 = Codeine	1	0.01
		603 = Mescaline	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	846	4.75
		999 = LEGITIMATE SKIP	16959	95.23

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXLTC	3	*PRIMARY DRUG OF TREATMENT (THIRD MENTIONED)		
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	848	4.76
		999 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23
TXLTD	3	*PRIMARY DRUG OF TREATMENT (FOURTH MENTIONED)		
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	848	4.76
		999 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23
TXLTE	3	*PRIMARY DRUG OF TREATMENT (FIFTH MENTIONED)		
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	848	4.76
		999 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
		TX-10. What was the primary drug you received treatment for during the last time you were treated?		
TXDRGA	3	*PRIMARY DRUG OF TREATMENT (FIRST MENTIONED)		
		109 = Seconal	2	0.01
		115 = Phenobarbital	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		131 = Haldol, Haloperidol	2	0.01
		168 = Rahypnol, Rohybenol [sic]	1	0.01
		201 = Valium	1	0.01
		207 = Ativan	1	0.01
		220 = Meprobamate, Meprospan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		232 = Mellaril	1	0.01
		305 = Biphetamine	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.04
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	5	0.03
		348 = Crystal	1	0.01
		355 = Crystal meth	1	0.01
		401 = Darvon	1	0.01
		407 = Demerol	1	0.01
		408 = Dilaudid	1	0.01
		411 = Talwin	1	0.01
		415 = Codeine	1	0.01
		417 = Morphine	1	0.01
		430 = Aspirin, Ecotrin, Empirin <OTC>	2	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		702 = Heroin	19	0.11
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	61	0.34
		805 = Cocaine, coca, coke	52	0.29
		806 = Crack, rock	35	0.20
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	299	1.68
		808 = All of the ones I've tried	1	0.01
		860 = Bees [sic]	1	0.01
		888 = Texas shoesmine [sic]	1	0.01
		900 = NOT A DRUG	7	0.04
		985 = BAD DATA Logically assigned	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	329	1.85
		999 = LEGITIMATE SKIP	16957	95.22

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
TXDRGB	3	*PRIMARY DRUG OF TREATMENT (SECOND MENTIONED)		
		113 = Halcion	1	0.01
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		415 = Codeine	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.02
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	8	0.04
		805 = Cocaine, coca, coke	9	0.05
		806 = Crack, rock	6	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.03
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	808	4.54
		999 = LEGITIMATE SKIP	16959	95.23
TXDRGC	3	*PRIMARY DRUG OF TREATMENT (THIRD MENTIONED)		
		805 = Cocaine, coca, coke	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	847	4.76
		999 = LEGITIMATE SKIP	16959	95.23
TXDRGD	3	*PRIMARY DRUG OF TREATMENT (FOURTH MENTIONED)		
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	848	4.76
		999 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23
TXDRGE	3	*PRIMARY DRUG OF TREATMENT (FIFTH MENTIONED)		
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	848	4.76
		999 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23

TX-11. What was the outcome of the treatment or counseling you last received? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.

TXOUTC	2	*OUTCOME OF TREATMENT LAST RECEIVED		
		1 = Still in treatment	99	0.56
		2 = Successfully completed treatment	379	2.13
		3 = Had a problem with program	22	0.12
		4 = Couldn't afford to continue treatment	10	0.06
		5 = Family needed me	6	0.03
		6 = Began using drug(s) again	51	0.29
		7 = Other outcome, not specified	21	0.12
		8 = Didn't need treatment	4	0.02
		10 = Successful because of own efforts, not trmt.	4	0.02
		11 = Use to a lesser extent	1	0.01
		13 = Moved	3	0.02
		14 = Successful because of religious reasons	1	0.01
		15 = Discontinued treatment, success unknown	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	246	1.38
		99 = LEGITIMATE SKIP (TXEVER=2)	16955	95.20

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.		
TXTIME	4	*LENGTH OF LAST DRUG/ALCOHOL TREATMENT IN DAYS		
		RANGE = 1 - 2520	561	3.15
		0 = No days	19	0.11
		9989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	8	0.04
		9994 = DON'T KNOW	2	0.01
		9995 = BAD DATA	10	0.06
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	256	1.44
		9999 = LEGITIMATE SKIP (TXEVER=2)	16951	95.18
		TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.		
TXPDINS	2	*HEALTH INSURANCE PAID FOR LAST TREATMENT		
		1 = Yes	175	0.98
		2 = No	352	1.98
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.65
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	316	1.77
		99 = LEGITIMATE SKIP (TXEVER=2)	16843	94.58
TXPDCARE	2	*MEDICARE PAID FOR LAST TREATMENT		
		1 = Yes	29	0.16
		2 = No	450	2.53
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	367	2.06
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.58
TXPDCAID	2	*MEDICAID PAID FOR LAST TREATMENT		
		1 = Yes	73	0.41
		2 = No	411	2.31
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	114	0.64
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	362	2.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16845	94.59

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXPDSAVE	2	*OWN SAVINGS OR EARNINGS PAID FOR LAST TRMT		
		1 = Yes	139	0.78
		2 = No	362	2.03
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	114	0.64
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	341	1.91
		99 = LEGITIMATE SKIP (TXEVER=2)	16845	94.59
TXPDFMLY	2	*FAMILY MEMBERS PAID FOR LAST TREATMENT		
		1 = Yes	55	0.31
		2 = No	427	2.40
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	114	0.64
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	364	2.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16845	94.59
TXPDEMPL	2	*EMPLOYER PAID FOR LAST TREATMENT		
		1 = Yes	26	0.15
		2 = No	454	2.55
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	114	0.64
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	365	2.05
		99 = LEGITIMATE SKIP (TXEVER=2)	16845	94.59
TXPDFREE	2	*LAST TREATMENT WAS FREE		
		1 = Yes	108	0.61
		2 = No	379	2.13
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	114	0.64
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	356	2.00
		99 = LEGITIMATE SKIP (TXEVER=2)	16845	94.59
TXPDSOS	2	*LAST TREATMENT PAID FOR BY SOME OTHER SOURCE		
		1 = Yes	65	0.36
		2 = No	417	2.34
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	113	0.63
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	353	1.98
		99 = LEGITIMATE SKIP (TXEVER=2)	16846	94.59

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
TXPDSP	2	*OTHER PAYER FOR LAST TREATMENT		
		1 = Health Insurance	3	0.02
		2 = Own savings or earnings	4	0.02
		4 = Employer or union	1	0.01
		5 = Medicare or Medicaid	3	0.02
		6 = Free	4	0.02
		9 = State/city public assistance/welfare/relief	29	0.16
		10 = Court	8	0.04
		11 = Church	1	0.01
		12 = School	2	0.01
		14 = Veterans administration/military services	8	0.04
		85 = BAD DATA Logically assigned	7	0.04
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	776	4.36
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.23

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1993? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

TXEN1093	2	*ENROLLED IN TREATMENT ON OCTOBER 1, 1993		
		1 = Yes, I was enrolled in treatment Oct. 1, 1993	78	0.44
		2 = No, I was not enrolled in treatment Oct. 1, 1993	556	3.12
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	171	0.96
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	208	1.17
		99 = LEGITIMATE SKIP (TXEVER=2)	16788	94.27

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE SELECTED UNEDITED VARIABLES		
		AS-4. How long has it been since you last used anabolic steroids without your own prescription from a doctor?		
AS04	2	TIME SINCE LAST USED ANABOLIC STEROIDS W/O PRESCR.		
		1 = Within the past 30 days	6	0.03
		2 = More than 30 days ago but within the past 12 mths	13	0.07
		3 = More than 12 months ago but within the past 3 yrs	19	0.11
		4 = More than 3 years ago	57	0.32
		85 = BAD DATA Logically assigned	4	0.02
		98 = BLANK (NO ANSWER)	17710	99.44
		SD-3. How long has it been since you last used a needle to inject cocaine?		
SD03	2	TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days	8	0.04
		2 = More than 30 days ago but within the past 12 mths	9	0.05
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	112	0.63
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED COCAINE	429	2.41
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	52	0.29
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17183	96.48
		SD-5. How long has it been since you last used a needle to inject heroin?		
SD05	2	TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days	7	0.04
		2 = More than 30 days ago but within the past 12 mths	11	0.06
		3 = More than 12 months ago but within the past 3 yrs	8	0.04
		4 = More than 3 years ago	83	0.47
		91 = NEVER USED HEROIN	660	3.71
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	7	0.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17032	95.64

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-7. How long has it been since you last used a needle to inject an anabolic steroid not prescribed for you by a doctor?		
SD07	2	TIME SINCE LAST USED NEEDLE TO INJECT ANA. STER.		
		1 = Within the past 30 days	3	0.02
		2 = More than 30 days ago but within the past 12 mths	1	0.01
		3 = More than 12 months ago but within the past 3 yrs	3	0.02
		4 = More than 3 years ago	15	0.08
		91 = NEVER USED ANABOLIC STEROIDS	697	3.91
		93 = USED ANABOLIC STEROIDS BUT NEVER WITH A NEEDLE	8	0.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17081	95.91
		SD-9. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
SD09	2	TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days	4	0.02
		2 = More than 30 days ago but within the past 12 mths	6	0.03
		3 = More than 12 months ago but within the past 3 yrs	6	0.03
		4 = More than 3 years ago	87	0.49
		91 = NEVER USED STIMULANTS	634	3.56
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	24	0.13
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17047	95.72
		SD-14. How long has it been since you last smoked heroin?		
SD14	2	TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days	2	0.01
		2 = More than 30 days ago but within the past 12 mths	7	0.04
		3 = More than 12 months ago but within the past 3 yrs	11	0.06
		4 = More than 3 years ago	49	0.28
		85 = BAD DATA Logically assigned	1	0.01
		93 = USED HEROIN BUT NEVER SMOKED IT	150	0.84
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17588	98.76

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-16. How long has it been since you last sniffed ("snorted") heroin powder through your nose?		
SD16	2	TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days	4	0.02
		2 = More than 30 days ago but within the past 12 mths	15	0.08
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	88	0.49
		85 = BAD DATA Logically assigned	1	0.01
		93 = USED HEROIN BUT NEVER SNIFFED IT	121	0.68
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17565	98.63
		TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TX07	2	TIME SINCE LAST TREATMENT FOR DRUGS, NOT CIGARETTE		
		1 = Within the past 30 days	95	0.53
		2 = More than 30 days ago but within the past 12 mths	106	0.60
		3 = More than 12 months ago but within the past 3 yrs	112	0.63
		4 = More than 3 years ago	313	1.76
		85 = BAD DATA Logically assigned	13	0.07
		98 = BLANK (NO ANSWER)	17170	96.41

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE WORKPLACE ISSUES -- ANSWER SHEET #18		
		FI CHECKPOINT R; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPWRKRD	2	CAN RESP. COMPLT. WRKPLACE ISSUES ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16772	94.18
		2 = No, I doubt that resp. can complt. it alone - SKIP	780	4.38
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	253	1.42
		W-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
WRKREAD	2	WORKPLACE ISSUES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1384	7.77
		2 = Wants to complete the answer sheet on his/her own	15828	88.88
		98 = BLANK (NO ANSWER)	309	1.74
		99 = LEGITIMATE SKIP	288	1.62
		The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as you answer this series of questions.		
		W-1. Have you ever been involved in a work-related accident?		
WKEVRACC	2	EVER BEEN INVOLVED IN WORK-RELATED ACCIDENT		
		1 = Yes, I have been involved in a work-related accid.	1907	10.71
		2 = No, I have never been involved in a wk-related acc	15697	88.14
		3 = Yes LOGICALLY ASSIGNED	19	0.11
		4 = No LOGICALLY ASSIGNED	14	0.08
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	170	0.95

LABEL	LEN	DESCRIPTION	FREQ	%
		W-2. Have you been involved in a work-related accident during the past 12 months?		
WKYRACC	2	BEEN INVOLVED WORK-RELATED ACCIDENT PST 12 MONTHS		
		1 = Yes, I have been inv in a wk-rel accid pst 12 mth	600	3.37
		2 = No, I have not been inv in a wk-rel acc pst 12 mth	1321	7.42
		3 = Yes LOGICALLY ASSIGNED	17	0.10
		89 = LEGITIMATE SKIP Logically assigned	1549	8.70
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	159	0.89
		99 = LEGITIMATE SKIP	14162	79.52
		W-3. As a result of any work-related accidents you were involved in during the past 12 months, were you required to take an alcohol or drug test?		
WKYRTEST	2	RESULT OF ACCIDENT, REQRD DRUG/ALC TEST PST 12 MTH		
		1 = Yes, I was required to take a alcohol/drug test ..	79	0.44
		2 = No, I was not required to take a alcohol/drug test	543	3.05
		3 = Yes LOGICALLY ASSIGNED	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	222	1.25
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	145	0.81
		99 = LEGITIMATE SKIP	16810	94.39
		W-4. During the past 30 days, have you been involved in any work-related accidents?		
WK30ACC	2	BEEN INVOLVED IN WORK-RELATED ACCIDENT PST 30 DAYS		
		1 = Yes, I have been involved wk-rel accid pst 30 days	140	0.79
		2 = No, I have not been involved wk-rel acc pst 30 day	473	2.66
		3 = Yes LOGICALLY ASSIGNED	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	424	2.38
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	154	0.86
		99 = LEGITIMATE SKIP	16608	93.26
		W-5. As a result of any work-related accidents you were involved in during the past 30 days, were you required to take an alcohol or drug test?		
WK30TEST	2	RESULT OF ACCIDENT REQRD DRUG/ALC TEST PST 30 DAYS		
		1 = Yes, I was required to take an alcohol/drug test .	29	0.16
		2 = No, I was not required to take an alcohol/drug tst	117	0.66
		89 = LEGITIMATE SKIP Logically assigned	227	1.27
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP	17278	97.02

LABEL	LEN	DESCRIPTION	FREQ	%
		W-6. During the past 12 months, have you voluntarily left an employer?		
WKYRVOL	2	VOLUNTARILY LEFT AN EMPLOYER PAST 12 MONTHS		
		1 = Yes, during past 12 mths, I have voluntarily left	2346	13.17
		2 = No, during pst 12 mth, I have not voluntarily left	13500	75.80
		3 = Yes LOGICALLY ASSIGNED	25	0.14
		96 = MULTIPLE RESPONSE	127	0.71
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1809	10.16
		W-7. During the past 12 months, have you involuntarily left an employer for any of the following reasons? (PLEASE MARK ONE BOX FOR EACH ITEM.)		
WKYRFIRE	2	YOU WERE FIRED PAST 12 MONTHS		
		1 = Yes	340	1.91
		2 = No	13898	78.04
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	3565	20.02
WKYRLOFF	2	YOU WERE PERMANENTLY LAID OFF PAST 12 MONTHS		
		1 = Yes	465	2.61
		2 = No	13663	76.72
		3 = Yes LOGICALLY ASSIGNED	45	0.25
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	3635	20.41
WKYROTHR	2	INVOLUNTARILY LEFT FOR SOME OTHER RSN PST 12 MTHS		
		1 = Yes	663	3.72
		2 = No	13081	73.45
		3 = Yes LOGICALLY ASSIGNED	270	1.52
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	3794	21.30

NON-CORE WORKPLACE ISSUES

LABEL	LEN	DESCRIPTION	FREQ	%
WKYRSPEC	2	RSN INVOLUNTARILY LEFT EMPLOYER PAST 12 MONTHS		
		1 = Fired	4	0.02
		2 = Permanently laid off	46	0.26
		4 = Better job/pay/benefits/opportunities	53	0.30
		5 = New job/career change	33	0.19
		6 = Union/labor dispute	2	0.01
		7 = Too few hours/poor pay/lack of benefits	41	0.23
		8 = Too demanding	5	0.03
		9 = Family and child care responsibilities	35	0.20
		10 = Personal or domestic problems	9	0.05
		11 = Transportation problems	4	0.02
		12 = Health reasons/accident/injury unascribed to work	46	0.26
		13 = Bus. closed/bankruptcy/relocated/reorganized/sold	71	0.40
		14 = Communication problems/conflicts at work	42	0.24
		15 = Sexual harassment/racism	5	0.03
		16 = Seasonal/short-term job	55	0.31
		17 = Temporary agency	18	0.10
		18 = Job locale was too far from home	8	0.04
		19 = Moved away from area/job	38	0.21
		20 = Temporary lay off	27	0.15
		21 = Pregnancy/maternity-related reasons	39	0.22
		22 = Job-related injury/workman's compensation	13	0.07
		23 = Self-employed	14	0.08
		24 = Student/interfered wth schl activities or studies	69	0.39
		25 = Alcohol/drug abuse	6	0.03
		26 = Criminal/legal problems	4	0.02
		27 = Voluntarily left/quit/resigned	68	0.38
		30 = Unemployed/have not worked past 12 months/retired	139	0.78
		85 = BAD DATA Logically assigned	28	0.16
		98 = BLANK (NO ANSWER)	16887	94.82

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #19		
		FI CHECKPOINT S; R's age.		
SKPYCANS	1	SKIP OVER YOUTH CHECKLIST TO DEMOGRAPHICS, ON AGE		
		1 = Respondent is 18 years or older - SKIP	12474	70.04
		2 = Respondent is 12-17 years old	4548	25.54
		3 = 18 or older LOGICALLY ASSIGNED - SKIP	637	3.58
		4 = 12 to 17 LOGICALLY ASSIGNED	150	0.84
		FI CHECKPOINT TT; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPYCRD	2	CAN RESP. COMPLETE YOUTH CHECKLIST ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	4662	26.18
		2 = No, I doubt that resp. can complt. it alone - SKIP	210	1.18
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	12933	72.62
		YC-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
YCREAD	2	YOUTH CHECKLIST - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	269	1.51
		2 = Wants to complete the answer sheet on his/her own	4357	24.47
		98 = BLANK (NO ANSWER)	13092	73.51
		99 = LEGITIMATE SKIP	91	0.51

LABEL	LEN	DESCRIPTION	FREQ	%
		Below is a list of items that describe young people. For each item that describes you now or within the past 6 months, please mark the box next to the "1" if the item is not true or you. Mark the box next to the "2" if the item is somewhat or sometimes true of you. If the item is very true or often true of you, mark the box next to the "3." Please mark only one box for each question.		
YACTYNG	2	I ACT TOO YOUNG FOR MY AGE		
		1 = Not true	3007	16.88
		2 = Somewhat or sometimes true	1460	8.20
		3 = Very true or often true	185	1.04
		89 = LEGITIMATE SKIP Logically assigned	82	0.46
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	37	0.21
		99 = LEGITIMATE SKIP	13029	73.16
YALLERGY	2	I HAVE AN ALLERGY		
		1 = Not true	2929	16.45
		2 = Somewhat or sometimes true	868	4.87
		3 = Very true or often true	852	4.78
		89 = LEGITIMATE SKIP Logically assigned	75	0.42
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	34	0.19
		99 = LEGITIMATE SKIP	13036	73.20
YARGUE	2	I ARGUE A LOT		
		1 = Not true	1200	6.74
		2 = Somewhat or sometimes true	2407	13.52
		3 = Very true or often true	1040	5.84
		89 = LEGITIMATE SKIP Logically assigned	72	0.40
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	39	0.22
		99 = LEGITIMATE SKIP	13039	73.22
YASTHMA	2	I HAVE ASTHMA		
		1 = Not true	3992	22.42
		2 = Somewhat or sometimes true	270	1.52
		3 = Very true or often true	372	2.09
		89 = LEGITIMATE SKIP Logically assigned	68	0.38
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	53	0.30
		99 = LEGITIMATE SKIP	13043	73.24

LABEL	LEN	DESCRIPTION	FREQ	%
YACOPPSX	2	I ACT LIKE THE OPPOSITE SEX		
		1 = Not true	3954	22.20
		2 = Somewhat or sometimes true	297	1.67
		3 = Very true or often true	370	2.08
		89 = LEGITIMATE SKIP Logically assigned	68	0.38
		96 = MULTIPLE RESPONSE	34	0.19
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	39	0.22
		99 = LEGITIMATE SKIP	13043	73.24
YLKANIML	2	I LIKE ANIMALS		
		1 = Not true	456	2.56
		2 = Somewhat or sometimes true	1480	8.31
		3 = Very true or often true	2686	15.08
		89 = LEGITIMATE SKIP Logically assigned	68	0.38
		96 = MULTIPLE RESPONSE	30	0.17
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	43	0.24
		99 = LEGITIMATE SKIP	13043	73.24
YBRAG	2	I BRAG		
		1 = Not true	2549	14.31
		2 = Somewhat or sometimes true	1821	10.23
		3 = Very true or often true	249	1.40
		89 = LEGITIMATE SKIP Logically assigned	64	0.36
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	13047	73.26
YTRBCONC	2	I HAVE TROUBLE CONCENTRATING OR PAYING ATTENTION		
		1 = Not true	2240	12.58
		2 = Somewhat or sometimes true	1954	10.97
		3 = Very true or often true	462	2.59
		89 = LEGITIMATE SKIP Logically assigned	67	0.38
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	36	0.20
		99 = LEGITIMATE SKIP	13044	73.24
YCNTHGTS	2	I CAN'T GET MY MIND OFF CERTAIN THOUGHTS		
		1 = Not true	1571	8.82
		2 = Somewhat or sometimes true	2222	12.48
		3 = Very true or often true	861	4.83
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	38	0.21
		99 = LEGITIMATE SKIP	13046	73.26

LABEL	LEN	DESCRIPTION	FREQ	%
YTRBSIT	2	I HAVE TROUBLE SITTING STILL		
		1 = Not true	2689	15.10
		2 = Somewhat or sometimes true	1434	8.05
		3 = Very true or often true	527	2.96
		89 = LEGITIMATE SKIP Logically assigned	67	0.38
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	39	0.22
		99 = LEGITIMATE SKIP	13044	73.24
YDPTADLT	2	I'M TOO DEPENDENT ON ADULTS		
		1 = Not true	3000	16.85
		2 = Somewhat or sometimes true	1360	7.64
		3 = Very true or often true	290	1.63
		89 = LEGITIMATE SKIP Logically assigned	63	0.35
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	41	0.23
		99 = LEGITIMATE SKIP	13048	73.27
YFLONELY	2	I FEEL LONELY		
		1 = Not true	3046	17.10
		2 = Somewhat or sometimes true	1282	7.20
		3 = Very true or often true	323	1.81
		89 = LEGITIMATE SKIP Logically assigned	61	0.34
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	39	0.22
		99 = LEGITIMATE SKIP	13050	73.28
YFLCONFU	2	I FEEL CONFUSED OR IN A FOG		
		1 = Not true	3467	19.47
		2 = Somewhat or sometimes true	1007	5.65
		3 = Very true or often true	183	1.03
		89 = LEGITIMATE SKIP Logically assigned	62	0.35
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	36	0.20
		99 = LEGITIMATE SKIP	13049	73.27
YCRYLOT	2	I CRY A LOT		
		1 = Not true	3538	19.87
		2 = Somewhat or sometimes true	866	4.86
		3 = Very true or often true	244	1.37
		89 = LEGITIMATE SKIP Logically assigned	61	0.34
		96 = MULTIPLE RESPONSE	17	0.10
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	30	0.17
		99 = LEGITIMATE SKIP	13050	73.28

LABEL	LEN	DESCRIPTION	FREQ	%
YHONEST	2	I AM PRETTY HONEST		
		1 = Not true	528	2.96
		2 = Somewhat or sometimes true	2090	11.74
		3 = Very true or often true	2026	11.38
		89 = LEGITIMATE SKIP Logically assigned	60	0.34
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	42	0.24
		99 = LEGITIMATE SKIP	13051	73.28
YMEANOTH	2	I AM MEAN TO OTHERS		
		1 = Not true	3097	17.39
		2 = Somewhat or sometimes true	1351	7.59
		3 = Very true or often true	203	1.14
		89 = LEGITIMATE SKIP Logically assigned	59	0.33
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	41	0.23
		99 = LEGITIMATE SKIP	13052	73.29
YDAYDREM	2	I DAYDREAM A LOT		
		1 = Not true	2204	12.38
		2 = Somewhat or sometimes true	1815	10.19
		3 = Very true or often true	639	3.59
		89 = LEGITIMATE SKIP Logically assigned	59	0.33
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	33	0.19
		99 = LEGITIMATE SKIP	13052	73.29
YTRYKLSF	2	I DELIBERATELY TRY TO HURT OR KILL MYSELF		
		1 = Not true	4401	24.71
		2 = Somewhat or sometimes true	186	1.04
		3 = Very true or often true	71	0.40
		89 = LEGITIMATE SKIP Logically assigned	58	0.33
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	32	0.18
		99 = LEGITIMATE SKIP	13053	73.29
YTRYATTN	2	I TRY TO GET A LOT OF ATTENTION		
		1 = Not true	2812	15.79
		2 = Somewhat or sometimes true	1498	8.41
		3 = Very true or often true	350	1.97
		89 = LEGITIMATE SKIP Logically assigned	57	0.32
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	35	0.20
		99 = LEGITIMATE SKIP	13054	73.30

LABEL	LEN	DESCRIPTION	FREQ	%
YDSTYTHG	2	I DESTROY MY OWN THINGS		
		1 = Not true	4104	23.04
		2 = Somewhat or sometimes true	450	2.53
		3 = Very true or often true	106	0.60
		89 = LEGITIMATE SKIP Logically assigned	58	0.33
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	34	0.19
		99 = LEGITIMATE SKIP	13053	73.29
YDSTYOTH	2	I DESTROY THINGS BELONGING TO OTHERS		
		1 = Not true	4274	24.00
		2 = Somewhat or sometimes true	309	1.74
		3 = Very true or often true	69	0.39
		89 = LEGITIMATE SKIP Logically assigned	58	0.33
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	37	0.21
		99 = LEGITIMATE SKIP	13053	73.29
YDSBYPAR	2	I DISOBEY MY PARENTS		
		1 = Not true	2588	14.53
		2 = Somewhat or sometimes true	1885	10.58
		3 = Very true or often true	185	1.04
		89 = LEGITIMATE SKIP Logically assigned	57	0.32
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	32	0.18
		99 = LEGITIMATE SKIP	13054	73.30
YDSBYSCH	2	I DISOBEY AT SCHOOL		
		1 = Not true	3256	18.28
		2 = Somewhat or sometimes true	1209	6.79
		3 = Very true or often true	181	1.02
		89 = LEGITIMATE SKIP Logically assigned	55	0.31
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	43	0.24
		99 = LEGITIMATE SKIP	13056	73.31
YDNTEATW	2	I DON'T EAT AS WELL AS I SHOULD		
		1 = Not true	2664	14.96
		2 = Somewhat or sometimes true	1446	8.12
		3 = Very true or often true	544	3.05
		89 = LEGITIMATE SKIP Logically assigned	56	0.31
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	30	0.17
		99 = LEGITIMATE SKIP	13055	73.31

LABEL	LEN	DESCRIPTION	FREQ	%
YDNTKIDS	2	I DON'T GET ALONG WITH OTHER KIDS		
		1 = Not true	3663	20.57
		2 = Somewhat or sometimes true	767	4.31
		3 = Very true or often true	209	1.17
		89 = LEGITIMATE SKIP Logically assigned	55	0.31
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	48	0.27
		99 = LEGITIMATE SKIP	13056	73.31
YDNTGLTY	2	I DON'T FEEL GUILTY AFTER DOING SOMETHING I SHDN'T		
		1 = Not true	2932	16.46
		2 = Somewhat or sometimes true	1240	6.96
		3 = Very true or often true	476	2.67
		89 = LEGITIMATE SKIP Logically assigned	55	0.31
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	44	0.25
		99 = LEGITIMATE SKIP	13056	73.31
YJEALOTH	2	I AM JEALOUS OF OTHERS		
		1 = Not true	3107	17.45
		2 = Somewhat or sometimes true	1362	7.65
		3 = Very true or often true	171	0.96
		89 = LEGITIMATE SKIP Logically assigned	54	0.30
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	53	0.30
		99 = LEGITIMATE SKIP	13057	73.32
YHELPOTH	2	I AM WILLING TO HELP OTHERS WHEN THEY NEED HELP		
		1 = Not true	423	2.38
		2 = Somewhat or sometimes true	1371	7.70
		3 = Very true or often true	2868	16.10
		89 = LEGITIMATE SKIP Logically assigned	55	0.31
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	30	0.17
		99 = LEGITIMATE SKIP	13056	73.31
YAFRPLAC	2	I AM AFRAID OF CERTAIN ANIMALS/SIT/PLACES NOT SCL		
		1 = Not true	1898	10.66
		2 = Somewhat or sometimes true	2194	12.32
		3 = Very true or often true	537	3.02
		89 = LEGITIMATE SKIP Logically assigned	48	0.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13063	73.35

LABEL	LEN	DESCRIPTION	FREQ	%
YAFRSCHL	2	I AM AFRAID OF GOING TO SCHOOL		
		1 = Not true	4242	23.82
		2 = Somewhat or sometimes true	307	1.72
		3 = Very true or often true	74	0.42
		89 = LEGITIMATE SKIP Logically assigned	46	0.26
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13065	73.36
YAFRBAD	2	I AM AFRAID I MIGHT THINK OR DO SOMETHING BAD		
		1 = Not true	3442	19.33
		2 = Somewhat or sometimes true	997	5.60
		3 = Very true or often true	176	0.99
		89 = LEGITIMATE SKIP Logically assigned	44	0.25
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	13067	73.37
YFLPRFCT	2	I FEEL THAT I HAVE TO BE PERFECT		
		1 = Not true	3059	17.18
		2 = Somewhat or sometimes true	1233	6.92
		3 = Very true or often true	323	1.81
		89 = LEGITIMATE SKIP Logically assigned	44	0.25
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13067	73.37
YFLNOLOV	2	I FEEL THAT NO ONE LOVES ME		
		1 = Not true	3897	21.88
		2 = Somewhat or sometimes true	598	3.36
		3 = Very true or often true	128	0.72
		89 = LEGITIMATE SKIP Logically assigned	44	0.25
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13067	73.37
YFLGETME	2	I FEEL THAT OTHERS ARE OUT TO GET ME		
		1 = Not true	3857	21.66
		2 = Somewhat or sometimes true	656	3.68
		3 = Very true or often true	113	0.63
		89 = LEGITIMATE SKIP Logically assigned	42	0.24
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13069	73.38

LABEL	LEN	DESCRIPTION	FREQ	%
YFLWTHLS	2	I FEEL WORTHLESS OR INFERIOR		
		1 = Not true	4043	22.70
		2 = Somewhat or sometimes true	484	2.72
		3 = Very true or often true	100	0.56
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13068	73.38
YACCHURT	2	I ACCIDENTALLY GET HURT A LOT		
		1 = Not true	3595	20.19
		2 = Somewhat or sometimes true	816	4.58
		3 = Very true or often true	212	1.19
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	13068	73.38
YFIGHTS	2	I GET IN MANY FIGHTS		
		1 = Not true	3820	21.45
		2 = Somewhat or sometimes true	651	3.66
		3 = Very true or often true	157	0.88
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	13068	73.38
YGTEASED	2	I GET TEASED A LOT		
		1 = Not true	3526	19.80
		2 = Somewhat or sometimes true	877	4.92
		3 = Very true or often true	219	1.23
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13068	73.38
YKIDSTRB	2	I HANG AROUND WITH KIDS WHO GET IN TROUBLE		
		1 = Not true	2914	16.36
		2 = Somewhat or sometimes true	1346	7.56
		3 = Very true or often true	362	2.03
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	13068	73.38

LABEL	LEN	DESCRIPTION	FREQ	%
YHRVOICS	2	I HEAR SOUNDS OR VOICES THAT OTHER PEOPLE DON'T		
		1 = Not true	4055	22.77
		2 = Somewhat or sometimes true	469	2.63
		3 = Very true or often true	106	0.60
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13068	73.38
YACTTNK	2	I ACT WITHOUT STOPPING TO THINK		
		1 = Not true	2559	14.37
		2 = Somewhat or sometimes true	1802	10.12
		3 = Very true or often true	260	1.46
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13068	73.38
YALONE	2	I WOULD RATHER BE ALONE THAN WITH OTHERS		
		1 = Not true	3159	17.74
		2 = Somewhat or sometimes true	1238	6.95
		3 = Very true or often true	225	1.26
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	13068	73.38
YLIE	2	I LIE OR CHEAT		
		1 = Not true	3247	18.23
		2 = Somewhat or sometimes true	1240	6.96
		3 = Very true or often true	121	0.68
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	23	0.13
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	13068	73.38
YBITNAIL	2	I BITE MY FINGERNAILS		
		1 = Not true	2213	12.43
		2 = Somewhat or sometimes true	1386	7.78
		3 = Very true or often true	1005	5.64
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	19	0.11
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13068	73.38

LABEL	LEN	DESCRIPTION	FREQ	%
YNERVOUS	2	I AM NERVOUS OR TENSE		
		1 = Not true	2737	15.37
		2 = Somewhat or sometimes true	1552	8.71
		3 = Very true or often true	318	1.79
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP	13068	73.38
YBTWITCH	2	PARTS OF MY BODY TWITCH OR MAKE NERVOUS MOVEMENTS		
		1 = Not true	3333	18.72
		2 = Somewhat or sometimes true	1033	5.80
		3 = Very true or often true	258	1.45
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13068	73.38
YNGHTMAR	2	I HAVE NIGHTMARES		
		1 = Not true	3026	16.99
		2 = Somewhat or sometimes true	1363	7.65
		3 = Very true or often true	238	1.34
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	63	0.35
		99 = LEGITIMATE SKIP	13068	73.38
YNOTKIDS	2	I AM NOT LIKED BY OTHER KIDS		
		1 = Not true	3737	20.98
		2 = Somewhat or sometimes true	717	4.03
		3 = Very true or often true	162	0.91
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	13068	73.38
YDOBETTR	2	I CAN DO CERTAIN THINGS BETTER THAN MOST KIDS		
		1 = Not true	1257	7.06
		2 = Somewhat or sometimes true	2455	13.79
		3 = Very true or often true	900	5.05
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	13068	73.38

LABEL	LEN	DESCRIPTION	FREQ	%
YANXIOUS	2	I AM TOO FEARFUL OR ANXIOUS		
		1 = Not true	3572	20.06
		2 = Somewhat or sometimes true	900	5.05
		3 = Very true or often true	151	0.85
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13068	73.38
YFLDIZZY	2	I FEEL DIZZY		
		1 = Not true	3807	21.38
		2 = Somewhat or sometimes true	717	4.03
		3 = Very true or often true	100	0.56
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13068	73.38
YFLGUILT	2	I FEEL TOO GUILTY		
		1 = Not true	3910	21.96
		2 = Somewhat or sometimes true	599	3.36
		3 = Very true or often true	106	0.60
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	13068	73.38
YEATMUCH	2	I EAT TOO MUCH		
		1 = Not true	2875	16.14
		2 = Somewhat or sometimes true	1355	7.61
		3 = Very true or often true	390	2.19
		89 = LEGITIMATE SKIP Logically assigned	43	0.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	13068	73.38
YFLTIRED	2	I FEEL OVERTIRED		
		1 = Not true	2979	16.73
		2 = Somewhat or sometimes true	1313	7.37
		3 = Very true or often true	327	1.84
		89 = LEGITIMATE SKIP Logically assigned	42	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13069	73.38

LABEL	LEN	DESCRIPTION	FREQ	%
YOVRWGHT	2	I AM OVERWEIGHT		
		1 = Not true	3431	19.27
		2 = Somewhat or sometimes true	741	4.16
		3 = Very true or often true	415	2.33
		89 = LEGITIMATE SKIP Logically assigned	42	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	103	0.58
		99 = LEGITIMATE SKIP	13069	73.38
		PHYSICAL PROBLEMS WITHOUT KNOWN MEDICAL CAUSE:		
YACHES	2	ACHES OR PAINS (NOT HEADACHES)		
		1 = Not true	3257	18.29
		2 = Somewhat or sometimes true	1104	6.20
		3 = Very true or often true	242	1.36
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	87	0.49
		99 = LEGITIMATE SKIP	13070	73.39
YHEADACH	2	HEADACHES		
		1 = Not true	2241	12.58
		2 = Somewhat or sometimes true	1896	10.65
		3 = Very true or often true	472	2.65
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	83	0.47
		99 = LEGITIMATE SKIP	13070	73.39
YNAUSEA	2	NAUSEA, FEEL SICK		
		1 = Not true	3437	19.30
		2 = Somewhat or sometimes true	986	5.54
		3 = Very true or often true	181	1.02
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP	13070	73.39
YEYEPROB	2	PROBLEMS WITH EYES		
		1 = Not true	3332	18.71
		2 = Somewhat or sometimes true	904	5.08
		3 = Very true or often true	357	2.00
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	101	0.57
		99 = LEGITIMATE SKIP	13070	73.39

LABEL	LEN	DESCRIPTION	FREQ	%
YRASHES	2	RASHES OR OTHER SKIN PROBLEMS		
		1 = Not true	3871	21.74
		2 = Somewhat or sometimes true	547	3.07
		3 = Very true or often true	174	0.98
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	99	0.56
		99 = LEGITIMATE SKIP	13070	73.39
YCRAMPS	2	STOMACH ACHES OR CRAMPS		
		1 = Not true	2860	16.06
		2 = Somewhat or sometimes true	1444	8.11
		3 = Very true or often true	301	1.69
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	87	0.49
		99 = LEGITIMATE SKIP	13070	73.39
YVOMIT	2	VOMITING, THROWING UP		
		1 = Not true	4070	22.85
		2 = Somewhat or sometimes true	456	2.56
		3 = Very true or often true	78	0.44
		89 = LEGITIMATE SKIP Logically assigned	40	0.22
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	91	0.51
		99 = LEGITIMATE SKIP	13071	73.40
YATTACK	2	I PHYSICALLY ATTACK PEOPLE		
		1 = Not true	4202	23.59
		2 = Somewhat or sometimes true	374	2.10
		3 = Very true or often true	57	0.32
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	61	0.34
		99 = LEGITIMATE SKIP	13072	73.40
YPKBPART	2	I PICK MY SKIN OR OTHER PARTS OF MY BODY		
		1 = Not true	4012	22.53
		2 = Somewhat or sometimes true	539	3.03
		3 = Very true or often true	71	0.40
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13072	73.40

LABEL	LEN	DESCRIPTION	FREQ	%
YPFRNDLY	2	I CAN BE PRETTY FRIENDLY		
		1 = Not true	374	2.10
		2 = Somewhat or sometimes true	1456	8.18
		3 = Very true or often true	2783	15.63
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13072	73.40
YTRYTHNG	2	I LIKE TO TRY NEW THINGS		
		1 = Not true	489	2.75
		2 = Somewhat or sometimes true	1935	10.87
		3 = Very true or often true	2167	12.17
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	89	0.50
		99 = LEGITIMATE SKIP	13072	73.40
YSCPOOR	2	MY SCHOOL WORK IS POOR		
		1 = Not true	3130	17.58
		2 = Somewhat or sometimes true	1211	6.80
		3 = Very true or often true	265	1.49
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	79	0.44
		99 = LEGITIMATE SKIP	13072	73.40
YCLUMSY	2	I AM POORLY COORDINATED OR CLUMSY		
		1 = Not true	3717	20.87
		2 = Somewhat or sometimes true	736	4.13
		3 = Very true or often true	123	0.69
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	116	0.65
		99 = LEGITIMATE SKIP	13075	73.42
YOLDKIDS	2	I WOULD RATHER BE W/OLDER KIDS THAN KIDS OWN AGE		
		1 = Not true	2180	12.24
		2 = Somewhat or sometimes true	1817	10.20
		3 = Very true or often true	615	3.45
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	79	0.44
		99 = LEGITIMATE SKIP	13073	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YYNGKIDS	2	I WOULD RATHER BE W/YOUNGER KIDS THAN KIDS OWN AGE		
		1 = Not true	3627	20.37
		2 = Somewhat or sometimes true	868	4.87
		3 = Very true or often true	117	0.66
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	81	0.45
		99 = LEGITIMATE SKIP	13073	73.41
YRFSTALK	2	I REFUSE TO TALK		
		1 = Not true	3796	21.32
		2 = Somewhat or sometimes true	727	4.08
		3 = Very true or often true	102	0.57
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	13073	73.41
YREPACTN	2	I REPEAT CERTAIN ACTIONS OVER AND OVER		
		1 = Not true	3323	18.66
		2 = Somewhat or sometimes true	1154	6.48
		3 = Very true or often true	146	0.82
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	13073	73.41
YRUNHOME	2	I RUN AWAY FROM HOME		
		1 = Not true	4384	24.62
		2 = Somewhat or sometimes true	197	1.11
		3 = Very true or often true	48	0.27
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13073	73.41
YSCREAM	2	I SCREAM A LOT		
		1 = Not true	3701	20.78
		2 = Somewhat or sometimes true	731	4.10
		3 = Very true or often true	195	1.09
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	62	0.35
		99 = LEGITIMATE SKIP	13073	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YSECRET	2	I AM SECRETIVE OR KEEP THINGS TO MYSELF		
		1 = Not true	2262	12.70
		2 = Somewhat or sometimes true	1802	10.12
		3 = Very true or often true	565	3.17
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	63	0.35
		99 = LEGITIMATE SKIP	13073	73.41
YSEETHNG	2	I SEE THINGS THAT OTHER PEOPLE THINK AREN'T THERE		
		1 = Not true	4157	23.34
		2 = Somewhat or sometimes true	365	2.05
		3 = Very true or often true	98	0.55
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.41
		99 = LEGITIMATE SKIP	13074	73.41
YSLFCONS	2	I AM SELF-CONSCIOUS OR EASILY EMBARRASSED		
		1 = Not true	2711	15.22
		2 = Somewhat or sometimes true	1493	8.38
		3 = Very true or often true	419	2.35
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	13074	73.41
YSETFIRE	2	I SET FIRES		
		1 = Not true	4374	24.56
		2 = Somewhat or sometimes true	200	1.12
		3 = Very true or often true	49	0.28
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	13074	73.41
YWELHNDS	2	I CAN WORK WELL WITH MY HANDS		
		1 = Not true	944	5.30
		2 = Somewhat or sometimes true	2153	12.09
		3 = Very true or often true	1513	8.50
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YSHOWOFF	2	I SHOW OFF OR CLOWN		
		1 = Not true	2771	15.56
		2 = Somewhat or sometimes true	1522	8.55
		3 = Very true or often true	324	1.82
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	13074	73.41
YSHY	2	I AM SHY		
		1 = Not true	2261	12.70
		2 = Somewhat or sometimes true	1799	10.10
		3 = Very true or often true	559	3.14
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13074	73.41
YSLPLESS	2	I SLEEP LESS THAN MOST KIDS		
		1 = Not true	3132	17.59
		2 = Somewhat or sometimes true	1117	6.27
		3 = Very true or often true	361	2.03
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13074	73.41
YSLPMORE	2	I SLEEP MORE THAN MOST KIDS DURING DAY/NIGHT		
		1 = Not true	2997	16.83
		2 = Somewhat or sometimes true	1241	6.97
		3 = Very true or often true	374	2.10
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13074	73.41
YGDIMAG	2	I HAVE A GOOD IMAGINATION		
		1 = Not true	783	4.40
		2 = Somewhat or sometimes true	2176	12.22
		3 = Very true or often true	1654	9.29
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YSPCHPRB	2	I HAVE A SPEECH PROBLEM		
		1 = Not true	3935	22.10
		2 = Somewhat or sometimes true	540	3.03
		3 = Very true or often true	139	0.78
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP	13074	73.41
YSTDRGHT	2	I STAND UP FOR MY RIGHTS		
		1 = Not true	558	3.13
		2 = Somewhat or sometimes true	1956	10.98
		3 = Very true or often true	2099	11.79
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.41
		99 = LEGITIMATE SKIP	13074	73.41
YSTEALHO	2	I STEAL AT HOME		
		1 = Not true	4397	24.69
		2 = Somewhat or sometimes true	190	1.07
		3 = Very true or often true	37	0.21
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	13074	73.41
YSTEALPL	2	I STEAL FROM PLACES OTHER THAN HOME		
		1 = Not true	4242	23.82
		2 = Somewhat or sometimes true	331	1.86
		3 = Very true or often true	51	0.29
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	13074	73.41
YDNTNEED	2	I STORE UP THINGS I DON'T NEED		
		1 = Not true	2476	13.90
		2 = Somewhat or sometimes true	1586	8.91
		3 = Very true or often true	560	3.14
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YDOSTRNG	2	I DO THINGS OTHER PEOPLE THINK ARE STRANGE		
		1 = Not true	2726	15.31
		2 = Somewhat or sometimes true	1508	8.47
		3 = Very true or often true	380	2.13
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	80	0.45
		99 = LEGITIMATE SKIP	13074	73.41
YTHSTRNG	2	I HAVE THOUGHTS PEOPLE WOULD THINK ARE STRANGE		
		1 = Not true	2968	16.67
		2 = Somewhat or sometimes true	1315	7.38
		3 = Very true or often true	342	1.92
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13074	73.41
YSTUBORN	2	I AM STUBBORN		
		1 = Not true	2292	12.87
		2 = Somewhat or sometimes true	1685	9.46
		3 = Very true or often true	640	3.59
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.41
		99 = LEGITIMATE SKIP	13074	73.41
YMOODS	2	MY MOODS OR FEELINGS CHANGE SUDDENLY		
		1 = Not true	2341	13.15
		2 = Somewhat or sometimes true	1705	9.57
		3 = Very true or often true	576	3.23
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13074	73.41
YENJOY	2	I ENJOY BEING WITH OTHER PEOPLE		
		1 = Not true	419	2.35
		2 = Somewhat or sometimes true	1324	7.43
		3 = Very true or often true	2882	16.18
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YSUSPICS	2	I AM SUSPICIOUS		
		1 = Not true	2557	14.36
		2 = Somewhat or sometimes true	1688	9.48
		3 = Very true or often true	386	2.17
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	13072	73.40
YDRTLANG	2	I SWEAR OR USE DIRTY LANGUAGE		
		1 = Not true	1879	10.55
		2 = Somewhat or sometimes true	2182	12.25
		3 = Very true or often true	568	3.19
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	63	0.35
		99 = LEGITIMATE SKIP	13072	73.40
YTHKKLSF	2	I THINK ABOUT KILLING MYSELF		
		1 = Not true	4159	23.35
		2 = Somewhat or sometimes true	367	2.06
		3 = Very true or often true	92	0.52
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	13073	73.41
YLKLAUGH	2	I LIKE TO MAKE OTHERS LAUGH		
		1 = Not true	415	2.33
		2 = Somewhat or sometimes true	1711	9.61
		3 = Very true or often true	2495	14.01
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	13073	73.41
YTALKMCH	2	I TALK TOO MUCH		
		1 = Not true	1736	9.75
		2 = Somewhat or sometimes true	2041	11.46
		3 = Very true or often true	848	4.76
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YTEASE	2	I TEASE OTHERS A LOT		
		1 = Not true	3015	16.93
		2 = Somewhat or sometimes true	1371	7.70
		3 = Very true or often true	240	1.35
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13072	73.40
YTEMPER	2	I HAVE A HOT TEMPER		
		1 = Not true	2361	13.26
		2 = Somewhat or sometimes true	1500	8.42
		3 = Very true or often true	761	4.27
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	13072	73.40
YTHNKSEX	2	I THINK ABOUT SEX TOO MUCH		
		1 = Not true	3231	18.14
		2 = Somewhat or sometimes true	1060	5.95
		3 = Very true or often true	336	1.89
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	63	0.35
		99 = LEGITIMATE SKIP	13073	73.41
YTHRTPEO	2	I THREATEN TO HURT PEOPLE		
		1 = Not true	3874	21.75
		2 = Somewhat or sometimes true	612	3.44
		3 = Very true or often true	122	0.69
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	18	0.10
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13073	73.41
YLKHELP	2	I LIKE TO HELP OTHERS		
		1 = Not true	432	2.43
		2 = Somewhat or sometimes true	1656	9.30
		3 = Very true or often true	2510	14.09
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	89	0.50
		99 = LEGITIMATE SKIP	13073	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YCONNEAT	2	I AM TOO CONCERNED ABOUT BEING NEAT OR CLEAN		
		1 = Not true	1959	11.00
		2 = Somewhat or sometimes true	1880	10.56
		3 = Very true or often true	780	4.38
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13073	73.41
YTRBSLEP	2	I HAVE TROUBLE SLEEPING		
		1 = Not true	3146	17.67
		2 = Somewhat or sometimes true	1206	6.77
		3 = Very true or often true	269	1.51
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.39
		99 = LEGITIMATE SKIP	13073	73.41
YSKIPSCH	2	I CUT CLASSES OR SKIP SCHOOL		
		1 = Not true	3836	21.54
		2 = Somewhat or sometimes true	650	3.65
		3 = Very true or often true	135	0.76
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	13073	73.41
YNOENRGY	2	I DON'T HAVE MUCH ENERGY		
		1 = Not true	3413	19.16
		2 = Somewhat or sometimes true	986	5.54
		3 = Very true or often true	219	1.23
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13073	73.41
YUNHAPPY	2	I AM UNHAPPY, SAD, OR DEPRESSED		
		1 = Not true	3451	19.38
		2 = Somewhat or sometimes true	976	5.48
		3 = Very true or often true	194	1.09
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YLOUDER	2	I AM LOUDER THAN OTHER KIDS		
		1 = Not true	3017	16.94
		2 = Somewhat or sometimes true	1237	6.95
		3 = Very true or often true	357	2.00
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	84	0.47
		99 = LEGITIMATE SKIP	13074	73.41
YUSEDRUG	2	I USE ALCOHOL OR DRUGS FOR NONMEDICAL PURPOSES		
		1 = Not true	3968	22.28
		2 = Somewhat or sometimes true	518	2.91
		3 = Very true or often true	131	0.74
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.43
		99 = LEGITIMATE SKIP	13074	73.41
YFAIROTH	2	I TRY TO BE FAIR TO OTHERS		
		1 = Not true	496	2.79
		2 = Somewhat or sometimes true	1913	10.74
		3 = Very true or often true	2214	12.43
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	13074	73.41
YENJYJOK	2	I ENJOY A GOOD JOKE		
		1 = Not true	266	1.49
		2 = Somewhat or sometimes true	1333	7.48
		3 = Very true or often true	3011	16.91
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	79	0.44
		99 = LEGITIMATE SKIP	13074	73.41
YLIFEASY	2	I LIKE TO TAKE LIFE EASY		
		1 = Not true	574	3.22
		2 = Somewhat or sometimes true	1959	11.00
		3 = Very true or often true	2086	11.71
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.39
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%
YTRYHELP	2	I TRY TO HELP OTHER PEOPLE WHEN I CAN		
		1 = Not true	272	1.53
		2 = Somewhat or sometimes true	1563	8.78
		3 = Very true or often true	2779	15.60
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP	13074	73.41
YWSOPPSX	2	I WISH I WAS OF THE OPPOSITE SEX		
		1 = Not true	4319	24.25
		2 = Somewhat or sometimes true	239	1.34
		3 = Very true or often true	56	0.31
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.43
		99 = LEGITIMATE SKIP	13074	73.41
YINVOTH	2	I KEEP FROM GETTING INVOLVED WITH OTHERS		
		1 = Not true	2730	15.33
		2 = Somewhat or sometimes true	1547	8.69
		3 = Very true or often true	342	1.92
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP	13074	73.41
YWORRY	2	I WORRY A LOT		
		1 = Not true	2507	14.08
		2 = Somewhat or sometimes true	1537	8.63
		3 = Very true or often true	588	3.30
		89 = LEGITIMATE SKIP Logically assigned	37	0.21
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	62	0.35
		99 = LEGITIMATE SKIP	13074	73.41

LABEL	LEN	DESCRIPTION	FREQ	%

NON-CORE DEMOGRAPHICS
-------- ----------

That was the last of the answer sheets.
For the remaining questions, I will read
the question out loud, you can tell me
your answer, and I will record it in the
questionnaire booklet.

D-14. How many times in the past 12
months have you moved?

MOVESPYR	2	# TIMES MOVED IN PAST 12 MONTHS		
		RANGE = 1 - 15	4792	26.91
		0 = No times	12887	72.36
		95 = BAD DATA	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	126	0.71

The variables STUDENT, SCHDAYS,
and SKIPPED are edited comparable to
1993 and past NHSDA years. The
variables ESTUDENT, ESCHDAYS,
and ESKIPPED have been edited using the
new subparts "SCHOOL NOT IN SESSION"
(in the latter two variables listed) and
the INTDATE (interviewer date) variable.

D-15. Are you now...(READ ANSWER
CHOICES)

STUDENT	2	STUDENT STATUS		
		1 = A full-time student	5586	31.37
		2 = A part-time student	880	4.94
		3 = Not now enrolled in any school	11140	62.55
		6 = Not now enrolled in any school LOGICALLY ASSIGNED	104	0.58
		85 = BAD DATA Logically assigned	22	0.12
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	74	0.42
ESTUDENT	2	STUDENT STATUS		
		1 = A full-time student	4852	27.24
		2 = A part-time student	823	4.62
		3 = Not now enrolled in any school	11147	62.59
		6 = Not now enrolled in any school LOGICALLY ASSIGNED	901	5.06
		85 = BAD DATA Logically assigned	15	0.08
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	68	0.38

LABEL	LEN	DESCRIPTION	FREQ	%
		D-16. From your 30-day reference date up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDAYS	2	# DAYS MISSED SCHOOL FOR INJURY/SICKNESS PAST MTH		
		RANGE = 1 - 30	1783	10.01
		0 = No days	3754	21.08
		85 = BAD DATA Logically assigned	23	0.13
		89 = LEGITIMATE SKIP Logically assigned	40	0.22
		90 = SCHOOL NOT IN SESSION	907	5.09
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	95	0.53
		99 = LEGITIMATE SKIP	11204	62.91
ESCHDAYS	2	# DAYS MISSED SCHOOL FOR INJURY/SICKNESS PAST MTH		
		RANGE = 1 - 30	1783	10.01
		0 = No days	3754	21.08
		85 = BAD DATA Logically assigned	23	0.13
		89 = LEGITIMATE SKIP Logically assigned	842	4.73
		90 = SCHOOL NOT IN SESSION	105	0.59
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	93	0.52
		99 = LEGITIMATE SKIP	11206	62.92
		D-17. During the past 30 days of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SKIPPED	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	867	4.87
		0 = No days	4624	25.96
		85 = BAD DATA Logically assigned	56	0.31
		89 = LEGITIMATE SKIP Logically assigned	32	0.18
		90 = SCHOOL NOT IN SESSION	904	5.08
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	11212	62.96
ESKIPPED	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	867	4.87
		0 = No days	4624	25.96
		85 = BAD DATA Logically assigned	56	0.31
		89 = LEGITIMATE SKIP Logically assigned	831	4.67
		90 = SCHOOL NOT IN SESSION	105	0.59
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	108	0.61
		99 = LEGITIMATE SKIP	11217	62.99

LABEL	LEN	DESCRIPTION	FREQ	%
		D-18. How many different employers have you had in the past 12 months?		
NJOBSPYR	2	# OF DIFFERENT EMPLOYERS IN PAST 12 MONTHS		
		RANGE = 1 - 75	10418	58.50
		0 = No different employers	6741	37.85
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	647	3.63
		D-19. Now I have some questions about your work status. I need to confirm what you told me earlier about your present working situation. Is it correct that you are: (READ WORK STATUS CATEGORY MARKED IN Q.D-13 ON PAGE 4. MARK CORRECT CATEGORY BELOW.)		
WRKSTAT2	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	7288	40.92
		2 = Working part-time, less than 35 hours a week	2260	12.69
		3 = Have a job but out: illness/leave/furlough/strike	115	0.65
		4 = Have a job but it is seasonal	80	0.45
		5 = Unemployed or laid off and looking for work	780	4.38
		6 = Unemployed and not looking for work	198	1.11
		7 = Full-time homemaker	1663	9.34
		8 = In school only	4501	25.27
		9 = Retired	384	2.16
		10 = Disabled, not able to work	338	1.90
		11 = Other, not specified	5	0.03
		21 = Working full-time, 35 hours or more a week	7	0.04
		22 = Working part-time, less than 35 hours a week	11	0.06
		23 = Have a job but out: illness/leave/furlough/strike	5	0.03
		24 = Have a job but it is seasonal	3	0.02
		25 = Unemployed or laid off and looking for work	6	0.03
		26 = Unemployed and not looking for work	6	0.03
		27 = Full-time homemaker	27	0.15
		28 = In school only	1	0.01
		29 = Retired	3	0.02
		30 = Disabled, not able to work	50	0.28
		31 = Other, in labor force	17	0.10
		85 = BAD DATA Logically assigned	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	47	0.26

LABEL	LEN	DESCRIPTION	FREQ	%
		D-20. During the past 12 months -- that is, from your 12-month reference date through today -- for how many weeks have you been (READ WORK STATUS FROM Q.D-19)? There are 52 weeks in 12 months.		
WKSWKST	2	TIME BEEN (WORK STATUS FROM Q.D-19) PAST 12 MONTHS		
		RANGE = 1 - 52	14418	80.96
		0 = No weeks	1721	9.66
		94 = DON'T KNOW	25	0.14
		95 = BAD DATA	3	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	1636	9.19
		The work-related issue variables are edited based on both WORKSTAT and WRKSTAT2. When both these match then the edits are done as the question text expects, and when they mismatch (95 cases in 1994w), no edit is done ie. basically whatever the interviewer wrote in for these variables has been maintained. FI CHKPNT U; MARK ONE BOX for R wrk stat		
SKPWKST1	2	SKIP WORK-RELATED ISSUES TO PAYMO, ON WORKSTATS		
		1 = Work stats=Now in labor force (codes 1-4/21-24)	9363	52.57
		2 = Work stats=Not in labor frc. (5-11/25-31) - SKIP	7955	44.67
		3 = Work stats=Now in labor force LOGICALLY ASSIGNED	403	2.26
		4 = Work stats=Not in labor frc. LOGIC. ASSG. - SKIP	81	0.45
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	5	0.03

LABEL	LEN	DESCRIPTION	FREQ	%
		D-21. The next questions seek to identify whether you work for a large or small business. About how many people work for your employer at all locations? By location, we mean all the offices, stores, etc., regardless of their geographic location, of a certain company. (HAND RESPONDENT SHOWCARD 6.)		
BUSSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - ALL LOCATIONS		
		1 = Less than 10 people	1802	10.12
		2 = 10-24 people	979	5.50
		3 = 25-99 people	1262	7.09
		4 = 100-499 people	1361	7.64
		5 = 500 people or more	3884	21.81
		12 = 10-24 people LOGICALLY ASSIGNED	27	0.15
		13 = 25-99 people LOGICALLY ASSIGNED	40	0.22
		14 = 100-499 people LOGICALLY ASSIGNED	59	0.33
		15 = 500 people or more LOGICALLY ASSIGNED	256	1.44
		89 = LEGITIMATE SKIP Logically assigned	44	0.25
		94 = DON'T KNOW	31	0.17
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	120	0.67
		99 = LEGITIMATE SKIP	7928	44.52
		D-22. Thinking about the location where you work, about how many people work for your employer out of this office, store, etc.? (HAND RESPONDENT SHOWCARD 6.)		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people	2673	15.01
		2 = 10-24 people	1743	9.79
		3 = 25-99 people	2103	11.81
		4 = 100-499 people	1720	9.66
		5 = 500 people or more	1444	8.11
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		94 = DON'T KNOW	12	0.07
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	127	0.71
		99 = LEGITIMATE SKIP	7931	44.53

LABEL	LEN	DESCRIPTION	FREQ	%
		D-23. At your workplace, have you ever been provided with any information regarding the use of alcohol or drugs?		
DRGINFO	2	HAS WORKPLACE PROVIDED DRUG/ALCOHOL USE INFO.		
		1 = Yes	4807	26.99
		2 = No	3023	16.97
		3 = Yes LOGICALLY ASSIGNED	1783	10.01
		89 = LEGITIMATE SKIP Logically assigned	42	0.24
		94 = DON'T KNOW	106	0.60
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	7930	44.53
		D-24. At your workplace, is there a written policy regarding employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes	6097	34.24
		2 = No	2935	16.48
		3 = Yes LOGICALLY ASSIGNED	22	0.12
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		94 = DON'T KNOW	665	3.73
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	7931	44.53
		D-25. Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alcohol	93	0.52
		2 = Only drugs	139	0.78
		3 = Both alcohol and drugs	5690	31.95
		89 = LEGITIMATE SKIP Logically assigned	106	0.60
		94 = DON'T KNOW	106	0.60
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	196	1.10
		99 = LEGITIMATE SKIP	11466	64.38

LABEL	LEN	DESCRIPTION	FREQ	%
		D-26. Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	EMPLOYER HAVE EMPLOYEE ASSIST. FOR ALC/DRUG PROB		
		1 = Yes	3668	20.60
		2 = No	4234	23.77
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		94 = DON'T KNOW	1786	10.03
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	143	0.80
		99 = LEGITIMATE SKIP	7931	44.53
		D-27. Are there any circumstances under which your workplace or business tests its employees for drug or alcohol usage?		
DRGTEST	2	ANY CIRCUM WHICH EMPLOYER TESTS FOR ALC/DRUG USE		
		1 = Yes	3545	19.91
		2 = No	5033	28.26
		3 = Yes LOGICALLY ASSIGNED	106	0.60
		89 = LEGITIMATE SKIP Logically assigned	40	0.22
		94 = DON'T KNOW	1016	5.70
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP	7932	44.54
		D-28. Under what circumstances does your workplace or business test its employees for drug or alcohol usage? Is it conducted...(READ ALL CATEGORIES)		
TSTHIRE	2	AS PART OF THE HIRING PROCESS		
		1 = Yes	2850	16.00
		2 = No	654	3.67
		89 = LEGITIMATE SKIP Logically assigned	452	2.54
		94 = DON'T KNOW	102	0.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	180	1.01
		99 = LEGITIMATE SKIP	13569	76.19

LABEL	LEN	DESCRIPTION	FREQ	%
TSTRAND	2	ON A RANDOM BASIS		
		1 = Yes	1647	9.25
		2 = No	1559	8.75
		89 = LEGITIMATE SKIP Logically assigned	442	2.48
		94 = DON'T KNOW	370	2.08
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	209	1.17
		99 = LEGITIMATE SKIP	13579	76.25
TSTSUSP	2	BASED ON THE REASONABLE SUSPICION OF A SUPERVISOR		
		1 = Yes	2306	12.95
		2 = No	731	4.10
		89 = LEGITIMATE SKIP Logically assigned	441	2.48
		94 = DON'T KNOW	547	3.07
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	201	1.13
		99 = LEGITIMATE SKIP	13580	76.25
TSTACCD	2	FOLLOWING A WORK-RELATED ACCIDENT		
		1 = Yes	1956	10.98
		2 = No	854	4.80
		89 = LEGITIMATE SKIP Logically assigned	440	2.47
		94 = DON'T KNOW	768	4.31
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP	13581	76.26
TSTTRMT	2	SOME OTHER REASON (TESTING SUBSEQUENT TO TREAT)		
		1 = Yes	1356	7.61
		2 = No	1040	5.84
		89 = LEGITIMATE SKIP Logically assigned	441	2.48
		94 = DON'T KNOW	1184	6.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	206	1.16
		99 = LEGITIMATE SKIP	13580	76.25

LABEL	LEN	DESCRIPTION	FREQ	%
		D-29. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage as part of the hiring process? Would you say...		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES ALC/DRUG TEST PRE-HIRE		
		1 = More likely	4377	24.58
		2 = Less likely	649	3.64
		3 = Would it make no difference to you	4672	26.23
		89 = LEGITIMATE SKIP Logically assigned	45	0.25
		94 = DON'T KNOW	6	0.03
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	129	0.72
		99 = LEGITIMATE SKIP	7927	44.51
		D-30. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage on a random basis? Would you say...		
WRKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely	3765	21.14
		2 = Less likely	1174	6.59
		3 = Would it make no difference to you	4765	26.76
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		94 = DON'T KNOW	3	0.02
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	125	0.70
		99 = LEGITIMATE SKIP	7931	44.53
		D-31. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage based on the reasonable suspicion of a supervisor? Would you say...		
WRKSUSP	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TST SUSPICION		
		1 = More likely	4058	22.79
		2 = Less likely	1328	7.46
		3 = Would it make no difference to you	4306	24.18
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		94 = DON'T KNOW	7	0.04
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	133	0.75
		99 = LEGITIMATE SKIP	7931	44.53

LABEL	LEN	DESCRIPTION	FREQ	%
		D-32. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage following a work-related accident? Would you say...		
WRKACCD	2	WLD YOU WORK FOR EMP DOES DRUG/ALC TEST WK-REL ACC		
		1 = More likely	4871	27.35
		2 = Less likely	627	3.52
		3 = Would it make no difference to you	4198	23.57
		89 = LEGITIMATE SKIP Logically assigned	42	0.24
		94 = DON'T KNOW	8	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	7930	44.53
		D-33. In what month and year did you last work for pay?		
PAYMO	2	MONTH LAST WORKED FOR PAY		
		RANGE = 1 - 12	3774	21.19
		89 = LEGITIMATE SKIP Logically assigned	1107	6.22
		91 = NEVER WORKED FOR PAY	3984	22.37
		94 = DON'T KNOW	175	0.98
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	142	0.80
		99 = LEGITIMATE SKIP	8621	48.41
PAYYR	3	YEAR LAST WORKED FOR PAY		
		RANGE = 22 - 94	3969	22.29
		985 = BAD DATA Logically assigned	3	0.02
		989 = LEGITIMATE SKIP Logically assigned	1108	6.22
		991 = NEVER WORKED FOR PAY	3984	22.37
		994 = DON'T KNOW	15	0.08
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	104	0.58
		999 = LEGITIMATE SKIP	8620	48.40

LABEL	LEN	DESCRIPTION	FREQ	%
		FI CHECKPOINT V; MARK ONE BOX for R's working status.		
SKPWKST2	2	SKP MISSED WRK-DYS TO CHLD-RST Q'S, ON WORKSTATS		
		1 = Work stats=Now in labor force (codes 1-4/21-24) ..	9511	53.41
		2 = Work stats=Not in labor frc. (5-11/25-31) - SKIP .	7910	44.42
		3 = Work stats=Now in labor force LOGICALLY ASSIGNED .	260	1.46
		4 = Work stats=Not in labor frc. LOGIC. ASSG. - SKIP .	125	0.70
		98 = BLANK (NO ANSWER)	3	0.02
		D-38. During the past 30 days -- that is, from your 30-day reference date up to and including today -- how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	1737	9.75
		0 = No days	7947	44.62
		89 = LEGITIMATE SKIP Logically assigned	116	0.65
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	134	0.75
		99 = LEGITIMATE SKIP	7866	44.17
		D-39. During the past 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK FOR INJURY/ILLNESS PAST 30 DAY		
		RANGE = 1 - 30	797	4.48
		0 = No days	8865	49.78
		89 = LEGITIMATE SKIP Logically assigned	107	0.60
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	7875	44.22

LABEL	LEN	DESCRIPTION	FREQ	%
		FI CHECKPOINT W; MARK ONE BOX for R's age and sex.		
SKPPREG	1	SKIP OVER PREGNANCY Q'S TO SKPCWE, ON AGE AND SEX		
		1 = Respondent is female less than 45 years old	8439	47.39
		2 = Respondent is female 45 years or older - SKIP	1101	6.18
		3 = Respondent is male - SKIP	7848	44.07
		4 = Female less than 45 LOGICALLY ASSIGNED	263	1.48
		5 = Female 45 years or older LOGICALLY ASSIGNED - SKIP	56	0.31
		6 = Male LOGICALLY ASSIGNED - SKIP	102	0.57
		D-42. Are you currently pregnant?		
PREGNANT	2	CURRENTLY PREGNANT		
		1 = Yes	371	2.08
		2 = No	8184	45.95
		89 = LEGITIMATE SKIP Logically assigned	80	0.45
		94 = DON'T KNOW	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	135	0.76
		99 = LEGITIMATE SKIP	9027	50.69
		D-43. How many months pregnant are you?		
PREGMOS	2	NUMBER OF MONTHS PREGNANT		
		RANGE = 1 - 9	340	1.91
		89 = LEGITIMATE SKIP Logically assigned	22	0.12
		94 = DON'T KNOW	12	0.07
		95 = BAD DATA	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	161	0.90
		99 = LEGITIMATE SKIP	17269	96.97
		FI CHECKPOINT X; IS RESPONDENT THE ONLY ADULT 18 OR OLDER LIVING IN THIS HOUSEHOLD?		
SKPCWE	1	SKIP OVER CWE Q'S TO TOTPEOP, ON ONLYADULT OVER 18		
		1 = Yes - SKIP	2245	12.61
		2 = No	14038	78.83
		3 = Yes LOGICALLY ASSIGNED - SKIP	274	1.54
		4 = No LOGICALLY ASSIGNED	1252	7.03

LABEL	LEN	DESCRIPTION	FREQ	%
		D-44. Who is considered to be the chief wage earner or source of income in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD		
		1 = Respondent	3611	20.28
		2 = Someone else (specify)	9428	52.94
		3 = Income equally by resp and someone else (spec)	1236	6.94
		4 = No one	374	2.10
		6 = Someone else LOGICALLY ASSIGNED	440	2.47
		7 = Income eql by resp and someone else LOG ASSN	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	343	1.93
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	310	1.74
		99 = LEGITIMATE SKIP	2052	11.52

LABEL	LEN	DESCRIPTION	FREQ	%
CWESC1	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 1ST MENT		
		8 = Respondent	3	0.02
		9 = Head of Household	17	0.10
		10 = Spouse	140	0.79
		15 = In-Law	1	0.01
		20 = Parent/Guardian	18	0.10
		21 = Step/Adopted/Foster Parent/Future Step Parent	1	0.01
		60 = Live-In Partner	50	0.28
		61 = Friend/Roommate/Companion	257	1.44
		71 = Cousin/Cousin's Spouse	28	0.16
		85 = Landlord/Home Owner	2	0.01
		90 = Other Relative, Gender not specified	1	0.01
		91 = Other Non-Relative, Gender not specified	7	0.04
		92 = Other, Relation and Gender Unspecified	1	0.01
		109 = Male Head of Household	1	0.01
		110 = Husband	2617	14.69
		111 = Ex-Husband	3	0.02
		113 = Child's Father	3	0.02
		120 = Father/Male Guardian	3444	19.34
		121 = Step/Adopted/Foster Father/Future Step Father	194	1.09
		122 = Father/Step Father/Future Father In-Law	19	0.11
		130 = Son	24	0.13
		131 = Step/Adopted/Foster Son	1	0.01
		132 = Son In-Law	13	0.07
		133 = Grandson	2	0.01
		140 = Brother/Half Brother	115	0.65
		142 = Brother In-Law	43	0.24
		150 = Grandfather/Great+ Grandfather	79	0.44
		160 = Male Live-In Partner	1	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	155	0.87
		170 = Uncle/Step Uncle/Aunt's Husband	66	0.37
		171 = Male Cousin	1	0.01
		172 = Nephew	3	0.02
		181 = Other Male God Relative	1	0.01
		190 = Other Male Relative	1	0.01
		191 = Other Male Non-Relative	23	0.13
		209 = Female Head of Household	3	0.02
		210 = Wife	438	2.46
		220 = Mother/Female Guardian	2360	13.25
		221 = Step/Adopted/Foster Mother/Future Step Mother	8	0.04
		222 = Mother/Step Mother/Future Mother In-Law	6	0.03
		230 = Daughter	30	0.17
		231 = Step/Adopted/Foster Daughter	2	0.01
		233 = Granddaughter	2	0.01
		240 = Sister/Half Sister	92	0.52
		242 = Sister In-Law	7	0.04
		250 = Grandmother/Great+ Grandmother	142	0.80
		261 = Female Fiancee/Girlfriend/Roommate/Companion	57	0.32
		270 = Aunt	60	0.34
		290 = Other Female Relative	1	0.01
		292 = Other Female, Relation Unspecified	1	0.01
		315 = In-Laws	1	0.01
		320 = Parents/Guardians	90	0.51
		350 = Grandparents/Great+ Grandparents	8	0.04

LABEL	LEN	DESCRIPTION	FREQ	%
		361 = Friends/Roommates/Companions	51	0.29
		362 = Tenants/Boarders	1	0.01
		371 = Cousins/Cousins' Spouses	3	0.02
		390 = Other Relatives, Gender not specified	4	0.02
		391 = Other Non-Relatives, Gender not specified	3	0.02
		392 = Others, Relation and Gender Unspecified	2	0.01
		440 = Brothers/Half Brothers	8	0.04
		530 = Daughters	1	0.01
		540 = Sisters/Half Sisters	3	0.02
		570 = Aunts	1	0.01
		900 = NOT A PERSON	2	0.01
		985 = BAD DATA Logically assigned	2	0.01
		989 = LEGITIMATE SKIP Logically assigned	371	2.08
		992 = ILLEGIBLE	1	0.01
		997 = REFUSED	5	0.03
		998 = BLANK (NO ANSWER)	692	3.89
		999 = LEGITIMATE SKIP	6016	33.78

LABEL	LEN	DESCRIPTION	FREQ	%
CWESC2	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 2ND MENT		
		8 = Respondent	1	0.01
		9 = Head of Household	3	0.02
		20 = Parent/Guardian	1	0.01
		61 = Friend/Roommate/Companion	11	0.06
		71 = Cousin/Cousin's Spouse	5	0.03
		82 = Housekeeper/Maid/Caretaker/Butler	1	0.01
		91 = Other Non-Relative, Gender not specified	1	0.01
		92 = Other, Relation and Gender Unspecified	1	0.01
		110 = Husband	2	0.01
		120 = Father/Male Guardian	165	0.93
		121 = Step/Adopted/Foster Father/Future Step Father	12	0.07
		122 = Father/Step Father/Future Father In-Law	1	0.01
		130 = Son	1	0.01
		132 = Son In-Law	2	0.01
		140 = Brother/Half Brother	11	0.06
		142 = Brother In-Law	5	0.03
		150 = Grandfather/Great+ Grandfather	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	7	0.04
		170 = Uncle/Step Uncle/Aunt's Husband	8	0.04
		172 = Nephew	1	0.01
		181 = Other Male God Relative	1	0.01
		191 = Other Male Non-Relative	5	0.03
		210 = Wife	5	0.03
		220 = Mother/Female Guardian	91	0.51
		230 = Daughter	3	0.02
		240 = Sister/Half Sister	7	0.04
		242 = Sister In-Law	2	0.01
		250 = Grandmother/Great+ Grandmother	3	0.02
		261 = Female Fiancee/Girlfriend/Roommate/Companion	3	0.02
		270 = Aunt	1	0.01
		291 = Other Female Non-Relative	1	0.01
		292 = Other Female, Relation Unspecified	1	0.01
		320 = Parents/Guardians	1	0.01
		361 = Friends/Roommates/Companions	3	0.02
		390 = Other Relatives, Gender not specified	1	0.01
		442 = Brothers In-Law	1	0.01
		540 = Sisters/Half Sisters	1	0.01
		900 = NOT A PERSON	2	0.01
		985 = BAD DATA Logically assigned	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	371	2.08
		997 = REFUSED	5	0.03
		998 = BLANK (NO ANSWER)	11043	62.01
		999 = LEGITIMATE SKIP	6016	33.78

LABEL	LEN	DESCRIPTION	FREQ	%
		D-45. Does (he/she) work...(READ ANSWER CHOICES)		
FULLPART	2	WORK STATUS OF CHIEF WAGE EARNER		
		1 = Full-time	9413	52.86
		2 = Part-time	588	3.30
		3 = Chief wage earner does not work	1406	7.89
		89 = LEGITIMATE SKIP Logically assigned	99	0.56
		94 = DON'T KNOW	7	0.04
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	449	2.52
		99 = LEGITIMATE SKIP	5840	32.79
		D-46. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# PEOPLE LIVING IN HOUSEHOLD (=IRPEOP)		
		RANGE = 1 - 16	17809	100.00
		FI CHECKPOINT Y; R's age.		
SKPMHC	1	CHECK ON RESPONDENT AGE		
		1 = Respondent is 18 years or older	12964	72.79
		2 = Respondent is 12-17 years old - SKIP	4671	26.23
		3 = 18 or older LOGICALLY ASSIGNED	147	0.83
		4 = 12 to 17 LOGICALLY ASSIGNED - SKIP	27	0.15

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE HEALTH		
		HE-4. Now we have some additional questions about specific aspects of your health. During the past 12 months, was there ever a time when you felt sad, blue, or depressed for two weeks or more in a row?		
DEPRESS	2	FELT DEPRESSED 2 WEEKS OR MORE IN PAST 12 MONTHS		
		1 = Yes	2317	13.01
		2 = No	10718	60.18
		3 = Yes LOGICALLY ASSIGNED	7	0.04
		4 = No LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	119	0.67
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	66	0.37
		99 = LEGITIMATE SKIP	4579	25.71
		HE-5. For the next few questions, please think of the two-week period during the past 12 months when these feelings were worst. During that time, did the feeling of being sad, blue, or depressed usually last all day long, about half the day, or less than half the day?		
DEPDAYS	2	DURING 2 WKS, HOW MUCH OF DAY WERE YOU DEPRESSED		
		1 = All day long	677	3.80
		2 = Most of the day	645	3.62
		3 = About half the day	525	2.95
		4 = Less than half the day	467	2.62
		89 = LEGITIMATE SKIP Logically assigned	12	0.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	15406	86.51

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-6. Did you feel this way every day, almost every day, or less often during those two weeks?		
DEPFREQ	2	FELT DEPRESSED HOW OFTEN IN 2 WK PERIOD		
		1 = Every day	773	4.34
		2 = Almost every day	912	5.12
		3 = Less often	627	3.52
		89 = LEGITIMATE SKIP Logically assigned	12	0.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP	15406	86.51
		HE-7. During those two weeks, did you lose interest in most things?		
LOSTINT1	2	LOSE INTEREST IN THINGS IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1439	8.08
		2 = No	873	4.90
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	78	0.44
		99 = LEGITIMATE SKIP	15405	86.50
		HE-8. Did you feel tired out or low on energy all the time?		
TIRED1	2	FEEL TIRED ALL THE TIME IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1741	9.78
		2 = No	573	3.22
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	15405	86.50
		HE-9. Do you seem to get a bad cold or the flu every year?		
WTCHNG1	2	GET BAD COLD OR FLU EVERY YEAR		
		1 = Gained weight	487	2.73
		2 = Lost weight	666	3.74
		3 = Stayed the same	1160	6.51
		4 = Respondent was on diet	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	12	0.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	15406	86.51

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-10. About how much did you (gain/lose)?		
LBSCHNG1	3	# POUNDS GAINED OR LOST - VERSION 1		
		RANGE = 1 - 76	1121	6.29
		0 = No pounds	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	25	0.14
		994 = DON'T KNOW	23	0.13
		995 = BAD DATA	2	0.01
		996 = MULTIPLE RESPONSE	1	0.01
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	76	0.43
		999 = LEGITIMATE SKIP	16556	92.96
		HE-11. Did you have more trouble falling asleep than you usually do?		
SLPLOSS1	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1384	7.77
		2 = No	901	5.06
		3 = Yes LOGICALLY ASSIGNED	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	15403	86.49
		HE-12. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ1	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 1		
		1 = Every night	436	2.45
		2 = Nearly every night	628	3.53
		3 = Less often	338	1.90
		89 = LEGITIMATE SKIP Logically assigned	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	85	0.48
		99 = LEGITIMATE SKIP	16309	91.58
		HE-13. Did you have a lot more trouble concentrating than usual?		
CONCEN1	2	HAVE MORE PROBLEM CONCENTRATING THAN USUAL		
		1 = Yes	1575	8.84
		2 = No	742	4.17
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.40
		99 = LEGITIMATE SKIP	15405	86.50

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-14. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN1	2	FEEL NO GOOD, WORTHLESS, DOWN		
		1 = Yes	1300	7.30
		2 = No	1014	5.69
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.41
		99 = LEGITIMATE SKIP	15405	86.50
		HE-15. Did you think a lot about death, either your own, someone else's, or death in general?		
IDEAT1	2	THINK ABOUT DEATH - OWN, SOMEONE ELSE, GENERAL		
		1 = Yes	1044	5.86
		2 = No	1272	7.14
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	15405	86.50
		FI CHECKPOINT Z; ANY BOXED ITEMS IN Q.HE-7 THROUGH Q.HE-15 MARKED?		
SKPDEP1	2	ANY BOXED ITEMS MARKED HE-7 TO HE-15		
		1 = Yes	2157	12.11
		2 = No - SKIP	93	0.52
		3 = Yes LOGICALLY ASSIGNED	62	0.35
		4 = No LOGICALLY ASSIGNED - SKIP	12	0.07
		89 = LEGITIMATE SKIP Logically assigned	154	0.86
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	15264	85.71

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-16. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you were sad, blue, or depressed and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-7 THROUGH HE-15). About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS1	2	# WEEKS FELT DEPRESSED PAST 12 MONTHS		
		RANGE = 2 - 52	2120	11.90
		85 = BAD DATA Logically assigned	41	0.23
		89 = LEGITIMATE SKIP Logically assigned	20	0.11
		94 = DON'T KNOW	21	0.12
		95 = BAD DATA	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	100	0.56
		99 = LEGITIMATE SKIP	15503	87.05
		HE-17. Think about the last time you felt this way for two weeks or more in a in a row. In what month was that?		
DEPMO1	2	WHAT MONTH LAST FELT DEPRESSED		
		RANGE = 1 - 12	1986	11.15
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	60	0.34
		94 = DON'T KNOW	30	0.17
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	119	0.67
		99 = LEGITIMATE SKIP	15608	87.64
DEPYR1	3	WHAT YEAR LAST FELT DEPRESSED - RECODE		
		RANGE = 93 - 94	299	1.68
		985 = BAD DATA Logically assigned	4	0.02
		989 = LEGITIMATE SKIP Logically assigned	16	0.09
		994 = DON'T KNOW	18	0.10
		996 = MULTIPLE RESPONSE	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	1817	10.20
		999 = LEGITIMATE SKIP	15652	87.89

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The variables LOSTINT2, TIRED2, WTCHNG2, LBSCHNG2, SLPLOSS2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2 are comparable to previous variables but were asked only if a respondent did not report a 2-week or greater period in the past 12 months of feeling sad, blue or depressed.		
		HE-18. During the past 12 months, was there ever a time lasting two weeks or more when you lost interest in most things like hobbies, work, or activities that usually gave you pleasure?		
LOSTINT2	2	LOST INTEREST IN THINGS IN 2 WK PERIOD - VERSION 2		
		1 = Yes	365	2.05
		2 = No	10262	57.62
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	633	3.55
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	6389	35.88
		HE-19. For the next few questions, please think of the two-week period during the past 12 months when you had the most complete loss of interest in things. During that two-week period, did the loss of interest usually last all day long, most of the day, about half the day, or less than half the day?		
LOSINDAY	2	AMT OF DAY LOST INTEREST IN 2 WK PERIOD		
		1 = All day long	93	0.52
		2 = Most of the day	106	0.60
		3 = About half the day	90	0.51
		4 = Less than half the day	81	0.45
		89 = LEGITIMATE SKIP Logically assigned	245	1.38
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	153	0.86
		99 = LEGITIMATE SKIP	17039	95.68

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-20. Did you feel this way every day, almost every day, or less often during the two weeks?		
LOSINFRQ	2	LOST INTEREST HOW OFTEN IN 2 WEEK PERIOD		
		1 = Every day	74	0.42
		2 = Almost every day	158	0.89
		3 = Less often	134	0.75
		89 = LEGITIMATE SKIP Logically assigned	247	1.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP	17037	95.67
		HE-21. During those two weeks, did you feel tired out, or low on energy all the time?		
TIRED2	2	DURING TWO WEEKS, FEEL TIRED OR LOW ON ENERGY		
		1 = Yes	278	1.56
		2 = No	88	0.49
		89 = LEGITIMATE SKIP Logically assigned	245	1.38
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP	17039	95.68
		HE-22. During those two weeks, did you gain weight, lose weight, or stay about the same?		
WTCHNG2	2	WEIGHT CHANGE IN 2 WEEK PERIOD - VERSION 2		
		1 = Gained weight	68	0.38
		2 = Lost weight	75	0.42
		3 = Stayed the same	224	1.26
		89 = LEGITIMATE SKIP Logically assigned	236	1.33
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	17048	95.73
		HE-23. About how much did you (gain/lose)?		
LBSCHNG2	3	# POUNDS LOST OR GAINED - VERSION 2		
		RANGE = 1 - 80	140	0.79
		989 = LEGITIMATE SKIP Logically assigned	223	1.25
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	158	0.89
		999 = LEGITIMATE SKIP	17285	97.06

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-24. During those two weeks, did you have more trouble falling asleep than you usually do?		
SLPLOSS2	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 2		
		1 = Yes	185	1.04
		2 = No	180	1.01
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	233	1.31
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	17051	95.74
		HE-25. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ2	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 2		
		1 = Every night	42	0.24
		2 = Nearly every night	89	0.50
		3 = Less often	54	0.30
		89 = LEGITIMATE SKIP Logically assigned	225	1.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	158	0.89
		99 = LEGITIMATE SKIP	17239	96.80
		HE-26. During those two weeks, did you have a lot more trouble concentrating than usual?		
CONCEN2	2	HAVE TROUBLE CONCENTRATING DURING THOSE 2 WEEKS		
		1 = Yes	246	1.38
		2 = No	120	0.67
		89 = LEGITIMATE SKIP Logically assigned	231	1.30
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	17053	95.75
		HE-27. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN2	2	FEEL DOWN, NO GOOD OR WORTHLESS DURING THOSE 2 WKS		
		1 = Yes	142	0.80
		2 = No	224	1.26
		89 = LEGITIMATE SKIP Logically assigned	231	1.30
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.88
		99 = LEGITIMATE SKIP	17053	95.75

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-28. During those two weeks, did you think a lot about death -- either your own, someone else's, or death in general?		
IDEAT2	2	THINK ABOUT DEATH - OWN,SOMEONE ELSE,GENERAL 2 WKS		
		1 = Yes	87	0.49
		2 = No	281	1.58
		89 = LEGITIMATE SKIP Logically assigned	230	1.29
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP	17054	95.76
		FI CHECKPOINT AA; ANY BOXED ITEMS IN Q.HE-21 THROUGH Q.HE-28 MARKED?		
SKPDEP2	2	ANY BOXED ITEMS MARKED HE-21 TO HE-28		
		1 = Yes	336	1.89
		2 = No - SKIP	42	0.24
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		4 = No LOGICALLY ASSIGNED - SKIP	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	302	1.70
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	133	0.75
		99 = LEGITIMATE SKIP	16982	95.36
		HE-29. Reviewing what you told me, you had two weeks in row during the past 12 months when you lost interest in most things and also had some other things like (READ UP TO TWO DESCRIPTION IN YES-BOXED RESPONSES FROM QUESTIONS HE-21 THROUGH HE-28.) About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS2	2	# WEEKS PAST YEAR LOST INTEREST IN THINGS		
		RANGE = 2 - 52	326	1.83
		85 = BAD DATA Logically assigned	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	222	1.25
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	164	0.92
		99 = LEGITIMATE SKIP	17085	95.93

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-30. Think about the last time you had two weeks in row when you felt this way. In what month and year was that?		
DEPMO2	2	LAST TIME LOST INTEREST IN THINGS > 2 WKS - MONTH		
		RANGE = 1 - 12	324	1.82
		89 = LEGITIMATE SKIP Logically assigned	222	1.25
		94 = DON'T KNOW	9	0.05
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		99 = LEGITIMATE SKIP	17087	95.95
DEPYR2	3	LAST TIME LOST INTEREST IN THINGS > 2 WKS - YEAR		
		RANGE = 93 - 94	316	1.77
		985 = BAD DATA Logically assigned	9	0.05
		989 = LEGITIMATE SKIP Logically assigned	188	1.06
		994 = DON'T KNOW	5	0.03
		995 = BAD DATA	1	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	168	0.94
		999 = LEGITIMATE SKIP	17121	96.14
		HE-31. During the past 12 months, did you ever have a period lasting one month or longer when most of the time you felt worried or anxious?		
WORRIED	2	PERIOD LONGER THAN 1 MONTH FELT ANXIOUS PAST YEAR		
		1 = Yes	1764	9.91
		2 = No	11197	62.87
		3 = Yes LOGICALLY ASSIGNED	40	0.22
		89 = LEGITIMATE SKIP Logically assigned	117	0.66
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	109	0.61
		99 = LEGITIMATE SKIP	4581	25.72
		HE-32. Has that period ended or is it still going on?		
WOREND	2	PERIOD ENDED OR STILL GOING ON		
		1 = Ended	972	5.46
		2 = Still going on	758	4.26
		3 = Ended LOGICALLY ASSIGNED	29	0.16
		4 = Still going on LOGICALLY ASSIGNED	41	0.23
		89 = LEGITIMATE SKIP Logically assigned	11	0.06
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	15884	89.19

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The variables WORNOMO1, WORHAPN1, WORSERI1, and WORDIFF1 apply to episodes of anxiety that have ended. The variables WORNOMO2, WORHAPN2, WORSERI2, and WORDIFF2 apply to periods of anxiety that are still going on.		
		HE-33. How many months or years did it go on before it ended? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO1	4	# OF MONTHS BEFORE ANXIETY ENDED - RECODE		
		RANGE = 1 - 468	962	5.40
		9989 = LEGITIMATE SKIP Logically assigned	35	0.20
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	152	0.85
		9999 = LEGITIMATE SKIP	16659	93.54
		HE-34. During that period, did you worry about things that were not likely to happen?		
WORHAPN1	2	WORRIED ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	421	2.36
		2 = No	554	3.11
		85 = BAD DATA Logically assigned	21	0.12
		89 = LEGITIMATE SKIP Logically assigned	41	0.23
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	118	0.66
		99 = LEGITIMATE SKIP	16653	93.51
		HE-35. Did you worry about things that were not really serious?		
WORSERI1	2	WORRIED ABOUT THINGS NOT SERIOUS		
		1 = Yes	166	0.93
		2 = No	453	2.54
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	120	0.67
		99 = LEGITIMATE SKIP	17033	95.64

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-36. During this period of worry or anxiety, did you have different worries on your mind at the same time?		
WORDIFF1	2	HAD DIFFERENT WORRIES ON MIND		
		1 = Yes	442	2.48
		2 = No	99	0.56
		89 = LEGITIMATE SKIP Logically assigned	85	0.48
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	120	0.67
		99 = LEGITIMATE SKIP	17062	95.81
		HE-37. How many months or years has it been going on? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO2	4	# OF MONTHS ANXIETY GOING ON - RECODE		
		RANGE = 1 - 1128	738	4.14
		9989 = LEGITIMATE SKIP Logically assigned	5	0.03
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	174	0.98
		9999 = LEGITIMATE SKIP	16891	94.85
		HE-38. Do you worry about things that are not likely to happen?		
WORHAPN2	2	WORRY ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	334	1.88
		2 = No	429	2.41
		85 = BAD DATA Logically assigned	13	0.07
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	134	0.75
		99 = LEGITIMATE SKIP	16892	94.85
		HE-39. Do you worry a great deal about things that are not really serious?		
WORSERI2	2	WORRY ABOUT THINGS NOT SERIOUS		
		1 = Yes	131	0.74
		2 = No	372	2.09
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP	17160	96.36

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-40. Do you have different worries on your mind at the same time?		
WORDIFF2	2	HAVE DIFFERENT WORRIES ON MIND		
		1 = Yes	376	2.11
		2 = No	31	0.17
		89 = LEGITIMATE SKIP Logically assigned	69	0.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP	17199	96.57
		FI CHECKPOINT BB; WORNOMO1 or WORNOMO2 is more than or less than 6 months.		
SKPWOR	2	WORNOMO1 OR WORNOMO2 IS 6 MONTHS OR MORE		
		1 = Question HE-33 or HE-37 = 6 months or more	378	2.12
		2 = Question HE-33 or HE-37 = Less than 6 mo. - SKIP	470	2.64
		3 = Q.HE-33 or HE-37 = 6 mo. or more LOGICALLY ASSG.	30	0.17
		4 = Q.HE-33 or HE-37 = < 6 mo. LOGIC. ASSG. - SKIP	97	0.54
		89 = LEGITIMATE SKIP Logically assigned	183	1.03
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	112	0.63
		99 = LEGITIMATE SKIP	16537	92.86
		HE-41. When you (are/were) worried or anxious, (are/were) you also...		
WORREST	2	RESTLESS		
		1 = Yes	319	1.79
		2 = No	71	0.40
		89 = LEGITIMATE SKIP Logically assigned	128	0.72
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	131	0.74
		99 = LEGITIMATE SKIP	17159	96.35
WOREDGE	2	(ARE/WERE) YOU KEYED UP OR ON EDGE		
		1 = Yes	332	1.86
		2 = No	58	0.33
		89 = LEGITIMATE SKIP Logically assigned	124	0.70
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	131	0.74
		99 = LEGITIMATE SKIP	17163	96.37
WORIRRIT	2	IRRITABLE WHEN WORRIED		
		1 = Yes	312	1.75
		2 = No	76	0.43
		89 = LEGITIMATE SKIP Logically assigned	127	0.71
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP	17160	96.36

LABEL	LEN	DESCRIPTION	FREQ	%
WORHEART	2	HEART POUNDS OR RACES WHEN WORRIED		
		1 = Yes	217	1.22
		2 = No	174	0.98
		89 = LEGITIMATE SKIP Logically assigned	126	0.71
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	17161	96.36
WORTIRED	2	EASILY TIRED WHEN WORRIED		
		1 = Yes	282	1.58
		2 = No	109	0.61
		89 = LEGITIMATE SKIP Logically assigned	124	0.70
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	17163	96.37
WORSLEEP	2	TROUBLE FALLING ASLEEP WHEN WORRIED		
		1 = Yes	297	1.67
		2 = No	94	0.53
		89 = LEGITIMATE SKIP Logically assigned	122	0.69
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	17165	96.38
WORFAINT	2	FEEL FAINT OR UNREAL WHEN WORRIED		
		1 = Yes	148	0.83
		2 = No	243	1.36
		89 = LEGITIMATE SKIP Logically assigned	127	0.71
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	17160	96.36

HE-42. Here's list of situations that cause some people to have unreasonably strong fears. "Unreasonably strong" means being very upset or badly frightened when most people would not be afraid. During the past 12 months, did you have an unreasonably strong fear of...

FEARPUB	2	BEING IN A PUBLIC PLACE, OR A CROWD OR LINE		
		1 = Yes	506	2.84
		2 = No	12512	70.26
		89 = LEGITIMATE SKIP Logically assigned	121	0.68
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	91	0.51
		99 = LEGITIMATE SKIP	4577	25.70

LABEL	LEN	DESCRIPTION	FREQ	%
FEAROUT	2	LEAVING HOME OR BEING AWAY FROM HOME		
		1 = Yes	504	2.83
		2 = No	12512	70.26
		89 = LEGITIMATE SKIP Logically assigned	120	0.67
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	93	0.52
		99 = LEGITIMATE SKIP	4578	25.71
FEARBRDG	2	FEAR OF CROSSING BRIDGE IN PAST 12 MONTHS		
		1 = Yes	456	2.56
		2 = No	12559	70.52
		89 = LEGITIMATE SKIP Logically assigned	120	0.67
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	94	0.53
		99 = LEGITIMATE SKIP	4578	25.71
		FI CHECKPOINT CC; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR1	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	981	5.51
		2 = All answered no - SKIP	11909	66.87
		3 = Any yes answer LOGICALLY ASSIGNED	44	0.25
		4 = All answered no LOGICALLY ASSIGNED - SKIP	77	0.43
		85 = BAD DATA Logically assigned	42	0.24
		89 = LEGITIMATE SKIP Logically assigned	113	0.63
		98 = BLANK (NO ANSWER)	58	0.33
		99 = LEGITIMATE SKIP	4585	25.75
		HE-43. Do you get very upset or badly frightened every time you are in (this/these) situations(s), most of the time, or only some of the time?		
FEAROFT	2	HOW OFTEN HAVE THESE FEARS		
		1 = Every time	145	0.81
		2 = Most of the time	208	1.17
		3 = Some of the time	570	3.20
		4 = Only one or two times	88	0.49
		89 = LEGITIMATE SKIP Logically assigned	18	0.10
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	16666	93.58

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-44. How long have you had (this/these) fear(s) -- less than 1 year, between 1 and 5 years, or more than 5 years?		
FEARYRS	2	HOW LONG HAD THIS/THESE FEAR(S)		
		1 = Less than 1 year	60	0.34
		2 = Between 1 and 5 years	85	0.48
		3 = More than 5 years	202	1.13
		4 = Less than 1 year LOGICALLY ASSIGNED	1	0.01
		5 = Between 1 and 5 yrs LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	78	0.44
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP	17264	96.94
		HE-45. About how many months have you had (this/these) fear(s)?		
FEARMOS	2	# OF MONTHS HAD THIS/THESE FEAR(S)		
		RANGE = 1 - 89	191	1.07
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	120	0.67
		99 = LEGITIMATE SKIP	17494	98.23
		HE-46. When you are in (this/these) situation(s), are you afraid that you might faint, lose control, or embarrass yourself in other ways?		
FEARFANT	2	WHEN IN THIS SITN AFRAID OF FAINTING		
		1 = Yes	186	1.04
		2 = No	164	0.92
		89 = LEGITIMATE SKIP Logically assigned	79	0.44
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.63
		99 = LEGITIMATE SKIP	17263	96.93

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-47. When you are in (this/these) situation(s), do you worry that you might be trapped without any way to escape?		
FEARTRAP	2	WHEN IN THE SITN WORRY ABOUT BEING TRAPPED		
		1 = Yes	229	1.29
		2 = No	122	0.69
		89 = LEGITIMATE SKIP Logically assigned	87	0.49
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP	17255	96.89
		HE-48. When you are in (this/these) situation(s), do you worry that help might not be available if you needed it?		
FEARHELP	2	WHEN IN THIS SITN WORRY NO HELP AVAILABLE		
		1 = Yes	232	1.30
		2 = No	120	0.67
		89 = LEGITIMATE SKIP Logically assigned	114	0.64
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP	17228	96.74
		HE-49. During the past 12 months, did you ever have a spell or an attack when all of a sudden you felt frightened, anxious, or very uneasy when most people would not be afraid or anxious?		
PANIC1	2	SPELL WHEN SUDDENLY FRIGHTENED PAST 12 MO		
		1 = Yes	841	4.72
		2 = No	12141	68.17
		85 = BAD DATA Logically assigned	24	0.13
		89 = LEGITIMATE SKIP Logically assigned	110	0.62
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	103	0.58
		99 = LEGITIMATE SKIP	4588	25.76

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-50. During the past 12 months, did you ever have a spell or an attack when for no reason your heart suddenly began to race, you felt faint, or you couldn't catch your breath? (IF RESPONDENT VOLUNTEERS ONLY WHEN HAVING HEART ATTACK, OR DUE TO PHYSICAL CAUSES, MARK NO.)		
PANIC2	2	SUDDEN SPELL HEART RACED IN PAST 12 MO		
		1 = Yes	527	2.96
		2 = No	11697	65.68
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		89 = LEGITIMATE SKIP Logically assigned	100	0.56
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	88	0.49
		99 = LEGITIMATE SKIP	5388	30.25
		HE-51. About how many attacks did you have in the past 12 months?		
PANICNUM	3	# ATTACKS IN PAST 12 MONTHS		
		RANGE = 1 - 979	1289	7.24
		0 = No attacks	5	0.03
		985 = BAD DATA Logically assigned	10	0.06
		989 = LEGITIMATE SKIP Logically assigned	16	0.09
		994 = DON'T KNOW	19	0.11
		995 = BAD DATA	2	0.01
		998 = BLANK (NO ANSWER)	89	0.50
		999 = LEGITIMATE SKIP	16379	91.97
		HE-52. In what month and year did you have (the last one/this attack)?		
PANICMO	2	MONTH THAT LAST ATTACK OCCURRED		
		RANGE = 1 - 12	1272	7.14
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		94 = DON'T KNOW	43	0.24
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	97	0.54
		99 = LEGITIMATE SKIP	16382	91.99
PANICYR	3	YEAR THAT LAST ATTACK OCCURRED		
		RANGE = 93 - 94	1265	7.10
		985 = BAD DATA Logically assigned	13	0.07
		989 = LEGITIMATE SKIP Logically assigned	12	0.07
		994 = DON'T KNOW	12	0.07
		995 = BAD DATA	1	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	122	0.69
		999 = LEGITIMATE SKIP	16383	91.99

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-53. Did (this attack/these attacks ever) happen in a situation when you were not in danger or not the center of attention?		
PANIDANG	2	HAD ATTACK WHEN NOT IN DANGER PAST 12 MO		
		1 = Yes	838	4.71
		2 = No	486	2.73
		89 = LEGITIMATE SKIP Logically assigned	26	0.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	88	0.49
		99 = LEGITIMATE SKIP	16369	91.91
		FI CHECKPOINT DD; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR2	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	312	1.75
		2 = All answered no - SKIP	399	2.24
		3 = Any yes answer LOGICALLY ASSIGNED	17	0.10
		4 = All answered no LOGICALLY ASSIGNED - SKIP	143	0.80
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	188	1.06
		98 = BLANK (NO ANSWER)	56	0.31
		99 = LEGITIMATE SKIP	16693	93.73
		HE-54. A moment ago, we discussed situations that cause unreasonably strong fears. When you have attacks of the sort you just described, do they usually occur in situations that cause you unreasonably strong fears?		
PANIFEAR	2	ATTACKS OCCUR IN SITN CAUSING STRONG FEARS		
		1 = Yes	202	1.13
		2 = No	113	0.63
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	175	0.98
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP	17248	96.85

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-55. Did you ever have an attack in the past 12 months when you were not in a situation that usually causes you to have unreasonably strong fears?		
PANINOFR	2	HAVE ATTACK WHEN NOT IN SITN CAUSING FEAR		
		1 = Yes	89	0.50
		2 = No	116	0.65
		89 = LEGITIMATE SKIP Logically assigned	76	0.43
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	17458	98.03
		HE-56. When you have attacks, do(es) you(r)...		
PANIHART	2	HEART POUNDS WHEN HAVING ATTACKS		
		1 = Yes	537	3.02
		2 = No	144	0.81
		89 = LEGITIMATE SKIP Logically assigned	218	1.22
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	16779	94.22
PANIPAIN	2	TIGHTNESS IN STOMACH WHEN HAVING ATTACKS		
		1 = Yes	413	2.32
		2 = No	268	1.50
		89 = LEGITIMATE SKIP Logically assigned	214	1.20
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	16783	94.24
PANISWET	2	SWEAT WHEN HAVING ATTACKS		
		1 = Yes	345	1.94
		2 = No	333	1.87
		89 = LEGITIMATE SKIP Logically assigned	214	1.20
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	16783	94.24
PANISHAK	2	SHAKE WHEN HAVING ATTACKS		
		1 = Yes	374	2.10
		2 = No	306	1.72
		89 = LEGITIMATE SKIP Logically assigned	214	1.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	16783	94.24

LABEL	LEN	DESCRIPTION	FREQ	%
PANIHOT	2	DO YOU HAVE HOT FLASHES OR CHILLS		
		1 = Yes	330	1.85
		2 = No	351	1.97
		89 = LEGITIMATE SKIP Logically assigned	216	1.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	129	0.72
		99 = LEGITIMATE SKIP	16781	94.23
PANIUNRL	2	THINGS SEEM UNREAL WHEN HAVING ATTACKS		
		1 = Yes	199	1.12
		2 = No	481	2.70
		89 = LEGITIMATE SKIP Logically assigned	213	1.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP	16784	94.24

LABEL	LEN	DESCRIPTION	FREQ	%

NON-CORE HEALTH CARE

Now we have some questions about any medical treatment you may have had in a hospital emergency room. For these four questions, think about the past 12 months--that is, from your 12-month reference date up to and including today.

HC-1. During the past 12 months, how many different times have you been treated in an emergency room because of injury or illness?

NUERTMT	2	# OF TIMES BEEN TREATED IN EMER. ROOM PAST 12 MO		
		RANGE = 1 - 30	3271	18.37
		0 = No times	14172	79.58
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	363	2.04

HC-2. During the past 12 months, how many different times have you stayed overnight or longer in a hospital?

NUHSPOV	2	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 77	1401	7.87
		0 = No nights	15995	89.81
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	408	2.29

HC-3. During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional difficulties?

NUHSPPE	2	# NIGHT STAYED IN HOSPITAL FOR PSY/EMOTIONAL TREAT		
		RANGE = 1 - 45	95	0.53
		0 = No nights	1260	7.08
		89 = LEGITIMATE SKIP Logically assigned	3141	17.64
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	456	2.56
		99 = LEGITIMATE SKIP	12854	72.18

LABEL	LEN	DESCRIPTION	FREQ	%
		HC-4. Have you received treatment for psychological problems or emotional difficulties at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?		
OUTPTPE	2	BEEN OUTPATIENT AT MENTAL HEALTH CLINIC PAST YEAR		
		1 = Yes	896	5.03
		2 = No	16496	92.63
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	409	2.30

LABEL	LEN	DESCRIPTION	FREQ	%

NON-CORE PROXY INFORMATION

The next questions are about your health care, health insurance coverage, and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.

(IF RESPONDENT HAS NO FAMILY MEMBERS LIVING IN THIS RESIDENCE, SKIP TO ACCESS CARE SECTION ON PAGE 92.)

P-1. Is there some other family member who lives here that you think would be better able to give me the correct information about your health care, health insurance coverage, and the kinds of income you receive?

PROXABLE	2	ANOTHER FAMILY MEMBER THAT CAN GIVE INFO ABOUT HTH		
		1 = Yes	3829	21.50
		2 = No	11932	67.00
		3 = Yes LOGICALLY ASSIGNED	38	0.21
		89 = LEGITIMATE SKIP Logically assigned (FAMSKIP=1)	1649	9.26
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	134	0.75
		99 = LEGITIMATE SKIP (FAMSKIP=1)	223	1.25

LABEL	LEN	DESCRIPTION	FREQ	%
		P-2. Who is the person you think can help us get the correct information for these questions?		
PROXYREL	2	PERSON THAT CAN GIVE MORE INFO ABOUT HEALTH		
		1 = Respondent's spouse/live-in partner	114	0.64
		2 = Respondent's father	727	4.08
		3 = Respondent's mother	2630	14.77
		4 = Respondent's brother	23	0.13
		5 = Respondent's sister	56	0.31
		6 = Other family member (specify relation to resp)	8	0.04
		20 = Parent/Guardian	1	0.01
		50 = Grandparent/Great+ Grandparent	1	0.01
		61 = Friend/Roommate/Companion	3	0.02
		71 = Cousin/Cousin's Spouse	3	0.02
		91 = Other Non-Relative, Gender not specified	1	0.01
		110 = Husband	2	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	17	0.10
		130 = Son	2	0.01
		140 = Brother/Half Brother	1	0.01
		142 = Brother In-Law	2	0.01
		150 = Grandfather/Great+ Grandfather	17	0.10
		170 = Uncle/Step Uncle/Aunt's Husband	10	0.06
		181 = Other Male God Relative	1	0.01
		191 = Other Male Non-Relative	4	0.02
		210 = Wife	3	0.02
		220 = Mother/Female Guardian	1	0.01
		221 = Step/Adopted/Foster Mother/Future Step Mother	3	0.02
		230 = Daughter	2	0.01
		233 = Granddaughter	1	0.01
		240 = Sister/Half Sister	1	0.01
		241 = Step/Adopted/Foster Sister/Future Step Sister	1	0.01
		242 = Sister In-Law	4	0.02
		250 = Grandmother/Great+ Grandmother	91	0.51
		270 = Aunt	41	0.23
		291 = Other Female Non-Relative	2	0.01
		350 = Grandparents/Great+ Grandparents	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	3	0.02
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	230	1.29
		999 = LEGITIMATE SKIP	13801	77.49
		P-3. Is your (RELATIVE FROM Q.P-2) here at home now?		
PROXHOME	2	IS RELATIVE AT HOME		
		1 = Yes	3485	19.57
		2 = No	280	1.57
		3 = Yes LOGICALLY ASSIGNED	16	0.09
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	223	1.25
		99 = LEGITIMATE SKIP	13791	77.44

LABEL	LEN	DESCRIPTION	FREQ	%
		P-4. Would you ask your (RELATIVE FROM Q.P-2) to join us to help with these last questions about health care, health insurance, and income?		
PROXJOIN	2	ASK THE RELATIVE TO JOIN US		
		1 = Yes	3445	19.34
		2 = No	33	0.19
		89 = LEGITIMATE SKIP Logically assigned	28	0.16
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	246	1.38
		99 = LEGITIMATE SKIP	14056	78.93

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE ACCESS TO CARE		

These questions are about medical care.

These sets of variables are new in the 1994 NHSDA white questionnaire. The skips have been implemented only when all answers were logically correct in these sets of variables, otherwise it has only been 98 filled.

AC-1. Is there a particular person or place that (you usually go/SAMPLE MEMBER usually goes) to when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?

CAREUSU	2	IS THERE USUAL PLACE FOR HEALTH CARE		
		1 = Yes	14540	81.64
		2 = No	3051	17.13
		3 = Don't know	82	0.46
		4 = There is more than one place	44	0.25
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	85	0.48

AC-2. Which of these is the main reason (you do/SAMPLE MEMBER does) not have a usual source of medical care? (HAND RESPONDENT SHOWCARD 7.)

NCARERSN	2	REASON FOR NOT HAVING USUAL SOURCE OF CARE		
		1 = Two or more usual doctors/places	249	1.40
		2 = Don't need a doctor	1406	7.89
		3 = Don't like/trust/believe in doctors	100	0.56
		4 = Don't know where to go	99	0.56
		5 = Previous doctor is not available/moved	115	0.65
		6 = No insurance/can't afford it	742	4.17
		7 = Speak a different language	7	0.04
		8 = No care available/care too far away/inconvenient	27	0.15
		9 = Other specify (see NCRRSNSP & NCRRSNSC)	296	1.66
		94 = DON'T KNOW	62	0.35
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	270	1.52
		99 = LEGITIMATE SKIP	14429	81.02
NCRRSNSP	2	WHETHER OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Response marked	286	1.61
		3 = Response marked LOGICALLY ASSIGNED	19	0.11
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	3068	17.23
		99 = LEGITIMATE SKIP	14429	81.02

LABEL	LEN	DESCRIPTION	FREQ	%
NCRRSNSC	2	CODE OF OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Two or more usual doctors/places	1	0.01
		2 = Don't need a doctor	140	0.79
		3 = Don't like/trust/believe in doctors	8	0.04
		5 = Previous doctor is not available/moved	9	0.05
		6 = No insurance/can't afford it	25	0.14
		8 = No care available/care too far away/inconvenient	3	0.02
		10 = New to area/recently moved	34	0.19
		11 = Do not have a regular doctor	27	0.15
		12 = Self treatment/treatment by family member	15	0.08
		13 = Religious reasons	3	0.02
		14 = Health care plan determines source	10	0.06
		15 = Hospital/urgent care/clinic	9	0.05
		16 = School/workplace	3	0.02
		17 = Medicare/Medicaid/public assistance	7	0.04
		18 = Alternative medicine	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	3075	17.27
		99 = LEGITIMATE SKIP	14429	81.02

AC-3. Is there one of these places that (you go/SAMPLE MEMBER goes) to most often when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?

CAREOFT	2	ONE PLACE GO MOST OFTEN		
		1 = Yes	245	1.38
		2 = No	169	0.95
		94 = DON'T KNOW	18	0.10
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	354	1.99
		99 = LEGITIMATE SKIP	17016	95.55

AC-4. At any time in the past 12 months, did (you/SAMPLE MEMBER) have a place that (your/he/she) usually went to for medical care?

PYRCARE	2	USUALLY HAVE A PLACE TO GO FOR CARE PAST 12 MONTHS		
		1 = Yes	740	4.16
		2 = No	2281	12.81
		94 = DON'T KNOW	20	0.11
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	310	1.74
		99 = LEGITIMATE SKIP	14451	81.14

LABEL	LEN	DESCRIPTION	FREQ	%
		AC-5. What kind of place was it -- a clinic, a health center, a hospital, a doctor's office, or some other place?		
PYRCRTYP	2	PLACE VISITED WHEN NEEDED CARE PAST YEAR		
		1 = Doctor's office or private clinic	408	2.29
		2 = Company or school health clinic/center	30	0.17
		3 = Community/migrant/rural clinic or center	68	0.38
		4 = County/city/public hospital outpatient clinic	133	0.75
		5 = Private/other hospital outpatient clinic	44	0.25
		6 = Hospital emergency room	98	0.55
		7 = HMO	38	0.21
		8 = Psychiatric hospital or clinic	2	0.01
		9 = VA hospital or clinic	2	0.01
		10 = Military health care facility	8	0.04
		11 = Some other place specified (see PYRCRTSP/SC)	32	0.18
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	319	1.79
		99 = LEGITIMATE SKIP	16619	93.32
PYRCRTSP	2	WHETHER OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Response marked	30	0.17
		3 = Response marked LOGICALLY ASSIGNED	3	0.02
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	1150	6.46
		99 = LEGITIMATE SKIP	16619	93.32
PYRCRTSC	2	CODE OF OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Doctor's office or private clinic	2	0.01
		2 = Company or school health clinic/center	5	0.03
		3 = Community/migrant/rural clinic or center	2	0.01
		4 = County/city/public hospital outpatient clinic	6	0.03
		5 = Private/other hospital outpatient clinic	4	0.02
		6 = Hospital emergency room	1	0.01
		12 = Self treatment/family member	4	0.02
		13 = Friend	1	0.01
		14 = Urgent care/walk-in medical facility	1	0.01
		16 = Alternative medicine	1	0.01
		17 = Non-physician health care professional	1	0.01
		18 = Family planning clinic	2	0.01
		19 = Indian clinic or hospital	1	0.01
		20 = Drug treatment/rehab center	1	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	1151	6.46
		99 = LEGITIMATE SKIP	16619	93.32

LABEL	LEN	DESCRIPTION	FREQ	%
		AC-6. If (you/SAMPLE MEMBER) needed medical care now, would (you/he/she) go to that (FILL PLACE FROM Q.AC-5)?		
CARENOW	2	IF NEEDED MEDICAL CARE, WOULD GO TO PLACE IN Q.AC5		
		1 = Yes	591	3.32
		2 = No	193	1.08
		94 = DON'T KNOW	30	0.17
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	368	2.07
		99 = LEGITIMATE SKIP	16619	93.32
		AC-7. What is the main reason (you/ SAMPLE MEMBER) would not use that place for medical care now?		
MNRSNNCR	2	REASON WOULD NOT USE PLACE ANYMORE		
		1 = Respondent changed residence/moved	63	0.35
		2 = Respondent changed jobs	7	0.04
		3 = Employer changed insurance companies	5	0.03
		4 = Formal usual source left area	9	0.05
		5 = Owed money to former usual source	1	0.01
		6 = Dissatsfd with frmr source/like new source better	19	0.11
		7 = Medical care needs changed	23	0.13
		8 = Frmr usual source stopped taking ins/coverage	5	0.03
		9 = Other reason specified (see MNRSNNSP/SC)	83	0.47
		94 = DON'T KNOW	9	0.05
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	504	2.83
		99 = LEGITIMATE SKIP	17074	95.87
MNRSNNSP	2	WHETHER OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Response marked	81	0.45
		3 = Response marked LOGICALLY ASSIGNED	4	0.02
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	643	3.61
		99 = LEGITIMATE SKIP	17074	95.87

LABEL	LEN	DESCRIPTION	FREQ	%
MNRSNNSC	2	CODE OF OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Respondent changed residence/moved	8	0.04
		2 = Respondent changed jobs	1	0.01
		3 = Employer change insurance companies	2	0.01
		4 = Former usual source left area	3	0.02
		6 = Dissatsfd with frmr source/liked new source better	16	0.09
		7 = Medical care needs changed	8	0.04
		8 = Frmr usual source stopped taking ins/coverage	1	0.01
		10 = Gynecological/obstetric care only	9	0.05
		11 = Medical care received through workman's comp	2	0.01
		12 = Do not need/like doctors	9	0.05
		13 = Cannot afford it/no insurance	12	0.07
		14 = Have insurance/ability to pay now	3	0.02
		15 = Military	2	0.01
		16 = Former student	4	0.02
		17 = No transportation	1	0.01
		18 = Medicare/Medicaid recipient	3	0.02
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	644	3.62
		99 = LEGITIMATE SKIP	17074	95.87

AC-8. What kind of place is it -- a clinic, a health center, a hospital, a doctor's office, or some other place?

UCARETYP	2	USUAL PLACE VISITED FOR HEALTH CARE		
		1 = Doctor's office or private clinic	10191	57.22
		2 = Company or school health clinic/center	308	1.73
		3 = Community/migrant/rural clinic or center	534	3.00
		4 = County/city/public hospital outpatient clinic	1059	5.95
		5 = Private/other hospital outpatient clinic	473	2.66
		6 = Hospital emergency room	580	3.26
		7 = HMO	1072	6.02
		8 = Psychiatric hospital or clinic	14	0.08
		9 = VA hospital or clinic	57	0.32
		10 = Military health care facility	131	0.74
		11 = Some other place specified (see UCRTYPSP/SC)	269	1.51
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	303	1.70
		99 = LEGITIMATE SKIP	2811	15.78
UCRTYPSP	2	WHETHER OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Response marked	272	1.53
		3 = Response marked LOGICALLY ASSIGNED	7	0.04
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	14712	82.61
		99 = LEGITIMATE SKIP	2811	15.78

LABEL	LEN	DESCRIPTION	FREQ	%
UCRTYPSC	2	CODE OF OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Doctor's office or private clinic	9	0.05
		2 = Company or school health clinic/center	20	0.11
		3 = Community/migrant/rural clinic or center	10	0.06
		4 = County/city/public hospital outpatient clinic	22	0.12
		5 = Private/other hospital outpatient clinic	9	0.05
		6 = Hospital emergency room	2	0.01
		7 = HMO (Health maintenance organization/pre-paid grp)	8	0.04
		8 = Psychiatric hospital or clinic	2	0.01
		10 = Military health care facility	1	0.01
		12 = Self treatment/family member	105	0.59
		13 = Friend	25	0.14
		14 = Urgent care/walk-in medical facility	8	0.04
		15 = Religion/church	11	0.06
		16 = Alternative medicine	11	0.06
		17 = Non-physician health care professional	8	0.04
		18 = Family planning clinic	1	0.01
		19 = Indian clinic or hospital	17	0.10
		20 = Drug treatment/rehab center	2	0.01
		21 = Home health care	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	14716	82.63
		99 = LEGITIMATE SKIP	2811	15.78

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE HEALTH INSURANCE		
		The next questions are about your health insurance coverage and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care. Most of these next questions refer to the month of (LAST FULL CALENDAR MONTH) rather than to the past 30 days that were referred to in some earlier questions.		
		HI-1. Several government programs provide medical care or help pay medical bills. (HAND RESPONDENT SHOWCARD 8.) People covered by Medicare have a card that looks like this. (PAUSE) In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.		
MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes	698	3.92
		2 = No	17014	95.54
		94 = DON'T KNOW	24	0.13
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	67	0.38

LABEL	LEN	DESCRIPTION	FREQ	%
		HI-2. In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME)? Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes	2392	13.43
		2 = No	15288	85.84
		94 = DON'T KNOW	33	0.19
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	83	0.47
		HI-3. In (MONTH), (were you/was SAMPLE MEMBER) covered by CHAMPUS, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes	433	2.43
		2 = No	17222	96.70
		94 = DON'T KNOW	24	0.13
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	123	0.69
		HI-4. Health insurance can also be obtained through an employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by an employer or union in (MONTH)?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE OR HMO		
		1 = Yes	10660	59.86
		2 = No	6833	38.37
		3 = Yes LOGICALLY ASSIGNED	196	1.10
		94 = DON'T KNOW	49	0.28
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	62	0.35

LABEL	LEN	DESCRIPTION	FREQ	%
		HI-5. Was this private health insurance plan offered through (your/SAMPLE MEMBER'S) employer or union or through the employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes	8997	50.52
		2 = No	800	4.49
		4 = No LOGICALLY ASSIGNED	904	5.08
		89 = LEGITIMATE SKIP Logically assigned	217	1.22
		94 = DON'T KNOW	56	0.31
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	208	1.17
		99 = LEGITIMATE SKIP	6616	37.15
		HI-6. Was (your/SAMPLE MEMBER'S) private health insurance coverage obtained by paying premiums directly to a private health insurance company or health maintenance organization?		
PDHINPRM	2	PRIVATE INSURANCE OBTAINED BY PAYING PREMIUMS		
		1 = Yes	1519	8.53
		2 = No	144	0.81
		89 = LEGITIMATE SKIP Logically assigned	713	4.00
		94 = DON'T KNOW	60	0.34
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	246	1.38
		99 = LEGITIMATE SKIP	15117	84.88
		HI-7. Did (your/SAMPLE MEMBER'S) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes	5345	30.01
		2 = No	1301	7.31
		89 = LEGITIMATE SKIP Logically assigned	137	0.77
		94 = DON'T KNOW	4143	23.26
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP	6696	37.60

LABEL	LEN	DESCRIPTION	FREQ	%
HLTINDRG	2	DRUG ABUSE		
		1 = Yes	5248	29.47
		2 = No	1348	7.57
		89 = LEGITIMATE SKIP Logically assigned	137	0.77
		94 = DON'T KNOW	4192	23.54
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	179	1.01
		99 = LEGITIMATE SKIP	6696	37.60
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes	6100	34.25
		2 = No	1094	6.14
		89 = LEGITIMATE SKIP Logically assigned	136	0.76
		94 = DON'T KNOW	3595	20.19
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP	6697	37.60

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE INCOME		
		I-1. Now, I would like for you to think about the past 12 months, from your 12-month reference date through today. In the past 12 months, did (you/ SAMPLE MEMBER) receive Social Security or Railroad Retirement payments? Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in gold envelope.		
SOC1	2	RESPONDENT RECEIVE SS OR RR PAYMENTS PAST 12 MONTH		
		1 = Yes	966	5.42
		2 = No	16750	94.05
		4 = No LOGICALLY ASSIGNED	9	0.05
		94 = DON'T KNOW	10	0.06
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	12	0.07
		98 = BLANK (NO ANSWER)	60	0.34
		I-2. In the past 12 months, did any other family member living here receive Social Security or Railroad Retirement payments?		
SOC2	2	OTHER FAM RECEIVE SS OR RR PAYMENTS PAST 12 MONTHS		
		1 = Yes	1055	5.92
		2 = No	13489	75.74
		3 = Yes LOGICALLY ASSIGNED	29	0.16
		4 = No LOGICALLY ASSIGNED	50	0.28
		89 = LEGITIMATE SKIP Logically assigned	598	3.36
		94 = DON'T KNOW	46	0.26
		97 = REFUSED	11	0.06
		98 = BLANK (NO ANSWER)	526	2.95
		99 = LEGITIMATE SKIP	2005	11.26

LABEL	LEN	DESCRIPTION	FREQ	%
		I-3. In the past 12 months, did (you/ SAMPLE MEMBER) receive Supplemental Security Income or SSI? Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue envelope.		
SSI1	2	RESPONDENT RECEIVE SSI		
		1 = Yes	463	2.60
		2 = No	17241	96.81
		4 = No LOGICALLY ASSIGNED	12	0.07
		94 = DON'T KNOW	9	0.05
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	11	0.06
		98 = BLANK (NO ANSWER)	68	0.38
		I-4. In the past 12 months, did any other family member living here receive Supplemental Security Income or SSI?		
SSI2	2	OTHER FAMILY MEMBER RECEIVE SSI PAST 12 MONTHS		
		1 = Yes	564	3.17
		2 = No	14346	80.55
		3 = Yes LOGICALLY ASSIGNED	22	0.12
		4 = No LOGICALLY ASSIGNED	48	0.27
		89 = LEGITIMATE SKIP Logically assigned	409	2.30
		94 = DON'T KNOW	53	0.30
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	11	0.06
		98 = BLANK (NO ANSWER)	521	2.93
		99 = LEGITIMATE SKIP	1834	10.30
		I-5. In the past 12 months, did (you/ SAMPLE MEMBER) receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB1	2	RESPONDENT RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	1608	9.03
		2 = No	16092	90.36
		4 = No LOGICALLY ASSIGNED	13	0.07
		94 = DON'T KNOW	10	0.06
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	13	0.07
		98 = BLANK (NO ANSWER)	68	0.38

LABEL	LEN	DESCRIPTION	FREQ	%
		I-6. In the past 12 months, did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB2	2	OTHER FAM RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	601	3.37
		2 = No	13253	74.42
		3 = Yes LOGICALLY ASSIGNED	56	0.31
		4 = No LOGICALLY ASSIGNED	41	0.23
		89 = LEGITIMATE SKIP Logically assigned	851	4.78
		94 = DON'T KNOW	37	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	369	2.07
		99 = LEGITIMATE SKIP	2589	14.54
		I-7. Did (you/SAMPLE MEMBER) or another family member living in your household receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in the past 12 months?		
AFDC	2	ANY FAMILY MEMBER RECEIVED AFDC OR ADC		
		1 = AFDC/ADC	1690	9.49
		2 = OTHER	239	1.34
		3 = BOTH	30	0.17
		4 = AFDC/ADC Logically assigned	44	0.25
		5 = OTHER Logically assigned	20	0.11
		6 = BOTH Logically assigned	28	0.16
		89 = LEGITIMATE SKIP Logically assigned	594	3.34
		94 = DON'T KNOW	28	0.16
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	186	1.04
		99 = LEGITIMATE SKIP	14942	83.90

LABEL	LEN	DESCRIPTION	FREQ	%
		I-8. In the past 12 months, did (you/ SAMPLE MEMBER) have money in any kind of savings or other bank account that earned interest or did you receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts? Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.		
INT1	2	RESPONDENT RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	7183	40.33
		2 = No	10428	58.55
		4 = No LOGICALLY ASSIGNED	13	0.07
		94 = DON'T KNOW	34	0.19
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	47	0.26
		98 = BLANK (NO ANSWER)	100	0.56
		I-9. In the past 12 months, did any other family member living here have money in any kind of savings or other bank account that earned interest or did they receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts?		
INT2	2	OTHER FAM RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	1574	8.84
		2 = No	7234	40.62
		3 = Yes LOGICALLY ASSIGNED	201	1.13
		4 = No LOGICALLY ASSIGNED	51	0.29
		89 = LEGITIMATE SKIP Logically assigned	3366	18.90
		94 = DON'T KNOW	132	0.74
		97 = REFUSED	28	0.16
		98 = BLANK (NO ANSWER)	434	2.44
		99 = LEGITIMATE SKIP	4789	26.89
		I-10. In the past 12 months, did (you/ SAMPLE MEMBER) receive any child support payments?		
CHD1	2	RESPONDENT RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	993	5.58
		2 = No	16668	93.59
		4 = No LOGICALLY ASSIGNED	13	0.07
		94 = DON'T KNOW	14	0.08
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	105	0.59

LABEL	LEN	DESCRIPTION	FREQ	%
		I-11. In the past 12 months, did any other family member living here receive any child support payments?		
CHD2	2	OTHER FAM RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	619	3.48
		2 = No	13400	75.24
		3 = Yes LOGICALLY ASSIGNED	56	0.31
		4 = No LOGICALLY ASSIGNED	90	0.51
		89 = LEGITIMATE SKIP Logically assigned	634	3.56
		94 = DON'T KNOW	31	0.17
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	16	0.09
		98 = BLANK (NO ANSWER)	733	4.12
		99 = LEGITIMATE SKIP	2229	12.52
		I-12. In the past 12 months, did (you/ SAMPLE MEMBER) receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or sale of a home.		
OTH1	2	RESPONDENT RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	1021	5.73
		2 = No	16674	93.63
		4 = No LOGICALLY ASSIGNED	13	0.07
		94 = DON'T KNOW	17	0.10
		97 = REFUSED	18	0.10
		98 = BLANK (NO ANSWER)	66	0.37

LABEL	LEN	DESCRIPTION	FREQ	%
		I-13. In the past 12 months, did any other family member living here receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or the sale of a home.		
OTH2	2	OTHER FAMILY RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	1004	5.64
		2 = No	13244	74.37
		3 = Yes LOGICALLY ASSIGNED	75	0.42
		4 = No LOGICALLY ASSIGNED	85	0.48
		89 = LEGITIMATE SKIP Logically assigned	551	3.09
		94 = DON'T KNOW	71	0.40
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	18	0.10
		98 = BLANK (NO ANSWER)	609	3.42
		99 = LEGITIMATE SKIP	2151	12.08
		I-14. In the past 12 months, did (you/ SAMPLE MEMBER) or anyone in your family living here receive food stamps?		
FSTAMP	2	ANYONE RECEIVE FOODSTAMPS PAST 12 MONTHS		
		1 = Yes	3146	17.67
		2 = No	14414	80.94
		3 = Yes LOGICALLY ASSIGNED	101	0.57
		4 = No LOGICALLY ASSIGNED	23	0.13
		94 = DON'T KNOW	18	0.10
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	92	0.52

LABEL	LEN	DESCRIPTION	FREQ	%
		I-15. The next two questions are about (your/SAMPLE MEMBER'S) total personal income during the past 12 months from all sources. Include money from your jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income (you/SAMPLE MEMBER) received. Was (your/SAMPLE MEMBER'S) total personal income during the past 12 months more or less than $20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.		
PINC1	2	TOTAL PERSONAL INCOME		
		1 = $20,000 or more	4091	22.97
		2 = Less than $20,000	13411	75.30
		94 = DON'T KNOW	39	0.22
		97 = REFUSED	106	0.60
		98 = BLANK (NO ANSWER)	162	0.91

LABEL	LEN	DESCRIPTION	FREQ	%
		FI CHECKPOINT FF; ARE THERE OTHER FAMILY MEMBERS LIVING IN THIS HOUSEHOLD?		
SKPTFMIN	2	SKIP OVER TOTAL FAM-INCOME TO TELNO, ON OTH-FAMILY		
		1 = Yes	15005	84.26
		2 = No - SKIP	2358	13.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	441	2.48
		I-17. The next two questions are about total family income during the past 12 months from all sources. We would like to combine everyone's income -- that is, yours and your (mother's/father's/ stepmother's/stepfather's/wife's/ husband's/etc.). Include money from all jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income you received. Was the total combined family income during the past 12 months more or less than $20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.		
FINC1	2	TOTAL FAMILY INCOME		
		1 = $20,000 or more	10133	56.90
		2 = Less than $20,000	4832	27.13
		89 = LEGITIMATE SKIP Logically assigned	53	0.30
		94 = DON'T KNOW	348	1.95
		97 = REFUSED	136	0.76
		98 = BLANK (NO ANSWER)	488	2.74
		99 = LEGITIMATE SKIP	1819	10.21

LABEL	LEN	DESCRIPTION	FREQ	%
		I-19. The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		RANGE = 1 - 18	16231	91.14
		0 = No telephone lines	1366	7.67
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	206	1.16

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE IMPUTED DEMOGRAPHICS		
IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	10933	61.39
		2 = No, respondent does not have private health insur.	6876	38.61
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	17493	98.23
		2 = Logically imputed data	196	1.10
		3 = Statistically imputed data	120	0.67
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	13666	76.74
		2 = No, respondent does not have health insurance	4143	23.26
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	17680	99.28
		2 = Logically imputed data	75	0.42
		3 = Statistically imputed data	54	0.30
IRSOC1	1	RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	973	5.46
		2 = No	16836	94.54
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	17716	99.48
		2 = Logically imputed data	9	0.05
		3 = Statistically imputed data	84	0.47
IRSSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	466	2.62
		2 = No	17343	97.38
IISSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	17704	99.41
		2 = Logically imputed data	12	0.07
		3 = Statistically imputed data	93	0.52
IRPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	1613	9.06
		2 = No	16196	90.94
IIPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	17700	99.39
		2 = Logically imputed data	13	0.07
		3 = Statistically imputed data	96	0.54

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP REV		
		1 = AFDC/ADC	1904	10.69
		2 = OTHER	305	1.71
		3 = BOTH	64	0.36
		89 = LEGITIMATE SKIP Logically assigned	594	3.34
		99 = LEGITIMATE SKIP	14942	83.90
IIAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP IND		
		1 = Questionnaire data	1959	11.00
		2 = Logically imputed data	92	0.52
		3 = Statistically imputed data	222	1.25
		9 = LEGITIMATE SKIP	15536	87.24
IRINT1	1	RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	7255	40.74
		2 = No	10554	59.26
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	17611	98.89
		2 = Logically imputed data	13	0.07
		3 = Statistically imputed data	185	1.04
IRCHD1	1	RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	1001	5.62
		2 = No	16808	94.38
IICHD1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	17661	99.17
		2 = Logically imputed data	13	0.07
		3 = Statistically imputed data	135	0.76
IROTH1	1	RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	1026	5.76
		2 = No	16783	94.24
IIOTH1	1	RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	17695	99.36
		2 = Logically imputed data	13	0.07
		3 = Statistically imputed data	101	0.57
IRFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT REV		
		1 = Yes	3259	18.30
		2 = No	14550	81.70
IIFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT IND		
		1 = Questionnaire data	17560	98.60
		2 = Logically imputed data	124	0.70
		3 = Statistically imputed data	125	0.70
IRPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION REVISED		
		1 = $20,000 or more	4142	23.26
		2 = Less than $20,000	13667	76.74

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IIPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	17070	95.85
		2 = Logically imputed data	432	2.43
		3 = Statistically imputed data	307	1.72
IRFINC1	1	TOTAL FAMILY INCOME - IMPUTATION REVISED		
		1 = $20,000 or more	10668	59.90
		2 = Less than $20,000	5269	29.59
		89 = LEGITIMATE SKIP Logically assigned	53	0.30
		99 = LEGITIMATE SKIP	1819	10.21
IIFINC1	1	TOTAL FAMILY INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	14635	82.18
		2 = Logically imputed data	330	1.85
		3 = Statistically imputed data	972	5.46
		9 = LEGITIMATE SKIP	1872	10.51
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	1124	6.31
		2 = No	16685	93.69
IISOC2	1	OTHR FAM RECVED INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	14544	81.67
		2 = Logically imputed data	79	0.44
		3 = Statistically imputed data	583	3.27
		9 = LEGITIMATE SKIP	2603	14.62
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	606	3.40
		2 = No	17203	96.60
IISSI2	1	OTHR FAM RECVED FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	14910	83.72
		2 = Logically imputed data	70	0.39
		3 = Statistically imputed data	586	3.29
		9 = LEGITIMATE SKIP	2243	12.59
IRPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	671	3.77
		2 = No	17138	96.23
IIPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	13854	77.79
		2 = Logically imputed data	97	0.54
		3 = Statistically imputed data	418	2.35
		9 = LEGITIMATE SKIP	3440	19.32
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	1870	10.50
		2 = No	15939	89.50

LABEL	LEN	DESCRIPTION	FREQ	%
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	8808	49.46
		2 = Logically imputed data	252	1.42
		3 = Statistically imputed data	594	3.34
		9 = LEGITIMATE SKIP	8155	45.79
IRCHD2	1	OTHR FAM RECVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	703	3.95
		2 = No	17106	96.05
IICHD2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	14019	78.72
		2 = Logically imputed data	146	0.82
		3 = Statistically imputed data	781	4.39
		9 = LEGITIMATE SKIP	2863	16.08
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
		1 = Yes	1123	6.31
		2 = No	16686	93.69
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	14248	80.00
		2 = Logically imputed data	160	0.90
		3 = Statistically imputed data	699	3.92
		9 = LEGITIMATE SKIP	2702	15.17

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRPEOP	2	TOTAL NUMBER OF PEOPLE IN A HOUSEHOLD		
		RANGE = 1 - 16	17809	100.00
IRKIDS	2	TOT NUM OF CHILDREN (UNDER 12 YRS) IN A HOUSEHOLD		
		RANGE = 1 - 10	8610	48.35
		0 = No children under 12	9199	51.65
RELINTHH	2	OTHER PERSON INTERVIEWED IN THIS HOUSEHOLD		
		0 = No other person in the household was interviewed	14197	79.72
		10 = Spouse	503	2.82
		20 = Parent/Guardian	897	5.04
		21 = Step/Adopted/Foster Parent	29	0.16
		22 = Parent In-Law (Also step-)	3	0.02
		30 = Child	913	5.13
		31 = Step/Adopted/Foster Child	15	0.08
		32 = Child In-Law	3	0.02
		40 = Sibling	528	2.96
		41 = Step/Adopted/Foster Sibling	32	0.18
		42 = Sibling In-Law	40	0.22
		50 = Grandparent	5	0.03
		60 = Live in partner, fiancee	86	0.48
		61 = Friend/Roommate	175	0.98
		70 = Other, Relative	257	1.44
		71 = Other, Non-Relative	87	4.49
		99 = Other, Relation Unspecified	39	0.22

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RECODED DEMOGRAPHICS		
FEMBABY	1	RESP. IS FEMALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17197	96.56
		1 = Yes	612	3.44
FEMKIDS	1	RESP. IS FEMALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	13547	76.07
		1 = Yes	4262	23.93
MALEBABY	1	RESP. IS MALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17488	98.20
		1 = Yes	321	1.80
MALEKIDS	1	RESP. IS MALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	15782	88.62
		1 = Yes	2027	11.38
F15_44	1	RESP. IS FEMALE AGE 15-44		
		0 = No	10295	57.81
		1 = Yes	7514	42.19
M15_44	1	RESP. IS MALE AGE 15-44		
		0 = No	11826	66.40
		1 = Yes	5983	33.60
PREG	1	PREGNANT FEMALES AGE 12-44 - RECODED PREGNANT VAR		
		0 = No	17438	97.92
		1 = Yes	371	2.08
INDCAT	2	TOTAL PERSONAL INCOME RECODE (13 CATEGS.)		
		1 = $0	5286	29.68
		2 = $1-$4,999	2415	13.56
		3 = $5,000-$6,999	1079	6.06
		4 = $7,000-$8,999	841	4.72
		5 = $9,000-$11,999	1285	7.22
		6 = $12,000-$14,999	1137	6.38
		7 = $15,000-$19,999	1624	9.12
		8 = $20,000-$24,999	1124	6.31
		9 = $25,000-$29,999	869	4.88
		10 = $30,000-$39,999	1053	5.91
		11 = $40,000-$49,999	573	3.22
		12 = $50,000-$74,999	375	2.11
		13 = $75,000+	148	0.83
PERINC	1	TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
		1 = $0-$8,999	9621	54.02
		2 = $9,000-$19,999	4046	22.72
		3 = $20,000-$39,999	3046	17.10
		4 = $40,000-$74,999	948	5.32
		5 = $75,000+	148	0.83

LABEL	LEN	DESCRIPTION	FREQ	%
PERINC2	1	TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = $0-9,999	10010	56.21
		2 = $10,000-$19,999	3657	20.53
		3 = $20,000-$29,999	1993	11.19
		4 = $30,000-$39,999	1053	5.91
		5 = $40,000-$49,999	573	3.22
		6 = $50,000-$74,999	375	2.11
		7 = $75,000+	148	0.83
PERINC3	1	TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = $0-$9,999	5467	30.70
		2 = $10,000-$19,999	3584	20.12
		3 = $20,000-$29,999	1951	10.96
		4 = $30,000-$39,999	1040	5.84
		5 = $40,000-$49,999	558	3.13
		6 = $50,000-$74,999	367	2.06
		7 = $75,000+	144	0.81
		8 = 12-17 Years Old	4698	26.38
TOTCAT	2	TOTAL FAMILY INCOME RECODE (13 CATEGORIES)		
		1 = $0	181	1.02
		2 = $1-$4,999	837	4.70
		3 = $5,000-$6,999	692	3.89
		4 = $7,000-$8,999	639	3.59
		5 = $9,000-$11,999	1010	5.67
		6 = $12,000-$14,999	1058	5.94
		7 = $15,000-$19,999	2016	11.32
		8 = $20,000-$24,999	1701	9.55
		9 = $25,000-$29,999	1453	8.16
		10 = $30,000-$39,999	2533	14.22
		11 = $40,000-$49,999	2094	11.76
		12 = $50,000-$74,999	2301	12.92
		13 = $75,000+	1294	7.27
FAMINC	1	TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = $0-$8,999	2349	13.19
		2 = $9,000-$19,999	4084	22.93
		3 = $20,000-$39,999	5687	31.93
		4 = $40,000-$74,000	4395	24.68
		5 = $75,000+	1294	7.27
FAMINC2	1	TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = $0-$9,999	2633	14.78
		2 = $10,000-$19,999	3800	21.34
		3 = $20,000-$29,999	3154	17.71
		4 = $30,000-$39,999	2533	14.22
		5 = $40,000-$49,999	2094	11.76
		6 = $50,000-$74,999	2301	12.92
		7 = $75,000+	1294	7.27

NON-CORE RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
FAMINC3	1	TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = $0-$9,999	1998	11.22
		2 = $10,000-$19,999	2814	15.80
		3 = $20,000-$29,999	2330	13.08
		4 = $30,000-$39,999	1865	10.47
		5 = $40,000-$49,999	1523	8.55
		6 = $50,000-$74,999	1659	9.32
		7 = $75,000+	922	5.18
		8 = 12-17 Years old	4698	26.38
WELFARE	1	ANY FAMILY MEMBER ON WELFARE IN PAST 12 MONTHS		
		1 = Yes, respondent or another fam member on welfare	2284	12.82
		2 = No, there was no one in the family on welfare	15525	87.18

NON-CORE RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RECODED DRUG USE		
STRFLAG	1	ANABOLIC STEROIDS - EVER USED		
		0 = Never used (IRSTRRC = 9)	17688	99.32
		1 = Ever used (IRSTRRC = 1-4)	121	0.68
STRYR	1	ANABOLIC STEROIDS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTRRC = 3,4,9)	17767	99.76
		1 = Used within the past year (IRSTRRC = 1,2)	42	0.24
STRMON	1	ANABOLIC STEROIDS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTRRC = 2-4,9)	17799	99.94
		1 = Used within the past month (IRSTRRC = 1)	10	0.06
NEEDLREC	2	*MOST RECENT TIME USED STM/COC/HER WITH A NEEDLE		
		1 = Within the past month (30 days)	14	0.08
		2 = More than 1 month ago but less than 6 months ago	16	0.09
		3 = 6 or more months ago but less than 1 year ago	13	0.07
		4 = 1 or more years ago but less than 3 years ago	142	0.80
		9 = Use in lifetime LOGICALLY IMPUTED	4	0.02
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	17500	98.26
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK	120	0.67
NDL94REC	2	MOST RECENT TIME USED DRUG WITH A NEEDLE		
		1 = Within the past 30 days	16	0.09
		2 = More than 30 days ago but within the past 12 mths	17	0.10
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	148	0.83
		9 = Use in lifetime LOGICALLY ASSIGNED	27	0.15
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	17438	97.92
		98 = BLANK (NO ANSWER)	149	0.84
NEDFLAG3	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (NDL94REC=91,98)	17587	98.75
		1 = Ever used (NDL94REC=1-9)	222	1.25
NEDYR3	1	NEEDLE USE (ANY DRUG) - PAST YEAR USE		
		0 = Never used (NDL94REC=4-6,9,91,98)	17776	99.81
		1 = Ever used (NDL94REC=1-3,8)	33	0.19
STRYRF	1	STEROIDS YEAR FLAG		
		0 = Never used or did not use in past year (IRSTRFQ=10	17767	99.76
		1 = Any use within the past year (IRSTRFQ=1-9)	42	0.24
STRMONF	1	STEROIDS MONTH FLAG		
		0 = Did not use monthly/more past year (IRSTRFQ=7-9)	17791	99.90
		1 = Used monthly or more often past year (IRSTRFQ=1-6)	18	0.10
STRWKF	1	STEROIDS WEEK FLAG		
		0 = Did not use weekly or more past year (IRSTRFQ=5-10	17799	99.94
		1 = Used weekly or more often past year (IRSTRFQ=1-4)	10	0.06

* The values for codes in this section may be inconsistent with values from the core section(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
STROCCF	1	STEROIDS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRSTRFQ=1-6,10	17785	99.87
		1 = Used past year but less than monthly (IRSTRFQ=7-9)	24	0.13
STRDLYF	1	STEROIDS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr(IRSTRFQ=4-10	17802	99.96
		1 = Used daily/almost daily in past year (IRSTRFQ=1-3)	7	0.04

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RECODED YOUTH CHECKLIST VARIABLES		
		The following variable, WITHDRW, is the sum of the responses (0, 1, or 2) to YALONE, YRFSTALK, YSECRET, YSHY, YNOENRGY, YUNHAPPY, and YINVOTH.		
WITHDRW	2	TOTAL SCORE FOR WITHDRAWN		
		RANGE = 0 - 14	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, SOMCOM, is the sum of the responses (0, 1, or 2) to YFLDIZZY, YFLTIRED, YACHES, YHEADACH, YNAUSEA, YEYEPROB, YRASHES, YCRAMPS, and YVOMIT.		
SOMCOM	2	TOTAL SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 0 - 18	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, ANXDEP, is the sum of the responses (0, 1, or 2) to YFLONELY, YCRYLOT, YTRYKLSF, YAFRBAD, YFLPRFCT, YFLNOLOV, YFLGETME, YFLWTHLS, YNERVOUS, YANXIOUS, YFLGUILT, YSLFCONS, YSUSPICS, YTHKKLSF, YUNHAPPY, and YWORRY.		
ANXDEP	2	TOTAL SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 0 - 30	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, SOCPROB, is the sum of the responses (0, 1, or 2) to YACTYNG, YDPTADLT, YDNTKIDS, YGTEASED, YNOTKIDS, YCLUMSY, YYNGKIDS, and YINVOTH.		
SOCPROB	2	TOTAL SCORE FOR SOCIAL PROBLEMS		
		RANGE = 0 - 16	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, THPROB, is the sum of the responses (0, 1, or 2) to YCNTHGTS, YHRVOICS, YREPACTN, YSEETHNG, YDNTNEED, YDOSTRNG, and YTHSTRNG.		
THPROB	2	TOTAL SCORE FOR THOUGHT PROBLEMS		
		RANGE = 0 - 14	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variable, ATTPROB, is the sum of the responses (0, 1, or 2) to YACTYNG, YTRBCONC, YTRBSIT, YFLCONFU, YDAYDREM, YACTTNK, YNERVOUS, YSCHPOOR, and YCLUMSY.		
ATTPROB	2	TOTAL SCORE FOR ATTENTION PROBLEMS		
		RANGE = 0 - 18	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, DELBEH, is the sum of the responses (0, 1, or 2) to YDNTGLTY, YKIDSTRB, YLIE, YOLDKIDS, YRUNHOME, YSETFIRE, YSTEALHO, YSTEALPL, YDRTLANG, YSKIPSCH, and YUSEDRUG.		
DELBEH	2	TOTAL SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 0 - 22	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variable, AGGBEH, is the sum of the responses (0, 1, or 2) to YARAGUE, YBRAG, YMEANOTH, YTRYATTN, YDSTYTHG, YDSTYOTH, YDSBYSCH, YJEALOTH, YFIGHTS, YATTACK, YSCREAM, YSHOWOFF, YSTUBORN, YMOODS, YTALKMCH, YTEASE, YTEMPER, YTHRTPEO, and YLOUDER.		
AGGBEH	2	TOTAL SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 0 - 38	4626	25.98
		98 = BLANK (NO ANSWER)	72	0.40
		99 = LEGITIMATE SKIP	13111	73.62
		The following variables, WITHDRWT, SOMCOMT, ANXDEPT, SOCPROBT, THPROBT, ATTPROBT, DELBEHT, and AGGBEHT, are T scores which are calculated by a computer-scoring program developed by Achenbach (1991; see introduction, page i-22).		
WITHDRWT	3	T SCORE FOR WITHDRAWN		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
SOMCOMT	3	T SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
ANXDEPT	3	T SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 50 - 95	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
SOCPROBT	3	T SCORE FOR SOCIAL PROBLEMS		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62

NON-CORE RECODED YOUTH CHECKLIST VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
THPROBT	3	T SCORE FOR THOUGHT PROBLEMS		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
ATTPROBT	3	T SCORE FOR ATTENTION PROBLEMS		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
DELBEHT	3	T SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62
AGGBEHT	3	T SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 50 - 100	4626	25.98
		998 = BLANK (NO ANSWER)	72	0.40
		999 = LEGITIMATE SKIP	13111	73.62

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES		
		The following variables, MDESFS1 and MDESFS3, were created by examination of DEPRESS, DEPDAYS, DEPFREQ, LOSTINT1, TIRED1, LBSCHNG1, SLPFREQ1, CONCEN1, DOWN1, IDEAT1, LOSTINT2, TIRED2, LBSCHNG2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2. MDESFS1 requires DEPRESS or LOSTINT2 to have originally been answered as yes. MDESFS3 takes into account logically assigned yes answers for DEPRESS and LOSTINT2.		
MDESFS1	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 1		
		RANGE = 0 - 8	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
MDESFS3	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 2		
		RANGE = 0 - 8	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, PROBMDE1 and PROBMDE3, were created from MDESFS1 and MDESFS3, respectively.		
PROBMDE1	2	PROBABILITY OF CASENESS FOR MDE VERSION 1		
		RANGE = 0.0001 - 0.9100	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
PROBMDE3	2	PROBABILITY OF CASENESS FOR MDE VERSION 2		
		RANGE = 0.0001 - 0.9100	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, MDE1 and MDE3, were created from MDESFS1 and MDESFS3, respectively.		
MDE1	2	MAJOR DEPRESSIVE EPISODE VERSION 1		
		0 = Probable noncase	11915	66.90
		1 = Probable case	1196	6.72
		99 = LEGITIMATE SKIP	4698	26.38
MDE3	2	MAJOR DEPRESSIVE EPISODE VERSION 2		
		0 = Probable noncase	11914	66.90
		1 = Probable case	1197	6.72
		99 = LEGITIMATE SKIP	4698	26.38

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variables, GADSFS1 and GADSFS3, were created by examination of WORRIED, WOREND, WORNOMO1, WORHAPN1, WORSERI1, WORDIFF1, WORNOMO2, WORHAPN2, WORSERI2, WORDIFF2, WORREST, WOREDGE, WORIRRIT, WORHEART, WORTIRED, WORSLEEP, and WORFAINT. GADSFS1 ignores logically assigned values for these variables. GADSFS3 takes into account logically assigned values.		
GADSFS1	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 1		
		RANGE = 0 - 7	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
GADSFS3	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 2		
		RANGE = 0 - 7	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, PROBGAD1 and PROBGAD3, were created from GADSFS1 and GADSFS3, respectively.		
PROBGAD1	2	PROBABILITY OF CASENESS FOR GAD VERSION 1		
		RANGE = 0.0000 - 0.9978	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
PROBGAD3	2	PROBABILITY OF CASENESS FOR GAD VERSION 2		
		RANGE = 0.0000 - 0.9978	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, GAD1 and GAD3, were created from GADSFS1 and GADSFS3, respectively.		
GAD1	2	GENERAL ANXIETY DISORDER VERSION 1		
		0 = Probable noncase	12800	71.87
		1 = Probable case	311	1.75
		99 = LEGITIMATE SKIP	4698	26.38
GAD3	2	GENERAL ANXIETY DISORDER VERSION 2		
		0 = Probable noncase	12790	71.82
		1 = Probable case	321	1.80
		99 = LEGITIMATE SKIP	4698	26.38

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variables, AGPSFS1 and AGPSFS3, were created by examination of FEARPUB, FEAROUT, FEARBRDG, FEAROFT, FEARYRS, FEARMOS, FEARFANT, FEARTRAP, and FEARHELP. AGPSFS1 ignores logically assigned values for these variables. AGPSFS3 takes into account logically assigned values.		
AGPSFS1	2	AGORAPHOBIA SHORT FORM SCORE 1		
		RANGE = 0 - 4	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
AGPSFS3	2	AGORAPHOBIA SHORT FORM SCORE 2		
		RANGE = 0 - 4	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, PROBAGP1 and PROBAGP3, were created from AGPSFS1 and AGPSFS3, respectively.		
PROBAGP1	2	PROBABILITY OF CASENESS FOR AGORA VERSION 1		
		RANGE = 0.0000 - 1.0000	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
PROBAGP3	2	PROBABILITY OF CASENESS FOR AGORA VERSION 2		
		RANGE = 0.0000 - 1.0000	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, AGP1 and AGP3, were created from AGPSFS1 and AGPSFS3, respectively.		
AGP1	2	AGORAPHOBIA VERSION 1		
		0 = Probable noncase	12765	71.68
		1 = Probable case	346	1.94
		99 = LEGITIMATE SKIP	4698	26.38
AGP3	2	AGORAPHOBIA VERSION 2		
		0 = Probable noncase	12765	71.68
		1 = Probable case	346	1.94
		99 = LEGITIMATE SKIP	4698	26.38

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variables, PASFS1 and PASFS3, were created by examination of PANIC1, PANIC2, PANIDANG, PANIFEAR, PANINOFR, PANIHART, PANIPAIN, PANISWET, PANISHAK, PANIHOT, and PANIUNRL. PASFS1 ignores logically assigned values for these variables. PASFS3 takes into account logically assigned values.		
PASFS1	2	PANIC ATTACK SHORT FORM SCORE 1		
		RANGE = 0 - 6	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
PASFS3	2	PANIC ATTACK SHORT FORM SCORE 2		
		RANGE = 0 - 6	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, PROBPA1 and PROBPA3, were created from PASFS1 and PASFS3, respectively.		
PROBPA1	2	PROBABILITY OF CASENESS FOR PANIC VERSION 1		
		RANGE = 0.0000 - 1.0000	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
PROBPA3	2	PROBABILITY OF CASENESS FOR PANIC VERSION 2		
		RANGE = 0.0000 - 1.0000	13111	73.62
		99 = LEGITIMATE SKIP	4698	26.38
		The following variables, PA1 and PA3, were created from PASFS1 and PASFS3, respectively.		
PA1	2	PANIC ATTACK VERSION 1		
		0 = Probable noncase	12684	71.22
		1 = Probable case	427	2.40
		99 = LEGITIMATE SKIP	4698	26.38
PA3	2	PANIC ATTACK VERSION 2		
		0 = Probable noncase	12684	71.22
		1 = Probable case	427	2.40
		99 = LEGITIMATE SKIP	4698	26.38

LABEL	LEN	DESCRIPTION	FREQ	%
		INTERVIEW INFORMATION		
INTMONTH	2	EDITED INTERVIEW MONTH		
BHOUR	2	BEGINNING HOUR OF INTERVIEW		
BMIN	2	BEGINNING MINUTE OF INTERVIEW		
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
EHOUR	2	HOUR WHEN INTERVIEW WAS FINISHED		
EMIN	2	MINUTE WHEN INTERVIEW WAS FINISHED		
EAP	2	AM OR PM WHEN INTERVIEW WAS FINISHED		
LANGVER	2	LANGUAGE VERSION		
		1 = Engish	16429	92.25
		2 = Spanish	1378	7.74
		98 = BLANK (NO ANSWER)	2	0.01

LABEL	LEN	DESCRIPTION	FREQ	%
		FI-2. Estimate the respondent's understanding of the interview.		
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty--no language or reading problem	14380	80.75
		2 = Just a little difficulty--almost no lang/read prob	2022	11.35
		3 = A fair amount of difficulty--some lang/read probs	702	3.94
		4 = A lot of difficulty--considerable lang/read probs	277	1.56
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	426	2.39
		FI-3. How cooperative has the respondent been?		
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative	15650	87.88
		2 = Fairly cooperative	1559	8.75
		3 = Not very cooperative	278	1.56
		4 = Openly hostile	33	0.19
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	288	1.62
		FI-4. Indicate on this scale of 01 through 09 how private the interview was.		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	10737	60.29
		2 = ...	592	3.32
		3 = Minor distractions	2881	16.18
		4 = ...	182	1.02
		5 = Person(s) in the room or listening 1/3 of time ...	1223	6.87
		6 = ...	82	0.46
		7 = Serious interruption of privacy more than 1/2 time	235	1.32
		8 = ...	26	0.15
		9 = Constant presence of other person(s)	1369	7.69
		85 = BAD DATA Logically assigned	89	0.50
		96 = MULTIPLE RESPONSE	163	0.92
		98 = BLANK (NO ANSWER)	230	1.29

LABEL	LEN	DESCRIPTION	FREQ	%
		FI-5. Others present or listening to the interview were ... (MARK ALL THAT APPLY.)		
PPRES	2	PARENT(S)		
		1 = Response marked	2162	12.14
		98 = BLANK (NO ANSWER)	4910	27.57
		99 = LEGITIMATE SKIP	10737	60.29
SPRES	2	SPOUSE		
		2 = Response marked	1198	6.73
		98 = BLANK (NO ANSWER)	5874	32.98
		99 = LEGITIMATE SKIP	10737	60.29
PARPRES	2	LIVE-IN PARTNER/BOYFRIEND/GIRLFRIEND		
		3 = Response marked	210	1.18
		98 = BLANK (NO ANSWER)	6862	38.53
		99 = LEGITIMATE SKIP	10737	60.29
OARPRES	2	OTHER ADULT RELATIVE(S)		
		4 = Response marked	664	3.73
		98 = BLANK (NO ANSWER)	6408	35.98
		99 = LEGITIMATE SKIP	10737	60.29
OAPRES	2	OTHER ADULT(S)		
		5 = Response marked	607	3.41
		98 = BLANK (NO ANSWER)	6465	36.30
		99 = LEGITIMATE SKIP	10737	60.29
CPRES	2	CHILD(REN) UNDER 15		
		6 = Response marked	2707	15.20
		98 = BLANK (NO ANSWER)	4365	24.51
		99 = LEGITIMATE SKIP	10737	60.29
OPRESNSP	2	OTHER (PEOPLE PRESENT/LISTENING DURING INT)SPECIFY		
		7 = Response marked	345	1.94
		98 = BLANK (NO ANSWER)	6727	37.77
		99 = LEGITIMATE SKIP	10737	60.29

LABEL	LEN	DESCRIPTION	FREQ	%
OPRESSPA	3	OTHER PERSON PRESENT DURING INTERVIEW - 1ST MENT		
		37 = Child, Relation Unspecified	14	0.08
		40 = Sibling	2	0.01
		61 = Friend/Roommate/Companion	69	0.39
		71 = Cousin/Cousin's Spouse	3	0.02
		82 = Housekeeper/Maid/Caretaker/Butler	1	0.01
		84 = Neighbor/Co-Worker/Visitor	7	0.04
		85 = Landlord/Home Owner	1	0.01
		90 = Other Relative, Gender not specified	1	0.01
		91 = Other Non-Relative, Gender not specified	9	0.05
		110 = Husband	2	0.01
		120 = Father/Male Guardian	2	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	2	0.01
		130 = Son	16	0.09
		132 = Son In-Law	1	0.01
		133 = Grandson	1	0.01
		140 = Brother/Half Brother	24	0.13
		150 = Grandfather/Great+ Grandfather	4	0.02
		161 = Male Fiance/Boyfriend/Roommate/Companion	9	0.05
		170 = Uncle/Step Uncle/Aunt's Husband	1	0.01
		172 = Nephew	1	0.01
		191 = Other Male Non-Relative	2	0.01
		220 = Mother/Female Guardian	10	0.06
		221 = Step/Adopted/Foster Mother/Future Step Mother	1	0.01
		222 = Mother/Step Mother/Future Mother In-Law	1	0.01
		230 = Daughter	18	0.10
		231 = Step/Adopted/Foster Daughter	1	0.01
		232 = Daughter In-Law	1	0.01
		240 = Sister/Half Sister	27	0.15
		242 = Sister In-Law	2	0.01
		250 = Grandmother/Great+ Grandmother	21	0.12
		261 = Female Fiancee/Girlfriend/Roommate/Companion	11	0.06
		270 = Aunt	5	0.03
		290 = Other Female Relative	1	0.01
		337 = Children, Relation Unspecified	8	0.04
		350 = Grandparents/Great+ Grandparents	3	0.02
		361 = Friends/Roommates/Companions	22	0.12
		371 = Cousins/Cousins' Spouses	3	0.02
		382 = Housekeepers/Maids/Caretakers/Butlers	1	0.01
		384 = Neighbors/Co-Workers/Visitors	8	0.04
		391 = Other Non-Relatives, Gender not specified	17	0.10
		392 = Others, Relation and Gender Unspecified	7	0.04
		440 = Brothers/Half Brothers	1	0.01
		530 = Daughters	1	0.01
		540 = Sisters/Half Sisters	2	0.01
		900 = NOT A PERSON	46	0.26
		985 = BAD DATA Logically assigned	2	0.01
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	6680	37.51
		999 = LEGITIMATE SKIP	10736	60.28

LABEL	LEN	DESCRIPTION	FREQ	%
OPRESSPB	3	OTHER PERSON PRESENT DURING INTERVIEW - 2ND MENT		
		61 = Friend/Roommate/Companion	1	0.01
		91 = Other Non-Relative, Gender not specified	1	0.01
		132 = Son In-Law	1	0.01
		230 = Daughter	2	0.01
		232 = Daughter In-Law	1	0.01
		240 = Sister/Half Sister	1	0.01
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1	0.01
		270 = Aunt	1	0.01
		391 = Other Non-Relatives, Gender not specified	1	0.01
		392 = Others, Relation and Gender Unspecified	1	0.01
		998 = BLANK (NO ANSWER)	7061	39.65
		999 = LEGITIMATE SKIP	10737	60.29

FI-6. Who marked the responses on the Answer Sheets? (MARK ONLY ONE BOX.)

WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked all the Answer Sheet responses	17204	96.60
		2 = Interviewer marked all the Answer Sheet responses	227	1.27
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	375	2.11
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	4545	25.52
		2 = Quarter 2	4351	24.43
		3 = Quarter 3	4578	25.71
		4 = Quarter 4	4335	24.34

The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not, based on the household roster from the screening form.

FAMSKIP	1	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household	15937	89.49
		1 = Respondent didn't have other family in household	1872	10.51
GQTYPE	1	TYPE OF GROUP QUARTERS		
		1 = Halfway house	6	0.03
		9 = Not Group Quarters	17626	98.97
		? = Group Quarter Unit/Type Unknown	5	0.03
		B = Boarding House	9	0.05
		C = College Dorm	128	0.72
		O = Other	20	0.11
		S = Shelter	15	0.08

LABEL	LEN	DESCRIPTION	FREQ	%
		GEOGRAPHIC		
		The variables, PDEN and PDEN2 are based on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons ..	9006	50.57
		2 = Segment in a MSA with fewer than 1 million persons	5093	28.60
		3 = Segment not in MSA	3710	20.83
PDEN2	1	POPULATION DENSITY - FIVE LEVELS		
		1 = Segment in MSA with 1 million or more persons	9006	50.57
		2 = Segm. in a MSA from 250000 to 999999 persons	4090	22.97
		3 = Segment in a MSA with fewer than 250000 persons ..	1003	5.63
		4 = Segment not in a MSA and not in a rural area	1482	8.32
		5 = Segment not in a MSA and in a rural area	2228	12.51
REGION	1	CENSUS REGION		
		1 = Northeast	3138	17.62
		2 = North Central	3700	20.78
		3 = South	6797	38.17
		4 = West	4174	23.44
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England	585	3.28
		2 = Middle Atlantic	2553	14.34
		3 = East North Central	2365	13.28
		4 = West North Central	1335	7.50
		5 = South Atlantic	4422	24.83
		6 = East South Central	305	1.71
		7 = West South Central	2070	11.62
		8 = Mountain	1130	6.35
		9 = Pacific	3044	17.09
		The following variable, RURORURB, is based on the 1990 Census data. For each Census tract, if the rural population is equal to the total population, the tract is considered to be rural. Otherwise, the tract is considered to be urban.		
RURORURB	1	RURAL OR URBAN SEGMENT		
		1 = Rural	3490	19.60
		2 = Urban	14319	80.40

LABEL	LEN	DESCRIPTION	FREQ	%
		SAMPLE WEIGHTING AND ESTIMATION VARIABLES		
VESTR	4	VARIANCE STRATUM		
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM		
		The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about the survey's target population or about any subgrouping of the target population.		
ANALWT	8	FINAL PERSON-LEVEL SAMPLE WEIGHT, = (WT1*...*WT12)		
ANALWT1	8	ANALYSIS WEIGHT FOR QUARTER 1		
ANALWT2	8	ANALYSIS WEIGHT FOR QUARTER 2		
ANALWT3	8	ANALYSIS WEIGHT FOR QUARTER 3		
ANALWT4	8	ANALYSIS WEIGHT FOR QUARTER 4		
WT1	8	PSU WEIGHT		
WT2	8	SEGMENT WEIGHT		
WT3	8	QUARTER SEGMENT WEIGHT ADJUSTMENT		
WT4	8	SUBSEGMENTATION INFLATION WEIGHT		
WT5	8	LISTING UNIT WEIGHT		
WT6	8	DU POST STRATIFICATION ADJUSTMENT		
WT7	8	DU NONRESPONSE ADJUSTMENT		
WT8	8	INVERSE OF THE PROB OF SELECTION PERSON		
WT9	8	INVERSE OF THE PROB OF SELECT WITHIN AGE		
WT10	8	PERSON WEIGHT TRIMMING ADJUSTMENT		
WT11	8	PERSON NONRESPONSE/ROSTER ADJUSTMENT		
WT12	8	PERSON POST-STRATIFICATION		

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1994 report. These variables consist of recodes of previous codebook variables.

There are two sections of recodes of previous codebook variables: 1) recodes of drug use and demographic variables for Main Findings 1994 report chapters 1-11, and 2) recodes of mental health, drug use, and demographic variables for Main Findings 1994 report chapter 12. For most of the recodes the source variables are used to define a new variable. The source variables and recode instructions are given either in parentheses after the variable definition, or in a comment directly above the variable definition.

LABEL	LEN	DESCRIPTION	FREQ	%
		RECODES FOR MAIN FINDINGS		
AEROS2	2	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = NO	17677	99.26
		1 = YES	132	0.74
ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS		
		1 = None or never used alcohol (ALCDAYS = 0,81,91,93)	9129	51.26
		2 = 1-2 days (ALCDAYS = 1-2)	2949	16.56
		3 = 3-4 days (ALCDAYS = 3-4)	1608	9.03
		4 = 5-19 days (ALCDAYS = 5-19)	2345	13.17
		5 = 20-30 days (ALCDAYS = 20-31)	710	3.99
		6 = Don't know, bad data, or blank (no answer)	1068	6.00
ALCDAYS3	2	#DAYS HAD 1 OR MORE DRINKS IN PAST 30 DAYS		
		1 = 0	9129	51.26
		2 = 1-4	4557	25.59
		3 = 5-19	2345	13.17
		4 = 20-31	710	3.99
		6 = UNKNOWN	1068	6.00
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED		
		0 = No	11091	62.28
		1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	6718	37.72
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE		
		0 = No	16370	91.92
		1 = Yes (ALCMON=1 AND SUMMON=1)	1439	8.08
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE		
		0 = No	15104	84.81
		1 = Yes (ALCYR=1 AND SUMYR=1)	2705	15.19
ALCMON2	1	ALCOHOL - PAST MONTH USE		
		1 = Did not use in the past month (ALCMON = 0)	8937	50.18
		2 = Used within the past month (ALCMON = 1)	8872	49.82
ALCMRJL	1	ALCOHOL & MARIJUANA - EVER USED		
		0 = No	14905	83.69
		1 = Yes (ALCFLAG,MRJFLAG=1 AND ALL OTHER SOURCE VAR=0)	2904	16.31
ALCMRJM	1	ALCOHOL & MARIJUANA - PAST MONTH USE		
		0 = No	16921	95.01
		1 = Yes (ALCMON & MRJMON=1 AND ALL OTHER SOURCE VAR=0)	888	4.99
ALCMRJY	1	ALCOHOL & MARIJUANA - PAST YEAR USE		
		0 = No	16422	92.21
		1 = Yes (ALCYR AND MRJYR=1 AND ALL OTHER SOURCE VAR=0)	1387	7.79
ALCONLYL	1	ONLY ALCOHOL - EVER USED		
		0 = No	11140	62.55
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0)	6669	37.45
ALCONLYM	1	ONLY ALCOHOL - PAST MONTH USE		
		0 = No	10376	58.26
		1 = Yes (ALCMON=1 AND SUMMON=0)	7433	41.74

LABEL	LEN	DESCRIPTION	FREQ	%
ALCONLYY	1	ONLY ALCOHOL - PAST YEAR USE		
		0 = No	9149	51.37
		1 = Yes (ALCYR=1 AND SUMYR=0)	8660	48.63
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED		
		0 = No	14312	80.36
		1 = Yes (ALCFLAG=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	3497	19.64
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE		
		0 = No	17359	97.47
		1 = Yes (ALCMON=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	450	2.53
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE		
		0 = No	16735	93.97
		1 = Yes (ALCYR=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	1074	6.03
ALCPROBS	2	ANY PROBLEMS DUE TO ALCOHOL		
		0 = No	12225	68.65
		1 = Yes	5584	31.35
		(1 IF IRWCALC2 = 1 OR IRBTALC2 = 1 OR IRGRALC2 = 1 OR IRLAALC2 = 1 OR IRSFALC2 = 1 OR IRPBALC2 = 1)		
ALC2PROB	2	ANY 2 PROBLEMS DUE TO ALCOHOL		
		0=NO	15019	84.33
		1=YES	2790	15.67
ALC3PROB	2	ANY 3 PROBLEMS DUE TO ALCOHOL		
		0=NO	16095	90.38
		1=YES	1714	9.62
ALCPSYL	1	ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	17492	98.22
		1 = Yes (ALCFLAG,PSYFLAG2=1 & ALL OTHER SOURCE VAR=0)	317	1.78
ALCPSYM	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	17708	99.43
		1 = Yes (ALCMON & PSYMON2=1 & ALL OTHER SOURCE VAR=0)	101	0.57
ALCPSYY	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	17565	98.63
		1 = Yes (ALCYR & PSYYR2=1 AND ALL OTHER SOURCE VAR=0)	244	1.37
ALCTRY2	2	AGE HAD FIRST DRINK OF ALCOHOL		
		RANGE = 2 - 65	13281	74.57
		99 = LEGITIMATE SKIP	4528	25.43
AMYLNIT2	2	EVER INHALED AMYL NITRATE/LOCKER RM ODORIZER/RUSH		
		0 = NO	17282	97.04
		1 = YES	527	2.96
ANALAGE2	2	AGE FIRST USED ANALGESICS NON-MED		
		RANGE 3 - 50	1001	5.62
		99 = LEGITIMATE SKIP	16808	94.38

LABEL	LEN	DESCRIPTION	FREQ	%
AVCIG2	2	#CIGARETTES SMOKED PER DAY IN LAST 30 DAYS		
		1 = 0	11252	63.18
		2 = 1-3	4205	23.61
		3 = 4-6	2174	12.21
		4 = UNKNOWN	178	1.00
AVCIG3	1	# CIG. SMOKED PER DAY LAST 30		
		0 = None/never/< pack a day (AVCIG=1-3,81,89,91,98,99)	15635	87.79
		1 = Currently smoke a pack or more per day (AVCIG=4-6)	2174	12.21
CIGMON2	1	CIGARETTES - PAST MONTH USE		
		1 = Did not use in past month (CIGMON = 0)	11254	63.19
		2 = Used within past month (CIGMON = 1)	6555	36.81
CIGPROBS	2	ANY PROBLEMS DUE TO CIGARETTES		
		0 = NO	12113	68.02
		1 = YES	5696	31.98
		(1 IF IRWCCIG2 = 1 OR IRBTCIG2 = 1 OR IRGRCIG2 = 1 OR IRLACIG2 = 1 OR IRSFCIG2 = 1 OR IRPBCIG2 = 1)		
CIG2PROB	2	ANY 2 PROBLEMS DUE TO CIGARETTES		
		0=NO	13815	77.57
		1=YES	3994	22.43
CIG3PROB	2	ANY 3 PROBLEMS DUE TO CIGARETTES		
		0=NO	14937	83.87
		1=YES	2872	16.13
CIGTRY2	2	AGE FIRST TRIED A CIGARETTE		
		RANGE = 2 - 68	11593	65.10
		99 = LEGITIMATE SKIP	6207	34.90
CLEFLU2	2	EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD		
		0 = NO	17659	99.16
		1 = YES	150	0.84
COCAGE2	2	AGE FIRST USED COCAINE		
		RANGE = 7 - 49	2222	12.48
		99 = LEGITIMATE SKIP	15587	87.52

LABEL	LEN	DESCRIPTION	FREQ	%
COCPROBS	2	ANY PROBLEMS DUE TO COCAINE		
		0 = NO	17383	97.61
		1 = YES	426	2.39
		(1 IF IRWCCOC2 = 1 OR IRBTCOC2 = 1 OR IRGRCOC2 = 1 OR IRLACOC2 = 1 OR IRSFCOC2 = 1 OR IRPBCOC2 = 1)		
COC2PROB	2	ANY 2 PROBLEMS DUE TO COCAINE		
		0=NO	17559	98.60
		1=YES	250	1.40
COC3PROB	2	ANY 3 PROBLEMS DUE TO COCAINE		
		0=NO	17660	99.16
		1=YES	149	0.84
COCTOT2	1	# DAYS USED COCAINE IN LIFE		
		1 = Never used	15574	87.45
		2 = 1-21 days	663	3.72
		3 = 3-11 days	565	3.17
		4 = 12-100 days	571	3.21
		5 = 101+ day	427	2.40
		6 = Used, but don't know number of times	9	0.05
COCTOT3	2	#DAYS USED COCAINE IN LIFE		
		1 = 1-2 days	663	3.72
		2 = 3-11 days	565	3.17
		3 = 12-100 days	571	3.21
		4 = 101+ days	427	2.40
		5 = Never used	15574	87.45
DRALHELP	2	TREATMENT RECEIVED FOR DRUGS OR ALCOHOL		
		0 = NO (TRMTHLP2 = 0 OR DRNKHLP2 = 0)	17453	98.00
		1 = YES (TRMTHLP2 = 1 OR DRNKHLP2 = 1)	356	2.00
DRINKER2	2	DRANK ALCOHOL IN PAST 30 DAYS		
		0 = NO	8937	50.18
		1 = YES (DR5DAY = 1-30,35 OR ALCMON = 1)	8872	49.82
DRNKHLP2	2	TREATMENT RECEIVED FOR ALCOHOL- RECODE		
		0 = NO	17488	98.20
		1 = YES	321	1.80
		(1 = YES IF TXALHOSP = 1,3 OR TXALRFIN = 1,3 OR TXALRFOP = 1,3 OR TXALMHC = 1,3 OR TXALEMRG = 1,3 OR TXALDOC = 1,3 OR TXALJAIL = 1,3 OR TXALSHG = 1,3 OR TXALSOP = 1,3)		
ECSTASY2	2	EVER USED ECSTASY		
		0 = NO	17560	98.60
		1 = YES	249	1.40
ETHER2	2	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		0 = NO	17764	99.75
		1 = YES	45	0.25

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
GAS2	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = NO	17533	98.45
		1 = YES	276	1.55
GLUE2	2	EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
		0 = NO	17543	98.51
		1 = YES	266	1.49
HALLAGE2	2	AGE FIRST USED HALLUCINOGENS		
		RANGE = 2 - 37	1699	9.54
		99 = LEGITIMATE SKIP	16110	90.46
HERAGE2	2	AGE FIRST USED HEROIN		
		RANGE = 9 - 52	224	1.26
		99 = LEGITIMATE SKIP	17585	98.74
HLTINAL2	2	ALCOHOL ABUSE COVERED IN PRIVATE PLAN		
		0 = UNKNOWN	11163	62.68
		1 = YES	5345	30.01
		2 = NO	1301	7.31
HLTINDR2	2	DRUG ABUSE COVERED IN PRIVATE PLAN		
		0 = UNKNOWN	11213	62.96
		1 = YES	5248	29.47
		2 = NO	1348	7.57
ILLONLYL	1	ONLY ILLICIT DRUGS - EVER USED		
		0 = No	17575	98.69
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	234	1.31
ILLONLYM	1	ONLY ILLICIT DRUGS - PAST MONTH USE		
		0 = No	17599	98.82
		1 = Yes (SUMMON=1 AND ALCMON=0)	210	1.18
ILLONLYY	1	ONLY ILLICIT DRUGS - PAST YEAR USE		
		0 = No	17603	98.84
		1 = Yes (SUMYR=1 AND ALCYR=0)	206	1.16
INHAGE2	2	AGE FIRST SNIFFED INHALANT		
		RANGE = 3 - 40	1211	6.80
		99 = LEGITIMATE SKIP	16598	93.20

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
INHYR2	2	RECODE INHYR FOR ADULTS		
		1 = USED IN PAST YEAR	140	0.79
		2 = NOT USED IN PAST YEAR	12971	72.83
		99 = 12-17 YEAR OLDS	4698	26.38
LGAS2	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = NO	17726	99.53
		1 = YES	83	0.47
LSD2	2	EVER USED LSD		
		0 = NO	16410	92.14
		1 = YES	1399	7.86
MESC2	2	EVER USED MESCALINE		
		0 = NO	17385	97.62
		1 = YES	424	2.38
MJAGE2	2	AGE FIRST USED MARIJUANA		
		RANGE 2 - 76	6187	34.74
		99 = LEGITIMATE SKIP	11622	65.26
MJDY30A2	1	# DAYS USED MARIJUANA IN PAST 30 DAYS		
		1 = None/never used marijuana (MJDAY30A = 0,81,91,93)	16507	92.69
		2 = 1-2 days (MJDAY30A = 1-2)	460	2.58
		3 = 3-4 days (MJDAY30A = 3-4)	193	1.08
		4 = 5-19 days (MJDAY30A = 5-19)	338	1.90
		5 = 20-30 days (MJDAY30A = 20-30)	242	1.36
		6 = Unknown (MJDAY30A = 85,94,95,98)	69	0.39
MJDY30A3	2	#DAYS USED MARIJUANA/HASHISH IN PAST 30 DAYS		
		1 = 1-2	460	2.58
		2 = 3-4	193	1.08
		3 = 5-19	338	1.90
		4 = 20-31	242	1.36
		5 = 0	16507	92.69
		6 = UNKNOWN	69	0.39
MJPROBS	2	ANY PROBLEMS DUE TO MARIJUANA		
		0 = NO	16305	91.55
		1 = YES	1504	8.45
		(1 IF IRWCMRJ2 = 1 OR IRBTMRJ2 = 1 OR IRGRMRJ2 = 1 OR IRLAMRJ2 = 1 OR IRSFMRJ2 = 1 OR IRPBMRJ2 = 1)		
MRJ2PROB	2	ANY 2 PROBLEMS DUE TO MARIJUANA		
		0=NO	16948	95.17
		1=YES	861	4.83
MRJ3PROB	2	ANY 3 PROBLEMS DUE TO MARIJUANA		
		0=NO	17297	97.13
		1=YES	512	2.87
MJTOT2	1	# DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = Never used	11581	65.03
		2 = 1-2 days	1659	9.32
		3 = 3-11 days	1312	7.37
		4 = 12-100 days	1460	8.20
		5 = 101+ days	1755	9.85
		6 = Used, but don't know number of times	42	0.24

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
MJTOT3	2	#DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = 1-2 days	1659	9.32
		2 = 3-11 days	1312	7.37
		3 = 12-100 days	1460	8.20
		4 = 101+ days	1755	9.85
		5 = Never used	11581	65.03
MRJMON2	1	MARIJUANA - PAST MONTH USE		
		1 = Did not use in past month (MRJMON = 0)	16485	92.57
		2 = Used within the past month (MRJMON = 1)	1324	7.43
MRJONLYL	1	ONLY MARIJUANA - EVER USED		
		0 = No	17730	99.56
		1 = Yes (MJOFLAG=1 AND ALCFLAG=0)	79	0.44
MRJONLYM	1	ONLY MARIJUANA - PAST MONTH USE		
		0 = No	17714	99.47
		1 = Yes (MJOMON2=1 AND ALCMON=0)	95	0.53
MRJONLYY	1	ONLY MARIJUANA - PAST YEAR USE		
		0 = No	17737	99.60
		1 = Yes (MJOYR2=1 AND ALCYR=0)	72	0.40
NITOXID2	2	EVER INHALED NITROUS OXIDE/WHIPPETS		
		0 = NO	17392	97.66
		1 = YES	417	2.34
NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH		
		0 = No (ALL SOURCE VARIABLES = 0)	17143	96.26
		1 = Yes (ANY SOURCE VARIABLES = 1)	666	3.74
OTHONLYL	1	ONLY OTHER DRUGS AND DRUG COMB. - EVER USED		
		0 = No	17736	99.59
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	73	0.41
OTHONLYM	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE		
		0 = No	17751	99.67
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	58	0.33
OTHONLYY	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE		
		0 = No	17747	99.65
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	62	0.35
PCP2	2	EVER USED PCP		
		0 = NO	17221	96.70
		1 = YES	588	3.30

LABEL	LEN	DESCRIPTION	FREQ	%
PEYOTE2	2	EVER USED PEYOTE		
		0 = NO	17564	98.62
		1 = YES	245	1.38
PRVHLIN2	2	HAS PRIVATE HEALTH INSURANCE		
		0 = UNKNOWN	120	0.67
		1 = YES	10856	60.96
		2 = NO	6833	38.37
PSILCY2	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = NO	17032	95.64
		1 = YES	777	4.36
PSYAGE	2	AGE FIRST USED PSYCHOTHERAPEUTICS		
		RANGE = 3 - 50	1682	9.44
		99 = LEGITIMATE SKIP	16127	90.56
PSYONLYL	1	ONLY PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	17727	99.54
		1 = Yes (PSYFLAG2=1 AND ALL OTHER SOURCE VARS=0)	82	0.46
PSYONLYM	1	ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	17752	99.68
		1 = Yes (PSYMON2=1 AND ALL OTHER SOURCE VARS=0)	57	0.32
PSYONLYY	1	ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	17737	99.60
		1 = Yes (PSYYR2=1 AND ALL OTHER SOURCE VARS=0)	72	0.40
RACESEX	2	RACE AND SEX COMBINED		
		1 = White male (SEX = 1 and RACE = 1)	3928	22.06
		2 = Black male (SEX = 1 and RACE = 2)	1587	8.91
		3 = Hispanic male (SEX = 1 and RACE = 3)	2230	12.52
		4 = White female (SEX = 2 and RACE = 1)	4735	26.59
		5 = Black female (SEX = 2 and RACE = 2)	2423	13.61
		6 = Hispanic female (SEX = 2 and RACE = 3)	2476	13.90
		99 = Other males and females (SEX=1 or 2 and RACE=4)	430	2.41
RACESEX2	1	RACE AND SEX COMBINED		
		1 = White male (SEX = 1 and RACE = 1)	3928	22.06
		2 = Black male (SEX = 1 and RACE = 2)	1587	8.91
		3 = Hispanic male (SEX = 1 and RACE = 3)	2230	12.52
		4 = Other male (SEX = 1 and RACE = 4)	205	1.15
		5 = White female (SEX = 2 and RACE = 1)	4735	26.59
		6 = Black female (SEX = 2 and RACE = 2)	2423	13.61
		7 = Hispanic female (SEX = 2 and RACE = 3)	2476	13.90
		8 = Other female (SEX = 2 and RACE = 4)	225	1.26

LABEL	LEN	DESCRIPTION	FREQ	%
SEDAGE2	2	AGE FIRST USED SEDATIVE NON-MED		
		RANGE = 8 - 39	393	2.21
		99 = LEGITIMATE SKIP	17416	97.79
SOLVENT2	2	EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
		0 = NO	17672	99.23
		1 = YES	137	0.77
SPPAINT2	2	EVER INHALED SPRAY PAINTS		
		0 = NO	17657	99.15
		1 = YES	152	0.85
STIMAGE2	2	AGE FIRST USED STIMULANT NON-MED		
		RANGE = 4 - 44	701	3.94
		99 = LEGITIMATE SKIP	17108	96.06
SUB1LIF	1	USED ONLY 1 SUBSTANCE - EVER		
		0 = No	10936	61.41
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	6873	38.59
SUB1MON	1	USED ONLY 1 SUBSTANCE - PAST MONTH		
		0 = No	10196	57.25
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	7613	42.75
SUB1YR	1	USED ONLY 1 SUBSTANCE - PAST YEAR		
		0 = No	8971	50.37
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	8838	49.63
SUB2LIF	1	USED ONLY 2 SUBSTANCES - EVER		
		0 = No	14362	80.64
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	3447	19.36
SUB2MON	1	USED ONLY 2 SUBSTANCES - PAST MONTH		
		0 = No	16682	93.67
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	1127	6.33
SUB2YR	1	USED ONLY 2 SUBSTANCES - PAST YEAR		
		0 = No	15965	89.65
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	1844	10.35
SUB3LIF	1	USED 3 OR MORE SUBSTANCES - EVER		
		0 = No	14508	81.46
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	3301	18.54
SUB3MON	1	USED 3 OR MORE SUBSTANCES - PAST MONTH		
		0 = No	17467	98.08
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	342	1.92

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
SUB3YR	1	USED 3 OR MORE SUBSTANCES - PAST YEAR		
		0 = No	16920	95.01
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	889	4.99
TRANAGE2	2	AGE FIRST USED TRANQUILIZER NON-MED		
		RANGE = 8 - 62	717	4.03
		99 = LEGITIMATE SKIP	17092	95.97
TRMTHLP2	2	TREATMENT RECEIVED FOR DRUGS- RECODE		
		0 = NO	17603	98.84
		1 = YES	206	1.16
		(1 = YES IF TXDRHOSP = 1,3 OR TXDRFIN = 1,3 OR TXDRFOP = 1,3 OR TXDRMHC = 1,3 OR TXDREMRG = 1,3 OR TXDRDOC = 1,3 OR TXDRJAIL = 1,3 OR TXDRSHG = 1,3 OR TXDRSOP = 1,3)		

LABEL	LEN	DESCRIPTION	FREQ	%
		MENTAL HEALTH VARIABLES (RECODED)		
AGE	2	RECODE FOR ADOLESCENT MENTAL HEALTH		
		1 = 12-13 (IRAGE = 12 OR 13)	1607	9.02
		2 = 14-15 (IRAGE = 14 OR 15)	1611	9.05
		3 = 16-17 (IRAGE = 16 OR 17)	1480	8.31
		99 = 18 OR OLDER (IRAGE GE 18)	13111	73.62
AGP4	2	RECODE AGP3 FOR ADULTS		
		0 = DID NOT HAVE IN PAST YEAR	12765	71.68
		1 = HAD IN PAST YEAR	346	1.94
		99 = CHILDREN AGE 12-17	4698	26.38
ALCYR2	2	RECODE FOR HEAVY ALCOHOL FOR ADULTS		
		1 = USED IN PAST YEAR	3297	18.51
		2 = NOT USED IN PAST YEAR	9814	55.11
		99 = CHILDREN AGE 12-17	4698	26.38
ANLYR2	2	RECODE ANLYR FOR ADULTS		
		1 = USED IN PAST YEAR	362	2.03
		2 = NOT USED IN PAST YEAR	12749	71.59
		99 = CHILDREN AGE 12-17	4698	26.38
ANY4MENT	2	RECODE ANY 1 OF 4 MH ILLNESS FOR ADULTS		
		0 = DID NOT HAVE IN PAST YEAR	11376	63.88
		1 = HAD IN PAST YEAR	1735	9.74
		99 = CHILDREN AGE 12-17	4698	26.38
CATAGE6	2	RECODE FOR ADULT AGE CATEGORIES		
		1 = 18-25	3706	20.81
		2 = 26-34	5223	29.33
		3 = 35-49	3161	17.75
		4 = 50+	1021	5.73
		99 = 12-17	4698	26.38
CIGMON3	2	RECODE CIGMON FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	3915	21.98
		1 = USED IN PAST MONTH	783	4.40
		99 = ADULT AGE 18 OR OLDER	13111	73.62
CIGYR2	2	RECODES CIGYR FOR ADULTS		
		1 = USED IN PAST YEAR	6174	34.67
		2 = NOT USED IN PAST YEAR	6937	38.95
		99 = CHILDREN AGE 12-17	4698	26.38
COCYR2	2	RECODE COCJYR FOR ADULTS		
		1 = USED IN PAST YEAR	509	2.86
		2 = NOT USED IN PAST YEAR	12602	70.76
		99 = CHILDREN AGE 12-17	4698	26.38
CRKYR2	2	RECODE CRKYR FOR ADULTS		
		1 = USED IN PAST YEAR	199	1.12
		2 = NOT USED IN PAST YEAR	12912	72.50
		99 = CHILDREN AGE 12-17	4698	26.38

LABEL	LEN	DESCRIPTION	FREQ	%
		THE VARIABLE DR5DAY2 IS CREATED FROM VARIABLE DR5DAY. ALL ADULTS HAVE BEEN CODED AS MISSING ON THIS VARIABLE.		
DR5DAY2	2	HEAVY DRINKER-MENTAL HEALTH RECODE		
		0 = NO (DR5DAY = 0, 81, 83, 85, 90, 91, 93, 94, 95, 98)	4370	24.54
		1 = YES (DR5DAY = 1-30, 35)	328	1.84
		99 = LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER) ...	13111	73.62
		THE VARIABLE EXT WAS CREATED BY THE FOLLOWING FORMULA: (DELBEH2 + AGGBEH2).		
EXT	2	TOTAL SCORE FOR BEHAVIORAL PROBLEM SCALE		
		RANGE = 0-60	4596	25.81
		99 = Blank (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
GAD4	2	RECODE GAD3 FOR ADULTS		
		0 = DID NOT HAVE IN PAST YEAR	12790	71.82
		1 = HAD IN PAST YEAR	321	1.80
		99 = CHILDREN AGE 12-17	4698	26.38
HALMON2	2	RECODE HALMON FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	4648	26.10
		1 = USED IN PAST MONTH	50	0.28
		99 = ADULT AGE 18 OR OLDER	13111	73.62
HALYR2	2	RECODE HALYR FOR ADULTS		
		1 = USED IN PAST YEAR	255	1.43
		2 = NOT USED IN PAST YEAR	12856	72.19
		99 = CHILDREN AGE 12-17	4698	26.38
HERYR2	2	RECODE HERYR FOR ADULTS		
		1 = USED IN PAST YEAR	49	0.28
		2 = NOT USED IN PAST YEAR	13062	73.34
		99 = CHILDREN AGE 12-17	4698	26.38
INHMON2	2	RECODE INHMON FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	4623	25.96
		1 = USED IN PAST MONTH	75	0.42
		99 = ADULT AGE 18 OR OLDER	13111	73.62
		THE VARIABLE INT WAS CREATED BY THE FOLLOWING FORMULA: ((WITHDRW2 + SOMCOM2 + ANXDEP2) - (YUNHAPP2)).		
INT	2	TOTAL SCORE FOR EMOTIONAL PROBLEM SCALE		
		RANGE = 0-60	4596	25.81
		99 = Blank (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
MDE4	2	RECODE MDE3 FOR ADULTS		
		0 = DID NOT HAVE IN PAST YEAR	11914	66.90
		1 = HAD IN PAST YEAR	1197	6.72
		99 = CHILDREN AGE 12-17	4698	26.38
MRJMON3	2	RECODE MRJMON FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	4407	24.75
		1 = USED IN PAST MONTH	291	1.63
		99 = ADULT AGE 18 OR OLDER	13111	73.62

MENTAL HEALTH VARIABLES (RECODED)

LABEL	LEN	DESCRIPTION	FREQ	%
MRJYR2	2	RECODE MRJYR FOR ADULTS		
		1 = USED IN PAST YEAR	1789	10.05
		2 = NOT USED IN PAST YEAR	11322	63.57
		99 = CHILDREN AGE 12-17	4698	26.38
PA4	2	RECODE PA3 FOR ADULTS		
		0 = DID NOT HAVE IN PAST YEAR	12684	71.22
		1 = HAD IN PAST YEAR	427	2.40
		99 = CHILDREN AGE 12-17	4698	26.38
PCPYR2	2	RECODE PCPYR FOR ADULTS		
		1 = USED IN PAST YEAR	28	0.16
		2 = NOT USED IN PAST YEAR	13083	73.46
		99 = CHILDREN AGE 12-17	4698	26.38
PSYYR3	2	RECODE PSYYR2 FOR ADULTS		
		1 = USED IN PAST YEAR	533	2.99
		2 = NOT USED IN PAST YEAR	12578	70.63
		99 = CHILDREN AGE 12-17	4698	26.38
SEDYR2	2	RECODE SEDYR FOR ADULTS		
		1 = USED IN PAST YEAR	65	0.36
		2 = NOT USED IN PAST YEAR	13046	73.26
		99 = CHILDREN AGE 12-17	4698	26.38
STMYR2	2	RECODE STMYR FOR ADULTS		
		1 = USED IN PAST YEAR	130	0.73
		2 = NOT USED IN PAST YEAR	12981	72.89
		99 = CHILDREN AGE 12-17	4698	26.38
SUMYR2	2	RECODE SUMYR FOR ADULTS		
		1 = USED IN PAST YEAR	2198	12.34
		2 = NOT USED IN PAST YEAR	10913	61.28
		99 = CHILDREN AGE 12-17	4698	26.38
TRQYR2	2	RECODE TRQYR FOR ADULTS		
		1 = USED IN PAST YEAR	209	1.17
		2 = NOT USED IN PAST YEAR	12902	72.45
		99 = CHILDREN AGE 12-17	4698	26.38

MENTAL HEALTH VARIABLES (RECODED)

LABEL	LEN	DESCRIPTION	FREQ	%
		THE VARIABLE PR_BEHAV WAS CREATED FROM VARIABLE EXT.		
PR_BEHAV	2	BEHAVIORAL PROB-MENTAL HEALTH RECODE		
		0 = NO (EXT LT 19 & IRSEX=1 OR EXT LT 17 & IRSEX=2)..	3745	21.03
		1 = YES (EXT GE 19 & IRSEX=1 OR EXT GE 17 & IRSEX=2).	851	4.78
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))....	13213	74.19
		THE VARIABLE PR_EMOT WAS CREATED FROM VARIABLE INT.		
PR_EMOT	2	EMOTIONAL PROB-MENTAL HEALTH RECODE		
		0 = NO (INT LT 17 AND IRSEX = 1 OR INT LT 22 AND IRSEX = 2)	3938	22.11
		1 = YES (INT GE 17 AND IRSEX = 1 OR INT GE 22 AND IRSEX = 2)	658	3.69
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))....	13213	74.19
		THE VARIABLE PR_TOTAL WAS CREATED FROM VARIABLE TOTPROB.		
PR_TOTAL	2	TOTAL PSYCHOSOCIAL PROB-MH RECODE		
		0 = NO (TOTPROB LT 54 AND IRSEX = 1) OR (TOTPROB LT 57 AND IRSEX = 2).....	3682	20.67
		1 = YES (TOTPROB GE 54 AND IRSEX = 1) OR (TOTPROB GE 57 AND IRSEX = 2).....	914	5.13
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PSYMON3	2	RECODE PSYMON2 FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	4621	25.95
		1 = USED IN PAST MONTH	77	0.43
		99 = ADULT AGE 18 OR OLDER	13111	73.62
SUMMON2	2	RECODE SUMMON FOR ADOLESCENT MENTAL HEALTH SECTION		
		0 = NOT USED IN PAST MONTH	4302	24.16
		1 = USED IN PAST MONTH	396	2.22
		99 = ADULT AGE 18 OR OLDER	13111	73.62

LABEL	LEN	DESCRIPTION	FREQ	%
		THE FOLLOWING VARIABLE TOTPROB IS THE SUM OF VARIABLES [YACTYNG YARGUE YACOPPSX YBRAG YTRBCONC YCNTHGTS YTRBSIT YDPTADLT YFLONELY YFLCONFU YCRYLOT YMEANOTH YDAYDREM YTRYKLSF YTRYATTN YDSTYTHG YDSTYOTH YDSBYPAR YDSBYSCH YDNTEATW YDNTKIDS YDNTGLTY YJEALOTH YAFRPLAC YAFRSCHL YAFRBAD YFLPRFCT YFLNOLOV YFLGETME YFLWTHLS YACCHURT YFIGHTS YGTEASED YKIDSTRB YHRVOICS YACTTNK YALONE YLIE YBITNAIL YNERVOUS YBTWITCH YNGHTMAR YNOTKIDS YANXIOUS YFLDIZZY YFLGUILT YEATMUCH YFLTIRED YOVRWGHT YACHES YHEADACH YNAUSEA YEYEPROB YRASHES YCRAMPS YVOMIT YATTACK YPKBPART YSCPOOR YCLUMSY YOLDKIDS YYNGKIDS YRFSTALK YREPACTN YRUNHOME YSCREAM YSECRET YSEETHNG YSLFCONS YSETFIRE YSHOWOFF YSHY YSLPLESS YSLPMORE YSPCHPRB YSTEALHO YSTEALPL YDNTNEED YDOSTRNG YTHSTRNG YSTUBORN YMOODS YSUSPICS YDRTLANG YTHKKLSF YTALKMCH YTEASE YTEMPER YTHNKSEX YTHRTPEO YCONNEAT YTRBSLEP YSKIPSCH YNOENRGY YUNHAPPY YLOUDER YUSEDRUG YWSOPPSX YINVOTH YWORRY].		
TOTPROB	2	TOTAL SCORE-TOTAL PSYCHOSOCIAL PROBLEM SCALE		
		RANGE = 0-200	4596	25.81
		99 = Blank (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
		THE FOLLOWING VARIABLES WITHDRW2 SOMCOM2 ANXDEP2 SOCPROB2 THPROB2 ATTPROB2 DELBEH2 AGGBEH2 ARE RECODES OF VARIABLES WITHDRW SOMCOM ANXDEP SOCPROB THPROB ATTPROB DELBEH AGGBEH.		
WITHDRW2	2	TOTAL SCORE FOR WITHDRAWN-MENTAL HEALTH RECODE		
		RANGE = 0-14	4626	25.98
		99 = Blank	13183	74.02
SOMCOM2	2	TOTAL SCORE FOR SOMATIC COMPLAINTS-MENTAL HEALTH RECODE		
		RANGE = 0-18	4626	25.98
		99 = Blank	13183	74.02
ANXDEP2	2	TOTAL SCORE FOR ANXIOUS/DEPRESSED-MENTAL HEALTH RECODE		
		RANGE = 0-30	4626	25.98
		99 = Blank	13183	74.02
SOCPROB2	2	TOTAL SCORE FOR SOCIAL PROBLEMS-MENTAL HEALTH RECODE		
		RANGE = 0-16	4626	25.98
		99 = Blank	13183	74.02
THPROB2	2	TOTAL SCORE FOR THOUGHT PROBLEMS-MENTAL HEALTH RECODE		
		RANGE = 0-14	4626	25.98
		99 = Blank	13183	74.02
ATTPROB2	2	TOTAL SCORE FOR ATTENTION PROBLEM-MENTAL HEALTH RECODE		
		RANGE = 0-18	4626	25.98
		99 = Blank	13183	74.02

LABEL	LEN	DESCRIPTION	FREQ	%
DELBEH2	2	TOTAL SCORE FOR DELINQUENT BEHAVIOR-MENTAL HEALTH RECODE		
		RANGE = 0-22	4626	25.98
		99 = Blank	13183	74.02
AGGBEH2	2	TOTAL SCORE FOR AGGRESSIVE BEHAVIOR-MENTAL HEALTH RECODE		
		RANGE = 0-38	4626	25.98
		99 = Blank	13183	74.02
		THE FOLLOWING VARIABLES WITHDRT2 SOMCOMT2 ANXDEPT2 SOCPROT2 THPROBT2 ATTPROT2 DELBEHT2 AGGBEHT2 ARE RECODES OF VARIABLES WITHDRWT SOMCOMT ANXDEPT SOCPROBT THPROBT ATTPROBT DELBEHT AGGBEHT.		
WITHDRT2	2	T SCORE FOR WITHDRAWN-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
SOMCOMT2	2	T SCORE FOR SOMATIC COMPLAINTS-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
ANXDEPT2	2	T SCORE FOR ANXIOUS/DEPRESSED-MENTAL HEALTH RECODE		
		RANGE = 50-95	4626	25.98
		99 = Blank	13183	74.02
SOCPROT2	2	T SCORE FOR SOCIAL PROBLEMS-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
THPROBT2	2	T SCORE FOR THOUGHT PROBLEMS-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
ATTPROT2	2	T SCORE FOR ATTENTION PROBLEM-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
DELBEHT2	2	T SCORE FOR DELINQUENT BEHAVIOR-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02
AGGBEHT2	2	T SCORE FOR AGGRESSIVE BEHAVIOR-MENTAL HEALTH RECODE		
		RANGE = 50-100	4626	25.98
		99 = Blank	13183	74.02

LABEL	LEN	DESCRIPTION	FREQ	%
		THE VARIABLES PR_WD PR_SC PR_AD PR_SP PR_TP PR_AP PR_DB PR_AB WERE CREATED FROM VARIABLES WITHDRT2 SOMCOMT2 ANXDEPT2 SOCPROT2 THPROBT2 ATTPROT2 DELBEHT2 AGGBEHT2.		
PR_WD	2	WITHDRAWN-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4443	24.95
		1 = YES (VAR2 GE 67)	153	0.86
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PR_SC	2	SOMATIC COMPLAINTS-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4186	23.50
		1 = YES (VAR2 GE 67)	410	2.30
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PR_AD	2	ANXIOUS/DEPRESSED-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4342	24.38
		1 = YES (VAR2 GE 67)	254	1.43
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PR_SP	2	SOCIAL PROBLEM-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4345	24.40
		1 = YES (VAR2 GE 67)	251	1.41
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)).....	13213	74.19
PR_TP	2	THOUGHT PROBLEM-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4159	23.35
		1 = YES (VAR2 GE 67)	437	2.45
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PR_AP	2	ATTENTION PROBLEM-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4331	24.32
		1 = YES (VAR2 GE 67)	265	1.49
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19
PR_DB	2	DELINQUENT BEHAVIOR-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67)	4128	23.18
		1 = YES (VAR2 GE 67)	468	2.63
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)).....	13213	74.19
PR_AB	2	AGGRESSIVE BEHAVIOR-MENTAL HEALTH RECODE		
		0 = NO (VAR2 LT 67).....	4278	24.02
		1 = YES(VAR2 GE 67).....	318	1.79
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)) ...	13213	74.19

ALPHA INDEX OF LABELS

LABEL	PAGE
ACDALC	127
ACDANL	130
ACDCIG	126
ACDCOC	128
ACDHAL	128
ACDHER	128
ACDINH	129
ACDMRJ	127
ACDSED	131
ACDSTM	130
ACDSTR	129
ACDTRN	130
AEROS	37
AEROS2	268
AFDC	236
AGE	278
AGGBEH	254
AGGBEH2	283
AGGBEHT	255
AGGBEHT2	283
AGP1	258
AGP3	258
AGP4	278
AGPSFS1	258
AGPSFS3	258
AL03	91
ALC2PROB	269
ALC3PROB	269
ALCDAYS	14
ALCDAYS2	268
ALCDAYS3	268
ALCDLYF	84
ALCEVER	11
ALCFLAG	81
ALCILLL	268
ALCILLM	268
ALCILLY	268
ALCMON	81
ALCMON2	268
ALCMONF	84
ALCMRJL	268
ALCMRJM	268
ALCMRJY	268
ALCOCCF	84
ALCONLYL	268
ALCONLYM	268
ALCONLYY	269
ALCOTHL	269
ALCOTHM	269
ALCOTHY	269
ALCPAT	13

ALPHA INDEX OF LABELS

LABEL	PAGE
ALCPROBS	269
ALCPSYL	269
ALCPSYM	269
ALCPSYY	269
ALCREAD	11
ALCREC	12
ALCTRY	12
ALCTRY2	269
ALCWKF	84
ALCYR	81
ALCYR2	278
ALCYRF	84
AMYLNIT	35
AMYLNIT2	269
ANALAGE	47
ANALAGE2	269
ANALNEWA	45
ANALNEWB	46
ANALNEWC	46
ANALNEWD	46
ANALNEWE	46
ANALNONE	47
ANALREC	48
ANALTOT	47
ANALWT	266
ANALWT1	266
ANALWT2	266
ANALWT3	266
ANALWT4	266
ANLDKNAM	44
ANLDLYF	87
ANLFLAG	83
ANLMON	83
ANLMONF	87
ANLNOLST	44
ANLOCCF	87
ANLREAD	42
ANLWKF	87
ANLYR	83
ANLYR2	278
ANLYRF	87
ANLYRFRQ	48
ANXDEP	253
ANXDEP2	282
ANXDEPT	254
ANXDEPT2	283
ANY4MENT	278
AS04	149
ASREAD	95
ATARAX	49
ATIVAN	49

ALPHA INDEX OF LABELS

LABEL	PAGE
ATTPROB	254
ATTPROB2	282
ATTPROBT	255
ATTPROT2	283
AVCIG	8
AVCIG2	270
AVCIG3	270
BAP	260
BENZ	55
BHOUR	260
BIPHET	55
BIRMONTH	68
BIRYEAR	68
BMIN	260
BTOLALC	119
BTOLANL	120
BTOLCIG	119
BTOLCOC	120
BTOLHAL	120
BTOLHER	120
BTOLINH	120
BTOLMRJ	119
BTOLSED	121
BTOLSTM	121
BTOLSTR	120
BTOLTRN	121
BUSINES2	80
BUSSIZE	185
CARENOW	227
CAREOFT	225
CAREUSU	224
CATAG2	80
CATAG3	80
CATAGE	80
CATAGE6	278
CC04	92
CG04	91
CG12	91
CHAMPUS	231
CHD1	237
CHD2	238
CIG2PROB	270
CIG30USE	8
CIG30WOK	9
CIG3PROB	270
CIGAGE	9
CIGEVER	7
CIGEVYDA	9
CIGFLAG	81
CIGMON	81
CIGMON2	270

ALPHA INDEX OF LABELS

LABEL	PAGE
CIGMON3	278
CIGPROBS	270
CIGREC	8
CIGTOT	7
CIGTRY	7
CIGTRY2	270
CIGYR	81
CIGYR2	278
CIGYRS	10
CK04	92
CLEFLU	35
CLEFLU2	270
COC2PROB	271
COC3PROB	271
COCAGE	19
COCAGE2	270
COCDLYF	85
COCEVER	19
COCFLAG	82
COCMON	82
COCMONF	85
COCNEEDL	99
COCOCCF	85
COCPROBS	271
COCREAD	19
COCREC	20
COCTOT	20
COCTOT2	271
COCTOT3	271
COCUS30A	21
COCWKF	85
COCYR	82
COCYR2	278
COCYRF	85
COCYRFRQ	20
CODEINE	42
CONCEN1	200
CONCEN2	205
CONDLREC	99
COOPINT	261
CPRES	262
CRAKREC	23
CRKAGE	22
CRKDLYF	86
CRKEVER	22
CRKFLAG	82
CRKMON	82
CRKMONF	85
CRKOCCF	85
CRKREAD	22
CRKTOT	23

ALPHA INDEX OF LABELS

LABEL	PAGE
CRKUS30A	24
CRKWKF	85
CRKYR	82
CRKYR2	278
CRKYRF	85
CRKYRFRQ	23
CWE	193
CWESC1	194
CWESC2	196
DALMANE	62
DARVON	42
DELBEH	254
DELBEH2	283
DELBEHT	255
DELBEHT2	283
DEMEROL	43
DEPDAYS	198
DEPFREQ	199
DEPMO1	202
DEPMO2	207
DEPRESS	198
DEPWKS1	202
DEPWKS2	206
DEPYR1	202
DEPYR2	207
DEXAMYL	56
DEXED	56
DIAZEPAM	50
DILAUD	43
DIPLOMA	4
DIVISION	265
DOWN1	201
DOWN2	205
DR5DAY	15
DR5DAY2	279
DRALHELP	271
DRGINFO	186
DRGPLCY	186
DRGPRGM	187
DRGREAD	112
DRGTEST	187
DRINKER2	271
DRNKHLP2	271
DRUNKYR	13
EAP	260
ECSTASY	29
ECSTASY2	271
EDUC	3
EDUCCAT2	80
EENROLLD	4
EHOUR	260

ALPHA INDEX OF LABELS

LABEL	PAGE
EMIN	260
EMPSTAT2	80
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENROLLD	4
ESCHDAYS	182
ESKIPPED	182
ESTUDENT	181
ETHER	36
ETHER2	271
EXT	279
F15_44	248
FAMINC	249
FAMINC2	249
FAMINC3	250
FAMSKIP	264
FASTIN	56
FEARBRDG	212
FEARFANT	213
FEARHELP	214
FEARMOS	213
FEAROFT	212
FEAROUT	212
FEARPUB	211
FEARTRAP	214
FEARYRS	213
FEMBABY	248
FEMKIDS	248
FINC1	241
FSTAMP	239
FULLPART	197
GAD1	257
GAD3	257
GAD4	279
GADSFS1	257
GADSFS3	257
GAS	36
GAS2	272
GLUE	36
GLUE2	272
GNNDLLIF	98
GNNDLSH1	101
GNNDLSH2	102
GQTYPE	264
GRPHLTIN	232
GRTMALC	115
GRTMANL	116
GRTMCIG	115
GRTMCOC	115
GRTMHAL	116

ALPHA INDEX OF LABELS

LABEL	PAGE
GRTMHER	115
GRTMINH	116
GRTMMRJ	115
GRTMSED	117
GRTMSTM	116
GRTMSTR	116
GRTMTRN	116
HAL30USE	33
HALCION	62
HALDKNAM	29
HALDLYF	86
HALFLAG	82
HALLAGE	31
HALLAGE2	272
HALLREC	32
HALLTOT	32
HALMON	82
HALMON2	279
HALMONF	86
HALNEWA	30
HALNEWB	31
HALNEWC	31
HALNEWD	31
HALNEWE	31
HALNOLST	29
HALOCCF	86
HALREAD	28
HALWKF	86
HALYR	82
HALYR2	279
HALYRF	86
HALYRFRQ	33
HE04	92
HEALTH	6
HER30USE	27
HERAGE	25
HERAGE2	272
HERDLYF	86
HEREVER	25
HERFLAG	82
HERMON	82
HERMONF	86
HERNEEDL	99
HEROCCF	86
HERREAD	25
HERREC	26
HERSMOKE	102
HERSNIFF	103
HERTOT	26
HERWKF	86
HERYR	82

ALPHA INDEX OF LABELS

LABEL	PAGE
HERYR2	279
HERYRF	86
HERYRFRQ	26
HISPRACE	80
HLTINAL2	272
HLTINALC	232
HLTINDR2	272
HLTINDRG	233
HLTINMNT	233
HRANYFRM	102
HRNDLREC	100
HRSMKREC	103
HRSNFREC	103
HTININCH	6
HVYDRK2	90
IDEAT1	201
IDEAT2	206
IEMFLAG	90
IEMMON	90
IEMYR	90
IIAFDC	244
IIAGE	69
IIALCFQ	76
IIALCRC	72
IIANLFQ	78
IIANLRC	74
IICHD1	244
IICHD2	246
IICIGRC	72
IICOCFQ	76
IICOCRC	73
IICRKFQ	77
IICRKRC	73
IIEDUC	70
IIFINC1	245
IIFSTAMP	244
IIHALFQ	77
IIHALRC	73
IIHERFQ	77
IIHERRC	73
IIHOGRP	69
IIHOGRP2	70
IIHOIND	69
IIHSGRAD	71
IIINHFQ	78
IIINHRC	74
IIINSUR	243
IIINT1	244
IIINT2	246
IILSDRC	74
IIMARIT	70

ALPHA INDEX OF LABELS

LABEL	PAGE
IIMJFQ	76
IIMJRC	72
IIOTBRC	72
IIOTH1	244
IIOTH2	246
IIPCPRC	74
IIPINC1	245
IIPINSUR	243
IIPUB1	243
IIPUB2	245
IIRACE	69
IISEDFQ	79
IISEDRC	75
IISEX	69
IISOC1	243
IISOC2	245
IISSI1	243
IISSI2	245
IISTMFQ	79
IISTMRC	75
IISTRFQ	79
IISTRRC	75
IITRNFQ	78
IITRNRC	74
IIWORKST	71
ILLONLYL	272
ILLONLYM	272
ILLONLYY	272
IN04	93
INDCAT	248
INHAGE	39
INHAGE2	272
INHDKNAM	37
INHDLYF	87
INHDY30A	41
INHFLAG	83
INHMON	83
INHMON2	279
INHMONF	86
INHNEWA	38
INHNEWB	38
INHNEWC	39
INHNEWD	39
INHNEWE	39
INHNOLST	37
INHOCCF	87
INHREAD	35
INHREC	40
INHTOT	39
INHWKF	87
INHYR	83

ALPHA INDEX OF LABELS

LABEL	PAGE
INHYR2	273
INHYRF	86
INHYRFRQ	40
INT	279
INT1	237
INT2	237
INTMONTH	260
IONAMIN	56
IRAFDC	244
IRAGE	68
IRALCFQ	76
IRALCRC	72
IRANLFQ	78
IRANLRC	74
IRCHD1	244
IRCHD2	246
IRCIGRC	72
IRCOCFQ	76
IRCOCRC	73
IRCRKFQ	77
IRCRKRC	73
IREDUC	70
IRFINC1	245
IRFSTAMP	244
IRHALFQ	77
IRHALRC	73
IRHERFQ	77
IRHERRC	73
IRHOGRP	69
IRHOGRP2	70
IRHOIND	69
IRHSGRAD	71
IRINHFQ	78
IRINHRC	74
IRINSUR	243
IRINT1	244
IRINT2	245
IRKIDS	247
IRLSDRC	73
IRMARIT	70
IRMJFQ	76
IRMJRC	72
IROTBRC	72
IROTH1	244
IROTH2	246
IRPCPRC	74
IRPEOP	247
IRPINC1	244
IRPINSUR	243
IRPUB1	243
IRPUB2	245

ALPHA INDEX OF LABELS

LABEL	PAGE
IRRACE	69
IRSEDFQ	79
IRSEDRC	75
IRSEX	69
IRSOC1	243
IRSOC2	245
IRSSI1	243
IRSSI2	245
IRSTMFQ	79
IRSTMRC	75
IRSTRFQ	79
IRSTRRC	75
IRTRNFQ	78
IRTRNRC	74
IRWORKST	71
LAMTALC	117
LAMTANL	118
LAMTCIG	117
LAMTCOC	117
LAMTHAL	118
LAMTHER	118
LAMTINH	118
LAMTMRJ	117
LAMTSED	119
LAMTSTM	119
LAMTSTR	118
LAMTTRN	118
LANGVER	260
LBSCHNG1	200
LBSCHNG2	204
LGAS	36
LGAS2	273
LIBRIUM	50
LOCSIZE	185
LOSINDAY	203
LOSINFRQ	204
LOSTINT1	199
LOSTINT2	203
LS04	92
LS07	93
LS08	93
LSD	28
LSD2	273
LSDFLAG	82
LSDMON	83
LSDREC	33
LSDYR	83
M15_44	248
MALEBABY	248
MALEKIDS	248
MARITAL	2

ALPHA INDEX OF LABELS

LABEL	PAGE
MDE1	256
MDE3	256
MDE4	279
MDESFS1	256
MDESFS3	256
MEDICAID	231
MEDICARE	230
MESC	29
MESC2	273
METHAMP	56
METHAQ	63
METHDON	43
METHI	56
MILSTAT	3
MJ04	91
MJAGE	16
MJAGE2	273
MJDAY30A	18
MJDY30A2	273
MJDY30A3	273
MJEVER	16
MJOFLAG	89
MJOMON2	90
MJOYR2	89
MJPROBS	273
MJREC	17
MJTOT	17
MJTOT2	273
MJTOT3	274
MJYRFREQ	18
MNRSNNCR	227
MNRSNNSC	228
MNRSNNSP	227
MORPHINE	43
MOVESPYR	181
MRJ2PROB	273
MRJ3PROB	273
MRJDLYF	85
MRJFLAG	81
MRJMON	81
MRJMON2	274
MRJMON3	279
MRJMONF	85
MRJOCCF	85
MRJONLYL	274
MRJONLYM	274
MRJONLYY	274
MRJWKF	85
MRJYR	81
MRJYR2	280
MRJYRF	84

ALPHA INDEX OF LABELS

LABEL	PAGE
NCARERSN	224
NCRRSNSC	225
NCRRSNSP	224
NDL94REC	251
NEDFLAG3	251
NEDYR3	251
NEEDLREC	251
NEMBUTAL	63
NITOXID	36
NITOXID2	274
NJOBSPYR	183
NODR30A	14
NODRUGYR	114
NOMARR	2
NOSEDAT	65
NOSTIMS	60
NOTMARJ	274
NOTRANQ	52
NUERTMT	219
NUHSPOV	219
NUHSPPE	219
OAPRES	262
OARPRES	262
OPRESNSP	262
OPRESSPA	263
OPRESSPB	264
OTH1	238
OTH2	239
OTHONLYL	274
OTHONLYM	274
OTHONLYY	274
OUTPTPE	220
PA1	259
PA3	259
PA4	280
PANIC1	214
PANIC2	215
PANICMO	215
PANICNUM	215
PANICYR	215
PANIDANG	216
PANIFEAR	216
PANIHART	217
PANIHOT	218
PANINOFR	217
PANIPAIN	217
PANISHAK	217
PANISWET	217
PANIUNRL	218
PARPRES	262
PASFS1	259

ALPHA INDEX OF LABELS

LABEL	PAGE
PASFS3	259
PAYMO	190
PAYYR	190
PCP	28
PCP2	274
PCPFLAG	83
PCPMON	83
PCPREC	34
PCPYR	83
PCPYR2	280
PDEN	265
PDEN2	265
PDHINPRM	232
PERCODAN	43
PERINC	248
PERINC2	249
PERINC3	249
PEYOTE	29
PEYOTE2	275
PHENOBAR	63
PINC1	240
PK04	93
PLACIDYL	63
PLCYCOV	186
POUNDS	6
PPRES	262
PREG	248
PREGMOS	192
PREGNANT	192
PRELUDIN	57
PRIVACY	261
PROBAGP1	258
PROBAGP3	258
PROBALC	124
PROBANL	125
PROBCIG	124
PROBCOC	124
PROBGAD1	257
PROBGAD3	257
PROBHAL	125
PROBHER	124
PROBINH	125
PROBMDE1	256
PROBMDE3	256
PROBMRJ	124
PROBPA1	259
PROBPA3	259
PROBSED	126
PROBSTM	125
PROBSTR	125
PROBTRN	125

ALPHA INDEX OF LABELS

LABEL	PAGE
PROXABLE	221
PROXHOME	222
PROXJOIN	223
PROXYREL	222
PRVHLIN2	275
PRVHLTIN	231
PR_AB	284
PR_AD	284
PR_AP	284
PR_BEHAV	281
PR_DB	284
PR_EMOT	281
PR_SC	284
PR_SP	284
PR_TOTAL	281
PR_TP	284
PR_WD	284
PSILCY	29
PSILCY2	275
PSYAGE	275
PSYFLAG2	88
PSYMON2	89
PSYMON3	281
PSYONLYL	275
PSYONLYM	275
PSYONLYY	275
PSYYR2	88
PSYYR3	280
PUB1	235
PUB2	236
PYRCARE	225
PYRCRTSC	226
PYRCRTSP	226
PYRCRTYP	226
QUARTER	264
RACE	80
RACESEX	275
RACESEX2	275
REGION	265
RELINTHH	247
RESPID	1
RK2DRINK	108
RK5DRINK	108
RKANSOCC	108
RKANSREG	108
RKCOCOCC	107
RKCOCREG	107
RKCRKOCC	107
RKCRKREG	107
RKDIFCOC	110
RKDIFCRK	110

ALPHA INDEX OF LABELS

LABEL	PAGE
RKDIFHER	110
RKDIFLSD	109
RKDIFPCP	109
RKHERREG	106
RKLSDREG	106
RKNEIDRN	111
RKNEISEL	111
RKPCPREG	105
RKTRYANS	108
RKTRYCOC	106
RKTRYCRK	107
RKTRYHER	106
RKTRYLSD	106
RKTRYPCP	105
ROCCUP2	80
RSKBINGE	109
RSKDIFMJ	109
RSKMJOCC	105
RSKMJREG	105
RSKPKCIG	104
RSKREAD	104
RSKSELL	110
RSKTRYMJ	105
RURORURB	265
SAFTALC	122
SAFTANL	123
SAFTCIG	121
SAFTCOC	122
SAFTHAL	122
SAFTHER	122
SAFTINH	122
SAFTMRJ	122
SAFTSED	123
SAFTSTM	123
SAFTSTR	123
SAFTTRN	123
SCHDAYS	182
SD03	149
SD05	149
SD07	150
SD09	150
SD14	150
SD16	151
SDREAD	98
SE04	94
SECONAL	63
SEDAGE	65
SEDAGE2	276
SEDDKNAM	64
SEDDLYF	88
SEDFLAG	84

ALPHA INDEX OF LABELS

LABEL	PAGE
SEDMON	84
SEDMONF	88
SEDNEWA	64
SEDNEWB	64
SEDNEWC	65
SEDNEWD	65
SEDNEWE	65
SEDNOLST	64
SEDOCCF	88
SEDREAD	62
SEDREC	66
SEDTOT	66
SEDWKF	88
SEDYR	84
SEDYR2	280
SEDYRF	88
SEDYRFRQ	67
SERVICE	3
SKIPPED	182
SKPALCRD	11
SKPANLRD	42
SKPASRD	95
SKPCOCRD	19
SKPCRKRD	22
SKPCWE	192
SKPDEP1	201
SKPDEP2	206
SKPDRGRD	112
SKPFEAR1	212
SKPFEAR2	216
SKPHALRD	28
SKPHERRD	25
SKPINHRD	35
SKPMARTL	2
SKPMHC	197
SKPMILT	2
SKPPREG	192
SKPRSKRD	104
SKPSDRD	98
SKPSEDRD	62
SKPSTMRD	55
SKPTFMIN	241
SKPTMTRD	132
SKPTRNRD	49
SKPWKST1	184
SKPWKST2	191
SKPWOR	210
SKPWRKRD	152
SKPYCANS	156
SKPYCRD	156
SLPFREQ1	200

ALPHA INDEX OF LABELS

LABEL	PAGE
SLPFREQ2	205
SLPLOSS1	200
SLPLOSS2	205
SMKFLAG	81
SMKMON	81
SMKYR	81
SNUFEVER	10
SNUFREC	10
SOC1	234
SOC2	234
SOCPROB	253
SOCPROB2	282
SOCPROBT	254
SOCPROT2	283
SOLVENT	36
SOLVENT2	276
SOMCOM	253
SOMCOM2	282
SOMCOMT	254
SOMCOMT2	283
SPPAINT	37
SPPAINT2	276
SPRES	262
SRNDLREC	100
SSI1	235
SSI2	235
ST04	94
STERAGE	95
STERREC	96
STERTOT	96
STIMAGE	60
STIMAGE2	276
STIMNEWA	58
STIMNEWB	59
STIMNEWC	59
STIMNEWD	59
STIMNEWE	59
STIMREC	61
STIMTOT	60
STMDKNAM	57
STMDLYF	88
STMFLAG	84
STMMON	84
STMMONF	88
STMNOLST	57
STMOCCF	88
STMREAD	55
STMWKF	88
STMYR	84
STMYR2	280
STMYRF	88

ALPHA INDEX OF LABELS

LABEL	PAGE
STMYRFRQ	61
STNDLREC	101
STNEEDLE	101
STR30USE	97
STRDLYF	252
STREVER	95
STRFLAG	251
STRMON	251
STRMONF	251
STRNEEDL	100
STROCCF	252
STRWKF	251
STRYR	251
STRYRF	251
STRYRFRQ	97
STUDENT	181
SUB1LIF	276
SUB1MON	276
SUB1YR	276
SUB2LIF	276
SUB2MON	276
SUB2YR	276
SUB3LIF	276
SUB3MON	276
SUB3YR	277
SUMFLAG	89
SUMMON	89
SUMMON2	281
SUMYR	89
SUMYR2	280
TALWIN	43
TELNO	242
THPROB	253
THPROB2	282
THPROBT	255
THPROBT2	283
TIRED1	199
TIRED2	204
TMTREAD	132
TOTCAT	249
TOTPEOP	197
TOTPROB	282
TR04	94
TRANAGE	53
TRANAGE2	277
TRANREC	53
TRANTOT	53
TRANXENE	50
TRDKNAM	50
TRMTHLP2	277
TRNEWA	51

ALPHA INDEX OF LABELS

LABEL	PAGE
TRNEWB	52
TRNEWC	52
TRNEWD	52
TRNEWE	52
TRNOLST	51
TRNREAD	49
TRNYRFRQ	54
TRQDLYF	87
TRQFLAG	83
TRQMON	84
TRQMONF	87
TRQOCCF	87
TRQWKF	87
TRQYR	83
TRQYR2	280
TRQYRF	87
TSTACCD	188
TSTHIRE	187
TSTRAND	188
TSTSUSP	188
TSTTRMT	188
TUINAL	63
TX07	151
TXADGREC	138
TXALDOC	134
TXALEMRG	134
TXALHOSP	133
TXALJAIL	134
TXALMHC	134
TXALRFIN	134
TXALRFOP	134
TXALSHG	135
TXALSOP	135
TXALSP	135
TXDRDOC	136
TXDREMRG	136
TXDRFIN	136
TXDRFOP	136
TXDRGA	144
TXDRGB	145
TXDRGC	145
TXDRGD	145
TXDRGE	145
TXDRHOSP	135
TXDRJAIL	136
TXDRMHC	136
TXDRSHG	137
TXDRSOP	137
TXDRSP	137
TXEN1093	148
TXEVER	132

ALPHA INDEX OF LABELS

LABEL	PAGE
TXLTA	142
TXLTALC	140
TXLTANL	141
TXLTB	142
TXLTC	143
TXLTCOC	141
TXLTD	143
TXLTDOC	139
TXLTE	143
TXLTEMRG	139
TXLTHAL	141
TXLTHER	141
TXLTHOSP	138
TXLTINH	141
TXLTJAIL	139
TXLTMHC	139
TXLTMJ	140
TXLTRAN	141
TXLTRFIN	138
TXLTRFOP	139
TXLTSED	142
TXLTSHG	139
TXLTSOD	142
TXLTSOP	140
TXLTSP	140
TXLTSTIM	142
TXOUTC	145
TXPDCAID	146
TXPDCARE	146
TXPDEMPL	147
TXPDFMLY	147
TXPDFREE	147
TXPDINS	146
TXPDSAVE	147
TXPDSOS	147
TXPDSP	148
TXTIME	146
TXTIMELF	133
TXYREMRG	137
TXYRFREQ	133
TYLCOD	44
UCARETYP	228
UCRTYPSC	229
UCRTYPSP	228
UNDINT	261
USEDALC	112
USEDANL	114
USEDCIG	112
USEDCOC	113
USEDHAL	113
USEDHER	113

ALPHA INDEX OF LABELS

LABEL	PAGE
USEDINH	113
USEDMRJ	113
USEDSED	114
USEDSTM	114
USEDSTR	113
USEDTRN	114
VALIUM	50
VEREP	266
VESTR	266
WCDALC	127
WCDANL	129
WCDCIG	126
WCDCOC	127
WCDHAL	128
WCDHER	128
WCDINH	129
WCDMRJ	127
WCDSED	131
WCDSTM	130
WCDSTR	129
WCDTRN	130
WELFARE	250
WHOMARKD	264
WITHDRT2	283
WITHDRW	253
WITHDRW2	282
WITHDRWT	254
WK30ACC	153
WK30TEST	153
WKEVRACC	152
WKSWKST	184
WKYRACC	153
WKYRFIRE	154
WKYRLOFF	154
WKYROTHR	154
WKYRSPEC	155
WKYRTEST	153
WKYRVOL	154
WORDIFF1	209
WORDIFF2	210
WOREDGE	210
WOREND	207
WORFAINT	211
WORHAPN1	208
WORHAPN2	209
WORHEART	211
WORIRRIT	210
WORKBLAH	191
WORKDAYS	191
WORKSTAT	5
WORNOMO1	208

ALPHA INDEX OF LABELS

LABEL	PAGE
WORNOMO2	209
WORREST	210
WORRIED	207
WORSERI1	208
WORSERI2	209
WORSLEEP	211
WORTIRED	211
WRKACCD	190
WRKHIRE	189
WRKRAND	189
WRKREAD	152
WRKSTAT2	183
WRKSUSP	189
WT1	266
WT10	266
WT11	266
WT12	266
WT2	266
WT3	266
WT4	266
WT5	266
WT6	266
WT7	266
WT8	266
WT9	266
WTCHNG1	199
WTCHNG2	204
XANAX	50
YACCHURT	164
YACHES	168
YACOPPSX	158
YACTTNK	165
YACTYNG	157
YAFRBAD	163
YAFRPLAC	162
YAFRSCHL	163
YALLERGY	157
YALONE	165
YANXIOUS	167
YARGUE	157
YASTHMA	157
YATTACK	169
YBITNAIL	165
YBRAG	158
YBTWITCH	166
YCLUMSY	170
YCNTHGTS	158
YCONNEAT	178
YCRAMPS	169
YCREAD	156
YCRYLOT	159

ALPHA INDEX OF LABELS

LABEL	PAGE
YDAYDREM	160
YDNTEATW	161
YDNTGLTY	162
YDNTKIDS	162
YDNTNEED	174
YDOBETTR	166
YDOSTRNG	175
YDPTADLT	159
YDRTLANG	176
YDSBYPAR	161
YDSBYSCH	161
YDSTYOTH	161
YDSTYTHG	161
YEATMUCH	167
YENJOY	175
YENJYJOK	179
YEYEPROB	168
YFAIROTH	179
YFIGHTS	164
YFLCONFU	159
YFLDIZZY	167
YFLGETME	163
YFLGUILT	167
YFLNOLOV	163
YFLONELY	159
YFLPRFCT	163
YFLTIRED	167
YFLWTHLS	164
YGDIMAG	173
YGTEASED	164
YHEADACH	168
YHELPOTH	162
YHONEST	160
YHRVOICS	165
YINVOTH	180
YJEALOTH	162
YKIDSTRB	164
YLIE	165
YLIFEASY	179
YLKANIML	158
YLKHELP	177
YLKLAUGH	176
YLOUDER	179
YMEANOTH	160
YMOODS	175
YNAUSEA	168
YNERVOUS	166
YNGHTMAR	166
YNOENRGY	178
YNOTKIDS	166
YOLDKIDS	170

ALPHA INDEX OF LABELS

LABEL	PAGE
YOVRWGHT	168
YPFRNDLY	170
YPKBPART	169
YRASHES	169
YREPACTN	171
YRFSTALK	171
YRUNHOME	171
YSCPOOR	170
YSCREAM	171
YSECRET	172
YSEETHNG	172
YSETFIRE	172
YSHOWOFF	173
YSHY	173
YSKIPSCH	178
YSLFCONS	172
YSLPLESS	173
YSLPMORE	173
YSPCHPRB	174
YSTDRGHT	174
YSTEALHO	174
YSTEALPL	174
YSTUBORN	175
YSUSPICS	176
YTALKMCH	176
YTEASE	177
YTEMPER	177
YTHKKLSF	176
YTHNKSEX	177
YTHRTPEO	177
YTHSTRNG	175
YTRBCONC	158
YTRBSIT	159
YTRBSLEP	178
YTRYATTN	160
YTRYHELP	180
YTRYKLSF	160
YTRYTHNG	170
YUNHAPPY	178
YUSEDRUG	179
YVOMIT	169
YWELHNDS	172
YWORRY	180
YWSOPPSX	180
YYNGKIDS	171

INDEX OF LABELS

LABEL	PAGE
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
SKPMARTL	2
MARITAL	2
NOMARR	2
SKPMILT	2
SERVICE	3
MILSTAT	3
EDUC	3
DIPLOMA	4
ENROLLD	4
EENROLLD	4
WORKSTAT	5
HTININCH	6
POUNDS	6
HEALTH	6
CIGEVER	7
CIGTRY	7
CIGTOT	7
CIGREC	8
CIG30USE	8
AVCIG	8
CIG30WOK	9
CIGEVYDA	9
CIGAGE	9
CIGYRS	10
SNUFEVER	10
SNUFREC	10
SKPALCRD	11
ALCREAD	11
ALCEVER	11
ALCTRY	12
ALCREC	12
ALCPAT	13
DRUNKYR	13
ALCDAYS	14
NODR30A	14
DR5DAY	15
MJEVER	16
MJAGE	16
MJTOT	17
MJREC	17
MJYRFREQ	18
MJDAY30A	18
SKPCOCRD	19
COCREAD	19
COCEVER	19
COCAGE	19
COCTOT	20

INDEX OF LABELS

LABEL	PAGE
COCREC	20
COCYRFRQ	20
COCUS30A	21
SKPCRKRD	22
CRKREAD	22
CRKEVER	22
CRKAGE	22
CRKTOT	23
CRAKREC	23
CRKYRFRQ	23
CRKUS30A	24
SKPHERRD	25
HERREAD	25
HEREVER	25
HERAGE	25
HERTOT	26
HERREC	26
HERYRFRQ	26
HER30USE	27
SKPHALRD	28
HALREAD	28
LSD	28
PCP	28
PEYOTE	29
MESC	29
PSILCY	29
ECSTASY	29
HALDKNAM	29
HALNOLST	29
HALNEWA	30
HALNEWB	31
HALNEWC	31
HALNEWD	31
HALNEWE	31
HALLAGE	31
HALLTOT	32
HALLREC	32
HALYRFRQ	33
HAL30USE	33
LSDREC	33
PCPREC	34
SKPINHRD	35
INHREAD	35
AMYLNIT	35
CLEFLU	35
GAS	36
GLUE	36
ETHER	36
SOLVENT	36
LGAS	36
NITOXID	36

INDEX OF LABELS

LABEL	PAGE
SPPAINT	37
AEROS	37
INHDKNAM	37
INHNOLST	37
INHNEWA	38
INHNEWB	38
INHNEWC	39
INHNEWD	39
INHNEWE	39
INHAGE	39
INHTOT	39
INHREC	40
INHYRFRQ	40
INHDY30A	41
SKPANLRD	42
ANLREAD	42
CODEINE	42
DARVON	42
DEMEROL	43
DILAUD	43
METHDON	43
MORPHINE	43
PERCODAN	43
TALWIN	43
TYLCOD	44
ANLDKNAM	44
ANLNOLST	44
ANALNEWA	45
ANALNEWB	46
ANALNEWC	46
ANALNEWD	46
ANALNEWE	46
ANALNONE	47
ANALAGE	47
ANALTOT	47
ANALREC	48
ANLYRFRQ	48
SKPTRNRD	49
TRNREAD	49
ATARAX	49
ATIVAN	49
DIAZEPAM	50
LIBRIUM	50
TRANXENE	50
VALIUM	50
XANAX	50
TRDKNAM	50
TRNOLST	51
TRNEWA	51
TRNEWB	52
TRNEWC	52

INDEX OF LABELS

LABEL	PAGE
TRNEWD	52
TRNEWE	52
NOTRANQ	52
TRANAGE	53
TRANTOT	53
TRANREC	53
TRNYRFRQ	54
SKPSTMRD	55
STMREAD	55
BENZ	55
BIPHET	55
DEXAMYL	56
DEXED	56
FASTIN	56
IONAMIN	56
METHAMP	56
METHI	56
PRELUDIN	57
STMDKNAM	57
STMNOLST	57
STIMNEWA	58
STIMNEWB	59
STIMNEWC	59
STIMNEWD	59
STIMNEWE	59
NOSTIMS	60
STIMAGE	60
STIMTOT	60
STIMREC	61
STMYRFRQ	61
SKPSEDRD	62
SEDREAD	62
DALMANE	62
HALCION	62
METHAQ	63
NEMBUTAL	63
PHENOBAR	63
PLACIDYL	63
SECONAL	63
TUINAL	63
SEDDKNAM	64
SEDNOLST	64
SEDNEWA	64
SEDNEWB	64
SEDNEWC	65
SEDNEWD	65
SEDNEWE	65
NOSEDAT	65
SEDAGE	65
SEDTOT	66
SEDREC	66

INDEX OF LABELS

LABEL	PAGE
SEDYRFRQ	67
BIRMONTH	68
BIRYEAR	68
IRAGE	68
IIAGE	69
IRSEX	69
IISEX	69
IRRACE	69
IIRACE	69
IRHOIND	69
IIHOIND	69
IRHOGRP	69
IIHOGRP	69
IRHOGRP2	70
IIHOGRP2	70
IRMARIT	70
IIMARIT	70
IREDUC	70
IIEDUC	70
IRHSGRAD	71
IIHSGRAD	71
IRWORKST	71
IIWORKST	71
IRCIGRC	72
IICIGRC	72
IROTBRC	72
IIOTBRC	72
IRALCRC	72
IIALCRC	72
IRMJRC	72
IIMJRC	72
IRCOCRC	73
IICOCRC	73
IRCRKRC	73
IICRKRC	73
IRHERRC	73
IIHERRC	73
IRHALRC	73
IIHALRC	73
IRLSDRC	73
IILSDRC	74
IRPCPRC	74
IIPCPRC	74
IRINHRC	74
IIINHRC	74
IRANLRC	74
IIANLRC	74
IRTRNRC	74
IITRNRC	74
IRSTMRC	75
IISTMRC	75

INDEX OF LABELS

LABEL	PAGE
IRSEDRC	75
IISEDRC	75
IRSTRRC	75
IISTRRC	75
IRALCFQ	76
IIALCFQ	76
IRMJFQ	76
IIMJFQ	76
IRCOCFQ	76
IICOCFQ	76
IRCRKFQ	77
IICRKFQ	77
IRHERFQ	77
IIHERFQ	77
IRHALFQ	77
IIHALFQ	77
IRINHFQ	78
IIINHFQ	78
IRANLFQ	78
IIANLFQ	78
IRTRNFQ	78
IITRNFQ	78
IRSTMFQ	79
IISTMFQ	79
IRSEDFQ	79
IISEDFQ	79
IRSTRFQ	79
IISTRFQ	79
CATAGE	80
CATAG2	80
CATAG3	80
RACE	80
HISPRACE	80
EDUCCAT2	80
EMPSTAT2	80
BUSINES2	80
ROCCUP2	80
CIGFLAG	81
CIGYR	81
CIGMON	81
SMKFLAG	81
SMKYR	81
SMKMON	81
ALCFLAG	81
ALCYR	81
ALCMON	81
MRJFLAG	81
MRJYR	81
MRJMON	81
COCFLAG	82
COCYR	82

INDEX OF LABELS

LABEL	PAGE
COCMON	82
CRKFLAG	82
CRKYR	82
CRKMON	82
HERFLAG	82
HERYR	82
HERMON	82
HALFLAG	82
HALYR	82
HALMON	82
LSDFLAG	82
LSDYR	83
LSDMON	83
PCPFLAG	83
PCPYR	83
PCPMON	83
INHFLAG	83
INHYR	83
INHMON	83
ANLFLAG	83
ANLYR	83
ANLMON	83
TRQFLAG	83
TRQYR	83
TRQMON	84
STMFLAG	84
STMYR	84
STMMON	84
SEDFLAG	84
SEDYR	84
SEDMON	84
ALCYRF	84
ALCMONF	84
ALCWKF	84
ALCOCCF	84
ALCDLYF	84
MRJYRF	84
MRJMONF	85
MRJWKF	85
MRJOCCF	85
MRJDLYF	85
COCYRF	85
COCMONF	85
COCWKF	85
COCOCCF	85
COCDLYF	85
CRKYRF	85
CRKMONF	85
CRKWKF	85
CRKOCCF	85
CRKDLYF	86

INDEX OF LABELS

LABEL	PAGE
HERYRF	86
HERMONF	86
HERWKF	86
HEROCCF	86
HERDLYF	86
HALYRF	86
HALMONF	86
HALWKF	86
HALOCCF	86
HALDLYF	86
INHYRF	86
INHMONF	86
INHWKF	87
INHOCCF	87
INHDLYF	87
ANLYRF	87
ANLMONF	87
ANLWKF	87
ANLOCCF	87
ANLDLYF	87
TRQYRF	87
TRQMONF	87
TRQWKF	87
TRQOCCF	87
TRQDLYF	87
STMYRF	88
STMMONF	88
STMWKF	88
STMOCCF	88
STMDLYF	88
SEDYRF	88
SEDMONF	88
SEDWKF	88
SEDOCCF	88
SEDDLYF	88
PSYFLAG2	88
PSYYR2	88
PSYMON2	89
SUMFLAG	89
SUMYR	89
SUMMON	89
MJOFLAG	89
MJOYR2	89
MJOMON2	90
IEMFLAG	90
IEMYR	90
IEMMON	90
HVYDRK2	90
CG04	91
CG12	91
AL03	91

INDEX OF LABELS

LABEL	PAGE
MJ04	91
CC04	92
CK04	92
HE04	92
LS04	92
LS07	93
LS08	93
IN04	93
PK04	93
TR04	94
ST04	94
SE04	94
SKPASRD	95
ASREAD	95
STREVER	95
STERAGE	95
STERTOT	96
STERREC	96
STRYRFRQ	97
STR30USE	97
SKPSDRD	98
SDREAD	98
GNNDLLIF	98
COCNEEDL	99
CONDLREC	99
HERNEEDL	99
HRNDLREC	100
STRNEEDL	100
SRNDLREC	100
STNEEDLE	101
STNDLREC	101
GNNDLSH1	101
GNNDLSH2	102
HRANYFRM	102
HERSMOKE	102
HRSMKREC	103
HERSNIFF	103
HRSNFREC	103
SKPRSKRD	104
RSKREAD	104
RSKPKCIG	104
RSKTRYMJ	105
RSKMJOCC	105
RSKMJREG	105
RKTRYPCP	105
RKPCPREG	105
RKTRYLSD	106
RKLSDREG	106
RKTRYHER	106
RKHERREG	106
RKTRYCOC	106

INDEX OF LABELS

LABEL	PAGE
RKCOCOCC	107
RKCOCREG	107
RKTRYCRK	107
RKCRKOCC	107
RKCRKREG	107
RKTRYANS	108
RKANSOCC	108
RKANSREG	108
RK2DRINK	108
RK5DRINK	108
RSKBINGE	109
RSKDIFMJ	109
RKDIFLSD	109
RKDIFPCP	109
RKDIFCOC	110
RKDIFCRK	110
RKDIFHER	110
RSKSELL	110
RKNEIDRN	111
RKNEISEL	111
SKPDRGRD	112
DRGREAD	112
USEDCIG	112
USEDALC	112
USEDMRJ	113
USEDCOC	113
USEDHER	113
USEDHAL	113
USEDINH	113
USEDSTR	113
USEDANL	114
USEDTRN	114
USEDSTM	114
USEDSED	114
NODRUGYR	114
GRTMCIG	115
GRTMALC	115
GRTMMRJ	115
GRTMCOC	115
GRTMHER	115
GRTMHAL	116
GRTMINH	116
GRTMSTR	116
GRTMANL	116
GRTMTRN	116
GRTMSTM	116
GRTMSED	117
LAMTCIG	117
LAMTALC	117
LAMTMRJ	117
LAMTCOC	117

INDEX OF LABELS

LABEL	PAGE
LAMTHER	118
LAMTHAL	118
LAMTINH	118
LAMTSTR	118
LAMTANL	118
LAMTTRN	118
LAMTSTM	119
LAMTSED	119
BTOLCIG	119
BTOLALC	119
BTOLMRJ	119
BTOLCOC	120
BTOLHER	120
BTOLHAL	120
BTOLINH	120
BTOLSTR	120
BTOLANL	120
BTOLTRN	121
BTOLSTM	121
BTOLSED	121
SAFTCIG	121
SAFTALC	122
SAFTMRJ	122
SAFTCOC	122
SAFTHER	122
SAFTHAL	122
SAFTINH	122
SAFTSTR	123
SAFTANL	123
SAFTTRN	123
SAFTSTM	123
SAFTSED	123
PROBCIG	124
PROBALC	124
PROBMRJ	124
PROBCOC	124
PROBHER	124
PROBHAL	125
PROBINH	125
PROBSTR	125
PROBANL	125
PROBTRN	125
PROBSTM	125
PROBSED	126
WCDCIG	126
ACDCIG	126
WCDALC	127
ACDALC	127
WCDMRJ	127
ACDMRJ	127
WCDCOC	127

INDEX OF LABELS

LABEL	PAGE
ACDCOC	128
WCDHER	128
ACDHER	128
WCDHAL	128
ACDHAL	128
WCDINH	129
ACDINH	129
WCDSTR	129
ACDSTR	129
WCDANL	129
ACDANL	130
WCDTRN	130
ACDTRN	130
WCDSTM	130
ACDSTM	130
WCDSED	131
ACDSED	131
SKPTMTRD	132
TMTREAD	132
TXEVER	132
TXTIMELF	133
TXYRFREQ	133
TXALHOSP	133
TXALRFIN	134
TXALRFOP	134
TXALMHC	134
TXALEMRG	134
TXALDOC	134
TXALJAIL	134
TXALSHG	135
TXALSOP	135
TXALSP	135
TXDRHOSP	135
TXDRFIN	136
TXDRFOP	136
TXDRMHC	136
TXDREMRG	136
TXDRDOC	136
TXDRJAIL	136
TXDRSHG	137
TXDRSOP	137
TXDRSP	137
TXYREMRG	137
TXADGREC	138
TXLTHOSP	138
TXLTRFIN	138
TXLTRFOP	139
TXLTMHC	139
TXLTEMRG	139
TXLTDOC	139
TXLTJAIL	139

INDEX OF LABELS

LABEL	PAGE
TXLTSHG	139
TXLTSOP	140
TXLTSP	140
TXLTALC	140
TXLTMJ	140
TXLTCOC	141
TXLTHER	141
TXLTHAL	141
TXLTINH	141
TXLTANL	141
TXLTRAN	141
TXLTSTIM	142
TXLTSED	142
TXLTSOD	142
TXLTA	142
TXLTB	142
TXLTC	143
TXLTD	143
TXLTE	143
TXDRGA	144
TXDRGB	145
TXDRGC	145
TXDRGD	145
TXDRGE	145
TXOUTC	145
TXTIME	146
TXPDINS	146
TXPDCARE	146
TXPDCAID	146
TXPDSAVE	147
TXPDFMLY	147
TXPDEMPL	147
TXPDFREE	147
TXPDSOS	147
TXPDSP	148
TXEN1093	148
AS04	149
SD03	149
SD05	149
SD07	150
SD09	150
SD14	150
SD16	151
TX07	151
SKPWRKRD	152
WRKREAD	152
WKEVRACC	152
WKYRACC	153
WKYRTEST	153
WK30ACC	153
WK30TEST	153

INDEX OF LABELS

LABEL	PAGE
WKYRVOL	154
WKYRFIRE	154
WKYRLOFF	154
WKYROTHR	154
WKYRSPEC	155
SKPYCANS	156
SKPYCRD	156
YCREAD	156
YACTYNG	157
YALLERGY	157
YARGUE	157
YASTHMA	157
YACOPPSX	158
YLKANIML	158
YBRAG	158
YTRBCONC	158
YCNTHGTS	158
YTRBSIT	159
YDPTADLT	159
YFLONELY	159
YFLCONFU	159
YCRYLOT	159
YHONEST	160
YMEANOTH	160
YDAYDREM	160
YTRYKLSF	160
YTRYATTN	160
YDSTYTHG	161
YDSTYOTH	161
YDSBYPAR	161
YDSBYSCH	161
YDNTEATW	161
YDNTKIDS	162
YDNTGLTY	162
YJEALOTH	162
YHELPOTH	162
YAFRPLAC	162
YAFRSCHL	163
YAFRBAD	163
YFLPRFCT	163
YFLNOLOV	163
YFLGETME	163
YFLWTHLS	164
YACCHURT	164
YFIGHTS	164
YGTEASED	164
YKIDSTRB	164
YHRVOICS	165
YACTTNK	165
YALONE	165
YLIE	165

INDEX OF LABELS

LABEL	PAGE
YBITNAIL	165
YNERVOUS	166
YBTWITCH	166
YNGHTMAR	166
YNOTKIDS	166
YDOBETTR	166
YANXIOUS	167
YFLDIZZY	167
YFLGUILT	167
YEATMUCH	167
YFLTIRED	167
YOVRWGHT	168
YACHES	168
YHEADACH	168
YNAUSEA	168
YEYEPROB	168
YRASHES	169
YCRAMPS	169
YVOMIT	169
YATTACK	169
YPKBPART	169
YPFRNDLY	170
YTRYTHNG	170
YSCPOOR	170
YCLUMSY	170
YOLDKIDS	170
YYNGKIDS	171
YRFSTALK	171
YREPACTN	171
YRUNHOME	171
YSCREAM	171
YSECRET	172
YSEETHNG	172
YSLFCONS	172
YSETFIRE	172
YWELHNDS	172
YSHOWOFF	173
YSHY	173
YSLPLESS	173
YSLPMORE	173
YGDIMAG	173
YSPCHPRB	174
YSTDRGHT	174
YSTEALHO	174
YSTEALPL	174
YDNTNEED	174
YDOSTRNG	175
YTHSTRNG	175
YSTUBORN	175
YMOODS	175
YENJOY	175

INDEX OF LABELS

LABEL	PAGE
YSUSPICS	176
YDRTLANG	176
YTHKKLSF	176
YLKLAUGH	176
YTALKMCH	176
YTEASE	177
YTEMPER	177
YTHNKSEX	177
YTHRTPEO	177
YLKHELP	177
YCONNEAT	178
YTRBSLEP	178
YSKIPSCH	178
YNOENRGY	178
YUNHAPPY	178
YLOUDER	179
YUSEDRUG	179
YFAIROTH	179
YENJYJOK	179
YLIFEASY	179
YTRYHELP	180
YWSOPPSX	180
YINVOTH	180
YWORRY	180
MOVESPYR	181
STUDENT	181
ESTUDENT	181
SCHDAYS	182
ESCHDAYS	182
SKIPPED	182
ESKIPPED	182
NJOBSPYR	183
WRKSTAT2	183
WKSWKST	184
SKPWKST1	184
BUSSIZE	185
LOCSIZE	185
DRGINFO	186
DRGPLCY	186
PLCYCOV	186
DRGPRGM	187
DRGTEST	187
TSTHIRE	187
TSTRAND	188
TSTSUSP	188
TSTACCD	188
TSTTRMT	188
WRKHIRE	189
WRKRAND	189
WRKSUSP	189
WRKACCD	190

INDEX OF LABELS

LABEL	PAGE
PAYMO	190
PAYYR	190
SKPWKST2	191
WORKDAYS	191
WORKBLAH	191
SKPPREG	192
PREGNANT	192
PREGMOS	192
SKPCWE	192
CWE	193
CWESC1	194
CWESC2	196
FULLPART	197
TOTPEOP	197
SKPMHC	197
DEPRESS	198
DEPDAYS	198
DEPFREQ	199
LOSTINT1	199
TIRED1	199
WTCHNG1	199
LBSCHNG1	200
SLPLOSS1	200
SLPFREQ1	200
CONCEN1	200
DOWN1	201
IDEAT1	201
SKPDEP1	201
DEPWKS1	202
DEPMO1	202
DEPYR1	202
LOSTINT2	203
LOSINDAY	203
LOSINFRQ	204
TIRED2	204
WTCHNG2	204
LBSCHNG2	204
SLPLOSS2	205
SLPFREQ2	205
CONCEN2	205
DOWN2	205
IDEAT2	206
SKPDEP2	206
DEPWKS2	206
DEPMO2	207
DEPYR2	207
WORRIED	207
WOREND	207
WORNOMO1	208
WORHAPN1	208
WORSERI1	208

INDEX OF LABELS

LABEL	PAGE
WORDIFF1	209
WORNOMO2	209
WORHAPN2	209
WORSERI2	209
WORDIFF2	210
SKPWOR	210
WORREST	210
WOREDGE	210
WORIRRIT	210
WORHEART	211
WORTIRED	211
WORSLEEP	211
WORFAINT	211
FEARPUB	211
FEAROUT	212
FEARBRDG	212
SKPFEAR1	212
FEAROFT	212
FEARYRS	213
FEARMOS	213
FEARFANT	213
FEARTRAP	214
FEARHELP	214
PANIC1	214
PANIC2	215
PANICNUM	215
PANICMO	215
PANICYR	215
PANIDANG	216
SKPFEAR2	216
PANIFEAR	216
PANINOFR	217
PANIHART	217
PANIPAIN	217
PANISWET	217
PANISHAK	217
PANIHOT	218
PANIUNRL	218
NUERTMT	219
NUHSPOV	219
NUHSPPE	219
OUTPTPE	220
PROXABLE	221
PROXYREL	222
PROXHOME	222
PROXJOIN	223
CAREUSU	224
NCARERSN	224
NCRRSNSP	224
NCRRSNSC	225
CAREOFT	225

INDEX OF LABELS

LABEL	PAGE
PYRCARE	225
PYRCRTYP	226
PYRCRTSP	226
PYRCRTSC	226
CARENOW	227
MNRSNNCR	227
MNRSNNSP	227
MNRSNNSC	228
UCARETYP	228
UCRTYPSP	228
UCRTYPSC	229
MEDICARE	230
MEDICAID	231
CHAMPUS	231
PRVHLTIN	231
GRPHLTIN	232
PDHINPRM	232
HLTINALC	232
HLTINDRG	233
HLTINMNT	233
SOC1	234
SOC2	234
SSI1	235
SSI2	235
PUB1	235
PUB2	236
AFDC	236
INT1	237
INT2	237
CHD1	237
CHD2	238
OTH1	238
OTH2	239
FSTAMP	239
PINC1	240
SKPTFMIN	241
FINC1	241
TELNO	242
IRPINSUR	243
IIPINSUR	243
IRINSUR	243
IIINSUR	243
IRSOC1	243
IISOC1	243
IRSSI1	243
IISSI1	243
IRPUB1	243
IIPUB1	243
IRAFDC	244
IIAFDC	244
IRINT1	244

INDEX OF LABELS

LABEL	PAGE
IIINT1	244
IRCHD1	244
IICHD1	244
IROTH1	244
IIOTH1	244
IRFSTAMP	244
IIFSTAMP	244
IRPINC1	244
IIPINC1	245
IRFINC1	245
IIFINC1	245
IRSOC2	245
IISOC2	245
IRSSI2	245
IISSI2	245
IRPUB2	245
IIPUB2	245
IRINT2	245
IIINT2	246
IRCHD2	246
IICHD2	246
IROTH2	246
IIOTH2	246
IRPEOP	247
IRKIDS	247
RELINTHH	247
FEMBABY	248
FEMKIDS	248
MALEBABY	248
MALEKIDS	248
F15_44	248
M15_44	248
PREG	248
INDCAT	248
PERINC	248
PERINC2	249
PERINC3	249
TOTCAT	249
FAMINC	249
FAMINC2	249
FAMINC3	250
WELFARE	250
STRFLAG	251
STRYR	251
STRMON	251
NEEDLREC	251
NDL94REC	251
NEDFLAG3	251
NEDYR3	251
STRYRF	251
STRMONF	251

INDEX OF LABELS

LABEL	PAGE
STRWKF	251
STROCCF	252
STRDLYF	252
WITHDRW	253
SOMCOM	253
ANXDEP	253
SOCPROB	253
THPROB	253
ATTPROB	254
DELBEH	254
AGGBEH	254
WITHDRWT	254
SOMCOMT	254
ANXDEPT	254
SOCPROBT	254
THPROBT	255
ATTPROBT	255
DELBEHT	255
AGGBEHT	255
MDESFS1	256
MDESFS3	256
PROBMDE1	256
PROBMDE3	256
MDE1	256
MDE3	256
GADSFS1	257
GADSFS3	257
PROBGAD1	257
PROBGAD3	257
GAD1	257
GAD3	257
AGPSFS1	258
AGPSFS3	258
PROBAGP1	258
PROBAGP3	258
AGP1	258
AGP3	258
PASFS1	259
PASFS3	259
PROBPA1	259
PROBPA3	259
PA1	259
PA3	259
INTMONTH	260
BHOUR	260
BMIN	260
BAP	260
EHOUR	260
EMIN	260
EAP	260
LANGVER	260

INDEX OF LABELS

LABEL	PAGE
UNDINT	261
COOPINT	261
PRIVACY	261
PPRES	262
SPRES	262
PARPRES	262
OARPRES	262
OAPRES	262
CPRES	262
OPRESNSP	262
OPRESSPA	263
OPRESSPB	264
WHOMARKD	264
QUARTER	264
FAMSKIP	264
GQTYPE	264
PDEN	265
PDEN2	265
REGION	265
DIVISION	265
RURORURB	265
VESTR	266
VEREP	266
ANALWT	266
ANALWT1	266
ANALWT2	266
ANALWT3	266
ANALWT4	266
WT1	266
WT2	266
WT3	266
WT4	266
WT5	266
WT6	266
WT7	266
WT8	266
WT9	266
WT10	266
WT11	266
WT12	266
AEROS2	268
ALCDAYS2	268
ALCDAYS3	268
ALCILLL	268
ALCILLM	268
ALCILLY	268
ALCMON2	268
ALCMRJL	268
ALCMRJM	268
ALCMRJY	268
ALCONLYL	268

INDEX OF LABELS

LABEL	PAGE
ALCONLYM	268
ALCONLYY	269
ALCOTHL	269
ALCOTHM	269
ALCOTHY	269
ALCPROBS	269
ALC2PROB	269
ALC3PROB	269
ALCPSYL	269
ALCPSYM	269
ALCPSYY	269
ALCTRY2	269
AMYLNIT2	269
ANALAGE2	269
AVCIG2	270
AVCIG3	270
CIGMON2	270
CIGPROBS	270
CIG2PROB	270
CIG3PROB	270
CIGTRY2	270
CLEFLU2	270
COCAGE2	270
COCPROBS	271
COC2PROB	271
COC3PROB	271
COCTOT2	271
COCTOT3	271
DRALHELP	271
DRINKER2	271
DRNKHLP2	271
ECSTASY2	271
ETHER2	271
GAS2	272
GLUE2	272
HALLAGE2	272
HERAGE2	272
HLTINAL2	272
HLTINDR2	272
ILLONLYL	272
ILLONLYM	272
ILLONLYY	272
INHAGE2	272
INHYR2	273
LGAS2	273
LSD2	273
MESC2	273
MJAGE2	273
MJDY30A2	273
MJDY30A3	273
MJPROBS	273

INDEX OF LABELS

LABEL	PAGE
MRJ2PROB	273
MRJ3PROB	273
MJTOT2	273
MJTOT3	274
MRJMON2	274
MRJONLYL	274
MRJONLYM	274
MRJONLYY	274
NITOXID2	274
NOTMARJ	274
OTHONLYL	274
OTHONLYM	274
OTHONLYY	274
PCP2	274
PEYOTE2	275
PRVHLIN2	275
PSILCY2	275
PSYAGE	275
PSYONLYL	275
PSYONLYM	275
PSYONLYY	275
RACESEX	275
RACESEX2	275
SEDAGE2	276
SOLVENT2	276
SPPAINT2	276
STIMAGE2	276
SUB1LIF	276
SUB1MON	276
SUB1YR	276
SUB2LIF	276
SUB2MON	276
SUB2YR	276
SUB3LIF	276
SUB3MON	276
SUB3YR	277
TRANAGE2	277
TRMTHLP2	277
AGE	278
AGP4	278
ALCYR2	278
ANLYR2	278
ANY4MENT	278
CATAGE6	278
CIGMON3	278
CIGYR2	278
COCYR2	278
CRKYR2	278
DR5DAY2	279
EXT	279
GAD4	279

INDEX OF LABELS

LABEL	PAGE
HALMON2	279
HALYR2	279
HERYR2	279
INHMON2	279
INT	279
MDE4	279
MRJMON3	279
MRJYR2	280
PA4	280
PCPYR2	280
PSYYR3	280
SEDYR2	280
STMYR2	280
SUMYR2	280
TRQYR2	280
PR_BEHAV	281
PR_EMOT	281
PR_TOTAL	281
PSYMON3	281
SUMMON2	281
TOTPROB	282
WITHDRW2	282
SOMCOM2	282
ANXDEP2	282
SOCPROB2	282
THPROB2	282
ATTPROB2	282
DELBEH2	283
AGGBEH2	283
WITHDRT2	283
SOMCOMT2	283
ANXDEPT2	283
SOCPROT2	283
THPROBT2	283
ATTPROT2	283
DELBEHT2	283
AGGBEHT2	283
PR_WD	284
PR_SC	284
PR_AD	284
PR_SP	284
PR_TP	284
PR_AP	284
PR_DB	284
PR_AB	284

APPENDIX A

OCCUPATION CODES

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the occupation categories are the 1990 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Occupation Category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS
1	**Executive, Administrative, and Managerial Occupations**
	Legislators (111)
	Chief executives and general administrators, public administration
	Administrators and officials, public administration (1132-1139)
	Administrators, protective services (1131)
	Financial managers (122)
	Personnel and labor relations managers (123)
	Purchasing managers (124)
	Managers; marketing, advertising, and public relations (125)
	Administrators, education and related fields (128)
	Managers, medicine and health (131)
	Post masters and mail superintendents (1344)
	Managers, food serving and lodging establishments (1351)
	Managers, properties and real estate (1353)
	Funeral directors (pt 1359)
	Management related occupations
	Managers, service organizations, n.e.c. (127, 1352, 1354, pt 1359)
	Managers and administrators, n.e.c. (121, 126, 132-1343, 136-139)
	Accountants and auditors (1412)
	Underwriters (1414)
	Other financial officers (1415, 1419)
	Management analysts (142)
	Personnel, training, and labor relations specialists (143)
	Purchasing agents and buyers, farm products (1443)
	Buyers, wholesale and retail trade, except farm products (1442)
	Purchasing agents and buyers, n.e.c. (1449)
	Business and promotion agents (145)
	Construction inspectors (1472)
	Inspectors and compliance officers, exc. construction (1473)
	Management related occupations, n.e.c. (149)
2	**Professional Specialty Occupations**
	Architects (161)
	Engineers, surveyors and mapping scientists
	Aerospace engineers (1622)
	Metallurgical and materials engineers (1623)
	Mining engineers (1624)
	Petroleum engineers (1625)
	Chemical engineers (1626)
	Nuclear engineers (1627)
	Civil engineers (1628)
	Agricultural engineers (1632)
	Electrical and electronic engineers (1633, 1636)
	Industrial engineers (1634)
	Mechanical engineers (1635)
	Marine engineers and naval architects (1637)
	Engineers, n.e.c. (1639)
	Surveyors and mapping scientists (164)
	Mathematical and computer scientists
	Computer systems analysts and scientists (171)
	Operations and systems researchers and analysts (172)
	Actuaries (1732)
	Statisticians (1733)
	Mathematical scientists, n.e.c. (1739)
	Natural Scientists
	Physicists and astronomers (1842, 1843)
	Chemists, except biochemists (1845)

Code	Occupation Category
	Atmospheric and space scientists (1846)
	Geologists and geodesists (1847)
	Physical scientists, n.e.c. (1849)
	Agricultural and food scientists (1853)
	Biological and life scientist (1854, 1854)
	Forestry and conservation scientists (1852)
	Medical scientists (1855)
	Health diagnosing occupations
	Physicians (261)
	Dentists (262)
	Veterinarians (27)
	Optometrists (281)
	Podiatrists (283)
	Health diagnosing practitioners, n.e.c. (289)
	Health assessment and treating occupations
	Registered nurses (29)
	Pharmacists (301)
	Dietitians (302)
	Therapists
	Respiratory therapists (3031)
	Occupational therapists (3032)
	Physical therapists (3033)
	Speech therapists (3034)
	Therapists, n.e.c. (3039)
	Physicians' assistants (304)
	Teachers, postsecondary
	Earth, environmental, and marine science teachers (2212)
	Biological science teachers (2213)
	Chemistry teachers (2214)
	Physics teachers (2215)
	Natural science teachers, n.e.c. (2216)
	Psychology teachers (2217)
	Economics teachers (2218)
	History teachers (2222)
	Political science teachers (2223)
	Sociology teachers (2224)
	Social science teachers, n.e.c. (2225)
	Engineering teachers (2226)
	Mathematical science teachers (2227)
	Computer science teachers (2228)
	Medical science teachers (2231)
	Health specialties teachers (2232)
	Business, commerce, and marketing teachers (2233)
	Agriculture and forestry teachers (2234)
	Art, drama, and music teachers (2235)
	Physical education teachers (2236)
	Education teachers (2237)
	English teachers (2238)
	Foreign language teachers (2242)
	Law teachers (2243)
	Social work teachers (2244)
	Theology teachers (2245)
	Trade and industrial teachers (2246)
	Home economics teachers (2247)
	Teachers, postsecondary, n.e.c. (2249)
	Postsecondary teachers, subject not specified
	Teachers, except postsecondary
	Teachers, prekindergarten and kindergarten (231)
	Teachers, elementary school (232)
	Teachers, secondary school (233)
	Teachers, special education (235)
	Teachers, n.e.c. (236, 239)
	Counselors, educational and vocational (24)
	Librarians, archivists, and curators
	Librarians (251)
	Archivists and curators (252)
	Social scientists and urban planners
	Economists (1912)
	Psychologists (1915)
	Sociologists (1916)
	Social scientists, n.e.c. (1913, 1914, 1919)
	Urban planners (192)
	Social, recreation, and religious workers
	Social workers (2032)
	Recreation workers (2033)
	Clergy (2042)
	Religious workers, n.e.c. (2049)
	Lawyers and judges
	Lawyers (211)
	Judges (212)
	Writers, artists, entertainers, and athletes
	Authors (321)
	Technical writers (398)

Code	Occupation Category
	Designers (322)
	Musicians and composers (323)
	Actors and directors (324)
	Painters, sculptors, craft-artists, and artist printmakers (325)
	Photographers (326)
	Dancers (327)
	Artists, performers, and related workers, n.e.c. (328,329)
	Editors and reporters (331)
	Public relations specialists (332)
	Announcers (333)
	Athletes (34)
	TECHNICAL, SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS
3	**Technicians and Related Support Occupations**
	Health technologists and technicians
	Clinical laboratory, technologists, and technicians (362)
	Dental hygienists (363)
	Health record technologists and technicians (364)
	Radiologic technicians (365)
	Licensed practical nurses (366)
	Health technologists and technicians, n.e.c. (369)
	Technologists and technicians, except health
	Engineering and related technologists and technicians
	Electrical and electronic technicians (3711)
	Industrial engineering technicians (3712)
	Mechanical engineering technicians (3713)
	Engineering technicians, n.e.c. (3719)
	Drafting occupations (372)
	Surveying and mapping technicians (373)
	Science technicians
	Biological technicians (382)
	Chemical technicians (3831)
	Science technicians, n.e.c. (3832, 3833, 384, 389)
	Technicians, except health, engineering, and science
	Airplane pilots and navigators (825)
	Air traffic controllers (392)
	Broadcast equipment operators (393)
	Computer programmers (3971,3972)
	Tool programmers, numerical control (3974)
	Legal assistants (396)
	Technicians, n.e.c. (399)
4	**Sales Occupations**
	Supervisors and proprietors, sales occupations (40)
	Sales occupations, business goods and services
	Insurance sales occupations (4122)
	Real estate sales occupations (4123)
	Securities and financial services sales occupations (4124)
	Advertising and related sales occupations (4153)
	Sales occupations, other business services (4152)
	Sales engineers (421)
	Sales representatives, mining, manufacturing, and wholesale (423, 4235)
	Sales occupations, personal goods and services
	Sales workers, motor vehicles and boats (4342, 4344)
	Sales workers, apparel (4346)
	Sales workers, shoes (4351)
	Sales workers, furniture and home furnishings (4348)
	Sales workers' radio,television, hi-fi, and appliances (4343, 4352)
	Sales workers, hardware and building supplies (4353)
	Sales workers, parts (4367)
	Sales workers, other commodities (4345, 4347, 4354, 4356, 4359, 4349)
	Sales counter clerks (pt 4363)
	Cashiers (4364)
	Street and door-to-door sales workers (4366)
	News vendors (4365)

Code	Occcupation Category
	Sales related occupations
	Demonstrators, promoters and models, sales (445) Auctioneers (447) Sales support occupations,n.e.c (444, 446, 449)
5	**Administrative Support Occupations, Including Clerical**
	Supervisors, administrative support occupations
	Supervisors, general office (4511, 4513, 4514, 4516, 4519, 4529) Supervisors, computer equipment operators (4512) Supervisors, financial records processing (4521) Chief communications operators (4523) Supervisors; distribution, scheduling, & adjusting clerks (4522, 4524)
	Computer equipment operators
	Computer operators (4612) Peripheral equipment operators (4613) Secretaries (4622) Stenographers (4623) Typists (4624)
	Information clerks
	Interviewers (4642) Hotel clerks (4643) Transportation ticket and reservation agents (4644) Receptionists (4645) Information clerks, n.e.c. (4649)
	Records processing occupations, except financial
	Classified-ad clerks (4662) Correspondence clerks (4663) Order clerks (4664) Personnel clerks, except payroll and timekeeping (4692) Library clerks (4694) File clerks (4696) Records clerks (4699) Bookkeepers, accounting and auditing clerks (4712)

Code	Occupation Category
	Financial records processing occupations
	Payroll and timekeeping clerks (4713) Billing clerks (4715) Cost and rate clerks (4716) Billing, posting, and calculating machine operators (4718)
	Duplicating, mail and other office machine operators
	Duplicating machine operators (4722) Mail preparing and paper handling machine operators (4723) Office machine operators, n.e.c. (4729)
	Communications equipment operators
	Telephone operators (4732) Communications equipment operators, n.e.c. (4733, 4739)
	Mail and message distributing occupations
	Postal clerks, exc. mail carriers (4742) Mail carriers, postal service (4743) Mail clerks, exc. postal service (4744) Messengers (4745)
	Material recording, scheduling, and distributing clerks, n.e.c.
	Dispatchers (4751) Production Coordinators (4752) Traffic, shipping, and receiving clerks (4753) Stock and inventory clerks (4754) Meter readers (4755) Weighers, measurers, checkers and samplers (4756, 4757) Expediters (4758) Material recording,scheduling, and distributing clerks, n.e.c.(4759)
	Adjusters and investigators
	Insurance adjusters, examiners, and investigators (4782) Investigators and adjusters, except insurance (4783) Eligibility clerks, social welfare (4784) Bill and account collectors (4786)

Code	Occupation Category
	Miscellaneous administrative support occupations
	General office clerks (463)
	Bank tellers (4791)
	Proofreaders (4792)
	Data-entry keyers (4793)
	Statistical clerks (4794)
	Teachers' aides (4795)
	Administrative support occupations, n.e.c. (4787,4799)
	SERVICE OCCUPATIONS
6	**Private Household Occupations**
	Launderers and ironers (503)
	Cooks, private household (504)
	Housekeepers and butlers (505)
	Child care workers, private household (506)
	Private household cleaners and servants (502, 507, 509)
7	**Protective Service Occupations**
	Supervisors, protective service occupations
	Supervisors, firefighting and fire prevention occupations (5111)
	Supervisors, police and detectives (5112)
	Supervisors, guards (5113)
	Firefighting and fire prevention occupations
	Fire inspection and fire prevention occupations (5122)
	Firefighting occupations (5123)
	Police and detectives
	Police and detectives, public service (5132)
	Sheriffs, bailiffs, and other law enforcement officers (5134)
	Correctional institution officers (5133)
	Guards
	Crossing guards (5142)
	Guards and police, exc. public service (5144)
	Protective service occupations, n.e.c. (5149)
8	**Service Occupations, Except Protective and Private Household**
	Food preparation and service occupations
	Supervisors, food preparation and service occupations (5211)
	Bartenders (5212)
	Waiters and waitresses (5213)
	Cooks (5214, 5215)
	Food counter, fountain and related occupations (5216)
	Kitchen workers, food preparation (5217)
	Waiters'/waitresses' assistants (5218)
	Miscellaneous food preparation occupations (5219)
	Health service occupations
	Dental assistants (5232)
	Health aides, except nursing (5233)
	Nursing aides, orderlies,and attendants (5236)
	Cleaning and building service occupations, except private household
	Supervisors, cleaning and building service workers (5241)
	Maids and housemen (5242,5249)
	Janitors and cleaners (5244)
	Elevator operators (5245)
	Pest control occupations (5246)
	Personal service occupations
	Supervisors, personal service occupations (5251)
	Barbers (5252)
	Hairdressers and cosmetologists (5253)
	Attendants, amusement and recreation facilities (5254)
	Guides (5255)
	Ushers (5256)
	Public transportation attendants (5257)
	Baggage porters and bellhops (5262)
	Welfare service aides (5263)
	Family child care providers (pt 5264)
	Early childhood teacher's assistants (pt 5264)
	Child care workers, n.e.c. (pt 5264)

Code	Occupation Category
	Personal service occupations, n.e.c. (5258, 5269)
9	**FARMING, FORESTRY, AND FISHING OCCUPATIONS**
	Farm operators and managers
	Farmers, except horticultural (5512-5514) Horticultural specialty farmers (5515) Managers, farms, except horticultural (5522-5524) Managers, horticultural specialty farms (5525)
	Other agricultural and related occupations
	Farm occupations, except managerial
	Supervisors, farm workers (5611) Farm workers (5612-5617) Marine life cultivation workers (5618) Nursery workers (5619)
	Related agricultural occupations
	Supervisors, related agricultural occupations (5621) Groundskeepers and gardeners, except farm (5622) Animal caretakers, except farm (5624) Graders and sorters,agricultural products (5625) Inspectors, agricultural products (5627)
	Forestry and logging occupations
	Supervisors, forestry and logging workers (571) Forestry workers, except logging (572) Timber cutting and logging occupations (573, 579)
	Fishers, hunters, and trappers
	Captains and other officers, fishing vessels (pt 8241) Fishers (583) Hunters and trappers (584)
	PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS

Code	Occupation Category
10	**Mechanics and repairers**
	Supervisors, mechanics and repairers (60)
	Mechanics and repairers, except supervisors
	Vehicle and mobile equipment mechanics and repairers
	Automobile mechanics (pt 6111) Automobile mechanic apprentices (pt 6111) Bus, truck, and stationary engine mechanics (6112) Aircraft engine mechanics (6113) Small engine repairers (6114) Automobile body and related repairers (6115) Aircraft mechanics, exc. engine (6116) Heavy equipment mechanics (6117) Farm equipment mechanics (6118) Industrial machinery repairers (613) Machinery maintenance occupations (614)
	Electrical and electronic equipment repairers
	Electronic repairers, communications and industrial equipment (6151, 6153, 6155)
	Data processing equipment repairers (6154) Household appliance and power tool repairers (6156) Telephone line installers and repairers (6157) Telephone installers and repairers (6158) Miscellaneous electrical and electronic equipment repairers (6159) Heating, air conditioning,and refrigeration mechanics (616)
	Miscellaneous mechanics and repairers
	Camera, watch, and musical instrument repairers (6171, 6172) Locksmiths and saw repairers (6173) Office machine repairers (6174) Mechanical controls and valve repairers (6175) Elevator installers and repairers (6176) Millwrights (6178) Specified mechanics and repairers, n.e.c. (6177,6179)

Code	Occupation Category
	Not specified mechanics and repairers
11	**Construction trades**
	Supervisors, construction occupations
	Supervisors; brickmasons,stonemasons, and tile setters (6312)
	Supervisors, carpenters and related workers (6313)
	Supervisors; electricians and power transmission installers (6314)
	Supervisors, painters,paperhangers, and plasterers (6315)
	Supervisors; plumbers,pipefitters, and steamfitters (6316)
	Supervisors, n.e.c. (6311,6318)
	Construction trades, except supervisors
	Brickmasons and stonemasons (pt 6412, pt 6413)
	Brickmason and stonemason apprentices (pt 6412, pt 6413)
	Tile setters, hard and soft (pt 6414, pt 6462)
	Carpet installers (pt 6462)
	Carpenters (pt 6422)
	Carpenter apprentices (pt 6422)
	Drywall installers (6424)
	Electricians (6432)
	Electrician apprentices (pt 6432)
	Electrical power installers and repairers (6433)
	Painters, construction and maintenance (6442)
	Paperhangers (6443)
	Plasterers (6444)
	Plumbers, pipefitters, and steamfitters (pt 645)
	Plumber, pipefitter, and steam fitter apprentices (pt 645)
	Concrete and terrazzo finishers (6463)
	Glaziers (6464)
	Insulation workers (6465)
	Paving, surfacing, and tamping equipment operators (6466)
	Roofers (6468)
	Sheetmetal duct installers (6472)
	Structural metal workers (6473)
	Drillers, earth (6474)
	Construction trades, n.e.c. (6467, 6475, 6476, 6479)
12	**Extractive Occupations**
	Supervisors, extractive occupations (632)
	Drillers, oil well (652)
	Explosives workers (653)
	Mining machine operators (654)
	Mining occupations, n.e.c. (656)
	Supervisors, production occupations (67, 71)
	Precision metal working occupations
	Tool and die makers (pt 6811)
	Tool and die maker apprentices (pt 6811)
	Precision assemblers, metal (6812)
	Machinists (pt 6813)
	Machinist apprentices (pt 6813)
	Boilermakers (6814)
	Precision grinders, fitters, and tool sharpeners (6816)
	Patternmakers and model makers, metal (6817)
	Lay-out workers (6821)
	Precious stones and metals workers (jewelers) (6822,6866)
	Engravers, metal (6823)
	Sheet metal workers (pt 6824)
	Sheet metal worker apprentices (pt 6824)
	Miscellaneous precision metal workers (6829)
	Precision woodworking occupations
	Patternmakers and model makers, wood (6831)
	Cabinet makers and bench carpenters (6832)
	Furniture and wood finishers (6835)
	Miscellaneous precision woodworkers (6839)
	Precision textile, apparel, and furnishings machine workers
	Dressmakers (pt 6852, pt 7752)
	Tailors (pt 6852)
	Upholsterers (6853)
	Show repairers (6854)
	Miscellaneous precision apparel and fabric workers (6856, 6859, 686)
	Precision workers, assorted materials
	Hand molders and shapers, except jewelers (6861)

Code	Occupation Category
	Patternmakers, lay-out workers, and cutters (6862)
	Optical goods workers (6864, pt 7477, pt 7677)
	Dental laboratory and medical appliance technicians (6865)
	Bookbinders (6844)
	Electrical and electronic equipment assemblers (6867)
	Miscellaneous Precision workers,n.e.c. (6869)
	Precision food production occupations
	Butchers and meat cutters (7271)
	Bakers (7272)
	Food batchmakers (7273, 7279)
	Precision inspectors, testers, and related workers
	Inspectors, testers, and graders (6881, 828)
	Adjusters and calibrators (6882)
	Plant and system operators
	Water and sewage treatment plant operators (691)
	Power plant operators (pt 693)
	Stationary engineers (pt 693, 7668)
	Miscellaneous plant and system operators (692, 694,695, 696)
	OPERATORS, FABRICATORS, AND LABORERS
13	**Machine Operators, Assemblers, and Inspectors**
	Machine operators and tenders, except precision
	Metalworking and plastic working machine operators
	Lathe and turning machine set-up operators (7312)
	Lathe and turning machine operators (7512)
	Milling and planing machine operators (7313, 7513)
	Punching and stamping press machine operators (7314, 7317, 7514, 7515)
	Rolling machine operators (7316, 7516)
	Drilling and boring machine operators (7318, 7518)
	Grinding, abrading, buffing, and polishing machine operators (7322)
	Forging machine operators (7319, 7519)
	Numerical control machine operators (7326)
	Miscellaneous metal, plastic, stone, and glass working machine operators (7349)
	Fabricating machine operators, n.e.c. (7339,7539)
	Molding and casting machine operators (7315, 7342,7515, 7542)
	Metal plating machine operators (7343, 7543)
	Heat treating equipment operators (7344, 7544)
	Miscellaneous metal and plastic processing machine operators (7329)
	Woodworking machine operators
	Wood lathe, routing, and planing machine operators (7431, 7432, 7439, 7631, 7632)
	Sawing machine operators (7433, 7633)
	Shaping and joining machine operators (7435, 7635)
	Nailing and tacking machine operators (7636)
	Miscellaneous woodworking machine operators (7434,7439, 7634, 7639)
	Printing machine operators
	Printing press operators (7443, 7643)
	Photoengravers and lithographers (6842, 7444,7644)
	Typesetters and compositors (6841, 7642)
	Miscellaneous printing machine operators (6849, 7449, 7649)
	Textile, apparel, and furnishings machine operators
	Winding and twisting machine operators (7451,7651)
	Knitting, looping, taping,and weaving machine operators (7452, 7459)
	Textile cutting machine operators (7654)
	Textile sewing machine operators (7655)
	Shoe machine operators (7656)
	Pressing machine operators (7657)
	Laundering and dry cleaning machine operators (6855,7658)

Code	Occupation Category
	Miscellaneous textile machine operators (7459, 7659)
	Machine operators, assorted materials
	Cementing and gluing machine operators (7661)
	Packaging and filling machine operators (7462,7662)
	Extruding and forming machine operators (7463,7663)
	Mixing and blending machine operators (7664)
	Separating, filtering, and clarifying machine operators (7476, 7479)
	Compressing and compacting machine operators (7467,7667)
	Painting and paint spraying machine operators (7669)
	Roasting and baking machine operators, food (7472,7672)
	Washing, cleaning, and pickling machine operators (7673)
	Folding machine operators (7474. 7674)
	Furnace, kiln, and oven operators, exc. food (7675)
	Crushing and grinding machine operators (pt 7477, pt 7677)
	Slicing and cutting machine operators (7478, 7678)
	Motion picture projectionists (pt 7679)
	Photographic process machine operators (6863, 6868, 7671)
	Miscellaneous machine operators, n.e.c. (pt 7479,7665, 7679)
	Machine operators, not specified
	Fabricators, assemblers, and hand working occupations
	Welders and cutters (7332,7532, 7714)
	Solderers and brazers (7333, 7533, 7717)
	Assemblers (772, 774)
	Hand cutting and trimming occupations (7753)
	Hand molding, casting, and forming occupations (7754,7755)
	Hand painting, coating, and decorating occupations (7756)
	Hand engraving and printing occupations (7757)
	Miscellaneous hand working occupations (7758, 7759)
	Production inspectors, testers, samplers, and weighers
	Production inspectors, checkers, and examiners (782, 787)
	Production testers (783)
	Production samplers and weighers (784)
	Graders and sorters, except agricultural (785)
14	**Transportation and Material Moving Occupations**
	Motor vehicle operators
	Supervisors, motor vehicle operators (8111)
	Truck drivers (8212-8214)
	Driver-sales workers (8218)
	Bus drivers (8215)
	Taxi cab drivers and chauffeurs (8216)
	Parking lot attendants (874)
	Motor transportation occupations, n.e.c. (8219)
	Transportation occupations, except motor vehicles
	Rail transportation occupations
	Railroad conductors and yardmasters (8113)
	Locomotive operating occupations (8232)
	Railroad brake, signal, and switch operators (8233)
	Rail vehicle operators, n.e.c. (8239)
	Water transportation occupations
	Ship captains and mates, except fishing boats (8241,8242)
	Sailors and deckhands (8243)
	Marine engineers (8244)
	Bridge, lock, and lighthouse tenders (8245)
	Materials moving equipment operators
	Supervisors, material moving equipment operators (812)
	Operating engineers (8312)
	Longshore equipment operators (8313)
	Hoist and winch operators (8314)
	Crane and tower operators (8315)
	Excavating and loading machine operators (8316)
	Grader, dozer, and scraper operators (8317)

Code	Occupation Category
	Industrial truck and tractor equipment operators (8318) Miscellaneous material moving equipment operators (8319)
15	**Handlers, Equipment Cleaners, Helpers, and Laborers**
	Supervisors, handlers, equipment cleaners, and laborers, n.e.c. (85)
	Helpers, construction and extractive occupations
	Helpers, mechanics and repairers (863) Helpers, construction trades (8641-8645, 8648) Helpers, surveyors (8646) Helpers, extractive occupations (865) Construction laborers (871) Production helpers (861, 862)
	Freight, stock, and material movers, hand
	Garbage collectors (8722) Stevedores (8723) Stock handlers and baggers (8724) Machine feeders and offbearers (8725) Freight, stock, and material handlers, n.e.c. (8726) Garage and service station related occupations (873) Vehicle wasters and equipment cleaners (875) Hand packers and packagers (8761) Laborers, except construction (8769)
16	**MILITARY**
	Military occupation, rank not specified
990	**OCCUPATION NOT REPORTED**
	Code used when not-reported cases are not allocated

APPENDIX B

INDUSTRY CODES

INDUSTRIAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the industry categories are the SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Industrial Category
1	**AGRICULTURE, FORESTRY, AND FISHERIES**
	Agricultural production, crops (01)
	Agricultural production, livestock (02)
	Veterinary services (074)
	Landscape and horticultural services (078)
	Agricultural services, n.e.c. (071, 072, 075, 076)
	Forestry (08)
	Fishing, hunting, and trapping (09)
2	**MINING**
	Metal mining (10)
	Coal mining (12)
	Oil and gas extraction (13)
	Nonmetallic mining and quarrying, except fuel (14)
3	**CONSTRUCTION (15, 16, 17)**
	MANUFACTURING
4	**Nondurable Goods**
	Food and kindred products
	Meat products (201)
	Dairy products (202)
	Canned, frozen, and preserved fruits and vegetables (203)
	Grain mill products (204)
	Bakery products (205)
	Sugar and confectionery products (206)
	Beverage industries (208)
	Miscellaneous food preparations and kindred products (207, 209)
	Not specified food industries
	Tobacco manufactures (21)
	Textile mill products
	Knitting mills (225)
	Dyeing and finishing textiles, except wool and knit goods (226)
	Carpets and rugs (227)
	Yarn, thread, and fabric mills (228, 221-224)
	Miscellaneous textile mill products (229)
	Apparel and other finished textile products
	Apparel and accessories, except knit (231-238)
	Miscellaneous fabricated textile products (239)
	Paper and allied products
	Pulp, paper, and paperboard mills (261-263)
	Miscellaneous paper and pulp products (267)
	Paperboard containers and boxes (265)
	Printing, publishing and printing
	Newspaper publishing and printing (271)
	Printing, publishing, and allied industries, except newspapers (272)
	Chemicals and allied products
	Plastics, synthetics, and resins (282)
	Drugs (283)
	Soaps and cosmetics (284)
	Paints, varnishes,and related products (285)
	Agricultural chemicals (287)
	Industrial and miscellaneous chemicals (281, 286, 289)
	Petroleum and coal products
	Petroleum refining (291)
	Miscellaneous petroleum and coal products (295, 299)
	Rubber and miscellaneous plastics products
	Tires and inner tubes (301)
	Other rubber products, and plastics footwear and belting (302-306)
	Miscellaneous plastics products (308)
	Leather and leather products
	Leather tanning and finishing (311)
	Footwear, except rubber and plastic (313, 314)
	Leather products, except footwear (315-317, 319)
5	**Durable Goods**
	Lumber and wood products, except furniture
	Logging (241)
	Sawmills, planing mills, and millwork (242, 243)

Code	Industrial Category
	Wood buildings and mobile homes (245)
	Miscellaneous wood products (244, 249)
	Furniture and fixtures (25)
	Stone, clay, glass, and concrete products
	Glass and glass products (321-323)
	Cement, concrete, gypsum, and plaster products (324, 327)
	Structural clay products (325)
	Pottery and related products (326)
	Miscellaneous nonmetallic mineral and stone products (328, 329)
	Metal industries
	Blast furnaces, steelworks, rolling and finishing mills (331, 333)
	Iron and steel foundries (332)
	Primary aluminum industries (3334, pt 334, 3353-3355, 3363, 3365)
	Other primary metal industries (3331, 3339, pt 334, 3351, 3366)
	Cutlery, handtools, and general hardware (342)
	Fabricated structural metal products (344)
	Screw machine products (345)
	Metal forgings and stampings (346)
	Ordnance (348)
	Miscellaneous fabricated metal products (341, 343, 347, 349)
	Not specified metal industries
	Machinery, except electrical
	Engines and turbines (351)
	Farm machinery and equipment (352)
	Construction and material handling machines (353)
	Metalworking machinery (354)
	Office and accounting machines, (3578, 3579)
	Computers abnd related equipment (3571-3577)
	Machinery, except electrical, n.e.c. (355, 356, 358, 359)
	Not specified machinery
	Electrical machinery, equipment, and supplies
	Household appliance (363)
	Radio, TV, and communication equipment (365, 366)
	Electrical machinery, equipment, and supplies, n.e.c. (361, 362)
	Not specified electrical machinery, equipment, and supplies
	Transportation equipment
	Motor vehicles and motor vehicle equipment (371)
	Aircraft and parts (372)
	Ship and boat building and repairing (373)
	Railroad locomotives and equipment (374)
	Guided missiles, space vehicles, and parts (376)
	Cycles and miscellaneous transportation equipment (375, 379)
	Professional and photographic equipment, and watches
	Scientific and controlling instruments (381, 382, exc, 3827)
	Medical, dental, and optical instruments and supplies (3827, 3829)
	Photographic equipment and supplies (386)
	Watches, clocks, and clockwork operated devices (387)
	Toys, amusement, and sporting goods (394)
	Miscellaneous manufacturing industries (39 exc. 394)
	Not specified manufacturing industries
6	**TRANSPORTATION, COMMUNICATIONS, AND OTHER PUBLIC UTILITIES**
	Transportation
	Railroads (40)
	Bus service and urban transit (41, exc. 412)
	Taxicab service (412)
	Trucking service (421, 423)
	Warehousing and storage (422)
	U.S. Postal Service (43)
	Water transportation (44)
	Air transportation (45)
	Pipe lines, except natural gas (46)
	Services incidental to transportation (47)
	Communications
	Radio and television broadcasting and cable (483,484)
	Telephone communications (481)
	Telegraph and miscellaneous communication services (482, 489)
	Utilities and sanitary services
	Electric light and power (491)
	Gas and steam supply systems (492, 496)
	Electric and gas, and other combinations (493)

Code	Industrial Category
	Water supply and irrigation (494, 497)
	Sanitary services (495)
	Not specified utilities
	WHOLESALE TRADE
7	**Durable Goods**
	Motor vehicles and equipment (501)
	Furniture and home furnishings (502)
	Lumber and construction materials (503)
	Professional and commercial equipment and supplies (504)
	Metals and minerals, except petroleum (505)
	Electrical goods (506)
	Hardware, plumbing and heating supplies (507)
	Machinery, equipment, and supplies (508)
	Scrap and waste materials (5093)
	Miscellaneous wholesale, durable goods (509, exc. 5093)
8	**Nondurable goods**
	Paper and paper products (511)
	Drugs, chemicals, and allied products (512, 516)
	Apparel, fabrics, and notions (513)
	Groceries and related products (514)
	Farm-product raw materials (515)
	Petroleum products (517)
	Alcoholic beverages (518)
	Farm supplies (5191)
	Miscellaneous wholesale, nondurable goods (5192-5199)
	Not specified wholesale trade
9	**RETAIL TRADE**
	Lumber and building material retailing (521, 523)
	Hardware stores (525)
	Retail nurseries and garden stores (526)
	Mobile home dealers (527)
	Department stores (531)
	Variety stores (533)
	Miscellaneous general merchandise stores (539)
	Grocery stores (541)
	Dairy products stores (545)
	Retail bakeries (546)
	Food stores, n.e.c. (542, 543, 544, 549)
	Motor vehicle dealers (551, 552)
	Auto and home supply stores (553)
	Gasoline service stations (554)
	Miscellaneous vehicle dealers (555, 556, 557, 559)
	Apparel and accessory stores, except shoe (56, except 566)
	Shoe stores (566)
	Furniture and home furnishings stores (571)
	Household appliance stores (572)
	Radio, TV, and computer stores (5731, 5734)
	Music stores (5735, 5736)
	Eating and drinking places (58)
	Drug stores (591)
	Liquor stores (592)
	Sporting goods, bicycles, and hobby stores (5941, 5945, 5946)
	Book and stationery stores (5942, 5943)
	Jewelry stores (5944)
	Gift, novelty, and souvenir shops (5947)
	Sewing, needlework, and piece goods stores (5949)
	Catalog and mail order houses (5961)
	Vending machine operators (5962)
	Direct selling establishments (5963)
	Fuel dealers (598)
	Retail florists (5992)
	Miscellaneous retail stores (593, 5948, 5993-5995, 5999)
	Not specified retail trade
10	**FINANCE, INSURANCE, AND REAL ESTATE**
	Banking (60 exc. 603 and 606)
	Savings institutions, including credit unions (603, 606)
	Credit agencies, n.e.c. (61)
	Security, commodity brokerage, and investment companies (62, 67)
	Insurance (63, 64)
	Real estate, including real estate-insurance offices (65)
11	**BUSINESS AND REPAIR SERVICES**
	Advertising (731)
	Services to dwellings and other buildings (734)
	Personnel supply services (736)

Code	Industrial Category
	Computer and data processing services (737)
	Detective and protective services (7381, 7382)
	Business services, n.e.c. (732, 733, 735, 7383-7389)
	Automotive rental and leasing, without drivers (751)
	Automobile parking and carwashes (752,7542)
	Automotive repair and related services (753, 7549)
	Electrical repair shops (762, 7694)
	Miscellaneous repair services (763, 764, 7692, 7699)
12	**PERSONAL SERVICES**
	Private households (88)
	Hotels and motels (701)
	Lodging places, except hotels and motels (702, 703, 704)
	Laundry, cleaning, and garment services (721 exc pt 7219)
	Beauty shops (723)
	Barber shops (724)
	Funeral service and crematories (726)
	Shoe repair shops (725)
	Dressmaking shops (pt 7219)
	Miscellaneous personal services (722, 729)
13	**ENTERTAINMENT AND RECREATION SERVICES**
	Theaters and motion pictures (781-783, 792)
	Video tape rental (784)
	Bowling centers (793)
	Miscellaneous entertainment and recreation services (791, 794, 799)
14	**PROFESSIONAL AND RELATED SERVICES**
	Offices and clinics of physicians (801, 803)
	Offices and clinics of dentists (802)
	Offices and clinics of chiropractors (8041)
	Offices and clinics of optometrists (8042)
	Offices and clinics of health practitioners, n.e.c. (8043, 8049)
	Hospitals (806)
	Nursing and personal care facilities (805)
	Health services, n.e.c. (807, 808, 809)
	Legal services (81)
	Elementary and secondary schools (821)
	Colleges and universities (822)
	Vocational schools (824)
	Libraries (823)
	Educational services, n.e.c. (829)
	Job training and vocational rehabilitation services (833)
	Child day care services (pt 835)
	Family child care homes (pt 835)
	Residential care facilities, without nursing (836)
	Social services, n.e.c. (832, 839)
	Museums, art galleries, and zoos (84)
	Labor unions (863)
	Religious organization (866)
	Membership organizations, n.e.c. (861, 862, 864, 865, 869)
	Engineering, architectural, and surveying services (871)
	Accounting, auditing, and bookkeeping services (872)
	Research, development, and testing services (873)
	Management and public relations services (874)
	Miscellaneous professional and related services (899)
15	**PUBLIC ADMINISTRATION**
	Executive and legislative offices (911-913)
	General government, n.e.c. (919)
	Justice, public order, and safety (92)
	Public finance, taxation, and monetary policy (93)
	Administration of human resources programs (94)
	Administration of environmental quality and housing programs (95)
	Administration of economic programs (96)
	National security and international affairs (97)
16	**MILITARY DUTY**
	Army
	Air Force
	Navy
	Marine
	Coast Guard
	Armed Forces, Branch not specified

Code	Industrial Category
	Military Reserves or National Guard
990	**INDUSTRY NOT REPORTED**
	Code used when not reported cases are not allocated.

APPENDIX C

CENSUS REGION/DIVISION/STATE TABLE

CENSUS REGION/DIVISION/STATE TABLE

CENSUS REGION	CENSUS DIVISION	STATE NAME	STATE ABBREVIATION
Northeast	New England	Connecticut	CT
Northeast	New England	Maine	ME
Northeast	New England	Massachusetts	MA
Northeast	New England	New Hampshire	NH
Northeast	New England	Rhode Island	RI
Northeast	New England	Vermont	VT
Northeast	Middle Atlantic	New Jersey	NJ
Northeast	Middle Atlantic	New York	NY
Northeast	Middle Atlantic	Pennsylvania	PA
North Central	East North Central	Illinois	IL
North Central	East North Central	Indiana	IN
North Central	East North Central	Michigan	MI
North Central	East North Central	Ohio	OH
North Central	East North Central	Wisconsin	WI
North Central	West North Central	Iowa	IA
North Central	West North Central	Kansas	KS
North Central	West North Central	Minnesota	MN
North Central	West North Central	Missouri	MO
North Central	West North Central	Nebraska	NE
North Central	West North Central	North Dakota	ND
North Central	West North Central	South Dakota	SD
South	South Atlantic	Delaware	DE
South	South Atlantic	District of Columbia	DC
South	South Atlantic	Florida	FL
South	South Atlantic	Georgia	GA
South	South Atlantic	Maryland	MD
South	South Atlantic	North Carolina	NC
South	South Atlantic	South Carolina	SC
South	South Atlantic	Virginia	VA
South	South Atlantic	West Virginia	WV
South	East South Central	Alabama	AL
South	East South Central	Kentucky	KY
South	East South Central	Mississippi	MS
South	East South Central	Tennessee	TN
South	West South Central	Arkansas	AR
South	West South Central	Louisiana	LA
South	West South Central	Oklahoma	OK
South	West South Central	Texas	TX
West	Mountain	Arizona	AZ
West	Mountain	Colorado	CO
West	Mountain	Idaho	ID
West	Mountain	Montana	MT
West	Mountain	Nevada	NV
West	Mountain	New Mexico	NM
West	Mountain	Utah	UT
West	Mountain	Wyoming	WY
West	Pacific	Alaska	AK
West	Pacific	California	CA
West	Pacific	Hawaii	HI
West	Pacific	Oregon	OR
West	Pacific	Washington	WA

APPENDIX D

DRUG CODES FOR OPEN-ENDED QUESTIONS

APPENDIX D

Drug Codes for Open-Ended Questions (1994 NHSDA)

Numerical Listing

101 = Butisol
102 = Buticaps
103 = Amytal
104 = Mebaral
105 = Placidyl
106 = Doriden
107 = Noludar
108 = Carbrital, Nembutal
109 = Seconal
110 = Tuinal
111 = Dalmane, Durapam
112 = Rasepam, Restoril, Temaz, Temazepam
113 = Halcion
114 = Amobarbital
115 = Phenobarbital
116 = Methaqualone, Parest, Quaalude, Sopor
117 = Chloral hydrate, Noctec
118 = Pentobarbital, Pentothal, Sodium pentothal
119 = Secobarbital
120 = Downers; OTHER Sedative, NOT SPECIFIED
121 = USED SEDATIVE, DON'T KNOW NAME
122 = Sleep Aid <OTC>
123 = Unisom <OTC>
124 = Yellow jackets
125 = Qulande [sic]
126 = Somenex [sic] <OTC>
127 = Nytol <OTC>
128 = Nervine <OTC>
129 = Reds
130 = Phenergan
131 = Haldol, Haloperidol
132 = Sleepettes [sic] {OTC}
133 = Ryoxine [sic]
134 = Diasetan [sic]
135 = Mini Thins
136 = Dimetapp
137 = 7-14
138 = Mandrax [sic]
139 = Black widows
140 = Seldane
141 = Dilantin
142 = Belladona
143 = Sedoxen [sic]
144 = Reynolds [sic]
145 = Red devil(s)
146 = Bentyl, Dicyclomine
147 = Nicol [sic]
148 = Actifed {OTC}
149 = Ekilid [sic] 50
150 = Weed.Cote [sic]
151 = VOEOBO [sic]
152 = Eskabarb
153 = Luminal
154 = Alurate
155 = Pasatorim [sic]
156 = Sodium barbital
157 = Barbiturates
158 = Calmociteno (in Brazil)
159 = Octanox
160 = Relanium [sic]
161 = Rufonol
162 = Ambramine 500 [sic]
163 = Blue meanies
164 = Yellow zombies
165 = Trips
166 = Roinol [sic]
167 = Dumolid [sic]
168 = Rahypnol, Rohybenol [sic]

201 = Valium
202 = Librium
203 = Libritabs, Limbitrol, Mitran
204 = Menrium
205 = Serax
206 = Tranxene
207 = Ativan
208 = Centrax
209 = Xanax
210 = Paxipam
211 = Buspar
212 = Miltown
213 = Equanil
214 = Deprol
215 = Vistaril
216 = Atarax
217 = Durrax
218 = Diazepam
219 = SK-Lygen
220 = Meprobamate, Meprospan
221 = OTHER Tranquilizer, NOT SPECIFIED
222 = USED TRANQUILIZER, DON'T KNOW NAME
223 = Carbacot, Delaxin, Marbaxin, Methocarbamol, Robamol, Robaxin, Robomol
224 = Triavil

225 = Desyrel, Trazodone
226 = Stelazine, Trifluoperazine HCl
227 = Thorazine
228 = Amitriptyline [see also 239]
229 = Librax
230 = Compazine
231 = MS [sic]
232 = Mellaril
233 = Trilafon
234 = Cyclobenzaprine, Flexeril
235 = Imipramine
236 = Avatir [sic]
237 = Versed
238 = Dafernil [sic]
239 = Elavil [see also 228]
240 = Lithium carbonate
241 = Prozac
242 = Equagesic
243 = Etrafon
244 = Roche 2 (Mexican) [sic]
245 = Tryptophan
246 = Clonopin, Klonopin
247 = Adapin, Doxepin, Sinequan
248 = Sooper Cool [sic]
249 = Asendin
250 = Aventyl, Nortriptyline, Pamelor
251 = CIBA;S [sic]
252 = Strawberry whip cream
253 = Urbadan [sic]
254 = Vilonopin [sic]
255 = Assival [sic]
256 = Tripjone [sic]
257 = Zestril
258 = Hoses [sic]
259 = Desipramine, Norpramin, Pertofrane
260 = PCB
261 = Roperals [sic]
262 = Prolixin
263 = Vivactil
264 = Anxidel [sic]
265 = Black Caddy
266 = Verstran
267 = Marezine
268 = Rahipinal
269 = Pasidrin (in Mexico)
270 = Torzien
271 = Zoloft
272 = Megadon [sic], Mogadon, Nitrazepam
273 = Insidod [sic], Insidon [sic]
274 = Nipam [sic]

301 = Dexedrine
302 = Dexamyl
303 = Eskatrol
304 = Benzedrine
305 = Biphetamine
306 = Desoxyn
307 = Tenuate, Diethylpropion
308 = Tepanil, Diethylpropion
309 = Didrex
310 = Plegine
311 = Preludin
312 = Ionamin
313 = Adipex-P, Fastin, Phentermine
314 = Pondimin
315 = Voranil
316 = Sanorex
317 = Mazanor
318 = Ritalin, Methylphenidate
319 = Cylert
320 = Dextroamphetamine
321 = Methedrine
322 = Methamphetamine ("speed" or "ice" or "crank")
323 = Obedrin-L.A.
324 = Uppers; OTHER Stimulant, NOT SPECIFIED
325 = USED STIMULANT, DON'T KNOW NAME
326 = White cross
327 = Black beauties, Black Beauty
328 = Pink hearts
329 = Robin's eggs, speckled eggs
330 = Blue birds, blue jays, blue robins
331 = Blancs, Whites
332 = Ephedrine (HCl) [see also 346]
333 = 357 Magnum, Magnum 44
334 = Crossroads, cross tops
335 = Dexatrim <OTC> [see also 347, 378]
336 = Diet pills
337 = White Molly
338 = Antiadipositum X112 [sic]
339 = Amphetamines (speed generically)
340 = Tiamina 250 [sic]
341 = Pink roses
342 = Purple hearts
343 = Nitroglycerine
344 = Bennies
345 = Black Molly
346 = Ephedrine sulfate, Marax [see also 332]
347 = Phenylpropanolamine <OTC> [see also 335, 378]
348 = Crystal
349 = Phentametrazine [sic]
350 = Betin SS [sic]
351 = Q'at
352 = Lemons
353 = No-Doz <OTC>
354 = Vivarin <OTC>
355 = Crystal meth
356 = Dexies
357 = Heart-shaped black pills
358 = 20/20
359 = Criss cross
360 = Rainbow speed
361 = Isutrars [sic], Isyfiars [sic]

362 = Benadryl
363 = Bam(s)
364 = Sinutab, Sudafed {OTC}
365 = Desecon [sic]
366 = Duromine [sic]
367 = Slender Rite [sic]
368 = Peanut butter crank
369 = Artane
370 = Mess tab [sic]
371 = Cogentin
372 = Mejoral [Spanish: aspirin & caffeine]
373 = Captagon [sic]
374 = Christmas tree(s)
375 = Coco puffs [sic]
376 = TAC [sic]
377 = Ventolin
378 = Control <OTC> [see also 335, 347]
379 = Hearts
380 = Pink ladies
381 = P.O.T.C.
382 = Purple footballs
383 = Pre-Sate
384 = Little crosses
385 = Little pink one
386 = Ma Huang
387 = Pink football
388 = Pink lemon
389 = Daprisal [sic]
390 = Max Alert
391 = Turbe [sic] tablets
392 = Obeesatol [sic]
393 = OP 33
394 = Debs
395 = Black cats
396 = Black RJs
397 = F-40
398 = Pink crosses
399 = Pasodoril [sic]

401 = Darvon
402 = Dolene
403 = SK-65
404 = Wygesic
405 = Levo-Dromoran
406 = Oxycodone, Percodan, Roxicet
407 = Demerol
408 = Dilaudid
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4
410 = Phenaphen with Codeine, Phenaphen 3
411 = Talwin
412 = Talwin NX
413 = Talacen
414 = Propoxyphene
415 = Codeine
416 = Anileridine
417 = Morphine
418 = Dolophine, Methadone, Westodone
419 = Stadol
420 = OTHER Analgesic, NOT SPECIFIED
421 = USED ANALGESIC, DON'T KNOW NAME
422 = Motrin
423 = Percocet
424 = Fioricet
425 = Advil
426 = Butalbital, Fiorinal, Phrenilin Forte
427 = Darvocet
428 = Execl [sic]
429 = Frost 222
430 = Aspirin, Ecotrin, Empirin <OTC>
431 = Tylox
432 = Rufen
433 = Paregoric
434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin [see also 456]
435 = Tylenol, Tylenol Extra-Strength <OTC>
436 = Bufferin <OTC>
437 = Parafon Forte
438 = Anaprox, Naprosyn
439 = 222, Canadian 222
440 = Soma
441 = Luitab [sic]
442 = Ibuprofen
443 = Dolobid
444 = Aspirin with Codeine, Empirin 3
445 = Norgesic Forte
446 = Orvais [sic]
447 = Synalgos
448 = Tobutrol [sic]
449 = Xycodone [sic]
450 = Acetaminophen <OTC>
451 = Ansaid [sic]
452 = Becadan [sic]
453 = Organidin with Codeine
454 = Novocain, Procaine
455 = Fiorinal with Codeine
456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]
457 = T's and blues
458 = Mepergan, Mepergan Fortis
459 = Ketamine
460 = Magnopyrol [sic]
461 = Daopar [sic]
462 = Norflex
463 = Lisalgil [sic]
464 = Oratab [sic]
465 = Fentanyl
466 = Midol <OTC>
467 = Tolectin
468 = Excedrin <OTC>
469 = Leritine
470 = Cafergot
471 = Butazolidin
472 = Indocin, Indomethacin
473 = Pyridium
474 = PPA [sic]

475 = Precom [sic]
476 = Isocom, Midrin
477 = Neo-Melubrina (Spanish)
478 = Nogirtronia
479 = Pentrexyl
480 = Robitussin AC with Codeine
481 = Acular, Ketorolactromethamine, Toradol
482 = Coai d [sic]
483 = Rophynol (Rope) [sic]
484 = Volume Roach 2-10-8 [sic]
485 = Mark Vanan [sic]
486 = Beserol [sic]

501 = Gasoline or lighter fluids
502 = Spray paints
503 = Other aerosol sprays
504 = Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505 = Lacquer thinner or other paint solvents
506 = Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate
507 = Halothane, ether, or other anesthetics; chloroform
508 = Nitrous oxide, "whippets," dentist gas
509 = Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash
510 = OTHER Inhalant, NOT SPECIFIED
511 = Markers, felt-tip pens, ink pens
512 = Incense
513 = Tulio [sic]
514 = Carbona [sic], carbone [sic]
515 = Vicks
516 = Freon
517 = Tolyol [sic]
518 = Acetone, nail polish remover
519 = Helium
520 = Old paint
521 = Propane [see also 525, 544]
522 = Liquid TV (MTV), TV tuner, TV11Y
523 = Matches
524 = White-Out [see also 509]
525 = Butane [see also 521, 544]
526 = Nail polish
527 = Phenyl nitrate
528 = Whipped-cream can
529 = Moth balls
530 = Asthma inhaler, asthma medication, bronchial dilators
531 = Candy, powdered candy
532 = PRW [sic]
533 = Window sealant
534 = Deodorant [see also 827]
535 = Rexo [sic] copies
536 = Fire Halt
537 = Boat horn
538 = Condensed horn
539 = ScotchGard
540 = PAM
541 = Binaca
542 = Brasso, lens cleaner, spirits of ammonia
543 = Liquid oxygen
544 = Lighter gases, not specified [see also 521, 525]
545 = Car tailpipe exhaust fumes, CO2
546 = Leather protector
547 = Propel [sic]
548 = Cologne, rubbing alcohol
549 = Smarties [sic]
550 = Methyl chloride
551 = Spam [sic], oven cleaner (Spam [sic])
552 = Valo [sic]
553 = Pixie sticks
554 = Raid
555 = Chillers
556 = Energine
557 = Hagwash
558 = Kool Aid
559 = LOLOY
560 = Soap
561 = Amputee gas cleanser
562 = Ban apple gas
563 = Acetylene
564 = Electric contact cleaner
565 = Trichloroethane
566 = Smoked tea from Lipton tea bag
567 = Pertussin spray
568 = Tally
569 = Peganento
570 = PVC (in Mexico)
571 = Black jack
572 = Etam
573 = Furniture polish
574 = Tornado
575 = Dykem blue
576 = Not coded
577 = Rave runners

601 = LSD ("acid," "white lightning") [see also 618]
602 = Peyote
603 = Mescaline
604 = Psilocybin (mushrooms)
605 = PCP ("angel dust," phencyclidine)
606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]
607 = OTHER Hallucinogen, NOT SPECIFIED
608 = Organes-25 [sic]
609 = Gympsom [sic] pods, Jimson [sic] weed
610 = Crystal T
611 = Greens
612 = Happy stick, sherm, shermstick
613 = Duckweed

614 = MDA
615 = Homemade drugs
616 = DET, Dimethyltryptamine, DMT
617 = Morning glory seeds
618 = Acid paper, blotter (acid) [see also 601]
619 = TIC [sic]
620 = Blue dragon
621 = Red dragon
622 = Microdot(s), purple microdot
623 = Mickey Mouse club, Mickey Mousers
624 = Orange sunshine, sunshine, yellow sunshine
625 = Window pane
626 = Jet Fuel
627 = Hawaiian wood rose, Hawaiian Woodrow seeds
628 = Hawaiian rosebud seed tea
629 = Rocket Fuel
630 = Black Owsley
631 = Purple Owsley
632 = Folifundia [sic]
633 = Mr. Natural
634 = Unicorn
635 = Ginseng seeds
636 = STP
637 = Purple haze
638 = Lovlez [sic]
639 = Cloves, Nutmeg
640 = Purple pyramid
641 = Maze [sic]
642 = Pink Floyd
643 = Queen
644 = San Pedro [Spanish]
645 = Thai stick
646 = Poppy [sic]
647 = Macullen [sic]
648 = Designer drugs
649 = Tea, Choc. [sic] tea
650 = Daytura
651 = Mellow Yellow
652 = ALD-52 (version of LSD)
653 = Cricketshit
654 = Eve
655 = Flying elephant
656 = Mars
657 = Orange barrel
658 = Special K
659 = Boat (Marijuana & PCP)
660 = Toad, Toad licking
661 = X. Light [sic]
662 = Kanepolin
663 = Animal tranquilizer, horse tranquilizer
664 = Purple fingers
665 = Paniolis
666 = Zonick
667 = Cody Robert
668 = Yellow tiny pills
669 = Stropharia
670 = Monkey dust
671 = Blomstedt
672 = Suncrush
673 = Orange
674 = Pee-pope

701 = OTHER Opiates, NOT SPECIFIED
702 = Heroin
703 = Opium
704 = Dope
705 = Speed Ball (heroin + cocaine)
706 = Smack
707 = Black Tar
708 = Powder (heroin?)

801 = OTHER Drugs, NOT SPECIFIED
802 = THC, cannabinol
803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed
804 = Hashish
805 = Cocaine, coca, coke
806 = Crack, rock
807 = Alcohol, beer, ethanol, EtOH, pink champagne
808 = All of the ones I've tried
809 = Pills
810 = Hemp
811 = Muscle relaxers
812 = Cigars
813 = Cigarettes, smoking (substance not specified), tobacco not specified
814 = Caffeine
815 = Coffee
816 = Smokeless tobacco, snuff, chewing tobacco
817 = Hard stuff
818 = Nicotine
819 = Inderal
820 = Penicillin
821 = Amoxicillin, Ampicillin
822 = Rabbit tobacco
823 = Blast(KJ) [sic]
824 = Steroids
825 = Theo-Dur
826 = Alupent
827 = Aluminum chloride [see also 534]
828 = Tetracycline
829 = Robitussin DM
830 = Mad bull
831 = Honey oil
832 = Primo
833 = Bone
834 = Loveboat
835 = Rotan [sic]
836 = Antabuse
837 = Paris 400
838 = Obainedin [sic] (called the "dog")
839 = Siloquan [sic]

840 = Cough medicine (contents not specified) <OTC>
841 = Allerest <OTC>, Contact <OTC>
842 = Callipress [sic]
843 = Antihistamine, cold tablets <OTC>
844 = Blood pressure medication
845 = ECT [sic]
846 = Erythromycin
847 = GHB [sic]
848 = Liquid vitamin <OTC>
849 = Monosodium glutamate (MSG)
850 = Slack
851 = Thyrolar-3 [sic]
852 = Formaldehyde, wak [sic], whack (embalming fluid)
853 = Funti [sic] leaf
854 = Juice
855 = Oanol [sic]
856 = Roofe [sic]
857 = Wicky [sic] stick
858 = Antibiotic
859 = Aside [sic]
860 = Bees [sic]
861 = Doen [sic], doer [sic]
862 = Thornapple [sic] leaves
863 = Beetlenut
864 = Dramamine <OTC>, Motion sickness pill <OTC>, Seasick pill <OTC>
865 = Diuretics, Water pills
866 = Boomers
867 = Boron
868 = Buttee [sic]
869 = CD [sic]
870 = Coug [sic]
871 = Pote [sic]
872 = Raffies [sic]
873 = Contraceptives, Ferutal, Ortho Novum
874 = Premarin
875 = Buds
876 = Glass
877 = Methazolamide
878 = Friying
879 = Dimethltriptamide MMPT
880 = Frios
881 = YLOALE
882 = Herbal Life
883 = Dextromethorphan Hydrobromide {OTC}
884 = Snow
885 = Drixoral <OTC>
886 = Spanish fly
887 = Orange peel (dried)
888 = Texas shoesmine [sic]

900 = Not a drug
900 = Non-drug reason given for a drug
992 = Illegible

Alphabetical Listing

244 = 2, Roche (Mexican), [sic]
484 = 2-10-8 [sic], Volume Roach
358 = 20/20
439 = 222
439 = 222, Canadian
429 = 222, Frost
340 = 250, Tiamina [sic]
444 = 3, Empirin
410 = 3, Phenaphen
851 = 3, Thyrolar- [sic]
409 = 3, Tylenol
393 = 33, OP
333 = 357 Magnum
409 = 4, Tylenol
397 = 40, F-
333 = 44, Magnum
837 = 400, Paris
149 = 50, Ekilid [sic]
162 = 500, Ambramine [sic]
137 = 7-14

450 = Acetaminophen
518 = Acetone
563 = Acetylene
601 = Acid
618 = (Acid), Blotter
618 = Acid paper
148 = Actifed
481 = Acular
247 = Adapin
313 = Adipex-P
425 = Advil
503 = Aerosol sprays other than spray paints
558 = Aid, Kool
122 = Aid, Sleep
504 = Airplane glue
807 = Alcohol
548 = Alcohol, Rubbing
652 = ALD-52 (version of LSD)
652 = ALD-S2 (version of LSD)
390 = Alert, Max
808 = All of the ones I've tried
841 = Allerest <OTC>
827 = Aluminum chloride
826 = Alupent
154 = Alurate
162 = Ambramine 500 [sic]
228 = Amitriptyline
542 = Ammonia, Spirits of
114 = Amobarbital
821 = Amoxicillin
339 = Amphetamines (speed generically)
821 = Ampicillin
561 = Amputee gas cleanser
506 = Amyl nitrite
103 = Amytal
438 = Anaprox
507 = Anesthetics other than halothane and ether
605 = Angel dust
416 = Anileridine
663 = Animal tranquilizer
451 = Ansaid [sic]
836 = Antabuse
338 = Antiadipositum X112 [sic]
858 = Antibiotic
843 = Antihistamine
264 = Anxidel [sic]
562 = Apple gas, Ban
369 = Artane
249 = Asendin
859 = Aside [sic]
430 = Aspirin
444 = Aspirin with Codeine
255 = Assival [sic]
530 = Asthma inhaler
530 = Asthma medication
216 = Atarax
207 = Ativan
236 = Avatir [sic]
250 = Aventyl

529 = Balls, Moth
363 = Bam(s)
562 = Ban apple gas
156 = Barbital, Sodium
157 = Barbiturates
657 = Barrel, Orange
327 = Beauties, Black
327 = Beauty, Black
452 = Becadan [sic]
807 = Beer
860 = Bees [sic]
863 = Beetlenut
142 = Belladona
362 = Benadryl
344 = Bennies
146 = Bentyl
304 = Benzedrine
486 = Beserol [sic]
350 = Betin SS [sic]
541 = Binaca
305 = Biphetamine
330 = Birds, Blue
327 = Black beauties
327 = Black Beauty
265 = Black Caddy

395 = Black cats
571 = Black jack
345 = Black Molly
630 = Black Owsley
357 = Black pills, Heart-shaped
396 = Black RJs
707 = Black Tar
139 = Black widows
331 = Blancs
823 = Blast(KJ) [sic]
671 = Blomstedt
844 = Blood pressure medication
618 = Blotter (acid)
330 = Blue birds
620 = Blue dragon
330 = Blue jays
163 = Blue meanies
330 = Blue robins
457 = Blues, T's and
537 = Boat horn
659 = Boat (Marijuana & PCP)
833 = Bone
866 = Boomers
867 = Boron
542 = Brasso
530 = Bronchial dilators
875 = Buds
436 = Bufferin
830 = Bull, Mad
211 = Buspar
426 = Butalbital
471 = Butazolidin
525 = Butane
102 = Buticaps
101 = Butisol
868 = Buttee [sic]
368 = Butter crank, Peanut

223 = Carbacot
265 = Caddy, Black
470 = Cafergot
814 = Caffeine
158 = Calmociteno (in Brazil)
842 = Callipress [sic]
528 = Can, Whipped-cream
439 = Canadian 222
531 = Candy
531 = Candy, Powdered
802 = Cannabinol
373 = Captagon [sic]
545 = Car tailpipe exhaust fumes
514 = Carbona [sic]
240 = Carbonate, Lithium
514 = Carbone [sic]
108 = Carbrital
395 = Cats, Black
869 = CD [sic]
504 = Cement, Rubber
208 = Centrax
807 = Champagne, Pink
504 = Chemical glue
816 = Chewing tobacco
555 = Chillers
117 = Chloral hydrate
827 = Chloride, Aluminum
550 = Chloride, Methyl
507 = Chloroform
649 = Choc. [sic] tea
374 = Christmas tree(s)
251 = CIBA;S [sic]
813 = Cigarettes
812 = Cigars
542 = Cleaner, lens
551 = Cleaner (Spam [sic]), Oven
509 = Cleaning fluids
482 = Coai d [sic]
805 = Coca
564 = Contact cleaner, Electric
509 = Correction fluids
246 = Clonopin
639 = Cloves, Nutmeg
623 = Club, Mickey Mouse
545 = CO2
805 = Cocaine
375 = Coco puffs [sic]
415 = Codeine
444 = Codeine, Aspirin with
455 = Codeine, Fiorinal with
453 = Codeine, Organidin with
410 = Codeine, Phenaphen with
480 = Codeine, Robitussin AC with
409 = Codeine, Tylenol with
667 = Cody Robert
815 = Coffee
371 = Cogentin
434 = Co-Gesic [see also 456]
805 = Coke
843 = Cold tablets
548 = Cologne
230 = Compazine
538 = Condensed horn
841 = Contact <OTC>
873 = Contraceptives
378 = Control
248 = Cool, Sooper [sic]
535 = Copies, Rexo [sic]
509 = Correction fluids
870 = Coug [sic]
840 = Cough medicine (contents not specified)
806 = Crack
322 = Crank
368 = Crank, Peanut butter
252 = Cream, Strawberry whip
653 = Cricketshit
359 = Criss Cross
359 = Cross, Criss
326 = Cross, White

384 = Crosses, Little
398 = Crosses, Pink
334 = Crossroads
334 = Cross tops
348 = Crystal
355 = Crystal meth
610 = Crystal T
234 = Cyclobenzaprine
319 = Cylert

238 = Dafernil [sic]
111 = Dalmane
461 = Daopar [sic]
389 = Daprisal [sic]
427 = Darvocet
401 = Darvon
650 = Daytura
394 = Debs
509 = Degreasers
223 = Delaxin
407 = Demerol
508 = Dentist gas
534 = Deodorant
214 = Deprol
365 = Desecon [sic]
648 = Designer drugs
259 = Desipramine
306 = Desoxyn
225 = Desyrel
616 = DET
145 = Devil(s), Red
302 = Dexamyl
335 = Dexatrim
301 = Dexedrine
356 = Dexies
320 = Dextroamphetamine
883 = Dextromethorphan Hydrobromide {OTC}
134 = Diasetan [sic]
218 = Diazepam
146 = Dicyclomine
309 = Didrex
336 = Diet pills
307 = Diethylpropion (Tenuate)
308 = Diethylpropion (Tepanil)
336 = Diet pills
141 = Dilantin
530 = Dilators, Bronchial
408 = Dilaudid
136 = Dimetapp
879 = Dimethyltriptamide MMPT
616 = Dimethyltryptamine
865 = Diuretics
616 = DMT
861 = Doen [sic]
861 = Doer [sic]
402 = Dolene
443 = Dolobid
418 = Dolophine

704 = Dope
106 = Doriden
120 = Downers
247 = Doxepin
620 = Dragon, Blue
621 = Dragon, Red
864 = Dramamine <OTC>
885 = Drixoral <OTC>
648 = Drugs, Designer
615 = Drugs, Homemade
613 = Duckweed
167 = Dumolid [sic]
111 = Durapam
366 = Duromine [sic]
217 = Durrax
605 = Dust, Angel
670 = Dust, Monkey

430 = Ecotrin
606 = Ecstasy
845 = ECT [sic]
329 = Eggs, Robin's
329 = Eggs, Speckled
149 = Ekilid [sic] 50
239 = Elavil
564 = Electric contact cleaner
655 = Elephant, Flying
852 = Embalming fluid
430 = Empirin
444 = Empirin 3
556 = Energine
332 = Ephedrine
332 = Ephedrine (HCl)
346 = Ephedrine sulfate
242 = Equagesic
213 = Equanil
846 = Erythromycin
152 = Eskabarb
303 = Eskatrol
572 = Etam
807 = Ethanol
507 = Ether
807 = EtOH
243 = Etrafon
654 = Eve
468 = Excedrin
428 = Execl [sic]
545 = Exhaust fumes, Car tailpipe
606 = Extasi [sic]
435 = Extra-Strength, Tylenol

397 = F-40
313 = Fastin
511 = Felt-tip pens
465 = Fentanyl
873 = Ferutal
664 = Fingers, Purple

424 = Fioricet
426 = Fiorinal
455 = Fiorinal with Codeine
536 = Fire Halt
234 = Flexeril
642 = Floyd, Pink
852 = Fluid), Whack (embalming
509 = Fluids, Cleaning
509 = Fluids, Correction
501 = Fluids, Lighter
655 = Flying elephant
632 = Folifundia [sic]
387 = Football, Pink
382 = Footballs, Purple
852 = Formaldehyde
445 = Forte, Norgesic
437 = Forte, Parafon
426 = Forte, Phrenilin
458 = Fortis, Mepergan
516 = Freon
880 = Frios
878 = Friying
429 = Frost 222
626 = Fuel, Jet
629 = Fuel, Rocket
545 = Fumes, Car tailpipe exhaust
853 = Funti [sic] leaf
573 = Furniture polish

562 = Gas, Apple Ban
508 = Gas, Dentist
544 = Gases, Lighter, not specified
501 = Gasoline
847 = GHB [sic]
635 = Ginseng seeds
876 = Glass
617 = Glory seeds, Morning
504 = Glue
504 = Glue, Airplane
504 = Glue, Chemical
504 = Glue, Model
504 = Glue, Super
849 = Glutamate (MSG), Monosodium
611 = Greens
609 = Gympsom [sic] pods
557 = Hagwash
113 = Halcion
131 = Haldol
131 = Haloperidol
507 = Halothane
536 = Halt, Fire
612 = Happy stick
817 = Hard stuff
804 = Hashish
628 = Hawaiian rosebud seed tea
627 = Hawaiian wood rose
627 = Hawaiian Woodrow seeds
637 = Haze, Purple

332 = HCL, Ephedrine
226 = HCl, Trifluoperazine
456 = HD, Lorcet [see also 434]
379 = Hearts
328 = Hearts, Pink
342 = Hearts, Purple
357 = Heart-shaped black pills
519 = Helium
810 = Hemp
702 = Heroin
615 = Homemade drugs
831 = Honey oil
537 = Horn, Boat
538 = Horn, Condensed
258 = Hoses [sic]
663 = Horse tranquilizer
386 = Huang, Ma
117 = Hydrate, Chloral
883 = Hydrobromide, Dextromethorphan <OTC>
434 = Hydrocodone [see also 456]

442 = Ibuprofen
506 = Isobutyl nitrate
322 = Ice
235 = Imipramine
512 = Incense
819 = Inderal
472 = Indocin
472 = Indomethacin
530 = Inhaler, Asthma
511 = Ink pens
273 = Insidod [sic]
273 = Insidon [sic]
312 = Ionamin
476 = Isocom
361 = Isutrars [sic]
361 = Isyfiars [sic]

571 = Jack, Black
124 = Jackets, Yellow
330 = Jays, Blue
626 = Jet Fuel
609 = Jimson [sic] weed
854 = Juice

662 = Kanepolin
509 = K2R Spot Remover
459 = Ketamine
481 = Ketorolactromethamine
246 = Klonopin
558 = Kool Aid

505 = Lacquer thinner
380 = Ladies, Pink
853 = Leaf, Funti [sic]

546 = Leather protector
862 = Leaves, Thornapple [sic]
352 = Lemons
388 = Lemon, Pink
542 = Lens cleaner
469 = Leritine
405 = Levo-Dromoran
229 = Librax
203 = Libritabs
202 = Librium
882 = Life, Herbal
661 = Light, X. [sic]
501 = Lighter fluids
544 = Lighter gases, not specified
601 = Lightning, White
203 = Limbitrol
566 = Lipton tea bag, Smoked tea from
504 = Liquid, Shoeshine
543 = Liquid oxygen
509 = Liquid Paper [see also 524]
522 = Liquid TV (MTV)
848 = Liquid vitamin
463 = Lisalgil [sic]
240 = Lithium carbonate
384 = Little crosses
385 = Little pink ones
506 = Locker room odorizer
559 = LOLOY
434 = Lortab [see also 456]
456 = Lorcet HD [see also 434]
456 = Lorcet Plus [see also 434]
834 = Loveboat
638 = Lovlez [sic]
601 = LSD
441 = Luitab [sic]
153 = Luminal

647 = Macullen [sic]
830 = Mad Bull
460 = Magnopyrol [sic]
333 = Magnum, 357
333 = Magnum 44
386 = Ma Huang
138 = Mandrax [sic]
346 = Marax
223 = Marbaxin
267 = Marezine
803 = Marijuana
659 = (Marijuana & PCP), Boat
485 = Mark Vanan [sic]
511 = Markers
803 = MarrJane [sic]
656 = Mars
803 = Mary Jane
523 = Matches
390 = Max Alert
317 = Mazanor
641 = Maze [sic]

614 = MDA
606 = MDMA
163 = Meanies, Blue
104 = Mebaral
530 = Medication, Asthma
844 = Medication, Blood pressure
840 = Medicine, Cough (contents not specified)
272 = Megadon [sic]
372 = Mejoral [Spanish]
232 = Mellaril
651 = Mellow Yellow
204 = Menrium
458 = Mepergan
458 = Mepergan Fortis
220 = Meprobamate
220 = Meprospan
603 = Mescaline
370 = Mess Tab [sic]
355 = Meth, Crystal
418 = Methadone
322 = Methamphetamine
116 = Methaqualone
321 = Methedrine
223 = Methocarbamol
877 = Methazolamide
550 = Methyl chloride
318 = Methylphenidate
623 = Mickey Mouse club
623 = Mickey Mousers
622 = Microdot, Purple
622 = Microdot(s)
466 = Midol
476 = Midrin
212 = Miltown
135 = Mini Thins
203 = Mitran
803 = MJ
879 = MMPT, Dimethyltryptamide
504 = Model glue
272 = Mogadon
345 = Molly, Black
337 = Molly, White
670 = Monkey dust
849 = Monosodium glutamate (MSG)
617 = Morning glory seeds
417 = Morphine
864 = Motion sickness pill <OTC>
529 = Moth balls
422 = Motrin
623 = Mouse club, Mickey
623 = Mousers, Mickey
633 = Mr. Natural
231 = MS [sic]
849 = (MSG), Monosodium glutamate
522 = (MTV), Liquid TV
811 = Muscle relaxers
604 = Mushrooms

526 = Nail polish
518 = Nail polish remover
438 = Naprosyn
633 = Natural, Mr.
108 = Nembutal
477 = Neo-Melubrina (Spanish)
128 = Nervine
147 = Nicol [sic]
818 = Nicotine
274 = Nipam [sic]
506 = Nitrate, Isobutyl
527 = Nitrate, Phenyl
272 = Nitrazepam
506 = Nitrite, Amyl
343 = Nitroglycerine
508 = Nitrous oxide
117 = Noctec
353 = No-Doz
478 = Nogirtronia
107 = Noludar
462 = Norflex
445 = Norgesic Forte
259 = Norpramin
250 = Nortriptyline
454 = Novocain
353 = No-Doz
639 = Nutmeg, Cloves
127 = Nytol

855 = Oanol [sic]
838 = Obainedin [sic]
323 = Obedrin-L.A.
392 = Obeesatol [sic]
159 = Octanox
506 = Odorizer, Locker room
831 = Oil, Honey
520 = Old paint
385 = Ones, Little Pink
393 = OP 33
703 = Opium
673 = Orange
657 = Orange barrel
887 = Orange peel (dried)
624 = Orange sunshine
464 = Oratab [sic]
608 = Organes-25 [sic]
453 = Organidin with Codeine
873 = Ortho Novum
446 = Orvais [sic]
503 = Other aerosol sprays besides spray paints
507 = Other anesthetics besides halothane and ether
505 = Other paint solvents besides lacquer thinner
551 = Oven cleaner (Spam [sic])
630 = Owsley, Black
631 = Owsley, Purple
508 = Oxide, Nitrous
406 = Oxycodone
543 = Oxygen, Liquid

520 = Paint, Old
505 = Paint solvents other than lacquer thinner
502 = Paints, Spray
540 = PAM
625 = Pane, Window
665 = Paniolis
618 = Paper, Acid
509 = Paper, Liquid
437 = Parafon Forte
433 = Paregoric
116 = Parest
837 = Paris 400
155 = Pasatorim [sic]
269 = Pasidrin (in Mexico)
250 = Pamelor
399 = Pasodoril [sic]
210 = Paxipam
260 = PCB
605 = PCP
368 = Peanut butter crank
644 = Pedro, San [Spanish]
887 = Peel, Orange (dried)
674 = Pee-pope
569 = Peganento
820 = Penicillin
511 = Pens, Felt-tip
511 = Pens, Ink
118 = Pentobarbital
118 = Pentothal
118 = Pentothal, Sodium
479 = Pentrexyl
423 = Percocet
406 = Percodan
259 = Pertofrane
567 = Pertussin spray
602 = Peyote
410 = Phenaphen 3
410 = Phenaphen with Codeine
605 = Phencyclidine
130 = Phenergan
115 = Phenobarbital
349 = Phentametrazine [sic]
313 = Phentermine
527 = Phenyl nitrate
347 = Phenylpropanolamine
426 = Phrenilin Forte
864 = Pill, Motion sickness <OTC>
809 = Pills
336 = Pills, Diet
357 = Pills, Heart-shaped black
864 = Pills, Seasick <OTC>
668 = Pills, Yellow tiny
807 = Pink champagne
398 = Pink crosses
642 = Pink Floyd
387 = Pink football

328 = Pink hearts
380 = Pink ladies
388 = Pink lemon
385 = Pink Ones, Little
341 = Pink roses
553 = Pixie sticks
105 = Placidyl
310 = Plegine
456 = Plus, Lorcet [see also 434]
609 = Pods, Gympsom [sic]
573 = Polish, Furniture
526 = Polish, Nail
518 = Polish remover, Nail
314 = Pondimin
506 = Poppers
646 = Poppy
381 = P.O.T.C.
871 = Pote [sic]
708 = Powder (heroin?)
531 = Powdered candy
474 = PPA [sic]
475 = Precom [sic]
311 = Preludin
874 = Premarin
383 = Pre-Sate
844 = Pressure medication, Blood
832 = Primo
454 = Procaine
262 = Prolixin
521 = Propane
547 = Propel [sic]
414 = Propoxyphene
546 = Protector, Leather
241 = Prozac
532 = PRW [sic]
604 = Psilocybin
375 = Puffs, Coco [sic]
664 = Purple fingers
382 = Purple footballs
637 = Purple haze
342 = Purple hearts
622 = Purple microdot
631 = Purple Owsley
640 = Purple pyramid
640 = Pyramid, Purple
473 = Pyridium
570 = PVC (in Mexico)

351 = Q'at
116 = Quaalude
643 = Queen
125 = Qulande [sic]
351 = Q'at

822 = Rabbit tobacco
872 = Raffies [sic]
268 = Rahipinal
168 = Rahypnol
554 = Raid
360 = Rainbow speed
112 = Rasepam
577 = Rave runners
145 = Red devil(s)
621 = Red dragon
129 = Reds
160 = Relanium [sic]
811 = Relaxers, Muscle
518 = Remover, Nail polish
509 = Remover, K2R Spot
112 = Restoril
535 = Rexo [sic] copies
144 = Reynolds [sic]
318 = Ritalin
367 = Rite, Slender [sic]
396 = RJs, Black
484 = Roach 2-10-8 [sic], Volume
223 = Robamol
223 = Robaxin
667 = Robert, Cody
330 = Robins, Blue
329 = Robin's eggs
480 = Robitussin AC with Codeine
829 = Robitussin DM
223 = Robomol
244 = Roche 2 (Mexican) [sic]
806 = Rock
629 = Rocket fuel
168 = Rohybenol [sic]
166 = Roinol [sic]
856 = Roofe [sic]
506 = Room odorizer, Locker
483 = (Rope) [sic], Rophynol
261 = Roperals [sic]
483 = Rophynol, (Rope) [sic]
627 = Rose, Hawaiian wood
628 = Rosebud seed tea, Hawaiian
341 = Roses, Pink
835 = Rotan [sic]
406 = Roxicet
504 = Rubber cement
548 = Rubbing alcohol
432 = Rufen
161 = Rufonol
577 = Runners, Rave
506 = Rush
133 = Ryoxine [sic]

316 = Sanorex
644 = San Pedro [Spanish]
539 = ScotchGard
533 = Sealant, Window
864 = Seasick pill <OTC>
119 = Secobarbital
109 = Seconal
143 = Sedoxen [sic]

628 = Seed tea, Hawaiian rosebud
635 = Seeds, Ginseng
627 = Seeds, Hawaiian Woodrow
617 = Seeds, Morning glory
628 = Seed tea, Hawaiian rosebud
140 = Seldane
205 = Serax
612 = Sherm [sic]
612 = Shermstick
504 = Shoeshine liquid
888 = Shoesmine, Texas [sic]
839 = Siloquan [sic]
247 = Sinequan
364 = Sinutab
403 = SK-65
219 = SK-Lygen
850 = Slack
122 = Sleep Aid
132 = Sleepettes [sic]
367 = Slender Rite [sic]
706 = Smack
549 = Smarties [sic]
566 = Smoked tea from Lipton tea bag
816 = Smokeless tobacco
813 = Smoking (substance not specified)
884 = Snow
816 = Snuff
560 = Soap
156 = Sodium barbital
118 = Sodium pentothal
505 = Solvents, Paint, other than lacquer thinner
440 = Soma
126 = Somenex [sic]
248 = Sooper Cool [sic]
116 = Sopor
551 = Spam [sic]
551 = (Spam [sic]), Oven cleaner
658 = Special K
329 = Speckled eggs
339 = Speed (amphetamines generically)
322 = Speed (methamphetamine)
360 = Speed, Rainbow
705 = Speedball (heroin + cocaine)
542 = Spirits of ammonia
509 = Spot Remover, K2R
502 = Spray paints
567 = Spray, Pertussin
503 = Sprays, Aerosol, other than spray paints
419 = Stadol
226 = Stelazine
824 = Steroids
612 = Stick, Happy
645 = Stick, Thai
857 = Stick, Wicky [sic]
553 = Sticks, Pixie
636 = STP
252 = Strawberry whip cream
669 = Stropharia
817 = Stuff, Hard
364 = Sudafed
346 = Sulfate, Ephedrine
672 = Suncrush
624 = Sunshine
624 = Sunshine, Orange
624 = Sunshine, Yellow
504 = Super Glue
447 = Synalgos

370 = Tab, Mess [sic]
843 = Tablets, Cold
391 = Tablets, Turbe [sic]
376 = TAC
545 = Tailpipe exhaust fumes, Car
413 = Talacen
568 = Tally
411 = Talwin
412 = Talwin NX
707 = Tar, Black
649 = Tea, Choc. [sic] tea
628 = Tea, Hawaiian rosebud seed
112 = Temaz
112 = Temazepam
307 = Tenuate
308 = Tepanil
828 = Tetracycline
888 = Texas shoesmine [sic]
645 = Thai stick
802 = THC
825 = Theo-Dur
505 = Thinner, Lacquer
135 = Thins, Mini
227 = Thorazine
862 = Thornapple [sic] leaves
851 = Thyrolar-3 [sic]
340 = Tiamina 250 [sic]
619 = TIC [sic]
668 = Tiny, Yellow pills
660 = Toad
660 = Toad licking
816 = Tobacco, Chewing
822 = Tobacco, Rabbit
816 = Tobacco, Smokeless
813 = Tobacco not specified
448 = Tobutrol [sic]
467 = Tolectin
504 = Toluene
517 = Tolyol [sic]
334 = Tops, Cross
481 = Toradol
574 = Tornado
270 = Torzien
663 = Tranquilizer, Animal
663 = Tranquilizer, Horse
206 = Tranxene
225 = Trazodone
374 = Tree(s), Christmas
224 = Triavil

565 = Trichloroethane
226 = Trifluoperazine HCl
233 = Trilafon
256 = Tripjone [sic]
165 = Trips
900 = TRMTDRGA = Not a drug
900 = TRMTDRGB = Not a drug
245 = Tryptophan
457 = T's and Blues
110 = Tuinal
513 = Tulio [sic]
522 = Tuner, TV
391 = Turbe [sic] tablets
434 = Tussionex [see also 456]
522 = TV (MTV), Liquid
522 = TV Tuner
522 = TV11Y
435 = Tylenol
409 = Tylenol 3
409 = Tylenol 4
435 = Tylenol Extra-Strength
409 = Tylenol with Codeine
431 = Tylox
509 = Typewash

634 = Unicorn
123 = Unisom
324 = Uppers
253 = Urbadan [sic]

201 = Valium
552 = Valo [sic]
485 = Vanan [sic], Mark
377 = Ventolin
237 = Versed
266 = Verstran
515 = Vicks
434 = Vicodin [see also 456]
254 = Vilonopin [sic]
215 = Vistaril
848 = Vitamin, Liquid
263 = Vivactil
354 = Vivarin
151 = VOEOBO [sic]
484 = Volume Roach 2-10-8 [sic]
315 = Voranil

852 = Wak [sic]
865 = Water pills
803 = Weed
150 = Weed.Cote [sic]
609 = Weed, Jimson [sic]
418 = Westodone
852 = Whack
252 = Whip cream, Strawberry
528 = Whipped-cream can
508 = Whippets
326 = White cross
601 = White lightning
337 = White Molly
524 = White-Out
331 = Whites
857 = Wicky [sic] stick
139 = Widows, Black
625 = Window pane
533 = Window sealant
627 = Wood rose, Hawaiian
627 = Woodrow seeds, Hawaiian
404 = Wygesic

338 = X112, Antiadipositum [sic]
209 = Xanax
661 = X. Light [sic]
606 = X-TC
449 = Xycodone [sic]

124 = Yellow jackets
651 = Yellow, Mellow
624 = Yellow sunshine
668 = Yellow tiny pills
164 = Yellow zombies
881 = YLOALE

257 = Zestril
271 = Zoloft
164 = Zombies, yellow
666 = Zonick

APPENDIX E

QUESTIONNAIRE ANSWER SHEETS

EXAMPLE QUESTION

EQ-1. How long has it been since you last went to the movies?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☒ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never been to the movies in my life ☐ 91

The first 10 questions are about cigarettes only.

C-1. Have you ever smoked a cigarette, even one or two puffs?

- Yes, I have smoked at least a puff or two from a cigarette ☐ 1
- No, I have never smoked a cigarette in my life ☐ 2

C-2. How old were you the first time you smoked a cigarette, even one or two puffs?

- The first time I smoked a cigarette, I was ____ years
- I have never smoked a cigarette in my life ☐ 991

C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?

- More than 300 days ☐ 1
- 101 to 300 days ☐ 2
- 12 to 100 days ☐ 3
- 3 to 11 days ☐ 4
- 1 to 2 days ☐ 5
- I have never smoked a cigarette in my life ☐ 91

C-4. How long has it been since you last smoked a cigarette?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never smoked a cigarette in my life ☐ 91

(PLEASE TURN THE PAGE.)

C-5. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

I smoked at least a puff or two from a cigarette on ..... [ ] day

IF NONE, MARK ONE BOX FOR BEST ANSWER:

I have smoked cigarettes but not during the past 30 days ..... ☐ 93

I have never smoked a cigarette in my life ..... ☐ 91

C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? *If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.*

At least a puff or two but less than 1 cigarette each day ..... ☐ 1

1 to 5 cigarettes each day ..... ☐ 2

6 to 15 cigarettes (about 1/2 pack) each day ..... ☐ 3

16 to 25 cigarettes (about 1 pack) each day ..... ☐ 4

26 to 35 cigarettes (about 1 1/2 packs) each day ..... ☐ 5

36 or more cigarettes (about 2 packs or more) each day ..... ☐ 6

IF NONE, MARK ONE BOX FOR BEST ANSWER:

I have smoked cigarettes but not during the past 30 days..... ☐ 93

I have never smoked a cigarette in my life ..... ☐ 91

C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?

5 minutes or less ..... ☐ 1

6 to 30 minutes ..... ☐ 2

31 to 60 minutes ..... ☐ 3

1 to 3 hours ..... ☐ 4

4 or more hours ..... ☐ 5

IF NONE, MARK ONE BOX FOR BEST ANSWER:

I have smoked cigarettes but not during the past 30 days..... ☐ 93

I have never smoked a cigarette in my life ..... ☐ 91

C-8. Has there ever been a period in your life when you smoked cigarettes everyday?

Yes ..... ☐ 1

No ..... ☐ 2

C-9. How old were you when you first started smoking cigarettes everyday?

I started smoking cigarettes everyday when I was ..... [ ] years o

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

I have never smoked cigarettes everyday ..... ☐ 993

I have never smoked a cigarette in my life ..... ☐ 991

(PLEASE GO TO THE NEXT PAGE.)

C-10. For how many years have you smoked or did you smoke cigarettes everyday?

RECORD NUMBER OF YEARS OR MARK THE BOX:

I smoked cigarettes everyday for ..... ___ yea

I smoked cigarettes everyday for less than one whole year ..... ☐ 0

IF NONE, MARK ONE BOX FOR BEST ANSWER:

I have never smoked cigarettes everyday ..... ☐ 993

I have never smoked a cigarette in my life ..... ☐ 991

The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.

C-11. Have you ever, even once, used chewing tobacco or snuff?

Yes, I have used chewing tobacco or snuff ..... ☐ 1

No, I have never used chewing tobacco or snuff in my life ..... ☐ 2

C-12. How long has it been since you last used chewing tobacco or snuff?

Within the past 30 days ..... ☐ 1

More than 30 days ago but within the past 12 months ..... ☐ 2

More than 12 months ago but within the past 3 years ..... ☐ 3

More than 3 years ago ..... ☐ 4

I have never used chewing tobacco or snuff in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT TOBACCO.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TOBACCO QUESTIONS.

A-1. The next few questions are about drinks of alcoholic beverages. By a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? *Do not include sips from another person's drink.*

- Yes, I have had a drink of an alcoholic beverage ☐ 1
- No, I have never had a drink of any alcoholic beverage in my life ☐ 2

A-2. How old were you the first time you had a drink of any alcoholic beverage? *Do not include sips from another person's drink.*

- The first time I drank an alcoholic beverage, I was ____ years old
- I have never drunk an alcoholic beverage in my life ☐ 991

A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never drunk an alcoholic beverage in my life ☐ 91

A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have drunk alcoholic beverages but not during the past 12 months ☐ 93
- I have never drunk an alcoholic beverage in my life ☐ 91

(PLEASE TURN THE PAGE.)

A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I drank an alcoholic beverage in the past 12 months but I did not get very high or drunk ..... ☐ 90
- I have drunk alcoholic beverages but not during the past 12 months ..... ☐ 93
- I have never drunk an alcoholic beverage in my life ..... ☐ 91

A-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?

I had a drink of an alcoholic beverage on ..... └──┘ day(

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have drunk alcoholic beverages but not during the past 30 days ..... ☐ 93
- I have never drunk an alcoholic beverage in my life ..... ☐ 91

A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? *Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.*

On the days I had an alcoholic beverage, I usually had . └──┘ drink per d

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have drunk alcoholic beverages but not during the past 30 days ..... ☐ 93
- I have never drunk an alcoholic beverage in my life ..... ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

A-8. During the past 30 days, on how many days did you have five or more drinks on the same occasion? *By "occasion," we mean at the same time or within a couple of hours of each other.*

I drank 5 or more drinks of an alcoholic beverage on .... [ ] day

IF NONE, MARK ONE BOX FOR BEST ANSWER:

On the days I drank during the past 30 days, I never had 5 or more drinks ..... ☐ 90

I have drunk alcoholic beverages but not during the past 30 days ..... ☐ 93

I have never drunk an alcoholic beverage in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT ALCOHOL.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE ALCOHOL QUESTIONS.

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked -- either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

- Yes, I have used marijuana or hashish ..... ☐ 1
- No, I have never used marijuana or hashish in my life ..... ☐ 2

M-2. How old were you the first time you used marijuana or hashish?

- The first time I used marijuana or hashish, I was..... ☐☐☐ year
- I have never used marijuana or hashish in my life ..... ☐ 991

M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days ..... ☐ 3
- 3 to 11 days ..... ☐ 4
- 1 to 2 days ..... ☐ 5
- I have never used marijuana or hashish in my life ..... ☐ 91

M-4. How long has it been since you last used marijuana or hashish?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have never used marijuana or hashish in my life ..... ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used marijuana or hashish but not during the past 12 months ..... ☐ 93
- I have never used marijuana or hashish in my life ..... ☐ 91

M-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

I used marijuana or hashish on..... └──┘ day(s)

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used marijuana or hashish but not during the past 30 days ..... ☐ 93
- I have never used marijuana or hashish in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT MARIJUANA.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE MARIJUANA QUESTIONS.

COCAINE

Answer Sheet #4

The questions in this section are about cocaine, including all the different forms of cocaine, such as powder, "crack," free base, and coca paste.

CN-1. Have you ever, even once, used any form of cocaine?

- Yes, I have used some form of cocaine ..... ☐ 1
- No, I have never used any form of cocaine in my life ..... ☐ 2

CN-2. How old were you the first time you used cocaine, in any form?

- The first time I used some form of cocaine, I was..... ____ years
- I have never used any form of cocaine in my life ..... ☐ 991

CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days ..... ☐ 3
- 3 to 11 days ..... ☐ 4
- 1 to 2 days ..... ☐ 5
- I have never used any form of cocaine in my life ..... ☐ 91

CN-4. How long has it been since you last used any form of cocaine?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years ..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have never used any form of cocaine in my life ..... ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used cocaine but not during the past 12 months ..... ☐ 93
- I have never used any form of cocaine in my life ..... ☐ 91

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?

I used some form of cocaine on..... └──┘ day(s)

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used cocaine but not during the past 30 days ..... ☐ 93
- I have never used any form of cocaine in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT COCAINE.

THANK YOU FOR ANSWERING THESE QUESTIONS.

PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE COCAINE QUESTIONS.

The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.

CK-1. Have you ever, even once, used "crack?"

- Yes, I have used "crack" ..... ☐ 1
- No, I have never used "crack" in my life ..... ☐ 2

CK-2. How old were you the first time you used "crack?"

- The first time I used "crack," I was..... ____ years
- I have never used "crack" in my life ..... ☐ 991

CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days ..... ☐ 3
- 3 to 11 days ..... ☐ 4
- 1 to 2 days ..... ☐ 5
- I have never used "crack" in my life ..... ☐ 91

CK-4. How long has it been since you last used "crack?"

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years ..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have never used "crack" in my life ..... ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CK-5. Now think about the past 12 months. from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used "crack" but not during the past 12 months ..... ☐ 93
- I have never used "crack" in my life ..... ☐ 91

CK-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"

I used "crack" on..... └──┘ day(s)

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used "crack" but not during the past 30 days ..... ☐ 93
- I have never used "crack" in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT "CRACK."

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE "CRACK" QUESTIONS.

HEROIN

Answer Sheet #6

H-1. Have you ever, even once, used heroin?

- Yes, I have used heroin ..... ☐ 1
- No, I have never used heroin in my life ..... ☐ 2

H-2. How old were you the first time you used heroin?

- The first time I used heroin, I was ..... ☐☐☐ years
- I have never used heroin in my life ..... ☐ 991

H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days ..... ☐ 3
- 3 to 11 days ..... ☐ 4
- 1 to 2 days ..... ☐ 5
- I have never used heroin in my life ..... ☐ 91

H-4. How long has it been since you last used heroin?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years ..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have never used heroin in my life ..... ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used heroin but not during the past 12 months ..... ☐ 93
- I have never used heroin in my life ..... ☐ 91

H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

I used heroin on..... └──┘ day(s

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used heroin but not during the past 30 days ..... ☐ 93
- I have never used heroin in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HEROIN.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE HEROIN QUESTIONS.

L-1. As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.

		Ever used? YES	NO
a.	LSD ("acid")	☐ 1	☐ 2
b.	PCP ("angel dust," phencyclidine)	☐ 1	☐ 2
c.	Peyote	☐ 1	☐ 2
d.	Mescaline	☐ 1	☐ 2
e.	Psilocybin (mushrooms)	☐ 1	☐ 2
f.	"Ecstasy" (MDMA)	☐ 1	☐ 2
g.	Have you ever used a hallucinogen whose name you don't know?	☐ 1	☐ 2
h.	Have you ever used any other hallucinogens besides the ones listed above? *PLEASE WRITE NAME(S) BELOW:* _____ _____	☐ 1	☐ 2

L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?

The first time I used a hallucinogen, I was..... ☐☐ years o

I have never used any hallucinogen in my life ..... ☐ 991

L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?

More than 300 days ..... ☐ 1

101 to 300 days ..... ☐ 2

12 to 100 days ..... ☐ 3

3 to 11 days ..... ☐ 4

1 to 2 days ..... ☐ 5

I have never used any hallucinogen in my life ..... ☐ 91

(PLEASE TURN THE PAGE.)

L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never used any hallucinogen in my life ☐ 91

L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used an hallucinogen but not during the past 12 months ☐ 93
- I have never used any hallucinogen in my life ☐ 91

L-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?

I used LSD, PCP, or another hallucinogen on ..... [ ] day(s

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used an hallucinogen but not during the past 30 days ☐ 93
- I have never used any hallucinogen in my life ☐ 91

L-7. Now think only about LSD. How long has it been since you last used LSD?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never used LSD in my life ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

L-8. Now think only about PCP. How long has it been since you last used PCP?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have never used PCP in my life ..... ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HALLUCINOGENS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE HALLUCINOGENS QUESTIONS.

IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.

		Ever used for kicks or to get high? YES	NO
a.	Amyl nitrite, "poppers," locker room odorizers, or "rush"	☐ 1	☐ 2
b.	Correction fluid, degreaser, or cleaning fluid	☐ 1	☐ 2
c.	Gasoline or lighter fluid	☐ 1	☐ 2
d.	Glue, shoe polish, or toluene	☐ 1	☐ 2
e.	Halothane, ether, or other anesthetics	☐ 1	☐ 2
f.	Lacquer thinner or other paint solvents	☐ 1	☐ 2
g.	Lighter gases (butane, propane)	☐ 1	☐ 2
h.	Nitrous oxide or "whippets"	☐ 1	☐ 2
i.	Spray paints	☐ 1	☐ 2
j.	Other aerosol sprays	☐ 1	☐ 2
k.	Have you ever used an inhalant whose name you don't know for kicks or to get high?	☐ 1	☐ 2
l.	Have you ever used any other inhalants, besides those listed above, for kicks or to get high? *PLEASE WRITE NAME(S) BELOW:*	☐ 1	☐ 2

_____

_____

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

The first time I used any inhalant for kicks or to get high, I was ..... ☐☐ years o

I have never used any inhalant for kicks or to get high in my life ..... ☐ 991

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used any inhalant of any kind?

More than 300 days ..... ☐ 1

101 to 300 days ..... ☐ 2

12 to 100 days ..... ☐ 3

3 to 11 days ..... ☐ 4

1 to 2 days ..... ☐ 5

I have never used any inhalant for kicks or to get high in my life ..... ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

IN-4. How long has it been since you last used any inhalant for kicks or to get high?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4
- I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used an inhalant for kicks or to get high but not during the past 12 months ☐ 93
- I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

- I have used some kind of inhalant for kicks or to get high on ____ day(s

IF NONE, MARK ONE BOX FOR BEST ANSWER:

- I have used an inhalant for kicks or to get high but not during the past 30 days ☐ 93
- I have never used any inhalant for kicks or to get high in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT INHALANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE INHALANTS QUESTIONS.

PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds prescription pain killers, in pill or non-pill form.

		Ever used without a prescription or for the experience? YES	NO
a.	Codeine	☐ 1	☐ 2
b.	Darvon	☐ 1	☐ 2
c.	Demerol	☐ 1	☐ 2
d.	Dilaudid	☐ 1	☐ 2
e.	Methadone	☐ 1	☐ 2
f.	Morphine	☐ 1	☐ 2
g.	Percodan	☐ 1	☐ 2
h.	Talwin	☐ 1	☐ 2
i.	Tylenol with codeine	☐ 1	☐ 2
j.	Have you ever used a pain killer whose name you don't know that was not prescribed for you, or only for the experience or feeling it caused?	☐ 1	☐ 2
k.	Have you ever used any other pain killer besides the ones listed above, that was not prescribed for you, or only for the experience or feeling it caused? *PLEASE WRITE NAME(S) BELOW:* _____ _____	☐ 1	☐ 2

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.	91

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused, I was..... [ ] years ol

(PLEASE TURN THE ANSWER SHEET OVER.)

PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
- 101 to 300 days ☐ 2
- 12 to 100 days ☐ 3
- 3 to 11 days ☐ 4
- 1 to 2 days ☐ 5

PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9
- I have used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT ANALGESICS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE ANALGESICS QUESTIONS.

T-1. As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.

		Ever used without a prescription or for the experience? YES	NO
a.	Atarax	☐ 1	☐ 2
b.	Ativan	☐ 1	☐ 2
c.	Diazepam	☐ 1	☐ 2
d.	Librium	☐ 1	☐ 2
e.	Tranxene	☐ 1	☐ 2
f.	Valium	☐ 1	☐ 2
g.	Xanax	☐ 1	☐ 2
h.	Have you ever used a tranquilizer whose name you don't know that was not prescribed for you, or that you took only for the experience or feeling it caused	☐ 1	☐ 2
i.	Have you ever used any other tranquilizer besides the ones listed above, that was not prescribed for you, or that you took only for the experience or feeling it caused? *PLEASE WRITE NAME(S) BELOW:*	☐ 1	☐ 2

_____

_____

If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.	91

T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused, I was..... [ ] years ol

(PLEASE TURN THE ANSWER SHEET OVER.)

T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
- 101 to 300 days ☐ 2
- 12 to 100 days ☐ 3
- 3 to 11 days ☐ 4
- 1 to 2 days ☐ 5

T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9
- I have used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT TRANQUILIZERS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TRANQUILIZERS QUESTIONS.

ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.

		Ever used without a prescription or for the experience? YES	NO
a.	Benzedrine	☐ 1	☐ 2
b.	Biphetamine	☐ 1	☐ 2
c.	Dexamyl	☐ 1	☐ 2
d.	Dexedrine	☐ 1	☐ 2
e.	Fastin	☐ 1	☐ 2
f.	Ionamin	☐ 1	☐ 2
g.	Methamphetamine	☐ 1	☐ 2
h.	Methedrine	☐ 1	☐ 2
i.	Preludin	☐ 1	☐ 2
j.	Have you ever used a stimulant whose name you don't know that was not prescribed for you, or only for the experience or feeling it caused?	☐ 1	☐ 2
k.	Have you ever used any other stimulant besides the ones listed above, that was not prescribed for you, or only for the experience or feeling it caused? *PLEASE WRITE NAME(S) BELOW:*	☐ 1	☐ 2

_____

_____

If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.	91

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused, I was..... [ ] years ol

(PLEASE TURN THE ANSWER SHEET OVER.)

ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days ..... ☐ 3
- 3 to 11 days ..... ☐ 4
- 1 to 2 days ..... ☐ 5

ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years ..... ☐ 3
- More than 3 years ago ..... ☐ 4

ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9
- I have used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused but not during the past 12 months ..... ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT STIMULANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE STIMULANTS QUESTIONS.

S-1. As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.

		Ever used without a prescription or for the experience? YES	NO
a.	Dalmane	☐ 1	☐ 2
b.	Halcion	☐ 1	☐ 2
d.	Methaqualone (including Sopor and Quaalude)	☐ 1	☐ 2
d.	Nembutal	☐ 1	☐ 2
e.	Phenobarbital	☐ 1	☐ 2
f.	Placidyl	☐ 1	☐ 2
g.	Seconal	☐ 1	☐ 2
h.	Tuinal	☐ 1	☐ 2
i.	Have you ever used a sedative whose name you don't know that was not prescribed for you, or only for the experience or feeling it caused?	☐ 1	☐ 2
j.	Have you ever used any other sedative besides the ones listed above, that was not prescribed for you, or only for the experience or feeling it caused? *PLEASE WRITE NAME(S) BELOW:* _____ _____	☐ 1	☐ 2

If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.	91

S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a sedative that was not prescribed for me, or that I took only for the experience or feeling it caused, I was..... [ ] years o

(PLEASE TURN THE ANSWER SHEET OVER.)

S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
- 101 to 300 days ☐ 2
- 12 to 100 days ☐ 3
- 3 to 11 days ☐ 4
- 1 to 2 days ☐ 5

S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
- 201 to 300 days (5 to 6 days a week) ☐ 2
- 101 to 200 days (3 to 4 days a week) ☐ 3
- 51 to 100 days (1 to 2 days a week) ☐ 4
- 25 to 50 days (3 to 4 days a month) ☐ 5
- 12 to 24 days (1 to 2 days a month) ☐ 6
- 6 to 11 days (less than one day a month) ☐ 7
- 3 to 5 days in the past 12 months ☐ 8
- 1 to 2 days in the past 12 months ☐ 9
- I have used a sedative that was not prescribed for me, or that I took only for the experience or feeling it caused but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT SEDATIVES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SEDATIVES QUESTIONS.

AS-1. Have you ever, even once, used anabolic steroids, without your own prescription from a doctor?

YES, I have used anabolic steroids without my own prescription from a doctor.... ☐ 1 → AS-2. How old were you the first time you used anabolic steroids without your own prescription from a doctor?

The first time I used anabolic steroids without my own prescription from a doctor, I was..... ____ years c

NO, I have never used anabolic steroids without my own prescription from a doctor in my life..... ☐ 2

GO TO BOX A AT BOTTOM OF PAGE AS-2

AS-3. Think about the entire time since you first used anabolic steroids. Altogether, on how many days in your life have you used anabolic steroids without your own prescription?

- More than 300 days ..... ☐ 1
- 101 to 300 days ..... ☐ 2
- 12 to 100 days..... ☐ 3
- 3 to 11 days..... ☐ 4
- 1 to 2 days ..... ☐ 5

AS-4. How long has it been since you last used anabolic steroids without your own prescription from a doctor?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years ..... ☐ 3
- More than 3 years ago ..... ☐ 4

(PLEASE TURN THE ANSWER SHEET OVER.)

AS-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use anabolic steroids without your own prescription from a doctor?

- More than 300 days (every day or almost every day) ..... ☐ 1
- 201 to 300 days (5 to 6 days a week) ..... ☐ 2
- 101 to 200 days (3 to 4 days a week) ..... ☐ 3
- 51 to 100 days (1 to 2 days a week) ..... ☐ 4
- 25 to 50 days (3 to 4 days a month) ..... ☐ 5
- 12 to 24 days (1 to 2 days a month)..... ☐ 6
- 6 to 11 days (less than one day a month)..... ☐ 7
- 3 to 5 days in the past 12 months ..... ☐ 8
- 1 to 2 days in the past 12 months ..... ☐ 9
- I have used anabolic steroids without my own prescription from a doctor but not during the past 12 months ..... ☐ 93

AS-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use anabolic steroids without your own prescription from a doctor?

- I used anabolic steroids without my own prescription from a doctor on ..... └──┘ da
- I have used anabolic steroids without my own prescription from a doctor but not during the past 30 days ..... ☐ 93

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT ANABOLIC STERIODS. THANK YOU FOR ANSWERING THESE QUESTIONS. PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE ANABOLIC STEROIDS QUESTIONS.

SD-1. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

YES, I have used a needle to inject a drug..... ☐ 1 →

NO, I have never used a needle to inject a drug..... ☐ 2



SD-2. Have you ever, even once, used a needle to inject cocaine?

Yes, I have used a needle to inject cocaine .... ☐ 1

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

No, I have used cocaine, but never with a needle ..... ☐ 2

No, I have never used any form of cocaine in my life ..... ☐ 91

SD-3. How long has it been since you last used a needle to inject cocaine?

Within the past 30 days ..... ☐ 1

More than 30 days ago but within the past 12 months ..... ☐ 2

More than 12 months ago but within the past 3 years..... ☐ 3

More than 3 years ago ..... ☐ 4

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

I have used cocaine, but never with a needle . ☐ 93

I have never used any form of cocaine in my life ..... ☐ 91

SD-4. Have you ever, even once, used a needle to inject heroin?

Yes, I have used a needle to inject heroin ..... ☐ 1

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

No, I have used heroin, but never with a needle ..... ☐ 93

No, I have never used heroin in my life ..... ☐ 91

(PLEASE TURN THE PAGE.)

SD-5. How long has it been since you last used a needle to inject heroin?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

- I have used heroin, but never with a needle ☐ 93
- I have never used heroin in my life ☐ 91

SD-6. Have you ever, even once, used a needle to inject an anabolic steroid not prescribed for you by a doctor?

- Yes, I have used a needle to inject an anabolic steroid not prescribed for me by a doctor ☐ 1

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

- No, I have used an anabolic steroid without my own prescription from a doctor but never with a needle ☐ 93
- No, I have never used anabolic steroids without my own prescription from a doctor in my life ☐ 91

SD-7. How long has it been since you last used a needle to inject an anabolic steroid not prescribed for you by a doctor?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

- I have used anabolic steroids without my own prescription, but never with a needle ☐ 93
- I have never used anabolic steroids without my own prescription in my life ☐ 91

SD-8. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Yes, I have used a needle to inject a stimulant when it was not prescribed for me or only for the experience or feeling it caused. ☐ 1

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

- No, I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle ☐ 93
- No, I have never in my life used any stimulant when it was not prescribed for me or only for the experience or feeling it caused ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

SD-9. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

IF NEVER, MARK ONE BOX FOR BEST ANSWER:

- I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle ☐ 93
- I have never in my life used any stimulant when it was not prescribed for me or only for the experience or feeling it caused ☐ 91

SD-10. The last time you used a needle for injecting drugs, did you know or suspect that the needle had been used by someone else?

- YES ☐ 1
- NO ☐ 2

SD-11. The last time you used a needle for injecting drugs, did someone else use the needle after you?

- YES ☐ 1
- NO ☐ 2

(PLEASE TURN THE PAGE.)

SD-12. Have you ever, even once, used heroin in any form?

YES, I have used heroin..... ☐ 1 → **SD-13.** Have you ever, even once, smoked heroin?

- Yes, I have smoked heroin ..... ☐ 1
- No, I have used heroin, but never smoked it ..... ☐ 2

NO, I have never used heroin ..... ☐ 2

SD-14. How long has it been since you last smoked heroin?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have used heroin, but I never smoked it ..... ☐ 93

GO TO
BOX A
AT BOTTOM OF
THIS PAGE

SD-15. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?

- Yes, I have sniffed ("snorted") heroin ..... ☐ 1
- No, I have used heroin, but have never sniffed ("snorted") it .. ☐ 2

SD-16. How long has it been since you last sniffed ("snorted") heroin powder through your nose?

- Within the past 30 days ..... ☐ 1
- More than 30 days ago but within the past 12 months ..... ☐ 2
- More than 12 months ago but within the past 3 years..... ☐ 3
- More than 3 years ago ..... ☐ 4
- I have used heroin, but I have never sniffed ("snorted") it ..... ☐ 93

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT SPECIAL DRUGS. THANK YOU FOR ANSWERING THESE QUESTIONS. PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SPECIAL DRUGS QUESTIONS.

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

(If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. MARK ONE BOX ON EACH LINE.)

How much do people risk harming themselves physically and in other ways when they ...	NO RISK	SLIGHT RISK	MODERATE RISK	GREAT RISK
a. Smoke one or more packs of cigarettes per day?	☐ 1	☐ 2	☐ 3	☐ 4
b. Try marijuana once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
c. Smoke marijuana once a month?	☐ 1	☐ 2	☐ 3	☐ 4
d. Smoke marijuana once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
e. Try PCP once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
f. Use PCP once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
g. Try LSD once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
h. Use LSD once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
i. Try heroin once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
j. Use heroin once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
k. Try cocaine once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
l. Use cocaine once a month?	☐ 1	☐ 2	☐ 3	☐ 4
m. Use cocaine once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
n. Try "crack" once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
o. Use "crack" once a month?	☐ 1	☐ 2	☐ 3	☐ 4
p. Use "crack" once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4
q. Use anabolic steroids once or twice?	☐ 1	☐ 2	☐ 3	☐ 4
r. Use anabolic steroids once a month?	☐ 1	☐ 2	☐ 3	☐ 4
s. Use anabolic steroids once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4

(PLEASE TURN THE ANSWER SHEET OVER)

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

How much do people risk harming themselves physically and in other ways when they ...	NO RISK	SLIGHT RISK	MODERATE RISK	GREA RISK
t. Have one or two drinks nearly every day?	☐ 1	☐ 2	☐ 3	☐ 4
u. Have four or five drinks nearly every day?	☐ 1	☐ 2	☐ 3	☐ 4
v. Have five or more drinks once or twice a week?	☐ 1	☐ 2	☐ 3	☐ 4

R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (MARK ONE BOX ON EACH LINE.)

How difficult or easy would it be for you to get some ...	PROBABLY IMPOSSIBLE	VERY DIFFICULT	FAIRLY DIFFICULT	FAIRLY EASY	VERY EASY
a. Marijuana	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
b. LSD	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
c. PCP	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
d. Cocaine	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
e. "Crack"	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
f. Heroin	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

R-3. In the past 30 days, has anyone approached you to sell you an illegal drug?

Yes ☐ 1
No ☐ 2

R-4. How often do you see people who are drunk or high on drugs in your neighborhood?

Often ☐ 1
Once a month ☐ 2
Rarely ☐ 3
Never ☐ 4

R-5. How often do you see people selling drugs in your neighborhood?

Often ☐ 1
Once a month ☐ 2
Rarely ☐ 3
Never ☐ 4

YOU HAVE FINISHED THE QUESTIONS ABOUT RISK/AVAILABILITY.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE RISK/AVAILABILITY QUESTIONS.

All the questions on this answer sheet refer to the past 12 months -- that is, since your 12-month reference date.

DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.

		Used in past 12 month YES	NO
a.	Cigarettes	☐ 1	☐ 2
b.	Alcohol	☐ 1	☐ 2
c.	Marijuana or hashish	☐ 1	☐ 2
d.	Cocaine (including "crack")	☐ 1	☐ 2
e.	Heroin	☐ 1	☐ 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐ 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐ 2
h.	Anabolic Steroids	☐ 1	☐ 2
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐ 2
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐ 2
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐ 2
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐ 2

If you answered "NO" to each of the items a through l in Question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2.	93

DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.

		Month or more whe great deal of time spe involved with the dru YES	NO
a.	Cigarettes	☐ 1	☐ 2
b.	Alcohol	☐ 1	☐ 2
c.	Marijuana or hashish	☐ 1	☐ 2
d.	Cocaine (including "crack")	☐ 1	☐ 2
e.	Heroin	☐ 1	☐ 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐ 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐ 2
h.	Anabolic Steroids	☐ 1	☐ 2
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐ 2
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐ 2
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐ 2
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐ 2

(PLEASE TURN THE PAGE.)

DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.

		Used more oft or in larger amou YES	
a.	Cigarettes	☐ 1	☐
b.	Alcohol	☐ 1	☐
c.	Marijuana or hashish	☐ 1	☐
d.	Cocaine (including "crack")	☐ 1	☐
e.	Heroin	☐ 1	☐
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐
h.	Anabolic Steroids	☐ 1	☐
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐

DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.

		Built up a tolerance YES	N
a.	Cigarettes	☐ 1	☐
b.	Alcohol	☐ 1	☐
c.	Marijuana or hashish	☐ 1	☐
d.	Cocaine (including "crack")	☐ 1	☐
e.	Heroin	☐ 1	☐
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐
h.	Anabolic Steroids	☐ 1	☐
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐

(PLEASE GO TO THE NEXT PAGE.)

DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have often been under the effects or after-effects of that kind of drug in situations where your physical safety was threatened (such as driving a car or motorcycle, using heavy machinery, or swimming) during the past 12 months.

		Physical safety threatened? YES	NO
a.	Cigarettes	☐ 1	☐ 2
b.	Alcohol	☐ 1	☐ 2
c.	Marijuana or hashish	☐ 1	☐ 2
d.	Cocaine (including "crack")	☐ 1	☐ 2
e.	Heroin	☐ 1	☐ 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐ 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐ 2
h.	Anabolic Steroids	☐ 1	☐ 2
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐ 2
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐ 2
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐ 2
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐ 2

DR-6. As you read the following types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have problems with your family or friends, problems at work, school, or with the police, or any emotional or psychological problems during the past 12 months.

		Had personal problems? YES	NO
a.	Cigarettes	☐ 1	☐ 2
b.	Alcohol	☐ 1	☐ 2
c.	Marijuana or hashish	☐ 1	☐ 2
d.	Cocaine (including "crack")	☐ 1	☐ 2
e.	Heroin	☐ 1	☐ 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐ 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐ 2
h.	Anabolic Steroids	☐ 1	☐ 2
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐ 2
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐ 2
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐ 2
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐ 2

(PLEASE TURN THE PAGE.)

DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug. On each line under Column A, mark the "YES" box on the left if you wanted to cut down or stop using that drug the past 12 months. Mark the "NO" box on the right if you did not want to cut down or stop using that drug or if you did not use that drug in the past 12 months.

For each "YES" box you mark in Column A, please indicate in Column B whether you were able to cut down on or stop your use of that drug every time you wanted to during the past 12 months. Mark the "YES" box in Column B if you were able to cut down on or stop your use of that drug every time you wanted to during the past 12 months. Mark the "NO" box if you were unable to cut down on or stop you use of that drug when you wanted to during the past 12 months.

		Column A Wanted to cut down or stop?		Column B Able to cut down or stop?	
		YES	NO	YES	NO
a.	Cigarettes	☐ 1	☐ 2	☐ 1	☐ 2
b.	Alcohol	☐ 1	☐ 2	☐ 1	☐ 2
c.	Marijuana or hashish	☐ 1	☐ 2	☐ 1	☐ 2
d.	Cocaine (including "crack")	☐ 1	☐ 2	☐ 1	☐ 2
e.	Heroin	☐ 1	☐ 2	☐ 1	☐ 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	☐ 1	☐ 2	☐ 1	☐ 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	☐ 1	☐ 2	☐ 1	☐ 2
h.	Anabolic Steroids	☐ 1	☐ 2	☐ 1	☐ 2
i.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	☐ 1	☐ 2	☐ 1	☐ 2
j.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	☐ 1	☐ 2	☐ 1	☐ 2
k.	Stimulants, such as methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	☐ 1	☐ 2	☐ 1	☐ 2
l.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	☐ 1	☐ 2	☐ 1	☐ 2

YOU HAVE FINISHED THE QUESTIONS ABOUT DRUGS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRUGS QUESTIONS.

This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.

TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

YES, I have received treatment for my use of alcohol or some drug..... ☐1 → **TX-2.** How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

I have received treatment or counseling for my alcohol or drug use ..... ____ times.

NO, I have never received treatment for my use of alcohol or any drug ..... ☐2 **TX-3** How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

In the past 12 months I have received treatment or counseling for my alcohol or drug use ..... ____ times.

GO TO BOX A AT BOTTOM OF PAGE TX-4

TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.

		In past 12 months, got treatment here for your alcohol use? YES	NO
a.	A hospital overnight as an inpatient	☐1	☐2
b.	A residential drug or alcohol rehabilitation facility (overnight)	☐1	☐2
c.	A drug or alcohol rehabilitation facility as an outpatient	☐1	☐2
d.	A mental health center or facility as an outpatient	☐1	☐2
e.	An emergency room	☐1	☐2
f.	A private doctor's office	☐1	☐2
g.	A prison or jail	☐1	☐2
h.	A self-help group	☐1	☐2
i.	I received treatment in some other place. *PLEASE DESCRIBE BELOW THIS OTHER PLACE:*	☐1	☐2

_____

(PLEASE TURN THE PAGE.)

TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

		In past 12 months, got treatment here for your drug use? YES	NO
a.	A hospital overnight as an inpatient	☐ 1	☐ 2
b.	A residential drug or alcohol rehabilitation facility (overnight)	☐ 1	☐ 2
c.	A drug or alcohol rehabilitation facility as an outpatient	☐ 1	☐ 2
d.	A mental health center or facility as an outpatient	☐ 1	☐ 2
e.	An emergency room	☐ 1	☐ 2
f.	A private doctor's office	☐ 1	☐ 2
g.	A prison or jail	☐ 1	☐ 2
h.	A self-help group	☐ 1	☐ 2
i.	I received treatment in some other place. *PLEASE DESCRIBE BELOW THIS OTHER PLACE:* _____	☐ 1	☐ 2

TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

During the past 12 months, I have received treatment for my illegal drug use in a hospital emergency room ..... [ ] time

The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.

TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

(PLEASE GO TO THE NEXT PAGE.)

TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes? *MARK ONLY ONE BOX FOR THE BEST ANSWER.*

a. A hospital overnight as an inpatient ..... ☐ 1
b. A residential drug or alcohol rehabilitation facility (overnight) ..... ☐ 2
c. A drug or alcohol rehabilitation facility as an outpatient . ☐ 3
d. A mental health center or facility as an outpatient ..... ☐ 4
e. An emergency room ..... ☐ 5
f. A private doctor's office ..... ☐ 6
g. A prison or jail ..... ☐ 7
h. A self-help group ..... ☐ 8
i. I received treatment in some other place. *PLEASE DESCRIBE BELOW THIS OTHER PLACE:* ..... ☐ 9

_____

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.

		Got treatment for this drug? YES	NO
a.	Alcohol	☐ 1	☐ 2
b.	Marijuana or hashish	☐ 1	☐ 2
c.	Cocaine or "crack"	☐ 1	☐ 2
d.	Heroin	☐ 1	☐ 2
e.	Hallucinogens	☐ 1	☐ 2
f.	Inhalants	☐ 1	☐ 2
g.	Prescription painkillers or analgesics	☐ 1	☐ 2
h.	Prescription tranquilizers	☐ 1	☐ 2
i.	Prescription stimulants	☐ 1	☐ 2
j.	Prescription sedatives	☐ 1	☐ 2
k.	I received treatment for use of some other drug(s). *PLEASE WRITE NAME(S) BELOW:*	☐ 1	☐ 2

_____

TX-10. What was the primary drug you received treatment for during the last time you were treated?

Write name of primary drug: _____

TX-11. What was the outcome of the treatment or counseling you last received? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I am still in treatment ..... ☐ 1
I successfully completed treatment ..... ☐ 2
I left because I had a problem with the program ..... ☐ 3
I left because I couldn't afford to continue treatment ..... ☐ 4
I left because my family needed me ..... ☐ 5
I left because I began using drug(s) again ..... ☐ 6
My last treatment had some other outcome. *PLEASE SPECIFY BELOW:* ..... ☐ 7

_____

(PLEASE TURN THE PAGE.)

TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.

I was in treatment for ..... [ ] da

OR:

I was in treatment for ..... [ ] mo

TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.

		Source paid for last treatment? YES	NO
a.	Health insurance paid for the last treatment I received	☐ 1	☐ 2
b.	Medicare paid for the last treatment I received	☐ 1	☐ 2
c.	Medicaid paid for the last treatment I received	☐ 1	☐ 2
d.	I used my own savings or earnings to pay for the last treatment I received	☐ 1	☐ 2
e.	Family members paid for the last treatment I received	☐ 1	☐ 2
f.	My employer paid for the last treatment I received	☐ 1	☐ 2
g.	The last treatment I received was free	☐ 1	☐ 2
h.	My last treatment was paid for by some other source. *PLEASE DESCRIBE BELOW:* .... _____	☐ 1	☐ 2

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1993? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

YES, I was enrolled in a treatment program for my alcohol or drug use on October 1, 1993 ..... ☐ 1

NO, I was not enrolled in a treatment program for my alcohol or drug use on October 1, 1993 ..... ☐ 2

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT TREATMENT. THANK YOU FOR ANSWERING THESE QUESTIONS. PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TREATMENT QUESTIONS.

The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as you answer this series of questions.

W-1. Have you ever been involved in a work-related accident?

- YES, I have been involved in a work-related accident ..... ☐ 1 → **W-2.** Have you been involved in a work-related accident during the past 12 months?
  - YES, I have been involved in a work-related accident during the past 12 months ..... ☐ 1 → **W-3.** As a result of any work-related accidents you were involved in during the past 12 months, were you required to take an alcohol or drug test?
    - YES, I was required to take an alcohol or drug test ..... ☐ 1
    - NO, I was not required to take an alcohol or drug test ..... ☐ 2
  - NO, I have not been involved in a work-related accident during the past 12 months..... ☐ 2 → GO TO QUESTION W-6 AT TOP OF PAGE W-3.
- NO, I have never been involved in a work-related accident ..... ☐ 2 → GO TO QUESTION W-6 AT TOP OF PAGE W-3.

(PLEASE TURN THE PAGE.)

W-4. During the past 30 days, have you been involved in any work-related accidents?

YES, I have been involved in a work-related accident during the past 30 days ..... ☐1 → W-5. As a result of any work-related accidents you were involved in during the past 30 days, were you required to taken an alcohol or drug test?

NO, I have not been involved in a work-related accident during the past 30 days..... ☐2

YES, I was required to take an alcohol or drug test ..... ☐1

NO, I was not required to take an alcohol or drug test ..... ☐2

(PLEASE GO TO THE NEXT PAGE.)

W-6. During the past 12 months, have you voluntarily left an employer?

YES, during the past 12 months, I have voluntarily left an employer ..... ☐ 1

NO, during the past 12 months, I have not voluntarily left an employer ..... ☐ 2

W-7. During the past 12 months, have you involuntarily left an employer for any of the following reasons? (PLEASE MARK ONE BOX FOR EACH ITEM.)

		YES	NO
a.	You were fired	☐ 1	☐ 2
b.	You were permanently laid off	☐ 1	☐ 2
c.	For some other reason, PLEASE SPECIFY BELOW:	☐ 1	☐ 2

_____

_____

YOU HAVE FINISHED THE QUESTIONS ABOUT WORKPLACE ISSUES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE WORKPLACE ISSUES QUESTIONS.

Because of copyright considerations, the Youth Checklist cannot be reproduced here, but can be obtained from:

Auchenbach, T.M. (1991b). Manual for the Child Behavior Checklist/4-18. Burlington, VT: University of Vermont Department of Psychiatry.