

National Household Survey on Drug Abuse, 1995

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

*****Processor Note*****
NHSDA 1995:
National Household Survey on Drug Abuse

Processor Note on Version 1

- 1) Variables ending in ...NEWA, ...NEWB, ...NEWC, and ...NEWD (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 2) IRHSGRAD (High School Graduation - Imputation Revised) does not distinguish between respondents aged 12-17 and those 18 and older. Accordingly, most respondents aged 12-17 are included in the "No" category.
- 3) Family and personal income range variables were constructed from two imputation-revised variables that were deleted from the public use dataset and codebook to protect confidentiality. Users are advised that the recoded income range variables cannot be replicated from the imputation-revised variables (IRFINC1 and IRPINC1) contained in the public use file.

Processor Note on Version 2

- 1) Modified value labels and missing values for variable GQTYPE to correct previous errors. The variable CASEID was also added to the dataset.

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE:

Public Release Codebook 1995



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

April 1997

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1995

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16C-06
Rockville, Maryland 20857

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the National Opinion Research Center, under contract No. 283-95-0002.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

For additional information, the following individual may be contacted:

Janet Greenblatt
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-06
Rockville, MD 20857
(301) 443-7981

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION AND DESCRIPTION OF THE 1995 NATIONAL HOUSEHOLD SURVEY	
ON DRUG ABUSE	i-1
Introduction	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-3
Selection of Primary Sampling Units	i-3
Selection of the Second-Stage Sample: Subareas within PSUs	i-5
Selection of the Third-Stage Sample: Listing Units within Subareas	i-5
Within-Dwelling Unit Sampling	i-5
DATA COLLECTION AND RESPONSE RATES	i-6
WEIGHTING PROCEDURES	i-6
CONTENTS AND ORGANIZATION OF THE 1995 NHSDA PUBLIC USE FILE	i-8
Data File Description	i-8
Variable Naming Conventions	i-8
IMPUTATIONS	i-9
Logical Imputations	i-9
Statistical Imputations	i-10
Standard Code Conventions	i-11
VARIANCE ESTIMATION AND DESIGN EFFECTS	i-12
Statistical Significance of Differences	i-12
Sample Design Effects and Generalized Standard Errors	i-13
Median Design Effects	i-13
Model-Based Prediction	i-14
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES	i-16
ADOLESCENT MENTAL HEALTH VARIABLES	i-16
CONFIDENTIALITY OF DATA	i-17
REFERENCES	i-18
IDENTIFICATION	1
DEMOGRAPHICS	2
HEALTH	7
TOBACCO -- ANSWER SHEET #1	8
ALCOHOL -- ANSWER SHEET #2	13
MARIJUANA -- ANSWER SHEET #3	18
COCAINE -- ANSWER SHEET #4	21
CRACK COCAINE -- ANSWER SHEET #5	24
HEROIN -- ANSWER SHEET #6	27
HALLUCINOGENS -- ANSWER SHEET #7	30
INHALANTS -- ANSWER SHEET #8	38
ANALGESICS -- ANSWER SHEET #9	45
TRANQUILIZERS -- ANSWER SHEET #10	53
STIMULANTS -- ANSWER SHEET #11	59

	<u>PAGE</u>
SEDATIVES -- ANSWER SHEET #12	67
IMPUTED DEMOGRAPHICS	74
RECENCY OF DRUG USE	78
FREQUENCY OF DRUG USE	82
RECODED DEMOGRAPHICS	86
RECODED DRUG USE	88
SELECTED UNEDITED VARIABLES	101
NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13	106
NON-CORE DRUGS -- ANSWER SHEET #14	114
NON-CORE SPECIAL TOPICS -- ANSWER SHEET #15	132
NON-CORE TREATMENT -- ANSWER SHEET #16	149
NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #17	168
NON-CORE DEMOGRAPHICS	194
NON-CORE HEALTH	204
NON-CORE HEALTH CARE	226
NON-CORE PROXY INFORMATION	228
NON-CORE ACCESS TO CARE	231
NON-CORE HEALTH INSURANCE	237
NON-CORE INCOME	242
NON-CORE IMPUTED DEMOGRAPHICS	251
NON-CORE RECODED DEMOGRAPHICS	255
NON-CORE RECODED DRUG USE	258
NON-CORE RECODED YOUTH CHECKLIST VARIABLES	259
NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES	262
INTERVIEW INFORMATION	266
INTERVIEWER OBSERVATIONS	267
GEOGRAPHIC	272
SAMPLE WEIGHTING & ESTIMATION VARIABLES	273
MAIN FINDINGS 1995 - VARIABLE CREATION	274
RECODES FOR MAIN FINDINGS	275
MENTAL HEALTH VARIABLES (RECODED)	287
ALPHA INDEX OF LABELS	290
INDEX OF LABELS	315

APPENDICES

APPENDIX A: OCCUPATION CODES

APPENDIX B: INDUSTRY CODES

APPENDIX C: CENSUS REGION/DIVISION/STATE TABLE

APPENDIX D: DRUG CODES FOR OPEN-ENDED QUESTIONS

APPENDIX E: 1995 QUESTIONNAIRE ANSWER SHEETS

LIST OF TABLES

<u>TABLE</u>	<u>PAGE</u>
Table 1: Optimal Allocation of Segments Over Strata	i-19
Table 2: Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1995 NHSDA Questionnaire	i-20
Table 3: Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1995 NHSDA Questionnaire	i-21
Table 4: Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1995	i-22
Table 5: Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1995	i-23

INTRODUCTION AND DESCRIPTION OF THE 1995 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 1995 National Household Survey on Drug Abuse (NHSDA) public use file. The 1995 NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is routinely provided to users on CD-ROM or on an unlabeled 9-track tape with density of 6250 BPI.

For each variable on the 1995 public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook. In 1994, a revised questionnaire and editing methodology was introduced. A split sample design was implemented with a sample of 4,372 persons using the old questionnaire (1994-A) and 17,809 persons using the new questionnaire (1994-B). Because of these changes, the estimates produced from the 1995 survey (which uses the same questionnaire and estimation methodology as the 1994-B survey) are not comparable to those produced from the 1994-A and earlier surveys.

Overview of the NHSDA

The 1995 NHSDA is the fifteenth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, 1994 and 1995. Currently, public use files are available for 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, and 1994-A (old questionnaire) and 1994-B (new questionnaire), and 1995.

The target population for the 1995 survey is the same as defined for the 1991, 1992, 1993, and 1994 NHSDAs: the civilian, noninstitutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sampled population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 and 1993 NHSDAs retained these innovations and were also designed to provide quarterly as well as annual estimates.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985, blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these important groups. Since 1988, additional information has also been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985. In 1994, two questionnaires were used: the old questionnaire which retained all the core questions from the previous surveys, and the new questionnaire in which new questions on access to care and mental health were introduced. The 1994 survey also included a rural supplementary sample to obtain substance abuse prevalence estimates for rural areas in the U.S.

The 1995 NHSDA questionnaire retains the new questions on mental health and access to care which were introduced in the 1994-B (new questionnaire). Furthermore, questions on need for treatment for drug or alcohol use and criminal record were included under special topics.

A description of the 1995 survey, including more detailed information on sampling issues, is found in two reports from the study:

National Household Survey on Drug Abuse: Main Findings 1995. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 97-3127).

National Household Survey on Drug Abuse: Population Estimates 1995. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 96-3095).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys, therefore, provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers).

If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

Survey Methodology

The respondent universe for the 1995 NHSDA was the civilian, noninstitutionalized population age 12 years and older within the United States, including residents of noninstitutional group quarters (e.g., shelters, rooming houses, dormitories) as well as residents of civilian housing on military bases. Persons excluded from the universe include those with no fixed address, residents of institutional quarters (such as jails and hospitals), and active military personnel. The survey used basically the same multistage area probability sample design that has been employed since the 1988 NHSDA. This design uses a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes would be achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for these subpopulations. Following precedents established in the 1993 and 1994 NHSDA's, the 1995 NHSDA oversampled Hispanics in areas of high Hispanic concentration to reduce survey costs and also oversampled cigarette smokers age 18-34 to increase the precision of drug use estimates for recent years. Unlike the 1991-1993 NHSDAs and like the 1994 NHSDA, the 1995 NHSDA did not oversample particular Metropolitan Statistical Areas (MSAs). Unlike the 1994 NHSDA, the 1995 NHSDA selected new sample segments, rather than reusing segments from the prior year's NHSDA. The completed sample size of the 1995 NHSDA equals 17,747 interviews.

As in previous NHSDAs, the basic sample design of the 1995 NHSDA involved five selection stages: (a) the selection of primary sampling units (e.g., counties), (b) the selection of subareas (blocks or block groups) within PSUs, (c) the selection of listing units (housing units or civilian, noninstitutionalized group quarters' units) within these subareas, (d) the selection of age-group-smoking classes within sampled listing units, and (e) the selection of eligible individuals within the sampled age-group-smoking classes. The following sections describe these selection stages.

Selection of Primary Sampling Units

The 1995 NHSDA selected 115 PSUs to represent the nation's total eligible population, including areas of high Hispanic concentration. These 115 PSUs were defined as metropolitan areas, counties groups of counties, and independent cities. The 115 PSUs comprise 43 Certainty PSUs and 72 Noncertainty PSUs. The 43 Certainty PSUs are metropolitan areas with high Hispanic concentration that have been included in the NHSDA with certainty since 1988. The 72 Noncertainty PSUs were selected with probability proportional to size and minimal replacement to represent the balance of the nation outside the 43 certainty PSUs.

The segments that formed the 43 Certainty PSUs were partitioned into five strata:

- Stratum 1: High-Concentration Hispanic area segments. These segments had 71 percent or more Hispanic dwellings according to the 1990 Census.
- Stratum 2: Moderate-Concentration Hispanic area segments. These segments had between 20 percent and 71 percent Hispanic dwellings according to the 1990 Census.

- Stratum 3: Low-Concentration Hispanic area segments. These segments had less than 20 percent Hispanic dwellings but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included fewer than 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 4: High-Concentration Black area segments. These segments had fewer than 20 percent Hispanic dwelling units but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included at least 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 5: High-Concentration White area segments. These segments had 2 percent or less combined Hispanic and non-Hispanic black population according to the 1990 Census.

A sixth stratum were created for the residual (noncertainty) portion of the United States:

- Stratum 6: Outside the 43 Certainty PSUs.

An optimal allocation procedure was used to allocate the sample to the six strata listed above. The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic non-black dwellings would be identified so that these interviews could be proportionally allocated to strata.

The 43 Certainty PSUs contain 78 percent of the Hispanic population in the United States according to the 1990 Census. They also contain approximately 52 percent of the non-Hispanic blacks and 39 percent of the non-Hispanic non blacks in the United States. The segments of Stratum 1 have 81.0 percent Hispanic dwellings on average and contain 23.8 percent of the U.S. Hispanic population. The segments of Stratum 2 have 31.5 percent Hispanic dwelling units and contain 35.3 percent of the U.S. Hispanic population. The segments of Stratum 3 have 5.1 percent Hispanic dwelling units and contain 17.5 percent of the U.S. Hispanic population.

The remaining 72 Noncertainty PSUs were selected from Stratum 6. The Noncertainty PSUs were selected with probability proportional to a composite size measure. The composite size measure was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 72 PSUs with probabilities proportional to their composite size measures. The use of a composite size measure ensured, 1) roughly equal sample sizes per sample subarea (the second-stage unit of selection) and 2) roughly equal probabilities of selecting eligible individuals (the fifth- or final-stage unit of selection) within race/ethnicity, age group, and current smoking status domains.

Selection of the Second-Stage Sample: Subareas within PSUs

The 1995 second-stage sampling frame was based on the 1990 Census. Within each sample PSU, subareas were defined by combining adjacent blocks to create non-overlapping area segments that contained at least 90 occupied dwellings. The sample segment size allocations, based on optimal allocation and the expected precision requirements of individual strata, are given in Table 1 for each stratum. These allocations assumed that about nine interviews would be completed per sample segment.

The area segments from each stratum of each of the PSUs were selected with probabilities proportional to a size measure. For each stratum, a composite size measure was defined to equal a weighted average of the numbers of Hispanic, non-Hispanic black, and non-Hispanic nonblack dwelling units with weights proportional to the desired racial/ethnic sampling rates. To reduce screening costs, the subareas of Stratum 6 were partitioned into three noncertainty substrata- high black, high white, and remainder- based on 1990 Census block data, and the selection of sample subareas was carried out separately within these three substrata.

Selection of the Third-Stage Sample: Listing Units within Subareas

Projections indicated that screenings had to be completed for 56,000 dwelling units in order to identify sufficient dwelling units to yield Hispanic and non-Hispanic black age-domain samples of the desired size. Assuming an average 94 percent screening completion rate and a projected average 88 percent listing unit eligibility rate implied that approximately 67,000 listings had to be selected. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; (c) not a dwelling unit; (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

The selection of dwelling unit listings was performed using systematic sampling. The sampled listings were then sent to the field for screening. After first determining that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents age 12 and older with their age, smoking status, and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

Within-Dwelling Unit Sampling

The 1995 NHSDA used basically the same within-dwelling unit sample selection approach that has been applied since the 1988 NHSDA, except that current smoking status was introduced as a sampling criterion in 1993 and continued in 1994 and 1995. Following the third-stage sampling, interviewers screened each sampled dwelling unit. Based on the screening, the dwelling was classified according to the race/ethnicity of the head of the dwelling. The interviewers also determined the age-group-smoking composition of members in terms of presence or absence of domain members age 12 to 17, 18 to 34 smoker (i.e., past-month smoker), 18 to 34 nonsmoker, 35 to 49, and 50 and up. Interviewers were provided a mechanism for selecting none, one, or two age-group-smoking domains and, subsequently, one sample person from each selected domain. The age-group-smoking selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. The probabilities of selecting the person within the age-group-smoking domain were based on the number of persons found in the age-smoking group. The majority of cases where two selections were made involved one 12- to 17-year-old and one adult. Most instances that involved two adult selections included one smoker and one nonsmoker.

Data Collection and Response Rates

The fieldwork for the 1995 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). A total of 17,747 completed interviews was obtained for the 1995 survey. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 80.6% for the 1995 survey. Of the 17,747 completed interviews, 8,940 were with whites and other (i.e., non-Hispanic, nonblacks), 4,208 were with non-Hispanic blacks, and 4,599 were with Hispanics. These completed interviews represented a 85.3% completion rate for screening sample households and an 94.2% rate for screening eligible households. The response rates for these three racial/ethnic groups were 79.6% for whites and others, 80% for blacks, and 83.2% for Hispanics.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Weighting Procedures

The estimates of this report are based on sample survey data rather than on complete data for the population. This means that the data must be weighted to obtain unbiased estimates of drug use in the population represented by the 1995 NHSDA. The "final sampling weight" of the i th respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population that are represented by the i th respondent. The sum of the weights over all respondents estimates the size of the total target population, i.e.,

$$\sum_i w_i = \text{Size of target population}, \quad (1)$$

where the summation is over all NHSDA respondents in the 1995 NHSDA.

The "basic sampling weights" for the 1995 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight of that respondent in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of four stagewise sampling probabilities. The probability of selecting respondent i equals the product of 1) the probability of selecting respondent i 's PSU, 2) the probability of selecting respondent i 's subarea given selection of her PSU, 3) the probability of selecting respondent i 's dwelling unit given selection of her subarea, and 4) the probability of selecting respondent i given selection of her dwelling unit.

To obtain the "final NHSDA weights," the "basic sampling weights" were adjusted to take into account dwelling unit-level and individual-level nonresponse and further adjusted to ensure consistency

with intercensal population projections obtained from the U.S. Bureau of the Census. The weight adjustments in the 1995 NHSDA were closely similar to the weight adjustments that were applied in previous NHSDAs. The adjustments that were made to the basic sampling weights are as follows:

Adjustment 1. Adjustment for dwelling unit nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. As in the 1991 through 1994 NHSDAs, sample weights were adjusted for this type of nonresponse using a logistic regression model. This procedure uses logistic regression to model the expected value of a zero-one response indicator given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). In 1995, the potential predictor variables were based on 1990 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, median rent, region, and metropolitan status. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

Adjustment 2. Person weight trimming adjustment. In order to minimize the effect of extreme weights on estimated variances, the largest person-level weights were truncated or "trimmed." The distributions of person-level weights were examined within classes defined by strata, race/ethnicity, and age/smoking group to determine if there was a need for truncation of very large weights. When there appeared to be a need for truncation, an upper limit was established for that class. The weights were then truncated and smoothed.

Adjustment 3. Person nonresponse/roster adjustment. This adjustment was designed to adjust for both 1) bias associated with nonresponse to the interview and 2) sampling error associated with subsampling persons within responding dwellings. The adjustment was based on an exponential regression model subjected to a generalized raking procedure. The contribution from the roster adjustment was small relative to the nonresponse adjustment contribution in the combined adjustment factor. By incorporating both adjustments into one factor, greater precision was achieved in the final survey estimates than if just a nonresponse adjustment had been performed.

Adjustment 4. Post-stratification to ensure consistency with Bureau of the Census projections This adjustment was designed to ensure consistency between the sums of weights within specified demographic subgroups and U.S. Bureau of the Census projections of the sizes of these subgroups. The post-stratification totals were obtained from the National Estimates and Projections Branch of the U.S. Bureau of the Census and were classified by age group, gender, race, and Hispanic origin. The samples from each quarter were post-stratified to one-fourth of the projected population totals. These totals represent the population at the midpoint of each quarter's data collection period. The resulting sample weights, summed across all four quarters, equal the average of the four quarter-specific projections. The final analysis weight can be regarded as the number of population members that each respondent represents.

As in the 1993 and 1994 NHSDAs, the population totals that were used to post-stratify the 1995 NHSDA were based on projections derived from 1990 Census population counts, while the population totals used to post-stratify the 1992 and earlier NHSDAs were based on projections derived from 1980 Census counts. This change in the source of population totals used in post-stratification caused some small changes in the distribution of weights by age, race, ethnicity, and gender. However, the effect of changing to the 1990 Census on estimated rates of drug use was inconsequential (see Table D.2 of Office of Applied Studies, SAMHSA Main Findings 1993).

Contents and Organization of the 1995 NHSDA Public Use File

Data File Description

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is provided on either CD-ROM or on an unlabeled nine-track tape at 6250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Internal SAS name	NHSDA95
SAS version	6.10
Number of observations	17,747
Number of variables	1,250

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file. These variables contain missing data; see the section on "Standard Code Conventions" below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file. These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1995 (DHHS Publication No. (SMA) 97-3127) or other SAMHSA reports should use the 1995 NHSDA imputed data for prevalence estimates rather than raw data from the questionnaire or drug answer sheets.

Many of the remaining variables in the 1995 file are recoded or logically imputed variables created for the prevalence section of the National Household Survey on Drug Abuse: Main Findings 1995. These variables include recodes of questionnaire and imputation revised drug variables, and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems, symptoms of dependency and negative drinking experiences.

Variables containing the original responses to recency-of-use questions are presented in a section called "Unedited Recencies." These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, 1991, 1992, 1993, 1994-A and 1994-B NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

Imputations

Logical Imputations

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with nonmissing values. The two different imputation procedures used are distinguished in this codebook by the code-value descriptive phrases "... LOGICALLY IMPUTED" and "... imputed" or by the designation "IMPUTATION-REVISED" in the variable label.

Logical imputation was carried out in the earliest stage of editing for the original recency-of-use variables. This procedure involved checking, for each recency-of use variable, other variables in the same answer sheet only that could yield evidence of use of that specific subject drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase "... LOGICALLY ASSIGNED" in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the same answer sheet, a code value of 91 (Never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, PCPREC, and LSDREC.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Following logical imputation, any remaining missing data for recency-of-use variables, for the frequency-of-use-in-past-12-months variables (other than alcohol, marijuana, and cocaine) for age, race, and Hispanic-origin variables, marital status, work status, education, high school graduate and health insurance were imputed by using a technique known as hot-deck imputation (using various sorts and classing variables). The income variables, as well as the alcohol, marijuana, and cocaine frequency-of-use-in-past-12 months variables, were imputed using regression based methods. Variables in this database for which the imputation procedures were implemented may be identified by the designation "IMPUTATION-REVISED" in the variable label and their variable names begin with the letters IR. In addition, for each imputation-revised variable, there is an "IMPUTATION INDICATOR" variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Statistical Imputations

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest for trend data analysis. When forming population estimates, often statistical imputations will reduce the bias associated with the estimate. For example, data with missing responses that are not statistically imputed will produce estimates of totals that will necessarily be underestimated and consequently biased, since the total population will not be accounted for in the estimates. Also, the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation, particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from these data, but, depending on the type of analyses being done, the imputation should help reduce the bias.

For analyses of relationships involving multiple data items, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best. In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past-year frequency-of-use items, age, race, gender, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health insurance, and the personal and family income items.

In the 1995 NHSDA, imputations for all imputation-revised variables, except for the personal earnings and family income variables, were constructed using a technique known as “hot deck imputation.” The first step in this procedure was to sort the datafile with a progressive sorting series, using data on recency of use of alcohol, marijuana, cocaine, age, gender, Hispanic origin, and race. The second step of the hot deck imputation procedure was to replace the missing item(s) on a particular record with the last encountered nonmissing response from an adjacent record (except alcohol, marijuana, and cocaine recency-of-use) on the sorted database. The hot deck imputation procedure was appropriate for the recency-of-use variables because the levels of item nonresponse of these variables were low.

Missing data for all personal and family income variables were statistically imputed using a regression-based method of imputation. This imputation procedure involves estimating a logistic regression model using item respondent data. The explanatory variables used in these models included recency of use (four levels) of alcohol, marijuana, and cocaine, age, gender, Hispanic origin, and race. After the model parameters were estimated, the resulting model was used to predict a categorical response for each frequency-of-use item nonrespondent. The model-based imputation procedure was appropriate for two reasons: (a) the level of nonresponse to these questions was larger than observed for the recency-of-use items; and (b) the model-based imputation procedure allows a greater number of statistically significant explanatory variables to affect an imputed response than is possible with the hot deck method. As discussed above, the alcohol, marijuana, and cocaine frequency-of-use were initially determined to be at one of four levels using the regression-based model method of imputation, then expanded to more levels using the hot deck method.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

- 91 or 991 or 9991, etc. = Never used the substance
- 92 or 992 or 9992, etc. = Response illegible
- 93 or 993 or 9993, etc. = Did not use drug under conditions in the question (e.g., during time period)
- 94 or 994 or 9994, etc. = Don't know
- 95 or 995 or 9995, etc. = Bad data (usually, inconsistent with other data)
- 96 or 996 or 9996, etc. = Multiple response
- 97 or 997 or 9997, etc. = Refusal
- 98 or 998 or 9998, etc. = Blank (not answered)
- 99 or 999 or 9999, etc. = Legitimate skip

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

- 81 or 981 or 9981, etc. = Never used the substance LOGICALLY ASSIGNED
- 83 or 983 or 9983, etc. = Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED
- 85 or 985 or 9985, etc. = Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED
- 89 or 989 or 9989, etc. = Legitimate skip LOGICALLY ASSIGNED

Variables from the SPECIAL DRUGS, DRUGS, and TREATMENT answer sheets were not edited to be made consistent with any drug recency-of-use variables. However, editing was conducted to ensure consistency within each of these answer sheets' own set of variables. It should be noted that, as a result of not editing across answer sheets drug-use variables from the SPECIAL DRUGS, DRUGS, and TREATMENT answer sheets may be inconsistent with the edited recency-of-use variables. In this codebook, variables from these 3 answer sheets that might be inconsistent with a drug's recency-of-use variable are denoted with an asterisk (*) at the beginning of the variable label.

Variance Estimation and Design Effects

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. In the 1995 Main Findings report, comparisons were made between estimates in the 1994-B NHSDA subsample and the 1995 survey and between estimates within the 1995 survey. The significance of observed differences is reported at the 0.05, 0.01, and 0.001 levels. However, a researcher may wish to compare prevalence estimates from two groups for which the significance of the difference is not reported.

To compare the prevalence of drug use for 1994-B versus 1995, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{|p1 - p2|}{\sqrt{\text{var}(p1) + \text{var}(p2) - 2\text{cov}(p1, p2)}}$$

where

$p1$ = 1994-B estimated proportion

$\text{var}(p1)$ = 1994-B variance estimate for $p1$

$p2$ = 1995 estimated proportion

$\text{var}(p2)$ = 1995 variance estimate of $p2$

$\text{cov}(p1, p2)$ = covariance between $p1$ and $p2$

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the 1994-B and 1995 surveys were independent samples, the covariance term in the formula for Z equals zero in comparisons of the 1994-B and 1995 surveys.

For comparing prevalence estimates within the same survey, the same Z statistic quoted above can be used. However, the covariance term is no longer zero when comparing estimates within the same survey. The tests will be slightly conservative because of the small positive covariance expected between the two nonindependent prevalence estimates. The tests made in the 1995 Main Findings report accounted for the covariance by subtracting an estimate of $2\text{cov}(p1, p2)$ from the two variance quantities under the square root symbol in the denominator of Z .

Sample Design Effects and Generalized Standard Errors

This section describes methods for approximating sampling variability by computing generalized standard errors. (The standard error estimate is the square root of the variance estimate.) Corrected variance estimates must take into account the complex features of the NHSDA sample design, such as the unequal selection probabilities of sample respondents, stratification, and clustering.

The best variance estimation approach is to use commercially available variance estimation software packages such as SUDAAN (Shah, et al., 1994). Most packages compute variance estimates for means, percentages, and other statistics based on first-order Taylor Series approximation of the deviations of estimates from their expected values. Standard errors have been computed using SUDAAN for all parameter estimates appearing in the 1995 Main Findings report and are available from the Office of Applied Studies (OAS) upon request. Whenever possible, these estimates should be used to compute confidence intervals and perform statistical comparisons. However, it is the goal here to provide future users of the 1995 NHSDA data base with approximate standard error estimates for situations in which NHSDA standard error estimates are not available.

Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

Median Design Effects

The design effect is the ratio of the design-based variance estimate divided by the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

However, as discussed earlier, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

For the 1995 NHSDA, the median design effects were based on estimates from:

- **14 illicit drug use categories:** any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use;
- **3 licit drug use categories:** cigarettes; alcohol; and smokeless tobacco; and
- **3 recency-of-use categories:** ever used; used in past year; used in past month.

For each specified domain within the 1995 NHSDA, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age by gender, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Tables 2 presents the median design effects for the illicit drugs, and Table 3 presents the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain of 1995 NHSDA as follows:

$$var(p_d)_{appx} = DEFF_{d,MED} * [p_d(1-p_d)/n_d] \quad (C-1)$$

where

p_d = estimated proportion for domain d

n_d = sample size for domain d

$DEFF_{d,MED}$ = median design effect for domain d .

The approximate standard error estimate for p_d , $SE(p_d)_{appx}$, is simply the square root of $var(p_d)_{appx}$.

Model-Based Prediction

When a median design effect for a domain under investigation is not listed in Tables 2 or 3, an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect is the basis for the regression model:

$$DEFF(p) = var(p) / [p(1-p)/n]$$

where

$var(p)$ = design-based variance estimate of p

$[p(1-p)/n]$ = simple random sample variance estimate of p .

Taking the log (base 10) of both sides of the above equation leads to the following log-linear model:

$$\log[DEFF(p)] = \beta_0 + \beta_1 \log(p) + \beta_2 \log(1-p) + \beta_3 \log(n)$$

where

$\beta_0, \beta_1, \beta_2, \beta_3$ = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Separate models were fit for the licit and illicit drug use estimates in the 1995 NHSDA. The design effects used to calculate the medians in Tables 2 and 3 were used to fit the licit and illicit drug use models for the 1995 NHSDA.

By substituting the fitted model into the definition of the design effect, a prediction equation for the approximate standard error is obtained:

$$SE_i(p)_{appx} = \frac{10^{(b_{0i}/2)} * p^{(1+b_{1i})/2} * (1-p)^{(1+b_{2i})/2}}{n^{(1-b_{3i})/2}}$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index- i indicates whether the standard error approximation is for a licit drug or illicit drug prevalence estimate.

After solving for the regression coefficients, the above approximation reduces to the following two prediction equations:

$$SE(p_{illegal})_{appx} = \frac{1.0195 * p^{(0.5674)} * (1-p)^{(0.6148)}}{n^{(0.4334)}}. \quad (C-2)$$

$$SE(p_{legal})_{appx} = \frac{0.7796 * p^{(0.5175)} * (1-p)^{(0.4437)}}{n^{(0.3611)}}. \quad (C-3)$$

Tables 4 and 5 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 17,747) for the 1995 NHSDA, predicted from Equations (C-2) and (C-3).

In summary, the user may obtain 1995 NHSDA standard error estimates from the following recommended order of sources:

1. Commercially available variance estimation software packages such as SUDAAN; otherwise,
2. Published standard errors from published reports using data from the 1995 NHSDA (obtainable upon request from the OAS at SAMHSA); otherwise,
3. Median domain design effects appearing in Tables 2 and 3 and application of Equation (C-1); otherwise,
4. Model-based prediction, using Equations (C-2) and (C-3) or Tables 4 and 5 for national or regional estimates.

Once the variance estimates have been obtained, the user may apply standard methods to compute confidence intervals or make statistical comparisons.

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1995 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the sample weighting procedures and the sample weight components may be found in the Sample Design Report for the 1995 NHSDA, available from OAS.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages such as SUDAAN or any other.

Adolescent Mental Health Variables

The 1995 NHSDA public use file includes a number of adolescent mental health recodes that were created using a battery of 100 items (see Non-Core Youth Checklist, page 168) from the Youth Self-Report (YSR), a checklist developed by Achenbach (1991) which has been used extensively in studies of adolescents age 11 to 18. YSR items have been used by Achenbach and colleagues to define a variety of categories of problems. Eight of these problem categories are included in the NHSDA, each constructed by summing specific subsets of items from the YSR (these eight problem categories were derived from principal components/varimax analyses of the YSR items (Achenbach, 1991)). In addition, the eight problem categories were partially combined into two major subscales, an “internalizing/emotional problem” subscale and an “externalizing/behavioral problem” subscale. Lastly, responses to all 100 checklist items were summed to compute a “total psychosocial problem” score. The public use file contains raw scores for the syndromes and composite subscales, as well as T scores for the eight problem categories. T scores are based on percentiles for Achenbach’s

normative sample, and provide a convenient way of quickly judging whether a youth reports relatively many or few problems as compared to their nonreferred peers (Achenbach, 1991).

Confidentiality of Data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. These data modifications should not greatly affect most analytical uses of the 1995 NHSDA public use file.

References

Achenbach, T.M., (1991). *Manual for the Youth Self-Report*. Burlington, VT: University of Vermont Department of Psychiatry.

Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, MA: The MIT Press.

Chromy, J.R. (1979). Sequential sample selection methods. In *Proceedings of the American Statistical Association, Survey Research Methods Section* (pp.401-406). Alexandria, VA: American Statistical Association.

Office of Applied Studies, SAMHSA. *National Household Survey On Drug Abuse: Main Findings 1993*. DHHS Publication No. (SMA) 95-3020, Rockville, MD: SAMHSA (June, 1995).

Office of Applied Statistics, SAMHSA. The Development and Implementation of a New Data Collection Instrument for the 1994 National Household Survey on Drug Abuse. Rockville, MD: SAMHSA (1996).

Shah, B.V., Barnwell, B.G., Hunt, P.N., & LaVange, L.M. (1994). *SUDAAN User's Manual: Release 6.4*, Research Triangle Park, NC: Research Triangle Institute.

Wolter, K.M. (1985). *Introduction to Variance Estimation*. New York: Springer-Verlag.

Table 1 Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	High Hispanic	128
2	Moderate Hispanic	300
3	Low Hispanic	452
4	High Black	124
5	High White	72
6	Noncertainty Stratum	864
		1,940

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1995.

Table 2 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1995 NHSDA Questionnaire

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	35+	
Total	1.87	1.72	1.65	1.89	2.54
Gender					
Male	1.80	1.62	1.37	1.65	2.50
Female	1.59	1.97	1.55	1.56	1.93
Race/Ethnicity¹					
White	1.36	1.24	1.28	1.25	1.68
Black	1.49	1.19	1.28	1.35	2.09
Hispanic	1.76	1.39	1.64	1.08	1.62
Population Density					
Large Metro	1.85	1.78	1.66	1.66	1.91
Small Metro	2.16	1.69	1.53	1.65	2.41
Nonmetro	1.50	1.93	1.46	1.67	2.93
Region					
Northeast	1.51	1.75	1.40	1.53	1.63
North Central	1.55	1.30	1.22	1.52	2.45
South	1.62	1.69	1.79	1.55	2.33
West	1.74	2.18	1.88	2.03	2.89
Adult Education²					
Less than high school	N/A	1.80	1.82	1.37	1.78
High school graduate	N/A	1.90	1.56	1.43	2.06
Some college	N/A	1.49	1.65	1.47	1.89
College graduate	N/A	1.59	1.35	1.31	1.83
Current Employment³					
Full-time	N/A	1.66	1.54	1.71	2.07
Part-time	N/A	1.36	1.49	1.75	2.04
Unemployed	N/A	1.79	1.92	2.52	2.33
Other ⁴	N/A	1.84	1.47	1.15	1.73

N/A: Not applicable.

¹The category "Other" for Race/Ethnicity is not included.

²Data on adult education are not applicable for 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Note: These design effects apply to the following drugs: any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutics; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; and needle use.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1995.

Table 3 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1995 NHSDA Questionnaire

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	35+	
Total	2.35	2.80	2.23	2.88	4.62
Gender					
Male	1.99	2.99	1.76	2.37	4.52
Female	1.67	1.96	2.05	2.45	4.63
Race/Ethnicity¹					
White	1.52	2.26	1.80	1.88	3.47
Black	1.55	1.73	1.51	1.72	3.14
Hispanic	1.97	1.93	1.73	1.80	2.43
Population Density					
Large Metro	2.10	2.15	2.50	2.91	3.69
Small Metro	2.10	5.29	2.46	2.48	5.95
Nonmetro	2.43	2.73	2.62	1.82	4.60
Region					
Northeast	1.57	1.93	2.71	2.27	3.71
North Central	1.91	1.67	1.72	1.78	3.20
South	2.75	2.35	2.51	3.43	5.86
West	2.74	4.31	2.35	2.60	6.76
Adult Education²					
Less than high school	N/A	1.82	2.00	3.60	6.11
High school graduate	N/A	1.75	1.68	2.50	4.34
Some college	N/A	2.27	1.71	1.92	2.87
College graduate	N/A	1.55	1.53	1.73	2.54
Current Employment³					
Full-time	N/A	1.84	2.01	2.27	3.70
Part-time	N/A	2.51	1.87	2.14	3.61
Unemployed	N/A	2.17	1.93	2.62	3.56
Other ⁴	N/A	2.11	1.93	2.19	4.00

N/A: Not applicable.

¹The category "Other" for Race/Ethnicity is not included.

²Data on adult education are not applicable for 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Note: These design effects apply to the following drugs: cigarettes; alcohol; and smokeless tobacco.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1995.

Table 4 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1995

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.01	1.49	1.86	2.45	3.52	4.85	5.62	6.02	6.11	5.90	5.40	4.54	3.17	2.13	1.58	1.24	0.81
300	0.63	0.92	1.16	1.52	2.18	3.01	3.49	3.74	3.79	3.67	3.35	2.82	1.97	1.33	0.98	0.77	0.50
500	0.50	0.74	0.93	1.22	1.75	2.41	2.80	3.00	3.04	2.94	2.69	2.26	1.58	1.06	0.79	0.62	0.40
700	0.43	0.64	0.80	1.06	1.51	2.09	2.42	2.59	2.63	2.54	2.32	1.95	1.36	0.92	0.68	0.53	0.35
900	0.39	0.57	0.72	0.95	1.36	1.87	2.17	2.32	2.36	2.28	2.08	1.75	1.22	0.82	0.61	0.48	0.31
1,000	0.37	0.55	0.69	0.90	1.30	1.79	2.07	2.22	2.25	2.18	1.99	1.67	1.17	0.79	0.58	0.46	0.30
1,250	0.34	0.50	0.62	0.82	1.18	1.62	1.88	2.01	2.04	1.98	1.81	1.52	1.06	0.71	0.53	0.41	0.27
1,500	0.31	0.46	0.58	0.76	1.09	1.50	1.74	1.86	1.89	1.83	1.67	1.40	0.98	0.66	0.49	0.38	0.25
1,750	0.29	0.43	0.54	0.71	1.02	1.40	1.63	1.74	1.77	1.71	1.56	1.31	0.92	0.62	0.46	0.36	0.23
2,000	0.28	0.41	0.51	0.67	0.96	1.32	1.53	1.64	1.67	1.61	1.47	1.24	0.86	0.58	0.43	0.34	0.22
2,500	0.25	0.37	0.46	0.61	0.87	1.20	1.39	1.49	1.51	1.46	1.34	1.12	0.79	0.53	0.39	0.31	0.20
3,000	0.23	0.34	0.43	0.56	0.81	1.11	1.29	1.38	1.40	1.35	1.24	1.04	0.73	0.49	0.36	0.28	0.19
4,000	0.20	0.30	0.38	0.50	0.71	0.98	1.14	1.22	1.23	1.19	1.09	0.92	0.64	0.43	0.32	0.25	0.16
5,000	0.19	0.27	0.34	0.45	0.65	0.89	1.03	1.10	1.12	1.08	0.99	0.83	0.58	0.39	0.29	0.23	0.15
7,500	0.16	0.23	0.29	0.38	0.54	0.75	0.87	0.93	0.94	0.91	0.83	0.70	0.49	0.33	0.24	0.19	0.13
10,000	0.14	0.20	0.25	0.33	0.48	0.66	0.76	0.82	0.83	0.80	0.73	0.62	0.43	0.29	0.21	0.17	0.11
15,000	0.12	0.17	0.21	0.28	0.40	0.55	0.64	0.69	0.70	0.67	0.62	0.52	0.36	0.24	0.18	0.14	0.09
17,747¹	0.11	0.16	0.20	0.26	0.37	0.51	0.60	0.64	0.65	0.63	0.57	0.48	0.34	0.23	0.17	0.13	0.09

Note: Generalized standard errors are predicted from the following equation: $SE = 100 * [1.0195p^{(.5674)} * (1-p)^{(.6148)} / n^{(.4334)}]$.

¹The total sample size for the 1995 NHSDA is 17,747.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1995.

Table 5 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1995

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.36	1.93	2.38	3.07	4.28	5.82	6.77	7.33	7.59	7.56	7.20	6.45	5.04	3.81	3.07	2.58	1.91
300	0.91	1.30	1.60	2.06	2.88	3.91	4.55	4.93	5.11	5.08	4.84	4.34	3.39	2.56	2.06	1.73	1.28
500	0.76	1.08	1.33	1.71	2.40	3.26	3.78	4.10	4.25	4.23	4.03	3.61	2.82	2.13	1.72	1.44	1.07
700	0.67	0.96	1.18	1.52	2.12	2.88	3.35	3.63	3.76	3.74	3.57	3.19	2.50	1.89	1.52	1.28	0.94
900	0.61	0.87	1.07	1.39	1.94	2.63	3.06	3.32	3.43	3.42	3.26	2.92	2.28	1.72	1.39	1.17	0.86
1,000	0.59	0.84	1.03	1.33	1.87	2.53	2.95	3.19	3.31	3.29	3.14	2.81	2.19	1.66	1.34	1.12	0.83
1,250	0.55	0.78	0.95	1.23	1.72	2.34	2.72	2.95	3.05	3.04	2.89	2.59	2.02	1.53	1.23	1.04	0.77
1,500	0.51	0.73	0.89	1.15	1.61	2.19	2.54	2.76	2.86	2.84	2.71	2.42	1.89	1.43	1.15	0.97	0.72
1,750	0.48	0.69	0.84	1.09	1.52	2.07	2.41	2.61	2.70	2.69	2.56	2.29	1.79	1.36	1.09	0.92	0.68
2,000	0.46	0.66	0.81	1.04	1.45	1.97	2.29	2.49	2.57	2.56	2.44	2.19	1.71	1.29	1.04	0.87	0.65
2,500	0.42	0.61	0.74	0.96	1.34	1.82	2.12	2.29	2.37	2.36	2.25	2.02	1.58	1.19	0.96	0.81	0.60
3,000	0.40	0.57	0.70	0.90	1.25	1.70	1.98	2.15	2.22	2.21	2.11	1.89	1.48	1.12	0.90	0.75	0.56
4,000	0.36	0.51	0.63	0.81	1.13	1.54	1.79	1.94	2.00	1.99	1.90	1.70	1.33	1.01	0.81	0.68	0.50
5,000	0.33	0.47	0.58	0.75	1.04	1.42	1.65	1.79	1.85	1.84	1.75	1.57	1.23	0.93	0.75	0.63	0.46
7,500	0.29	0.41	0.50	0.64	0.90	1.22	1.42	1.54	1.60	1.59	1.52	1.36	1.06	0.80	0.65	0.54	0.40
10,000	0.26	0.37	0.45	0.58	0.81	1.10	1.28	1.39	1.44	1.43	1.37	1.22	0.96	0.72	0.58	0.49	0.36
15,000	0.22	0.32	0.39	0.50	0.70	0.95	1.11	1.20	1.24	1.24	1.18	1.06	0.83	0.62	0.50	0.42	0.31
17,747¹	0.21	0.30	0.37	0.47	0.66	0.90	1.04	1.13	1.17	1.16	1.11	0.99	0.78	0.59	0.47	0.40	0.29

Note: Generalized standard errors are predicted from the following equation: $SE = 100 * [.7796p^{(.5175)} * (1-p)^{(.4437)} / n^{(.3611)}]$.

¹The total sample size for the 1995 NHSDA is 17,747.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1995.

CONTENTS OF THE 1995

PUBLIC USE FILE

LABEL -----	LEN ---	IDENTIFICATION		FREQ -----	%
		DESCRIPTION -----	IDENTIFICATION -----		
RESPID	6	RESPONDENT IDENTIFICATION NUMBER			
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)			
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)			
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)			

DEMOGRAPHICS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		DEMOGRAPHICS			

		FI CHECKPOINT A; MARK ONE BOX for R's age.			
SKPMARTL	1	SKIP OVER MARITAL Q'S TO SKPMILT, BASED ON AGE			
		1 = Respondent is 12-14 years old - SKIP	2277	12.83	
		2 = Respondent is 15 years old or older	15088	85.02	
		3 = 12-14 years old LOGICALLY ASSIGNED - SKIP	47	0.26	
		4 = 15 years or older LOGICALLY ASSIGNED	335	1.89	
		D-6. Which of the following best describes your current marital status. Are you...			
MARITAL	2	MARITAL STATUS			
		1 = Married	5833	32.87	
		2 = Widowed	378	2.13	
		3 = Divorced or separated	1682	9.48	
		4 = Never been married	7391	41.65	
		85 = BAD DATA Logically assigned	52	0.29	
		89 = LEGITIMATE SKIP Logically assigned	311	1.75	
		96 = MULTIPLE RESPONSE	3	0.02	
		98 = BLANK (NO ANSWER)	84	0.47	
		99 = LEGITIMATE SKIP	2013	11.34	
		D-7. How many times have you been married?			
NOMARR	2	# TIMES MARRIED			
		RANGE = 1 - 9	7738	43.60	
		85 = BAD DATA Logically assigned	15	0.08	
		89 = LEGITIMATE SKIP Logically assigned	84	0.47	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	274	1.54	
		99 = LEGITIMATE SKIP	9631	54.27	
		FI CHECKPOINT B; MARK ONE BOX for R's age.			
SKPMILT	1	SKIP OVER MILITARY Q'S TO EDUC, BASED ON AGE			
		1 = Respondent is 12-16 years old - SKIP	3835	21.61	
		2 = Respondent is 17 years old or older	13421	75.62	
		3 = 12-16 years old LOGICALLY ASSIGNED - SKIP	82	0.46	
		4 = 17 years or older LOGICALLY ASSIGNED	409	2.30	

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-8. Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN UNITED STATES' ARMED FORCES		
		1 = Yes	932	5.25
		2 = No	12731	71.74
		3 = Yes LOGICALLY ASSIGNED	21	0.12
		89 = LEGITIMATE SKIP Logically assigned	141	0.79
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP	3776	21.28
		D-9. Are you currently... (READ ANSWER CHOICES)		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component	91	0.51
		3 = Now separated or retired from reserves/active duty	809	4.56
		85 = BAD DATA Logically assigned	7	0.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	191	1.08
		99 = LEGITIMATE SKIP	16648	93.81

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		D-10. The next questions are about your schooling. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	51	0.29
		1 = First grade	21	0.12
		2 = Second grade	49	0.28
		3 = Third grade	94	0.53
		4 = Fourth grade	111	0.63
		5 = Fifth grade	326	1.84
		6 = Sixth grade	1038	5.85
		7 = Seventh grade	953	5.37
		8 = Eighth grade	1153	6.50
		9 = Ninth grade	1253	7.06
		10 = Tenth grade	1221	6.88
		11 = Eleventh grade	1389	7.83
		12 = Twelfth grade	4599	25.91
		13 = Freshman/13th year	1044	5.88
		14 = Sophomore/14th year	1471	8.29
		15 = Junior/15th year	610	3.44
		16 = Senior/16th year	1493	8.41
		17 = Graduate/Professional School (or higher)	792	4.46
		85 = BAD DATA Logically assigned	53	0.30
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	23	0.13
		D-11. Have you received a high school diploma, or a GED certificate of high school completion? Which have you received? (MARK ONLY ONE ANSWER.)		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High School Diploma	4280	24.12
		2 = GED Certificate	670	3.78
		3 = Neither of the above	4152	23.40
		89 = LEGITIMATE SKIP Logically assigned	4358	24.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	164	0.92
		99 = LEGITIMATE SKIP	4121	23.22

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The 1995 variables ENROLLD and EENROLLD have been edited exactly as in NHSDA 1994W.		
		The variable ENROLLD is edited comparable to 1993 and earlier NHSDAs. The variable EENROLLD has been edited using the INTDATE (interview date) variable.		
		D-12. Are you now enrolled in any kind of school?		
ENROLLD	1	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	6633	37.38
		2 = No	10883	61.32
		3 = Yes LOGICALLY ASSIGNED	149	0.84
		4 = No LOGICALLY ASSIGNED	82	0.46
EENROLLD	1	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	5905	33.27
		2 = No	10910	61.48
		3 = Yes LOGICALLY ASSIGNED	117	0.66
		4 = No LOGICALLY ASSIGNED	815	4.59

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		D-13. (HAND RESPONDENT SHOWCARD 2.) Please look at this card and tell me which of the statements describes your present work situation. (MARK THE FIRST ANSWER THAT APPLIES.)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	7202	40.58
		2 = Working part-time, less than 35 hours a week	2327	13.11
		3 = Have a job but out: illness/leave/furlough/strike	97	0.55
		4 = Have a job but it is seasonal	75	0.42
		5 = Unemployed or laid off and looking for work	793	4.47
		6 = Unemployed and not looking for work	182	1.03
		7 = Full-time homemaker	1617	9.11
		8 = In school only	4453	25.09
		9 = Retired	421	2.37
		10 = Disabled for work	397	2.24
		11 = Other, not specified	5	0.03
		21 = Working full-time, 35 hours or more a week	8	0.05
		22 = Working part-time, less than 35 hours a week	7	0.04
		23 = Have a job but out: illness/leave/furlough/strike	7	0.04
		24 = Have a job, but it is seasonal	4	0.02
		25 = Unemployed or laid off and looking for work	1	0.01
		26 = Unemployed and not looking for work	1	0.01
		27 = Full-time homemaker	5	0.03
		28 = In school only	33	0.19
		30 = Disabled for work	5	0.03
		31 = Other, in labor force	39	0.22
		32 = Other, not in the labor force	45	0.25
		85 = BAD DATA Logically assigned	2	0.01
		98 = BLANK (NO ANSWER)	21	0.12

LABEL	LEN	DESCRIPTION	HEALTH	FREQ	%
-----	----	-----		----	-
		HEALTH			

		Now we have some questions concerning your health.			
		HE-1. About how tall are you, without shoes?			
HTININCH	3	HEIGHT IN INCHES (WITHOUT SHOES)			
		RANGE = 37 - 84		17661	99.52
		985 = BAD DATA Logically assigned		1	0.01
		994 = DON'T KNOW		59	0.33
		995 = BAD DATA		7	0.04
		997 = REFUSED		5	0.03
		998 = BLANK (NO ANSWER)		14	0.08
		HE-2. About how much do you weigh, without shoes?			
POUNDS	3	WEIGHT IN POUNDS WITHOUT SHOES			
		RANGE = 60 - 500		17508	98.65
		985 = BAD DATA Logically assigned		18	0.10
		994 = DON'T KNOW		92	0.52
		995 = BAD DATA		3	0.02
		996 = MULTIPLE RESPONSE		3	0.02
		997 = REFUSED		89	0.50
		998 = BLANK (NO ANSWER)		34	0.19
		HE-3. Would you say your health in general is...(READ ANSWER CHOICES)			
HEALTH	2	HEALTH IN GENERAL			
		1 = Excellent		6181	34.83
		2 = Very good		5743	32.36
		3 = Good		4276	24.09
		4 = Fair		1209	6.81
		5 = Poor		310	1.75
		94 = DON'T KNOW		2	0.01
		96 = MULTIPLE RESPONSE		5	0.03
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		19	0.11

TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		TOBACCO -- ANSWER SHEET #1		

		The first 10 questions are about cigarettes only.		
		C-1. Have you ever smoked a cigarette, even one or two puffs?		
CIGEVER	2	EVER SMOKED A CIGARETTE		
		1 = Yes	10881	61.31
		2 = No	6725	37.89
		3 = Yes LOGICALLY ASSIGNED	85	0.48
		4 = No LOGICALLY ASSIGNED	49	0.28
		98 = BLANK (NO ANSWER)	7	0.04
		C-2. How old were you the first time you smoked a cigarette, even one or two puffs?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 2 - 63	10887	61.35
		981 = NEVER USED CIGARETTES Logically assigned	132	0.74
		985 = BAD DATA Logically assigned	36	0.20
		991 = NEVER USED CIGARETTES	6642	37.43
		994 = DON'T KNOW	8	0.05
		995 = BAD DATA	4	0.02
		998 = BLANK (NO ANSWER)	38	0.21
		C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?		
CIGTOT	2	# DAYS SMOKED CIGARETTES IN LIFE		
		1 = More than 300 days	5330	30.03
		2 = At least 101 but not more than 300 days	802	4.52
		3 = At least 12 but not more than 100 days	1143	6.44
		4 = At least 3 but not more than 11 days	1192	6.72
		5 = At least 1 but not more than 2 days	2371	13.36
		81 = NEVER USED CIGARETTES Logically assigned	50	0.28
		85 = BAD DATA Logically assigned	115	0.65
		91 = NEVER USED CIGARETTES	6724	37.89
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	19	0.11

TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		C-4. How long has it been since you last smoked a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	4763	26.84
		2 = More than 30 days ago but within the past 12 mos .	722	4.07
		3 = More than 12 months ago but within the past 3 yrs	810	4.56
		4 = More than 3 years ago	3731	21.02
		7 = Use in past 30 days LOGICALLY ASSIGNED	826	4.65
		9 = Use in lifetime LOGICALLY ASSIGNED	114	0.64
		81 = NEVER USED CIGARETTES Logically assigned	39	0.22
		91 = NEVER USED CIGARETTES	6735	37.95
		98 = BLANK (NO ANSWER)	7	0.04
THE THREE QUESTIONS ON THIS PAGE REFER TO THE PAST 30 DAYS ONLY.				
		C-5. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?		
CIG30USE	2	# DAYS SMOKED PAST 30 DAYS		
		RANGE = 1 - 30	4784	26.96
		35 = Date specified within the past 30 days	1	0.01
		81 = NEVER USED CIGARETTES Logically assigned	51	0.29
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	517	2.91
		85 = BAD DATA Logically assigned	646	3.64
		91 = NEVER USED CIGARETTES	6723	37.88
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	4860	27.38
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	64	0.36
		98 = BLANK (NO ANSWER)	97	0.55

TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.		
AVCIG	2	# CIGARETTES SMOKED PER DAY PAST 30 DAYS		
		1 = At least a puff but less than one cig each day ...	807	4.55
		2 = 1 to 5 cigarettes each day	1308	7.37
		3 = 6 to 15 cigarettes (about 1/2 pack) each day	1405	7.92
		4 = 16 to 25 cigarettes (about 1 pack) each day	1220	6.87
		5 = 26 to 35 cigarettes (about 1 1/2 pk) each day	369	2.08
		6 = 35 or more cigarettes (about 2 packs) each day ...	197	1.11
		81 = NEVER USED CIGARETTES Logically assigned	38	0.21
		83 = DID NOT USE CIGARETTES PAST 30 DAYS Log assn	272	1.53
		85 = BAD DATA Logically assigned	264	1.49
		91 = NEVER USED CIGARETTES	6736	37.96
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	5105	28.77
		98 = BLANK (NO ANSWER)	26	0.15
		C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?		
CIG30WOK	2	TIME BEFORE SMOKING FIRST CIGARETTE AFTER WAKING		
		1 = 5 minutes or less	943	5.31
		2 = 6 to 30 minutes	1435	8.09
		3 = 31 to 60 minutes	670	3.78
		4 = 1 to 3 hours	779	4.39
		5 = 4 or more hours	1218	6.86
		81 = NEVER USED CIGARETTES Logically assigned	37	0.21
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	283	1.59
		85 = BAD DATA Logically assigned	512	2.88
		91 = NEVER USED CIGARETTES	6737	37.96
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	5094	28.70
		98 = BLANK (NO ANSWER)	39	0.22

TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.		
		C-8. Has there ever been a period in your life when you smoked cigarettes everyday?		
CIGEVYDA	2	EVER SMOKED DAILY		
		1 = Yes	5572	31.40
		2 = No	11323	63.80
		3 = Yes LOGICALLY ASSIGNED	443	2.50
		4 = No LOGICALLY ASSIGNED	361	2.03
		98 = BLANK (NO ANSWER)	48	0.27
		C-9. How old were you when you first started smoking cigarettes everyday?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 2 - 61	5735	32.32
		981 = NEVER USED CIGARETTES Logically assigned	67	0.38
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	304	1.71
		985 = BAD DATA Logically assigned	241	1.36
		991 = NEVER USED CIGARETTES	6707	37.79
		993 = NEVER USED CIGARETTES EVERYDAY	4571	25.76
		994 = DON'T KNOW	8	0.05
		995 = BAD DATA	4	0.02
		998 = BLANK (NO ANSWER)	110	0.62
		C-10. For how many years have you smoked or did you smoke cigarettes everyday?		
CIGYRS	3	# YEARS SMOKED CIGARETTES EVERYDAY		
		RANGE = 1 - 66	5144	28.99
		0 = I smoked cigs every day but only for < one year ..	578	3.26
		981 = NEVER USED CIGARETTES Logically assigned	44	0.25
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	275	1.55
		985 = BAD DATA Logically assigned	252	1.42
		991 = NEVER USED CIGARETTES	6730	37.92
		993 = NEVER USED CIGARETTES EVERYDAY	4603	25.94
		994 = DON'T KNOW	6	0.03
		995 = BAD DATA	14	0.08
		998 = BLANK (NO ANSWER)	101	0.57

TOBACCO				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.		
		C-11. Have you ever, even once, used chewing tobacco or snuff?		
SNUFEVER	2	EVER USED SMOKELESS TOBACCO		
		1 = Yes	2467	13.90
		2 = No	14864	83.76
		3 = Yes LOGICALLY ASSIGNED	53	0.30
		4 = No LOGICALLY ASSIGNED	261	1.47
		85 = BAD DATA Logically assigned	1	0.01
		98 = BLANK (NO ANSWER)	101	0.57
		C-12. How long has it been since you last used chewing tobacco or snuff?		
SNUFREC	2	TIME SINCE LAST USED SMOKELESS TOBACCO		
		1 = Within the past 30 days	475	2.68
		2 = More than 30 days ago but within the past 12 mos .	303	1.71
		3 = More than 12 months ago but within the past 3 yrs.	348	1.96
		4 = More than 3 years ago	1346	7.58
		9 = Use in lifetime LOGICALLY ASSIGNED	48	0.27
		81 = NEVER USED SMOKELESS TOBACCO Logically assigned ..	81	0.46
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED SMOKELESS TOBACCO	15044	84.77
		98 = BLANK (NO ANSWER)	101	0.57

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ	%
-----	----	-----		----	-
		ALCOHOL -- ANSWER SHEET #2			

		FI CHECKPOINT C; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?			
SKPALCRD	2	CAN RESPONDENT COMPLETE ALCOHOL ANSWER SHEET ALONE			
		1 = Yes, respondent can complete the answer sht. alone	16760	94.44	
		2 = No, I doubt that resp. can complt. it alone - SKIP	834	4.70	
		96 = MULTIPLE RESPONSE	3	0.02	
		98 = BLANK (NO ANSWER)	150	0.85	
		A-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?			
ALCREAD	2	ALCOHOL - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	2577	14.52	
		2 = Wants to complete the answer sheet on his/her own	14663	82.62	
		96 = MULTIPLE RESPONSE	11	0.06	
		98 = BLANK (NO ANSWER)	184	1.04	
		99 = LEGITIMATE SKIP	312	1.76	
		A-1. The next few questions are about drinks of alcoholic beverages. By a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot a liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? Do not include sips from another person's drink.			
ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE			
		1 = Yes	12822	72.25	
		2 = No	4800	27.05	
		3 = Yes LOGICALLY ASSIGNED	93	0.52	
		4 = No LOGICALLY ASSIGNED	32	0.18	

ALCOHOL				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		A-2. How old were you the first time you had a drink of any alcoholic beverage? Do not include sips from another person's drink.		
ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOLIC BEVERAGE		
		RANGE = 2 - 62	12795	72.10
		981 = NEVER USED ALCOHOL Logically assigned	73	0.41
		985 = BAD DATA Logically assigned	61	0.34
		991 = NEVER USED ALCOHOL	4759	26.82
		994 = DON'T KNOW	16	0.09
		995 = BAD DATA	7	0.04
		998 = BLANK (NO ANSWER)	36	0.20
		A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7239	40.79
		2 = More than 30 days ago but within the past 12 mos .	2071	11.67
		3 = More than 12 months ago but within the past 3 yrs	777	4.38
		4 = More than 3 years ago	1332	7.51
		7 = Use in past 30 days LOGICALLY ASSIGNED	1041	5.87
		8 = Use in past year LOGICALLY ASSIGNED	437	2.46
		9 = Use in lifetime LOGICALLY ASSIGNED	18	0.10
		81 = NEVER USED ALCOHOL Logically assigned	11	0.06
		91 = NEVER USED ALCOHOL	4821	27.17

ALCOHOL				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
ALCPAT	2	# DAYS DRANK ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	433	2.44
		2 = 201 to 300 days (5 to 6 days a week)	313	1.76
		3 = 101 to 200 days (3 to 4 days a week)	710	4.00
		4 = 51 to 100 days (1 to 2 days a week)	1691	9.53
		5 = 25 to 50 days (3 to 4 days a month)	1344	7.57
		6 = 12 to 24 days (1 to 2 days a month)	1485	8.37
		7 = 6 to 11 days (less than one day a month)	1303	7.34
		8 = 3 to 5 days in the past 12 months	1548	8.72
		9 = 1 to 2 days in the past 12 months	1622	9.14
		81 = NEVER USED ALCOHOL Logically assigned	11	0.06
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	44	0.25
		85 = BAD DATA Logically assigned	328	1.85
		91 = NEVER USED ALCOHOL	4821	27.17
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2083	11.74
		98 = BLANK (NO ANSWER)	11	0.06
		A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?		
DRUNKYR	2	# DAYS GOT DRUNK PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	93	0.52
		2 = 201 to 300 days (5 to 6 days a week)	75	0.42
		3 = 101 to 200 days (3 to 4 days a week)	182	1.03
		4 = 51 to 100 days (1 to 2 days a week)	420	2.37
		5 = 25 to 50 days (3 to 4 days a month)	397	2.24
		6 = 12 to 24 days (1 to 2 days a month)	662	3.73
		7 = 6 to 11 days (less than one day a month)	720	4.06
		8 = 3 to 5 days in the past 12 months	1086	6.12
		9 = 1 to 2 days in the past 12 months	1572	8.86
		81 = NEVER USED ALCOHOL Logically assigned	29	0.16
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	59	0.33
		85 = BAD DATA Logically assigned	400	2.25
		90 = HAD A DRINK BUT DID NOT GET DRUNK PST 12 MONTHS ..	5149	29.01
		91 = NEVER USED ALCOHOL	4803	27.06
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2068	11.65
		98 = BLANK (NO ANSWER)	32	0.18

ALCOHOL				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.		
		A-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	7324	41.27
		35 = Date specified within the past 30 days	3	0.02
		81 = NEVER USED ALCOHOL Logically assigned	29	0.16
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	254	1.43
		85 = BAD DATA Logically assigned	837	4.72
		91 = NEVER USED ALCOHOL	4803	27.06
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4381	24.69
		94 = DON'T KNOW	6	0.03
		95 = BAD DATA	37	0.21
		98 = BLANK (NO ANSWER)	73	0.41
		A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer, a wine cooler or glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 50	7767	43.77
		81 = NEVER USED ALCOHOL Logically assigned	30	0.17
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	202	1.14
		85 = BAD DATA Logically assigned	426	2.40
		91 = NEVER USED ALCOHOL	4802	27.06
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4433	24.98
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	13	0.07
		98 = BLANK (NO ANSWER)	72	0.41

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ	%
-----	----	-----		-----	-
		A-8. During the past 30 days, on how many days did you have five or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.			
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS			
		RANGE = 1 - 30		2920	16.45
		0 = No days		562	3.17
		81 = NEVER USED ALCOHOL Logically assigned		48	0.27
		83 = DID NOT DRINK ALCOHOL IN PAST 30 DAYS Log assn ...		268	1.51
		85 = BAD DATA Logically assigned		535	3.01
		90 = HAD A DRINK BUT NEVER MORE THAN 5 PAST 30 DAYS ...		4171	23.50
		91 = NEVER USED ALCOHOL		4784	26.96
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		4367	24.61
		94 = DON'T KNOW		1	0.01
		95 = BAD DATA		14	0.08
		98 = BLANK (NO ANSWER)		77	0.43

MARIJUANA				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		MARIJUANA -- ANSWER SHEET #3		

		<p>The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked--either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.</p> <p>M-1. Have you ever, even once, used marijuana or hashish?</p>		
MJEVER	2	EVER USED MARIJUANA/HASHISH		
		1 = Yes	5848	32.95
		2 = No	11810	66.55
		3 = Yes LOGICALLY ASSIGNED	26	0.15
		4 = No LOGICALLY ASSIGNED	63	0.35
		<p>M-2. How old were you the first time you used marijuana or hashish?</p>		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 2 - 60	5847	32.95
		981 = NEVER USED MARIJUANA Logically assigned	134	0.76
		985 = BAD DATA Logically assigned	15	0.08
		991 = NEVER USED MARIJUANA	11739	66.15
		994 = DON'T KNOW	5	0.03
		995 = BAD DATA	3	0.02
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	3	0.02

MARIJUANA				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?		
MJTOT	2	# DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = More than 300 days	1095	6.17
		2 = At least 101 but not more than 300 days	603	3.40
		3 = At least 12 but not more than 100 days	1409	7.94
		4 = At least 3 but not more than 11 days	1322	7.45
		5 = At least 1 but not more than 2 days	1422	8.01
		81 = NEVER USED MARIJUANA Logically assigned	43	0.24
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER USED MARIJUANA	11830	66.66
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	8	0.05
		M-4. How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	1001	5.64
		2 = More than 30 days ago but within the past 12 mos .	677	3.81
		3 = More than 12 months ago but within the past 3 yrs	537	3.03
		4 = More than 3 years ago	3085	17.38
		7 = Use in past 30 days LOGICALLY ASSIGNED	285	1.61
		8 = Use in past year LOGICALLY ASSIGNED	272	1.53
		9 = Use in lifetime LOGICALLY ASSIGNED	17	0.10
		81 = NEVER USED MARIJUANA Logically assigned	36	0.20
		91 = NEVER USED MARIJUANA	11837	66.70

MARIJUANA				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?		
MJYRFREQ	2	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	194	1.09
		2 = 201 to 300 days (5 to 6 days a week)	112	0.63
		3 = 101 to 200 days (3 to 4 days a week)	161	0.91
		4 = 51 to 100 days (1 to 2 days a week)	205	1.16
		5 = 25 to 50 days (3 to 4 days a month)	198	1.12
		6 = 12 to 24 days (1 to 2 days a month)	228	1.28
		7 = 6 to 11 days (less than one day a month)	235	1.32
		8 = 3 to 5 days in the past 12 months	330	1.86
		9 = 1 to 2 days in the past 12 months	485	2.73
		81 = NEVER USED MARIJUANA Logically assigned	164	0.92
		83 = DID NOT USE MARIJUANA PAST 12 MOS Log assn	70	0.39
		85 = BAD DATA Logically assigned	70	0.39
		91 = NEVER USED MARIJUANA	11709	65.98
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	3569	20.11
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	16	0.09
		M-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	1217	6.86
		81 = NEVER USED MARIJUANA Logically assigned	161	0.91
		83 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS Log assn	402	2.27
		85 = BAD DATA Logically assigned	50	0.28
		91 = NEVER USED MARIJUANA	11712	65.99
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	4186	23.59
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	6	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	11	0.06

COCAINE					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		COCAINE -- ANSWER SHEET #4			

		FI CHECKPOINT D; DO YOU THINK R CAN			
		COMPLETE THIS ANSWER SHEET ON HIS/HER			
		OWN?			
SKPCOCD	2	CAN RESPONDENT COMPLETE COCAINE ANSWER SHEET ALONE			
		1 = Yes, respondent can complete the answer sht. alone	16883	95.13	
		2 = No, I doubt that resp. can complt. it alone - SKIP	742	4.18	
		96 = MULTIPLE RESPONSE	1	0.01	
		98 = BLANK (NO ANSWER)	121	0.68	
		CN-0. You may complete this answer			
		sheet on your own, or if you prefer,			
		I'll read the questions out loud.			
		Which do you prefer?			
COCREAD	2	COCAINE - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1723	9.71	
		2 = Wants to complete the answer sheet on his/her own	15497	87.32	
		96 = MULTIPLE RESPONSE	3	0.02	
		98 = BLANK (NO ANSWER)	232	1.31	
		99 = LEGITIMATE SKIP	292	1.65	
		The questions in this section are about			
		cocaine, including all the different			
		forms of cocaine, such as powder,			
		"crack," free base, and coca paste.			
		CN-1. Have you ever, even once, used			
		any form of cocaine?			
COCEVER	2	EVER USED COCAINE			
		1 = Yes	1900	10.71	
		2 = No	15704	88.49	
		3 = Yes LOGICALLY ASSIGNED	42	0.24	
		4 = No LOGICALLY ASSIGNED	101	0.57	

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		CN-2. How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 2 - 52	1921	10.82
		981 = NEVER USED COCAINE Logically assigned	202	1.14
		985 = BAD DATA Logically assigned	11	0.06
		991 = NEVER USED COCAINE	15603	87.92
		994 = DON'T KNOW	1	0.01
		995 = BAD DATA	4	0.02
		998 = BLANK (NO ANSWER)	5	0.03
		CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?		
COCTOT	2	# DAYS USED COCAINE IN LIFE		
		1 = More than 300 days	236	1.33
		2 = At least 101 but not more than 300 days	193	1.09
		3 = At least 12 but not more than 100 days	490	2.76
		4 = At least 3 but not more than 11 days	472	2.66
		5 = At least 1 but not more than 2 days	544	3.07
		81 = NEVER USED COCAINE Logically assigned	60	0.34
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED COCAINE	15745	88.72
		98 = BLANK (NO ANSWER)	1	0.01
		CN-4. How long has it been since you last used any form of cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	113	0.64
		2 = More than 30 days ago but within the past 12 mos .	183	1.03
		3 = More than 12 months ago but within the past 3 yrs	221	1.25
		4 = More than 3 years ago	1233	6.95
		7 = Use in past 30 days LOGICALLY ASSIGNED	80	0.45
		8 = Use in past year LOGICALLY ASSIGNED	89	0.50
		9 = Use in lifetime LOGICALLY ASSIGNED	23	0.13
		81 = NEVER USED COCAINE Logically assigned	52	0.29
		91 = NEVER USED COCAINE	15753	88.76

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		COCAINE		
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?		
COCYRFRQ	2	# DAYS USED COCAINE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	21	0.12
		2 = 201 to 300 days (5 to 6 days a week)	13	0.07
		3 = 101 to 200 days (3 to 4 days a week)	16	0.09
		4 = 51 to 100 days (1 to 2 days a week)	36	0.20
		5 = 25 to 50 days (3 to 4 days a month)	27	0.15
		6 = 12 to 24 days (1 to 2 days a month)	48	0.27
		7 = 6 to 11 days (less than one day a month)	50	0.28
		8 = 3 to 5 days in the past 12 months	73	0.41
		9 = 1 to 2 days in the past 12 months	149	0.84
		81 = NEVER USED COCAINE Logically assigned	260	1.47
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Log assn ...	53	0.30
		85 = BAD DATA Logically assigned	27	0.15
		91 = NEVER USED COCAINE	15545	87.59
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	1424	8.02
		98 = BLANK (NO ANSWER)	5	0.03
		CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	176	0.99
		81 = NEVER USED COCAINE Logically assigned	289	1.63
		83 = DID NOT USE COCAINE IN THE PAST 30 DAYS Log assn .	218	1.23
		85 = BAD DATA Logically assigned	13	0.07
		91 = NEVER USED COCAINE	15516	87.43
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	1531	8.63
		95 = BAD DATA	2	0.01
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		"CRACK" COCAINE -- ANSWER SHEET #5		

		FI CHECKPOINT E; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPCRKRD	2	CAN RESPONDENT COMPLETE "CRACK" ANSWER SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16916	95.32
		2 = No, I doubt that resp. can complt. it alone - SKIP	688	3.88
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	141	0.79
		CK-0. You may complete this answer		
		sheet on your own, or if you prefer,		
		I'll read the questions out loud.		
		Which do you prefer?		
CRKREAD	2	"CRACK" - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1437	8.10
		2 = Wants to complete the answer sheet on his/her own	15768	88.85
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	258	1.45
		99 = LEGITIMATE SKIP	281	1.58
		The next 6 questions refer only to		
		"crack" (cocaine in rock or chunk form)		
		and not the other forms of cocaine.		
		CK-1. Have you ever, even once, used		
		"crack?"		
CRKEVER	2	EVER USED "CRACK"		
		1 = Yes	463	2.61
		2 = No	17151	96.64
		3 = Yes LOGICALLY ASSIGNED	8	0.05
		4 = No LOGICALLY ASSIGNED	122	0.69
		98 = BLANK (NO ANSWER)	3	0.02

CRACK COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		CK-2. How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED "CRACK"		
		RANGE = 5 - 50	462	2.60
		981 = NEVER USED "CRACK" Logically assigned	231	1.30
		985 = BAD DATA Logically assigned	6	0.03
		991 = NEVER USED "CRACK"	17042	96.03
		995 = BAD DATA	1	0.01
		998 = BLANK (NO ANSWER)	5	0.03
		CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"		
CRKTOT	2	# DAYS USED "CRACK" IN LIFE		
		1 = More than 300 days	86	0.48
		2 = At least 101 but not more than 300 days	53	0.30
		3 = At least 12 but not more than 100 days	96	0.54
		4 = At least 3 but not more than 11 days	89	0.50
		5 = At least 1 but not more than 2 days	144	0.81
		81 = NEVER USED "CRACK" Logically assigned	80	0.45
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17193	96.88
		98 = BLANK (NO ANSWER)	4	0.02
		CK-4. How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	34	0.19
		2 = More than 30 days ago but within the past 12 mos .	66	0.37
		3 = More than 12 months ago but within the past 3 yrs	70	0.39
		4 = More than 3 years ago	243	1.37
		7 = Use in past 30 days LOGICALLY ASSIGNED	25	0.14
		8 = Use in past year LOGICALLY ASSIGNED	28	0.16
		9 = Use in lifetime LOGICALLY ASSIGNED	5	0.03
		81 = NEVER USED "CRACK" Logically assigned	71	0.40
		91 = NEVER USED "CRACK"	17202	96.93
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CRKYRFRQ	2	# DAYS USED "CRACK" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	10	0.06
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	9	0.05
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	10	0.06
		6 = 12 to 24 days (1 to 2 days a month)	16	0.09
		7 = 6 to 11 days (less than one day a month)	8	0.05
		8 = 3 to 5 days in the past 12 months	20	0.11
		9 = 1 to 2 days in the past 12 months	43	0.24
		81 = NEVER USED "CRACK" Logically assigned	294	1.66
		83 = DID NOT USE "CRACK" PAST 12 MONTHS Log assn	14	0.08
		85 = BAD DATA Logically assigned	11	0.06
		91 = NEVER USED "CRACK"	16979	95.67
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	304	1.71
		98 = BLANK (NO ANSWER)	6	0.03
		CK-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED "CRACK" PAST 30 DAYS		
		RANGE = 1 - 30	53	0.30
		81 = NEVER USED "CRACK" Logically assigned	302	1.70
		83 = DID NOT USE "CRACK" IN THE PAST 30 DAYS Log assn .	63	0.35
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED "CRACK"	16971	95.63
		93 = DID NOT USE "CRACK" IN THE PAST 30 DAYS	349	1.97
		98 = BLANK (NO ANSWER)	5	0.03

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	---
		HEROIN -- ANSWER SHEET #6		
		FI CHECKPOINT F; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPHERRD	2	CAN RESPONDENT COMPLETE HEROIN ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16938	95.44
		2 = No, I doubt that resp. can complt. it alone - SKIP	660	3.72
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	146	0.82
		H-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
HERREAD	2	HEROIN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1339	7.54
		2 = Wants to complete the answer sheet on his/her own	15875	89.45
		98 = BLANK (NO ANSWER)	257	1.45
		99 = LEGITIMATE SKIP	276	1.56
		H-1. Have you ever, even once, used heroin?		
HEREVER	2	EVER USED HEROIN		
		1 = Yes	190	1.07
		2 = No	17369	97.87
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		4 = No LOGICALLY ASSIGNED	162	0.91
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	19	0.11

HEROIN				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		H-2. How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 10 - 36	187	1.05
		981 = NEVER USED HEROIN Logically assigned	183	1.03
		985 = BAD DATA Logically assigned	3	0.02
		991 = NEVER USED HEROIN	17348	97.75
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	2	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	21	0.12
		H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?		
HERTOT	2	# DAYS USED HEROIN IN LIFE		
		1 = More than 300 days	33	0.19
		2 = At least 101 but not more than 300 days	15	0.08
		3 = At least 12 but not more than 100 days	24	0.14
		4 = At least 3 but not more than 11 days	36	0.20
		5 = At least 1 but not more than 2 days	81	0.46
		81 = NEVER USED HEROIN Logically assigned	64	0.36
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED HEROIN	17467	98.42
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	20	0.11
		H-4. How long has it been since you last used heroin?		
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mos .	19	0.11
		3 = More than 12 months ago but within the past 3 yrs	16	0.09
		4 = More than 3 years ago	129	0.73
		7 = Use in past 30 days LOGICALLY ASSIGNED	9	0.05
		8 = Use in past year LOGICALLY ASSIGNED	10	0.06
		9 = Use in lifetime LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED HEROIN Logically assigned	56	0.32
		91 = NEVER USED HEROIN	17475	98.47
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10

HEROIN				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?		
HERYRFRQ	2	# DAYS USED HEROIN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	2	0.01
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	1	0.01
		4 = 51 to 100 days (1 to 2 days a week)	1	0.01
		5 = 25 to 50 days (3 to 4 days a month)	2	0.01
		6 = 12 to 24 days (1 to 2 days a month)	3	0.02
		7 = 6 to 11 days (less than one day a month)	4	0.02
		8 = 3 to 5 days in the past 12 months	5	0.03
		9 = 1 to 2 days in the past 12 months	24	0.14
		81 = NEVER USED HEROIN Logically assigned	294	1.66
		83 = DID NOT USE HEROIN PAST 12 MONTHS Log assn	4	0.02
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED HEROIN	17237	97.13
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	142	0.80
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	20	0.11
		H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	15	0.08
		81 = NEVER USED HEROIN Logically assigned	301	1.70
		83 = DID NOT USE HEROIN IN PAST 30 DAYS Log assn	28	0.16
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED HEROIN	17230	97.09
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	147	0.83
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	20	0.11

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HALLUCINOGENS -- ANSWER SHEET #7		

		FI CHECKPOINT G; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPHALRD	2	CAN RESP COMPLETE HALLUCINOGEN ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16908	95.27
		2 = No, I doubt that resp. can complt. it alone - SKIP	648	3.65
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	187	1.05
		L-0. You may complete the rest of this		
		answer sheet on your own, or if you		
		prefer, I'll read the questions out		
		loud. Which do you prefer?		
HALREAD	2	HALLUCINOGEN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1342	7.56
		2 = Wants to complete the answer sheet on his/her own	15802	89.04
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	314	1.77
		99 = LEGITIMATE SKIP	287	1.62
		L-1. As you read the following list of		
		hallucinogens, please mark one box		
		beside each hallucinogen to indicate		
		whether you have ever used that		
		hallucinogen, even once.		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes	1285	7.24
		2 = No	325	1.83
		3 = Yes LOGICALLY ASSIGNED (LSDREC=1,2,3,4 or 9)	66	0.37
		4 = No LOGICALLY ASSIGNED (LSDREC=91)	21	0.12
		81 = NEVER USED HALLUCINOGENS Logically assigned	227	1.28
		91 = NEVER USED HALLUCINOGENS	15810	89.09
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	12	0.07

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes	406	2.29
		2 = No	1042	5.87
		3 = Yes LOGICALLY ASSIGNED (PCPREC=1,2,3,4 or 9)	138	0.78
		4 = No LOGICALLY ASSIGNED (PCPREC=91)	103	0.58
		81 = NEVER USED HALLUCINOGENS Logically assigned	230	1.30
		91 = NEVER USED HALLUCINOGENS	15807	89.07
		94 = DON'T KNOW	1	0.01
PEYOTE	2	98 = BLANK (NO ANSWER)	20	0.11
		EVER USED PEYOTE		
		1 = Yes	224	1.26
		2 = No	1339	7.54
		81 = NEVER USED HALLUCINOGENS Logically assigned	240	1.35
		91 = NEVER USED HALLUCINOGENS	15797	89.01
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	146	0.82
MESC	2	EVER USED Mescaline		
		1 = Yes	380	2.14
		2 = No	1192	6.72
		81 = NEVER USED HALLUCINOGENS Logically assigned	238	1.34
		91 = NEVER USED HALLUCINOGENS	15799	89.02
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	137	0.77
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes	755	4.25
		2 = No	831	4.68
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		81 = NEVER USED HALLUCINOGENS Logically assigned	236	1.33
		91 = NEVER USED HALLUCINOGENS	15801	89.03
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	112	0.63
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes	298	1.68
		2 = No	1265	7.13
		81 = NEVER USED HALLUCINOGENS Logically assigned	272	1.53
		91 = NEVER USED HALLUCINOGENS	15765	88.83
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	146	0.82

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALDKNAM	2	USED HALLUCINOGEN, DON'T KNOW NAME		
		1 = Yes	169	0.95
		2 = No	1405	7.92
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED HALLUCINOGENS Logically assigned	235	1.32
		91 = NEVER USED HALLUCINOGENS	15802	89.04
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	134	0.76
HALNOLST	2	USED HALLUCINOGEN NOT LISTED ABOVE		
		1 = Yes	98	0.55
		2 = No	1415	7.97
		3 = Yes LOGICALLY ASSIGNED	17	0.10
		81 = NEVER USED HALLUCINOGENS Logically assigned	205	1.16
		91 = NEVER USED HALLUCINOGENS	15832	89.21
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	179	1.01

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWA	4	USED OTHER HALLUCINOGEN (FIRST MENTION)		
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		142 = Belladona	1	0.01
		267 = Marezine	1	0.01
		318 = Ritalin, Methylphenidate	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	3	0.02
		339 = Amphetamines (speed generically)	3	0.02
		348 = Crystal	2	0.01
		459 = Ketamine	1	0.01
		502 = Spray paints	2	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	2	0.01
		516 = Freon	1	0.01
		520 = Old paint	1	0.01
		525 = Butane [see also 521,544]	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		603 = Mescaline	1	0.01
		604 = Psilocybin (mushrooms), shooms	12	0.07
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	5	0.03
		609 = Gymsom [sic] pods, Jimson [sic] weed	1	0.01
		611 = Greens	1	0.01
		614 = MDA, Methylenedioxy amphetamine	3	0.02
		616 = DET, Dimethyltryptamine, DMT	3	0.02
		617 = Morning glory seeds	3	0.02
		618 = Acid paper, blotter (acid) [see also 601]	5	0.03
		622 = Microdot(s), purple microdot	3	0.02
		623 = Mickey, mickey mouse club, mickey mousers	1	0.01
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.01
		625 = Window pane	1	0.01
		639 = Cloves, Nutmeg	1	0.01
		650 = Daytura	1	0.01
		676 = Ashmadorf [sic]	1	0.01
		677 = Skunk II	1	0.01
		678 = Banana peels	1	0.01
		679 = Hell bells	1	0.01
		681 = Lovely	1	0.01
		682 = Kief [sic]	1	0.01
		684 = Chuntaro [sic]	1	0.01
		686 = Spider in my feet	1	0.01
		687 = Spary	1	0.01
		688 = AMP	1	0.01
		703 = Opium	2	0.01
		802 = THC, cannabinol	2	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	8	0.05
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.01
		890 = Methanol hits [sic]	1	0.01
		9900 = NOT A DRUG	2	0.01
		9981 = NEVER USED HALLUCINOGENS Logically assigned	7	0.04
		9985 = BAD DATA Logically assigned	2	0.01
		9991 = NEVER USED HALLUCINOGENS	16030	90.33

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	1613	9.09
HALNEWB	4	USED OTHER HALLUCINOGEN (SECOND MENTION)		
		348 = Crystal	1	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01
		524 = White-Out [see also 509]	1	0.01
		622 = Microdot(s), purple microdot	1	0.01
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.01
		625 = Window pane	3	0.02
		636 = STP	1	0.01
		649 = Tea, Choc. [sic] tea	1	0.01
		675 = Shein [sic]	1	0.01
		680 = Tweak	1	0.01
		683 = Yage' [sic]	1	0.01
		685 = Chayan [sic]	1	0.01
		9991 = NEVER USED HALLUCINOGENS	16037	90.36
		9994 = DON'T KNOW	1	0.01
		9998 = BLANK (NO ANSWER)	1695	9.55
HALNEWC	4	USED OTHER HALLUCINOGEN (THIRD MENTION)		
		637 = Purple haze	1	0.01
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.01
		9991 = NEVER USED HALLUCINOGENS	16037	90.36
		9994 = DON'T KNOW	1	0.01
		9998 = BLANK (NO ANSWER)	1707	9.62
HALNEWD	4	USED OTHER HALLUCINOGEN (FOURTH MENTION)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		625 = Window pane	1	0.01
		9991 = NEVER USED HALLUCINOGENS	16037	90.36
		9994 = DON'T KNOW	1	0.01
		9998 = BLANK (NO ANSWER)	1707	9.62
HALNEWE	4	USED OTHER HALLUCINOGEN (FIFTH MENTION)		
		9991 = NEVER USED HALLUCINOGENS	16037	90.36
		9994 = DON'T KNOW	1	0.01
		9998 = BLANK (NO ANSWER)	1709	9.63

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?		
HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 5 - 52	1645	9.27
		981 = NEVER USED HALLUCINOGENS Logically assigned	249	1.40
		985 = BAD DATA Logically assigned	42	0.24
		991 = NEVER USED HALLUCINOGENS	15788	88.96
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	2	0.01
		998 = BLANK (NO ANSWER)	19	0.11
		L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?		
HALLTOT	2	# DAYS USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = More than 300 days	98	0.55
		2 = At least 101 but not more than 300 days	102	0.57
		3 = At least 12 but not more than 100 days	348	1.96
		4 = At least 3 but not more than 11 days	457	2.58
		5 = At least 1 but not more than 2 days	648	3.65
		81 = NEVER USED HALLUCINOGENS Logically assigned	138	0.78
		85 = BAD DATA Logically assigned	38	0.21
		91 = NEVER USED HALLUCINOGENS	15899	89.59
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
HALLREC	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	97	0.55
		2 = More than 30 days ago but within the past 12 mos .	178	1.00
		3 = More than 12 months ago but within the past 3 yrs	168	0.95
		4 = More than 3 years ago	1056	5.95
		7 = Use in past 30 days LOGICALLY ASSIGNED	85	0.48
		8 = Use in past year LOGICALLY ASSIGNED	75	0.42
		9 = Use in lifetime LOGICALLY ASSIGNED	33	0.19
		81 = NEVER USED HALLUCINOGENS Logically assigned	92	0.52
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED HALLUCINOGENS	15945	89.85
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	15	0.08

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
HALYRFRQ	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day/almost every day) ..	10	0.06
		2 = 201 to 300 days (5 to 6 days a week)	8	0.05
		3 = 101 to 200 days (3 to 4 days a week)	4	0.02
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	22	0.12
		6 = 12 to 24 days (1 to 2 days a month)	32	0.18
		7 = 6 to 11 days (less than 1 day a month)	49	0.28
		8 = 3 to 5 days in the past 12 months	78	0.44
		9 = 1 to 2 days in the past 12 months	185	1.04
		81 = NEVER USED HALLUCINOGENS Logically assigned	90	0.51
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn	32	0.18
		85 = BAD DATA Logically assigned	32	0.18
		91 = NEVER USED HALLUCINOGENS	15947	89.86
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1225	6.90
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	16	0.09
		L-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 30	164	0.92
		81 = NEVER USED HALLUCINOGENS Logically assigned	178	1.00
		83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn	108	0.61
		85 = BAD DATA Logically assigned	18	0.10
		91 = NEVER USED HALLUCINOGENS	15859	89.36
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	1402	7.90
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	17	0.10

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	78	0.44
		2 = More than 30 days ago but within the past 12 mos .	187	1.05
		3 = More than 12 months ago but within the past 3 yrs	184	1.04
		4 = More than 3 years ago	863	4.86
		9 = Use in lifetime LOGICALLY ASSIGNED	39	0.22
		81 = NEVER USED LSD Logically assigned	108	0.61
		91 = NEVER USED LSD	16275	91.71
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	11	0.06
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	40	0.23
		3 = More than 12 months ago but within the past 3 yrs	54	0.30
		4 = More than 3 years ago	412	2.32
		9 = Use in lifetime LOGICALLY ASSIGNED	26	0.15
		81 = NEVER USED PCP Logically assigned	178	1.00
		91 = NEVER USED PCP	17004	95.81
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	19	0.11

INHALANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	-	
		INHALANTS -- ANSWER SHEET #8			

		FI CHECKPOINT H; DO YOU THINK R CAN			
		COMPLETE THIS ANSWER SHEET ON HIS/HER			
		OWN?			
SKPINHRD	2	CAN RESPONDENT COMPLETE INHALANTS ANS SHEET ALONE			
		1 = Yes, respondent can complete the answer sht. alone	16897	95.21	
		2 = No, I doubt that resp. can complt. it alone - SKIP	650	3.66	
		96 = MULTIPLE RESPONSE	2	0.01	
		98 = BLANK (NO ANSWER)	198	1.12	
		IN-0. You may complete this answer			
		sheet on your own, or if you prefer,			
		I'll read the questions out loud.			
		Which do you prefer?			
INHREAD	2	INHALANTS - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1249	7.04	
		2 = Wants to complete the answer sheet on his/her own	15907	89.63	
		96 = MULTIPLE RESPONSE	3	0.02	
		98 = BLANK (NO ANSWER)	311	1.75	
		99 = LEGITIMATE SKIP	277	1.56	
		IN-1. As you read the following list			
		of inhalants, please mark one box			
		beside each type of inhalant to indicate			
		whether you have ever used that kind of			
		inhalant, even once, for kicks or to get			
		high.			
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.			
		1 = Yes	418	2.36	
		2 = No	716	4.03	
		3 = Yes LOGICALLY ASSIGNED	4	0.02	
		81 = NEVER USED INHALANTS Logically assigned	216	1.22	
		91 = NEVER USED INHALANTS	16355	92.16	
		98 = BLANK (NO ANSWER)	38	0.21	
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.			
		1 = Yes	140	0.79	
		2 = No	972	5.48	
		3 = Yes LOGICALLY ASSIGNED	6	0.03	
		81 = NEVER USED INHALANTS Logically assigned	212	1.19	
		91 = NEVER USED INHALANTS	16359	92.18	
		98 = BLANK (NO ANSWER)	58	0.33	

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes	282	1.59
		2 = No	841	4.74
		81 = NEVER USED INHALANTS Logically assigned	218	1.23
		91 = NEVER USED INHALANTS	16353	92.15
		98 = BLANK (NO ANSWER)	53	0.30
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes	284	1.60
		2 = No	832	4.69
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED INHALANTS Logically assigned	219	1.23
		91 = NEVER USED INHALANTS	16352	92.14
		98 = BLANK (NO ANSWER)	57	0.32
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes	54	0.30
		2 = No	1059	5.97
		81 = NEVER USED INHALANTS Logically assigned	214	1.21
		91 = NEVER USED INHALANTS	16357	92.17
		98 = BLANK (NO ANSWER)	63	0.35
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes	143	0.81
		2 = No	971	5.47
		81 = NEVER USED INHALANTS Logically assigned	213	1.20
		91 = NEVER USED INHALANTS	16358	92.17
		98 = BLANK (NO ANSWER)	62	0.35
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes	108	0.61
		2 = No	1010	5.69
		81 = NEVER USED INHALANTS Logically assigned	214	1.21
		91 = NEVER USED INHALANTS	16357	92.17
		98 = BLANK (NO ANSWER)	58	0.33
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes	393	2.21
		2 = No	733	4.13
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED INHALANTS Logically assigned	220	1.24
		91 = NEVER USED INHALANTS	16351	92.13
		98 = BLANK (NO ANSWER)	49	0.28
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes	175	0.99
		2 = No	942	5.31
		81 = NEVER USED INHALANTS Logically assigned	216	1.22
		91 = NEVER USED INHALANTS	16355	92.16
		98 = BLANK (NO ANSWER)	59	0.33

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes	117	0.66
		2 = No	997	5.62
		81 = NEVER USED INHALANTS Logically assigned	225	1.27
		91 = NEVER USED INHALANTS	16346	92.11
		98 = BLANK (NO ANSWER)	62	0.35
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Yes	69	0.39
		2 = No	1043	5.88
		81 = NEVER USED INHALANTS Logically assigned	243	1.37
		91 = NEVER USED INHALANTS	16328	92.00
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	63	0.35
INHNOLST	2	USED INHALANT NOT LISTED ABOVE		
		1 = Yes	75	0.42
		2 = No	996	5.61
		3 = Yes LOGICALLY ASSIGNED	26	0.15
		81 = NEVER USED INHALANTS Logically assigned	134	0.76
		91 = NEVER USED INHALANTS	16437	92.62
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	78	0.44

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INHNEWA	4	USED OTHER INHALANT (FIRST MENTION)		
		333 = 357 Magnum, Magnum 44	1	0.01
		501 = Gasoline or lighter fluids	1	0.01
		503 = Other aerosol sprays	1	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	5	0.03
		506 = Amyl nitrite, "poppers," locker rm odorizer, "rush"	4	0.02
		508 = Nitrous oxide, "whippets," dentist gas	2	0.01
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	2	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		511 = Markers, felt-tip pens, ink pens	11	0.06
		515 = Vicks	1	0.01
		516 = Freon	7	0.04
		517 = Tolul [sic], Tolyol	1	0.01
		519 = Helium	7	0.04
		524 = White-Out [see also 509]	4	0.02
		526 = Nail polish	3	0.02
		528 = Whipped-cream can	2	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators ..	3	0.02
		539 = ScotchGard	3	0.02
		540 = PAM	2	0.01
		545 = Car tailpipe exhaust fumes, CO2	1	0.01
		548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.01
		551 = Spam [sic], oven cleaner (Spam [sic])	1	0.01
		568 = Tally, Tolly [sic]	1	0.01
		576 = C.A.T.	1	0.01
		578 = Dust off [sic]	1	0.01
		579 = Losean [sic]	1	0.01
		580 = Medusa [sic]	1	0.01
		581 = Benzol alcohol [sic]	1	0.01
		582 = WD-40	1	0.01
		583 = Duster [sic]	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		9981 = NEVER USED INHALANTS Logically assigned	9	0.05
		9985 = BAD DATA Logically assigned	1	0.01
		9991 = NEVER USED INHALANTS	16562	93.32
		9998 = BLANK (NO ANSWER)	1099	6.19
INHNEWB	4	USED OTHER INHALANT (SECOND MENTION)		
		435 = Tylenol, Tylenol Extra Strength <OTC>	1	0.01
		503 = Other aerosol sprays	1	0.01
		511 = Markers, felt-tip pens, ink pens	1	0.01
		516 = Freon	1	0.01
		524 = White-Out [see also 509]	1	0.01
		584 = Oxy's [sic]	1	0.01
		9985 = BAD DATA Logically assigned	1	0.01
		9991 = NEVER USED INHALANTS	16571	93.37
		9998 = BLANK (NO ANSWER)	1169	6.59

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
INHNEWC	4	USED OTHER INHALANT (THIRD MENTION)		
		9991 = NEVER USED INHALANTS	16571	93.37
		9998 = BLANK (NO ANSWER)	1176	6.63
INHNEWD	4	USED OTHER INHALANT (FOURTH MENTION)		
		9991 = NEVER USED INHALANTS	16571	93.37
		9998 = BLANK (NO ANSWER)	1176	6.63
INHNEWE	4	USED OTHER INHALANT (FIFTH MENTION)		
		9991 = NEVER USED INHALANTS	16571	93.37
		9998 = BLANK (NO ANSWER)	1176	6.63
IN-2. How old were you the first time you used any inhalant for kicks or to get high?				
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 3 - 45	1100	6.20
		981 = NEVER USED INHALANTS Logically assigned	521	2.94
		985 = BAD DATA Logically assigned	34	0.19
		991 = NEVER USED INHALANTS	16050	90.44
		994 = DON'T KNOW	1	0.01
		995 = BAD DATA	1	0.01
		998 = BLANK (NO ANSWER)	40	0.23
IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used any inhalant of any kind?				
INHTOT	2	# DAYS USED INHALANTS IN LIFE		
		1 = More than 300 days	74	0.42
		2 = At least 101 but not more than 300 days	48	0.27
		3 = At least 12 but not more than 100 days	194	1.09
		4 = At least 3 but not more than 11 days	334	1.88
		5 = At least 1 but not more than 2 days	457	2.58
		81 = NEVER USED INHALANTS Logically assigned	162	0.91
		85 = BAD DATA Logically assigned	36	0.20
		91 = NEVER USED INHALANTS	16409	92.46
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	32	0.18

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	73	0.41
		2 = More than 30 days ago but within the past 12 mos .	112	0.63
		3 = More than 12 months ago but within the past 3 yrs	107	0.60
		4 = More than 3 years ago	684	3.85
		7 = Use in past 30 days LOGICALLY ASSIGNED	67	0.38
		8 = Use in past year LOGICALLY ASSIGNED	66	0.37
		9 = Use in lifetime LOGICALLY ASSIGNED	38	0.21
		81 = NEVER USED INHALANTS Logically assigned	244	1.37
		91 = NEVER USED INHALANTS	16327	92.00
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	28	0.16
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?		
INHYRFRQ	2	# DAYS USED INHALANTS PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	5	0.03
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	6	0.03
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	22	0.12
		6 = 12 to 24 days (1 to 2 days a month)	28	0.16
		7 = 6 to 11 days (less than one day a month)	30	0.17
		8 = 3 to 5 days in the past 12 months	61	0.34
		9 = 1 to 2 days in the past 12 months	118	0.66
		81 = NEVER USED INHALANTS Logically assigned	224	1.26
		83 = DID NOT USE INHALANTS IN PAST 12 MONTHS Log assn .	45	0.25
		85 = BAD DATA Logically assigned	28	0.16
		91 = NEVER USED INHALANTS	16347	92.11
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	784	4.42
		98 = BLANK (NO ANSWER)	29	0.16

LABEL	LEN	DESCRIPTION	INHALANTS		FREQ	%
-----	----	-----			-----	-
		IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?				
INH DY30A	2	# DAYS USED INHALANTS PAST 30 DAYS				
		RANGE = 1 - 30			127	0.72
		81 = NEVER USED INHALANTS Logically assigned			227	1.28
		83 = DID NOT USE INHALANTS IN THE PAST 30 DAYS Log assn			100	0.56
		85 = BAD DATA Logically assigned			10	0.06
		91 = NEVER USED INHALANTS			16344	92.09
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS			907	5.11
		95 = BAD DATA			1	0.01
		98 = BLANK (NO ANSWER)			31	0.17

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		ANALGESICS -- ANSWER SHEET #9		

		FI CHECKPOINT I; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPANLRD	2	CAN RESP. COMPLETE PAIN KILLERS ANS. SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	16936	95.43
		2 = No, I doubt that resp. can complt. it alone - SKIP	627	3.53
		96 = MULTIPLE RESPONSE	10	0.06
		98 = BLANK (NO ANSWER)	174	0.98
		PK-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
ANLREAD	2	PAIN KILLERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1250	7.04
		2 = Wants to complete the answer sheet on his/her own	15901	89.60
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	310	1.75
		99 = LEGITIMATE SKIP	282	1.59
		PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of pre- scription pain killers, in pill and non-pill form.		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Yes	381	2.15
		2 = No	785	4.42
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	141	0.79
		91 = NEVER USED PAIN KILLERS	16377	92.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	59	0.33

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DARVON	2	EVER USED DARVON "NONMEDICALLY"		
		1 = Yes	160	0.90
		2 = No	979	5.52
		81 = NEVER USED PAIN KILLERS Logically assigned	143	0.81
		91 = NEVER USED PAIN KILLERS	16375	92.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	87	0.49
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Yes	160	0.90
		2 = No	978	5.51
		81 = NEVER USED PAIN KILLERS Logically assigned	145	0.82
		91 = NEVER USED PAIN KILLERS	16373	92.26
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	88	0.50
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Yes	60	0.34
		2 = No	1072	6.04
		81 = NEVER USED PAIN KILLERS Logically assigned	149	0.84
		91 = NEVER USED PAIN KILLERS	16369	92.24
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	94	0.53
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Yes	46	0.26
		2 = No	1084	6.11
		81 = NEVER USED PAIN KILLERS Logically assigned	148	0.83
		91 = NEVER USED PAIN KILLERS	16370	92.24
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	96	0.54
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Yes	97	0.55
		2 = No	1035	5.83
		81 = NEVER USED PAIN KILLERS Logically assigned	149	0.84
		91 = NEVER USED PAIN KILLERS	16369	92.24
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	94	0.53

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
PERCODAN	2	EVER USED PERCODAN "NONMEDICALLY"		
		1 = Yes	205	1.16
		2 = No	933	5.26
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	153	0.86
		91 = NEVER USED PAIN KILLERS	16365	92.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	86	0.48
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Yes	55	0.31
		2 = No	1071	6.03
		81 = NEVER USED PAIN KILLERS Logically assigned	148	0.83
		91 = NEVER USED PAIN KILLERS	16370	92.24
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	100	0.56
TYLCO	2	EVER USED TYLENOL WITH CODEINE "NONMEDICALLY"		
		1 = Yes	598	3.37
		2 = No	562	3.17
		81 = NEVER USED PAIN KILLERS Logically assigned	188	1.06
		91 = NEVER USED PAIN KILLERS	16330	92.02
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	66	0.37
ANLCKNAM	2	USED PAIN KILLER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	272	1.53
		2 = No	836	4.71
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	481	2.71
		91 = NEVER USED PAIN KILLERS	16037	90.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	116	0.65
ANLNOLST	2	USED PAIN KILLER "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	200	1.13
		2 = No	714	4.02
		3 = Yes LOGICALLY ASSIGNED	221	1.25
		81 = NEVER USED PAIN KILLERS Logically assigned	431	2.43
		91 = NEVER USED PAIN KILLERS	16087	90.65
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	91	0.51

ANALGESICS						
LABEL	LEN	DESCRIPTION		FREQ	%	
-----	---	-----		----	-	
ANALNEWA	4	USED OTHER PAIN KILLER (FIRST MENTION)				
		105 = Placidyl		1	0.01	
		115 = Phenobarbital		1	0.01	
		116 = Methaqualone, Parest, Quaalude, Sopor		5	0.03	
		120 = Downers; OTHER Sedative, NOT SPECIFIED		2	0.01	
		124 = Yellow jackets		1	0.01	
		125 = Qulande [sic]		1	0.01	
		129 = Reds		1	0.01	
		138 = Mandrax [sic]		2	0.01	
		161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Ru		4	0.02	
		201 = Valium		6	0.03	
		209 = Xanax		7	0.04	
		234 = Cyclobenzaprine, Flexeril		1	0.01	
		244 = Roche 2 (Mexican) [sic]		1	0.01	
		311 = Preludin		1	0.01	
		332 = Ephedrine (HCl) [see also 346]		1	0.01	
		402 = Dolene		1	0.01	
		404 = Wygesic		2	0.01	
		405 = Levo-Dromoran		1	0.01	
		406 = Oxycodone, Percodan, Roxicet		2	0.01	
		407 = Demerol		1	0.01	
		413 = Talacen		2	0.01	
		420 = OTHER Analgesic, NOT SPECIFIED		2	0.01	
		421 = USED ANALGESIC, DON'T KNOW NAME		18	0.10	
		422 = Motrin		9	0.05	
		423 = Percocet		7	0.04	
		425 = Advil		1	0.01	
		426 = Butalbital, Fiorinal, Phrenilin Forte		3	0.02	
		427 = Darvocet		5	0.03	
		431 = Tylox		3	0.02	
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin		20	0.11	
		435 = Tylenol, Tylenol Extra Strength <OTC>		1	0.01	
		438 = Anaprox, Naprosyn		4	0.02	
		439 = 222, Canadian 222		1	0.01	
		440 = Soma		5	0.03	
		442 = Ibuprofen		5	0.03	
		450 = Acetaminophen <OTC>		1	0.01	
		456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]		1	0.01	
		458 = Mepergan, Mepergan Fortis		1	0.01	
		463 = Lisalgil [sic]		1	0.01	
		465 = Fentanyl		1	0.01	
		484 = Volume Roach 2-10-8 [sic], Volumes		1	0.01	
		487 = Ariel		1	0.01	
		488 = Polofin [sic]		1	0.01	
		489 = Plruteam[sic]		1	0.01	
		530 = Asthma inhaler, asthma med., bronchial dilators ..		1	0.01	
		811 = Muscle relaxers		5	0.03	
		9900 = NOT A DRUG		1	0.01	
		9981 = NEVER USED PAIN KILLERS Logically assigned		7	0.04	
		9985 = BAD DATA Logically assigned		3	0.02	

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		9991 = NEVER USED PAIN KILLERS	16511	93.04
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	1079	6.08
ANALNEWB	4	USED OTHER PAIN KILLER (SECOND MENTION)		
		109 = Seconal	1	0.01
		110 = Tuinal	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Ru	1	0.01
		201 = Valium	3	0.02
		209 = Xanax	2	0.01
		225 = Desyrel, Trazodone hydrochloride, Trazora, Trialod	1	0.01
		326 = White cross	1	0.01
		334 = Crossroads, cross tops	1	0.01
		406 = Oxycodone, Percodan, Roxicet	1	0.01
		415 = Codeine	1	0.01
		419 = Stadol	1	0.01
		422 = Motrin	1	0.01
		423 = Percocet	2	0.01
		425 = Advil	2	0.01
		427 = Darvocet	2	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	2	0.01
		455 = Fiorinal with Codeine	1	0.01
		811 = Muscle relaxers	1	0.01
		9991 = NEVER USED PAIN KILLERS	16518	93.07
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	1199	6.76
ANALNEWC	4	USED OTHER PAIN KILLER (THIRD MENTION)		
		201 = Valium	2	0.01
		209 = Xanax	2	0.01
		374 = Christmas tree(s)	1	0.01
		490 = Nubain	1	0.01
		9991 = NEVER USED PAIN KILLERS	16518	93.07
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	1220	6.87
ANALNEWD	4	USED OTHER PAIN KILLER (FOURTH MENTION)		
		161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Ru	1	0.01
		234 = Cyclobenzaprine, Flexeril	1	0.01
		327 = Black beauties, Black Beauty	1	0.01
		9991 = NEVER USED PAIN KILLERS	16518	93.07
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	1223	6.89

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ANALNEWE	4	USED OTHER PAIN KILLER (FIFTH MENTION)		
		9991 = NEVER USED PAIN KILLERS	16518	93.07
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	1226	6.91

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.

ANALNONE	2	NEVER USED PAIN KILLERS "NONMEDICALLY"		
		1 = Response circled	16181	91.18
		2 = Response not circled	1005	5.66
		3 = Response circled LOGICALLY ASSIGNED	337	1.90
		4 = Response not circled LOGICALLY ASSIGNED	163	0.92
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	58	0.33

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

ANALAGE	3	AGE WHEN FIRST USED PAIN KILLERS "NONMEDICALLY"		
		RANGE = 2 - 63	855	4.82
		981 = NEVER USED PAIN KILLERS Logically assigned	78	0.44
		985 = BAD DATA Logically assigned	28	0.16
		991 = NEVER USED PAIN KILLERS	16440	92.64
		994 = DON'T KNOW	8	0.05
		995 = BAD DATA	5	0.03
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	331	1.87

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALTOT	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	113	0.64
		2 = At least 101 but not more than 300 days	60	0.34
		3 = At least 12 but not more than 100 days	190	1.07
		4 = At least 3 but not more than 11 days	243	1.37
		5 = At least 1 but not more than 2 days	463	2.61
		81 = NEVER USED PAIN KILLERS Logically assigned	10	0.06
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED PAIN KILLERS	16508	93.02
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	156	0.88
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	113	0.64
		2 = More than 30 days ago but within the past 12 mos .	196	1.10
		3 = More than 12 months ago but within the past 3 yrs	131	0.74
		4 = More than 3 years ago	444	2.50
		8 = Use in past year LOGICALLY ASSIGNED	169	0.95
		9 = Use in lifetime LOGICALLY ASSIGNED	115	0.65
		81 = NEVER USED PAIN KILLERS Logically assigned	339	1.91
		91 = NEVER USED PAIN KILLERS	16179	91.16
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	58	0.33

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANLYRFRQ	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	20	0.11
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	8	0.05
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	28	0.16
		6 = 12 to 24 days (1 to 2 days a month)	45	0.25
		7 = 6 to 11 days (less than one day a month)	53	0.30
		8 = 3 to 5 days in the past 12 months	95	0.54
		9 = 1 to 2 days in the past 12 months	190	1.07
		81 = NEVER USED PAIN KILLERS Logically assigned	365	2.06
		83 = DID NOT USE PAIN KILLERS IN PST 12 MONTHS Log assn	138	0.78
		85 = BAD DATA Logically assigned	22	0.12
		91 = NEVER USED PAIN KILLERS	16153	91.02
		93 = DID NOT USE PAIN KILLERS IN THE PAST 12 MONTHS ...	552	3.11
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	52	0.29

TRANQUILIZERS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	-	
		TRANQUILIZERS -- ANSWER SHEET #10			

		FI CHECKPOINT J; DO YOU THINK R CAN			
		COMPLETE THIS ANSWER SHEET ON HIS/HER			
		OWN?			
SKPTRNRD	2	CAN RESP COMPLETE TRANQUILIZERS ANS SHEET ALONE			
		1 = Yes, I think resp can complete answer sheet alone	16980	95.68	
		2 = No, I doubt that resp. can complt. it alone - SKIP	630	3.55	
		96 = MULTIPLE RESPONSE	5	0.03	
		98 = BLANK (NO ANSWER)	132	0.74	
		T-0. You may complete the rest of this			
		answer sheet on your own, or if you			
		prefer, I'll read the questions out			
		loud. Which do you prefer?			
TRNREAD	2	TRANQUILIZERS - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1195	6.73	
		2 = Wants to complete the answer sheet on his/her own	16013	90.23	
		96 = MULTIPLE RESPONSE	1	0.01	
		98 = BLANK (NO ANSWER)	261	1.47	
		99 = LEGITIMATE SKIP	277	1.56	
		T-1. As you read the following list of			
		prescription tranquilizers, please mark			
		one box beside each tranquilizer to			
		indicate whether you have ever used that			
		tranquilizer when it was not prescribed			
		for you, or that you took only for the			
		experience or feeling it caused. Again,			
		we are interested in all kinds of pre-			
		scription tranquilizers, in pill or			
		non-pill form.			
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"			
		1 = Yes	17	0.10	
		2 = No	689	3.88	
		81 = NEVER USED TRANQUILIZERS Logically assigned	162	0.91	
		91 = NEVER USED TRANQUILIZERS	16808	94.71	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	69	0.39	

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ATIVAN	2	EVER USED ATIVAN "NONMEDICALLY"		
		1 = Yes	51	0.29
		2 = No	654	3.69
		81 = NEVER USED TRANQUILIZERS Logically assigned	166	0.94
		91 = NEVER USED TRANQUILIZERS	16804	94.69
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	70	0.39
DIAZEPAM	2	EVER USED DIAZEPAM "NONMEDICALLY"		
		1 = Yes	58	0.33
		2 = No	645	3.63
		81 = NEVER USED TRANQUILIZERS Logically assigned	168	0.95
		91 = NEVER USED TRANQUILIZERS	16802	94.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Yes	70	0.39
		2 = No	637	3.59
		81 = NEVER USED TRANQUILIZERS Logically assigned	169	0.95
		91 = NEVER USED TRANQUILIZERS	16801	94.67
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	68	0.38
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Yes	27	0.15
		2 = No	672	3.79
		81 = NEVER USED TRANQUILIZERS Logically assigned	171	0.96
		91 = NEVER USED TRANQUILIZERS	16799	94.66
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	76	0.43
VALIUM	2	EVER USED VALIUM "NONMEDICALLY"		
		1 = Yes	469	2.64
		2 = No	254	1.43
		81 = NEVER USED TRANQUILIZERS Logically assigned	171	0.96
		91 = NEVER USED TRANQUILIZERS	16799	94.66
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	52	0.29
XANAX	2	EVER USED XANAX "NONMEDICALLY"		
		1 = Yes	231	1.30
		2 = No	479	2.70
		81 = NEVER USED TRANQUILIZERS Logically assigned	197	1.11
		91 = NEVER USED TRANQUILIZERS	16773	94.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	65	0.37

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRDKNAM	2	USED TRANQUILIZER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	112	0.63
		2 = No	569	3.21
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned	460	2.59
		91 = NEVER USED TRANQUILIZERS	16510	93.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	93	0.52
TRNOLST	2	USED TRANQUILIZER "NONMEDICALLY", NOT LISTED ABOVE		
		1 = Yes	59	0.33
		2 = No	517	2.91
		3 = Yes LOGICALLY ASSIGNED	101	0.57
		81 = NEVER USED TRANQUILIZERS Logically assigned	437	2.46
		91 = NEVER USED TRANQUILIZERS	16533	93.16
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	98	0.55
TRNEWA	4	USED OTHER TRANQUILIZER (FIRST MENTION)		
		113 = Halcion	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	4	0.02
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		129 = Reds	1	0.01
		161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Ru	1	0.01
		168 = Rahypnol, Rohybenol [sic], Ruhibinol [sic]	2	0.01
		211 = Buspar	1	0.01
		212 = Miltown	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME	5	0.03
		234 = Cyclobenzaprine, Flexeril	2	0.01
		239 = Elavil [see also 228]	1	0.01
		241 = Prozac	1	0.01
		247 = Adapin, Doxepin, Sinequan	1	0.01
		271 = Zolofit	1	0.01
		345 = Black Molly	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.01
		440 = Soma	1	0.01
		451 = Ansaidd [sic]	1	0.01
		9981 = NEVER USED TRANQUILIZERS Logically assigned	4	0.02
		9985 = BAD DATA Logically assigned	2	0.01
		9991 = NEVER USED TRANQUILIZERS	16966	95.60
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	744	4.19
TRNEWB	4	USED OTHER TRANQUILIZER (SECOND MENTION)		
		425 = Advil	1	0.01
		9991 = NEVER USED TRANQUILIZERS	16970	95.62
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	774	4.36

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRNEWC	4	USED OTHER TRANQUILIZER (THIRD MENTION)		
		435 = Tylenol, Tylenol Extra Strength <OTC>	1	0.01
		9991 = NEVER USED TRANQUILIZERS	16970	95.62
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	774	4.36
TRNEWD	4	USED OTHER TRANQUILIZER (FOURTH MENTION)		
		9991 = NEVER USED TRANQUILIZERS	16970	95.62
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	775	4.37
TRNEWE	4	USED OTHER TRANQUILIZER (FIFTH MENTION)		
		9991 = NEVER USED TRANQUILIZERS	16970	95.62
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	775	4.37
<p>If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.</p>				
NOTRANQ	2	NEVER USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Response circled	16604	93.56
		2 = Response not circled	653	3.68
		3 = Response circled LOGICALLY ASSIGNED	366	2.06
		4 = Response not circled LOGICALLY ASSIGNED	50	0.28
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41
<p>T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?</p>				
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 2 - 51	597	3.36
		981 = NEVER USED TRANQUILIZERS Logically assigned	43	0.24
		985 = BAD DATA Logically assigned	21	0.12
		991 = NEVER USED TRANQUILIZERS	16927	95.38
		994 = DON'T KNOW	1	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	155	0.87

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANTOT	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	82	0.46
		2 = At least 101 but not more than 300 days	51	0.29
		3 = At least 12 but not more than 100 days	136	0.77
		4 = At least 3 but not more than 11 days	157	0.88
		5 = At least 1 but not more than 2 days	258	1.45
		81 = NEVER USED TRANQUILIZERS Logically assigned	9	0.05
		91 = NEVER USED TRANQUILIZERS	16961	95.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	91	0.51
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	47	0.26
		2 = More than 30 days ago but within the past 12 mos .	104	0.59
		3 = More than 12 months ago but within the past 3 yrs	76	0.43
		4 = More than 3 years ago	376	2.12
		8 = Use in past year LOGICALLY ASSIGNED	79	0.45
		9 = Use in lifetime LOGICALLY ASSIGNED	21	0.12
		81 = NEVER USED TRANQUILIZERS Logically assigned	370	2.08
		91 = NEVER USED TRANQUILIZERS	16600	93.54
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRNYRFRQ	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MO		
		1 = More than 300 days (every day or almost every day)	14	0.08
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	6	0.03
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	17	0.10
		6 = 12 to 24 days (1 to 2 days a month)	22	0.12
		7 = 6 to 11 days (less than one day a month)	26	0.15
		8 = 3 to 5 days in the past 12 months	41	0.23
		9 = 1 to 2 days in the past 12 months	88	0.50
		81 = NEVER USED TRANQUILIZERS Logically assigned	379	2.14
		83 = DID NOT USE TRANQUILIZERS PAST 12 MOS Log assn ...	30	0.17
		85 = BAD DATA Logically assigned	8	0.05
		91 = NEVER USED TRANQUILIZERS	16591	93.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	443	2.50
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	69	0.39

LABEL	LEN	DESCRIPTION	STIMULANTS	FREQ	%
-----	---	-----		----	-
		STIMULANTS -- ANSWER SHEET #11			

		FI CHECKPOINT K; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?			
SKPSTMRD	2	CAN RESP COMPLETE STIMULANTS ANS SHEET ALONE			
		1 = Yes, I think respondent can complete it alone	16993	95.75	
		2 = No, I doubt that resp. can complt. it alone - SKIP	616	3.47	
		98 = BLANK (NO ANSWER)	138	0.78	
		ST-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?			
STMREAD	2	STIMULANTS - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1185	6.68	
		2 = Wants to complete the answer sheet on his/her own	16023	90.29	
		96 = MULTIPLE RESPONSE	1	0.01	
		98 = BLANK (NO ANSWER)	257	1.45	
		99 = LEGITIMATE SKIP	281	1.58	
		ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of pre- scription stimulants, in pill or non-pill form.			
BENZ	2	EVER USED BENZEDRINE "NONMEDICALLY"			
		1 = Yes	91	0.51	
		2 = No	656	3.70	
		81 = NEVER USED STIMULANTS Logically assigned	169	0.95	
		91 = NEVER USED STIMULANTS	16753	94.40	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	75	0.42	

STIMULANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
BIPHET	2	EVER USED BIPHETAMINE "NONMEDICALLY"		
		1 = Yes	83	0.47
		2 = No	659	3.71
		81 = NEVER USED STIMULANTS Logically assigned	173	0.97
		91 = NEVER USED STIMULANTS	16749	94.38
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	80	0.45
DEXAMYL	2	EVER USED DEXAMYL "NONMEDICALLY"		
		1 = Yes	33	0.19
		2 = No	709	4.00
		81 = NEVER USED STIMULANTS Logically assigned	175	0.99
		91 = NEVER USED STIMULANTS	16747	94.37
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	80	0.45
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Yes	121	0.68
		2 = No	625	3.52
		81 = NEVER USED STIMULANTS Logically assigned	176	0.99
		91 = NEVER USED STIMULANTS	16746	94.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	76	0.43
FASTIN	2	EVER USED FASTIN "NONMEDICALLY"		
		1 = Yes	45	0.25
		2 = No	695	3.92
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED STIMULANTS Logically assigned	176	0.99
		91 = NEVER USED STIMULANTS	16746	94.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	81	0.46
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Yes	42	0.24
		2 = No	696	3.92
		81 = NEVER USED STIMULANTS Logically assigned	176	0.99
		91 = NEVER USED STIMULANTS	16746	94.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	84	0.47

STIMULANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
METHAMP	2	EVER USED METHAMPHETAMINE "NONMEDICALLY"		
		1 = Yes	336	1.89
		2 = No	414	2.33
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		81 = NEVER USED STIMULANTS Logically assigned	176	0.99
		91 = NEVER USED STIMULANTS	16746	94.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	66	0.37
METHI	2	EVER USED METHEDRINE "NONMEDICALLY"		
		1 = Yes	76	0.43
		2 = No	667	3.76
		81 = NEVER USED STIMULANTS Logically assigned	177	1.00
		91 = NEVER USED STIMULANTS	16745	94.35
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	79	0.45
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Yes	65	0.37
		2 = No	678	3.82
		81 = NEVER USED STIMULANTS Logically assigned	191	1.08
		91 = NEVER USED STIMULANTS	16731	94.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	79	0.45
STMDKNAM	2	USED STIMULANT "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	191	1.08
		2 = No	515	2.90
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED STIMULANTS Logically assigned	481	2.71
		91 = NEVER USED STIMULANTS	16441	92.64
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	113	0.64
STMNOLST	2	USED STIMULANT "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	157	0.88
		2 = No	471	2.65
		3 = Yes LOGICALLY ASSIGNED	90	0.51
		81 = NEVER USED STIMULANTS Logically assigned	460	2.59
		91 = NEVER USED STIMULANTS	16462	92.76
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	104	0.59

STIMULANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	----	----
STIMNEWA	4	USED OTHER STIMULANT (FIRST MENTION)			
		124 = Yellow jackets	2	0.01	
		135 = Mini Thins	2	0.01	
		241 = Prozac	1	0.01	
		303 = Eskatrol	1	0.01	
		307 = Tenuate, Diethylpropion	1	0.01	
		316 = Sanorex	1	0.01	
		317 = Mazanor	1	0.01	
		318 = Ritalin, Methylphenidate	20	0.11	
		319 = Cylert	1	0.01	
		320 = Dextroamphetamine	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	9	0.05	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01	
		325 = USED STIMULANT, DON'T KNOW NAME	8	0.05	
		326 = White cross	17	0.10	
		327 = Black beauties, Black Beauty	9	0.05	
		328 = Pink hearts	1	0.01	
		329 = Robin's eggs, speckled eggs	1	0.01	
		331 = Blancas, Whites	4	0.02	
		332 = Ephedrine (HCl) [see also 346]	10	0.06	
		333 = 357 Magnum, Magnum 44	2	0.01	
		334 = Crossroads, cross tops	5	0.03	
		339 = Amphetamines (speed generically)	7	0.04	
		342 = Purple hearts	1	0.01	
		345 = Black Molly	2	0.01	
		347 = Phenylpropanolamine <OTC>	1	0.01	
		353 = No-Doz <OTC>	2	0.01	
		354 = Vivarin <OTC>	2	0.01	
		355 = Crystal meth	2	0.01	
		358 = 20/20	1	0.01	
		359 = Criss cross	1	0.01	
		373 = Captagon [sic]	1	0.01	
		374 = Christmas tree(s)	2	0.01	
		382 = Footballs, purple footballs	1	0.01	
		466 = Midol <OTC>	1	0.01	
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.01	
		809 = Pills	1	0.01	
		814 = Caffeine	3	0.02	
		876 = Glass	1	0.01	
		3004 = Black cadillac	1	0.01	
		9981 = NEVER USED STIMULANTS Logically assigned	3	0.02	
		9985 = BAD DATA Logically assigned	1	0.01	
		9991 = NEVER USED STIMULANTS	16919	95.33	
		9994 = DON'T KNOW	1	0.01	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	692	3.90	

STIMULANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
STIMNEWB	4	USED OTHER STIMULANT (SECOND MENTION)		
		124 = Yellow jackets	2	0.01
		241 = Prozac	1	0.01
		308 = Tepanil, Diethylpropion	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01
		326 = White cross	4	0.02
		327 = Black beauties, Black Beauty	5	0.03
		328 = Pink hearts	2	0.01
		329 = Robin's eggs, speckled eggs	2	0.01
		332 = Ephedrine (HCl) [see also 346]	1	0.01
		334 = Crossroads, cross tops	1	0.01
		348 = Crystal	1	0.01
		354 = Vivarin <OTC>	1	0.01
		366 = Duromine [sic]	1	0.01
		374 = Christmas tree(s)	1	0.01
		3001 = Brown and clear	1	0.01
		3002 = Pep ups	1	0.01
		3003 = Primatine tablets	1	0.01
		3005 = Methylandlanamine	1	0.01
		9991 = NEVER USED STIMULANTS	16922	95.35
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	793	4.47
STIMNEWC	4	USED OTHER STIMULANT (THIRD MENTION)		
		124 = Yellow jackets	2	0.01
		135 = Mini Thins	1	0.01
		271 = Zoloft	1	0.01
		313 = Adipex-P, Fastin, Phentermine hydrochloride	1	0.01
		325 = USED STIMULANT, DON'T KNOW NAME	1	0.01
		327 = Black beauties, Black Beauty	2	0.01
		603 = Mescaline	1	0.01
		9991 = NEVER USED STIMULANTS	16922	95.35
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	813	4.58
STIMNEWD	4	USED OTHER STIMULANT (FOURTH MENTION)		
		307 = Tenuate, Diethylpropion	1	0.01
		326 = White cross	1	0.01
		9991 = NEVER USED STIMULANTS	16922	95.35
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	820	4.62

STIMULANTS					
LABEL	LEN	DESCRIPTION		FREQ	%
-----		-----		----	-
STIMNEWE	4	USED OTHER STIMULANT (FIFTH MENTION)			
		309 = Didrex		1	0.01
		9991 = NEVER USED STIMULANTS		16922	95.35
		9994 = DON'T KNOW		1	0.01
		9997 = REFUSED		2	0.01
		9998 = BLANK (NO ANSWER)		821	4.63

If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.

NOSTIMS	2	NEVER USED STIMULANTS "NONMEDICALLY"				
		1 = Response circled	16566	93.35		
		2 = Response not circled	698	3.93		
		3 = Response circled LOGICALLY ASSIGNED	356	2.01		
		4 = Response not circled LOGICALLY ASSIGNED	37	0.21		
		94 = DON'T KNOW	1	0.01		
		97 = REFUSED	2	0.01		
		98 = BLANK (NO ANSWER)	87	0.49		

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"				
		RANGE = 5 - 48	650	3.66		
		981 = NEVER USED STIMULANTS Logically assigned	25	0.14		
		985 = BAD DATA Logically assigned	15	0.08		
		991 = NEVER USED STIMULANTS	16897	95.21		
		994 = DON'T KNOW	3	0.02		
		995 = BAD DATA	1	0.01		
		997 = REFUSED	2	0.01		
		998 = BLANK (NO ANSWER)	154	0.87		

		STIMULANTS				
LABEL	LEN	DESCRIPTION		FREQ	%	
-----	---	-----		----	-	
		ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?				
STIMTOT	2	# DAYS USED STIMULANTS "NONMEDICALLY" IN LIFE				
		1 = More than 300 days		118	0.66	
		2 = At least 101 but not more than 300 days		82	0.46	
		3 = At least 12 but not more than 100 days		210	1.18	
		4 = At least 3 but not more than 11 days		146	0.82	
		5 = At least 1 but not more than 2 days		161	0.91	
		81 = NEVER USED STIMULANTS Logically assigned		5	0.03	
		91 = NEVER USED STIMULANTS		16917	95.32	
		94 = DON'T KNOW		1	0.01	
		97 = REFUSED		2	0.01	
		98 = BLANK (NO ANSWER)		105	0.59	
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?				
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"				
		1 = Within the past 30 days		55	0.31	
		2 = More than 30 days ago but within the past 12 mos .		88	0.50	
		3 = More than 12 months ago but within the past 3 yrs		53	0.30	
		4 = More than 3 years ago		467	2.63	
		8 = Use in past year LOGICALLY ASSIGNED		53	0.30	
		9 = Use in lifetime LOGICALLY ASSIGNED		19	0.11	
		81 = NEVER USED STIMULANTS Logically assigned		359	2.02	
		91 = NEVER USED STIMULANTS		16563	93.33	
		94 = DON'T KNOW		1	0.01	
		97 = REFUSED		2	0.01	
		98 = BLANK (NO ANSWER)		87	0.49	

LABEL	LEN	DESCRIPTION	STIMULANTS	FREQ	%
-----	----	-----		-----	-
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?			
STMYRFRQ	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MOS			
		1 = More than 300 days (every day or almost every day)		17	0.10
		2 = 201 to 300 days (5 to 6 days a week)		7	0.04
		3 = 101 to 200 days (3 to 4 days a week)		10	0.06
		4 = 51 to 100 days (1 to 2 days a week)		19	0.11
		5 = 25 to 50 days (3 to 4 days a month)		10	0.06
		6 = 12 to 24 days (1 to 2 days a month)		20	0.11
		7 = 6 to 11 days (less than one day a month)		19	0.11
		8 = 3 to 5 days in the past 12 months		33	0.19
		9 = 1 to 2 days in the past 12 months		57	0.32
		81 = NEVER USED STIMULANTS Logically assigned		370	2.08
		83 = DID NOT USE STIMULANTS IN PAST 12 MONTHS Log assn		22	0.12
		85 = BAD DATA Logically assigned		7	0.04
		91 = NEVER USED STIMULANTS		16552	93.27
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS		517	2.91
		94 = DON'T KNOW		1	0.01
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		84	0.47

		SEDATIVES			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		SEDATIVES -- ANSWER SHEET #12			

		FI CHECKPOINT L; DO YOU THINK R CAN			
		COMPLETE THIS ANSWER SHEET ON HIS/HER			
		OWN?			
SKPSEDRD	2	CAN RESP COMPLETE SEDATIVES ANS SHEET ALONE			
		1 = Yes, I think that respondent can complete it alone	16977	95.66	
		2 = No, I doubt that resp. can complt. it alone - SKIP	618	3.48	
		96 = MULTIPLE RESPONSE	3	0.02	
		98 = BLANK (NO ANSWER)	149	0.84	
		S-0. You may complete the rest of this			
		answer sheet on your own, or if you			
		prefer, I'll read the questions out			
		loud. Which do you prefer?			
SEDREAD	2	SEDATIVES - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1157	6.52	
		2 = Wants to complete the answer sheet on his/her own	16042	90.39	
		96 = MULTIPLE RESPONSE	2	0.01	
		98 = BLANK (NO ANSWER)	267	1.50	
		99 = LEGITIMATE SKIP	279	1.57	
		S-1. As you read the following list of			
		prescription sedatives, please mark one			
		box beside each sedative to indicate			
		whether you have ever used that sedative			
		when it was not prescribed for you, or			
		that you took only for the experience			
		or feeling it caused. Again, we are			
		interested in all kinds of prescription			
		sedatives, in pill or non-pill form.			
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"			
		1 = Yes	35	0.20	
		2 = No	383	2.16	
		81 = NEVER USED SEDATIVES Logically assigned	191	1.08	
		91 = NEVER USED SEDATIVES	17068	96.17	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	67	0.38	

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Yes	41	0.23
		2 = No	374	2.11
		81 = NEVER USED SEDATIVES Logically assigned	193	1.09
		91 = NEVER USED SEDATIVES	17066	96.16
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	70	0.39
METHAQ	2	EVER USED METHAQUALONE "NONMEDICALLY"		
		1 = Yes	185	1.04
		2 = No	234	1.32
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED SEDATIVES Logically assigned	195	1.10
		91 = NEVER USED SEDATIVES	17064	96.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	65	0.37
NEMBUTAL	2	EVER USED NEMBUTAL "NONMEDICALLY"		
		1 = Yes	38	0.21
		2 = No	376	2.12
		81 = NEVER USED SEDATIVES Logically assigned	198	1.12
		91 = NEVER USED SEDATIVES	17061	96.13
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	71	0.40
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Yes	70	0.39
		2 = No	344	1.94
		81 = NEVER USED SEDATIVES Logically assigned	199	1.12
		91 = NEVER USED SEDATIVES	17060	96.13
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	71	0.40
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Yes	56	0.32
		2 = No	357	2.01
		81 = NEVER USED SEDATIVES Logically assigned	197	1.11
		91 = NEVER USED SEDATIVES	17062	96.14
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SECONAL	2	EVER USED SECONAL "NONMEDICALLY"		
		1 = Yes	106	0.60
		2 = No	312	1.76
		81 = NEVER USED SEDATIVES Logically assigned	195	1.10
		91 = NEVER USED SEDATIVES	17064	96.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	67	0.38
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Yes	74	0.42
		2 = No	340	1.92
		81 = NEVER USED SEDATIVES Logically assigned	202	1.14
		91 = NEVER USED SEDATIVES	17057	96.11
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	71	0.40
SEDDKNAM	2	OTHER SEDATIVE "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	87	0.49
		2 = No	292	1.65
		81 = NEVER USED SEDATIVES Logically assigned	464	2.61
		91 = NEVER USED SEDATIVES	16795	94.64
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	106	0.60
SEDNOLST	2	OTHER SEDATIVE "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	38	0.21
		2 = No	274	1.54
		3 = Yes LOGICALLY ASSIGNED	75	0.42
		81 = NEVER USED SEDATIVES Logically assigned	460	2.59
		91 = NEVER USED SEDATIVES	16799	94.66
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	98	0.55

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SEDNEWA	4	USED OTHER SEDATIVE (FIRST MENTION)		
		101 = Butisol	1	0.01
		104 = Mebaral	4	0.02
		107 = Noludar	2	0.01
		112 = Rasepam, Restoril, Temaz, Temazepam	2	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01
		121 = USED SEDATIVE, DON'T KNOW NAME	6	0.03
		129 = Reds	1	0.01
		161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Ru	1	0.01
		169 = Dolestan [sic] <German OTC>	1	0.01
		209 = Xanax	1	0.01
		343 = Nitroglycerine	1	0.01
		435 = Tylenol, Tylenol Extra Strength <OTC>	2	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		9981 = NEVER USED SEDATIVES Logically assigned	4	0.02
		9985 = BAD DATA Logically assigned	1	0.01
		9991 = NEVER USED SEDATIVES	17255	97.23
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	460	2.59
SEDNEWB	4	USED OTHER SEDATIVE (SECOND MENTION)		
		106 = Doriden	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01
		201 = Valium	1	0.01
		9991 = NEVER USED SEDATIVES	17259	97.25
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	482	2.72
SEDNEWC	4	USED OTHER SEDATIVE (THIRD MENTION)		
		9991 = NEVER USED SEDATIVES	17259	97.25
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	485	2.73
SEDNEWD	4	USED OTHER SEDATIVE (FOURTH MENTION)		
		9991 = NEVER USED SEDATIVES	17259	97.25
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	485	2.73
SEDNEWE	4	USED OTHER SEDATIVE (FIFTH MENTION)		
		9991 = NEVER USED SEDATIVES	17259	97.25
		9994 = DON'T KNOW	1	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	485	2.73

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.		
NOSDAT	2	NEVER USED SEDATIVES "NONMEDICALLY"		
		1 = Response circled	16871	95.06
		2 = Response not circled	359	2.02
		3 = Response circled LOGICALLY ASSIGNED	388	2.19
		4 = Response not circled LOGICALLY ASSIGNED	31	0.17
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	95	0.54
		S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 8 - 50	315	1.77
		981 = NEVER USED SEDATIVES Logically assigned	27	0.15
		985 = BAD DATA Logically assigned	14	0.08
		991 = NEVER USED SEDATIVES	17232	97.10
		994 = DON'T KNOW	3	0.02
		995 = BAD DATA	2	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	152	0.86

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDTOT	2	# DAYS USED SEDATIVES "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	48	0.27
		2 = At least 101 but not more than 300 days	28	0.16
		3 = At least 12 but not more than 100 days	82	0.46
		4 = At least 3 but not more than 11 days	90	0.51
		5 = At least 1 but not more than 2 days	133	0.75
		81 = NEVER USED SEDATIVES Logically assigned	3	0.02
		91 = NEVER USED SEDATIVES	17256	97.23
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	104	0.59
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	17	0.10
		2 = More than 30 days ago but within the past 12 mos .	23	0.13
		3 = More than 12 months ago but within the past 3 yrs	31	0.17
		4 = More than 3 years ago	280	1.58
		8 = Use in past year LOGICALLY ASSIGNED	31	0.17
		9 = Use in lifetime LOGICALLY ASSIGNED	8	0.05
		81 = NEVER USED SEDATIVES Logically assigned	389	2.19
		91 = NEVER USED SEDATIVES	16870	95.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	95	0.54

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDYRFRQ	2	# DAYS USED SEDATIVES "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	6	0.03
		4 = 51 to 100 days (1 to 2 days a week)	2	0.01
		5 = 25 to 50 days (3 to 4 days a month)	4	0.02
		6 = 12 to 24 days (1 to 2 days a month)	4	0.02
		7 = 6 to 11 days (less than one day a month)	9	0.05
		8 = 3 to 5 days in the past 12 months	18	0.10
		9 = 1 to 2 days in the past 12 months	26	0.15
		81 = NEVER USED SEDATIVES Logically assigned	397	2.24
		83 = DID NOT USE SEDATIVES IN PAST 12 MONTHS Log assn .	8	0.05
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED SEDATIVES	16862	95.01
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	311	1.75
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	95	0.54

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IMPUTED DEMOGRAPHICS		

		<p>The imputation-revised versions of age, race, ethnicity, gender, marital status, education and current work status were based on edited versions of the corresponding demographic questions on the core NHSDA answer sheet. When possible, screener data was used during the editing, however relevant data on any supplemental NHSDA answer sheet was not used.</p>		
BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12	17589	99.11
		98 = BLANK (NO ANSWER)	158	0.89
BIRYEAR	4	BIRTH YEAR		
		RANGE = 1883 - 1987	17589	99.11
		9998 = BLANK (NO ANSWER)	158	0.89
		<p>NOTE: For some records, IRAGE will not logically agree with the age obtained by comparing the birthdate (BRTHDATE) with the interview date (INTDATE). A person's age may be inferred from many questions in the NHSDA and during editing it was determined that for some cases, the recorded birthdate was not correct.</p>		
IRAGE	2	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 102	17747	100.00

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IIAGE	1	IRAGE INDICATOR		
		1 = Age from birthdate	17408	98.09
		2 = Age from cover of questionnaire	331	1.87
		3 = Age from roster	1	0.01
		4 = Age statistically imputed using age gr from roster	7	0.04
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male	7652	43.12
		2 = Female	10095	56.88
IISEX	1	IRSEX INDICATOR		
		1 = Sex from questionnaire	17547	98.87
		2 = Sex from relationship on roster	137	0.77
		3 = Sex from roster	63	0.35
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American Indian or Alaskan native	249	1.40
		2 = Asian or Pacific islander	395	2.23
		3 = Black	4386	24.71
		4 = White	12717	71.66
IIRACE	1	IRRACE INDICATOR		
		1 = Race from questionnaire	16901	95.23
		2 = Race from interview observation	801	4.51
		3 = Race from roster	37	0.21
		4 = Race statis imputed using race - "Other" on roster	1	0.01
		5 = Race statistically imputed, no infor. from roster	7	0.04
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	4599	25.91
		2 = Nonhispanic	13148	74.09
IIHOIND	1	IRHOIND INDICATOR		
		1 = Hispanicity derived from questionnaire	17661	99.52
		2 = Hispanicity derived from roster	86	0.48
IRHGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	502	2.83
		2 = Mexican	3039	17.12
		3 = Cuban	216	1.22
		4 = Other	842	4.74
		99 = LEGITIMATE SKIP	13148	74.09
IIHGRP	1	IMPUTATION INDICATOR FOR HISPANIC GROUP		
		1 = Hispanic-Origin Group taken from questionnaire ...	4506	25.39
		3 = Statistically imputed data	93	0.52
		9 = LEGITIMATE SKIP Respondent is not hispanic	13148	74.09

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRHGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	502	2.83
		2 = Mexican	3039	17.12
		3 = Cuban	216	1.22
		4 = Other	112	0.63
		5 = Central American	388	2.19
		6 = South American	213	1.20
		7 = Caribbean	129	0.73
		99 = LEGITIMATE SKIP Respondent is not hispanic	13148	74.09
IIHGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire ...	4506	25.39
		3 = Statistically imputed data	93	0.52
		9 = LEGITIMATE SKIP Respondent is not hispanic	13148	74.09
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married	5996	33.79
		2 = Widowed	375	2.11
		3 = Divorced or Separated	1698	9.57
		4 = Never Married	7354	41.44
		99 = LEGITIMATE SKIP	2324	13.10
IIMARIT	1	IRMARIT INDICATOR		
		1 = Questionnaire data	15192	85.60
		3 = Statistically imputed data	67	0.38
		4 = Logically imputed data from roster	157	0.88
		5 = Statistically imputed data	7	0.04
		9 = LEGITIMATE SKIP (less than or = 14 years old)	2324	13.10
IREduc	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	52	0.29
		1 = First grade	21	0.12
		2 = Second grade	50	0.28
		3 = Third grade	94	0.53
		4 = Fourth grade	111	0.63
		5 = Fifth grade	328	1.85
		6 = Sixth grade	1039	5.85
		7 = Seventh grade	954	5.38
		8 = Eighth grade	1163	6.55
		9 = Ninth grade	1265	7.13
		10 = Tenth grade	1241	6.99
		11 = Eleventh grade	1407	7.93
		12 = Twelfth grade	4608	25.96
		13 = Freshman/13th year	1045	5.89
		14 = Sophomore/14th year	1473	8.30
		15 = Junior/15th year	610	3.44
		16 = Senior/16th year	1494	8.42
		17 = Graduate/Professional School (or higher)	792	4.46

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	17668	99.55
		3 = Statistically imputed data	79	0.45
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	10342	58.27
		2 = No, did not graduate from high school	7405	41.73
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	13460	75.84
		2 = Logically imputed data	4249	23.94
		3 = Statistically imputed data	38	0.21
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	7219	40.68
		2 = Working part-time, less than 35 hours a week	2338	13.17
		3 = Have a job, but not at work, illness/maternity ...	104	0.59
		4 = Have a job but not at work b/c it is seasonal	79	0.45
		5 = Unemployed or laid off and looking for work	794	4.47
		6 = Unemployed or laid off and not looking for work ..	183	1.03
		7 = Full-time homemaker	1628	9.17
		8 = In school only	4494	25.32
		9 = Retired	421	2.37
		10 = Disabled for work	403	2.27
		11 = Other, in labor force	39	0.22
		12 = Other, not in labor force	45	0.25
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	17564	98.97
		2 = Logically imputed data	155	0.87
		3 = Statistically imputed data	28	0.16

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECENCY OF DRUG USE				
----- -- ---- --				
IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	5591	31.50
		2 = More than 30 days ago but within the past 12 mos .	740	4.17
		3 = More than 12 months ago but within the past 3 yrs	824	4.64
		4 = More than 3 years ago	3816	21.50
		9 = Never smoked cigarettes	6776	38.18
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16800	94.66
		2 = Imputed data	826	4.65
		3 = Statistically imputed data	121	0.68
IROTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	481	2.71
		2 = More than 30 days ago but within the past 12 mos .	309	1.74
		3 = More than 12 months ago but within the past 3 yrs	356	2.01
		4 = More than 3 years ago	1386	7.81
		9 = Never used smokeless tobacco	15215	85.73
IIOTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17597	99.15
		3 = Statistically imputed data	150	0.85
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	8280	46.66
		2 = More than 30 days ago but within the past 12 mos .	2508	14.13
		3 = More than 12 months ago but within the past 3 yrs	781	4.40
		4 = More than 3 years ago	1346	7.58
		9 = Never used alcohol	4832	27.23
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16251	91.57
		2 = Imputed data	1478	8.33
		3 = Statistically imputed data	18	0.10
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	1286	7.25
		2 = More than 30 days ago but within the past 12 mos .	949	5.35
		3 = More than 12 months ago but within the past 3 yrs	537	3.03
		4 = More than 3 years ago	3102	17.48
		9 = Never used marijuana	11873	66.90
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17173	96.77
		2 = Imputed data	557	3.14
		3 = Statistically imputed data	17	0.10

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	193	1.09
		2 = More than 30 days ago but within the past 12 mos .	272	1.53
		3 = More than 12 months ago but within the past 3 yrs	228	1.28
		4 = More than 3 years ago	1249	7.04
		9 = Never used cocaine	15805	89.06
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17555	98.92
		2 = Imputed data	169	0.95
		3 = Statistically imputed data	23	0.13
IRCRKRC	1	"CRACK" RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	59	0.33
		2 = More than 30 days ago but within the past 12 mos .	95	0.54
		3 = More than 12 months ago but within the past 3 yrs	72	0.41
		4 = More than 3 years ago	247	1.39
		9 = Never used "crack"	17274	97.33
IICRKRC	1	"CRACK" RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17686	99.66
		2 = Imputed data	53	0.30
		3 = Statistically imputed data	8	0.05
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	20	0.11
		2 = More than 30 days ago but within the past 12 mos .	29	0.16
		3 = More than 12 months ago but within the past 3 yrs	16	0.09
		4 = More than 3 years ago	130	0.73
		9 = Never used heroin	17552	98.90
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17706	99.77
		2 = Imputed data	19	0.11
		3 = Statistically imputed data	22	0.12
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	182	1.03
		2 = More than 30 days ago but within the past 12 mos .	253	1.43
		3 = More than 12 months ago but within the past 3 yrs	182	1.03
		4 = More than 3 years ago	1079	6.08
		9 = Never used hallucinogens	16051	90.44
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17536	98.81
		2 = Imputed data	160	0.90
		3 = Statistically imputed data	51	0.29

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	81	0.46
		2 = More than 30 days ago but within the past 12 mos .	192	1.08
		3 = More than 12 months ago but within the past 3 yrs	189	1.06
		4 = More than 3 years ago	893	5.03
		9 = Never used LSD	16392	92.36
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17695	99.71
		3 = Statistically imputed data	52	0.29
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	45	0.25
		3 = More than 12 months ago but within the past 3 yrs	60	0.34
		4 = More than 3 years ago	430	2.42
		9 = Never used PCP	17200	96.92
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17700	99.74
		3 = Statistically imputed data	47	0.26
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	140	0.79
		2 = More than 30 days ago but within the past 12 mos .	179	1.01
		3 = More than 12 months ago but within the past 3 yrs	119	0.67
		4 = More than 3 years ago	712	4.01
		9 = Never used inhalants	16597	93.52
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17547	98.87
		2 = Imputed data	133	0.75
		3 = Statistically imputed data	67	0.38
IRANLRC	1	ANALGESIC RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	177	1.00
		2 = More than 30 days ago but within the past 12 mos .	301	1.70
		3 = More than 12 months ago but within the past 3 yrs	155	0.87
		4 = More than 3 years ago	537	3.03
		9 = Never used analgesics	16577	93.41
IIANLRC	1	ANALGESIC RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17402	98.06
		3 = Statistically imputed data	345	1.94

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	82	0.46
		2 = More than 30 days ago but within the past 12 mos .	148	0.83
		3 = More than 12 months ago but within the past 3 yrs	77	0.43
		4 = More than 3 years ago	397	2.24
		9 = Never used tranquilizers	17043	96.03
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17573	99.02
		3 = Statistically imputed data	174	0.98
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	88	0.50
		2 = More than 30 days ago but within the past 12 mos .	108	0.61
		3 = More than 12 months ago but within the past 3 yrs	56	0.32
		4 = More than 3 years ago	487	2.74
		9 = Never used stimulants	17008	95.84
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17585	99.09
		3 = Statistically imputed data	162	0.91
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	40	0.23
		2 = More than 30 days ago but within the past 12 mos .	31	0.17
		3 = More than 12 months ago but within the past 3 yrs	31	0.17
		4 = More than 3 years ago	289	1.63
		9 = Never used sedatives	17356	97.80
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17610	99.23
		3 = Statistically imputed data	137	0.77

LABEL	LEN	FREQUENCY OF DRUG USE		FREQ	%
		DESCRIPTION			
-----	----	-----		----	-
		FREQUENCY OF DRUG USE			
		----- -- ---- --			
IRALCFQ	2	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED			
		1 = More than 300 days (every day or almost every day)	443	2.50	
		2 = 201 to 300 days (5 to 6 days a week)	318	1.79	
		3 = 101 to 200 days (3 to 4 days a week)	720	4.06	
		4 = 51 to 100 days (1 to 2 days a week)	1714	9.66	
		5 = 25 to 50 days (3 to 4 days a month)	1369	7.71	
		6 = 12 to 24 days (1 to 2 days a month)	1527	8.60	
		7 = 6 to 11 days (less than one day a month)	1346	7.58	
		8 = 3 to 5 days in the past 12 months	1622	9.14	
		9 = 1 to 2 days in the past 12 months	1729	9.74	
		10 = Never used or did not use in the past year	6959	39.21	
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data	10449	58.88	
		2 = Imputed data	6959	39.21	
		3 = Statistically imputed data	339	1.91	
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED			
		1 = More than 300 days (every day or almost every day)	199	1.12	
		2 = 201 to 300 days (5 to 6 days a week)	118	0.66	
		3 = 101 to 200 days (3 to 4 days a week)	168	0.95	
		4 = 51 to 100 days (1 to 2 days a week)	215	1.21	
		5 = 25 to 50 days (3 to 4 days a month)	207	1.17	
		6 = 12 to 24 days (1 to 2 days a month)	237	1.34	
		7 = 6 to 11 days (less than one day a month)	243	1.37	
		8 = 3 to 5 days in the past 12 months	345	1.94	
		9 = 1 to 2 days in the past 12 months	503	2.83	
		10 = Never used or did not use in the past year	15512	87.41	
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data	2148	12.10	
		2 = Imputed data	15512	87.41	
		3 = Statistically imputed data	87	0.49	
IRCOCFQ	2	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED			
		1 = More than 300 days (every day or almost every day)	22	0.12	
		2 = 201 to 300 days (5 to 6 days a week)	13	0.07	
		3 = 101 to 200 days (3 to 4 days a week)	17	0.10	
		4 = 51 to 100 days (1 to 2 days a week)	41	0.23	
		5 = 25 to 50 days (3 to 4 days a month)	31	0.17	
		6 = 12 to 24 days (1 to 2 days a month)	51	0.29	
		7 = 6 to 11 days (less than one day a month)	52	0.29	
		8 = 3 to 5 days in the past 12 months	80	0.45	
		9 = 1 to 2 days in the past 12 months	158	0.89	
		10 = Never used or did not use in the past year	17282	97.38	

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	433	2.44
		2 = Imputed data	17282	97.38
		3 = Statistically imputed data	32	0.18
IRCRKFQ	2	"CRACK" FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	10	0.06
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	10	0.06
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	10	0.06
		6 = 12 to 24 days (1 to 2 days a month)	18	0.10
		7 = 6 to 11 days (less than one day a month)	8	0.05
		8 = 3 to 5 days in the past 12 months	23	0.13
		9 = 1 to 2 days in the past 12 months	52	0.29
		10 = Never used or did not use in the past year	17593	99.13
IICRKFQ	1	"CRACK" FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	139	0.78
		2 = Imputed data	17597	99.15
		3 = Statistically imputed data	11	0.06
IRHERFQ	2	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	3	0.02
		2 = 201 to 300 days (5 to 6 days a week)	1	0.01
		3 = 101 to 200 days (3 to 4 days a week)	1	0.01
		4 = 51 to 100 days (1 to 2 days a week)	1	0.01
		5 = 25 to 50 days (3 to 4 days a month)	2	0.01
		6 = 12 to 24 days (1 to 2 days a month)	5	0.03
		7 = 6 to 11 days (less than one day a month)	4	0.02
		8 = 3 to 5 days in the past 12 months	7	0.04
		9 = 1 to 2 days in the past 12 months	25	0.14
		10 = Never used or did not use in the past year	17698	99.72
IIHERFQ	1	HEROIN FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	43	0.24
		2 = Imputed data	17698	99.72
		3 = Statistically imputed data	6	0.03
IRHALFQ	2	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	14	0.08
		2 = 201 to 300 days (5 to 6 days a week)	9	0.05
		3 = 101 to 200 days (3 to 4 days a week)	4	0.02
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	23	0.13
		6 = 12 to 24 days (1 to 2 days a month)	32	0.18
		7 = 6 to 11 days (less than one day a month)	54	0.30
		8 = 3 to 5 days in the past 12 months	84	0.47
		9 = 1 to 2 days in the past 12 months	199	1.12
		10 = Never used or did not use in the past year	17312	97.55

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	404	2.28
		2 = Imputed data	17312	97.55
		3 = Statistically imputed data	31	0.17
IRINHFQ	2	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	5	0.03
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	7	0.04
		4 = 51 to 100 days (1 to 2 days a week)	20	0.11
		5 = 25 to 50 days (3 to 4 days a month)	24	0.14
		6 = 12 to 24 days (1 to 2 days a month)	32	0.18
		7 = 6 to 11 days (less than one day a month)	34	0.19
		8 = 3 to 5 days in the past 12 months	64	0.36
		9 = 1 to 2 days in the past 12 months	129	0.73
		10 = Never used or did not use in the past year	17428	98.20
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	290	1.63
		2 = Imputed data	17428	98.20
		3 = Statistically imputed data	29	0.16
IRANLFQ	2	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	20	0.11
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	8	0.05
		4 = 51 to 100 days (1 to 2 days a week)	16	0.09
		5 = 25 to 50 days (3 to 4 days a month)	29	0.16
		6 = 12 to 24 days (1 to 2 days a month)	45	0.25
		7 = 6 to 11 days (less than one day a month)	55	0.31
		8 = 3 to 5 days in the past 12 months	99	0.56
		9 = 1 to 2 days in the past 12 months	199	1.12
		10 = Never used or did not use in the past year	17269	97.31
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	462	2.60
		2 = Imputed data	17269	97.31
		3 = Statistically imputed data	16	0.09
IRTRNFQ	2	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	15	0.08
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	6	0.03
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	17	0.10
		6 = 12 to 24 days (1 to 2 days a month)	23	0.13
		7 = 6 to 11 days (less than one day a month)	27	0.15
		8 = 3 to 5 days in the past 12 months	41	0.23
		9 = 1 to 2 days in the past 12 months	90	0.51
		10 = Never used or did not use in the past year	17517	98.70

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IITRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	225	1.27
		2 = Imputed data	17517	98.70
		3 = Statistically imputed data	5	0.03
IRSTMFQ	2	STIMULANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	18	0.10
		2 = 201 to 300 days (5 to 6 days a week)	7	0.04
		3 = 101 to 200 days (3 to 4 days a week)	10	0.06
		4 = 51 to 100 days (1 to 2 days a week)	19	0.11
		5 = 25 to 50 days (3 to 4 days a month)	10	0.06
		6 = 12 to 24 days (1 to 2 days a month)	20	0.11
		7 = 6 to 11 days (less than one day a month)	19	0.11
		8 = 3 to 5 days in the past 12 months	35	0.20
		9 = 1 to 2 days in the past 12 months	58	0.33
		10 = Never used or did not use in the past year	17551	98.90
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	192	1.08
		2 = Imputed data	17551	98.90
		3 = Statistically imputed data	4	0.02
IRSEDFQ	2	SEDATIVES FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	6	0.03
		4 = 51 to 100 days (1 to 2 days a week)	2	0.01
		5 = 25 to 50 days (3 to 4 days a month)	4	0.02
		6 = 12 to 24 days (1 to 2 days a month)	4	0.02
		7 = 6 to 11 days (less than one day a month)	9	0.05
		8 = 3 to 5 days in the past 12 months	20	0.11
		9 = 1 to 2 days in the past 12 months	26	0.15
		10 = Never used or did not use in the past year	17676	99.60
IISEDFQ	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	69	0.39
		2 = Imputed data	17676	99.60
		3 = Statistically imputed data	2	0.01

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 years	4595	25.89
		2 = 18-25 years	3963	22.33
		3 = 26-34 years	5213	29.37
		4 = 35+ years	3976	22.40
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years	4595	25.89
		2 = 18-25 years	3963	22.33
		3 = 26+ years	9189	51.78
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years	4595	25.89
		2 = 18-25 years	3963	22.33
		3 = 26-34 years	5213	29.37
		4 = 35-49 years	2867	16.15
		5 = 50+ years	1109	6.25
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	8459	47.66
		2 = Black (IRRACE = 3 and IRHOIND = 2)	4208	23.71
		3 = Hispanic (IRHOIND = 1)	4599	25.91
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	481	2.71
HISPRACE	1	RACE ETHNICITY		
		1 = Hispanic	4599	25.91
		2 = Nonhispanic Black	4208	23.71
		3 = Nonhispanic Nonblack	8940	50.37
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=>18)	3197	18.01
		2 = High school graduate (IREduc = 12 and IRAGE=>18) .	4546	25.62
		3 = Some college (IREduc = 13-15 and IRAGE => 18)	3123	17.60
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	2286	12.88
		5 = 12-17 year olds (IRAGE = 12-17)	4595	25.89
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST =1,3 and IRAGE => 18)	7234	40.76
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	1772	9.98
		3 = Unemployed (IRWORKST = 4,5,6,11 and IRAGE => 18) .	988	5.57
		4 = Other (IRWORKST = 7,8,9,10,12 and IRAGE => 18) ...	3158	17.79
		5 = 12-17 year olds (IRAGE = 12-17)	4595	25.89
BUSINES2	3	BUSINESS OR INDUSTRY OF RESPONDENT		
		RANGE = 1-16	13630	76.80
		992 = UNEMPLOYED/NOT CLASSIFIED BY INDUSTRY	28	0.16
		995 = BAD DATA	6	0.03
		998 = BLANK (NO ANSWER)	131	0.74
		999 = LEGITIMATE SKIP	3952	22.27

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ROCCUP2	3	KIND OF WORK OF RESPONDENT		
		RANGE = 1-16	13660	76.97
		995 = BAD DATA	4	0.02
		998 = BLANK (NO ANSWER)	131	0.74
		999 = LEGITIMATE SKIP	3952	22.27
MARISTAT	1	MARITAL STATUS RECODE		
		1 = Married (IRMARIT=1)	5996	33.79
		2 = Not Married (IRMARIT=2,3,4)	9427	53.12
		3 = LEGITIMATE SKIP (IRMARIT=99)	2324	13.10
NOTMAR	1	NOT MARRIED STATUS		
		1 = Never Married (IRMARIT=4)	7354	41.44
		2 = Divorced/Separated or Widowed (IRMARIT=2,3)	2073	11.68
		3 = Married/Legitimate Skip (IRMARIT=1,99)	8320	46.88

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		RECODED DRUG USE		

CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)	6776	38.18
		1 = Ever used (IRCIGRC = 1-4)	10971	61.82
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 3,4,9) ...	11416	64.33
		1 = Used within the past year (IRCIGRC = 1,2)	6331	35.67
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-4,9) ..	12156	68.50
		1 = Used within the past month (IRCIGRC = 1)	5591	31.50
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRRC = 9)	15215	85.73
		1 = Ever used (IROTBRRC = 1-4)	2532	14.27
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBRRC = 3,4,9) ...	16957	95.55
		1 = Used within the past year (IROTBRRC = 1,2)	790	4.45
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IROTBRRC = 2-4,9) ..	17266	97.29
		1 = Used within the past month (IROTBRRC = 1)	481	2.71
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)	4832	27.23
		1 = Ever used (IRALCRC = 1-4)	12915	72.77
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,4,9) ...	6959	39.21
		1 = Used within the past year (IRALCRC = 1,2)	10788	60.79
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-4,9) ..	9467	53.34
		1 = Used within the past month (IRALCRC = 1)	8280	46.66
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9)	11873	66.90
		1 = Ever used (IRMJRC = 1-4)	5874	33.10
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,4,9)	15512	87.41
		1 = Used within the past year (IRMJRC = 1,2)	2235	12.59

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-4,9) ...	16461	92.75
		1 = Used within the past month (IRMJRC = 1)	1286	7.25
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9)	15805	89.06
		1 = Ever used (IRCOCRC = 1-4)	1942	10.94
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,4,9) ...	17282	97.38
		1 = Used within the past year (IRCOCRC = 1,2)	465	2.62
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-4,9) ..	17554	98.91
		1 = Used within the past month (IRCOCRC = 1)	193	1.09
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC = 9)	17274	97.33
		1 = Ever used (IRCRKRC = 1-4)	473	2.67
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC= 3,4,9)	17593	99.13
		1 = Used within the past year (IRCRKRC = 1,2)	154	0.87
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 2-4,9) ..	17688	99.67
		1 = Used within the past month (IRCRKRC = 1)	59	0.33
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9)	17552	98.90
		1 = Ever used (IRHERRC = 1-4)	195	1.10
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 3,4,9) ...	17698	99.72
		1 = Used within the past year (IRHERRC = 1,2)	49	0.28
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-4,9) ..	17727	99.89
		1 = Used within the past month (IRHERRC = 1)	20	0.11
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)	16051	90.44
		1 = Ever used (IRHALRC = 1-4)	1696	9.56
HALYR	1	HALLUCINOGENS- PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 3,4,9) ...	17312	97.55
		1 = Used within the past year (IRHALRC = 1,2)	435	2.45

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-4,9) ..	17565	98.97
		1 = Used within the past month (IRHALRC = 1)	182	1.03
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC = 9)	16392	92.36
		1 = Ever used (IRLSDRC = 1-4)	1355	7.64
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,4,9) ...	17474	98.46
		1 = Used within the past year (IRLSDRC = 1,2)	273	1.54
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-4,9) ..	17666	99.54
		1 = Used within the past month (IRLSDRC = 1)	81	0.46
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	17200	96.92
		1 = Ever used (IRPCPRC = 1-4)	547	3.08
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,4,9) ...	17690	99.68
		1 = Used within the past year (IRPCPRC = 1,2)	57	0.32
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-4,9) ..	17735	99.93
		1 = Used within the past month (IRPCPRC = 1)	12	0.07
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	16597	93.52
		1 = Ever used (IRINHRC = 1-4)	1150	6.48
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,4,9) ...	17428	98.20
		1 = Used within the past year (IRINHRC = 1,2)	319	1.80
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-4,9) ..	17607	99.21
		1 = Used within the past month (IRINHRC = 1)	140	0.79
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	16577	93.41
		1 = Ever used (IRANLRC = 1-4)	1170	6.59
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,4,9) ...	17269	97.31
		1 = Used within the past year (IRANLRC = 1,2)	478	2.69

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-4,9) ..	17570	99.00
		1 = Used within the past month (IRANLRC = 1)	177	1.00
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)	17043	96.03
		1 = Ever used (IRTRNRC = 1-4)	704	3.97
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 3,4,9) ...	17517	98.70
		1 = Used within the past year (IRTRNRC = 1,2)	230	1.30
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-4,9) ..	17665	99.54
		1 = Used within the past month (IRTRNRC = 1)	82	0.46
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)	17008	95.84
		1 = Ever used (IRSTMRC = 1-4)	739	4.16
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 3,4,9) ...	17551	98.90
		1 = Used within the past year (IRSTMRC = 1,2)	196	1.10
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-4,9) ..	17659	99.50
		1 = Used within the past month (IRSTMRC = 1)	88	0.50
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)	17356	97.80
		1 = Ever used (IRSEDRC = 1-4)	391	2.20
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,4,9) ...	17676	99.60
		1 = Used within the past year (IRSEDRC = 1,2)	71	0.40
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-4,9) ..	17707	99.77
		1 = Used within the past month (IRSEDRC = 1)	40	0.23
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=10) .	6959	39.21
		1 = Any use within the past year (IRALCFQ=1-9)	10788	60.79
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=7-10)	11656	65.68
		1 = Used monthly or more often past year (IRALCFQ=1-6)	6091	34.32

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more pst year (IRALCFQ=5-10)	14552	82.00
		1 = Used weekly or more in past year (IRALCFQ=1-4) ...	3195	18.00
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr (IRALCFQ=1-6,10)	13050	73.53
		1 = Used past year but less than monthly (IRALCFQ=7-9)	4697	26.47
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG		
		0 = Did not use daily/almost dly pst yr (IRALCFQ=4-10)	16266	91.65
		1 = Used daily/almost daily in past year (IRALCFQ=1-3)	1481	8.35
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRMJFQ=10)	15512	87.41
		1 = Any use within the past year (IRMJFQ=1-9)	2235	12.59
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRMJFQ=7-10) .	16603	93.55
		1 = Used monthly or more in past year (IRMJFQ=1-6) ...	1144	6.45
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly/more past year (IRMJFQ=5-10) ..	17047	96.06
		1 = Used weekly or more in past year (IRMJFQ=1-4)	700	3.94
MRJOCCF	1	MARIJUANA OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10)	16656	93.85
		1 = Used past year but less than monthly (IRMJFQ=7-9)	1091	6.15
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10)	17262	97.27
		1 = Used daily/almost daily in past year (IRMJFQ=1-3)	485	2.73
COCYRF	1	COCAINE - ANY USE PAST YEAR		
		0 = Never used or did not use in pst year (IRCOCFQ=10)	17282	97.38
		1 = Any use within the past year (IRCOCFQ = 1-9)	465	2.62
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRCOCFQ=7-10)	17572	99.01
		1 = Used monthly or more often past year (IRCOCFQ=1-6)	175	0.99
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more pst year (IRCOCFQ=5-10)	17654	99.48
		1 = Used weekly or more often past year (IRCOCFQ=1-4)	93	0.52
COCOCCF	1	COCAINE OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRCOCFQ=1-6,9)	17457	98.37
		1 = Used past year but less than monthly (IRCOCFQ=7-9)	290	1.63

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
COCDLYF	1	COCAINE DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRCOCFQ=4-10)	17695	99.71
		1 = Used daily/almost daily in past year (IRCOCFQ=1-3)	52	0.29
CRKYRF	1	"CRACK" YEAR FLAG		
		0 = Never used or did not use in pst year (IRCRKFQ=10)	17593	99.13
		1 = Any use within the past year (IRCRKFQ = 1-9)	154	0.87
CRKMONF	1	"CRACK" MONTH FLAG		
		0 = Did not use monthly/more past year (IRCRKFQ=7-10)	17676	99.60
		1 = Used monthly or more often past year (IRCRKFQ=1-6)	71	0.40
CRKWKF	1	"CRACK" WEEK FLAG		
		0 = Did not use weekly or more pst year (IRCRKFQ=5-10)	17704	99.76
		1 = Used weekly or more often past year (IRCRKFQ=1-4)	43	0.24
CRKOCFF	1	"CRACK" OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr(IRCRKFQ=1-6,9)	17664	99.53
		1 = Used past year but less than monthly (IRCRKFQ=7-9)	83	0.47
CRKDLYF	1	"CRACK" DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRCRKFQ=4-10)	17720	99.85
		1 = Used daily/almost daily in past year (IRCRKFQ=1-3)	27	0.15
HERYRF	1	HEROIN YEAR FLAG		
		0 = Never used or did not use in pst year (IRHERFQ=10)	17698	99.72
		1 = Any use within the past year (IRHERFQ=1-9)	49	0.28
HERMONF	1	HEROIN MONTH FLAG		
		0 = Did not use monthly/more past year (IRHERFQ=7-9) .	17734	99.93
		1 = Used monthly or more often past year (IRHERFQ=1-6)	13	0.07
HERWKF	1	HEROIN WEEK FLAG		
		0 = Did not use weekly or more pst year (IRHERFQ=5-10)	17741	99.97
		1 = Used weekly or more often past year (IRHERFQ=1-4)	6	0.03
HEROCFF	1	HEROIN OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRHERFQ=1-6,10) .	17711	99.80
		1 = Used past year but less than monthly (IRHERFQ=7-9)	36	0.20
HERDLYF	1	HEROIN DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daly pst yr(IRHERFQ=4-10)	17742	99.97
		1 = Used daily/almost daily in past year (IRHERFQ=1-3)	5	0.03
HALYRF	1	HALLUCINOGENS YEAR FLAG		
		0 = Never used or did not use in pst year (IRHALFQ=10)	17312	97.55
		1 = Any use within the past year (IRHALFQ=1-9)	435	2.45

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HALMONF	1	HALLUCINOGENS MONTH FLAG		
		0 = Did not use monthly/more past year (IRHALFQ=7-10)	17649	99.45
		1 = Used monthly or more often past year (IRHALFQ=1-6)	98	0.55
HALWKF	1	HALLUCINOGENS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRHALFQ=5-10)	17704	99.76
		1 = Used weekly or more often past year (IRHALFQ=1-4)	43	0.24
HALOCCF	1	HALLUCINOGENS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRHALFQ=1-6,10)	17410	98.10
		1 = Used past year but less than monthly (IRHALFQ=7-9)	337	1.90
HALDLYF	1	HALLUCINOGENS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRHALFQ=4-10)	17720	99.85
		1 = Used daily/almost daily in past year (IRHALFQ=1-3)	27	0.15
INHYRF	1	INHALANTS YEAR FLAG		
		0 = Never used or did not use in pst year (IRINHFQ=10)	17428	98.20
		1 = Any use within the past year (IRINHFQ=1-9)	319	1.80
INHMONF	1	INHALANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRINHFQ=7-10)	17655	99.48
		1 = Used monthly or more often past year (IRINHFQ=1-6)	92	0.52
INHWKF	1	INHALANTS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRINHFQ=5-10)	17711	99.80
		1 = Used weekly or more often past year (IRINHFQ=1-4)	36	0.20
INHOCCF	1	INHALANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRINHFQ=1-6,10)	17520	98.72
		1 = Used past year but less than monthly (IRINHFQ=7-9)	227	1.28
INHDLFY	1	INHALANTS DAILY/ALMOST FLAG		
		0 = Did not use daily/almost dly pst yr(IRINHFQ=4-10)	17731	99.91
		1 = Used daily/almost daily in past year (IRINHFQ=1-3)	16	0.09
ANLYRF	1	ANALGESICS YEAR FLAG		
		0 = Never used or did not use in pst year (IRANLFQ=10)	17269	97.31
		1 = Any use within the past year (IRANLFQ=1-9)	478	2.69
ANLMONF	1	ANALGESICS MONTH FLAG		
		0 = Did not use monthly/more past year (IRANLFQ=7-10)	17622	99.30
		1 = Used monthly or more often past year (IRANLFQ=1-6)	125	0.70
ANLWKF	1	ANALGESICS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRANLFQ=5-10)	17696	99.71
		1 = Used weekly or more often past year (IRANLFQ=1-4)	51	0.29

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr (IRANLFQ=1-6,10) .	17394	98.01
		1 = Used past year but less than monthly (IRANLFQ=7-9)	353	1.99
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr (IRANLFQ=4-10)	17712	99.80
		1 = Used daily/almost daily in past year (IRANLFQ=1-3)	35	0.20
TRQYRF	1	TRANQUILIZERS YEAR FLAG		
		0 = Never used or did not use in pst year (IRTRNFQ=10)	17517	98.70
		1 = Any use within the past year (IRTRNFQ=1-9)	230	1.30
TRQMONF	1	TRANQUILIZERS MONTH FLAG		
		0 = Did not use monthly/more past year (IRTRNFQ=7-10)	17675	99.59
		1 = Used monthly or more often past year (IRTRNFQ=1-6)	72	0.41
TRQWKF	1	TRANQUILIZERS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRTRNFQ=5-10)	17715	99.82
		1 = Used weekly or more often past year (IRTRNFQ=1-4)	32	0.18
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr (IRTRNFQ=1-6,10) .	17589	99.11
		1 = Used past year but less than monthly (IRTRNFQ=7-9)	158	0.89
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr (IRTRNFQ=4-10)	17719	99.84
		1 = Used daily/almost daily in past year (IRTRNFQ=1-3)	28	0.16
STMYRF	1	STIMULANTS YEAR FLAG		
		0 = Never used or did not use in pst year (IRSTMFQ=10)	17551	98.90
		1 = Any use within the past year (IRSTMFQ=1-9)	196	1.10
STMMONF	1	STIMULANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRSTMFQ=7-10)	17663	99.53
		1 = Used monthly or more often past year (IRSTMFQ=1-6)	84	0.47
STMWKF	1	STIMULANTS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRSTMFQ=5-10)	17693	99.70
		1 = Used weekly or more often past year (IRSTMFQ=1-4)	54	0.30
STMOCCF	1	STIMULANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRSTMFQ=1-6,9)	17635	99.37
		1 = Used past year but less than monthly (IRSTMFQ=7-9)	112	0.63
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr (IRSTMFQ=4-10)	17712	99.80
		1 = Used daily/almost daily in past year (IRSTMFQ=1-3)	35	0.20

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SEDYRF	1	SEDATIVES YEAR FLAG		
		0 = Never used or did not use in pst year (IRSEDFQ=10)	17676	99.60
		1 = Any use within the past year (IRSEDFQ=1-9)	71	0.40
SEDMONF	1	SEDATIVES MONTH FLAG		
		0 = Did not use monthly/more past year (IRSEDFQ=7-10)	17731	99.91
		1 = Used monthly or more often past year (IRSEDFQ=1-6)	16	0.09
SEDWKF	1	SEDATIVES WEEK FLAG		
		0 = Did not use weekly or more pst year (IRSEDFQ=5-10)	17739	99.95
		1 = Used weekly or more often past year (IRSEDFQ=1-4)	8	0.05
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRSEDFQ=1-6,10) .	17692	99.69
		1 = Used past year but less than monthly (IRSEDFQ=7-9)	55	0.31
SEDDLYF	1	SEDATIVES DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRSEDFQ=4-10)	17741	99.97
		1 = Used daily/almost daily in past year (IRSEDFQ=1-3)	6	0.03
<p>The following three variables were created by examination of IRSEDRC(Q.S-4) IRTRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).</p>				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9)	15942	89.83
		1 = Ever used (ANY SOURCE VARIABLE < 9)	1805	10.17
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 2)	17064	96.15
		1 = Used in past year (ANY SOURCE VARIABLE < 3)	683	3.85
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	17448	98.32
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	299	1.68
<p>The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.</p>				
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0)	11156	62.86
		1 = Ever used (ANY SOURCE VARIABLE = 1)	6591	37.14

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.		
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0)	14970	84.35
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	2777	15.65
		The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.		
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	16108	90.76
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	1639	9.24
		The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
MJOFLAG	1	EVER USED ONLY MARIJUANA		
		0 = Never used MJ/has used both MJ & anothr illct drug	14848	83.66
		1 = Marijuana is only (illicit) drug ever used	2899	16.34
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.		
MJOYR2	1	USED ONLY MARIJUANA IN PAST YEAR		
		0 = MJ not used past yr/Used MJ & othr drug past yr ..	16338	92.06
		1 = Marijuana is only (illicit) drug in past year	1409	7.94
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	USED ONLY MARIJUANA IN PAST MONTH		
		0 = MJ not used past mnth/Used MJ & othr drug past mo	16783	94.57
		1 = Marijuana only (illicit) drug in past month	964	5.43

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	14055	79.20
		1 = Illicit drug except for marijuana are ever used ..	3692	20.80
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYR2.				
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	16379	92.29
		1 = Illicit drug except for marijuana used past year .	1368	7.71
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	17072	96.20
		1 = Illicit drug except for marijuana used past month	675	3.80
BINGEDRK	2	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = Never/No "Binge" ALC use (DR5DAY=0,81,83,90,91,93)	14200	80.01
		1 = "Binge" alcohol use (DR5DAY = 1-30)	2920	16.45
		99 = Unknown (DR5DAY = 85,94,95,98)	627	3.53
HVYDRK2	2	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No heavy ALC use(DR5DAY=0-4,81,83,90,91,93)	16053	90.45
		1 = Heavy alcohol use (DR5DAY = 5-30)	1067	6.01
		99 = Unknown (DR5DAY = 85,94,95,98)	627	3.53
The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON.				
BINGEHVY	2	LEVEL OF ALCOHOL USE PAST 30 DAYS		
		1 = Heavy alcohol use	1067	6.01
		2 = "Binge" alcohol use but not heavy use	1853	10.44
		3 = Past 30 day alcohol use but not "binge" use	4733	26.67
		4 = Did not use alcohol in the past 30 days	9467	53.34
		99 = Unknown	627	3.53

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,81,91,94,98)	17523	98.74
		1 = Yes (PEYOTE=1)	224	1.26
MESC2	1	EVER USED MESC		
		0 = No/Unknown (MESC=2,81,91,94,98)	17367	97.86
		1 = Yes (MESC=1)	380	2.14
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,81,91,94,98)	16981	95.68
		1 = Yes (PSILCY=1,3)	766	4.32
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)		
		0 = No/Unknown (ECSTASY=2,81,91,94,98)	17449	98.32
		1 = Yes (ECSTASY=1)	298	1.68
METHAMP2	1	EVER USED METHAMPHETAMINE "NONMEDICALLY"		
		0 = No/Unknown (METHAMP=2,81,91,94,97,98)	17405	98.07
		1 = Yes (METHAMP=1,3)	342	1.93
HERSMOK2	1	EVER SMOKED HEROIN		
		0 = No/Unknown (HERSMOKE=2,4,85,89,95,97,98,99)	17624	99.31
		1 = Yes (HERSMOKE=1,3)	123	0.69
HERSNIF2	1	EVER SNIFFED HEROIN		
		0 = No/Unknown (HERSNIFF=2,4,85,89,95,97,98,99)	17617	99.27
		1 = Yes (HERSNIFF=1,3)	130	0.73
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,81,91,98)	17325	97.62
		1 = Yes (AMYLNIT=1,3)	422	2.38
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,81,91,98)	17601	99.18
		1 = Yes (CLEFLU=1,3)	146	0.82
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,81,91,98)	17465	98.41
		1 = Yes (GAS=1)	282	1.59
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,81,91,98)	17460	98.38
		1 = Yes (GLUE=1,3)	287	1.62
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,81,91,98)	17693	99.70
		1 = Yes (ETHER=1)	54	0.30

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		0 = No/Unknown (SOLVENT=2,81,91,98)	17604	99.19
		1 = Yes (SOLVENT=1)	143	0.81
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = No/Unknown (LGAS=2,81,91,98)	17639	99.39
		1 = Yes (LGAS=1)	108	0.61
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		0 = No/Unknown (NITOXID=2,81,91,98)	17353	97.78
		1 = Yes (NITOXID=1,3)	394	2.22
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = No/Unknown (SPPAINT=2,81,91,98)	17572	99.01
		1 = Yes (SPPAINT=1)	175	0.99
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = No/Unknown (AEROS=2,81,91,98)	17630	99.34
		1 = Yes (AEROS=1)	117	0.66

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SELECTED UNEDITED VARIABLES				

C-4. How long has it been since you last smoked a cigarette?				
CG04	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	4763	26.84
		2 = More than 30 days ago but within the past 12 mos .	1007	5.67
		3 = More than 12 months ago but within the past 3 yrs	983	5.54
		4 = More than 3 years ago	4070	22.93
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED CIGARETTES	6845	38.57
		95 = BAD DATA	2	0.01
		98 = BLANK (NO ANSWER)	73	0.41
C-12. How long has it been since you last used chewing tobacco or snuff?				
CG12	2	TIME SINCE LAST USED SMOKELESS TOBACCO		
		1 = Within the past 30 days	475	2.68
		2 = More than 30 days ago but within the past 12 mos .	303	1.71
		3 = More than 12 months ago but within the past 3 yrs	348	1.96
		4 = More than 3 years ago	1346	7.58
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED SMOKELESS TOBACCO	15092	85.04
		98 = BLANK (NO ANSWER)	182	1.03
A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?				
AL03	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7239	40.79
		2 = More than 30 days ago but within the past 12 mos .	2850	16.06
		3 = More than 12 months ago but within the past 3 yrs	1263	7.12
		4 = More than 3 years ago	1527	8.60
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED ALCOHOL	4842	27.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	23	0.13
M-4. How long has it been since you last used marijuana or hashish?				
MJ04	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	1001	5.64
		2 = More than 30 days ago but within the past 12 mos .	861	4.85
		3 = More than 12 months ago but within the past 3 yrs	787	4.43
		4 = More than 3 years ago	3206	18.07
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED MARIJUANA	11851	66.78
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	36	0.20

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		CN-4. How long has it been since you last used any form of cocaine?		
CC04	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	113	0.64
		2 = More than 30 days ago but within the past 12 mos .	221	1.25
		3 = More than 12 months ago but within the past 3 yrs	282	1.59
		4 = More than 3 years ago	1290	7.27
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED COCAINE	15785	88.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	53	0.30
		CK-4. How long has it been since you last used "crack?"		
CK04	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	34	0.19
		2 = More than 30 days ago but within the past 12 mos .	78	0.44
		3 = More than 12 months ago but within the past 3 yrs	93	0.52
		4 = More than 3 years ago	261	1.47
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17206	96.95
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	70	0.39
		H-4. How long has it been since you last used heroin?		
HE04	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	11	0.06
		2 = More than 30 days ago but within the past 12 mos .	23	0.13
		3 = More than 12 months ago but within the past 3 yrs	23	0.13
		4 = More than 3 years ago	135	0.76
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED HEROIN	17477	98.48
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
LS04	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	97	0.55
		2 = More than 30 days ago but within the past 12 mos .	225	1.27
		3 = More than 12 months ago but within the past 3 yrs	228	1.28
		4 = More than 3 years ago	1104	6.22
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED HALLUCINOGENS	15978	90.03
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	107	0.60
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LS07	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	78	0.44
		2 = More than 30 days ago but within the past 12 mos .	187	1.05
		3 = More than 12 months ago but within the past 3 yrs	184	1.04
		4 = More than 3 years ago	863	4.86
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED LSD	16315	91.93
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	114	0.64
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
LS08	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	40	0.23
		3 = More than 12 months ago but within the past 3 yrs	54	0.30
		4 = More than 3 years ago	412	2.32
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED PCP	17028	95.95
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	196	1.10

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
IN04	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	73	0.41
		2 = More than 30 days ago but within the past 12 mos .	140	0.79
		3 = More than 12 months ago but within the past 3 yrs	168	0.95
		4 = More than 3 years ago	725	4.09
		85 = BAD DATA Logically assigned	14	0.08
		91 = NEVER USED INHALANTS	16361	92.19
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	265	1.49
		 PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK04	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	113	0.64
		2 = More than 30 days ago but within the past 12 mos .	196	1.10
		3 = More than 12 months ago but within the past 3 yrs	213	1.20
		4 = More than 3 years ago	526	2.96
		85 = BAD DATA Logically assigned	7	0.04
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	16691	94.05
		 T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR04	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	47	0.26
		2 = More than 30 days ago but within the past 12 mos .	104	0.59
		3 = More than 12 months ago but within the past 3 yrs	111	0.63
		4 = More than 3 years ago	419	2.36
		85 = BAD DATA Logically assigned	7	0.04
		98 = BLANK (NO ANSWER)	17059	96.12

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST04	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days	55	0.31
		2 = More than 30 days ago but within the past 12 mos .	88	0.50
		3 = More than 12 months ago but within the past 3 yrs	79	0.45
		4 = More than 3 years ago	492	2.77
		85 = BAD DATA Logically assigned	6	0.03
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	17026	95.94
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE04	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	17	0.10
		2 = More than 30 days ago but within the past 12 mos .	23	0.13
		3 = More than 12 months ago but within the past 3 yrs	44	0.25
		4 = More than 3 years ago	298	1.68
		85 = BAD DATA Logically assigned	3	0.02
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	17361	97.82

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13		

		FI CHECKPOINT M; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSDRD	2	CAN RESP COMPLETE SPECIAL DRUGS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16908	95.27
		2 = No, I doubt that resp. can complt. it alone - SKIP	668	3.76
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	170	0.96
		SD-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
SDREAD	2	SPECIAL DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1331	7.50
		2 = Wants to complete the answer sheet on his/her own	15825	89.17
		98 = BLANK (NO ANSWER)	289	1.63
		99 = LEGITIMATE SKIP	302	1.70
		SD-1. Have you ever, even once, used heroin in any form?		
HRANYFRM	2	*EVER USED HEROIN		
		1 = Yes, I have used heroin	199	1.12
		2 = No, I have never used heroin	17169	96.74
		3 = Yes LOGICALLY ASSIGNED	39	0.22
		4 = No LOGICALLY ASSIGNED	86	0.48
		85 = BAD DATA Logically assigned	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	252	1.42

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		SD-2. Have you ever, even once, smoked heroin?		
HERSMOKE	2	*EVER SMOKED HEROIN		
		1 = Yes, I have smoked heroin	102	0.57
		2 = No, I have used heroin, but never smoked it	247	1.39
		3 = Yes LOGICALLY ASSIGNED	21	0.12
		4 = No LOGICALLY ASSIGNED	3	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	647	3.65
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	115	0.65
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	16608	93.58
		SD-3. How long has it been since you last smoked heroin?		
HRSMKREC	2	*TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days	9	0.05
		2 = More than 30 days ago but within the past 12 mos .	17	0.10
		3 = More than 12 months ago but within the past 3 yrs	18	0.10
		4 = More than 3 years ago	63	0.35
		9 = Use in lifetime LOGICALLY ASSIGNED	16	0.09
		83 = USED HEROIN BUT NEVER SMOKED IT Logically assigned	7	0.04
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	190	1.07
		93 = USED HEROIN BUT NEVER SMOKED IT	106	0.60
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	252	1.42
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17065	96.16
		SD-4. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?		
HERSNIFF	2	*EVER SNIFFED HEROIN		
		1 = Yes, I have sniffed ("snorted") heroin	119	0.67
		2 = No, I have used heroin, but have never sniffed it	86	0.48
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		4 = No LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	211	1.19
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	269	1.52
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17044	96.04

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?		
HRSNFREC	2	*TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days	10	0.06
		2 = More than 30 days ago but within the past 12 mos .	11	0.06
		3 = More than 12 months ago but within the past 3 yrs	21	0.12
		4 = More than 3 years ago	83	0.47
		9 = Use in lifetime LOGICALLY ASSIGNED	5	0.03
		83 = USED HEROIN BUT NEVER SNIFFED IT Log assn	7	0.04
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	104	0.59
		93 = USED HEROIN BUT NEVER SNIFFED IT	72	0.41
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	278	1.57
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17151	96.64
		SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?		
GNNDLLIF	2	*EVER USED A NEEDLE TO INJECT DRUGS		
		1 = Yes, I have used a needle to inject a drug	186	1.05
		2 = No, I have never used a needle to inject a drug ..	17235	97.12
		3 = Yes LOGICALLY ASSIGNED	10	0.06
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	313	1.76
		SD-7. Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	*EVER USED A NEEDLE TO INJECT COCAINE		
		1 = Yes, I have used a needle to inject cocaine	116	0.65
		3 = Yes LOGICALLY ASSIGNED	12	0.07
		81 = NEVER USED COCAINE Logically assigned	2	0.01
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	3	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	269	1.52
		91 = NEVER USED COCAINE	145	0.82
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	33	0.19
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	198	1.12
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16966	95.60

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-8. How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days	3	0.02
		2 = More than 30 days ago but within the past 12 mos .	7	0.04
		3 = More than 12 months ago but within the past 3 yrs	15	0.08
		4 = More than 3 years ago	98	0.55
		9 = Use in lifetime LOGICALLY ASSIGNED	5	0.03
		81 = NEVER USED COCAINE Logically assigned	51	0.29
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	4	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	221	1.25
		91 = NEVER USED COCAINE	96	0.54
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	32	0.18
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	198	1.12
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17014	95.87
		SD-9. Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	*EVER USED A NEEDLE TO INJECT HEROIN		
		1 = Yes, I have used a needle to inject heroin	89	0.50
		3 = Yes LOGICALLY ASSIGNED	8	0.05
		81 = NEVER USED HEROIN Logically assigned	124	0.70
		83 = USED HEROIN BUT NEVER W/NEEDLE Log assn	2	0.01
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	240	1.35
		91 = NEVER USED HEROIN	149	0.84
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	8	0.05
		98 = BLANK (NO ANSWER)	128	0.72
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16995	95.76

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-10. How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days	2	0.01
		2 = More than 30 days ago but within the past 12 mos .	5	0.03
		3 = More than 12 months ago but within the past 3 yrs	14	0.08
		4 = More than 3 years ago	73	0.41
		9 = Use in lifetime LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED HEROIN Logically assigned	125	0.70
		83 = USED HEROIN BUT NEVER WITH A NEEDLE Log assn	2	0.01
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	261	1.47
		91 = NEVER USED HEROIN	148	0.83
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	8	0.05
		98 = BLANK (NO ANSWER)	128	0.72
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16974	95.64
		SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNEEDLE	2	*EVER USED A NEEDLE TO INJECT A STIMULANT		
		1 = Yes, I have used a needle to inject a stimulant ..	83	0.47
		3 = Yes LOGICALLY ASSIGNED	27	0.15
		81 = NEVER USED STIMULANTS Logically assigned	1	0.01
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	2	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	242	1.36
		91 = NEVER USED STIMULANTS	114	0.64
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	25	0.14
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	258	1.45
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	16993	95.75

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days	4	0.02
		2 = More than 30 days ago but within the past 12 mos .	8	0.05
		3 = More than 12 months ago but within the past 3 yrs	12	0.07
		4 = More than 3 years ago	85	0.48
		9 = Use in lifetime LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED STIMULANTS Logically assigned	5	0.03
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	3	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	233	1.31
		91 = NEVER USED STIMULANTS	110	0.62
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	24	0.14
		98 = BLANK (NO ANSWER)	258	1.45
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17002	95.80
		SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	*LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes	57	0.32
		2 = No	147	0.83
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	85	0.48
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	303	1.71
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17150	96.64

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	*LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes	38	0.21
		2 = No	167	0.94
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	112	0.63
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	302	1.70
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17123	96.48
		SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLLEN	2	*USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes	53	0.30
		2 = No	146	0.82
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	101	0.57
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	309	1.74
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17134	96.55
		SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	*SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes	49	0.28
		2 = No	151	0.85
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	103	0.58
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	306	1.72
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17132	96.53

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SD-17. The last time you used a needle for injecting drugs, how did you get the needle? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.		
GNNDGET	2	*PLACE YOU GOT THE NEEDLE LAST TIME		
		1 = I bought the needle from a pharmacy	73	0.41
		2 = I got the needle from a needle exchange	4	0.02
		3 = I bought the needle on the street	28	0.16
		4 = I got the needle in a shooting gallery	4	0.02
		5 = I got the needle some other way	57	0.32
		85 = BAD DATA Logically assigned	16	0.09
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	24	0.14
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	328	1.85
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17211	96.98
GNNDGTSP	2	*GOT LAST NEEDLE SOME OTHER WAY		
		6 = Given by, stolen from a friend	9	0.05
		7 = Given by, stolen from a relative	6	0.03
		8 = Given by, stolen from someone, relation unspecified	12	0.07
		9 = Came with drugs	1	0.01
		10 = Found it/got from a waste can	1	0.01
		12 = I got the needle from a needleexchange	1	0.01
		13 = I bought the needle on the street	1	0.01
		15 = Given by, stolen from medical facility/professionl	7	0.04
		85 = BAD DATA Logically assigned	1	0.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	470	2.65
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17235	97.12

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		NON-CORE DRUGS -- ANSWER SHEET #14		

		FI CHECKPOINT N; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPDRGRD	2	CAN RESPONDENT COMPLETE DRUGS ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16920	95.34
		2 = No, I doubt that resp. can complt. it alone - SKIP	644	3.63
		98 = BLANK (NO ANSWER)	183	1.03
		DR-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
DRGREAD	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1340	7.55
		2 = Wants to complete the answer sheet on his/her own	15799	89.02
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	312	1.76
		99 = LEGITIMATE SKIP	292	1.65
		All the questions on this answer sheet refer to the past 12 months -- that is, since your 12-month reference date.		
		DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.		
USEDICIG	2	*USED CIGARETTES PAST 12 MONTHS		
		1 = Yes	5934	33.44
		2 = No	11528	64.96
		3 = Yes LOGICALLY ASSIGNED	83	0.47
		4 = No LOGICALLY ASSIGNED	97	0.55
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	102	0.57

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
USEDALC	2	*USED ALCOHOL PAST 12 MONTHS		
		1 = Yes	9706	54.69
		2 = No	7802	43.96
		3 = Yes LOGICALLY ASSIGNED	63	0.35
		4 = No LOGICALLY ASSIGNED	102	0.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.41
USEDMRJ	2	*USED MARIJUANA/HASHISH PAST 12 MONTHS		
		1 = Yes	1949	10.98
		2 = No	15424	86.91
		3 = Yes LOGICALLY ASSIGNED	120	0.68
		4 = No LOGICALLY ASSIGNED	101	0.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	151	0.85
USEDCOC	2	*USED COCAINE (INCLUDING "CRACK") PAST 12 MONTHS		
		1 = Yes	331	1.87
		2 = No	16992	95.75
		3 = Yes LOGICALLY ASSIGNED	138	0.78
		4 = No LOGICALLY ASSIGNED	103	0.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	181	1.02
USEDHER	2	*USED HEROIN PAST 12 MONTHS		
		1 = Yes	70	0.39
		2 = No	17235	97.12
		3 = Yes LOGICALLY ASSIGNED	126	0.71
		4 = No LOGICALLY ASSIGNED	111	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	203	1.14
USEDHAL	2	*USED HALLUCINOGENS (LSD,PCP,ETC.) PAST 12 MONTHS		
		1 = Yes	326	1.84
		2 = No	17021	95.91
		3 = Yes LOGICALLY ASSIGNED	128	0.72
		4 = No LOGICALLY ASSIGNED	103	0.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	167	0.94
USEDINH	2	*USED INHALANTS (GLUE,SPRAY PAINT,ETC) PST 12 MOS		
		1 = Yes	224	1.26
		2 = No	17129	96.52
		3 = Yes LOGICALLY ASSIGNED	120	0.68
		4 = No LOGICALLY ASSIGNED	100	0.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	172	0.97

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
USEDANL	2	*USED PAIN KILLERS (CODEINE,ETC.) PAST 12 MONTHS		
		1 = Yes	410	2.31
		2 = No	16951	95.51
		3 = Yes LOGICALLY ASSIGNED	117	0.66
		4 = No LOGICALLY ASSIGNED	100	0.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	167	0.94
USEDTRN	2	*USED TRANQUILIZERS (VALIUM,ETC) PAST 12 MONTHS		
		1 = Yes	180	1.01
		2 = No	17161	96.70
		3 = Yes LOGICALLY ASSIGNED	118	0.66
		4 = No LOGICALLY ASSIGNED	106	0.60
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	180	1.01
USEDSTM	2	*USED STIMULANTS ("SPEED,"ETC.) PAST 12 MONTHS		
		1 = Yes	165	0.93
		2 = No	17191	96.87
		3 = Yes LOGICALLY ASSIGNED	119	0.67
		4 = No LOGICALLY ASSIGNED	101	0.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	169	0.95
USEDSED	2	*USED SEDATIVES (METHAQUALONE,ETC.) PAST 12 MONTHS		
		1 = Yes	80	0.45
		2 = No	17283	97.39
		3 = Yes LOGICALLY ASSIGNED	112	0.63
		4 = No LOGICALLY ASSIGNED	101	0.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	169	0.95
<p>If you answered "NO" to each of the items a through l in question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2.</p>				
NODRUGYR	2	*DID NOT USE DRUGS IN PAST 12 MONTHS		
		1 = Response circled	6508	36.67
		2 = Response not circled	10482	59.06
		3 = Response circled LOGICALLY ASSIGNED	211	1.19
		4 = Response not circled LOGICALLY ASSIGNED	499	2.81
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	45	0.25

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.		
GRTMCIG	2	*SPENT MONTH OR MORE ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	2595	14.62
		2 = No	7942	44.75
		4 = No LOGICALLY ASSIGNED	268	1.51
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	559	3.15
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	222	1.25
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6160	34.71
GRTMALC	2	*SPENT MONTH OR MORE ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	1736	9.78
		2 = No	8862	49.94
		4 = No LOGICALLY ASSIGNED	73	0.41
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	538	3.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	356	2.01
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6181	34.83
GRTMMRJ	2	*SPENT MONTH OR MORE ON MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	614	3.46
		2 = No	9819	55.33
		4 = No LOGICALLY ASSIGNED	442	2.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	529	2.98
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	151	0.85
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6190	34.88
GRTMCOC	2	*SPENT MONTH OR MORE ON COCAINE, "CRACK" PST 12 MO		
		1 = Yes	103	0.58
		2 = No	10299	58.03
		4 = No LOGICALLY ASSIGNED	482	2.72
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	525	2.96
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6194	34.90

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
GRTMHER	2	*SPENT MONTH OR MORE ON HEROIN PAST 12 MONTHS		
		1 = Yes	20	0.11
		2 = No	10375	58.46
		4 = No LOGICALLY ASSIGNED	488	2.75
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	521	2.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	144	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6198	34.92
GRTMHAL	2	*SPENT MONTH OR MORE ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes	64	0.36
		2 = No	10342	58.27
		4 = No LOGICALLY ASSIGNED	479	2.70
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	515	2.90
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	142	0.80
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6204	34.96
GRTMINH	2	*SPENT MONTH OR MORE ON INHALANTS PAST 12 MONTHS		
		1 = Yes	50	0.28
		2 = No	10358	58.36
		4 = No LOGICALLY ASSIGNED	478	2.69
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	509	2.87
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6210	34.99
GRTMANL	2	*SPENT MONTH OR MORE ON PAIN KILLERS PAST 12 MOS		
		1 = Yes	77	0.43
		2 = No	10327	58.19
		4 = No LOGICALLY ASSIGNED	479	2.70
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	509	2.87
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	144	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6210	34.99
GRTMTRN	2	*SPENT MONTH OR MORE ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes	43	0.24
		2 = No	10357	58.36
		4 = No LOGICALLY ASSIGNED	486	2.74
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	507	2.86
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6212	35.00

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
GRTMSTM	2	*SPENT MONTH OR MORE ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	64	0.36
		2 = No	10337	58.25
		4 = No LOGICALLY ASSIGNED	486	2.74
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	506	2.85
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6213	35.01
GRTMSED	2	*SPENT MONTH OR MORE ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	23	0.13
		2 = No	10375	58.46
		4 = No LOGICALLY ASSIGNED	492	2.77
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	508	2.86
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	137	0.77
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6211	35.00

DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.

LAMTCIG	2	*USED CIG MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	2296	12.94
		2 = No	8171	46.04
		4 = No LOGICALLY ASSIGNED	290	1.63
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	429	2.42
		98 = BLANK (NO ANSWER)	271	1.53
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6290	35.44
LAMTALC	2	*USED ALCOHOL MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	1552	8.75
		2 = No	8989	50.65
		4 = No LOGICALLY ASSIGNED	78	0.44
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	429	2.42
		98 = BLANK (NO ANSWER)	409	2.30
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6290	35.44
LAMTMRJ	2	*USED MJ/HASH MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	470	2.65
		2 = No	9914	55.86
		4 = No LOGICALLY ASSIGNED	478	2.69
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	428	2.41
		98 = BLANK (NO ANSWER)	166	0.94
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6291	35.45

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LAMTCOC	2	*USED COCAINE MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	100	0.56
		2 = No	10258	57.80
		4 = No LOGICALLY ASSIGNED	529	2.98
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	428	2.41
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6291	35.45
LAMTHER	2	*USED HEROIN MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	14	0.08
		2 = No	10340	58.26
		4 = No LOGICALLY ASSIGNED	532	3.00
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	427	2.41
		98 = BLANK (NO ANSWER)	142	0.80
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6292	35.45
LAMTHAL	2	*USED HALL MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	43	0.24
		2 = No	10313	58.11
		4 = No LOGICALLY ASSIGNED	526	2.96
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	425	2.39
		98 = BLANK (NO ANSWER)	146	0.82
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6294	35.47
LAMTINH	2	*USED INH MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	41	0.23
		2 = No	10316	58.13
		4 = No LOGICALLY ASSIGNED	528	2.98
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	425	2.39
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6294	35.47
LAMTANL	2	*USED PAIN KILLERS MORE OFT THAN INT PAST 12 MOS		
		1 = Yes	59	0.33
		2 = No	10299	58.03
		4 = No LOGICALLY ASSIGNED	526	2.96
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	424	2.39
		98 = BLANK (NO ANSWER)	144	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6295	35.47
LAMTTRN	2	*USED TRANQ MORE OFTEN THAN INTENDED PST 12 MOS		
		1 = Yes	29	0.16
		2 = No	10325	58.18
		4 = No LOGICALLY ASSIGNED	535	3.01
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	424	2.39
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6295	35.47

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LAMTSTM	2	*USED STIM MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	50	0.28
		2 = No	10306	58.07
		4 = No LOGICALLY ASSIGNED	534	3.01
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	424	2.39
		98 = BLANK (NO ANSWER)	138	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6295	35.47
LAMTSED	2	*USED SED MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	16	0.09
		2 = No	10338	58.25
		4 = No LOGICALLY ASSIGNED	540	3.04
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	425	2.39
		98 = BLANK (NO ANSWER)	134	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6294	35.47
DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.				
BTOLCIG	2	*BUILT UP TOLERANCE FOR CIGARETTES PAST 12 MONTHS		
		1 = Yes	1853	10.44
		2 = No	8601	48.46
		4 = No LOGICALLY ASSIGNED	294	1.66
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	412	2.32
		98 = BLANK (NO ANSWER)	280	1.58
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6307	35.54
BTOLALC	2	*BUILT UP TOLERANCE FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	1302	7.34
		2 = No	9230	52.01
		4 = No LOGICALLY ASSIGNED	83	0.47
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	411	2.32
		98 = BLANK (NO ANSWER)	413	2.33
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6308	35.54
BTOLMRJ	2	*BUILT UP TOLERANCE FOR MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	429	2.42
		2 = No	9945	56.04
		4 = No LOGICALLY ASSIGNED	488	2.75
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	166	0.94
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
BTOLCOC	2	*BUILT UP TOLERANCE FOR COCAINE PAST 12 MONTHS		
		1 = Yes	79	0.45
		2 = No	10265	57.84
		4 = No LOGICALLY ASSIGNED	545	3.07
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
BTOLHER	2	*BUILT UP TOLERANCE FOR HEROIN PAST 12 MONTHS		
		1 = Yes	29	0.16
		2 = No	10315	58.12
		4 = No LOGICALLY ASSIGNED	545	3.07
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
BTOLHAL	2	*BUILT UP TOLERANCE FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	40	0.23
		2 = No	10306	58.07
		4 = No LOGICALLY ASSIGNED	541	3.05
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
BTOLINH	2	*BUILT UP TOLERANCE FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	37	0.21
		2 = No	10312	58.11
		4 = No LOGICALLY ASSIGNED	539	3.04
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
BTOLANL	2	*BUILT UP TOLERANCE FOR PAIN KILLERS PAST 12 MOS		
		1 = Yes	60	0.34
		2 = No	10288	57.97
		4 = No LOGICALLY ASSIGNED	538	3.03
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	142	0.80
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
BTOLTRN	2	*BUILT UP TOLERANCE FOR TRANQUILIZERS PAST 12 MOS		
		1 = Yes	34	0.19
		2 = No	10314	58.12
		4 = No LOGICALLY ASSIGNED	544	3.07
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	136	0.77
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
BTOLSTM	2	*BUILT UP TOLERANCE FOR STIMULANTS PAST 12 MONTHS		
		1 = Yes	51	0.29
		2 = No	10293	58.00
		4 = No LOGICALLY ASSIGNED	549	3.09
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	409	2.30
		98 = BLANK (NO ANSWER)	135	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6310	35.56
BTOLSED	2	*BUILT UP TOLERANCE FOR SEDATIVES PAST 12 MONTHS		
		1 = Yes	28	0.16
		2 = No	10316	58.13
		4 = No LOGICALLY ASSIGNED	553	3.12
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	410	2.31
		98 = BLANK (NO ANSWER)	131	0.74
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6309	35.55
 DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.				
ACRDCIG	2	*CIG REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	467	2.63
		2 = No	9972	56.19
		4 = No LOGICALLY ASSIGNED	302	1.70
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	401	2.26
		98 = BLANK (NO ANSWER)	287	1.62
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6318	35.60
ACRDALC	2	*ALCOHOL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	561	3.16
		2 = No	9958	56.11
		4 = No LOGICALLY ASSIGNED	80	0.45
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	401	2.26
		98 = BLANK (NO ANSWER)	429	2.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6318	35.60
ACRDMRJ	2	*MJ/HASH REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	180	1.01
		2 = No	10185	57.39
		4 = No LOGICALLY ASSIGNED	499	2.81
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	401	2.26
		98 = BLANK (NO ANSWER)	164	0.92
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6318	35.60

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ACRDCOC	2	*COCAINE REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	97	0.55
		2 = No	10238	57.69
		4 = No LOGICALLY ASSIGNED	555	3.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	400	2.25
		98 = BLANK (NO ANSWER)	138	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6319	35.61
ACRDHER	2	*HEROIN REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	38	0.21
		2 = No	10295	58.01
		4 = No LOGICALLY ASSIGNED	557	3.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	400	2.25
		98 = BLANK (NO ANSWER)	138	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6319	35.61
ACRDHAL	2	*HALL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	48	0.27
		2 = No	10289	57.98
		4 = No LOGICALLY ASSIGNED	550	3.10
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61
ACRDINH	2	*INHALANTS REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	43	0.24
		2 = No	10292	57.99
		4 = No LOGICALLY ASSIGNED	554	3.12
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61
ACRDANL	2	*PAIN KILLER REDUCED IMPORTANT ACTIVITIES PST 12 MO		
		1 = Yes	54	0.30
		2 = No	10282	57.94
		4 = No LOGICALLY ASSIGNED	554	3.12
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	138	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61
ACRDTRN	2	*TRANQ REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	40	0.23
		2 = No	10296	58.02
		4 = No LOGICALLY ASSIGNED	557	3.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	135	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ACRDSTM	2	*STIM REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	45	0.25
		2 = No	10290	57.98
		4 = No LOGICALLY ASSIGNED	560	3.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	133	0.75
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61
ACRDSED	2	*SEDATIVES REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	34	0.19
		2 = No	10300	58.04
		4 = No LOGICALLY ASSIGNED	564	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	399	2.25
		98 = BLANK (NO ANSWER)	130	0.73
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6320	35.61
<p>DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems--such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.</p>				
EMPBCIG	2	*CIGARETTES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	431	2.43
		2 = No	9997	56.33
		4 = No LOGICALLY ASSIGNED	303	1.71
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	397	2.24
		98 = BLANK (NO ANSWER)	297	1.67
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6322	35.62
EMPBALC	2	*ALCOHOL CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	630	3.55
		2 = No	9876	55.65
		4 = No LOGICALLY ASSIGNED	84	0.47
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	397	2.24
		98 = BLANK (NO ANSWER)	438	2.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6322	35.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
EMPBMRJ	2	*MJ/HASH CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	355	2.00
		2 = No	9999	56.34
		4 = No LOGICALLY ASSIGNED	507	2.86
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	397	2.24
		98 = BLANK (NO ANSWER)	167	0.94
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6322	35.62
EMPBCOC	2	*COCAINE CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	106	0.60
		2 = No	10221	57.59
		4 = No LOGICALLY ASSIGNED	561	3.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	396	2.23
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6323	35.63
EMPBHER	2	*HEROIN CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	17	0.10
		2 = No	10300	58.04
		4 = No LOGICALLY ASSIGNED	570	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
EMPBHAL	2	*HALLUCINOGENS CAUSED EMOTIONAL PRBLEMS PST 12 MOS		
		1 = Yes	87	0.49
		2 = No	10238	57.69
		4 = No LOGICALLY ASSIGNED	558	3.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	145	0.82
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
EMPBINH	2	*INHALANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	22	0.12
		2 = No	10305	58.07
		4 = No LOGICALLY ASSIGNED	560	3.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
EMPBANL	2	*PAIN KILLERS CAUSED EMOTIONAL PRBLEMS PAST 12 MOS		
		1 = Yes	35	0.20
		2 = No	10291	57.99
		4 = No LOGICALLY ASSIGNED	562	3.17
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
EMPBTRN	2	*TRANQ CAUSED EMOTIONAL PROBLEMS PST 12 MOS		
		1 = Yes	23	0.13
		2 = No	10304	58.06
		4 = No LOGICALLY ASSIGNED	565	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	136	0.77
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
EMPBSTM	2	*STIMULANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	52	0.29
		2 = No	10274	57.89
		4 = No LOGICALLY ASSIGNED	567	3.19
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	135	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
EMPBSED	2	*SEDATIVES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	20	0.11
		2 = No	10307	58.08
		4 = No LOGICALLY ASSIGNED	569	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	395	2.23
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6324	35.63
<p>DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems--such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory prob- lems, an accidental overdose, a peris- tant cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.</p>				
HLPBCIG	2	*CIGARETTES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	706	3.98
		2 = No	9673	54.50
		4 = No LOGICALLY ASSIGNED	332	1.87
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	383	2.16
		98 = BLANK (NO ANSWER)	317	1.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6336	35.70

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLPBALC	2	ALCOHOL CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	374	2.11
		2 = No	10091	56.86
		4 = No LOGICALLY ASSIGNED	84	0.47
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	383	2.16
		98 = BLANK (NO ANSWER)	479	2.70
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6336	35.70
HLPBMRJ	2	*MARIJUANA/HASH CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	171	0.96
		2 = No	10137	57.12
		4 = No LOGICALLY ASSIGNED	556	3.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	382	2.15
		98 = BLANK (NO ANSWER)	164	0.92
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6337	35.71
HLPBCOC	2	*COCAINE CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	53	0.30
		2 = No	10225	57.62
		4 = No LOGICALLY ASSIGNED	610	3.44
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	382	2.15
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6337	35.71
HLPBHER	2	*HEROIN CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	12	0.07
		2 = No	10263	57.83
		4 = No LOGICALLY ASSIGNED	614	3.46
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	382	2.15
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6337	35.71
HLPBHAL	2	*HALLUCINOGENS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	32	0.18
		2 = No	10247	57.74
		4 = No LOGICALLY ASSIGNED	609	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	381	2.15
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6338	35.71
HLPBINH	2	*INHALANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	16	0.09
		2 = No	10261	57.82
		4 = No LOGICALLY ASSIGNED	612	3.45
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	381	2.15
		98 = BLANK (NO ANSWER)	139	0.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6338	35.71

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HLPBANL	2	*PAIN KILLERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	21	0.12
		2 = No	10257	57.80
		4 = No LOGICALLY ASSIGNED	610	3.44
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	381	2.15
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6338	35.71
HLPBTRN	2	*TRANQUILIZERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	17	0.10
		2 = No	10261	57.82
		4 = No LOGICALLY ASSIGNED	614	3.46
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	381	2.15
		98 = BLANK (NO ANSWER)	136	0.77
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6338	35.71
HLPBSTM	2	*STIMULANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	30	0.17
		2 = No	10247	57.74
		4 = No LOGICALLY ASSIGNED	617	3.48
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	382	2.15
		98 = BLANK (NO ANSWER)	134	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6337	35.71
HLPBSED	2	*SEDATIVES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	10	0.06
		2 = No	10265	57.84
		4 = No LOGICALLY ASSIGNED	621	3.50
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	383	2.16
		98 = BLANK (NO ANSWER)	132	0.74
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6336	35.70
<p>DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.</p>				
UCDCIG	2	*WANTED TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	2726	15.36
		2 = No	7608	42.87
		4 = No LOGICALLY ASSIGNED	364	2.05
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	367	2.07
		98 = BLANK (NO ANSWER)	330	1.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6352	35.79

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
UCDALC	2	*WANTED OR TRIED TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	1074	6.05
		2 = No	9325	52.54
		4 = No LOGICALLY ASSIGNED	106	0.60
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	523	2.95
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDMRJ	2	*WANTED OR TRIED TO CUT DOWN ON MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	396	2.23
		2 = No	9792	55.18
		4 = No LOGICALLY ASSIGNED	648	3.65
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	192	1.08
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDCOC	2	*WANTED OR TRIED TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes	173	0.97
		2 = No	9975	56.21
		4 = No LOGICALLY ASSIGNED	727	4.10
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	153	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDHER	2	*WANTED OR TRIED TO CUT DOWN ON HEROIN PAST 12 MONTHS		
		1 = Yes	92	0.52
		2 = No	10048	56.62
		4 = No LOGICALLY ASSIGNED	735	4.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	153	0.86
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDHAL	2	*WANTED OR TRIED TO CUT DOWN ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes	101	0.57
		2 = No	10042	56.58
		4 = No LOGICALLY ASSIGNED	723	4.07
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	365	2.06
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6354	35.80
UCDINH	2	*WANTED OR TRIED TO CUT DOWN ON INHALANTS PAST 12 MONTHS		
		1 = Yes	95	0.54
		2 = No	10048	56.62
		4 = No LOGICALLY ASSIGNED	729	4.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
UCDANL	2	*WANTED OR TRIED TO CUT DOWN ON PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	104	0.59
		2 = No	10041	56.58
		4 = No LOGICALLY ASSIGNED	727	4.10
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	156	0.88
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDTRN	2	*WANTED OR TRIED TO CUT DOWN ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes	93	0.52
		2 = No	10051	56.63
		4 = No LOGICALLY ASSIGNED	734	4.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	150	0.85
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDSTM	2	*WANTED OR TRIED TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	108	0.61
		2 = No	10036	56.55
		4 = No LOGICALLY ASSIGNED	738	4.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	366	2.06
		98 = BLANK (NO ANSWER)	146	0.82
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6353	35.80
UCDSED	2	*WANTED OR TRIED TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	89	0.50
		2 = No	10054	56.65
		4 = No LOGICALLY ASSIGNED	742	4.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	367	2.07
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6352	35.79

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		NON-CORE SPECIAL TOPICS -- ANSWER SHEET #15		

		FI CHECKPOINT O; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSPTRD	2	CAN RESP COMPLETE SPECIAL TOPICS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16928	95.39
		2 = No, I doubt that resp. can complt it alone - SKIP	665	3.75
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	153	0.86
		SP-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
SPTREAD	2	SPECIAL TOPICS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1371	7.73
		2 = Wants to complete the answer sheet on his/her own	15807	89.07
		98 = BLANK (NO ANSWER)	272	1.53
		99 = LEGITIMATE SKIP	297	1.67
		These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.		
		SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?		
NDTXRCVD	2	*RECEIVE COUNSELING/TRMT FOR DRG/ALC USE PST 12 MO		
		1 = Yes, I received treatment in the past 12 months ..	240	1.35
		2 = No, I have not received trmt in past 12 months ...	17333	97.67
		5 = Yes, recvd Tx pst 12 mos and NDTXNEED = "YES"	42	0.24
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	129	0.73

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SP-2. At any time during the past 12 months did you need treatment or counseling for your drug or alcohol use?		
NDTXNEED	2	*NEED COUNSELING/TRMT FOR DRUG/ALC USE PAST 12 MOS		
		1 = Yes, I needed trmt/counseling during pst 12 mos ..	118	0.66
		2 = No, I did not need trmt/counseling in pst 12 mos .	16765	94.47
		3 = Yes LOGICALLY ASSIGNED	88	0.50
		89 = LEGITIMATE SKIP Log assn (NDTXRCVD=1)	17	0.10
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	534	3.01
		99 = LEGITIMATE SKIP (NDTXRCVD=1)	223	1.26
		SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.		
NDTXALC	2	*NEEDED TRMT/COUNS FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	101	0.57
		2 = No	145	0.82
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	930	5.24
		98 = BLANK (NO ANSWER)	493	2.78
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16075	90.58
NDTXMJ	2	*NEEDED TRMT/COUNS FOR MARIJUANA PAST 12 MONTHS		
		1 = Yes	38	0.21
		2 = No	197	1.11
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	916	5.16
		98 = BLANK (NO ANSWER)	505	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16089	90.66
NDTXCOC	2	*NEEDED TRMT/COUNS FOR COCAINE/"CRACK" PAST 12 MOS		
		1 = Yes	37	0.21
		2 = No	202	1.14
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	909	5.12
		98 = BLANK (NO ANSWER)	501	2.82
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16096	90.70

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NDTXHER	2	*NEEDED TRMT/COUNS FOR HEROIN PAST 12 MONTHS		
		1 = Yes	4	0.02
		2 = No	232	1.31
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	904	5.09
		98 = BLANK (NO ANSWER)	505	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16101	90.73
NDTXHAL	2	*NEEDED TRMT/COUNS FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	4	0.02
		2 = No	233	1.31
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	902	5.08
		98 = BLANK (NO ANSWER)	504	2.84
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16103	90.74
NDTXINH	2	*NEEDED TRMT/COUNS FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	3	0.02
		2 = No	233	1.31
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	899	5.07
		98 = BLANK (NO ANSWER)	505	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16106	90.75
NDTXANL	2	*NEEDED TRMT FOR PRESC PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	7	0.04
		2 = No	228	1.28
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	898	5.06
		98 = BLANK (NO ANSWER)	505	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16107	90.76
NDTXTRAN	2	*NEEDED TRMT FOR PRESC TRANQUILIZERS PAST 12 MOS		
		1 = Yes	6	0.03
		2 = No	231	1.30
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	895	5.04
		98 = BLANK (NO ANSWER)	504	2.84
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16110	90.78
NDTXSTIM	2	*NEEDED TRMT FOR PRESC STIMULANTS PAST 12 MONTHS		
		1 = Yes	8	0.05
		2 = No	228	1.28
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	895	5.04
		98 = BLANK (NO ANSWER)	505	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16110	90.78

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NDTXSED	2	*NEEDED TRMT FOR PRESC SEDATIVES PAST 12 MONTHS		
		1 = Yes	4	0.02
		2 = No	233	1.31
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	895	5.04
		98 = BLANK (NO ANSWER)	504	2.84
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16110	90.78
NDTXSOD	2	*NEEDED TRMT FOR SOME OTHER DRUG PAST 12 MONTHS		
		1 = Yes	9	0.05
		2 = No	189	1.06
		3 = Yes LOGICALLY ASSIGNED	37	0.21
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	895	5.04
		98 = BLANK (NO ANSWER)	506	2.85
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16110	90.78
NDTXDRG1	4	*OTHER DRUG (FIRST MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	3	0.02
		818 = Nicotine	1	0.01
		9998 = BLANK (NO ANSWER)	736	4.15
		9999 = LEGITIMATE SKIP	17005	95.82
NDTXDRG2	4	*OTHER DRUG (SECOND MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01
		9998 = BLANK (NO ANSWER)	741	4.18
		9999 = LEGITIMATE SKIP	17005	95.82
NDTXDRG3	4	*OTHER DRUG (THIRD MENTION)		
		9998 = BLANK (NO ANSWER)	742	4.18
		9999 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17005	95.82
NDTXDRG4	4	*OTHER DRUG (FOURTH MENTION)		
		9998 = BLANK (NO ANSWER)	742	4.18
		9999 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17005	95.82
NDTXDRG5	4	*OTHER DRUG (FIFTH MENTION)		
		9998 = BLANK (NO ANSWER)	742	4.18
		9999 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17005	95.82

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?		
NDTXSTEP	2	*TAKE STEPS TO OBTAIN TRMT PAST 12 MONTHS		
		1 = Yes, I took steps to obtain trmt past 12 months ..	54	0.30
		2 = No, during the past 12 months, I did not take step	144	0.81
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	720	4.06
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	541	3.05
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16285	91.76
		SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.		
NDTXTRSP	2	*NO TRANSPORTATION TO TRMT/COUNSELING PROGRAMS		
		1 = Yes	23	0.13
		2 = No	193	1.09
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	615	3.47
		98 = BLANK (NO ANSWER)	523	2.95
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16390	92.35
NDTXTFAR	2	*NEAREST TRMT/COUNSELING PROGRAMS TOO FAR AWAY		
		1 = Yes	17	0.10
		2 = No	198	1.12
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	610	3.44
		98 = BLANK (NO ANSWER)	524	2.95
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16395	92.38
NDTXBDHR	2	*TRMT/COUNSELING PROGRAMS' HOURS NOT CONVENIENT		
		1 = Yes	14	0.08
		2 = No	199	1.12
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	608	3.43
		98 = BLANK (NO ANSWER)	526	2.96
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16397	92.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXOPEN	2	*NO OPENINGS IN THE TRMT/COUNSELING PROGRAMS		
		1 = Yes	9	0.05
		2 = No	203	1.14
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	606	3.41
		98 = BLANK (NO ANSWER)	527	2.97
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16399	92.40
NDTXTYPE	2	*PROGRAMS DID NOT OFFER TYPE OF TRMT I WANTED		
		1 = Yes	17	0.10
		2 = No	194	1.09
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	605	3.41
		98 = BLANK (NO ANSWER)	528	2.98
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16400	92.41
NDTXMONY	2	*DID NOT HAVE INSURANCE OR MONEY TO PAY FOR PGM		
		1 = Yes	48	0.27
		2 = No	166	0.94
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	605	3.41
		98 = BLANK (NO ANSWER)	524	2.95
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16400	92.41
NDTXHCAP	2	*PROGRMS' FACILITIES NOT ACCESSIBLE TO HANDICAPPED		
		1 = Yes	2	0.01
		2 = No	208	1.17
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	604	3.40
		98 = BLANK (NO ANSWER)	529	2.98
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16401	92.42
NDTXTCMP	2	*PARTICIPATION IN PROGRAM WAS TOO COMPLICATED		
		1 = Yes	20	0.11
		2 = No	191	1.08
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	602	3.39
		98 = BLANK (NO ANSWER)	528	2.98
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16403	92.43
NDTXLANG	2	*PGM'S COUNSELORS DIDN'T MEET ETHNIC/LANG NEEDS		
		1 = Yes	6	0.03
		2 = No	203	1.14
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	600	3.38
		98 = BLANK (NO ANSWER)	530	2.99
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16405	92.44

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXSPSV	2	*PROGRAMS DID NOT OFFER SPECIAL SERVICES		
		1 = Yes	8	0.05
		2 = No	201	1.13
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	600	3.38
		98 = BLANK (NO ANSWER)	530	2.99
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16405	92.44
NDTXSOR	2	*DID NOT OBTAIN TRMT/COUNSELING FOR SOME OTHER RSN		
		1 = Yes	43	0.24
		2 = No	110	0.62
		3 = Yes LOGICALLY ASSIGNED	61	0.34
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	634	3.57
		98 = BLANK (NO ANSWER)	525	2.96
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16371	92.25
NDTXRSC1	2	*OTH REASON DID NOT OBTAIN TRMT PAST 12 MONTHS		
		5 = Programs did not offer what I wanted	2	0.01
		12 = Did not need it	3	0.02
		13 = Do not have a problem/feeling OK now	1	0.01
		14 = Do not want to (quit/get treatment)	7	0.04
		15 = Was using at the time/not ready/unmotivated	8	0.05
		16 = Can do it myself	4	0.02
		17 = Do not know where to go/did not look for	1	0.01
		19 = Lack of time	3	0.02
		20 = Shame/wanted to hide problem (from parents)	4	0.02
		21 = Unsuccessful in the past	1	0.01
		22 = Conflict with spouse	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	48	0.27
		98 = BLANK (NO ANSWER)	706	3.98
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16957	95.55
<p>SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.</p>				
BOOKED	2	*EVER ARRESTED & BOOKED FOR BREAKING THE LAW		
		1 = Yes	1502	8.46
		2 = No	15816	89.12
		3 = Yes LOGICALLY ASSIGNED	136	0.77
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	279	1.57

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-7. Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking the law? RECORD THE NUMBER OF TIMES OR MARK THE BOX:		
NOBOOKYR	2	*# TIMES ARRESTED AND BOOKED IN PAST 12 MONTHS		
		RANGE = 1 - 12	462	2.60
		83 = NOT BEEN ARSTD & BKD PAST 12 MONTHS Log assn	182	1.03
		85 = BAD DATA Logically assigned	66	0.37
		89 = LEGITIMATE SKIP Logically assigned (BOOKED=2)	592	3.34
		93 = NOT ARRESTED AND BOOKED PAST 12 MONTHS	825	4.65
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	393	2.21
		99 = LEGITIMATE SKIP (BOOKED=2)	15224	85.78
		SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. For this question, do not include minor traffic violations.		
BKLARCNY	2	*ARRSTD & BOOKED FOR LARCENY/THEFT IN PAST 12 MOS		
		1 = Yes	86	0.48
		2 = No	403	2.27
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	823	4.64
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	431	2.43
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16000	90.16
BKBURGL	2	*ARRSTD & BOOKED FOR BURGLARY OR B&E IN PST 12 MOS		
		1 = Yes	47	0.26
		2 = No	432	2.43
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	817	4.60
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	442	2.49
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16006	90.19

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKAGASLT	2	*ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PST 12 MOS		
		1 = Yes	60	0.34
		2 = No	415	2.34
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	814	4.59
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	446	2.51
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16009	90.21
BKSMASLT	2	*ARRSTD & BOOKED FOR OTHER ASSAULT IN PST 12 MOS		
		1 = Yes	85	0.48
		2 = No	400	2.25
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	812	4.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	436	2.46
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16011	90.22
BKMOVTHFT	2	*ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MO		
		1 = Yes	28	0.16
		2 = No	450	2.54
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	812	4.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	443	2.50
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16011	90.22
BKROB	2	*ARRSTD & BOOKED FOR ROBBERY IN PAST 12 MONTHS		
		1 = Yes	19	0.11
		2 = No	456	2.57
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	446	2.51
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22
BKRAPE	2	*ARRSTD & BOOKD FOR FORCIBLE RAPE IN PST 12 MONTHS		
		1 = Yes	2	0.01
		2 = No	473	2.67
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	446	2.51
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKMURDER	2	*ARRST & BKD FOR MURDER/HOMICDE/MNSLGHTR PST 12 MO		
		2 = No	475	2.68
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	446	2.51
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22
BKARSON	2	*ARRSTD & BOOKED FOR ARSON IN PAST 12 MONTHS		
		1 = Yes	10	0.06
		2 = No	469	2.64
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	442	2.49
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22
BKDRVINF	2	*ARRSTD & BOOKED FOR DUI IN PAST 12 MONTHS		
		1 = Yes	88	0.50
		2 = No	396	2.23
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	812	4.58
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	434	2.45
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16011	90.22
BKDRUNK	2	*ARRST & BKD FOR DRNKNSS/OTH LIQ LAW VIO PST 12 MO		
		1 = Yes	65	0.37
		2 = No	418	2.36
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	810	4.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	437	2.46
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16013	90.23
BKDRUG	2	*ARRSTD & BKED FOR POSSESS/SALE OF DRUGS PST 12 MO		
		1 = Yes	59	0.33
		2 = No	421	2.37
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	441	2.48
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKPROS	2	*ARRSTD & BOOKED FOR PROSTITUTION IN PAST 12 MOS		
		1 = Yes	4	0.02
		2 = No	467	2.63
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	449	2.53
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22
BKVANDAL	2	*ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS		
		1 = Yes	38	0.21
		2 = No	438	2.47
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	444	2.50
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22
BKOTH	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Yes	120	0.68
		2 = No	319	1.80
		3 = Yes LOGICALLY ASSIGNED	64	0.36
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	811	4.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	418	2.36
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16012	90.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKOTHOFF	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Larceny or theft	16	0.09
		2 = Burglary or breaking and entering	1	0.01
		3 = Aggravated assault	1	0.01
		4 = Other assault, such as simple assault or battery .	12	0.07
		10 = Driving under the influence	2	0.01
		11 = Drunkenness or other liquor law violation	4	0.02
		12 = Possession or sale of drugs	6	0.03
		14 = Oth proprty offns:- fraud, poss stln goods, vndlsn	16	0.09
		15 = Other offenses (NOT SPECIFIED)	1	0.01
		16 = Weapons offenses	10	0.06
		17 = Other offenses against persons	3	0.02
		18 = Violation of court order, parole, probation	13	0.07
		19 = Public order offenses	36	0.20
		20 = Juvenile status offenses	6	0.03
		22 = Traffic violations	22	0.12
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	592	3.34
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	766	4.32
		99 = LEGITIMATE SKIP	16231	91.46

NOTE:

For Q.SP-9 and SP-10, multiple responses (code 96) were changed to code 3 = Yes, logically assigned in earlier years. This year no such editing occurred because of ambiguous skip instructions from Q.SP-6.

SP-9. Were you on probation at any time during the past 12 months?

PROBATON	2	*ON PROBATION AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	406	2.29
		2 = No	16677	93.97
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	48	0.27
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	613	3.45

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-10. Were you on parole at any time during the past 12 months?		
PAROLE	2	*ON PAROLE AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes, I was on parole during the past 12 months ...	72	0.41
		2 = No, I was not on parole during the past 12 months	16784	94.57
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	42	0.24
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	845	4.76
		SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.		
		a. During the past 12 months, I took something from a store without paying for it.		
STRSTEAL	2	*TAKEN SOMETHING FROM STORE W/O PAYING PAST 12 MOS		
		1 = Yes	685	3.86
		2 = No	16383	92.31
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	674	3.80
		b. During the past 12 months, I, other than from a store, took money or property that did not belong to me.		
OTHSTEAL	2	*TAKEN SMTHNG NOT YOURS (NOT FROM STORE) PST 12 MO		
		1 = Yes	520	2.93
		2 = No	16545	93.23
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	677	3.81

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		c. During the past 12 months, I purposely damaged or destroyed property that did not belong to me.		
DAMAGE	2	*PURPOSELY DAMAGED PROPERTY NOT YOURS PAST 12 MOS		
		1 = Yes	491	2.77
		2 = No	16561	93.32
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	689	3.88
		d. During the past 12 months, I took a car that didn't belong to someone in my family without the owner's permission.		
CARSTEAL	2	*TAKEN A CAR NOT YOUR FAMILY'S IN PAST 12 MONTHS		
		1 = Yes	80	0.45
		2 = No	16980	95.68
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	680	3.83
		e. During the past 12 months, I used a weapon, force, or strong-arm methods to get money or things from a person.		
FORCEMON	2	*USE WEAPON/FORCE GET MONEY/THINGS FROM PERSONS PAST 12 MO		
		1 = Yes	47	0.26
		2 = No	17019	95.90
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	676	3.81
		f. During the past 12 months, I broke into a house or building to steal something or just to look around.		
BREAKIN	2	*BROKEN INTO A HOUSE/BUILDING IN THE PAST 12 MOS		
		1 = Yes	94	0.53
		2 = No	16961	95.57
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	686	3.87

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		g. During the past 12 months, I hit someone or got into a physical fight.		
PHYFIGHT	2	*GOTTEN INTO A PHYSICAL FIGHT IN PAST 12 MONTHS		
		1 = Yes	1455	8.20
		2 = No	15605	87.93
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	680	3.83
		h. During the past 12 months, I hurt someone badly enough to need bandages or a doctor.		
HURTBAD	2	*HRT SOMEONE ENOUGH TO NEED BANDAGE/A DR PST 12 MO		
		1 = Yes	382	2.15
		2 = No	16678	93.98
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	681	3.84
		i. During the past 12 months, I used a knife or gun or some other thing (like a club) to get something from a person.		
GUNMONEY	2	*USED WEAPON TO GET SOMETHING FRM PERSON PST 12 MO		
		1 = Yes	38	0.21
		2 = No	17026	95.94
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	677	3.81
		j. During the past 12 months, I drove a vehicle while I was under the influence of a combination of alcohol and illegal drugs used together.		
DRVALDR	2	*DRIVEN UNDER INFLU OF ALC & ILL DRGS PAST 12 MOS		
		1 = Yes	407	2.29
		2 = No	16645	93.79
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	685	3.86

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		k. During the past 12 months, I drove a vehicle while I was under the influence of alcohol.		
DRIVEAL	2	*DROVE WHILE UNDER INFLU OF ALCOHOL PAST 12 MONTHS		
		1 = Yes	1376	7.75
		2 = No	15684	88.38
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	682	3.84
		k. During the past 12 months, I drove a vehicle while I was under the influence of illegal drugs.		
DRIVEDR	2	*DRIVEN UNDER INFLUENCE OF ILLEGAL DRUGS PST 12 MO		
		1 = Yes	415	2.34
		2 = No	16648	93.81
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	679	3.83
		m. During the past 12 months, I sold illegal drugs.		
SOLDDRUG	2	*SOLD ILLEGAL DRUGS IN PAST 12 MONTHS		
		1 = Yes	203	1.14
		2 = No	16834	94.86
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	702	3.96
		n. During the past 12 months, I did something else that would have gotten me into trouble with the police if they had known about it.		
OTHDOING	2	*ANYTHING ELSE TO GET IN TROUBL W/POLICE PST 12 MO		
		1 = Yes	590	3.32
		2 = No	16443	92.65
		3 = Yes LOGICALLY ASSIGNED	20	0.11
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	689	3.88

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTHDOSP1	2	*OTHER CRIMINAL BEHAVIOR PST 12 MONTHS-1ST MENTION		
		1 = Shoplifting	5	0.03
		2 = Other larceny or theft	11	0.06
		3 = Property damage/destruction (incl. vandalism)	25	0.14
		4 = Motor vehicle theft	1	0.01
		6 = Breaking and entering	1	0.01
		7 = Hitting someone or physically fighting	9	0.05
		8 = Hurting someone enough to need medical attn	2	0.01
		9 = Other assault, battery	2	0.01
		10 = Driving under the influence of alcohol or drugs ..	26	0.15
		11 = Selling illegal drugs	6	0.03
		12 = Drug offense (except sales) involving marijuana ..	35	0.20
		13 = Other drug_related offenses	29	0.16
		14 = Drunkenness or other liquor law violation	52	0.29
		17 = Other offenses against persons	2	0.01
		18 = Arson	1	0.01
		19 = Nondestructive prop offenses, fraud, stln goods ..	1	0.01
		20 = Prostitution of commercialized sex	3	0.02
		21 = Weapons offenses	4	0.02
		22 = Violation of court order, parole, probation	1	0.01
		23 = Public order offenses	29	0.16
		24 = Juvenile status offenses	13	0.07
		26 = Traffic violations	109	0.61
		27 = Other offenses, NOT SPECIFIED	4	0.02
		85 = BAD DATA Logically assigned	7	0.04
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	17355	97.79
OTHDOSP2	2	*OTHER CRIMINAL BEHAVIOR PST 12 MONTHS-2ND MENTION		
		1 = Shoplifting	1	0.01
		3 = Property damage/destruction (incl. vandalism)	2	0.01
		4 = Motor vehicle theft	1	0.01
		6 = Breaking and entering	1	0.01
		10 = Driving under the influence of alcohol or drugs ..	2	0.01
		12 = Drug offense (except sales) involving marijuana ..	4	0.02
		13 = Other drug_related offenses	5	0.03
		14 = Drunkenness or other liquor law violation	1	0.01
		21 = Weapons offenses	1	0.01
		23 = Public order offenses	4	0.02
		24 = Juvenile status offenses	2	0.01
		26 = Traffic violations	7	0.04
		27 = Other offenses, NOT SPECIFIED	1	0.01
		98 = BLANK (NO ANSWER)	17715	99.82

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		NON-CORE TREATMENT -- ANSWER SHEET #16		

		FI CHECKPOINT P; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPTMTRD	2	CAN RESPONDENT COMPLETE TREATMENT ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	16958	95.55
		2 = No, I doubt that resp. can complt. it alone - SKIP	645	3.63
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	142	0.80
		TX-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
TMTREAD	2	TREATMENT - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1264	7.12
		2 = Wants to complete the answer sheet on his/her own	15929	89.76
		98 = BLANK (NO ANSWER)	267	1.50
		99 = LEGITIMATE SKIP	287	1.62
		This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.		
		TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXEVER	2	*EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes, I have received treatment for alc/drug use ..	582	3.28
		2 = No, I have never received treat. alc/drug use	16959	95.56
		3 = Yes, rcvd trmt for alc/drug use LOG ASSN	72	0.41
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	133	0.75

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		TX-2. How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXTIMELF	3	*# TIMES RECEIVD ALCOHOL OR DRUG TREATMENT IN LIFE		
		RANGE = 1 - 730	546	3.08
		0 = No times	5	0.03
		985 = BAD DATA Logically assigned	8	0.05
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	12	0.07
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	9	0.05
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	217	1.22
		999 = LEGITIMATE SKIP (TXEVER=2)	16947	95.49
		TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXYRFREQ	3	*# TIMES RECEIVD ALCOHOL/DRUG TRMT PAST 12 MONTHS		
		RANGE = 1 - 340	181	1.02
		0 = No times	251	1.41
		985 = BAD DATA Logically assigned	116	0.65
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	12	0.07
		995 = BAD DATA	6	0.03
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	233	1.31
		999 = LEGITIMATE SKIP (TXEVER=2)	16947	95.49
		TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.		
TXALHOSP	2	*RCVD ALC TRMT IN HOSPITAL/OVERNIGHT PAST 12 MOS		
		1 = Yes	45	0.25
		2 = No	569	3.21
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	187	1.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	168	0.95
		99 = LEGITIMATE SKIP (TXEVER=2)	16772	94.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXALRFIN	2	*RCVD ALC TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	76	0.43
		2 = No	545	3.07
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	180	1.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (TXEVER=2)	16779	94.55
TXALRFOP	2	*RCVD ALC TRMT REHAB CENTER/OUTPATIENT PST 12 MOS		
		1 = Yes	112	0.63
		2 = No	503	2.83
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	180	1.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	166	0.94
		99 = LEGITIMATE SKIP (TXEVER=2)	16779	94.55
TXALMHC	2	*RCVD ALC TRMT MENT HEALTH CENTER/OUTPT PST 12 MOS		
		1 = Yes	53	0.30
		2 = No	562	3.17
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	178	1.00
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	170	0.96
		99 = LEGITIMATE SKIP (TXEVER=2)	16781	94.56
TXALEMRG	2	*RCVD ALC TRMT IN AN EMERGENCY ROOM PAST 12 MOS		
		1 = Yes	27	0.15
		2 = No	582	3.28
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	177	1.00
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP (TXEVER=2)	16782	94.56
TXALDOC	2	*RCVD ALC TRMT IN PRIV DOCTOR'S OFFICE PST 12 MOS		
		1 = Yes	41	0.23
		2 = No	567	3.19
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	176	0.99
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	179	1.01
		99 = LEGITIMATE SKIP (TXEVER=2)	16783	94.57
TXALJAIL	2	*RCVD ALC TRMT IN PRISON OR JAIL PAST 12 MONTHS		
		1 = Yes	21	0.12
		2 = No	591	3.33
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	176	0.99
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	175	0.99
		99 = LEGITIMATE SKIP (TXEVER=2)	16783	94.57

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXALSHG	2	*RCVD ALCOHOL TRMT IN SELF-HELP GROUP PAST 12 MOS		
		1 = Yes	127	0.72
		2 = No	480	2.70
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	176	0.99
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	176	0.99
		99 = LEGITIMATE SKIP (TXEVER=2)	16783	94.57
TXALSOP	2	*RCVD ALC TRMT IN SOME OTHER PLACE PAST 12 MONTHS		
		1 = Yes	53	0.30
		2 = No	545	3.07
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	167	0.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	184	1.04
		99 = LEGITIMATE SKIP (TXEVER=2)	16792	94.62
TXALSP	2	*OTHER FACILITY RECEIVED ALC TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	5	0.03
		5 = Residential placement	3	0.02
		9 = Within myself (self-treatment)	1	0.01
		12 = Friends	3	0.02
		13 = Court or correctional facilities	3	0.02
		14 = Counselor, therapist, psychologist	7	0.04
		15 = School	4	0.02
		17 = Employer's hotline, job Corps, on the job	1	0.01
		18 = Homeless shelter	1	0.01
		22 = Hospital	7	0.04
		24 = Drug treatment or rehab. center	7	0.04
		25 = Mental health center	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	742	4.18
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.		
TXDRHOSP	2	*RECEIVED DRUG TRMT HOSPITAL/OVERNIGHT PST 12 MOS		
		1 = Yes	33	0.19
		2 = No	589	3.32
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	177	1.00
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (TXEVER=2)	16782	94.56
TXDRFIN	2	*RCVD DRUG TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	47	0.26
		2 = No	576	3.25
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	171	0.96
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (TXEVER=2)	16788	94.60
TXDRFOP	2	*RCVD DRUG TRMT REHAB CENTER/OP PAST 12 MONTHS		
		1 = Yes	64	0.36
		2 = No	557	3.14
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	170	0.96
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (TXEVER=2)	16789	94.60
TXDRMHC	2	*RCVD DRUG TRMT M.HEALTH CENTER PAST 12 MONTHS		
		1 = Yes	29	0.16
		2 = No	595	3.35
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	167	0.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (TXEVER=2)	16792	94.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TXDREMRG	2	*RCVD DRUG TRMT IN EMERGENCY ROOM PAST 12 MONTHS		
		1 = Yes	17	0.10
		2 = No	581	3.27
		3 = Yes LOGICALLY ASSIGNED	24	0.14
		4 = No LOGICALLY ASSIGNED	11	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	169	0.95
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	154	0.87
		99 = LEGITIMATE SKIP (TXEVER=2)	16790	94.61
TXDRDOC	2	*RCVD DRUG TRMT IN PRIV DOCTOR'S OFF PST 12 MOS		
		1 = Yes	32	0.18
		2 = No	590	3.32
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	166	0.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		99 = LEGITIMATE SKIP (TXEVER=2)	16793	94.62
TXDRJAIL	2	*RCVD DRUG TRMT IN PRISON PAST 12 MONTHS		
		1 = Yes	13	0.07
		2 = No	609	3.43
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	165	0.93
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	165	0.93
		99 = LEGITIMATE SKIP (TXEVER=2)	16794	94.63
TXDRSHG	2	*RCVD DRUG TREAT IN SELF-HELP GROUP PAST 12 MONTHS		
		1 = Yes	78	0.44
		2 = No	545	3.07
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	164	0.92
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP (TXEVER=2)	16795	94.64
TXDRSOP	2	*RECEIVED DRUG TRMT IN SOME OTH PLACE PST 12 MOS		
		1 = Yes	27	0.15
		2 = No	597	3.36
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	166	0.94
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	163	0.92
		99 = LEGITIMATE SKIP (TXEVER=2)	16793	94.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXDRSP	2	*OTHER FACILITY RECEIVED DRUG TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	4	0.02
		5 = Residential placement	2	0.01
		12 = Friends	3	0.02
		14 = Counselor, therapist, psychologist	1	0.01
		15 = School	3	0.02
		17 = Employer's hotline, job Corps, on the job	1	0.01
		18 = Homeless shelter	1	0.01
		20 = Camp/Outward Bound Program	1	0.01
		22 = Hospital	4	0.02
		24 = Drug treatment or rehab. center	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	763	4.30
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.56

TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

TTYREMRG	3	*# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 52	35	0.20
		0 = No times	592	3.34
		985 = BAD DATA Logically assigned	3	0.02
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	169	0.95
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	157	0.88
		999 = LEGITIMATE SKIP (TXEVER=2)	16790	94.61

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.		
		TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXADGREG	2	*TIME SINCE LAST ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days	105	0.59
		2 = More than 30 days ago but within the past 12 mos .	85	0.48
		3 = More than 12 months ago but within the past 3 yrs	55	0.31
		4 = More than 3 years ago	209	1.18
		8 = Use in past year LOGICALLY ASSIGNED	153	0.86
		9 = Use in lifetime LOGICALLY ASSIGNED	47	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned ...	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03
		91 = NEVER USED ALCOHOL OR DRUGS	4425	24.93
		98 = BLANK (NO ANSWER)	131	0.74
		99 = LEGITIMATE SKIP (TXEVER=2)	12527	70.59
		TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes. MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXLTHOSP	2	*LAST ALCOHOL OR DRUG TRMT OVERNIGHT AT HOSPITAL		
		1 = Response marked	48	0.27
		3 = Response marked LOGICALLY ASSIGNED	11	0.06
		6 = Response not marked LOGICALLY ASSIGNED	538	3.03
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTRFIN	2	*LAST ALC/DRG TRMT OVERNITE AT RES DRUG REHAB CTR		
		1 = Response marked	133	0.75
		3 = Response marked LOGICALLY ASSIGNED	4	0.02
		6 = Response not marked LOGICALLY ASSIGNED	460	2.59
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTRFOP	2	*LAST ALC/DRUG TRMT OUTPATIENT DRUG REHAB CENTER		
		1 = Response marked	136	0.77
		3 = Response marked LOGICALLY ASSIGNED	26	0.15
		6 = Response not marked LOGICALLY ASSIGNED	436	2.46
		85 = BAD DATA Logically assigned	7	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTMHC	2	*LAST ALC/DRG TRMT OUTPATIENT AT MENT HEALTH CENT		
		1 = Response marked	59	0.33
		3 = Response marked LOGICALLY ASSIGNED	6	0.03
		6 = Response not marked LOGICALLY ASSIGNED	532	3.00
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTEMRG	2	*LAST ALCOHOL OR DRUG TRMT AT EMERGENCY ROOM		
		1 = Response marked	8	0.05
		3 = Response marked LOGICALLY ASSIGNED	7	0.04
		6 = Response not marked LOGICALLY ASSIGNED	582	3.28
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTDOC	2	*LAST ALCOHOL OR DRUG TRMT AT PRIVATE DOCTOR OFF		
		1 = Response marked	22	0.12
		3 = Response marked LOGICALLY ASSIGNED	3	0.02
		6 = Response not marked LOGICALLY ASSIGNED	572	3.22
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTJAIL	2	*LAST ALCOHOL OR DRUG TREATMENT IN PRISON OR JAIL		
		1 = Response marked	16	0.09
		6 = Response not marked LOGICALLY ASSIGNED	581	3.27
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTSHG	2	*LAST ALCOHOL OR DRUG TREATMENT IN SELF-HELP GROUP		
		1 = Response marked	116	0.65
		3 = Response marked LOGICALLY ASSIGNED	7	0.04
		6 = Response not marked LOGICALLY ASSIGNED	474	2.67
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTSOP	2	*LAST ALCOHOL OR DRUG TREATMENT IN SOME OTH PLACE		
		1 = Response marked	82	0.46
		3 = Response marked LOGICALLY ASSIGNED	17	0.10
		6 = Response not marked LOGICALLY ASSIGNED	500	2.82
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	182	1.03
		99 = LEGITIMATE SKIP (TXEVER=2)	16950	95.51
TXLTSP	2	*OTHER FACILITY RECEIVED LAST TREATMENT		
		4 = AA or NA or CA	2	0.01
		5 = Residential placement	3	0.02
		9 = Within myself (self-treatment)	1	0.01
		10 = Church or religious influence	1	0.01
		12 = Friends	1	0.01
		13 = Court or correctional facilities	12	0.07
		14 = Counselor, therapist, psychologist	6	0.03
		15 = School	5	0.03
		17 = Employer's hotline, job Corps, on the job	2	0.01
		18 = Homeless shelter	1	0.01
		19 = Alternative medicine	1	0.01
		22 = Hospital	10	0.06
		24 = Drug treatment or rehab. center	18	0.10
		25 = Mental health center	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	722	4.07
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.		
TXLTALC	2	*LAST TREATMENT FOR ALCOHOL		
		1 = Yes	435	2.45
		2 = No	173	0.97
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	168	0.95
		99 = LEGITIMATE SKIP (TXEVER=2)	16843	94.91
TXLTMJ	2	*LAST TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes	167	0.94
		2 = No	440	2.48
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	179	1.01
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTCOC	2	*LAST TREATMENT FOR COCAINE/"CRACK"		
		1 = Yes	163	0.92
		2 = No	442	2.49
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	178	1.00
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTHER	2	*LAST TREATMENT FOR HEROIN		
		1 = Yes	38	0.21
		2 = No	557	3.14
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	192	1.08
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTHAL	2	*LAST TREATMENT FOR HALLUCINOGENS		
		1 = Yes	53	0.30
		2 = No	541	3.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	193	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTINH	2	*LAST TREATMENT FOR INHALANTS		
		1 = Yes	20	0.11
		2 = No	571	3.22
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	194	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTANL	2	*LAST TREATMENT FOR PRESCRIPTION PAIN KILLERS		
		1 = Yes	27	0.15
		2 = No	564	3.18
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	195	1.10
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTRAN	2	*LAST TREATMENT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes	29	0.16
		2 = No	561	3.16
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	193	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTSTIM	2	*LAST TREATMENT FOR PRESCRIPTION STIMULANTS		
		1 = Yes	35	0.20
		2 = No	546	3.08
		3 = Yes LOGICALLY ASSIGNED	13	0.07
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	193	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTSED	2	*LAST TREATMENT FOR PRESCRIPTION SEDATIVES		
		1 = Yes	28	0.16
		2 = No	564	3.18
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	195	1.10
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TXLTSOD	2	*LAST TREATMENT FOR SOME OTHER DRUG(S)		
		1 = Yes	19	0.11
		2 = No	523	2.95
		3 = Yes LOGICALLY ASSIGNED	10	0.06
		5 = Treatment drug unknown, LOGICALLY ASSIGNED	42	0.24
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	115	0.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	193	1.09
		99 = LEGITIMATE SKIP (TXEVER=2)	16844	94.91
TXLTA	4	*OTHER DRUG LAST TREATED (FIRST MENTION)		
		127 = Nytol <OTC>	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		306 = Desoxyn, Methamphetamine hydrochloride	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	7	0.04
		339 = Amphetamines (speed generically)	1	0.01
		355 = Crystal meth	1	0.01
		418 = Methadone	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		889 = Methenphemeolies [sic]	1	0.01
		9900 = NOT A DRUG	3	0.02
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	767	4.32
		9999 = LEGITIMATE SKIP	16959	95.56
TXLTB	4	*OTHER DRUG LAST TREATED (SECOND MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01
		355 = Crystal meth	1	0.01
		417 = Morphine	1	0.01
		806 = Crack, rock	1	0.01
		843 = Antihistamine, cold tablets <OTC>	1	0.01
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	782	4.41
		9999 = LEGITIMATE SKIP	16959	95.56
TXLTC	4	*OTHER DRUG LAST TREATED (THIRD MENTION)		
		401 = Darvon	1	0.01
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	786	4.43
		9999 = LEGITIMATE SKIP	16959	95.56
TXLTD	4	*OTHER DRUG LAST TREATED (FOURTH MENTION)		
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	787	4.43
		9999 = LEGITIMATE SKIP	16959	95.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TXLTE	4	*OTHER DRUG LAST TREATED (FIFTH MENTION)		
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	787	4.43
		9999 = LEGITIMATE SKIP	16959	95.56

TX-10. What was the primary drug you
received treatment for during the last
time you were treated?

TXDRGA	4	*PRIMARY DRUG OF TREATMENT (FIRST MENTION)		
		110 = Tuinal	1	0.01
		127 = Nytol <OTC>	1	0.01
		201 = Valium	3	0.02
		209 = Xanax	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.01
		240 = Lithium carbonate	1	0.01
		262 = Prolixin	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	14	0.08
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	3	0.02
		348 = Crystal	1	0.01
		355 = Crystal meth	1	0.01
		418 = Methadone	1	0.01
		427 = Darvocet	1	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin	1	0.01
		440 = Soma	1	0.01
		502 = Spray paints	2	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01
		520 = Old paint	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	15	0.08
		801 = OTHER Drugs, NOT SPECIFIED	4	0.02
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	52	0.29
		804 = Hashish	1	0.01
		805 = Cocaine, coca, coke	67	0.38
		806 = Crack, rock	31	0.17
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	277	1.56
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		818 = Nicotine	1	0.01
		9900 = NOT A DRUG	2	0.01
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	291	1.64
		9999 = LEGITIMATE SKIP	16959	95.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXDRGB	4	*PRIMARY DRUG OF TREATMENT (SECOND MENTION)		
		209 = Xanax	1	0.01
		259 = Desipramine, Norpramin, Pertofrane	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01
		339 = Amphetamines (speed generically)	2	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	6	0.03
		805 = Cocaine, coca, coke	10	0.06
		806 = Crack, rock	8	0.05
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	10	0.06
		811 = Muscle relaxers	1	0.01
		9900 = NOT A DRUG	2	0.01
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	741	4.18
		9999 = LEGITIMATE SKIP	16959	95.56
TXDRGC	4	*PRIMARY DRUG OF TREATMENT (THIRD MENTION)		
		225 = Desyrel, Trazodone hydrochloride, Trazora, Trialod	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	1	0.01
		805 = Cocaine, coca, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		843 = Antihistamine, cold tablets <OTC>	1	0.01
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	781	4.40
		9999 = LEGITIMATE SKIP	16959	95.56
TXDRGD	4	*PRIMARY DRUG OF TREATMENT (FOURTH MENTION)		
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	787	4.43
		9999 = LEGITIMATE SKIP	16959	95.56
TXDRGE	4	*PRIMARY DRUG OF TREATMENT (FIFTH MENTION)		
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	787	4.43
		9999 = LEGITIMATE SKIP	16959	95.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		TX-11. What was the outcome of the treatment or counseling you last received? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXOUTC	2	*OUTCOME OF TREATMENT LAST RECEIVED		
		1 = Still in treatment	115	0.65
		2 = Successfully completed treatment	344	1.94
		3 = Had a problem with program	33	0.19
		4 = Couldn't afford to continue treatment	9	0.05
		5 = Family needed me	4	0.02
		6 = Began using drug(s) again	30	0.17
		7 = Other outcome, not specified	21	0.12
		8 = Didn't need treatment	2	0.01
		9 = Treatment is for lifetime	1	0.01
		10 = Successful because of own efforts, not trmt.	2	0.01
		11 = Use to a lesser extent	3	0.02
		14 = Successful because of religious reasons	1	0.01
		15 = Discontinued treatment, success unknown	7	0.04
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	212	1.19
		99 = LEGITIMATE SKIP (TXEVER=2)	16956	95.54
		TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.		
TXTIME	4	*LENGTH OF LAST DRUG/ALCOHOL TREATMENT IN DAYS		
		RANGE = 1 - 2520	536	3.02
		0 = No days	14	0.08
		9989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	8	0.05
		9994 = DON'T KNOW	3	0.02
		9995 = BAD DATA	7	0.04
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	227	1.28
		9999 = LEGITIMATE SKIP (TXEVER=2)	16951	95.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.		
TXPDINS	2	*HEALTH INSURANCE PAID FOR LAST TREATMENT		
		1 = Yes	158	0.89
		2 = No	365	2.06
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	156	0.88
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	262	1.48
		99 = LEGITIMATE SKIP (TXEVER=2)	16803	94.68
TXPDCARE	2	*MEDICARE PAID FOR LAST TREATMENT		
		1 = Yes	20	0.11
		2 = No	481	2.71
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	155	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	285	1.61
		99 = LEGITIMATE SKIP (TXEVER=2)	16804	94.69
TXPDCAID	2	*MEDICAID PAID FOR LAST TREATMENT		
		1 = Yes	64	0.36
		2 = No	436	2.46
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	154	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	286	1.61
		99 = LEGITIMATE SKIP (TXEVER=2)	16805	94.69
TXPDSAVE	2	*OWN SAVINGS OR EARNINGS PAID FOR LAST TRMT		
		1 = Yes	144	0.81
		2 = No	374	2.11
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	154	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	265	1.49
		99 = LEGITIMATE SKIP (TXEVER=2)	16805	94.69

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXPDFMLY	2	*FAMILY MEMBERS PAID FOR LAST TREATMENT		
		1 = Yes	54	0.30
		2 = No	438	2.47
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	154	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	293	1.65
		99 = LEGITIMATE SKIP (TXEVER=2)	16805	94.69
TXPDEML	2	*EMPLOYER PAID FOR LAST TREATMENT		
		1 = Yes	16	0.09
		2 = No	478	2.69
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	154	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	291	1.64
		99 = LEGITIMATE SKIP (TXEVER=2)	16805	94.69
TXPDFREE	2	*LAST TREATMENT WAS FREE		
		1 = Yes	93	0.52
		2 = No	413	2.33
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	154	0.87
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	278	1.57
		99 = LEGITIMATE SKIP (TXEVER=2)	16805	94.69
TXPDSOS	2	*LAST TREATMENT PAID FOR BY SOME OTHER SOURCE		
		1 = Yes	55	0.31
		2 = No	439	2.47
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	156	0.88
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	281	1.58
		99 = LEGITIMATE SKIP (TXEVER=2)	16803	94.68

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXPDSP	2	*OTHER PAYER FOR LAST TREATMENT		
		1 = Health Insurance	1	0.01
		2 = Own savings or earnings	3	0.02
		3 = Family member	1	0.01
		4 = Employer or union	2	0.01
		5 = Medicare or Medicaid	4	0.02
		6 = Free	2	0.01
		8 = Friend/Sponsor	2	0.01
		9 = State/city public assistance/welfare/relief	23	0.13
		10 = Court	6	0.03
		11 = Church	1	0.01
		12 = School	2	0.01
		14 = Veterans administration/military services	7	0.04
		15 = Treatment program	2	0.01
		16 = Indian Health Service	3	0.02
		85 = BAD DATA Logically assigned	6	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	722	4.07
		99 = LEGITIMATE SKIP (TXEVER=2)	16959	95.56

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1994? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

Note: TXENROLL is a new name for the variable below which is comparable to TXEN1093 of NHSDA 1994W.

TXENROLL	2	*ENROLLED IN TREATMENT ON OCTOBER 1, 1994		
		1 = Yes, I was enrolled in treatment Oct. 1, 1994	80	0.45
		2 = No, I was not enrolled in treatment Oct. 1, 1994 .	526	2.96
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	384	2.16
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	176	0.99
		99 = LEGITIMATE SKIP (TXEVER=2)	16575	93.40

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #17		

		FI CHECKPOINT Q; R's age.		
SKPYCANS	1	SKIP OVER YOUTH CHECKLIST TO DEMOGRAPHICS, ON AGE		
		1 = Respondent is 18 years or older - SKIP	12673	71.41
		2 = Respondent is 12-17 years old	4444	25.04
		3 = 18 or older LOGICALLY ASSIGNED - SKIP	479	2.70
		4 = 12 to 17 LOGICALLY ASSIGNED	151	0.85
		FI CHECKPOINT R; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPYCRD	2	CAN RESP COMPLETE YOUTH CHECKLIST ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	4314	24.31
		2 = No, I doubt that resp. can complt. it alone - SKIP	108	0.61
		89 = LEGITIMATE SKIP Logically assigned	154	0.87
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	170	0.96
		99 = LEGITIMATE SKIP	12998	73.24
		YC-0. We would like you to complete		
		this answer sheet on your own, but if		
		you prefer, I'll read the questions		
		out loud. Which do you prefer?		
YCREAD	2	YOUTH CHECKLIST - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	182	1.03
		2 = Wants to complete the answer sheet on his/her own	4122	23.23
		89 = LEGITIMATE SKIP Logically assigned	142	0.80
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	239	1.35
		99 = LEGITIMATE SKIP	13061	73.60

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Below is a list of items that describe young people. Think about whether each item describes you now or within the past 6 months. Please mark the box next to the "1" if the item is not true of you. Mark the box next to the "2" if the item is somewhat or sometimes true of you. If the item is very true or often true of you, mark the box next to the "3." Please mark only one box for each question.		
YACTYNG	2	I ACT TOO YOUNG FOR MY AGE		
		1 = Not true	2995	16.88
		2 = Somewhat or sometimes true	1369	7.71
		3 = Very true or often true	186	1.05
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	90	0.51
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	38	0.21
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13062	73.60
YALLERGY	2	I HAVE AN ALLERGY		
		1 = Not true	2920	16.45
		2 = Somewhat or sometimes true	809	4.56
		3 = Very true or often true	809	4.56
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	86	0.48
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13066	73.62
YARGUE	2	I ARGUE A LOT		
		1 = Not true	1389	7.83
		2 = Somewhat or sometimes true	2174	12.25
		3 = Very true or often true	974	5.49
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	82	0.46
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13070	73.65

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YASTHMA	2	I HAVE ASTHMA		
		1 = Not true	3892	21.93
		2 = Somewhat or sometimes true	272	1.53
		3 = Very true or often true	359	2.02
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	81	0.46
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	61	0.34
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13071	73.65
YACOPPSX	2	I ACT LIKE THE OPPOSITE SEX		
		1 = Not true	3947	22.24
		2 = Somewhat or sometimes true	251	1.41
		3 = Very true or often true	310	1.75
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	79	0.45
		96 = MULTIPLE RESPONSE	27	0.15
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	57	0.32
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13073	73.66
YLKANIML	2	I LIKE ANIMALS		
		1 = Not true	465	2.62
		2 = Somewhat or sometimes true	1499	8.45
		3 = Very true or often true	2550	14.37
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	78	0.44
		96 = MULTIPLE RESPONSE	28	0.16
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	50	0.28
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13074	73.67
YBRAG	2	I BRAG		
		1 = Not true	2586	14.57
		2 = Somewhat or sometimes true	1668	9.40
		3 = Very true or often true	270	1.52
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	73	0.41
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	60	0.34
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13079	73.70
YTRBCONC	2	I HAVE TROUBLE CONCENTRATING OR PAYING ATTENTION		
		1 = Not true	2283	12.86
		2 = Somewhat or sometimes true	1795	10.11
		3 = Very true or often true	457	2.58
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	73	0.41
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	49	0.28
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13079	73.70

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YCNTHGTS	2	I CAN'T GET MY MIND OFF CERTAIN THOUGHTS		
		1 = Not true	1708	9.62
		2 = Somewhat or sometimes true	2112	11.90
		3 = Very true or often true	713	4.02
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	73	0.41
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	51	0.29
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13079	73.70
YTRBSIT	2	I HAVE TROUBLE SITTING STILL		
		1 = Not true	2803	15.79
		2 = Somewhat or sometimes true	1273	7.17
		3 = Very true or often true	460	2.59
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	72	0.41
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	41	0.23
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13080	73.70
YDPTADLT	2	I'M TOO DEPENDENT ON ADULTS		
		1 = Not true	3003	16.92
		2 = Somewhat or sometimes true	1260	7.10
		3 = Very true or often true	262	1.48
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	69	0.39
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	55	0.31
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13083	73.72
YFLONELY	2	I FEEL LONELY		
		1 = Not true	3063	17.26
		2 = Somewhat or sometimes true	1230	6.93
		3 = Very true or often true	252	1.42
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	69	0.39
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	40	0.23
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13083	73.72
YFLCONFU	2	I FEEL CONFUSED OR IN A FOG		
		1 = Not true	3474	19.58
		2 = Somewhat or sometimes true	907	5.11
		3 = Very true or often true	157	0.88
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	69	0.39
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	42	0.24
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13083	73.72

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YCRYLOT	2	I CRY A LOT		
		1 = Not true	3522	19.85
		2 = Somewhat or sometimes true	771	4.34
		3 = Very true or often true	218	1.23
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	68	0.38
		96 = MULTIPLE RESPONSE	34	0.19
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13084	73.73
YHONEST	2	I AM PRETTY HONEST		
		1 = Not true	483	2.72
		2 = Somewhat or sometimes true	2043	11.51
		3 = Very true or often true	1992	11.22
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	69	0.39
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	59	0.33
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13083	73.72
YMEANOTH	2	I AM MEAN TO OTHERS		
		1 = Not true	3138	17.68
		2 = Somewhat or sometimes true	1226	6.91
		3 = Very true or often true	166	0.94
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	67	0.38
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	52	0.29
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13085	73.73
YDAYDREM	2	I DAYDREAM A LOT		
		1 = Not true	2268	12.78
		2 = Somewhat or sometimes true	1678	9.46
		3 = Very true or often true	582	3.28
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	66	0.37
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	55	0.31
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13086	73.74
YTRYKLSF	2	I DELIBERATELY TRY TO HURT OR KILL MYSELF		
		1 = Not true	4270	24.06
		2 = Somewhat or sometimes true	184	1.04
		3 = Very true or often true	85	0.48
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	65	0.37
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	48	0.27
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13087	73.74

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YTRYATTN	2	I TRY TO GET A LOT OF ATTENTION		
		1 = Not true	2871	16.18
		2 = Somewhat or sometimes true	1375	7.75
		3 = Very true or often true	302	1.70
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	64	0.36
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	39	0.22
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13088	73.75
YDSTYTHG	2	I DESTROY MY OWN THINGS		
		1 = Not true	4021	22.66
		2 = Somewhat or sometimes true	419	2.36
		3 = Very true or often true	101	0.57
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	64	0.36
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	49	0.28
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13088	73.75
YDSTYOTH	2	I DESTROY THINGS BELONGING TO OTHERS		
		1 = Not true	4117	23.20
		2 = Somewhat or sometimes true	350	1.97
		3 = Very true or often true	71	0.40
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	63	0.35
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	45	0.25
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13089	73.75
YDSBYPAR	2	I DISOBEY MY PARENTS		
		1 = Not true	2574	14.50
		2 = Somewhat or sometimes true	1744	9.83
		3 = Very true or often true	222	1.25
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	62	0.35
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13090	73.76
YDSBYSCH	2	I DISOBEY AT SCHOOL		
		1 = Not true	3227	18.18
		2 = Somewhat or sometimes true	1111	6.26
		3 = Very true or often true	193	1.09
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	60	0.34
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13092	73.77

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YDNTEATW	2	I DON'T EAT AS WELL AS I SHOULD		
		1 = Not true	2657	14.97
		2 = Somewhat or sometimes true	1427	8.04
		3 = Very true or often true	451	2.54
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	60	0.34
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13092	73.77
YDNTKIDS	2	I DON'T GET ALONG WITH OTHER KIDS		
		1 = Not true	3585	20.20
		2 = Somewhat or sometimes true	743	4.19
		3 = Very true or often true	200	1.13
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	59	0.33
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	53	0.30
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13093	73.78
YDNTGLTY	2	I DON'T FEEL GUILTY AFTER DOING SOMETHING I SHDN'T		
		1 = Not true	2977	16.77
		2 = Somewhat or sometimes true	1121	6.32
		3 = Very true or often true	436	2.46
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	59	0.33
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	51	0.29
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13093	73.78
YJEALOTH	2	I AM JEALOUS OF OTHERS		
		1 = Not true	3207	18.07
		2 = Somewhat or sometimes true	1171	6.60
		3 = Very true or often true	156	0.88
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	58	0.33
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	54	0.30
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13094	73.78
YHELPOTH	2	I AM WILLING TO HELP OTHERS WHEN THEY NEED HELP		
		1 = Not true	436	2.46
		2 = Somewhat or sometimes true	1358	7.65
		3 = Very true or often true	2757	15.54
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	61	0.34
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	37	0.21
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13091	73.76

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YAFRPLAC	2	I AM AFRAID OF CERTAIN ANIMALS/SIT/PLACES NOT SCL		
		1 = Not true	1857	10.46
		2 = Somewhat or sometimes true	2141	12.06
		3 = Very true or often true	511	2.88
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	47	0.26
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	76	0.43
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13105	73.84
YAFRSCHL	2	I AM AFRAID OF GOING TO SCHOOL		
		1 = Not true	4172	23.51
		2 = Somewhat or sometimes true	285	1.61
		3 = Very true or often true	50	0.28
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	44	0.25
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	83	0.47
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13108	73.86
YAFRBAD	2	I AM AFRAID I MIGHT THINK OR DO SOMETHING BAD		
		1 = Not true	3486	19.64
		2 = Somewhat or sometimes true	868	4.89
		3 = Very true or often true	149	0.84
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	44	0.25
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	84	0.47
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13108	73.86
YFLPRFCT	2	I FEEL THAT I HAVE TO BE PERFECT		
		1 = Not true	3110	17.52
		2 = Somewhat or sometimes true	1092	6.15
		3 = Very true or often true	304	1.71
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	44	0.25
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	81	0.46
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13108	73.86
YFLNOLOV	2	I FEEL THAT NO ONE LOVES ME		
		1 = Not true	3892	21.93
		2 = Somewhat or sometimes true	506	2.85
		3 = Very true or often true	114	0.64
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	78	0.44
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YFLGETME	2	I FEEL THAT OTHERS ARE OUT TO GET ME		
		1 = Not true	3830	21.58
		2 = Somewhat or sometimes true	582	3.28
		3 = Very true or often true	95	0.54
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	80	0.45
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YFLWTHLS	2	I FEEL WORTHLESS OR INFERIOR		
		1 = Not true	4020	22.65
		2 = Somewhat or sometimes true	415	2.34
		3 = Very true or often true	76	0.43
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YACCHURT	2	I ACCIDENTALLY GET HURT A LOT		
		1 = Not true	3586	20.21
		2 = Somewhat or sometimes true	727	4.10
		3 = Very true or often true	198	1.12
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YFIGHTS	2	I GET IN MANY FIGHTS		
		1 = Not true	3828	21.57
		2 = Somewhat or sometimes true	534	3.01
		3 = Very true or often true	146	0.82
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YGTEASED	2	I GET TEASED A LOT		
		1 = Not true	3476	19.59
		2 = Somewhat or sometimes true	800	4.51
		3 = Very true or often true	225	1.27
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	82	0.46
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YKIDSTRB	2	I HANG AROUND WITH KIDS WHO GET IN TROUBLE		
		1 = Not true	2877	16.21
		2 = Somewhat or sometimes true	1289	7.26
		3 = Very true or often true	340	1.92
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	79	0.45
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YHRVOICS	2	I HEAR SOUNDS OR VOICES THAT OTHER PEOPLE DON'T		
		1 = Not true	4048	22.81
		2 = Somewhat or sometimes true	367	2.07
		3 = Very true or often true	97	0.55
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YACTTNK	2	I ACT WITHOUT STOPPING TO THINK		
		1 = Not true	2625	14.79
		2 = Somewhat or sometimes true	1627	9.17
		3 = Very true or often true	254	1.43
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YALONE	2	I WOULD RATHER BE ALONE THAN WITH OTHERS		
		1 = Not true	3184	17.94
		2 = Somewhat or sometimes true	1134	6.39
		3 = Very true or often true	189	1.06
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	76	0.43
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YLIE	2	I LIE OR CHEAT		
		1 = Not true	3175	17.89
		2 = Somewhat or sometimes true	1205	6.79
		3 = Very true or often true	122	0.69
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	78	0.44
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YBITNAIL	2	I BITE MY FINGERNAILS		
		1 = Not true	2098	11.82
		2 = Somewhat or sometimes true	1408	7.93
		3 = Very true or often true	997	5.62
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	79	0.45
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YNERVOUS	2	I AM NERVOUS OR TENSE		
		1 = Not true	2774	15.63
		2 = Somewhat or sometimes true	1491	8.40
		3 = Very true or often true	241	1.36
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	80	0.45
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YBTWITCH	2	PARTS OF MY BODY TWITCH OR MAKE NERVOUS MOVEMENTS		
		1 = Not true	3349	18.87
		2 = Somewhat or sometimes true	973	5.48
		3 = Very true or often true	182	1.03
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	80	0.45
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YNGHTMAR	2	I HAVE NIGHTMARES		
		1 = Not true	3025	17.05
		2 = Somewhat or sometimes true	1263	7.12
		3 = Very true or often true	217	1.22
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	78	0.44
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YNOTKIDS	2	I AM NOT LIKED BY OTHER KIDS		
		1 = Not true	3669	20.67
		2 = Somewhat or sometimes true	679	3.83
		3 = Very true or often true	150	0.85
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YDOBETTR	2	I CAN DO CERTAIN THINGS BETTER THAN MOST KIDS		
		1 = Not true	1313	7.40
		2 = Somewhat or sometimes true	2296	12.94
		3 = Very true or often true	880	4.96
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	17	0.10
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	85	0.48
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YANXIOUS	2	I AM TOO FEARFUL OR ANXIOUS		
		1 = Not true	3586	20.21
		2 = Somewhat or sometimes true	774	4.36
		3 = Very true or often true	135	0.76
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	87	0.49
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YFLDIZZY	2	I FEEL DIZZY		
		1 = Not true	3793	21.37
		2 = Somewhat or sometimes true	618	3.48
		3 = Very true or often true	97	0.55
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YFLGUILT	2	I FEEL TOO GUILTY		
		1 = Not true	3834	21.60
		2 = Somewhat or sometimes true	571	3.22
		3 = Very true or often true	93	0.52
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	83	0.47
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YEATMUCH	2	I EAT TOO MUCH		
		1 = Not true	2932	16.52
		2 = Somewhat or sometimes true	1224	6.90
		3 = Very true or often true	336	1.89
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	18	0.10
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	81	0.46
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YFLTIRE	2	I FEEL OVERTIRED		
		1 = Not true	2952	16.63
		2 = Somewhat or sometimes true	1230	6.93
		3 = Very true or often true	311	1.75
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	13	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	85	0.48
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YOVRWGT	2	I AM OVERWEIGHT		
		1 = Not true	3406	19.19
		2 = Somewhat or sometimes true	661	3.72
		3 = Very true or often true	349	1.97
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	172	0.97
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
PHYSICAL PROBLEMS WITHOUT KNOWN MEDICAL CAUSE:				
YACHES	2	ACHES OR PAINS (NOT HEADACHES)		
		1 = Not true	3122	17.59
		2 = Somewhat or sometimes true	1119	6.31
		3 = Very true or often true	234	1.32
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	111	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YHEADACH	2	HEADACHES		
		1 = Not true	2321	13.08
		2 = Somewhat or sometimes true	1733	9.77
		3 = Very true or often true	426	2.40
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	103	0.58
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YNAUSEA	2	NAUSEA, FEEL SICK		
		1 = Not true	3392	19.11
		2 = Somewhat or sometimes true	928	5.23
		3 = Very true or often true	157	0.88
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	111	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YEYEPROB	2	PROBLEMS WITH EYES		
		1 = Not true	3307	18.63
		2 = Somewhat or sometimes true	836	4.71
		3 = Very true or often true	326	1.84
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	112	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YRASHES	2	RASHES OR OTHER SKIN PROBLEMS		
		1 = Not true	3828	21.57
		2 = Somewhat or sometimes true	481	2.71
		3 = Very true or often true	155	0.87
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	120	0.68
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YCRAMPS	2	STOMACH ACHES OR CRAMPS		
		1 = Not true	2887	16.27
		2 = Somewhat or sometimes true	1307	7.36
		3 = Very true or often true	278	1.57
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	117	0.66
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YVOMIT	2	VOMITING, THROWING UP		
		1 = Not true	3974	22.39
		2 = Somewhat or sometimes true	421	2.37
		3 = Very true or often true	81	0.46
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	113	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YATTACK	2	I PHYSICALLY ATTACK PEOPLE		
		1 = Not true	4131	23.28
		2 = Somewhat or sometimes true	313	1.76
		3 = Very true or often true	61	0.34
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	83	0.47
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YPKBPART	2	I PICK MY SKIN OR OTHER PARTS OF MY BODY		
		1 = Not true	3923	22.11
		2 = Somewhat or sometimes true	475	2.68
		3 = Very true or often true	86	0.48
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	20	0.11
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	87	0.49
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YPRNDLY	2	I CAN BE PRETTY FRIENDLY		
		1 = Not true	376	2.12
		2 = Somewhat or sometimes true	1438	8.10
		3 = Very true or often true	2676	15.08
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	91	0.51
		99 = LEGITIMATE SKIP (SKPYCANS=1)..	13109	73.87
YTRYTHNG	2	I LIKE TO TRY NEW THINGS		
		1 = Not true	495	2.79
		2 = Somewhat or sometimes true	1966	11.08
		3 = Very true or often true	1998	11.26
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	30	0.17
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	102	0.57
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSCPOOR	2	MY SCHOOL WORK IS POOR		
		1 = Not true	3024	17.04
		2 = Somewhat or sometimes true	1159	6.53
		3 = Very true or often true	279	1.57
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	115	0.65
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YCLUMSY	2	I AM POORLY COORDINATED OR CLUMSY		
		1 = Not true	3593	20.25
		2 = Somewhat or sometimes true	725	4.09
		3 = Very true or often true	150	0.85
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YOLDKIDS	2	I WOULD RATHER BE W/OLDER KIDS THAN KIDS OWN AGE		
		1 = Not true	2219	12.50
		2 = Somewhat or sometimes true	1687	9.51
		3 = Very true or often true	535	3.01
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YYNGKIDS	2	I WOULD RATHER BE W/YOUNGER KIDS THAN KIDS OWN AGE		
		1 = Not true	3491	19.67
		2 = Somewhat or sometimes true	829	4.67
		3 = Very true or often true	136	0.77
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	129	0.73
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YRFSTALK	2	I REFUSE TO TALK		
		1 = Not true	3695	20.82
		2 = Somewhat or sometimes true	683	3.85
		3 = Very true or often true	110	0.62
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	100	0.56
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YREPACTN	2	I REPEAT CERTAIN ACTIONS OVER AND OVER		
		1 = Not true	3312	18.66
		2 = Somewhat or sometimes true	1050	5.92
		3 = Very true or often true	123	0.69
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	101	0.57
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YRUNHOME	2	I RUN AWAY FROM HOME		
		1 = Not true	4255	23.98
		2 = Somewhat or sometimes true	188	1.06
		3 = Very true or often true	57	0.32
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSCREAM	2	I SCREAM A LOT		
		1 = Not true	3562	20.07
		2 = Somewhat or sometimes true	743	4.19
		3 = Very true or often true	197	1.11
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YSECRET	2	I AM SECRETIVE OR KEEP THINGS TO MYSELF		
		1 = Not true	2249	12.67
		2 = Somewhat or sometimes true	1751	9.87
		3 = Very true or often true	496	2.79
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	43	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	89	0.50
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13109	73.87
YSEETHNG	2	I SEE THINGS THAT OTHER PEOPLE THINK AREN'T THERE		
		1 = Not true	4076	22.97
		2 = Somewhat or sometimes true	322	1.81
		3 = Very true or often true	100	0.56
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	90	0.51
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YSLFCONS	2	I AM SELF-CONSCIOUS OR EASILY EMBARRASSED		
		1 = Not true	2767	15.59
		2 = Somewhat or sometimes true	1370	7.72
		3 = Very true or often true	357	2.01
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	91	0.51
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSETFIRE	2	I SET FIRES		
		1 = Not true	4207	23.71
		2 = Somewhat or sometimes true	220	1.24
		3 = Very true or often true	64	0.36
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	88	0.50
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YWELHNDS	2	I CAN WORK WELL WITH MY HANDS		
		1 = Not true	975	5.49
		2 = Somewhat or sometimes true	2026	11.42
		3 = Very true or often true	1478	8.33
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	18	0.10
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	94	0.53
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSHOWOFF	2	I SHOW OFF OR CLOWN		
		1 = Not true	2753	15.51
		2 = Somewhat or sometimes true	1411	7.95
		3 = Very true or often true	332	1.87
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	89	0.50
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSHY	2	I AM SHY		
		1 = Not true	2304	12.98
		2 = Somewhat or sometimes true	1725	9.72
		3 = Very true or often true	463	2.61
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	90	0.51
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YSLPLESS	2	I SLEEP LESS THAN MOST KIDS		
		1 = Not true	3059	17.24
		2 = Somewhat or sometimes true	1116	6.29
		3 = Very true or often true	311	1.75
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3) ...	42	0.24
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	95	0.54
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSLPMORE	2	I SLEEP MORE THAN MOST KIDS DURING DAY/NIGHT		
		1 = Not true	2897	16.32
		2 = Somewhat or sometimes true	1249	7.04
		3 = Very true or often true	343	1.93
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	92	0.52
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YGDIMAG	2	I HAVE A GOOD IMAGINATION		
		1 = Not true	863	4.86
		2 = Somewhat or sometimes true	2078	11.71
		3 = Very true or often true	1544	8.70
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	97	0.55
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSPCHPRB	2	I HAVE A SPEECH PROBLEM		
		1 = Not true	3830	21.58
		2 = Somewhat or sometimes true	512	2.88
		3 = Very true or often true	153	0.86
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	88	0.50
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSTDRGHT	2	I STAND UP FOR MY RIGHTS		
		1 = Not true	652	3.67
		2 = Somewhat or sometimes true	1912	10.77
		3 = Very true or often true	1916	10.80
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YSTEALHO	2	I STEAL AT HOME		
		1 = Not true	4218	23.77
		2 = Somewhat or sometimes true	210	1.18
		3 = Very true or often true	58	0.33
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	97	0.55
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSTEALPL	2	I STEAL FROM PLACES OTHER THAN HOME		
		1 = Not true	4095	23.07
		2 = Somewhat or sometimes true	334	1.88
		3 = Very true or often true	64	0.36
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	8	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	90	0.51
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YDNTNEED	2	I STORE UP THINGS I DON'T NEED		
		1 = Not true	2536	14.29
		2 = Somewhat or sometimes true	1502	8.46
		3 = Very true or often true	440	2.48
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	98	0.55
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YDOSTRNG	2	I DO THINGS OTHER PEOPLE THINK ARE STRANGE		
		1 = Not true	2857	16.10
		2 = Somewhat or sometimes true	1263	7.12
		3 = Very true or often true	351	1.98
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	115	0.65
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YTHSTRNG	2	I HAVE THOUGHTS PEOPLE WOULD THINK ARE STRANGE		
		1 = Not true	2986	16.83
		2 = Somewhat or sometimes true	1168	6.58
		3 = Very true or often true	321	1.81
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	110	0.62
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YSTUBORN	2	I AM STUBBORN		
		1 = Not true	2274	12.81
		2 = Somewhat or sometimes true	1617	9.11
		3 = Very true or often true	595	3.35
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	101	0.57
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YMOODS	2	MY MOODS OR FEELINGS CHANGE SUDDENLY		
		1 = Not true	2385	13.44
		2 = Somewhat or sometimes true	1592	8.97
		3 = Very true or often true	484	2.73
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	42	0.24
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	125	0.70
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13110	73.87
YENJOY	2	I ENJOY BEING WITH OTHER PEOPLE		
		1 = Not true	415	2.34
		2 = Somewhat or sometimes true	1359	7.66
		3 = Very true or often true	2723	15.34
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	88	0.50
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YSUSPICS	2	I AM SUSPICIOUS		
		1 = Not true	2536	14.29
		2 = Somewhat or sometimes true	1618	9.12
		3 = Very true or often true	331	1.87
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	104	0.59
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YDRTLNG	2	I SWEAR OR USE DIRTY LANGUAGE		
		1 = Not true	1884	10.62
		2 = Somewhat or sometimes true	1993	11.23
		3 = Very true or often true	609	3.43
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	102	0.57
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YTHKKLSF	2	I THINK ABOUT KILLING MYSELF		
		1 = Not true	4045	22.79
		2 = Somewhat or sometimes true	319	1.80
		3 = Very true or often true	97	0.55
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	16	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YKLKLAUGH	2	I LIKE TO MAKE OTHERS LAUGH		
		1 = Not true	457	2.58
		2 = Somewhat or sometimes true	1746	9.84
		3 = Very true or often true	2272	12.80
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	104	0.59
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88
YTALKMCH	2	I TALK TOO MUCH		
		1 = Not true	1771	9.98
		2 = Somewhat or sometimes true	1962	11.06
		3 = Very true or often true	746	4.20
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	106	0.60
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YTEASE	2	I TEASE OTHERS A LOT		
		1 = Not true	2994	16.87
		2 = Somewhat or sometimes true	1239	6.98
		3 = Very true or often true	248	1.40
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	104	0.59
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YTEMPER	2	I HAVE A HOT TEMPER		
		1 = Not true	2401	13.53
		2 = Somewhat or sometimes true	1418	7.99
		3 = Very true or often true	654	3.69
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	111	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YTHNKSEX	2	I THINK ABOUT SEX TOO MUCH		
		1 = Not true	3204	18.05
		2 = Somewhat or sometimes true	959	5.40
		3 = Very true or often true	306	1.72
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	41	0.23
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	113	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13111	73.88
YTHRTPEO	2	I THREATEN TO HURT PEOPLE		
		1 = Not true	3786	21.33
		2 = Somewhat or sometimes true	560	3.16
		3 = Very true or often true	115	0.65
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	16	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88
YLKHELP	2	I LIKE TO HELP OTHERS		
		1 = Not true	431	2.43
		2 = Somewhat or sometimes true	1680	9.47
		3 = Very true or often true	2351	13.25
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	119	0.67
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88
YCONNEAT	2	I AM TOO CONCERNED ABOUT BEING NEAT OR CLEAN		
		1 = Not true	1975	11.13
		2 = Somewhat or sometimes true	1748	9.85
		3 = Very true or often true	746	4.20
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	116	0.65
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YTRBSLEP	2	I HAVE TROUBLE SLEEPING		
		1 = Not true	3044	17.15
		2 = Somewhat or sometimes true	1177	6.63
		3 = Very true or often true	256	1.44
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	38	0.21
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	112	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13114	73.89
YSKIPSCH	2	I CUT CLASSES OR SKIP SCHOOL		
		1 = Not true	3751	21.14
		2 = Somewhat or sometimes true	574	3.23
		3 = Very true or often true	151	0.85
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	38	0.21
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	110	0.62
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13114	73.89
YNOENRGY	2	I DON'T HAVE MUCH ENERGY		
		1 = Not true	3332	18.78
		2 = Somewhat or sometimes true	927	5.22
		3 = Very true or often true	216	1.22
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	111	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YUNHAPPY	2	I AM UNHAPPY, SAD, OR DEPRESSED		
		1 = Not true	3405	19.19
		2 = Somewhat or sometimes true	877	4.94
		3 = Very true or often true	199	1.12
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	38	0.21
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	107	0.60
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13114	73.89
YLOUDER	2	I AM LOUDER THAN OTHER KIDS		
		1 = Not true	3018	17.01
		2 = Somewhat or sometimes true	1159	6.53
		3 = Very true or often true	303	1.71
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	109	0.61
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUSEDRUG	2	I USE ALCOHOL OR DRUGS FOR NONMEDICAL PURPOSES		
		1 = Not true	3839	21.63
		2 = Somewhat or sometimes true	474	2.67
		3 = Very true or often true	159	0.90
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	38	0.21
		96 = MULTIPLE RESPONSE	13	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	106	0.60
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13114	73.89
YFAIROTH	2	I TRY TO BE FAIR TO OTHERS		
		1 = Not true	534	3.01
		2 = Somewhat or sometimes true	1868	10.53
		3 = Very true or often true	2074	11.69
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	38	0.21
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	106	0.60
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13114	73.89
YENJYJOK	2	I ENJOY A GOOD JOKE		
		1 = Not true	342	1.93
		2 = Somewhat or sometimes true	1342	7.56
		3 = Very true or often true	2786	15.70
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	114	0.64
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YLIFEASY	2	I LIKE TO TAKE LIFE EASY		
		1 = Not true	638	3.59
		2 = Somewhat or sometimes true	1995	11.24
		3 = Very true or often true	1837	10.35
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	111	0.63
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YTRYHELP	2	I TRY TO HELP OTHER PEOPLE WHEN I CAN		
		1 = Not true	330	1.86
		2 = Somewhat or sometimes true	1521	8.57
		3 = Very true or often true	2615	14.73
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	118	0.66
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88

NON-CORE YOUTH CHECKLIST				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YWSOPPSX	2	I WISH I WAS OF THE OPPOSITE SEX		
		1 = Not true	4251	23.95
		2 = Somewhat or sometimes true	179	1.01
		3 = Very true or often true	53	0.30
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	104	0.59
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YINVOTH	2	I KEEP FROM GETTING INVOLVED WITH OTHERS		
		1 = Not true	2779	15.66
		2 = Somewhat or sometimes true	1378	7.76
		3 = Very true or often true	320	1.80
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	39	0.22
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	106	0.60
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13113	73.89
YWORRY	2	I WORRY A LOT		
		1 = Not true	2560	14.42
		2 = Somewhat or sometimes true	1441	8.12
		3 = Very true or often true	487	2.74
		89 = LEGITIMATE SKIP Logically assigned (SKPYCANS=3)...	40	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	100	0.56
		99 = LEGITIMATE SKIP (SKPYCANS=1).....	13112	73.88

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE DEMOGRAPHICS		

		That was the last of the answer sheets. For the remaining questions, I will read the question out loud, you can tell me your answer, and I will record it in the questionnaire booklet.		
		D-14. How many times in the past 12 months have you moved?		
MOVESPYR	2	# TIMES MOVED IN PAST 12 MONTHS		
		RANGE = 1 - 30	4857	27.37
		0 = No times	12804	72.15
		94 = DON'T KNOW	3	0.02
		95 = BAD DATA	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	79	0.45
		The 1995 variables - STUDENT, ESTUDENT, SCHDAYS, ESCHDAYS, SKIPPED and ESKIPPED have been edited exactly as in NHSDA 1994W.		
		The variables STUDENT, SCHDAYS, and SKIPPED have been edited comparable to 1993 and earlier NHSDAs. The variables ESTUDENT, ESCHDAYS, and ESKIPPED have been edited using the new subparts "SCHOOL NOT IN SESSION" (in the latter two variables listed) and the INTDATE (interviewer date) variable.		
		D-15. Are you now...(READ ANSWER CHOICES)		
STUDENT	2	STUDENT STATUS		
		1 = A full-time student	5651	31.84
		2 = A part-time student	937	5.28
		3 = Not now enrolled in any school	11050	62.26
		6 = Not now enrolled in any school LOGICALLY ASSIGNED	41	0.23
		85 = BAD DATA Logically assigned	25	0.14
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	40	0.23

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ESTUDENT	2	STUDENT STATUS		
		1 = A full-time student	4959	27.94
		2 = A part-time student	883	4.98
		3 = Not now enrolled in any school	11056	62.30
		6 = Not now enrolled in any school LOGICALLY ASSIGNED	795	4.48
		85 = BAD DATA Logically assigned	19	0.11
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	34	0.19
D-16. From your 30-day reference date up to and including today, how many whole days of school did you miss because you were sick or injured?				
SCHDAYS	2	# DAYS MISSED SCHOOL FOR INJURY/SICKNESS PAST MOS		
		RANGE = 1 - 30	1894	10.67
		0 = No days	3786	21.33
		85 = BAD DATA Logically assigned	17	0.10
		89 = LEGITIMATE SKIP Logically assigned	33	0.19
		90 = SCHOOL NOT IN SESSION	890	5.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	11058	62.31
ESCHDAYS	2	# DAYS MISSED SCHOOL INJURY/SICKNESS PST 30 DAYS		
		RANGE = 1 - 30	1894	10.67
		0 = No days	3786	21.33
		85 = BAD DATA Logically assigned	17	0.10
		89 = LEGITIMATE SKIP Logically assigned	792	4.46
		90 = SCHOOL NOT IN SESSION	131	0.74
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	11059	62.31
D-17. During the past 30 days of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?				
SKIPPED	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	954	5.38
		0 = No days	4694	26.45
		85 = BAD DATA Logically assigned	42	0.24
		89 = LEGITIMATE SKIP Logically assigned	39	0.22
		90 = SCHOOL NOT IN SESSION	880	4.96
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP	11052	62.28

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ESKIPPED	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	954	5.38
		0 = No days	4694	26.45
		85 = BAD DATA Logically assigned	42	0.24
		89 = LEGITIMATE SKIP Logically assigned	794	4.47
		90 = SCHOOL NOT IN SESSION	125	0.70
		98 = BLANK (NO ANSWER)	81	0.46
		99 = LEGITIMATE SKIP	11057	62.30
D-18. How many different employers have you had in the past 12 months?				
NJOBSPYR	2	# OF DIFFERENT EMPLOYERS IN PAST 12 MONTHS		
		RANGE = 1 - 25	10511	59.23
		0 = No different employers	6749	38.03
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	482	2.72
D-19. In what month and year did you last work for pay?				
PAYMO	2	MONTH LAST WORKED FOR PAY		
		RANGE = 1 - 12	13318	75.04
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER WORKED FOR PAY	3952	22.27
		94 = DON'T KNOW	184	1.04
		95 = BAD DATA	5	0.03
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	267	1.50
PAYYR	3	YEAR LAST WORKED FOR PAY		
		RANGE = 26 - 95	13491	76.02
		985 = BAD DATA Logically assigned	31	0.17
		991 = NEVER WORKED FOR PAY	3952	22.27
		994 = DON'T KNOW	21	0.12
		995 = BAD DATA	10	0.06
		997 = REFUSED	8	0.05
		998 = BLANK (NO ANSWER)	234	1.32

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI CHECKPOINT S; MARK ONE BOX for R's working status.		
SKPWKST3	2	SKP MISSED WRK-DYS TO CHLD-RST Q'S, ON WORKSTATUS		
		1 = Work stat=Now in labor force (codes 1-4/21-24) ...	9379	52.85
		2 = Work stat=Not in labor frc (5-11/25-31) - SKIP ...	7895	44.49
		3 = Work stat=Now in labor force LOGICALLY ASSIGNED ..	356	2.01
		4 = Work stat=Not in labor frc LOG ASSN - SKIP	115	0.65
		98 = BLANK (NO ANSWER)	2	0.01
		D-24. During the past 30 days -- that is, from your 30-day reference date up to and including today -- how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	1733	9.77
		0 = No days	7867	44.33
		89 = LEGITIMATE SKIP Logically assigned	136	0.77
		95 = BAD DATA	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	152	0.86
		99 = LEGITIMATE SKIP	7856	44.27

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		D-25. During the past 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	698	3.93
		0 = No days	8891	50.10
		89 = LEGITIMATE SKIP Logically assigned	135	0.76
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	162	0.91
		99 = LEGITIMATE SKIP	7857	44.27
		FI CHECKPOINT T; MARK ONE BOX for R's age and sex.		
SKPPREG	1	SKIP OVER PREGNANCY Q'S TO SKPCWE, ON AGE AND SEX		
		1 = Respondent is female less than 45 years old	8611	48.52
		2 = Respondent is female 45 years or older - SKIP	1182	6.66
		3 = Respondent is male - SKIP	7573	42.67
		4 = Female less than 45 LOGICALLY ASSIGNED	250	1.41
		5 = Female 45 years or older LOGICALLY ASSIGNED - SKIP	52	0.29
		6 = Male LOGICALLY ASSIGNED - SKIP	79	0.45
		D-28. Are you currently pregnant?		
PREGNANT	2	CURRENTLY PREGNANT		
		1 = Yes	397	2.24
		2 = No	8334	46.96
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	101	0.57
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	122	0.69
		99 = LEGITIMATE SKIP	8785	49.50
		D-29. How many months pregnant are you?		
PREGMOS	2	NUMBER OF MONTHS PREGNANT		
		RANGE = 1 - 9	378	2.13
		89 = LEGITIMATE SKIP Logically assigned	11	0.06
		94 = DON'T KNOW	6	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	142	0.80
		99 = LEGITIMATE SKIP	17209	96.97

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI CHECKPOINT U; IS RESPONDENT THE ONLY ADULT 18 OR OLDER LIVING IN THIS HOUSEHOLD?		
SKPCWE	1	SKIP OVER CWE Q'S TO TOTPEOP, ON ONLYADULT OVER 18		
		1 = Yes - SKIP	2372	13.37
		2 = No	14049	79.16
		3 = Yes LOGICALLY ASSIGNED - SKIP	266	1.50
		4 = No LOGICALLY ASSIGNED	1060	5.97
		D-30. Who is considered to be the chief wage earner or source of income in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD		
		1 = Respondent	3322	18.72
		2 = Someone else (specify)	9350	52.68
		3 = Income equally by resp and someone else (spec) ...	1523	8.58
		4 = No one	326	1.84
		6 = Someone else LOGICALLY ASSIGNED	471	2.65
		7 = Income eq1 by resp and someone else LOG ASSN	11	0.06
		89 = LEGITIMATE SKIP Logically assigned	427	2.41
		94 = DON'T KNOW	7	0.04
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	204	1.15
		99 = LEGITIMATE SKIP	2100	11.83

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CWESC1	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 1ST MENT		
		8 = Respondent	4	0.02
		9 = Head of Household	32	0.18
		10 = Spouse	166	0.94
		20 = Parent/Guardian	12	0.07
		60 = Live-In Partner	51	0.29
		61 = Friend/Roommate/Companion	318	1.79
		71 = Cousin/Cousin's Spouse	30	0.17
		85 = Landlord/Home Owner	2	0.01
		90 = Other Relative, Gender not specified	1	0.01
		91 = Other Non-Relative, Gender not specified	9	0.05
		92 = Other, Relation and Gender Unspecified	5	0.03
		110 = Husband	2766	15.59
		115 = Male In-Law	1	0.01
		120 = Father/Male Guardian	3520	19.83
		121 = Step/Adopted/Foster Father/Future Step Father	197	1.11
		122 = Father/Step Father/Future Father In-Law	26	0.15
		130 = Son	31	0.17
		132 = Son In-Law	6	0.03
		133 = Grandson	1	0.01
		140 = Brother/Half Brother	107	0.60
		142 = Brother In-Law	40	0.23
		150 = Grandfather/Great+ Grandfather	84	0.47
		160 = Male Live-In Partner	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	213	1.20
		170 = Uncle/Step Uncle/Aunt's Husband	55	0.31
		171 = Male Cousin	1	0.01
		172 = Nephew	3	0.02
		181 = Other Male God Relative	1	0.01
		191 = Other Male Non-Relative	11	0.06
		192 = Other Male, Relation Unspecified	3	0.02
		210 = Wife	443	2.50
		211 = Ex-Wife	1	0.01
		220 = Mother/Female Guardian	2344	13.21
		221 = Step/Adopted/Foster Mother/Future Step Mother	11	0.06
		222 = Mother/Step Mother/Future Mother In-Law	14	0.08
		230 = Daughter	36	0.20
		233 = Granddaughter	2	0.01
		240 = Sister/Half Sister	96	0.54
		241 = Step/Adopted/Foster Sister/Future Step Sister	2	0.01
		242 = Sister In-Law	12	0.07
		250 = Grandmother/Great+ Grandmother	139	0.78
		260 = Female Live-In Partner	2	0.01
		261 = Female Fiancee/Girlfriend/Roommate/Companion	93	0.52
		270 = Aunt	45	0.25
		272 = Niece	3	0.02
		285 = Female Landlord/Home Owner	1	0.01
		290 = Other Female Relative	1	0.01
		291 = Other Female Non-Relative	3	0.02
		292 = Other Female, Relation Unspecified	1	0.01

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		309 = Head of Household	1	0.01
		315 = In-Laws	2	0.01
		320 = Parents/Guardians	121	0.68
		350 = Grandparents/Great+ Grandparents	4	0.02
		361 = Friends/Roommates/Companions	92	0.52
		371 = Cousins/Cousins' Spouses	6	0.03
		390 = Other Relatives, Gender not specified	4	0.02
		392 = Others, Relation and Gender Unspecified	11	0.06
		430 = Sons	4	0.02
		431 = Step/Adopted/Foster Sons	1	0.01
		440 = Brothers/Half Brothers	11	0.06
		540 = Sisters/Half Sisters	2	0.01
		570 = Aunts	1	0.01
		900 = NOT A PERSON	3	0.02
		985 = BAD DATA Logically assigned	3	0.02
		989 = LEGITIMATE SKIP Logically assigned	470	2.65
		994 = DON'T KNOW	1	0.01
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	351	1.98
		999 = LEGITIMATE SKIP	5706	32.15

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
CWESC2	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 2ND MENT		
		9 = Head of Household	8	0.05
		20 = Parent/Guardian	1	0.01
		50 = Grandparent/Great+ Grandparent	1	0.01
		61 = Friend/Roommate/Companion	13	0.07
		71 = Cousin/Cousin's Spouse	4	0.02
		90 = Other Relative, Gender not specified	1	0.01
		91 = Other Non-Relative, Gender not specified	2	0.01
		92 = Other, Relation and Gender Unspecified	1	0.01
		110 = Husband	8	0.05
		120 = Father/Male Guardian	169	0.95
		121 = Step/Adopted/Foster Father/Future Step Father	20	0.11
		122 = Father/Step Father/Future Father In-Law	1	0.01
		130 = Son	4	0.02
		140 = Brother/Half Brother	13	0.07
		142 = Brother In-Law	8	0.05
		150 = Grandfather/Great+ Grandfather	5	0.03
		161 = Male Fiance/Boyfriend/Roommate/Companion	3	0.02
		170 = Uncle/Step Uncle/Aunt's Husband	7	0.04
		172 = Nephew	1	0.01
		191 = Other Male Non-Relative	3	0.02
		210 = Wife	10	0.06
		220 = Mother/Female Guardian	76	0.43
		222 = Mother/Step Mother/Future Mother In-Law	4	0.02
		230 = Daughter	3	0.02
		232 = Daughter In-Law	1	0.01
		240 = Sister/Half Sister	14	0.08
		242 = Sister In-Law	2	0.01
		250 = Grandmother/Great+ Grandmother	2	0.01
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1	0.01
		270 = Aunt	5	0.03
		320 = Parents/Guardians	1	0.01
		361 = Friends/Roommates/Companions	5	0.03
		371 = Cousins/Cousins' Spouses	1	0.01
		390 = Other Relatives, Gender not specified	4	0.02
		392 = Others, Relation and Gender Unspecified	1	0.01
		440 = Brothers/Half Brothers	2	0.01
		540 = Sisters/Half Sisters	3	0.02
		989 = LEGITIMATE SKIP Logically assigned	470	2.65
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	11157	62.87
		999 = LEGITIMATE SKIP	5706	32.15

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		D-31. Does (he/she) work...(READ ANSWER CHOICES)		
FULLPART	2	WORK STATUS OF CHIEF WAGE EARNER		
		1 = Full-time	9840	55.45
		2 = Part-time	647	3.65
		3 = Chief wage earner does not work	1384	7.80
		89 = LEGITIMATE SKIP Logically assigned	179	1.01
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	389	2.19
		99 = LEGITIMATE SKIP	5299	29.86
		D-32. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# PEOPLE LIVING IN HOUSEHOLD (=IRPEOP)		
		RANGE = 1 - 23	17747	100.00

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE HEALTH		

		FI CHECKPOINT V; R's age.		
SKPMHC	1	CHECK ON RESPONDENT AGE		
		1 = Respondent is 18 years or older	12925	72.83
		2 = Respondent is 12-17 years old - SKIP	4555	25.67
		3 = 18 or older LOGICALLY ASSIGNED	227	1.28
		4 = 12 to 17 LOGICALLY ASSIGNED - SKIP	40	0.23
		HE-4. Now we have some additional questions about specific aspects of your health. During the past 12 months, was there ever a time when you felt sad, blue, or depressed for two weeks or more in a row?		
DEPRESS	2	FELT DEPRESSED 2 WEEKS OR MORE IN PAST 12 MONTHS		
		1 = Yes	1971	11.11
		2 = No	11131	62.72
		3 = Yes LOGICALLY ASSIGNED	7	0.04
		89 = LEGITIMATE SKIP Logically assigned	103	0.58
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	38	0.21
		99 = LEGITIMATE SKIP	4492	25.31
		HE-5. For the next few questions, please think of the two-week period during the past 12 months when these feelings were worst. During that time, did the feeling of being sad, blue, or depressed usually last all day long, about half the day, or less than half the day?		
DEPDAYS	2	DURING 2 WKS, HOW MUCH OF DAY WERE YOU DEPRESSED		
		1 = All day long	603	3.40
		2 = Most of the day	514	2.90
		3 = About half the day	454	2.56
		4 = Less than half the day	399	2.25
		89 = LEGITIMATE SKIP Logically assigned	3	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP	15723	88.60

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-6. Did you feel this way every day, almost every day, or less often during those two weeks?		
DEPFREQ	2	FELT DEPRESSED HOW OFTEN IN 2 WK PERIOD		
		1 = Every day	659	3.71
		2 = Almost every day	778	4.38
		3 = Less often	533	3.00
		89 = LEGITIMATE SKIP Logically assigned	3	0.02
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	45	0.25
		99 = LEGITIMATE SKIP	15723	88.60
		HE-7. During those two weeks, did you lose interest in most things?		
LOSTINT1	2	LOSE INTEREST IN THINGS IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1296	7.30
		2 = No	672	3.79
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP	15724	88.60
		HE-8. Did you feel tired out or low on energy all the time?		
TIRED1	2	FEEL TIRED ALL THE TIME IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1537	8.66
		2 = No	432	2.43
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP	15724	88.60

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-9. Did you gain weight, lose weight, or stay about the same?		
WTCHNG1	2	WEIGHT CHANGE PAST 12 MONTHS - VERSION 1		
		1 = Gained weight	437	2.46
		2 = Lost weight	570	3.21
		3 = Both gained and lost weight	39	0.22
		4 = Stayed the same	923	5.20
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP	15724	88.60
		HE-10. About how much did you (gain/lose)?		
LBSCHNG1	3	# POUNDS GAINED OR LOST - VERSION 1		
		RANGE = 1 - 132	1006	5.67
		0 = No pounds	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	5	0.03
		994 = DON'T KNOW	22	0.12
		995 = BAD DATA	1	0.01
		997 = REFUSED	7	0.04
		998 = BLANK (NO ANSWER)	61	0.34
		999 = LEGITIMATE SKIP	16644	93.78
		HE-11. Did you have more trouble falling asleep than you usually do?		
SLPLOSS1	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1186	6.68
		2 = No	773	4.36
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	45	0.25
		99 = LEGITIMATE SKIP	15722	88.59

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-12. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ1	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 1		
		1 = Every night	344	1.94
		2 = Nearly every night	515	2.90
		3 = Less often	323	1.82
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	60	0.34
		99 = LEGITIMATE SKIP	16495	92.95
		HE-13. Did you have a lot more trouble concentrating than usual?		
CONCEN1	2	HAVE MORE PROBLEM CONCENTRATING THAN USUAL		
		1 = Yes	1383	7.79
		2 = No	586	3.30
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	45	0.25
		99 = LEGITIMATE SKIP	15724	88.60
		HE-14. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN1	2	FEEL NO GOOD, WORTHLESS, DOWN		
		1 = Yes	1169	6.59
		2 = No	800	4.51
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP	15724	88.60

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-15. Did you think a lot about death, either your own, someone else's, or death in general?		
IDEAT1	2	THINK ABOUT DEATH - OWN, SOMEONE ELSE, GENERAL		
		1 = Yes	894	5.04
		2 = No	1074	6.05
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	44	0.25
		99 = LEGITIMATE SKIP	15724	88.60
		FI CHECKPOINT W; ANY BOXED ITEMS IN Q.HE-7 THROUGH Q.HE-15 MARKED?		
SKPDEP1	2	ANY BOXED ITEMS MARKED HE-7 TO HE-15		
		1 = Yes	1842	10.38
		2 = No - SKIP	63	0.35
		3 = Yes LOGICALLY ASSIGNED	61	0.34
		4 = No LOGICALLY ASSIGNED - SKIP	13	0.07
		89 = LEGITIMATE SKIP Logically assigned	157	0.88
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	37	0.21
		99 = LEGITIMATE SKIP	15569	87.73
		HE-16. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you were sad, blue, or depressed and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-7 THROUGH HE-15). About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS1	2	# WEEKS FELT DEPRESSED PAST 12 MONTHS		
		RANGE = 2 - 52	1837	10.35
		85 = BAD DATA Logically assigned	24	0.14
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		94 = DON'T KNOW	9	0.05
		95 = BAD DATA	9	0.05
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	60	0.34
		99 = LEGITIMATE SKIP	15787	88.96

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-17. Think about the last time you felt this way for two weeks or more in a in a row. In what month was that?		
DEPMO1	2	WHAT MONTH LAST FELT DEPRESSED		
		RANGE = 1 - 12	1704	9.60
		89 = LEGITIMATE SKIP Logically assigned	34	0.19
		94 = DON'T KNOW	14	0.08
		95 = BAD DATA	3	0.02
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	65	0.37
		99 = LEGITIMATE SKIP	15920	89.71
DEPYR1	3	WHAT YEAR LAST FELT DEPRESSED - RECODE		
		RANGE = 94 - 95	1687	9.51
		985 = BAD DATA Logically assigned	28	0.16
		989 = LEGITIMATE SKIP Logically assigned	34	0.19
		994 = DON'T KNOW	3	0.02
		995 = BAD DATA	2	0.01
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	67	0.38
		999 = LEGITIMATE SKIP	15920	89.71
NOTE: The variables LOSTINT2, TIRED2, WTCHNG2, LBSCHNG2, SLPLOSS2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2 are com- parable to previous variables but were asked only if a respondent did not re- port a 2-week or greater period in the past 12 months of feeling sad, blue or depressed.				
HE-18. During the past 12 months, was there ever a time lasting two weeks or more when you lost interest in most things like hobbies, work, or activities that usually gave you pleasure?				
LOSTINT2	2	LOST INTEREST IN THINGS IN 2 WK PERIOD - VERSION 2		
		1 = Yes	297	1.67
		2 = No	10730	60.46
		89 = LEGITIMATE SKIP Logically assigned	545	3.07
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	140	0.79
		99 = LEGITIMATE SKIP	6028	33.97

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-19. For the next few questions, please think of the two-week period during the past 12 months when you had the most complete loss of interest in things. During that two-week period, did the loss of interest usually last all day long, most of the day, about half the day, or less than half the day?		
LOSINDAY	2	AMT OF DAY LOST INTEREST IN 2 WK PERIOD		
		1 = All day long	63	0.35
		2 = Most of the day	57	0.32
		3 = About half the day	84	0.47
		4 = Less than half the day	92	0.52
		89 = LEGITIMATE SKIP Logically assigned	227	1.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17076	96.22
		HE-20. Did you feel this way every day, almost every day, or less often during the two weeks?		
LOSINFRQ	2	LOST INTEREST HOW OFTEN IN 2 WEEK PERIOD		
		1 = Every day	52	0.29
		2 = Almost every day	121	0.68
		3 = Less often	123	0.69
		89 = LEGITIMATE SKIP Logically assigned	228	1.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17075	96.21
		HE-21. During those two weeks, did you feel tired out, or low on energy all the time?		
TIRED2	2	DURING TWO WEEKS, FEEL TIRED OR LOW ON ENERGY		
		1 = Yes	226	1.27
		2 = No	70	0.39
		89 = LEGITIMATE SKIP Logically assigned	224	1.26
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17079	96.24

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-22. During those two weeks, did you gain weight, lose weight, or stay about the same?		
WTCHNG2	2	WEIGHT CHANGE IN 2 WEEK PERIOD - VERSION 2		
		1 = Gained weight	49	0.28
		2 = Lost weight	63	0.35
		3 = Both gained and lost weight	5	0.03
		4 = Stayed the same	178	1.00
		5 = Respondent was on a diet	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	217	1.22
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17086	96.28
		HE-23. About how much did you (gain/lose)?		
LBSCHNG2	3	# POUNDS LOST OR GAINED - VERSION 2		
		RANGE = 2 - 80	111	0.63
		989 = LEGITIMATE SKIP Logically assigned	217	1.22
		994 = DON'T KNOW	3	0.02
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	145	0.82
		999 = LEGITIMATE SKIP	17265	97.28
		HE-24. During those two weeks, did you have more trouble falling asleep than you usually do?		
SLPLOSS2	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 2		
		1 = Yes	130	0.73
		2 = No	167	0.94
		89 = LEGITIMATE SKIP Logically assigned	222	1.25
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17081	96.25

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-25. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ2	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 2		
		1 = Every night	24	0.14
		2 = Nearly every night	57	0.32
		3 = Less often	46	0.26
		89 = LEGITIMATE SKIP Logically assigned	220	1.24
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	144	0.81
		99 = LEGITIMATE SKIP	17250	97.20
		HE-26. During those two weeks, did you have a lot more trouble concentrating than usual?		
CONCEN2	2	HAVE TROUBLE CONCENTRATING DURING THOSE 2 WEEKS		
		1 = Yes	167	0.94
		2 = No	130	0.73
		89 = LEGITIMATE SKIP Logically assigned	221	1.25
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17082	96.25
		HE-27. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN2	2	FEEL DOWN, NO GOOD OR WORTHLESS DURING THOSE 2 WKS		
		1 = Yes	128	0.72
		2 = No	169	0.95
		89 = LEGITIMATE SKIP Logically assigned	219	1.23
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17084	96.26

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-28. During those two weeks, did you think a lot about death -- either your own, someone else's, or death in general?		
IDEAT2	2	THINK ABOUT DEATH - OWN,SOMEONE ELSE,GENERAL 2 WKS		
		1 = Yes	79	0.45
		2 = No	218	1.23
		89 = LEGITIMATE SKIP Logically assigned	221	1.25
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	141	0.79
		99 = LEGITIMATE SKIP	17082	96.25
		FI CHECKPOINT X; ANY BOXED ITEMS IN Q.HE-21 THROUGH Q.HE-28 MARKED?		
SKPDEP2	2	ANY BOXED ITEMS MARKED HE-21 TO HE-28		
		1 = Yes	273	1.54
		2 = No - SKIP	60	0.34
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		4 = No LOGICALLY ASSIGNED - SKIP	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	352	1.98
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	100	0.56
		99 = LEGITIMATE SKIP	16951	95.51
		HE-29. Reviewing what you told me, you had two weeks in row during the past 12 months when you lost interest in most things and also had some other things like (READ UP TO TWO DESCRIPTION IN YES-BOXED RESPONSES FROM QUESTIONS HE-21 THROUGH HE-28.) About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS2	2	# WEEKS PAST YEAR LOST INTEREST IN THINGS		
		RANGE = 2 - 52	259	1.46
		85 = BAD DATA Logically assigned	15	0.08
		89 = LEGITIMATE SKIP Logically assigned	218	1.23
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	143	0.81
		99 = LEGITIMATE SKIP	17105	96.38

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-30. Think about the last time you had two weeks in row when you felt this way. In what month and year was that?		
DEPMO2	2	LAST TIME LOST INTEREST IN THINGS > 2 WKS - MOS		
		RANGE = 1 - 12	259	1.46
		89 = LEGITIMATE SKIP Logically assigned	212	1.19
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	145	0.82
		99 = LEGITIMATE SKIP	17121	96.47
DEPYR2	3	LAST TIME LOST INTEREST IN THINGS > 2 WKS - YEAR		
		RANGE = 94 - 95	258	1.45
		985 = BAD DATA Logically assigned	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	211	1.19
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	6	0.03
		998 = BLANK (NO ANSWER)	146	0.82
		999 = LEGITIMATE SKIP	17122	96.48
		HE-31. During the past 12 months, did you ever have a period lasting one month or longer when most of the time you felt worried or anxious?		
WORRIED	2	PERIOD LONGER THAN 1 MONTH FELT ANXIOUS PAST YEAR		
		1 = Yes	1453	8.19
		2 = No	11605	65.39
		3 = Yes LOGICALLY ASSIGNED	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	100	0.56
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	61	0.34
		99 = LEGITIMATE SKIP	4495	25.33
		HE-32. Has that period ended or is it still going on?		
WOREND	2	PERIOD ENDED OR STILL GOING ON		
		1 = Ended	750	4.23
		2 = Still going on	671	3.78
		3 = Ended LOGICALLY ASSIGNED	29	0.16
		4 = Still going on LOGICALLY ASSIGNED	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	5	0.03
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	16195	91.25

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NOTE: The variables WORNOMO1, WORHAPN1, WORSERI1, and WORDIFF1 apply to episodes of anxiety that have ended. The variables WORNOMO2, WORHAPN2, WORSERI2, and WORDIFF2 apply to periods of anxiety that are still going on.		
		HE-33. How many months or years did it go on before it ended? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO1	4	# OF MONTHS BEFORE ANXIETY ENDED - RECODE		
		RANGE = 1 - 360	746	4.20
		9989 = LEGITIMATE SKIP Logically assigned	22	0.12
		9994 = DON'T KNOW	2	0.01
		9995 = BAD DATA	2	0.01
		9997 = REFUSED	6	0.03
		9998 = BLANK (NO ANSWER)	93	0.52
		9999 = LEGITIMATE SKIP	16876	95.09
		HE-34. During that period, did you worry about things that were not likely to happen?		
WORHAPN1	2	WORRIED ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	359	2.02
		2 = No	406	2.29
		85 = BAD DATA Logically assigned	10	0.06
		89 = LEGITIMATE SKIP Logically assigned	23	0.13
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	68	0.38
		99 = LEGITIMATE SKIP	16875	95.09
		HE-35. Did you worry about things that were not really serious?		
WORSERI1	2	WORRIED ABOUT THINGS NOT SERIOUS		
		1 = Yes	121	0.68
		2 = No	338	1.90
		89 = LEGITIMATE SKIP Logically assigned	17	0.10
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	65	0.37
		99 = LEGITIMATE SKIP	17200	96.92

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-36. During this period of worry or anxiety, did you have different worries on your mind at the same time?		
WORDIFF1	2	HAD DIFFERENT WORRIES ON MIND		
		1 = Yes	367	2.07
		2 = No	74	0.42
		89 = LEGITIMATE SKIP Logically assigned	50	0.28
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	65	0.37
		99 = LEGITIMATE SKIP	17185	96.83
		HE-37. How many months or years has it been going on? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO2	4	# OF MONTHS ANXIETY GOING ON - RECODE		
		RANGE = 1 - 720	666	3.75
		9994 = DON'T KNOW	3	0.02
		9997 = REFUSED	7	0.04
		9998 = BLANK (NO ANSWER)	92	0.52
		9999 = LEGITIMATE SKIP	16979	95.67
		HE-38. Do you worry about things that are not likely to happen?		
WORHAPN2	2	WORRY ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	287	1.62
		2 = No	390	2.20
		85 = BAD DATA Logically assigned	8	0.05
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	75	0.42
		99 = LEGITIMATE SKIP	16979	95.67
		HE-39. Do you worry a great deal about things that are not really serious?		
WORSERI2	2	WORRY ABOUT THINGS NOT SERIOUS		
		1 = Yes	108	0.61
		2 = No	325	1.83
		89 = LEGITIMATE SKIP Logically assigned	6	0.03
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP	17225	97.06

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		HE-40. Do you have different worries on your mind at the same time?		
WORDIFF2	2	HAVE DIFFERENT WORRIES ON MIND		
		1 = Yes	331	1.87
		2 = No	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	58	0.33
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	79	0.45
		99 = LEGITIMATE SKIP	17246	97.18
		FI CHECKPOINT Y; WORNOMO1 or WORNOMO2 is more than or less than 6 months.		
SKPWOR	2	WORNOMO1 OR WORNOMO2 IS 6 MONTHS OR MORE		
		1 = Question HE-33 or HE-37 = 6 months or more	342	1.93
		2 = Question HE-33 or HE-37 = Less than 6 mo. - SKIP .	406	2.29
		3 = Q.HE-33 or HE-37 = 6 mo. or more LOG ASSN	28	0.16
		4 = Q.HE-33 or HE-37 = < 6 mo. LOG ASSN - SKIP	29	0.16
		89 = LEGITIMATE SKIP Logically assigned	165	0.93
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	74	0.42
		99 = LEGITIMATE SKIP	16697	94.08
		HE-41. When you (are/were) worried or anxious, (are/were) you also...		
WORREST	2	RESTLESS WHEN WORRIED		
		1 = Yes	303	1.71
		2 = No	46	0.26
		89 = LEGITIMATE SKIP Logically assigned	76	0.43
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	95	0.54
		99 = LEGITIMATE SKIP	17221	97.04
WOREDGE	2	KEYED UP OR ON EDGE WHEN WORRIED		
		1 = Yes	283	1.59
		2 = No	66	0.37
		89 = LEGITIMATE SKIP Logically assigned	74	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	95	0.54
		99 = LEGITIMATE SKIP	17223	97.05

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
WORIRRIT	2	IRRITABLE WHEN WORRIED		
		1 = Yes	280	1.58
		2 = No	66	0.37
		89 = LEGITIMATE SKIP Logically assigned	74	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	98	0.55
		99 = LEGITIMATE SKIP	17223	97.05
WORHEART	2	HEART POUNDS OR RACES WHEN WORRIED		
		1 = Yes	188	1.06
		2 = No	159	0.90
		89 = LEGITIMATE SKIP Logically assigned	74	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	97	0.55
		99 = LEGITIMATE SKIP	17223	97.05
WORTIRED	2	EASILY TIRED WHEN WORRIED		
		1 = Yes	245	1.38
		2 = No	103	0.58
		89 = LEGITIMATE SKIP Logically assigned	75	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	17222	97.04
WORSLEEP	2	TROUBLE FALLING ASLEEP WHEN WORRIED		
		1 = Yes	268	1.51
		2 = No	80	0.45
		89 = LEGITIMATE SKIP Logically assigned	75	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	17222	97.04
WORFAINT	2	FEEL FAINT OR UNREAL WHEN WORRIED		
		1 = Yes	131	0.74
		2 = No	218	1.23
		89 = LEGITIMATE SKIP Logically assigned	74	0.42
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	95	0.54
		99 = LEGITIMATE SKIP	17223	97.05

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-42. Here's list of situations that cause some people to have unreasonably strong fears. "Unreasonably strong" means being very upset or badly frightened when most people would not be afraid. During the past 12 months, did you have an unreasonably strong fear of...		
FEARPUB	2	BEING IN A PUBLIC PLACE, OR A CROWD OR LINE		
		1 = Yes	475	2.68
		2 = No	12619	71.10
		89 = LEGITIMATE SKIP Logically assigned	108	0.61
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	52	0.29
		99 = LEGITIMATE SKIP	4487	25.28
FEAROUT	2	LEAVING HOME OR BEING AWAY FROM HOME		
		1 = Yes	404	2.28
		2 = No	12687	71.49
		89 = LEGITIMATE SKIP Logically assigned	108	0.61
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	54	0.30
		99 = LEGITIMATE SKIP	4487	25.28
FEARBRDG	2	FEAR OF CROSSING BRIDGE IN PAST 12 MONTHS		
		1 = Yes	410	2.31
		2 = No	12669	71.39
		89 = LEGITIMATE SKIP Logically assigned	108	0.61
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	67	0.38
		99 = LEGITIMATE SKIP	4487	25.28
		FI CHECKPOINT Z; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR1	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	829	4.67
		2 = All answered no - SKIP	12156	68.50
		3 = Any yes answer LOGICALLY ASSIGNED	29	0.16
		4 = All answered no LOGICALLY ASSIGNED - SKIP	65	0.37
		85 = BAD DATA Logically assigned	26	0.15
		89 = LEGITIMATE SKIP Logically assigned	105	0.59
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	41	0.23
		99 = LEGITIMATE SKIP	4490	25.30

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-43. Do you get very upset or badly frightened every time you are in (this/these) situations(s), most of the time, or only some of the time?		
FEAROFT	2	HOW OFTEN HAVE THESE FEARS		
		1 = Every time	137	0.77
		2 = Most of the time	170	0.96
		3 = Some of the time	473	2.67
		4 = Only one or two times	63	0.35
		89 = LEGITIMATE SKIP Logically assigned	6	0.03
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	82	0.46
		99 = LEGITIMATE SKIP	16810	94.72
		HE-44. How long have you had (this/these) fear(s) -- less than 1 year, between 1 and 5 years, or more than 5 years?		
FEARYRS	2	HOW LONG HAD THIS/THESE FEAR(S)		
		1 = Less than 1 year	42	0.24
		2 = Between 1 and 5 years	72	0.41
		3 = More than 5 years	190	1.07
		5 = Between 1 and 5 yrs LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	34	0.19
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	81	0.46
		99 = LEGITIMATE SKIP	17318	97.58
		HE-45. About how many months have you had (this/these) fear(s)?		
FEARMOS	2	# OF MONTHS HAD THIS/THESE FEAR(S)		
		RANGE = 1 - 60	101	0.57
		85 = BAD DATA Logically assigned	8	0.05
		89 = LEGITIMATE SKIP Logically assigned	30	0.17
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	86	0.48
		99 = LEGITIMATE SKIP	17512	98.68

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-46. When you are in (this/these) situation(s), are you afraid that you might faint, lose control, or embarrass yourself in other ways?		
FEARFANT	2	WHEN IN THIS SITUATION AFRAID OF FAINTING		
		1 = Yes	169	0.95
		2 = No	136	0.77
		89 = LEGITIMATE SKIP Logically assigned	35	0.20
		95 = BAD DATA	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	83	0.47
		99 = LEGITIMATE SKIP	17317	97.58
		HE-47. When you are in (this/these) situation(s), do you worry that you might be trapped without any way to escape?		
FEARTRAP	2	WHEN IN THIS SITUATION WORRY ABOUT BEING TRAPPED		
		1 = Yes	201	1.13
		2 = No	105	0.59
		89 = LEGITIMATE SKIP Logically assigned	35	0.20
		95 = BAD DATA	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	82	0.46
		99 = LEGITIMATE SKIP	17317	97.58
		HE-48. When you are in (this/these) situation(s), do you worry that help might not be available if you needed it?		
FEARHELP	2	WHEN IN THIS SITUATION WORRY NO HELP AVAILABLE		
		1 = Yes	208	1.17
		2 = No	99	0.56
		89 = LEGITIMATE SKIP Logically assigned	45	0.25
		95 = BAD DATA	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	81	0.46
		99 = LEGITIMATE SKIP	17307	97.52

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-49. During the past 12 months, did you ever have a spell or an attack when all of a sudden you felt frightened, anxious, or very uneasy when most people would not be afraid or anxious?		
PANIC1	2	SPELL WHEN SUDDENLY FRIGHTENED PAST 12 MO		
		1 = Yes	713	4.02
		2 = No	12333	69.49
		85 = BAD DATA Logically assigned	22	0.12
		89 = LEGITIMATE SKIP Logically assigned	104	0.59
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	78	0.44
		99 = LEGITIMATE SKIP	4491	25.31
		HE-50. During the past 12 months, did you ever have a spell or an attack when for no reason your heart suddenly began to race, you felt faint, or you couldn't catch your breath? (IF RESPONDENT VOLUNTEERS ONLY WHEN HAVING HEART ATTACK, OR DUE TO PHYSICAL CAUSES, MARK NO.)		
PANIC2	2	SUDDEN SPELL HEART RACED IN PAST 12 MO		
		1 = Yes	438	2.47
		2 = No	11971	67.45
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	101	0.57
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	77	0.43
		99 = LEGITIMATE SKIP	5152	29.03
		HE-51. About how many attacks did you have in the past 12 months?		
PANICNUM	3	# ATTACKS IN PAST 12 MONTHS		
		RANGE = 1 - 365	1064	6.00
		985 = BAD DATA Logically assigned	8	0.05
		989 = LEGITIMATE SKIP Logically assigned	8	0.05
		994 = DON'T KNOW	14	0.08
		995 = BAD DATA	5	0.03
		997 = REFUSED	5	0.03
		998 = BLANK (NO ANSWER)	85	0.48
		999 = LEGITIMATE SKIP	16558	93.30

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-52. In what month and year did you have (the last one/this attack)?		
PANICMO	2	MONTH THAT LAST ATTACK OCCURRED		
		RANGE = 1 - 12	1062	5.98
		89 = LEGITIMATE SKIP Logically assigned	7	0.04
		94 = DON'T KNOW	24	0.14
		95 = BAD DATA	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	88	0.50
		99 = LEGITIMATE SKIP	16559	93.31
PANICYR	3	YEAR THAT LAST ATTACK OCCURRED		
		RANGE = 94 - 95	1061	5.98
		985 = BAD DATA Logically assigned	8	0.05
		989 = LEGITIMATE SKIP Logically assigned	7	0.04
		994 = DON'T KNOW	15	0.08
		995 = BAD DATA	1	0.01
		997 = REFUSED	5	0.03
		998 = BLANK (NO ANSWER)	91	0.51
		999 = LEGITIMATE SKIP	16559	93.31
		HE-53. Did (this attack/these attacks ever) happen in a situation when you were not in danger or not the center of attention?		
PANIDANG	2	HAD ATTACK WHEN NOT IN DANGER PAST 12 MO		
		1 = Yes	706	3.98
		2 = No	387	2.18
		89 = LEGITIMATE SKIP Logically assigned	26	0.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	82	0.46
		99 = LEGITIMATE SKIP	16540	93.20
		FI CHECKPOINT AA; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR2	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	264	1.49
		2 = All answered no - SKIP	318	1.79
		3 = Any yes answer LOGICALLY ASSIGNED	15	0.08
		4 = All answered no LOGICALLY ASSIGNED - SKIP	152	0.86
		89 = LEGITIMATE SKIP Logically assigned	118	0.66
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	44	0.25
		99 = LEGITIMATE SKIP	16835	94.86

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-54. A moment ago, we discussed situations that cause unreasonably strong fears. When you have attacks of the sort you just described, do they usually occur in situations that cause you unreasonably strong fears?		
PANIFEAR	2	ATTACKS OCCUR IN SITUATION CAUSING STRONG FEARS		
		1 = Yes	193	1.09
		2 = No	78	0.44
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	125	0.70
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	46	0.26
		99 = LEGITIMATE SKIP	17298	97.47
		HE-55. Did you ever have an attack in the past 12 months when you were not in a situation that usually causes you to have unreasonably strong fears?		
PANINOFR	2	HAVE ATTACK WHEN NOT IN SITUATION CAUSING FEAR		
		1 = Yes	107	0.60
		2 = No	87	0.49
		89 = LEGITIMATE SKIP Logically assigned	54	0.30
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP	17447	98.31
		HE-56. When you have attacks,...		
PANIHART	2	HEART POUNDS WHEN HAVING ATTACKS		
		1 = Yes	484	2.73
		2 = No	90	0.51
		89 = LEGITIMATE SKIP Logically assigned	35	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	128	0.72
		99 = LEGITIMATE SKIP	17005	95.82
PANIPAIN	2	TIGHTNESS IN STOMACH WHEN HAVING ATTACKS		
		1 = Yes	346	1.95
		2 = No	229	1.29
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	127	0.72
		99 = LEGITIMATE SKIP	17004	95.81

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PANISWET	2	SWEAT WHEN HAVING ATTACKS		
		1 = Yes	315	1.77
		2 = No	259	1.46
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	128	0.72
		99 = LEGITIMATE SKIP	17004	95.81
PANISHAK	2	SHAKE WHEN HAVING ATTACKS		
		1 = Yes	316	1.78
		2 = No	258	1.45
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	127	0.72
		99 = LEGITIMATE SKIP	17004	95.81
PANIHOT	2	HOT FLASHES/CHILLS WHEN HAVING ATTACKS		
		1 = Yes	292	1.65
		2 = No	282	1.59
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	127	0.72
		99 = LEGITIMATE SKIP	17004	95.81
PANIUNRL	2	THINGS SEEM UNREAL WHEN HAVING ATTACKS		
		1 = Yes	190	1.07
		2 = No	384	2.16
		89 = LEGITIMATE SKIP Logically assigned	35	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	128	0.72
		99 = LEGITIMATE SKIP	17005	95.82

NON-CORE HEALTH CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE HEALTH CARE		

		Now we have some questions about any medical treatment you may have had in a hospital emergency room. For these four questions, think about the past 12 months--that is, from your 12-month reference date up to and including today.		
		HC-1. During the past 12 months, how many different times have you been treated in an emergency room because of injury or illness?		
NUERTMT	2	# OF TIMES BEEN TREATED IN EMER. ROOM PAST 12 MO		
		RANGE = 1 - 75	3308	18.64
		0 = No times	14316	80.67
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	115	0.65
		HC-2. During the past 12 months, how many different times have you stayed overnight or longer in a hospital?		
NUHSPOV	2	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 62	1456	8.20
		0 = No nights	16114	90.80
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	168	0.95

NON-CORE HEALTH CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HC-3. During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional difficulties?		
NUHSPPE	2	# NIGHT STAYED IN HOSPITAL FOR PSY/EMOTIONAL TREAT		
		RANGE = 1 - 62	103	0.58
		0 = No nights	1215	6.85
		89 = LEGITIMATE SKIP Logically assigned	2433	13.71
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	306	1.72
		99 = LEGITIMATE SKIP	13681	77.09
		HC-4. Have you received treatment for psychological problems or emotional difficulties at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?		
OUTPTPE	2	BEEN OUTPATIENT AT MENTAL HEALTH CLINIC PAST YEAR		
		1 = Yes	806	4.54
		2 = No	16810	94.72
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	123	0.69

NON-CORE PROXY INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE PROXY INFORMATION		

		The next questions are about your health care, health insurance coverage, and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.		
		(IF RESPONDENT HAS NO FAMILY MEMBERS LIVING IN THIS RESIDENCE, SKIP TO ACCESS CARE SECTION ON PAGE 92.)		
		P-1. Is there some other family member who lives here that you think would be better able to give me the correct information about your health care, health insurance coverage, and the kinds of income you receive?		
PROXABLE	2	ANOTHER FAMILY MEMBER THAT CAN GIVE INFO ABOUT HTH		
		1 = Yes	3778	21.29
		2 = No	11620	65.48
		3 = Yes LOGICALLY ASSIGNED	34	0.19
		89 = LEGITIMATE SKIP Logically assigned (FAMSKIP=1) ...	1690	9.52
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	336	1.89
		99 = LEGITIMATE SKIP (FAMSKIP=1)	284	1.60

NON-CORE PROXY INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		P-2. Who is the person you think can help us get the correct information for these questions?		
PROXYREL	3	PERSON THAT CAN GIVE MORE INFO ABOUT HEALTH		
		1 = Respondent's spouse/live-in partner	70	0.39
		2 = Respondent's father	732	4.12
		3 = Respondent's mother	2599	14.64
		4 = Respondent's brother	31	0.17
		5 = Respondent's sister	68	0.38
		6 = Other family member (specify relation to resp) ...	1	0.01
		20 = Parent/Guardian	2	0.01
		61 = Friend/Roommate/Companion	1	0.01
		71 = Cousin/Cousin's Spouse	3	0.02
		120 = Father/Male Guardian	2	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	14	0.08
		130 = Son	1	0.01
		142 = Brother In-Law	1	0.01
		150 = Grandfather/Great+ Grandfather	17	0.10
		161 = Male Fiance/Boyfriend/Roommate/Companion	1	0.01
		170 = Uncle/Step Uncle/Aunt's Husband	9	0.05
		210 = Wife	1	0.01
		220 = Mother/Female Guardian	5	0.03
		221 = Step/Adopted/Foster Mother/Future Step Mother	3	0.02
		222 = Mother/Step Mother/Future Mother In-Law	1	0.01
		230 = Daughter	2	0.01
		242 = Sister In-Law	4	0.02
		250 = Grandmother/Great+ Grandmother	80	0.45
		251 = Step/Adopted/Foster/Great+ Grandmother	1	0.01
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1	0.01
		270 = Aunt	27	0.15
		272 = Niece	1	0.01
		320 = Parents/Guardians	1	0.01
		530 = Daughters	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	3	0.02
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	470	2.65
		999 = LEGITIMATE SKIP	13591	76.58
		P-3. Is your (RELATIVE FROM Q.P-2) here at home now?		
PROXHOME	2	IS RELATIVE AT HOME		
		1 = Yes	3453	19.46
		2 = No	215	1.21
		3 = Yes LOGICALLY ASSIGNED	16	0.09
		89 = LEGITIMATE SKIP Logically assigned	7	0.04
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	466	2.63
		99 = LEGITIMATE SKIP	13587	76.56

NON-CORE PROXY INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		P-4. Would you ask your (RELATIVE FROM Q.P-2) to join us to help with these last questions about health care, health insurance, and income?		
PROXJOIN	2	ASK THE RELATIVE TO JOIN US		
		1 = Yes	3393	19.12
		2 = No	34	0.19
		89 = LEGITIMATE SKIP Logically assigned	12	0.07
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	508	2.86
		99 = LEGITIMATE SKIP	13797	77.74

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE ACCESS TO CARE		

		These questions are about medical care.		
		These sets of variables are new in the 1994 NHSDA white questionnaire. The skips have been implemented only when all answers were logically correct in these sets of variables, otherwise it has only been 98 filled.		
		AC-1. Is there a particular person or place that (you usually go/SAMPLE MEMBER usually goes) to when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?		
CAREUSU	2	IS THERE USUAL PLACE FOR HEALTH CARE		
		1 = Yes	14752	83.12
		2 = No	2818	15.88
		3 = Don't know	36	0.20
		4 = There is more than one place	35	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	101	0.57
		AC-2. Which of these is the main reason (you do/SAMPLE MEMBER does) not have a usual source of medical care? (HAND RESPONDENT SHOWCARD 6.)		
NCARERSN	2	REASON FOR NOT HAVING USUAL SOURCE OF CARE		
		1 = Two or more usual doctors/places	234	1.32
		2 = Don't need a doctor	1400	7.89
		3 = Don't like/trust/believe in doctors	90	0.51
		4 = Don't know where to go	83	0.47
		5 = Previous doctor is not available/moved	91	0.51
		6 = No insurance/can't afford it	673	3.79
		7 = Speak a different language	10	0.06
		8 = No care available/care too far away/inconvenient .	28	0.16
		9 = Other specify (see NCRRSNSP & NCRRSNSC)	230	1.30
		94 = DON'T KNOW	48	0.27
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	209	1.18
		99 = LEGITIMATE SKIP	14646	82.53

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NCRRSNSP	2	WHETHER OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Response marked	234	1.32
		3 = Response marked LOGICALLY ASSIGNED	10	0.06
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	2852	16.07
		99 = LEGITIMATE SKIP	14646	82.53
NCRRSNSC	2	CODE OF OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Two or more usual doctors/places	2	0.01
		2 = Don't need a doctor	115	0.65
		3 = Don't like/trust/believe in doctors	12	0.07
		4 = Don't know where to go	2	0.01
		5 = Previous doctor is not available/moved	3	0.02
		6 = No insurance/can't afford it	14	0.08
		8 = No care available/care too far away or inconvenien	10	0.06
		10 = New to area/recently moved	21	0.12
		11 = Do not have a regular doctor	20	0.11
		12 = Self treatment/treatment by family member	19	0.11
		13 = Religious reasons	4	0.02
		14 = Health care plan determines source	5	0.03
		15 = Hospital/urgent care/clinic	5	0.03
		16 = School/workplace	1	0.01
		17 = Medicare/Medicaid/public assistance	1	0.01
		18 = Alternative medicine	6	0.03
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	2856	16.09
		99 = LEGITIMATE SKIP	14646	82.53

AC-3. Is there one of these places that
 (you go/SAMPLE MEMBER goes) to most
 often when (you are/SAMPLE MEMBER is)
 sick or need(s) advice about (your/his/
 her) health?

CAREOFT	2	ONE PLACE GO MOST OFTEN		
		1 = Yes	222	1.25
		2 = No	191	1.08
		94 = DON'T KNOW	7	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	272	1.53
		99 = LEGITIMATE SKIP	17050	96.07

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		AC-4. At any time in the past 12 months, did (you/SAMPLE MEMBER) have a place that (your/he/she) usually went to for medical care?		
PYRCARE	2	USUALLY HAVE A PLACE TO GO FOR CARE PAST 12 MONTHS		
		1 = Yes	629	3.54
		2 = No	2121	11.95
		94 = DON'T KNOW	27	0.15
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	269	1.52
		99 = LEGITIMATE SKIP	14696	82.81
		AC-5. What kind of place was it -- a clinic, a health center, a hospital, a doctor's office, or some other place?		
PYRCRTYP	2	PLACE VISITED WHEN NEEDED CARE PAST YEAR		
		1 = Doctor's office or private clinic	340	1.92
		2 = Company or school health clinic/center	28	0.16
		3 = Community/migrant/rural clinic or center	42	0.24
		4 = County/city/public hospital outpatient clinic	79	0.45
		5 = Private/other hospital outpatient clinic	30	0.17
		6 = Hospital emergency room	74	0.42
		7 = HMO	34	0.19
		9 = VA hospital or clinic	3	0.02
		10 = Military health care facility	15	0.08
		11 = Some other place specified (see PYRCRTSP/SC)	36	0.20
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	353	1.99
		99 = LEGITIMATE SKIP	16708	94.15
PYRCRTSP	2	WHETHER OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Response marked	36	0.20
		3 = Response marked LOGICALLY ASSIGNED	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	997	5.62
		99 = LEGITIMATE SKIP	16708	94.15

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PYRCRTSC	2	CODE OF OTHER PLACE SPECIFIED FOR PYRCRTYP		
		2 = Company or school health clinic/center	5	0.03
		3 = Community/migrant/rural clinic or center	6	0.03
		5 = Private/other hospital outpatient clinic	1	0.01
		10 = Military health care facility	2	0.01
		12 = Self treatment/family member	5	0.03
		13 = Friend	2	0.01
		14 = Urgent care/walk-in medical facility	3	0.02
		16 = Alternative medicine	5	0.03
		18 = Family planning clinic	3	0.02
		19 = Indian clinic or hospital	3	0.02
		22 = Workman's Compensation health provider	1	0.01
		82 = ILLEGIBLE	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	997	5.62
		99 = LEGITIMATE SKIP	16708	94.15
AC-6. If (you/SAMPLE MEMBER) needed medical care now, would (you/he/she) go to that (FILL PLACE FROM Q.AC-5)?				
CARENOW	2	IF NEEDED MEDICAL CARE, WOULD GO TO PLACE IN Q.AC5		
		1 = Yes	464	2.61
		2 = No	177	1.00
		94 = DON'T KNOW	16	0.09
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	377	2.12
		99 = LEGITIMATE SKIP	16708	94.15
AC-7. What is the main reason (you/ SAMPLE MEMBER) would not use that place for medical care now?				
MNRSNNCR	2	REASON WOULD NOT USE PLACE ANYMORE		
		1 = Respondent changed residence/moved	48	0.27
		2 = Respondent changed jobs	7	0.04
		3 = Employer changed insurance companies	2	0.01
		4 = Formal usual source left area	6	0.03
		6 = Dissatsfd with frmr source/like new source better	17	0.10
		7 = Medical care needs changed	18	0.10
		8 = Frmr usual source stopped taking ins/coverage	11	0.06
		9 = Other reason specified (see MNRSNNSP/SC)	71	0.40
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	480	2.70
		99 = LEGITIMATE SKIP	17081	96.25

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MNRSNNSP	2	WHETHER OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Response marked	69	0.39
		3 = Response marked LOGICALLY ASSIGNED	6	0.03
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	586	3.30
		99 = LEGITIMATE SKIP	17081	96.25
MNRSNNSC	2	CODE OF OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Respondent changed residence/moved	6	0.03
		4 = Former usual source left area	2	0.01
		6 = Dissatsfd with frmr source/liked new source better	12	0.07
		7 = Medical care needs changed	12	0.07
		8 = Frmr usual source stopped taking ins/coverage	3	0.02
		10 = Gynecological/obstetric care only	7	0.04
		11 = Medical care received through workman's comp	1	0.01
		12 = Do not need/like doctors	2	0.01
		13 = Cannot afford it/no insurance	22	0.12
		14 = Have insurance/ability to pay now	1	0.01
		15 = Military	3	0.02
		16 = Former student	3	0.02
		18 = Medicare/Medicaid recipient	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	586	3.30
		99 = LEGITIMATE SKIP	17081	96.25
AC-8. What kind of place is it -- a clinic, a health center, a hospital, a doctor's office, or some other place?				
UCARETYP	2	USUAL PLACE VISITED FOR HEALTH CARE		
		1 = Doctor's office or private clinic	10097	56.89
		2 = Company or school health clinic/center	328	1.85
		3 = Community/migrant/rural clinic or center	545	3.07
		4 = County/city/public hospital outpatient clinic	1075	6.06
		5 = Private/other hospital outpatient clinic	353	1.99
		6 = Hospital emergency room	738	4.16
		7 = HMO	1314	7.40
		8 = Psychiatric hospital or clinic	11	0.06
		9 = VA hospital or clinic	39	0.22
		10 = Military health care facility	151	0.85
		11 = Some other place specified (see UCRTYPSP/SC)	291	1.64
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	241	1.36
		99 = LEGITIMATE SKIP	2558	14.41

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
UCRTYPSP	2	WHETHER OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Response marked	303	1.71
		3 = Response marked LOGICALLY ASSIGNED	13	0.07
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	14868	83.78
		99 = LEGITIMATE SKIP	2558	14.41
UCRTYPSC	2	CODE OF OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Doctor's office or private clinic	4	0.02
		2 = Company or school health clinic/center	17	0.10
		3 = Community/migrant/rural clinic or center	8	0.05
		4 = County/city/public hospital outpatient clinic	11	0.06
		5 = Private/other hospital outpatient clinic	4	0.02
		6 = Hospital emergency room	1	0.01
		7 = HMO (Health maintenance organization/pre-paid grp)	12	0.07
		8 = Psychiatric hospital or clinic	2	0.01
		10 = Military health care facility	1	0.01
		12 = Self treatment/family member	127	0.72
		13 = Friend	21	0.12
		14 = Urgent care/walk-in medical facility	20	0.11
		15 = Religion/church	9	0.05
		16 = Alternative medicine	8	0.05
		17 = Non-physician health care professional	10	0.06
		18 = Family planning clinic	4	0.02
		19 = Indian clinic or hospital	44	0.25
		20 = Drug treatment/rehab center	1	0.01
		21 = Home health care	1	0.01
		22 = Workman's Compensation health provider	1	0.01
		85 = BAD DATA Logically assigned	7	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	14871	83.79
		99 = LEGITIMATE SKIP	2558	14.41

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE HEALTH INSURANCE		

		<p>The next questions are about your health insurance coverage and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care. Most of these next questions refer to the month of (LAST FULL CALENDAR MONTH) rather than to the past 30 days that were referred to in some earlier questions.</p> <p>HI-1. Several government programs provide medical care or help pay medical bills. (HAND RESPONDENT SHOWCARD 7.) People covered by Medicare have a card that looks like this. (PAUSE) In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.</p>		
MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes	788	4.44
		2 = No	16903	95.24
		94 = DON'T KNOW	13	0.07
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	36	0.20

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HI-2. In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME)? Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes	2304	12.98
		2 = No	15369	86.60
		94 = DON'T KNOW	22	0.12
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	45	0.25
		HI-3. In (MONTH), (were you/was SAMPLE MEMBER) covered by CHAMPUS, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes	409	2.30
		2 = No	17243	97.16
		94 = DON'T KNOW	13	0.07
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	74	0.42

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HI-4. Health insurance can also be obtained through an employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by an employer or union in (MONTH)?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE OR HMO		
		1 = Yes	10715	60.38
		2 = No	6801	38.32
		3 = Yes LOGICALLY ASSIGNED	156	0.88
		94 = DON'T KNOW	40	0.23
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	27	0.15
		HI-5. Was this private health insurance plan offered through (your/(SAMPLE MEMBER'S)) employer or union or through the employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes	9562	53.88
		2 = No	757	4.27
		4 = No LOGICALLY ASSIGNED	471	2.65
		89 = LEGITIMATE SKIP Logically assigned	128	0.72
		94 = DON'T KNOW	45	0.25
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	103	0.58
		99 = LEGITIMATE SKIP	6673	37.60

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HI-6. Was (your/SAMPLE MEMBER'S) private health insurance coverage obtained by paying premiums directly to a private health insurance company or health maintenance organization?		
PDHINPRM	2	PRIVATE INSURANCE OBTAINED BY PAYING PREMIUMS		
		1 = Yes	1099	6.19
		2 = No	94	0.53
		89 = LEGITIMATE SKIP Logically assigned	434	2.45
		94 = DON'T KNOW	49	0.28
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	135	0.76
		99 = LEGITIMATE SKIP	15929	89.76
		HI-7. Did (your/SAMPLE MEMBER'S) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes	5162	29.09
		2 = No	1202	6.77
		89 = LEGITIMATE SKIP Logically assigned	73	0.41
		94 = DON'T KNOW	4513	25.43
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	63	0.35
		99 = LEGITIMATE SKIP	6728	37.91
HLTINDRG	2	DRUG ABUSE		
		1 = Yes	5073	28.59
		2 = No	1213	6.83
		89 = LEGITIMATE SKIP Logically assigned	72	0.41
		94 = DON'T KNOW	4589	25.86
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	6729	37.92

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes	5885	33.16
		2 = No	1031	5.81
		89 = LEGITIMATE SKIP Logically assigned	72	0.41
		94 = DON'T KNOW	3959	22.31
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	64	0.36
		99 = LEGITIMATE SKIP	6729	37.92

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE INCOME		

		I-1. Now, I would like for you to think about the past 12 months, from your 12-month reference date through today. In the past 12 months, did (you/ SAMPLE MEMBER) receive Social Security or Railroad Retirement payments? Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in gold envelope.		
SOC1	2	RESPONDENT RECEIVE SS OR RR PAYMENTS PST 12 MONTHS		
		1 = Yes	1023	5.76
		2 = No	16661	93.88
		4 = No LOGICALLY ASSIGNED	7	0.04
		94 = DON'T KNOW	6	0.03
		97 = REFUSED	13	0.07
		98 = BLANK (NO ANSWER)	37	0.21
		I-2. In the past 12 months, did any other family member living here receive Social Security or Railroad Retirement payments?		
SOC2	2	OTHER FAM RECEIVE SS OR RR PAYMENTS PAST 12 MONTHS		
		1 = Yes	1016	5.72
		2 = No	13317	75.04
		3 = Yes LOGICALLY ASSIGNED	33	0.19
		4 = No LOGICALLY ASSIGNED	51	0.29
		89 = LEGITIMATE SKIP Logically assigned	621	3.50
		94 = DON'T KNOW	23	0.13
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	12	0.07
		98 = BLANK (NO ANSWER)	554	3.12
		99 = LEGITIMATE SKIP	2117	11.93

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-3. In the past 12 months, did (you/ SAMPLE MEMBER) receive Supplemental Security Income or SSI? Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue envelope.		
SSI1	2	RESPONDENT RECEIVE SSI		
		1 = Yes	491	2.77
		2 = No	17172	96.76
		4 = No LOGICALLY ASSIGNED	8	0.05
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	56	0.32
		I-4. In the past 12 months, did any other family member living here receive Supplemental Security Income or SSI?		
SSI2	2	OTHER FAMILY MEMBER RECEIVE SSI PAST 12 MONTHS		
		1 = Yes	545	3.07
		2 = No	14156	79.77
		3 = Yes LOGICALLY ASSIGNED	25	0.14
		4 = No LOGICALLY ASSIGNED	54	0.30
		89 = LEGITIMATE SKIP Logically assigned	417	2.35
		94 = DON'T KNOW	33	0.19
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	12	0.07
		98 = BLANK (NO ANSWER)	570	3.21
		99 = LEGITIMATE SKIP	1934	10.90
		I-5. In the past 12 months, did (you/ SAMPLE MEMBER) receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB1	2	RESPONDENT RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	1547	8.72
		2 = No	16118	90.82
		4 = No LOGICALLY ASSIGNED	10	0.06
		94 = DON'T KNOW	7	0.04
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	49	0.28

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-6. In the past 12 months, did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB2	2	OTHER FAM RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	519	2.92
		2 = No	13156	74.13
		3 = Yes LOGICALLY ASSIGNED	76	0.43
		4 = No LOGICALLY ASSIGNED	48	0.27
		89 = LEGITIMATE SKIP Logically assigned	893	5.03
		94 = DON'T KNOW	21	0.12
		97 = REFUSED	12	0.07
		98 = BLANK (NO ANSWER)	452	2.55
		99 = LEGITIMATE SKIP	2570	14.48
		I-7. Did (you/SAMPLE MEMBER) or another family member living in your household receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in the past 12 monreplaceths?		
AFDC	2	ANY FAMILY MEMBER RECEIVED AFDC OR ADC		
		1 = AFDC/ADC	1523	8.58
		2 = OTHER	253	1.43
		3 = BOTH	33	0.19
		4 = AFDC/ADC Logically assigned	73	0.41
		5 = OTHER Logically assigned	15	0.08
		6 = BOTH Logically assigned	24	0.14
		89 = LEGITIMATE SKIP Logically assigned	692	3.90
		94 = DON'T KNOW	19	0.11
		96 = MULTIPLE RESPONSE	10	0.06
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	207	1.17
		99 = LEGITIMATE SKIP	14897	83.94

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-8. In the past 12 months, did (you/ (SAMPLE MEMBER)) have money in any kind of savings or other bank account that earned interest or did (you/(SAMPLE MEMBER)) receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts? Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.		
INT1	2	RESPONDENT RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	7782	43.85
		2 = No	9839	55.44
		4 = No LOGICALLY ASSIGNED	10	0.06
		94 = DON'T KNOW	13	0.07
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	53	0.30
		98 = BLANK (NO ANSWER)	49	0.28
		I-9. In the past 12 months, did any other family member living here have money in any kind of savings or other bank account that earned interest or did they receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts?		
INT2	2	OTHER FAM RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	1665	9.38
		2 = No	6535	36.82
		3 = Yes LOGICALLY ASSIGNED	182	1.03
		4 = No LOGICALLY ASSIGNED	67	0.38
		89 = LEGITIMATE SKIP Logically assigned	3586	20.21
		94 = DON'T KNOW	92	0.52
		97 = REFUSED	26	0.15
		98 = BLANK (NO ANSWER)	500	2.82
		99 = LEGITIMATE SKIP	5094	28.70

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-10. In the past 12 months, did (you/ SAMPLE MEMBER) receive any child support payments?		
CHD1	2	RESPONDENT RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	1048	5.91
		2 = No	16601	93.54
		4 = No LOGICALLY ASSIGNED	10	0.06
		94 = DON'T KNOW	3	0.02
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	16	0.09
		98 = BLANK (NO ANSWER)	68	0.38
		I-11. In the past 12 months, did any other family member living here receive any child support payments?		
CHD2	2	OTHER FAM RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	634	3.57
		2 = No	13421	75.62
		3 = Yes LOGICALLY ASSIGNED	68	0.38
		4 = No LOGICALLY ASSIGNED	52	0.29
		89 = LEGITIMATE SKIP Logically assigned	717	4.04
		94 = DON'T KNOW	12	0.07
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	540	3.04
		99 = LEGITIMATE SKIP	2288	12.89
		I-12. In the past 12 months, did (you/ SAMPLE MEMBER) receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or sale of a home.		
OTH1	2	RESPONDENT RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	981	5.53
		2 = No	16668	93.92
		4 = No LOGICALLY ASSIGNED	14	0.08
		94 = DON'T KNOW	6	0.03
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	22	0.12
		98 = BLANK (NO ANSWER)	55	0.31

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-13. In the past 12 months, did any other family member living here receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or the sale of a home.		
OTH2	2	OTHER FAMILY RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	906	5.11
		2 = No	13091	73.76
		3 = Yes LOGICALLY ASSIGNED	55	0.31
		4 = No LOGICALLY ASSIGNED	105	0.59
		89 = LEGITIMATE SKIP Logically assigned	590	3.32
		94 = DON'T KNOW	51	0.29
		97 = REFUSED	16	0.09
		98 = BLANK (NO ANSWER)	743	4.19
		99 = LEGITIMATE SKIP	2190	12.34
		I-14. In the past 12 months, did (you/ SAMPLE MEMBER) or anyone in your family living here receive food stamps?		
FSTAMP	2	ANYONE RECEIVE FOODSTAMPS PAST 12 MONTHS		
		1 = Yes	3018	17.01
		2 = No	14412	81.21
		3 = Yes LOGICALLY ASSIGNED	137	0.77
		4 = No LOGICALLY ASSIGNED	31	0.17
		94 = DON'T KNOW	6	0.03
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	128	0.72

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-15. The next two questions are about (your/SAMPLE MEMBER'S) total personal income during the past 12 months from all sources. Include money from your jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income (you/SAMPLE MEMBER) received. Was (your/SAMPLE MEMBER'S) total personal income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.		
PINC1	2	TOTAL PERSONAL INCOME		
		1 = \$20,000 or more	4250	23.95
		2 = Less than \$20,000	13273	74.79
		94 = DON'T KNOW	34	0.19
		97 = REFUSED	112	0.63
		98 = BLANK (NO ANSWER)	78	0.44

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI CHECKPOINT CC; ARE THERE OTHER FAMILY MEMBERS LIVING IN THIS HOUSEHOLD?		
SKPTFMIN	2	SKIP OVER TOTAL FAM-INCOME TO TELNO, ON OTH-FAMILY		
		1 = Yes	14748	83.10
		2 = No - SKIP	2503	14.10
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	493	2.78
<p>I-17. The next two questions are about total family income during the past 12 months from all sources. We would like to combine everyone's income -- that is, yours and your (mother's/father's/stepmother's/stepfather's/wife's/husband's/etc.). Include money from all jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income you received.</p> <p>Was the total combined family income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.</p>				
FINC1	2	TOTAL FAMILY INCOME		
		1 = \$20,000 or more	10195	57.45
		2 = Less than \$20,000	4569	25.75
		89 = LEGITIMATE SKIP Logically assigned	67	0.38
		94 = DON'T KNOW	346	1.95
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	142	0.80
		98 = BLANK (NO ANSWER)	520	2.93
		99 = LEGITIMATE SKIP	1907	10.75

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-19. The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		RANGE = 1 - 7	16345	92.10
		0 = No telephone lines	1322	7.45
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	71	0.40

NON-CORE IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NON-CORE IMPUTED DEMOGRAPHICS				

IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	10923	61.55
		2 = No, respondent does not have private health insur	6824	38.45
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	17516	98.70
		2 = Logically imputed data	156	0.88
		3 = Statistically imputed data	75	0.42
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	13508	76.11
		2 = No, respondent does not have health insurance	4239	23.89
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	17660	99.51
		2 = Logically imputed data	7	0.04
		3 = Statistically imputed data	80	0.45
IRSOC1	1	RESPONDENT RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	1028	5.79
		2 = No	16719	94.21
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	17684	99.65
		2 = Logically imputed data	7	0.04
		3 = Statistically imputed data	56	0.32
IRSSI1	1	RESPONDENT RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	493	2.78
		2 = No	17254	97.22
IISSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	17663	99.53
		2 = Logically imputed data	8	0.05
		3 = Statistically imputed data	76	0.43
IRPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	1553	8.75
		2 = No	16194	91.25
IIPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	17665	99.54
		2 = Logically imputed data	10	0.06
		3 = Statistically imputed data	72	0.41

NON-CORE IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP REV		
		1 = AFDC/ADC	1763	9.93
		2 = OTHER	333	1.88
		3 = BOTH	62	0.35
		89 = LEGITIMATE SKIP Logically assigned	692	3.90
		99 = LEGITIMATE SKIP	14897	83.94
IIAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP IND		
		1 = Questionnaire data	1809	10.19
		2 = Logically imputed data	112	0.63
		3 = Statistically imputed data	237	1.34
		9 = LEGITIMATE SKIP	15589	87.84
IRINT1	1	RESPONDENT RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	7842	44.19
		2 = No	9905	55.81
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	17621	99.29
		2 = Logically imputed data	10	0.06
		3 = Statistically imputed data	116	0.65
IRCHD1	1	RESPONDENT RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	1053	5.93
		2 = No	16694	94.07
IICHD1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	17649	99.45
		2 = Logically imputed data	10	0.06
		3 = Statistically imputed data	88	0.50
IROTH1	1	RESPONDENT RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	987	5.56
		2 = No	16760	94.44
IIOTH1	1	RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	17649	99.45
		2 = Logically imputed data	14	0.08
		3 = Statistically imputed data	84	0.47
IRFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT REV		
		1 = Yes	3167	17.85
		2 = No	14580	82.15
IIFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT IND		
		1 = Questionnaire data	17430	98.21
		2 = Logically imputed data	168	0.95
		3 = Statistically imputed data	149	0.84

NON-CORE IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	4305	24.26
		2 = Less than \$20,000	13442	75.74
IIPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	17171	96.75
		2 = Logically imputed data	352	1.98
		3 = Statistically imputed data	224	1.26
IRFINC1	1	TOTAL FAMILY INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	10750	60.57
		2 = Less than \$20,000	5023	28.30
		89 = LEGITIMATE SKIP Logically assigned	67	0.38
		99 = LEGITIMATE SKIP	1907	10.75
IIFINC1	1	TOTAL FAMILY INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	14447	81.41
		2 = Logically imputed data	317	1.79
		3 = Statistically imputed data	1009	5.69
		9 = LEGITIMATE SKIP	1974	11.12
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	1087	6.12
		2 = No	16660	93.88
IISOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	14333	80.76
		2 = Logically imputed data	84	0.47
		3 = Statistically imputed data	592	3.34
		9 = LEGITIMATE SKIP	2738	15.43
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	599	3.38
		2 = No	17148	96.62
IISSI2	1	OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	14701	82.84
		2 = Logically imputed data	79	0.45
		3 = Statistically imputed data	616	3.47
		9 = LEGITIMATE SKIP	2351	13.25
IRPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	617	3.48
		2 = No	17130	96.52
IIPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	13675	77.06
		2 = Logically imputed data	124	0.70
		3 = Statistically imputed data	485	2.73
		9 = LEGITIMATE SKIP	3463	19.51

NON-CORE IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	1972	11.11
		2 = No	15775	88.89
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	8200	46.20
		2 = Logically imputed data	249	1.40
		3 = Statistically imputed data	618	3.48
		9 = LEGITIMATE SKIP	8680	48.91
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	735	4.14
		2 = No	17012	95.86
IICH2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	14055	79.20
		2 = Logically imputed data	120	0.68
		3 = Statistically imputed data	567	3.19
		9 = LEGITIMATE SKIP	3005	16.93
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
		1 = Yes	1008	5.68
		2 = No	16739	94.32
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	13997	78.87
		2 = Logically imputed data	160	0.90
		3 = Statistically imputed data	810	4.56
		9 = LEGITIMATE SKIP	2780	15.66
IRPEOP	2	TOTAL NUMBER OF PEOPLE IN A HOUSEHOLD		
		RANGE = 1 - 23	17747	100.00
IRKIDS	1	TOT NUM OF CHILDREN (UNDER 12 YRS) IN A HOUSEHOLD		
		RANGE = 1 - 10	8603	48.48
		0 = No children under 12	9144	51.52
RELINTHH	2	OTHER PERSON INTERVIEWED IN THIS HOUSEHOLD		
		0 = No other person in the household was interviewed..	13971	78.72
		10 = Spouse	338	1.90
		20 = Parent/guardian	946	5.33
		21 = Step/adopted/foster parent.....	35	0.20
		22 = Parent in-law (also step-)	9	0.05
		30 = Child	956	5.39
		31 = Step/adopted/foster child	25	0.14
		32 = Child in-law	9	0.05
		40 = Sibling	808	4.55
		41 = Step/adopted/foster sibling	26	0.15
		42 = Sibling in-law	58	0.33
		50 = Grandparent	6	0.03
		60 = Live in partner, fiancée	68	0.38
		61 = Friend/roommate	104	0.59
		70 = Other, relative	308	1.74
		71 = Other, non-relative	48	0.27
		99 = Other, relation unspecified	32	0.18

NON-CORE RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NON-CORE RECODED DEMOGRAPHICS				

FEMBABY	1	RESP. IS FEMALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17092	96.31
		1 = Yes	655	3.69
FEMKIDS	1	RESP. IS FEMALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	13426	75.65
		1 = Yes	4321	24.35
MALEBABY	1	RESP. IS MALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17433	98.23
		1 = Yes	314	1.77
MALEKIDS	1	RESP. IS MALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	15898	89.58
		1 = Yes	1849	10.42
F15_44	1	RESP. IS FEMALE AGE 15-44		
		0 = No	10032	56.53
		1 = Yes	7715	43.47
M15_44	1	RESP. IS MALE AGE 15-44		
		0 = No	11977	67.49
		1 = Yes	5770	32.51
PREG	2	RESP. IS PREGNANT FEMALE AGE 12-44 - RECODED PREGNANT VAR		
		0 = No	17348	97.75
		1 = Yes	399	2.25
PREG2	2	PREGNANCY STATUS OF FEMALES AGE 12-44		
		1 = Pregnant (PREGNANT = 1,3)	399	2.25
		2 = Not pregnant (PREGNANT = 2)	8334	46.96
		3 = Males/Females not age 12-44 (PREGNANT = 89,99) ...	8886	50.07
		94 = Female, pregnancy status not known		
		(PREGNANT = 94,97,98)	128	0.72
TRIMEST	2	CURRENT TRIMESTER OF PREGNANCY - FEMALES AGE 12-44		
		1 = 1st 3 months of pregnancy (PREG=1 & PREGMOS=1-3) .	95	0.54
		2 = 2nd 3 months of pregnancy (PREG=1 & PREGMOS=4-6) .	159	0.90
		3 = Last 3 months of pregnancy (PREG=1 & PREGMOS=7-9)	124	0.70
		4 = Males/Not pregnant females (PREG=0)	17348	97.75
		94 = Pregnant, trimester not known (PREG=1 and		
		PREGMOS=94,98)	21	0.12

NON-CORE RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INDCAT	2	TOTAL PERSONAL INCOME RECODE (13 CATEGS.)		
		1 = \$0	5230	29.47
		2 = \$1-\$4,999	2295	12.93
		3 = \$5,000-\$6,999	1106	6.23
		4 = \$7,000-\$8,999	863	4.86
		5 = \$9,000-\$11,999	1254	7.07
		6 = \$12,000-\$14,999	1106	6.23
		7 = \$15,000-\$19,999	1588	8.95
		8 = \$20,000-\$24,999	1214	6.84
		9 = \$25,000-\$29,999	885	4.99
		10 = \$30,000-\$39,999	1120	6.31
		11 = \$40,000-\$49,999	523	2.95
		12 = \$50,000-\$74,999	385	2.17
		13 = \$75,000+	178	1.00
PERINC	1	TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	9494	53.50
		2 = \$9,000-\$19,999	3948	22.25
		3 = \$20,000-\$39,999	3219	18.14
		4 = \$40,000-\$74,999	908	5.12
		5 = \$75,000+	178	1.00
PERINC2	1	TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = \$0-9,999	9890	55.73
		2 = \$10,000-\$19,999	3552	20.01
		3 = \$20,000-\$29,999	2099	11.83
		4 = \$30,000-\$39,999	1120	6.31
		5 = \$40,000-\$49,999	523	2.95
		6 = \$50,000-\$74,999	385	2.17
		7 = \$75,000+	178	1.00
PERINC3	1	TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	5442	30.66
		2 = \$10,000-\$19,999	3479	19.60
		3 = \$20,000-\$29,999	2066	11.64
		4 = \$30,000-\$39,999	1097	6.18
		5 = \$40,000-\$49,999	511	2.88
		6 = \$50,000-\$74,999	381	2.15
		7 = \$75,000+	176	0.99
		8 = 12-17 Years Old	4595	25.89

NON-CORE RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TOTCAT	2	TOTAL FAMILY INCOME RECODE (13 CATEGORIES)		
		1 = \$0	131	0.74
		2 = \$1-\$4,999	757	4.27
		3 = \$5,000-\$6,999	565	3.18
		4 = \$7,000-\$8,999	707	3.98
		5 = \$9,000-\$11,999	980	5.52
		6 = \$12,000-\$14,999	807	4.55
		7 = \$15,000-\$19,999	1769	9.97
		8 = \$20,000-\$24,999	1707	9.62
		9 = \$25,000-\$29,999	1450	8.17
		10 = \$30,000-\$39,999	2676	15.08
		11 = \$40,000-\$49,999	2203	12.41
		12 = \$50,000-\$74,999	2413	13.60
		13 = \$75,000+	1582	8.91
FAMINC	1	TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	2160	12.17
		2 = \$9,000-\$19,999	3556	20.04
		3 = \$20,000-\$39,999	5833	32.87
		4 = \$40,000-\$74,000	4616	26.01
		5 = \$75,000+	1582	8.91
FAMINC2	1	TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	2598	14.64
		2 = \$10,000-\$19,999	3118	17.57
		3 = \$20,000-\$29,999	3157	17.79
		4 = \$30,000-\$39,999	2676	15.08
		5 = \$40,000-\$49,999	2203	12.41
		6 = \$50,000-\$74,999	2413	13.60
		7 = \$75,000+	1582	8.91
FAMINC3	1	TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	1963	11.06
		2 = \$10,000-\$19,999	2191	12.35
		3 = \$20,000-\$29,999	2427	13.68
		4 = \$30,000-\$39,999	2029	11.43
		5 = \$40,000-\$49,999	1639	9.24
		6 = \$50,000-\$74,999	1765	9.95
		7 = \$75,000+	1138	6.41
		8 = 12-17 Years old	4595	25.89
WELFARE	1	ANY FAMILY MEMBER ON WELFARE IN PAST 12 MONTHS		
		1 = Yes, respondent or another fam member on welfare .	2170	12.23
		2 = No, there was no one in the family on welfare	15577	87.77

NON-CORE RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NON-CORE RECODED DRUG USE				

NEEDLREC	2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past month (30 days)	5	0.03
		2 = More than 1 month ago but less than 12 months ago	12	0.07
		3 = 12 or more months ago but less than 3 years ago ..	25	0.14
		4 = More than 3 years ago	124	0.70
		9 = Use in lifetime LOGICALLY IMPUTED	4	0.02
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	17315	97.57
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	262	1.48
NEDFLAG4	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (GNNDLLIF=2,85,97,98)	17551	98.90
		1 = Ever Used (GNNDLLIF=1,3)	196	1.10
NEDYR4	1	NEEDLE USE WITH COC/HER/STM - PAST YEAR USE		
		0 = No (NEEDLREC=3,4,9,91,98)	17730	99.90
		1 = Yes (NEEDLREC=1,2)	17	0.10

NON-CORE RECODED YOUTH CHECKLIST VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NON-CORE RECODED YOUTH CHECKLIST VARIABLES				

WITHDRW was created using the following variables: YALONE, YRFSTALK, YSECRET, YSHY, YNOENRGY, YUNHAPPY, YINVOTH.				
WITHDRW	2	TOTAL SCORE FOR WITHDRAWN		
		RANGE = 0 - 14	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
SOMCOM was created using the following variables: YFLDIZZY YFLTIRE YACHES YHEADACH YNAUSEA YEYEPROB YRASHES YEYEPROB YRASHES YCRAMPS YVOMIT.				
SOMCOM	2	TOTAL SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 0 - 18	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
ANXDEP was created using the following variables: YFLONELY YCRYLOT YTRYKLSF YAFRBAD YFLPRFCT YFLNOLOV YFLGETME YFLWTHLS YNERVOUS YANXIOUS YFLGUILT YSLFCONS YSUSPICS YTHKKLSF YUNHAPPY YWORRY.				
ANXDEP	2	TOTAL SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 0 - 32	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
SOCPROB was created using the following variables: YACTYNG, YDPTADLT, YDNTKIDS, YGTEASED, YNOTKIDS, YCLUMSY, YYNGKIDS, YINVOTH.				
SOCPROB	2	TOTAL SCORE FOR SOCIAL PROBLEMS		
		RANGE = 0 - 16	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11

NON-CORE RECODED YOUTH CHECKLIST VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
THPROB was created using the following variables: YCNTHGTS YHRVOICS YREPACTN YSEETHNG YDNTNEED YDOSTRNG YTHSTRNG.				
THPROB	2	TOTAL SCORE FOR THOUGHT PROBLEMS		
		RANGE = 0 - 14	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
ATTPROB was created using the following variables: YACTYNG, YTRBCONC, YTRBSIT, YFLCONFU, YDAYDREAM, YACTTNK, YNERVOUS, YSCPOOR, YCLUMSY.				
ATTPROB	2	TOTAL SCORE FOR ATTENTION PROBLEMS		
		RANGE = 0 - 18	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
DELBEH was created using the following variables: YDNTGLTY YKIDSTRB YLIE YOLDKIDS YRUNHOME YSETFIRE YSTEALPL YSTEALHO YDRTLNG YSKIPSCH YUSEDUGS.				
DELBEH	2	TOTAL SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 0 - 22	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11
AGGBEH was created using the following variables: YARGUE YBRAG YMEANOTH YTRYATTN YDSTYTHG YDSTYOTH YDSBYSCH YJEALOTH YFIGHTS YATTACK YSCREAM YSHOWOFF YSTUBORN YMOODS YTALKMCH YTEASE YTEMPER YHRTPEO YLOUDER.				
AGGBEH	2	TOTAL SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 0 - 38	4499	25.35
		98 = BLANK (NO ANSWER)	96	0.54
		99 = LEGITIMATE SKIP	13152	74.11

NON-CORE RECODED YOUTH CHECKLIST VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		In the following eight variables (WITHDRWT, SOMCOMT, ANXDEPT, SOCPROBT, THPROBT, ATTPROBT, DELBEHT, AGGBEHT) the raw scores have been converted to T scores for each syndrome. Normalized T scores are based on percentiles of normative samples (computed separately for each sex) and provide a convenient way of judging whether a youth reports relatively many or few problems as compared to other youth.		
WITHDRWT	3	T SCORE FOR WITHDRAWN		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
SOMCOMT	3	T SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
ANXDEPT	3	T SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
SOCPROBT	3	T SCORE FOR SOCIAL PROBLEMS		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
THPROBT	3	T SCORE FOR THOUGHT PROBLEMS		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
ATTPROBT	3	T SCORE FOR ATTENTION PROBLEMS		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
DELBEHT	3	T SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11
AGGBEHT	3	T SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 50 - 100	4499	25.35
		998 = BLANK (NO ANSWER)	96	0.54
		999 = LEGITIMATE SKIP	13152	74.11

LABEL	LEN	NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES -----		
		The following variable MDESFS1 was created by examination of DEPRESS, DEPDAYS, DEPFREQ, LOSTINT1, TIRED1, LBSCHNG1, SLPFREQ1, CONCEN1, DOWN1, IDEAT1, LOSTINT2, TIRED2, LBSCHNG2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2. MDESFS1 requires DEPRESS or LOSTINT2 to have originally been answered as yes.		
MDESFS1	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 1		
		RANGE = 0 - 8	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
		The following variable PROBMDE1 was created from MDESFS1.		
PROBMDE1	2	PROBABILITY OF CASENESS FOR MDE VERSION 1		
		RANGE = 0.0001 - 0.9100	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
		The following variable MDE1 was created from MDESFS1.		
MDE1	2	MAJOR DEPRESSIVE EPISODE VERSION 1		
		0 = Probable noncase	12151	68.47
		1 = Probable case	1001	5.64
		99 = LEGITIMATE SKIP	4595	25.89

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following variable GADSFS1 was created by examination of WORRIED, WOREND, WORNOMO1, WORHAPN1, WORSER11, WORDIFF1, WORNOMO2, WORHAPN2, WORSER12, WORDIFF2, WORREST, WOREDGE, WORIRRIT, WORHEART, WORTIRED, WORSLEEP, and WORFAINT. GADSFS1 ignores logically assigned values for these variables.</p>				
GADSFS1	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 1		
		RANGE = 0 - 7	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
<p>The following variable PROBGAD1 was created from GADSFS1.</p>				
PROBGAD1	2	PROBABILITY OF CASENESS FOR GAD VERSION 1		
		RANGE = 0.0000 - 0.9978	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
<p>The following variable GAD1 was created from GADSFS1.</p>				
GAD1	2	GENERAL ANXIETY DISORDER VERSION 1		
		0 = Probable noncase	12879	72.57
		1 = Probable case	273	1.54
		99 = LEGITIMATE SKIP	4595	25.89

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following variable AGPSFS1 was created by examination of FEARPUB, FEAROUT, FEARBRDG, FEAROFT, FEARYRS, FEARMOSES, FEARFANT, FEARTRAP, and FEARHELP. AGPSFS1 ignores logically assigned values for these variables.</p>				
AGPSFS1	2	AGORAPHOBIA SHORT FORM SCORE 1		
		RANGE = 0 - 4	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
<p>The following variable, PROBAGP1, was created from AGPSFS1.</p>				
PROBAGP1	2	PROBABILITY OF CASENESS FOR AGORA VERSION 1		
		RANGE = 0.0000 - 1.0000	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
<p>The following variable, AGP1, was created from AGPSFS1.</p>				
AGP1	2	AGORAPHOBIA VERSION 1		
		0 = Probable noncase	12845	72.38
		1 = Probable case	307	1.73
		99 = LEGITIMATE SKIP	4595	25.89

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The following variable PASFS1 was created by examination of PANIC1, PANIC2, PANIDANG, PANIFEAR, PANINOFR, PANIHART, PANIPAIN, PANISWET, PANISHAK, PANIHOT, and PANIUNRL. PASFS1 ignores logically assigned values for these variables.		
PASFS1	2	PANIC ATTACK SHORT FORM SCORE 1		
		RANGE = 0 - 6	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
		The following variable, PROBPA1, was created from PASFS1.		
PROBPA1	2	PROBABILITY OF CASENESS FOR PANIC VERSION 1		
		RANGE = 0.0000 - 1.0000	13152	74.11
		99 = LEGITIMATE SKIP	4595	25.89
		The following variable, PA1, was created from PASFS1.		
PA1	2	PANIC ATTACK VERSION 1		
		0 = Probable noncase	12764	71.92
		1 = Probable case	388	2.19
		99 = LEGITIMATE SKIP	4595	25.89

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		INTERVIEW INFORMATION		

INTMONTH	2	EDITED INTERVIEW MONTH		
BHOUR	2	BEGINNING HOUR OF INTERVIEW		
BMIN	2	BEGINNING MINUTE OF INTERVIEW		
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
EHOUR	2	HOUR WHEN INTERVIEW WAS FINISHED		
EMIN	2	MINUTE WHEN INTERVIEW WAS FINISHED		
EAP	2	AM OR PM WHEN INTERVIEW WAS FINISHED		
LANGVER	2	LANGUAGE VERSION		
		1 = English	16267	91.66
		2 = Spanish	1480	8.34

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		INTERVIEWER OBSERVATIONS		

		FI-2. Estimate the respondent's understanding of the interview.		
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty--no language or reading problem	14360	80.92
		2 = Just a little difficulty--almost no lang/read prob	1657	9.34
		3 = A fair amount of difficulty--some lang/read probs	568	3.20
		4 = A lot of difficulty--considerable lang/read probs	242	1.36
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	918	5.17
		FI-3. How cooperative has the respondent been?		
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative	16070	90.55
		2 = Fairly cooperative	1254	7.07
		3 = Not very cooperative	221	1.25
		4 = Openly hostile	47	0.26
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	150	0.85

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		FI-4. Indicate on this scale of 01 through 09 how private the interview was.		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	11189	63.05
		2 =	435	2.45
		3 = Minor distractions	2689	15.15
		4 =	98	0.55
		5 = Person(s) in the room or listening 1/3 of time ...	1269	7.15
		6 =	42	0.24
		7 = Serious interruption of privacy more than 1/2 time	199	1.12
		8 =	17	0.10
		9 = Constant presence of other person(s)	1359	7.66
		85 = BAD DATA Logically assigned	138	0.78
		96 = MULTIPLE RESPONSE	170	0.96
		98 = BLANK (NO ANSWER)	142	0.80
		FI-5. Others present or listening to the interview were ... (MARK ALL THAT APPLY.)		
PPRES	2	PARENT(S)		
		1 = Response marked	2113	11.91
		98 = BLANK (NO ANSWER)	4445	25.05
		99 = LEGITIMATE SKIP	11189	63.05
SPRES	2	SPOUSE		
		2 = Response marked	1067	6.01
		98 = BLANK (NO ANSWER)	5491	30.94
		99 = LEGITIMATE SKIP	11189	63.05
PARPRES	2	LIVE-IN PARTNER/BOYFRIEND/GIRLFRIEND		
		3 = Response marked	230	1.30
		98 = BLANK (NO ANSWER)	6328	35.66
		99 = LEGITIMATE SKIP	11189	63.05
OARPRES	2	OTHER ADULT RELATIVE(S)		
		4 = Response marked	679	3.83
		98 = BLANK (NO ANSWER)	5879	33.13
		99 = LEGITIMATE SKIP	11189	63.05
OAPRES	2	OTHER ADULT(S)		
		5 = Response marked	522	2.94
		98 = BLANK (NO ANSWER)	6036	34.01
		99 = LEGITIMATE SKIP	11189	63.05

LABEL	LEN	INTERVIEWER OBSERVATIONS		FREQ	%
		DESCRIPTION			
CPRES	2	CHILD(REN) UNDER 15			
		6 = Response marked	2584	14.56	
		98 = BLANK (NO ANSWER)	3974	22.39	
		99 = LEGITIMATE SKIP	11189	63.05	
OPRESNSP	2	OTHER (PEOPLE PRESENT/LISTENING DURING INT)SPECIFY			
		7 = Response marked	366	2.06	
		98 = BLANK (NO ANSWER)	6192	34.89	
		99 = LEGITIMATE SKIP	11189	63.05	

LABEL	LEN	INTERVIEWER OBSERVATIONS		FREQ	%
		DESCRIPTION			
OPRESSPA	3	OTHER PERSON PRESENT DURING INTERVIEW - 1ST MENT			
		10 = Spouse	1	0.01	
		20 = Parent/Guardian	1	0.01	
		37 = Child, Relation Unspecified	10	0.06	
		50 = Grandparent/Great+ Grandparent	1	0.01	
		61 = Friend/Roommate/Companion	75	0.42	
		71 = Cousin/Cousin's Spouse	2	0.01	
		82 = Housekeeper/Maid/Caretaker/Butler	2	0.01	
		84 = Neighbor/Co-Worker/Visitor	10	0.06	
		85 = Landlord/Home Owner	1	0.01	
		91 = Other Non-Relative, Gender not specified	25	0.14	
		92 = Other, Relation and Gender Unspecified	2	0.01	
		110 = Husband	1	0.01	
		120 = Father/Male Guardian	1	0.01	
		130 = Son	13	0.07	
		137 = Male child, Relation Unspecified	2	0.01	
		140 = Brother/Half Brother	27	0.15	
		142 = Brother In-Law	1	0.01	
		150 = Grandfather/Great+ Grandfather	2	0.01	
		161 = Male Fiance/Boyfriend/Roommate/Companion	9	0.05	
		170 = Uncle/Step Uncle/Aunt's Husband	1	0.01	
		172 = Nephew	1	0.01	
		191 = Other Male Non-Relative	1	0.01	
		210 = Wife	1	0.01	
		220 = Mother/Female Guardian	1	0.01	
		221 = Step/Adopted/Foster Mother/Future Step Mother	3	0.02	
		230 = Daughter	4	0.02	
		232 = Daughter In-Law	2	0.01	
		240 = Sister/Half Sister	17	0.10	
		250 = Grandmother/Great+ Grandmother	18	0.10	
		261 = Female Fiancee/Girlfriend/Roommate/Companion	6	0.03	
		270 = Aunt	4	0.02	
		283 = Female Nurse/Health Care Aide/Home Care Worker ...	1	0.01	
		290 = Other Female Relative	1	0.01	
		291 = Other Female Non-Relative	17	0.10	
		292 = Other Female, Relation Unspecified	1	0.01	
		337 = Children, Relation Unspecified	9	0.05	
		340 = Siblings	1	0.01	
		350 = Grandparents/Great+ Grandparents	1	0.01	
		361 = Friends/Roommates/Companions	23	0.13	
		371 = Cousins/Cousins' Spouses	1	0.01	
		384 = Neighbors/Co-Workers/Visitors	3	0.02	
		390 = Other Relatives, Gender not specified	3	0.02	
		391 = Other Non-Relatives, Gender not specified	8	0.05	
		392 = Others, Relation and Gender Unspecified	4	0.02	
		440 = Brothers/Half Brothers	1	0.01	
		531 = Step/Adopted/Foster Daughters	1	0.01	
		540 = Sisters/Half Sisters	1	0.01	
		571 = Female Cousins/Cousins' wives	1	0.01	
		900 = NOT A PERSON	57	0.32	

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		985 = BAD DATA Logically assigned	2	0.01
		998 = BLANK (NO ANSWER)	6177	34.81
		999 = LEGITIMATE SKIP	11189	63.05
OPRESSPB	3	OTHER PERSON PRESENT DURING INTERVIEW - 2ND MENT		
		37 = Child, Relation Unspecified	4	0.02
		61 = Friend/Roommate/Companion	3	0.02
		91 = Other Non-Relative, Gender not specified	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	1	0.01
		170 = Uncle/Step Uncle/Aunt's Husband	1	0.01
		241 = Step/Adopted/Foster Sister/Future Step Sister	1	0.01
		361 = Friends/Roommates/Companions	2	0.01
		384 = Neighbors/Co-Workers/Visitors	1	0.01
		900 = NOT A PERSON	5	0.03
		998 = BLANK (NO ANSWER)	6538	36.84
		999 = LEGITIMATE SKIP	11189	63.05
FI-6. Who marked the responses on the Answer Sheets? (MARK ONLY ONE BOX.)				
WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked all the Answer Sheet responses .	17188	96.85
		2 = Interviewer marked all the Answer Sheet responses	310	1.75
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	245	1.38
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	4630	26.09
		2 = Quarter 2	4532	25.54
		3 = Quarter 3	4295	24.20
		4 = Quarter 4	4290	24.17
The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not, based on the household roster from the screening form.				
FAMSKIP	1	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household .	15773	88.88
		1 = Respondent didn't have other family in household .	1974	11.12
GQTYPE	1	TYPE OF GROUP QUARTERS		
		9 = Not Group Quarters	17605	99.20
		B = Boarding House	1	0.01
		C = College Dorm	103	0.58
		O = Other	8	0.05
		S = Shelter	30	0.17

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		GEOGRAPHIC		

		The variables, PDEN and PDEN2 are based on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons ..	8520	48.01
		2 = Segment in a MSA with fewer than 1 million persons	5669	31.94
		3 = Segment not in MSA	3558	20.05
PDEN2	1	POPULATION DENSITY - FIVE LEVELS		
		1 = Segment in MSA with 1 million or more persons	8520	48.01
		2 = Segm. in a MSA from 250000 to 999999 persons	3898	21.96
		3 = Segment in a MSA with fewer than 250000 persons ..	1771	9.98
		4 = Segment not in a MSA and not in a rural area	1577	8.89
		5 = Segment not in a MSA and in a rural area	1981	11.16
REGION	1	CENSUS REGION		
		1 = Northeast	2984	16.81
		2 = North Central	3287	18.52
		3 = South	7181	40.46
		4 = West	4295	24.20
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England	560	3.16
		2 = Middle Atlantic	2424	13.66
		3 = East North Central	2223	12.53
		4 = West North Central	1064	6.00
		5 = South Atlantic	3389	19.10
		6 = East South Central	1241	6.99
		7 = West South Central	2551	14.37
		8 = Mountain	878	4.95
		9 = Pacific	3417	19.25
		The following variable, RURORURB, is based on the 1990 Census data. For each Census tract, if the rural population is equal to the total population, the tract is considered to be rural. Otherwise, the tract is considered to be urban.		
RURORURB	1	RURAL OR URBAN SEGMENT		
		1 = Rural	3221	18.15
		2 = Urban	14526	81.85

SAMPLE WEIGHTING & ESTIMATION VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SAMPLE WEIGHTING & ESTIMATION VARIABLES		

VESTR	4	VARIANCE STRATUM		
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM		
		The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about the survey's target population or about any subgrouping of the target population.		
ANALWT	8	FINAL PERSON-LEVEL SAMPLE WEIGHT, = (WT1*...*WT12)		
ANALWT1	8	ANALYSIS WEIGHT FOR QUARTER 1		
ANALWT2	8	ANALYSIS WEIGHT FOR QUARTER 2		
ANALWT3	8	ANALYSIS WEIGHT FOR QUARTER 3		
ANALWT4	8	ANALYSIS WEIGHT FOR QUARTER 4		
WT1	8	PSU WEIGHT		
WT2	8	SEGMENT WEIGHT		
WT3	8	QUARTER SEGMENT WEIGHT ADJUSTMENT		
WT4	8	SUBSEGMENTATION INFLATION WEIGHT		
WT5	8	LISTING UNIT WEIGHT		
WT6	8	DU POST STRATIFICATION ADJUSTMENT		
WT7	8	DU NONRESPONSE ADJUSTMENT		
WT8	8	INVERSE OF THE PROB OF SELECTION PERSON		
WT9	8	INVERSE OF THE PROB OF SELECT WITHIN AGE		
WT10	8	PERSON WEIGHT TRIMMING ADJUSTMENT		
WT11	8	PERSON NONRESPONSE/ROSTER ADJUSTMENT		
WT12	8	PERSON POST-STRATIFICATION		

MAIN FINDINGS 1995 - VARIABLE CREATION

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1995 report. These variables consist of recodes of previous codebook variables.

There are two sections of recodes of previous codebook variables: 1) recodes of drug use and demographic variables for Main Findings 1995 report chapters 1-11, and 2) recodes of mental health, drug use, and demographic variables for Main Findings 1995 report chapter 12. For most of the recodes the source variables are used to define a new variable. The source variables and recode instructions are given either in parentheses after the variable definition, or in a comment directly above the variable definition.

		RECODES FOR MAIN FINDINGS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	--	
RECODES FOR MAIN FINDINGS					

AGECAT3	2	AGE CATEGORIZED 11 LEVELS			
		1 = 12-13 (12 LE IRAGE LE 13)	1563	8.81	
		2 = 14-15 (14 LE IRAGE LE 15)	1560	8.79	
		3 = 16-17 (16 LE IRAGE LE 17)	1472	8.29	
		4 = 18-21 (18 LE IRAGE LE 21)	1935	10.90	
		5 = 22-25 (22 LE IRAGE LE 25)	2028	11.43	
		6 = 26-29 (26 LE IRAGE LE 29)	2066	11.64	
		7 = 30-34 (30 LE IRAGE LE 34)	3147	17.73	
		8 = 35-39 (35 LE IRAGE LE 39)	1129	6.36	
		9 = 40-44 (40 LE IRAGE LE 44)	909	5.12	
		10 = 45-49 (45 LE IRAGE LE 49)	829	4.67	
		11 = 50-102 (50 LE IRAGE LE 102)	1109	6.25	
AGECAT4	2	AGE CATEGORIZED 2 LEVELS			
		1 = 12-20 (12 LE IRAGE LE 20)	6097	34.36	
		2 = 21 AND OLDER (21 LE IRAGE LE 102)	11650	65.64	
ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS			
		1 = None or never used alcohol			
		(ALCDAYS = 35,81,83,91,93)	9470	53.36	
		2 = 1-2 days (ALCDAYS = 1-2)	2891	16.29	
		3 = 3-4 days (ALCDAYS = 3-4)	1533	8.64	
		4 = 5-19 days (ALCDAYS = 5-19)	2302	12.97	
		5 = 20-30 days (ALCDAYS = 20-30)	598	3.37	
		6 = UNKNOWN (ALCDAYS = 85,94,95,98)	953	5.37	
ALCDAYS3	2	# DAYS HAD 1 OR MORE DRINKS IN PAST 30 DAYS			
		1 = 0 (ALCDAYS2 = 1)	9470	53.36	
		2 = 1-4 (ALCDAYS2 = 2 OR 3)	4424	24.93	
		3 = 5-19 (ALCDAYS2 = 4)	2302	12.97	
		4 = 20-30 (ALCDAYS2 = 5)	598	3.37	
		6 = UNKNOWN (ALCDAYS2 = 6)	953	5.37	
ALCUSE	2	ALCOHOL- FREQUENCY OF USE IN THE PAST YEAR			
		1 = Less than 12 days (IRALCFQ=7-9)	4697	26.47	
		2 = 12-50 days (1-4 days/month)(IRALCFQ=5-6)	2896	16.32	
		3 = 51-300 days (1-7 days/week)(IRALCFQ=2-4)	2752	15.51	
		4 = More than 300 days(daily or almost)(IRALCFQ=1)	443	2.50	
		5 = HAS NOT USED IN PAST YEAR (IRALCFQ=10)	6959	39.21	
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED			
		0 = No	11460	64.57	
		1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	6287	35.43	
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE			
		0 = No	16390	92.35	
		1 = Yes (ALCMON=1 AND SUMMON=1)	1357	7.65	
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE			
		0 = No	15221	85.77	
		1 = Yes (ALCYR=1 AND SUMYR=1)	2526	14.23	
ALCMRJL	1	EVER USED ALCOHOL & MARIJUANA ONLY			
		0 = No	14939	84.18	
		1 = Yes (ALCFLAG=1,MRJFLAG=1,PSYFLAG2=0,COCFLAG=0, INHFLAG=0,HALFLAG=0,HERFLAG=0)	2808	15.82	

RECODES FOR MAIN FINDINGS				
LABEL -----	LEN ----	DESCRIPTION -----	FREQ -----	% --
ALCMRJM	1	USED ONLY ALCOHOL & MARIJUANA IN PAST MONTH 0 = No 16909 95.28 1 = Yes (ALCMON=1,MRJMON=1,PSYMON2=0,COCMON=0, INHMOM=0,HALMON=0,HERMON=0) 838 4.72		
ALCMRJY	1	USED ONLY ALCOHOL & MARIJUANA IN PAST YEAR 0 = No 16432 92.59 1 = Yes (ALCYR=1,MRJYR=1,PSYYR2=0,COCYR=0, INHYYR=0,HALYYR=0,HERYYR=0) 1315 7.41		
ALCONLYL	1	EVER USED ONLY ALCOHOL 0 = No 11119 62.65 1 = Yes (ALCFLAG=1 AND SUMFLAG=0) 6628 37.35		
ALCONLYM	1	USED ONLY ALCOHOL IN PAST MONTH 0 = No 10824 60.99 1 = Yes (ALCMON=1 AND SUMMON=0) 6923 39.01		
ALCONLYY	1	USED ONLY ALCOHOL IN PAST YEAR 0 = No 9485 53.45 1 = Yes (ALCYR=1 AND SUMYR=0) 8262 46.55		
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED 0 = No 14546 81.96 1 = Yes (ALCFLAG=1 & ALCMRJL=0 & ALCPSYL=0 & ANY OF THE FOLLOWING = 1: PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG) 3201 18.04		
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE 0 = No 17330 97.65 1 = Yes (ALCMON=1 & ALCMRJM=0 & ALCPSYM=0 & ANY OF THE FOLLOWING = 1: PSYMON2,MRJMON, COCMON, INHMOM,HALMON,HERMON) 417 2.35		
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE 0 = No 16751 94.39 1 = Yes (ALCYR=1 & ALCMRJY=0 & ALCPSYY=0 & ANY OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR, INHYYR,HALYYR,HERYYR) 996 5.61		
ALCPROBS	2	ANY PROBLEMS DUE TO ALCOHOL 0 = No 14645 82.52 1 = Yes 3102 17.48 (1 IF IRBTALC2=1 OR IRGRALC2=1 OR IRLAALC2=1 OR IRACALC2=1 OR IREMAC2=1 OR IRHLALC2=1 OR IRUCALC2=1)		
ALC2PROB	2	TWO OR MORE PROBLEMS DUE TO ALCOHOL 0 = No 16054 90.46 1 = Yes 1693 9.54 (IF 2 OR MORE OF THE FOLLOWING = 1: IRBTALC2=1 OR IRGRALC2=1 OR IRLAALC2=1 OR IRACALC2=1 OR IREMAC2=1 OR IRHLALC2=1 OR IRUCALC2=1)		
ALC3PROB	2	THREE OR MORE PROBLEMS DUE TO ALCOHOL 0 = No 16684 94.01 1 = Yes 1063 5.99 (IF 3 OR MORE OF THE FOLLOWING = 1: IRBTALC2=1 OR IRGRALC2=1 OR IRLAALC2=1 OR IRACALC2=1 OR IREMAC2=1 OR IRHLALC2=1 OR IRUCALC2=1)		
ALCPSYL	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS 0 = No 17469 98.43 1 = Yes (ALCFLAG=1,PSYFLAG2=1,MRJFLAG=0,COCFLAG=0, INHFLAG=0,HALFLAG=0,HERFLAG=0) 278 1.57		

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ALCPSYM	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS IN PAST MONTH 0 = No 17645 99.43 1 = Yes (ALCMON=1,PSYMON2=1,MRJMON=0,COCMON=0, INHMN=0,HALMON=0,HERMON=0) 102 0.57		
ALCPSYY	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS IN PAST YEAR 0 = No 17532 98.79 1 = Yes (ALCYR=1,PSYYR2=1,MRJYR=0,COCYR=0, INHYR=0,HALYR=0,HERYR=0) 215 1.21		
ALCTRY2	2	AGE HAD FIRST DRINK OF ALCOHOL RANGE = 2-62 (ALCTRY = 2-62)..... 12795 72.10 99 = LEGITIMATE SKIP/NO ANSWER (ALCTRY = 981,985,991,994,995,998) 4952 27.90		
ANALAGE2	2	AGE FIRST USED ANALGESICS RANGE = 2-63 (ANALAGE = 2-63) 855 4.82 99 = LEGITIMATE SKIP/NO ANSWER (ANALAGE=981,985,991,994,995,997,998) 16892 95.18		
AVCIG2	2	NUMBER OF CIGARETTES SMOKED PER DAY IN LAST 30 DAYS 1 = 0 (AVCIG = 81,83,91,93) 12151 68.47 2 = 15 cigarettes or less (AVCIG = 1-3) 3520 19.83 3 = 16 cigarettes or more (AVCIG = 4-6) 1786 10.06 4 = UNKNOWN (AVCIG = 85,98) 290 1.63		
AVCIG3	1	SMOKED A PACK OR MORE A DAY IN THE PAST 30 DAYS 0 = No (AVCIG = 1-3,81,83,85,91,93,98) 15961 89.94 1 = Yes (AVCIG = 4-6) 1786 10.06		
BINGDRK2	2	BINGE ALCOHOL USE PST 30 DAYS 0 = No (BINGEDRK = 99 OR BINGEDRK = 0) 14827 83.55 1 = Yes (BINGEDRK = 1) 2920 16.45		
BKAGASL2	2	ARRESTED & BOOKED FOR AGGRAV. ASSLT IN PST YR-REVISED 0 = No (BKAGASLT = 2, 85, 89, 97, 98, 99) 17687 99.66 1 = Yes (BKAGASLT = 1) 60 0.34		
BKARSON2	2	ARRESTED & BOOKED FOR ARSON IN PST YR-REVISED 0 = No (BKARSON = 2, 85, 89, 97, 98, 99) 17737 99.94 1 = Yes (BKARSON = 1) 10 0.06		
BKBURGL2	2	ARRESTED & BOOKED FOR BURGLARY IN PST YR-REVISED 0 = No (BKBURGL = 2, 85, 89, 97, 98, 99) 17700 99.74 1 = Yes (BKBURGL = 1) 47 0.26		
BKDRUG2	2	ARRESTED & BOOKED FOR POSSESS/SALE OF ILL. DRUGS IN PST YR-REVISED 0 = No (BKDRUG = 2, 85, 89, 97, 98, 99) 17688 99.67 1 = Yes (BKDRUG= 1) 59 0.33		
BKDRUNK2	2	ARRESTED & BOOKED FOR DRNKNSS/LIQ LAW IN PST YR-REVISED 0 = No (BKDRUNK = 2, 85, 89, 97, 98, 99) 17681 99.63 1 = Yes (BKDRUNK = 1, 3) 66 0.37		
BKDRVIN2	2	ARRESTED & BOOKED FOR DUI IN PST YR-REVISED 0 = No (BKDRVINF = 2, 85, 89, 97, 98, 99) 17656 99.49 1 = Yes (BKDRVINF = 1, 3) 91 0.51		
BKLARC2	2	ARRESTED & BOOKED FOR LARCENY/THFT IN PST YR-REVISED 0 = No (BKLARCNY = 2, 85, 89, 97, 98, 99) 17660 99.51 1 = Yes (BKLARCNY = 1, 3) 87 0.49		

RECODES FOR MAIN FINDINGS					
LABEL	LEN	DESCRIPTION	FREQ		%
----	----	-----	----		----
BKMURDE2	2	ARRESTED & BOOKED FOR MURDER/HOM/MNSLGHTR IN PST YR-REVISED 0 = No (BKMURDER = 2, 85, 89, 97, 98, 99)	17747		100.0
BKMVTHF2	2	ARRESTED & BOOKED FOR MOTOR VEH.THEFT IN PST YR-REVISED 0 = No (BKMVTHFT = 2, 85, 89, 97, 98, 99) 1 = Yes (BKMVTHFT = 1)	17719 28		99.84 0.16
BKPROS2	2	ARRESTED & BOOKED FOR PROSTITUTION IN PST YR-REVISED 0 = No (BKPROS = 2, 85, 89, 97, 98, 99) 1 = Yes (BKPROS = 1, 3)	17742 5		99.97 0.03
BKRAPE2	2	ARRESTED & BOOKED FOR FORCIBLE RAPE IN PST YR-REVISED 0 = No (BKRAPE = 2, 85, 89, 97, 98, 99) 1 = Yes (BKRAPE = 1)	17745 2		99.99 0.01
BKROB2	2	ARRESTED & BOOKED FOR ROBBERY IN PST YR-REVISED 0 = No (BKROB = 2, 85, 89, 97, 98, 99) 1 = Yes (BKROB = 1)	17728 19		99.89 0.11
BKSMASL2	2	ARRESTED & BOOKED FOR OTHER ASSAULT IN PST YR-REVISED 0 = No (BKSMASLT = 2, 85, 89, 97, 98, 99) 1 = Yes (BKSMASLT = 1)	17662 85		99.52 0.48
BREAKIN2	2	BROKEN INTO HOUSE/BLDG IN PST YR-REVISED 0 = No (BREAKIN = 2, 85, 97, 98) 1 = Yes (BREAKIN = 1, 3)	17652 95		99.46 0.54
CARSTEA2	2	TAKEN A CAR NOT YOUR FAMILY'S IN PST YR-REVISED 0 = No (CARSTEAL = 2, 85, 97, 98) 1 = Yes (CARSTEAL = 1, 3)	17665 82		99.54 0.46
CIGPROBS	2	ANY PROBLEMS DUE TO CIGARETTES 0 = No 1 = Yes (1 IF IRBTCIG2=1 OR IRGRCIG2=1 OR IRLACIG2=1 OR IRACCIG2=1 OR IREMCIG2=1 OR IRHLCIG2=1 OR IRUCCIG2=1)	13873 3874		78.17 21.83
CIG2PROB	2	TWO OR MORE PROBLEMS DUE TO CIGARETTES 0 = No 1 = Yes (IF 2 OR MORE OF THE FOLLOWING = 1: IRBTCIG2=1 OR IRGRCIG2=1 OR IRLACIG2=1 OR IRACCIG2=1 OR IREMCIG2=1 OR IRHLCIG2=1 OR IRUCCIG2=1)	14930 2817		84.13 15.87
CIG3PROB	2	THREE OR MORE PROBLEMS DUE TO CIGARETTES 0 = No 1 = Yes (IF 3 OR MORE OF THE FOLLOWING = 1: IRBTCIG2=1 OR IRGRCIG2=1 OR IRLACIG2=1 OR IRACCIG2=1 OR IREMCIG2=1 OR IRHLCIG2=1 OR IRUCCIG2=1)	15699 2048		88.46 11.54
CIGTRY2	2	AGE FIRST TRIED A CIGARETTE RANGE = 2-63 (CIGTRY = 2-63) 99 = LEGITIMATE SKIP/NO ANSWER (CIGTRY = 981,985,991,994,995,998)	10887 6860		61.35 38.65
COCAGE2	2	AGE FIRST USED COCAINE RANGE = 2-52 (COCAGE = 2-52) 99 = LEGITIMATE SKIP/NO ANSWER (COCAGE = 981,985,991,994,995,998)	1921 15826		10.82 89.18

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
COCPROBS	2	ANY PROBLEMS DUE TO COCAINE		
		0 = No	17458	98.37
		1 = Yes	289	1.63
		(1 IF IRBTCOC2=1 OR IRGRCOC2=1 OR IRLACOC2=1 OR IRACCOC2=1 OR IREMCOC2=1 OR IRHLCOC2=1 OR IRUCCOC2=1)		
COC2PROB	2	TWO OR MORE PROBLEMS DUE TO COCAINE		
		0 = No	17605	99.20
		1 = Yes	142	0.80
		(IF 2 OR MORE OF THE FOLLOWING = 1: IRBTCOC2=1 OR IRGRCOC2=1 OR IRLACOC2=1 OR IRACCOC2=1 OR IREMCOC2=1 OR IRHLCOC2=1 OR IRUCCOC2=1)		
COC3PROB	2	THREE OR MORE PROBLEMS DUE TO COCAINE		
		0 = No	17652	99.46
		1 = Yes	95	0.54
		(IF 3 OR MORE OF THE FOLLOWING = 1: IRBTCOC2=1 OR IRGRCOC2=1 OR IRLACOC2=1 OR IRACCOC2=1 OR IREMCOC2=1 OR IRHLCOC2=1 OR IRUCCOC2=1)		
COCTOT3	2	NUMBER OF DAYS USED COCAINE IN LIFE		
		1 = 1-2 days (COCTOT = 5)	544	3.07
		2 = 3-11 days (COCTOT = 4)	472	2.66
		3 = 12-100 days (COCTOT = 3)	490	2.76
		4 = 101+ days (COCTOT = 1 OR 2)	429	2.42
		5 = NEVER USED/NO ANSWER (COCTOT = 81 OR 91)	15805	89.06
		99 = UNKNOWN (COCTOT = 85 OR 98)	7	0.04
COCUSE	2	COCAINE- FREQUENCY OF USE IN THE PAST YEAR		
		1 = Less than 12 days (IRCOCFQ=7-9)	290	1.63
		2 = 12-50 days (1-4 days/month) (IRCOCFQ=5-6)	82	0.46
		3 = 51-300 days (1-7 days/week) (IRCOCFQ=2-4)	71	0.40
		4 = More than 300 days (daily or almost)(IRCOCFQ=1) ...	22	0.12
		5 = Has not used in past year (IRCOCFQ=10)	17282	97.38
DAMAGE2	2	PURPOSELY DAMAGED PROP NOT YOURS IN PST YR-REVISED		
		0 = No (DAMAGE = 2, 85, 97, 98)	17255	97.23
		1 = Yes (DAMAGE = 1, 3)	492	2.77
DRALHELP	2	TREATMENT RECEIVED FOR DRUGS OR ALCOHOL		
		0 = No (TRMTHLP2 = 0 AND DRNKHLP2 = 0)	17416	98.13
		1 = Yes (TRMTHLP2 = 1 OR DRNKHLP2 = 1)	331	1.87
DRINKER2	2	DRANK ALCOHOL IN PAST 30 DAYS		
		0 = No	9467	53.34
		1 = Yes (DR5DAY=1-30, 90 OR ALCMON=1)	8280	46.66
DRIVEAL2	2	DROVE UNDER INFL OF ALCOHOL IN PST YR-REVISED		
		0 = No (DRIVEAL = 2, 85, 97, 98)	16371	92.25
		1 = Yes (DRIVEAL = 1)	1376	7.75
DRIVEDR2	2	DROVE UNDER INFL OF ILL. DRUGS IN PST YR-REVISED		
		0 = No (DRIVEDR = 2, 85, 97, 98)	17332	97.66
		1 = Yes (DRIVEDR = 1)	415	2.34

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
DRNKHLP2	2	TREATMENT RECEIVED FOR ALCOHOL- RECODE		
		0 = No	17457	98.37
		1 = Yes	290	1.63
		(1 = YES IF TXALHOSP = 1,3 OR TXALRFIN = 1,3 OR TXALRFOP = 1,3 OR TXALMHC = 1,3 OR TXALEMRG = 1,3 OR TXALDOC = 1,3 OR TXALJAIL = 1,3 OR TXALSHG = 1,3 OR TXALSOP = 1,3)		
DRUNKYR2	2	DRUNK 51+ DAYS IN PAST YEAR		
		1 = Yes (DRUNKYR = 1, 2, 3, 4)	770	4.34
		2 = No (DRUNKYR = 5,6,7,8,9,81,83,85,90,91,93,98)	16977	95.66
DRVALDR2	2	UNDER INFL OF ALC & DRUGS IN PST YR-REVISED		
		0 = No (DRVALDR = 2, 85, 97, 98)	17335	97.68
		1 = Yes (DRVALDR = 1, 3)	412	2.32
FERTAGE	2	AGE GROUPS, WOMEN 15-44		
		1 = Women ages 15-25 (CATAGE = 1, 2 AND F15_44 = 1) ...	3338	18.81
		2 = Women ages 26-44 (CATAGE = 3, 4 AND F15_44 = 1) ...	4377	24.66
		99 = Men/women 12-14, 45+	10032	56.53
FORCEMO2	2	USE WEAPON/FORCE TO GET \$\$/THNGS FROM PERSON IN PST YR-REVISED		
		0 = No (FORCEMON = 2, 85, 97, 98)	17700	99.74
		1 = Yes (FORCEMON = 1)	47	0.26
GUNMONE2	2	USED WEAPON TO GET SMTHG FROM PERSON IN PST YR-REVISED		
		0 = No (GUNMONEY = 2, 85, 97, 98)	17708	99.78
		1 = Yes (GUNMONEY = 1, 3)	39	0.22
HALLAGE2	2	AGE FIRST USED HALLUCINOGENS		
		RANGE = 5-52 (HALLAGE = 5-52)	1645	9.27
		99 = NEVER USED/NO ANSWER (HALLAGE = 981,985,991,994,995,998)	16102	90.73
HERAGE2	2	AGE FIRST USED HEROIN		
		RANGE = 10-36 (HERAGE = 10-36)	187	1.05
		99 = NEVER USED/NO ANSWER (HERAGE = 981,985,991,994,995,997,998)	17560	98.95
HLTINAL2	2	ALCOHOL ABUSE COVERED IN PRIVATE PLAN		
		0 = NO ANSWER/NOT COVERED BY PRIVATE PLAN (HLTINALC = 89,94,97,98,99)	11383	64.14
		1 = Yes (HLTINALC = 1)	5162	29.09
		2 = No (HLTINALC = 2)	1202	6.77
HLTINDR2	2	DRUG ABUSE COVERED IN PRIVATE PLAN		
		0 = NO ANSWER/NOT COVERED BY PRIVATE PLAN (HLTINDRG = 89,94,96,97,98,99)	11461	64.58
		1 = Yes (HLTINDRG = 1)	5073	28.59
		2 = No (HLTINDRG = 2)	1213	6.83
HURTBAD2	2	HURT PERSON SO THEY NEED BANDAGE/DR. IN PST YR-REVISED		
		0 = No (HURTBAD = 2, 85, 97, 98)	17364	97.84
		1 = Yes (HURTBAD = 1, 3)	383	2.16
HVYDRK3	2	DRANK ALCOHOL HEAVILY-PST 30 DAYS: 0,1		
		0 = No (HVYDRK2 = . OR HVYDRK2 = 0)	16680	93.99
		1 = Yes	1067	6.01
ILLONLYL	1	EVER USED ONLY ILLICIT DRUGS		
		0 = No	17443	98.29
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	304	1.71

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
ILLONLYM	1	USED ONLY ILLICIT DRUGS IN PAST MONTH		
		0 = No	17465	98.41
		1 = Yes (SUMMON=1 AND ALCMON=0)	282	1.59
ILLONLYY	1	USED ONLY ILLICIT DRUGS IN PAST YEAR		
		0 = No	17496	98.59
		1 = Yes (SUMYR=1 AND ALCYR=0)	251	1.41
INHAGE2	2	AGE FIRST USED INHALANT		
		RANGE = 3-45 (INHAGE = 3-45)	1100	6.20
		99 = NEVER USED/NO ANSWER		
		(INHAGE = 981,985,991,994,995,998)	16647	93.80
IRACALC2	2	ALCOHOL REDUCED IMPT ACTIVITIES-REVISED		
		0 = No (ACRDALC = 2, 4, 89, 98, 99)	17186	96.84
		1 = Yes (ACRDALC = 1)	561	3.16
IRACCIG2	2	CIG REDUCED IMPT ACTIVITIES-REVISED		
		0 = No (ACRDCIG = 2, 4, 89, 98, 99)	17280	97.37
		1 = Yes (ACRDCIG = 1)	467	2.63
IRACCOC2	2	COCAINE REDUCED IMPT ACTIVITIES-REVISED		
		0 = No (ACRDCOC = 2, 4, 89, 98, 99)	17650	99.45
		1 = Yes (ACRDCOC = 1)	97	0.55
IRACMRJ2	2	MARIJUANA REDUCED IMPT ACTIVITIES-REVISED		
		0 = No (ACRDMRJ = 2, 4, 89, 98, 99)	17567	98.99
		1 = Yes (ACRDMRJ = 1)	180	1.01
IRBTALC2	2	BUILT UP TOLERANCE FOR ALCOHOL-REVISED		
		0 = No (BTOLALC = 2, 4, 89, 98, 99)	16445	92.66
		1 = Yes (BTOLALC = 1)	1302	7.34
IRBTCIG2	2	BUILT UP TOLERANCE FOR CIGARETTES-REVISED		
		0 = No (BTOLCIG = 2, 4, 89, 98, 99)	15894	89.56
		1 = Yes (BTOLCIG = 1)	1853	10.44
IRBTCOC2	2	BUILT UP TOLERANCE FOR COCAINE-REVISED		
		0 = No (BTOLCOC = 2, 4, 89, 98, 99)	17668	99.55
		1 = Yes (BTOLCOC = 1)	79	0.45
IRBTMRJ2	2	BUILT UP TOLERANCE FOR MARIJUANA-REVISED		
		0 = No (BTOLMRJ = 2, 4, 89, 98, 99)	17318	97.58
		1 = Yes (BTOLMRJ = 1)	429	2.42
IREMALC2	2	ALCOHOL CAUSED EMOTIONAL PROBLEMS-REVISED		
		0 = No (EMPBALC = 2, 4, 89, 98, 99)	17117	96.45
		1 = Yes (EMPBALC = 1)	630	3.55
IREMCIG2	2	CIGARETTES CAUSED EMOTIONAL PROBLEMS-REVISED		
		0 = No (EMPBCIG = 2, 4, 89, 98, 99)	17316	97.57
		1 = Yes (EMPBCIG = 1)	431	2.43
IREMCOC2	2	COCAINE CAUSED EMOTIONAL PROBLEMS-REVISED		
		0 = No (EMPBCOC = 2, 4, 89, 98, 99)	17641	99.40
		1 = Yes (EMPBCOC = 1)	106	0.60
IREMMRJ2	2	MARIJUANA CAUSED EMOTIONAL PROBLEMS-REVISED		
		0 = No (EMPBMRJ = 2, 4, 89, 98, 99)	17392	98.00
		1 = Yes (EMPBMRJ = 1)	355	2.00

RECODES FOR MAIN FINDINGS					
LABEL	LEN	DESCRIPTION	FREQ	% -	
IRGRALC2	2	SPENT MONTH OR MORE ON ALCOHOL-REVISED			
		0 = No (GRTMALC = 2, 4, 89, 98, 99)	16011	90.22	
		1 = Yes (GRTMALC = 1)	1736	9.78	
IRGRCIG2	2	SPENT MONTH OR MORE ON CIGARETTES-REVISED			
		0 = No (GRTMCIG = 2, 4, 89, 98, 99)	15152	85.38	
		1 = Yes (GRTMCIG = 1)	2595	14.62	
IRGRCOC2	2	SPENT MONTH OR MORE ON COCAINE-REVISED			
		0 = No (GRTMCOC = 2, 4, 89, 98, 99)	17644	99.42	
		1 = Yes (GRTMCOC = 1)	103	0.58	
IRGRMRJ2	2	SPENT MONTH OR MORE ON MARIJUANA-REVISED			
		0 = No (GRTMMRJ = 2, 4, 89, 98, 99)	17133	96.54	
		1 = Yes (GRTMMRJ = 1)	614	3.46	
IRHLALC2	2	ALCOHOL CAUSED HEALTH PROBLEMS-REVISED			
		0 = No (HLPBALC = 2, 4, 89, 98, 99)	17373	97.89	
		1 = Yes (HLPBALC = 1)	374	2.11	
IRHLCIG2	2	CIGARETTES CAUSED HEALTH PROBLEMS-REVISED			
		0 = No (HLPBCIG = 2, 4, 89, 98, 99)	17041	96.02	
		1 = Yes (HLPBCIG = 1)	706	3.98	
IRHLCOC2	2	COCAINE CAUSED HEALTH PROBLEMS-REVISED			
		0 = No (HLPBCOC = 2, 4, 89, 98, 99)	17694	99.70	
		1 = Yes (HLPBCOC = 1)	53	0.30	
IRHLMRJ2	2	MARIJUANA CAUSED HEALTH PROBLEMS-REVISED			
		0 = No (HLPBMRJ = 2, 4, 89, 98, 99)	17576	99.04	
		1 = Yes (HLPBMRJ = 1)	171	0.96	
IRLAALC2	2	USED ALCOHOL MORE OFTEN THAN INTENDED-REVISED			
		0 = No (LAMTALC = 2, 4, 89, 98, 99)	16195	91.25	
		1 = Yes (LAMTALC = 1)	1552	8.75	
IRLACIG2	2	USED CIGARETTES MORE OFTEN THAN INTENDED-REVISED			
		0 = No (LAMTCIG = 2, 4, 89, 98, 99)	15451	87.06	
		1 = Yes (LAMTCIG = 1)	2296	12.94	
IRLACOC2	2	USED COCAINE MORE OFTEN THAN INTENDED-REVISED			
		0 = No (LAMTCOC = 2, 4, 89, 98, 99)	17647	99.44	
		1 = Yes (LAMTCOC = 1)	100	0.56	
IRLAMRJ2	2	USED MARIJUANA MORE OFTEN THAN INTENDED-REVISED			
		0 = No (LAMTMRJ = 2, 4, 89, 98, 99)	17277	97.35	
		1 = Yes (LAMTMRJ = 1)	470	2.65	
IRUCALC2	2	WANTED & UNABLE TO CUT DOWN ON ALC USE-REVISED			
		0 = No (UCDALC = 2, 4, 89, 98, 99)	16673	93.95	
		1 = Yes (UCDALC = 1)	1074	6.05	
IRUCCIG2	2	WANTED & UNABLE TO CUT DOWN ON CIG USE-REVISED			
		0 = No (UCDCIG = 2, 4, 89, 98, 99)	15021	84.64	
		1 = Yes (UCDCIG = 1)	2726	15.36	
IRUCCOC2	2	WANTED & UNABLE TO CUT DOWN ON COC USE-REVISED			
		0 = No (UCDCOC = 2, 4, 89, 98, 99)	17574	99.03	
		1 = Yes (UCDCOC = 1)	173	0.97	

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRUCMRJ2	2	WANTED & UNABLE TO CUT DOWN ON MRJ USE-REVISED		
		0 = No (UCDMRJ = 2, 4, 89, 98, 99)	17351	97.77
		1 = Yes (UCDMRJ = 1)	396	2.23
MJAGE2	2	AGE FIRST USED MARIJUANA		
		RANGE = 2-60 (MJAGE = 2-60)	5847	32.95
		99 = NEVER USED/NO ANSWER		
		(MJAGE = 981,985,991,994,995,997,998)	11900	67.05
MJDY30A3	2	NUMBER OF DAYS USED MARIJUANA/HASHISH IN PAST 30 DAYS		
		1 = 1-2 days (MJDY30A = 1-2)	419	2.36
		2 = 3-4 days (MJDY30A = 3-4)	172	0.97
		3 = 5-19 days (MJDY30A = 5-19)	376	2.12
		4 = 20-30 days (MJDY30A = 20-30)	250	1.41
		5 = NONE/NEVER USED MARIJUANA (MJDY30A = 81,83,91,93)	16461	92.75
		6 = UNKNOWN/NO ANSWER (MJDY30A = 85,94,95,97,98)	69	0.39
MARUSE	2	MARIJUANA- FREQUENCY OF USE IN THE PAST YEAR		
		1 = Less than 12 days (IRMJFQ = 7-9)	1091	6.15
		2 = 12-50 days (1-4 days/month) (IRMJFQ = 5-6)	444	2.50
		3 = 51-300 days (1-7 days/week) (IRMJFQ = 2-4)	501	2.82
		4 = More than 300 days (daily or almost) (IRMJFQ = 1)	199	1.12
		5 = Did not use in past year (IRMJFQ = 10)	15512	87.41
MJPROBS	2	ANY PROBLEMS DUE TO MARIJUANA		
		0 = No	16658	93.86
		1 = Yes	1089	6.14
		(1 IF IRBTMRJ2=1 OR IRGRMRJ2=1 OR IRLAMRJ2=1 OR		
		IRACMRJ2=1 OR IREMMRJ2=1 OR IRHLMRJ2=1 OR IRUCMRJ2=1)		
MRJ2PROB	2	TWO OR MORE PROBLEMS DUE TO MARIJUANA		
		0 = No	17101	96.36
		1 = Yes	646	3.64
		(IF 2 OR MORE OF THE FOLLOWING = 1: IRBTMRJ2=1 OR		
		IRGRMRJ2=1 OR IRLAMRJ2=1 OR IRACMRJ2=1 OR		
		IREMMRJ2=1 OR IRHLMRJ2=1 OR IRUCMRJ2=1)		
MRJ3PROB	2	THREE OR MORE PROBLEMS DUE TO MARIJUANA		
		0 = No	17338	97.70
		1 = Yes	409	2.30
		(IF 3 OR MORE OF THE FOLLOWING = 1: IRBTMRJ2=1 OR		
		IRGRMRJ2=1 OR IRLAMRJ2=1 OR IRACMRJ2=1 OR		
		IREMMRJ2=1 OR IRHLMRJ2=1 OR IRUCMRJ2=1)		
MJTOT3	2	NUMBER OF DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = 1-2 days (MJTOT = 5)	1422	8.01
		2 = 3-11 days (MJTOT = 4)	1322	7.45
		3 = 12-100 days (MJTOT = 3)	1409	7.94
		4 = 101+ days (MJTOT = 1-2)	1698	9.57
		5 = NEVER USED (MJTOT = 81,91)	11873	66.90
		6 = BAD DATA/NO ANSWER (MJTOT = 85,94,97,98)	23	0.13
MRJONLYL	1	EVER USED ONLY MARIJUANA		
		0 = No	17656	99.49
		1 = Yes (MJOFLLAG=1 AND ALCFLAG=0)	91	0.51
MRJONLYM	1	USED ONLY MARIJUANA IN PAST MONTH		
		0 = No	17621	99.29
		1 = Yes (MJOMON2=1 AND ALCMON=0)	126	0.71

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
MRJONLYY	1	USED ONLY MARIJUANA IN PAST YEAR		
		0 = No	17653	99.47
		1 = Yes (MJOYR2=1 AND ALCYR=0)	94	0.53
NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH USE		
		0 = No (COCMON=0 AND INHMON=0 AND HALMON=0		
		AND HERMON=0 AND PSYMON2=0)	17072	96.20
		1 = Yes (COCMON=1 AND INHMON=1 AND HALMON=1		
		AND HERMON=1 AND PSYMON2=1)	675	3.80
OTHONLYL	1	EVER USED ONLY OTHER DRUGS AND DRUG COMBINATIONS		
		0 = No	17664	99.53
		1 = Yes (ALCFLAG=0 & MRJONLYL=0 & PSYONLYL=0 & ANY		
		OF THE FOLLOWING =1: PSYFLAG2,MRJFLAG,COCFLAG,		
		INHFLAG,HALFLAG,HERFLAG)	83	0.47
OTHONLYM	1	USED ONLY OTHER DRUGS AND DRUG COMBINATIONS IN PAST MONTH		
		0 = No	17663	99.53
		1 = Yes (ALCMON=0 & MRJONLYM=0 & PSYONLYM=0 & ANY		
		OF THE FOLLOWING =1: PSYMON2,MRJMON,COCMON,		
		INHMON,HALMON,HERMON)	84	0.47
OTHONLYY	1	USED ONLY OTHER DRUGS AND DRUG COMBINATIONS IN PAST YEAR		
		0 = No	17668	99.55
		1 = Yes (ALCYR=0 & MRJONLYY=0 & PSYONLYY=0 & ANY		
		OF THE FOLLOWING =1: PSYR2,MRJYR,COCYR,INHYR,		
		HALYR,HERYR)	79	0.45
OTHSTEA2	2	TOOK SMTHG NOT YOURS (NOT FRM STORE) IN PST YR-REVISED		
		0 = No (OTHSTEAL = 2, 85, 97, 98)	17227	97.07
		1 = Yes (OTHSTEAL = 1)	520	2.93
PHYFIGHT2	2	GOTTEN INTO PHYSICAL FIGHT IN PST YR-REVISED		
		0 = No (PHYFIGHT = 2, 85, 97, 98)	16290	91.79
		1 = Yes (PHYFIGHT = 1, 3)	1457	8.21
PREG3	2	PREGNANCY STATUS OF WOMEN AGES 15-44		
		1 = Pregnant (PREG2 = 1 AND F15_44 = 1)	395	2.23
		2 = Not pregnant (PREG2 = 2 AND F15_44 = 1)	7209	40.62
		99 = Otherwise (F15_44 = 0 OR PREG2 = 3, MISSING)	10143	57.15
PRVHLIN2	2	HAS PRIVATE HEALTH INSURANCE OR HMO		
		0 = UNKNOWN (PRVHLTIN = 94,96,97,98)	75	0.42
		1 = Yes (PRVHLTIN = 1, 3)	10871	61.26
		2 = No (PRVHLTIN = 2)	6801	38.32
PSYAGE	2	AGE FIRST USED PSYCHOTHERAPEUTICS NON-MED		
		RANGE = 2-63 (MIN [STIMAGE, SEDAGE, TRANAGE, ANALAGE])	1485	8.37
		99 = NEVER USED/NO ANSWER		
		(STIMAGE AND SEDAGE AND TRANAGE AND ANALAGE = 981-998) .	16262	91.63
PSYONLYL	1	EVER USED ONLY PSYCHOTHERAPEUTICS		
		0 = No	17617	99.27
		1 = Yes (PSYFLAG2=1,MRJFLAG=0,COCFLAG=0,INHFLAG=0		
		HALFLAG=0,HERFLAG=0,ALCFLAG=0)	130	0.73
PSYONLYM	1	USED ONLY PSYCHOTHERAPEUTICS IN PAST MONTH		
		0 = No	17675	99.59
		1 = Yes (PSYMON2=1,MRJMON=0,COCMON=0,INHMON=0,		
		HALMON=0,HERMON=0,ALCMON=0)	72	0.41

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
PSYONLYY	1	USED ONLY PSYCHOTHERAPEUTICS IN PAST YEAR		
		0 = No	17669	99.56
		1 = Yes (PSYYR2=1,MRJYR=0,COCYR=0,INHYR=0, HALYR=0,HERYR=0,ALCYR=0)	78	0.44
RACESEX	2	RACE AND SEX COMBINED		
		1 = White male (SEX = 1 AND RACE = 1)	3770	21.24
		2 = Black male (SEX = 1 AND RACE = 2)	1639	9.24
		3 = Hispanic male (SEX = 1 AND RACE = 3)	2014	11.35
		4 = White female (SEX = 2 AND RACE = 1)	4689	26.42
		5 = Black female (SEX = 2 AND RACE = 2)	2569	14.48
		6 = Hispanic female (SEX = 2 AND RACE = 3)	2585	14.57
		99 = Other males and females (SEX=1 OR 2 AND RACE=4) ...	481	2.71
RACESEX2	1	RACE AND SEX COMBINED		
		1 = White male (SEX = 1 AND RACE = 1)	3770	21.24
		2 = Black male (SEX = 1 AND RACE = 2)	1639	9.24
		3 = Hispanic male (SEX = 1 AND RACE = 3)	2014	11.35
		4 = Other male (SEX = 1 AND RACE = 4)	229	1.29
		5 = White female (SEX = 2 AND RACE = 1)	4689	26.42
		6 = Black female (SEX = 2 AND RACE = 2)	2569	14.48
		7 = Hispanic female (SEX = 2 AND RACE = 3)	2585	14.57
		8 = Other female (SEX = 2 AND RACE = 4)	252	1.42
SEDAGE2	2	AGE FIRST USED SEDATIVE NON-MED RANGE = 8-50 (SEDAGE = 8-50)	315	1.77
		99 = NEVER USED/NO ANSWER (SEDAGE = 981,985,991,994,995,997,998)	17432	98.23
SOLDDRU2	2	SOLD ILLEGAL DRUGS IN PST YR-REVISED		
		0 = No (SOLDDRUG = 2, 85, 97, 98)	17541	98.84
		1 = Yes (SOLDDRUG = 1, 3)	206	1.16
STIMAGE2	2	AGE FIRST USED STIMULANT NON-MED RANGE = 5-48 (STIMAGE = 5-48)	650	3.66
		99 = NEVER USED/NO ANSWER (STIMAGE = 981,985,991,994,995,997,998)	17097	96.34
STRSTEA2	2	TOOK SMTHG NOT YOURS FRM STORE IN PST YR-REVISED		
		0 = No (STRSTEAL = 2, 85, 97, 98)	17062	96.14
		1 = Yes (STRSTEAL = 1)	685	3.86
SUB1LIF	1	EVER USED ONLY 1 SUBSTANCE		
		0 = No	10843	61.10
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG)	6904	38.90
SUB1MON	1	USED ONLY 1 SUBSTANCE IN PAST MONTH		
		0 = No	10572	59.57
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON)	7175	40.43
SUB1YR	1	USED ONLY 1 SUBSTANCE IN PAST YEAR		
		0 = No	9269	52.23
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR)	8478	47.77

RECODES FOR MAIN FINDINGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SUB2LIF	1	EVER USED ONLY 2 SUBSTANCES		
		0 = No 14456	81.46	
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG) 3291	18.54	
SUB2MON	1	USED ONLY 2 SUBSTANCES IN PAST MONTH		
		0 = No 16674	93.95	
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON) 1073	6.05	
SUB2YR	1	USED ONLY 2 SUBSTANCES IN PAST YEAR		
		0 = No 16031	90.33	
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR) 1716	9.67	
SUB3LIF	1	EVER USED 3 OR MORE SUBSTANCES		
		0 = No 14723	82.96	
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG) 3024	17.04	
SUB3MON	1	USED 3 OR MORE SUBSTANCES IN PAST MONTH		
		0 = No 17433	98.23	
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON) 314	1.77	
SUB3YR	1	USED 3 OR MORE SUBSTANCES IN PAST YEAR		
		0 = No 16902	95.24	
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR) 845	4.76	
TRANAGE2	2	AGE FIRST USED TRANQUILIZER NON-MED RANGE = 2-51 (TRANAGE = 2-51) 597	3.36	
		99 = NEVER USED/NO ANSWER (TRANAGE = 981,985,991,994,995,997,998) 17150	96.64	
TRIMEST2	2	CURRENT TRIMESTER OF PREGNANT WOMEN AGE 15-44		
		1 = 1st 3 mos of pregnancy (TRIMEST = 1 AND F15_44 = 1) 94	0.53	
		2 = 2nd 3 mos of pregnancy (TRIMEST = 2 AND F15_44 = 1) 157	0.88	
		3 = Last 3 mos of pregnancy (TRIMEST = 3 AND F15_44 = 1) 124	0.70	
		99 = Otherwise (F15_44 = 0 OR TRIMEST = 4, MISSING) 17372	97.89	
TRMTHLP2	2	TREATMENT RECEIVED FOR DRUGS- RECODE		
		0 = No 17554	98.91	
		1 = Yes 193	1.09	
		(1 = YES IF TXDRHOSP = 1,3 OR TXDRFIN = 1,3 OR TXDRFOP = 1,3 OR TXDRMHC = 1,3 OR TXDREMRG = 1,3 OR TXDRDOC = 1,3 OR TXDRJAIL = 1,3 OR TXDRSHG = 1,3 OR TXDRSOP = 1,3)		

MENTAL HEALTH VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
MENTAL HEALTH VARIABLES (RECODED)				

AGE	2	RECODE FOR ADOLESCENT MENTAL HEALTH		
		1 = 12-13 (IRAGE = 12 OR 13)	1563	8.81
		2 = 14-15 (IRAGE = 14 OR 15)	1560	8.79
		3 = 16-17 (IRAGE = 16 OR 17)	1472	8.29
		99 = 18 or older (IRAGE GE 18)	13152	74.11
ANY4MENT	2	RECODE ANY 1 OF 4 MH ILLNESS FOR ADULTS		
		0 = Did not have in past year	11678	65.80
		1 = Had in past year	1474	8.31
		99 = Children age 12-17	4595	25.89
The variable EXT was created by the following formula: (DELBEH2 + AGGBEH2).				
EXT	2	TOTAL SCORE FOR BEHAVIORAL PROBLEM SCALE		
		RANGE = 0-60	4464	25.15
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	13283	74.85
The variable INT was created by the following formula: ((WITHDRW2 + SOMCOM2 + ANXDEP2) - (YUNHAPP2)).				
INT	2	TOTAL SCORE FOR EMOTIONAL PROBLEM SCALE		
		RANGE = 0-62	4464	25.15
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)).....	13283	74.85

MENTAL HEALTH VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
The variable PR_BEHAV was created from variable EXT.				
PR_BEHAV	2	BEHAVIORAL PROB-MENTAL HEALTH RECODE		
		0 = No (EXT LT 19 & IRSEX=1 OR EXT LT 17 & IRSEX=2) ...	3664	20.65
		1 = Yes (EXT GE 19 & IRSEX=1 OR EXT GE 17 & IRSEX=2) ..	800	4.51
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	13283	74.85
The variable PR_EMOT was created from variable INT.				
PR_EMOT	2	EMOTIONAL PROB-MENTAL HEALTH RECODE		
		0 = No (INT LT 17 AND IRSEX=1 OR INT LT 22 AND IRSEX=2)	3880	21.86
		1 = Yes (INT GE 17 AND IRSEX=1 OR INT GE 22 AND IRSEX=2)	584	3.29
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	13283	74.85
The variable PR_TOTAL was created from variable TOTPROB.				
PR_TOTAL	2	TOTAL PSYCHOSOCIAL PROB-MH RECODE		
		0 = No (TOTPROB LT 54 AND IRSEX = 1) OR (TOTPROB LT 57 AND IRSEX = 2).....	3655	20.60
		1 = Yes (TOTPROB GE 54 AND IRSEX = 1) OR (TOTPROB GE 57 AND IRSEX = 2).....	809	4.56
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	13283	74.85
The variable TOTPROB is the sum of variables [YACTYNG YARGUE YACOPPSX YBRAG YTRBCONC YCNTHGTS YTRBSIT YDPTADLT YFLONELY YFLCONFU YCRYLOT YMEANOTH YDAYDREM YTRYKLSF YTRYATTN YDSTYTHG YDSTYOTH YDSBYPAR YDSBYSCH YDNTTEATW YDNTKIDS YDNTGLTY YJEALOTH YAFRPLAC YAFRSCHL YAFRBAD YFLPRFCT YFLNOLOV YFLGETME YFLWTHLS YACCHURT YFIGHTS YGTEASED YKIDSTRB YHRVOICS YACTTNK YALONE YLIE YBITNAIL YNERVOUS YBTWITCH YNGHTMAR YNOTKIDS YANXIOUS YFLDIZZY YFLGUILT YEATMUCH YFLTIRE YOVWRGHT YACHES YHEADACH YNAUSEA YEYEPROB YRASHES YCRAMPS YVOMIT YATTACK YPKBPART YSCPOOR YCLUMSY YOLDKIDS YYNGKIDS YRFSTALK YREPACTN YRUNHOME YSCREAM YSECRET YSEETHNG YSLFCONS YSETFIRE YSHOWOFF YSHY YSLPLESS YSLPMORE YSPCHPRB YSTEALHO YSTEALPL YDNTNEED YDOSTRNG YTHSTRNG YSTUBORN YMOODS YSUSPICS YDRTLNG YTHKKLSF YTALKMCH YTEASE YTEMPE YTHNKSEX YTHRTPEO YCONNEAT YTRBSLEP YSKIPSC YNOENRGY YUNHAPPY YLOUDER YUSEDUG YWSOPPSX YINVOTH YWORRY].				
TOTPROB	3	TOTAL SCORE-TOTAL PSYCHOSOCIAL PROBLEM SCALE		
		RANGE = 0-200	4464	25.15
		99 = LEGITIMATE SKIP/NO ANSWER	13283	74.85

MENTAL HEALTH VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
The variables PR_WD, PR_SC, PR_AD, PR_SP, PR_TP, PR_AP, PR_DB, PR_AB, were created from variables WITHDRWT, SOMCOMT, ANXDEPT, SOCPROBT, THPROBT, ATTPROBT, DELBEHT, AGGBEHT.				
PR_WD	2	WITHDRAWN-MENTAL HEALTH RECODE		
		0 = No (WITHDRWT LT 67)	4329	24.39
		1 = Yes (WITHDRWT GE 67)	135	0.76
		99 = BLANK/NO ANSWER (WITHDRWT = 998,999)	13283	74.85
PR_SC	2	SOMATIC COMPLAINTS-MENTAL HEALTH RECODE		
		0 = No (SOMCOMT LT 67)	4108	23.15
		1 = Yes (SOMCOMT GE 67)	356	2.01
		99 = BLANK/NO ANSWER (SOMCOMT = 998,999).....	13283	74.85
PR_AD	2	ANXIOUS/DEPRESSED-MENTAL HEALTH RECODE		
		0 = No (ANXDEPT LT 67)	4267	24.04
		1 = Yes (ANXDEPT GE 67)	197	1.11
		99 = BLANK/NO ANSWER (ANXDEPT = 998,999).....	13283	74.85
PR_SP	2	SOCIAL PROBLEM-MENTAL HEALTH RECODE		
		0 = No (SOCPROBT LT 67)	4216	23.76
		1 = Yes (SOCPROBT GE 67)	248	1.40
		99 = BLANK/NO ANSWER (SOCPROBT = 998,999)	13283	74.85
PR_TP	2	THOUGHT PROBLEM-MENTAL HEALTH RECODE		
		0 = No (THPROBT LT 67)	4124	23.24
		1 = Yes (THPROBT GE 67)	340	1.92
		99 = BLANK/NO ANSWER (THPROBT = 998,999)	13283	74.85
PR_AP	2	ATTENTION PROBLEM-MENTAL HEALTH RECODE		
		0 = No (ATTPROBT LT 67)	4218	23.77
		1 = Yes (ATTPROBT GE 67)	246	1.39
		99 = BLANK/NO ANSWER (ATTPROBT = 998,999)	13283	74.85
PR_DB	2	DELINQUENT BEHAVIOR-MENTAL HEALTH RECODE		
		0 = No (DELBEHT LT 67)	4017	22.63
		1 = Yes (DELBEHT GE 67)	447	2.52
		99 = BLANK/NO ANSWER (DELBEHT = 998,999)	13283	74.85
PR_AB	2	AGGRESSIVE BEHAVIOR-MENTAL HEALTH RECODE		
		0 = No (AGGBEHT LT)	4152	23.40
		1 = Yes (AGGBEHT GE 67)	312	1.76
		99 = BLANK/NO ANSWER (AGGBEHT = 998,999)	13283	74.85

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ACRDALC	123
ACRDANL	124
ACRDCIG	123
ACRDCOC	124
ACRDHAL	124
ACRDHER	124
ACRDINH	124
ACRDMRJ	123
ACRDSER	125
ACRDSTM	125
ACRDTRN	124
AEROS	40
AEROS2	100
AFDC	244
AGE	287
AGECAT3	275
AGECAT4	275
AGGBEH	260
AGGBEHT	261
AGP1	264
AGPSFS1	264
AL03	101
ALC2PROB	276
ALC3PROB	276
ALCDAYS	16
ALCDAYS2	275
ALCDAYS3	275
ALCDLYF	92
ALCEVER	13
ALCFLAG	88
ALCILLL	275
ALCILLM	275
ALCILLY	275
ALCMON	88
ALCMONF	91
ALCMRJL	275
ALCMRJM	276
ALCMRJY	276
ALCOCCF	92
ALCONLYL	276
ALCONLYM	276
ALCONLYY	276
ALCOTHL	276
ALCOTHM	276
ALCOTHY	276
ALCPAT	15
ALCPROBS	276
ALCPSYL	276
ALCPSYM	277
ALCPSYY	277
ALCREAD	13

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
ALCREC	14
ALCTRY	14
ALCTRY2	277
ALCUSE	275
ALCWKF	92
ALCYR	88
ALCYRF	91
AMYLNIT	38
AMYLNIT2	99
ANALAGE	50
ANALAGE2	277
ANALNEWA	48
ANALNEWB	49
ANALNEWC	49
ANALNEWD	49
ANALNEWE	50
ANALNONE	50
ANALREC	51
ANALTOT	51
ANALWT	273
ANALWT1	273
ANALWT2	273
ANALWT3	273
ANALWT4	273
ANLDKNAM	47
ANLDLYF	95
ANLFLAG	90
ANLMON	91
ANLMONF	94
ANLNOLST	47
ANLOCCF	95
ANLREAD	45
ANLWKF	94
ANLYR	90
ANLYRF	94
ANLYRFRQ	52
ANXDEP	259
ANXDEPT	261
ANY4MENT	287
ATARAX	53
ATIVAN	54
ATTPROB	260
ATTPROBT	261
AVCIG	10
AVCIG2	277
AVCIG3	277
BAP	266
BENZ	59
BHOUR	266
BINGDRK2	277
BINGEDRK	98

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
BINGEHVY	98
BIPHET	60
BIRMONTH	74
BIRYEAR	74
BKAGASL2	277
BKAGASLT	140
BKARSON	141
BKARSON2	277
BKBURGL	139
BKBURGL2	277
BKDRUG	141
BKDRUG2	277
BKDRUNK	141
BKDRUNK2	277
BKDRVIN2	277
BKDRVINF	141
BKLARC2	277
BKLARCNY	139
BKMURDE2	278
BKMURDER	141
BKMVTHF2	278
BKMVTHFT	140
BKOTH	142
BKOTHOFF	143
BKPROS	142
BKPROS2	278
BKRAPE	140
BKRAPE2	278
BKROB	140
BKROB2	278
BKSMASL2	278
BKSMASLT	140
BKVANDAL	142
BMIN	266
BOOKED	138
BREAKIN	145
BREAKIN2	278
BTOLALC	121
BTOLANL	122
BTOLCIG	121
BTOLCOC	122
BTOLHAL	122
BTOLHER	122
BTOLINH	122
BTOLMRJ	121
BTOLSED	123
BTOLSTM	123
BTOLTRN	122
BUSINES2	86
CARENOW	234
CAREOFT	232

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CAREUSU	231
CARSTEA2	278
CARSTEAL	145
CATAG2	86
CATAG3	86
CATAGE	86
CC04	102
CG04	101
CG12	101
CHAMPUS	238
CHD1	246
CHD2	246
CIG2PROB	278
CIG30USE	9
CIG30WOK	10
CIG3PROB	278
CIGAGE	11
CIGEVER	8
CIGEVYDA	11
CIGFLAG	88
CIGMON	88
CIGPROBS	278
CIGREC	9
CIGTOT	8
CIGTRY	8
CIGTRY2	278
CIGYR	88
CIGYRS	11
CK04	102
CLEFLU	38
CLEFLU2	99
COC2PROB	279
COC3PROB	279
COCAGE	22
COCAGE2	278
COCDLYF	93
COCEVER	21
COCFLAG	89
COCMON	89
COCMONF	92
COCNEEDL	108
COCOCCF	92
COCPROBS	279
COCREAD	21
COCREC	22
COCTOT	22
COCTOT3	279
COCUS30A	23
COCUSE	279
COCWKF	92
COCYR	89

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
COCYRF	92
COCYRFRQ	23
CODEINE	45
CONCEN1	207
CONCEN2	212
CONDLREC	109
COOPINT	267
CPRES	269
CRAKREC	25
CRKAGE	25
CRKDLYF	93
CRKEVER	24
CRKFLAG	89
CRKMON	89
CRKMONF	93
CRKOCCF	93
CRKREAD	24
CRKTOT	25
CRKUS30A	26
CRKWKF	93
CRKYR	89
CRKYRF	93
CRKYRFRQ	26
CWE	199
CWESC1	200
CWESC2	202
DALMANE	67
DAMAGE	145
DAMAGE2	279
DARVON	46
DELBEH	260
DELBEHT	261
DEMEROL	46
DEPDAYS	204
DEPFREQ	205
DEPMO1	209
DEPMO2	214
DEPRESS	204
DEPWKS1	208
DEPWKS2	213
DEPYR1	209
DEPYR2	214
DEXAMYL	60
DEXED	60
DIAZEPAM	54
DILAUD	46
DIPLOMA	4
DIVISION	272
DOWN1	207
DOWN2	212
DR5DAY	17

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
DRALHELP	279
DRGREAD	114
DRINKER2	279
DRIVEAL	147
DRIVEAL2	279
DRIVEDR	147
DRIVEDR2	279
DRNKHLP2	280
DRUNKYR	15
DRUNKYR2	280
DRVALDR	146
DRVALDR2	280
EAP	266
ECSTASY	31
ECSTASY2	99
EDUC	4
EDUCCAT2	86
EENROLLD	5
EHOUR	266
EMIN	266
EMPBALC	125
EMPBANL	126
EMPBCIG	125
EMPBCOC	126
EMPBHAL	126
EMPBHER	126
EMPBINH	126
EMPBMRJ	126
EMPBSED	127
EMPBSTM	127
EMPBTRN	127
EMPSTAT2	86
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENROLLD	5
ESCHDAYS	195
ESKIPPED	196
ESTUDENT	195
ETHER	39
ETHER2	99
EXT	287
F15_44	255
FAMINC	257
FAMINC2	257
FAMINC3	257
FAMSKIP	271
FASTIN	60
FEARBRDG	219
FEARFANT	221
FEARHELP	221

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
FEARMOS	220
FEAROFT	220
FEAROUT	219
FEARPUB	219
FEARTRAP	221
FEARYRS	220
FEMBABY	255
FEMKIDS	255
FERTAGE	280
FINC1	249
FORCEMO2	280
FORCEMON	145
FSTAMP	247
FULLPART	203
GAD1	263
GADSFS1	263
GAS	39
GAS2	99
GLUE	39
GLUE2	99
GNNDCLN	112
GNNDGET	113
GNNDGTSP	113
GNNDLLIF	108
GNNDLSH1	112
GNNDLSH2	112
GNNDREUS	111
GQTYPE	271
GRPHLTIN	239
GRTMALC	117
GRTMANL	118
GRTMCIG	117
GRTMCOC	117
GRTMHAL	118
GRTMHER	118
GRTMINH	118
GRTMMRJ	117
GRTMSD	119
GRTMSTM	119
GRTMTRN	118
GUNMONE2	280
GUNMONEY	146
HAL30USE	36
HALCION	68
HALDKNAM	32
HALDLYF	94
HALFLAG	89
HALLAGE	35
HALLAGE2	280
HALLREC	35
HALLTOT	35

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
HALMON	90
HALMONF	94
HALNEWA	33
HALNEWB	34
HALNEWC	34
HALNEWD	34
HALNEWE	34
HALNOLST	32
HALOCCF	94
HALREAD	30
HALWKF	94
HALYR	89
HALYRF	93
HALYRFRQ	36
HE04	102
HEALTH	7
HER30USE	29
HERAGE	28
HERAGE2	280
HERDLYF	93
HEREVER	27
HERFLAG	89
HERMON	89
HERMONF	93
HERNEEDL	109
HEROCCF	93
HERREAD	27
HERREC	28
HERSMOK2	99
HERSMOKE	107
HERSNIF2	99
HERSNIFF	107
HERTOT	28
HERWKF	93
HERYR	89
HERYRF	93
HERYRFRQ	29
HISPRACE	86
HLPBALC	128
HLPBANL	129
HLPBCIG	127
HLPBCOC	128
HLPBHAL	128
HLPBHER	128
HLPBINH	128
HLPBMRJ	128
HLPBSED	129
HLPBSTM	129
HLPBTRN	129
HLTINAL2	280
HLTINALC	240

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
HLTINDR2	280
HLTINDRG	240
HLTINMNT	241
HRANYFRM	106
HRNDLREC	110
HRSMKREC	107
HRSNFREC	108
HTININCH	7
HURTBAD	146
HURTBAD2	280
HVYDRK2	98
HVYDRK3	280
IDEAT1	208
IDEAT2	213
IEMFLAG	98
IEMMON	98
IEMYR	98
IIAFDC	252
IIAGE	75
IIALCFQ	82
IIALCRC	78
IIANLFQ	84
IIANLRC	80
IICHD1	252
IICHD2	254
IICIGRC	78
IICOCFQ	83
IICOCRC	79
IICRKFC	83
IICRKRC	79
IIEDUC	77
IIFINC1	253
IIFSTAMP	252
IIHALFQ	84
IIHALRC	79
IIHERFQ	83
IIHERRC	79
IIHOGRP	75
IIHOGRP2	76
IIHOIND	75
IIHSGRAD	77
IIINHFC	84
IIINHRC	80
IIINSUR	251
IIINT1	252
IIINT2	254
IILSDRC	80
IIMARIT	76
IIMJFC	82
IIMJRC	78
IIOTBRC	78
IIOTH1	252

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
IIOTH2	254
IIPCPRC	80
IIPINC1	253
IIPINSUR	251
IIPUB1	251
IIPUB2	253
IIRACE	75
IISEDFQ	85
IISEDRC	81
IISEX	75
IISOC1	251
IISOC2	253
IISSI1	251
IISSI2	253
IISTMFQ	85
IISTMRC	81
IITRNFQ	85
IITRNR	81
IIWORKST	77
ILLONLYL	280
ILLONLYM	281
ILLONLYY	281
IN04	104
INDCAT	256
INHAGE	42
INHAGE2	281
INHDKNAM	40
INHDLF	94
INHDI30A	44
INHFLAG	90
INHMON	90
INHMONF	94
INHNEWA	41
INHNEWB	41
INHNEWC	42
INHNEWD	42
INHNEW	42
INHNLST	40
INHOCCF	94
INHREAD	38
INHREC	43
INHTOT	42
INHWKF	94
INHYR	90
INHYRF	94
INHYRFRQ	43
INT	287
INT1	245
INT2	245
INTMONTH	266
IONAMIN	60

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
IRACALC2	281
IRACCIG2	281
IRACCOC2	281
IRACMRJ2	281
IRAFDC	252
IRAGE	74
IRALCFQ	82
IRALCRC	78
IRANLFQ	84
IRANLRC	80
IRBTALC2	281
IRBTCIG2	281
IRBTCOC2	281
IRBTMRJ2	281
IRCHD1	252
IRCHD2	254
IRCIGRC	78
IRCOCFQ	82
IRCOCRC	79
IRCRKFQ	83
IRCRKRC	79
IREduc	76
IREMALC2	281
IREMCIG2	281
IREMCOC2	281
IREMMRJ2	281
IRFINC1	253
IRFSTAMP	252
IRGRALC2	282
IRGRCIG2	282
IRGRCOC2	282
IRGRMRJ2	282
IRHALFQ	83
IRHALRC	79
IRHERFQ	83
IRHERRC	79
IRHLALC2	282
IRHLCIG2	282
IRHLCOC2	282
IRHLMRJ2	282
IRHOGRP	75
IRHOGRP2	76
IRHOIND	75
IRHSGRAD	77
IRINHFQ	84
IRINHRC	80
IRINSUR	251
IRINT1	252
IRINT2	254
IRKIDS	254
IRLAALC2	282

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
IRLACIG2	282
IRLACOC2	282
IRLAMRJ2	282
IRLSDRC	80
IRMARIT	76
IRMJFQ	82
IRMJRC	78
IROTBRC	78
IROTH1	252
IROTH2	254
IRPCPRC	80
IRPEOP	254
IRPINC1	253
IRPINSUR	251
IRPUB1	251
IRPUB2	253
IRRACE	75
IRSEDFQ	85
IRSEDRC	81
IRSEX	75
IRSOC1	251
IRSOC2	253
IRSSI1	251
IRSSI2	253
IRSTMFQ	85
IRSTMRC	81
IRTRNFQ	84
IRTRNRC	81
IRUCALC2	282
IRUCCIG2	282
IRUCCOC2	282
IRUCMRJ2	283
IRWORKST	77
LAMTALC	119
LAMTANL	120
LAMTCIG	119
LAMTCOC	120
LAMTHAL	120
LAMTHER	120
LAMTINH	120
LAMTMRJ	119
LAMTSED	121
LAMTSTM	121
LAMTTRN	120
LANGVER	266
LBSCHNG1	206
LBSCHNG2	211
LGAS	39
LGAS2	100
LIBRIUM	54
LOSINDAY	210

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
LOSINFRQ	210
LOSTINT1	205
LOSTINT2	209
LS04	103
LS07	103
LS08	103
LSD	30
LSDFLAG	90
LSDMON	90
LSDREC	37
LSDYR	90
M15_44	255
MALEBABY	255
MALEKIDS	255
MARISTAT	87
MARITAL	2
MARUSE	283
MDE1	262
MDEFS1	262
MEDICAID	238
MEDICARE	237
MESC	31
MESC2	99
METHAMP	61
METHAMP2	99
METHAQ	68
METHDON	46
METHI	61
MILSTAT	3
MJ04	101
MJAGE	18
MJAGE2	283
MJDAY30A	20
MJDY30A3	283
MJEVER	18
MJOFLAG	97
MJOMON2	97
MJOYR2	97
MJPROBS	283
MJREC	19
MJTOT	19
MJTOT3	283
MJYRFREQ	20
MNRSNNCR	234
MNRSNNSC	235
MNRSNNSP	235
MORPHINE	46
MOVESPYR	194
MRJ2PROB	283
MRJ3PROB	283
MRJDLYF	92

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
MRJFLAG	88
MRJMON	89
MRJMONF	92
MRJOCCF	92
MRJONLYL	283
MRJONLYM	283
MRJONLYY	284
MRJWKF	92
MRJYR	88
MRJYRF	92
NCARERSN	231
NCRRSNSC	232
NCRRSNSP	232
NDTXALC	133
NDTXANL	134
NDTXBDHR	136
NDTXCOC	133
NDTXDRG1	135
NDTXDRG2	135
NDTXDRG3	135
NDTXDRG4	135
NDTXDRG5	135
NDTXHAL	134
NDTXHCAP	137
NDTXHER	134
NDTXINH	134
NDTXLANG	137
NDTXMJ	133
NDTXMONY	137
NDTXNEED	133
NDTXOPEN	137
NDTXRCVD	132
NDTXRSC1	138
NDTXSED	135
NDTXSOD	135
NDTXSOR	138
NDTXSPSV	138
NDTXSTEP	136
NDTXSTIM	134
NDXTCMP	137
NDXTFAR	136
NDXTRAN	134
NDXTRSP	136
NDXTYPE	137
NEDFLAG4	258
NEDYR4	258
NEEDLREC	258
NEMBUTAL	68
NITOXID	39
NITOXID2	100
NJOBSPYR	196

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
NOBOOKYR	139
NODR30A	16
NODRUGYR	116
NOMARR	2
NOSEDAT	71
NOSTIMS	64
NOTMAR	87
NOTMARJ	284
NOTRANQ	56
NUERTMT	226
NUHSPOV	226
NUHSPPE	227
OAPRES	268
OARPRES	268
OPRESNSP	269
OPRESSPA	270
OPRESSPB	271
OTH1	246
OTH2	247
OTHDGING	147
OTHDOSP1	148
OTHDOSP2	148
OTHONLYL	284
OTHONLYM	284
OTHONLYY	284
OTHSTEA2	284
OTHSTEAL	144
OUTPTPE	227
PA1	265
PANIC1	222
PANIC2	222
PANICMO	223
PANICNUM	222
PANICYR	223
PANIDANG	223
PANIFEAR	224
PANIHART	224
PANIHOT	225
PANINOFR	224
PANIPAIN	224
PANISHAK	225
PANISWET	225
PANIUNRL	225
PAROLE	144
PARPRES	268
PASFS1	265
PAYMO	196
PAYYR	196
PCP	31
PCPFLAG	90
PCPMON	90

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
PCPREC	37
PCPYR	90
PDEN	272
PDEN2	272
PDHINPRM	240
PERCODAN	47
PERINC	256
PERINC2	256
PERINC3	256
PEYOTE	31
PEYOTE2	99
PHENOBAR	68
PHYFIGH2	284
PHYFIGHT	146
PINC1	248
PK04	104
PLACIDYL	68
POUNDS	7
PPRES	268
PREG	255
PREG2	255
PREG3	284
PREGMOS	198
PREGNANT	198
PRELUDIN	61
PRIVACY	268
PROBAGP1	264
PROBATON	143
PROBGAD1	263
PROBMDE1	262
PROBPA1	265
PROXABLE	228
PROXHOME	229
PROXJOIN	230
PROXYREL	229
PRVHLIN2	284
PRVHLTIN	239
PR_AB	289
PR_AD	289
PR_AP	289
PR_BEHAV	288
PR_DB	289
PR_EMOT	288
PR_SC	289
PR_SP	289
PR_TOTAL	288
PR_TP	289
PR_WD	289
PSILCY	31
PSILCY2	99
PSYAGE	284

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
PSYFLAG2	96
PSYMON2	96
PSYONLYL	284
PSYONLYM	284
PSYONLYY	285
PSYR2	96
PUB1	243
PUB2	244
PYRCARE	233
PYRCRTSC	234
PYRCRTSP	233
PYRCRTYP	233
QUARTER	271
RACE	86
RACESEX	285
RACESEX2	285
REGION	272
RELINTHH	254
RESPID	1
ROCCUP2	87
RURORURB	272
SCHDAYS	195
SDREAD	106
SE04	105
SECONAL	69
SEDAGE	71
SEDAGE2	285
SEDDKNAM	69
SEDDLIF	96
SEDFLAG	91
SEDMON	91
SEDMONF	96
SEDNEWA	70
SEDNEWB	70
SEDNEWC	70
SEDNEWD	70
SEDNEWE	70
SEDNOLST	69
SEDOCCF	96
SEDREAD	67
SEDREC	72
SEDTOT	72
SEDWKF	96
SEDYR	91
SEDYRF	96
SEDYRFRQ	73
SERVICE	3
SKIPPED	195
SKPALCRD	13
SKPANLRD	45
SKPCOCD	21

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
SKPCRKR	24
SKPCWE	199
SKPDEP1	208
SKPDEP2	213
SKPDRGRD	114
SKPFEAR1	219
SKPFEAR2	223
SKPHALRD	30
SKPHERRD	27
SKPINHRD	38
SKPMARTL	2
SKPMHC	204
SKPMILT	2
SKPPREG	198
SKPSDRD	106
SKPSED RD	67
SKPSPTRD	132
SKPSTMRD	59
SKPTFMIN	249
SKPTMTRD	149
SKPTRNRD	53
SKPWKST3	197
SKPWOR	217
SKPYCANS	168
SKPYCRD	168
SLPFREQ1	207
SLPFREQ2	212
SLPLOSS1	206
SLPLOSS2	211
SMKFLAG	88
SMKMON	88
SMKYR	88
SNUFEVER	12
SNUFREC	12
SOC1	242
SOC2	242
SOCPROB	259
SOCPROBT	261
SOLDDR2	285
SOLDDRUG	147
SOLVENT	39
SOLVENT2	100
SOMCOM	259
SOMCOMT	261
SPPAINT	39
SPPAINT2	100
SPRES	268
SPTREAD	132
SSI1	243
SSI2	243
ST04	105

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
STIMAGE	64
STIMAGE2	285
STIMNEWA	62
STIMNEWB	63
STIMNEWC	63
STIMNEWD	63
STIMNEWE	64
STIMREC	65
STIMTOT	65
STMDKNAM	61
STMDLYF	95
STMFLAG	91
STMMON	91
STMMONF	95
STMNOLST	61
STMOCCF	95
STMREAD	59
STMWKF	95
STMYR	91
STMYRF	95
STMYRFRQ	66
STNDLREC	111
STNEEDLE	110
STRSTEAL2	285
STRSTEAL	144
STUDENT	194
SUB1LIF	285
SUB1MON	285
SUB1YR	285
SUB2LIF	286
SUB2MON	286
SUB2YR	286
SUB3LIF	286
SUB3MON	286
SUB3YR	286
SUMFLAG	96
SUMMON	97
SUMYR	97
TALWIN	47
TELNO	250
THPROB	260
THPROBT	261
TIRED1	205
TIRED2	210
TMTREAD	149
TOTCAT	257
TOTPEOP	203
TOTPROB	288
TR04	104
TRANAGE	56
TRANAGE2	286

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
TRANREC	57
TRANTOT	57
TRANXENE	54
TRDKNAM	55
TRIMEST	255
TRIMEST2	286
TRMTHLP2	286
TRNEWA	55
TRNEWB	55
TRNEWC	56
TRNEWD	56
TRNEWE	56
TRNOLST	55
TRNREAD	53
TRNYRFRQ	58
TRQDLYF	95
TRQFLAG	91
TRQMON	91
TRQMONF	95
TRQOCCF	95
TRQWKF	95
TRQYR	91
TRQYRF	95
TUINAL	69
TXADGREC	156
TXALDOC	151
TXALEMRG	151
TXALHOSP	150
TXALJAIL	151
TXALMHC	151
TXALRFIN	151
TXALRFOP	151
TXALSHG	152
TXALSOP	152
TXALSP	152
TXDRDOC	154
TXDREMRG	154
TXDRFIN	153
TXDRFOP	153
TXDRGA	162
TXDRGB	163
TXDRGC	163
TXDRGD	163
TXDRGE	163
TXDRHOSP	153
TXDRJAIL	154
TXDRMHC	153
TXDRSHG	154
TXDRSOP	154
TXDRSP	155
TXENROLL	167

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
TXEVER	149
TXLTA	161
TXLTALC	159
TXLTANL	160
TXLTB	161
TXLTC	161
TXLTCOC	159
TXLTD	161
TXLTD0C	157
TXLTE	162
TXLTEMRG	157
TXLTHAL	159
TXLTHER	159
TXLTHOSP	156
TXLTINH	160
TXLTJAIL	157
TXLTMHC	157
TXLTMJ	159
TXLTRAN	160
TXLTRFIN	156
TXLTRFOP	157
TXLTSED	160
TXLTSHG	158
TXLTSOD	161
TXLTSOP	158
TXLTSP	158
TXLTSTIM	160
TXOUTC	164
TXPDCAID	165
TXPDCARE	165
TXPDEMPL	166
TXPDFMLY	166
TXPDFREE	166
TXPDINS	165
TXPDSAVE	165
TXPDSOS	166
TXPDSP	167
TXTIME	164
TXTIMELF	150
TXYREMRG	155
TXYRFREQ	150
TYLCOD	47
UCARETYP	235
UCDALC	130
UCDANL	131
UCDCIG	129
UCDCOC	130
UCDHAL	130
UCDHER	130
UCDINH	130
UCDMRJ	130

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
UCDSED	131
UCDSTM	131
UCDTRN	131
UCRTYPSC	236
UCRTYPSP	236
UNDINT	267
USEDALC	115
USEDANL	116
USED CIG	114
USED COC	115
USED HAL	115
USED HER	115
USED INH	115
USED MRJ	115
USED SED	116
USED STM	116
USED TRN	116
VALIUM	54
VEREP	273
VESTR	273
WELFARE	257
WHOMARKD	271
WITHDRW	259
WITHDRWT	261
WORDIFF1	216
WORDIFF2	217
WOREDGE	217
WOREND	214
WORFAINT	218
WORHAPN1	215
WORHAPN2	216
WORHEART	218
WORIRRIT	218
WORKBLAH	198
WORKDAYS	197
WORKSTAT	6
WORNOMO1	215
WORNOMO2	216
WORREST	217
WORRIED	214
WORSERI1	215
WORSERI2	216
WORSLEEP	218
WORTIRED	218
WT1	273
WT10	273
WT11	273
WT12	273
WT2	273
WT3	273
WT4	273

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
WT5	273
WT6	273
WT7	273
WT8	273
WT9	273
WTCHNG1	206
WTCHNG2	211
XANAX	54
YACCHURT	176
YACHES	180
YACOPPSX	170
YACTTNK	177
YACTYNG	169
YAFRBAD	175
YAFRPLAC	175
YAFRSCHL	175
YALLERGY	169
YALONE	177
YANXIOUS	179
YARGUE	169
YASTHMA	170
YATTACK	182
YBITNAIL	178
YBRAG	170
YBTWITCH	178
YCLUMSY	183
YCNTHGTS	171
YCONNEAT	190
YCRAMPS	181
YCREAD	168
YCRYLOT	172
YDAYDREM	172
YDNTEATW	174
YDNTGLTY	174
YDNTKIDS	174
YDNTNEED	187
YDOBETTR	179
YDOSTRNG	187
YDPTADLT	171
YDRTLNG	189
YDSBYPAR	173
YDSBYSCH	173
YDSTYOTH	173
YDSTYTHG	173
YEATMUCH	179
YENJOY	188
YENJYJOK	192
YEYEPROB	181
YFAIROTH	192
YFIGHTS	176
YFLCONFU	171

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
YFLDIZZY	179
YFLGETME	176
YFLGUILT	179
YFLNOLOV	175
YFLONELY	171
YFLPRFCT	175
YFLTIRE	180
YFLWTHLS	176
YGDIMAG	186
YGTEASE	176
YHEADACH	180
YHELPOTH	174
YHONEST	172
YHRVOICS	177
YINVOTH	193
YJEALOTH	174
YKIDSTRB	177
YLIE	177
YLIFEASY	192
YKANIML	170
YKHELP	190
YKLAUGH	189
YLOUDER	191
YMEANOTH	172
YMOODS	188
YNAUSEA	181
YNERVOUS	178
YNGHTMAR	178
YNOENRGY	191
YNOTKIDS	178
YOLDKIDS	183
YOVRWGHT	180
YPFRNDLY	182
YPKBPART	182
YRASHES	181
YREPACTN	184
YRFSTALK	183
YRUNHOME	184
YSCPOOR	182
YSCREAM	184
YSECRET	184
YSEETHNG	184
YSETFIRE	185
YSHOWOFF	185
YSHY	185
YSKIPSCH	191
YSLFCONS	185
YSLPLESS	186
YSLPMORE	186
YSPCHPRB	186
YSTDRGHT	186

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
YSTEALHO	187
YSTEALPL	187
YSTUBORN	188
YSUSPICS	188
YTALKMCH	189
YTEASE	189
YTEMPER	190
YTHKKLSF	189
YTHNKSEX	190
YTHRTPEO	190
YTHSTRNG	188
YTRBCONC	170
YTRBSIT	171
YTRBSLEP	191
YTRYATTN	173
YTRYHELP	192
YTRYKLSF	172
YTRYTHNG	182
YUNHAPPY	191
YUSEDRUG	192
YVOMIT	181
YWELHNDS	185
YWORRY	193
YWSOPPSX	193
YYNGKIDS	183

INDEX OF LABELS

LABEL	PAGE
-----	-----
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
SKPMARTL	2
MARITAL	2
NOMARR	2
SKPMILT	2
SERVICE	3
MILSTAT	3
EDUC	4
DIPLOMA	4
ENROLLD	5
EENROLLD	5
WORKSTAT	6
HTININCH	7
POUNDS	7
HEALTH	7
CIGEVER	8
CIGTRY	8
CIGTOT	8
CIGREC	9
CIG30USE	9
AVCIG	10
CIG30WOK	10
CIGEVYDA	11
CIGAGE	11
CIGYRS	11
SNUFEVER	12
SNUFREC	12
SKPALCRD	13
ALCREAD	13
ALCEVER	13
ALCTRY	14
ALCREC	14
ALCPAT	15
DRUNKYR	15
ALCDAYS	16
NODR30A	16
DR5DAY	17
MJEVER	18
MJAGE	18
MJTOT	19
MJREC	19
MJYRFREQ	20
MJDAY30A	20
SKPCOCDR	21
COCREAD	21
COCEVER	21
COCAGE	22
COCTOT	22

INDEX OF LABELS

LABEL	PAGE
-----	-----
COCREC	22
COCYRFRQ	23
COCUS30A	23
SKPCRKRD	24
CRKREAD	24
CRKEVER	24
CRKAGE	25
CRKTOT	25
CRAKREC	25
CRKYRFRQ	26
CRKUS30A	26
SKPHERRD	27
HERREAD	27
HEREVER	27
HERAGE	28
HERTOT	28
HERREC	28
HERYRFRQ	29
HER30USE	29
SKPHALRD	30
HALREAD	30
LSD	30
PCP	31
PEYOTE	31
MESC	31
PSILCY	31
ECSTASY	31
HALDKNAM	32
HALNOLST	32
HALNEWA	33
HALNEWB	34
HALNEWC	34
HALNEWD	34
HALNEWE	34
HALLAGE	35
HALLTOT	35
HALLREC	35
HALYRFRQ	36
HAL30USE	36
LSDREC	37
PCPREC	37
SKPINHRD	38
INHREAD	38
AMYLNIT	38
CLEFLU	38
GAS	39
GLUE	39
ETHER	39
SOLVENT	39
LGAS	39
NITOXID	39

INDEX OF LABELS

LABEL	PAGE
-----	----
SPPAINT	39
AEROS	40
INHDKNAM	40
INHNOLST	40
INHNEWA	41
INHNEWB	41
INHNEWC	42
INHNEWD	42
INHNEWE	42
INHAGE	42
INHTOT	42
INHREC	43
INHYRFRQ	43
INHDI30A	44
SKPANLRD	45
ANLREAD	45
CODEINE	45
DARVON	46
DEMEROL	46
DILAUD	46
METHDON	46
MORPHINE	46
PERCODAN	47
TALWIN	47
TYLCOD	47
ANLDKNAM	47
ANLNOLST	47
ANALNEWA	48
ANALNEWB	49
ANALNEWC	49
ANALNEWD	49
ANALNEWE	50
ANALNONE	50
ANALAGE	50
ANALTOT	51
ANALREC	51
ANLYRFRQ	52
SKPTRNRD	53
TRNREAD	53
ATARAX	53
ATIVAN	54
DIAZEPAM	54
LIBRIUM	54
TRANXENE	54
VALIUM	54
XANAX	54
TRDKNAM	55
TRNOLST	55
TRNEWA	55
TRNEWB	55
TRNEWC	56

INDEX OF LABELS

LABEL	PAGE
-----	-----
TRNEWD	56
TRNEWE	56
NOTRANQ	56
TRANAGE	56
TRANTOT	57
TRANREC	57
TRNYRFRQ	58
SKPSTM RD	59
STMREAD	59
BENZ	59
BIPHET	60
DEXAMYL	60
DEXED	60
FASTIN	60
IONAMIN	60
METHAMP	61
METHI	61
PRELUDIN	61
STMDKNAM	61
STMNOLST	61
STIMNEWA	62
STIMNEWB	63
STIMNEWC	63
STIMNEWD	63
STIMNEWE	64
NOSTIMS	64
STIMAGE	64
STIMTOT	65
STIMREC	65
STMFRFRQ	66
SKPSED RD	67
SEDREAD	67
DALMANE	67
HALCION	68
METHAQ	68
NEMBUTAL	68
PHENOBAR	68
PLACIDYL	68
SECONAL	69
TUINAL	69
SEDDKNAM	69
SEDNOLST	69
SEDNEWA	70
SEDNEWB	70
SEDNEWC	70
SEDNEWD	70
SEDNEWE	70
NOSEDAT	71
SEDAGE	71
SEDTOT	72
SEDREC	72

INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDYRFRQ	73
BIRMONTH	74
BIRYEAR	74
IRAGE	74
IIAGE	75
IRSEX	75
IISEX	75
IRRACE	75
IIRACE	75
IRHOIND	75
IIHOIND	75
IRHOGRP	75
IIHOGRP	75
IRHOGRP2	76
IIHOGRP2	76
IRMARIT	76
IIMARIT	76
IREduc	76
IIEDUC	77
IRHSGRAD	77
IIHSGRAD	77
IRWORKST	77
IIWORKST	77
IRCIGRC	78
IICIGRC	78
IROTBRC	78
IIOTBRC	78
IRALCRC	78
IIALCRC	78
IRMJRC	78
IIMJRC	78
IRCOCRC	79
IICOCRC	79
IRCRKRC	79
IICRKRC	79
IRHERRC	79
IIHERRC	79
IRHALRC	79
IIHALRC	79
IRLSDRC	80
IIILSDRC	80
IRPCPRC	80
IIPCPRC	80
IRINHRC	80
IIINHRC	80
IRANLRC	80
IIANLRC	80
IRTRNRC	81
IITRNRC	81
IRSTMRC	81
IISTMRC	81

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRSEDRC	81
IISEDRC	81
IRALCFQ	82
IIALCFQ	82
IRMJFQ	82
IIMJFQ	82
IRCOCFQ	82
IICOCFQ	83
IRCRKFQ	83
IICRKFQ	83
IRHERFQ	83
IIHERFQ	83
IRHALFQ	83
IIHALFQ	84
IRINHFQ	84
IIINHFQ	84
IRANLFQ	84
IIANLFQ	84
IRTRNFQ	84
IITRNFQ	85
IRSTMFQ	85
IISTMFQ	85
IRSEDFQ	85
IISEDFQ	85
CATAGE	86
CATAG2	86
CATAG3	86
RACE	86
HISPRACE	86
EDUCCAT2	86
EMPSTAT2	86
BUSINES2	86
ROCCUP2	87
MARISTAT	87
NOTMAR	87
CIGFLAG	88
CIGYR	88
CIGMON	88
SMKFLAG	88
SMKYR	88
SMKMON	88
ALCFLAG	88
ALCYR	88
ALCMON	88
MRJFLAG	88
MRJYR	88
MRJMON	89
COCFLAG	89
COCYR	89
COCMON	89
CRKFLAG	89

INDEX OF LABELS

LABEL	PAGE
-----	----
CRKYR	89
CRKMON	89
HERFLAG	89
HERYR	89
HERMON	89
HALFLAG	89
HALYR	89
HALMON	90
LSDFLAG	90
LSDYR	90
LSDMON	90
PCPFLAG	90
PCPYR	90
PCPMON	90
INHFLAG	90
INHYR	90
INHMON	90
ANLFLAG	90
ANLYR	90
ANLMON	91
TRQFLAG	91
TRQYR	91
TRQMON	91
STMFLAG	91
STMYR	91
STMMON	91
SEDFLAG	91
SEDYR	91
SEDMON	91
ALCYRF	91
ALCMONF	91
ALCWKF	92
ALCOCCF	92
ALCDLYF	92
MRJYRF	92
MRJMONF	92
MRJWKF	92
MRJOCCF	92
MRJDLYF	92
COCYRF	92
COCMONF	92
COCWKF	92
COCOCCF	92
COCDLYF	93
CRKYRF	93
CRKMONF	93
CRKWKF	93
CRKOCCF	93
CRKDLYF	93
HERYRF	93
HERMONF	93

INDEX OF LABELS

LABEL	PAGE
-----	-----
HERWKF	93
HEROCCF	93
HERDLYF	93
HALYRF	93
HALMONF	94
HALWKF	94
HALOCCF	94
HALDLYF	94
INH YRF	94
INHMONF	94
INH WKF	94
INH OCCF	94
INH DLYF	94
ANLYRF	94
ANLMONF	94
ANLWKF	94
ANLOCCF	95
ANLDLYF	95
TRQYRF	95
TRQMONF	95
TRQWKF	95
TRQOCCF	95
TRQDLYF	95
STM YRF	95
STMMONF	95
STMWKF	95
STMOCCF	95
STMDLYF	95
SEDYRF	96
SEDMONF	96
SEDWKF	96
SEDOCCF	96
SEDDLYF	96
PSYFLAG2	96
PSYR2	96
PSYMON2	96
SUMFLAG	96
SUMYR	97
SUMMON	97
MJOFLAG	97
MJOYR2	97
MJOMON2	97
IEMFLAG	98
IEMYR	98
IEMMON	98
BINGEDRK	98
HVYDRK2	98
BINGEHVY	98
PEYOTE2	99
MESC2	99
PSILCY2	99

INDEX OF LABELS

LABEL	PAGE
-----	-----
ECSTASY2	99
METHAMP2	99
HERSMOK2	99
HERSNIF2	99
AMYLNIT2	99
CLEFLU2	99
GAS2	99
GLUE2	99
ETHER2	99
SOLVENT2	100
LGAS2	100
NITOXID2	100
SPPAINT2	100
AEROS2	100
CG04	101
CG12	101
AL03	101
MJ04	101
CC04	102
CK04	102
HE04	102
LS04	103
LS07	103
LS08	103
IN04	104
PK04	104
TR04	104
ST04	105
SE04	105
SKPSDRD	106
SDREAD	106
HRANYFRM	106
HERSMOKE	107
HRSMKREC	107
HERSNIFF	107
HRSNFREC	108
GNNDLLIF	108
COCNEEDL	108
CONDLREC	109
HERNEEDL	109
HRNDLREC	110
STNEEDLE	110
STNDLREC	111
GNNDSREUS	111
GNNDLSH1	112
GNNDCLEN	112
GNNDLSH2	112
GNNGET	113
GNNGTSP	113
SKPDRGRD	114
DRGREAD	114

INDEX OF LABELS

LABEL	PAGE
-----	-----
USED CIG	114
USEDALC	115
USEDMRJ	115
USED COC	115
USEDHER	115
USEDHAL	115
USEDINH	115
USEDANL	116
USEDTRN	116
USEDSTM	116
USEDSED	116
NODRUGYR	116
GRTMCIG	117
GRTMALC	117
GRTMMRJ	117
GRTMCOC	117
GRTMHER	118
GRTMHAL	118
GRTMINH	118
GRTMANL	118
GRTMTRN	118
GRTMSTM	119
GRTMSED	119
LAMTCIG	119
LAMTALC	119
LAMTMRJ	119
LAMTCOC	120
LAMTHER	120
LAMTHAL	120
LAMTINH	120
LAMTANL	120
LAMTTRN	120
LAMTSTM	121
LAMTSED	121
BTOLCIG	121
BTOLALC	121
BTOLMRJ	121
BTOLCOC	122
BTOLHER	122
BTOLHAL	122
BTOLINH	122
BTOLANL	122
BTOLTRN	122
BTOLSTM	123
BTOLSED	123
ACRDCIG	123
ACRDALC	123
ACRDMRJ	123
ACRDCOC	124
ACRDHER	124
ACRDHAL	124

INDEX OF LABELS

LABEL	PAGE
-----	-----
ACRDINH	124
ACRDANL	124
ACRDTRN	124
ACRDSTM	125
ACRSED	125
EMPBCIG	125
EMPBALC	125
EMPBMRJ	126
EMPBCOC	126
EMPBHER	126
EMPBHAL	126
EMPBINH	126
EMPBANL	126
EMPBTRN	127
EMPBSTM	127
EMPBSED	127
HLPBCIG	127
HLPBALC	128
HLPBMRJ	128
HLPBCOC	128
HLPBHER	128
HLPBHAL	128
HLPBINH	128
HLPBANL	129
HLPBTRN	129
HLPBSTM	129
HLPBSED	129
UCDCIG	129
UCDALC	130
UCDMRJ	130
UCDCOC	130
UCDHER	130
UCDHAL	130
UCDINH	130
UCDANL	131
UCDTRN	131
UCDSTM	131
UCDSED	131
SKPSPTRD	132
SPTREAD	132
NDTXRCVD	132
NDTXNEED	133
NDTXALC	133
NDTXMJ	133
NDTXCOC	133
NDTXHER	134
NDTXHAL	134
NDTXINH	134
NDTXANL	134
NDTXTRAN	134
NDTXSTIM	134

INDEX OF LABELS

LABEL	PAGE
-----	-----
NDTXSED	135
NDTXSOD	135
NDTXDRG1	135
NDTXDRG2	135
NDTXDRG3	135
NDTXDRG4	135
NDTXDRG5	135
NDTXSTEP	136
NDTXTRSP	136
NDXTTFAR	136
NDTXBDHR	136
NDTXOPEN	137
NDXTYPE	137
NDTXMONY	137
NDTXHCAP	137
NDXTCMP	137
NDTXLANG	137
NDTXSPSV	138
NDTXSOR	138
NDTXRSC1	138
BOOKED	138
NOBOOKYR	139
BKLARCNY	139
BKBURGL	139
BKAGASLT	140
BKSMASLT	140
BKMVTHFT	140
BKROB	140
BKRAPE	140
BKMURDER	141
BKARSON	141
BKDRVINF	141
BKDRUNK	141
BKDRUG	141
BKPROS	142
BKVANDAL	142
BKOTH	142
BKOTHOFF	143
PROBATON	143
PAROLE	144
STRSTEAL	144
OTHSTEAL	144
DAMAGE	145
CARSTEAL	145
FORCEMON	145
BREAKIN	145
PHYFIGHT	146
HURTBAD	146
GUNMONEY	146
DRVALDR	146
DRIVEAL	147

INDEX OF LABELS

LABEL	PAGE
-----	----
DRIVEDR	147
SOLDDRUG	147
OTHDOING	147
OTHDOSP1	148
OTHDOSP2	148
SKPTMTRD	149
TMTREAD	149
TXEVER	149
TXTIMELF	150
TXYRFREQ	150
TXALHOSP	150
TXALRFIN	151
TXALRFOP	151
TXALMHC	151
TXALEMRG	151
TXALDOC	151
TXALJAIL	151
TXALSHG	152
TXALSOP	152
TXALSP	152
TXDRHOSP	153
TXDRFIN	153
TXDRFOP	153
TXDRMHC	153
TXDREMRG	154
TXDRDOC	154
TXDRJAIL	154
TXDRSHG	154
TXDRSOP	154
TXDRSP	155
TXYREMRG	155
TXADGREC	156
TXLTHOSP	156
TXLTRFIN	156
TXLTRFOP	157
TXLTMHC	157
TXLTEMRG	157
TXLTDOC	157
TXLTJAIL	157
TXLTSHG	158
TXLTSOP	158
TXLTSP	158
TXLTALC	159
TXLTMJ	159
TXLTCOC	159
TXLTHER	159
TXLTHAL	159
TXLTINH	160
TXLTANL	160
TXLTRAN	160
TXLTSTIM	160

INDEX OF LABELS

LABEL	PAGE
-----	-----
TXLTSED	160
TXLTSOD	161
TXLTA	161
TXLTB	161
TXLTC	161
TXLTD	161
TXLTE	162
TXDRGA	162
TXDRGB	163
TXDRGC	163
TXDRGD	163
TXDRGE	163
TXOUTC	164
TXTIME	164
TXPDINS	165
TXPDCARE	165
TXPDCAID	165
TXPDSAVE	165
TXPDFMLY	166
TXPDEMPL	166
TXPDFREE	166
TXPDSOS	166
TXPDSP	167
TXENROLL	167
SKPYCANS	168
SKPYCRD	168
YCREAD	168
YACTYNG	169
YALLERGY	169
YARGUE	169
YASTHMA	170
YACOPPSX	170
YLKANIML	170
YBRAG	170
YTRBCONC	170
YCNTHGTS	171
YTRBSIT	171
YDPTADLT	171
YFLONELY	171
YFLCONFU	171
YCRYLOT	172
YHONEST	172
YMEANOTH	172
YDAYDREM	172
YTRYKLSF	172
YTRYATTN	173
YDSTYTHG	173
YDSTYOTH	173
YDSBYPAR	173
YDSBYSCH	173
YDNTEATW	174

INDEX OF LABELS

LABEL	PAGE
-----	-----
YDNTKIDS	174
YDNTGLTY	174
YJEALOTH	174
YHELPOTH	174
YAFRPLAC	175
YAFRSCHL	175
YAFRBAD	175
YFLPRFCT	175
YFLNOLOV	175
YFLGETME	176
YFLWTHLS	176
YACCHURT	176
YFIGHTS	176
YGTEASED	176
YKIDSTRB	177
YHRVOICS	177
YACTTNK	177
YALONE	177
YLIE	177
YBITNAIL	178
YNERVOUS	178
YBTWITCH	178
YNGHTMAR	178
YNOTKIDS	178
YDOBETTR	179
YANXIOUS	179
YFLDIZZY	179
YFLGUILT	179
YEATMUCH	179
YFLTIRE	180
YOVRWGHT	180
YACHES	180
YHEADACH	180
YNAUSEA	181
YEYEPROB	181
YRASHES	181
YCRAMPS	181
YVOMIT	181
YATTACK	182
YPKBPART	182
YPFRNDLY	182
YTRYTHNG	182
YSCPOOR	182
YCLUMSY	183
YOLDKIDS	183
YYNGKIDS	183
YRFSTALK	183
YREPACTN	184
YRUNHOME	184
YSCREAM	184
YSECRET	184

INDEX OF LABELS

LABEL	PAGE
-----	-----
YSEETHNG	184
YSLFCONS	185
YSETFIRE	185
YWELHNDS	185
YSHOWOFF	185
YSHY	185
YSLPLESS	186
YSLPMORE	186
YGDIMAG	186
YSPCHPRB	186
YSTDRGHT	186
YSTEALHO	187
YSTEALPL	187
YDNTNEED	187
YDOSTRNG	187
YTHSTRNG	188
YSTUBORN	188
YMOODS	188
YENJOY	188
YSUSPICS	188
YDRTLANG	189
YTHKKLSF	189
YLKLAUGH	189
YTALKMCH	189
YTEASE	189
YTEMPER	190
YTHNKSEX	190
YTHRTPEO	190
YKHELP	190
YCONNEAT	190
YTRBSLEP	191
YSKIPSC	191
YNOENRGY	191
YUNHAPPY	191
YLOUDER	191
YUSEDUG	192
YFAIROTH	192
YENJYJOK	192
YLIFEASY	192
YTRYHELP	192
YWSOPPSX	193
YINVOTH	193
YWORRY	193
MOVESPYR	194
STUDENT	194
ESTUDENT	195
SCHDAYS	195
ESCHDAYS	195
SKIPPED	195
ESKIPPED	196
NJOBSPYR	196

INDEX OF LABELS

LABEL	PAGE
-----	----
PAYMO	196
PAYYR	196
SKPWKST3	197
WORKDAYS	197
WORKBLAH	198
SKPPREG	198
PREGNANT	198
PREGMOS	198
SKPCWE	199
CWE	199
CWESC1	200
CWESC2	202
FULLPART	203
TOTPEOP	203
SKPMHC	204
DEPRESS	204
DEPDAYS	204
DEPFREQ	205
LOSTINT1	205
TIRED1	205
WTCHNG1	206
LBSCHNG1	206
SLPLOSS1	206
SLPFREQ1	207
CONCEN1	207
DOWN1	207
IDEAT1	208
SKPDEP1	208
DEPWKS1	208
DEPMO1	209
DEPYR1	209
LOSTINT2	209
LOSINDAY	210
LOSINFRQ	210
TIRED2	210
WTCHNG2	211
LBSCHNG2	211
SLPLOSS2	211
SLPFREQ2	212
CONCEN2	212
DOWN2	212
IDEAT2	213
SKPDEP2	213
DEPWKS2	213
DEPMO2	214
DEPYR2	214
WORRIED	214
WOREND	214
WORNOMO1	215
WORHAPN1	215
WORSERI1	215

INDEX OF LABELS

LABEL	PAGE
-----	----
WORDIFF1	216
WORNOMO2	216
WORHAPN2	216
WORSER12	216
WORDIFF2	217
SKPWOR	217
WORREST	217
WOREDGE	217
WORIRRIT	218
WORHEART	218
WORTIRED	218
WORSLEEP	218
WORFAINT	218
FEARPUB	219
FEAROUT	219
FEARBRDG	219
SKPFEAR1	219
FEAROFT	220
FEARYRS	220
FEARMOS	220
FEARFANT	221
FEARTRAP	221
FEARHELP	221
PANIC1	222
PANIC2	222
PANICNUM	222
PANICMO	223
PANICYR	223
PANIDANG	223
SKPFEAR2	223
PANIFEAR	224
PANINOFR	224
PANIHART	224
PANIPAIN	224
PANISWET	225
PANISHAK	225
PANIHOT	225
PANIUNRL	225
NUERTMT	226
NUHSPOV	226
NUHSPPE	227
OUTPTPE	227
PROXABLE	228
PROXYREL	229
PROXHOME	229
PROXJOIN	230
CAREUSU	231
NCARERSN	231
NCRRSNSP	232
NCRRSNSC	232
CAREOFT	232

INDEX OF LABELS

LABEL	PAGE
-----	-----
PYRCARE	233
PYRCRTYP	233
PYRCRTSP	233
PYRCRTSC	234
CARENOW	234
MNRSNNCR	234
MNRSNNSP	235
MNRSNNSC	235
UCARETYP	235
UCRTYPSP	236
UCRTYPSC	236
MEDICARE	237
MEDICAID	238
CHAMPUS	238
PRVHLTIN	239
GRPHLTIN	239
PDHINPRM	240
HLTINALC	240
HLTINDRG	240
HLTINMNT	241
SOC1	242
SOC2	242
SSI1	243
SSI2	243
PUB1	243
PUB2	244
AFDC	244
INT1	245
INT2	245
CHD1	246
CHD2	246
OTH1	246
OTH2	247
FSTAMP	247
PINC1	248
SKPTFMIN	249
FINC1	249
TELNO	250
IRPINSUR	251
IIPINSUR	251
IRINSUR	251
IIINSUR	251
IRSOC1	251
IISOC1	251
IRSSI1	251
IISSI1	251
IRPUB1	251
IIPUB1	251
IRAFDC	252
IIAFDC	252
IRINT1	252

INDEX OF LABELS

LABEL	PAGE
-----	----
IIINT1	252
IRCHD1	252
IICHD1	252
IROTH1	252
IIOTH1	252
IRFSTAMP	252
IIFSTAMP	252
IRPINC1	253
IIPINC1	253
IRFINC1	253
IIFINC1	253
IRSOC2	253
IISOC2	253
IRSSI2	253
IISSI2	253
IRPUB2	253
IIPUB2	253
IRINT2	254
IIINT2	254
IRCHD2	254
IICHD2	254
IROTH2	254
IIOTH2	254
IRPEOP	254
IRKIDS	254
RELINTHH	254
FEMBABY	255
FEMKIDS	255
MALEBABY	255
MALEKIDS	255
F15_44	255
M15_44	255
PREG	255
PREG2	255
TRIMEST	255
INDCAT	256
PERINC	256
PERINC2	256
PERINC3	256
TOTCAT	257
FAMINC	257
FAMINC2	257
FAMINC3	257
WELFARE	257
NEEDLREC	258
NEDFLAG4	258
NEDYR4	258
WITHDRW	259
SOMCOM	259
ANXDEP	259
SOCPROB	259

INDEX OF LABELS

LABEL	PAGE
-----	----
THPROB	260
ATTPROB	260
DELBEH	260
AGGBEH	260
WITHDRWT	261
SOMCOMT	261
ANXDEPT	261
SOCPROBT	261
THPROBT	261
ATTPROBT	261
DELBEHT	261
AGGBEHT	261
MDESFS1	262
PROBMDE1	262
MDE1	262
GADSFS1	263
PROBGAD1	263
GAD1	263
AGPSFS1	264
PROBAGP1	264
AGP1	264
PASFS1	265
PROBPA1	265
PA1	265
INTMONTH	266
BHOUR	266
BMIN	266
BAP	266
EHOUR	266
EMIN	266
EAP	266
LANGVER	266
UNDINT	267
COOPINT	267
PRIVACY	268
PPRES	268
SPRES	268
PARPRES	268
OARPRES	268
OAPRES	268
CPRES	269
OPRESNSP	269
OPRESSPA	270
OPRESSPB	271
WHOMARKD	271
QUARTER	271
FAMSKIP	271
GQTYPE	271
PDEN	272
PDEN2	272
REGION	272

INDEX OF LABELS

LABEL	PAGE
-----	----
DIVISION	272
RURORURB	272
VESTR	273
VEREP	273
ANALWT	273
ANALWT1	273
ANALWT2	273
ANALWT3	273
ANALWT4	273
WT1	273
WT2	273
WT3	273
WT4	273
WT5	273
WT6	273
WT7	273
WT8	273
WT9	273
WT10	273
WT11	273
WT12	273
AGECAT3	275
AGECAT4	275
ALCDAYS2	275
ALCDAYS3	275
ALCUSE	275
ALCILLL	275
ALCILLM	275
ALCILLY	275
ALCMRJL	275
ALCMRJM	276
ALCMRJY	276
ALCONLYL	276
ALCONLYM	276
ALCONLYY	276
ALCOTHL	276
ALCOTHM	276
ALCOTHY	276
ALCPROBS	276
ALC2PROB	276
ALC3PROB	276
ALCPSYL	276
ALCPSYM	277
ALCPSYY	277
ALCTRY2	277
ANALAGE2	277
AVCIG2	277
AVCIG3	277
BINGDRK2	277
BKAGASL2	277
BKARSON2	277

INDEX OF LABELS

LABEL	PAGE
-----	-----
BKBURGL2	277
BKDRUG2	277
BKDRUNK2	277
BKDRVIN2	277
BKLARC2	277
BKMURDE2	278
BKMTVTHF2	278
BKPROS2	278
BKRAPE2	278
BKROB2	278
BKSMASL2	278
BREAKIN2	278
CARSTEA2	278
CIGPROBS	278
CIG2PROB	278
CIG3PROB	278
CIGTRY2	278
COCAGE2	278
COCPROBS	279
COC2PROB	279
COC3PROB	279
COCTOT3	279
COCUSE	279
DAMAGE2	279
DRALHELP	279
DRINKER2	279
DRIVEAL2	279
DRIVEDR2	279
DRNKHLP2	280
DRUNKYR2	280
DRVALDR2	280
FERTAGE	280
FORCEMO2	280
GUNMONE2	280
HALLAGE2	280
HERAGE2	280
HLTINAL2	280
HLTINDR2	280
HURTBAD2	280
HVYDRK3	280
ILLONLYL	280
ILLONLYM	281
ILLONLYY	281
INHAGE2	281
IRACALC2	281
IRACCIG2	281
IRACCOC2	281
IRACMRJ2	281
IRBTALC2	281
IRBTCIG2	281
IRBTCOC2	281
IRBTMRJ2	281

INDEX OF LABELS

LABEL	PAGE
-----	----
IREMALC2	281
IREMCIG2	281
IREMCOC2	281
IREMMRJ2	281
IRGRALC2	282
IRGRCIG2	282
IRGRCOC2	282
IRGRMRJ2	282
IRHLALC2	282
IRHLCIG2	282
IRHLCOC2	282
IRHLMRJ2	282
IRLAALC2	282
IRLACIG2	282
IRLACOC2	282
IRLAMRJ2	282
IRUCALC2	282
IRUCCIG2	282
IRUCCOC2	282
IRUCMRJ2	283
MJAGE2	283
MJDY30A3	283
MARUSE	283
MJPROBS	283
MRJ2PROB	283
MRJ3PROB	283
MJTOT3	283
MRJONLYL	283
MRJONLYM	283
MRJONLYY	284
NOTMARJ	284
OTHONLYL	284
OTHONLYM	284
OTHONLYY	284
OTHSTEAM	284
PHYFIGH2	284
PREG3	284
PRVHLIN2	284
PSYAGE	284
PSYONLYL	284
PSYONLYM	284
PSYONLYY	285
RACESEX	285
RACESEX2	285
SEDAGE2	285
SOLDDRU2	285
STIMAGE2	285
STRSTEAM	285
SUB1LIF	285
SUB1MON	285
SUB1YR	285

INDEX OF LABELS

LABEL	PAGE
-----	----
SUB2LIF	286
SUB2MON	286
SUB2YR	286
SUB3LIF	286
SUB3MON	286
SUB3YR	286
TRANAGE2	286
TRIMEST2	286
TRMTHLP2	286
AGE	287
ANY4MENT	287
EXT	287
INT	287
PR_BEHAV	288
PR_EMOT	288
PR_TOTAL	288
TOTPROB	288
PR_WD	289
PR_SC	289
PR_AD	289
PR_SP	289
PR_TP	289
PR_AP	289
PR_DB	289
PR_AB	289

APPENDIX A
OCCUPATION CODES

OCCUPATIONAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the occupation categories are the 1990 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Occupation Category	Code	Occupation Category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		Business and promotion agents (145) Construction inspectors (1472) Inspectors and compliance officers, exc. construction (1473) Management related occupations, n.e.c. (149)
1	Executive, Administrative, and Managerial Occupations	2	Professional Specialty Occupations
	Legislators (111) Chief executives and general administrators, public administration Administrators and officials, public administration (1132-1139) Administrators, protective services (1131) Financial managers (122) Personnel and labor relations managers (123) Purchasing managers (124) Managers; marketing, advertising, and public relations (125) Administrators, education and related fields (128) Managers, medicine and health (131) Post masters and mail superintendents (1344) Managers, food serving and lodging establishments (1351) Managers, properties and real estate (1353) Funeral directors (pt 1359) Management related occupations Managers, service organizations, n.e.c. (127, 1352, 1354, pt 1359) Managers and administrators, n.e.c. (121, 126, 132-1343, 136-139) Accountants and auditors (1412) Underwriters (1414) Other financial officers (1415, 1419) Management analysts (142) Personnel, training, and labor relations specialists (143) Purchasing agents and buyers, farm products (1443) Buyers, wholesale and retail trade, except farm products (1442) Purchasing agents and buyers, n.e.c. (1449)		Architects (161) Engineers, surveyors and mapping scientists Aerospace engineers (1622) Metallurgical and materials engineers (1623) Mining engineers (1624) Petroleum engineers (1625) Chemical engineers (1626) Nuclear engineers (1627) Civil engineers (1628) Agricultural engineers (1632) Electrical and electronic engineers (1633, 1636) Industrial engineers (1634) Mechanical engineers (1635) Marine engineers and naval architects (1637) Engineers, n.e.c. (1639) Surveyors and mapping scientists (164) Mathematical and computer scientists Computer systems analysts and scientists (171) Operations and systems researchers and analysts (172) Actuaries (1732) Statisticians (1733) Mathematical scientists, n.e.c. (1739) Natural Scientists Physicists and astronomers (1842, 1843) Chemists, except biochemists (1845)

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Atmospheric and space scientists (1846)		Agriculture and forestry teachers (2234)
	Geologists and geodesists (1847)		Art, drama, and music teachers (2235)
	Physical scientists, n.e.c. (1849)		Physical education teachers (2236)
	Agricultural and food scientists (1853)		Education teachers (2237)
	Biological and life scientist (1854, 1854)		English teachers (2238)
	Forestry and conservation scientists (1852)		Foreign language teachers (2242)
	Medical scientists (1855)		Law teachers (2243)
			Social work teachers (2244)
	Health diagnosing occupations		Theology teachers (2245)
	Physicians (261)		Trade and industrial teachers (2246)
	Dentists (262)		Home economics teachers (2247)
	Veterinarians (27)		Teachers, postsecondary, n.e.c. (2249)
	Optometrists (281)		Postsecondary teachers, subject not specified
	Podiatrists (283)		
	Health diagnosing practitioners, n.e.c. (289)		Teachers, except postsecondary
			Teachers, prekindergarten and kindergarten (231)
	Health assessment and treating occupations		Teachers, elementary school (232)
	Registered nurses (29)		Teachers, secondary school (233)
	Pharmacists (301)		Teachers, special education (235)
	Dietitians (302)		Teachers, n.e.c. (236, 239)
			Counselors, educational and vocational (24)
	Therapists		Librarians, archivists, and curators
	Respiratory therapists (3031)		Librarians (251)
	Occupational therapists (3032)		Archivists and curators (252)
	Physical therapists (3033)		
	Speech therapists (3034)		Social scientists and urban planners
	Therapists, n.e.c. (3039)		Economists (1912)
	Physicians' assistants (304)		Psychologists (1915)
			Sociologists (1916)
	Teachers, postsecondary		Social scientists, n.e.c. (1913, 1914, 1919)
	Earth, environmental, and marine science teachers (2212)		Urban planners (192)
	Biological science teachers (2213)		
	Chemistry teachers (2214)		Social, recreation, and religious workers
	Physics teachers (2215)		Social workers (2032)
	Natural science teachers, n.e.c. (2216)		Recreation workers (2033)
	Psychology teachers (2217)		Clergy (2042)
	Economics teachers (2218)		Religious workers, n.e.c. (2049)
	History teachers (2222)		
	Political science teachers (2223)		Lawyers and judges
	Sociology teachers (2224)		Lawyers (211)
	Social science teachers, n.e.c. (2225)		Judges (212)
	Engineering teachers (2226)		
	Mathematical science teachers (2227)		Writers, artists, entertainers, and athletes
	Computer science teachers (2228)		Authors (321)
	Medical science teachers (2231)		Technical writers (398)
	Health specialties teachers (2232)		
	Business, commerce, and marketing teachers (2233)		

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Designers (322) Musicians and composers (323) Actors and directors (324) Painters, sculptors, craft-artists, and artist printmakers (325) Photographers (326) Dancers (327) Artists, performers, and related workers, n.e.c. (328,329) Editors and reporters (331) Public relations specialists (332) Announcers (333) Athletes (34)		Technicians, except health, engineering, and science Airplane pilots and navigators (825) Air traffic controllers (392) Broadcast equipment operators (393) Computer programmers (3971,3972) Tool programmers, numerical control (3974) Legal assistants (396) Technicians, n.e.c. (399)
	TECHNICAL, SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS	4	Sales Occupations Supervisors and proprietors, sales occupations (40) Sales occupations, business goods and services Insurance sales occupations (4122) Real estate sales occupations (4123) Securities and financial services sales occupations (4124) Advertising and related sales occupations (4153) Sales occupations, other business services (4152) Sales engineers (421) Sales representatives, mining, manufacturing, and wholesale (423, 4235) Sales occupations, personal goods and services Sales workers, motor vehicles and boats (4342, 4344) Sales workers, apparel (4346) Sales workers, shoes (4351) Sales workers, furniture and home furnishings (4348) Sales workers' radio, television, hi-fi, and appliances (4343, 4352) Sales workers, hardware and building supplies (4353) Sales workers, parts (4367) Sales workers, other commodities (4345, 4347, 4354, 4356, 4359, 4349) Sales counter clerks (pt 4363) Cashiers (4364) Street and door-to-door sales workers (4366) News vendors (4365)
3	Technicians and Related Support Occupations Health technologists and technicians Clinical laboratory, technologists, and technicians (362) Dental hygienists (363) Health record technologists and technicians (364) Radiologic technicians (365) Licensed practical nurses (366) Health technologists and technicians, n.e.c. (369) Technologists and technicians, except health Engineering and related technologists and technicians Electrical and electronic technicians (3711) Industrial engineering technicians (3712) Mechanical engineering technicians (3713) Engineering technicians, n.e.c. (3719) Drafting occupations (372) Surveying and mapping technicians (373) Science technicians Biological technicians (382) Chemical technicians (3831) Science technicians, n.e.c. (3832, 3833, 384, 389)		

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Sales related occupations		Financial records processing occupations
	Demonstrators, promoters and models, sales (445)		Payroll and timekeeping clerks (4713)
	Auctioneers (447)		Billing clerks (4715)
	Sales support occupations,n.e.c (444, 446, 449)		Cost and rate clerks (4716)
			Billing, posting, and calculating machine operators (4718)
5	Administrative Support Occupations, Including Clerical		Duplicating, mail and other office machine operators
	Supervisors, administrative support occupations		Duplicating machine operators (4722)
	Supervisors, general office (4511, 4513, 4514, 4516, 4519, 4529)		Mail preparing and paper handling machine operators (4723)
	Supervisors, computer equipment operators (4512)		Office machine operators, n.e.c. (4729)
	Supervisors, financial records processing (4521)		Communications equipment operators
	Chief communications operators (4523)		Telephone operators (4732)
	Supervisors; distribution, scheduling, & adjusting clerks (4522, 4524)		Communications equipment operators, n.e.c. (4733, 4739)
	Computer equipment operators		Mail and message distributing occupations
	Computer operators (4612)		Postal clerks, exc. mail carriers (4742)
	Peripheral equipment operators (4613)		Mail carriers, postal service (4743)
	Secretaries (4622)		Mail clerks, exc. postal service (4744)
	Stenographers (4623)		Messengers (4745)
	Typists (4624)		Material recording, scheduling, and distributing clerks, n.e.c.
	Information clerks		Dispatchers (4751)
	Interviewers (4642)		Production Coordinators (4752)
	Hotel clerks (4643)		Traffic, shipping, and receiving clerks (4753)
	Transportation ticket and reservation agents (4644)		Stock and inventory clerks (4754)
	Receptionists (4645)		Meter readers (4755)
	Information clerks, n.e.c. (4649)		Weighers, measurers, checkers and samplers (4756, 4757)
	Records processing occupations, except financial		Expeditors (4758)
	Classified-ad clerks (4662)		Material recording,scheduling, and distributing clerks, n.e.c.(4759)
	Correspondence clerks (4663)		Adjusters and investigators
	Order clerks (4664)		Insurance adjusters, examiners, and investigators (4782)
	Personnel clerks, except payroll and timekeeping (4692)		Investigators and adjusters, except insurance (4783)
	Library clerks (4694)		Eligibility clerks, social welfare (4784)
	File clerks (4696)		Bill and account collectors (4786)
	Records clerks (4699)		
	Bookkeepers, accounting and auditing clerks (4712)		

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Miscellaneous administrative support occupations		Protective service occupations, n.e.c. (5149)
	General office clerks (463)	8	Service Occupations, Except Protective and Private Household
	Bank tellers (4791)		Food preparation and service occupations
	Proofreaders (4792)		Supervisors, food preparation and service occupations (5211)
	Data-entry keyers (4793)		Bartenders (5212)
	Statistical clerks (4794)		Waiters and waitresses (5213)
	Teachers' aides (4795)		Cooks (5214, 5215)
	Administrative support occupations, n.e.c. (4787,4799)		Food counter, fountain and related occupations (5216)
	SERVICE OCCUPATIONS		Kitchen workers, food preparation (5217)
6	Private Household Occupations		Waiters'/waitresses' assistants (5218)
	Launderers and ironers (503)		Miscellaneous food preparation occupations (5219)
	Cooks, private household (504)		Health service occupations
	Housekeepers and butlers (505)		Dental assistants (5232)
	Child care workers, private household (506)		Health aides, except nursing (5233)
	Private household cleaners and servants (502, 507, 509)		Nursing aides, orderlies, and attendants (5236)
7	Protective Service Occupations		Cleaning and building service occupations, except private household
	Supervisors, protective service occupations		Supervisors, cleaning and building service workers (5241)
	Supervisors, firefighting and fire prevention occupations (5111)		Maids and housemen (5242,5249)
	Supervisors, police and detectives (5112)		Janitors and cleaners (5244)
	Supervisors, guards (5113)		Elevator operators (5245)
	Firefighting and fire prevention occupations		Pest control occupations (5246)
	Fire inspection and fire prevention occupations (5122)		Personal service occupations
	Firefighting occupations (5123)		Supervisors, personal service occupations (5251)
	Police and detectives		Barbers (5252)
	Police and detectives, public service (5132)		Hairdressers and cosmetologists (5253)
	Sheriffs, bailiffs, and other law enforcement officers (5134)		Attendants, amusement and recreation facilities (5254)
	Correctional institution officers (5133)		Guides (5255)
	Guards		Ushers (5256)
	Crossing guards (5142)		Public transportation attendants (5257)
	Guards and police, exc. public service (5144)		Baggage porters and bellhops (5262)
			Welfare service aides (5263)
			Family child care providers (pt 5264)
			Early childhood teacher's assistants (pt 5264)
			Child care workers, n.e.c. (pt 5264)

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Personal service occupations, n.e.c. (5258, 5269)	10	Mechanics and repairers
9	FARMING, FORESTRY, AND FISHING OCCUPATIONS		Supervisors, mechanics and repairers (60)
	Farm operators and managers		Mechanics and repairers, except supervisors
	Farmers, except horticultural (5512-5514)		Vehicle and mobile equipment mechanics and repairers
	Horticultural specialty farmers (5515)		Automobile mechanics (pt 6111)
	Managers, farms, except horticultural (5522-5524)		Automobile mechanic apprentices (pt 6111)
	Managers, horticultural specialty farms (5525)		Bus, truck, and stationary engine mechanics (6112)
	Other agricultural and related occupations		Aircraft engine mechanics (6113)
	Farm occupations, except managerial		Small engine repairers (6114)
	Supervisors, farm workers (5611)		Automobile body and related repairers (6115)
	Farm workers (5612-5617)		Aircraft mechanics, exc. engine (6116)
	Marine life cultivation workers (5618)		Heavy equipment mechanics (6117)
	Nursery workers (5619)		Farm equipment mechanics (6118)
	Related agricultural occupations		Industrial machinery repairers (613)
	Supervisors, related agricultural occupations (5621)		Machinery maintenance occupations (614)
	Groundskeepers and gardeners, except farm (5622)		Electrical and electronic equipment repairers
	Animal caretakers, except farm (5624)		Electronic repairers, communications and industrial equipment (6151, 6153, 6155)
	Graders and sorters, agricultural products (5625)		Data processing equipment repairers (6154)
	Inspectors, agricultural products (5627)		Household appliance and power tool repairers (6156)
	Forestry and logging occupations		Telephone line installers and repairers (6157)
	Supervisors, forestry and logging workers (571)		Telephone installers and repairers (6158)
	Forestry workers, except logging (572)		Miscellaneous electrical and electronic equipment repairers (6159)
	Timber cutting and logging occupations (573, 579)		Heating, air conditioning, and refrigeration mechanics (616)
	Fishers, hunters, and trappers		Miscellaneous mechanics and repairers
	Captains and other officers, fishing vessels (pt 8241)		Camera, watch, and musical instrument repairers (6171, 6172)
	Fishers (583)		Locksmiths and saw repairers (6173)
	Hunters and trappers (584)		Office machine repairers (6174)
	PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS		Mechanical controls and valve repairers (6175)
			Elevator installers and repairers (6176)
			Millwrights (6178)
			Specified mechanics and repairers, n.e.c. (6177, 6179)

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
11	Not specified mechanics and repairers		Supervisors, extractive occupations (632)
	Construction trades		Drillers, oil well (652)
	Supervisors, construction occupations		Explosives workers (653)
	Supervisors; brickmasons,stonemasons, and tile setters (6312)		Mining machine operators (654)
	Supervisors, carpenters and related workers (6313)		Mining occupations, n.e.c. (656)
	Supervisors; electricians and power transmission installers (6314)		Supervisors, production occupations (67, 71)
	Supervisors, painters,paperhangers, and plasterers (6315)		Precision metal working occupations
	Supervisors; plumbers,pipefitters, and steamfitters (6316)		Tool and die makers (pt 6811)
	Supervisors, n.e.c. (6311,6318)		Tool and die maker apprentices (pt 6811)
	Construction trades, except supervisors		Precision assemblers, metal (6812)
	Brickmasons and stonemasons (pt 6412, pt 6413)		Machinists (pt 6813)
12	Brickmason and stonemason apprentices (pt 6412, pt 6413)		Machinist apprentices (pt 6813)
	Tile setters, hard and soft (pt 6414, pt 6462)		Boilermakers (6814)
	Carpet installers (pt 6462)		Precision grinders, fitters, and tool sharpeners (6816)
	Carpenters (pt 6422)		Patternmakers and model makers, metal (6817)
	Carpenter apprentices (pt 6422)		Lay-out workers (6821)
	Drywall installers (6424)		Precious stones and metals workers (jewelers) (6822,6866)
	Electricians (6432)		Engravers, metal (6823)
	Electrician apprentices (pt 6432)		Sheet metal workers (pt 6824)
	Electrical power installers and repairers (6433)		Sheet metal worker apprentices (pt 6824)
	Painters, construction and maintenance (6442)		Miscellaneous precision metal workers (6829)
	Paperhangers (6443)		Precision woodworking occupations
12	Plasterers (6444)		Patternmakers and model makers, wood (6831)
	Plumbers, pipefitters, and steamfitters (pt 645)		Cabinet makers and bench carpenters (6832)
	Plumber, pipefitter, and steam fitter apprentices (pt 645)		Furniture and wood finishers (6835)
	Concrete and terrazzo finishers (6463)		Miscellaneous precision woodworkers (6839)
	Glaziers (6464)		Precision textile, apparel, and furnishings machine workers
	Insulation workers (6465)		Dressmakers (pt 6852, pt 7752)
	Paving, surfacing, and tamping equipment operators (6466)		Tailors (pt 6852)
	Roofers (6468)		Upholsterers (6853)
	Sheetmetal duct installers (6472)		Show repairers (6854)
	Structural metal workers (6473)		Miscellaneous precision apparel and fabric workers (6856, 6859, 686)
	Drillers, earth (6474)		Precision workers, assorted materials
12	Construction trades, n.e.c. (6467, 6475, 6476, 6479)		Hand molders and shapers, except jewelers (6861)
	Extractive Occupations		

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	<p>Patternmakers, lay-out workers, and cutters (6862)</p> <p>Optical goods workers (6864, pt 7477, pt 7677)</p> <p>Dental laboratory and medical appliance technicians (6865)</p> <p>Bookbinders (6844)</p> <p>Electrical and electronic equipment assemblers (6867)</p> <p>Miscellaneous Precision workers,n.e.c. (6869)</p> <p>Precision food production occupations</p> <p>Butchers and meat cutters (7271)</p> <p>Bakers (7272)</p> <p>Food batchmakers (7273, 7279)</p> <p>Precision inspectors, testers, and related workers</p> <p>Inspectors, testers, and graders (6881, 828)</p> <p>Adjusters and calibrators (6882)</p> <p>Plant and system operators</p> <p>Water and sewage treatment plant operators (691)</p> <p>Power plant operators (pt 693)</p> <p>Stationary engineers (pt 693, 7668)</p> <p>Miscellaneous plant and system operators (692, 694,695, 696)</p> <p>OPERATORS, FABRICATORS, AND LABORERS</p>		<p>Drilling and boring machine operators (7318, 7518)</p> <p>Grinding, abrading, buffing, and polishing machine operators (7322)</p> <p>Forging machine operators (7319, 7519)</p> <p>Numerical control machine operators (7326)</p> <p>Miscellaneous metal, plastic, stone, and glass working machine operators (7349)</p> <p>Fabricating machine operators, n.e.c. (7339,7539)</p> <p>Molding and casting machine operators (7315, 7342,7515, 7542)</p> <p>Metal plating machine operators (7343, 7543)</p> <p>Heat treating equipment operators (7344, 7544)</p> <p>Miscellaneous metal and plastic processing machine operators (7329)</p> <p>Woodworking machine operators</p> <p>Wood lathe, routing, and planing machine operators (7431, 7432, 7439, 7631, 7632)</p> <p>Sawing machine operators (7433, 7633)</p> <p>Shaping and joining machine operators (7435, 7635)</p> <p>Nailing and tacking machine operators (7636)</p> <p>Miscellaneous woodworking machine operators (7434,7439, 7634, 7639)</p> <p>Printing machine operators</p> <p>Printing press operators (7443, 7643)</p> <p>Photoengravers and lithographers (6842, 7444,7644)</p> <p>Typesetters and compositors (6841, 7642)</p> <p>Miscellaneous printing machine operators (6849, 7449, 7649)</p> <p>Textile, apparel, and furnishings machine operators</p> <p>Winding and twisting machine operators (7451,7651)</p> <p>Knitting, looping, taping,and weaving machine operators (7452, 7459)</p> <p>Textile cutting machine operators (7654)</p> <p>Textile sewing machine operators (7655)</p> <p>Shoe machine operators (7656)</p> <p>Pressing machine operators (7657)</p> <p>Laundrying and dry cleaning machine operators (6855,7658)</p>
13	<p>Machine Operators, Assemblers, and Inspectors</p> <p>Machine operators and tenders, except precision</p> <p>Metalworking and plastic working machine operators</p> <p>Lathe and turning machine set-up operators (7312)</p> <p>Lathe and turning machine operators (7512)</p> <p>Milling and planing machine operators (7313, 7513)</p> <p>Punching and stamping press machine operators (7314, 7317, 7514, 7515)</p> <p>Rolling machine operators (7316, 7516)</p>		

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category	Code	Occupation Category
	Miscellaneous textile machine operators (7459, 7659)		Production inspectors, testers, samplers, and weighers
	Machine operators, assorted materials		Production inspectors, checkers, and examiners (782, 787)
	Cementing and gluing machine operators (7661)		Production testers (783)
	Packaging and filling machine operators (7462,7662)		Production samplers and weighers (784)
	Extruding and forming machine operators (7463,7663)		Graders and sorters, except agricultural (785)
	Mixing and blending machine operators (7664)	14	Transportation and Material Moving Occupations
	Separating, filtering, and clarifying machine operators (7476, 7479)		Motor vehicle operators
	Compressing and compacting machine operators (7467,7667)		Supervisors, motor vehicle operators (8111)
	Painting and paint spraying machine operators (7669)		Truck drivers (8212-8214)
	Roasting and baking machine operators, food (7472,7672)		Driver-sales workers (8218)
	Washing, cleaning, and pickling machine operators (7673)		Bus drivers (8215)
	Folding machine operators (7474, 7674)		Taxi cab drivers and chauffeurs (8216)
	Furnace, kiln, and oven operators, exc. food (7675)		Parking lot attendants (874)
	Crushing and grinding machine operators (pt 7477, pt 7677)		Motor transportation occupations, n.e.c. (8219)
	Slicing and cutting machine operators (7478, 7678)		Transportation occupations, except motor vehicles
	Motion picture projectionists (pt 7679)		Rail transportation occupations
	Photographic process machine operators (6863, 6868, 7671)		Railroad conductors and yardmasters (8113)
	Miscellaneous machine operators, n.e.c. (pt 7479,7665, 7679)		Locomotive operating occupations (8232)
	Machine operators, not specified		Railroad brake, signal, and switch operators (8233)
	Fabricators, assemblers, and hand working occupations		Rail vehicle operators, n.e.c. (8239)
	Welders and cutters (7332,7532, 7714)		Water transportation occupations
	Solderers and brazers (7333, 7533, 7717)		Ship captains and mates, except fishing boats (8241,8242)
	Assemblers (772, 774)		Sailors and deckhands (8243)
	Hand cutting and trimming occupations (7753)		Marine engineers (8244)
	Hand molding, casting, and forming occupations (7754,7755)		Bridge, lock, and lighthouse tenders (8245)
	Hand painting, coating, and decorating occupations (7756)		Materials moving equipment operators
	Hand engraving and printing occupations (7757)		Supervisors, material moving equipment operators (812)
	Miscellaneous hand working occupations (7758, 7759)		Operating engineers (8312)
			Longshore equipment operators (8313)
			Hoist and winch operators (8314)
			Crane and tower operators (8315)
			Excavating and loading machine operators (8316)
			Grader, dozer, and scraper operators (8317)

OCCUPATIONAL CLASSIFICATION SYSTEM

Code	Occupation Category
	Industrial truck and tractor equipment operators (8318) Miscellaneous material moving equipment operators (8319)
15	Handlers, Equipment Cleaners, Helpers, and Laborers Supervisors, handlers, equipment cleaners, and laborers, n.e.c. (85) Helpers, construction and extractive occupations Helpers, mechanics and repairers (863) Helpers, construction trades (8641-8645, 8648) Helpers, surveyors (8646) Helpers, extractive occupations (865) Construction laborers (871) Production helpers (861, 862) Freight, stock, and material movers, hand Garbage collectors (8722) Stevedores (8723) Stock handlers and baggers (8724) Machine feeders and offbearers (8725) Freight, stock, and material handlers, n.e.c. (8726) Garage and service station related occupations (873) Vehicle washers and equipment cleaners (875) Hand packers and packagers (8761) Laborers, except construction (8769)
16	MILITARY Military occupation, rank not specified
990	OCCUPATION NOT REPORTED Code used when not-reported cases are not allocated

APPENDIX B
INDUSTRY CODES

INDUSTRIAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the industry categories are the SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code	Industrial Category	Code	Industrial Category
1	AGRICULTURE, FORESTRY, AND FISHERIES Agricultural production, crops (01) Agricultural production, livestock (02) Veterinary services (074) Landscape and horticultural services (078) Agricultural services, n.e.c. (071, 072, 075, 076) Forestry (08) Fishing, hunting, and trapping (09)		Apparel and other finished textile products Apparel and accessories, except knit (231-238) Miscellaneous fabricated textile products (239) Paper and allied products Pulp, paper, and paperboard mills (261-263) Miscellaneous paper and pulp products (267) Paperboard containers and boxes (265) Printing, publishing and printing Newspaper publishing and printing (271) Printing, publishing, and allied industries, except newspapers (272) Chemicals and allied products Plastics, synthetics, and resins (282) Drugs (283) Soaps and cosmetics (284) Paints, varnishes, and related products (285) Agricultural chemicals (287) Industrial and miscellaneous chemicals (281, 286, 289) Petroleum and coal products Petroleum refining (291) Miscellaneous petroleum and coal products (295, 299) Rubber and miscellaneous plastics products Tires and inner tubes (301) Other rubber products, and plastics footwear and belting (302-306) Miscellaneous plastics products (308) Leather and leather products Leather tanning and finishing (311) Footwear, except rubber and plastic (313, 314) Leather products, except footwear (315-317, 319)
2	MINING Metal mining (10) Coal mining (12) Oil and gas extraction (13) Nonmetallic mining and quarrying, except fuel (14)		
3	CONSTRUCTION (15, 16, 17) MANUFACTURING		
4	Nondurable Goods Food and kindred products Meat products (201) Dairy products (202) Canned, frozen, and preserved fruits and vegetables (203) Grain mill products (204) Bakery products (205) Sugar and confectionery products (206) Beverage industries (208) Miscellaneous food preparations and kindred products (207, 209) Not specified food industries Tobacco manufactures (21) Textile mill products Knitting mills (225) Dyeing and finishing textiles, except wool and knit goods (226) Carpets and rugs (227) Yarn, thread, and fabric mills (228, 221-224) Miscellaneous textile mill products (229)	5	Durable Goods Lumber and wood products, except furniture Logging (241) Sawmills, planing mills, and millwork (242, 243)

INDUSTRIAL CLASSIFICATION SYSTEM

Code	Industrial Category	Code	Industrial Category
	Wood buildings and mobile homes (245)		Transportation equipment
	Miscellaneous wood products (244, 249)		Motor vehicles and motor vehicle equipment (371)
	Furniture and fixtures (25)		Aircraft and parts (372)
	Stone, clay, glass, and concrete products		Ship and boat building and repairing (373)
	Glass and glass products (321-323)		Railroad locomotives and equipment (374)
	Cement, concrete, gypsum, and plaster products (324, 327)		Guided missiles, space vehicles, and parts (376)
	Structural clay products (325)		Cycles and miscellaneous transportation equipment (375, 379)
	Pottery and related products (326)		Professional and photographic equipment, and watches
	Miscellaneous nonmetallic mineral and stone products (328, 329)		Scientific and controlling instruments (381, 382, exc, 3827)
	Metal industries		Medical, dental, and optical instruments and supplies (3827, 3829)
	Blast furnaces, steelworks, rolling and finishing mills (331, 333)		Photographic equipment and supplies (386)
	Iron and steel foundries (332)		Watches, clocks, and clockwork operated devices (387)
	Primary aluminum industries (3334, pt 334, 3353-3355, 3363, 3365)		Toys, amusement, and sporting goods (394)
	Other primary metal industries (3331, 3339, pt 334, 3351, 3366)		Miscellaneous manufacturing industries (39 exc. 394)
	Cutlery, handtools, and general hardware (342)		Not specified manufacturing industries
	Fabricated structural metal products (344)		
	Screw machine products (345)	6	TRANSPORTATION, COMMUNICATIONS, AND OTHER PUBLIC UTILITIES
	Metal forgings and stampings (346)		Transportation
	Ordnance (348)		Railroads (40)
	Miscellaneous fabricated metal products (341, 343, 347, 349)		Bus service and urban transit (41, exc. 412)
	Not specified metal industries		Taxicab service (412)
	Machinery, except electrical		Trucking service (421, 423)
	Engines and turbines (351)		Warehousing and storage (422)
	Farm machinery and equipment (352)		U.S. Postal Service (43)
	Construction and material handling machines (353)		Water transportation (44)
	Metalworking machinery (354)		Air transportation (45)
	Office and accounting machines, (3578, 3579)		Pipe lines, except natural gas (46)
	Computers and related equipment (3571-3577)		Services incidental to transportation (47)
	Machinery, except electrical, n.e.c. (355, 356, 358, 359)		Communications
	Not specified machinery		Radio and television broadcasting and cable (483,484)
	Electrical machinery, equipment, and supplies		Telephone communications (481)
	Household appliance (363)		Telegraph and miscellaneous communication services (482, 489)
	Radio, TV, and communication equipment (365, 366)		Utilities and sanitary services
	Electrical machinery, equipment, and supplies, n.e.c. (361, 362)		Electric light and power (491)
	Not specified electrical machinery, equipment, and supplies		Gas and steam supply systems (492, 496)
			Electric and gas, and other combinations (493)

INDUSTRIAL CLASSIFICATION SYSTEM

Code	Industrial Category	Code	Industrial Category
	Water supply and irrigation (494, 497) Sanitary services (495) Not specified utilities		Motor vehicle dealers (551, 552) Auto and home supply stores (553) Gasoline service stations (554) Miscellaneous vehicle dealers (555, 556, 557, 559) Apparel and accessory stores, except shoe (56, except 566) Shoe stores (566) Furniture and home furnishings stores (571) Household appliance stores (572) Radio, TV, and computer stores (5731, 5734) Music stores (5735, 5736) Eating and drinking places (58) Drug stores (591) Liquor stores (592) Sporting goods, bicycles, and hobby stores (5941, 5945, 5946) Book and stationery stores (5942, 5943) Jewelry stores (5944) Gift, novelty, and souvenir shops (5947) Sewing, needlework, and piece goods stores (5949) Catalog and mail order houses (5961) Vending machine operators (5962) Direct selling establishments (5963) Fuel dealers (598) Retail florists (5992) Miscellaneous retail stores (593, 5948, 5993-5995, 5999) Not specified retail trade
7	Durable Goods Motor vehicles and equipment (501) Furniture and home furnishings (502) Lumber and construction materials (503) Professional and commercial equipment and supplies (504) Metals and minerals, except petroleum (505) Electrical goods (506) Hardware, plumbing and heating supplies (507) Machinery, equipment, and supplies (508) Scrap and waste materials (5093) Miscellaneous wholesale, durable goods (509, exc. 5093)	10	FINANCE, INSURANCE, AND REAL ESTATE Banking (60 exc. 603 and 606) Savings institutions, including credit unions (603, 606) Credit agencies, n.e.c. (61) Security, commodity brokerage, and investment companies (62, 67) Insurance (63, 64) Real estate, including real estate-insurance offices (65)
8	Nondurable goods Paper and paper products (511) Drugs, chemicals, and allied products (512, 516) Apparel, fabrics, and notions (513) Groceries and related products (514) Farm-product raw materials (515) Petroleum products (517) Alcoholic beverages (518) Farm supplies (5191) Miscellaneous wholesale, nondurable goods (5192-5199) Not specified wholesale trade	11	BUSINESS AND REPAIR SERVICES Advertising (731) Services to dwellings and other buildings (734) Personnel supply services (736)
9	RETAIL TRADE Lumber and building material retailing (521, 523) Hardware stores (525) Retail nurseries and garden stores (526) Mobile home dealers (527) Department stores (531) Variety stores (533) Miscellaneous general merchandise stores (539) Grocery stores (541) Dairy products stores (545) Retail bakeries (546) Food stores, n.e.c. (542, 543, 544, 549)		

INDUSTRIAL CLASSIFICATION SYSTEM

Code	Industrial Category	Code	Industrial Category
	Computer and data processing services (737) Detective and protective services (7381, 7382) Business services, n.e.c. (732, 733, 735, 7383-7389) Automotive rental and leasing, without drivers (751) Automobile parking and carwashes (752, 7542) Automotive repair and related services (753, 7549) Electrical repair shops (762, 7694) Miscellaneous repair services (763, 764, 7692, 7699)		Legal services (81) Elementary and secondary schools (821) Colleges and universities (822) Vocational schools (824) Libraries (823) Educational services, n.e.c. (829) Job training and vocational rehabilitation services (833) Child day care services (pt 835) Family child care homes (pt 835) Residential care facilities, without nursing (836) Social services, n.e.c. (832, 839) Museums, art galleries, and zoos (84) Labor unions (863) Religious organization (866) Membership organizations, n.e.c. (861, 862, 864, 865, 869) Engineering, architectural, and surveying services (871) Accounting, auditing, and bookkeeping services (872) Research, development, and testing services (873) Management and public relations services (874) Miscellaneous professional and related services (899)
12	PERSONAL SERVICES Private households (88) Hotels and motels (701) Lodging places, except hotels and motels (702, 703, 704) Laundry, cleaning, and garment services (721 exc pt 7219) Beauty shops (723) Barber shops (724) Funeral service and crematories (726) Shoe repair shops (725) Dressmaking shops (pt 7219) Miscellaneous personal services (722, 729)		
13	ENTERTAINMENT AND RECREATION SERVICES Theaters and motion pictures (781-783, 792) Video tape rental (784) Bowling centers (793) Miscellaneous entertainment and recreation services (791, 794, 799)	15	PUBLIC ADMINISTRATION Executive and legislative offices (911-913) General government, n.e.c. (919) Justice, public order, and safety (92) Public finance, taxation, and monetary policy (93) Administration of human resources programs (94) Administration of environmental quality and housing programs (95) Administration of economic programs (96) National security and international affairs (97)
14	PROFESSIONAL AND RELATED SERVICES Offices and clinics of physicians (801, 803) Offices and clinics of dentists (802) Offices and clinics of chiropractors (8041) Offices and clinics of optometrists (8042) Offices and clinics of health practitioners, n.e.c. (8043, 8049) Hospitals (806) Nursing and personal care facilities (805) Health services, n.e.c. (807, 808, 809)	16	MILITARY DUTY Army Air Force Navy Marine Coast Guard Armed Forces, Branch not specified

INDUSTRIAL CLASSIFICATION SYSTEM

Code	Industrial Category
-------------	----------------------------

	Military Reserves or National Guard
--	-------------------------------------

990	INDUSTRY NOT REPORTED
-----	------------------------------

	Code used when not reported cases are not allocated.
--	--

APPENDIX C

CENSUS REGION/DIVISION/STATE TABLE

CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
Northeast	New England	Connecticut	CT
Northeast	New England	Maine	ME
Northeast	New England	Massachusetts	MA
Northeast	New England	New Hampshire	NH
Northeast	New England	Rhode Island	RI
Northeast	New England	Vermont	VT
Northeast	Middle Atlantic	New Jersey	NJ
Northeast	Middle Atlantic	New York	NY
Northeast	Middle Atlantic	Pennsylvania	PA
North Central	East North Central	Illinois	IL
North Central	East North Central	Indiana	IN
North Central	East North Central	Michigan	MI
North Central	East North Central	Ohio	OH
North Central	East North Central	Wisconsin	WI
North Central	West North Central	Iowa	IA
North Central	West North Central	Kansas	KS
North Central	West North Central	Minnesota	MN
North Central	West North Central	Missouri	MO
North Central	West North Central	Nebraska	NE
North Central	West North Central	North Dakota	ND
North Central	West North Central	South Dakota	SD
South	South Atlantic	Delaware	DE
South	South Atlantic	District of Columbia	DC
South	South Atlantic	Florida	FL
South	South Atlantic	Georgia	GA
South	South Atlantic	Maryland	MD
South	South Atlantic	North Carolina	NC
South	South Atlantic	South Carolina	SC
South	South Atlantic	Virginia	VA
South	South Atlantic	West Virginia	WV
South	East South Central	Alabama	AL
South	East South Central	Kentucky	KY
South	East South Central	Mississippi	MS
South	East South Central	Tennessee	TN
South	West South Central	Arkansas	AR
South	West South Central	Louisiana	LA
South	West South Central	Oklahoma	OK
South	West South Central	Texas	TX
West	Mountain	Arizona	AZ
West	Mountain	Colorado	CO
West	Mountain	Idaho	ID
West	Mountain	Montana	MT
West	Mountain	Nevada	NV
West	Mountain	New Mexico	NM
West	Mountain	Utah	UT
West	Mountain	Wyoming	WY
West	Pacific	Alaska	AK
West	Pacific	California	CA
West	Pacific	Hawaii	HI
West	Pacific	Oregon	OR
West	Pacific	Washington	WA

APPENDIX D

DRUG CODES FOR OPEN-ENDED QUESTIONS

APPENDIX D

Drug Codes for Open-Ended Questions (1995 NHSDA)

Numerical Listing

101 = Butisol	151 = VEOBO [sic]
102 = Buticaps	152 = Eskabarb
103 = Amytal	153 = Luminal
104 = Mebaral	154 = Alurate
105 = Placidyl	155 = Pasatorim [sic]
106 = Doriden	156 = Sodium barbitol
107 = Noludar	157 = Barbiturates
108 = Carbrital, Nembutal	158 = Calmociteno (in Brazil)
109 = Seconal	159 = Octanox
110 = Tuinal	160 = Relanium [sic]
111 = Dalmane, Durapam	161 = Roofies, Rope, Rophynol, Roples, Rufinal [sic], Rufonol [sic] [see also 483]
112 = Rasepam, Restoril, Temaz, Temazepam	162 = Ambramine 500 [sic]
113 = Halcion	163 = Blue meanies
114 = Amobarbital	164 = Yellow zombies
115 = Phenobarbital	165 = Trips
116 = Methaqualone, Parest, Quaalude, Sopor	166 = Roinol [sic]
117 = Chloral hydrate, Noctec	167 = Dumolid [sic]
118 = Pentobarbital, Pentothal, Sodium pentothal	168 = Rahypnol, Rohybenol [sic], Ruhibinol [sic]
119 = Secobarbital	169 = Dolestan [sic] <German OTC>
120 = Downers; OTHER Sedative, NOT SPECIFIED	
121 = USED SEDATIVE, DON'T KNOW NAME	
122 = Sleep Aid <OTC>	201 = Valium
123 = Unisom <OTC>	202 = Librium
124 = Yellow jackets	203 = Libritabs, Limbitrol, Mitran
125 = Qulande [sic]	204 = Menrium
126 = Somenex [sic] <OTC>	205 = Serax
127 = Nytol <OTC>	206 = Tranxene
128 = Nervine <OTC>	207 = Ativan
129 = Reds	208 = Centrax
130 = Phenergan	209 = Xanax
131 = Haldol, Haloperidol	210 = Paxipam
132 = Sleepettes [sic] {OTC}	211 = Buspar
133 = Ryoxine [sic]	212 = Miltown
134 = Diasetan [sic]	213 = Equanil
135 = Mini Thins	214 = Deprol
136 = Dimetapp	215 = Vistaril
137 = 7-14	216 = Atarax
138 = Mandrax [sic]	217 = Durrax
139 = Black widows	218 = Diazepam
140 = Seldane	219 = SK-Lygen
141 = Dilantin	220 = Meprobamate, Meprospan
142 = Belladonna	221 = OTHER Tranquilizer, NOT SPECIFIED
143 = Sedoxen [sic]	222 = USED TRANQUILIZER, DON'T KNOW NAME
144 = Reynolds [sic]	223 = Carbacot, Delaxin, Marbaxin, Methocarbamol, Robamol, Robaxin, Robamol
145 = Red devil(s)	224 = Triavil
146 = Bentyl, Dicyclomine	225 = Desyrel, Trazodone hydrochloride, Trazora, Trialodine
147 = Nicol [sic]	
148 = Actifed {OTC}	
149 = Ekilid [sic] 50	
150 = Weed.Cote [sic]	

226 =	Stelazine, Trifluoperazine HCl	310 =	Plegine
227 =	Thorazine	311 =	Preludin
228 =	Amitriptyline [see also 239]	312 =	Ionamin
229 =	Librax	313 =	Adipex-P, Fastin, Phentermine hydrochloride
230 =	Compazine	314 =	Pondimin
231 =	MS [sic]	315 =	Voranyl
232 =	Mellaril	316 =	Sanorex
233 =	Trilafon	317 =	Mazanor
234 =	Cyclobenzaprine, Flexeril	318 =	Ritalin, Methylphenidate
235 =	Imipramine	319 =	Cylert
236 =	Avatir [sic]	320 =	Dextroamphetamine
237 =	Versed	321 =	Methedrine
238 =	Dafernil [sic]	322 =	Methamphetamine ("speed" or "ice" or "crank"), Meth
239 =	Elavil [see also 228]	323 =	Obedrin-L.A.
240 =	Lithium carbonate	324 =	Uppers; OTHER Stimulant, NOT SPECIFIED
241 =	Prozac	325 =	USED STIMULANT, DON'T KNOW NAME
242 =	Equagesic	326 =	White cross
243 =	Etrafon	327 =	Black beauties, Black Beauty
244 =	Roche 2 (Mexican) [sic]	328 =	Pink hearts
245 =	Tryptophan	329 =	Robin's eggs, speckled eggs
246 =	Clonopin, Klonopin	330 =	Blue birds, blue jays, blue robins
247 =	Adapin, Doxepin, Sinequan	331 =	Blancs, Whites
248 =	Sooper Cool [sic]	332 =	Ephedrine (HCl) [see also 346]
249 =	Asendin	333 =	357 Magnum, Magnum 44
250 =	Aventyl, Nortriptyline, Pamelor	334 =	Crossroads, cross tops
251 =	CIBA;S [sic]	335 =	Dexatrim <OTC> [see also 347, 378]
252 =	Strawberry whip cream	336 =	Diet pills
253 =	Urbadan [sic]	337 =	White Molly
254 =	Vilonopin [sic]	338 =	Antiadipositem X112 [sic]
255 =	Assival [sic]	339 =	Amphetamines (speed generically)
256 =	Tripjone [sic]	340 =	Tiamina 250 [sic]
257 =	Zestril	341 =	Pink roses
258 =	Hoses [sic]	342 =	Purple hearts
259 =	Desipramine, Norpramin, Pertofrane	343 =	Nitroglycerine
260 =	PCB	344 =	Bennies
261 =	Roperals [sic]	345 =	Black Molly
262 =	Prolixin	346 =	Ephedrine sulfate, Marax [see also 332]
263 =	Vivactil	347 =	Phenylpropanolamine <OTC> [see also 335, 378]
264 =	Anxidel [sic]	348 =	Crystal
265 =	Black Caddy	349 =	Phentametrizine [sic]
266 =	Verstran	350 =	Betin SS [sic]
267 =	Marezine	351 =	Q'at
268 =	Rahipinal	352 =	Lemons
269 =	Pasidrin (in Mexico)	353 =	No-Doz <OTC>
270 =	Torzien	354 =	Vivarin <OTC>
271 =	Zoloft	355 =	Crystal meth
272 =	Megadon [sic], Mogadon, Nitrazepam	356 =	Dexies
273 =	Insidod [sic], Insidon [sic]	357 =	Heart-shaped black pills
274 =	Nipam [sic]	358 =	20/20
301 =	Dexedrine	359 =	Criss cross
302 =	Dexamyl	360 =	Rainbow speed
303 =	Eskatrol	361 =	Isutrans [sic], Isyfiars [sic]
304 =	Benzedrine	362 =	Benadryl
305 =	Biphetamine	363 =	Bam(s)
306 =	Desoxyn, Methamphetamine hydrochloride	364 =	Sinutab, Sudafed {OTC}
307 =	Tenuate, Diethylpropion	365 =	Desecon [sic]
308 =	Tepanil, Diethylpropion	366 =	Duromine [sic]
309 =	Didrex		

367 = Slender Rite [sic]	420 = OTHER Analgesic, NOT SPECIFIED
368 = Peanut butter crank	421 = USED ANALGESIC, DON'T KNOW NAME
369 = Artane	422 = Motrin
370 = Mess tab [sic]	423 = Percocet
371 = Cogentin	424 = Fioricet
372 = Mejoral [Spanish: aspirin & caffeine]	425 = Advil
373 = Captagon [sic]	426 = Butalbital, Fiorinal, Phrenilin Forte
374 = Christmas tree(s)	427 = Darvocet
375 = Coco puffs [sic]	428 = Execl [sic]
376 = TAC [sic]	429 = Frost 222
377 = Ventolin	430 = Aspirin, Ecotrin, Empirin <OTC>
378 = Control <OTC> [see also 335, 347]	431 = Tylox
379 = Hearts	432 = Rufen
380 = Pink ladies	433 = Paregoric
381 = P.O.T.C.	434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin [see also 456]
382 = Footballs, purple footballs	435 = Tylenol, Tylenol Extra-Strength <OTC>
383 = Pre-Sate	436 = Bufferin <OTC>
384 = Little crosses	437 = Parafon Forte
385 = Little pink one	438 = Anaprox, Naprosyn
386 = Herbal ecstasy, ma huang	439 = 222, Canadian 222
387 = Pink football	440 = Soma
388 = Pink lemon	441 = Luitab [sic]
389 = Daprisal [sic]	442 = Ibuprofen
390 = Max Alert	443 = Dolobid
391 = Turbe [sic] tablets	444 = Aspirin with Codeine, Empirin 3
392 = Obeesatol [sic]	445 = Norgesic Forte
393 = OP 33	446 = Orvais [sic]
394 = Debs	447 = Synalgos
395 = Black cats	448 = Tobutrol [sic]
396 = Black Rjs	449 = Xycodone [sic]
397 = F-40	450 = Acetaminophen <OTC>
398 = Pink crosses	451 = Ansaïd [sic]
399 = Pasodoril [sic]	452 = Becadan [sic]
3001 = Brown and clear	453 = Organidin with Codeine
3002 = Pep ups	454 = Novocain, Procaine
3003 = Primatine tablets	455 = Fiorinal with Codeine
3004 = Black cadillac	456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]
3005 = Methylandlanamine	457 = T's and blues
	458 = Mepergan, Mepergan Fortis
401 = Darvon	459 = Ketamine
402 = Dolene	460 = Magnopyrol [sic]
403 = SK-65	461 = Daopar [sic]
404 = Wygesic	462 = Norflex
405 = Levo-Dromoran	463 = Lisalgil [sic]
406 = Oxycodone, Percodan, Roxicet	464 = Oratab [sic]
407 = Demerol	465 = Fentanyl
408 = Dilaudid	466 = Midol <OTC>
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	467 = Tolectin
410 = Phenaphen with Codeine, Phenaphen 3	468 = Excedrin <OTC>
411 = Talwin	469 = Leritine
412 = Talwin NX	470 = Cafergot
413 = Talacen	471 = Butazolidin
414 = Propoxyphene	472 = Indocin, Indomethacin
415 = Codeine	473 = Pyridium
416 = Anileridine	474 = PPA [sic]
417 = Morphine	475 = Precom [sic]
418 = Dolophine, Methadone, Westodone	476 = Isocom, Midrin
419 = Stadol	477 = Neo-Melubrina (Spanish)
	478 = Nogirtronia

479 =	Pentrexyl	540 =	PAM
480 =	Robitussin AC with Codeine	541 =	Binaca
481 =	Acular, Ketorolactromethamine, Toradol	542 =	Brasso, lens cleaner, spirits of ammonia
482 =	Coai d [sic]	543 =	Liquid oxygen
483 =	Rophynol (rope) [sic] [see also 161]	544 =	Lighter gases, not specified [see also 521, 525]
484 =	Volume Roach 2-10-8 [sic], Volumes	545 =	Car tailpipe exhaust fumes, CO2
485 =	Mark Vanan [sic]	546 =	Leather protector
486 =	Beserol [sic]	547 =	Propel [sic]
487 =	Ariel	548 =	Cologne, isopropanol vapors, rubbing alcohol
488 =	Polofin [sic]	549 =	Smarties [sic]
489 =	Plruteam [sic]	550 =	Methyl chloride
490 =	Nubain	551 =	Spam [sic], oven cleaner (Spam [sic])
		552 =	Valo [sic]
501 =	Gasoline or lighter fluids	553 =	Pixie sticks
502 =	Spray paints	554 =	Raid
503 =	Other aerosol sprays	555 =	Chillers
504 =	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue	556 =	Energine
505 =	Lacquer thinner or other paint solvents	557 =	Hagwash
506 =	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate	558 =	Kool Aid
507 =	Halothane, ether, or other anesthetics; chloroform	559 =	LOLOY
508 =	Nitrous oxide, "whippets," dentist gas	560 =	Soap
509 =	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash	561 =	Amputee gas cleanser
510 =	OTHER Inhalant, NOT SPECIFIED	562 =	Ban apple gas
511 =	Markers, felt-tip pens, ink pens	563 =	Acetylene
512 =	Incense	564 =	Electric contact cleaner
513 =	Tulio [sic]	565 =	Trichloroethane
514 =	Carbona [sic], carbone [sic]	566 =	Smoked tea from Lipton tea bag
515 =	Vicks	567 =	Pertussin spray
516 =	Freon	568 =	Tally, Tolly [sic]
517 =	Tolul [sic], Tolyol	569 =	Peganento
518 =	Acetone, nail polish remover	570 =	PVC (in Mexico)
519 =	Helium	571 =	Black jack
520 =	Old paint	572 =	Etam
521 =	Propane [see also 525, 544]	573 =	Furniture polish
522 =	Liquid TV (MTV), TV tuner, TV11Y	574 =	Tornado
523 =	Matches	575 =	Dykem blue
524 =	White-Out [see also 509]	576 =	C.A.T.
525 =	Butane [see also 521, 544]	577 =	Rave runners
526 =	Nail polish	578 =	Dust off [sic]
527 =	Phenyl nitrate	579 =	Losean [sic]
528 =	Whipped-cream can	580 =	Medusa [sic]
529 =	Moth balls	581 =	Benzol alcohol [sic]
530 =	Asthma inhaler, asthma medication, bronchial dilators	582 =	WD-40
531 =	Candy, powdered candy	583 =	Duster [sic]
532 =	PRW [sic]	584 =	Oxy's [sic]
533 =	Window sealant		
534 =	Deodorant [see also 827]	601 =	LSD ("acid," "white lightning") [see also 618]
535 =	Rexo [sic] copies	602 =	Peyote
536 =	Fire Halt	603 =	Mescaline
537 =	Boat horn	604 =	Psilocybin (mushrooms), shooms
538 =	Condensed horn	605 =	PCP ("angel dust," phencyclidine)
539 =	ScotchGard	606 =	"Ecstasy" (MDMA), X-TC, Extasi [sic]
		607 =	OTHER Hallucinogen, NOT SPECIFIED
		608 =	Organes-25 [sic]
		609 =	Gympsom [sic] pods, Jimson [sic] weed
		610 =	Crystal T
		611 =	Greens

612 = Happy stick, sherm, shermstick
 613 = Duckweed
 614 = MDA, Methylenedioxy amphetamine
 615 = Homemade drugs
 616 = DET, Dimethyltryptamine, DMT
 617 = Morning glory seeds
 618 = Acid paper, blotter (acid) [see also 601]
 619 = TIC [sic]
 620 = Blue dragon
 621 = Red dragon
 622 = Microdot(s), purple microdot
 623 = Mickey, mickey mouse club, mickey mousers
 624 = Orange sunshine, sunshine, yellow sunshine
 625 = Window pane
 626 = Jet Fuel
 627 = Hawaiian wood rose, Hawaiian Woodrow seeds
 628 = Hawaiian rosebud seed tea
 629 = Rocket Fuel
 630 = Black Owsley
 631 = Purple Owsley
 632 = Folifundia [sic]
 633 = Mr. Natural
 634 = Unicorn
 635 = Ginseng seeds
 636 = STP
 637 = Purple haze
 638 = Lovlez [sic]
 639 = Cloves, Nutmeg
 640 = Purple pyramid
 641 = Maze [sic]
 642 = Pink Floyd
 643 = Queen
 644 = San Pedro [Spanish]
 645 = Thai stick
 646 = Poppy [sic]
 647 = Macullen [sic]
 648 = Designer drugs
 649 = Tea, Choc. [sic] tea
 650 = Daytura
 651 = Mellow Yellow
 652 = ALD-52 (version of LSD)
 653 = Cricketshit
 654 = Eve
 655 = Flying elephant
 656 = Mars
 657 = Orange barrel
 658 = Special K
 659 = Boat (Marijuana & PCP)
 660 = Toad, Toad licking
 661 = X. Light [sic]
 662 = Kanepolin
 663 = Animal tranquilizer, horse tranquilizer
 664 = Purple fingers
 665 = Paniolis
 666 = Zonick
 667 = Cody Robert
 668 = Yellow tiny pills
 669 = Stropharia
 670 = Monkey dust

671 = Blomstedt
 672 = Suncrush
 673 = Orange
 674 = Pee-pope
 675 = Shein [sic]
 676 = Ashmadorf [sic]
 677 = Skunk II
 678 = Banana peels
 679 = Hell bells
 680 = Tweak
 681 = Lovely
 682 = Kief [sic]
 683 = Yage' [sic]
 684 = Chuntaro [sic]
 685 = Chayan [sic]
 686 = Spider in my feet
 687 = Spray
 688 = AMP

701 = OTHER Opiates, NOT SPECIFIED

702 = Heroin
 703 = Opium
 704 = Dope
 705 = Speed Ball (heroin + cocaine)
 706 = Smack
 707 = Black Tar
 708 = Powder (heroin?)

801 = OTHER Drugs, NOT SPECIFIED

802 = THC, cannabinol
 803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed
 804 = Hashish
 805 = Cocaine, coca, coke
 806 = Crack, rock
 807 = Alcohol, beer, ethanol, EtOH, pink champagne
 808 = All of the ones I've tried
 809 = Pills
 810 = Hemp
 811 = Muscle relaxers
 812 = Cigars
 813 = Cigarettes, smoking (substance not specified), tobacco not specified
 814 = Caffeine
 815 = Coffee
 816 = Smokeless tobacco, snuff, chewing tobacco
 817 = Hard stuff
 818 = Nicotine
 819 = Inderal
 820 = Penicillin
 821 = Amoxicillin, Ampicillin
 822 = Rabbit tobacco
 823 = Blast(KJ) [sic]
 824 = Steroids

825 = Theo-Dur	883 = Dextromethorphan Hydrobromide {OTC}
826 = Alupent	884 = Snow
827 = Aluminum chloride [see also 534]	885 = Drixoral <OTC>
828 = Tetracycline	886 = Spanish fly
829 = Robitussin DM	887 = Orange peel (dried)
830 = Mad bull	888 = Texas shoesmine [sic]
831 = Honey oil	889 = Methenphemeolies [sic]
832 = Primo	890 = Methanol hits [sic]
833 = Bone	
834 = Loveboat	
835 = Rotan [sic]	900 = Not a drug
836 = Antabuse	900 = Non-drug reason given for a drug
837 = Paris 400	992 = Illegible
838 = Obainedin [sic] (called the "dog")	
839 = Siloquan [sic]	
840 = Cough medicine (contents not specified) <OTC>	
841 = Allerest <OTC>, Contact <OTC>	
842 = Callipress [sic]	
843 = Antihistamine, cold tablets <OTC>	
844 = Blood pressure medication	
845 = ECT [sic]	
846 = Erythromycin	
847 = GHB [sic]	
848 = Liquid vitamin <OTC>	
849 = Monosodium glutamate (MSG)	
850 = Slack	
851 = Thyrolar-3 [sic]	
852 = Formaldehyde, wak [sic], whack (embalming fluid)	
853 = Funti [sic] leaf	
854 = Juice	
855 = Oanol [sic]	
856 = Roofe [sic]	
857 = Wicky [sic] stick	
858 = Antibiotic	
859 = Aside [sic]	
860 = Bees [sic]	
861 = Doen [sic], doer [sic]	
862 = Thornapple [sic] leaves	
863 = Beetlenut	
864 = Dramamine <OTC>, Motion sickness pill <OTC>, Seasick pill <OTC>	
865 = Diuretics, Water pills	
866 = Boomers	
867 = Boron	
868 = Buttee [sic]	
869 = CD [sic]	
870 = Coug [sic]	
871 = Pote [sic]	
872 = Raffies [sic]	
873 = Contraceptives, Ferutal, Ortho Novum	
874 = Premarin	
875 = Buds	
876 = Glass	
877 = Methazolamide	
878 = Friying	
879 = Dimethltriptamide MMPT	
880 = Frios	
881 = YLOALE	
882 = Herbal Life	

Alphabetical Listing

244 =	2, Roche (Mexican), [sic]	561 =	Amputee gas cleanser
484 =	2-10-8, Volume Roach, [sic]	506 =	Amyl nitrite
358 =	20/20	103 =	Amytal
439 =	222	438 =	Anaprox
439 =	222, Canadian	507 =	Anesthetics other than halothane and ether
429 =	222, Frost	605 =	Angel dust
340 =	250, Tiamina [sic]	416 =	Anileridine
444 =	3, Empirin	663 =	Animal tranquilizer
410 =	3, Phenaphen	451 =	Ansaid [sic]
851 =	3, Thyrolar- [sic]	836 =	Antabuse
409 =	3, Tylenol	338 =	Antiadipositum X112 [sic]
393 =	33, OP	858 =	Antibiotic
333 =	357 Magnum	843 =	Antihistamine
409 =	4, Tylenol	264 =	Anxidel [sic]
397 =	40, F-	562 =	Apple gas, Ban
333 =	44, Magnum	487 =	Ariel
837 =	400, Paris	369 =	Artane
149 =	50, Ekilid [sic]	249 =	Asendin
162 =	500, Ambramine [sic]	676 =	Ashmadorf [sic]
137 =	7-14	859 =	Aside [sic]
		430 =	Aspirin
		444 =	Aspirin with Codeine
450 =	Acetaminophen	255 =	Assival [sic]
518 =	Acetone	530 =	Asthma inhaler
563 =	Acetylene	530 =	Asthma medication
601 =	Acid	216 =	Atarax
618 =	(Acid), Blotter	207 =	Ativan
618 =	Acid paper	236 =	Avatir [sic]
148 =	Actifed	250 =	Aventyl
481 =	Acular		
247 =	Adapin	529 =	Balls, Moth
313 =	Adipex-P	363 =	Bam(s)
425 =	Advil	562 =	Ban apple gas
503 =	Aerosol sprays other than spray paints	678 =	Banana peels
558 =	Aid, Kool	156 =	Barbital, Sodium
122 =	Aid, Sleep	157 =	Barbiturates
504 =	Airplane glue	657 =	Barrel, Orange
807 =	Alcohol	327 =	Beauties, Black
581 =	Alcohol, Benzol [sic]	327 =	Beauty, Black
548 =	Alcohol, Rubbing	452 =	Becadan [sic]
652 =	ALD-52 (version of LSD)	807 =	Beer
652 =	ALD-S2 (version of LSD)	860 =	Bees [sic]
390 =	Alert, Max	863 =	Beetlenut
808 =	All of the ones I've tried	142 =	Belladona
841 =	Allerest <OTC>	679 =	Bells, Hell
827 =	Aluminum chloride	362 =	Benadryl
826 =	Alupent	344 =	Bennies
154 =	Alurate	146 =	Bentyl
162 =	Ambramine 500 [sic]	304 =	Benzedrine
228 =	Amitriptyline	581 =	Benzol alcohol [sic]
542 =	Ammonia, Spirits of	486 =	Beserol [sic]
114 =	Amobarbital	350 =	Betin SS [sic]
821 =	Amoxicillin	541 =	Binaca
688 =	AMP	305 =	Biphetamine
614 =	Amphetamine, Methylenedioxy	330 =	Birds, Blue
339 =	Amphetamines (speed generically)	327 =	Black beauties
821 =	Ampicillin		

327 =	Black Beauty	108 =	Carbrital
265 =	Black Caddy	395 =	Cats, Black
3004 =	Black cadillac	869 =	CD [sic]
395 =	Black cats	504 =	Cement, Rubber
571 =	Black jack	208 =	Centrax
345 =	Black Molly	807 =	Champagne, Pink
630 =	Black Owsley	685 =	Chayan [sic]
357 =	Black pills, Heart-shaped	504 =	Chemical glue
396 =	Black Rjs	816 =	Chewing tobacco
707 =	Black Tar	555 =	Chillers
139 =	Black widows	117 =	Chloral hydrate
331 =	Blancs	827 =	Chloride, Aluminum
823 =	Blast(KJ) [sic]	550 =	Chloride, Methyl
671 =	Blomstedt	507 =	Chloroform
844 =	Blood pressure medication	649 =	Choc. [sic] tea
618 =	Blotter (acid)	374 =	Christmas tree(s)
330 =	Blue birds	684 =	Chuntaro [sic]
620 =	Blue dragon	251 =	CIBA;S [sic]
330 =	Blue jays	813 =	Cigarettes
163 =	Blue meanies	812 =	Cigars
330 =	Blue robins	542 =	Cleaner, lens
457 =	Blues, T's and	551 =	Cleaner (Spam [sic]), Oven
537 =	Boat horn	509 =	Cleaning fluids
659 =	Boat (Marijuana & PCP)	3001 =	Clear, Brown and
833 =	Bone	246 =	Clonopin
866 =	Boomers	639 =	Cloves, Nutmeg
867 =	Boron	623 =	Club, Mickey Mouse
542 =	Brasso	545 =	CO2
530 =	Bronchial dilators	482 =	Coai d [sic]
3001 =	Brown and clear	805 =	Cocaine
875 =	Buds	375 =	Coco puffs [sic]
436 =	Bufferin	415 =	Codeine
830 =	Bull, Mad	444 =	Codeine, Aspirin with
211 =	Buspar	455 =	Codeine, Fiorinal with
426 =	Butalbital	453 =	Codeine, Organidin with
471 =	Butazolidin	410 =	Codeine, Phenaphen with
525 =	Butane	480 =	Codeine, Robitussin AC with
102 =	Buticaps	409 =	Codeine, Tylenol with
101 =	Butisol	667 =	Cody Robert
868 =	Buttee [sic]	815 =	Coffee
368 =	Butter crank, Peanut	371 =	Cogentin
		434 =	Co-Gesic [see also 456]
576 =	C.A.T.	805 =	Coke
223 =	Carbacot	843 =	Cold tablets
3004 =	Cadillac, Black	548 =	Cologne
265 =	Caddy, Black	230 =	Compazine
470 =	Cafergot	538 =	Condensed horn
814 =	Caffeine	841 =	Contact <OTC>
158 =	Calmociteno (in Brazil)	564 =	Contact cleaner, Electric
842 =	Callipress [sic]	873 =	Contraceptives
528 =	Can, Whipped-cream	378 =	Control
439 =	Canadian 222	248 =	Cool, Sooper [sic]
531 =	Candy	535 =	Copies, Rexo [sic]
531 =	Candy, Powdered	509 =	Correction fluids
802 =	Cannabinol	870 =	Coug [sic]
373 =	Captagon [sic]	840 =	Cough medicine (contents not specified)
545 =	Car tailpipe exhaust fumes	806 =	Crack
514 =	Carbona [sic]	322 =	Crank
240 =	Carbonate, Lithium	368 =	Crank, Peanut butter
514 =	Carbone [sic]	252 =	Cream, Strawberry whip
		653 =	Cricketshit

359 =	Criss Cross	443 =	Dolobid
359 =	Cross, Criss	418 =	Dolophine
326 =	Cross, White	704 =	Dope
384 =	Crosses, Little	106 =	Doriden
398 =	Crosses, Pink	120 =	Downers
334 =	Crossroads	247 =	Doxepin
334 =	Cross tops	620 =	Dragon, Blue
348 =	Crystal	621 =	Dragon, Red
355 =	Crystal meth	864 =	Dramamine <OTC>
610 =	Crystal T	885 =	Drixoral <OTC>
234 =	Cyclobenzaprine	648 =	Drugs, Designer
319 =	Cylert	615 =	Drugs, Homemade
		613 =	Duckweed
238 =	Dafernil [sic]	167 =	Dumolid [sic]
111 =	Dalmane	111 =	Durapam
461 =	Daopar [sic]	366 =	Duromine [sic]
389 =	Daprisal [sic]	217 =	Durrax
427 =	Darvocet	578 =	Dust off [sic]
401 =	Darvon	605 =	Dust, Angel
650 =	Daytura	670 =	Dust, Monkey
394 =	Debs	583 =	Duster [sic]
509 =	Degreasers		
223 =	Delaxin	430 =	Ecotrin
407 =	Demerol	606 =	Ecstasy
508 =	Dentist gas	386 =	Ecstasy, Herbal
534 =	Deodorant	845 =	ECT [sic]
214 =	Deprol	329 =	Eggs, Robin's
365 =	Desecon [sic]	329 =	Eggs, Speckled
648 =	Designer drugs	149 =	Ekilid [sic] 50
259 =	Desipramine	239 =	Elavil
306 =	Desoxyn	564 =	Electric contact cleaner
225 =	Desyrel	655 =	Elephant, Flying
616 =	DET	852 =	Embalming fluid
145 =	Devil(s), Red	430 =	Empirin
302 =	Dexamyl	444 =	Empirin 3
335 =	Dexatrim	556 =	Energine
301 =	Dexedrine	332 =	Ephedrine
356 =	Dexies	332 =	Ephedrine (HCl)
320 =	Dextroamphetamine	346 =	Ephedrine sulfate
883 =	Dextromethorphan Hydrobromide {OTC}	242 =	Equagesic
134 =	Diasetan [sic]	213 =	Equanil
218 =	Diazepam	846 =	Erythromycin
146 =	Dicyclomine	152 =	Eskabarb
309 =	Didrex	303 =	Eskatrol
336 =	Diet pills	572 =	Etam
307 =	Diethylpropion (Tenuate)	807 =	Ethanol
308 =	Diethylpropion (Tepanil)	507 =	Ether
336 =	Diet pills	807 =	EtOH
141 =	Dilantin	243 =	Etrafon
530 =	Dilators, Bronchial	654 =	Eve
408 =	Dilaudid	468 =	Excedrin
136 =	Dimetapp	428 =	Execl [sic]
879 =	Dimethyltryptamide MMPT	545 =	Exhaust fumes, Car tailpipe
616 =	Dimethyltryptamine	606 =	Extasi [sic]
865 =	Diuretics	435 =	Extra-Strength, Tylenol
616 =	DMT		
861 =	Doen [sic]	397 =	F-40
861 =	Doer [sic]	313 =	Fastin
402 =	Dolene	686 =	Feet, Spider in my
169 =	Dolestan [sic] <German OTC>	511 =	Felt-tip pens

465 =	Fentanyl	627 =	Hawaiian Woodrow seeds
873 =	Ferutal	637 =	Haze, Purple
664 =	Fingers, Purple	332 =	HCL, Ephedrine
424 =	Fioricet	226 =	HCL, Trifluoperazine
426 =	Fiorinal	456 =	HD, Lorcet [see also 434]
455 =	Fiorinal with Codeine	379 =	Hearts
536 =	Fire Halt	328 =	Hearts, Pink
234 =	Flexeril	342 =	Hearts, Purple
642 =	Floyd, Pink	357 =	Heart-shaped black pills
852 =	Fluid), Whack (embalming	519 =	Helium
509 =	Fluids, Cleaning	679 =	Hell bells
509 =	Fluids, Correction	810 =	Hemp
501 =	Fluids, Lighter	386 =	Herbal ecstasy
655 =	Flying elephant	702 =	Heroin
632 =	Folifundia [sic]	615 =	Homemade drugs
387 =	Football, Pink	831 =	Honey oil
382 =	Footballs	537 =	Horn, Boat
382 =	Footballs, Purple	538 =	Horn, Condensed
852 =	Formaldehyde	258 =	Hoses [sic]
445 =	Forte, Norgesic	663 =	Horse tranquilizer
437 =	Forte, Parafon	386 =	Huang, Ma
426 =	Forte, Phrenilin	117 =	Hydrate, Chloral
458 =	Fortis, Mepergan	883 =	Hydrobromide, Dextromethorphan <OTC>
516 =	Freon	306 =	Hydrochloride, Methamphetamine
880 =	Frios	313 =	Hydrochloride, Phentermine
878 =	Friying	225 =	Hydrochloride, Trazodone
429 =	Frost 222	434 =	Hydrocodone [see also 456]
626 =	Fuel, Jet		
629 =	Fuel, Rocket	442 =	Ibuprofen
545 =	Fumes, Car tailpipe exhaust	506 =	Isobutyl nitrate
853 =	Funti [sic] leaf	322 =	Ice
573 =	Furniture polish	235 =	Imipramine
		512 =	Incense
562 =	Gas, Apple Ban	819 =	Inderal
508 =	Gas, Dentist	472 =	Indocin
544 =	Gases, Lighter, not specified	472 =	Indomethacin
501 =	Gasoline	530 =	Inhaler, Asthma
847 =	GHB [sic]	686 =	In my feet, Spider
635 =	Ginseng seeds	511 =	Ink pens
876 =	Glass	273 =	Insidod [sic]
617 =	Glory seeds, Morning	273 =	Insidon [sic]
504 =	Glue	312 =	Ionamin
504 =	Glue, Airplane	476 =	Isocom
504 =	Glue, Chemical	548 =	Isopropanol vapors
504 =	Glue, Model	361 =	Isutars [sic]
504 =	Glue, Super	361 =	Isyfiars [sic]
849 =	Glutamate (MSG), Monosodium		
611 =	Greens	571 =	Jack, Black
609 =	Gympsom [sic] pods	124 =	Jackets, Yellow
557 =	Hagwash	330 =	Jays, Blue
113 =	Halcion	626 =	Jet Fuel
131 =	Haldol	609 =	Jimson [sic] weed
131 =	Haloperidol	854 =	Juice
507 =	Halothane		
536 =	Halt, Fire	662 =	Kanepolin
612 =	Happy stick	509 =	K2R Spot Remover
817 =	Hard stuff	459 =	Ketamine
804 =	Hashish	481 =	Ketorolactromethamine
628 =	Hawaiian rosebud seed tea		
627 =	Hawaiian wood rose		

682 =	Kief [sic]	511 =	Markers
246 =	Klonopin	803 =	MarrJane [sic]
558 =	Kool Aid	656 =	Mars
		803 =	Mary Jane
		523 =	Matches
505 =	Lacquer thinner	390 =	Max Alert
380 =	Ladies, Pink	317 =	Mazanor
853 =	Leaf, Funti [sic]	641 =	Maze [sic]
546 =	Leather protector	614 =	MDA
862 =	Leaves, Thornapple [sic]	606 =	MDMA
352 =	Lemons	163 =	Meanies, Blue
388 =	Lemon, Pink	104 =	Mebaral
542 =	Lens cleaner	530 =	Medication, Asthma
469 =	Leritine	844 =	Medication, Blood pressure
405 =	Levo-Dromoran	840 =	Medicine, Cough (contents not specified)
229 =	Librax	580 =	Medusa [sic]
203 =	Libritabs	272 =	Megadon [sic]
202 =	Librium	372 =	Mejoral [Spanish]
882 =	Life, Herbal	232 =	Mellaril
661 =	Light, X. [sic]	651 =	Mellow Yellow
501 =	Lighter fluids	204 =	Menrium
544 =	Lighter gases, not specified	458 =	Mepergan
601 =	Lightning, White	458 =	Mepergan Fortis
203 =	Limbitrol	220 =	Meprobamate
566 =	Lipton tea bag, Smoked tea from	220 =	Meprospan
504 =	Liquid, Shoeshine	603 =	Mescaline
543 =	Liquid oxygen	370 =	Mess Tab [sic]
509 =	Liquid Paper [see also 524]	322 =	Meth
522 =	Liquid TV (MTV)	355 =	Meth, Crystal
848 =	Liquid vitamin	418 =	Methadone
463 =	Lisalgil [sic]	322 =	Methamphetamine
240 =	Lithium carbonate	306 =	Methamphetamine Hydrochloride
384 =	Little crosses	890 =	Methanol hits
385 =	Little pink ones	116 =	Methaqualone
506 =	Locker room odorizer	877 =	Methazolamide
559 =	LOLOY	321 =	Methedrine
434 =	Lortab [see also 456]	889 =	Methenphemeolies [sic]
456 =	Lorcet HD [see also 434]	223 =	Methocarbamol
456 =	Lorcet Plus [see also 434]	3005=	Methylandlanamine
579 =	Losean [sic]	550 =	Methyl chloride
834 =	Loveboat	614 =	Methylenedioxy amphetamine
681 =	Lovely	318 =	Methylphenidate
638 =	Lovlez [sic]	623 =	Mickey
601 =	LSD	623 =	Mickey Mouse club
441 =	Luitab [sic]	623 =	Mickey mousers
153 =	Luminal	622 =	Microdot, Purple
		622 =	Microdot(s)
		466 =	Midol
647 =	Macullen [sic]	476 =	Midrin
830 =	Mad Bull	212 =	Miltown
460 =	Magnopyrol [sic]	135 =	Mini Thins
333 =	Magnum, 357	203 =	Mitran
333 =	Magnum 44	803 =	MJ
386 =	Ma Huang	879 =	MMPT, Dimethyltryptamide
138 =	Mandrax [sic]	504 =	Model glue
346 =	Marax	272 =	Mogadon
223 =	Marbaxin	345 =	Molly, Black
267 =	Marezine	337 =	Molly, White
803 =	Marijuana	670 =	Monkey dust
659 =	(Marijuana & PCP), Boat	849 =	Monosodium glutamate (MSG)
485 =	Mark Vanan [sic]	617 =	Morning glory seeds

417 =	Morphine	624 =	Orange sunshine
864 =	Motion sickness pill <OTC>	464 =	Oratab [sic]
529 =	Moth balls	608 =	Organes-25 [sic]
422 =	Motrin	453 =	Organidin with Codeine
623 =	Mouse club, Mickey	873 =	Ortho Novum
623 =	Mousers, Mickey	446 =	Orvais [sic]
633 =	Mr. Natural	503 =	Other aerosol sprays besides spray paints
231 =	MS [sic]	507 =	Other anesthetics besides halothane and ether
849 =	(MSG), Monosodium glutamate	505 =	Other paint solvents besides lacquer thinner
522 =	(MTV), Liquid TV	551 =	Oven cleaner (Spam [sic])
811 =	Muscle relaxers	630 =	Owsley, Black
604 =	Mushrooms	631 =	Owsley, Purple
686 =	My feet, Spider in	508 =	Oxide, Nitrous
		584 =	Oxy's [sic]
		406 =	Oxycodone
		543 =	Oxygen, Liquid
526 =	Nail polish		
518 =	Nail polish remover	520 =	Paint, Old
438 =	Naprosyn	505 =	Paint solvents other than lacquer thinner
633 =	Natural, Mr.	502 =	Paints, Spray
108 =	Nembutal	540 =	PAM
477 =	Neo-Melubrina (Spanish)	625 =	Pane, Window
128 =	Nervine	665 =	Paniolis
147 =	Nicol [sic]	618 =	Paper, Acid
818 =	Nicotine	509 =	Paper, Liquid
274 =	Nipam [sic]	437 =	Parafon Forte
506 =	Nitrate, Isobutyl	433 =	Paregoric
527 =	Nitrate, Phenyl	116 =	Parest
272 =	Nitrazepam	837 =	Paris 400
506 =	Nitrite, Amyl	155 =	Pasatorim [sic]
343 =	Nitroglycerine	269 =	Pasidrin (in Mexico)
508 =	Nitrous oxide	250 =	Pamelor
117 =	Noctec	399 =	Pasodoril [sic]
353 =	No-Doz	210 =	Paxipam
478 =	Nogirtronia	260 =	PCB
107 =	Noludar	605 =	PCP
462 =	Norflex	368 =	Peanut butter crank
445 =	Norgesic Forte	644 =	Pedro, San [Spanish]
259 =	Norpramin	887 =	Peel, Orange (dried)
250 =	Nortriptyline	678 =	Peels, Banana
454 =	Novocain	674 =	Pee-pope
353 =	No-Doz	569 =	Peganento
490 =	Nubain	820 =	Penicillin
639 =	Nutmeg, Cloves	511 =	Pens, Felt-tip
127 =	Nytol	511 =	Pens, Ink
		118 =	Pentobarbital
855 =	Oanol [sic]	118 =	Pentothal
838 =	Obainedin [sic]	118 =	Pentothal, Sodium
323 =	Obedrin-L.A.	479 =	Pentrexyl
392 =	Obeesatol [sic]	3002 =	Pep ups
159 =	Octanox	423 =	Percocet
506 =	Odorizer, Locker room	406 =	Percodan
578 =	Off, Dust [sic]	259 =	Pertofrane
831 =	Oil, Honey	567 =	Pertussin spray
520 =	Old paint	602 =	Peyote
385 =	Ones, Little Pink	410 =	Phenaphen 3
393 =	OP 33	410 =	Phenaphen with Codeine
703 =	Opium	605 =	Phencyclidine
673 =	Orange	130 =	Phenergan
657 =	Orange barrel	115 =	Phenobarbital
887 =	Orange peel (dried)		

349 = Phentametrizine [sic]
 313 = Phentermine hydrochloride
 527 = Phenyl nitrate
 347 = Phenylpropanolamine
 426 = Phrenilin Forte
 864 = Pill, Motion sickness <OTC>
 809 = Pills
 336 = Pills, Diet
 357 = Pills, Heart-shaped black
 864 = Pills, Seasick <OTC>
 668 = Pills, Yellow tiny
 807 = Pink champagne
 398 = Pink crosses
 642 = Pink Floyd
 387 = Pink football
 328 = Pink hearts
 380 = Pink ladies
 388 = Pink lemon
 385 = Pink Ones, Little
 341 = Pink roses
 553 = Pixie sticks
 105 = Placidyl
 310 = Plegine
 489 = Plruteam [sic]
 456 = Plus, Lorcet [see also 434]
 609 = Pods, Gympsom [sic]
 573 = Polish, Furniture
 526 = Polish, Nail
 518 = Polish remover, Nail
 488 = Polofin [sic]
 314 = Pondimin
 506 = Poppers
 646 = Poppy
 381 = P.O.T.C.
 871 = Pote [sic]
 708 = Powder (heroin?)
 531 = Powdered candy
 474 = PPA [sic]
 475 = Precom [sic]
 311 = Preludin
 874 = Premarin
 383 = Pre-Sate
 844 = Pressure medication, Blood
 3003 = Primatine tablets
 832 = Primo
 454 = Procaine
 262 = Prolixin
 521 = Propane
 547 = Propel [sic]
 414 = Propoxyphene
 546 = Protector, Leather
 241 = Prozac
 532 = PRW [sic]
 604 = Psilocybin
 375 = Puffs, Coco [sic]
 664 = Purple fingers
 382 = Purple footballs
 637 = Purple haze
 342 = Purple hearts
 622 = Purple microdot
 631 = Purple Owsley

640 = Purple pyramid
 640 = Pyramid, Purple
 473 = Pyridium
 570 = PVC (in Mexico)

 351 = Q'at
 116 = Quaalude
 643 = Queen
 125 = Qulande [sic]
 351 = Q'at

 822 = Rabbit tobacco
 872 = Raffies [sic]
 268 = Rahipinal
 168 = Rahypnol
 554 = Raid
 360 = Rainbow speed
 112 = Rasepam
 577 = Rave runners
 145 = Red devil(s)
 621 = Red dragon
 129 = Reds
 160 = Relanium [sic]
 811 = Relaxers, Muscle
 518 = Remover, Nail polish
 509 = Remover, K2R Spot
 112 = Restoril
 535 = Rexo [sic] copies
 144 = Reynolds [sic]
 318 = Ritalin
 367 = Rite, Slender [sic]
 396 = RJs, Black
 484 = Roach 2-10-8, Volume [sic]
 223 = Robamol
 223 = Robaxin
 667 = Robert, Cody
 330 = Robins, Blue
 329 = Robin's eggs
 480 = Robitussin AC with Codeine
 829 = Robitussin DM
 223 = Robomol
 244 = Roche 2 (Mexican) [sic]
 806 = Rock
 629 = Rocket fuel
 168 = Rohybenol [sic]
 166 = Roinol [sic]
 856 = Roofe [sic]
 161 = Roofies [see also 483]
 506 = Room odorizer, Locker
 161 = Rope [see also 483]
 483 = (Rope), Rophynol [sic], [see also 161]
 261 = Roperals [sic]
 161 = Rophynol [see also 483]
 483 = Rophynol, (Rope), [sic], [see also 161]
 161 = Roples [see also 483]
 627 = Rose, Hawaiian wood
 628 = Rosebud seed tea, Hawaiian
 341 = Roses, Pink
 835 = Rotan [sic]

406 =	Roxicet	658 =	Special K
504 =	Rubber cement	329 =	Speckled eggs
548 =	Rubbing alcohol	339 =	Speed (amphetamines generically)
432 =	Rufen	322 =	Speed (methamphetamine)
161 =	Rufinal [sic] [see also 483]	360 =	Speed, Rainbow
161 =	Rufonol [sic] [see also 483]	705 =	Speedball (heroin + cocaine)
168 =	Ruhibinol [sic]	686 =	Spider in my feet
577 =	Runners, Rave	542 =	Spirits of ammonia
506 =	Rush	509 =	Spot Remover, K2R
133 =	Ryoxine [sic]	502 =	Spray paints
		567 =	Spray, Pertussin
		503 =	Sprays, Aerosol, other than spray paints
316 =	Sanorex	419 =	Stadol
644 =	San Pedro [Spanish]	226 =	Stelazine
539 =	ScotchGard	824 =	Steroids
533 =	Sealant, Window	612 =	Stick, Happy
864 =	Seasick pill <OTC>	645 =	Stick, Thai
119 =	Secobarbital	857 =	Stick, Wicky [sic]
109 =	Seconal	553 =	Sticks, Pixie
143 =	Sedoxen [sic]	636 =	STP
628 =	Seed tea, Hawaiian rosebud	252 =	Strawberry whip cream
635 =	Seeds, Ginseng	669 =	Stropharia
627 =	Seeds, Hawaiian Woodrow	817 =	Stuff, Hard
617 =	Seeds, Morning glory	364 =	Sudafed
628 =	Seed tea, Hawaiian rosebud	346 =	Sulfate, Ephedrine
140 =	Seldane	672 =	Suncrush
205 =	Serax	624 =	Sunshine
675 =	Shein [sic]	624 =	Sunshine, Orange
612 =	Sherm [sic]	624 =	Sunshine, Yellow
612 =	Shermstick	504 =	Super Glue
504 =	Shoeshine liquid	447 =	Synalgos
888 =	Shoesmine, Texas [sic]		
604 =	Shooms	370 =	Tab, Mess [sic]
839 =	Siloquan [sic]	843 =	Tablets, Cold
247 =	Sinequan	3003 =	Tablets, Primatine
364 =	Sinutab	391 =	Tablets, Turbe [sic]
403 =	SK-65	376 =	TAC
219 =	SK-Lygen	545 =	Tailpipe exhaust fumes, Car
677 =	Skunk II	413 =	Talacen
850 =	Slack	568 =	Tally
122 =	Sleep Aid	411 =	Talwin
132 =	Sleepettes [sic]	412 =	Talwin NX
367 =	Slender Rite [sic]	707 =	Tar, Black
706 =	Smack	649 =	Tea, Choc. [sic] tea
549 =	Smarties [sic]	628 =	Tea, Hawaiian rosebud seed
566 =	Smoked tea from Lipton tea bag	112 =	Temaz
816 =	Smokeless tobacco	112 =	Temazepam
813 =	Smoking (substance not specified)	307 =	Tenuate
884 =	Snow	308 =	Tepanil
816 =	Snuff	828 =	Tetracycline
560 =	Soap	888 =	Texas shoesmine [sic]
156 =	Sodium barbital	645 =	Thai stick
118 =	Sodium pentothal	802 =	THC
505 =	Solvents, Paint, other than lacquer thinner	825 =	Theo-Dur
440 =	Soma	505 =	Thinner, Lacquer
126 =	Somenex [sic]	135 =	Thins, Mini
248 =	Sooper Cool [sic]	227 =	Thorazine
116 =	Sopor	862 =	Thornapple [sic] leaves
551 =	Spam [sic]	851 =	Thyrolar-3 [sic]
551 =	(Spam [sic]), Oven cleaner	340 =	Tiamina 250 [sic]
687 =	Spary		

619 =	TIC [sic]	485 =	Vanan [sic], Mark
668 =	Tiny, Yellow pills	548 =	Vapors, Isopropanol
660 =	Toad	377 =	Ventolin
660 =	Toad licking	237 =	Versed
816 =	Tobacco, Chewing	266 =	Verstran
822 =	Tobacco, Rabbit	515 =	Vicks
816 =	Tobacco, Smokeless	434 =	Vicodin [see also 456]
813 =	Tobacco not specified	254 =	Vilonopin [sic]
448 =	Tobutrol [sic]	215 =	Vistaril
467 =	Tolectin	848 =	Vitamin, Liquid
568 =	Tolly [sic]	263 =	Vivactil
504 =	Toluene	354 =	Vivarin
517 =	Tolul [sic]	151 =	VOEOBO [sic]
517 =	Tolyol	484 =	Volume Roach 2-10-8 [sic]
334 =	Tops, Cross	484 =	Volume
481 =	Toradol	315 =	Voranyl
574 =	Tornado		
270 =	Torzien	582 =	WD-40
663 =	Tranquilizer, Animal	852 =	Wak [sic]
663 =	Tranquilizer, Horse	865 =	Water pills
206 =	Tranxene	803 =	Weed
225 =	Trazodone hydrochloride	150 =	Weed.Cote [sic]
225 =	Trazora	609 =	Weed, Jimson [sic]
374 =	Tree(s), Christmas	418 =	Westodone
225 =	Trialodine	852 =	Whack
224 =	Triavil	252 =	Whip cream, Strawberry
565 =	Trichloroethane	528 =	Whipped-cream can
226 =	Trifluoperazine Hcl	508 =	Whippets
233 =	Trilafon	326 =	White cross
256 =	Tripjone [sic]	601 =	White lightning
165 =	Trips	337 =	White Molly
900 =	TRMTDRGA = Not a drug	524 =	White-Out
900 =	TRMTDRGB = Not a drug	331 =	Whites
245 =	Tryptophan	857 =	Wicky [sic] stick
457 =	T's and Blues	139 =	Widows, Black
110 =	Tuinal	625 =	Window pane
513 =	Tulio [sic]	533 =	Window sealant
522 =	Tuner, TV	627 =	Wood rose, Hawaiian
391 =	Turbe [sic] tablets	627 =	Woodrow seeds, Hawaiian
434 =	Tussionex [see also 456]	404 =	Wygesic
522 =	TV (MTV), Liquid		
522 =	TV Tuner	338 =	X112, Antiadipositem [sic]
522 =	TV11Y	209 =	Xanax
680 =	Tweak	661 =	X. Light [sic]
435 =	Tylenol	606 =	X-TC
409 =	Tylenol 3	449 =	Xycodone [sic]
409 =	Tylenol 4		
435 =	Tylenol Extra-Strength	683 =	Yage' [sic]
409 =	Tylenol with Codeine	124 =	Yellow jackets
431 =	Tylox	651 =	Yellow, Mellow
509 =	Typewash	624 =	Yellow sunshine
		668 =	Yellow tiny pills
634 =	Unicorn	164 =	Yellow zombies
123 =	Unisom	881 =	YLOALE
324 =	Uppers		
3002 =	Ups, Pep	257 =	Zestril
253 =	Urbadan [sic]	271 =	Zoloft
		164 =	Zombies, yellow
201 =	Valium	666 =	Zonick
552 =	Valo [sic]		

APPENDIX E

1995 QUESTIONNAIRE ANSWER SHEETS

EXAMPLE QUESTION

EQ-1. How long has it been since you last went to the movies?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☒ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never been to the movies in my life ☐ 91

The first 10 questions are about cigarettes only.

C-1. Have you ever smoked a cigarette, even one or two puffs?

- Yes, I have smoked at least a puff or two from a cigarette ☐ 1
 No, I have never smoked a cigarette in my life ☐ 2

C-2. How old were you the first time you smoked a cigarette, even one or two puffs?

- The first time I smoked a cigarette, I was years old
 I have never smoked a cigarette in my life ☐ 991

C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never smoked a cigarette in my life ☐ 91

C-4. How long has it been since you last smoked a cigarette?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never smoked a cigarette in my life ☐ 91

(PLEASE TURN THE PAGE.)

THE THREE QUESTIONS ON THIS PAGE REFER TO THE PAST 30 DAYS ONLY.

- C-5.** Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

Number of days I smoked at least a puff or two from a cigarette	<input type="checkbox"/>	
I have smoked cigarettes but not during the past 30 days	<input type="checkbox"/>	93
I have never smoked a cigarette in my life	<input type="checkbox"/>	91

- C-6.** When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? *If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.*

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

At least a puff or two but less than 1 cigarette each day	<input type="checkbox"/>	1
At least 1 but not more than 5 cigarettes each day	<input type="checkbox"/>	2
At least 6 but not more than 15 cigarettes (about 1/2 pack) each day	<input type="checkbox"/>	3
At least 16 but not more than 25 cigarettes (about 1 pack) each day	<input type="checkbox"/>	4
At least 26 but not more than 35 cigarettes (about 1 1/2 packs) each day	<input type="checkbox"/>	5
More than 35 cigarettes (about 2 packs or more) each day	<input type="checkbox"/>	6
I have smoked cigarettes but not during the past 30 days	<input type="checkbox"/>	93
I have never smoked a cigarette in my life	<input type="checkbox"/>	91

- C-7.** When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

5 minutes or less	<input type="checkbox"/>	1
6 to 30 minutes	<input type="checkbox"/>	2
31 to 60 minutes	<input type="checkbox"/>	3
1 to 3 hours	<input type="checkbox"/>	4
4 or more hours	<input type="checkbox"/>	5
I have smoked cigarettes but not during the past 30 days	<input type="checkbox"/>	93
I have never smoked a cigarette in my life	<input type="checkbox"/>	91

(PLEASE GO TO THE NEXT PAGE.)

THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.

C-8. Has there ever been a period in your life when you smoked cigarettes every day?

Yes ☐ 1
 No ☐ 2

C-9. How old were you when you first started smoking cigarettes every day?

*IF NONE,
 MARK ONE
 BOX FOR
 BEST ANSWER* → { I started smoking cigarettes every day when I was years old
 I have smoked cigarettes but never every day ☐ 993
 I have never smoked a cigarette in my life ☐ 991

C-10. For how many years have you smoked or did you smoke cigarettes everyday?

RECORD NUMBER OF YEARS OR MARK A BOX:

*IF NONE,
 MARK ONE
 BOX FOR
 BEST ANSWER* → { Number of years I smoked cigarettes every day was year(s)
 I smoked cigarettes every day but only for less than one whole year ☐ 0
 I have smoked cigarettes but never every day ☐ 993
 I have never smoked a cigarette in my life ☐ 991

The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.

C-11. Have you ever, even once, used chewing tobacco or snuff?

Yes, I have used chewing tobacco or snuff ☐ 1
 No, I have never used chewing tobacco or snuff in my life ☐ 2

C-12. How long has it been since you last used chewing tobacco or snuff?

Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used chewing tobacco or snuff in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT TOBACCO.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
 WITH THE TOBACCO QUESTIONS.**

ALCOHOL**Answer Sheet #2**

- A-1.** The next few questions are about drinks of alcoholic beverages. By a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? *Do not include sips from another person's drink.*

Yes, I have had a drink of an alcoholic beverage ☐ 1

No, I have never had a drink of any alcoholic beverage in my life ☐ 2

- A-2.** How old were you the first time you had a drink of any alcoholic beverage? *Do not include sips from another person's drink.*

The first time I drank an alcoholic beverage, I was years old

I have never drunk an alcoholic beverage in my life ☐ 991

- A-3.** Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?

Within the past 30 days ☐ 1

More than 30 days ago but within the past 12 months ☐ 2

More than 12 months ago but within the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have never drunk an alcoholic beverage in my life ☐ 91

- A-4.** Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?

More than 300 days (every day or almost every day) ☐ 1

At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2

At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3

At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4

At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5

At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6

At least 6 but not more than 11 days (less than one day a month) ☐ 7

At least 3 but not more than 5 days in the past 12 months ☐ 8

At least 1 but not more than 2 days in the past 12 months ☐ 9

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

I have drunk alcoholic beverages but not during the past 12 months ☐ 93

I have never drunk an alcoholic beverage in my life ☐ 91

(PLEASE TURN THE PAGE.)

A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?

- More than 300 days (every day or almost every day) ☐ 1
- At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
- At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
- At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
- At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
- At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
- At least 6 but not more than 11 days (less than one day a month) ☐ 7
- At least 3 but not more than 5 days in the past 12 months ☐ 8
- At least 1 but not more than 2 days in the past 12 months ☐ 9
- I drank an alcoholic beverage in the past 12 months but I
did not get very high or drunk ☐ 90
- I have drunk alcoholic beverages but not during the past 12 months ☐ 93
- I have never drunk an alcoholic beverage in my life ☐ 91

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

(PLEASE GO TO THE NEXT PAGE.)

THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.

A-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?

	Number of days I had a drink of an alcoholic beverage	<input style="width: 40px;" type="text"/>	
IF NONE, MARK ONE BOX FOR BEST ANSWER	[I have drunk alcoholic beverages but not during the past 30 days	<input type="checkbox"/> 93
		I have never drunk an alcoholic beverage in my life	<input type="checkbox"/> 91

A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? *Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.*

	On the days I had an alcoholic beverage, I usually had	<input style="width: 40px;" type="text"/>	drink(s) per day
IF NONE, MARK ONE BOX FOR BEST ANSWER	[I have drunk alcoholic beverages but not during the past 30 days	<input type="checkbox"/> 93
		I have never drunk an alcoholic beverage in my life	<input type="checkbox"/> 91

A-8. During the past 30 days, on how many days did you have 5 or more drinks on the same occasion? By *"occasion," we mean at the same time or within a couple of hours of each other.*

	Number of days I drank 5 or more drinks of an alcoholic beverage	<input style="width: 40px;" type="text"/>	
IF NONE, MARK ONE BOX FOR BEST ANSWER	[On the days I drank during the past 30 days, I never had 5 or more drinks	<input type="checkbox"/> 90
		I have drunk alcoholic beverages but not during the past 30 days	<input type="checkbox"/> 93
		I have never drunk an alcoholic beverage in my life	<input type="checkbox"/> 91

YOU HAVE FINISHED THE QUESTIONS ABOUT ALCOHOL.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE ALCOHOL QUESTIONS.

MARIJUANA**Answer Sheet #3**

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked – either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

Yes, I have used marijuana or hashish ☐ 1

No, I have never used marijuana or hashish in my life ☐ 2

M-2. How old were you the first time you used marijuana or hashish?

The first time I used marijuana or hashish, I was years old

I have never used marijuana or hashish in my life ☐ 991

M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?

More than 300 days ☐ 1

At least 101 but not more than 300 days ☐ 2

At least 12 but not more than 100 days ☐ 3

At least 3 but not more than 11 days ☐ 4

At least 1 but not more than 2 days ☐ 5

I have never used marijuana or hashish in my life ☐ 91

M-4. How long has it been since you last used marijuana or hashish?

Within the past 30 days ☐ 1

More than 30 days ago but within the past 12 months ☐ 2

More than 12 months ago but within the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have never used marijuana or hashish in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?

More than 300 days (every day or almost every day)	<input type="checkbox"/>	1
At least 201 but not more than 300 days (5 to 6 days a week)	<input type="checkbox"/>	2
At least 101 but not more than 200 days (3 to 4 days a week)	<input type="checkbox"/>	3
At least 51 but not more than 100 days (1 to 2 days a week)	<input type="checkbox"/>	4
At least 25 but not more than 50 days (3 to 4 days a month)	<input type="checkbox"/>	5
At least 12 but not more than 24 days (1 to 2 days a month)	<input type="checkbox"/>	6
At least 6 but not more than 11 days (less than one day a month)	<input type="checkbox"/>	7
At least 3 but not more than 5 days in the past 12 months	<input type="checkbox"/>	8
At least 1 but not more than 2 days in the past 12 months	<input type="checkbox"/>	9
<i>IF NONE,</i> <i>MARK ONE</i> → <i>BOX FOR</i> <i>BEST ANSWER</i>	<input type="checkbox"/>	93
	<input type="checkbox"/>	91

M-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

Number of days I used marijuana or hashish	<input type="text"/>
<i>IF NONE,</i> <i>MARK ONE</i> → <i>BOX FOR</i> <i>BEST ANSWER</i>	<input type="checkbox"/> 93
	<input type="checkbox"/> 91

YOU HAVE FINISHED THE QUESTIONS ABOUT MARIJUANA.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE MARIJUANA QUESTIONS.**

COCAINE**Answer Sheet #4**

The questions in this section are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

CN-1. Have you ever, even once, used any form of cocaine?

- Yes, I have used some form of cocaine ☐ 1
 No, I have never used any form of cocaine in my life ☐ 2

CN-2. How old were you the first time you used cocaine, in any form?

- The first time I used some form of cocaine, I was years old
 I have never used any form of cocaine in my life ☐ 991

CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used any form of cocaine in my life ☐ 91

CN-4. How long has it been since you last used any form of cocaine?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used any form of cocaine in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?

- More than 300 days (every day or almost every day) ☐ 1
 At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
 At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
 At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
 At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
 At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
 At least 6 but not more than 11 days (less than one day a month) ☐ 7
 At least 3 but not more than 5 days in the past 12 months ☐ 8
 At least 1 but not more than 2 days in the past 12 months ☐ 9
 IF NONE, MARK ONE BOX FOR BEST ANSWER → ☐ 93
 I have used cocaine but not during the past 12 months ☐ 93
 I have never used any form of cocaine in my life ☐ 91

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?

- Number of days I used some form of cocaine ☐
 IF NONE, MARK ONE BOX FOR BEST ANSWER → ☐ 93
 I have used cocaine but not during the past 30 days ☐ 93
 I have never used any form of cocaine in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT COCAINE.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE COCAINE QUESTIONS.

"CRACK" COCAINE**Answer Sheet #5**

The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.

CK-1. Have you ever, even once, used "crack?"

- Yes, I have used "crack" ☐ 1
 No, I have never used "crack" in my life ☐ 2

CK-2. How old were you the first time you used "crack?"

- The first time I used "crack," I was years old
 I have never used "crack" in my life ☐ 991

CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used "crack" my life ☐ 91

CK-4. How long has it been since you last used "crack?"

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used "crack" in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"

More than 300 days (every day or almost every day)	<input type="checkbox"/>	1
At least 201 but not more than 300 days (5 to 6 days a week)	<input type="checkbox"/>	2
At least 101 but not more than 200 days (3 to 4 days a week)	<input type="checkbox"/>	3
At least 51 but not more than 100 days (1 to 2 days a week)	<input type="checkbox"/>	4
At least 25 but not more than 50 days (3 to 4 days a month)	<input type="checkbox"/>	5
At least 12 but not more than 24 days (1 to 2 days a month)	<input type="checkbox"/>	6
At least 6 but not more than 11 days (less than one day a month)	<input type="checkbox"/>	7
At least 3 but not more than 5 days in the past 12 months	<input type="checkbox"/>	8
At least 1 but not more than 2 days in the past 12 months	<input type="checkbox"/>	9
<i>IF NONE,</i> <i>MARK ONE</i> → <i>BOX FOR</i> <i>BEST ANSWER</i>	<input type="checkbox"/>	93
I have used "crack" but not during the past 12 months	<input type="checkbox"/>	93
I have never used "crack" in my life	<input type="checkbox"/>	91

CK-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"

Number of days I used "crack"	<input type="text"/>
<i>IF NONE,</i> <i>MARK ONE</i> → <i>BOX FOR</i> <i>BEST ANSWER</i>	<input type="checkbox"/> 93
I have used "crack" but not during the past 30 days	<input type="checkbox"/> 93
I have never used "crack" in my life	<input type="checkbox"/> 91

YOU HAVE FINISHED THE QUESTIONS ABOUT "CRACK."

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE "CRACK" QUESTIONS.**

HEROIN**Answer Sheet #6**

H-1. Have you ever, even once, used heroin?

- Yes, I have used heroin ☐ 1
 No, I have never used heroin in my life ☐ 2

H-2. How old were you the first time you used heroin?

- The first time I used heroin, I was years old
 I have never used heroin in my life ☐ 991

H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used heroin in my life ☐ 91

H-4. How long has it been since you last used heroin?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used heroin in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?

- | | | |
|--|--------------------------|----|
| More than 300 days (every day or almost every day) | <input type="checkbox"/> | 1 |
| At least 201 but not more than 300 days (5 to 6 days a week) | <input type="checkbox"/> | 2 |
| At least 101 but not more than 200 days (3 to 4 days a week) | <input type="checkbox"/> | 3 |
| At least 51 but not more than 100 days (1 to 2 days a week) | <input type="checkbox"/> | 4 |
| At least 25 but not more than 50 days (3 to 4 days a month) | <input type="checkbox"/> | 5 |
| At least 12 but not more than 24 days (1 to 2 days a month) | <input type="checkbox"/> | 6 |
| At least 6 but not more than 11 days (less than one day a month) | <input type="checkbox"/> | 7 |
| At least 3 but not more than 5 days in the past 12 months | <input type="checkbox"/> | 8 |
| At least 1 but not more than 2 days in the past 12 months | <input type="checkbox"/> | 9 |
| <i>IF NONE,</i>
<i>MARK ONE</i> → <input type="checkbox"/> I have used heroin but not during the past 12 months | | 93 |
| <i>BOX FOR</i>
<i>BEST ANSWER</i> <input type="checkbox"/> I have never used heroin in my life | | 91 |

H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

- | | |
|--|----------------------|
| Number of days I used heroin | <input type="text"/> |
| <i>IF NONE,</i>
<i>MARK ONE</i> → <input type="checkbox"/> I have used heroin but not during the past 30 days | 93 |
| <i>BOX FOR</i>
<i>BEST ANSWER</i> <input type="checkbox"/> I have never used heroin in my life | 91 |

YOU HAVE FINISHED THE QUESTIONS ABOUT HEROIN.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE HEROIN QUESTIONS.**

HALLUCINOGENS**Answer Sheet #7**

- L-1.** As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.

Ever used?
YES **NO**

- a. LSD ("acid") ☐ 1 .. ☐ 2
- b. PCP ("angel dust," phencyclidine) ☐ 1 .. ☐ 2
- c. Peyote ☐ 1 .. ☐ 2
- d. Mescaline ☐ 1 .. ☐ 2
- e. Psilocybin (mushrooms) ☐ 1 .. ☐ 2
- f. "Ecstasy" (MDMA) ☐ 1 .. ☐ 2
- g. Have you ever used a hallucinogen whose name you don't know? ... ☐ 1 .. ☐ 2
- h. Have you ever used any other hallucinogens besides the ones listed
above? *PLEASE PRINT NAME(S) BELOW:* ☐ 1 .. ☐ 2

- L-2.** How old were you the first time you used LSD, PCP, or any other hallucinogen?

The first time I used a hallucinogen, I was years old

I have never used any hallucinogen in my life ☐ 991

- L-3.** Think about the entire time since you first used LSD, PCP, or any other hallucinogen.
On how many days in your life have you used LSD, PCP, or any other hallucinogen?

- More than 300 days ☐ 1
- At least 101 but not more than 300 days ☐ 2
- At least 12 but not more than 100 days ☐ 3
- At least 3 but not more than 11 days ☐ 4
- At least 1 but not more than 2 days ☐ 5
- I have never used any hallucinogen in my life ☐ 91

(PLEASE TURN THE PAGE.)

L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used any hallucinogen in my life ☐ 91

L-5. Now think about the past 12 months, from the 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used an hallucinogen but not during the past 12 months ☐ 93
I have never used any hallucinogen in my life ☐ 91

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

L-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?

- Number of days I used LSD, PCP, or another hallucinogen
I have used an hallucinogen but not during the past 30 days ☐ 93
I have never used any hallucinogen in my life ☐ 91

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

L-7. Now think only about LSD. How long has it been since you last used LSD?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used LSD in my life ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

L-8. Now think only about PCP. How long has it been since you last used PCP?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used PCP in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HALLUCINOGENS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE HALLUCINOGENS QUESTIONS.**

INHALANTS**Answer Sheet #8**

IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.

		Ever used for kicks or to get high?	
		<u>YES</u>	<u>NO</u>
a.	Amyl nitrite, "poppers," locker room odorizers, or "rush"	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Correction fluid, degreaser, or cleaning fluid	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Gasoline or lighter fluid	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Glue, shoe polish, or toluene	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Halothane, ether, or other anesthetics	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Lacquer thinner or other paint solvents	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Lighter gases (butane, propane)	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Nitrous oxide or "whippets"	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Spray paints	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Other aerosol sprays	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Have you ever used an inhalant whose name you don't know for kicks or to get high?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
l.	Have you ever used any other inhalants, besides those listed above, for kicks or to get high?	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

The first time I used any inhalant for kicks or to get high, I was years old
 I have never used any inhalant for kicks or to get high in my life ☐ 991

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used an inhalant of any kind?

More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used any inhalant for kicks or to get high in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

IN-4. How long has it been since you last used any inhalant for kicks or to get high?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
IF NONE, MARK ONE → ☐ I have used an inhalant for kicks or to get high but not during the past 12 months ☐ 93
BOX FOR BEST ANSWER ☐ I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

- Number of days I have used some kind of inhalant for kicks or to get high
IF NONE, MARK ONE → ☐ I have used an inhalant for kicks or to get high but not during the past 30 days ☐ 93
BOX FOR BEST ANSWER ☐ I have never used any inhalant for kicks or to get high in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT INHALANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE INHALANTS QUESTIONS.

ANALGESICS**Answer Sheet #9**

PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription pain killers, in pill or non-pill form.

		Ever used without a prescription or for the experience?	
		YES	NO
a.	Codeine	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
b.	Darvon	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
c.	Demerol	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
d.	Dilaudid	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
e.	Methadone	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
f.	Morphine	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
g.	Percodan	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
h.	Talwin	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
i.	Tylenol with codeine	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
j.	Have you ever used a pain killer whose name you don't know that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? . . .	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
k.	Have you ever used any <u>other</u> pain killer beside the ones listed above, that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? .	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.

91

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a pain killer that was not prescribed for me, or that
I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5

PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4

PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
 At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
 At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
 At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
 At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
 At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
 At least 6 but not more than 11 days (less than one day a month) ☐ 7
 At least 3 but not more than 5 days in the past 12 months ☐ 8
 At least 1 but not more than 2 days in the past 12 months ☐ 9
 I have used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT ANALGESICS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE ANALGESICS QUESTIONS.**

TRANQUILIZERS**Answer Sheet #10**

- T-1.** As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.

		Ever used without a prescription or for the experience?	
		<u>YES</u>	<u>NO</u>
a.	Atarax	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
b.	Ativan	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
c.	Diazepam	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
d.	Librium	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
e.	Tranxene	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
f.	Valium	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
g.	Xanax	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
h.	Have you ever used a tranquilizer whose name you don't know that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? . . .	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
i.	Have you ever used any <u>other</u> tranquilizer besides the ones listed above, that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? .	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.

91

- T-2.** How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
- At least 101 but not more than 300 days ☐ 2
- At least 12 but not more than 100 days ☐ 3
- At least 3 but not more than 11 days ☐ 4
- At least 1 but not more than 2 days ☐ 5

T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
- At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
- At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
- At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
- At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
- At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
- At least 6 but not more than 11 days (less than one day a month) ☐ 7
- At least 3 but not more than 5 days in the past 12 months ☐ 8
- At least 1 but not more than 2 days in the past 12 months ☐ 9
- I have used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT TRANQUILIZERS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TRANQUILIZERS QUESTIONS.

STIMULANTS**Answer Sheet #11**

ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.

Ever used without a
prescription or for
the experience?

YES NO

- | | | |
|----|---|---|
| a. | Benzedrine | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| b. | Biphetamine | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| c. | Dexamyl | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| d. | Dexedrine | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| e. | Fastin | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| f. | Ionamin | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| g. | Methamphetamine | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| h. | Methedrine | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| i. | Preludin | <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 |
| j. | Have you ever used a stimulant whose name you don't know
that was <u>not</u> prescribed for you, or that you took
only for the experience or feeling it caused? <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 | |
| k. | Have you ever used any <u>other</u> stimulant besides the ones
listed above, that was <u>not</u> prescribed for you, or that
you took only for the experience or feeling it caused? . <input type="checkbox"/> 1 . . . <input type="checkbox"/> 2 | |
- PLEASE PRINT NAME(S) BELOW:***
- _____
- _____

If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.

91

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a stimulant that was not prescribed for me, or
that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
At least 101 but not more than 300 days ☐ 2
At least 12 but not more than 100 days ☐ 3
At least 3 but not more than 11 days ☐ 4
At least 1 but not more than 2 days ☐ 5

ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT STIMULANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE STIMULANTS QUESTIONS.**

SEDATIVES**Answer Sheet #12**

- S-1.** As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.

Ever used without a
prescription or for
the experience?

YES NO

- | | | | |
|----|--|----------------------------------|----------------------------|
| a. | Dalmane | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| b. | Halcion | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| c. | Methaqualone (including Sopor and Quaalude) | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| d. | Nembutal | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| e. | Phenobarbital | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| f. | Placidyl | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| g. | Seconal | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| h. | Tuinal | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| i. | Have you ever used a sedative whose name you don't know
that was <u>not</u> prescribed for you, or that you took
only for the experience or feeling it caused? | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| j. | Have you ever used any <u>other</u> sedative besides the ones
listed above, that was <u>not</u> prescribed for you, or
that you took only for the experience or feeling
it caused? <i>PLEASE PRINT NAME(S) BELOW:</i> | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |

If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.

91

- S-2.** How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a sedative that was not prescribed for me, or that

I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
At least 101 but not more than 300 days ☐ 2
At least 12 but not more than 100 days ☐ 3
At least 3 but not more than 11 days ☐ 4
At least 1 but not more than 2 days ☐ 5

S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used a sedative that was not prescribed for me, or that
I took only for the experience or feeling it caused, but
not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT SEDATIVES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE SEDATIVES QUESTIONS.**

SPECIAL DRUGS**Answer Sheet #13**

SD-1. Have you ever, even once, used heroin in any form?

YES, I have used heroin . . . ☐ 1 → **SD-2.**

NO, I have never used
heroin ☐ 2

**GO TO
QUESTION SD-6
AT TOP OF
PAGE 2**

SD-2. Have you ever, even once, smoked heroin?

Yes, I have smoked heroin ☐ 1

No, I have used heroin, but I never
smoked it ☐ 2

SD-3. How long has it been since you last smoked heroin?

Within the past 30 days ☐ 1

More than 30 days ago but within
the past 12 months ☐ 2

More than 12 months ago but within
the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have used heroin, but I never smoked it . . . ☐ 93

SD-4. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?

Yes, I have sniffed ("snorted") heroin ☐ 1

No, I have used heroin, but I have never
sniffed ("snorted") it ☐ 2

SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?

Within the past 30 days ☐ 1

More than 30 days ago but within the past
12 months ☐ 2

More than 12 months ago but within the past
3 years ☐ 3

More than 3 years ago ☐ 4

I have used heroin, but I have never sniffed
("snorted") it ☐ 93

(PLEASE TURN THE PAGE)

SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

YES, I have used a needle
to inject a drug ☐ 1 →

NO, I have never used a
needle to inject a drug . ☐ 2

SD-7. Have you ever, even once, used a needle to inject cocaine?

Yes, I have used a needle to inject
cocaine ☐ 1

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

No, I have used cocaine, but never
with a needle ☐ 93
No, I have never used any form of
cocaine in my life ☐ 91

GO TO
BOX A
AT BOTTOM OF
PAGE 4

SD-8. How long has it been since you last used a needle to inject cocaine?

Within the past 30 days ☐ 1
More than 30 days ago but within
the past 12 months ☐ 2
More than 12 months ago but within
the past 3 years ☐ 3
More than 3 years ago ☐ 4

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

I have used cocaine, but never
with a needle ☐ 93
I have never used any form of
cocaine in my life ☐ 91

SD-9. Have you ever, even once, used a needle to inject heroin?

Yes, I have used a needle to inject
heroin ☐ 1

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

No, I have used heroin, but never
with a needle ☐ 93
No, I have never used heroin in my
life ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

SD-10. How long has it been since you last used a needle to inject heroin?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

- [I have used heroin, but never with a needle ☐ 93
I have never used heroin in my life ☐ 91

SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Yes, I have used a needle to inject a stimulant when it was not prescribed
for me or only for the experience or feeling it caused ☐ 1

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

- [No, I have used a stimulant when it was not prescribed for me or only for the
experience or feeling it caused, but never with a needle ☐ 93
No, I have never in my life used any stimulant when it was not prescribed for me
or only for the experience or feeling it caused ☐ 91

SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

- [I have used a stimulant when it was not prescribed for me or only for
the experience or feeling it caused, but never with a needle ☐ 93
I have never in my life used any stimulant when it was not
prescribed for me or only for the experience or feeling it caused ☐ 91

SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

- Yes, the last time I used a needle for injecting drugs, I reused a needle
that I had used before ☐ 1
No, the last time I used a needle for injecting drugs, I did not reuse a
needle that I had used before ☐ 2

(PLEASE TURN TO THE NEXT PAGE.)

SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

Yes, the last time I used a needle for injecting drugs, I used a needle that I knew or suspected someone else had used before ☐ 1

No, the last time I used a needle for injecting drugs, I did not use a needle that I knew or suspected someone else had used before ☐ 2

SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

Yes, the last time I used a needle for injecting drugs, I used bleach to clean the needle before I used it ☐ 1

No, the last time I used a needle for injecting drugs, I did not use bleach to clean the needle before I used it ☐ 2

SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?

Yes, the last time I used a needle for injecting drugs, someone else used the needle after me ☐ 1

No, no one else used the needle after me the last time I used a needle for injecting drugs ☐ 2

SD-17. The last time you used a needle for injecting drugs, how did you get the needle? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I bought the needle from a pharmacy ☐ 1

I got the needle from a needle exchange ☐ 2

I bought the needle on the street ☐ 3

I got the needle in a shooting gallery ☐ 4

I got the needle some other way ☐ 5

PLEASE DESCRIBE HOW YOU GOT THE NEEDLE:

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT SPECIAL DRUGS.
	THANK YOU FOR ANSWERING THESE QUESTIONS.
	PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SPECIAL DRUGS QUESTIONS.

DRUGS**Answer Sheet #14**

All the questions on this answer sheet refer to the past 12 months – that is, since your 12-month reference date.

DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.

		<u>Used in past 12 months?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

If you answered "NO" to each of the items a through k in Question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2 below.

93

DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.

		<u>Month or more when great deal of time spent involved with the drug?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.

		Used more often or in larger amounts?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.

		Built up a tolerance?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE GO TO THE NEXT PAGE.)

DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.

		Important activities reduced or given up?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems--such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.

		Had emotional problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems—such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.

		Had physical problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.

		Wanted or tried to stop or cut down on use?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphetamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

YOU HAVE FINISHED THE QUESTIONS ABOUT DRUGS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRUGS QUESTIONS.

SPECIAL TOPICS**Answer Sheet #15**

These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.

SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?

YES, I have received treatment
or counseling during the
past 12 months ☐ 1

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

NO, I have not received treatment
or counseling during the
past 12 months ☐ 2

SP-2. At any time during the past 12 months did you need
treatment or counseling for your drug or alcohol use?

YES, I needed treatment or
counseling during the
past 12 months ☐ 1

**GO TO
QUESTION SP-3
AT TOP OF
PAGE 2**

NO, I did not need treatment
or counseling during the
past 12 months ☐ 2

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.

	In past 12 months, needed treatment for this drug?	
	YES	NO
a. Alcohol	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
g. Prescription pain killers or analgesics	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
k. I needed treatment for use of some other drug(s)	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?

Yes, during the past 12 months, I took steps to obtain treatment or counseling ☐ 1
 No, during the past 12 months, I did not take steps to obtain treatment or counseling ☐ 2

SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.

	Reason for not obtaining treatment or counseling?	
	YES	NO
a. I had no transportation to the treatment or counseling programs	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
b. The nearest treatment or counseling programs were too far away	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
c. The treatment or counseling programs' hours were not convenient	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
d. There were no openings in the treatment or counseling programs	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
e. The programs didn't offer the type of treatment or counseling I wanted	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
f. I didn't have insurance or money to pay for the programs	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
g. The programs' facilities were not accessible to the handicapped	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
h. Participation in the program was too complicated	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
i. The programs' counselors didn't meet my ethnic or language needs	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
j. The programs did not offer special services that I needed, such as medical or mental health care, housing, employment counseling, child care, etc.	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
k. I did not obtain treatment or counseling for some other reason(s)	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2

PLEASE SPECIFY REASON(S) BELOW:

(PLEASE GO TO THE NEXT PAGE.)

SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? *Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.*

YES, I have been arrested
and booked for
breaking a law . . . ☐ 1 →

NO, I have never been
arrested and booked
for breaking a law . . . ☐ 2

SP-7. Not counting minor traffic violations, have many times during the past 12 months have you been arrested and booked for breaking a law? **RECORD NUMBER OF TIMES OR MARK THE BOX:**

Number of times arrested
and booked in the past
12 months times

I have not been arrested
and booked in the past
12 months ☐ 93

**GO TO
QUESTION SP-9
AT TOP OF
PAGE 4**

SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. *For this question, do not include minor traffic violations.*

		In past 12 months, arrested and booked?	
		YES	NO
a.	Larceny or theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Burglary or breaking and entering	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Aggravated assault	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Other assault, such as simple assault or battery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Motor vehicle theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Robbery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Forcible rape	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Murder, homicide, or nonnegligent manslaughter	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Arson	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Driving under the influence	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Drunkenness or other liquor law violation	<input type="checkbox"/> 1	<input type="checkbox"/> 2
l.	Possession or sale of drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
m.	Prostitution or commercialized sex	<input type="checkbox"/> 1	<input type="checkbox"/> 2
n.	Other property offenses, such as fraud, possessing stolen goods, or vandalism	<input type="checkbox"/> 1	<input type="checkbox"/> 2
o.	Other offenses	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE DESCRIBE): _____

(PLEASE TURN TO THE NEXT PAGE.)

SP-9. Were you on probation at any time during the past 12 months?

- Yes, I was on probation at some time during the past 12 months ☐ 1
No, I was not on probation during the past 12 months ☐ 2

SP-10. Were you on parole at any time during the past 12 months?

- Yes, I was on parole at some time during the past 12 months ☐ 1
No, I was not on parole during the past 12 months ☐ 2

SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.

- | | <u>Done during the
past 12 months?</u> | |
|---|--|----------------------------|
| | <u>YES</u> | <u>NO</u> |
| a. During the past 12 months, I took something from a store without paying for it | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| b. During the past 12 months, I, other than from a store, took money or property that did not belong to me | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| c. During the past 12 months, I purposely damaged or destroyed property that did not belong to me | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| d. During the past 12 months, I took a car that didn't belong to someone in my family without the owner's permission | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| e. During the past 12 months, I used a weapon, force, or strong-arm methods to get money or things from a person | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| f. During the past 12 months, I broke into a house or building to steal something or just to look around | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| g. During the past 12 months, I hit someone or got into a physical fight | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| h. During the past 12 months, I hurt someone badly enough to need bandages or a doctor | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| i. During the past 12 months, I used a knife or gun or some other thing (like a club) to get something from a person | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| j. During the past 12 months, I drove a vehicle while I was under the influence of a combination of alcohol and illegal drugs used together | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| k. During the past 12 months, I drove a vehicle while I was under the influence of alcohol | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| l. During the past 12 months, I drove a vehicle while I was under the influence of illegal drugs | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| m. During the past 12 months, I sold illegal drugs | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |
| n. During the past 12 months, I did something else that would have gotten me into trouble with the police if they had known about it | <input type="checkbox"/> 1 . . . | <input type="checkbox"/> 2 |

(PLEASE DESCRIBE): _____

YOU HAVE FINISHED THE SPECIAL TOPICS QUESTIONS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE SPECIAL TOPICS QUESTIONS.**

TREATMENT**Answer Sheet #16**

This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.

TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

YES, I have received
treatment for my
use of alcohol or
some drug ☐ 1 →

NO, I have never
received treatment
for my use of alcohol
or any drug ☐ 2

TX-2. How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

I have received treatment or counseling
for my alcohol or drug use times.

TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

In the past 12 months I have received
treatment or counseling for my
alcohol or drug use times.

TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.

**In past 12 months,
got treatment here for
your alcohol use?**
YES NO

- | | | |
|--|--------------------------------------|----------------------------|
| a. A hospital overnight as an inpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. A residential drug or alcohol rehabilitation facility (overnight) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. A drug or alcohol rehabilitation facility as an outpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. A mental health center or facility as an outpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. An emergency room | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. A private doctor's office | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. A prison or jail | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. A self-help group | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. I received treatment in some other place. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

**PLEASE DESCRIBE BELOW
THIS OTHER PLACE:**

**GO TO BOX A
AT BOTTOM OF
PAGE 4**

(PLEASE TURN THE PAGE.)

TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

	In past 12 months, got treatment here for your drug use?	
	<u>YES</u>	<u>NO</u>
a. A hospital overnight as an inpatient	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
b. A residential drug or alcohol rehabilitation facility (overnight)	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
c. A drug or alcohol rehabilitation facility as an outpatient	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
d. A mental health center or facility as an outpatient	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
e. An emergency room	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
f. A private doctor's office	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
g. A prison or jail	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
h. A self-help group	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
i. I received treatment in some other place.	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

During the past 12 months, the number of times I received treatment
for my use of some illegal drug in a hospital emergency room was times.

The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.

TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?

Within the past 30 days	<input type="checkbox"/> 1
More than 30 days ago but within the past 12 months	<input type="checkbox"/> 2
More than 12 months ago but within the past 3 years	<input type="checkbox"/> 3
More than 3 years ago	<input type="checkbox"/> 4

(PLEASE GO TO THE NEXT PAGE.)

TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes? **MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- A hospital overnight as an inpatient ☐ 1
- A residential drug or alcohol rehabilitation facility (overnight) ☐ 2
- A drug or alcohol rehabilitation facility as an outpatient ☐ 3
- A mental health center or facility as an outpatient ☐ 4
- An emergency room ☐ 5
- A private doctor's office ☐ 6
- A prison or jail ☐ 7
- A self-help group ☐ 8
- I received treatment in some other place. ☐ 9

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.

	<u>Got treatment for this drug?</u>	
	<u>YES</u>	<u>NO</u>
a. Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. Prescription painkillers or analgesics	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. I received treatment for use of some other drug(s).	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

TX-10. What was the primary drug you received treatment for during the last time you were treated?

Write name of primary drug: _____

TX-11. What was the outcome of the treatment or counseling you last received? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I am still in treatment ☐ 1
- I successfully completed treatment ☐ 2
- I left because I had a problem with the program ☐ 3
- I left because I couldn't afford to continue treatment ☐ 4
- I left because my family needed me ☐ 5
- I left because I began using drug(s) again ☐ 6
- My last treatment had some other outcome. ☐ 7

PLEASE DESCRIBE THE OUTCOME BELOW:

(PLEASE TURN THE PAGE.)

TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.

OR: I was in treatment for days
 I was in treatment for months

TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.

	Source paid for <u>last treatment?</u>	
	<u>YES</u>	<u>NO</u>
a. Health insurance paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
b. Medicare paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
c. Medicaid paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
d. I used my own savings or earnings to pay for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
e. Family members paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
f. My employer paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
g. The <u>last</u> treatment I received was free	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2
h. My <u>last</u> treatment was paid for by some other source.	<input type="checkbox"/> 1 . .	<input type="checkbox"/> 2

PLEASE DESCRIBE BELOW:

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1994? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

YES, I was enrolled in a treatment program for my alcohol
 or drug use on October 1, 1994 ☐ 1
 NO, I was not enrolled in a treatment program for my
 alcohol or drug use on October 1, 1994 ☐ 2

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT TREATMENT.
	THANK YOU FOR ANSWERING THESE QUESTIONS.
	PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TREATMENT QUESTIONS.

YOUTH CHECKLIST**Answer Sheet #17**

Below is a list of items that describe young people. Think about whether each item describes you now or within the past 6 months. Please mark the box next to the "1" if the item is not true of you. Mark the box next to the "2" if the item is somewhat or sometimes true of you. If the item is very true or often true of you, mark the box next to the "3." Please mark only one box for each question.

NOTE: *This answer sheet contains a list of 112 questions about problems and experiences pertaining to youths. This scale was developed by Dr. Thomas Achenbach and was used on the NHSDA with his permission. Due to copyright restrictions, the questions are not shown in this report.*