

**National Household Survey on
Drug Abuse, 2000**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Processor Notes

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in this version of the data file. In the past these values were coded to “99”
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 3) This data collection includes setup statements (e.g., a “do file” and dictionary) for StataSE. Analysts are advised that the conversion from ASCII to Stata format is likely to be slow due to the large file size. Subsets from the NSDUH may be downloaded from the on-line analysis system

Important Changes in Third Edition Release

- 1) The two study design variables VEREP and VESTR were revised to provide consistency with the 2004 study, which collapsed the strata to maximize the number of people in each replicate.
- 2) There were also 7 more variables (CIG30BRN, CIG30ROL, CHW30BRN, SNF30BRN, SLT30BRN, CGR30BRN, WRKBZCAT) that were dropped and replaced by the variables (CIG30BR2, CIG30RO2, CHW30BR2, SNF30BR2, SLT30BR2, CGR30BR2, WRKBZCA2). This was done to correct a problem with how rare responses were coded and to provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 3) One more variable (EDUCCAT2) was added for this release. This additional variable provides consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 4) By not accounting for a specific CAI skip pattern in the NSDUH questionnaire, the past year illicit drug treatment location variables (DRGHOSP DRGRFIN DRGRFOP DRGMHC DRGTXER DRGDOC DRGJAIL DRGSHG) and the past year alcohol treatment location variables (ALCHOSP ALCFIN ALCRFOP ALCMHC ALCTXER ALCDOC ALCJAIL ALCSHG) that were created for the substance use treatment analysis starting in 2000 have underestimated the prevalence of treatment at specific locations. This was corrected in this release.
- 5) The variable IISLTYFU was updated to fix the fact that some respondents were erroneously assigned 3s who should have received 1s.
- 6) The variable IIHALYFU was updated to fix the fact that some respondents were erroneously assigned 2s who should have received 3s.
- 7) The variable GOVTPROG was updated to provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.

2000 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Public Use File Codebook Main Study

Contract No. 283-03-9028
Project No. 8726
Deliverable 25

Prepared for:

Substance Abuse and Mental Health Services Administration
Rockville, Maryland 20857

Prepared by:
Research Triangle Institute

May 18, 2006

TABLE OF CONTENTS

	PAGE

INTRODUCTION AND DESCRIPTION OF THE 2000 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE.....	i-1
Introduction.....	i-1
Overview of the NHSDA.....	i-1
Strengths and Limitations of the NHSDA.....	i-3
SURVEY METHODOLOGY (1999 SURVEY REDESIGN).....	i-4
Stratification and Selection of Primary Sampling Units.....	i-5
Selection of Dwelling Units.....	i-5
Selection of Persons.....	i-6
DATA COLLECTION AND RESPONSE RATES.....	i-7
WEIGHTING PROCEDURES.....	i-7
CONTENTS AND ORGANIZATION OF THE 2000 NHSDA PUBLIC USE FILE.....	i-8
Data File Description.....	i-8
Variable Naming Conventions.....	i-10
USABLE CASES.....	i-10
LOGICAL EDITING.....	i-11
Editing Procedure for Drug Use Variables.....	i-12
Standard Code Conventions.....	i-13
STATISTICAL IMPUTATION.....	i-14
STATISTICAL SIGNIFICANCE OF DIFFERENCES.....	i-16
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES.....	i-17
CONFIDENTIALITY OF DATA.....	i-17
Estimation of Parameters and their Standard Errors.....	i-18
Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Seven Domains.....	i-19
Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Six Domains.....	i-19
CODEBOOK	
IDENTIFICATION.....	1
CORE SUBSTANCE USE	
TOBACCO.....	2
ALCOHOL.....	25
MARIJUANA.....	31
COCAINE.....	36
CRACK.....	41
HEROIN.....	45
HALLUCINOGENS.....	49
INHALANTS.....	63
PAIN RELIEVERS.....	74
TRANQUILIZERS.....	92
STIMULANTS.....	104
SEDATIVES.....	117
IMPUTED SUBSTANCE USE	
RECENCY OF DRUG USE.....	128
PAST YEAR FREQUENCY OF USE.....	136
PAST MONTH FREQUENCY OF USE.....	140
AGE/DATE OF FIRST DRUG USE.....	144
RECODED DRUG USE.....	151
SELECTED UNEDITED VARIABLES.....	171

NON-CORE	
SPECIAL DRUGS.....	199
RECODED SPECIAL DRUGS.....	205
RISK/AVAILABILITY.....	206
RECODED RISK/AVAILABILITY.....	214
SUBSTANCE DEPENDENCE AND ABUSE.....	216
RECODED SUBSTANCE DEPENDENCE AND ABUSE.....	303
SPECIAL TOPICS.....	312
RECODED SPECIAL TOPICS.....	322
DRUG TREATMENT.....	324
RECODED DRUG TREATMENT.....	360
ADULT MENTAL HEALTH SERVICE UTILIZATION.....	369
RECODED ADULT MENTAL HEALTH SERVICE.....	384
SOCIAL ENVIRONMENT.....	385
YOUTH EXPERIENCES.....	394
RECODED YOUTH EXPERIENCES.....	419
ADOLESCENT MENTAL HEALTH.....	426
YOUTH MENTAL HEALTH SERVICE UTILIZATION.....	451
HOUSEHOLD COMPOSITION (ROSTER).....	470
PREGNANCY AND HEALTH CARE.....	472
INCOME AND INSURANCE.....	475
INTERVIEW INFORMATION.....	497
DEMOGRAPHICS	
CORE DEMOGRAPHICS.....	499
IMPUTED DEMOGRAPHICS.....	500
NON-CORE DEMOGRAPHICS.....	503
RECODED DEMOGRAPHICS.....	510
EMPLOYMENT AND WORKPLACE.....	511
FIELD INTERVIEWER EXPERIENCE VARIABLES.....	523
GEOGRAPHIC.....	524
SAMPLE WEIGHTING AND ESTIMATION VARS.....	525
ALPHA INDEX OF VARIABLE NAMES.....	526
INDEX OF VARIABLE NAMES.....	568

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug Other Specify Tables
APPENDIX C	Tobacco Brand Codes for Open-Ended Questions
APPENDIX D	Substance Dependence and Abuse Variable Documentation
APPENDIX E	Occupational Classification System For Recodes
APPENDIX F	Industrial Classification System For Recodes
APPENDIX G	Variable Map

INTRODUCTION AND DESCRIPTION OF THE 2000 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 2000 National Household Survey on Drug Abuse (NHSDA) public use file. The variable names in this codebook are the variable names that appear in the dataset. The NHSDA is sponsored by the Office of Applied Studies (OAS) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI of Research Triangle Park, North Carolina.

For each variable on the 2000 public use file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as interview items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in the codebook.

Extensive work was done on the 2000 public use file to protect respondent confidentiality while still allowing most variables to be available for analysts' use. These procedures are discussed in greater detail in the Confidentiality of Data section of this introduction. Briefly, the steps included standard procedures for eliminating variables for which there was a high risk that individuals could be identified and collapsing values of other variables. Additional special techniques to protect respondent confidentiality included subsampling of records and substitution of data from donors. Analysis of the data after these procedures showed that the effect on the levels and accuracy of estimates was minimal. Nevertheless, *because of the procedures that were implemented, users of this file are advised that previously published estimates may not be exactly reproducible from the variables on this file.*

Overview of the NHSDA

The 2000 NHSDA is the 20th in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the noninstitutionalized U.S. civilian population aged 12 or older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 1999. Currently, public use files are available for surveys from 1979 onward.

In 1999, the NHSDA underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a State-based sampling plan. These important changes have a major impact on the data produced from the NHSDA. *Because of the differences in methodology and impact of the new design on data collection, only*

limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999.

Prior to 1999, the NHSDA was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The NHSDA PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions, such as demographics, occupational status, household size, and composition, were asked aloud by the interviewer and recorded in the questionnaire booklet.

Starting in 1999, the NHSDA interview is now carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of a computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer are now administered by an interviewer using CAPI. Questions previously administered using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

The 2000 NHSDA documentation includes specifications for the logic governing how respondents were routed through the questions in the interview. Analysts are encouraged to reference this document in conjunction with their review of the codebook (for searchable versions of the specifications, see <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>).

A key feature of the NHSDA CAI instrument is a core/supplement structure. A core set of questions critical for basic trend measurement of prevalence rates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. It should be mentioned that some of the supplemental portions of the questionnaire have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The target population for the 2000 survey was the same as has been defined since the 1991 NHSDA: the civilian, noninstitutionalized population of the United States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 States. Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on

military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 NHSDAs retained the oversampling of the six MSAs and were also designed to provide quarterly as well as annual estimates.

Beginning in 1999, the NHSDA sample employed a 50-State design with an independent, multistage area probability sample for each of the 50 States and the District of Columbia. The eight States with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample States (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas). For these States, the design provided a sample large enough to support direct State estimates. For the remaining 42 States and the District of Columbia, smaller, but adequate, samples were selected to support State estimates using small area estimation (SAE) techniques. The design also oversampled youths and young adults, so that each State's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

A description of the 2000 survey, including more detailed information on sample issues, can be found in the following NHSDA report:

Summary of Findings from the 2000 National Household Survey on Drug Abuse (DHHS Publication No. SMA 01-3549, NHSDA Series H-13). This report presents in tabular, graphical, and narrative bullet formats some key findings on drug use prevalence by age and major demographic variables in 2000. It is available at <http://www.samhsa.gov/oas/p0000016.htm#standard>.

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the noninstitutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because most drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

The redesign of the NHSDA also has yielded improvements. With the expanded sample design, the precision of the estimates at the national level is improved substantially. The CAI methodology also has made data collection and processing more efficient and has improved the quality of the data.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some underreporting and overreporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not

followed for additional interviews. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology (1999 Survey Redesign)

As noted above, the 1999 survey was the first conducted using CAI methods and marked the first year in a transition to improved State estimates based on minimum sample sizes per State. Household screening was also converted from a paper screening form to a handheld computer (Newton). To obtain the required precision at the State level and to improve the precision at the national level, an additional supplemental sample of 2,500 youths aged 12 to 17 was included to yield a total overall sample of 70,000. This large sample size allowed SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample size for the 2000 survey was 71,764 persons. *Because of the subsampling step used in the procedures to control the risk of disclosing the identity of any respondent, only 58,680 records appear on the public use file (see the section on Confidentiality of Data).*

A coordinated 5-year sample design was developed. Although there is no overlap with the 1998 sample, a coordinated design for 1999 through 2003 facilitated a 50 percent overlap in first-stage units (area segments [see below]) between each 2 successive years from 1999 through 2003.¹ This design was intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive NHSDA years.

The 1999 through 2003 design allows for computation of estimates by State in all 50 States plus the District of Columbia. States may therefore be viewed as the first level of stratification as well as a reporting variable. Eight States, referred to as the large sample States, had a sample designed to yield 3,600 to 4,630 respondents per State for the 2000 survey. This sample size was considered adequate to support direct State estimates. The remaining 43 States had a sample designed to yield 900 to 1,030 respondents per State in the 2000 survey. In these 43 States, adequate data were available to support reliable State estimates based on SAE methodology. Initial plans called for target sample sizes of 3,600 persons in each of the eight large sample States and 900 in each of the remaining States. The additional sample of 2,500 youths aged 12 to 17 was allocated across States in a manner to most effectively increase the

¹In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

precision of national estimates. As a result, some State sample sizes were higher than the initially planned sample sizes of 3,600 for large sample States and 900 for small sample States.

Stratification and Selection of Primary Sampling Units (Area Segments)

Within each State, sampling strata called field interviewer (FI) regions were formed. Based on a composite size measure, States were geographically partitioned into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period, thus distributing the workload equally among interviewers. The eight large sample States were divided into 48 FI regions; the remaining States were divided into 12 FI regions. Therefore, the partitioning of the United States resulted in the formation of a total of 900 FI regions.

For the first stage of sampling, each of the FI regions was partitioned into small geographic areas composed of adjacent Census blocks. These geographic clusters of blocks are referred to as *segments*, but were actually the primary sampling units (PSUs) for the new 50-State design. A sample *dwelling unit* in the NHSDA refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 175 dwelling units.²

Before selecting sample segments, additional implicit stratification was achieved by sorting the first-stage sampling units by a metropolitan statistical area/socioeconomic status (MSA/SES) indicator³ and by the percentage of the population who are non-Hispanic and white. Within each FI region, a large segment sample was selected with probabilities proportional to size to serve as a pool of segments for the coordinated 5-year design and to allow for partial replacement of the segment sample each year. A subsample of eight area segments was selected for 2000; the sample of eight segments was further partitioned into four samples of two segments each and assigned to the four quarterly survey periods. Within each FI region, one segment per quarter was a repeat segment, retained from the 1999 sample, and one segment per quarter was a new segment that remained in the sample for 2000 and 2001.

Selection of Dwelling Units

The sample design required an approximately equal number of persons in three age groups: 12 to 17 years, 18 to 25 years, and 26 years or older. To improve the precision of the estimates, the sample allocation process targeted five age groups: 12 to 17 years, 18 to 25 years, 26 to 34 years, 35 to 49 years, and 50 years or older. Here the allocation among the three age groups in the 26 years or older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12 to 17 and 18 to 25 age groups. The

²Dwelling unit counts were obtained from the 1990 Decennial Census data supplemented with revised population counts from Claritas.

³Four categories were defined: (1) MSA/low SES, (2) MSA/high SES, (3) non-MSA/low SES, and (4) non-MSA/high SES.

size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following:

advance projections on the number of dwelling units did not accurately reflect the current housing inventory;

maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and

the person selection probabilities were constrained so that no more than two persons could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.⁴

Selection of Persons

During each quarterly survey, FIs visited each sample address to determine dwelling unit eligibility, to list all eligible persons at the address, to select the sample of persons to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing were also included in the sample.

The interviewers used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call, the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, they also conducted a screening interview to identify and roster all survey-eligible persons residing at the address. When the roster was complete, the computer was programmed to select the sample of persons to be interviewed using parameters specified for that area segment and a random number specified for that address.

⁴This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters (see L. Kish, 1965, *Survey Sampling*, New York: John Wiley).

Data collection progress was monitored during each quarterly survey by State. Small reserve samples were held back each quarter so that the assigned sample size could be adjusted if necessary during the course of data collection.

Data Collection and Response Rates

The fieldwork for the 2000 NHSDA was directed by senior RTI staff members. RTI maintained a field staff of approximately 1,000 FIs to collect the data.

As noted above, a total final sample of 71,764 computer-assisted interviews was obtained for the 2000 survey. Strategies for ensuring high rates of participation resulted in a weighted screening response rate of 93 percent and a weighted interview response rate for the CAI of 74 percent. (Note that these response rates reflect the original sample, not the subsampled data file referenced in this document.)

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering.

Weighting Procedures

The estimates yielded by the NHSDA are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain unbiased estimates for drug use in the population represented by the 2000 NHSDA. The "final sampling weight" of the i^{th} respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population represented by the i^{th} respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i \text{ estimated size of target population,} \quad (1)$$

where the summation is over all respondents in the 2000 NHSDA.

The "basic sampling weights" for the 2000 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight of that respondent is in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of three stagewise sampling probabilities. Specifically, the probability

of selecting respondent *i* equals the product of (a) the probability of selecting respondent *i*'s segment given the State and FI region in which it is located, (b) the probability of selecting respondent *i*'s dwelling unit given the selection of his or her segment, and (c) the probability of selecting respondent *i* within that selected dwelling unit.

To obtain the full sample "final NHSDA weights," the basic sampling weights were adjusted to take into account dwelling unit-level and individual-level nonresponse. These weights were further adjusted to ensure consistency with intercensal population projections obtained from the U.S. Bureau of the Census (see <http://www.census.gov/> and www.census.gov/population/www/projections/st_yr95to00.html).

For the public use file, a portion of the records was randomly subsampled from the original file and removed to introduce uncertainty in a "potential intruder's" mind while reducing the probability that any known respondent was in the public use file (see "Confidentiality of Data," page i-17). Therefore, the weights of the members of the remaining sample were subsequently adjusted for subsampling. The weights were then calibrated to known totals from the full analytic file in order to increase precision. (See the section on Confidentiality of Data for more details.)

Contents and Organization of the 2000 NHSDA Public Use File

Data File Description

The file described here is made available as an ASCII file with 1,866 variables and 58,680 observations. Three programs are made available to read the ASCII file into SAS, SPSS, or Stata. The file is also made available as a SAS transport (XPORT) file, SPSS portable file, and Stata system file. The ASCII file and programs are available from SAMHDA at <http://datafiles.samhsa.gov>.

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. These variables contain missing data; see the section on Standard Code Conventions for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code are shown in the entry for that variable.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are*

provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are presented in the codebook section on Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in this codebook) were used to create recoded summary measures of dependence on alcohol or other drugs. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values.

For recoded variables, the missing data codes contained in the source variables and defined in the Standard Code Convention section of this codebook were often recoded to the standard missing code (.). It is intended that cases containing these missing codes be excluded from an analysis.

A map file also is included to aid users in determining associations between different types of variables (Appendix G). The map file gives a correspondence between question names in the CAI instrument specifications (see <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>), edited variables, and recoded variables.⁵

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question depending on prior information from the interview. For this reason, individual variables do not exist on this file that correspond to every question in the interview. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for cigarettes, as shown in the specifications at <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug. To facilitate analysis, therefore, responses from these multiple year-of-first-use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.

⁵Some section names in the CAI instrument specifications have been changed for this codebook to make the contents of the section clearer to data file users. For example, the Substance Dependence and Abuse section of this codebook corresponds to the Drug Dependence and Withdrawal section in the instrument specifications.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. The user is advised, however, that the transition to a CAI mode of data collection beginning in 1999 marked an important change not only in the conduct of the survey but also in the data that the survey yielded. Therefore, *data collected with the CAI mode beginning in 1999 are generally not comparable with data collected with the old PAPI mode in prior years, even if the basic wording or content of a question was the same in both the CAI and PAPI instruments.*

As much as possible, however, CAI variables were named identically to the PAPI variables when the content of questions was identical or similar in CAI and PAPI. Use of variable names in CAI that had previously been used in PAPI preserved the historical meaning of key variables, such as those pertaining to the most recent time that respondents used a particular drug.

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial "gate" question.⁶ Consequently, whether a CAI respondent was a lifetime user or nonuser of the drugs of interest could be readily determined by reviewing the respondent's answers to the "gate" question on lifetime use of that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted below.

1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use/nonuse was undefined.

⁶In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens LSD, PCP, peyote, mescaline, psilocybin/mushrooms, Ecstasy, or "any other" hallucinogen).

2. Responses to questions on at least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants, (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.

The 2000 interview also included follow-up probes for respondents who initially refused to answer a gate question. Follow-up probes were included in 2000 for the following modules that were relevant to the usable case rule: cigarettes, chewing tobacco, snuff, cigars, alcohol, marijuana, cocaine, heroin, and the specific hallucinogens LSD and PCP. If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate information.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if at least one lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogen series was answered as "yes" or "no" for hallucinogens).

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was further reduced through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

Logical editing of data was first conducted for many of the variables. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section). As part of this

procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

As a general principle when editing data in all the modules, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).⁷ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. That included situations in which respondents initially refused to answer a question about their lifetime use of a drug but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures. If values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular prescription-type psychotherapeutic drug.

Following determination of lifetime use or nonuse of a given drug, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The 2000 interview included follow-up probes for respondents who were lifetime users of a given drug but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a drug were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a drug were asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a drug but then reported last using it more than 30 days ago

⁷One exception to the principle of not editing across modules involved situations where responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin, they were not asked questions in the noncore treatment module about treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

but within the past 12 months, their edited recency indicated use in that period, in the absence of any information that was inconsistent with what they reported in the probe (see below).

Situations were identified and flagged in which there were potential inconsistencies between a respondent's answer to a drug's recency question (or the answer in a follow-up probe) and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies were then addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that it could at least be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in the lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered "don't know" or "refused" to a drug's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

- 91 or 991 or 9991, etc. = NEVER USED [DRUG(S) OF INTEREST]
- 93 or 993 or 9993, etc. = USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
- 94 or 994 or 9994, etc. = DON'T KNOW
- 97 or 997 or 9997, etc. = REFUSED
- 98 or 998 or 9998, etc. = BLANK (i.e., not answered; not asked the question)
- 99 or 999 or 9999, etc. = LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process:

- 81 (or 981, 9981, etc.) = NEVER USED [DRUG(S) OF INTEREST] Logically assigned
- 83 (or 983, 9983, etc.) = USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
- 85 (or 985, 9985, etc.) = BAD DATA Logically assigned (i.e., usually inconsistent with other data)
- 89 (or 989, 9989, etc.) = LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

the respondent broke off the interview before reaching a particular question or section;

the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or

the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable artificial values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED." In addition, most imputation-revised variables have names with the prefix "IR." Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" in

their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value.

The levels within the imputation-revised variables were limited to the valid responses in the interview itself. If neither editing nor imputation was required for a particular characteristic, the levels for the edited and imputation-revised variables were the same, with each level corresponding to a valid interview response. If an edited variable had a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that did not correspond to a valid interview response indicated that the information available for that respondent was incomplete and, consequently, imputation was required. These levels were replaced by imputed values corresponding to valid interview responses, which were consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the case of recency of use, some levels in the edited variable described a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

Prior to 2000, for all demographic variables requiring imputation in the NHSDA, missing data were imputed using an unweighted sequential hot-deck procedure, with various sorting and classing variables. In 2000, the only demographic variables to which this method was applied were education level and employment status. The imputation method applied to all other demographic variables was predictive mean neighborhoods (PMN), a procedure developed specifically for the NHSDA. A combination of model-assisted and nearest neighbor hot-deck imputation methods, PMN is described in detail, along with its application to the NHSDA, in the 2000 Methodological Resource Book.⁸

To protect confidentiality, the imputation-revised race and Hispanic origin variables were not included on this file. This information is provided in a recoded variable that combines race and Hispanic ethnicity (NEWRACE2). The original version of the imputation-revised education level variable was also omitted from this file, to be replaced by a recoded version (IREDUCT2). However, the original marital status variable (IRMARIT) and employment status variables (EMPSTAT3, EMPSTAT4, and EMPSTATY) are included. Although no missing data were imputed for gender, the potential for missing data makes an "IR" prefix necessary for this variable (IRSEX).

In the 2000 CAI instrument, the core drug use variables were recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use. Imputation of missing values in these core drug use variables was accomplished using PMN, as was true in

⁸RTI. (2002, July). *2000 National Household Survey on Drug Abuse: Methodological resource book* (prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-98-9008, Deliverable No. 28, RTI 7190). Research Triangle Park, NC. See documentation regarding Imputation at <http://datafiles.samhsa.gov>.

1999. The PMN method was also used to impute missing values in many of the income, insurance, and roster-derived household composition variables in the 2000 CAI instrument.

Statistical Significance of Differences

The NHSDA's redesign has improved the precision of its estimates of substance use prevalence, but the redesign has also made it difficult to assess long-term trends. *As noted previously, it is not considered appropriate to make comparisons of the 1999 and later CAI estimates with earlier NHSDA estimates to assess trends in substance use, due to the major differences between the CAI and PAPI methods. If comparisons such as these are made, it is recommended that they be interpreted with caution.*

Customarily, the observed difference between estimates is evaluated in terms of its "statistical significance," which refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. The significance of observed differences is generally reported at the 0.05 and 0.01 levels.

To compare the prevalence of drug use between survey year prevalence estimates, year1 and year2, one can test the null hypothesis (no difference in the year1 and year2 prevalence rates) against the alternative hypothesis (there is a difference in prevalence rates) using the standard difference in proportions test, expressed as follows :

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}}$$

where

\hat{p}_1 = year1 estimated proportion,

$\text{var}(\hat{p}_1)$ = variance estimate for \hat{p}_1 ,

\hat{p}_2 = year2 estimated proportion,

$\text{var}(\hat{p}_2)$ = variance estimate for \hat{p}_2 , and

$\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between \hat{p}_1 and \hat{p}_2 .

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Calculated values of Z can therefore be referred to as the unit normal distribution to determine the corresponding probability level (i.e., p value). Because there is a 50 percent overlap in the sampled segments between successive years of the NHSDA samples (see the section on Survey Methodology (1999 Survey Redesign)), the covariance term in the formula for Z will, in general, be greater than zero. As described below, commercially available variance estimation software

can be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for Z can be used for estimated totals.

Two non-independent prevalence estimates from the same data year can be compared using the above formula. Using this formula directly and ignoring the covariance term, which is usually small and positive, will result in a somewhat conservative test of hypotheses that will sometimes fail to establish statistical significance when in fact it exists. Survey analysis software can calculate such within year comparison estimates so that the covariance term is calculated by accounting for the sample design.

Use of Sample Weights and Sample Design Variables

Due to various adjustments, such as those for nonresponse and poststratification, the 2000 NHSDA sample is not self-weighting. *Analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population.* All estimates published in SAMHSA reports (such as the Summary of Findings from the 2000 NHSDA) are weighted using the final analysis weight for the full sample. For the public use file, the corresponding final sample weight is denoted as ANALWT_C; C for confidentiality protection. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT_C, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the full sample weighting procedures and the sample weight components may be found in the 2000 Methodological Resource Book available from SAMHSA (see footnote 8).

The public use file contains two sample design variables in addition to ANALWT_C. These variables are VESTR (variance estimation (pseudo) stratum) and VEREP (variance estimation (pseudo) replicate within each stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages. The SAMHDA Data Analysis System (<http://datafiles.samhsa.gov>) also has this capacity and is available for public use. However, the data analysis software in SAMHDA uses the terms Stratum and Cluster, which correspond respectively to VESTR and VEREP in the public use file.

Confidentiality of Data

To protect the confidentiality of respondents to the 2000 NHSDA, the full analytic file of approximately 72,000 persons has been modified in a number of ways. All directly identifying information on the file has been eliminated. In addition, Census region, State, and other geographic identifiers have been removed. This is an individual record file, and the household link between two persons who responded from the same household has been removed.

All variables on the file were reviewed for the possibility of identifying the respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures

of categorization and top-and-bottom coding. In addition, two other techniques were used to introduce sufficient uncertainty for any person who attempted to disclose an individual identity and the confidential responses. First, a portion of the records was randomly subsampled and removed from the file to reduce the probability that any known respondent was in the public use file. Second, also on a random basis, a sample of records was designated, and variables were substituted from a similar donor record. This process makes it difficult for a "data snooper" to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may come from different individuals. The result is that there is a very small probability of identifying an individual from the file.

Subsampling and substitution were done while simultaneously constraining the resultant file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across numerous domains. In addition, the weights on the final file were recalibrated to known totals from the full analytic file so as to minimize the decrease in precision owing to the two techniques.

A number of variables were reviewed after the above process was undergone in order to determine the impact of these techniques on the bias and precision of estimates compared with the full file. These variables included both variables for which partial records were substituted, as well as other variables. In addition, the precision was studied for over 340 variables/subdomains. The difference in the estimates from the full analytic file and the public use file was typically about plus or minus 1 or 2 percent. In a few cases, it was higher, the highest being minus 55 percent for SEDFLAG (sedatives ever used) in domain Non-Hispanic Native American/Alaska Native. The decrease in precision was typically below 7 percent on average, with HERYR (heroin past year use) and ALCMON (alcohol past month use) being the only exceptions, at about 10 to 11 percent increase of the standard error.

Estimation of Parameters and Their Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 6 drug use prevalence measures and 34 demographic domains. Survey analysis software can be used with these weights, along with VESTR and VEREP to estimate various parameters and their standard errors. Because of calibration, some of the prevalence estimates for certain demographic domains from the public use file will be identical to the full sample estimates. Tables 1 and 2 show prevalence estimates and their standard errors for demographic domains that were not included in the calibration constraints.

Table 1 shows the ratio of prevalence estimates and standard errors from the public use file subsample to the full sample for past month marijuana use, a relatively high prevalence drug. The results are shown for seven demographic domains.

Table 2 shows the same ratios for past year heroin use, a relatively low prevalence drug. Only six of the seven demographic domains are presented because the Native Hawaiian/other Pacific Islander domain had a 0 heroin prevalence estimate.

Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American/Alaska Native	1.00	0.99
Non-Hispanic Native Hawaiian/other Pacific Islander	1.00	1.09
Non-Hispanic Asian	1.05	1.19
Non-Hispanic more than one race	0.99	1.05
Household has four members	1.02	1.19
Household has five members	0.98	0.97
Household has six or more members	0.98	0.99

Note: Ratio = [Public use file subsample estimate / Full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000.

Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Six Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American/Alaska Native	0.64	0.65
Non-Hispanic Asian	0.64	0.59
Non-Hispanic more than one race	1.22	1.21
Household has four members	1.05	1.18
Household has five members	0.74	0.77
Household has six or more members	0.99	1.28

Note: Ratio = [Public use file subsample estimate / Full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000.

LABEL	LEN	IDENTIFICATION DESCRIPTION	PAGE:	1
-----	----	-----	FREQ	%
		-----	-----	-
(QUESTID)		IDENTIFICATION ----- The following variable, QUESTID, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the interview date (INTDATE) when using the QUESTID.		
QUESTID	7	RESPONDENT IDENTIFICATION		

LABEL	LEN	DESCRIPTION	FREQ	%
(CG01)		TOBACCO		
		NOTE: Respondents who said "don't know" or refused to answer CG07 (During the past 30 days, on how many days did you smoke part or all of a cigarette?) were subsequently routed into CG07DKRE (What is your best estimate of the number of days you smoked part of or all of a cigarette during the past 30 days?). These respondents should have later been routed into CG15 (Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?) and CG16 (How old were you when you first started smoking cigarettes every day?), but there was an error in the program that allowed them to skip these questions. This error was fixed on 3/15/2000. Variables affected by this patch are denoted by an '*' to the left of the variable name.		
		These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.		
		Have you ever smoked part or all of a cigarette?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGEVER	1	EVER SMOKED A CIGARETTE		
		1 = Yes.....	34026	57.99
		2 = No.....	24654	42.01
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?		
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
		1 = Definitely Yes.....	41	0.07
		2 = Probably Yes.....	232	0.40
		3 = Probably Not.....	2030	3.46
		4 = Definitely Not.....	10422	17.76
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	45925	78.26

TOBACCO			PAGE:	3
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?		
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
		1 = Definitely Yes.....	18	0.03
		2 = Probably Yes.....	202	0.34
		3 = Probably Not.....	1906	3.25
		4 = Definitely Not.....	10588	18.04
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	45925	78.26
(CG04)		How old were you the first time you smoked part or all of a cigarette?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 1 - 77	33170	56.53
		985 = BAD DATA Logically assigned.....	391	0.67
		991 = NEVER USED CIGARETTES.....	24654	42.01
		994 = DON'T KNOW.....	408	0.70
		997 = REFUSED.....	57	0.10
(CG04A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG04a, CG04b, CG04c, and CG04d were used to create the following two variables.		
CIGYFU	4	YEAR OF FIRST CIGARETTE USE - RECODE		
		RANGE = 1998 - 2000	1757	2.99
		9985 = BAD DATA Logically assigned.....	803	1.37
		9989 = LEGITIMATE SKIP Logically assn.....	9	0.02
		9991 = NEVER USED CIGARETTES.....	24654	42.01
		9994 = DON'T KNOW.....	411	0.70
		9997 = REFUSED.....	60	0.10
		9998 = BLANK (NO ANSWER).....	286	0.49
		9999 = LEGITIMATE SKIP.....	30700	52.32

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
CIGMFU	2	MONTH OF FIRST CIGARETTE USE - RECODE		
		1 = January.....	115	0.20
		2 = February.....	72	0.12
		3 = March.....	118	0.20
		4 = April.....	70	0.12
		5 = May.....	123	0.21
		6 = June.....	201	0.34
		7 = July.....	168	0.29
		8 = August.....	149	0.25
		9 = September.....	125	0.21
		10 = October.....	130	0.22
		11 = November.....	104	0.18
		12 = December.....	89	0.15
		85 = BAD DATA Logically assigned.....	831	1.42
		89 = LEGITIMATE SKIP Logically assn.....	9	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		94 = DON'T KNOW.....	689	1.17
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	258	0.44
		99 = LEGITIMATE SKIP.....	30700	52.32

(CG05) Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last smoked part or all of a cigarette?

CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES		
		1 = Within the past 30 days.....	15037	25.63
		2 = More than 30 days ago but within the past 12 mos..	3418	5.82
		3 = More than 12 months ago but within the past 3 yrs.	3751	6.39
		4 = More than 3 years ago.....	11221	19.12
		8 = Used at some point in the past 12 mos LOG ASSN....	14	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	49	0.08
		14 = Used more than 12 months ago LOG ASSN.....	287	0.49
		19 = Used more than 30 days ago LOG ASSN.....	249	0.42
		91 = NEVER USED CIGARETTES.....	24654	42.01

TOBACCO			PAGE:	5
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG07)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigarette?		
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS		
		RANGE = 1 - 30	14735	25.11
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	273	0.47
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	52	0.09
(CG07DKRE)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS		
		1 = 1 or 2 days.....	35	0.06
		2 = 3 to 5 days.....	35	0.06
		3 = 6 to 9 days.....	35	0.06
		4 = 10 to 19 days.....	38	0.06
		5 = 20 to 29 days.....	32	0.05
		6 = All 30 days.....	77	0.13
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	14735	25.11
(CG08)		On the [CG07 days/CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED		
		1 = Less than one cigarette per day.....	1870	3.19
		2 = 1 cigarette per day.....	1375	2.34
		3 = 2 to 5 cigarettes per day.....	3479	5.93
		4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3858	6.57
		5 = 16 to 25 cigarettes per day (about 1 pack).....	3173	5.41
		6 = 26 to 35 cigarettes per day (about 1 1/2 packs)...	814	1.39
		7 = More than 35 cigs per day (abt 2 packs or more)...	361	0.62
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	31	0.05
		98 = BLANK (NO ANSWER).....	90	0.15

		TOBACCO	PAGE:	6
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
(CG11)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CIG30BR2	4	CIG BRAND USED MOST OFTEN PAST MO - RECODE		
		101 = Basic.....	492	0.84
		102 = Benson & Hedges.....	186	0.32
		103 = Cambridge.....	37	0.06
		104 = Camel.....	1397	2.38
		105 = Capri.....	73	0.12
		106 = Carlton.....	41	0.07
		107 = Doral.....	312	0.53
		109 = GPC.....	251	0.43
		110 = Kent.....	22	0.04
		111 = Kool.....	273	0.47
		112 = Marlboro.....	7745	13.20
		113 = Merit.....	90	0.15
		114 = Misty.....	96	0.16
		115 = Monarch.....	25	0.04
		116 = Montclair.....	23	0.04
		117 = More.....	18	0.03
		118 = Newport.....	2099	3.58
		119 = Pall Mall.....	31	0.05
		120 = Parliament.....	225	0.38
		121 = Private Label.....	18	0.03
		122 = Salem.....	202	0.34
		123 = Vantage.....	25	0.04
		124 = Viceroy.....	27	0.05
		125 = Virginia Slims.....	231	0.39
		126 = Winston.....	325	0.55
		127 = Alpine.....	5	0.01
		129 = Belair.....	9	0.02
		130 = Best Value.....	8	0.01
		132 = Bugler (roll-your-own).....	9	0.02
		137 = Eve.....	7	0.01
		142 = Lucky Strike.....	12	0.02
		144 = Maverick.....	30	0.05
		146 = Now.....	6	0.01
		147 = Old Gold.....	44	0.07
		149 = Pyramid.....	8	0.01
		150 = Raleigh.....	4	0.01
		152 = Saratoga.....	5	0.01
		157 = Tareyton.....	6	0.01
		158 = Top (roll-your-own).....	22	0.04
		160 = True.....	18	0.03
		161 = American Spirit.....	43	0.07
		162 = Austin.....	4	0.01
		169 = Bronson.....	3	0.01
		171 = Checkers.....	7	0.01
		173 = Clove; brand unspecified.....	5	0.01

TOBACCO			PAGE:	7
LABEL	LEN	DESCRIPTION	FREQ	%
174	=	Daves.....	3	0.01
175	=	Djarum cigarettes.....	28	0.05
176	=	Drum rolling tobacco.....	4	0.01
178	=	Dunhill cigarettes.....	11	0.02
179	=	Eagle.....	5	0.01
183	=	First Class.....	5	0.01
185	=	Generic cigarettes; brand unspecified.....	6	0.01
188	=	Gunsmoke.....	7	0.01
189	=	Hi-Value.....	4	0.01
190	=	Jacks.....	5	0.01
193	=	Kamel Red.....	15	0.03
196	=	Mainstreet.....	7	0.01
404	=	Black & Mild.....	17	0.03
423	=	Swisher Sweets.....	7	0.01
445	=	Corona; brand unspecified.....	3	0.01
1001	=	Nat Sherman cigarettes.....	5	0.01
1005	=	Private Stock.....	4	0.01
1006	=	Quality Smokes.....	6	0.01
1011	=	Sampoerna.....	9	0.02
1017	=	Sundance.....	5	0.01
1018	=	USA Gold.....	33	0.06
1019	=	Vegas cigarettes.....	4	0.01
1020	=	Waves.....	9	0.02
1022	=	Bailey.....	3	0.01
1023	=	Sport.....	9	0.02
1029	=	Tourney.....	14	0.02
1037	=	DTC.....	6	0.01
1040	=	Smokin Joes cigarettes.....	3	0.01
1044	=	Worth.....	5	0.01
1047	=	New York New York cigarettes.....	3	0.01
1048	=	Carnival.....	3	0.01
1050	=	USA.....	13	0.02
1055	=	Geranimo.....	3	0.01
1083	=	Liggett Select.....	3	0.01
1999	=	Other cigarette brand or unspecified.....	152	0.26
3999	=	Other snuff brand or unspecified.....	1	0.00
4999	=	Other cigar/cigarillo brand or unspecified.....	13	0.02
5999	=	Other pipe tobacco brand or unspecified.....	1	0.00
7999	=	Not a tobacco product.....	2	0.00
9000	=	Did not confirm after 3 passes thru brand Qs.....	1	0.00
9985	=	BAD DATA Logically assigned.....	11	0.02
9991	=	NEVER USED CIGARETTES.....	24654	42.01
9993	=	DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
9994	=	DON'T KNOW.....	58	0.10
9997	=	REFUSED.....	23	0.04
9998	=	BLANK (NO ANSWER).....	52	0.09

TOBACCO			PAGE:	8
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CGTAR1)		During the past 30 days, what type of cigarettes did you smoke most often?		
CIG30TYP	2	WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS		
		1 = Lights.....	7296	12.43
		2 = Ultra Lights.....	1639	2.79
		3 = Full Flavor.....	5931	10.11
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	95	0.16
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	107	0.18
(CGMENTH1)		During the past 30 days, did you smoke menthol or regular cigarettes most often?		
CIG30MEN	2	MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS		
		1 = Menthol.....	4044	6.89
		2 = Regular.....	10848	18.49
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	71	0.12
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	107	0.18
(CG14)		During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?		
CIG30RO2	2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
		1 = Yes.....	1533	2.61
		2 = No.....	13484	22.98
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	52	0.09

TOBACCO			PAGE:	9
LABEL	LEN	DESCRIPTION	FREQ	%
(CG15)		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?		
*CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
		1 = Yes.....	8836	15.06
		2 = No.....	16711	28.48
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	8361	14.25
		91 = NEVER USED CIGARETTES.....	24654	42.01
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	86	0.15
(CG16)		How old were you when you first started smoking cigarettes every day?		
*CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 1 - 77	16952	28.89
		985 = BAD DATA Logically assigned.....	36	0.06
		991 = NEVER USED CIGARETTES.....	24654	42.01
		994 = DON'T KNOW.....	176	0.30
		997 = REFUSED.....	31	0.05
		998 = BLANK (NO ANSWER).....	120	0.20
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	16711	28.48
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?		
CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE		
		1 = Yes.....	11453	19.52
		2 = No.....	14946	25.47
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	7464	12.72
		91 = NEVER USED CIGARETTES.....	24654	42.01
		94 = DON'T KNOW.....	135	0.23
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	4	0.01

TOBACCO			PAGE:	10
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG17)		The next questions are only about chewing tobacco.		
		Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.		
		Have you ever used chewing tobacco, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CHEWEVER	2	EVER USED CHEW EVEN ONCE		
		1 = Yes.....	9569	16.31
		2 = No.....	49102	83.68
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	4	0.01
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW		
		RANGE = 1 - 70	9290	15.83
		985 = BAD DATA Logically assigned.....	112	0.19
		991 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		994 = DON'T KNOW.....	147	0.25
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	5	0.01
(CG18A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, and CG18d were used to create the following two variables.		
CHEWYFU	4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
		RANGE = 1998 - 2000	657	1.12
		9985 = BAD DATA Logically assigned.....	253	0.43
		9991 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		9994 = DON'T KNOW.....	150	0.26
		9997 = REFUSED.....	26	0.04
		9998 = BLANK (NO ANSWER).....	83	0.14
		9999 = LEGITIMATE SKIP.....	8409	14.33

TOBACCO			PAGE:	11
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CHEWMFU	2	MONTH OF FIRST CHEWING TOBACCO USE - RECODE		
		1 = January.....	36	0.06
		2 = February.....	33	0.06
		3 = March.....	46	0.08
		4 = April.....	42	0.07
		5 = May.....	41	0.07
		6 = June.....	62	0.11
		7 = July.....	69	0.12
		8 = August.....	54	0.09
		9 = September.....	45	0.08
		10 = October.....	47	0.08
		11 = November.....	53	0.09
		12 = December.....	45	0.08
		85 = BAD DATA Logically assigned.....	267	0.46
		91 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		94 = DON'T KNOW.....	228	0.39
		97 = REFUSED.....	32	0.05
		98 = BLANK (NO ANSWER).....	69	0.12
		99 = LEGITIMATE SKIP.....	8409	14.33
(CG19)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used chewing tobacco?		
CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO		
		1 = Within the past 30 days.....	1600	2.73
		2 = More than 30 days ago but within the past 12 mos..	1059	1.80
		3 = More than 12 months ago but within the past 3 yrs.	1351	2.30
		4 = More than 3 years ago.....	5351	9.12
		8 = Used at some point in the past 12 mos LOG ASSN....	6	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	12	0.02
		14 = Used more than 12 months ago LOG ASSN.....	65	0.11
		19 = Used more than 30 days ago LOG ASSN.....	125	0.21
		91 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	5	0.01

TOBACCO			PAGE:	12
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG21)		During the past 30 days, that is since DATEFILL, on how many days did you use chewing tobacco?		
CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		RANGE = 1 - 30	1573	2.68
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		93 = DID NOT USE CHEWING TOBACCO PAST 30 DAYS.....	7951	13.55
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	22	0.04
(CG21DKRE)		What is your best estimate of the number of days you used chewing tobacco during the past 30 days?		
CH30EST	2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		1 = 1 or 2 days.....	7	0.01
		2 = 3 to 5 days.....	4	0.01
		3 = 6 to 9 days.....	1	0.00
		4 = 10 to 19 days.....	3	0.01
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	5	0.01
		91 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	7951	13.55
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	1573	2.68

TOBACCO			PAGE:	13
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG22)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CHW30BR2	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	104	0.18
		202 = Chattanooga Chew.....	17	0.03
		203 = Day's Work.....	10	0.02
		204 = Granger.....	10	0.02
		206 = Levi Garrett.....	171	0.29
		207 = Red Fox.....	7	0.01
		208 = Red Man.....	264	0.45
		209 = Taylors Pride.....	11	0.02
		211 = Work Horse.....	3	0.01
		221 = Mail Pouch.....	3	0.01
		301 = Copenhagen.....	260	0.44
		304 = Hawken.....	9	0.02
		305 = Kodiak.....	124	0.21
		307 = Silver Creek.....	7	0.01
		308 = Skoal.....	409	0.70
		309 = Timber Wolf.....	33	0.06
		312 = Cougar.....	7	0.01
		316 = Red Seal.....	15	0.03
		317 = Rooster.....	17	0.03
		1999 = Other cigarette brand or unspecified.....	2	0.00
		2999 = Other chewing tobacco brand or unspecified.....	81	0.14
		3999 = Other snuff brand or unspecified.....	5	0.01
		4999 = Other cigar/cigarillo brand or unspecified.....	2	0.00
		5999 = Other pipe tobacco brand or unspecified.....	1	0.00
		8999 = Tobacco replacement or tobacco-like product.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED CHEWING TOBACCO.....	49102	83.68
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	7951	13.55
		9994 = DON'T KNOW.....	22	0.04
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	22	0.04

LABEL	LEN	DESCRIPTION	FREQ	%
TOBACCO				
(CG25)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		
		Have you ever used snuff, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
SNFEVER	2	EVER USED SNUFF		
		1 = Yes.....	5455	9.30
		2 = No.....	53199	90.66
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	5	0.01
(CG26)		How old were you the first time you used snuff?		
SNUFTRY	3	AGE WHEN FIRST USED SNUFF		
		RANGE = 1 - 65	5305	9.04
		985 = BAD DATA Logically assigned.....	58	0.10
		991 = NEVER USED SNUFF.....	53199	90.66
		994 = DON'T KNOW.....	79	0.13
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	21	0.04
(CG26A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG26a, CG26b, CG26c, and CG26d were used to create the following two variables.		
SNUFYFU	4	YEAR OF FIRST SNUFF USE - RECODE		
		RANGE = 1998 - 2000	364	0.62
		9985 = BAD DATA Logically assigned.....	141	0.24
		9991 = NEVER USED SNUFF.....	53199	90.66
		9994 = DON'T KNOW.....	79	0.13
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	65	0.11
		9999 = LEGITIMATE SKIP.....	4814	8.20

TOBACCO			PAGE:	15
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SNUFMFU	2	MONTH OF FIRST SNUFF USE - RECODE		
		1 = January.....	23	0.04
		2 = February.....	22	0.04
		3 = March.....	23	0.04
		4 = April.....	15	0.03
		5 = May.....	24	0.04
		6 = June.....	38	0.06
		7 = July.....	25	0.04
		8 = August.....	36	0.06
		9 = September.....	28	0.05
		10 = October.....	38	0.06
		11 = November.....	26	0.04
		12 = December.....	24	0.04
		85 = BAD DATA Logically assigned.....	145	0.25
		91 = NEVER USED SNUFF.....	53199	90.66
		94 = DON'T KNOW.....	119	0.20
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	4814	8.20

(CG27) Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used snuff?

SNFREC	2	TIME SINCE LAST USED SNUFF		
		1 = Within the past 30 days.....	1414	2.41
		2 = More than 30 days ago but within the past 12 mos..	582	0.99
		3 = More than 12 months ago but within the past 3 yrs.	721	1.23
		4 = More than 3 years ago.....	2643	4.50
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	4	0.01
		14 = Used more than 12 months ago LOG ASSN.....	43	0.07
		19 = Used more than 30 days ago LOG ASSN.....	47	0.08
		91 = NEVER USED SMOKELESS TOBACCO.....	53199	90.66
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	21	0.04

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
(CG29)		During the past 30 days, that is since DATEFILL, on how many days did you use snuff?		
SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30	1390	2.37
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SNUFF.....	53199	90.66
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	4036	6.88
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	25	0.04
(CG29DKRE)		What is your best estimate of the number of days you used snuff during the past 30 days?		
SN30EST	2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days.....	4	0.01
		2 = 3 to 5 days.....	3	0.01
		3 = 6 to 9 days.....	4	0.01
		4 = 10 to 19 days.....	3	0.01
		5 = 20 to 29 days.....	2	0.00
		6 = All 30 days.....	2	0.00
		91 = NEVER USED SNUFF.....	53199	90.66
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	4036	6.88
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	26	0.04
		99 = LEGITIMATE SKIP.....	1390	2.37

TOBACCO

LABEL	LEN	DESCRIPTION	PAGE:	17
-----	----	-----	FREQ	%

(CG30) NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

LABEL	LEN	DESCRIPTION	FREQ	%
SNF30BR2	4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		208 = Red Man.....	3	0.01
		301 = Copenhagen.....	521	0.89
		302 = Gold River.....	3	0.01
		303 = Happy Days.....	3	0.01
		304 = Hawken.....	12	0.02
		305 = Kodiak.....	174	0.30
		306 = Redwood.....	5	0.01
		307 = Silver Creek.....	12	0.02
		308 = Skoal.....	540	0.92
		309 = Timber Wolf.....	57	0.10
		312 = Cougar.....	4	0.01
		316 = Red Seal.....	19	0.03
		317 = Rooster.....	11	0.02
		321 = W. Garrett snuff.....	4	0.01
		2999 = Other chewing tobacco brand or unspecified.....	2	0.00
		3999 = Other snuff brand or unspecified.....	31	0.05
		7999 = Not a tobacco product.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SNUFF.....	53199	90.66
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	4036	6.88
		9994 = DON'T KNOW.....	8	0.01
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	25	0.04

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

LABEL	LEN	DESCRIPTION	FREQ	%
SLTTRY	3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
		RANGE = 1 - 65	10259	17.48
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		994 = DON'T KNOW.....	185	0.32
		997 = REFUSED.....	37	0.06
		998 = BLANK (NO ANSWER).....	181	0.31

TOBACCO			PAGE:	18
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, CG26a, CG26b, CG26c, and CG26d were used to create the following two variables.				
SLTYFU	4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 1998 - 2000	703	1.20
		9985 = BAD DATA Logically assigned.....	253	0.43
		9991 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		9994 = DON'T KNOW.....	186	0.32
		9997 = REFUSED.....	39	0.07
		9998 = BLANK (NO ANSWER).....	191	0.33
		9999 = LEGITIMATE SKIP.....	9297	15.84
SLTMFU	2	MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE		
		1 = January.....	45	0.08
		2 = February.....	33	0.06
		3 = March.....	50	0.09
		4 = April.....	42	0.07
		5 = May.....	49	0.08
		6 = June.....	73	0.12
		7 = July.....	76	0.13
		8 = August.....	48	0.08
		9 = September.....	50	0.09
		10 = October.....	57	0.10
		11 = November.....	48	0.08
		12 = December.....	47	0.08
		85 = BAD DATA Logically assigned.....	255	0.43
		91 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		94 = DON'T KNOW.....	266	0.45
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	189	0.32
		99 = LEGITIMATE SKIP.....	9297	15.84
SLTREC	2	TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE		
		1 = Within the past 30 days.....	2161	3.68
		2 = More than 30 days ago but within the past 12 mos..	1138	1.94
		3 = More than 12 months ago but within the past 3 yrs.	1432	2.44
		4 = More than 3 years ago.....	5657	9.64
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	14	0.02
		14 = Used more than 12 months ago LOG ASSN.....	86	0.15
		19 = Used more than 30 days ago LOG ASSN.....	147	0.25
		91 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	19	0.03

TOBACCO			PAGE:	19
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco				
SLT30BR2	4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	71	0.12
		202 = Chattanooga Chew.....	11	0.02
		203 = Day's Work.....	7	0.01
		204 = Granger.....	4	0.01
		206 = Levi Garrett.....	78	0.13
		207 = Red Fox.....	3	0.01
		208 = Red Man.....	158	0.27
		209 = Taylors Pride.....	9	0.02
		211 = Work Horse.....	3	0.01
		301 = Copenhagen.....	553	0.94
		304 = Hawken.....	18	0.03
		305 = Kodiak.....	235	0.40
		306 = Redwood.....	4	0.01
		307 = Silver Creek.....	13	0.02
		308 = Skoal.....	728	1.24
		309 = Timber Wolf.....	69	0.12
		312 = Cougar.....	8	0.01
		316 = Red Seal.....	23	0.04
		317 = Rooster.....	20	0.03
		321 = W. Garrett snuff.....	4	0.01
		1999 = Other cigarette brand or unspecified.....	2	0.00
		2999 = Other chewing tobacco brand or unspecified.....	61	0.10
		3999 = Other snuff brand or unspecified.....	32	0.05
		4999 = Other cigar/cigarillo brand or unspecified.....	2	0.00
		5999 = Other pipe tobacco brand or unspecified.....	1	0.00
		7999 = Not a tobacco product.....	1	0.00
		8999 = Tobacco replacement or tobacco-like product.....	1	0.00
		9991 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8460	14.42
		9994 = DON'T KNOW.....	21	0.04
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	57	0.10
SLT30FAV	2	WHICH BRAND CHEW OR SNUFF USED MOST		
		1 = Brand reported from CHW30BR2.....	910	1.55
		2 = Brand reported from SNF30BR2.....	1238	2.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SMOKELESS TOBACCO.....	48011	81.82
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8460	14.42
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	54	0.09

		TOBACCO	PAGE:	20
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.		
		Have you ever smoked part or all of any type of cigar?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR		
		1 = Yes.....	18454	31.45
		2 = No.....	40214	68.53
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	4	0.01
(CG35)		How old were you the first time you smoked part or all of any type of cigar?		
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR		
		RANGE = 1 - 70	17700	30.16
		985 = BAD DATA Logically assigned.....	313	0.53
		991 = NEVER USED CIGARS.....	40214	68.53
		994 = DON'T KNOW.....	418	0.71
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	8	0.01
(CG35A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG35a, CG35b, CG35c, and CG35d were used to create the following two variables.		
CIGARYFU	4	YEAR OF FIRST CIGAR USE - RECODE		
		RANGE = 1998 - 2000	2082	3.55
		9985 = BAD DATA Logically assigned.....	850	1.45
		9991 = NEVER USED CIGARS.....	40214	68.53
		9994 = DON'T KNOW.....	432	0.74
		9997 = REFUSED.....	28	0.05
		9998 = BLANK (NO ANSWER).....	222	0.38
		9999 = LEGITIMATE SKIP.....	14852	25.31

		TOBACCO	PAGE:	21
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
CIGARMFU	2	MONTH OF FIRST CIGAR USE - RECODE		
		1 = January.....	144	0.25
		2 = February.....	92	0.16
		3 = March.....	118	0.20
		4 = April.....	100	0.17
		5 = May.....	145	0.25
		6 = June.....	214	0.36
		7 = July.....	215	0.37
		8 = August.....	163	0.28
		9 = September.....	128	0.22
		10 = October.....	148	0.25
		11 = November.....	150	0.26
		12 = December.....	187	0.32
		85 = BAD DATA Logically assigned.....	879	1.50
		91 = NEVER USED CIGARS.....	40214	68.53
		94 = DON'T KNOW.....	706	1.20
		97 = REFUSED.....	32	0.05
		98 = BLANK (NO ANSWER).....	193	0.33
		99 = LEGITIMATE SKIP.....	14852	25.31

(CG36) Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC	2	TIME SINCE LAST SMOKED CIGAR		
		1 = Within the past 30 days.....	3540	6.03
		2 = More than 30 days ago but within the past 12 mos..	4209	7.17
		3 = More than 12 months ago but within the past 3 yrs.	4386	7.47
		4 = More than 3 years ago.....	5797	9.88
		8 = Used at some point in the past 12 mos LOG ASSN....	14	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	30	0.05
		14 = Used more than 12 months ago LOG ASSN.....	207	0.35
		19 = Used more than 30 days ago LOG ASSN.....	271	0.46
		91 = NEVER USED CIGARS.....	40214	68.53
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	8	0.01

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
(CG38)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigar?		
CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
		RANGE = 1 - 30	3479	5.93
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARS.....	40214	68.53
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14870	25.34
		94 = DON'T KNOW.....	55	0.09
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	51	0.09
(CG38DKRE)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days.....	16	0.03
		2 = 3 to 5 days.....	12	0.02
		3 = 6 to 9 days.....	10	0.02
		4 = 10 to 19 days.....	3	0.01
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	3	0.01
		91 = NEVER USED CIGARS.....	40214	68.53
		93 = DID NOT USE CIGARS PAST 30 DAYS.....	14870	25.34
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP.....	3479	5.93

		TOBACCO	PAGE:	23
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(CG39)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CGR30BR2	4	CIGAR BRAND USED MOST OFTEN PAST MO - RECODE		
		112 = Marlboro.....	33	0.06
		118 = Newport.....	6	0.01
		401 = Antonio y Cleopatra.....	38	0.06
		402 = Backwoods.....	113	0.19
		403 = Bering.....	8	0.01
		404 = Black & Mild.....	999	1.70
		405 = Captain Black.....	16	0.03
		406 = Casa Silva.....	6	0.01
		407 = Cuesta-Rey.....	5	0.01
		408 = Dutch Masters.....	67	0.11
		409 = El Producto.....	12	0.02
		411 = Garcia y Vega.....	118	0.20
		412 = Havatampa.....	41	0.07
		413 = King Edward.....	48	0.08
		414 = La Corona.....	23	0.04
		415 = Little Nippers.....	13	0.02
		416 = Macanudos.....	187	0.32
		417 = Muriel.....	11	0.02
		418 = Partagas.....	22	0.04
		419 = Phillies.....	241	0.41
		420 = Rigoletto.....	6	0.01
		421 = Robert Burns.....	6	0.01
		422 = Roi-Tan.....	7	0.01
		423 = Swisher Sweets.....	748	1.27
		424 = Tijuana Smalls.....	21	0.04
		426 = White Owl.....	43	0.07
		427 = William Penn.....	3	0.01
		428 = Winchester.....	18	0.03
		429 = Al Capone.....	7	0.01
		431 = Arturo Fuente.....	18	0.03
		432 = Ashton.....	4	0.01
		434 = Baccarat.....	4	0.01
		443 = Cohiba.....	37	0.06
		445 = Corona; brand unspecified.....	4	0.01
		448 = Cuban; brand unspecified.....	40	0.07
		451 = Davidoff.....	3	0.01
		452 = Don Diego.....	7	0.01
		462 = Grenadiers.....	3	0.01
		464 = H. Upmann.....	10	0.02
		465 = Habana/Havana; brand unspecified.....	7	0.01
		486 = Montecristo.....	10	0.02
		488 = Optimo.....	7	0.01
		490 = Padron.....	4	0.01
		491 = Parodi Cella.....	3	0.01
		492 = Primetime.....	3	0.01

TOBACCO			PAGE:	24
LABEL	LEN	DESCRIPTION	FREQ	%
		494 = Punch.....	10	0.02
		496 = Romeo y Julieta.....	30	0.05
		1999 = Other cigarette brand or unspecified.....	4	0.01
		4005 = Thompson.....	3	0.01
		4006 = Tiparillo.....	3	0.01
		4016 = Dominican; brand unspecified.....	4	0.01
		4041 = Miami Suites.....	3	0.01
		4050 = Fuente.....	10	0.02
		4051 = Avo.....	3	0.01
		4999 = Other cigar/cigarillo brand or unspecified.....	251	0.43
		7999 = Not a tobacco product.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED CIGARS.....	40214	68.53
		9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14870	25.34
		9994 = DON'T KNOW.....	168	0.29
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	51	0.09

(CG42) These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

PIPEVER	2	EVER SMOKED PIPE TOBACCO		
		1 = Yes.....	5482	9.34
		2 = No.....	53186	90.64
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	6	0.01

(CG43) During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?

PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	557	0.95
		2 = No.....	4920	8.38
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PIPE TOBACCO.....	53186	90.64
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	6	0.01

LABEL	LEN	ALCOHOL DESCRIPTION	FREQ	%
(AL01)		ALCOHOL ----- These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink. Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink. NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes.....	41861	71.34
		2 = No.....	16795	28.62
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
(AL02)		Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.		
ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 75	40871	69.65
		985 = BAD DATA Logically assigned.....	165	0.28
		991 = NEVER USED ALCOHOL.....	16795	28.62
		994 = DON'T KNOW.....	723	1.23
		997 = REFUSED.....	114	0.19
		998 = BLANK (NO ANSWER).....	12	0.02
(AL02A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions AL02a, AL02b, AL02c, and AL02d were used to create the following two variables.		
ALCYFU	4	YEAR OF FIRST ALCOHOL USE - RECODE		
		RANGE = 1998 - 2000	3488	5.94
		9985 = BAD DATA Logically assigned.....	1220	2.08
		9991 = NEVER USED ALCOHOL.....	16795	28.62
		9994 = DON'T KNOW.....	739	1.26
		9997 = REFUSED.....	118	0.20
		9998 = BLANK (NO ANSWER).....	93	0.16
		9999 = LEGITIMATE SKIP.....	36227	61.74

ALCOHOL			PAGE:	26
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ALCMFU	2	MONTH OF FIRST ALCOHOL USE - RECODE		
		1 = January.....	411	0.70
		2 = February.....	143	0.24
		3 = March.....	190	0.32
		4 = April.....	179	0.31
		5 = May.....	170	0.29
		6 = June.....	320	0.55
		7 = July.....	378	0.64
		8 = August.....	229	0.39
		9 = September.....	217	0.37
		10 = October.....	235	0.40
		11 = November.....	189	0.32
		12 = December.....	452	0.77
		85 = BAD DATA Logically assigned.....	1261	2.15
		91 = NEVER USED ALCOHOL.....	16795	28.62
		94 = DON'T KNOW.....	1090	1.86
		97 = REFUSED.....	144	0.25
		98 = BLANK (NO ANSWER).....	50	0.09
		99 = LEGITIMATE SKIP.....	36227	61.74
(ALLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days.....	24243	41.31
		2 = More than 30 days ago but within the past 12 mos..	9344	15.92
		3 = More than 12 months ago.....	7446	12.69
		8 = Used at some point in the past 12 mos LOG ASSN....	456	0.78
		9 = Used at some point in the lifetime LOG ASSN.....	372	0.63
		91 = NEVER USED ALCOHOL.....	16795	28.62
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	12	0.02
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	33534	57.15
		985 = BAD DATA Logically assigned.....	113	0.19
		991 = NEVER USED ALCOHOL.....	16795	28.62
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7446	12.69
		994 = DON'T KNOW.....	329	0.56
		997 = REFUSED.....	108	0.18
		998 = BLANK (NO ANSWER).....	355	0.60
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	8	0.01
		2 = Trimmed relative to the 30-day freq.....	264	0.45
		98 = BLANK (NO ANSWER).....	58408	99.54

ALCOHOL			PAGE:	27
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	578	0.99
		98 = BLANK (NO ANSWER).....	58102	99.01
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week.....	10237	17.45
		2 = Prefer to answer in days per month.....	12148	20.70
		3 = Prefer to answer in days per year.....	10836	18.47
		11 = Prefer to ans in days per wk LOG ASSN.....	66	0.11
		12 = Prefer to ans in days per mo LOG ASSN.....	126	0.21
		13 = Prefer to ans in days per yr LOG ASSN.....	340	0.58
		85 = BAD DATA Logically assigned.....	107	0.18
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7446	12.69
		94 = DON'T KNOW.....	156	0.27
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	355	0.60
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	11108	18.93
		985 = BAD DATA Logically assigned.....	50	0.09
		989 = LEGITIMATE SKIP Logically assigned.....	213	0.36
		991 = NEVER USED ALCOHOL.....	16795	28.62
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7446	12.69
		994 = DON'T KNOW.....	212	0.36
		997 = REFUSED.....	74	0.13
		998 = BLANK (NO ANSWER).....	418	0.71
		999 = LEGITIMATE SKIP.....	22364	38.11

ALCOHOL			PAGE:	28
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	12217	20.82
		85 = BAD DATA Logically assigned.....	35	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	68	0.12
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7446	12.69
		94 = DON'T KNOW.....	254	0.43
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	436	0.74
		99 = LEGITIMATE SKIP.....	21343	36.37
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10209	17.40
		85 = BAD DATA Logically assigned.....	29	0.05
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7446	12.69
		94 = DON'T KNOW.....	328	0.56
		97 = REFUSED.....	106	0.18
		98 = BLANK (NO ANSWER).....	442	0.75
		99 = LEGITIMATE SKIP.....	23325	39.75
(AL06)		Think specifically about the past 30 days - that is, since [FILL DATE], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	23761	40.49
		85 = BAD DATA Logically assigned.....	632	1.08
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16790	28.61
		94 = DON'T KNOW.....	208	0.35
		97 = REFUSED.....	70	0.12
		98 = BLANK (NO ANSWER).....	424	0.72

ALCOHOL			PAGE:	29
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL06DKRE)		What is your best estimate of the number of days you drank alcohol during the past 30 days?		
AL30EST	2	BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
		1 = 1 or 2 days.....	81	0.14
		2 = 3 to 5 days.....	49	0.08
		3 = 6 to 9 days.....	40	0.07
		4 = 10 to 19 days.....	33	0.06
		5 = 20 to 29 days.....	4	0.01
		6 = All 30 days.....	2	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16790	28.61
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	1061	1.81
		99 = LEGITIMATE SKIP.....	23749	40.47
ALDYSFG	2	REVISION INDICATOR FOR ALCDAYS		
		1 = Edited for consistency with ALCYRTOT or DR5DAY....	26	0.04
		98 = BLANK (NO ANSWER).....	58654	99.96
(AL07)		On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 90	22440	38.24
		975 = AT LEAST 5 Logically assigned.....	1052	1.79
		985 = BAD DATA Logically assigned.....	541	0.92
		991 = NEVER USED ALCOHOL.....	16795	28.62
		993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16790	28.61
		994 = DON'T KNOW.....	173	0.29
		997 = REFUSED.....	69	0.12
		998 = BLANK (NO ANSWER).....	820	1.40

ALCOHOL			PAGE:	30
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(AL08)		During the past 30 days, that is since [FILL DATE], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	23325	39.75
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	38	0.06
		85 = BAD DATA Logically assigned.....	541	0.92
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16790	28.61
		94 = DON'T KNOW.....	273	0.47
		97 = REFUSED.....	98	0.17
		98 = BLANK (NO ANSWER).....	820	1.40

MARIJUANA

LABEL	LEN	DESCRIPTION	FREQ	%
(MJ01)		MARIJUANA ----- The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil. Have you ever, even once, used marijuana or hashish? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
MJEVER	2	EVER USED MARIJUANA/HASHISH		
		1 = Yes.....	19730	33.62
		2 = No.....	38845	66.20
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	89	0.15
(MJ02)		How old were you the first time you used marijuana or hashish?		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 1 - 73	19479	33.20
		985 = BAD DATA Logically assigned.....	72	0.12
		991 = NEVER USED MARIJUANA.....	38845	66.20
		994 = DON'T KNOW.....	146	0.25
		997 = REFUSED.....	122	0.21
		998 = BLANK (NO ANSWER).....	16	0.03
(MJ03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions MJ03a, MJ03b, MJ03c, and MJ03d were used to create the following two variables.		
MJYFU	4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
		RANGE = 1998 - 2000	1633	2.78
		9985 = BAD DATA Logically assigned.....	563	0.96
		9991 = NEVER USED MARIJUANA.....	38845	66.20
		9994 = DON'T KNOW.....	160	0.27
		9997 = REFUSED.....	125	0.21
		9998 = BLANK (NO ANSWER).....	43	0.07
		9999 = LEGITIMATE SKIP.....	17311	29.50

MARIJUANA			PAGE:	32
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MJMFU	2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
		1 = January.....	118	0.20
		2 = February.....	101	0.17
		3 = March.....	99	0.17
		4 = April.....	114	0.19
		5 = May.....	121	0.21
		6 = June.....	157	0.27
		7 = July.....	150	0.26
		8 = August.....	124	0.21
		9 = September.....	107	0.18
		10 = October.....	131	0.22
		11 = November.....	115	0.20
		12 = December.....	105	0.18
		85 = BAD DATA Logically assigned.....	573	0.98
		91 = NEVER USED MARIJUANA.....	38845	66.20
		94 = DON'T KNOW.....	345	0.59
		97 = REFUSED.....	131	0.22
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	17311	29.50
(MJLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days.....	4358	7.43
		2 = More than 30 days ago but within the past 12 mos..	3410	5.81
		3 = More than 12 months ago.....	11610	19.79
		8 = Used at some point in the past 12 mos LOG ASSN....	154	0.26
		9 = Used at some point in the lifetime LOG ASSN.....	198	0.34
		91 = NEVER USED MARIJUANA.....	38845	66.20
		97 = REFUSED.....	89	0.15
		98 = BLANK (NO ANSWER).....	16	0.03
MJYRTOT	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 365	7735	13.18
		985 = BAD DATA Logically assigned.....	84	0.14
		991 = NEVER USED MARIJUANA.....	38845	66.20
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11610	19.79
		994 = DON'T KNOW.....	74	0.13
		997 = REFUSED.....	121	0.21
		998 = BLANK (NO ANSWER).....	211	0.36
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT		
		1 = Trimmed to 365 days (no further editing).....	7	0.01
		2 = Trimmed relative to the 30-day freq.....	157	0.27
		98 = BLANK (NO ANSWER).....	58516	99.72

MARIJUANA			PAGE:	33
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	274	0.47
		98 = BLANK (NO ANSWER).....	58406	99.53
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Prefer to answer in days per week.....	2542	4.33
		2 = Prefer to answer in days per month.....	1987	3.39
		3 = Prefer to answer in days per year.....	3160	5.39
		11 = Prefer to ans in days per wk LOG ASSN.....	14	0.02
		12 = Prefer to ans in days per mo LOG ASSN.....	16	0.03
		13 = Prefer to ans in days per yr LOG ASSN.....	68	0.12
		85 = BAD DATA Logically assigned.....	82	0.14
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11610	19.79
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	110	0.19
		98 = BLANK (NO ANSWER).....	211	0.36
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 366	3221	5.49
		985 = BAD DATA Logically assigned.....	7	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	36	0.06
		991 = NEVER USED MARIJUANA.....	38845	66.20
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11610	19.79
		994 = DON'T KNOW.....	40	0.07
		997 = REFUSED.....	112	0.19
		998 = BLANK (NO ANSWER).....	286	0.49
		999 = LEGITIMATE SKIP.....	4523	7.71

MARIJUANA

LABEL	LEN	DESCRIPTION	FREQ	%
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	1986	3.38
		85 = BAD DATA Logically assigned.....	17	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	14	0.02
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11610	19.79
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	117	0.20
		98 = BLANK (NO ANSWER).....	278	0.47
		99 = LEGITIMATE SKIP.....	5762	9.82
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2528	4.31
		85 = BAD DATA Logically assigned.....	60	0.10
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11610	19.79
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	121	0.21
		98 = BLANK (NO ANSWER).....	236	0.40
		99 = LEGITIMATE SKIP.....	5206	8.87
(MJ06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	4271	7.28
		85 = BAD DATA Logically assigned.....	80	0.14
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	15020	25.60
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	119	0.20
		98 = BLANK (NO ANSWER).....	288	0.49

MARIJUANA			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(MJ06DKRE)		What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?		
MR30EST	2	BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS		
		1 = 1 or 2 days.....	16	0.03
		2 = 3 to 5 days.....	11	0.02
		3 = 6 to 9 days.....	13	0.02
		4 = 10 to 19 days.....	17	0.03
		5 = 20 to 29 days.....	7	0.01
		6 = All 30 days.....	4	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	15020	25.60
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	368	0.63
		99 = LEGITIMATE SKIP.....	4269	7.28

COCAINE			PAGE:	36
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CC01)		COCAINE ----- These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste. Have you ever, even once, used any form of cocaine? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
COCEVER	2	EVER USED COCAINE		
		1 = Yes.....	5193	8.85
		2 = No.....	53432	91.06
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	45	0.08
(CC02)		How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 1 - 56	5119	8.72
		985 = BAD DATA Logically assigned.....	23	0.04
		991 = NEVER USED COCAINE.....	53432	91.06
		994 = DON'T KNOW.....	42	0.07
		997 = REFUSED.....	54	0.09
		998 = BLANK (NO ANSWER).....	10	0.02
(CC03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CC03a, CC03b, CC03c, and CC03d were used to create the following two variables.		
COCYFU	4	YEAR OF FIRST COCAINE USE - RECODE		
		RANGE = 1998 - 2000	490	0.84
		9985 = BAD DATA Logically assigned.....	184	0.31
		9989 = LEGITIMATE SKIP Logically assn.....	14	0.02
		9991 = NEVER USED COCAINE.....	53432	91.06
		9994 = DON'T KNOW.....	44	0.07
		9997 = REFUSED.....	55	0.09
		9998 = BLANK (NO ANSWER).....	21	0.04
		9999 = LEGITIMATE SKIP.....	4440	7.57

COCAINE			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
COCMFU	2	MONTH OF FIRST COCAINE USE - RECODE		
		1 = January.....	45	0.08
		2 = February.....	33	0.06
		3 = March.....	34	0.06
		4 = April.....	38	0.06
		5 = May.....	28	0.05
		6 = June.....	47	0.08
		7 = July.....	35	0.06
		8 = August.....	33	0.06
		9 = September.....	38	0.06
		10 = October.....	42	0.07
		11 = November.....	37	0.06
		12 = December.....	36	0.06
		85 = BAD DATA Logically assigned.....	189	0.32
		89 = LEGITIMATE SKIP Logically assn.....	14	0.02
		91 = NEVER USED COCAINE.....	53432	91.06
		94 = DON'T KNOW.....	85	0.14
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	4440	7.57
(CCLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days.....	407	0.69
		2 = More than 30 days ago but within the past 12 mos..	844	1.44
		3 = More than 12 months ago.....	3806	6.49
		8 = Used at some point in the past 12 mos LOG ASSN....	33	0.06
		9 = Used at some point in the lifetime LOG ASSN.....	70	0.12
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	13	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	20	0.03
		91 = NEVER USED COCAINE.....	53432	91.06
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	10	0.02
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 364	1300	2.22
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED COCAINE.....	53432	91.06
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3806	6.49
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	79	0.13
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		2 = Trimmed relative to the 30-day freq.....	4	0.01
		98 = BLANK (NO ANSWER).....	58676	99.99

COCAINE			PAGE:	38
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CCFQFLG	2	TRIMMED COCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	71	0.12
		98 = BLANK (NO ANSWER).....	58609	99.88
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Prefer to answer in days per week.....	200	0.34
		2 = Prefer to answer in days per month.....	282	0.48
		3 = Prefer to answer in days per year.....	744	1.27
		11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	10	0.02
		21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	21	0.04
		22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	16	0.03
		23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	28	0.05
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3806	6.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCDAYPYR	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 350	781	1.33
		985 = BAD DATA Logically assigned.....	3	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	16	0.03
		991 = NEVER USED COCAINE.....	53432	91.06
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3806	6.49
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	48	0.08
		998 = BLANK (NO ANSWER).....	82	0.14
		999 = LEGITIMATE SKIP.....	509	0.87

COCAINE			PAGE:	39
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCDAYPMO	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 30	300	0.51
		89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3806	6.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	85	0.14
		99 = LEGITIMATE SKIP.....	997	1.70
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCDAYPWK	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	219	0.37
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3806	6.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	1081	1.84
(CC06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	402	0.69
		85 = BAD DATA Logically assigned.....	20	0.03
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	4670	7.96
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	106	0.18

COCAINE			PAGE:	40
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(CC06DKRE)		What is your best estimate of the number of days you used cocaine during the past 30 days?		
CC30EST	2	BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS		
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	2	0.00
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	4670	7.96
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	126	0.21
		99 = LEGITIMATE SKIP.....	401	0.68

		CRACK		
LABEL	LEN	DESCRIPTION	PAGE:	41
-----	----	-----	FREQ	%
-----	----	-----	-----	-
(CK01)		CRACK ----- The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine. Have you ever, even once, used "crack?" NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CRKEVER	2	EVER USED CRACK		
		1 = Yes.....	1228	2.09
		2 = No.....	3960	6.75
		91 = NEVER USED COCAINE (COCEVER=2).....	53432	91.06
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	10	0.02
(CK02)		How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED CRACK		
		RANGE = 1 - 56	1204	2.05
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED CRACK.....	57392	97.81
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	51	0.09
		998 = BLANK (NO ANSWER).....	12	0.02
(CK03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CK03a, CK03b, CK03c, and CK03d were used to create the following two variables.		
CRKYFU	4	YEAR OF FIRST CRACK USE - RECODE		
		RANGE = 1998 - 2000	127	0.22
		9985 = BAD DATA Logically assigned.....	53	0.09
		9991 = NEVER USED CRACK.....	57392	97.81
		9994 = DON'T KNOW.....	17	0.03
		9997 = REFUSED.....	51	0.09
		9998 = BLANK (NO ANSWER).....	14	0.02
		9999 = LEGITIMATE SKIP.....	1026	1.75

LABEL	LEN	DESCRIPTION	CRACK		PAGE:	42
			FREQ	%		
CRKMFU	2	MONTH OF FIRST CRACK USE - RECODE				
		1 = January.....	15	0.03		
		2 = February.....	10	0.02		
		3 = March.....	4	0.01		
		4 = April.....	9	0.02		
		5 = May.....	8	0.01		
		6 = June.....	11	0.02		
		7 = July.....	12	0.02		
		8 = August.....	11	0.02		
		9 = September.....	14	0.02		
		10 = October.....	6	0.01		
		11 = November.....	6	0.01		
		12 = December.....	11	0.02		
		85 = BAD DATA Logically assigned.....	55	0.09		
		91 = NEVER USED CRACK.....	57392	97.81		
		94 = DON'T KNOW.....	27	0.05		
		97 = REFUSED.....	51	0.09		
		98 = BLANK (NO ANSWER).....	12	0.02		
		99 = LEGITIMATE SKIP.....	1026	1.75		
(CKLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.				
		How long has it been since you last used "crack?"				
CRKREC	2	TIME SINCE LAST USED CRACK				
		1 = Within the past 30 days.....	70	0.12		
		2 = More than 30 days ago but within the past 12 mos..	173	0.29		
		3 = More than 12 months ago.....	956	1.63		
		8 = Used at some point in the past 12 mos LOG ASSN....	9	0.02		
		9 = Used at some point in the lifetime LOG ASSN.....	20	0.03		
		91 = NEVER USED CRACK.....	57392	97.81		
		97 = REFUSED.....	48	0.08		
		98 = BLANK (NO ANSWER).....	12	0.02		
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS				
		RANGE = 1 - 364	243	0.41		
		985 = BAD DATA Logically assigned.....	3	0.01		
		991 = NEVER USED CRACK.....	57392	97.81		
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	956	1.63		
		994 = DON'T KNOW.....	3	0.01		
		997 = REFUSED.....	51	0.09		
		998 = BLANK (NO ANSWER).....	32	0.05		
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT				
		2 = Trimmed relative to the 30-day freq.....	2	0.00		
		98 = BLANK (NO ANSWER).....	58678	100.0		

		CRACK	PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	17	0.03
		98 = BLANK (NO ANSWER).....	58663	99.97
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Prefer to answer in days per week.....	54	0.09
		2 = Prefer to answer in days per month.....	56	0.10
		3 = Prefer to answer in days per year.....	128	0.22
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	3	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED CRACK.....	57392	97.81
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	956	1.63
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	32	0.05
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CRDAYPYR	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 330	131	0.22
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED CRACK.....	57392	97.81
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	956	1.63
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	35	0.06
		999 = LEGITIMATE SKIP.....	110	0.19
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CRDAYPMO	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 26	57	0.10
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED CRACK.....	57392	97.81
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	956	1.63
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	185	0.32

		CRACK	PAGE:	44
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CRDAYPWK	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	55	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	57392	97.81
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	956	1.63
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	188	0.32
(CK06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED CRACK PAST 30 DAYS		
		RANGE = 1 - 30	68	0.12
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED CRACK.....	57392	97.81
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1129	1.92
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	36	0.06
(CK06DKRE)		What is your best estimate of the number of days you used "crack" during the past 30 days?		
CR30EST	2	BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS		
		4 = 10 to 19 days.....	1	0.00
		91 = NEVER USED CRACK.....	57392	97.81
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1129	1.92
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	68	0.12

HEROIN			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HE01)		HEROIN ----- These next questions are about heroin. Have you ever, even once, used heroin? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
HEREVER	2	EVER USED HEROIN		
		1 = Yes.....	569	0.97
		2 = No.....	58078	98.97
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	19	0.03
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 2 - 63	551	0.94
		985 = BAD DATA Logically assigned.....	5	0.01
		991 = NEVER USED HEROIN.....	58078	98.97
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	14	0.02
(HE03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions HE03a, HE03b, HE03c, and HE03d were used to create the following two variables.		
HERYFU	4	YEAR OF FIRST HEROIN USE - RECODE		
		RANGE = 1998 - 2000	81	0.14
		9985 = BAD DATA Logically assigned.....	27	0.05
		9991 = NEVER USED HEROIN.....	58078	98.97
		9994 = DON'T KNOW.....	8	0.01
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	16	0.03
		9999 = LEGITIMATE SKIP.....	446	0.76

HEROIN			PAGE:	46
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HERMFU	2	MONTH OF FIRST HEROIN USE - RECODE		
		1 = January.....	6	0.01
		2 = February.....	5	0.01
		3 = March.....	8	0.01
		4 = April.....	5	0.01
		5 = May.....	11	0.02
		6 = June.....	5	0.01
		7 = July.....	8	0.01
		8 = August.....	3	0.01
		9 = September.....	3	0.01
		10 = October.....	9	0.02
		11 = November.....	5	0.01
		12 = December.....	7	0.01
		85 = BAD DATA Logically assigned.....	29	0.05
		91 = NEVER USED HEROIN.....	58078	98.97
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	446	0.76
(HELAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used heroin?		
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days.....	33	0.06
		2 = More than 30 days ago but within the past 12 mos..	82	0.14
		3 = More than 12 months ago.....	430	0.73
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	13	0.02
		91 = NEVER USED HEROIN.....	58078	98.97
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	14	0.02
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	122	0.21
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED HEROIN.....	58078	98.97
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	430	0.73
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	27	0.05
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT		
		2 = Trimmed relative to the 30-day freq.....	1	0.00
		98 = BLANK (NO ANSWER).....	58679	100.0
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	11	0.02
		98 = BLANK (NO ANSWER).....	58669	99.98

HEROIN

LABEL	LEN	DESCRIPTION	FREQ	%
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Prefer to answer in days per week.....	27	0.05
		2 = Prefer to answer in days per month.....	27	0.05
		3 = Prefer to answer in days per year.....	65	0.11
		11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	1	0.00
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PAST 12 MONTHS.....	430	0.73
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	27	0.05
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 300	66	0.11
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED HEROIN.....	58078	98.97
		993 = DID NOT USE HEROIN PAST 12 MOS.....	430	0.73
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	31	0.05
		999 = LEGITIMATE SKIP.....	55	0.09
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HRDAYPMO	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 30	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PAST 12 MOS.....	430	0.73
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	93	0.16

HEROIN			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HRDAYPWK	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	29	0.05
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PAST 12 MOS.....	430	0.73
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	93	0.16
(HE06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	33	0.06
		85 = BAD DATA Logically assigned.....	7	0.01
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	512	0.87
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	31	0.05
(HE06DKRE)		What is your best estimate of the number of days you used heroin during the past 30 days?		
HR30EST	2	BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PAST 30 DAYS.....	512	0.87
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	38	0.06
		99 = LEGITIMATE SKIP.....	33	0.06

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS01A)		HALLUCINOGENS		
		<p>The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.</p> <p>A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.</p> <p>LSD, also called "acid" PCP, also called "angel dust" or phencyclidine Peyote Mescaline Psilocybin "Ecstasy," also called MDMA</p> <p>Have you ever, even once, used LSD, also called "acid"?</p> <p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes.....	5185	8.84
		2 = No.....	2032	3.46
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	35	0.06
(LS01B)		Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?		
		<p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes.....	1139	1.94
		2 = No.....	6075	10.35
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	25	0.04

HALLUCINOGENS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LS01C)		Have you ever, even once, used peyote?		
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes.....	854	1.46
		2 = No.....	6341	10.81
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	67	0.11
		97 = REFUSED.....	24	0.04
(LS01D)		Have you ever, even once, used mescaline?		
MESC	2	EVER USED MESCALINE		
		1 = Yes.....	1293	2.20
		2 = No.....	5902	10.06
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	68	0.12
		97 = REFUSED.....	23	0.04
(LS01E)		Have you ever, even once, used psilocybin, found in mushrooms?		
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes.....	3876	6.61
		2 = No.....	3291	5.61
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	88	0.15
		97 = REFUSED.....	21	0.04
(LS01F)		Have you ever, even once, used "Ecstasy," also known as MDMA?		
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes.....	2559	4.36
		2 = No.....	4647	7.92
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	24	0.04
(LS01H)		Have you ever, even once used any other hallucinogens besides the ones that have been listed?		
HALNOLST	2	EVER USED OTHER HALLUCINOGEN		
		1 = Yes.....	728	1.24
		2 = No.....	6487	11.05
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	19	0.03

HALLUCINOGENS			PAGE:	51
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1		
		112 = Restoril, Temazepam.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	3	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		142 = Belladona.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		267 = Marezine.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	2	0.00
		280 = Ketaset.....	1	0.00
		292 = Serzone.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		322 = Methamphetamine ("ice" or "crank"), Meth.....	6	0.01
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		326 = White cross.....	1	0.00
		332 = Ephedrine.....	1	0.00
		348 = Crystal.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		355 = Crystal meth.....	10	0.02
		415 = Codeine.....	1	0.00
		417 = Morphine, Roxanol.....	3	0.01
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	1	0.00
		501 = Gasoline or lighter fluids.....	10	0.02
		502 = Spray paints.....	5	0.01
		503 = Other aerosol sprays.....	4	0.01
		504 = Shoeshine liquid, glue, or toluene.....	3	0.01
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	5	0.01
		507 = Halothane, ether, or other anesthetics; chloroform	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	20	0.03
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	7	0.01
		511 = Markers, felt-tip pens, ink pens.....	1	0.00
		516 = Freon, refrigerant.....	1	0.00
		519 = Helium.....	1	0.00
		520 = Old paint, paint.....	4	0.01
		521 = Propane.....	1	0.00
		524 = White-Out.....	3	0.01
		525 = Butane.....	2	0.00
		540 = PAM.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	2	0.00
		592 = Computer air duster, computer cleaner, dust-off...	2	0.00
		601 = LSD ("acid").....	40	0.07
		602 = Peyote.....	1	0.00
		603 = Mescaline.....	4	0.01
		604 = Psilocybin (mushrooms), shrooms.....	17	0.03
		605 = PCP ("angel dust," phencyclidine).....	3	0.01
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	46	0.08
		609 = Jimson weed.....	4	0.01
		612 = Happy stick, sherm, sherman, shermstick.....	3	0.01
		614 = MDA, Methylenedioxy amphetamine.....	6	0.01
		615 = Homemade drugs.....	2	0.00
		616 = DET, Dimethyltryptamine, DMT.....	10	0.02

HALLUCINOGENS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
617	=	Morning glory seeds, morning glory tendrils.....	8	0.01
618	=	Acid paper, blotter (acid).....	2	0.00
619	=	Tic.....	2	0.00
622	=	Microdot(s), green microdot, purple microdot.....	6	0.01
624	=	Orange sunshine, sunshine, yellow sunshine.....	1	0.00
625	=	Window, window pane, 4-way pane.....	2	0.00
627	=	Hawaiian wood rose, Hawaiian Woodrow seeds.....	2	0.00
633	=	Mr. Natural.....	1	0.00
636	=	DOM, STP.....	2	0.00
637	=	Purple haze.....	3	0.01
639	=	Nutmeg, Mace.....	2	0.00
650	=	Datura stramonium, daytura, thorn apple.....	4	0.01
658	=	Special K, Ketamine.....	28	0.05
660	=	Toad, Toad licking.....	1	0.00
678	=	Banana peels.....	1	0.00
683	=	Yage.....	1	0.00
695	=	Angel's trumpet.....	1	0.00
698	=	Nexus, 2C-B.....	3	0.01
701	=	OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703	=	Opium.....	12	0.02
802	=	THC, cannabinal, marinol.....	3	0.01
803	=	Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	6	0.01
806	=	Crack, rock.....	1	0.00
809	=	Pills.....	1	0.00
828	=	Tetracycline.....	1	0.00
829	=	Robitussin DM <OTC>.....	9	0.02
843	=	Antihistamine, cold medicine, cold tablets <OTC>..	1	0.00
847	=	GHB, NSC.....	12	0.02
852	=	Formaldehyde, wak, whack (embalming fluid).....	3	0.01
883	=	Dextromethorphan Hydrobromide <OTC>.....	5	0.01
1002	=	Dramamine, seasick/motion sickness pill <OTC>.....	9	0.02
2002	=	Muscle Relaxers.....	1	0.00
3023	=	Adderall.....	2	0.00
3052	=	Speed; otherwise unspecified.....	13	0.02
3064	=	Ephedra, Ma Huang <OTC>.....	1	0.00
5022	=	Carbon dioxide, CO2, dry ice hits.....	1	0.00
5028	=	Carburetor cleaner, engine cleaner.....	1	0.00
6005	=	Sassafras tea.....	1	0.00
6029	=	DXM.....	9	0.02
6037	=	Fry.....	1	0.00
6038	=	Triplets, Trips.....	3	0.01
6043	=	Salviadinorum.....	2	0.00
6044	=	Gel caps, gel tabs.....	7	0.01
6055	=	Liberty caps.....	1	0.00
6056	=	Wet.....	2	0.00
6062	=	Madderwort, Wormwood.....	1	0.00
6063	=	Foxglove.....	1	0.00
6073	=	Rolls.....	2	0.00
6074	=	LSA.....	2	0.00
6077	=	San Pedro.....	1	0.00

HALLUCINOGENS			PAGE:	53
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		6078 = Trumpet flowers.....	1	0.00
		6079 = Sugar cubes.....	1	0.00
		6083 = CCC, Triple "C".....	2	0.00
		6085 = Dips.....	1	0.00
		6089 = Cake.....	1	0.00
		6090 = Heaven.....	1	0.00
		6092 = TCP.....	1	0.00
		6094 = Mushrooms, specifically not psilocybin.....	1	0.00
		6095 = Super cool, Super kool.....	1	0.00
		6096 = Bananadine.....	1	0.00
		6097 = Banana slug slime.....	1	0.00
		6099 = Katmandue Temple Kiff.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	8	0.01
		8012 = Coriciden <OTC>.....	5	0.01
		8058 = Cough medicine/syrup; type unspecified.....	2	0.00
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	282	0.48
		9999 = LEGITIMATE SKIP.....	6487	11.05

HALLUCINOGENS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2		
		142 = Belladona.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
		345 = Black Molly.....	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		501 = Gasoline or lighter fluids.....	3	0.01
		504 = Shoeshine liquid, glue, or toluene.....	3	0.01
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		511 = Markers, felt-tip pens, ink pens.....	1	0.00
		520 = Old paint, paint.....	2	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		601 = LSD ("acid").....	6	0.01
		603 = Mescaline.....	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	9	0.02
		612 = Happy stick, sherm, sherman, shermstick.....	1	0.00
		614 = MDA, Methylenedioxy amphetamine.....	2	0.00
		616 = DET, Dimethyltryptamine, DMT.....	3	0.01
		617 = Morning glory seeds, morning glory tendrils.....	4	0.01
		618 = Acid paper, blotter (acid).....	1	0.00
		622 = Microdot(s), green microdot, purple microdot.....	1	0.00
		624 = Orange sunshine, sunshine, yellow sunshine.....	2	0.00
		636 = DOM, STP.....	1	0.00
		639 = Nutmeg, Mace.....	1	0.00
		658 = Special K, Ketamine.....	4	0.01
		678 = Banana peels.....	2	0.00
		695 = Angel's trumpet.....	1	0.00
		703 = Opium.....	1	0.00
		802 = THC, cannabinoil, marinol.....	1	0.00
		809 = Pills.....	1	0.00
		829 = Robitussin DM <OTC>.....	1	0.00
		847 = GHB, NSC.....	5	0.01
		6029 = DXM.....	2	0.00
		6031 = Strychnine.....	1	0.00
		6079 = Sugar cubes.....	1	0.00
		6080 = Purple passion.....	1	0.00
		6086 = Flakes.....	1	0.00
		6087 = Ibogaine.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8012 = Coriciden <OTC>.....	1	0.00
		8058 = Cough medicine/syrup; type unspecified.....	2	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	699	1.19
		9999 = LEGITIMATE SKIP.....	6487	11.05

HALLUCINOGENS			PAGE:	55
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		355 = Crystal meth.....	1	0.00
		503 = Other aerosol sprays.....	2	0.00
		524 = White-Out.....	2	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		601 = LSD ("acid").....	2	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		609 = Jimson weed.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	1	0.00
		847 = GHB, NSC.....	1	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	1	0.00
		6029 = DXM.....	1	0.00
		6091 = Ergot, rye mold.....	1	0.00
		6092 = TCP.....	1	0.00
		6098 = Dust; not otherwise specified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	762	1.30
		9999 = LEGITIMATE SKIP.....	6487	11.05
HALNEWD	4	OTHER HALLUCINOGEN - SPECIFY 4		
		268 = Rohypnol, Roche, roofies.....	1	0.00
		501 = Gasoline or lighter fluids.....	1	0.00
		503 = Other aerosol sprays.....	1	0.00
		520 = Old paint, paint.....	1	0.00
		601 = LSD ("acid").....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
		617 = Morning glory seeds, morning glory tendrils.....	1	0.00
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
		6029 = DXM.....	1	0.00
		6078 = Trumpet flowers.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	769	1.31
		9999 = LEGITIMATE SKIP.....	6487	11.05
HALNEWE	4	OTHER HALLUCINOGEN - SPECIFY 5		
		506 = Amyl nitrite, "poppers", "locker room odorizer", "rush"	1	0.00
		528 = Whipped-cream can.....	1	0.00
		617 = Morning glory seeds, morning glory tendrils.....	1	0.00
		6084 = Devil dust.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	775	1.32
		9999 = LEGITIMATE SKIP.....	6487	11.05

HALLUCINOGENS			PAGE:	56
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LS02)		How old were you the first time you used [LSFILL]?		
HALLAGE	3	AGE WHEN FIRST USED HALLUCINOGENS		
		RANGE = 1 - 50	6947	11.84
		985 = BAD DATA Logically assigned.....	57	0.10
		991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		994 = DON'T KNOW.....	61	0.10
		997 = REFUSED.....	37	0.06
		998 = BLANK (NO ANSWER).....	184	0.31
(LS03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS03a, LS03b, LS03c, and LS03d were used to create the following two variables.		
HALYFU	4	YEAR OF FIRST HALLUCINOGEN USE - RECODE		
		RANGE = 1998 - 2000	995	1.70
		9985 = BAD DATA Logically assigned.....	314	0.54
		9989 = LEGITIMATE SKIP Logically assn.....	39	0.07
		9991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		9994 = DON'T KNOW.....	66	0.11
		9997 = REFUSED.....	38	0.06
		9998 = BLANK (NO ANSWER).....	210	0.36
		9999 = LEGITIMATE SKIP.....	5624	9.58
HALMFU	2	MONTH OF FIRST HALLUCINOGEN USE - RECODE		
		1 = January.....	92	0.16
		2 = February.....	55	0.09
		3 = March.....	54	0.09
		4 = April.....	71	0.12
		5 = May.....	68	0.12
		6 = June.....	98	0.17
		7 = July.....	115	0.20
		8 = August.....	70	0.12
		9 = September.....	66	0.11
		10 = October.....	77	0.13
		11 = November.....	63	0.11
		12 = December.....	72	0.12
		85 = BAD DATA Logically assigned.....	332	0.57
		89 = LEGITIMATE SKIP Logically assn.....	39	0.07
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		94 = DON'T KNOW.....	156	0.27
		97 = REFUSED.....	42	0.07
		98 = BLANK (NO ANSWER).....	192	0.33
		99 = LEGITIMATE SKIP.....	5624	9.58

HALLUCINOGENS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LSLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days.....	502	0.86
		2 = More than 30 days ago but within the past 12 mos..	1312	2.24
		3 = More than 12 months ago.....	5005	8.53
		8 = Used at some point in the past 12 mos LOG ASSN....	68	0.12
		9 = Used at some point in lifetime LOG ASSN.....	188	0.32
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	11	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	5	0.01
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	184	0.31
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 342	1834	3.13
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5005	8.53
		994 = DON'T KNOW.....	17	0.03
		997 = REFUSED.....	14	0.02
		998 = BLANK (NO ANSWER).....	413	0.70
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		2 = Trimmed relative to the 30-day freq.....	4	0.01
		98 = BLANK (NO ANSWER).....	58676	99.99
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	128	0.22
		98 = BLANK (NO ANSWER).....	58552	99.78

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
HLBSTWAY 2		EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Prefer to answer in days per week.....	201	0.34
		2 = Prefer to answer in days per month.....	361	0.62
		3 = Prefer to answer in days per year.....	1264	2.15
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	17	0.03
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PAST 12 MONTHS.....	5005	8.53
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	413	0.70
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR 3		# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 150	1276	2.17
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		991 = NEVER USED HALLUCINOGENS.....	51394	87.58
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5005	8.53
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	12	0.02
		998 = BLANK (NO ANSWER).....	415	0.71
		999 = LEGITIMATE SKIP.....	561	0.96
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO 2		# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 30	362	0.62
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5005	8.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	415	0.71
		99 = LEGITIMATE SKIP.....	1477	2.52

HALLUCINOGENS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	196	0.33
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5005	8.53
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	415	0.71
		99 = LEGITIMATE SKIP.....	1638	2.79
(LS04)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30	487	0.83
		85 = BAD DATA Logically assigned.....	20	0.03
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6322	10.77
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	442	0.75
(LS04DKRE)		What is your best estimate of the number of days you used [LSFILL] during the past 30 days?		
HL30EST	2	BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		1 = 1 or 2 days.....	3	0.01
		3 = 6 to 9 days.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PAST 30 DAYS.....	6322	10.77
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	462	0.79
		99 = LEGITIMATE SKIP.....	487	0.83
(LS05)		Now think only about LSD. How old were you the first time you used LSD?		
LSDAGE	3	AGE WHEN FIRST USED LSD		
		RANGE = 2 - 47	5055	8.61
		985 = BAD DATA Logically assigned.....	44	0.07
		991 = NEVER USED LSD.....	53426	91.05
		994 = DON'T KNOW.....	65	0.11
		997 = REFUSED.....	56	0.10
		998 = BLANK (NO ANSWER).....	34	0.06

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS06)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS06, LS07, LS08, and LS09 were used to create the following two variables.		
LSDYFU	4	YEAR OF FIRST LSD USE - RECODE		
		RANGE = 1998 - 2000	448	0.76
		9985 = BAD DATA Logically assigned.....	231	0.39
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED LSD.....	53426	91.05
		9994 = DON'T KNOW.....	67	0.11
		9997 = REFUSED.....	59	0.10
		9998 = BLANK (NO ANSWER).....	65	0.11
		9999 = LEGITIMATE SKIP.....	4382	7.47
LSDMFU	2	MONTH OF FIRST LSD USE - RECODE		
		1 = January.....	49	0.08
		2 = February.....	23	0.04
		3 = March.....	22	0.04
		4 = April.....	31	0.05
		5 = May.....	23	0.04
		6 = June.....	41	0.07
		7 = July.....	33	0.06
		8 = August.....	29	0.05
		9 = September.....	21	0.04
		10 = October.....	25	0.04
		11 = November.....	19	0.03
		12 = December.....	25	0.04
		85 = BAD DATA Logically assigned.....	242	0.41
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00
		91 = NEVER USED LSD.....	53426	91.05
		94 = DON'T KNOW.....	136	0.23
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	54	0.09
		99 = LEGITIMATE SKIP.....	4382	7.47
(LS10)		Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days.....	217	0.37
		2 = More than 30 days ago but within the past 12 mos..	745	1.27
		3 = More than 12 months ago.....	4097	6.98
		8 = Used at some point in the past 12 mos LOG ASSN....	2	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	127	0.22
		91 = NEVER USED LSD.....	53426	91.05
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	31	0.05

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS11)		Now think only about PCP. How old were you the first time you used PCP?		
PCPAGE	3	AGE WHEN FIRST USED PCP		
		RANGE = 1 - 46	1078	1.84
		985 = BAD DATA Logically assigned.....	11	0.02
		991 = NEVER USED PCP.....	57469	97.94
		994 = DON'T KNOW.....	29	0.05
		997 = REFUSED.....	46	0.08
		998 = BLANK (NO ANSWER).....	47	0.08
(LS12)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS12, LS13, LS14, and LS15 were used to create the following two variables.		
PCPYFU	4	YEAR OF FIRST PCP USE - RECODE		
		RANGE = 1998 - 2000	102	0.17
		9985 = BAD DATA Logically assigned.....	45	0.08
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED PCP.....	57469	97.94
		9994 = DON'T KNOW.....	30	0.05
		9997 = REFUSED.....	46	0.08
		9998 = BLANK (NO ANSWER).....	52	0.09
		9999 = LEGITIMATE SKIP.....	935	1.59
PCPMFU	2	MONTH OF FIRST PCP USE - RECODE		
		1 = January.....	5	0.01
		2 = February.....	8	0.01
		3 = March.....	4	0.01
		4 = April.....	5	0.01
		5 = May.....	11	0.02
		6 = June.....	13	0.02
		7 = July.....	7	0.01
		8 = August.....	11	0.02
		9 = September.....	5	0.01
		10 = October.....	10	0.02
		11 = November.....	8	0.01
		12 = December.....	8	0.01
		85 = BAD DATA Logically assigned.....	49	0.08
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED PCP.....	57469	97.94
		94 = DON'T KNOW.....	37	0.06
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	48	0.08
		99 = LEGITIMATE SKIP.....	935	1.59

HALLUCINOGENS			PAGE:	62
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(LS16)		How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days.....	29	0.05
		2 = More than 30 days ago but within the past 12 mos..	121	0.21
		3 = More than 12 months ago.....	937	1.60
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	51	0.09
		91 = NEVER USED PCP.....	57469	97.94
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	47	0.08

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
(IN01A)		INHALANTS		
		These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.		
		The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.		
		Amyl nitrite, "poppers," locker room odorizers, or "rush"		
		Correction fluid, degreaser, or cleaning fluid		
		Gasoline or lighter fluid		
		Glue, shoe polish, or toluene		
		Halothane, ether, or other paint solvents		
		Lighter gases, such as butane or propane		
		Nitrous oxide or "whippets"		
		Spray paints		
		Other aerosol sprays		
		Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes.....	1543	2.63
		2 = No.....	4113	7.01
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	17	0.03
(IN01B)		Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?		
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		1 = Yes.....	755	1.29
		2 = No.....	4889	8.33
		3 = Yes LOGICALLY ASSIGNED.....	19	0.03
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	12	0.02

INHALANTS			PAGE:	64
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01C)		Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes.....	1303	2.22
		2 = No.....	4360	7.43
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	17	0.03
(IN01D)		Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?		
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes.....	1339	2.28
		2 = No.....	4328	7.38
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	8	0.01
(IN01E)		Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes.....	310	0.53
		2 = No.....	5357	9.13
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	9	0.02
(IN01F)		Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes.....	609	1.04
		2 = No.....	5065	8.63
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00

INHALANTS			PAGE:	65
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01G)		Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes.....	408	0.70
		2 = No.....	5267	8.98
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01H)		Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?		
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes.....	2789	4.75
		2 = No.....	2876	4.90
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01I)		Have you ever, even once, inhaled spray paints for kicks or to get high?		
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes.....	712	1.21
		2 = No.....	4964	8.46
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01J)		Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?		
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes.....	653	1.11
		2 = No.....	5007	8.53
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	2	0.00

INHALANTS			PAGE:	66
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHNOLST 2		EVER USED OTHER INHALANTS		
		1 = Yes.....	510	0.87
		2 = No.....	5157	8.79
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	2	0.00

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWA	4	OTHER INHALANT - SPECIFY 1		
		110 = Tuinal.....	1	0.00
		304 = Benzedrine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		348 = Crystal.....	2	0.00
		377 = Albuterol, Proventil, Ventolin.....	3	0.01
		501 = Gasoline or lighter fluids.....	3	0.01
		502 = Spray paints.....	1	0.00
		503 = Other aerosol sprays.....	48	0.08
		504 = Shoeshine liquid, glue, or toluene.....	11	0.02
		505 = Lacquer thinner or other paint solvents.....	2	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	10	0.02
		507 = Halothane, ether, or other anesthetics; chloroform	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	5	0.01
		509 = Correction fluids, degreasers, cleaning fluids....	2	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	18	0.03
		511 = Markers, felt-tip pens, ink pens.....	50	0.09
		512 = Incense.....	1	0.00
		516 = Freon, refrigerant.....	15	0.03
		518 = Acetone, nail polish remover.....	10	0.02
		519 = Helium.....	25	0.04
		520 = Old paint, paint.....	2	0.00
		524 = White-Out.....	22	0.04
		525 = Butane.....	2	0.00
		526 = Nail polish.....	20	0.03
		528 = Whipped-cream can.....	10	0.02
		531 = Candy, powdered candy, sugar.....	2	0.00
		534 = Deodorant.....	2	0.00
		539 = ScotchGard.....	7	0.01
		540 = PAM.....	5	0.01
		546 = Leather protector, suede protector.....	2	0.00
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	6	0.01
		560 = Laundry detergent, soap.....	2	0.00
		567 = Pertussin spray.....	1	0.00
		580 = Medusa.....	1	0.00
		590 = Canned air, compressed air.....	2	0.00
		592 = Computer air duster, computer cleaner, dust-off...	31	0.05
		599 = Potpourri.....	3	0.01
		658 = Special K, Ketamine.....	1	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
		815 = Coffee <OTC>.....	1	0.00
		829 = Robitussin DM <OTC>.....	1	0.00
		847 = GHB, NSC.....	1	0.00
		3052 = Speed; otherwise unspecified.....	1	0.00
		3053 = Maxair, Pirbuterol.....	1	0.00
		5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
		5021 = Octane booster.....	1	0.00
		5022 = Carbon dioxide, CO2, dry ice hits.....	2	0.00
		5035 = Brake cleaner.....	1	0.00

INHALANTS			PAGE:	68
LABEL	LEN	DESCRIPTION	FREQ	%
		5037 = Wood filler.....	1	0.00
		5039 = Acetate.....	1	0.00
		5042 = Fuels other than gasoline.....	1	0.00
		5043 = Carbona.....	1	0.00
		5045 = Cleaner; not otherwise specified.....	1	0.00
		5046 = Glass/window cleaner.....	1	0.00
		5047 = Tetrafluorethylene.....	1	0.00
		6047 = Water.....	1	0.00
		8009 = Allergy pills; type unspecified.....	1	0.00
		8024 = Asthma inhaler,asthma medication,bronchial dilator	12	0.02
		8054 = Beconase.....	1	0.00
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	151	0.26
		9999 = LEGITIMATE SKIP.....	5157	8.79
INHNEWB	4	OTHER INHALANT - SPECIFY 2		
		501 = Gasoline or lighter fluids.....	2	0.00
		503 = Other aerosol sprays.....	1	0.00
		504 = Shoeshine liquid, glue, or toluene.....	3	0.01
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	5	0.01
		511 = Markers, felt-tip pens, ink pens.....	5	0.01
		516 = Freon, refrigerant.....	3	0.01
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	1	0.00
		520 = Old paint, paint.....	2	0.00
		524 = White-Out.....	1	0.00
		526 = Nail polish.....	3	0.01
		528 = Whipped-cream can.....	3	0.01
		539 = ScotchGard.....	1	0.00
		540 = PAM.....	2	0.00
		592 = Computer air duster, computer cleaner, dust-off...	2	0.00
		5041 = Wood alcohol.....	1	0.00
		5043 = Carbona.....	1	0.00
		5044 = Powdered cleansers; e.g. Ajax, Comet, Borax.....	1	0.00
		8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
		8055 = Flonase.....	1	0.00
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	488	0.83
		9999 = LEGITIMATE SKIP.....	5157	8.79

INHALANTS			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INHNEWC	4	OTHER INHALANT - SPECIFY 3		
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		511 = Markers, felt-tip pens, ink pens.....	3	0.01
		518 = Acetone, nail polish remover.....	1	0.00
		520 = Old paint, paint.....	1	0.00
		524 = White-Out.....	1	0.00
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
		8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	521	0.89
		9999 = LEGITIMATE SKIP.....	5157	8.79
INHNEWD	4	OTHER INHALANT - SPECIFY 4		
		503 = Other aerosol sprays.....	1	0.00
		524 = White-Out.....	1	0.00
		526 = Nail polish.....	1	0.00
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	528	0.90
		9999 = LEGITIMATE SKIP.....	5157	8.79
INHNEWE	4	OTHER INHALANT - SPECIFY 5		
		518 = Acetone, nail polish remover.....	1	0.00
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	530	0.90
		9999 = LEGITIMATE SKIP.....	5157	8.79
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 51	5341	9.10
		985 = BAD DATA Logically assigned.....	54	0.09
		991 = NEVER USED INHALANTS.....	52982	90.29
		994 = DON'T KNOW.....	150	0.26
		997 = REFUSED.....	56	0.10
		998 = BLANK (NO ANSWER).....	97	0.17

		INHALANTS	PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
(IN03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions IN03a, IN03b, IN03c, and IN03d were used to create the following two variables.		
INHYFU	4	YEAR OF FIRST INHALANT USE - RECODE		
		RANGE = 1998 - 2000	672	1.15
		9985 = BAD DATA Logically assigned.....	284	0.48
		9991 = NEVER USED INHALANTS.....	52982	90.29
		9994 = DON'T KNOW.....	155	0.26
		9997 = REFUSED.....	62	0.11
		9998 = BLANK (NO ANSWER).....	114	0.19
		9999 = LEGITIMATE SKIP.....	4411	7.52
INHMFU	2	MONTH OF FIRST INHALANT USE - RECODE		
		1 = January.....	48	0.08
		2 = February.....	30	0.05
		3 = March.....	50	0.09
		4 = April.....	51	0.09
		5 = May.....	38	0.06
		6 = June.....	53	0.09
		7 = July.....	62	0.11
		8 = August.....	58	0.10
		9 = September.....	48	0.08
		10 = October.....	53	0.09
		11 = November.....	44	0.07
		12 = December.....	43	0.07
		85 = BAD DATA Logically assigned.....	289	0.49
		91 = NEVER USED INHALANTS.....	52982	90.29
		94 = DON'T KNOW.....	247	0.42
		97 = REFUSED.....	70	0.12
		98 = BLANK (NO ANSWER).....	103	0.18
		99 = LEGITIMATE SKIP.....	4411	7.52
(INLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days.....	280	0.48
		2 = More than 30 days ago but within the past 12 mos..	771	1.31
		3 = More than 12 months ago.....	4341	7.40
		8 = Used at some point in the past 12 mos LOG ASSN....	24	0.04
		9 = Used at some point in lifetime LOG ASSN.....	182	0.31
		91 = NEVER USED INHALANTS.....	52982	90.29
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	97	0.17

INHALANTS			PAGE:	71
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1047	1.78
		985 = BAD DATA Logically assigned.....	2	0.00
		991 = NEVER USED INHALANTS.....	52982	90.29
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4341	7.40
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	279	0.48
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	58677	99.99
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	108	0.18
		98 = BLANK (NO ANSWER).....	58572	99.82
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED INHALANTS		
		1 = Prefer to answer in days per week.....	170	0.29
		2 = Prefer to answer in days per month.....	231	0.39
		3 = Prefer to answer in days per year.....	639	1.09
		11 = Prefer to ans in days per wk LOG ASSN.....	5	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	18	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	279	0.48

INHALANTS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INDAYPYR	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 150	652	1.11
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		991 = NEVER USED INHALANTS.....	52982	90.29
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4341	7.40
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	280	0.48
		999 = LEGITIMATE SKIP.....	402	0.69
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INDAYPMO	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 27	224	0.38
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	281	0.48
		99 = LEGITIMATE SKIP.....	822	1.40
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	171	0.29
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	280	0.48
		99 = LEGITIMATE SKIP.....	876	1.49

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
(IN06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		
INH DY30A	2	# DAYS USED INHALANT PAST 30 DAYS		
		RANGE = 1 - 30	266	0.45
		85 = BAD DATA Logically assigned.....	23	0.04
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5112	8.71
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	280	0.48
(IN06DKRE)		What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?		
IN30EST	2	BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS		
		1 = 1 or 2 days.....	2	0.00
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	2	0.00
		6 = All 30 days.....	2	0.00
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5112	8.71
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	303	0.52
		99 = LEGITIMATE SKIP.....	266	0.45

PAIN RELIEVERS

LABEL LEN

DESCRIPTION

FREQ

%

(PR01)

PAIN RELIEVERS

NOTE: When respondents say "Don't know" or refuse to answer consistency check PRCC06 (Please answer this question again. Think about the first time you used any prescription pain reliever that was not prescribed for you How old were you the first time), the CAI program is supposed to go to PR09 (How long has it been since you last used any prescription pain reliever...), skipping the month and year of first use questions for new initiates (PR07a-PR08b). Due to a problem with the CAI program, these respondents were erroneously getting questions PR07a-PR08b. This was fixed 6/22/2000. Variables affected by this patch are denoted by an '*' to the left of the variable name.

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, and Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC 2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
	1 = Yes.....	3952	6.73
	2 = No.....	2054	3.50

PAIN RELIEVERS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	109	0.19
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	3	0.01
(PR02)		Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?		
PERCTYLX	2	EVER USED PERCOCET, PERCODAN, OR TYLOX		
		1 = Yes.....	1764	3.01
		2 = No.....	4285	7.30
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	72	0.12
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	3	0.01
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?		
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET		
		1 = Yes.....	2274	3.88
		2 = No.....	3791	6.46
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	53	0.09
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	3	0.01

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR04)		Please look at the pain relievers shown below the red line on Card A.		
		Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
		1 = Yes.....	2260	3.85
		2 = No.....	3758	6.40
		3 = Yes LOGICALLY ASSIGNED.....	34	0.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	77	0.13
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	3	0.01
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Response entered.....	1411	2.40
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	755	1.29
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Response entered.....	564	0.96
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	1606	2.74
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40

PAIN RELIEVERS			PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Response entered.....	123	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2052	3.50
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
FIORICET	2	EVER USED FIORICET "NONMEDICALLY"		
		1 = Response entered.....	78	0.13
		6 = Response not entered.....	2098	3.58
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
FIORINAL	2	EVER USED FIORINAL "NONMEDICALLY"		
		1 = Response entered.....	68	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	2105	3.59
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
HYDROCOD	2	EVER USED HYDROCODONE "NONMEDICALLY"		
		1 = Response entered.....	644	1.10
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	1526	2.60
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40

PAIN RELIEVERS			PAGE:	78
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Response entered.....	227	0.39
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1948	3.32
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Response entered.....	496	0.85
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	1670	2.85
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
OXYCONTN	2	EVER USED OXYCONTIN "NONMEDICALLY"		
		1 = Response entered.....	166	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	2004	3.42
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
PHENCOD	2	EVER USED PHENAPHEN WITH CODEINE "NONMEDICALLY"		
		1 = Response entered.....	180	0.31
		6 = Response not entered.....	1996	3.40
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40

PAIN RELIEVERS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PROPOXY	2	EVER USED PROPOXYPHENE "NONMEDICALLY"		
		1 = Response entered.....	64	0.11
		6 = Response not entered.....	2112	3.60
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
SK65A	2	EVER USED SK65 "NONMEDICALLY"		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	2155	3.67
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
STADOL	2	EVER USED STADOL "NONMEDICALLY"		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	2149	3.66
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
TALACEN	2	EVER USED TALACEN "NONMEDICALLY"		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	2155	3.67
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40

PAIN RELIEVERS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Response entered.....	48	0.08
		6 = Response not entered.....	2128	3.63
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
TALWINNX	2	EVER USED TALWIN NX "NONMEDICALLY"		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	2161	3.68
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
TRAMADOL	2	EVER USED TRAMADOL "NONMEDICALLY"		
		1 = Response entered.....	30	0.05
		6 = Response not entered.....	2146	3.66
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40
ULTRAM	2	EVER USED ULTRAM "NONMEDICALLY"		
		1 = Response entered.....	183	0.31
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	1989	3.39
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	3758	6.40

PAIN RELIEVERS			PAGE:	81
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST 2		EVER USED ANY OTHER PAIN RELIEVER "NONMEDICALLY"		
		1 = Yes.....	1357	2.31
		2 = No.....	4615	7.86
		4 = No LOGICALLY ASSIGNED.....	45	0.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	108	0.18
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	3	0.01

		PAIN RELIEVERS		PAGE:	82
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1			
		105 = Placidyl.....		1	0.00
		109 = Seconal.....		1	0.00
		110 = Tuinal.....		3	0.01
		112 = Restoril, Temazepam.....		2	0.00
		113 = Halcion.....		2	0.00
		115 = Phenobarbital.....		1	0.00
		116 = Methaqualone, Quaalude, Sopor.....		17	0.03
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..		2	0.00
		124 = Yellow jackets.....		2	0.00
		129 = Reds.....		1	0.00
		130 = Phenergan, Promethazine.....		2	0.00
		138 = Mandrakes.....		1	0.00
		157 = Barbiturates.....		1	0.00
		174 = Ambien, Zolpidem.....		4	0.01
		201 = Valium, Diazepam.....		93	0.16
		209 = Xanax, Alprazolam.....		61	0.10
		211 = Buspar.....		1	0.00
		212 = Miltown.....		1	0.00
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....		1	0.00
		225 = Desyrel, Trazodone hydrochloride.....		2	0.00
		227 = Thorazine.....		1	0.00
		228 = Amitriptyline, Elavil.....		1	0.00
		234 = Cyclobenzaprine, Flexeril.....		11	0.02
		240 = Lithium carbonate, Lithonate.....		2	0.00
		241 = Prozac.....		6	0.01
		246 = Clonazepam, Klonopin, Rivotril.....		8	0.01
		268 = Rohypnol, Roche, roofies.....		5	0.01
		271 = Zoloft.....		1	0.00
		283 = Paroxetine, Paxil.....		2	0.00
		301 = Dexedrine.....		3	0.01
		318 = Ritalin, Methylphenidate.....		19	0.03
		322 = Methamphetamine ("ice" or "crank"), Meth.....		1	0.00
		334 = Crossroads, cross tops.....		1	0.00
		352 = Lemons.....		1	0.00
		356 = Dexies.....		1	0.00
		401 = Darvon.....		2	0.00
		406 = Percodan.....		1	0.00
		407 = Demerol.....		5	0.01
		408 = Dilaudid.....		2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....		6	0.01
		415 = Codeine.....		9	0.02
		417 = Morphine, Roxanol.....		11	0.02
		418 = Dolophine, Methadone.....		1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		21	0.04
		421 = USED ANALGESIC, DON'T KNOW NAME.....		88	0.15
		422 = Motrin.....		44	0.07
		423 = Percocet.....		9	0.02
		425 = Advil <OTC>.....		2	0.00
		426 = Fiorinal.....		3	0.01

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
427	=	Darvocet.....	3	0.01
430	=	Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
431	=	Tylox.....	2	0.00
433	=	Paregoric.....	1	0.00
434	=	Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	44	0.07
435	=	Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438	=	Anaprox, Naprosyn, Naproxen.....	9	0.02
442	=	Ibuprofen.....	46	0.08
450	=	Acetaminophen <OTC>.....	1	0.00
454	=	Novocain, Procaine.....	1	0.00
458	=	Mepergan, Mepergan Fortis, Meprozone.....	4	0.01
465	=	Fentanyl, Duragesic, Sublimaze.....	1	0.00
472	=	Indocin, Indomethacin.....	1	0.00
476	=	Duradrin, Isocom, Midrin.....	3	0.01
477	=	Melumbrina, Neo-Melumbrina.....	1	0.00
481	=	Acular, Ketorolac tromethamine, Toradol.....	2	0.00
490	=	Nubain.....	1	0.00
496	=	Ultram.....	3	0.01
635	=	Ginseng seeds, ginseng weed.....	1	0.00
802	=	THC, cannabiniol, marinol.....	2	0.00
820	=	Penicillin.....	5	0.01
821	=	Amoxicillin, Ampicillin.....	4	0.01
824	=	Steroids.....	1	0.00
825	=	Theo-Dur.....	1	0.00
828	=	Tetracycline.....	1	0.00
846	=	Erythromycin.....	1	0.00
858	=	Antibiotic.....	1	0.00
895	=	Tagamet, Cimetidine.....	1	0.00
896	=	Catapres, Clonidine.....	1	0.00
2001	=	Carisoprodol, Soma.....	27	0.05
2002	=	Muscle Relaxers.....	12	0.02
3023	=	Adderall.....	4	0.01
3027	=	Energy pills.....	1	0.00
3052	=	Speed; otherwise unspecified.....	2	0.00
4001	=	Actron, Ketoprofen, Orudis, Oruvail.....	3	0.01
4002	=	Imitrex, Sumatriptan.....	1	0.00
4005	=	Etodolac, Lodine.....	4	0.01
4029	=	Feldine, Piroxicam.....	1	0.00
4031	=	Cough medicine with codeine.....	1	0.00
4033	=	Vicoprofen.....	2	0.00
4034	=	Lilly red.....	1	0.00
4035	=	Nabumetone, Relafin.....	3	0.01
4037	=	MS Contin.....	2	0.00
4039	=	Daypro.....	2	0.00
4044	=	Hydrocodone.....	7	0.01
4046	=	Oxycodone.....	6	0.01
4047	=	Roxicet.....	3	0.01
4052	=	Endocet.....	2	0.00
4053	=	Codydramol.....	1	0.00
4054	=	Zomax.....	1	0.00

PAIN RELIEVERS			PAGE:	84
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
	4055	= Vioxx.....	1	0.00
	4058	= Totem poles.....	1	0.00
	6076	= Lemon 714.....	1	0.00
	8002	= Zantac.....	1	0.00
	8007	= Gabapentin, Neurontin.....	1	0.00
	8008	= Antidepressant; type unspecified.....	1	0.00
	8010	= Zyrtec, cetirizine.....	1	0.00
	8018	= Claritromicina.....	1	0.00
	8020	= Allegra.....	2	0.00
	8024	= Asthma inhaler, asthma medication, bronchial dilator	2	0.00
	8025	= Claritin, Claritin D.....	2	0.00
	8032	= Prilosec.....	1	0.00
	8035	= Prednisone.....	1	0.00
	8052	= Bactrim, Septra.....	1	0.00
	8057	= Natacyn, Natamycin ophthalmic.....	1	0.00
	8058	= Cough medicine/syrup; type unspecified.....	1	0.00
	9981	= NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
	9985	= BAD DATA Logically assigned.....	27	0.05
	9989	= LEGITIMATE SKIP Logically assigned.....	45	0.08
	9991	= NEVER USED PAIN RELIEVERS.....	52453	89.39
	9997	= REFUSED.....	48	0.08
	9998	= BLANK (NO ANSWER).....	712	1.21
	9999	= LEGITIMATE SKIP.....	4615	7.86

PAIN RELIEVERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2		
		108 = Nembutal.....	1	0.00
		110 = Tuinal.....	1	0.00
		112 = Restoril, Temazepam.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	3	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
		130 = Phenergan, Promethazine.....	1	0.00
		138 = Mandrakes.....	1	0.00
		186 = Butalbital.....	1	0.00
		201 = Valium, Diazepam.....	19	0.03
		205 = Serax.....	1	0.00
		209 = Xanax, Alprazolam.....	16	0.03
		211 = Buspar.....	1	0.00
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	3	0.01
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	5	0.01
		283 = Paroxetine, Paxil.....	1	0.00
		292 = Serzone.....	1	0.00
		301 = Dexedrine.....	2	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		335 = Dexatrim <OTC>.....	1	0.00
		356 = Dexies.....	1	0.00
		406 = Percodan.....	2	0.00
		407 = Demerol.....	2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		415 = Codeine.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	5	0.01
		421 = USED ANALGESIC, DON'T KNOW NAME.....	11	0.02
		422 = Motrin.....	3	0.01
		425 = Advil <OTC>.....	3	0.01
		427 = Darvocet.....	2	0.00
		430 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
		433 = Paregoric.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	3	0.01
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	3	0.01
		438 = Anaprox, Naprosyn, Naproxen.....	3	0.01
		442 = Ibuprofen.....	3	0.01
		458 = Mepergan, Mepergan Fortis, Meprozone.....	2	0.00
		481 = Acular, Ketorolac tromethamine, Toradol.....	1	0.00
		496 = Ultram.....	1	0.00
		858 = Antibiotic.....	1	0.00
		894 = Depakene, Depakote, Valproic Acid.....	1	0.00
		900 = Not a drug.....	1	0.00
		2001 = Carisoprodol, Soma.....	4	0.01
		3023 = Adderall.....	1	0.00
		4035 = Nabumetone, Relafin.....	1	0.00
		4044 = Hydrocodone.....	2	0.00

PAIN RELIEVERS			PAGE:	86
LABEL	LEN	DESCRIPTION	FREQ	%
		4051 = Celebrex.....	1	0.00
		4058 = Totem poles.....	2	0.00
		8002 = Zantac.....	2	0.00
		8043 = Accolate.....	1	0.00
		8044 = Cephelaxin.....	1	0.00
		8051 = Sinex <OTC>.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		9985 = BAD DATA Logically assigned.....	21	0.04
		9989 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		9991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	1321	2.25
		9999 = LEGITIMATE SKIP.....	4650	7.92
ANALNEWC 4		OTHER PAIN RELIEVER - SPECIFY 3		
		110 = Tuinal.....	1	0.00
		171 = NyQuil <OTC>.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		201 = Valium, Diazepam.....	5	0.01
		209 = Xanax, Alprazolam.....	5	0.01
		211 = Buspar.....	1	0.00
		241 = Prozac.....	1	0.00
		271 = Zoloft.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		336 = Diet pills.....	1	0.00
		356 = Dexies.....	1	0.00
		407 = Demerol.....	2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		415 = Codeine.....	2	0.00
		421 = USED ANALGESIC, DON'T KNOW NAME.....	5	0.01
		423 = Percocet.....	2	0.00
		425 = Advil <OTC>.....	1	0.00
		430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	1	0.00
		442 = Ibuprofen.....	1	0.00
		2001 = Carisoprodol, Soma.....	4	0.01
		4027 = Rorer.....	1	0.00
		4059 = Zomig, Zolmitriptan.....	1	0.00
		8020 = Allegra.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		9985 = BAD DATA Logically assigned.....	14	0.02
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	1420	2.42
		9999 = LEGITIMATE SKIP.....	4658	7.94

PAIN RELIEVERS			PAGE:	87
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWD	4	OTHER PAIN RELIEVER - SPECIFY 4		
		109 = Seconal.....	1	0.00
		110 = Tuinal.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		137 = 7-14.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	2	0.00
		271 = Zoloft.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		415 = Codeine.....	1	0.00
		421 = USED ANALGESIC, DON'T KNOW NAME.....	2	0.00
		422 = Motrin.....	1	0.00
		427 = Darvocet.....	2	0.00
		431 = Tylox.....	1	0.00
		442 = Ibuprofen.....	1	0.00
		2001 = Carisoprodol, Soma.....	1	0.00
		3015 = Fen-Phen (fenfluramine and phentermine).....	1	0.00
		3017 = Dayquil <OTC>.....	1	0.00
		4047 = Roxicet.....	1	0.00
		8025 = Claritin, Claritin D.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		9985 = BAD DATA Logically assigned.....	12	0.02
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	1445	2.46
		9999 = LEGITIMATE SKIP.....	4659	7.94
ANALNEWE	4	OTHER PAIN RELIEVER - SPECIFY 5		
		112 = Restoril, Temazepam.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		207 = Ativan, Lorazepam.....	1	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		415 = Codeine.....	1	0.00
		466 = Midol <OTC>.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		2001 = Carisoprodol, Soma.....	1	0.00
		4046 = Oxycodone.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		9985 = BAD DATA Logically assigned.....	12	0.02
		9991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	1459	2.49
		9999 = LEGITIMATE SKIP.....	4660	7.94

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR06)		How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN RELIEVERS "NONMEDICALLY"		
		RANGE = 1 - 74	5427	9.25
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		985 = BAD DATA Logically assigned.....	78	0.13
		991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		994 = DON'T KNOW.....	343	0.58
		997 = REFUSED.....	111	0.19
		998 = BLANK (NO ANSWER).....	204	0.35
(PR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR07a, PR07b, PR08a, and PR08b were used to create the following two variables.		
*ANALYFU	4	YEAR OF FIRST PAIN RELIEVER USE - RECODE		
		RANGE = 1998 - 2000	956	1.63
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		9985 = BAD DATA Logically assigned.....	347	0.59
		9991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		9994 = DON'T KNOW.....	355	0.60
		9997 = REFUSED.....	116	0.20
		9998 = BLANK (NO ANSWER).....	239	0.41
		9999 = LEGITIMATE SKIP.....	4150	7.07
*ANALMFU	2	MONTH OF FIRST PAIN RELIEVER USE - RECODE		
		1 = January.....	94	0.16
		2 = February.....	67	0.11
		3 = March.....	76	0.13
		4 = April.....	63	0.11
		5 = May.....	52	0.09
		6 = June.....	80	0.14
		7 = July.....	75	0.13
		8 = August.....	60	0.10
		9 = September.....	56	0.10
		10 = October.....	89	0.15
		11 = November.....	72	0.12
		12 = December.....	60	0.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	371	0.63
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		94 = DON'T KNOW.....	464	0.79
		97 = REFUSED.....	119	0.20
		98 = BLANK (NO ANSWER).....	215	0.37
		99 = LEGITIMATE SKIP.....	4150	7.07

PAIN RELIEVERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days.....	1052	1.79
		2 = More than 30 days ago but within the past 12 mos..	1544	2.63
		3 = More than 12 months ago.....	3058	5.21
		8 = Used at some point in the past 12 mos LOG ASSN....	16	0.03
		9 = Used at some point in lifetime LOG ASSN.....	265	0.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	14	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	204	0.35
ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		RANGE = 1 - 365	2521	4.30
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		985 = BAD DATA Logically assigned.....	27	0.05
		991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	3058	5.21
		994 = DON'T KNOW.....	63	0.11
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	469	0.80
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT		
		98 = BLANK (NO ANSWER).....	58680	100.0
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	159	0.27
		98 = BLANK (NO ANSWER).....	58521	99.73

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Prefer to answer in days per week.....	499	0.85
		2 = Prefer to answer in days per month.....	719	1.23
		3 = Prefer to answer in days per year.....	1301	2.22
		11 = Prefer to ans in days per wk LOG ASSN.....	12	0.02
		12 = Prefer to ans in days per mo LOG ASSN.....	9	0.02
		13 = Prefer to ans in days per yr LOG ASSN.....	26	0.04
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	27	0.05
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	469	0.80
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPYR	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	1318	2.25
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		985 = BAD DATA Logically assigned.....	13	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	16	0.03
		991 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		993 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3058	5.21
		994 = DON'T KNOW.....	36	0.06
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	483	0.82
		999 = LEGITIMATE SKIP.....	1223	2.08

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPMO 2		# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 30	715	1.22
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	17	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	12	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	479	0.82
		99 = LEGITIMATE SKIP.....	1817	3.10

(PR13) On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPWK 2		# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	488	0.83
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	22	0.04
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	474	0.81
		99 = LEGITIMATE SKIP.....	2033	3.46

NOTE: When respondents say "Don't know" or refuse to answer consistency check TRCC06 (Please answer this question again. Think about the first time you used any prescription tranquilizer that was not prescribed for you...How old were you the first timeà), the CAI program is supposed to go to TR09 (How long has it been since you last used any prescription tranquilizer...), skipping the month and year of first use questions for new initiates (TR07a-TR08b). Due to a problem with the CAI program, these respondents were erroneously getting questions TR07a-TR08b. This was fixed 6/22/2000. Variables affected by this patch are denoted by an '*' to the left of the variable name.

These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."

Card B shows pictures of some different kinds of prescription tranquilizers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card B carefully as you answer the next questions.

Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes.....	434	0.74
		2 = No.....	2688	4.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	68	0.12
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	3	0.01

		TRANQUILIZERS	PAGE:	93
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes.....	1369	2.33
		2 = No.....	1754	2.99
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	66	0.11
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	3	0.01
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM		
		1 = Yes.....	2221	3.78
		2 = No.....	912	1.55
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	3	0.01
(TR04)		Please look at the tranquilizers shown below the red line on Card B.		
		Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
		1 = Yes.....	955	1.63
		2 = No.....	2158	3.68
		3 = Yes LOGICALLY ASSIGNED.....	13	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	67	0.11
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	3	0.01

TRANQUILIZERS			PAGE:	94
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Response entered.....	77	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	834	1.42
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
BUSPAR	2	EVER USED BUSPAR "NONMEDICALLY"		
		1 = Response entered.....	150	0.26
		6 = Response not entered.....	763	1.30
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
EQUANIL	2	EVER USED EQUANIL "NONMEDICALLY"		
		1 = Response entered.....	32	0.05
		6 = Response not entered.....	881	1.50
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
FLEXERIL	2	EVER USED FLEXERIL "NONMEDICALLY"		
		1 = Response entered.....	257	0.44
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	652	1.11
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68

TRANQUILIZERS			PAGE:	95
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Response entered.....	143	0.24
		6 = Response not entered.....	770	1.31
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
LIMBTROL	2	EVER USED LIMBTROL "NONMEDICALLY"		
		1 = Response entered.....	28	0.05
		6 = Response not entered.....	885	1.51
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
MEPROB	2	EVER USED MEPROBAMATE "NONMEDICALLY"		
		1 = Response entered.....	32	0.05
		6 = Response not entered.....	881	1.50
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
MILTOWN	2	EVER USED MILTOWN "NONMEDICALLY"		
		1 = Response entered.....	26	0.04
		6 = Response not entered.....	887	1.51
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68

TRANQUILIZERS			PAGE:	96
LABEL	LEN	DESCRIPTION	FREQ	%
ROHYPNOL	2	EVER USED ROHYPNOL "NONMEDICALLY"		
		1 = Response entered.....	125	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	783	1.33
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
SERAX	2	EVER USED SERAX "NONMEDICALLY"		
		1 = Response entered.....	45	0.08
		6 = Response not entered.....	868	1.48
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
SOMA	2	EVER USED SOMA "NONMEDICALLY"		
		1 = Response entered.....	359	0.61
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	549	0.94
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Response entered.....	45	0.08
		6 = Response not entered.....	868	1.48
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68

TRANQUILIZERS			PAGE:	97
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
VISTAR	2	EVER USED VISTARIL "NONMEDICALLY"		
		1 = Response entered.....	67	0.11
		6 = Response not entered.....	846	1.44
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	70	0.12
		99 = LEGITIMATE SKIP.....	2158	3.68
(TR05)		Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B when it was not prescribed for you or that you took only for the experience or feeling it caused?		
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER "NONMEDICALLY"		
		1 = Yes.....	306	0.52
		2 = No.....	2802	4.78
		4 = No LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	84	0.14
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	4	0.01

TRANQUILIZERS			PAGE:	98
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1		
		108 = Nembutal.....	2	0.00
		109 = Seconal.....	3	0.01
		110 = Tuinal.....	1	0.00
		113 = Halcion.....	4	0.01
		115 = Phenobarbital.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	18	0.03
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		129 = Reds.....	1	0.00
		131 = Haldol, Haloperidol.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		186 = Butalbital.....	1	0.00
		201 = Valium, Diazepam.....	6	0.01
		207 = Ativan, Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	8	0.01
		216 = Atarax, Hydroxyzine.....	3	0.01
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	5	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	26	0.04
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00
		224 = Triavil.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		227 = Thorazine.....	2	0.00
		228 = Amitriptyline, Elavil.....	2	0.00
		232 = Mellaril.....	2	0.00
		234 = Cyclobenzaprine, Flexeril.....	5	0.01
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac.....	10	0.02
		268 = Rohypnol, Roche, roofies.....	5	0.01
		271 = Zoloft.....	1	0.00
		283 = Paroxetine, Paxil.....	2	0.00
		289 = Olanzapine, Zyprexa.....	1	0.00
		290 = Skelaxin.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		351 = Cathinone, Q'at, Cat.....	2	0.00
		408 = Dilaudid.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		423 = Percocet.....	1	0.00
		427 = Darvocet.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	1	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	1	0.00
		658 = Special K, Ketamine.....	16	0.03
		663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
		847 = GHB, NSC.....	1	0.00
		2001 = Carisoprodol, Soma.....	6	0.01
		2002 = Muscle Relaxers.....	1	0.00
		3023 = Adderall.....	2	0.00
		4001 = Actron, Ketoprofen, Orudis, Oruvail.....	1	0.00
		4039 = Daypro.....	1	0.00
		4049 = Headache power <OTC>.....	1	0.00

TRANQUILIZERS			PAGE:	99
LABEL	LEN	DESCRIPTION	FREQ	%
		8002 = Zantac.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	11	0.02
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9997 = REFUSED.....	28	0.05
		9998 = BLANK (NO ANSWER).....	216	0.37
		9999 = LEGITIMATE SKIP.....	2802	4.78
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		109 = Seconal.....	1	0.00
		137 = 7-14.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		202 = Librium, Chlordiazepoxide HCl.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	2	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		318 = Ritalin, Methylphenidate.....	2	0.00
		415 = Codeine.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
		4049 = Headache power <OTC>.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	8	0.01
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	375	0.64
		9999 = LEGITIMATE SKIP.....	2804	4.78
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		
		131 = Haldol, Haloperidol.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		8009 = Allergy pills; type unspecified.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	389	0.66
		9999 = LEGITIMATE SKIP.....	2804	4.78
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	391	0.67
		9999 = LEGITIMATE SKIP.....	2804	4.78

TRANQUILIZERS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5		
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	392	0.67
		9999 = LEGITIMATE SKIP.....	2804	4.78
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 1 - 65	2940	5.01
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		985 = BAD DATA Logically assigned.....	30	0.05
		991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		994 = DON'T KNOW.....	84	0.14
		997 = REFUSED.....	31	0.05
		998 = BLANK (NO ANSWER).....	135	0.23
(TR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions TR07a, TR07b, TR08a, and TR08b were used to create the following two variables.		
*TRANYFU	4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
		RANGE = 1998 - 2000	446	0.76
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	142	0.24
		9991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		9994 = DON'T KNOW.....	88	0.15
		9997 = REFUSED.....	31	0.05
		9998 = BLANK (NO ANSWER).....	149	0.25
		9999 = LEGITIMATE SKIP.....	2364	4.03

TRANQUILIZERS			PAGE:	101
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
*TRANMFU	2	MONTH OF FIRST TRANQUILIZER USE - RECODE		
		1 = January.....	36	0.06
		2 = February.....	52	0.09
		3 = March.....	19	0.03
		4 = April.....	30	0.05
		5 = May.....	29	0.05
		6 = June.....	32	0.05
		7 = July.....	48	0.08
		8 = August.....	25	0.04
		9 = September.....	22	0.04
		10 = October.....	36	0.06
		11 = November.....	40	0.07
		12 = December.....	34	0.06
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	148	0.25
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		94 = DON'T KNOW.....	130	0.22
		97 = REFUSED.....	32	0.05
		98 = BLANK (NO ANSWER).....	143	0.24
		99 = LEGITIMATE SKIP.....	2364	4.03
(TR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days.....	341	0.58
		2 = More than 30 days ago but within the past 12 mos..	646	1.10
		3 = More than 12 months ago.....	1999	3.41
		8 = Used at some point in the past 12 mos LOG ASSN....	6	0.01
		9 = Used at some point in lifetime LOG ASSN.....	75	0.13
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	135	0.23
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		RANGE = 1 - 364	966	1.65
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		985 = BAD DATA Logically assigned.....	10	0.02
		991 = NEVER USED TRANQUILIZERS.....	55455	94.50
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1999	3.41
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	210	0.36

TRANQUILIZERS			PAGE:	102
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT 98 = BLANK (NO ANSWER).....	58680	100.0
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use.... 98 = BLANK (NO ANSWER).....	81 58599	0.14 99.86
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER 1 = Prefer to answer in days per week..... 2 = Prefer to answer in days per month..... 3 = Prefer to answer in days per year..... 11 = Prefer to ans in days per wk LOG ASSN..... 12 = Prefer to ans in days per mo LOG ASSN..... 13 = Prefer to ans in days per yr LOG ASSN..... 81 = NEVER USED TRANQUILIZERS Logically assigned..... 85 = BAD DATA Logically assigned..... 91 = NEVER USED TRANQUILIZERS..... 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	157 288 526 1 2 7 5 10 55455 1999 5 15 210	0.27 0.49 0.90 0.00 0.00 0.01 0.01 0.02 94.50 3.41 0.01 0.03 0.36
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPYR	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS RANGE = 1 - 250 981 = NEVER USED TRANQUILIZERS Logically assigned..... 985 = BAD DATA Logically assigned..... 989 = LEGITIMATE SKIP Logically assigned..... 991 = NEVER USED TRANQUILIZERS..... 993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..... 994 = DON'T KNOW..... 997 = REFUSED..... 998 = BLANK (NO ANSWER)..... 999 = LEGITIMATE SKIP.....	530 5 5 2 55455 1999 9 14 215 446	0.90 0.01 0.01 0.00 94.50 3.41 0.02 0.02 0.37 0.76

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO 2		# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 30	284	0.48
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	214	0.36
		99 = LEGITIMATE SKIP.....	687	1.17
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPWK 2		# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	152	0.26
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
		99 = LEGITIMATE SKIP.....	814	1.39

LABEL	LEN	DESCRIPTION	FREQ	%
(ST01)		STIMULANTS		

NOTE: Respondents who said "Yes" only to lifetime Methamphetamine use (ST01=1) in the Stimulants section were only supposed to get routed through ST06 (How old were you the first time you used any prescription stimulant...caused?). However, due to an error in the CAI programming logic, these respondents were subsequently routed through both ST06 and ST14 (Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?). This error was fixed on 6/22/2000. Variables affected by this patch are denoted by an '*' to the left of the variable name.

These questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

METHDES	LEN	DESCRIPTION	FREQ	%
	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		1 = Yes.....	1968	3.35
		2 = No.....	1672	2.85
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	4	0.01

		STIMULANTS	PAGE:	105
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(ST02)		Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphedamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?		
DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC		
		1 = Yes.....	1217	2.07
		2 = No.....	2431	4.14
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	4	0.01
(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?		
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE		
		1 = Yes.....	1211	2.06
		2 = No.....	2439	4.16
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	4	0.01
(ST04)		Please look at the stimulants shown below the red line on Card C.		
		Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?		
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C		
		1 = Yes.....	757	1.29
		2 = No.....	2886	4.92
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	4	0.01

		STIMULANTS	PAGE:	106
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CYLERT	2	EVER USED CYLERT "NONMEDICALLY"		
		1 = Response entered.....	80	0.14
		6 = Response not entered.....	576	0.98
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Response entered.....	346	0.59
		6 = Response not entered.....	310	0.53
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
DETAMP	2	EVER USED DEXTROAMPHET "NONMEDICALLY"		
		1 = Response entered.....	127	0.22
		6 = Response not entered.....	529	0.90
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
DIDREX	2	EVER USED DIDREX "NONMEDICALLY"		
		1 = Response entered.....	39	0.07
		6 = Response not entered.....	617	1.05
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92

STIMULANTS			PAGE:	107
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ESKAT	2	EVER USED ESKATROL "NONMEDICALLY"		
		1 = Response entered.....	33	0.06
		6 = Response not entered.....	623	1.06
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Response entered.....	59	0.10
		6 = Response not entered.....	597	1.02
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
MAZANOR	2	EVER USED MAZANOR "NONMEDICALLY"		
		1 = Response entered.....	34	0.06
		6 = Response not entered.....	622	1.06
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
OBLA	2	EVER USED OBEDRIN-LA "NONMEDICALLY"		
		1 = Response entered.....	16	0.03
		6 = Response not entered.....	640	1.09
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
PLEGINE	2	EVER USED PLEGINE "NONMEDICALLY"		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	635	1.08
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92

		STIMULANTS	PAGE:	108
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Response entered.....	96	0.16
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	559	0.95
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
SANOREX	2	EVER USED SANOREX "NONMEDICALLY"		
		1 = Response entered.....	40	0.07
		6 = Response not entered.....	616	1.05
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
TENUATE	2	EVER USED TENUATE "NONMEDICALLY"		
		1 = Response entered.....	23	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	632	1.08
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	61	0.10
		99 = LEGITIMATE SKIP.....	2886	4.92
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STMNOLST	2	EVER USED ANY OTHER STIMULANT "NONMEDICALLY"		
		1 = Yes.....	360	0.61
		2 = No.....	3251	5.54
		4 = No LOGICALLY ASSIGNED.....	11	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	77	0.13
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	4	0.01

		STIMULANTS		PAGE:	109
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1			
		115 = Phenobarbital.....		1	0.00
		116 = Methaqualone, Quaalude, Sopor.....		2	0.00
		124 = Yellow jackets.....		5	0.01
		174 = Ambien, Zolpidem.....		1	0.00
		207 = Ativan, Lorazepam.....		1	0.00
		209 = Xanax, Alprazolam.....		1	0.00
		225 = Desyrel, Trazodone hydrochloride.....		2	0.00
		240 = Lithium carbonate, Lithonate.....		1	0.00
		241 = Prozac.....		1	0.00
		247 = Adapin, Doxepin, Sinequan.....		1	0.00
		268 = Rohypnol, Roche, roofies.....		1	0.00
		271 = Zoloft.....		2	0.00
		283 = Paroxetine, Paxil.....		1	0.00
		302 = Dexamyl.....		1	0.00
		304 = Benzedrine.....		1	0.00
		305 = Biphedamine.....		1	0.00
		307 = Tenuate, Diethylpropion.....		1	0.00
		311 = Preludin.....		1	0.00
		313 = Adipex-P, Fastin, Phentermine.....		2	0.00
		318 = Ritalin, Methylphenidate.....		3	0.01
		322 = Methamphetamine ("ice" or "crank"), Meth.....		7	0.01
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..		9	0.02
		325 = USED STIMULANT, DON'T KNOW NAME.....		39	0.07
		326 = White cross.....		14	0.02
		327 = Black beauties, Black beauty.....		18	0.03
		329 = Bird's eggs, Robin's eggs, speckled eggs.....		1	0.00
		330 = Blue birds, blue jays, blue robins, speckled bird.		1	0.00
		331 = Blancs, Whites.....		1	0.00
		332 = Ephedrine.....		6	0.01
		334 = Crossroads, cross tops.....		4	0.01
		335 = Dexatrim <OTC>.....		1	0.00
		336 = Diet pills.....		2	0.00
		344 = Bennies.....		1	0.00
		345 = Black Molly.....		2	0.00
		348 = Crystal.....		2	0.00
		352 = Lemons.....		1	0.00
		355 = Crystal meth.....		3	0.01
		356 = Dexies.....		1	0.00
		364 = Pseudoephedrine.....		1	0.00
		374 = Christmas tree(s).....		1	0.00
		387 = Pink football.....		1	0.00
		417 = Morphine, Roxanol.....		1	0.00
		509 = Correction fluids, degreasers, cleaning fluids....		1	0.00
		635 = Ginseng seeds, ginseng weed.....		3	0.01
		806 = Crack, rock.....		1	0.00
		897 = Synthroid, Levothyroxine.....		1	0.00
		3004 = Black cadillac.....		1	0.00
		3015 = Fen-Phen (fenfluramine and phentermine).....		2	0.00
		3023 = Adderall.....		33	0.06

STIMULANTS			PAGE:	110
LABEL	LEN	DESCRIPTION	FREQ	%
		3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
		3036 = Ripped fuel <OTC>.....	1	0.00
		3049 = Truck drivers speed.....	1	0.00
		3050 = Mini Thins.....	3	0.01
		3052 = Speed; otherwise unspecified.....	7	0.01
		3055 = Clenbuterol.....	1	0.00
		3062 = Homemade Stimulants.....	1	0.00
		8012 = Coriciden <OTC>.....	1	0.00
		8026 = Powder.....	1	0.00
		8048 = Theophylline.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	5	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	11	0.02
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9997 = REFUSED.....	30	0.05
		9998 = BLANK (NO ANSWER).....	222	0.38
		9999 = LEGITIMATE SKIP.....	3251	5.54
STIMNEWB 4		OTHER STIMULANT - SPECIFY 2		
		137 = 7-14.....	1	0.00
		271 = Zoloft.....	1	0.00
		301 = Dexedrine.....	2	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	2	0.00
		325 = USED STIMULANT, DON'T KNOW NAME.....	2	0.00
		326 = White cross.....	3	0.01
		327 = Black beauties, Black beauty.....	3	0.01
		328 = Pink hearts.....	1	0.00
		330 = Blue birds, blue jays, blue robins, speckled bird.	1	0.00
		332 = Ephedrine.....	3	0.01
		333 = 357 Magnum, Magnum 44 <OTC>.....	1	0.00
		334 = Crossroads, cross tops.....	5	0.01
		336 = Diet pills.....	1	0.00
		345 = Black Molly.....	1	0.00
		374 = Christmas tree(s).....	2	0.00
		614 = MDA, Methylenedioxy amphetamine.....	1	0.00
		894 = Depakene, Depakote, Valproic Acid.....	1	0.00
		3023 = Adderall.....	2	0.00
		3052 = Speed; otherwise unspecified.....	1	0.00
		3058 = Metabolift <OTC>.....	1	0.00
		3067 = Spancap.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	5	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	399	0.68
		9999 = LEGITIMATE SKIP.....	3260	5.56

STIMULANTS			PAGE:	111
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMNEWC	4	OTHER STIMULANT - SPECIFY 3		
		124 = Yellow jackets.....	1	0.00
		330 = Blue birds, blue jays, blue robins, speckled bird.	1	0.00
		334 = Crossroads, cross tops.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		3004 = Black cadillac.....	1	0.00
		3033 = Metabolife <OTC>.....	1	0.00
		3047 = Sudafed <OTC>.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	1	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	433	0.74
		9999 = LEGITIMATE SKIP.....	3261	5.56
STIMNEWD	4	OTHER STIMULANT - SPECIFY 4		
		3056 = Xenadrine <OTC>.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	439	0.75
		9999 = LEGITIMATE SKIP.....	3262	5.56
STIMNEWE	4	OTHER STIMULANT - SPECIFY 5		
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	440	0.75
		9999 = LEGITIMATE SKIP.....	3262	5.56
(ST06)		How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
*STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"		
		RANGE = 1 - 78	3422	5.83
		981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		985 = BAD DATA Logically assigned.....	22	0.04
		991 = NEVER USED STIMULANTS.....	54939	93.62
		994 = DON'T KNOW.....	105	0.18
		997 = REFUSED.....	45	0.08
		998 = BLANK (NO ANSWER).....	132	0.22

STIMULANTS			PAGE:	112
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST07a, ST07b, ST08a, and ST08b were used to create the following two variables.		
STIMYFU	4	YEAR OF FIRST STIMULANT USE - RECODE		
		RANGE = 1998 - 2000	451	0.77
		9981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		9985 = BAD DATA Logically assigned.....	139	0.24
		9989 = LEGITIMATE SKIP Logically assn.....	8	0.01
		9991 = NEVER USED STIMULANTS.....	54939	93.62
		9994 = DON'T KNOW.....	107	0.18
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	143	0.24
		9999 = LEGITIMATE SKIP.....	2833	4.83
STIMMFU	2	MONTH OF FIRST STIMULANT USE - RECODE		
		1 = January.....	34	0.06
		2 = February.....	31	0.05
		3 = March.....	31	0.05
		4 = April.....	36	0.06
		5 = May.....	32	0.05
		6 = June.....	41	0.07
		7 = July.....	34	0.06
		8 = August.....	29	0.05
		9 = September.....	34	0.06
		10 = October.....	45	0.08
		11 = November.....	29	0.05
		12 = December.....	25	0.04
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		85 = BAD DATA Logically assigned.....	148	0.25
		89 = LEGITIMATE SKIP Logically assn.....	8	0.01
		91 = NEVER USED STIMULANTS.....	54939	93.62
		94 = DON'T KNOW.....	156	0.27
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	134	0.23
		99 = LEGITIMATE SKIP.....	2833	4.83

STIMULANTS			PAGE:	113
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days.....	312	0.53
		2 = More than 30 days ago but within the past 12 mos..	613	1.04
		3 = More than 12 months ago.....	2516	4.29
		8 = Used at some point in the past 12 mos LOG ASSN....	17	0.03
		9 = Used at some point in lifetime LOG ASSN.....	112	0.19
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	9	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	130	0.22
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS		
		RANGE = 1 - 364	776	1.32
		981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		983 = DID NOT USE STIMULANTS PAST 12 MOS Log assn.....	1	0.00
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED STIMULANTS.....	54939	93.62
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2515	4.29
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	392	0.67
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT		
		98 = BLANK (NO ANSWER).....	58680	100.0
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	65	0.11
		98 = BLANK (NO ANSWER).....	58615	99.89

STIMULANTS			PAGE:	114
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Prefer to answer in days per week.....	155	0.26
		2 = Prefer to answer in days per month.....	215	0.37
		3 = Prefer to answer in days per year.....	402	0.69
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	10	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		83 = DID NOT USE STIMULANTS PAST 12 MOS Log assn.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2515	4.29
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	392	0.67
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 250	410	0.70
		981 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		983 = DID NOT USE STIMULANTS PAST 12 MOS Log assn.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		991 = NEVER USED STIMULANTS.....	54939	93.62
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2515	4.29
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	17	0.03
		998 = BLANK (NO ANSWER).....	400	0.68
		999 = LEGITIMATE SKIP.....	370	0.63

STIMULANTS			PAGE:	115
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 30	212	0.36
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		83 = DID NOT USE STIMULANTS PAST 12 MOS Log assn.....	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2515	4.29
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	398	0.68
		99 = LEGITIMATE SKIP.....	565	0.96
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	154	0.26
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2516	4.29
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	394	0.67
		99 = LEGITIMATE SKIP.....	622	1.06
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?		
*METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE		
		RANGE = 1 - 50	1905	3.25
		981 = NEVER USED METHAMPHETAMINES Logically assigned....	15	0.03
		985 = BAD DATA Logically assigned.....	10	0.02
		991 = NEVER USED METHAMPHETAMINES.....	56611	96.47
		994 = DON'T KNOW.....	36	0.06
		997 = REFUSED.....	41	0.07
		998 = BLANK (NO ANSWER).....	62	0.11

STIMULANTS			PAGE:	116
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST15, ST16, ST17, and ST18 were used to create the following two variables.		
*METHYFU	4	YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		RANGE = 1998 - 2000	165	0.28
		9981 = NEVER USED METHAMPHETAMINES Logically assigned....	15	0.03
		9985 = BAD DATA Logically assigned.....	54	0.09
		9991 = NEVER USED METHAMPHETAMINES.....	56611	96.47
		9994 = DON'T KNOW.....	37	0.06
		9997 = REFUSED.....	41	0.07
		9998 = BLANK (NO ANSWER).....	66	0.11
		9999 = LEGITIMATE SKIP.....	1691	2.88
*METHMFU	2	MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		1 = January.....	12	0.02
		2 = February.....	9	0.02
		3 = March.....	12	0.02
		4 = April.....	10	0.02
		5 = May.....	11	0.02
		6 = June.....	14	0.02
		7 = July.....	14	0.02
		8 = August.....	11	0.02
		9 = September.....	18	0.03
		10 = October.....	18	0.03
		11 = November.....	12	0.02
		12 = December.....	12	0.02
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	15	0.03
		85 = BAD DATA Logically assigned.....	57	0.10
		91 = NEVER USED METHAMPHETAMINES.....	56611	96.47
		94 = DON'T KNOW.....	49	0.08
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	1691	2.88
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
METHREC	2	TIME SINCE LAST USED METHAMPHETAMINES		
		1 = Within the past 30 days.....	128	0.22
		2 = More than 30 days ago but within the past 12 mos..	285	0.49
		3 = More than 12 months ago.....	1509	2.57
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in lifetime LOG ASSN.....	46	0.08
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	15	0.03
		91 = NEVER USED METHAMPHETAMINES.....	56611	96.47
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	56	0.10

NOTE: When respondents say "Don't know" or refuse to answer consistency check SVCC06 (Please answer this question again. Think about the first time you used any prescription sedative that was not prescribed for you...How old were you the first time...), the CAI program is supposed to go to SV09 (How long has it been since you last used any prescription sedative...), skipping the month and year of first use questions for new initiates (SV07a-SV08b). Due to a problem with the CAI program, these respondents were erroneously getting questions SV07a-SV08b. This was fixed 6/22/2000. Variables affected by this patch are denoted by an '*' to the left of the variable name.

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Somnex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ	2	EVER USED METHAQUALONE, SOPOR, OR QUAALUDE		
		1 = Yes.....	711	1.21
		2 = No.....	470	0.80
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	65	0.11
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	5	0.01

		SEDATIVES	PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
(SV02)		Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?		
MEMBBARB	2	EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC		
		1 = Yes.....	374	0.64
		2 = No.....	800	1.36
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	5	0.01
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM		
		1 = Yes.....	112	0.19
		2 = No.....	1078	1.84
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	61	0.10
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	5	0.01
(SV04)		Please look at the sedatives shown below the red line on Card D.		
		Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?		
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D		
		1 = Yes.....	405	0.69
		2 = No.....	775	1.32
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	67	0.11
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	5	0.01

SEDATIVES			PAGE:	119
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
AMYTAL	2	EVER USED AMYTAL "NONMEDICALLY"		
		1 = Response entered.....	45	0.08
		6 = Response not entered.....	346	0.59
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
BUTISOL	2	EVER USED BUTISOL "NONMEDICALLY"		
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	362	0.62
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
CHHYD	2	EVER USED CHLORAL HYDRATE "NONMEDICALLY"		
		1 = Response entered.....	35	0.06
		6 = Response not entered.....	356	0.61
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Response entered.....	57	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	333	0.57
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32

SEDATIVES			PAGE:	120
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Response entered.....	76	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	314	0.54
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Response entered.....	160	0.27
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	230	0.39
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Response entered.....	79	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	311	0.53
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Response entered.....	101	0.17
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	289	0.49
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	775	1.32

SEDATIVES			PAGE:	121
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV05)		Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDNOLST 2		EVER USED ANY OTHER SEDATIVE "NONMEDICALLY"		
		1 = Yes.....	180	0.31
		2 = No.....	986	1.68
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	84	0.14
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	5	0.01

SEDATIVES			PAGE:	122
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1		
		105 = Placidyl.....	1	0.00
		110 = Tuinal.....	1	0.00
		111 = Dalmene, Flurazepam.....	1	0.00
		113 = Halcion.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	8	0.01
		121 = USED SEDATIVE, DON'T KNOW NAME.....	32	0.05
		129 = Reds.....	2	0.00
		138 = Mandrakes.....	1	0.00
		146 = Bentyl, Dicyclomine.....	1	0.00
		174 = Ambien, Zolpidem.....	14	0.02
		188 = Estazolam.....	1	0.00
		201 = Valium, Diazepam.....	3	0.01
		225 = Desyrel, Trazodone hydrochloride.....	5	0.01
		228 = Amitriptyline, Elavil.....	3	0.01
		246 = Clonazepam, Klonopin, Rivotril.....	2	0.00
		247 = Adapin, Doxepin, Sinequan.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		271 = Zoloft.....	1	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		295 = Mirtazapine, Remeron.....	1	0.00
		355 = Crystal meth.....	1	0.00
		457 = T's and blues.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		802 = THC, cannabinal, marinol.....	1	0.00
		2001 = Carisoprodol, Soma.....	1	0.00
		4044 = Hydrocodone.....	1	0.00
		8010 = Zyrtec, cetirizine.....	1	0.00
		8049 = Sorbitol.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	4	0.01
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	171	0.29
		9999 = LEGITIMATE SKIP.....	986	1.68
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	2	0.00
		174 = Ambien, Zolpidem.....	2	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9997 = REFUSED.....	21	0.04
		9998 = BLANK (NO ANSWER).....	261	0.44
		9999 = LEGITIMATE SKIP.....	986	1.68

SEDATIVES			PAGE:	123
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		174 = Ambien, Zolpidem.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9997 = REFUSED.....	21	0.04
		9998 = BLANK (NO ANSWER).....	267	0.46
		9999 = LEGITIMATE SKIP.....	986	1.68
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		174 = Ambien, Zolpidem.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9997 = REFUSED.....	21	0.04
		9998 = BLANK (NO ANSWER).....	268	0.46
		9999 = LEGITIMATE SKIP.....	986	1.68
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5		
		174 = Ambien, Zolpidem.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9997 = REFUSED.....	21	0.04
		9998 = BLANK (NO ANSWER).....	268	0.46
		9999 = LEGITIMATE SKIP.....	986	1.68
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 1 - 77	1054	1.80
		981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		985 = BAD DATA Logically assigned.....	10	0.02
		991 = NEVER USED SEDATIVES.....	57392	97.81
		994 = DON'T KNOW.....	38	0.06
		997 = REFUSED.....	28	0.05
		998 = BLANK (NO ANSWER).....	147	0.25

SEDATIVES			PAGE:	124
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions SV07a, SV07b, SV08a, and SV08b were used to create the following two variables.		
*SEDYFU	4	YEAR OF FIRST SEDATIVE USE - RECODE		
		RANGE = 1998 - 2000	90	0.15
		9981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		9985 = BAD DATA Logically assigned.....	38	0.06
		9991 = NEVER USED SEDATIVES.....	57392	97.81
		9994 = DON'T KNOW.....	41	0.07
		9997 = REFUSED.....	28	0.05
		9998 = BLANK (NO ANSWER).....	150	0.26
		9999 = LEGITIMATE SKIP.....	930	1.58
*SEDMFU	2	MONTH OF FIRST SEDATIVE USE - RECODE		
		1 = January.....	8	0.01
		2 = February.....	11	0.02
		3 = March.....	6	0.01
		4 = April.....	4	0.01
		5 = May.....	8	0.01
		6 = June.....	5	0.01
		7 = July.....	7	0.01
		8 = August.....	6	0.01
		9 = September.....	3	0.01
		10 = October.....	6	0.01
		11 = November.....	10	0.02
		12 = December.....	7	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	40	0.07
		91 = NEVER USED SEDATIVES.....	57392	97.81
		94 = DON'T KNOW.....	49	0.08
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	148	0.25
		99 = LEGITIMATE SKIP.....	930	1.58

SEDATIVES			PAGE:	125
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days.....	62	0.11
		2 = More than 30 days ago but within the past 12 mos..	159	0.27
		3 = More than 12 months ago.....	870	1.48
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in lifetime LOG ASSN.....	23	0.04
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	147	0.25
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		RANGE = 1 - 312	218	0.37
		981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED SEDATIVES.....	57392	97.81
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	870	1.48
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	17	0.03
		998 = BLANK (NO ANSWER).....	170	0.29
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT		
		98 = BLANK (NO ANSWER).....	58680	100.0
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	22	0.04
		98 = BLANK (NO ANSWER).....	58658	99.96

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Prefer to answer in days per week.....	53	0.09
		2 = Prefer to answer in days per month.....	61	0.10
		3 = Prefer to answer in days per year.....	100	0.17
		12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	2	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 44	102	0.17
		981 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		991 = NEVER USED SEDATIVES.....	57392	97.81
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	870	1.48
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	170	0.29
		999 = LEGITIMATE SKIP.....	114	0.19

SEDATIVES			PAGE:	127
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPMO 2		# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 23	63	0.11
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
		99 = LEGITIMATE SKIP.....	155	0.26
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPWK 2		# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	53	0.09
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
		99 = LEGITIMATE SKIP.....	165	0.28

RECENCY OF DRUG USE			PAGE:	128
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECENCY OF DRUG USE				

IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	15055	25.66
		2 = More than 30 days ago but within the past 12 mos..	3519	6.00
		3 = More than 12 months ago but within the past 3 yrs.	4026	6.86
		4 = More than 3 years ago.....	11426	19.47
		9 = Never smoked cigarettes.....	24654	42.01
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58081	98.98
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	598	1.02
II2CIGRC	1	CIGARETTE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58081	98.98
		2 = Logically imputed data.....	1	0.00
		4 = Statistically imputed data - edited recency=9.....	49	0.08
		5 = Statistically imputed data - edited recency=8.....	13	0.02
		6 = Statistically imputed data - edited recency=19.....	249	0.42
		7 = Statistically imputed data - edited recency=14.....	287	0.49
IRCGRRC	1	CIGAR RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	3551	6.05
		2 = More than 30 days ago but within the past 12 mos..	4355	7.42
		3 = More than 12 months ago but within the past 3 yrs.	4639	7.91
		4 = More than 3 years ago.....	5914	10.08
		9 = Never smoked cigars.....	40221	68.54
IICGRRC	1	CIGAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58146	99.09
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	533	0.91
II2CGRRC	1	CIGAR RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58146	99.09
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	12	0.02
		4 = Statistically imputed data - edited recency=9.....	30	0.05
		5 = Statistically imputed data - edited recency=8.....	13	0.02
		6 = Statistically imputed data - edited recency=19.....	271	0.46
		7 = Statistically imputed data - edited recency=14.....	207	0.35
IRPIPLF	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes.....	5484	9.35
		9 = Never smoked pipes.....	53196	90.65

RECENCY OF DRUG USE			PAGE:	129
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIPPLF	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58663	99.97
		3 = Statistically imputed data.....	17	0.03
IRPIPMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days.....	557	0.95
		2 = More than 30 days ago but within lifetime.....	4927	8.40
		9 = Never smoked pipes.....	53196	90.65
IIPPMN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58663	99.97
		3 = Statistically imputed data.....	17	0.03
IRSLTRC	1	SMOKELESS TOBACCO RECENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	2165	3.69
		2 = More than 30 days ago but within the past 12 mos..	1210	2.06
		3 = More than 12 months ago but within the past 3 yrs.	1507	2.57
		4 = More than 3 years ago.....	5765	9.82
		9 = Never used smokeless tobacco.....	48033	81.86
IISLTRC	1	SMOKELESS TOBACCO RECENCY-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58399	99.52
		3 = Statistically imputed data.....	281	0.48
II2SLTRC	1	SMOKELESS TOBACCO RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58399	99.52
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - edited recency=9.....	12	0.02
		5 = Statistically imputed data - edited recency=8.....	6	0.01
		6 = Statistically imputed data - edited recency=19.....	146	0.25
		7 = Statistically imputed data - edited recency=14.....	87	0.15
IRCHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1604	2.73
		2 = More than 30 days ago but within the past 12 mos..	1118	1.91
		3 = More than 12 months ago but within the past 3 yrs.	1421	2.42
		4 = More than 3 years ago.....	5429	9.25
		9 = Never used chewing tobacco.....	49108	83.69
IICHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58463	99.63
		3 = Statistically imputed data.....	217	0.37
II2CHWRC	1	CHEWING TOBACCO RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58463	99.63
		3 = Statistically imputed data - lifetime use imputed.	9	0.02
		4 = Statistically imputed data - edited recency=9.....	12	0.02
		5 = Statistically imputed data - edited recency=8.....	6	0.01
		6 = Statistically imputed data - edited recency=19.....	125	0.21
		7 = Statistically imputed data - edited recency=14.....	65	0.11

RECENCY OF DRUG USE			PAGE:	130
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1415	2.41
		2 = More than 30 days ago but within the past 12 mos..	607	1.03
		3 = More than 12 months ago but within the past 3 yrs.	747	1.27
		4 = More than 3 years ago.....	2688	4.58
		9 = Never used snuff.....	53223	90.70
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58559	99.79
		3 = Statistically imputed data.....	121	0.21
II2SNFRC	1	SNUFF RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58559	99.79
		3 = Statistically imputed data - lifetime use imputed.	26	0.04
		4 = Statistically imputed data - edited recency=9.....	4	0.01
		5 = Statistically imputed data - edited recency=8.....	1	0.00
		6 = Statistically imputed data - edited recency=19.....	47	0.08
		7 = Statistically imputed data - edited recency=14.....	43	0.07
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	24628	41.97
		2 = More than 30 days ago but within the past 12 mos..	9693	16.52
		3 = More than 12 months ago.....	7560	12.88
		9 = Never used alcohol.....	16799	28.63
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57828	98.55
		2 = Logically imputed data.....	2	0.00
		3 = Statistically imputed data.....	850	1.45
II2ALCRC	1	ALCOHOL RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57828	98.55
		2 = Logically imputed data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - edited recency=9.....	372	0.63
		5 = Statistically imputed data - edited recency=8.....	454	0.77
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	4481	7.64
		2 = More than 30 days ago but within the past 12 mos..	3541	6.03
		3 = More than 12 months ago.....	11759	20.04
		9 = Never used marijuana.....	38899	66.29
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58223	99.22
		3 = Statistically imputed data.....	457	0.78

RECENCY OF DRUG USE			PAGE:	131
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
II2MJRC	1	MARIJUANA RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58223	99.22
		3 = Statistically imputed data - lifetime use imputed.	105	0.18
		4 = Statistically imputed data - edited recency=9.....	198	0.34
		5 = Statistically imputed data - edited recency=8.....	154	0.26
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	439	0.75
		2 = More than 30 days ago but within the past 12 mos..	916	1.56
		3 = More than 12 months ago.....	3847	6.56
		9 = Never used cocaine.....	53478	91.13
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58489	99.67
		2 = Logically imputed data.....	33	0.06
		3 = Statistically imputed data.....	158	0.27
II2COCRC	1	COCAINE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58489	99.67
		2 = Logically imputed data.....	33	0.06
		3 = Statistically imputed data - lifetime use imputed.	55	0.09
		4 = Statistically imputed data - edited recency=9.....	70	0.12
		5 = Statistically imputed data - edited recency=8.....	33	0.06
IRCRKRC	1	CRACK RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	74	0.13
		2 = More than 30 days ago but within the past 12 mos..	188	0.32
		3 = More than 12 months ago.....	971	1.65
		9 = Never used crack.....	57447	97.90
IICRKRC	1	CRACK RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58591	99.85
		3 = Statistically imputed data.....	89	0.15
II2CRKRC	1	CRACK RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58591	99.85
		3 = Statistically imputed data - lifetime use imputed.	60	0.10
		4 = Statistically imputed data - edited recency=9.....	20	0.03
		5 = Statistically imputed data - edited recency=8.....	9	0.02
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	39	0.07
		2 = More than 30 days ago but within the past 12 mos..	98	0.17
		3 = More than 12 months ago.....	433	0.74
		9 = Never used heroin.....	58110	99.03
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58623	99.90
		3 = Statistically imputed data.....	57	0.10

RECENCY OF DRUG USE			PAGE:	132
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
II2HERRC	1	HEROIN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58623	99.90
		3 = Statistically imputed data - lifetime use imputed.	33	0.06
		4 = Statistically imputed data - edited recency=9.....	13	0.02
		5 = Statistically imputed data - edited recency=8.....	11	0.02
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	552	0.94
		2 = More than 30 days ago but within the past 12 mos..	1422	2.42
		3 = More than 12 months ago.....	5132	8.75
		9 = Never used hallucinogens.....	51574	87.89
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58213	99.20
		2 = Logically imputed data.....	16	0.03
		3 = Statistically imputed data.....	451	0.77
II2HALRC	1	HALLUCINOGEN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58213	99.20
		2 = Logically imputed data.....	16	0.03
		3 = Statistically imputed data - lifetime use imputed.	195	0.33
		4 = Statistically imputed data - edited recency=9.....	188	0.32
		5 = Statistically imputed data - edited recency=8.....	68	0.12
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	232	0.40
		2 = More than 30 days ago but within the past 12 mos..	801	1.37
		3 = More than 12 months ago.....	4159	7.09
		9 = Never used LSD.....	53488	91.15
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58485	99.67
		3 = Statistically imputed data.....	195	0.33
II2LSDRC	1	LSD RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58485	99.67
		3 = Statistically imputed data - lifetime use imputed.	66	0.11
		4 = Statistically imputed data - edited recency=9.....	127	0.22
		5 = Statistically imputed data - edited recency=8.....	2	0.00
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	34	0.06
		2 = More than 30 days ago but within the past 12 mos..	133	0.23
		3 = More than 12 months ago.....	974	1.66
		9 = Never used PCP.....	57539	98.06
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58556	99.79
		3 = Statistically imputed data.....	124	0.21

RECENCY OF DRUG USE			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
II2PCPRC	1	PCP RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58556	99.79
		3 = Statistically imputed data - lifetime use imputed.	72	0.12
		4 = Statistically imputed data - edited recency=9.....	51	0.09
		5 = Statistically imputed data - edited recency=8.....	1	0.00
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	303	0.52
		2 = More than 30 days ago but within the past 12 mos..	835	1.42
		3 = More than 12 months ago.....	4462	7.60
		9 = Never used inhalants.....	53080	90.46
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58374	99.48
		2 = Logically imputed data.....	2	0.00
		3 = Statistically imputed data.....	304	0.52
II2INHRC	1	INHALANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58374	99.48
		2 = Logically imputed data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	100	0.17
		4 = Statistically imputed data - edited recency=9.....	182	0.31
		5 = Statistically imputed data - edited recency=8.....	22	0.04
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1111	1.89
		2 = More than 30 days ago but within the past 12 mos..	1633	2.78
		3 = More than 12 months ago.....	3206	5.46
		9 = Never used pain relievers.....	52730	89.86
IIANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58107	99.02
		2 = Logically imputed data.....	64	0.11
		3 = Statistically imputed data.....	509	0.87
II2ANLRC	1	PAIN RELIEVER RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58107	99.02
		2 = Logically imputed data.....	64	0.11
		3 = Statistically imputed data - lifetime use imputed.	228	0.39
		4 = Statistically imputed data - edited recency=9.....	265	0.45
		5 = Statistically imputed data - edited recency=8.....	16	0.03
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	354	0.60
		2 = More than 30 days ago but within the past 12 mos..	674	1.15
		3 = More than 12 months ago.....	2045	3.49
		9 = Never used tranquilizers.....	55607	94.76

RECENCY OF DRUG USE			PAGE:	134
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58441	99.59
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data.....	234	0.40
II2TRNRC	1	TRANQUILIZER RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58441	99.59
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data - lifetime use imputed.	153	0.26
		4 = Statistically imputed data - edited recency=9.....	75	0.13
		5 = Statistically imputed data - edited recency=8.....	6	0.01
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	342	0.58
		2 = More than 30 days ago but within the past 12 mos..	660	1.12
		3 = More than 12 months ago.....	2592	4.42
		9 = Never used stimulants.....	55086	93.88
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58380	99.49
		2 = Logically imputed data.....	28	0.05
		3 = Statistically imputed data.....	272	0.46
II2STMRC	1	STIMULANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58380	99.49
		2 = Logically imputed data.....	28	0.05
		3 = Statistically imputed data - lifetime use imputed.	143	0.24
		4 = Statistically imputed data - edited recency=9.....	112	0.19
		5 = Statistically imputed data - edited recency=8.....	17	0.03
IRMTHRC	1	METHAMPHETAMINE RECENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	138	0.24
		2 = More than 30 days ago but within the past 12 mos..	298	0.51
		3 = More than 12 months ago.....	1539	2.62
		9 = Never used methamphetamines.....	56705	96.63
IIMTHRC	1	METHAMPHETAMINE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58533	99.75
		2 = Logically imputed data.....	15	0.03
		3 = Statistically imputed data.....	132	0.22
II2MTHRC	1	METHAMPHETAMINE RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58533	99.75
		2 = Logically imputed data.....	15	0.03
		3 = Statistically imputed data - lifetime use imputed.	85	0.14
		4 = Statistically imputed data - edited recency=9.....	46	0.08
		5 = Statistically imputed data - edited recency=8.....	1	0.00

RECENCY OF DRUG USE			PAGE:	135
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	65	0.11
		2 = More than 30 days ago but within the past 12 mos..	167	0.28
		3 = More than 12 months ago.....	892	1.52
		9 = Never used sedatives.....	57556	98.08
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58483	99.66
		2 = Logically imputed data.....	11	0.02
		3 = Statistically imputed data.....	186	0.32
II2SEDRC	1	SEDATIVE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58483	99.66
		2 = Logically imputed data.....	11	0.02
		3 = Statistically imputed data - lifetime use imputed.	161	0.27
		4 = Statistically imputed data - edited recency=9.....	24	0.04
		5 = Statistically imputed data - edited recency=8.....	1	0.00

PAST YEAR FREQUENCY OF USE			PAGE:	136
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAST YEAR FREQUENCY OF USE				

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	34321	58.49
		991 = NEVER USED ALCOHOL.....	16799	28.63
		993 = DID NOT USE ALCOHOL PAST YEAR.....	7560	12.88
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57775	98.46
		3 = Statistically imputed data.....	905	1.54
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	57775	98.46
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - lifetime use known...	881	1.50
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	8022	13.67
		991 = NEVER USED MARIJUANA.....	38899	66.29
		993 = DID NOT USE MARIJUANA PAST YEAR.....	11759	20.04
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	58190	99.16
		3 = Statistically imputed data.....	490	0.84
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58190	99.16
		3 = Statistically imputed data - lifetime use imputed.	105	0.18
		4 = Statistically imputed data - lifetime use known...	385	0.66
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1355	2.31
		991 = NEVER USED COCAINE.....	53478	91.13
		993 = DID NOT USE COCAINE PAST YEAR.....	3847	6.56
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58537	99.76
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	142	0.24
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58537	99.76
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	55	0.09
		4 = Statistically imputed data - lifetime use known...	87	0.15

PAST YEAR FREQUENCY OF USE			PAGE:	137
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	262	0.45
		991 = NEVER USED CRACK.....	57447	97.90
		993 = DID NOT USE CRACK PAST YEAR.....	971	1.65
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58591	99.85
		3 = Statistically imputed data.....	89	0.15
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58592	99.85
		3 = Statistically imputed data - lifetime use imputed.	59	0.10
		4 = Statistically imputed data - lifetime use known...	29	0.05
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	137	0.23
		991 = NEVER USED HEROIN.....	58110	99.03
		993 = DID NOT USE HEROIN PAST YEAR.....	433	0.74
IIHERFY	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58630	99.91
		3 = Statistically imputed data.....	50	0.09
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58630	99.91
		3 = Statistically imputed data - lifetime use imputed.	33	0.06
		4 = Statistically imputed data - lifetime use known...	17	0.03
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 342	1974	3.36
		991 = NEVER USED HALLUCINOGENS.....	51574	87.89
		993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	5132	8.75
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58233	99.24
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	446	0.76
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58233	99.24
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	195	0.33
		4 = Statistically imputed data - lifetime use known...	251	0.43
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1138	1.94
		991 = NEVER USED INHALANTS.....	53080	90.46
		993 = DID NOT USE INHALANTS PAST YEAR.....	4462	7.60

PAST YEAR FREQUENCY OF USE			PAGE:	138
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIINH FY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	58370	99.47
		3 = Statistically imputed data.....	310	0.53
II2INH FY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58370	99.47
		3 = Statistically imputed data - lifetime use imputed.	100	0.17
		4 = Statistically imputed data - lifetime use known...	210	0.36
IRANL FY	3	PAIN RELIEVER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	2744	4.68
		991 = NEVER USED PAIN RELIEVER.....	52730	89.86
		993 = DID NOT USE PAIN RELIEVER PAST YEAR.....	3206	5.46
IIANL FY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	58032	98.90
		2 = Logically imputed data.....	64	0.11
		3 = Statistically imputed data.....	584	1.00
II2ANL FY	1	PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58032	98.90
		2 = Logically imputed data.....	64	0.11
		3 = Statistically imputed data - lifetime use imputed.	228	0.39
		4 = Statistically imputed data - lifetime use known...	356	0.61
IRTRN FY	3	TRANQUILIZER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 364	1028	1.75
		991 = NEVER USED TRANQUILIZERS.....	55607	94.76
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	2045	3.49
IITRN FY	1	TRAN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58420	99.56
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data.....	255	0.43
II2TRN FY	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58420	99.56
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data - lifetime use imputed.	153	0.26
		4 = Statistically imputed data - lifetime use known...	102	0.17
IRSTM FY	3	STIMULANT FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	1002	1.71
		991 = NEVER USED STIMULANTS.....	55086	93.88
		993 = DID NOT USE STIMULANTS PAST YEAR.....	2592	4.42
IISTM FY	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58231	99.23
		2 = Logically imputed data.....	15	0.03
		3 = Statistically imputed data.....	434	0.74

PAST YEAR FREQUENCY OF USE			PAGE:	139
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
II2STMFY	1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58231	99.23
		2 = Logically imputed data.....	15	0.03
		3 = Statistically imputed data - lifetime use imputed.	143	0.24
		4 = Statistically imputed data - lifetime use known...	291	0.50
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 312	232	0.40
		991 = NEVER USED SEDATIVES.....	57556	98.08
		993 = DID NOT USE SEDATIVES PAST YEAR.....	892	1.52
IISEDFY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	58480	99.66
		2 = Logically imputed data.....	11	0.02
		3 = Statistically imputed data.....	189	0.32
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58480	99.66
		2 = Logically imputed data.....	11	0.02
		3 = Statistically imputed data - lifetime use imputed.	161	0.27
		4 = Statistically imputed data - lifetime use known...	28	0.05

PAST MONTH FREQUENCY OF USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAST MONTH FREQUENCY OF USE				

IRCIGFM	4	CIGARETTE FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	15055	25.66
		91 = NEVER USED.....	24654	42.01
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18971	32.33
IICIGFM	1	CIGARETTE FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58315	99.38
		2 = Logically imputed data.....	252	0.43
		3 = Statistically imputed data.....	113	0.19
II2CIGFM	1	CIGARETTE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58315	99.38
		2 = Logically imputed data.....	252	0.43
		4 = Statistically imputed data - lifetime use known...	113	0.19
IRCGRFM	4	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	3551	6.05
		91 = NEVER SMOKED CIGARS.....	40221	68.54
		93 = DID NOT SMOKE CIGARS PAST MONTH.....	14908	25.41
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58563	99.80
		2 = Logically imputed data.....	45	0.08
		3 = Statistically imputed data.....	72	0.12
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58563	99.80
		2 = Logically imputed data.....	45	0.08
		3 = Statistically imputed data - lifetime use imputed.	12	0.02
		4 = Statistically imputed data - lifetime use known...	60	0.10
IRCHWFM	4	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
		RANGE = 1 - 30	1604	2.73
		91 = NEVER USED CHEWING TOBACCO.....	49108	83.69
		93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....	7968	13.58
IICHWFM	1	CHEWING TOB FREQ PAST MONTH-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58627	99.91
		2 = Logically imputed data.....	20	0.03
		3 = Statistically imputed data.....	33	0.06
II2CHWFM	1	CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58627	99.91
		2 = Logically imputed data.....	20	0.03
		3 = Statistically imputed data - lifetime use imputed.	9	0.02
		4 = Statistically imputed data - lifetime use known...	24	0.04

PAST MONTH FREQUENCY OF USE			PAGE:	141
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRSNFFM	4	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	1415	2.41
		91 = NEVER USED SNUFF.....	53223	90.70
		93 = DID NOT USE SNUFF PAST MONTH.....	4042	6.89
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58625	99.91
		2 = Logically imputed data.....	18	0.03
		3 = Statistically imputed data.....	37	0.06
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58625	99.91
		2 = Logically imputed data.....	18	0.03
		3 = Statistically imputed data - lifetime use imputed.	26	0.04
		4 = Statistically imputed data - lifetime use known...	11	0.02
IRALCFM	4	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	24628	41.97
		91 = NEVER USED ALCOHOL.....	16799	28.63
		93 = DID NOT USE ALCOHOL PAST MONTH.....	17253	29.40
IIALCFM	1	ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57346	97.73
		2 = Logically imputed data.....	202	0.34
		3 = Statistically imputed data.....	1132	1.93
II2ALCFM	1	ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	57346	97.73
		2 = Logically imputed data.....	202	0.34
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - lifetime use known...	1108	1.89
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
		RANGE = 0 - 30	24628	41.97
		91 = NEVER USED ALCOHOL.....	16799	28.63
		93 = DID NOT HAVE 5+ ALC DRNKS PAST MONTH.....	17253	29.40
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	56910	96.98
		2 = Logically imputed data.....	38	0.06
		3 = Statistically imputed data.....	1732	2.95
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	56910	96.98
		2 = Logically imputed data.....	38	0.06
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - lifetime use known...	1708	2.91

PAST MONTH FREQUENCY OF USE			PAGE:	142
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRMJFM	4	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	4481	7.64
		91 = NEVER USED MARIJUANA.....	38899	66.29
		93 = DID NOT USE MARIJUANA PAST MONTH.....	15300	26.07
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	58136	99.07
		2 = Logically imputed data.....	67	0.11
		3 = Statistically imputed data.....	477	0.81
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58136	99.07
		2 = Logically imputed data.....	67	0.11
		3 = Statistically imputed data - lifetime use imputed.	105	0.18
		4 = Statistically imputed data - lifetime use known...	372	0.63
IRCOCFM	4	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	439	0.75
		91 = NEVER USED COCAINE.....	53478	91.13
		93 = DID NOT USE COCAINE PAST MONTH.....	4763	8.12
IICOCFM	1	COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58504	99.70
		2 = Logically imputed data.....	4	0.01
		3 = Statistically imputed data.....	172	0.29
II2COCFM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58504	99.70
		2 = Logically imputed data.....	4	0.01
		3 = Statistically imputed data - lifetime use imputed.	55	0.09
		4 = Statistically imputed data - lifetime use known...	117	0.20
IRCRKFM	4	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	74	0.13
		91 = NEVER USED CRACK.....	57447	97.90
		93 = DID NOT USE CRACK PAST MONTH.....	1159	1.98
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58589	99.84
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	90	0.15
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58589	99.84
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	60	0.10
		4 = Statistically imputed data - lifetime use known...	30	0.05

PAST MONTH FREQUENCY OF USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRHERFM	4	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	39	0.07
		91 = NEVER USED HEROIN.....	58110	99.03
		93 = DID NOT USE HEROIN PAST MONTH.....	531	0.90
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58623	99.90
		3 = Statistically imputed data.....	57	0.10
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58623	99.90
		3 = Statistically imputed data - lifetime use imputed.	33	0.06
		4 = Statistically imputed data - lifetime use known...	24	0.04
IRHALFM	4	HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	552	0.94
		91 = NEVER USED HALLUCINOGENS.....	51574	87.89
		93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	6554	11.17
IIHALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58203	99.19
		2 = Logically imputed data.....	6	0.01
		3 = Statistically imputed data.....	471	0.80
II2HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58203	99.19
		2 = Logically imputed data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	195	0.33
		4 = Statistically imputed data - lifetime use known...	276	0.47
IRINHFM	4	INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	303	0.52
		91 = NEVER USED INHALANTS.....	53080	90.46
		93 = DID NOT USE INHALANTS PAST MONTH.....	5297	9.03
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	58360	99.45
		2 = Logically imputed data.....	7	0.01
		3 = Statistically imputed data.....	313	0.53
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	58360	99.45
		2 = Logically imputed data.....	7	0.01
		3 = Statistically imputed data - lifetime use imputed.	100	0.17
		4 = Statistically imputed data - lifetime use known...	213	0.36

LABEL	LEN	AGE/DATE OF FIRST DRUG USE	PAGE:	144
		DESCRIPTION	FREQ	%
-----	----	-----	----	-
		AGE/DATE OF FIRST DRUG USE		

IRCIGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE		
		RANGE = 1 - 77	34026	57.99
		991 = NEVER USED.....	24654	42.01
IICIGAGE	1	IRCIGAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57824	98.54
		3 = Statistically Imputed Data.....	856	1.46
IRCIGYFU	4	IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE		
		RANGE = 1910 - 2000	34026	57.99
		9999 = NEVER USED.....	24654	42.01
IICIGYFU	1	IRCIGYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	26411	45.01
		3 = Statistically Imputed Data.....	32269	54.99
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE		
		RANGE = 1 - 77	17248	29.39
		991 = Never Used.....	24654	42.01
		993 = Never a daily user.....	16778	28.59
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	41606	70.90
		3 = Statistically imputed data.....	17074	29.10
IRCDUYFU	4	IMPUTATION-REVISED DAILY CIG YEAR OF FIRST USE		
		RANGE = 1919 - 2000	17248	29.39
		9993 = NEVER A DAILY USER.....	16778	28.59
		9999 = NEVER USED.....	24654	42.01
IICDUYFU	1	IRCDUYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	24654	42.01
		3 = Statistically Imputed Data.....	34026	57.99
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE		
		RANGE = 1 - 70	18459	31.46
		991 = NEVER USED.....	40221	68.54
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57914	98.69
		3 = Statistically Imputed Data.....	766	1.31
IRCGRYFU	4	IMPUTATION-REVISED CIGAR YEAR OF FIRST USE		
		RANGE = 1919 - 2000	18459	31.46
		9999 = NEVER USED.....	40221	68.54

AGE/DATE OF FIRST DRUG USE			PAGE:	145
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IICGRYFU	1	IRCGRYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	42295	72.08
		3 = Statistically Imputed Data.....	16385	27.92
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		RANGE = 1 - 65	5457	9.30
		991 = Never Used.....	53223	90.70
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58504	99.70
		3 = Statistically Imputed Data.....	176	0.30
IRSNFYFU	4	IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
		RANGE = 1916 - 2000	5457	9.30
		9999 = NEVER USED.....	53223	90.70
IISNFYFU	1	IRSNFYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53563	91.28
		3 = Statistical Imputation.....	5117	8.72
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		RANGE = 1 - 70	9572	16.31
		991 = NEVER USED.....	49108	83.69
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58392	99.51
		3 = Statistically Imputed Data.....	288	0.49
IRCHWYFU	4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		RANGE = 1915 - 2000	9572	16.31
		9999 = Never Used.....	49108	83.69
IICHWYFU	1	IRCHWYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	49759	84.80
		3 = Statistically Imputed Data.....	8921	15.20
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		RANGE = 1 - 65	10647	18.14
		991 = Never Used.....	48033	81.86
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58270	99.30
		3 = Statistically Imputed Data.....	410	0.70
IRSLTYFU	4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		RANGE = 1915 - 2000	10647	18.14
		9999 = Never Used.....	48033	81.86
IISLTYFU	1	IRSNFYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	48714	83.02
		3 = Statistically Imputed Data.....	9966	16.98

AGE/DATE OF FIRST DRUG USE			PAGE:	146
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		
		RANGE = 1 - 75	41881	71.37
		991 = Never Used.....	16799	28.63
IICALCAGE	1	IRALCAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57666	98.27
		3 = Statistically Imputed Data.....	1014	1.73
IRALCYFU	4	IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		
		RANGE = 1914 - 2000	41881	71.37
		9999 = NEVER USED.....	16799	28.63
IICALCYFU	1	IRALCYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	20282	34.56
		3 = Statistically Imputed Data.....	38398	65.44
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		RANGE = 1 - 73	19781	33.71
		991 = Never Used.....	38899	66.29
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58324	99.39
		3 = Statistically Imputed Data.....	356	0.61
IRMJYFU	4	IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		RANGE = 1933 - 2000	19781	33.71
		9999 = Never Used.....	38899	66.29
IIMJYFU	1	IRMJYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	40477	68.98
		3 = Statistically Imputed Data.....	18203	31.02
IRCOAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
		RANGE = 1 - 56	5202	8.87
		991 = Never Used.....	53478	91.13
IICOAGE	1	IRCOAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58551	99.78
		3 = Statistically Imputed Data.....	129	0.22
IRCOCYFU	4	IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
		RANGE = 1951 - 2000	5202	8.87
		9999 = Never Used.....	53478	91.13
IICOYFU	1	IRCOCYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53922	91.89
		3 = Statistically Imputed Data.....	4758	8.11
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE		
		RANGE = 1 - 56	1233	2.10
		991 = Never Used.....	57447	97.90

AGE/DATE OF FIRST DRUG USE			PAGE:	147
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IICRKAGE	1	IICRKAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58596	99.86
		2 = Logical Edited Data.....	2	0.00
		3 = Statistically Imputed Data.....	82	0.14
IRCRKYFU	4	IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
		RANGE = 1956 - 2000	1233	2.10
		9999 = Never Used.....	57447	97.90
IIICRKYFU	1	IRCRKYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57519	98.02
		3 = Statistically Imputed Data.....	1161	1.98
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE		
		RANGE = 2 - 63	570	0.97
		991 = Never Used.....	58110	99.03
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58629	99.91
		3 = Statistically Imputed Data.....	51	0.09
IRHERYFU	4	IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
		RANGE = 1954 - 2000	570	0.97
		9999 = Never Used.....	58110	99.03
IIHERYFU	1	IRHERYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58159	99.11
		3 = Statistically Imputed Data.....	521	0.89
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		RANGE = 1 - 50	7106	12.11
		991 = Never Used.....	51574	87.89
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58521	99.73
		3 = Statistically Imputed Data.....	159	0.27
IRHALYFU	4	IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		RANGE = 1952 - 2000	7106	12.11
		9999 = Never Used.....	51574	87.89
IIHALYFU	1	IRHALYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52569	89.59
		3 = Statistically Imputed Data.....	6111	10.41
IRLSDAGE	3	IMPUTATION-REVISED LSD AGE OF FIRST USE		
		RANGE = 2 - 47	5192	8.85
		991 = Never Used.....	53488	91.15

AGE/DATE OF FIRST DRUG USE			PAGE:	148
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IILSDAGE	1	IRLSDAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58543	99.77
		2 = Logical Edited Data.....	15	0.03
		3 = Statistically imputed data.....	122	0.21
IRLSDYFU	4	IMPUTATION-REVISED LSD YEAR OF FIRST USE		
		RANGE = 1952 - 2000	5192	8.85
		9999 = NEVER USED.....	53488	91.15
IIILSDYFU	1	IRLSDYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53873	91.81
		3 = Statistically imputed data.....	4807	8.19
IRPCPAGE	3	IMPUTATION-REVISED PCP AGE OF FIRST USE		
		RANGE = 1 - 46	1141	1.94
		991 = Never Used.....	57539	98.06
IIPCPAGE	1	IRPCPAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58617	99.89
		2 = Logical Edited Data.....	6	0.01
		3 = Statistically imputed data.....	57	0.10
IRPCPYFU	4	IMPUTATION-REVISED PCP YEAR OF FIRST USE		
		RANGE = 1965 - 2000	1141	1.94
		9999 = NEVER USED.....	57539	98.06
IIPCPYFU	1	IRPCPYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57570	98.11
		3 = Statistically imputed data.....	1110	1.89
IRINHAGE	3	IMPUTATION-REVISED INHALANT AGE OF FIRST USE		
		RANGE = 1 - 51	5600	9.54
		991 = Never Used.....	53080	90.46
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58323	99.39
		3 = Statistically Imputed Data.....	357	0.61
IRINHYFU	4	IMPUTATION-REVISED INHALANT YEAR OF FIRST USE		
		RANGE = 1929 - 2000	5600	9.54
		9999 = Never Used.....	53080	90.46
IIINHYFU	1	IRINHYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53650	91.43
		3 = Statistically Imputed Data.....	5030	8.57
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
		RANGE = 1 - 74	5950	10.14
		991 = Never Used.....	52730	89.86

AGE/DATE OF FIRST DRUG USE			PAGE:	149
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57880	98.64
		2 = Logical Edited Data.....	64	0.11
		3 = Statistically Imputed Data.....	736	1.25
IRANLYFU	4	IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE		
		RANGE = 1919 - 2000	5950	10.14
		9999 = Never Used.....	52730	89.86
IIANLYFU	1	IRANLYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53407	91.01
		2 = Logical Edited Data.....	64	0.11
		3 = Statistically Imputed Data.....	5209	8.88
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		RANGE = 1 - 65	3073	5.24
		991 = Never Used.....	55607	94.76
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58395	99.51
		2 = Logical Edited Data.....	5	0.01
		3 = Statistically Imputed Data.....	280	0.48
IRTRNYFU	4	IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		RANGE = 1926 - 2000	3073	5.24
		9999 = Never Used.....	55607	94.76
IITRNYFU	1	IRTRNYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	55901	95.26
		2 = Logical Edited Data.....	5	0.01
		3 = Statistically Imputed Data.....	2774	4.73
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		RANGE = 1 - 78	3594	6.12
		991 = Never Used.....	55086	93.88
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58361	99.46
		2 = Logical Edited Data.....	15	0.03
		3 = Statistically Imputed Data.....	304	0.52
IRSTMYFU	4	IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
		RANGE = 1939 - 2000	3594	6.12
		9999 = Never Used.....	55086	93.88
IISTMYFU	1	IRSTMYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	55390	94.39
		2 = Logical Edited Data.....	15	0.03
		3 = Statistically Imputed Data.....	3275	5.58

AGE/DATE OF FIRST DRUG USE			PAGE:	150
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
		RANGE = 1 - 50	1975	3.37
		991 = Never Used.....	56705	96.63
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58516	99.72
		2 = Logical Edited Data.....	16	0.03
		3 = Statistically Imputed Data.....	148	0.25
IRMTHYFU	4	IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
		RANGE = 1945 - 2000	1975	3.37
		9999 = Never Used.....	56705	96.63
IIMTHYFU	1	IRMTHYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	56776	96.76
		2 = Logical Edited Data.....	15	0.03
		3 = Statistically Imputed Data.....	1889	3.22
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
		RANGE = 1 - 77	1124	1.92
		991 = Never Used.....	57556	98.08
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	58446	99.60
		2 = Logical Edited Data.....	11	0.02
		3 = Statistically Imputed Data.....	223	0.38
IRSEDYFU	4	IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE		
		RANGE = 1947 - 2000	1124	1.92
		9999 = Never Used.....	57556	98.08
IISEDYFU	1	IRSEDYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	57482	97.96
		2 = Logical Edited Data.....	11	0.02
		3 = Statistically Imputed Data.....	1187	2.02

RECODED DRUG USE			PAGE:	151
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DRUG USE				

CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9).....	24654	42.01
		1 = Ever used (IRCIGRC = 1-4).....	34026	57.99
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 3,4,9)....	40106	68.35
		1 = Used within the past year (IRCIGRC = 1,2).....	18574	31.65
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-4,9)...	43625	74.34
		1 = Used within the past month (IRCIGRC = 1).....	15055	25.66
CGRFLAG	1	CIGAR - EVER USED		
		0 = Never used (IRCGRRC = 9).....	40221	68.54
		1 = Ever used (IRCGRRC = 1-4).....	18459	31.46
CGRYR	1	CIGAR - PAST YEAR USE		
		0 = Did not use in the past year (IRCGRRC = 3,4,9)....	50774	86.53
		1 = Used within the past year (IRCGRRC = 1,2).....	7906	13.47
CGRMON	1	CIGAR - PAST MONTH USE		
		0 = Did not use in the past month (IRCGRRC = 2-4,9)...	55129	93.95
		1 = Used within the past month (IRCGRRC = 1).....	3551	6.05
PIPFLAG	1	PIPES - EVER USED		
		0 = Never Used (IRPIPLF=9).....	53196	90.65
		1 = Ever Used (IRPIPLF=1).....	5484	9.35
PIPMON	1	PIPES - PAST MONTH USE		
		0 = Did not use in the past month (IRPIPMN=2,9).....	58123	99.05
		1 = Used within the past month (IRPIPMN=1).....	557	0.95
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IRSLTRC = 9).....	48033	81.86
		1 = Ever used (IRSLTRC = 1-4).....	10647	18.14
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRSLTRC = 3,4,9)....	55305	94.25
		1 = Used within the past year (IRSLTRC = 1,2).....	3375	5.75
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRSLTRC = 2-4,9)...	56515	96.31
		1 = Used within the past month (IRSLTRC = 1).....	2165	3.69
CHWFLAG	1	CHEWING TOBACCO - EVER USED		
		0 = Never Used (IRCHWRC=9).....	49108	83.69
		1 = Ever Used (IRCHWRC=1-4).....	9572	16.31

RECODED DRUG USE			PAGE:	152
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRCHWRC=3,4,9).....	55958	95.36
		1 = Used within the past year (IRCHWRC=1,2).....	2722	4.64
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRCHWRC=2-4,9).....	57076	97.27
		1 = Used within the past month (IRCHWRC=1).....	1604	2.73
SNFFLAG	1	SNUFF - EVER USED		
		0 = Never used (IRSNFRC = 9).....	53223	90.70
		1 = Ever used (IRSNFRC = 1-4).....	5457	9.30
SNFYR	1	SNUFF - PAST YEAR USE		
		0 = Did not use in the past year (IRSNFRC = 3,4,9)....	56658	96.55
		1 = Used within the past year (IRSNFRC = 1,2).....	2022	3.45
SNFMON	1	SNUFF - PAST MONTH USE		
		0 = Did not use in the past month (IRSNFRC = 2-4,9)...	57265	97.59
		1 = Used within the past month (IRSNFRC = 1).....	1415	2.41
The following three any tobacco variables were created by the examination of IRCIGRC, IRCGRRC, IRSLTRC, and IRPIPMN.				
TOBFLAG	1	ANY TOBACCO - EVER USED		
		0 = Never Used (all source vars=9).....	22218	37.86
		1 = Ever Used (any source var=1-4).....	36462	62.14
TOBYR	1	ANY TOBACCO - PAST YEAR USE		
		0 = Never use pst yr (IRPIPMN=2,9 & oth src vars=3,4,9).	36860	62.82
		1 = Used pst yr (IRPIPMN=1 or any oth src var=1,2).....	21820	37.18
TOBMON	1	ANY TOBACCO - PAST MONTH USE		
		0 = Did not use in pst month (all source vars=2-4,9)..	41305	70.39
		1 = Used in past month (any source var=1).....	17375	29.61

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The following three variables, CIGBRND2, CGRBRND2, SMKBRND2, were created with the intent to show the brand estimates in order from highest to lowest within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. It should be noted that the brand ordering is based upon the ranking of the 2000 data. As a result, the 2000 ordering of the most often used tobacco brands differs slightly from the 1999 order. Once the brand ordering was determined, the analysis variables were created as defined below. For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code and excluded from the analysis. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand. Variables of this type can also be created within demographic subgroups, by first examining weighted frequencies of the respective source variables among users defined by a demographic subgroup of interest.</p>		
CIGBRND2	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigarette User (CIGMON=0).....	43625	74.34
		1 = Marlboro (CIG30BR2=112).....	7745	13.20
		2 = Newport (CIG30BR2=118).....	2099	3.58
		3 = Camel (CIG30BR2=104).....	1397	2.38
		4 = Basic (CIG30BR2=101).....	492	0.84
		5 = Doral (CIG30BR2=107).....	312	0.53
		6 = Winston (CIG30BR2=126).....	325	0.55
		7 = GPC (CIG30BR2=109).....	251	0.43
		8 = Virginia Slims (CIG30BR2=125).....	231	0.39
		9 = Kool (CIG30BR2=111).....	273	0.47
		10 = Salem (CIG30BR2=122).....	202	0.34
		11 = Benson & Hedges (CIG30BR2=102).....	186	0.32
		12 = Merit (CIG30BR2=113).....	90	0.15
		13 = Misty (CIG30BR2=114).....	96	0.16
		14 = Capri (CIG30BR2=105).....	73	0.12
		15 = Parliament (CIG30BR2=120).....	225	0.38
		16 = Carlton (CIG30BR2=106).....	41	0.07
		17 = Other Brnd (CIG30BR2=other 100-199,1001-1999).....	873	1.49
		18 = Unkwn Brnd (CIG30BR2=200-999,4039,4999,9000-9998).....	144	0.25

RECODED DRUG USE			PAGE:	154
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		See additional coding information included above the cigarette brand recode variable (CIGBRND2).		
CGRBRND2	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigar User (CGRMON=0).....	55129	93.95
		1 = Black and Mild (CGR30BR2 = 404).....	999	1.70
		2 = Swisher Sweets (CGR30BR2 = 423).....	748	1.27
		3 = Macanudos (CGR30BR2 = 416).....	187	0.32
		4 = Phillies (CGR30BR2 = 419).....	241	0.41
		5 = Garcia Y Vega (CGR30BR2 = 411).....	118	0.20
		6 = Backwoods (CGR30BR2 = 402).....	113	0.19
		7 = Havatampa (CGR30BR2 = 412).....	41	0.07
		8 = Dutch Masters (CGR30BR2 = 408).....	67	0.11
		9 = Cohiba (CGR30BR2 = 443).....	37	0.06
		10 = King Edward (CGR30BR2 = 413).....	48	0.08
		11 = Antonio Y Cleopatra (CGR30BR2 = 401).....	38	0.06
		12 = Partagas (CGR30BR2 = 418).....	22	0.04
		13 = Romeo & Julieta (CGR30BR2 = 496).....	30	0.05
		14 = White Owl (CGR30BR2 = 426).....	43	0.07
		15 = Arturo Fuentes (CGR30BR2 = 431).....	18	0.03
		16 = Other Brnd (CGR30BR2 =other 400-499,4000-4999)...	558	0.95
		17 = Unkwn Brnd (CGR30BR2=<399,701,1020,1077,9000-9998)	243	0.41
		See additional coding information included above the cigarette brand recode variable (CIGBRND2).		
SMKBRND2	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON		
		. = Not Past Month Smokeless Tobacco User (SMKMON=0)..	56515	96.31
		1 = Skoal (SLT30BR2=308).....	728	1.24
		2 = Copenhagen (SLT30BR2=301).....	553	0.94
		3 = Red Man (SLT30BR2=208).....	158	0.27
		4 = Kodiak (SLT30BR2=305).....	235	0.40
		5 = Beech-Nut (SLT30BR2=201).....	71	0.12
		6 = Levi Garrett (SLT30BR2=206).....	78	0.13
		7 = Timber Wolf (SLT30BR2=309).....	69	0.12
		8 = Red Seal (SLT30BR2=316).....	23	0.04
		9 = Silver Creek (SLT30BR2=307).....	13	0.02
		10 = Other Brand (SLT30BR2=other 200-399,2999-3999)....	184	0.31
		11 = Unkwn Brnd (SLT30BR2=<200,400-899,5999,9000-9998)..	53	0.09

RECODED DRUG USE			PAGE:	155
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The variable CIGCMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCMPNY reflects which company owned the brand label for the majority of the year.		
CIGCMPNY	2	CIG COMPANY FOR BRAND PAST 30 DYS - RECODE		
		1 = Philip Morris.....	9027	15.38
		2 = R.J. Reynolds.....	2321	3.96
		3 = Lorillard.....	2216	3.78
		4 = Brown and Williamson.....	834	1.42
		5 = Liggett.....	20	0.03
		6 = Commonwealth Brands.....	59	0.10
		7 = Santa Fe Natural Tobacco Company.....	43	0.07
		70 = SOME OTHER BRAND/COMPANY.....	309	0.53
		80 = CIG BRAND/COMPANY NOT SPECIFIED.....	82	0.14
		85 = BAD DATA Log assn (CIG30BR2=9985).....	11	0.02
		90 = NOT A CIGARETTE BRAND.....	44	0.07
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18926	32.25
		94 = DON'T KNOW (CIG30BR2=9994).....	58	0.10
		97 = REFUSED (CIG30BR2=9997).....	23	0.04
		98 = BLANK (CIG30BR2=9998).....	53	0.09
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9).....	16799	28.63
		1 = Ever used (IRALCRC = 1-3).....	41881	71.37
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,9).....	24359	41.51
		1 = Used within the past year (IRALCRC = 1,2).....	34321	58.49
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-3,9)...	34052	58.03
		1 = Used within the past month (IRALCRC = 1).....	24628	41.97
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9).....	38899	66.29
		1 = Ever used (IRMJRC = 1-3).....	19781	33.71
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,9).....	50658	86.33
		1 = Used within the past year (IRMJRC = 1,2).....	8022	13.67
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-3,9)....	54199	92.36
		1 = Used within the past month (IRMJRC = 1).....	4481	7.64

RECODED DRUG USE			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9).....	53478	91.13
		1 = Ever used (IRCOCRC = 1-3).....	5202	8.87
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,9).....	57325	97.69
		1 = Used within the past year (IRCOCRC = 1,2).....	1355	2.31
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-3,9)...	58241	99.25
		1 = Used within the past month (IRCOCRC = 1).....	439	0.75
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC = 9).....	57447	97.90
		1 = Ever used (IRCRKRC = 1-3).....	1233	2.10
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC = 3,9).....	58418	99.55
		1 = Used within the past year (IRCRKRC = 1,2).....	262	0.45
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 2-3,9)...	58606	99.87
		1 = Used within the past month (IRCRKRC = 1).....	74	0.13
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9).....	58110	99.03
		1 = Ever used (IRHERRC = 1-3).....	570	0.97
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 3,9).....	58543	99.77
		1 = Used within the past year (IRHERRC = 1,2).....	137	0.23
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-3,9)...	58641	99.93
		1 = Used within the past month (IRHERRC = 1).....	39	0.07
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9).....	51574	87.89
		1 = Ever used (IRHALRC = 1-3).....	7106	12.11
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 3,9).....	56706	96.64
		1 = Used within the past year (IRHALRC = 1,2).....	1974	3.36
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-3,9)...	58128	99.06
		1 = Used within the past month (IRHALRC = 1).....	552	0.94
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDCRC = 9).....	53488	91.15
		1 = Ever used (IRLSDCRC = 1-3).....	5192	8.85

RECODED DRUG USE			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,9).....	57647	98.24
		1 = Used within the past year (IRLSDRC = 1,2).....	1033	1.76
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-3,9)...	58448	99.60
		1 = Used within the past month (IRLSDRC = 1).....	232	0.40
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9).....	57539	98.06
		1 = Ever used (IRPCPRC = 1-3).....	1141	1.94
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,9).....	58513	99.72
		1 = Used within the past year (IRPCPRC = 1,2).....	167	0.28
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-3,9)...	58646	99.94
		1 = Used within the past month (IRPCPRC = 1).....	34	0.06
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9).....	53080	90.46
		1 = Ever used (IRINHRC = 1-3).....	5600	9.54
INHHR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,9).....	57542	98.06
		1 = Used within the past year (IRINHRC = 1,2).....	1138	1.94
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-3,9)...	58377	99.48
		1 = Used within the past month (IRINHRC = 1).....	303	0.52
ANLFLAG	1	PAIN RELIEVERS - EVER USED		
		0 = Never used (IRANLRC = 9).....	52730	89.86
		1 = Ever used (IRANLRC = 1-3).....	5950	10.14
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,9).....	55936	95.32
		1 = Used within the past year (IRANLRC = 1,2).....	2744	4.68
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-3,9)...	57569	98.11
		1 = Used within the past month (IRANLRC = 1).....	1111	1.89
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9).....	55607	94.76
		1 = Ever used (IRTRNRC = 1-3).....	3073	5.24
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 3,9).....	57652	98.25
		1 = Used within the past year (IRTRNRC = 1,2).....	1028	1.75

RECODED DRUG USE			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-3,9)...	58326	99.40
		1 = Used within the past month (IRTRNRC = 1).....	354	0.60
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9).....	55086	93.88
		1 = Ever used (IRSTMRC = 1-3).....	3594	6.12
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 3,9).....	57678	98.29
		1 = Used within the past year (IRSTMRC = 1,2).....	1002	1.71
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-3,9)...	58338	99.42
		1 = Used within the past month (IRSTMRC = 1).....	342	0.58
MTHFLAG	1	METHAMPHETAMINES-EVER USED		
		0 = Never Used (IRMTHRC=9).....	56705	96.63
		1 = Ever Used (IRMTHRC=1-3).....	1975	3.37
MTHYR	1	METHAMPHETAMINES - PAST YEAR USE		
		0 = Did not use in the past year (IRMTHRC=3,9).....	58244	99.26
		1 = Used within the past year (IRMTHRC=1,2).....	436	0.74
MTHMON	1	METHAMPHETAMINES - PAST MONTH USE		
		0 = Did not use in the past month (IRMTHRC=2-3,9).....	58542	99.76
		1 = Used within the past month (IRMTHRC=1).....	138	0.24
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9).....	57556	98.08
		1 = Ever used (IRSEDRC = 1-3).....	1124	1.92
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,9).....	58448	99.60
		1 = Used within the past year (IRSEDRC = 1,2).....	232	0.40
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-3,9)...	58615	99.89
		1 = Used within the past month (IRSEDRC = 1).....	65	0.11
The following three any psychotherapeutic variables were created by examination of IRSEDRC, IRTRNRC, IRSTMRC, and IRANLRC				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9).....	49966	85.15
		1 = Ever used (ANY SOURCE VARIABLE < 9).....	8714	14.85
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 2)	55089	93.88
		1 = Used in past year (ANY SOURCE VARIABLE < 3).....	3591	6.12

RECODED DRUG USE			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1)...	57192	97.46
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	1488	2.54
The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0).....	35349	60.24
		1 = Ever used (ANY SOURCE VARIABLE = 1).....	23331	39.76
The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.				
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0).....	48432	82.54
		1 = Used in past year (ANY SOURCE VARIABLE = 1).....	10248	17.46
The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.				
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0)...	53069	90.44
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	5611	9.56
The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.				
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & anothr illct drug	49797	84.86
		1 = Marijuana is only (illicit) drug ever used.....	8883	15.14
The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, PSYYR2.				
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr...	54043	92.10
		1 = Marijuana is only (illicit) drug in past year.....	4637	7.90
The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, PSYMON2.				
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo.	55350	94.33
		1 = Marijuana only (illicit) drug in past month.....	3330	5.67

RECODED DRUG USE			PAGE:	160
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.				
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana.....	44232	75.38
		1 = Illicit drug except for marijuana are ever used...	14448	24.62
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, PSYYR2.				
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year....	53069	90.44
		1 = Illicit drug except for marijuana used past year..	5611	9.56
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month....	56399	96.11
		1 = Illicit drug except for marijuana used past month.	2281	3.89
"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For the variable, "occasion" means at the same time or within a couple of hours of each other.				
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = Never/No "Binge" alcohol use (IRALCD5 = 0).....	45131	76.91
		1 = "Binge" alcohol use (IRALCD5 = 1-30).....	13549	23.09
Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple of hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.				
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No heavy alcohol use (IRALCD5 = 0-4).....	54752	93.31
		1 = Heavy alcohol use (IRALCD5 = 5-30).....	3928	6.69

RECODED DRUG USE			PAGE:	161
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol drinker, a respondent must also be a past month "binge" alcohol user.				
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST MONTH		
		1 = Heavy Alcohol Use (HVYDRK2=1).....	3928	6.69
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	9621	16.40
		3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	11079	18.88
		4 = Did Not Use Alcohol in Pst Month (All source=0)...	34052	58.03
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,85,91,94,97).....	57826	98.54
		1 = Yes (PEYOTE=1).....	854	1.46
MESC2	1	EVER USED MESCALINE		
		0 = No/Unknown (MESC=2,85,91,94,97).....	57387	97.80
		1 = Yes (MESC=1).....	1293	2.20
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,85,91,94,97).....	54794	93.38
		1 = Yes (PSILCY=1,3).....	3886	6.62
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)		
		0 = No/Unknown (ECSTASY=2,85,91,94,97).....	56121	95.64
		1 = Yes (ECSTASY=1).....	2559	4.36
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,91,94,97).....	57135	97.37
		1 = Yes (AMYLNIT=1,3).....	1545	2.63
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,91,94,97).....	57906	98.68
		1 = Yes (CLEFLU=1,3).....	774	1.32
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,91,94,97).....	57375	97.78
		1 = Yes (GAS=1,3).....	1305	2.22
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,91,94,97).....	57332	97.70
		1 = Yes (GLUE=1,3).....	1348	2.30
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,91,94,97).....	58370	99.47
		1 = Yes (ETHER=1).....	310	0.53

RECODED DRUG USE			PAGE:	162
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		0 = No/Unknown (SOLVENT=2,91,94,97,98).....	58070	98.96
		1 = Yes (SOLVENT=1,3).....	610	1.04
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = No/Unknown (LGAS=2,91,94,97,98).....	58271	99.30
		1 = Yes (LGAS=1,3).....	409	0.70
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		0 = No/Unknown (NITOXID=2,91,94,97,98).....	55888	95.24
		1 = Yes (NITOXID=1,3).....	2792	4.76
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = No/Unknown (SPPAINT=2,91,94,97,98).....	57968	98.79
		1 = Yes (SPPAINT=1).....	712	1.21
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = No/Unknown (AEROS=2,91,94,97,98).....	58017	98.87
		1 = Yes (AEROS=1,3).....	663	1.13
DARVTYL2	1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE		
		0 = No/Unknown (DARVTYLC=2,81,85,91,94,97,98).....	54724	93.26
		1 = Yes (DARVTYLC=1,3).....	3956	6.74
PERCTYL2	1	EVER USED PERCOCET, PERCODAN, TYLOX		
		0 = No/Unknown (PERCTYLX=2,81,85,91,94,97,98).....	56910	96.98
		1 = Yes (PERCTYLX=1,3).....	1770	3.02
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET		
		0 = No/Unknown (VICOLOR=2,81,85,91,94,97,98).....	56394	96.10
		1 = Yes (VICOLOR=1,3).....	2286	3.90
CODEINE2	1	EVER USED CODEINE		
		0 = No/Unknown (CODEINE=6,81,85,91,94,97,98,99).....	57259	97.58
		1 = Yes (CODEINE=1,3).....	1421	2.42
DEMEROL2	1	EVER USED DEMEROL		
		0 = No/Unknown (DEMEROL=6,81,85,91,94,97,98,99).....	58110	99.03
		1 = Yes (DEMEROL=1,3).....	570	0.97
DILAUD2	1	EVER USED DILAUDID		
		0 = No/Unknown (DILAUD=6,81,85,91,94,97,98,99).....	58556	99.79
		1 = Yes (DILAUD = 1,3).....	124	0.21
FIORICT2	1	EVER USED FIORICET		
		0 = No/Unknown (FIORICET=6,81,85,91,94,97,98,99).....	58602	99.87
		1 = Yes (FIORICET=1).....	78	0.13
FIORINL2	1	EVER USED FIORINAL		
		0 = No/Unknown (FIORINAL= 6,81,85,91,94,97,98,99).....	58609	99.88
		1 = Yes (FIORINAL=1,3).....	71	0.12

LABEL	LEN	RECODED DRUG USE DESCRIPTION	PAGE:	163
			FREQ	%
----	----	-----	----	-
HYDROCD2	1	EVER USED HYDROCODONE		
		0 = No/Unknown (HYDROCOD= 6,81,85,91,94,97,98,99).....	58030	98.89
		1 = Yes (HYDROCOD=1,3).....	650	1.11
METHDON2	1	EVER USED METHADONE		
		0 = No/Unknown (METHDON=6,81,85,91,94,97,98,99).....	58452	99.61
		1 = Yes (METHDON = 1,3).....	228	0.39
MORPHIN2	1	EVER USED MORPHINE		
		0 = No/Unknown (MORPHINE=6,81,85,91,94,97,98,99).....	58174	99.14
		1 = Yes (MORPHINE = 1,3).....	506	0.86
OXYCONT2	1	EVER USED OXYCONTIN		
		0 = No/Unknown (OXYCONTN=6,81,85,91,94,97,98,99).....	58508	99.71
		1 = Yes (OXYCONTN = 1,3).....	172	0.29
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE		
		0 = No/Unknown (PHENCOD=6,81,85,91,94,97,98,99).....	58500	99.69
		1 = Yes (PHENCOD = 1,3).....	180	0.31
PROPOXY2	1	EVER USED PROPOXYPHENE		
		0 = No/Unknown (PROPOXY=6,81,85,91,94,97,98,99).....	58616	99.89
		1 = Yes (PROPOXY = 1).....	64	0.11
SK65A2	1	EVER USED SK65		
		0 = No/Unknown (SK65A=6,81,85,91,94,97,98,99).....	58659	99.96
		1 = Yes (SK65A = 1).....	21	0.04
STADOL2	1	EVER USED STADOL		
		0 = No/Unknown (STADOL=6,81,85,91,94,97,98,99).....	58653	99.95
		1 = Yes (STADOL = 1).....	27	0.05
TALACEN2	1	EVER USED TALACEN		
		0 = No/Unknown (TALACEN=6,81,85,91,94,97,98,99).....	58659	99.96
		1 = Yes (TALACEN = 1).....	21	0.04
TALWIN2	1	EVER USED TALWIN		
		0 = No/Unknown (TALWIN=6,81,85,91,94,97,98,99).....	58632	99.92
		1 = Yes (TALWIN = 1).....	48	0.08
TALWINX2	1	EVER USED TALWIN NX		
		0 = No/Unknown (TALWINNX=6,81,85,91,94,97,98,99).....	58665	99.97
		1 = Yes (TALWINNX = 1,3).....	15	0.03
TRAMADL2	1	EVER USED TRAMADOL		
		0 = No/Unknown (TRAMADOL=6,81,85,91,94,97,98,99).....	58650	99.95
		1 = Yes (TRAMADOL = 1).....	30	0.05
ULTRAM2	1	EVER USED ULTRAM		
		0 = No/Unknown (ULTRAM=6,81,85,91,94,97,98,99).....	58493	99.68
		1 = Yes (ULTRAM = 1,3).....	187	0.32

RECODED DRUG USE			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTHANL	1	EVER USED OTHER PAIN RELIEVERS		
		0 = No/Unknwn (ANLCARD/ANLNOLST=2,4,81,85,91,94,97,98)	55684	94.89
		1 = Yes (ANLCARD or ANLNOLST = 1,3).....	2996	5.11
KLONOPI2	1	EVER USED KLONOPIN OR CLONAZEPAM		
		0 = No/Unknown (KLONOPIN=2,81,85,91,94,97,98).....	58246	99.26
		1 = Yes (KLONOPIN=1).....	434	0.74
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATVIAN		
		0 = No/Unknown (XNAXATVN=2,81,85,91,94,97,98).....	57308	97.66
		1 = Yes (XNAXATVN=1,3).....	1372	2.34
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM FOR FEELING		
		0 = No/Unknown (VALMDIAZ=2,81,85,91,94,97,98).....	56458	96.21
		1 = Yes (VALMDIAZ=1,3).....	2222	3.79
ATARAX2	1	EVER USED ATARAX		
		0 = No/Unknown (ATARAX=6,81,85,91,94,97,98,99).....	58601	99.87
		1 = Yes (ATARAX = 1,3).....	79	0.13
BUSPAR2	1	EVER USED BUSPAR		
		0 = No/Unknown (BUSPAR=6,81,85,91,94,97,98,99).....	58530	99.74
		1 = Yes (BUSPAR = 1).....	150	0.26
EQUANIL2	1	EVER USED EQUANIL		
		0 = No/Unknown (EQUANIL=6,81,85,91,94,97,98,99).....	58648	99.95
		1 = Yes (EQUANIL = 1,3).....	32	0.05
FLEXERL2	1	EVER USED FLEXERIL		
		0 = No/Unknown (FLEXERIL=6,81,85,91,94,97,98,99).....	58419	99.56
		1 = Yes (FLEXERIL = 1,3).....	261	0.44
LIBRIUM2	1	EVER USED LIBRIUM		
		0 = No/Unknown (LIBRIUM=6,81,85,91,94,97,98,99).....	58537	99.76
		1 = Yes (LIBRIUM = 1).....	143	0.24
LIMBTRL2	1	EVER USED LIMBITROL		
		0 = No/Unknown (LIMBTROL=6,81,85,91,94,97,98,99).....	58652	99.95
		1 = Yes (LIMBTROL = 1).....	28	0.05
MEPROB2	1	EVER USED MEPROBAMATE		
		0 = No/Unknown (MEPROB=6,81,91,94,97,98,99).....	58648	99.95
		1 = Yes (MEPROB = 1).....	32	0.05
MILTOWN2	1	EVER USED MILTOWN		
		0 = No/Unknown (MILTOWN=6,81,91,94,97,98,99).....	58654	99.96
		1 = Yes (MILTOWN = 1).....	26	0.04
ROHYPNL2	1	EVER USED ROHYPNOL		
		0 = No/Unknown (ROHYPNOL=6,81,85,91,94,97,98,99).....	58550	99.78
		1 = Yes (ROHYPNOL = 1,3).....	130	0.22

RECODED DRUG USE			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SERAX2	1	EVER USED SERAX		
		0 = No/Unknown (SERAX=6,81,85,91,94,97,98,99).....	58635	99.92
		1 = Yes (SERAX = 1).....	45	0.08
SOMA2	1	EVER USED SOMA		
		0 = No/Unknown (SOMA=6,81,85,91,94,97,98,99).....	58316	99.38
		1 = Yes (SOMA = 1,3).....	364	0.62
TRANXEN2	1	EVER USED TRANXENE		
		0 = No/Unknown (TRANXENE=6,81,85,91,94,97,98,99).....	58635	99.92
		1 = Yes (TRANXENE = 1).....	45	0.08
VISTAR2	1	EVER USED VISTARIL		
		0 = No/Unknown (VISTAR=6,81,85,91,94,97,98,99).....	58613	99.89
		1 = Yes (VISTAR = 1).....	67	0.11
OTHTRN	1	EVER USED OTHER TRANQUILIZERS		
		0 = No/Unknwn (TRNCARD/TRNNOLST=2,4,81,85,91,94,97,98)	57556	98.08
		1 = Yes (TRNCARD or TRNNOLST = 1,3).....	1124	1.92
METHDES2	1	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		0 = No/Unknown (METHDES=2,81,85,91,94,97,98).....	56711	96.64
		1 = Yes (METHDES=1,3).....	1969	3.36
DIETPIL2	1	EVER USED DIET PILLS FOR FEELING CAUSED		
		0 = No/Unknown (DIETPILS=2,81,85,91,94,97,98).....	57459	97.92
		1 = Yes (DIETPILS=1,3).....	1221	2.08
RITMPHE2	1	EVER USED RITALIN FOR FEELING CAUSED		
		0 = No/Unknown (RITMPHEN=2,81,85,91,94,97,98).....	57468	97.93
		1 = Yes (RITMPHEN=1,3).....	1212	2.07
CYLERT2	1	EVER USED CYLERT		
		0 = No/ Unknown (CYLERT=6,81,85,91,94,97,98,99).....	58600	99.86
		1 = Yes (CYLERT = 1,3).....	80	0.14
DEXED2	1	EVER USED DEXEDRINE		
		0 = No/ Unknown (DEXED=6,81,85,91,94,97,98,99).....	58334	99.41
		1 = Yes (DEXED = 1).....	346	0.59
DETAMP2	1	EVER USED DEXTROAMPHETAMINE		
		0 = No/ Unknown (DETAMP=6,81,85,91,94,97,98,99).....	58553	99.78
		1 = Yes (DETAMP = 1).....	127	0.22
DIDREX2	1	EVER USED DIDREX		
		0 = No/ Unknown (DIDREX=6,81,85,91,94,97,98,99).....	58641	99.93
		1 = Yes (DIDREX = 1,3).....	39	0.07
ESKAT2	1	EVER USED ESKATROL		
		0 = No/ Unknown (ESKAT=6,81,85,91,94,97,98,99).....	58647	99.94
		1 = Yes (ESKAT = 1,3).....	33	0.06

RECODED DRUG USE			PAGE:	166
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IONAMIN2	1	EVER USED IONAMIN		
		0 = No/ Unknown (IONAMIN=6,81,85,91,94,97,98,99).....	58621	99.90
		1 = Yes (IONAMIN = 1).....	59	0.10
MAZANOR2	1	EVER USED MAZANOR		
		0 = No/Unknown (MAZANOR=6,81,85,91,94,97,98,99).....	58646	99.94
		1 = Yes (MAZANOR = 1).....	34	0.06
OBLA2	1	EVER USED OBEDRIN-LA		
		0 = No/Unknown (OBLA=6,81,85,91,94,97,98,99).....	58664	99.97
		1 = Yes (OBLA = 1).....	16	0.03
PLEGINE2	1	EVER USED PLEGINE		
		0 = No/Unknown (PLEGINE=6,81,85,91,94,97,98,99).....	58659	99.96
		1 = Yes (PLEGINE = 1).....	21	0.04
PRELUDN2	1	EVER USED PRELUDIN		
		0 = No/Unknown (PRELUDIN=6,81,85,91,94,97,98,99).....	58583	99.83
		1 = Yes (PRELUDIN = 1,3).....	97	0.17
SANOREX2	1	EVER USED SANOREX		
		0 = No/ Unknown (SANOREX=6,81,85,91,94,97,98,99).....	58640	99.93
		1 = Yes (SANOREX = 1).....	40	0.07
TENUATE2	1	EVER USED TENUATE		
		0 = No/ Unknown (TENUATE=6,81,85,91,94,97,98,99).....	58656	99.96
		1 = Yes (TENUATE = 1,3).....	24	0.04
OTHSTM	1	EVER USED OTHER STIMULANTS		
		0 = No/Unknwn (STMCARD/STMNOLST=2,4,81,85,91,94,97,98)	57679	98.29
		1 = Yes (STMCARD or STMNOLST = 1,3).....	1001	1.71
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
		0 = No/Unknown (METHAQ=2,81,85,91,94,97,98).....	57969	98.79
		1 = Yes (METHAQ=1).....	711	1.21
NEMBBAR2	1	EVER USED BARBITURATES FOR FEELING		
		0 = No/Unknown (NEMBBARB=2,81,85,91,94,97,98).....	58306	99.36
		1 = Yes (NEMBBARB=1).....	374	0.64
RESTTMA2	1	EVER USED RESTORIL OR TEMAZEPAM		
		0 = No/Unknown (RESTTMAZ=2,81,85,91,94,97,98).....	58568	99.81
		1 = Yes (RESTTMAZ=1).....	112	0.19
AMYTAL2	1	EVER USED AMYTAL		
		0 = No/Unknown (AMYTAL=6,81,85,91,94,97,98,99).....	58635	99.92
		1 = Yes (AMYTAL= 1).....	45	0.08
BUTISOL2	1	EVER USED BUTISOL		
		0 = No/Unknown (BUTISOL=6,81,85,91,94,97,98,99).....	58651	99.95
		1 = Yes (BUTISOL= 1).....	29	0.05

LABEL	LEN	RECODED DRUG USE DESCRIPTION	PAGE: 167	
			FREQ	%
CHHYD2	1	EVER USED CHLORAL HYDRATE 0 = No/Unknown (CHHYD=6,81,85,91,94,97,98,99)..... 1 = Yes (CHHYD= 1).....	58645 35	99.94 0.06
DALMANE2	1	EVER USED DALMANE 0 = No/Unknown (DALMANE=6,81,85,91,94,97,98,99)..... 1 = Yes (DALMANE=1,3).....	58622 58	99.90 0.10
HALCION2	1	EVER USED HALCION 0 = No/Unknown (HALCION=6,81,85,91,94,97,98,99)..... 1 = Yes (HALCION=1,3).....	58603 77	99.87 0.13
PHENOBR2	1	EVER USED PHENOBARBITAL 0 = No/Unknown (PHENOBAR=6,81,85,91,94,97,98,99)..... 1 = Yes (PHENOBAR=1,3).....	58519 161	99.73 0.27
PLACIDY2	1	EVER USED PLACIDYL 0 = No/Unknown (PLACIDYL=6,81,85,91,94,97,98,99)..... 1 = Yes (PLACIDYL= 1,3).....	58600 80	99.86 0.14
TUINAL2	1	EVER USED TUINAL 0 = No/Unknown (TUINAL=6,81,85,91,94,97,98,99)..... 1 = Yes (TUINAL=1,3).....	58578 102	99.83 0.17
OTHSED	1	EVER USED OTHER SEDATIVES 0 = No/Unknwn (SEDCARD/SEDNOLST=2,4,81,85,91,94,97,98) 1 = Yes (SEDCARD or SEDNOLST = 1,3).....	58144 536	99.09 0.91
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRALCAGE=1-14)..... 2 = 15-17 Years Old (IRALCAGE=15-17)..... 3 = 18 Years or Older (IRALCAGE=18+)..... 4 = Non Users (IRALCAGE = 991).....	14223 15807 11851 16799	24.24 26.94 20.20 28.63
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRMJAGE=1-14)..... 2 = 15-17 Years Old (IRMJAGE=15-17)..... 3 = 18 Years or Older (IRMJAGE=18+)..... 4 = Non Users (IRMJAGE = 991).....	5913 7864 6004 38899	10.08 13.40 10.23 66.29
COCAFU	1	COCAINE AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRCOCAGE=1-14)..... 2 = 15-17 Years Old (IRCOCAGE=15-17)..... 3 = 18 Years or Older (IRCOCAGE=18+)..... 4 = Non Users (IRCOCAGE = 991).....	424 1459 3319 53478	0.72 2.49 5.66 91.13
HERAFU	1	HEROIN AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRHERAGE=1-14)..... 2 = 15-17 Years Old (IRHERAGE=15-17)..... 3 = 18 Years or Older (IRHERAGE=18+)..... 4 = Non Users (IRHERAGE = 991).....	70 159 341 58110	0.12 0.27 0.58 99.03

RECODED DRUG USE			PAGE:	168
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALAFU	1	HALLUCINOGEN AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRHALAGE=1-14).....	1106	1.88
		2 = 15-17 Years Old (IRHALAGE=15-17).....	2997	5.11
		3 = 18 Years or Older (IRHALAGE=18+).....	3003	5.12
		4 = Non Users (IRHALAGE = 991).....	51574	87.89
INHAFU	1	INHALANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRINHAGE=1-14).....	2354	4.01
		2 = 15-17 Years Old (IRINHAGE=15-17).....	1796	3.06
		3 = 18 Years or Older (IRINHAGE=18+).....	1450	2.47
		4 = Non Users (IRINHAGE = 991).....	53080	90.46
ANLAFU	1	PAIN RELIEVER AGE OF FIRST USE - CATEGORIZED RECOD		
		1 = 14 Years or Younger (IRANLAGE=1-14).....	1629	2.78
		2 = 15-17 Years Old (IRANLAGE=15-17).....	1804	3.07
		3 = 18 Years or Older (IRANLAGE=18+).....	2517	4.29
		4 = Non Users (IRANLAGE = 991).....	52730	89.86
TRNAFU	1	TRANQUILIZER AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRTRNAGE=1-14).....	479	0.82
		2 = 15-17 Years Old (IRTRNAGE=15-17).....	896	1.53
		3 = 18 Years or Older (IRTRNAGE=18+).....	1698	2.89
		4 = Non Users (IRTRNAGE = 991).....	55607	94.76
STMAFU	1	STIMULANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSTMAGE=1-14).....	843	1.44
		2 = 15-17 Years Old (IRSTMAGE=15-17).....	1283	2.19
		3 = 18 Years or Older (IRSTMAGE=18+).....	1468	2.50
		4 = Non Users (IRSTMAGE = 991).....	55086	93.88
SEDAFU	1	SEDATIVE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSEDAGE=1-14).....	221	0.38
		2 = 15-17 Years Old (IRSEDAGE=15-17).....	375	0.64
		3 = 18 Years or Older (IRSEDAGE=18+).....	528	0.90
		4 = Non Users (IRSEDAGE = 991).....	57556	98.08
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCIGAGE=1-14).....	16962	28.91
		2 = 15-17 Years Old (IRCIGAGE=15-17).....	10833	18.46
		3 = 18 Years or Older (IRCIGAGE=18+).....	6231	10.62
		4 = Non Users (IRCIGAGE = 991).....	24654	42.01
CGRAFU	1	CIGAR AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCGRAGE=1-14).....	3855	6.57
		2 = 15-17 Years Old (IRCGRAGE=15-17).....	5617	9.57
		3 = 18 Years or Older (IRCGRAGE=18+).....	8987	15.32
		4 = Non Users (IRCGRAGE = 991).....	40221	68.54

RECODED DRUG USE			PAGE:	169
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SLTAFU	1	SMOKELESS TOB AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSLTAGE=1-14).....	4410	7.52
		2 = 15-17 Years Old (IRSLTAGE=15-17).....	3637	6.20
		3 = 18 Years or Older (IRSLTAGE=18+).....	2600	4.43
		4 = Non Users (IRSLTAGE = 991).....	48033	81.86
MRJYDAYS	1	# OF DAYS USED MARIJUANA IN PAST YEAR		
		1 = 1-11 Days (IRMJFY=1-11).....	2816	4.80
		2 = 12-49 Days (IRMJFY=12-49).....	1618	2.76
		3 = 50-99 Days (IRMJFY=50-99).....	847	1.44
		4 = 100-299 Days (IRMJFY=100-299).....	1822	3.10
		5 = 300-365 Days (IRMJFY=300-365).....	919	1.57
		6 = No Past Year Use (IRMJFY=991,993).....	50658	86.33
COCYDAYS	1	# OF DAYS USED COCAINE IN PAST YEAR		
		1 = 1-11 Days (IRCOCFY=1-11).....	760	1.30
		2 = 12-49 Days (IRCOCFY=12-49).....	293	0.50
		3 = 50-99 Days (IRCOCFY=50-99).....	139	0.24
		4 = 100-299 Days (IRCOCFY=100-299).....	141	0.24
		5 = 300-365 Days (IRCOCFY=300-365).....	22	0.04
		6 = No Past Year Use (IRCOCFY=991,993).....	57325	97.69
HALYDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		1 = 1-11 Days (IRHALFY=1-11).....	1328	2.26
		2 = 12-49 Days (IRHALFY=12-49).....	391	0.67
		3 = 50-99 Days (IRHALFY=50-99).....	156	0.27
		4 = 100-299 Days (IRHALFY=100-299).....	95	0.16
		5 = 300-365 Days (IRHALFY=300-365).....	4	0.01
		6 = No Past Year Use (IRHALFY=991,993).....	56706	96.64
INHYDAYS	1	# OF DAYS USED INHALANTS IN PAST YEAR		
		1 = 1-11 Days (IRINHFY=1-11).....	686	1.17
		2 = 12-49 Days (IRINHFY=12-49).....	263	0.45
		3 = 50-99 Days (IRINHFY=50-99).....	106	0.18
		4 = 100-299 Days (IRINHFY=100-299).....	74	0.13
		5 = 300-365 Days (IRINHFY=300-365).....	9	0.02
		6 = No Past Year Use (IRINHFY=991,993).....	57542	98.06
ALCYDAYS	1	# OF DAYS USED ALCOHOL IN PAST YEAR		
		1 = 1-11 Days (IRALCFY=1-11).....	9476	16.15
		2 = 12-49 Days (IRALCFY=12-49).....	9864	16.81
		3 = 50-99 Days (IRALCFY=50-99).....	5646	9.62
		4 = 100-299 Days (IRALCFY=100-299).....	8160	13.91
		5 = 300-365 Days (IRALCFY=300-365).....	1175	2.00
		6 = No Past Year Use (IRALCFY=991,993).....	24359	41.51

RECODED DRUG USE			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MRJMDAYS	1	# OF DAYS USED MARIJUANA PAST MONTH		
		1 = 1-2 Days (IRMJFM=1-2).....	1240	2.11
		2 = 3-5 Days (IRMJFM=3-5).....	863	1.47
		3 = 6-19 Days (IRMJFM=6-19).....	1043	1.78
		4 = 20-30 Days (IRMJFM=20-30).....	1335	2.28
		5 = No Past Month Use (IRMJFM=91,93).....	54199	92.36
COCMDAYS	1	# OF DAYS USED COCAINE IN PAST MONTH		
		1 = 1-2 Days (IRCOCFM=1-2).....	222	0.38
		2 = 3-5 Days (IRCOCFM=3-5).....	110	0.19
		3 = 6-19 Days (IRCOCFM=6-19).....	83	0.14
		4 = 20-30 Days (IRCOCFM=20-30).....	24	0.04
		5 = No Past Month Use (IRCOCFM=91,93).....	58241	99.25
HALMDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		1 = 1-2 Days (IRHALFM=1-2).....	388	0.66
		2 = 3-5 Days (IRHALFM=3-5).....	98	0.17
		3 = 6-19 Days (IRHALFM=6-19).....	51	0.09
		4 = 20-30 Days (IRHALFM=20-30).....	15	0.03
		5 = No Past Month Use (IRHALFM=91,93).....	58128	99.06
INHMDAYS	1	# OF DAYS USED INHALANTS IN PAST MONTH		
		1 = 1-2 Days (IRINHFM=1-2).....	176	0.30
		2 = 3-5 Days (IRINHFM=3-5).....	78	0.13
		3 = 6-19 Days (IRINHFM=6-19).....	36	0.06
		4 = 20-30 Days (IRINHFM=20-30).....	13	0.02
		5 = No Past Month Use (IRINHFM=91,93).....	58377	99.48
ALCMDAYS	1	# OF DAYS USED ALCOHOL IN PAST MONTH		
		1 = 1-2 Days (IRALCFM=1-2).....	8391	14.30
		2 = 3-5 Days (IRALCFM=3-5).....	7035	11.99
		3 = 6-19 Days (IRALCFM=6-19).....	6810	11.61
		4 = 20-30 Days (IRALCFM=20-30).....	2392	4.08
		5 = No Past Month Use (IRALCFM=91,93).....	34052	58.03
CIGMDAYS	1	# OF DAYS USED CIG IN PAST MONTH		
		1 = 1-2 Days (IRCIGFM=1,2).....	2088	3.56
		2 = 3-5 Days (IRCIGFM=3-5).....	1280	2.18
		3 = 6-19 Days (IRCIGFM=6-19).....	1739	2.96
		4 = 20-29 Days (IRCIGFM=20-29).....	1563	2.66
		5 = 30 Days (IRCIGFM=30).....	8385	14.29
		6 = No Past Month Use (IRCIGFM=91,93).....	43625	74.34
CIGPDAY	1	# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		1 = Fewer Than 6 (CIG30AV=1,2,3 AND IRCIGFM=30).....	1551	2.64
		2 = 6-15 (CIG30AV=4 AND IRCIGFM=30).....	2957	5.04
		3 = 16-25 (CIG30AV=5 AND IRCIGFM=30).....	2794	4.76
		4 = 26 or More (CIG30AV=6,7 AND IRCIGFM=30).....	1038	1.77
		5 = Not Reported (CIG30AV=85,94,97,98 AND IRCIGFM=30).....	45	0.08
		6 = No Daily Use (CIG30AV=91,93 OR IRCIGFM=1-29,91,93).....	50295	85.71

SELECTED UNEDITED VARIABLES			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG05)		SELECTED UNEDITED VARIABLES ----- Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS		
		1 = Yes.....	15037	25.63
		2 = No.....	18944	32.28
		85 = BAD DATA Logically assigned.....	27	0.05
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	24654	42.01
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIG (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3425	5.84
		2 = More than 12 months ago but within the past 3 yrs.	3921	6.68
		3 = More than 3 years ago.....	11489	19.58
		85 = BAD DATA Logically assigned.....	16	0.03
		94 = DON'T KNOW.....	84	0.14
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	39720	67.69
(CG06DK)		What is your best guess of how long it has been since you last smoked part or all of a cigarette?		
CG06DK	2	BEST GUESS TIME SINCE LAST SMOKE A CIGARETTE		
		1 = More than 30 days ago but within the past 12 mos..	6	0.01
		2 = More than 12 months ago but within the past 3 yrs.	10	0.02
		3 = More than 3 years ago.....	33	0.06
		94 = DON'T KNOW.....	32	0.05
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58596	99.86

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG06RE)		The information respondents provide about their cigarette smoking is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last smoked part or all of a cigarette?		
CG06RE	2	RECONSIDER ANSWERING TIME SINCE LAST SMOKE A CIG		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		2 = More than 12 months ago but within the past 3 yrs.	2	0.00
		3 = More than 3 years ago.....	4	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	58655	99.96
(CG19)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS		
		1 = Yes.....	1600	2.73
		2 = No.....	7958	13.56
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	49111	83.69
(CG20)		How long has it been since you last used chewing tobacco?		
CG20	2	TIME SINCE LAST USED CHEW (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	1059	1.80
		2 = More than 12 months ago but within the past 3 yrs.	1430	2.44
		3 = More than 3 years ago.....	5414	9.23
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	50718	86.43

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG20DK)		What is your best guess of how long it has been since you last used chewing tobacco?		
CG20DK	2	BEST GUESS HOW LONG SINCE USED CHEWING TOBACCO		
		1 = More than 30 days ago but within the past 12 mos..	4	0.01
		2 = More than 12 months ago but within the past 3 yrs.	3	0.01
		3 = More than 3 years ago.....	9	0.02
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58644	99.94
(CG20RE)		The information respondents provide about their use of chewing tobacco is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used chewing tobacco?		
CG20RE	2	PLEASE ANSWER HOW LONG SINCE USED CHEWING TOBACCO		
		1 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 3 years ago.....	3	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	58661	99.97
(CG27)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?		
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS		
		1 = Yes.....	1414	2.41
		2 = No.....	4037	6.88
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	53225	90.70
(CG28)		How long has it been since you last used snuff?		
CG28	2	TIME SINCE LAST USE SNUFF (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	583	0.99
		2 = More than 12 months ago but within the past 3 yrs.	754	1.28
		3 = More than 3 years ago.....	2685	4.58
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	54643	93.12

SELECTED UNEDITED VARIABLES			PAGE:	174
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG28DK)		What is your best guess of how long it has been since you last used snuff?		
CG28DK	2	BEST GUESS TIME SINCE LAST USE SNUFF		
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	4	0.01
		94 = DON'T KNOW.....	5	0.01
		98 = BLANK (NO ANSWER).....	58670	99.98
(CG28RE)		The information respondents provide about their use of snuff is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used snuff?		
CG28RE	2	RECONSIDER ANSWERING TIME SINCE LAST USE SNUFF		
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	58675	99.99
(CG36)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS		
		1 = Yes.....	3540	6.03
		2 = No.....	14885	25.37
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	40226	68.55
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	4213	7.18
		2 = More than 12 months ago but within the past 3 yrs.	4594	7.83
		3 = More than 3 years ago.....	6013	10.25
		85 = BAD DATA Logically assigned.....	11	0.02
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	43784	74.61

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG37DK)		What is your best guess of how long it has been since you last smoked part or all of any type of cigar?		
CG37DK	2	BEST GUESS TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	9	0.02
		2 = More than 12 months ago but within the past 3 yrs.	10	0.02
		3 = More than 3 years ago.....	13	0.02
		94 = DON'T KNOW.....	19	0.03
		98 = BLANK (NO ANSWER).....	58629	99.91
(CG37RE)		The information respondents provide about their cigar smoking is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last smoked part or all of any type of cigar?		
CG37RE	2	RECONSIDER ANSWERING TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	3	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	58666	99.98
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
CG43	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	557	0.95
		2 = No.....	4920	8.38
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	53198	90.66
(ALLAST3)		How long has it been since you last drank an alcoholic beverage?		
ALLAST3	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days -- since 30 day ref date..	24615	41.95
		2 = More than 30 days ago but within the past 12 mos..	9381	15.99
		3 = More than 12 months ago.....	7663	13.06
		85 = BAD DATA Logically assigned.....	33	0.06
		94 = DON'T KNOW.....	115	0.20
		97 = REFUSED.....	54	0.09
		98 = BLANK (NO ANSWER).....	16819	28.66

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(ALRECDK)		What is your best guess of how long it has been since you last drank an alcoholic beverage?		
ALRECDK	2	BEST GUESS TIME SINCE LAST DRANK ALCOHOLIC BEV		
		1 = Within the past 30 days --that is, since DATEFILL.	18	0.03
		2 = More than 30 days ago but within the past 12 mos..	20	0.03
		3 = More than 12 months ago.....	27	0.05
		94 = DON'T KNOW.....	50	0.09
		98 = BLANK (NO ANSWER).....	58565	99.80
(ALRECRE)		The information respondents provide about their use of alcohol is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last drank an alcoholic beverage?		
ALRECRE	2	RECONSIDER ANSWERING TIME SINCE LST DRANK ALC BEV		
		1 = Within the past 30 days -- since 30 day ref date..	6	0.01
		2 = More than 30 days ago but within the past 12 mos..	3	0.01
		3 = More than 12 months ago.....	7	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	58626	99.91
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 372	33621	57.30
		985 = BAD DATA Logically assigned.....	29	0.05
		994 = DON'T KNOW.....	328	0.56
		997 = REFUSED.....	94	0.16
		998 = BLANK (NO ANSWER).....	24608	41.94
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Avg num of days per week during pst 12 mos.....	10236	17.44
		2 = Avg num of days per month during pst 12 mos.....	12177	20.75
		3 = Total number of days during the past 12 months....	10969	18.69
		85 = BAD DATA Logically assigned.....	29	0.05
		94 = DON'T KNOW.....	512	0.87
		97 = REFUSED.....	149	0.25
		98 = BLANK (NO ANSWER).....	24608	41.94

SELECTED UNEDITED VARIABLES			PAGE:	177
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	11187	19.06
		985 = BAD DATA Logically assigned.....	13	0.02
		994 = DON'T KNOW.....	366	0.62
		997 = REFUSED.....	77	0.13
		998 = BLANK (NO ANSWER).....	47037	80.16
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	12226	20.84
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	308	0.52
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	46052	78.48
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10208	17.40
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	328	0.56
		97 = REFUSED.....	94	0.16
		98 = BLANK (NO ANSWER).....	48042	81.87
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- since 30 day ref date..	4410	7.52
		2 = More than 30 days ago but within the past 12 month	3473	5.92
		3 = More than 12 months ago.....	11705	19.95
		85 = BAD DATA Logically assigned.....	14	0.02
		94 = DON'T KNOW.....	53	0.09
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	38950	66.38

SELECTED UNEDITED VARIABLES			PAGE:	178
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJRECDK)		What is your best guess of how long it has been since you last used marijuana or hashish?		
MJRECDK	2	BEST GUESS TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- that is, since[DATEFILL]	3	0.01
		2 = More than 30 days ago but within the pst 12 mos...	9	0.02
		3 = More than 12 months ago.....	19	0.03
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	58627	99.91
(MJRECRE)		The information respondents provide about their use of marijuana and hashish is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used marijuana or hashish?		
MJRECRE	2	RECONSIDER TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days --that is, since[DATEFILL].	23	0.04
		2 = More than 30 days ago but within the pst 12 mos...	4	0.01
		3 = More than 12 months ago.....	12	0.02
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	58605	99.87
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 372	7816	13.32
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	74	0.13
		997 = REFUSED.....	31	0.05
		998 = BLANK (NO ANSWER).....	50756	86.50

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Avg num of days per week during pst 12 mos.....	2595	4.42
		2 = Avg num of days per month during pst 12 mos.....	2000	3.41
		3 = Total number of days during the past 12 months....	3187	5.43
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	100	0.17
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	50755	86.49
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 366	3239	5.52
		994 = DON'T KNOW.....	61	0.10
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	55353	94.33
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MJMONAVE	2	# DAYS PER MOS USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	1996	3.40
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	56590	96.44
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2582	4.40
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	31	0.05
		98 = BLANK (NO ANSWER).....	55992	95.42

SELECTED UNEDITED VARIABLES			PAGE:	180
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CCLAST3)		How long has it been since you last used cocaine?		
CCLAST3	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days -- since 30 day ref date..	423	0.72
		2 = More than 30 days ago but within the past 12 month	861	1.47
		3 = More than 12 months ago.....	3872	6.60
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	53487	91.15
(CCRECDK)		What is your best guess of how long it has been since you last used cocaine?		
CCRECDK	2	BEST GUESS TIME SINCE LAST USED COCAINE		
		3 = More than 12 months ago.....	4	0.01
		94 = DON'T KNOW.....	10	0.02
		98 = BLANK (NO ANSWER).....	58666	99.98
(CCRECRE)		The information respondents provide about their use of cocaine is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used cocaine?		
CCRECRE	2	RECONSIDER ANSWERING TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days -- that is, since[DATEFILL]	4	0.01
		2 = More than 30 days ago but within the pst 12 mos...	2	0.00
		3 = More than 12 months ago.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	58661	99.97
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 364	1278	2.18
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	57389	97.80

SELECTED UNEDITED VARIABLES			PAGE:	181
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Avg num of days per week during pst 12 mos.....	207	0.35
		2 = Avg num of days per month during pst 12 mos.....	293	0.50
		3 = Total number of days during the past 12 months....	769	1.31
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	57389	97.80
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 350	779	1.33
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	57889	98.65
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 30	294	0.50
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	58376	99.48
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	205	0.35
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	58463	99.63

SELECTED UNEDITED VARIABLES			PAGE:	182
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CKLAST3)		How long has it been since you last used "crack?"		
CKLAST3	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days -- since 30 day ref date..	74	0.13
		2 = More than 30 days ago but within the past 12 month	175	0.30
		3 = More than 12 months ago.....	967	1.65
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	57452	97.91
(CKRECDK)		What is your best guess of how long it has been since you last used "crack"?		
CKRECDK	2	BEST GUESS TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days --that is,since[DATEFILL].	1	0.00
		2 = More than 30 days ago but within the pst 12 mos...	2	0.00
		3 = More than 12 months ago.....	3	0.01
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	58673	99.99
(CKRECRE)		The information respondents provide about their use of "crack" is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used "crack"?		
CKRECRE	2	RECONSIDER TIME SINCE LAST USED CRACK		
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	58675	99.99
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 364	246	0.42
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	58428	99.57

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Avg num of days per week during pst 12 mos.....	56	0.10
		2 = Avg num of days per month during pst 12 mos.....	57	0.10
		3 = Total number of days during the past 12 months....	131	0.22
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58428	99.57
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 330	131	0.22
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	58541	99.76
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 30	58	0.10
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58615	99.89
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	57	0.10
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58617	99.89
(HELAST3)		How long has it been since you last used heroin?		
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days -- since 30 day ref date..	40	0.07
		2 = More than 30 days ago but within the past 12 month	85	0.14
		3 = More than 12 months ago.....	437	0.74
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58111	99.03

SELECTED UNEDITED VARIABLES			PAGE:	184
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HERECDK)		What is your best guess of how long it has been since you last used heroin?		
HERECDK	2	BEST GUESS TIME SINCE LAST USED HEROIN		
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	58676	99.99
(HERECRE)		The information respondents provide about their use of heroin is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used heroin?		
HERECRE	2	RECONSIDER ANSWERING TIME SINCE LAST USED HEROIN		
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58677	99.99
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	126	0.21
		998 = BLANK (NO ANSWER).....	58554	99.79
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos.....	30	0.05
		2 = Avg num of days per month during pst 12 mos.....	29	0.05
		3 = Total number of days during the past 12 months....	65	0.11
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	58554	99.79
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 300	66	0.11
		994 = DON'T KNOW.....	1	0.00
		998 = BLANK (NO ANSWER).....	58613	99.89

SELECTED UNEDITED VARIABLES			PAGE:	185
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMNAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 30	28	0.05
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	58650	99.95
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	32	0.05
		98 = BLANK (NO ANSWER).....	58648	99.95
(LSLAST)		How long has it been since you last used [LSFILL]?		
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- since 30 day ref date..	510	0.87
		2 = More than 30 days ago but within the past 12 mos..	1335	2.28
		3 = More than 12 months ago.....	5175	8.82
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	51589	87.92
(LSRECDK)		What is your best guess of how long it has been since you last used [LSFILL]?		
LSRECDK	2	BEST GUESS TIME SINCE LAST USED HALLUCINOGEN		
		2 = More than 30 days ago but within the pst 12 mos...	9	0.02
		3 = More than 12 months ago.....	11	0.02
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	58641	99.93

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(LSRECRE)		The information respondents provide about their use of [LSFILL] is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used [LSFILL]?		
LSRECRE	2	RECONSIDER TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- that is, since[DATEFILL	1	0.00
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	4	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	58652	99.95
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 364	1836	3.13
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	17	0.03
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	56823	96.84
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Avg num of days per week during pst 12 mos.....	201	0.34
		2 = Avg num of days per month during pst 12 mos.....	362	0.62
		3 = Total number of days during the past 12 months....	1266	2.16
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	56823	96.84
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 150	1277	2.18
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	14	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	57386	97.79

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 30	363	0.62
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	58302	99.36
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	196	0.33
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58464	99.63
(LS10)		How long has it been since you last used LSD?		
LS10	2	TIME SINCE USED LSD LAST		
		1 = Within the past 30 days - that is, since DATEFILL.	206	0.35
		2 = More than 30 days ago but within the past 12 mos..	619	1.05
		3 = More than 12 months ago.....	2972	5.06
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	54838	93.45
(LS16)		How long has it been since you last used PCP?		
LS16	2	HOW LONG SINCE USED PCP		
		1 = Within the past 30 days -- that is, since DATEFILL	26	0.04
		2 = More than 30 days ago but within the pst 12 mos...	115	0.20
		3 = More than 12 months ago.....	882	1.50
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	57629	98.21
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		
INLAST	2	TIME SINCE LAST USED INHALANT		
		1 = Within the past 30 days -- since 30 day ref date..	297	0.51
		2 = More than 30 days ago but within the past 12 mos..	767	1.31
		3 = More than 12 months ago.....	4406	7.51
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	70	0.12
		97 = REFUSED.....	54	0.09
		98 = BLANK (NO ANSWER).....	53082	90.46

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(INRECDK)		What is your best guess of how long it has been since you last used any inhalant for kicks or to get high?		
INRECDK	2	BEST GUESS HOW LONG SINCE LAST USED INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 12 months ago.....	20	0.03
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	58610	99.88
(INRECRE)		The information respondents provide about their use of inhalants is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any inhalant for kicks or to get high?		
INRECRE	2	RECONSIDER HOW LONG SINCE LAST USED INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		2 = More than 30 days ago but within the past 12 mos..	3	0.01
		3 = More than 12 months ago.....	11	0.02
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	58626	99.91
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1049	1.79
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	57605	98.17
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT		
		1 = Avg num of days per week during pst 12 mos.....	170	0.29
		2 = Avg num of days per month during pst 12 mos.....	233	0.40
		3 = Total number of days during the past 12 months....	641	1.09
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	57605	98.17

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INYRAVE	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 150	654	1.11
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	58008	98.85
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INMONAVE	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 27	224	0.38
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	58429	99.57
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INWKAVE	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	171	0.29
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	58483	99.66
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR09	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	1056	1.80
		2 = More than 30 days ago but within the past 12 mos..	1564	2.67
		3 = More than 12 months ago.....	3156	5.38
		85 = BAD DATA Logically assigned.....	16	0.03
		94 = DON'T KNOW.....	151	0.26
		97 = REFUSED.....	70	0.12
		98 = BLANK (NO ANSWER).....	52667	89.75

SELECTED UNEDITED VARIABLES			PAGE:	190
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PRRECDK)		What is your best guess of how long it has been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECDK	2	BEST GUESS LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	10	0.02
		2 = More than 30 days ago but within the past 12 month	19	0.03
		3 = More than 12 months ago.....	28	0.05
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	88	0.15
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	58517	99.72
(PRRECRE)		The information respondents provide about their use of prescription pain relievers is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECRE	2	RECONSIDER LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		2 = More than 30 days ago but within the past 12 month	2	0.00
		3 = More than 12 months ago.....	13	0.02
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	58598	99.86

SELECTED UNEDITED VARIABLES			PAGE:	191
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Avg num of days per week during pst 12 mos.....	515	0.88
		2 = Avg num of days per month during pst 12 mos.....	747	1.27
		3 = Total number of days during the past 12 months....	1320	2.25
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	61	0.10
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	56014	95.46
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	1331	2.27
		985 = BAD DATA Logically assigned.....	13	0.02
		994 = DON'T KNOW.....	52	0.09
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	57276	97.61
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 30	736	1.25
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	57861	98.60

SELECTED UNEDITED VARIABLES			PAGE:	192
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	505	0.86
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	65	0.11
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	58082	98.98
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	339	0.58
		2 = More than 30 days ago but within the past 12 mos..	650	1.11
		3 = More than 12 months ago.....	2031	3.46
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	55603	94.76
(TRRECDK)		What is your best guess of how long it has been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECDK	2	BEST GUESS HOW LONG SINCE USD TRANQUILIZER "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	3	0.01
		2 = More than 30 days ago but within the past 12 mos..	5	0.01
		3 = More than 12 months ago.....	7	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	58636	99.93

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(TRRECRE)		The information respondents provide about their use of prescription tranquilizers is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECRE	2	RECONSIDER HOW LONG SINCE USD TRANQUILIZER "NM"		
		2 = More than 30 days ago but within the past 12 mos..	1	0.00
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	58665	99.97
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Avg num of days per week during pst 12 mos.....	161	0.27
		2 = Avg num of days per month during pst 12 mos.....	292	0.50
		3 = Total number of days during the past 12 months....	529	0.90
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	57677	98.29
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 250	532	0.91
		985 = BAD DATA Logically assigned.....	5	0.01
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	58130	99.06

SELECTED UNEDITED VARIABLES			PAGE:	194
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR12	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 30	287	0.49
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	58370	99.47
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	157	0.27
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	58496	99.69
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	274	0.47
		2 = More than 30 days ago but within the past 12 mos..	530	0.90
		3 = More than 12 months ago.....	2115	3.60
		94 = DON'T KNOW.....	43	0.07
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	55694	94.91
(STRECDK)		What is your best guess of how long it has been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECDK	2	BEST GUESS TIME SINCE LAST USED STIMULANTS "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		2 = More than 30 days ago but within the past 12 mos..	3	0.01
		3 = More than 12 months ago.....	9	0.02
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	58637	99.93

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(STRECRE)		The information respondents provide about their use of prescription stimulants is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECRE	2	RECONSIDER TIME SINCE LAST USED STIMULANTS "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		3 = More than 12 months ago.....	7	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	58656	99.96
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Avg num of days per week during pst 12 mos.....	163	0.28
		2 = Avg num of days per month during pst 12 mos.....	218	0.37
		3 = Total number of days during the past 12 months....	405	0.69
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	57870	98.62
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 250	412	0.70
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	58251	99.27

SELECTED UNEDITED VARIABLES			PAGE:	196
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST12	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 31	215	0.37
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	58445	99.60
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	162	0.28
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	58497	99.69
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
ST19	2	HOW LONG SINCE USED METHAMPH, DESOXYN, METHEDRINE		
		1 = Within the past 30 days - that is, since DATEFILL.	113	0.19
		2 = More than 30 days ago but within the past 12 mos..	234	0.40
		3 = More than 12 months ago.....	1144	1.95
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	57181	97.45
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	64	0.11
		2 = More than 30 days ago but within the past 12 mos..	163	0.28
		3 = More than 12 months ago.....	883	1.50
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	57553	98.08

SELECTED UNEDITED VARIABLES			PAGE:	197
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SVRECDK)		What is your best guess of how long it has been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECDK	2	BEST GUESS TIME SINCE LAST USED SEDATIVE "NM"		
		3 = More than 12 months ago.....	7	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	58668	99.98
(SVRECRE)		The information respondents provide about their use of prescription sedatives is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECRE	2	RECONSIDER TIME SINCE LAST USED SEDATIVE "NM"		
		3 = More than 12 months ago.....	2	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58674	99.99
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Avg num of days per week during pst 12 mos.....	54	0.09
		2 = Avg num of days per month during pst 12 mos.....	63	0.11
		3 = Total number of days during the past 12 months....	102	0.17
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	58452	99.61

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 44	104	0.18
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	58569	99.81
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 23	65	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58610	99.88
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	54	0.09
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	58621	99.90

		SPECIAL DRUGS	PAGE:	199
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(SD01)		SPECIAL DRUGS ----- These next questions are about the different ways that certain drugs can be used. Have you ever, even once, smoked heroin?		
HERSMOKE	2	1EVER SMOKED HEROIN		
		1 = Yes.....	222	0.38
		2 = No.....	345	0.59
		91 = NEVER USED HEROIN.....	58078	98.97
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
(SD02)		How long as it been since you last smoked heroin?		
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days.....	18	0.03
		2 = More than 30 days ago but within the past 12 mos..	26	0.04
		3 = More than 12 months ago.....	178	0.30
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = USED HEROIN BUT NEVER SMOKED IT.....	345	0.59
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
(SD03)		Have you ever, even once, sniffed or "snorted" heroin powder through your nose?		
HERSNIFF	2	1EVER SNIFFED HEROIN		
		1 = Yes.....	345	0.59
		2 = No.....	222	0.38
		91 = NEVER USED HEROIN.....	58078	98.97
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	14	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	200
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD04)		How long has it been since you last sniffed or "snorted" heroin powder through your nose?		
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days.....	19	0.03
		2 = More than 30 days ago but within the past 12 mos..	49	0.08
		3 = More than 12 months ago.....	276	0.47
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	222	0.38
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
		Have you ever, even once, used a needle to inject a drug that was not prescribed for you or that you took only for the experience it caused?		
GNNDLLIF	2	1EVER USED A NEEDLE TO INJECT DRUGS NOT PRESCRIBED		
		1 = Yes.....	502	0.86
		2 = No.....	58130	99.06
		4 = No LOGICALLY ASSIGNED.....	7	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	5	0.01
(SD06)		Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	1EVER USED NEEDLE TO INJECT COCAINE		
		1 = Yes.....	259	0.44
		2 = No.....	157	0.27
		91 = NEVER USED COCAINE.....	125	0.21
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	201
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD07)		How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days.....	13	0.02
		2 = More than 30 days ago but within the past 12 mos..	29	0.05
		3 = More than 12 months ago.....	216	0.37
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		91 = NEVER USED COCAINE.....	125	0.21
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	157	0.27
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
(SD08)		Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN		
		1 = Yes.....	211	0.36
		2 = No.....	29	0.05
		91 = NEVER USED HEROIN.....	303	0.52
		97 = REFUSED.....	7	0.01
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
(SD09)		How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days.....	18	0.03
		2 = More than 30 days ago but within the past 12 mos..	27	0.05
		3 = More than 12 months ago.....	166	0.28
		91 = NEVER USED HEROIN.....	303	0.52
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	29	0.05
		97 = REFUSED.....	7	0.01
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STNEEDLE	2	1EVER USED NEEDLE TO INJECT STIMULANT		
		1 = Yes.....	172	0.29
		2 = No.....	153	0.26
		91 = NEVER USED STIMULANTS.....	194	0.33
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
		How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days.....	17	0.03
		2 = More than 30 days ago but within the past 12 mos..	24	0.04
		3 = More than 12 months ago.....	131	0.22
		91 = NEVER USED STIMULANTS.....	194	0.33
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	153	0.26
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
(SD12)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes.....	145	0.25
		2 = No.....	351	0.60
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4)..	7	0.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	203
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD13)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes.....	97	0.17
		2 = No.....	399	0.68
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	7	0.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
(SD14)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes.....	147	0.25
		2 = No.....	350	0.60
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	7	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06
(SD15)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes.....	109	0.19
		2 = No.....	379	0.65
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	7	0.01
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	58130	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	204
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD16)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.		
		The last time you used a needle for injecting drugs, how did you get the needle?		
GNNDGET2	2	1HOW DID YOU GET THE NEEDLE LAST TIME		
		1 = Bought the needle from a pharmacy.....	229	0.39
		2 = Got the needle from a needle exchange.....	20	0.03
		3 = Bought the needle on the street.....	36	0.06
		4 = Got the needle in a shooting gallery.....	5	0.01
		5 = Got the needle some other way.....	54	0.09
		41 = Given by, stolen from a friend/acquaint of friend.	90	0.15
		42 = Given by, stolen from a relative.....	10	0.02
		43 = Given by, stolen from someone, relation unspecifd.	18	0.03
		45 = Found it/got from a waste can.....	3	0.01
		46 = Given by, stolen from medical facility/professionl	16	0.03
		49 = Bought, given, stolen from place/location unspecd.	3	0.01
		54 = Shared needle with friends/other acquaintances....	3	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF=4)...	7	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP (GNNDLLIF=2).....	58130	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED SPECIAL DRUGS				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
The following variable, NEDLRECC, was created from the edited source variables GNNDLLIF, CONDLREC, HRNDLREC, and STNDLREC.				
NEDLRECC	2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past 30 days.....	34	0.06
		2 = More than 30 days ago but within the past 12 mos..	58	0.10
		3 = More than 12 months ago.....	303	0.52
		9 = At some point in the lifetime LOG ASSN.....	3	0.01
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	58251	99.27
		97 = REFUSED.....	21	0.04
		98 = MISSING (BUT NOT REFUSED).....	10	0.02
NEDFLAG4	1	NEEDLE USE (ANY DRUG) - EVER USED		
		0 = Never used (GNNDLLIF=2,4,94,97,98).....	58178	99.14
		1 = Ever Used (GNNDLLIF=1).....	502	0.86
HERSMOK2	1	EVER SMOKED HEROIN		
		0 = No/Unknown (HERSMOKE=2,91,97,98).....	58458	99.62
		1 = Yes (HERSMOKE=1).....	222	0.38
HERSNIF2	1	EVER SNIFFED HEROIN		
		0 = No/Unknown (HERSNIFF=2,91,97,98).....	58335	99.41
		1 = Yes (HERSNIFF=1).....	345	0.59
NEDHER	1	EVER USED A NEEDLE TO INJECT HEROIN		
		0 = No (HERNEEDL=2,91,97,99).....	58469	99.64
		1 = Yes (HERNEEDL=1).....	211	0.36
NEDCOC	1	EVER USED A NEEDLE TO INJECT COCAINE		
		0 = No (COCNEEDL=2,91,97,98,99).....	58421	99.56
		1 = Yes (COCNEEDL=1).....	259	0.44
NEDSTM	1	EVER USED A NEEDLE TO INJECT STIMULANT		
		0 = No (STNNEEDL=2,91,94,97,98,99).....	58508	99.71
		1 = Yes (STNNEEDL=1).....	172	0.29

LABEL	LEN	DESCRIPTION	PAGE:	206
-----	----	-----	FREQ	%
(RK01A)		RISK/AVAILABILITY		

		We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.		
		Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.		
		If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.		
		How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?		
RSKPKCIG	2	1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk.....	1033	1.76
		2 = Slight risk.....	3851	6.56
		3 = Moderate risk.....	14660	24.98
		4 = Great risk.....	38636	65.84
		94 = DON'T KNOW.....	378	0.64
		97 = REFUSED.....	115	0.20
		98 = BLANK (NO ANSWER).....	7	0.01
(RK01B)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?		
RSKMJOCC	2	1RISK SMOKING MARIJUANA ONCE A MONTH		
		1 = No risk.....	5770	9.83
		2 = Slight risk.....	13913	23.71
		3 = Moderate risk.....	15891	27.08
		4 = Great risk.....	22139	37.73
		94 = DON'T KNOW.....	857	1.46
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	7	0.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	207
			FREQ	%		
(RK01C)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?				
RSKMJREG	2	1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK				
		1 = No risk.....	3571	6.09		
		2 = Slight risk.....	8938	15.23		
		3 = Moderate risk.....	14892	25.38		
		4 = Great risk.....	30407	51.82		
		94 = DON'T KNOW.....	768	1.31		
		97 = REFUSED.....	97	0.17		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?				
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE				
		1 = No risk.....	1462	2.49		
		2 = Slight risk.....	6192	10.55		
		3 = Moderate risk.....	10673	18.19		
		4 = Great risk.....	38915	66.32		
		94 = DON'T KNOW.....	1313	2.24		
		97 = REFUSED.....	118	0.20		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?				
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK				
		1 = No risk.....	654	1.11		
		2 = Slight risk.....	1699	2.90		
		3 = Moderate risk.....	6278	10.70		
		4 = Great risk.....	48681	82.96		
		94 = DON'T KNOW.....	1251	2.13		
		97 = REFUSED.....	110	0.19		
		98 = BLANK (NO ANSWER).....	7	0.01		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	208
					FREQ	%
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?				
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE				
		1 = No risk.....	869	1.48		
		2 = Slight risk.....	3819	6.51		
		3 = Moderate risk.....	8707	14.84		
		4 = Great risk.....	44255	75.42		
		94 = DON'T KNOW.....	910	1.55		
		97 = REFUSED.....	113	0.19		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?				
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK				
		1 = No risk.....	548	0.93		
		2 = Slight risk.....	896	1.53		
		3 = Moderate risk.....	3711	6.32		
		4 = Great risk.....	52566	89.58		
		94 = DON'T KNOW.....	851	1.45		
		97 = REFUSED.....	101	0.17		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?				
RKCOCOCC	2	1RISK USING COCAINE ONCE A MONTH				
		1 = No risk.....	1040	1.77		
		2 = Slight risk.....	5022	8.56		
		3 = Moderate risk.....	12271	20.91		
		4 = Great risk.....	39373	67.10		
		94 = DON'T KNOW.....	874	1.49		
		97 = REFUSED.....	93	0.16		
		98 = BLANK (NO ANSWER).....	7	0.01		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	209
					FREQ	%
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?				
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK				
		1 = No risk.....	585	1.00		
		2 = Slight risk.....	1258	2.14		
		3 = Moderate risk.....	5235	8.92		
		4 = Great risk.....	50692	86.39		
		94 = DON'T KNOW.....	819	1.40		
		97 = REFUSED.....	84	0.14		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?				
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY				
		1 = No risk.....	980	1.67		
		2 = Slight risk.....	4418	7.53		
		3 = Moderate risk.....	14024	23.90		
		4 = Great risk.....	38755	66.04		
		94 = DON'T KNOW.....	400	0.68		
		97 = REFUSED.....	96	0.16		
		98 = BLANK (NO ANSWER).....	7	0.01		
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?				
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK				
		1 = No risk.....	2279	3.88		
		2 = Slight risk.....	10472	17.85		
		3 = Moderate risk.....	20548	35.02		
		4 = Great risk.....	24856	42.36		
		94 = DON'T KNOW.....	444	0.76		
		97 = REFUSED.....	74	0.13		
		98 = BLANK (NO ANSWER).....	7	0.01		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	210
-----	----	-----	FREQ	%
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		
		How difficult or easy would it be for you to get some marijuana, if you wanted some?		
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA		
		1 = Probably impossible.....	8671	14.78
		2 = Very difficult.....	6046	10.30
		3 = Fairly difficult.....	7341	12.51
		4 = Fairly easy.....	15711	26.77
		5 = Very easy.....	18775	32.00
		94 = DON'T KNOW.....	1961	3.34
		97 = REFUSED.....	165	0.28
		98 = BLANK (NO ANSWER).....	10	0.02
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?		
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD		
		1 = Probably impossible.....	17733	30.22
		2 = Very difficult.....	11546	19.68
		3 = Fairly difficult.....	11779	20.07
		4 = Fairly easy.....	9592	16.35
		5 = Very easy.....	4565	7.78
		94 = DON'T KNOW.....	3301	5.63
		97 = REFUSED.....	154	0.26
		98 = BLANK (NO ANSWER).....	10	0.02
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?		
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE		
		1 = Probably impossible.....	15673	26.71
		2 = Very difficult.....	11420	19.46
		3 = Fairly difficult.....	10926	18.62
		4 = Fairly easy.....	10485	17.87
		5 = Very easy.....	7062	12.03
		94 = DON'T KNOW.....	2949	5.03
		97 = REFUSED.....	155	0.26
		98 = BLANK (NO ANSWER).....	10	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	211
-----	----	-----	FREQ	%
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?		
RKDIFCRK	2	1HOW DIFFICULT TO GET "CRACK"		
		1 = Probably impossible.....	17081	29.11
		2 = Very difficult.....	11868	20.22
		3 = Fairly difficult.....	10061	17.15
		4 = Fairly easy.....	9249	15.76
		5 = Very easy.....	7201	12.27
		94 = DON'T KNOW.....	3057	5.21
		97 = REFUSED.....	153	0.26
		98 = BLANK (NO ANSWER).....	10	0.02
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?		
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN		
		1 = Probably impossible.....	20633	35.16
		2 = Very difficult.....	13440	22.90
		3 = Fairly difficult.....	10305	17.56
		4 = Fairly easy.....	6687	11.40
		5 = Very easy.....	4200	7.16
		94 = DON'T KNOW.....	3265	5.56
		97 = REFUSED.....	140	0.24
		98 = BLANK (NO ANSWER).....	10	0.02
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?		
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
		1 = Yes.....	7071	12.05
		2 = No.....	51398	87.59
		85 = BAD DATA Logically assigned.....	48	0.08
		94 = DON'T KNOW.....	87	0.15
		97 = REFUSED.....	66	0.11
		98 = BLANK (NO ANSWER).....	10	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	
			PAGE:	212
-----	----	-----	FREQ	%
-----	----	-----	----	-
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?		
RKFQDNGR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
		1 = Never.....	23058	39.29
		2 = Seldom.....	18349	31.27
		3 = Sometimes.....	14014	23.88
		4 = Always.....	2899	4.94
		94 = DON'T KNOW.....	233	0.40
		97 = REFUSED.....	116	0.20
		98 = BLANK (NO ANSWER).....	11	0.02
(RK04B)		How often do you like to test yourself by doing something a little risky?		
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
		1 = Never.....	22453	38.26
		2 = Seldom.....	21682	36.95
		3 = Sometimes.....	12183	20.76
		4 = Always.....	2096	3.57
		94 = DON'T KNOW.....	158	0.27
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	11	0.02
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?		
RKQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR		
		1 = Never.....	3205	5.46
		2 = Seldom.....	4639	7.91
		3 = Sometimes.....	11296	19.25
		4 = Always.....	39428	67.19
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	55	0.09
		98 = BLANK (NO ANSWER).....	11	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY		
LABEL	LEN	DESCRIPTION	PAGE:	213
-----	----	-----	FREQ	%
-----	----	-----	-----	-
(RK04D)		How often do you wear a seatbelt when you drive a car?		
RKFQDBLT 2		1WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		1 = Never.....	2867	4.89
		2 = Seldom.....	3032	5.17
		3 = Sometimes.....	6400	10.91
		4 = Always.....	32174	54.83
		5 = I don't drive.....	14065	23.97
		94 = DON'T KNOW.....	61	0.10
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	12	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED RISK/AVAILABILITY			PAGE:	214
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED RISK/AVAILABILITY				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
		. = Unknown (RSKPKCIG = 94,97,98).....	500	0.85
		0 = Otherwise (RSKPKCIG = 1,2,3).....	19544	33.31
		1 = Great Risk (RSKPKCIG = 4).....	38636	65.84
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
		. = Unknown (RKCOCREG = 94,97,98).....	910	1.55
		0 = Otherwise (RKCOCREG = 1,2,3).....	7078	12.06
		1 = Great Risk (RKCOCREG = 4).....	50692	86.39
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH		
		. = Unknown (RKCOCOCC = 94,97,98).....	974	1.66
		0 = Otherwise (RKCOCOCC = 1,2,3).....	18333	31.24
		1 = Great Risk (RKCOCOCC = 4).....	39373	67.10
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
		. = Unknown (RSKMJREG = 94,97,98).....	872	1.49
		0 = Otherwise (RSKMJREG = 1,2,3).....	27401	46.70
		1 = Great Risk (RSKMJREG = 4).....	30407	51.82
GRSKMOCC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH		
		. = Unknown (RSKMJOCC = 94,97,98).....	967	1.65
		0 = Otherwise (RSKMJOCC = 1,2,3).....	35574	60.62
		1 = Great Risk (RSKMJOCC = 4).....	22139	37.73
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE		
		. = Unknown (RKTRYHER = 94,97,98).....	1030	1.76
		0 = Otherwise (RKTRYHER = 1,2,3).....	13395	22.83
		1 = Great Risk (RKTRYHER = 4).....	44255	75.42
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
		. = Unknown (RKHERREG = 94,97,98).....	959	1.63
		0 = Otherwise (RKHERREG = 1,2,3).....	5155	8.78
		1 = Great Risk (RKHERREG = 4).....	52566	89.58
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE		
		. = Unknown (RKTRYLSD = 94,97,98).....	1438	2.45
		0 = Otherwise (RKTRYLSD = 1,2,3).....	18327	31.23
		1 = Great Risk (RKTRYLSD=4).....	38915	66.32

RECODED RISK/AVAILABILITY			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		. = Unknown (RKLSDREG = 94,97,98).....	1368	2.33
		0 = Otherwise (RKLSDREG = 1,2,3).....	8631	14.71
		1 = Great Risk (RKLSDREG = 4).....	48681	82.96
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		. = Unknown (RK5ALDLY = 94,97,98).....	503	0.86
		0 = Otherwise (RK5ALDLY = 1,2,3).....	19422	33.10
		1 = Great Risk (RK5ALDLY = 4).....	38755	66.04
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		. = Unknown (RK5ALWK = 94,97,98).....	525	0.89
		0 = Otherwise (RK5ALWK = 1,2,3).....	33299	56.75
		1 = Great Risk (RK5ALWK = 4).....	24856	42.36
RDIFMJ	1	MARIJUANA FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RSKDIFMJ = 94,97,98).....	2136	3.64
		0 = Otherwise (RSKDIFMJ = 1,2,3).....	22058	37.59
		1 = Fairly or very easy (RSKDIFMJ = 4,5).....	34486	58.77
RDIFCOC	1	COCAINE FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCOC = 94,97,98).....	3114	5.31
		0 = Otherwise (RKDIFCOC = 1,2,3).....	38019	64.79
		1 = Fairly or very easy (RKDIFCOC = 4,5).....	17547	29.90
RDIFHER	1	HEROIN FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFHER = 94,97,98).....	3415	5.82
		0 = Otherwise (RKDIFHER = 1,2,3).....	44378	75.63
		1 = Fairly or very easy (RKDIFHER = 4,5).....	10887	18.55
RDIFLSD	1	LSD FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFLSD = 94,97,98).....	3465	5.90
		0 = Otherwise (RKDIFLSD = 1,2,3).....	41058	69.97
		1 = Fairly or very easy (RKDIFLSD = 4,5).....	14157	24.13
RDIFCRK	1	CRACK FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCRK = 94,97,98).....	3220	5.49
		0 = Otherwise (RKDIFCRK = 1,2,3).....	39010	66.48
		1 = Fairly or very easy (RKDIFCRK = 4,5).....	16450	28.03
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS		
		. = Unknown (RSKSELL = 85,94,97,98).....	211	0.36
		0 = No (RSKSELL = 2).....	51398	87.59
		1 = Yes (RSKSELL = 1).....	7071	12.05

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

SUBSTANCE DEPENDENCE AND ABUSE

NOTE: For the edited SUBSTANCE DEPENDENCE AND ABUSE variables shown below, respondents were not asked the relevant questions if they did not report use of the substance within the past 12 months in the core questions. For alcohol and marijuana, infrequent users in the past 12 months (i.e., use on 5 or fewer days in the past 12 months) also were not asked the respective questions about these drugs. However, past year alcohol and marijuana users who did not report frequency of use were asked the dependence and abuse questions. For cocaine, heroin, and stimulants, respondents who did not report in the core modules that they used the substance of interest in the past 12 months still WERE asked SUBSTANCE DEPENDENCE AND ABUSE questions for these drugs if they reported use in the past 12 months in the SPECIAL DRUGS module. Substance use variables that were used to edit the variables in the SUBSTANCE DEPENDENCE AND ABUSE module were not fully imputed. If respondents were skipped out of SUBSTANCE DEPENDENCE AND ABUSE QUESTIONS for a particular substance because they did not know or refused to report when they last used that substance (or whether they ever used it), the relevant variables in the SUBSTANCE DEPENDENCE AND ABUSE module retained missing values.

Think about your use of cigarettes during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or smoking cigarettes?

CIGLOTTM 2	DESCRIPTION	FREQ	%
	1SPENT MONTH/MORE GETTING/SMKG CIGS PAST 12 MOS		
	1 = Yes.....	6745	11.49
	2 = No.....	11643	19.84
	85 = BAD DATA Logically assigned.....	12	0.02
	91 = NEVER USED CIGARETTES.....	24654	42.01
	93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
	94 = DON'T KNOW.....	49	0.08
	97 = REFUSED.....	32	0.05
	98 = BLANK (NO ANSWER).....	286	0.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, did you try to set limits on how often or how many cigarettes you would smoke?		
CIGLIMIT	2	1SET LIMITS ON CIG USE PAST 12 MONTHS		
		1 = Yes.....	9768	16.65
		2 = No.....	8600	14.66
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	54	0.09
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	286	0.49
		Were you able to keep to the limits you set, or did you often smoke more than you intended to?		
CIGKPLMT	2	1ABLE TO KEEP LIMITS OR SMOKE MORE PAST 12 MOS		
		1 = Usually kept to the limits set.....	6062	10.33
		2 = Often smoked more than intended.....	3701	6.31
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	350	0.60
		99 = LEGITIMATE SKIP.....	8600	14.66
		During the past 12 months, did you need to smoke more cigarettes than you used to in order to get the effect you wanted?		
CIGNDMOR	2	1NEEDED MORE CIGS TO GET SAME EFFECT PAST 12 MOS		
		1 = Yes.....	2553	4.35
		2 = No.....	15810	26.94
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	286	0.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, did you notice that smoking the same number of cigarettes had less effect on you than it used to?		
CIGLSEFX	2	1SMKG SAME # CIGS HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	2731	4.65
		2 = No.....	12946	22.06
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	176	0.30
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	286	0.49
		99 = LEGITIMATE SKIP.....	2553	4.35
		During the past 12 months, did you want to or try to cut down or stop smoking cigarettes?		
CIGCUTDN	2	1WANT/TRY TO CUT DOWN/STOP SMKG PAST 12 MOS		
		1 = Yes.....	12549	21.39
		2 = No.....	5772	9.84
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	83	0.14
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	287	0.49
		During the past 12 months, were you able to cut down or stop smoking cigarettes every time you wanted to or tried to?		
CIGCUTEV	2	1ABLE TO CUT/STOP CIGS EVERY TIME PAST 12 MOS		
		1 = Yes.....	7779	13.26
		2 = No.....	4758	8.11
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	376	0.64
		99 = LEGITIMATE SKIP.....	5772	9.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, did you cut down or stop smoking at least one time?		
CIGCUT1X	2	1CUT DOWN OR STOP SMKG AT LEAST ONCE PAST 12 MOS		
		1 = Yes.....	5136	8.75
		2 = No.....	5383	9.17
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	373	0.64
		99 = LEGITIMATE SKIP.....	7779	13.26
		Please look at the symptoms listed below. During the past 12 months, did you have 4 or more of these symptoms after you cut back or stopped smoking cigarettes?		
		- Feeling kind of blue, down, or depressed		
		- Having trouble sleeping		
		- Feeling irritable, frustrated, or angry		
		- Feeling anxious		
		- Having difficulty concentrating		
		- Feeling hungry more often or gaining weight		
		- Feeling restless		
		- Having a slower heart rate		
CIGWD4SX	2	1HAD 4+ CIG WITHDRAW SYMPTOMS PST 12 MOS		
		1 = Yes.....	2534	4.32
		2 = No.....	2573	4.38
		85 = BAD DATA Logically assigned.....	3	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....	7779	13.26
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	77	0.13
		98 = BLANK (NO ANSWER).....	394	0.67
		99 = LEGITIMATE SKIP.....	5383	9.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		Please look at the symptoms listed below. During the past 12 months, did you have 4 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped smoking cigarettes?		
		- Feeling kind of blue, down, or depressed		
		- Having trouble sleeping		
		- Feeling irritable, frustrated, or angry		
		- Feeling anxious		
		- Having difficulty concentrating		
		- Feeling hungry more often or gaining weight		
		- Feeling restless		
		- Having a slower heart rate		
CIGWDSMT	2	1HAD 4+ CIG WDRAW SYM AT SAME TIME PST 12 MOS		
		1 = Yes.....	1771	3.02
		2 = No.....	754	1.28
		85 = BAD DATA Logically assigned.....	3	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....	7779	13.26
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	79	0.13
		98 = BLANK (NO ANSWER).....	418	0.71
		99 = LEGITIMATE SKIP.....	7956	13.56

During the past 12 months, did you have any problems with your emotions nerves, or mental health that were probably caused or made worse by your cigarette smoking?

CIGEMOPB	2	1CIG CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	2974	5.07
		2 = No.....	15333	26.13
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	112	0.19
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	287	0.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		Did you continue to smoke cigarettes even though you thought smoking was causing you to have problems with your emotions, nerves, or mental health?		
CIGEMCTD	2	1CONTD TO SMOKE CIGS DESPITE EMOT PRBS		
		1 = Yes.....	2136	3.64
		2 = No.....	827	1.41
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	409	0.70
		99 = LEGITIMATE SKIP.....	15333	26.13
		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your cigarette smoking?		
CIGPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY CIGS PST 12 MOS		
		1 = Yes.....	2434	4.15
		2 = No.....	13779	23.48
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	289	0.49
		99 = LEGITIMATE SKIP.....	2136	3.64
		Did you continue to smoke cigarettes even though you thought smoking was causing you to have physical problems?		
CIGPHCTD	2	1CONTD TO SMOKE CIGS DESPITE PHYS PRBS		
		1 = Yes.....	1718	2.93
		2 = No.....	715	1.22
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	372	0.63
		99 = LEGITIMATE SKIP.....	15915	27.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, did smoking cigarettes cause you to give up or spend less time doing important things such as:		
		- Working		
		- Going to school		
		- Taking care of children		
		- Doing fun things such as hobbies, sports, or spending time with friends or family		
CIGLSACT 2		1LESS ACTIVITIES B/C OF CIG USE PAST 12 MOS		
		1 = Yes.....	1492	2.54
		2 = No.....	16883	28.77
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED CIGARETTES.....	24654	42.01
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	15259	26.00
		94 = DON'T KNOW.....	48	0.08
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	288	0.49
		Do you buy your cigarettes by the pack or by the carton?		
CIGPKCRT 2		1BUY CIGARETTES BY PACK OR CARTON		
		1 = Pack.....	10768	18.35
		2 = Carton.....	3049	5.20
		85 = BAD DATA Logically assigned.....	11	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	11899	20.28
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	12730	21.69
		94 = DON'T KNOW.....	398	0.68
		97 = REFUSED.....	292	0.50
		98 = BLANK (NO ANSWER).....	103	0.18
		99 = LEGITIMATE SKIP.....	19428	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	223
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		What was the price you paid for the last pack of cigarettes you bought?		
CIGPDPAK 2	1	PRICE PAID FOR LAST PACK OF CIGS		
		1 = Less than \$1.00.....	269	0.46
		2 = \$1.00 - \$1.50.....	193	0.33
		3 = \$1.51 - \$2.00.....	410	0.70
		4 = \$2.01 - \$2.50.....	1230	2.10
		5 = \$2.51 - \$3.00.....	2902	4.95
		6 = \$3.01 - \$3.50.....	3010	5.13
		7 = \$3.51 - \$4.00.....	1743	2.97
		8 = \$4.01 - \$4.50.....	570	0.97
		9 = \$4.51 - \$5.00.....	302	0.51
		10 = More than \$5.00.....	37	0.06
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	11899	20.28
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	12730	21.69
		94 = DON'T KNOW.....	92	0.16
		97 = REFUSED.....	302	0.51
		98 = BLANK (NO ANSWER).....	507	0.86
		99 = LEGITIMATE SKIP.....	22478	38.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		What was the price you paid for the last carton of cigarettes you bought?		
CIGPDCRT	2	1PRICE PAID FOR LAST CARTON OF CIGS		
		1 = Less than \$10.00.....	135	0.23
		2 = \$10.00 - \$10.99.....	158	0.27
		3 = \$11.00 - \$11.99.....	187	0.32
		4 = \$12.00 - \$12.99.....	272	0.46
		5 = \$13.00 - \$13.99.....	554	0.94
		6 = \$14.00 - \$14.99.....	704	1.20
		7 = \$15.00 - \$15.99.....	438	0.75
		8 = \$16.00 - \$16.99.....	290	0.49
		9 = \$17.00 - \$17.99.....	138	0.24
		10 = \$18.00 - \$18.99.....	60	0.10
		11 = \$19.00 - \$19.99.....	34	0.06
		12 = \$20.00 - \$20.99.....	19	0.03
		13 = \$21.00 - \$21.99.....	8	0.01
		14 = \$22.00 - \$22.99.....	5	0.01
		15 = \$23.00 or more.....	7	0.01
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED CIGARETTES.....	11899	20.28
		93 = DID NOT USE CIGARETTES PST 12 MOS.....	12730	21.69
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	302	0.51
		98 = BLANK (NO ANSWER).....	506	0.86
		99 = LEGITIMATE SKIP.....	30198	51.46

(DRALC01) Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

ALCLOTTM	2	1SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS		
		1 = Yes.....	4353	7.42
		2 = No.....	22826	38.90
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	387	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC02)		During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?		
ALCGTOVR	2	1MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS		
		1 = Yes.....	582	0.99
		2 = No.....	22245	37.91
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	387	0.66
		99 = LEGITIMATE SKIP.....	4353	7.42
(DRALC04)		During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?		
ALCLIMIT	2	1SET LIMITS ON ALCOHOL USE PAST 12 MONTHS		
		1 = Yes.....	8069	13.75
		2 = No.....	19075	32.51
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	48	0.08
		97 = REFUSED.....	61	0.10
		98 = BLANK (NO ANSWER).....	387	0.66
(DRALC05)		Were you able to keep to the limits you set, or did you often drink more than you intended to?		
ALCKPLMT	2	1ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
		1 = Usually kept to the limits set.....	7039	12.00
		2 = Often drank more than intended.....	1022	1.74
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	452	0.77
		99 = LEGITIMATE SKIP.....	19075	32.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC06)		During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?		
ALCNDMOR	2	1NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	2971	5.06
		2 = No.....	24180	41.21
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	387	0.66
(DRALC07)		During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?		
ALCLSEFX	2	1DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	2359	4.02
		2 = No.....	21733	37.04
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	18	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	117	0.20
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	388	0.66
		99 = LEGITIMATE SKIP.....	2971	5.06
(DRALC08)		During the past 12 months, did you want to or try to cut down or stop drinking alcohol?		
ALCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS		
		1 = Yes.....	6648	11.33
		2 = No.....	20411	34.78
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	92	0.16
		97 = REFUSED.....	102	0.17
		98 = BLANK (NO ANSWER).....	387	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	227
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRALC09)		During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?		
ALCCUTEV	2	1ABLE TO CUT/STOP DRNKG EVERY TIME PAST 12 MOS		
		1 = Yes.....	5738	9.78
		2 = No.....	894	1.52
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	105	0.18
		98 = BLANK (NO ANSWER).....	495	0.84
		99 = LEGITIMATE SKIP.....	20411	34.78
(DRALC10)		During the past 12 months, did you cut down or stop drinking at least one time?		
ALCCUT1X	2	1CUT DOWN OR STOP DRNKG AT LEAST ONCE PAST 12 MOS		
		1 = Yes.....	6152	10.48
		2 = No.....	15090	25.72
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	16	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	55	0.09
		97 = REFUSED.....	126	0.21
		98 = BLANK (NO ANSWER).....	482	0.82
		99 = LEGITIMATE SKIP.....	5738	9.78

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
ALCWD2SX	2	1HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	1427	2.43
		2 = No.....	10418	17.75
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	138	0.24
		98 = BLANK (NO ANSWER).....	549	0.94
		99 = LEGITIMATE SKIP.....	15090	25.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
ALCWDSMT	2	1HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS		
		1 = Yes.....	723	1.23
		2 = No.....	700	1.19
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	139	0.24
		98 = BLANK (NO ANSWER).....	586	1.00
		99 = LEGITIMATE SKIP.....	25508	43.47
(DRALC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?		
ALCEMOPB	2	1ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	1639	2.79
		2 = No.....	25485	43.43
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	54	0.09
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	387	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC14)		Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?		
ALCEMCTD	2	1CONTD TO DRINK ALC DESPITE EMOT PRBS		
		1 = Yes.....	990	1.69
		2 = No.....	648	1.10
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		97 = REFUSED.....	76	0.13
		98 = BLANK (NO ANSWER).....	460	0.78
		99 = LEGITIMATE SKIP.....	25485	43.43
(DRALC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?		
ALCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS		
		1 = Yes.....	623	1.06
		2 = No.....	25537	43.52
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	387	0.66
		99 = LEGITIMATE SKIP.....	990	1.69
(DRALC16)		Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?		
ALCPHCTD	2	1CONTD TO DRINK ALC DESPITE PHYS PRBS		
		1 = Yes.....	242	0.41
		2 = No.....	379	0.65
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	444	0.76
		99 = LEGITIMATE SKIP.....	26527	45.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?		
ALCLSACT 2		1LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS		
		1 = Yes.....	1318	2.25
		2 = No.....	25835	44.03
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	387	0.66
(DRALC18)		Sometimes people who drink alcohol have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?		
ALCSERP 2		1ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	1002	1.71
		2 = No.....	26160	44.58
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	387	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC19)		During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?		
ALCPDANG	2	1DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	3071	5.23
		2 = No.....	24095	41.06
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	61	0.10
		98 = BLANK (NO ANSWER).....	387	0.66
(DRALC20)		During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?		
ALCLAWTR	2	1DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	638	1.09
		2 = No.....	26532	45.21
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	387	0.66
(DRALC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?		
ALCFMFPB	2	1DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	1694	2.89
		2 = No.....	25477	43.42
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	125	0.21
		85 = BAD DATA Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	387	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC22)		Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?		
ALCFMCTD	2	1CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	1094	1.86
		2 = No.....	596	1.02
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn..	125	0.21
		91 = NEVER USED ALCOHOL.....	16795	28.62
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	14101	24.03
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	423	0.72
		99 = LEGITIMATE SKIP.....	25477	43.42
(DRMJ01)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?		
MRJLOTTM	2	1SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS		
		1 = Yes.....	2297	3.91
		2 = No.....	3365	5.73
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	108	0.18
		98 = BLANK (NO ANSWER).....	213	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?		
MRJGTOVR	2	1MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS		
		1 = Yes.....	92	0.16
		2 = No.....	3276	5.58
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	214	0.36
		99 = LEGITIMATE SKIP.....	2297	3.91
(DRMJ04)		During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?		
MRJLIMIT	2	1SET LIMITS ON MARIJUANA USE PAST 12 MONTHS		
		1 = Yes.....	1842	3.14
		2 = No.....	3819	6.51
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ05)		Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?		
MRJKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS		
		1 = Usually kept to the limits set.....	1429	2.44
		2 = Often used more than intended.....	411	0.70
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	226	0.39
		99 = LEGITIMATE SKIP.....	3819	6.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ06)		During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?		
MRJNDMOR	2	1NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	1287	2.19
		2 = No.....	4376	7.46
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ07)		During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?		
MRJLSEFX	2	1USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	438	0.75
		2 = No.....	3924	6.69
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	107	0.18
		98 = BLANK (NO ANSWER).....	214	0.36
		99 = LEGITIMATE SKIP.....	1287	2.19
(DRMJ08)		During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?		
MRJCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS		
		1 = Yes.....	2194	3.74
		2 = No.....	3461	5.90
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	108	0.18
		98 = BLANK (NO ANSWER).....	213	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ09)		During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?		
MRJCUTEV	2	1ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS		
		1 = Yes.....	1822	3.10
		2 = No.....	369	0.63
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	109	0.19
		98 = BLANK (NO ANSWER).....	226	0.39
		99 = LEGITIMATE SKIP.....	3461	5.90
(DRMJ13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?		
MRJEMOPB	2	1MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	705	1.20
		2 = No.....	4951	8.44
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ14)		Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
MRJEMCTD	2	1CONTD USING MARIJUANA DESPITE EMOT PRBS		
		1 = Yes.....	488	0.83
		2 = No.....	216	0.37
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	231	0.39
		99 = LEGITIMATE SKIP.....	4951	8.44

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	237
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRMJ15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?		
MRJPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS		
		1 = Yes.....	199	0.34
		2 = No.....	4975	8.48
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
		99 = LEGITIMATE SKIP.....	488	0.83
(DRMJ16)		Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?		
MRJPHCTD	2	1CONTD TO USE MARIJUANA DESPITE PHYS PRBS		
		1 = Yes.....	107	0.18
		2 = No.....	92	0.16
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	226	0.39
		99 = LEGITIMATE SKIP.....	5463	9.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?		
MRJLSACT 2		1LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS		
		1 = Yes.....	723	1.23
		2 = No.....	4934	8.41
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	108	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ18)		Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?		
MRJSERP8 2		1MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	602	1.03
		2 = No.....	5052	8.61
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	108	0.18
		98 = BLANK (NO ANSWER).....	213	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ19)		During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?		
MRJPDANG	2	1 USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	606	1.03
		2 = No.....	5055	8.61
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ20)		During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?		
MRJLAWTR	2	1 USING MJ CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	275	0.47
		2 = No.....	5389	9.18
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	213	0.36
(DRMJ21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?		
MRJFMFPB	2	1 USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	648	1.10
		2 = No.....	5015	8.55
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	213	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	240
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRMJ22)		Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?		
MRJFMCTD	2	1CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	487	0.83
		2 = No.....	160	0.27
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.09
		91 = NEVER USED MARIJUANA.....	38845	66.20
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	13789	23.50
		97 = REFUSED.....	104	0.18
		98 = BLANK (NO ANSWER).....	225	0.38
		99 = LEGITIMATE SKIP.....	5015	8.55
(DRCC01)		Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?		
COCLOTTM	2	1SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS		
		1 = Yes.....	207	0.35
		2 = No.....	1110	1.89
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?		
COCGTOVR	2	1MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS		
		1 = Yes.....	61	0.10
		2 = No.....	1047	1.78
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
		99 = LEGITIMATE SKIP.....	207	0.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	241
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRCC04)		During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?		
COCLIMIT	2	1SET LIMITS ON COCAINE USE PAST 12 MONTHS		
		1 = Yes.....	434	0.74
		2 = No.....	880	1.50
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC05)		Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?		
COCKPLMT	2	1ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
		1 = Usually kept to the limits set.....	336	0.57
		2 = Often used more than intended.....	97	0.17
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	880	1.50
(DRCC06)		During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?		
COCNDMOR	2	1NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	209	0.36
		2 = No.....	1103	1.88
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	79	0.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC07)		During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?		
COCLSEFX	2	1USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	61	0.10
		2 = No.....	1041	1.77
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
		99 = LEGITIMATE SKIP.....	209	0.36
(DRCC08)		During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?		
COCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
		1 = Yes.....	585	1.00
		2 = No.....	725	1.24
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC09)		During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?		
COCCUTEV	2	1ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
		1 = Yes.....	503	0.86
		2 = No.....	82	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	84	0.14
		99 = LEGITIMATE SKIP.....	725	1.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC10)		During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?		
COC CUT1X	2	1CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
		1 = Yes.....	257	0.44
		2 = No.....	548	0.93
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	85	0.14
		99 = LEGITIMATE SKIP.....	503	0.86
(DRCC10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?		
COC FLBLU	2	1WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS		
		1 = Yes.....	181	0.31
		2 = No.....	578	0.99
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	548	0.93
(DRCC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
COC WD2SX	2	1HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	145	0.25
		2 = No.....	35	0.06
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	1126	1.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
COCWDSMT	2	1HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	125	0.21
		2 = No.....	20	0.03
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	87	0.15
		99 = LEGITIMATE SKIP.....	1161	1.98
(DRCC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?		
COCEMOPB	2	1COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	218	0.37
		2 = No.....	1090	1.86
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	79	0.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC14)		Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
COCEMCTD	2	1CONTD TO USE COC DESPITE EMOT PRBS		
		1 = Yes.....	132	0.22
		2 = No.....	86	0.15
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	1090	1.86
(DRCC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?		
COCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
		1 = Yes.....	40	0.07
		2 = No.....	1134	1.93
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
		99 = LEGITIMATE SKIP.....	132	0.22
(DRCC16)		Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?		
COCPHCTD	2	1CONTD TO USE COC DESPITE PHYS PRBS		
		1 = Yes.....	11	0.02
		2 = No.....	29	0.05
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	90	0.15
		99 = LEGITIMATE SKIP.....	1266	2.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?		
COCLSACT 2		1LESS ACTIVITIES B/C OF COC USE PAST 12 MOS		
		1 = Yes.....	179	0.31
		2 = No.....	1130	1.93
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC18)		Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?		
COCSERP B 2		1COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	162	0.28
		2 = No.....	1150	1.96
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	79	0.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC19)		During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?		
COCPDANG	2	1 USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	163	0.28
		2 = No.....	1148	1.96
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC20)		During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?		
COCLAWTR	2	1 USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	59	0.10
		2 = No.....	1251	2.13
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	79	0.13
(DRCC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?		
COCFMFPB	2	1 USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	182	0.31
		2 = No.....	1126	1.92
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	79	0.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC22)		Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?		
COCFMCTD	2	1CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	120	0.20
		2 = No.....	62	0.11
		91 = NEVER USED COCAINE.....	53432	91.06
		93 = DID NOT USE COCAINE PST 12 MOS.....	3803	6.48
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	85	0.14
		99 = LEGITIMATE SKIP.....	1126	1.92
(DRHE01)		Think about your use of heroin during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?		
HERLOTTM	2	1SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS		
		1 = Yes.....	38	0.06
		2 = No.....	109	0.19
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?		
HERGTOVR	2	1MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO		
		1 = Yes.....	8	0.01
		2 = No.....	101	0.17
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	38	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE04)		During the past 12 months, did you try to set limits on how often or how much heroin you would use?		
HERLIMIT	2	1SET LIMITS ON HEROIN USE PAST 12 MONTHS		
		1 = Yes.....	63	0.11
		2 = No.....	84	0.14
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE05)		Were you able to keep to the limits you set, or did you often use heroin more than you intended to?		
HERKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS		
		1 = Usually kept to the limits set.....	39	0.07
		2 = Often used more than intended.....	24	0.04
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	84	0.14
(DRHE06)		During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?		
HERNDMOR	2	1NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	39	0.07
		2 = No.....	108	0.18
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE07)		During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?		
HERLSEFX	2	1USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	100	0.17
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	39	0.07
(DRHE08)		During the past 12 months, did you want to or try to cut down or stop using heroin?		
HERCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
		1 = Yes.....	87	0.15
		2 = No.....	59	0.10
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE09)		During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?		
HERCUTEV	2	1ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
		1 = Yes.....	64	0.11
		2 = No.....	23	0.04
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	59	0.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE10)		During the past 12 months, did you cut down or stop using heroin at least one time?		
HERCUT1X	2	1CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
		1 = Yes.....	31	0.05
		2 = No.....	51	0.09
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	64	0.11
(DRHE11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWD3SX	2	1HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	60	0.10
		2 = No.....	35	0.06
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	51	0.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWDSMT	2	1HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes.....	49	0.08
		2 = No.....	11	0.02
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	86	0.15
(DRHE13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?		
HEREMOPB	2	1HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	51	0.09
		2 = No.....	94	0.16
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE14)		Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
HEREMCTD	2	1CONTD TO USE HEROIN DESPITE EMOT PRBS		
		1 = Yes.....	35	0.06
		2 = No.....	16	0.03
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	94	0.16
(DRHE15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?		
HERPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	104	0.18
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	35	0.06
(DRHE16)		Did you continue to use heroin even though you thought it was causing you to have physical problems?		
HERPHCTD	2	1CONTD TO USE HEROIN DESPITE PHYS PRBS		
		1 = Yes.....	1	0.00
		2 = No.....	6	0.01
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	26	0.04
		99 = LEGITIMATE SKIP.....	139	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?		
HERLSACT	2	1LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS		
		1 = Yes.....	39	0.07
		2 = No.....	108	0.18
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE18)		Sometimes people who use heroin have serious problems at home, work or school -- such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?		
HERSERPB	2	1HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	35	0.06
		2 = No.....	112	0.19
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE19)		During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?		
HERPDANG	2	1 USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	37	0.06
		2 = No.....	110	0.19
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE20)		During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?		
HERLAWTR	2	1 USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	16	0.03
		2 = No.....	131	0.22
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRHE21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?		
HERFMFPB	2	1 USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	41	0.07
		2 = No.....	105	0.18
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	24	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	256
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRHE22)		Did you continue to use heroin even though you thought it caused problems with family or friends?		
HERFMCTD	2	1CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	30	0.05
		2 = No.....	11	0.02
		91 = NEVER USED HEROIN.....	58078	98.97
		93 = DID NOT USE HEROIN PST 12 MOS.....	410	0.70
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	105	0.18
(DRLS01)		Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?		
HALLOTTM	2	1SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS		
		1 = Yes.....	232	0.40
		2 = No.....	1660	2.83
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?		
HALGTOVR	2	1MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO		
		1 = Yes.....	54	0.09
		2 = No.....	1605	2.74
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	20	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4985	8.50
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
		99 = LEGITIMATE SKIP.....	232	0.40
(DRLS04)		During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?		
HALLIMIT	2	1SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS		
		1 = Yes.....	470	0.80
		2 = No.....	1421	2.42
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS05)		Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?		
HALKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
		1 = Usually kept to the limits set.....	427	0.73
		2 = Often used more than intended.....	43	0.07
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	4	0.01
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5001	8.52
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	373	0.64
		99 = LEGITIMATE SKIP.....	1421	2.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS06)		During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?		
HALNDMOR	2	1NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	179	0.31
		2 = No.....	1710	2.91
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS07)		During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?		
HALLSEFX	2	1USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	96	0.16
		2 = No.....	1613	2.75
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	20	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4985	8.50
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
		99 = LEGITIMATE SKIP.....	179	0.31
(DRLS08)		During the past 12 months, did you want to or try to cut down or stop using hallucinogens?		
HALCUTDN	2	1WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
		1 = Yes.....	614	1.05
		2 = No.....	1273	2.17
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	367	0.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS09)		During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?		
HALCUTEV	2	1ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
		1 = Yes.....	563	0.96
		2 = No.....	50	0.09
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	7	0.01
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4998	8.52
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	375	0.64
		99 = LEGITIMATE SKIP.....	1273	2.17
(DRLS13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?		
HALEMOPB	2	1HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	244	0.42
		2 = No.....	1644	2.80
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS14)		Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
HALEMCTD	2	1CONTD TO USE HALLUC DESPITE EMOT PRBS		
		1 = Yes.....	120	0.20
		2 = No.....	124	0.21
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5003	8.53
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	376	0.64
		99 = LEGITIMATE SKIP.....	1644	2.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?		
HALPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS		
		1 = Yes.....	52	0.09
		2 = No.....	1717	2.93
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
		99 = LEGITIMATE SKIP.....	120	0.20
(DRLS16)		Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?		
HALPHCTD	2	1CONTD TO USE HALLUC DESPITE PHYS PRBS		
		1 = Yes.....	11	0.02
		2 = No.....	41	0.07
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5004	8.53
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	375	0.64
		99 = LEGITIMATE SKIP.....	1837	3.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?		
HALLSACT 2		1LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS		
		1 = Yes.....	106	0.18
		2 = No.....	1785	3.04
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS18)		Sometimes people who use hallucinogens have serious problems at home, work or school -- such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?		
HALSERPB 2		1HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	98	0.17
		2 = No.....	1792	3.05
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	367	0.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS19)		During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?		
HALPDANG	2	1 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	176	0.30
		2 = No.....	1714	2.92
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS20)		During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?		
HALLAWTR	2	1 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	28	0.05
		2 = No.....	1864	3.18
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63
(DRLS21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?		
HALFMFPB	2	1 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	96	0.16
		2 = No.....	1795	3.06
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	4984	8.49
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	367	0.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS22)		Did you continue to use hallucinogens even though you thought this caused problems with family or friends?		
HALFMCTD	2	1CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	57	0.10
		2 = No.....	39	0.07
		91 = NEVER USED HALLUCINOGENS.....	51394	87.58
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5005	8.53
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	374	0.64
		99 = LEGITIMATE SKIP.....	1795	3.06
(DRIN01)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?		
INHLOTTM	2	1SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS		
		1 = Yes.....	70	0.12
		2 = No.....	996	1.70
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?		
INHGTOVR	2	1MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	974	1.66
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	279	0.48
		99 = LEGITIMATE SKIP.....	70	0.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	264
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRIN04)		During the past 12 months, did you try to set limits on how often or how much inhalants you would use?		
INHLIMIT	2	1SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		1 = Yes.....	239	0.41
		2 = No.....	820	1.40
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN05)		Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?		
INHKLMT	2	1ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		1 = Usually kept to the limits set.....	218	0.37
		2 = Often used more than intended.....	18	0.03
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	288	0.49
		99 = LEGITIMATE SKIP.....	820	1.40
(DRIN06)		During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?		
INHNDMOR	2	1NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	75	0.13
		2 = No.....	983	1.68
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	279	0.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN07)		During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?		
INHLSEFX	2	1USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	43	0.07
		2 = No.....	936	1.60
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
		99 = LEGITIMATE SKIP.....	75	0.13
(DRIN08)		During the past 12 months, did you want to or try to cut down or stop using inhalants?		
INH CUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
		1 = Yes.....	375	0.64
		2 = No.....	681	1.16
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN09)		During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?		
INH CUTEV	2	1ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
		1 = Yes.....	348	0.59
		2 = No.....	26	0.04
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	288	0.49
		99 = LEGITIMATE SKIP.....	681	1.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?		
INHEMOPB	2	1INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	67	0.11
		2 = No.....	991	1.69
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN14)		Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
INHEMCTD	2	1CONTD TO USE INHALANTS DESPITE EMOT PRBS		
		1 = Yes.....	37	0.06
		2 = No.....	29	0.05
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	288	0.49
		99 = LEGITIMATE SKIP.....	991	1.69
(DRIN15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?		
INHPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	995	1.70
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
		99 = LEGITIMATE SKIP.....	37	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	267
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRIN16)		Did you continue to use inhalants even though you thought this was causing you to have physical problems?		
INHPHCTD	2	1CONTD TO USE INHALANTS DESPITE PHYS PRBS		
		1 = Yes.....	8	0.01
		2 = No.....	19	0.03
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	288	0.49
		99 = LEGITIMATE SKIP.....	1032	1.76
(DRIN17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?		
INHLSACT	2	1LESS ACTIVITIES B/C OF INH USE PAST 12 MOS		
		1 = Yes.....	44	0.07
		2 = No.....	1018	1.73
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	279	0.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN18)		Sometimes people who use inhalants have serious problems at home, work or school - such as: - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school		
		During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?		
INHSERPB	2	1INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	42	0.07
		2 = No.....	1021	1.74
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN19)		During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?		
INHDPDANG	2	1USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	60	0.10
		2 = No.....	1005	1.71
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN20)		During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?		
INHLOWTR	2	1USING INH CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	19	0.03
		2 = No.....	1043	1.78
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	279	0.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?		
INHFMFPB	2	1USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	36	0.06
		2 = No.....	1026	1.75
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	279	0.48
(DRIN22)		Did you continue to use inhalants even though you thought this caused problems with family or friends?		
INHFMCTD	2	1CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	24	0.04
		2 = No.....	12	0.02
		91 = NEVER USED INHALANTS.....	52982	90.29
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4341	7.40
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	285	0.49
		99 = LEGITIMATE SKIP.....	1026	1.75
(DRPR01)		Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?		
ANLLOTTM	2	1SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS		
		1 = Yes.....	312	0.53
		2 = No.....	2285	3.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	470	0.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?		
ANLGT0VR	2	1MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS		
		1 = Yes.....	55	0.09
		2 = No.....	2232	3.80
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	472	0.80
		99 = LEGITIMATE SKIP.....	312	0.53
(DRPR04)		During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?		
ANLLIMIT	2	1SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS		
		1 = Yes.....	521	0.89
		2 = No.....	2067	3.52
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	470	0.80
(DRPR05)		Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?		
ANLKPLMT	2	1ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS		
		1 = Usually kept to the limits set.....	427	0.73
		2 = Often used more than intended.....	91	0.16
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	492	0.84
		99 = LEGITIMATE SKIP.....	2067	3.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR06)		During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?		
ANLNDMOR	2	1NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	301	0.51
		2 = No.....	2291	3.90
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	470	0.80
(DRPR07)		During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?		
ANLLSEFX	2	1USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
		1 = Yes.....	133	0.23
		2 = No.....	2150	3.66
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	470	0.80
		99 = LEGITIMATE SKIP.....	301	0.51
(DRPR08)		During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?		
ANLCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
		1 = Yes.....	666	1.13
		2 = No.....	1902	3.24
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	26	0.04
		98 = BLANK (NO ANSWER).....	470	0.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	272
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRPR09)		During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?		
ANLCUTEV	2	1ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
		1 = Yes.....	581	0.99
		2 = No.....	80	0.14
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	509	0.87
		99 = LEGITIMATE SKIP.....	1902	3.24
(DRPR10)		During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?		
ANLCUT1X	2	1CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
		1 = Yes.....	506	0.86
		2 = No.....	1473	2.51
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	501	0.85
		99 = LEGITIMATE SKIP.....	581	0.99

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
ANLWD3SX	2	1HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	247	0.42
		2 = No.....	837	1.43
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	513	0.87
		99 = LEGITIMATE SKIP.....	1473	2.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
ANLWDSMT	2	1HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes.....	171	0.29
		2 = No.....	76	0.13
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	517	0.88
		99 = LEGITIMATE SKIP.....	2310	3.94
(DRPR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?		
ANLEMOPB	2	1PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS		
		1 = Yes.....	175	0.30
		2 = No.....	2403	4.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	470	0.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR14)		Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
ANLEMCTD	2	1CONTD TO USE PN RLVR DESPITE EMOT PRBS		
		1 = Yes.....	103	0.18
		2 = No.....	72	0.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	504	0.86
		99 = LEGITIMATE SKIP.....	2403	4.10
(DRPR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?		
ANLPHLPB	2	1ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS		
		1 = Yes.....	54	0.09
		2 = No.....	2420	4.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	470	0.80
		99 = LEGITIMATE SKIP.....	103	0.18
(DRPR16)		Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?		
ANLPHCTD	2	1CONTD TO USE PN RLVR DESPITE PHYS PRBS		
		1 = Yes.....	14	0.02
		2 = No.....	40	0.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	505	0.86
		99 = LEGITIMATE SKIP.....	2523	4.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?		
ANLLSACT 2		1LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS		
		1 = Yes.....	146	0.25
		2 = No.....	2441	4.16
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	470	0.80
(DRPR18)		Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?		
ANLSERP8 2		1PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	125	0.21
		2 = No.....	2458	4.19
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	470	0.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR19)		During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?		
ANLPDANG	2	1USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	174	0.30
		2 = No.....	2414	4.11
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	470	0.80
(DRPR20)		During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?		
ANLLAWTR	2	1USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	42	0.07
		2 = No.....	2551	4.35
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	470	0.80
(DRPR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?		
ANLFMFPB	2	1USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	124	0.21
		2 = No.....	2463	4.20
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	470	0.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR22)		Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?		
ANLFMCTD	2	1CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	71	0.12
		2 = No.....	53	0.09
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	64	0.11
		91 = NEVER USED PAIN RELIEVERS.....	52453	89.39
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3058	5.21
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	495	0.84
		99 = LEGITIMATE SKIP.....	2463	4.20
(DRTR01)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?		
TRNLOTTM	2	1SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
		1 = Yes.....	67	0.11
		2 = No.....	919	1.57
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	211	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?		
TRNGTOVR	2	1MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
		1 = Yes.....	6	0.01
		2 = No.....	914	1.56
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	67	0.11
(DRTR04)		During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?		
TRNLIMIT	2	1SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
		1 = Yes.....	156	0.27
		2 = No.....	828	1.41
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR05)		Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?		
TRNKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		
		1 = Usually kept to the limits set.....	143	0.24
		2 = Often used more than intended.....	13	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	220	0.37
		99 = LEGITIMATE SKIP.....	828	1.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR06)		During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?		
TRNNDMOR	2	1NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	72	0.12
		2 = No.....	912	1.55
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR07)		During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?		
TRNLSEFX	2	1USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	884	1.51
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	213	0.36
		99 = LEGITIMATE SKIP.....	72	0.12
(DRTR08)		During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?		
TRNCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
		1 = Yes.....	248	0.42
		2 = No.....	732	1.25
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	211	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR09)		During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?		
TRNCUTEV	2	1ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
		1 = Yes.....	225	0.38
		2 = No.....	23	0.04
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	220	0.37
		99 = LEGITIMATE SKIP.....	732	1.25
(DRTR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?		
TRNEMOPB	2	1TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	58	0.10
		2 = No.....	925	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR14)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
TRNEMCTD	2	1CONTD TO USE TRN DESPITE EMOT PRBS		
		1 = Yes.....	37	0.06
		2 = No.....	21	0.04
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	220	0.37
		99 = LEGITIMATE SKIP.....	925	1.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	282
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRTR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?		
TRNPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
		1 = Yes.....	10	0.02
		2 = No.....	937	1.60
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	37	0.06
(DRTR16)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?		
TRNPHCTD	2	1CONTD TO USE TRN DESPITE PHYS PRBS		
		1 = Yes.....	2	0.00
		2 = No.....	7	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	222	0.38
		99 = LEGITIMATE SKIP.....	974	1.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?		
TRNLSACT 2		1LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS		
		1 = Yes.....	40	0.07
		2 = No.....	944	1.61
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR18)		Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?		
TRNSERP8 2		1TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	38	0.06
		2 = No.....	946	1.61
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	211	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR19)		During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?		
TRNPDANG	2	1USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	55	0.09
		2 = No.....	928	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR20)		During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?		
TRNLAWTR	2	1USING TRN CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	14	0.02
		2 = No.....	970	1.65
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	211	0.36
(DRTR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?		
TRNFMFPB	2	1USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	40	0.07
		2 = No.....	945	1.61
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	211	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR22)		Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?		
TRNFMCTD	2	1CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	23	0.04
		2 = No.....	16	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	55455	94.50
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	1999	3.41
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	220	0.37
		99 = LEGITIMATE SKIP.....	945	1.61
(DRST01)		Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?		
STMLOTTM	2	1SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS		
		1 = Yes.....	101	0.17
		2 = No.....	851	1.45
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	242	0.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?		
STMGT0VR	2	1MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS		
		1 = Yes.....	18	0.03
		2 = No.....	833	1.42
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
		99 = LEGITIMATE SKIP.....	101	0.17
(DRST04)		During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?		
STMLIMIT	2	1SET LIMITS ON STIMULANT USE PAST 12 MONTHS		
		1 = Yes.....	206	0.35
		2 = No.....	745	1.27
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST05)		Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?		
STMKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS		
		1 = Usually kept to the limits set.....	169	0.29
		2 = Often used more than intended.....	36	0.06
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	247	0.42
		99 = LEGITIMATE SKIP.....	745	1.27

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST06)		During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?		
STMNDMOR	2	1NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	105	0.18
		2 = No.....	845	1.44
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST07)		During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?		
STMNSEFX	2	1USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	47	0.08
		2 = No.....	795	1.35
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
		99 = LEGITIMATE SKIP.....	105	0.18
(DRST08)		During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?		
STMTCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS		
		1 = Yes.....	304	0.52
		2 = No.....	644	1.10
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	242	0.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST09)		During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?		
STMTCUTEV	2	1ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS		
		1 = Yes.....	265	0.45
		2 = No.....	39	0.07
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	250	0.43
		99 = LEGITIMATE SKIP.....	644	1.10
(DRST10)		During the past 12 months, did you cut down or stop using prescription stimulants at least one time?		
STMTCUT1X	2	1CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS		
		1 = Yes.....	141	0.24
		2 = No.....	541	0.92
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	250	0.43
		99 = LEGITIMATE SKIP.....	265	0.45
(DRST10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?		
STMFLBLU	2	1WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS		
		1 = Yes.....	92	0.16
		2 = No.....	314	0.54
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	251	0.43
		99 = LEGITIMATE SKIP.....	541	0.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST11)		Please look at the symptoms listed below. Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
STMWD2SX	2	1HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	73	0.12
		2 = No.....	19	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	251	0.43
		99 = LEGITIMATE SKIP.....	855	1.46
(DRST12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
STMWDSMT	2	1HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	58	0.10
		2 = No.....	15	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	251	0.43
		99 = LEGITIMATE SKIP.....	874	1.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?		
STMEMOPB	2	1STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	102	0.17
		2 = No.....	845	1.44
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST14)		Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
STMEMCTD	2	1CONTD TO USE STM DESPITE EMOT PRBS		
		1 = Yes.....	58	0.10
		2 = No.....	44	0.07
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	250	0.43
		99 = LEGITIMATE SKIP.....	845	1.44
(DRST15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?		
STMPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	866	1.48
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
		99 = LEGITIMATE SKIP.....	58	0.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST16)		Did you continue to use prescription stimulants even though this was causing you to have physical problems?		
STMPHCTD	2	1CONTD TO USE STM DESPITE PHYS PRBS		
		1 = Yes.....	2	0.00
		2 = No.....	20	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	251	0.43
		99 = LEGITIMATE SKIP.....	924	1.57
(DRST17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?		
STMLSACT	2	1LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
		1 = Yes.....	57	0.10
		2 = No.....	893	1.52
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST18)		Sometimes people who use prescription stimulants have serious problems at home, work or school - such as: - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?		
STMSERP	2	1STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	65	0.11
		2 = No.....	884	1.51
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST19)		During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?		
STMPDANG	2	1USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	64	0.11
		2 = No.....	884	1.51
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST20)		During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?		
STMLAWTR	2	1USING STM CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	927	1.58
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?		
STMFMFPB	2	1USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	62	0.11
		2 = No.....	888	1.51
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	242	0.41
(DRST22)		Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?		
STMFMCTD	2	1CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	39	0.07
		2 = No.....	23	0.04
		81 = NEVER USED STIMULANTS Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	54939	93.62
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2510	4.28
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	247	0.42
		99 = LEGITIMATE SKIP.....	888	1.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV01)		Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?		
SEDLOTTM	2	1SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS		
		1 = Yes.....	26	0.04
		2 = No.....	194	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?		
SEDGTOVR	2	1MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	184	0.31
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
		99 = LEGITIMATE SKIP.....	26	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV04)		During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?		
SEDLIMIT	2	1SET LIMITS ON SEDATIVE USE PAST 12 MONTHS		
		1 = Yes.....	50	0.09
		2 = No.....	167	0.28
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV05)		Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?		
SEDKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS		
		1 = Usually kept to the limits set.....	43	0.07
		2 = Often used more than intended.....	6	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	174	0.30
		99 = LEGITIMATE SKIP.....	167	0.28
(DRSV06)		During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?		
SEDNDMOR	2	1NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	34	0.06
		2 = No.....	184	0.31
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV07)		During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?		
SEDLSEFX	2	1USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	13	0.02
		2 = No.....	170	0.29
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
		99 = LEGITIMATE SKIP.....	34	0.06
(DRSV08)		During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?		
SEDCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
		1 = Yes.....	76	0.13
		2 = No.....	140	0.24
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV09)		During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?		
SEDCUTEV	2	1ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
		1 = Yes.....	60	0.10
		2 = No.....	16	0.03
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	173	0.29
		99 = LEGITIMATE SKIP.....	140	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV10)		During the past 12 months, did you cut down or stop using prescription sedatives at least one time?		
SEDCUT1X	2	1CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
		1 = Yes.....	39	0.07
		2 = No.....	117	0.20
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	172	0.29
		99 = LEGITIMATE SKIP.....	60	0.10
(DRSV11)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping or sleeping more than you normally do		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
SEDWD1SX	2	1HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS		
		1 = Yes.....	36	0.06
		2 = No.....	63	0.11
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	173	0.29
		99 = LEGITIMATE SKIP.....	117	0.20

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV12)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping or sleeping more than you normally do		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
SEDWDSMT	2	1HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	24	0.04
		2 = No.....	12	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	173	0.29
		99 = LEGITIMATE SKIP.....	180	0.31
(DRSV13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?		
SEDEMOPB	2	1SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	191	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV14)		Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
SEDEMCTD	2	1CONTD TO USE SED DESPITE EMOT PRBS		
		1 = Yes.....	18	0.03
		2 = No.....	9	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	172	0.29
		99 = LEGITIMATE SKIP.....	191	0.33
(DRSV15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?		
SEDPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	194	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
		99 = LEGITIMATE SKIP.....	18	0.03
(DRSV16)		Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?		
SEDPHCTD	2	1CONTD TO USE SED DESPITE PHYS PRBS		
		1 = Yes.....	2	0.00
		2 = No.....	5	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	172	0.29
		99 = LEGITIMATE SKIP.....	212	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?		
SEDLFACT 2		1LESS ACTIVITIES B/C OF SED USE PAST 12 MOS		
		1 = Yes.....	18	0.03
		2 = No.....	200	0.34
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV18)		Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?		
SEDSERP 2		1SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	15	0.03
		2 = No.....	205	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	170	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV19)		During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?		
SEDPDANG	2	1 USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	20	0.03
		2 = No.....	199	0.34
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV20)		During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?		
SEDLAWTR	2	1 USING SED CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	10	0.02
		2 = No.....	208	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29
(DRSV21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?		
SEDFMFPB	2	1 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	20	0.03
		2 = No.....	198	0.34
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	170	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	302
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRSV22)		Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?		
SEDFMCTD 2		1CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	15	0.03
		2 = No.....	5	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	11	0.02
		91 = NEVER USED SEDATIVES.....	57392	97.81
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	870	1.48
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	172	0.29
		99 = LEGITIMATE SKIP.....	198	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

Due to changes in the dependence and withdrawal questions for the 2000 NHSDA, the dependence variable names have changed from what had previously been used in 1999. The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 11 substance dependence variables are provided in Appendix D. A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDRJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to 3 or more of these 6 dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1)
- (2) Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2)
- (3) Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1)
- (4) Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2)
- (5) Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1)
- (6) Reduced or gave up participation in important activities due to substance use (XXXLSACT=1)

An additional question pertaining to withdrawal symptoms was asked for the following 7 drugs: alcohol, pain relievers, cigarettes, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cigarette, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDLIG, DEPNDLIG, DEPNDLIG, DEPNDLIG, DEPNDLIG) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	304
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		standard criteria listed above plus a seventh withdrawal symptom criteria.)		
		Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in Appendix D.		
DEPNDALC	1	ALCOHOL DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	57041	97.21
		1 = Yes (See comment above).....	1639	2.79
DEPNDANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58489	99.67
		1 = Yes (See comment above).....	191	0.33
DEPND CIG	1	CIGARETTE DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	54156	92.29
		1 = Yes (See comment above).....	4524	7.71
DEPND COC	1	COCAINE DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58490	99.68
		1 = Yes (See comment above).....	190	0.32
DEPNDHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58585	99.84
		1 = Yes (See comment above).....	95	0.16
DEPNDHER	1	HEROIN DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58639	99.93
		1 = Yes (See comment above).....	41	0.07
DEPNDINH	1	INHALANT DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58641	99.93
		1 = Yes (See comment above).....	39	0.07
DEPNDMRJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	57840	98.57
		1 = Yes (See comment above).....	840	1.43

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	305
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DEPNDS	1	SEDATIVE DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58657	99.96
		1 = Yes (See comment above).....	23	0.04
DEPNDSTM	1	STIMULANT DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58608	99.88
		1 = Yes (See comment above).....	72	0.12
DEPNDTRN	1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	58643	99.94
		1 = Yes (See comment above).....	37	0.06
<p>A respondent was defined as having illicit drug dependence, DEPNDILL, if the respondent was classified as dependent (see dependence criteria listed above) on any of these following substances: marijuana (DEPNDRMJ), hallucinogens (DEPNDDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCOC), heroin (DEPNDDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDS).</p>				
DEPNDILL	1	ILLICIT DRUG DEPENDENCE IN THE PAST YEAR		
		0 = No / Unknown (Otherwise).....	57447	97.90
		1 = Yes (Any source variable listed above=1).....	1233	2.10
<p>A respondent was defined with dependence on any illicit drug other than marijuana dependence, DEPNDIEM, if the respondent was classified as being dependent on any one of these following substances: hallucinogens (DEPNDDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCOC), heroin (DEPNDDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedative (DEPNDS). A respondent's marijuana dependency status is not considered in the creation of this variable.</p>				
DEPNDIEM	1	ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
		0 = No / Unknown (Otherwise).....	58160	99.11
		1 = Yes (any of the source variables=1).....	520	0.89

RECODED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ, if the respondent was classified as being not marijuana dependent (DEPNDRMJ=0), but being dependent on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedative (DEPNDRSED).		
DEPNDRXMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
		0 = No / Unknown (Otherwise).....	58287	99.33
		1 = Yes (DEPNDRMRJ=0 and any other source var=1).....	393	0.67
DEPNDRPSY	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
		0 = No / Unknown (Otherwise).....	58422	99.56
		1 = Yes (DEPNDRTRN, DEPNDRANL, DEPNDRSTM, OR DEPNDRSED=1).	258	0.44
DEPNDRPILL	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
		0 = No / Unknown (DEPNDRDILL=0 and DEPNDRDALC=0).....	56143	95.68
		1 = Yes (DEPNDRDILL=1 or DEPNDRDALC=1).....	2537	4.32
DEPNDRPILANAL	1	ILLICIT DRUGS AND ALCOHOL DEPENDENCE IN PAST YR		
		0 = No / Unknown (DEPNDRDILL=0 or DEPNDRDALC=0).....	58345	99.43
		1 = Yes (DEPNDRDILL=1 and DEPNDRDALC=1).....	335	0.57

LABEL	LEN	DESCRIPTION	FREQ	%
<p>The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in Appendix D. A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria:</p> <ol style="list-style-type: none"> (1) Serious problems at home, work or school caused by substance use (XXXSERPB=1) (2) Used substance regularly and then did something that might have put you in physical danger (XXXPDANG=1) (3) Substance use caused you to do things that repeatedly got you in trouble with the law (XXXLAWTR=1) (4) Problems with family or friends that were probably caused by substance use (XXXFMFPB=1) and continued to use the substance even though you thought it was causing problems with family and friends (XXXFMCTD=1) <p>Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in Appendix D.</p>				
ABUSEALC	1	ALCOHOL ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	55843	95.17
		1 = Yes (Any one of above criteria and DEPNDALC=0)....	2837	4.83
ABUSEANL	1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58545	99.77
		1 = Yes (Any one of above criteria and DEPNDANL=0)....	135	0.23

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	308
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ABUSECOC	1	COCAINE ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58583	99.83
		1 = Yes (Any one of above criteria and DEPNDCOC=0)....	97	0.17
ABUSEHAL	1	HALLUCINOGEN ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58513	99.72
		1 = Yes (Any one of above criteria and DEPNDHAL=0)....	167	0.28
ABUSEHER	1	HEROIN ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58664	99.97
		1 = Yes (Any one of above criteria and DEPNDHER=0)....	16	0.03
ABUSEINH	1	INHALANT ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58626	99.91
		1 = Yes (Any one of above criteria and DEPNDINH=0)....	54	0.09
ABUSEMRJ	1	MARIJUANA ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58051	98.93
		1 = Yes (Any one of above criteria and DEPNDMRJ=0)....	629	1.07
ABUSESED	1	SEDATIVE ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58665	99.97
		1 = Yes (Any one of above criteria and DEPNDSED=0)....	15	0.03
ABUSESTM	1	STIMULANT ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58625	99.91
		1 = Yes (Any one of above criteria and DEPNDSTM=0)....	55	0.09
ABUSETRN	1	TRANQUILIZER ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58629	99.91
		1 = Yes (Any one of above criteria and DEPNDTRN=0)....	51	0.09
Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).				
ABUSEILL	1	ANY ILLICIT DRUG ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	57872	98.62
		1 = Yes (Any source variable above =1 & DEPNDILL=0)...	808	1.38

RECODED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		Any illicit drug abuse other than marijuana abuse, ABUSEIEM is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUVESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.		
ABUSEIEM	1	ANY ILLICIT DRG OTHER THAN MARIJUANA ABUSE-PST YR		
		0 = No / Unknown (Otherwise).....	58302	99.36
		1 = Yes (Any above source var=1 & DEPNDIEM=0).....	378	0.64
		Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs excluding marijuana: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUVESTM), or sedatives (ABUSESED).		
ABUSEXMJ	1	ANY ILLICIT DRG EXCLUDING MARIJUANA ABUSE-PST YR		
		0 = No / Unknown (Otherwise).....	58339	99.42
		1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)...	341	0.58
		Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUVESTM), or sedatives (ABUSESED).		
ABUSEPSY	1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
		0 = No / Unknown (Otherwise).....	58489	99.67
		1 = Yes (Any source variable above & DEPNDPSY=0).....	191	0.33
ABILLALC	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		0 = No / Unknown (ABUSEILL=0 AND ABUSEALC=0).....	55298	94.24
		1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	3382	5.76
ABILANAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		0 = No / Unknown (Otherwise).....	58417	99.55
		1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	263	0.45

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	310
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The following variables were created by using a combination of the abuse and dependence variables.				
Specifications on how the individual abuse and dependence variables were defined as well as inconsistencies that may exist between those variables and imputed substance use and frequency of use variables can be found on the previous pages and Appendix D.				
ABODALC	1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEALC=0 and DEPNDALC=0).....	54204	92.37
		1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	4476	7.63
ABODANL	1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEANL=0 and DEPNDANL=0).....	58354	99.44
		1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	326	0.56
ABODCOC	1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSECOC=0 and DEPNDCOC=0).....	58393	99.51
		1 = Yes (ABUSECOC=1 or DEPNDCOC=1).....	287	0.49
ABODHAL	1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEHAL=0 and DEPNDHAL=0).....	58418	99.55
		1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....	262	0.45
ABODHER	1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEHER=0 and DEPNDHER=0).....	58623	99.90
		1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	57	0.10
ABODINH	1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEINH=0 and DEPNDINH=0).....	58587	99.84
		1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	93	0.16
ABODMRJ	1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	57211	97.50
		1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	1469	2.50
ABODSED	1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSESED=0 and DEPNDSED=0).....	58642	99.94
		1 = Yes (ABUSESED=1 or DEPNDSED=1).....	38	0.06
ABODSTM	1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSESTM=0 and DEPNDSTM=0).....	58553	99.78
		1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....	127	0.22

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	311
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ABODTRN	1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSETRN=0 and DEPNDTRN=0).....	58592	99.85
		1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....	88	0.15
ABODILL	1	ANY ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEILL=0 and DEPNDILL=0).....	56639	96.52
		1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	2041	3.48
ABODPSY	1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No / Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	58231	99.23
		1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....	449	0.77
ABODILAL	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR		
		0 = No / Unknown (ABILLALC=0 and DPILLALC=0).....	53150	90.58
		1 = Yes (ABILLALC=1 or DPILLALC=1).....	5530	9.42
ABDILAAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR		
		0 = No / Unknown (ABODILL=0 or ABODALC=0).....	57693	98.32
		1 = Yes (ABODILL=1 and ABODALC=1).....	987	1.68

SPECIAL TOPICS			PAGE:	312
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP01)		SPECIAL TOPICS -----		
		The next questions are about encounters with the police or the court system.		
		Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?		
		Being 'booked' means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
		1 = Yes.....	7428	12.66
		2 = No.....	50401	85.89
		3 = Yes LOGICALLY ASSIGNED.....	561	0.96
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	102	0.17
		97 = REFUSED.....	171	0.29
		98 = BLANK (NO ANSWER).....	16	0.03
(SP02)		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?		
NOBOOKY2	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
		0 = None.....	4580	7.81
		1 = One time.....	1823	3.11
		2 = Two times.....	715	1.22
		3 = Three or more times.....	246	0.42
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	32	0.05
		997 = REFUSED.....	201	0.34
		998 = BLANK (NO ANSWER).....	679	1.16
		999 = LEGITIMATE SKIP (BOOKED=2).....	50401	85.89

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	313
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.		
		In the past 12 months, were you arrested and booked for motor vehicle theft?		
BKMVTHFT	2	ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
		1 = Yes.....	121	0.21
		2 = No.....	2651	4.52
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		97 = REFUSED.....	205	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03B)		In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.		
BKLARCNY	2	ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		1 = Yes.....	297	0.51
		2 = No.....	2464	4.20
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02
		85 = BAD DATA Logically assigned.....	8	0.01
		97 = REFUSED.....	205	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03C)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		1 = Yes.....	155	0.26
		2 = No.....	2619	4.46
		85 = BAD DATA Logically assigned.....	8	0.01
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70

SPECIAL TOPICS			PAGE:	314
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03D)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS		
		1 = Yes.....	237	0.40
		2 = No.....	2533	4.32
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03E)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		1 = Yes.....	377	0.64
		2 = No.....	2375	4.05
		3 = Yes LOGICALLY ASSIGNED.....	22	0.04
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	203	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03F)		In the past 12 months, were you arrested and booked for robbery?		
BKROB	2	ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		1 = Yes.....	85	0.14
		2 = No.....	2686	4.58
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	205	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70

SPECIAL TOPICS			PAGE:	315
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS		
		1 = Yes.....	19	0.03
		2 = No.....	2754	4.69
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS		
		1 = Yes.....	17	0.03
		2 = No.....	2756	4.70
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		1 = Yes.....	37	0.06
		2 = No.....	2734	4.66
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	203	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70

SPECIAL TOPICS			PAGE:	316
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03J)		In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?		
BKDRVINF	2	ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		1 = Yes.....	385	0.66
		2 = No.....	2386	4.07
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	203	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?		
BKDRUNK	2	ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		1 = Yes.....	423	0.72
		2 = No.....	2339	3.99
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03L)		In the past 12 months, were you arrested and booked for possession of tobacco?		
BKPOSTOB	2	ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		1 = Yes.....	61	0.10
		2 = No.....	822	1.40
		85 = BAD DATA Logically assigned.....	3	0.01
		97 = REFUSED.....	42	0.07
		98 = BLANK (NO ANSWER).....	384	0.65
		99 = LEGITIMATE SKIP.....	57368	97.76

SPECIAL TOPICS			PAGE:	317
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03M)		In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?		
BKDRUG	2	ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
		1 = Yes.....	334	0.57
		2 = No.....	2428	4.14
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	205	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03N)		In the past 12 months, were you arrested and booked for prostitution or commercialized sex?		
BKPROS	2	ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		
		1 = Yes.....	29	0.05
		2 = No.....	2743	4.67
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03O)		In the past 12 months, were you arrested and booked for any other sexual offense, excluding rape or prostitution?		
BKSEXOFF	2	ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	2750	4.69
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70

SPECIAL TOPICS			PAGE:	318
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03P)		In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?		
BKFRAUD	2	ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
		1 = Yes.....	171	0.29
		2 = No.....	2574	4.39
		3 = Yes LOGICALLY ASSIGNED.....	24	0.04
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	206	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70
(SP03Q)		In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.		
BKOTH	2	ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
		1 = Yes.....	540	0.92
		2 = No.....	1470	2.51
		5 = Offense unknown.....	762	1.30
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	204	0.35
		98 = BLANK (NO ANSWER).....	713	1.22
		99 = LEGITIMATE SKIP.....	54981	93.70

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	
			PAGE: FREQ	319 %
BKOTHOF2	2	10THER OFFENSE PAST 12 MONTHS - SPECIFY		
		1 = Larceny or theft.....	2	0.00
		2 = Burglary or breaking and entering.....	17	0.03
		4 = Other assault, such as simple assault or battery..	3	0.01
		5 = Motor vehicle theft.....	29	0.05
		6 = Robbery.....	2	0.00
		10 = Driving under the influence.....	2	0.00
		11 = Drunkenness or other liquor law violation.....	15	0.03
		13 = Prostitution or commercialized sex.....	10	0.02
		14 = Oth proprty offns: fraud, poss stln goods, vndlsm.	1	0.00
		15 = Other offense, not categorized elsewhere.....	2	0.00
		16 = Weapons law violations.....	25	0.04
		17 = Counterfeiting/Forgery.....	8	0.01
		18 = Violation of court order, parole, probation.....	22	0.04
		19 = Disorderly conduct.....	5	0.01
		20 = Juvenile status offenses.....	41	0.07
		21 = All oth offns: crimes agnst persons/prprty/society	45	0.08
		22 = Traffic violations.....	10	0.02
		23 = Bad checks.....	4	0.01
		24 = Curfew/loitering/vagrancy violations.....	26	0.04
		25 = Trespass of real property.....	16	0.03
		26 = Runaway.....	26	0.04
		27 = Family offenses, nonviolent.....	18	0.03
		28 = Intimidation.....	20	0.03
		29 = Non-forcible sex offenses.....	8	0.01
		31 = Tobacco law/code violation.....	10	0.02
		38 = Evading/hindering/obstructing police.....	23	0.04
		39 = False report/statement/alarm.....	4	0.01
		85 = BAD DATA Logically assigned.....	27	0.05
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	213	0.36
		98 = BLANK (NO ANSWER).....	1590	2.71
		99 = LEGITIMATE SKIP.....	56451	96.20

(SP04) Were you on probation at any time during the past 12 months?

PROBATON	2	ON PROBATION AT ANY TIME PAST 12 MONTHS		
		1 = Yes.....	1836	3.13
		2 = No.....	56611	96.47
		85 = BAD DATA Logically assigned.....	49	0.08
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	116	0.20
		98 = BLANK (NO ANSWER).....	16	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	320
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP05)		Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?		
PAROLREL	2	ON PAROLE/SUPRV RELEASE PAST 12 MONTHS		
		1 = Yes.....	517	0.88
		2 = No.....	57941	98.74
		85 = BAD DATA Logically assigned.....	49	0.08
		94 = DON'T KNOW.....	48	0.08
		97 = REFUSED.....	109	0.19
		98 = BLANK (NO ANSWER).....	16	0.03
(SP06A)		During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?		
DRVALDR	2	DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
		1 = Yes.....	2011	3.43
		2 = No.....	6891	11.74
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	18	0.03
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	564	0.96
		99 = LEGITIMATE SKIP.....	34031	57.99
(SP06B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?		
DRVAONLY	2	DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		
		1 = Yes.....	6524	11.12
		2 = No.....	27420	46.73
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	375	0.64
		99 = LEGITIMATE SKIP.....	9116	15.54

SPECIAL TOPICS			PAGE:	321
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP06C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/illegal drugs only?		
DRVDONLY	2	DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS		
		1 = Yes.....	2421	4.13
		2 = No.....	7586	12.93
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	13	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	21	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	1074	1.83
		99 = LEGITIMATE SKIP.....	32414	55.24

RECODED SPECIAL TOPICS			PAGE:	322
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED SPECIAL TOPICS				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
Analyses of the following variable, DRIVALC, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRVALDR, DRVAONLY). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVALC	1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL		
		1 = Yes (DRVALDR=1 OR DRVAONLY=1).....	6821	11.62
		2 = No (DRVALDR=2 AND DRVAONLY=2).....	5526	9.42
		3 = Unknown (OTHERWISE).....	22092	37.65
		4 = Never/No Use (DRVALDR AND DRVAONLY=81,89,91,99)...	24241	41.31
Analyses of the following variable, DRIVDRG, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRVALDR, DRVDONLY). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVDRG	1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS		
		1 = Yes (DRVALDR=1 OR DRVDONLY=1).....	2984	5.09
		2 = No (DRVALDR=2 AND DRVDONLY=2).....	6001	10.23
		3 = Unknown (OTHERWISE).....	2135	3.64
		4 = Never/No Use (DRVALDR AND DRVDONLY=81,89,91,99)...	47560	81.05
Analyses of the following variable, DRIVALD, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRIVALC, DRIVDRG). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVALD	1	DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS		
		1 = Yes (DRIVALC=1 OR DRIVDRG=1).....	7459	12.71
		2 = No (DRIVALC=2 AND DRIVDRG=2).....	4972	8.47
		3 = Unknown (OTHERWISE).....	23622	40.26
		4 = Never/No Use (DRIVALC AND DRIVDRG=4).....	22627	38.56

RECODED SPECIAL TOPICS			PAGE:	323
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAROL	1	PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
		. = Unknown Status (PAROLREL=85,94,97,98).....	222	0.38
		1 = On Parole/Supervised Release (PAROLREL=1).....	517	0.88
		2 = Not on Parole/Supervised Release (PAROLREL=2).....	57941	98.74
PROB	1	PROBATION STATUS IN THE PAST YEAR		
		. = Unknown Probation Status (PROBATON=85,94,97,98)...	233	0.40
		1 = On Probation (PROBATON=1).....	1836	3.13
		2 = Not on Probation (PROBATON=2).....	56611	96.47

NOTE: Respondents were not asked questions in the DRUG TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, or inhalants, or lifetime use of prescription-type psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited DRUG TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER	2	1EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes.....	2533	4.32
		2 = No.....	40641	69.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	71	0.12
		98 = BLANK (NO ANSWER).....	283	0.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUG TREATMENT			PAGE:	325
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX02)		During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXYREVER	2	1EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS		
		1 = Yes.....	838	1.43
		2 = No.....	1558	2.66
		3 = Yes LOGICALLY ASSIGNED.....	134	0.23
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	310	0.53
		99 = LEGITIMATE SKIP (TXEVER=2).....	40641	69.26
(TX03)		During the past 12 months when you received treatment was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		
TXYRADG	2	1TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS		
		1 = Alcohol use only.....	318	0.54
		2 = Drug use only.....	161	0.27
		3 = Both alcohol and drug use.....	305	0.52
		4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED....	2	0.00
		6 = Both alcohol and drug use LOGICALLY ASSIGNED.....	1	0.00
		11 = Alcohol only (but last tmt for drugs reported)....	28	0.05
		12 = Drugs only (but last tmt for alc reported).....	18	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	326 %
-----	----	-----	----	-
(TX04A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?		
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
		1 = Yes.....	152	0.26
		2 = No.....	668	1.14
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	13	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX04A1)		Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?		
TXYRHPAD	2	1HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	4	0.01
		2 = Drug use.....	6	0.01
		3 = Both alcohol and drug use.....	55	0.09
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	469	0.80
		99 = LEGITIMATE SKIP.....	42947	73.19
(TX04B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		1 = Yes.....	171	0.29
		2 = No.....	633	1.08
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	28	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	DRUG TREATMENT		PAGE:	327
			FREQ	%	FREQ	%
(TX04B1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?				
TXYRINAD	2	1RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH				
		1 = Alcohol use.....	2	0.00		
		2 = Drug use.....	10	0.02		
		3 = Both alcohol and drug use.....	81	0.14		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	72	0.12		
		98 = BLANK (NO ANSWER).....	481	0.82		
		99 = LEGITIMATE SKIP.....	42909	73.12		
(TX04C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?				
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS				
		1 = Yes.....	286	0.49		
		2 = No.....	502	0.86		
		5 = Yes LOGICALLY ASSIGNED (from TXLTMYN2).....	42	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	73	0.12		
		98 = BLANK (NO ANSWER).....	446	0.76		
		99 = LEGITIMATE SKIP.....	42199	71.91		
(TX04C1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?				
TXYRPOAD	2	1OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH				
		1 = Alcohol use.....	6	0.01		
		2 = Drug use.....	8	0.01		
		3 = Both alcohol and drug use.....	101	0.17		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	73	0.12		
		98 = BLANK (NO ANSWER).....	485	0.83		
		99 = LEGITIMATE SKIP.....	42882	73.08		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	328 %
-----	----	-----	----	-
(TX04D)		During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?		
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO		
		1 = Yes.....	188	0.32
		2 = No.....	619	1.05
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	22	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX04D1)		Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?		
TXYRMHAD	2	1MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	3	0.01
		2 = Drug use.....	6	0.01
		3 = Both alcohol and drug use.....	70	0.12
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	477	0.81
		99 = LEGITIMATE SKIP.....	42927	73.15
(TX04E)		During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?		
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		1 = Yes.....	84	0.14
		2 = No.....	733	1.25
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUG TREATMENT			PAGE:	329
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04E1)		Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?		
TXYRERAD	2	1EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	11	0.02
		2 = Drug use.....	10	0.02
		3 = Both alcohol and drug use.....	15	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	468	0.80
		99 = LEGITIMATE SKIP.....	42978	73.24
(TX04F)		During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?		
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		1 = Yes.....	112	0.19
		2 = No.....	708	1.21
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	9	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX04F1)		Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?		
TXYRDCAD	2	1PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	3	0.01
		2 = Drug use.....	6	0.01
		3 = Both alcohol and drug use.....	30	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	463	0.79
		99 = LEGITIMATE SKIP.....	42980	73.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE:	330
			FREQ	%
(TX04G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?		
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
		1 = Yes.....	63	0.11
		2 = No.....	768	1.31
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX04G1)		Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?		
TXYRJLAD	2	1PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	6	0.01
		2 = Drug use.....	8	0.01
		3 = Both alcohol and drug use.....	25	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	458	0.78
		99 = LEGITIMATE SKIP.....	42986	73.25
(TX04H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?		
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
		1 = Yes.....	429	0.73
		2 = No.....	366	0.62
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	76	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	DRUG TREATMENT		PAGE:	331
			FREQ	%		
(TX04H1)		Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?				
TXYRSGAD	2	1SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH				
		1 = Alcohol use.....	16	0.03		
		2 = Drug use.....	6	0.01		
		3 = Both alcohol and drug use.....	150	0.26		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	72	0.12		
		98 = BLANK (NO ANSWER).....	499	0.85		
		99 = LEGITIMATE SKIP.....	42812	72.96		
(TX04I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?				
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS				
		1 = Yes.....	223	0.38		
		2 = No.....	505	0.86		
		5 = Yes LOGICALLY ASSIGNED (from TXLTMYN2).....	99	0.17		
		7 = Treatment location unknown, LOG ASSN.....	5	0.01		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		94 = DON'T KNOW.....	2	0.00		
		97 = REFUSED.....	74	0.13		
		98 = BLANK (NO ANSWER).....	446	0.76		
		99 = LEGITIMATE SKIP.....	42199	71.91		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	DRUG TREATMENT	
			PAGE:	332
-----	----	-----	FREQ	%
-----	----	-----	----	-
TXYROTS2	3	1OTHER PLACE RECEIVED TRMT PAST 12 MONTHS		
		9 = Some other place, not categorized elsewhere.....	17	0.03
		23 = Drug or alcohol rehab facility as outpatient.....	1	0.00
		26 = Private doctor's office.....	3	0.01
		27 = Prison or jail.....	2	0.00
		28 = Self-help group.....	4	0.01
		40 = Home, family, friends.....	10	0.02
		41 = School, college.....	29	0.05
		42 = Church/religious/spiritual influence.....	17	0.03
		44 = Halfway house/group home.....	3	0.01
		47 = Community/city/county/state program, unspecified..	4	0.01
		48 = Counselor, therapist, psychologist.....	37	0.06
		49 = Court-mandated/sponsored program.....	32	0.05
		51 = Alcohol/drug class, location unspecified.....	7	0.01
		52 = Military/VA Hospital.....	3	0.01
		53 = Hospital, patient status unspecified.....	3	0.01
		55 = Youth-oriented facility/organization/program.....	5	0.01
		56 = Mental health centerfacility, ptnt status unspcfd.	5	0.01
		63 = Medical clinic.....	3	0.01
		64 = Methadone clinic/program.....	9	0.02
		65 = Name of facility/program given.....	50	0.09
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		985 = BAD DATA Logically assigned.....	20	0.03
		991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	75	0.13
		998 = BLANK (NO ANSWER).....	504	0.86
		999 = LEGITIMATE SKIP.....	42704	72.77
(TX04I1)		Was the treatment you received in this other place for your alcohol use, your drug use, or both?		
TXYROTAD	2	1OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	4	0.01
		2 = Drug use.....	4	0.01
		3 = Both alcohol and drug use.....	64	0.11
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	502	0.86
		99 = LEGITIMATE SKIP.....	42909	73.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUG TREATMENT			PAGE:	333
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX05)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRVSER 2		1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
		1 = Yes.....	33	0.06
		2 = No.....	436	0.74
		6 = NEVER USED RELEVANT DRUGS.....	42	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	451	0.77
		99 = LEGITIMATE SKIP.....	42517	72.46
(TX06)		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRNME2 3		1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 15	28	0.05
		31 = 31 or more.....	1	0.00
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	78	0.13
		998 = BLANK (NO ANSWER).....	451	0.77
		999 = LEGITIMATE SKIP.....	42995	73.27
(TX07)		Are you currently receiving treatment or counseling for your [TXFILL1]?		
TXRCVNOW 2		1CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
		1 = Yes.....	305	0.52
		2 = No.....	529	0.90
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	334 %
-----	----	-----	----	-
(TX08)		NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.		
		During the past 12 months, did you need treatment or counseling for your alcohol or drug use?		
NDTXNEDR	2	NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
		1 = Yes.....	288	0.49
		2 = No.....	41883	71.38
		11 = Yes (TXYREVER=3).....	38	0.06
		12 = No (TXYREVER=3).....	95	0.16
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	34	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	71	0.12
		98 = BLANK (NO ANSWER).....	283	0.48
		99 = LEGITIMATE SKIP.....	838	1.43
(TX09)		During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?		
NDTXMORE	2	NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS		
		1 = Yes.....	40	0.07
		2 = No.....	489	0.83
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42504	72.43

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	335 %
-----	----	-----	----	-
(TX10)		During the past 12 months, for which of the following drugs did you need additional treatment or counseling?		
NDTMRALC	2	NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	16	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42993	73.27
NDTMRMJ	2	NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS		
		1 = Response entered.....	14	0.02
		6 = Response not entered.....	25	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42993	73.27
NDTMRROC	2	NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS		
		1 = Response entered.....	13	0.02
		6 = Response not entered.....	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42993	73.27
NDTMRHER	2	NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS		
		1 = Response entered.....	3	0.01
		6 = Response not entered.....	37	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42993	73.27

LABEL	LEN	DESCRIPTION	DRUG TREATMENT		PAGE:	336
			FREQ	%	FREQ	%
NDTMRHAL	2	NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS				
		6 = Response not entered.....	39	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
NDTMRINH	2	NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS				
		6 = Response not entered.....	39	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
NDTMRANL	2	NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS				
		1 = Response entered.....	5	0.01		
		6 = Response not entered.....	35	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
NDTMRTRN	2	NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS				
		1 = Response entered.....	3	0.01		
		6 = Response not entered.....	36	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
NDTMRSTM	2	NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS				
		1 = Response entered.....	1	0.00		
		6 = Response not entered.....	38	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		

LABEL	LEN	DESCRIPTION	DRUG TREATMENT		PAGE:	337
			FREQ	%		
NDTMRSED	2	NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS				
		6 = Response not entered.....	39	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
NDTMROTH	2	NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS				
		1 = Response entered.....	5	0.01		
		6 = Response not entered.....	35	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	520	0.89		
		99 = LEGITIMATE SKIP.....	42993	73.27		
(TX11)		During the past 12 months did you need treatment or counseling for your use of alcohol?				
NDTXALCR	2	NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS				
		1 = Yes.....	146	0.25		
		2 = No.....	138	0.24		
		11 = Yes (TXYREVER=3).....	19	0.03		
		12 = No (TXYREVER=3).....	15	0.03		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	77	0.13		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	43085	73.42		

DRUG TREATMENT			PAGE:	338
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX12)		During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?		
NDTXMJR	2	NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS		
		1 = Yes.....	99	0.17
		2 = No.....	135	0.23
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		11 = Yes (TXYREVER=3).....	18	0.03
		12 = No (TXYREVER=3).....	15	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	43213	73.64
(TX13)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?		
NDTXCOCR	2	NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
		1 = Yes.....	47	0.08
		2 = No.....	98	0.17
		11 = Yes (TXYREVER=3).....	9	0.02
		12 = No (TXYREVER=3).....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	43367	73.90
(TX14)		During the past 12 months, did you need treatment or counseling for your use of heroin?		
NDTXHERR	2	NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
		1 = Yes.....	11	0.02
		2 = No.....	21	0.04
		11 = Yes (TXYREVER=3).....	1	0.00
		12 = No (TXYREVER=3).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	43504	74.14

DRUG TREATMENT			PAGE:	339
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX15)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		
NDTXHALR	2	NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS		
		1 = Yes.....	19	0.03
		2 = No.....	131	0.22
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3).....	19	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	100	0.17
		99 = LEGITIMATE SKIP.....	43269	73.74
(TX16)		During the past 12 months, did you need treatment or counseling for your use of inhalants?		
NDTXINHR	2	NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS		
		1 = Yes.....	19	0.03
		2 = No.....	104	0.18
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3).....	12	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	43342	73.86
(TX17)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?		
NDTXANLR	2	NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	114	0.19
		11 = Yes (TXYREVER=3).....	6	0.01
		12 = No (TXYREVER=3).....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	119	0.20
		99 = LEGITIMATE SKIP.....	43261	73.72

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	340 %
-----	----	-----	-----	-
(TX18)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		
NDTXTRNR	2	NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		
		1 = Yes.....	14	0.02
		2 = No.....	75	0.13
		11 = Yes (TXYREVER=3).....	1	0.00
		12 = No (TXYREVER=3).....	13	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	43362	73.90
(TX19)		During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?		
NDTXSTMR	2	NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		
		1 = Yes.....	20	0.03
		2 = No.....	86	0.15
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		11 = Yes (TXYREVER=3).....	4	0.01
		12 = No (TXYREVER=3).....	9	0.02
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	43346	73.87

		DRUG TREATMENT	PAGE:	341
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX20)		During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?		
NDTXSEDR	2	NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS		
		1 = Yes.....	8	0.01
		2 = No.....	22	0.04
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3).....	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	68	0.12
		99 = LEGITIMATE SKIP.....	43433	74.02
(TX21)		During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?		
NDTXSODR	2	NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	211	0.36
		5 = Drug Unknown LOGICALLY ASSIGNED.....	48	0.08
		11 = Yes (TXYREVER=3).....	5	0.01
		12 = No (TXYREVER=3).....	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	342	0.58
		99 = LEGITIMATE SKIP.....	42816	72.97

LABEL	LEN	DESCRIPTION	DRUG TREATMENT		PAGE:	342
			FREQ	%	FREQ	%
NDTXDG1R	4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1				
		103 = Amytal.....	1	0.00		
		322 = Methamphetamine ("ice" or "crank"), Meth.....	7	0.01		
		355 = Crystal meth.....	1	0.00		
		658 = Special K, Ketamine.....	1	0.00		
		702 = Heroin.....	1	0.00		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00		
		805 = Cocaine, coca, cocaina, coke.....	2	0.00		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00		
		900 = Not a drug.....	1	0.00		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		9985 = BAD DATA Logically assigned.....	1	0.00		
		9991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		9997 = REFUSED.....	75	0.13		
		9998 = BLANK (NO ANSWER).....	1240	2.11		
		9999 = LEGITIMATE SKIP.....	42222	71.95		
NDTXDG2R	4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2				
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	4	0.01		
		806 = Crack, rock.....	1	0.00		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		9991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		9997 = REFUSED.....	73	0.12		
		9998 = BLANK (NO ANSWER).....	1254	2.14		
		9999 = LEGITIMATE SKIP.....	42222	71.95		
NDTXDG3R	4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3				
		703 = Opium.....	1	0.00		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00		
		6096 = Bananadine.....	1	0.00		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		9991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		9997 = REFUSED.....	73	0.12		
		9998 = BLANK (NO ANSWER).....	1257	2.14		
		9999 = LEGITIMATE SKIP.....	42222	71.95		
NDTXDG4R	4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4				
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00		
		804 = Hashish.....	1	0.00		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04		
		9991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73		
		9997 = REFUSED.....	73	0.12		
		9998 = BLANK (NO ANSWER).....	1258	2.14		
		9999 = LEGITIMATE SKIP.....	42222	71.95		

DRUG TREATMENT			PAGE:	343
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXDG5R	4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5		
		601 = LSD ("acid").....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		9991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		9997 = REFUSED.....	73	0.12
		9998 = BLANK (NO ANSWER).....	1259	2.15
		9999 = LEGITIMATE SKIP.....	42222	71.95
(TX22)		During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?		
NDTXEFTR	2	MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS		
		1 = Yes.....	65	0.11
		2 = No.....	214	0.36
		11 = Yes (TXYREVER=3).....	35	0.06
		12 = No (TXYREVER=3).....	9	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	342	0.58
		99 = LEGITIMATE SKIP.....	42816	72.97
(TX23)		During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?		
NDTMREFT	2	MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	13	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	520	0.89
		99 = LEGITIMATE SKIP.....	42993	73.27

DRUG TREATMENT			PAGE:	344
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX24)		How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXLASREC 2		1TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days -- since 30 day ref date..	91	0.16
		2 = More than 30 days ago but within the past 12 mos..	451	0.77
		3 = More than 12 months ago.....	1548	2.64
		7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	305	0.52
		8 = Treatment in past year LOGICALLY ASSIGNED.....	125	0.21
		9 = Treatment in lifetime LOGICALLY ASSIGNED.....	3	0.01
		13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	10	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	71	0.12
		98 = BLANK (NO ANSWER).....	310	0.53
		99 = LEGITIMATE SKIP.....	40641	69.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(TX25)

NOTE: For most of the remaining questions in the DRUG TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug abuse, not counting cigarettes?

TXLTVMN2 3	1MAIN PLACE RCV TRMT LAST TIME/CURRENTLY		
	1 = A hospital overnight as an inpatient.....	45	0.08
	2 = A res drug/alcohol rehab facility overnight.....	79	0.13
	3 = A drug or alcohol rehab facility as an outpatient.	155	0.26
	4 = A mental health center or facility as outpatient..	75	0.13
	5 = An emergency room.....	4	0.01
	6 = A private doctor's office.....	42	0.07
	7 = A prison or jail.....	20	0.03
	8 = A self-help group.....	198	0.34
	9 = Some other place.....	74	0.13
	40 = Home, family, friends.....	5	0.01
	41 = School, college.....	31	0.05
	42 = Church/religious/spiritual influence.....	8	0.01
	47 = Community/city/county/state program, unspecified..	4	0.01
	48 = Counselor, therapist, psychologist.....	23	0.04
	49 = Court-mandated/sponsored program.....	23	0.04
	51 = Alcohol/drug class, location unspecified.....	7	0.01
	52 = Military/VA Hospital.....	3	0.01
	55 = Youth-oriented facility/organization/program.....	3	0.01
	64 = Methadone clinic/program.....	4	0.01
	65 = Name of facility/program given.....	23	0.04
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
	985 = BAD DATA Logically assigned.....	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
	994 = DON'T KNOW.....	5	0.01
	997 = REFUSED.....	78	0.13
	998 = BLANK (NO ANSWER).....	446	0.76
	999 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	346
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX26)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?		
		Are you currently receiving treatment or counseling for your use of alcohol?		
TXLTYALC	2	1LAST/CURRENT TREATMENT FOR ALCOHOL		
		1 = Yes.....	525	0.89
		2 = No.....	219	0.37
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		5 = Yes LOG ASSN (TXYRADG = 1).....	67	0.11
		6 = NEVER USED ALCOHOL (TXEVER = 1).....	23	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	77	0.13
		98 = BLANK (NO ANSWER).....	435	0.74
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91
(TX27)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?		
		Are you currently receiving treatment or counseling for your use of marijuana or hashish?		
TXLTYMJ	2	1LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes.....	335	0.57
		2 = No.....	357	0.61
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		6 = NEVER USED MARIJUANA (TXEVER = 1).....	167	0.28
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	76	0.13
		98 = BLANK (NO ANSWER).....	414	0.71
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE:	347
			FREQ	%
(TX28)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?		
		Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?		
TXLTYCOC	2	1LAST/CURRENT TREATMENT FOR COCAINE/CRACK		
		1 = Yes.....	133	0.23
		2 = No.....	237	0.40
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED COCAINE (TXEVER = 1).....	544	0.93
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	76	0.13
		98 = BLANK (NO ANSWER).....	364	0.62
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91
(TX29)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?		
		Are you currently receiving treatment or counseling for your use of heroin?		
TXLTYHER	2	1LAST/CURRENT TREATMENT FOR HEROIN		
		1 = Yes.....	47	0.08
		2 = No.....	50	0.09
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED HEROIN (TXEVER = 1).....	863	1.47
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	321	0.55
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	348
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX30)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?		
		Are you currently receiving treatment or counseling for your use of hallucinogens?		
TXLTYHAL	2	1LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		1 = Yes.....	105	0.18
		2 = No.....	349	0.59
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	446	0.76
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	377	0.64
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91
(TX31)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?		
		Are you currently receiving treatment or counseling for your use of inhalants?		
TXLTYINH	2	1LAST/CURRENT TREATMENT FOR INHALANTS		
		1 = Yes.....	60	0.10
		2 = No.....	258	0.44
		6 = NEVER USED INHALANTS (TXEVER = 1).....	602	1.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	360	0.61
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	349
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX32)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?		
		Are you currently receiving treatment or counseling for your use of prescription pain relievers?		
TXLTYANL	2	1LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS		
		1 = Yes.....	83	0.14
		2 = No.....	246	0.42
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	580	0.99
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	369	0.63
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91
(TX33)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		
		Are you currently receiving treatment or counseling for your use of prescription tranquilizers?		
TXLTYTRN	2	1LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes.....	59	0.10
		2 = No.....	171	0.29
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	706	1.20
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	73	0.12
		98 = BLANK (NO ANSWER).....	346	0.59
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(TX34) The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

TXLTYSTM 2	1	LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS		
	1	= Yes.....	63	0.11
	2	= No.....	189	0.32
	3	= Yes LOGICALLY ASSIGNED.....	15	0.03
	6	= NEVER USED STIMULANTS (TXEVER = 1).....	660	1.12
	81	= NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
	91	= NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
	94	= DON'T KNOW.....	1	0.00
	97	= REFUSED.....	72	0.12
	98	= BLANK (NO ANSWER).....	356	0.61
	99	= LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

(TX35) The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

TXLTYSED 2	1	LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES		
	1	= Yes.....	30	0.05
	2	= No.....	74	0.13
	3	= Yes LOGICALLY ASSIGNED.....	1	0.00
	6	= NEVER USED SEDATIVES (TXEVER = 1).....	850	1.45
	81	= NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
	91	= NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
	94	= DON'T KNOW.....	1	0.00
	97	= REFUSED.....	72	0.12
	98	= BLANK (NO ANSWER).....	328	0.56
	99	= LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	351 %
-----	----	-----	----	-
(TX36)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?		
		Are you currently receiving treatment or counseling for your use of any other drug?		
TXLTYSOD	2	1LAST/CURRENT TRMT FOR SOME OTHER DRUG		
		1 = Yes.....	90	0.15
		2 = No.....	693	1.18
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	18	0.03
		7 = Treatment drug/alc unknown LOG ASSN.....	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX38)		What was the outcome of the treatment or counseling you last received?		
TXLTYOU2	2	1OUTCOME OF LAST/CURRENT TREATMENT		
		1 = You are still in treatment.....	306	0.52
		2 = You successfully completed treatment.....	362	0.62
		3 = You left because you had a problem with program...	23	0.04
		4 = You left b/c you couldn't afford to continue.....	9	0.02
		5 = You left because your family needed you.....	11	0.02
		6 = You left because you began using drugs again.....	27	0.05
		7 = Your last treatment had some other outcome.....	13	0.02
		41 = You left because you didn't need/want treatment...	6	0.01
		48 = Discontinued treatment, success unknown.....	5	0.01
		49 = Completed treatment, outcome unknown.....	14	0.02
		50 = You had other problems to deal with.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	448	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	352 %
-----	----	-----	----	-
(TX39)		How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?		
		How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?		
		How long did you stay in treatment for your alcohol or drug use during your last treatment?		
		How long have you been in treatment for your alcohol or drug use so far?		
		Please indicate whether you want to give your answer in days or months.		
		How many days have you been in treatment for your alcohol or drug use so far?		
		How many days did you stay in treatment for your alcohol or drug use the last time?		
		How many months have you been in treatment for your alcohol or drug use so far?		
		How many months did you stay in treatment for your alcohol or drug use the last time?		

TXLTYDU2	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE		
		RANGE = 1 - 30	362	0.62
		31 = 31 or more.....	449	0.77
		99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		99985 = BAD DATA Logically assigned.....	1	0.00
		99991 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		99994 = DON'T KNOW.....	11	0.02
		99997 = REFUSED.....	87	0.15
		99998 = BLANK (NO ANSWER).....	446	0.76
		99999 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	353
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX42A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		
		Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYINS	2	1HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	254	0.43
		2 = No.....	538	0.92
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX42B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCARE	2	1MEDICARE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	112	0.19
		2 = No.....	669	1.14
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	43	0.07
		97 = REFUSED.....	81	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	354 %
-----	----	-----	-----	-
(TX42C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCAID 2		1MEDICAID PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	122	0.21
		2 = No.....	653	1.11
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	81	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX42D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYPUBP 2		10TH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	143	0.24
		2 = No.....	630	1.07
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	83	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	355
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX42E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?		
		Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?		
TXPYSAVE	2	1OWN SAVINGS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	379	0.65
		2 = No.....	430	0.73
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	82	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX42F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?		
		Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?		
TXPYFMLY	2	1FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	209	0.36
		2 = No.....	602	1.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	14	0.02
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE: FREQ	356 %
-----	----	-----	----	-
(TX42G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?		
		Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCORT 2		1COURTS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	90	0.15
		2 = No.....	708	1.21
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX42H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?		
		Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYMILC 2		1MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	32	0.05
		2 = No.....	765	1.30
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	357
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX42I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?		
		Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYEMPL	2	1EMPLOYER PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	38	0.06
		2 = No.....	767	1.31
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91
(TX42J)		Was your last treatment paid for by some other source besides those that have been listed?		
		Will the treatment you are currently receiving, be paid for by some other source besides those that have been listed?		
TXPYSOS	2	1SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	95	0.16
		2 = No.....	679	1.16
		4 = No LOG ASSN (free trmt specified).....	3	0.01
		5 = Yes, payment source not specified LOG ASSN.....	24	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	79	0.13
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DRUG TREATMENT DESCRIPTION	PAGE:	358
			FREQ	%
TXPYSP2	2	1OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY		
		1 = Private health insurance.....	12	0.02
		3 = Medicaid.....	2	0.00
		4 = Public assistance program other than Medicaid.....	5	0.01
		5 = Own savings or earnings.....	7	0.01
		6 = Family members.....	3	0.01
		7 = Courts.....	4	0.01
		10 = Free.....	5	0.01
		11 = Some other source.....	7	0.01
		12 = Friend/sponsor.....	3	0.01
		14 = School.....	7	0.01
		19 = Public assistance, unspecified.....	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		85 = BAD DATA Logically assigned.....	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	525	0.89
		99 = LEGITIMATE SKIP.....	42878	73.07

(TX42K)

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPYFRE	2	1LAST/CURRENT TREATMENT WAS/IS FREE		
		1 = Yes.....	70	0.12
		2 = No.....	24	0.04
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	468	0.80
		99 = LEGITIMATE SKIP.....	42913	73.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUG TREATMENT	PAGE:	359
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX43)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, 1999?		
		For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.		
TXENROLL	2	1ENROLLED IN TREATMENT PROGRAM ON OCT.1 1999		
		1 = Yes.....	216	0.37
		2 = No.....	2286	3.90
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	84	0.14
		98 = BLANK (NO ANSWER).....	310	0.53
		99 = LEGITIMATE SKIP (TXEVER=2).....	40641	69.26
(TX44)		Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?		
TXYRDTXO	2	1WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS		
		1 = Yes.....	119	0.20
		2 = No.....	537	0.92
		4 = No LOGICALLY ASSIGNED.....	153	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	26	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	15099	25.73
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	82	0.14
		98 = BLANK (NO ANSWER).....	446	0.76
		99 = LEGITIMATE SKIP.....	42199	71.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED DRUG TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

A respondent was classified as receiving treatment in the past year for illicit drug abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or a mental health facility (SPECTILL) if they met either of these conditions:

- (1) Reported receiving only illicit drug treatment in the past year (TXYRADG=2,5,12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,3,5 or TXYRRFIN=1,3,5 or TXYRRFOP=1,3,5 or TXYRMHC=1,3,5).
- (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3,6) and reported specifically receiving treatment for illicit drug abuse at one of the four specialty facilities in the follow-up questions (TXYRHOPAD=2,3 or TXYRINAD=2,3 or TXYRPOAD=2,3 or TXYRMHAD=2,3).

SPECTILL 1	RCVD TRMT AT SPEC FAC FOR ILL DRG-PST YR		
	0 = No/Unknown (Otherwise).....	58382	99.49
	1 = Yes (See comment above).....	298	0.51

RECODED DRUG TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

A respondent was classified as receiving treatment in the past year for alcohol abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or at a mental health facility (SPECTALC) if they met either of these conditions:

- (1) Reported receiving only alcohol treatment in the past year (TXYRADG=1,4,11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,3,5 or TXYRRFIN=1,3,5 or TXYRRFOP=1,3,5 or TXYRMHC=1,3,5).
- (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3,6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOPAD=1,3 or TXYRINAD=1,3 or TXYRPOAD=1,3 or TXYRMHAD=1,3).

SPECTALC	1	RCVD TRMT AT SPEC FAC FOR ALC USE-PST YR		
		0 = No/Unknown (Otherwise).....	58316	99.38
		1 = Yes (See comment above).....	364	0.62

A respondent was classified as having received treatment at a specialty facility for illicit drug or alcohol abuse (SPILLALC) if they reported receiving treatment for use of alcohol or any drug in the past year (TXYREVER=1,3) and treatment was received at either a hospital (TXYRHOSP=1,3,5), or a residential rehabilitation facility as in or outpatient (TXYRRFIN=1,3,5 or TXYRRFOP=1,3,5), or a mental health facility (TXYRMHC=1,3,5).

SPILLALC	1	RCVD TRMT SPEC FAC FOR ALC OR DRG-PST YR		
		0 = No/Unknown (Otherwise).....	58163	99.12
		1 = Yes (See comment above).....	517	0.88

RECODED DRUG TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
<p>A respondent was defined as needing treatment for illicit drug abuse (ILLNEED) if they met any one of the following 3 criteria in the past year:</p> <p>(1) Dependent on any illicit drug (DEPNDILL=1)</p> <p>(2) Any illicit drug abuse (ABUSEILL=1)</p> <p>(3) Received treatment for illicit drug use at a specialty facility including hospital, rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1)</p>				
ILLNEED	1	NEEDED TRMT FOR ILL DRUG USE-PST YR		
		0 = No/Unknown (Otherwise).....	56515	96.31
		1 = Yes (See comment above).....	2165	3.69
<p>The following variable, TXNOSPEC, is defined as needing illicit drug abuse treatment in the past year, but not receiving illicit drug treatment at a speciality facility. This treatment measure is referred to as "the gap".</p>				
TXNOSPEC	1	NEED ILL DRG TRMT, NOT RCVD TRMT SPC FAC		
		0 = No/Unknown (Otherwise).....	56813	96.82
		1 = Yes (ILLNEED=1 and SPECTILL=0).....	1867	3.18
ALCTRMT	1	RCVD TRMT AT ANY LOC FOR ALC USE-PST YR		
		0 = No/Unknown (TXYRADG=2,81,85,91,94,97,98,99).....	58008	98.85
		1 = Yes (TXYRADG=1,3,4,6,11,12).....	672	1.15
ILLTRMT	1	RCVD TRMT ANY LOC FOR ILL DRG USE-PST YR		
		0 = No/Unknown (TXYRADG=1,4,81,85,91,94,97,98,99).....	58167	99.13
		1 = Yes (TXYRADG=2,3,6,11,12).....	513	0.87
TXILLALC	1	RCVD TRMT ANY LOC FOR ALC OR DRG-PST YR		
		0 = No/Unknown (TXYREVER=2,4,81,85,91,94,97,98,99)....	57708	98.34
		1 = Yes (TXYREVER=1,3).....	972	1.66
TXILANAL	1	RCVD TRMT ANY LOC FOR ALC AND DRG-PST YR		
		0 = No/Unknown (TXYRADG=1,2,4,81,85,91,94,97,98,99)...	58328	99.40
		1 = Yes (TXYRADG=3,6,11,12).....	352	0.60
<p>NOTE: The following recoded variables contain respondent information about receiving last or current treatment for various drugs.</p>				
TXLTALC2	1	RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		0 = No/Unknown (TXLTALC=2,6,81,85,91,94,97,98,99)....	58080	98.98
		1 = Yes (TXLTALC=1,3,5).....	600	1.02

RECODED DRUG TREATMENT			PAGE:	363
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTANL2	1	RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS 0 = No/Unknown (TXLTYANL=2,6,81,85,91,94,97,98,99)..... 1 = Yes (TXLTYANL=1).....	58597 83	99.86 0.14
TXLTCOC2	1	RECEIVED LAST/CURRENT TREATMENT FOR COCAINE 0 = No/Unknown (TXLTYCOC=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYCOC=1,3).....	58546 134	99.77 0.23
TXLTHAL2	1	RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS 0 = No/Unknown (TXLTYHAL=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYHAL=1,3).....	58572 108	99.82 0.18
TXLTHER2	1	RECEIVED LAST/CURRENT TREATMENT FOR HEROIN 0 = No/Unknown (TXLTYHER=2,6,81,91,97,98,99)..... 1 = Yes (TXLTYHER=1,3).....	58632 48	99.92 0.08
TXLTINH2	1	RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS 0 = No/Unknown (TXLTYINH=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYINH=1).....	58620 60	99.90 0.10
TXLTMJ2	1	RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA 0 = No/Unknown (TXLTYMJ=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYMJ=1,3).....	58340 340	99.42 0.58
TXLTSED2	1	RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES 0 = No/Unknown (TXLTYSED=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYSED=1,3).....	58649 31	99.95 0.05
TXLTSTM2	1	RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS 0 = No/Unknown (TXLTYSTM=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYSTM=1,3).....	58602 78	99.87 0.13
TXLTTRN2	1	RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS 0 = No/Unknown (TXLTYTRN=2,6,81,91,94,97,98,99)..... 1 = Yes (TXLTYTRN=1).....	58621 59	99.90 0.10
The following variable, TXLTILL2, was created by examination of receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), tranquilizers (TXLTTRN2).				
TXLTILL2	1	RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS 0 = No/Unknown (Otherwise)..... 1 = Yes (ANY SOURCE VARIABLE=1).....	58257 423	99.28 0.72

RECODED DRUG TREATMENT			PAGE:	364
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The following recoded variables contain payment information about respondents last or current treatment.				
TXPINS2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		0 = No/Unknown (TXPYINS=2,81,85,91,94,97,98,99).....	58423	99.56
		1 = Yes (TXPYINS=1,3).....	257	0.44
TXPCARE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXPYCARE=2,81,85,91,94,97,98,99).....	58568	99.81
		1 = Yes (TXPYCARE=1).....	112	0.19
TXPCAID2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXPYCAID=2,81,85,91,94,97,98,99).....	58556	99.79
		1 = Yes (TXPYCAID=1,3).....	124	0.21
TXPPUBP2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXPYPUBP=2,81,85,91,94,97,98,99).....	58534	99.75
		1 = Yes (TXPYPUBP=1,3).....	146	0.25
TXPSAVE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXPYSAVE=2,81,85,91,94,97,98,99).....	58299	99.35
		1 = Yes (TXPYSAVE=1,3).....	381	0.65
TXPFMLY2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		0 = No/Unknown (TXPYFMLY=2,81,85,91,94,97,98,99).....	58471	99.64
		1 = Yes (TXPYFMLY=1,3).....	209	0.36
TXPCORT2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY COURTS		
		0 = No/Unknown (TXPYCORT=2,81,85,91,94,97,98,99).....	58588	99.84
		1 = Yes (TXPYCORT=1,3).....	92	0.16
TXPMILC2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HC		
		0 = No/Unknown (TXPYMILC=2,81,85,91,94,97,98,99).....	58648	99.95
		1 = Yes (TXPYMILC=1).....	32	0.05
TXPEMPL2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXPYEMPL=2,81,85,91,94,97,98,99).....	58642	99.94
		1 = Yes (TXPYEMPL=1).....	38	0.06
ILLPINS	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		0 = No/Unknown (TXLTILL2=0 OR TXPINS2=0).....	58537	99.76
		1 = Yes (TXLTILL2=1 AND TXPINS2=1).....	143	0.24

RECODED DRUG TREATMENT			PAGE:	365
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ILLPCARE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXLTILL2=0 OR TXPCARE2=0).....	58606	99.87
		1 = Yes (TXLTILL2=1 AND TXPCARE2=1).....	74	0.13
ILLPCAID	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXLTILL2=0 OR TXPCAID2=0).....	58595	99.86
		1 = Yes (TXLTILL2=1 AND TXPCAID2=0).....	85	0.14
ILLPPUBP	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTILL2=0 OR TXPPUBP2=0).....	58585	99.84
		1 = Yes (TXLTILL2=1 AND TXPPUBP2=1).....	95	0.16
ILLPSAVE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTILL2=0 OR TXPSAVE2=0).....	58506	99.70
		1 = Yes (TXLTILL2=1 AND TXPSAVE2=1).....	174	0.30
ILLPFMLY	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAMLY MEMBR		
		0 = No/Unknown (TXLTILL2=0 OR TXPFMLY2=0).....	58542	99.76
		1 = Yes (TXLTILL2=1 AND TXPFMLY2=1).....	138	0.24
ILLPCORT	1	LAST/CURRENT ILL DRUG TREATMENT PAID FOR BY COURTS		
		0 = No/Unknown (TXLTILL2=0 OR TXPCORT2=0).....	58618	99.89
		1 = Yes (TXLTILL2=1 AND TXPCORT2=1).....	62	0.11
ILLPMILC	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
		0 = No/Unknown (TXLTILL2=0 OR TXPMILC2=0).....	58664	99.97
		1 = Yes (TXLTILL2=1 AND TXPMILC2=1).....	16	0.03
ILLPEMPL	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXLTILL2=0 OR TXPEMPL2=0).....	58662	99.97
		1 = Yes (TXLTILL2=1 AND TXPEMPL2=1).....	18	0.03
ALCPINS	1	LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
		0 = No/Unknown (TXLTALC2=0 OR TXPINS2=0).....	58494	99.68
		1 = Yes (TXLTALC2=1 AND TXPINS2=1).....	186	0.32
ALCPCARE	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXLTALC2=0 OR TXPCARE2=0).....	58605	99.87
		1 = Yes (TXLTALC2=1 AND TXPCARE2=1).....	75	0.13
ALCPCAID	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXLTALC2=0 OR TXPCAID2=0).....	58597	99.86
		1 = Yes (TXLTALC2=1 AND TXPCAID2=1).....	83	0.14

RECODED DRUG TREATMENT			PAGE:	366
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ALCPPUBP	1	LAST/CURRENT ALC TRTMNT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTALC2=0 OR TXPPUBP2=0).....	58569	99.81
		1 = Yes (TXLTALC2=1 AND TXPPUBP2=1).....	111	0.19
ALCPSAVE	1	LAST/CURRENT ALC TRTMNT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTALC2=0 OR TXPSAVE2=0).....	58391	99.51
		1 = Yes (TXLTALC2=1 AND TXPSAVE2=1).....	289	0.49
ALCPFMLY	1	LAST/CURRENT ALC TRTMNT PAID FOR BY FAMILY MEMBERS		
		0 = No/Unknown (TXLTALC2=0 OR TXPFMLY2=0).....	58548	99.78
		1 = Yes (TXLTALC2=1 AND TXPFMLY2=1).....	132	0.22
ALCPCORT	1	LAST/CURRENT ALCOHOL TREATMENT PAID FOR BY COURTS		
		0 = No/Unknown (TXLTALC2=0 OR TXPCORT2=0).....	58621	99.90
		1 = Yes (TXLTALC2=1 AND TXPCORT2=1).....	59	0.10
ALCPMILC	1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLTH CARE		
		0 = No/Unknown (TXLTALC2=0 OR TXPMILC2=0).....	58655	99.96
		1 = Yes (TXLTALC2=1 AND TXPMILC2=1).....	25	0.04
ALCPEMPL	1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXLTALC2=0 OR TXPEMPL2=0).....	58654	99.96
		1 = Yes (TXLTALC2=1 AND TXPEMPL2=1).....	26	0.04
NOTE: The following recoded variables contain information about where respondent received treatment in the past year.				
LOCHOSP	1	RCVD ILL DRUG OR ALC TRT AT A HOSPITAL IN PAST YR		
		0 = No/Unknown (TXYRHOSP=2,81,85,91,94,97,98,99).....	58515	99.72
		1 = Yes (TXYRHOSP=1,5).....	165	0.28
LOCRFIN	1	RCVD ILL DRUG/ALC TRT AT INP REHAB FAC IN PAST YR		
		0 = No/Unknown (TXYRRFIN=2,81,85,91,94,97,98,99).....	58481	99.66
		1 = Yes (TXYRRFIN=1,3,5).....	199	0.34
LOCRFOP	1	RCVD ILL DRUG/ALC TRT AT OUTP REHAB FAC IN PAST YR		
		0 = No/Unknown (TXYRRFOP=2,81,85,91,94,97,98,99).....	58352	99.44
		1 = Yes (TXYRRFOP=1,5).....	328	0.56
LOCMHC	1	RCVD ILL DRUG/ALC TRT AT MNTL HLTH CNTR IN PAST YR		
		0 = No/Unknown (TXYRMHC=2,81,85,91,94,97,98,99).....	58470	99.64
		1 = Yes (TXYRMHC=1,5).....	210	0.36
LOCTXER	1	RCVD ILL DRUG OR ALC TRT AT AN ER IN PAST YR		
		0 = No/Unknown (TXYRTXER=2,81,85,91,97,98,99).....	58578	99.83
		1 = Yes (TXYRTXER=1,3,5).....	102	0.17

RECODED DRUG TREATMENT			PAGE:	367
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LOCDOC	1	RCVD ILL DRUG OR ALC TRT AT DR'S OFFICE IN PAST YR		
		0 = No/Unknown (TXYRDOC=2,81,85,91,94,97,98,99).....	58557	99.79
		1 = Yes (TXYRDOC=1,3,5).....	123	0.21
LOCJAIL	1	RCVD ILL DRUG OR ALC TRT AT PRISON/JAIL IN PAST YR		
		0 = No/Unknown (TXYRJAIL=2,81,85,91,97,98,99).....	58615	99.89
		1 = Yes (TXYRJAIL=1,5).....	65	0.11
LOCSHG	1	RCVD ILL DRUG/ALC TRT AT SELF-HELP GRP IN PAST YR		
		0 = No/Unknown (TXYRSHG=2,81,85,91,97,98,99).....	58215	99.21
		1 = Yes (TXYRSHG=1,3,5).....	465	0.79
DRGHOSP	1	RCVD ILL DRUG TREATMENT AT A HOSPITAL IN PAST YEAR		
		0 = No/Unknown (Otherwise).....	58579	99.83
		1 = Yes (TXYRHOSP=1 AND TXYRHOPAD=2,3).....	101	0.17
DRGRFIN	1	RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YEAR		
		0 = No/Unknown (Otherwise).....	58542	99.76
		1 = Yes (TXYRRFIN=1 AND TXYRINAD=2,3).....	138	0.24
DRGRFOP	1	RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
		0 = No/Unknown (Otherwise).....	58495	99.68
		1 = Yes (TXYRRFOP=1 AND TXYRPOAD=2,3).....	185	0.32
DRGMHC	1	RCVD ILL DRUG TRT AT A MENTAL HLTH CNTR IN PST YR		
		0 = No/Unknown (Otherwise).....	58557	99.79
		1 = Yes (TXYRMHC=1 AND TXYRMHAD=2,3).....	123	0.21
DRGTXER	1	RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
		0 = No/Unknown (Otherwise).....	58632	99.92
		1 = Yes (TXYRTXER=1 AND TXYRERAD=2,3).....	48	0.08
DRGDOC	1	RECEIVED ILL DRUG TRT AT A DR'S OFFICE IN PAST YR		
		0 = No/Unknown (Otherwise).....	58606	99.87
		1 = Yes (TXYRDOC=1 AND TXYRDCAD=2,3).....	74	0.13
DRGJAIL	1	RCVD ILL DRUG TRT AT A PRISON/JAIL IN THE PAST YR		
		0 = No/Unknown (Otherwise).....	58641	99.93
		1 = Yes (TXYRJAIL=1 AND TXYRJLAD=2,3).....	39	0.07
DRGSHG	1	RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
		0 = No/Unknown (Otherwise).....	58435	99.58
		1 = Yes (TXYRSHG=1 AND TXYRSGAD=2,3).....	245	0.42

RECODED DRUG TREATMENT			PAGE:	368
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ALCHOSP	1	RECEIVED ALC TRT AT A HOSPITAL IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	58567	99.81
		1 = Yes (TXYRHOSP=1 AND TXYRHPAD=1,3).....	113	0.19
ALCRFIN	1	RCVD ALC TRT AT INP REHAB FAC IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	58552	99.78
		1 = Yes (TXYRRFIN=1 AND TXYRINAD=1,3).....	128	0.22
ALCRFOP	1	RCVD ALC TRT AT AN OUTP REHAB FAC IN THE PAST YR		
		0 = No/Unknown (Otherwise).....	58450	99.61
		1 = Yes (TXYRRFOP=1 AND TXYRPOAD=1,3).....	230	0.39
ALCMHC	1	RCVD ALC TRT AT A MENTAL HEALTH CENTER IN PAST YR		
		0 = No/Unknown (Otherwise).....	58531	99.75
		1 = Yes (TXYRMHC=1 AND TXYRMHAD=1,3).....	149	0.25
ALCTXER	1	RCVD ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
		0 = No/Unknown (Otherwise).....	58621	99.90
		1 = Yes (TXYRTXER=1 AND TXYRERAD=1,3).....	59	0.10
ALCDOC	1	RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
		0 = No/Unknown (Otherwise).....	58604	99.87
		1 = Yes (TXYRDOC=1 AND TXYRDCAD=1,3).....	76	0.13
ALCJAIL	1	RECEIVED ALC TRT AT A PRISON/JAIL IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	58630	99.91
		1 = Yes (TXYRJAIL=1 AND TXYRJLAD=1,3).....	50	0.09
ALCSHG	1	RCVD ALC TRT AT A SELF-HELP GROUP IN PAST YR		
		0 = No/Unknown (Otherwise).....	58326	99.40
		1 = Yes (TXYRSHG=1 AND TXYRSGAD=1,3).....	354	0.60

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT01)		ADULT MENTAL HEALTH SERVICE UTILIZATION		

		These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.		
		During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.		
AUINPYR	2	1STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		1 = Yes.....	290	0.49
		2 = No.....	38847	66.20
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	19426	33.10
(ADMT02)		Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?		
AUINPSYH	2	1MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		1 = Response entered.....	89	0.15
		6 = Response not entered.....	195	0.33
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUINPGEN	2	1MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	82	0.14
		6 = Response not entered.....	202	0.34
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	370
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUINMEDU	2	1MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	64	0.11
		6 = Response not entered.....	220	0.37
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUINAHSP	2	1MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		
		1 = Response entered.....	26	0.04
		6 = Response not entered.....	258	0.44
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUINRES	2	1MH TRMT IN RESID TRMT CENTER PST 12 MOS		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	267	0.46
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUINSFAC	2	1MH TRMT IN SOME OTHER FACIL PST 12 MOS		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	266	0.45
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
(ADMT04)		During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?		
AUNMPSY2	3	1# NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		RANGE = 1 - 30	84	0.14
		31 = 31 or more.....	4	0.01
		997 = REFUSED.....	58	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58472	99.65

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

(ADMT05) During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

AUNMPGE2	3	1# NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 28	76	0.13
		31 = 31 or more.....	4	0.01
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	58	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58479	99.66

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

AUNMMEDU	3	1# NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 30	63	0.11
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	57	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58497	99.69

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

AUNMAHSP	3	1# NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS		
		RANGE = 1 - 30	25	0.04
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	57	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58535	99.75

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

AUNMRES	3	1# NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		RANGE = 1 - 30	16	0.03
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	57	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58544	99.77

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT09)		During the past 12 months, how many nights did you spend in some other type of facility for mental health care?		
AUNMSFA2	3	1# NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		RANGE = 1 - 28	15	0.03
		31 = 31 or more.....	2	0.00
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	57	0.10
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	58543	99.77
(ADMT10)		Who paid or will pay for the inpatient mental health care you received during the past 12 months?		
AUPINSLF	2	1INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	74	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	204	0.35
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINOFM	2	1INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	13	0.02
		6 = Response not entered.....	266	0.45
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINPHI	2	1INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	68	0.12
		6 = Response not entered.....	211	0.36
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	373
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINMCR	2	1INPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	46	0.08
		6 = Response not entered.....	233	0.40
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINMCD	2	1INPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	45	0.08
		6 = Response not entered.....	234	0.40
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINREH	2	1INPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	5	0.01
		6 = Response not entered.....	274	0.47
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINEMP	2	1INPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	9	0.02
		6 = Response not entered.....	270	0.46
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINMIL	2	1INPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		1 = Response entered.....	7	0.01
		6 = Response not entered.....	272	0.46
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	374
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINPUB	2	1INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	261	0.44
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINPRV	2	1INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	6	0.01
		6 = Response not entered.....	273	0.47
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
AUPINFRE	2	1INPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	11	0.02
		6 = Response not entered.....	268	0.46
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	58277	99.31
How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.				
AUPINAMT	2	1AMT YOU/FAMILY PAID FOR INPAT MH CARE		
		1 = Less than \$100.....	20	0.03
		2 = \$100 to \$200.....	15	0.03
		3 = \$201 to \$500.....	7	0.01
		4 = \$501 to \$900.....	2	0.00
		5 = \$901 to \$1,500.....	13	0.02
		6 = \$1,501 to \$2,000.....	5	0.01
		7 = \$2,001 to \$5,000.....	10	0.02
		8 = More than \$5,000.....	9	0.02
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	58469	99.64

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT13)		The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.		
		During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.		
		- An outpatient mental health clinic or center		
		- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic		
		- A doctor's office that was not part of a clinic		
		- An outpatient medical clinic		
		- A partial day hospital or day treatment program		
		- Some other place		
AUOPTYR	2	1RCVD OUTPATIENT MH TRMT PST 12 MOS		
		1 = Yes.....	2307	3.93
		2 = No.....	36787	62.69
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	32	0.05
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	19426	33.10
(ADMT14)		Where did you receive outpatient mental health treatment or counseling during the past 12 months?		
AUOPMENT	2	1MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS		
		1 = Response entered.....	477	0.81
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1817	3.10
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	376
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPTHER	2	1MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
		1 = Response entered.....	1275	2.17
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1018	1.73
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUOPDOC	2	1MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		
		1 = Response entered.....	428	0.73
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1866	3.18
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUOPCLNC	2	1MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		
		1 = Response entered.....	146	0.25
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	2146	3.66
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUOPDTMT	2	1MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		1 = Response entered.....	41	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2253	3.84
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	377
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPOTOP	2	1MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		1 = Response entered.....	164	0.28
		6 = Response not entered.....	2131	3.63
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	76	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
(ADMT15)		You have indicated that during the past 12 months you received outpatient mental health treatment or counseling at a place other than those just listed. Please use the keyboard to type in a description of this place.		
AUOPYRS2	2	10TH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS		
		1 = An outpatient mental health clinic or center.....	2	0.00
		2 = Non-clinic therapist/psychologist/counselor.....	4	0.01
		3 = A doctor's office that was not part of a clinic...	1	0.00
		4 = An outpatient medical clinic.....	3	0.01
		5 = A partial day hospital or day treatment program...	1	0.00
		6 = Some other place, not categorized elsewhere.....	13	0.02
		7 = Friend(s)/parent of friend.....	3	0.01
		8 = Family member(s)/home.....	6	0.01
		9 = School or university setting/clinic/center.....	26	0.04
		10 = Church/clergy/religious influence.....	20	0.03
		11 = Support group/self-help group/group counseling....	5	0.01
		12 = Clinic or center counseling; mental/health unspcfd	4	0.01
		13 = Therapist/psychologist/counselor; locale unspcfd.	3	0.01
		14 = A doctor's office; location unspecified.....	7	0.01
		15 = Work/parents' work/Employee Assistance Program....	3	0.01
		18 = Military facility/VA.....	8	0.01
		22 = Health professional, not a Dr; non-mental health..	3	0.01
		24 = Clinic/center, type unspecified.....	3	0.01
		70 = Name of facility/description of facility given....	6	0.01
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	114	0.19
		99 = LEGITIMATE SKIP.....	58348	99.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT16)		During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?		
AUNMMEN2	3	1# VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		RANGE = 1 - 30	436	0.74
		31 = 31 or more.....	32	0.05
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	81	0.14
		998 = BLANK (NO ANSWER).....	87	0.15
		999 = LEGITIMATE SKIP.....	58034	98.90
(ADMT17)		During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?		
AUNMTHE2	3	1# VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		RANGE = 1 - 30	1165	1.99
		31 = 31 or more.....	93	0.16
		994 = DON'T KNOW.....	17	0.03
		997 = REFUSED.....	83	0.14
		998 = BLANK (NO ANSWER).....	87	0.15
		999 = LEGITIMATE SKIP.....	57235	97.54
(ADMT18)		During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?		
AUNMDOC2	3	1# VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		RANGE = 1 - 30	418	0.71
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	81	0.14
		998 = BLANK (NO ANSWER).....	87	0.15
		999 = LEGITIMATE SKIP.....	58083	98.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT19)		During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?		
AUNMCLN2	3	1# VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		RANGE = 1 - 30	139	0.24
		31 = 31 or more.....	6	0.01
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	80	0.14
		998 = BLANK (NO ANSWER).....	87	0.15
		999 = LEGITIMATE SKIP.....	58363	99.46
(ADMT20)		During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?		
AUNMDTM2	3	1# VISITS TO DAY TREATMENT PGM PST 12 MOS		
		RANGE = 1 - 30	37	0.06
		31 = 31 or more.....	2	0.00
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	81	0.14
		998 = BLANK (NO ANSWER).....	87	0.15
		999 = LEGITIMATE SKIP.....	58470	99.64
(ADMT21)		During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?		
AUNMOTO2	3	1# VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
		RANGE = 1 - 26	146	0.25
		31 = 31 or more.....	3	0.01
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	86	0.15
		998 = BLANK (NO ANSWER).....	88	0.15
		999 = LEGITIMATE SKIP.....	58348	99.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	380
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT22)		Who paid or will pay for the outpatient mental health care you received during the past 12 months?		
AUPOPSLF	2	10UPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	840	1.43
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1443	2.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPOFM	2	10UPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	69	0.12
		6 = Response not entered.....	2215	3.77
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPPHI	2	10UPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	940	1.60
		6 = Response not entered.....	1344	2.29
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPMCR	2	10UTPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	125	0.21
		6 = Response not entered.....	2159	3.68
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPMCD	2	10UTPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	164	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2119	3.61
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	381
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPOPREH	2	1OUPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	2274	3.88
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPEMP	2	1OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	163	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2120	3.61
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPMIL	2	1OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		1 = Response entered.....	50	0.09
		6 = Response not entered.....	2234	3.81
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPPUB	2	1OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	77	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2206	3.76
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
AUPOPPRV	2	1OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	36	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2247	3.83
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION			PAGE:	382
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPOPFRE	2	1OUTPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	212	0.36
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2071	3.53
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	56217	95.80
(ADMT23)		Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?		
AUPOPMOS	2	1PAYMENT FOR MOST OF OUTPATIENT MH CARE		
		1 = Self or a family member living with you.....	93	0.16
		2 = A family member who does not live with you.....	6	0.01
		3 = Private health insurance.....	186	0.32
		4 = Medicare.....	23	0.04
		5 = Medicaid.....	9	0.02
		7 = Employer.....	26	0.04
		8 = VA or other military program.....	6	0.01
		9 = Other public source.....	2	0.00
		10 = Other private source.....	4	0.01
		11 = No one paid because the treatment was free.....	6	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	91	0.16
		98 = BLANK (NO ANSWER).....	89	0.15
		99 = LEGITIMATE SKIP.....	58136	99.07
(ADMT24)		How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPOPAMT	2	1AMT YOU/FAMILY PAID FOR OUPAT MH CARE		
		1 = Less than \$100.....	294	0.50
		2 = \$100 to \$200.....	147	0.25
		3 = \$201 to \$500.....	160	0.27
		4 = \$501 to \$900.....	100	0.17
		5 = \$901 to \$1,500.....	65	0.11
		6 = \$1,501 to \$2,000.....	37	0.06
		7 = \$2,001 to \$5,000.....	43	0.07
		8 = More than \$5,000.....	12	0.02
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	94	0.16
		98 = BLANK (NO ANSWER).....	93	0.16
		99 = LEGITIMATE SKIP.....	57605	98.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT25)		During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?		
AURXYR	2	1TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS		
		1 = Yes.....	2838	4.84
		2 = No.....	36274	61.82
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	77	0.13
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	19426	33.10
(ADMT26)		During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?		
AUNM TYR	2	1NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS		
		1 = Yes.....	2103	3.58
		2 = No.....	37000	63.05
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	19426	33.10
		Was this because you couldn't afford mental health treatment or counseling, or was there some other reason you didn't get the care you needed?		
AUNMTRS	2	1REASON DIDN'T GET MH TRMT PAST 12 MOS		
		1 = Couldn't afford it.....	712	1.21
		2 = Some other reason.....	1390	2.37
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	72	0.12
		99 = LEGITIMATE SKIP.....	56430	96.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED ADULT MENTAL HEALTH SERVICE

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED ADULT MENTAL HEALTH SERVICE				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
AMHINP	1	ADULT REC INPATIENT MENTAL HEALTH TRT IN PAST YEAR		
		1 = Yes (AUINPYR=1).....	290	0.49
		2 = No (AUINPYR=2).....	38847	66.20
		3 = Unknown (AUINPYR=85,94,97,98).....	113	0.19
		4 = Aged 12-17 (AUINPYR=89,99).....	19430	33.11
AMHOUTP	1	ADULT REC OUTPATIENT MENTAL HEALTH TRT IN PAST YR		
		1 = Yes (AUOPTYR=1).....	2307	3.93
		2 = No (AUOPTYR=2).....	36787	62.69
		3 = Unknown (AUOPTYR=85,94,97,98).....	156	0.27
		4 = Aged 12-17 (AUOPTYR=89,99).....	19430	33.11
AMHRX	1	ADULT REC PRESC MED FOR MENTAL HLTH TRT IN PST YR		
		1 = Yes (AURXYR=1).....	2838	4.84
		2 = No (AURXYR=2).....	36274	61.82
		3 = Unknown (AURXYR=85,94,97,98).....	138	0.24
		4 = Aged 12-17 (AURXYR=89,99).....	19430	33.11
AMHTXREC	1	ADULT REC ANY MENTAL HEALTH TRT IN PAST YEAR		
		1 = Yes (AMHINP=1 OR AMHOUTP=1 OR AMHRX=1).....	3852	6.56
		2 = No (AMHINP=2 AND AMHOUTP=2 AND AMHRX=2).....	35239	60.05
		3 = Unknown (OTHERWISE).....	159	0.27
		4 = Aged 12-17 (AMHINP=4 AND AMHOUTP=4 AND AMHRX=4)...	19430	33.11
AMHTRTND	1	ADULT PERCEIVED NEED/DID NOT REC MH TRT PST YR		
		1 = Yes (AUUNMTYR=1).....	2103	3.58
		2 = No (AUUNMTYR=2).....	37000	63.05
		3 = Unknown (AUUNMTYR=85,94,97,98).....	147	0.25
		4 = Aged 12-17 (AUUNMTYR=89,99).....	19430	33.11

SOCIAL ENVIRONMENT

LABEL	LEN	DESCRIPTION	FREQ	%
SOCIAL ENVIRONMENT				
The next questions are about the neighborhood where you currently live.				
For each of the next statements, please indicate how much you agree or disagree.				
There is a lot of crime in your neighborhood.				
SNCRIME	2	1THERE IS A LOT OF CRIME IN NEIGHBORHOOD		
		1 = Strongly Agree.....	2458	4.19
		2 = Somewhat Agree.....	6433	10.96
		3 = Somewhat Disagree.....	9139	15.57
		4 = Strongly Disagree.....	20674	35.23
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	464	0.79
		97 = REFUSED.....	70	0.12
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
A lot of drug selling goes on in your neighborhood.				
SNSELLDG	2	1A LOT OF DRUG SELLING GOES ON IN NEIGHBORHOOD		
		1 = Strongly Agree.....	3401	5.80
		2 = Somewhat Agree.....	6040	10.29
		3 = Somewhat Disagree.....	7679	13.09
		4 = Strongly Disagree.....	20113	34.28
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	1916	3.27
		97 = REFUSED.....	89	0.15
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
People in your neighborhood share the same values.				
SNPPVAL	2	1PEOPLE IN NEIGHBORHOOD SHARE THE SAME VALUES		
		1 = Strongly Agree.....	9747	16.61
		2 = Somewhat Agree.....	17015	29.00
		3 = Somewhat Disagree.....	6428	10.95
		4 = Strongly Disagree.....	4099	6.99
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	1859	3.17
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	386
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		There are lots of street fights in your neighborhood.		
SNSTFGT	2	1LOTS OF STREET FIGHTS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1199	2.04
		2 = Somewhat Agree.....	2601	4.43
		3 = Somewhat Disagree.....	5079	8.66
		4 = Strongly Disagree.....	29551	50.36
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	730	1.24
		97 = REFUSED.....	78	0.13
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		There are many empty or abandoned buildings in your neighborhood.		
SNEMTBLD	2	1MANY EMPTY/ABANDONED BLDGS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1279	2.18
		2 = Somewhat Agree.....	2545	4.34
		3 = Somewhat Disagree.....	4159	7.09
		4 = Strongly Disagree.....	30750	52.40
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	435	0.74
		97 = REFUSED.....	70	0.12
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		People in your neighborhood often help each other out.		
SNPPHLP	2	1PEOPLE IN NEIGHBORHOOD OFTEN HELP EACH OTHER		
		1 = Strongly Agree.....	13331	22.72
		2 = Somewhat Agree.....	16749	28.54
		3 = Somewhat Disagree.....	5011	8.54
		4 = Strongly Disagree.....	3086	5.26
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	995	1.70
		97 = REFUSED.....	66	0.11
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT

LABEL	LEN	DESCRIPTION	FREQ	%
		There is a lot of graffiti in your neighborhood. By "graffiti" we mean words or pictures that are written or drawn on buildings, fences, walls, or rocks, often with spray paint.		
SNGRAFTI	2	1THERE IS A LOT OF GRAFFITI IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1293	2.20
		2 = Somewhat Agree.....	2736	4.66
		3 = Somewhat Disagree.....	4703	8.01
		4 = Strongly Disagree.....	30157	51.39
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	282	0.48
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		People in your neighborhood often visit in each other's homes.		
SNPPVSIT	2	1PEOPLE IN NBHD OFTEN VISIT IN EACH OTHERS HOMES		
		1 = Strongly Agree.....	7900	13.46
		2 = Somewhat Agree.....	16936	28.86
		3 = Somewhat Disagree.....	7857	13.39
		4 = Strongly Disagree.....	5274	8.99
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	1203	2.05
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		People move in and out of your neighborhood often.		
SNPPMOVE	2	1PEOPLE MOVE IN AND OUT OF NEIGHBORHOOD OFTEN		
		1 = Strongly Agree.....	3829	6.53
		2 = Somewhat Agree.....	8110	13.82
		3 = Somewhat Disagree.....	11320	19.29
		4 = Strongly Disagree.....	14901	25.39
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	1010	1.72
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	388
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN04)		How many times have you moved in the past 5 years?		
SNMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS		
		0 = None.....	15266	26.02
		1 = One time.....	9102	15.51
		2 = Two times.....	5974	10.18
		3 = Three times.....	4248	7.24
		4 = Four times.....	1923	3.28
		5 = Five times.....	1089	1.86
		6 = Six or more times.....	1408	2.40
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	133	0.23
		997 = REFUSED.....	95	0.16
		998 = BLANK (NO ANSWER).....	12	0.02
		999 = LEGITIMATE SKIP.....	19427	33.11
		Are you currently living with a spouse or partner?		
SNSPOUSE	2	1CURRENTLY LIVING WITH A SPOUSE/PARTNER		
		1 = Yes.....	21029	35.84
		2 = No.....	18115	30.87
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		How many times during the past 12 months have you and your spouse or partner spent an hour or more together doing an activity that you both enjoyed?		
SNSPACTV	2	1YOU AND SPOUSE SPENT 1+ HR IN ACTIV YOU ENJOY		
		1 = 0 times.....	529	0.90
		2 = 1 or 2 times.....	812	1.38
		3 = A few times.....	2754	4.69
		4 = Many times.....	16838	28.69
		85 = BAD DATA Logically assigned.....	21	0.04
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	111	0.19
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	389
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		How many times during the past 12 months were you and your spouse or partner angry with each other?		
SNSPANGR	2	1YOU AND SPOUSE WERE ANGRY WITH EACH OTHER		
		1 = 0 times.....	2729	4.65
		2 = 1 or 2 times.....	5106	8.70
		3 = A few times.....	9568	16.31
		4 = Many times.....	3457	5.89
		85 = BAD DATA Logically assigned.....	21	0.04
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	155	0.26
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98
		How many times during the past 12 months did your spouse or partner hit or threaten to hit you?		
SNSPHITU	2	1YOUR SPOUSE/PARTNER HIT/THREATENED TO HIT YOU		
		1 = 0 times.....	19732	33.63
		2 = 1 or 2 times.....	717	1.22
		3 = A few times.....	348	0.59
		4 = Many times.....	137	0.23
		85 = BAD DATA Logically assigned.....	21	0.04
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	125	0.21
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98
		How many times during the past 12 months did you hit or threaten to hit your spouse or partner?		
SNYHITSP	2	1YOU HIT/THREATENED TO HIT YOUR SPOUSE/PARTNER		
		1 = 0 times.....	19920	33.95
		2 = 1 or 2 times.....	686	1.17
		3 = A few times.....	251	0.43
		4 = Many times.....	81	0.14
		85 = BAD DATA Logically assigned.....	21	0.04
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	122	0.21
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	390
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		How often is your spouse or partner critical of you?		
SNSPCRIT	2	1HOW OFTEN IS SPOUSE/PARTNER CRITICAL OF YOU		
		1 = Always.....	1229	2.09
		2 = Sometimes.....	5498	9.37
		3 = Seldom.....	7513	12.80
		4 = Never.....	6597	11.24
		94 = DON'T KNOW.....	103	0.18
		97 = REFUSED.....	153	0.26
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98
		How often does your spouse or partner show concern for your feelings and problems?		
SNSPCONC	2	1HOW OFTEN SPOUSE/PRTNER SHOWS CONCERN FEELINGS		
		1 = Always.....	14673	25.01
		2 = Sometimes.....	4927	8.40
		3 = Seldom.....	922	1.57
		4 = Never.....	420	0.72
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	125	0.21
		98 = BLANK (NO ANSWER).....	42	0.07
		99 = LEGITIMATE SKIP.....	37545	63.98
		Not including family members, how many friends do you have who you share personal issues and concerns with?		
SNFRCONC	2	1#FRIENDS WHO YOU SHARE PERS ISSUES/CONCERNS WITH		
		1 = None.....	4642	7.91
		2 = One.....	5498	9.37
		3 = 2 or 3.....	15420	26.28
		4 = 4 to 5.....	6026	10.27
		5 = More than 5.....	7420	12.64
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	84	0.14
		97 = REFUSED.....	148	0.25
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	391
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Not including family members, how many friends do you have who you spend time with on shared interests and activities?		
SNFRACTV	2	1#FRIENDS WHO YOU SPEND TIME WITH		
		1 = None.....	3916	6.67
		2 = One.....	4438	7.56
		3 = 2 or 3.....	13511	23.02
		4 = 4 to 5.....	6265	10.68
		5 = More than 5.....	10907	18.59
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	73	0.12
		97 = REFUSED.....	128	0.22
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		Not including family members, how many friends do you have who really like and care about you?		
SNFRCARE	2	1#FRIENDS WHO REALLY LIKE/CARE ABOUT YOU		
		1 = None.....	2061	3.51
		2 = One.....	3200	5.45
		3 = 2 or 3.....	10560	18.00
		4 = 4 to 5.....	6025	10.27
		5 = More than 5.....	17079	29.11
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	186	0.32
		97 = REFUSED.....	127	0.22
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?		
SNYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	38037	64.82
		2 = 1 or 2 times.....	428	0.73
		3 = 3 to 5 times.....	175	0.30
		4 = 6 to 9 times.....	92	0.16
		5 = 10 or more times.....	322	0.55
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	115	0.20
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	392
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
SNYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		1 = 0 times.....	38480	65.58
		2 = 1 or 2 times.....	406	0.69
		3 = 3 to 5 times.....	90	0.15
		4 = 6 to 9 times.....	33	0.06
		5 = 10 or more times.....	73	0.12
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	90	0.15
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
SNYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	37927	64.63
		2 = 1 or 2 times.....	961	1.64
		3 = 3 to 5 times.....	122	0.21
		4 = 6 to 9 times.....	36	0.06
		5 = 10 or more times.....	48	0.08
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	84	0.14
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		How do you feel about adults smoking one or more packs of cigarettes per day?		
SNFACIG	2	1HOW YOU FEEL: ADLTS SMOKING 1+ PK CIGS/DAY		
		1 = Neither approve nor disapprove.....	14504	24.72
		2 = Somewhat disapprove.....	7419	12.64
		3 = Strongly disapprove.....	17046	29.05
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	161	0.27
		97 = REFUSED.....	107	0.18
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	393
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?		
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	13803	23.52
		2 = Somewhat disapprove.....	5898	10.05
		3 = Strongly disapprove.....	19221	32.76
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	181	0.31
		97 = REFUSED.....	134	0.23
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		How do you feel about adults having one or two drinks of an alcoholic beverage nearly every day?		
SNFAALDY	2	1HOW YOU FEEL: ADLTS DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	17147	29.22
		2 = Somewhat disapprove.....	10478	17.86
		3 = Strongly disapprove.....	11360	19.36
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	139	0.24
		97 = REFUSED.....	113	0.19
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11
		How do you feel about adults driving a car after having one or two drinks of an alcoholic beverage?		
SNFAALDV	2	1HOW YOU FEEL: ADLTS DRIVING AFT 1-2 DRINKS		
		1 = Neither approve nor disapprove.....	6164	10.50
		2 = Somewhat disapprove.....	8159	13.90
		3 = Strongly disapprove.....	24701	42.09
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	111	0.19
		97 = REFUSED.....	102	0.17
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	19427	33.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	394
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		YOUTH EXPERIENCES		

		The next questions are about the neighborhood where you currently live.		
		For each of the next statements, please indicate how much you agree or disagree.		
		There is a lot of crime in your neighborhood.		
YECRIME	2	1THERE IS A LOT OF CRIME IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1084	1.85
		2 = Somewhat Agree.....	3166	5.40
		3 = Somewhat Disagree.....	4634	7.90
		4 = Strongly Disagree.....	10375	17.68
		94 = DON'T KNOW.....	141	0.24
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		A lot of drug selling goes on in your neighborhood.		
YSELLDG	2	1A LOT OF DRUG SELLING IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1914	3.26
		2 = Somewhat Agree.....	3045	5.19
		3 = Somewhat Disagree.....	3432	5.85
		4 = Strongly Disagree.....	10535	17.95
		94 = DON'T KNOW.....	460	0.78
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		People in your neighborhood often help each other out.		
YEPPLP	2	1PEOPLE IN NEIGHBORHOOD HELP EACH OTHER OUT		
		1 = Strongly Agree.....	6511	11.10
		2 = Somewhat Agree.....	8634	14.71
		3 = Somewhat Disagree.....	2626	4.48
		4 = Strongly Disagree.....	1392	2.37
		94 = DON'T KNOW.....	238	0.41
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	395
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		There are lots of street fights in your neighborhood.		
YESTFGT	2	1THERE ARE LOTS OF STREET FIGHTS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	921	1.57
		2 = Somewhat Agree.....	1843	3.14
		3 = Somewhat Disagree.....	3286	5.60
		4 = Strongly Disagree.....	13172	22.45
		94 = DON'T KNOW.....	179	0.31
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		There are many empty or abandoned buildings in your neighborhood.		
YEEMTBLD	2	1THERE ARE EMPTY/ABANDONED BLDGS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	747	1.27
		2 = Somewhat Agree.....	1516	2.58
		3 = Somewhat Disagree.....	2592	4.42
		4 = Strongly Disagree.....	14367	24.48
		94 = DON'T KNOW.....	176	0.30
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		People in your neighborhood often visit in each other's homes.		
YEPPVSIT	2	1PEOPLE IN NEIGHBORHOOD OFTEN VISIT IN EA OTH HOME		
		1 = Strongly Agree.....	6196	10.56
		2 = Somewhat Agree.....	7874	13.42
		3 = Somewhat Disagree.....	3081	5.25
		4 = Strongly Disagree.....	1925	3.28
		94 = DON'T KNOW.....	323	0.55
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	396
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		There is a lot of graffiti in your neighborhood. By "graffiti" we mean words or pictures that are written or drawn on buildings, fences, walls, or rocks, often with spray paint.		
YEGRAFTI	2	1THERE IS A LOT OF GRAFFITI IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1028	1.75
		2 = Somewhat Agree.....	1976	3.37
		3 = Somewhat Disagree.....	2905	4.95
		4 = Strongly Disagree.....	13365	22.78
		94 = DON'T KNOW.....	125	0.21
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		People move in and out of your neighborhood often.		
YEPPMOVE	2	1PEOPLE MOVE IN AND OUT OF NEIGHBORHOOD OFTEN		
		1 = Strongly Agree.....	1616	2.75
		2 = Somewhat Agree.....	4050	6.90
		3 = Somewhat Disagree.....	5879	10.02
		4 = Strongly Disagree.....	7520	12.82
		94 = DON'T KNOW.....	334	0.57
		97 = REFUSED.....	20	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE04)		How many times have you moved in the past 5 years?		
YEMOV5Y2	2	1# TIMES MOVED IN PAST 5 YEARS		
		0 = None.....	9733	16.59
		1 = One time.....	4501	7.67
		2 = Two times.....	2242	3.82
		3 = Three times.....	1422	2.42
		4 = Four times.....	613	1.04
		5 = Five times.....	272	0.46
		6 = Six or more times.....	379	0.65
		994 = DON'T KNOW.....	219	0.37
		997 = REFUSED.....	38	0.06
		998 = BLANK (NO ANSWER).....	11	0.02
		999 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	397
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		Have you been enrolled in any type of school at any time during the past 12 months?		
YEENRLYR	2	1BEEN ENROLLED IN ANY SCHOOL PAST 12 MONTHS		
		1 = Yes.....	13947	23.77
		2 = No.....	5287	9.01
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE15)		What were your grades for the last semester or grading period you completed?		
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED		
		1 = An "A+", "A" or "A-minus" average.....	3990	6.80
		2 = A "B+", "B" or "B-minus" average.....	5558	9.47
		3 = A "C+", "C" or "C-minus" average.....	3073	5.24
		4 = A "D" or less than a "D" average.....	877	1.49
		5 = My school does not give these grades.....	279	0.48
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	92	0.16
		97 = REFUSED.....	102	0.17
		98 = BLANK (NO ANSWER).....	165	0.28
		99 = LEGITIMATE SKIP.....	44537	75.90
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
		1 = 0 times.....	15865	27.04
		2 = 1 or 2 times.....	2755	4.69
		3 = 3 to 5 times.....	508	0.87
		4 = 6 to 9 times.....	103	0.18
		5 = 10 or more times.....	130	0.22
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	398
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
		1 = 0 times.....	16461	28.05
		2 = 1 or 2 times.....	2208	3.76
		3 = 3 to 5 times.....	431	0.73
		4 = 6 to 9 times.....	114	0.19
		5 = 10 or more times.....	133	0.23
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN		
		1 = 0 times.....	18828	32.09
		2 = 1 or 2 times.....	341	0.58
		3 = 3 to 5 times.....	61	0.10
		4 = 6 to 9 times.....	39	0.07
		5 = 10 or more times.....	91	0.16
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		
YEYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	18689	31.85
		2 = 1 or 2 times.....	337	0.57
		3 = 3 to 5 times.....	114	0.19
		4 = 6 to 9 times.....	50	0.09
		5 = 10 or more times.....	178	0.30
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	399
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
		1 = 0 times.....	18577	31.66
		2 = 1 or 2 times.....	540	0.92
		3 = 3 to 5 times.....	111	0.19
		4 = 6 to 9 times.....	43	0.07
		5 = 10 or more times.....	95	0.16
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YEYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	17959	30.60
		2 = 1 or 2 times.....	1131	1.93
		3 = 3 to 5 times.....	155	0.26
		4 = 6 to 9 times.....	39	0.07
		5 = 10 or more times.....	76	0.13
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		
YEPPKCIG	2	1HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	1190	2.03
		2 = Somewhat disapprove.....	1154	1.97
		3 = Strongly disapprove.....	16932	28.85
		94 = DON'T KNOW.....	105	0.18
		97 = REFUSED.....	37	0.06
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	400
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		
YEPMJJEVR	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither Approve or Disapprove.....	874	1.49
		2 = Somewhat Disapprove.....	1106	1.88
		3 = Strongly Disapprove.....	17320	29.52
		94 = DON'T KNOW.....	87	0.15
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither Approve or Disapprove.....	829	1.41
		2 = Somewhat Disapprove.....	1529	2.61
		3 = Strongly Disapprove.....	16936	28.86
		94 = DON'T KNOW.....	85	0.14
		97 = REFUSED.....	38	0.06
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		1 = Neither approve nor disapprove.....	2851	4.86
		2 = Somewhat disapprove.....	2973	5.07
		3 = Strongly disapprove.....	13463	22.94
		94 = DON'T KNOW.....	93	0.16
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	401
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		
YEGMJJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3771	6.43
		2 = Somewhat disapprove.....	2769	4.72
		3 = Strongly disapprove.....	12759	21.74
		94 = DON'T KNOW.....	82	0.14
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	3112	5.30
		2 = Somewhat disapprove.....	3339	5.69
		3 = Strongly disapprove.....	12835	21.87
		94 = DON'T KNOW.....	96	0.16
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE22)		NOTE: In the variables YETLKPAR and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response entered.....	761	1.30
		6 = Response not entered.....	18377	31.32
		11 = Response entered (& other responses entered).....	148	0.25
		94 = DON'T KNOW.....	86	0.15
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	402
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKPAR	2	1MY MOTHER/FATHER/GUARDIAN		
		1 = Response entered.....	12868	21.93
		6 = Response not entered.....	6349	10.82
		11 = Response entered (YETLKNON=11).....	69	0.12
		94 = DON'T KNOW.....	86	0.15
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
YETLKSOP	2	1SOME OTHER PERSON		
		1 = Response entered.....	9826	16.75
		6 = Response not entered.....	9355	15.94
		11 = Response entered (YETLKNON=11).....	105	0.18
		94 = DON'T KNOW.....	86	0.15
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE08)		Now think about the past 12 months, that is, from DATEFILL through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.		
YEPRTDNG	2	1HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC		
		1 = Yes.....	11201	19.09
		2 = No.....	8035	13.69
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	129	0.22
		97 = REFUSED.....	38	0.06
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	403
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months have you participated in a Big Brother/Big Sister/Big Buddy program or peer mentoring or tutoring program?		
YEBIGBRO	2	1BIG BROTHER/BIG SISTER/BIG BUDDY PROGRAM		
		1 = Yes.....	2527	4.31
		2 = No.....	16778	28.59
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?		
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR		
		1 = Yes.....	3639	6.20
		2 = No.....	15630	26.64
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	109	0.19
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?		
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS		
		1 = Yes.....	3181	5.42
		2 = No.....	16140	27.51
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	59	0.10
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	404
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months have you participated in youth center activities, at the YMCA, YWCA, or other similar community centers?		
YEYMCA	2	1YOUTH CENTER ACTIVITIES/YMCA/YWCA		
		1 = Yes.....	4091	6.97
		2 = No.....	15220	25.94
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	73	0.12
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in Boy Scouts or Girl Scouts?		
YESCOOTS	2	1BOY SCOUTS/GIRL SCOUTS		
		1 = Yes.....	2042	3.48
		2 = No.....	17324	29.52
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	14	0.02
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in private lessons such as piano, dance, tennis, karate or horseback riding?		
YEPRVLES	2	1PRIVATE LESSONS		
		1 = Yes.....	5655	9.64
		2 = No.....	13703	23.35
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	405
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?		
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL		
		1 = Yes.....	2283	3.89
		2 = No.....	17052	29.06
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in team sports such as football, basketball, swimming or gymnastics?		
YETEMSPT	2	1TEAM SPORTS		
		1 = Yes.....	12045	20.53
		2 = No.....	7325	12.48
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in a 4-H Club?		
YE4HCLUB	2	14-H CLUB		
		1 = Yes.....	1280	2.18
		2 = No.....	17824	30.37
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	274	0.47
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		YOUTH EXPERIENCES		PAGE:	406
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?			
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING			
		1 = Yes.....		868	1.48
		2 = No.....		18456	31.45
		85 = BAD DATA Logically assigned.....		13	0.02
		94 = DON'T KNOW.....		52	0.09
		97 = REFUSED.....		25	0.04
		98 = BLANK (NO ANSWER).....		16	0.03
		99 = LEGITIMATE SKIP.....		39250	66.89
		During the past 12 months have you participated in a school band, orchestra, or choir?			
YEBAND	2	1SCHOOL BAND, ORCHESTRA, CHOIR			
		1 = Yes.....		5444	9.28
		2 = No.....		8494	14.48
		85 = BAD DATA Logically assigned.....		7	0.01
		94 = DON'T KNOW.....		4	0.01
		97 = REFUSED.....		26	0.04
		98 = BLANK (NO ANSWER).....		168	0.29
		99 = LEGITIMATE SKIP.....		44537	75.90
		During the past 12 months have you participated in school-related clubs?			
YESCHCLB	2	1SCHOOL-RELATED CLUBS			
		1 = Yes.....		7219	12.30
		2 = No.....		6701	11.42
		85 = BAD DATA Logically assigned.....		7	0.01
		94 = DON'T KNOW.....		21	0.04
		97 = REFUSED.....		26	0.04
		98 = BLANK (NO ANSWER).....		169	0.29
		99 = LEGITIMATE SKIP.....		44537	75.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	407
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months have you participated in volunteer or community work, such as recycling or clean-up projects?		
YEVOLUNT	2	1VOLUNTEER/COMMUNITY WORK		
		1 = Yes.....	6968	11.87
		2 = No.....	12363	21.07
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	53	0.09
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in student government?		
YESTGOVT	2	1STUDENT GOVERNMENT		
		1 = Yes.....	2356	4.01
		2 = No.....	11531	19.65
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	169	0.29
		99 = LEGITIMATE SKIP.....	44537	75.90
(YE230)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?		
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS		
		1 = Yes.....	2447	4.17
		2 = No.....	16897	28.80
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	32	0.05
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	408
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months have you participated in a job skills or job training program?		
YEJBSKIL	2	1JOB SKILLS OR JOB TRAINING		
		1 = Yes.....	4490	7.65
		2 = No.....	14845	25.30
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months have you participated in a church choir?		
YECHOIR	2	1CHURCH CHOIR		
		1 = Yes.....	3826	6.52
		2 = No.....	15538	26.48
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?		
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL		
		1 = Yes.....	6223	10.60
		2 = No.....	7838	13.36
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	44537	75.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	409
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?		
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS		
		1 = Yes.....	9640	16.43
		2 = No.....	4399	7.50
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	44537	75.90
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?		
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS		
		1 = Yes.....	5375	9.16
		2 = No.....	8630	14.71
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	92	0.16
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	44537	75.90
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		1 = Yes.....	15894	27.09
		2 = No.....	3417	5.82
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

These next questions are about how you got the cigarettes you have smoked during the past 30 days.

During the past 30 days, how many times have you gotten cigarettes by having a friend or relative buy them for you?

YECGFRND 2	1# TIMES FRND/RELAT BGT CIGS FOR YOU PAST 30 DAYS			
	1 = 0 times.....		841	1.43
	2 = 1 time.....		397	0.68
	3 = 2 times.....		238	0.41
	4 = 3 to 5 times.....		344	0.59
	5 = 6 to 9 times.....		155	0.26
	6 = 10 or more times.....		605	1.03
	85 = BAD DATA Logically assigned.....		1	0.00
	91 = NEVER USED CIGARETTES.....		12755	21.74
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		4029	6.87
	94 = DON'T KNOW.....		14	0.02
	97 = REFUSED.....		22	0.04
	98 = BLANK (NO ANSWER).....		29	0.05
	99 = LEGITIMATE SKIP.....		39250	66.89

During the past 30 days, how many times have you bought cigarettes on your own from a vending machine?

YECGVEND 2	1# TIMES BOUGHT CIGS FR VENDING MACH PAST 30 DAYS			
	1 = 0 times.....		2208	3.76
	2 = 1 time.....		135	0.23
	3 = 2 times.....		62	0.11
	4 = 3 to 5 times.....		60	0.10
	5 = 6 to 9 times.....		32	0.05
	6 = 10 or more times.....		98	0.17
	85 = BAD DATA Logically assigned.....		1	0.00
	91 = NEVER USED CIGARETTES.....		12755	21.74
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		4029	6.87
	94 = DON'T KNOW.....		6	0.01
	97 = REFUSED.....		15	0.03
	98 = BLANK (NO ANSWER).....		29	0.05
	99 = LEGITIMATE SKIP.....		39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	411
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 30 days, how many times have you bought cigarettes through the mail?		
YECGMAI2	2	1# TIMES BOUGHT CIGS THRU MAIL PAST 30 DAYS		
		1 = 0 times.....	2530	4.31
		2 = 1 time.....	49	0.08
		3 = 2 times.....	6	0.01
		4 = 3 to 5 times.....	6	0.01
		5 = 6 or more times.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 30 days, how many times have you bought cigarettes in a store where you pick up the pack or carton and bring it to the check-out counter?		
YECGCHKO	2	1# TIMES BGT CIGS/BROUGHT TO CHKOUT PST 30 DAYS		
		1 = 0 times.....	1910	3.25
		2 = 1 time.....	167	0.28
		3 = 2 times.....	102	0.17
		4 = 3 to 5 times.....	122	0.21
		5 = 6 to 9 times.....	65	0.11
		6 = 10 or more times.....	233	0.40
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	412
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 30 days, how many times have you bought cigarettes in a store where the clerk has to hand you the pack or carton?		
YECGCLRK 2		1# TIMES BGT CIGS WHERE CLERK GAVE PAST 30 DAYS		
		1 = 0 times.....	1720	2.93
		2 = 1 time.....	204	0.35
		3 = 2 times.....	118	0.20
		4 = 3 to 5 times.....	154	0.26
		5 = 6 to 9 times.....	97	0.17
		6 = 10 or more times.....	303	0.52
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 30 days, how many times have you bought cigarettes through the Internet?		
YECGINET 2		1# TIMES BOUGHT CIGS THRU INTERNET PAST 30 DAYS		
		1 = 0 times.....	2544	4.34
		2 = 1 time.....	43	0.07
		3 = 2 times.....	5	0.01
		4 = 3 to 5 times.....	2	0.00
		6 = 10 or more times.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	413
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 30 days, how many times did you buy cigarettes at a big supermarket?		
YECGSMKT 2		1# TIMES BOUGHT CIGS IN SUPERMKT PAST 30 DAYS		
		1 = 0 times.....	2310	3.94
		2 = 1 time.....	126	0.21
		3 = 2 times.....	46	0.08
		4 = 3 to 5 times.....	43	0.07
		5 = 6 to 9 times.....	12	0.02
		6 = 10 or more times.....	62	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 30 days, how many times did you buy cigarettes at a drug store?		
YECGDSTO 2		1# TIMES BOUGHT CIGS IN DRUG STORE PST 30 DAYS		
		1 = 0 times.....	2316	3.95
		2 = 1 time.....	114	0.19
		3 = 2 times.....	49	0.08
		4 = 3 to 5 times.....	40	0.07
		5 = 6 to 9 times.....	19	0.03
		6 = 10 or more times.....	63	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

During the past 30 days, how many times did you buy cigarettes at a small grocery store, a convenience store or at a gas station?

YECGCONV 2	1#	TIMES BGT CIGS SML GROC/CONV ST PST 30 DAYS		
	1	= 0 times.....	1678	2.86
	2	= 1 time.....	217	0.37
	3	= 2 times.....	141	0.24
	4	= 3 to 5 times.....	166	0.28
	5	= 6 to 9 times.....	95	0.16
	6	= 10 or more times.....	297	0.51
	85	= BAD DATA Logically assigned.....	1	0.00
	91	= NEVER USED CIGARETTES.....	12755	21.74
	93	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
	94	= DON'T KNOW.....	10	0.02
	97	= REFUSED.....	12	0.02
	98	= BLANK (NO ANSWER).....	29	0.05
	99	= LEGITIMATE SKIP.....	39250	66.89

During the past 30 days, how many times have you bought cigarettes from an individual, such as a friend, a relative, or someone at school?

YECGINDV 2	1#	TIMES BOUGHT CIGS FROM INDIV PAST 30 DAYS		
	1	= 0 times.....	1739	2.96
	2	= 1 time.....	297	0.51
	3	= 2 times.....	156	0.27
	4	= 3 to 5 times.....	172	0.29
	5	= 6 to 9 times.....	56	0.10
	6	= 10 or more times.....	170	0.29
	85	= BAD DATA Logically assigned.....	1	0.00
	91	= NEVER USED CIGARETTES.....	12755	21.74
	93	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	14	0.02
	98	= BLANK (NO ANSWER).....	29	0.05
	99	= LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	415
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The last time you tried to buy cigarettes in a store or gas station, were you asked for proof of your age -- that is, did you have to show some type of ID?		
YECGPRUF	2	1ASKED FOR ID LAST TIME TRIED TO BUY CIGS		
		1 = Yes.....	371	0.63
		2 = No.....	717	1.22
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	40752	69.45
		The last time you tried to buy cigarettes in a store or gas station, were you successful?		
YECGSUCC	2	1SUCCESSFUL LAST TIME TRIED TO BUY CIGS		
		1 = Yes.....	844	1.44
		2 = No.....	244	0.42
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	14	0.02
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	40752	69.45
		Do you buy your cigarettes by the pack or by the carton?		
YEPKCRTN	2	1BUY CIGS BY PACK OR CARTON		
		1 = Pack.....	1428	2.43
		2 = Carton.....	135	0.23
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	12755	21.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	53	0.09
		99 = LEGITIMATE SKIP.....	40258	68.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

What was the price you paid for the last pack of cigarettes you bought?

YEPDPACK 2	1PRICE PAID FOR LAST PACK OF CIGS			
	1 = Less than \$1.00.....	34	0.06	
	2 = \$1.00 - \$1.50.....	30	0.05	
	3 = \$1.51 - \$2.00.....	51	0.09	
	4 = \$2.01 - \$2.50.....	99	0.17	
	5 = \$2.51 - \$3.00.....	326	0.56	
	6 = \$3.01 - \$3.50.....	434	0.74	
	7 = \$3.51 - \$4.00.....	299	0.51	
	8 = \$4.01 - \$4.50.....	83	0.14	
	9 = \$4.51 - \$5.00.....	53	0.09	
	10 = More than \$5.00.....	6	0.01	
	85 = BAD DATA Logically assigned.....	1	0.00	
	91 = NEVER USED CIGARETTES.....	12755	21.74	
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87	
	94 = DON'T KNOW.....	11	0.02	
	97 = REFUSED.....	17	0.03	
	98 = BLANK (NO ANSWER).....	59	0.10	
	99 = LEGITIMATE SKIP.....	40393	68.84	

What was the price you paid for the last carton of cigarettes you bought?

YEPDCRTN 2	1PRICE PAID FOR LAST CARTON OF CIGS			
	1 = Less than \$10.00.....	17	0.03	
	2 = \$10.00 - \$10.99.....	21	0.04	
	3 = \$11.00 - \$11.99.....	3	0.01	
	4 = \$12.00 - \$12.99.....	10	0.02	
	5 = \$13.00 - \$13.99.....	19	0.03	
	6 = \$14.00 - \$14.99.....	24	0.04	
	7 = \$15.00 - \$15.99.....	15	0.03	
	8 = \$16.00 - \$16.99.....	9	0.02	
	9 = \$17.00 - \$17.99.....	4	0.01	
	10 = \$18.00 - \$18.99.....	6	0.01	
	11 = \$19.00 - \$19.99.....	5	0.01	
	15 = \$23.00 or more.....	1	0.00	
	91 = NEVER USED CIGARETTES.....	12755	21.74	
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	4029	6.87	
	94 = DON'T KNOW.....	1	0.00	
	97 = REFUSED.....	15	0.03	
	98 = BLANK (NO ANSWER).....	60	0.10	
	99 = LEGITIMATE SKIP.....	41686	71.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	417
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is called a "blunt" or sometimes a "blob."		
		Have you ever smoked part or all of a cigar with marijuana in it?		
YEBLNTEV	2	1EVER SMOKED CIGAR WITH MJ		
		1 = Yes.....	2040	3.48
		2 = No.....	17323	29.52
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigar with marijuana in it?		
YEBLNT30	2	1SMOKED CIGAR WITH MJ PAST 30 DAYS		
		1 = Yes.....	833	1.42
		2 = No.....	1157	1.97
		11 = Yes (YEBL30FQ=0).....	43	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	37	0.06
		99 = LEGITIMATE SKIP.....	56573	96.41
		On how many of the past 30 days, that is, since DATEFILL, did you smoke part or all of a cigar with marijuana in it?		
YEBL30FQ	2	1# DAYS SMKD CIGAR WITH MJ PAST 30 DAYS		
		RANGE = 0 - 30	848	1.45
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	57730	98.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	418
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Earlier you reported that you had smoked part or all of a cigar during the past 30 days. Did you replace any of the tobacco in these cigars with marijuana?		
YECGRWMJ 2		1REPLACE TOBACCO WITH MJ IN CIGAR PAST 30 DAYS		
		1 = Yes.....	271	0.46
		2 = No.....	573	0.98
		91 = NEVER USED CIGARS.....	16148	27.52
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	2415	4.12
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED YOUTH EXPERIENCES			PAGE:	419
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED YOUTH EXPERIENCES				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
NGHCRIM2	1	A LOT OF CRIME IN YOUTH NEIGHBORHOOD		
		. = OTHERWISE (YECRIME = 94,97,98,99).....	39421	67.18
		1 = STRONGLY OR SOMEWHAT AGREE (YECRIME = 1,2).....	4250	7.24
		2 = SOMEWHAT OR STRONGLY DISAGREE (YECRIME = 3,4)....	15009	25.58
NGHSELL2	1	A LOT OF DRUG SELLING IN YOUTH NGHD		
		. = OTHERWISE (YESLLDG = 94,97,98,99).....	39754	67.75
		1 = STRONGLY OR SOMEWHAT AGREE (YESLLDG = 1,2).....	4959	8.45
		2 = SOMEWHAT OR STRONGLY DISAGREE (YESLLDG = 3,4)....	13967	23.80
NGHHELP2	1	PEOPLE HELP EACH OTHER IN YOUTH NGHD		
		. = OTHERWISE (YEPPHLP = 94,97,98,99).....	39517	67.34
		1 = STRONGLY OR SOMEWHAT AGREE (YEPPHLP = 1,2).....	15145	25.81
		2 = SOMEWHAT OR STRONGLY DISAGREE (YEPPHLP = 3,4)....	4018	6.85
NGHFGHT2	1	MANY STREET FIGHTS IN YOUTH NGHD		
		. = OTHERWISE (YESTFGT = 94,97,98,99).....	39458	67.24
		1 = STRONGLY OR SOMEWHAT AGREE (YESTFGT = 1,2).....	2764	4.71
		2 = SOMEWHAT OR STRONGLY DISAGREE (YESTFGT = 3,4)....	16458	28.05
NGHBLDG2	1	MANY EMPTY BUILDINGS IN YOUTH NGHD		
		. = OTHERWISE (YEEMTBLD = 94,97,98,99).....	39458	67.24
		1 = STRONGLY OR SOMEWHAT AGREE (YEEMTBLD = 1,2).....	2263	3.86
		2 = SOMEWHAT OR STRONGLY DISAGREE (YEEMTBLD = 3,4)....	16959	28.90
NGHVSIT2	1	PEOPLE VISIT EACH OTHER IN YOUTH NGHD		
		. = OTHERWISE (YEPPVSIT = 94,97,98,99).....	39604	67.49
		1 = STRONGLY OR SOMEWHAT AGREE (YEPPVSIT = 1,2).....	14070	23.98
		2 = SOMEWHAT OR STRONGLY DISAGREE (YEPPVSIT = 3,4)....	5006	8.53
NGHGRAF2	1	LOT OF GRAFFITI IN YOUTH NEIGHBORHOOD		
		. = OTHERWISE (YEGRAFTI = 94,97,98,99).....	39406	67.15
		1 = STRONGLY OR SOMEWHAT AGREE (YEGRAFTI = 1,2).....	3004	5.12
		2 = SOMEWHAT OR STRONGLY DISAGREE (YEGRAFTI = 3,4)....	16270	27.73
NGHMOVE2	1	PEOPLE OFTEN MOVE IN/OUT IN YOUTH NGHD		
		. = OTHERWISE (YEPPMOVE = 94,97,98,99).....	39615	67.51
		1 = STRONGLY OR SOMEWHAT AGREE (YEPPMOVE = 1,2).....	5666	9.66
		2 = SOMEWHAT OR STRONGLY DISAGREE (YEPPMOVE = 3,4)....	13399	22.83

RECODED YOUTH EXPERIENCES			PAGE:	420
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
MVIN5YR2	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS		
		. = OTHERWISE (YEMOV5Y2 = 994,997,998,999).....	39518	67.34
		1 = MORE THAN 1 TIME (YEMOV5Y2 = 2-6).....	4928	8.40
		2 = NONE OR ONE TIME (YEMOV5Y2 = 0,1).....	14234	24.26
PRPKCIG2	1	HOW PARENTS FEEL: YOUTH SMOKE PACK/DAY CIG		
		. = OTHERWISE (YEPPKCIG = 94,97,98,99).....	39404	67.15
		1 = STRONGLY DISAPPROVE (YEPPKCIG = 3).....	16932	28.85
		2 = SOMEWHAT DISAPPROVE OR NEITHER (YEPPKCIG = 1,2)...	2344	3.99
PRMJEV2	1	HOW PARENTS FEEL: YOUTH TRY MJ/HASH		
		. = OTHERWISE (YEPMJEV2 = 94,97,98,99).....	39380	67.11
		1 = STRONGLY DISAPPROVE (YEPMJEV2 = 3).....	17320	29.52
		2 = SOMEWHAT DISAPPROVE OR NEITHER (YEPMJEV2 = 1,2)...	1980	3.37
PRALDLY2	1	HOW PARENTS FEEL: YOUTH DRNK 1+ ALC BEV/DAY		
		. = OTHERWISE (YEPALDLY = 94,97,98,99).....	39386	67.12
		1 = STRONGLY DISAPPROVE (YEPALDLY = 3).....	16936	28.86
		2 = SOMEWHAT DISAPPROVE OR NEITHER (YEPALDLY = 1,2)...	2358	4.02
PRTALK3	1	TALKED W/PARENT ABT DANGER TOB/ALC/DRG		
		. = OTHERWISE (YEPRTDNG = 85,94,97,98,99).....	39444	67.22
		1 = YES (YEPRTDNG = 1).....	11201	19.09
		2 = NO (YEPRTDNG = 2).....	8035	13.69
YOFIGHT2	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
		. = OTHERWISE (YEYFGTSW = 85,94,97,98,99).....	39319	67.01
		1 = ONE OR MORE TIMES (YEYFGTSW = 2,3,4,5).....	3496	5.96
		2 = NONE (YEYFGTSW = 1).....	15865	27.04
YOGRPFT2	1	YOUTH FOUGHT W/GROUP VS OTHER GROUP		
		. = OTHERWISE (YEYFGTGP = 85,94,97,98,99).....	39333	67.03
		1 = ONE OR MORE TIMES (YEYFGTGP = 2,3,4,5).....	2886	4.92
		2 = NONE (YEYFGTGP = 1).....	16461	28.05
YOHGUN2	1	YOUTH CARRIED A HANDGUN		
		. = OTHERWISE (YEYHGUN = 85,94,97,98,99).....	39320	67.01
		1 = ONE OR MORE TIMES (YEYHGUN = 2,3,4,5).....	532	0.91
		2 = NONE (YEYHGUN = 1).....	18828	32.09
YOSELL2	1	YOUTH SOLD ILLEGAL DRUGS		
		. = OTHERWISE (YEYSELL = 85,94,97,98,99).....	39312	66.99
		1 = ONE OR MORE TIMES (YEYSELL = 2,3,4,5).....	679	1.16
		2 = NONE (YEYSELL = 1).....	18689	31.85

RECODED YOUTH EXPERIENCES			PAGE:	421
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YOSTOLE2	1	YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
		. = OTHERWISE (YEYSTOLE = 85,94,97,98,99).....	39314	67.00
		1 = ONE OR MORE TIMES (YEYSTOLE = 2,3,4,5).....	789	1.34
		2 = NONE (YEYSTOLE = 1).....	18577	31.66
YOATTAK2	1	YOUTH ATTACKED W/INTENT TO SERIOUSLY HARM		
		. = OTHERWISE (YEYATTAK = 85,94,97,98,99).....	39320	67.01
		1 = ONE OR MORE TIMES (YEYATTAK = 2,3,4,5).....	1401	2.39
		2 = NONE (YEYATTAK = 1).....	17959	30.60
YFLPKCG2	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
		. = OTHERWISE (YEGPKCIG = 94,97,98,99).....	39393	67.13
		1 = SOMEWHAT OR STRONGLY DISAPPROVE (YEGPKCIG = 2,3).	16436	28.01
		2 = NEITHER APPROVE OR DISAPPROVE (YEGPKCIG = 1).....	2851	4.86
YFLTMRJ2	1	HOW YTH FEELS: PEERS TRY MJ/HASH		
		. = OTHERWISE (YEGMJEVR = 94,97,98,99).....	39381	67.11
		1 = SOMEWHAT OR STRONGLY DISAPPROVE (YEGMJEVR = 2,3).	15528	26.46
		2 = NEITHER APPROVE OR DISAPPROVE (YEGMJEVR = 1).....	3771	6.43
YFLADLY2	1	HOW YTH FEELS: PEERS DRNK 1+ALC BEV/DAY		
		. = OTHERWISE (YEGALDLY = 94,97,98,99).....	39394	67.13
		1 = SOMEWHAT OR STRONGLY DISAPPROVE (YEGALDLY = 2,3).	16174	27.56
		2 = NEITHER APPROVE OR DISAPPROVE (YEGALDLY = 1).....	3112	5.30

RECODED YOUTH EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
<p>The following variable, YOUTHACT, was created by counting the number of positive responses reported over the following ten activities: Youth center activities (YEYMCA), scouts (YESCOUTS), private lessons (YEPRVLES), team sports (YETEMSPT), 4-H club (YE4HCLUB), volunteer work (YEVOLUNT), church choir (YECHOIR), school clubs (YESCHCLB), band (YEBAND) or student government (YESTGOVT). Youth respondents who reported participation in 2 or more activities were included in the 2 or more category regardless of how many other questions were answered. Youth respondents who did not answer 5 or more of the 10 questions with a "yes" or "no" response were set to SAS missing and excluded from the analysis. To be included in the zero or one activity category, a youth respondent must have answered 5 or more of the questions and said they participated in either zero or one activity.</p>				
YOUTHACT	1	RESP PARTICIPATED IN YOUTH ACTIVITIES		
		. = OTHERWISE.....	39306	66.98
		1 = NONE OR ONE ACTIVITY WAS MARKED.....	6520	11.11
		2 = TWO OR MORE ACTIVITIES WERE MARKED.....	12854	21.91
PRBSOLV2	1	PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP		
		. = OTHERWISE (YEPRBSLV = 85,94,97,98,99).....	39411	67.16
		1 = YES (YEPRBSLV = 1).....	3639	6.20
		2 = NO (YEPRBSLV = 2).....	15630	26.64
PREVIOL2	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
		. = OTHERWISE (YEVIOPRV = 85,94,97,98,99).....	39359	67.07
		1 = YES (YEVIOPRV = 1).....	3181	5.42
		2 = NO (YEVIOPRV = 2).....	16140	27.51
PRVDRGO2	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL		
		. = OTHERWISE (YEDGPRGP = 85,94,97,98,99).....	39345	67.05
		1 = YES (YEDGPRGP = 1).....	2283	3.89
		2 = NO (YEDGPRGP = 2).....	17052	29.06
GRPCNSL2	1	PARTICIPATED IN PROGRAM TO HELP DRUG ABUSE		
		. = OTHERWISE (YESLFHLP = 85,94,97,98,99).....	39356	67.07
		1 = YES (YESLFHLP = 1).....	868	1.48
		2 = NO (YESLFHLP = 2).....	18456	31.45

RECODED YOUTH EXPERIENCES			PAGE:	423
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PREGPGM2	1	PARTICIPATED IN PREG/STD PREV PROGRAM		
		. = OTHERWISE (YEPRGSTD = 85,94,97,98,99).....	39336	67.03
		1 = YES (YEPRGSTD= 1).....	2447	4.17
		2 = NO (YEPRGSTD = 2).....	16897	28.80
<p>Please note that the intention of the CAI specifications for these 3 variables (DGSPCLS2, DGRGCLS2, & DRGLECT2) was to ask these questions to only those respondents who reported being enrolled in school during the past year (YEENRLYR=1). Due to a skip logic problem, these questions were asked of those respondents who reported being enrolled in school or who did not answer the enrollment question (YEENRLYR=94 or 97). These variables were created based on the actual responses regardless of the respondents enrollment status.</p>				
DGSPCLS2	1	YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS		
		. = OTHERWISE (YEDECLAS = 85,94,97,98,99).....	44619	76.04
		1 = YES (YEDECLAS = 1).....	6223	10.60
		2 = NO (YEDECLAS = 2).....	7838	13.36
DGRGCLS2	1	YOUTH DRUG EDUC IN REGULAR CLASS		
		. = OTHERWISE (YEDERGLR = 85,94,97,98,99).....	44641	76.08
		1 = YES (YEDERGLR = 1).....	9640	16.43
		2 = NO (YEDERGLR = 2).....	4399	7.50
DRGLECT2	1	YOUTH DRUG EDUC OUTSIDE REG CLASS		
		. = OTHERWISE (YEDESPCL = 85,94,97,98,99).....	44675	76.13
		1 = YES (YEDESPCL = 1).....	5375	9.16
		2 = NO (YEDESPCL = 2).....	8630	14.71
DRPRVME3	1	YOUTH SEEN DRUG PREV MSG OUTSIDE SCH		
		. = OTHERWISE (YEPVNTYR = 85,94,97,98,99).....	39369	67.09
		1 = YES (YEPVNTYR = 1).....	15894	27.09
		2 = NO (YEPVNTYR = 2).....	3417	5.82

RECODED YOUTH EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
		For the following variable, ANYEDUC3, the number of "yes" responses may be undercounted due to the fact that youths who reported that they were not enrolled in school in the past 12 months were not asked about their participation in school-coordinated drug prevention programs.		
ANYEDUC3	1	YOUTH HAD ANY DRUG EDUC IN SCHOOL		
		. = OTHERWISE.....	44637	76.07
		1 = YES (DGSPCLS2 = 1 OR DGRGCLS2 = 1 OR DRGLECT2 = 1)	11009	18.76
		2 = NO (DGSPCLS2 = 2 & DGRGCLS2 = 2 & DRGLECT2 = 2)...	3034	5.17
CIGFRND	1	FRIEND OR RELATIVE BOUGHT YOUTH CIG IN PAST MONTH		
		0 = Otherwise (YECGFRND=1,85,91,93,94,97,98,99).....	56941	97.04
		1 = Yes (YECGFRND=2,3,4,5,6).....	1739	2.96
CIGVEND	1	YOUTH BOUGHT CIG AT VENDING MACH IN PAST MONTH		
		0 = Otherwise (YECGVEND=1,85,91,93,94,97,98,99).....	58293	99.34
		1 = Yes (YECGVEND=2,3,4,5,6).....	387	0.66
CIGMAIL	1	YOUTH BOUGHT CIGARETTES THROUGH MAIL IN PAST MONTH		
		0 = Otherwise (YECGMAI2=1,85,91,93,94,97,98,99).....	58609	99.88
		1 = At least 1 time (YECGMAI2=2,3,4,5).....	71	0.12
CIGCKOUT	1	YOUTH TOOK CIG TO COUNTER FOR PURCH IN PAST MON		
		0 = Otherwise (YECGCHKO=1,85,91,93,94,97,98,99).....	57991	98.83
		1 = Yes (YECGCHKO=2,3,4,5,6).....	689	1.17
CIGCLERK	1	YTH BOUGHT CIG WHERE CLERK HANDS THEM IN PAST MON		
		0 = Otherwise (YECGCLRK=1,85,91,93,94,97,98,99).....	57804	98.51
		1 = Yes (YECGCLRK=2,3,4,5,6).....	876	1.49
CIGINET	1	YOUTH BOUGHT CIG THROUGH INTERNET IN PAST MONTH		
		0 = Otherwise (YECGINET=1,85,91,93,94,97,98,99).....	58624	99.90
		1 = Yes (YECGINET=2,3,4,5,6).....	56	0.10
CIGSMKT	1	YTH BOUGHT CIG AT A BIG SUPERMARKET IN PAST MONTH		
		0 = Otherwise (YECGSMKT=1,85,91,93,94,97,98,99).....	58391	99.51
		1 = Yes (YECGSMKT=2,3,4,5,6).....	289	0.49
CIGDSTO	1	YOUTH BOUGHT CIGARETTES AT DRUG STORE IN PAST MON		
		0 = Otherwise (YECGDSTO=1,85,91,93,94,97,98,99).....	58395	99.51
		1 = Yes (YECGDSTO=2,3,4,5,6).....	285	0.49

RECODED YOUTH EXPERIENCES			PAGE:	425
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CIGCONV	1	YTH BOUGHT CIG AT CONVENIENCE STORE IN PAST MONTH		
		0 = Otherwise (YECGCONV=1,85,91,93,94,97,98,99).....	57764	98.44
		1 = Yes (YECGCONV=2,3,4,5,6).....	916	1.56
CIGINDIV	1	YOUTH BOUGHT CIG FROM AN INDIVIDUAL IN PAST MONTH		
		0 = Otherwise (YECGINDV=1,85,91,93,94,97,98,99).....	57829	98.55
		1 = Yes (YECGINDV=2,3,4,5,6).....	851	1.45
<p>The following variable, YTHBGHT, was created by examination of various sources that youth were asked about for buying cigarettes: vending machines (CIGVEND), through the mail (CIGMAIL), store where you take cigarettes to the counter (CIGCKOUT), store where clerk hands you the cigarettes (CIGCLERK), internet (CIGINET), supermarket (CIGSMKT), drug store (CIGDSTO), convenience store (CIGCONV), and from another individual (CIGINDIV).</p>				
YTHBGHT	1	YOUTH PERSONALLY BOUGHT CIGARETTES IN PAST MONTH		
		0 = Otherwise.....	57104	97.31
		1 = Yes (ANY SOURCE VARIABLE=1).....	1576	2.69

LABEL LEN

DESCRIPTION

FREQ

%

ADOLESCENT MENTAL HEALTH

NOTE: These questions were adapted from the DISC Predictive Scales for DSM-IV (DPS4), derived from the NIMH-DISC. The current citation for the scales is:

Lucas, C.P., Zhang, H., Fisher, P. et. al. (1998) The DISC Predictive Scales (DPS): Efficiently screening for diagnoses. Unpublished manuscript. For further information, please contact Christopher Lucas, Dept. of Child Psychiatry, Columbia University.

These next questions are about feelings that people sometimes have and things that may have happened to you during the past 12 months, that is since DATEFILL. Some of the questions mention your "parents." Remember that by parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

During the past 12 months, have you often felt very nervous or uncomfortable when you have been with a group of children or young people -- say, like in the lunchroom at school or at a party?

YMSPPGRP 2	DESCRIPTION	FREQ	%
	OFTEN NERVOUS WHEN W/GRP OF PEOPLE PAST 12 MOS		
	1 = Yes.....	4215	7.18
	2 = No.....	15093	25.72
	85 = BAD DATA Logically assigned.....	13	0.02
	94 = DON'T KNOW.....	66	0.11
	97 = REFUSED.....	25	0.04
	98 = BLANK (NO ANSWER).....	18	0.03
	99 = LEGITIMATE SKIP.....	39250	66.89

During the past 12 months, have you often felt very nervous when you've had to do things in front of people?

YMSPPFNT 2	DESCRIPTION	FREQ	%
	OFTEN NERVOUS IN FRONT OF PEOPLE PST 12 MOS		
	1 = Yes.....	8509	14.50
	2 = No.....	10810	18.42
	85 = BAD DATA Logically assigned.....	13	0.02
	94 = DON'T KNOW.....	52	0.09
	97 = REFUSED.....	28	0.05
	98 = BLANK (NO ANSWER).....	18	0.03
	99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has there been a time when you often wanted to stay at home and not go to school or other places without your mother or father?		
YMSAHOME	2	OFTEN WANTED TO STAY HOME W/MOM/DAD PST 12 MOS		
		1 = Yes.....	5033	8.58
		2 = No.....	14262	24.30
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often had headaches or stomachaches or felt like you would throw up when you couldn't be with your mother or father?		
YMSAACHE	2	HEAD/STOMACHACHES WHEN NOT W/MOM/DAD PST 12 MOS		
		1 = Yes.....	2160	3.68
		2 = No.....	17174	29.27
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you had a lot of bad dreams or nightmares?		
YMSABDRM	2	LOT OF BAD DREAMS/NIGHTMARES PAST 12 MONTHS		
		1 = Yes.....	3058	5.21
		2 = No.....	16238	27.67
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you often wanted to have your mother or father near you before you could fall asleep?		
YMSASLEP	2	OFT WANT MOM/DAD NEAR TO FALL ASLEEP PST 12 MOS		
		1 = Yes.....	2106	3.59
		2 = No.....	17226	29.36
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you kept worrying that your mother or father might go away and never come back?		
YMSAABDN	2	WORRY MOM/DAD GO AWY/NOT COME BACK PST 12 MOS		
		1 = Yes.....	2354	4.01
		2 = No.....	16965	28.91
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, if your mother or father has to go out some place without you do you often get very upset or beg him or her not to leave?		
YMSAUPLV	2	OFTEN UPSET WHEN MOM/DAD GO OUT PAST 12 MONTHS		
		1 = Yes.....	1355	2.31
		2 = No.....	17977	30.64
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, if you were away from home without your mother or father for several days in a row --like staying with friends or relatives or going to camp, did you get very upset or very homesick because you missed your mother or father?		
YMSAHMSK	2	HOMESICK FOR MOM/DAD PAST 12 MONTHS		
		1 = Yes.....	3375	5.75
		2 = No.....	15900	27.10
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	91	0.16
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often been afraid to go out of the house by yourself?		
YMAGOHSF	2	OFTEN AFRAID TO GO OUT OF HOUSE ALONE PST 12 MOS		
		1 = Yes.....	1678	2.86
		2 = No.....	17658	30.09
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often felt afraid of being in crowded places?		
YMAGCRWD	2	OFTEN FELT AFRAID OF CROWDS PAST 12 MONTHS		
		1 = Yes.....	2170	3.70
		2 = No.....	17154	29.23
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	49	0.08
		97 = REFUSED.....	26	0.04
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you often been afraid of traveling in cars or on buses or trains?		
YMAGTRAV	2	OFTEN AFRAID OF TRAVEL IN CAR/BUS/TRAIN PST 12 MOS		
		1 = Yes.....	1298	2.21
		2 = No.....	18045	30.75
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	31	0.05
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often felt afraid of being on bridges or in tunnels?		
YMAGBRDG	2	OFTEN AFRAID IN BRIDGES/TUNNELS PAST 12 MONTHS		
		1 = Yes.....	2098	3.58
		2 = No.....	17242	29.38
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	32	0.05
		97 = REFUSED.....	26	0.04
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		This question is about sudden attacks of feeling very afraid. In this kind of attack, someone becomes very afraid even though there is nothing around them to frighten them. Sometimes they feel they can't breathe and sometimes their heart beats very fast. The attacks come on very suddenly and then go away, but they get afraid that the attacks might come back.		
		During the past 12 months, that is since DATEFILL, have you had an attack when all of a sudden you felt very afraid or strange?		
YMPAATAK	2	HAD SUDN ATTACK FELT AFRAID/STRANGE PST 12 MOS		
		1 = Yes.....	2989	5.09
		2 = No.....	16290	27.76
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	90	0.15
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH			PAGE:	431
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months, have you had a time when you suddenly felt that you were suffocating or you couldn't breathe?		
YMPASUFC	2	SUDDENLY FELT LIKE SUFFOCATING PAST 12 MONTHS		
		1 = Yes.....	1189	2.03
		2 = No.....	1794	3.06
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	121	0.21
		99 = LEGITIMATE SKIP.....	55540	94.65
		During the past 12 months, that is since DATEFILL, have you often worried a lot before you were going to play a sport or game or do some other activity?		
YMGAWORY	2	OFTEN WORRIED BEFORE SPORT/GAME PAST 12 MONTHS		
		1 = Yes.....	5310	9.05
		2 = No.....	14002	23.86
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	54	0.09
		97 = REFUSED.....	32	0.05
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you had a lot of headaches?		
YMGAMDAC	2	HAD A LOT OF HEADACHES PAST 12 MONTHS		
		1 = Yes.....	4856	8.28
		2 = No.....	14464	24.65
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you had a lot of other aches and pains?		
YMGAPAIN	2	HAD A LOT OF OTHER ACHES/PAINS PAST 12 MONTHS		
		1 = Yes.....	3956	6.74
		2 = No.....	4372	7.45
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	108	0.18
		99 = LEGITIMATE SKIP.....	50204	85.56
		During the past 12 months, have you often been very tense, or found it hard to relax?		
YMGATNSE	2	OFTEN BEEN TENSE/NOT RELAXED PAST 12 MONTHS		
		1 = Yes.....	3553	6.05
		2 = No.....	4769	8.13
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	108	0.18
		99 = LEGITIMATE SKIP.....	50204	85.56
		During the past 12 months, that is since DATEFILL, have you been very afraid of dogs, birds, snakes, insects, or any other animals?		
YMPHANML	2	AFRAID OF DOGS/BIRDS/INSECTS/SNAKES/ETC PST 12 MOS		
		1 = Yes.....	4369	7.45
		2 = No.....	14957	25.49
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	44	0.07
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you been very afraid of being high up or in a high place?		
YMPHHIGH	2	AFRAID OF BEING HIGH UP PAST 12 MONTHS		
		1 = Yes.....	4619	7.87
		2 = No.....	14690	25.03
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	59	0.10
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you been very afraid of being in the dark?		
YMPHDARK	2	AFRAID OF THE DARK PAST 12 MONTHS		
		1 = Yes.....	2423	4.13
		2 = No.....	16904	28.81
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, has seeing a needle or getting a shot made you much more afraid than other people?		
YMPHNEDL	2	AFRAID OF NEEDLS/SHOTS MORE THAN OTHRS PST 12 MOS		
		1 = Yes.....	3261	5.56
		2 = No.....	16018	27.30
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	84	0.14
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has the sight of blood or cuts made you very afraid?		
YMPHBLOD	2	AFRAID OF SIGHT OF BLOOD PAST 12 MONTHS		
		1 = Yes.....	1417	2.41
		2 = No.....	7482	12.75
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	129	0.22
		99 = LEGITIMATE SKIP.....	49606	84.54
		During the past 12 months, have you been very afraid of being on a bridge or in a tunnel or on a highway?		
YMPHBRDG	2	AFRAID OF BEING ON/IN TUNNEL/BRIDGE PST 12 MOS		
		1 = Yes.....	1452	2.47
		2 = No.....	7457	12.71
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	129	0.22
		99 = LEGITIMATE SKIP.....	49606	84.54
		During the past 12 months, have you been very afraid of being in an elevator or on an escalator?		
YMPHELEV	2	AFRAID OF ELEVATOR/ESCALATOR PAST 12 MONTHS		
		1 = Yes.....	1205	2.05
		2 = No.....	7704	13.13
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	129	0.22
		99 = LEGITIMATE SKIP.....	49606	84.54

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

Some young people have times when one thought or idea comes into their mind over and over again. When people have these thoughts they usually get upset, because the thoughts are strange. No matter how hard they try, the thoughts keep coming back.

During the past 12 months, that is since DATEFILL, have you had to count things over and over again, or make yourself do things a certain number of times?

YMOCCOUN	2	COUNT/DO THINGS OVER & OVER PAST 12 MONTHS		
		1 = Yes.....	3941	6.72
		2 = No.....	15289	26.05
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	131	0.22
		97 = REFUSED.....	37	0.06
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

During the past 12 months,
 was there a time when you washed your hands or body over and over again or changed your clothes many times each day because you thought they were dirty?

YMOCWASH	2	OFT WASH HANDS/CHNG CLOTHES DAILY PST 12 MOS		
		1 = Yes.....	2495	4.25
		2 = No.....	16820	28.66
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you often felt you should check on things over and over again? For example, checking that the front door is locked, that the stove is turned off, or that something else was done even though you knew it had been done?		
YMOCCCHK	2	OFTEN CHECK ON THINGS OVER & OVER PST 12 MOS		
		1 = Yes.....	2771	4.72
		2 = No.....	2502	4.26
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	159	0.27
		99 = LEGITIMATE SKIP.....	53200	90.66
		During the past 12 months, have you often worried over and over again that things you touch are dirty or have germs?		
YMOCGERM	2	OFTEN WORRY ABOUT DIRT/GERMS PST 12 MOS		
		1 = Yes.....	1504	2.56
		2 = No.....	3771	6.43
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	159	0.27
		99 = LEGITIMATE SKIP.....	53200	90.66
		During the past 12 months, have you had any other thoughts that kept coming back into your mind over and over again that you couldn't get rid of?		
YMOCTHOT	2	HAD THOTS YOU COULDN'T GET RID OF PST 12 MOS		
		1 = Yes.....	3245	5.53
		2 = No.....	2027	3.45
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	31	0.05
		98 = BLANK (NO ANSWER).....	159	0.27
		99 = LEGITIMATE SKIP.....	53200	90.66

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, that is since DATEFILL, has anyone worried that you were much too thin?		
YMEATHIN	2	ANYONE WORRIED YOU'RE MUCH TOO THIN PST 12 MOS		
		1 = Yes.....	2020	3.44
		2 = No.....	17283	29.45
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	60	0.10
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often felt bad about yourself because you thought you were fat or overweight?		
YMEAFAT	2	OFTEN FELT BAD THOUGHT YOU'RE FAT PST 12 MOS		
		1 = Yes.....	607	1.03
		2 = No.....	1410	2.40
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	56533	96.34
		During the past 12 months, have there been times when you thought about food or about eating almost all the time?		
YMEATHFD	2	THOUGHT ABOUT FOOD ALL OF THE TIME PST 12 MONTHS		
		1 = Yes.....	794	1.35
		2 = No.....	1215	2.07
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	56533	96.34

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		An eating binge is when someone stuffs themselves with a whole lot of food in a short time -- like several whole pizzas or a whole chocolate cake or several containers of ice cream -- and they don't seem to be able to control how much they eat.		
		During the past 12 months, have you had an eating binge like this?		
YMEABING	2	HAD AN EATING BINGE PAST 12 MONTHS		
		1 = Yes.....	308	0.52
		2 = No.....	1700	2.90
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	56533	96.34
		During the past 12 months, that is since DATEFILL, have you wet the bed at night?		
YMELWTBD	2	HAVE YOU WET THE BED PAST 12 MONTHS		
		1 = Yes.....	631	1.08
		2 = No.....	18679	31.83
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you wet your pants during the day?		
YMELWTPT	2	WET YOUR PANTS DURING DAY PAST 12 MONTHS		
		1 = Yes.....	96	0.16
		2 = No.....	534	0.91
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	57929	98.72

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you soiled yourself? By "soiled," we mean you had a bowel movement and pooped in your pants, or on the floor, or somewhere not in the toilet.		
YMELSOIL	2	SOILED YOURSELF (POOPED PANTS) PST 12 MOS		
		1 = Yes.....	78	0.13
		2 = No.....	549	0.94
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	57929	98.72
		During the past 12 months, that is since DATEFILL, has there been a time when nothing was fun for you and you just weren't interested in anything?		
YMMDNINT	2	HAD A TIME WHEN NOTHING WAS FUN PST 12 MOS		
		1 = Yes.....	6137	10.46
		2 = No.....	13154	22.42
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	37	0.06
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, has there been a time when you had less energy than you usually do?		
YMMDLSEG	2	HAD A TIME WHEN HAD LESS ENERGY PST 12 MOS		
		1 = Yes.....	9559	16.29
		2 = No.....	9735	16.59
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	70	0.12
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has there been a time when you felt you couldn't do anything well or that you weren't as good-looking or as smart as other people?		
YMMDNOGD	2	FELT COULDN'T DO ANYTHING WELL PST 12 MOS		
		1 = Yes.....	8399	14.31
		2 = No.....	10902	18.58
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	53	0.09
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, has there been a time when you thought seriously about killing yourself?		
YMMDTHKL	2	SERIOUSLY THOT ABOUT KILLING SELF PST 12 MOS		
		1 = Yes.....	2288	3.90
		2 = No.....	16955	28.89
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	103	0.18
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you tried to kill yourself?		
YMMDXYKL	2	TRIED TO KILL YOURSELF PAST 12 MONTHS		
		1 = Yes.....	854	1.46
		2 = No.....	11914	20.30
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	89	0.15
		98 = BLANK (NO ANSWER).....	111	0.19
		99 = LEGITIMATE SKIP.....	45696	77.87

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has there been a time when doing even little things made you feel really tired?		
YMMDTIRD	2	TIME WHN LITTLE THINGS MADE YOU TIRED PST 12 MOS		
		1 = Yes.....	4218	7.19
		2 = No.....	8576	14.61
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	111	0.19
		99 = LEGITIMATE SKIP.....	45696	77.87
		During the past 12 months, has there been a time when you couldn't think as clearly or as fast as usual?		
YMMDTHNK	2	TIME WHN YOU COULDN'T THINK CLEARLY PST 12 MOS		
		1 = Yes.....	6503	11.08
		2 = No.....	6296	10.73
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	111	0.19
		99 = LEGITIMATE SKIP.....	45696	77.87
		Everyone gets in a bad mood sometimes. But some people feel grouchy or angry or irritable most of the time for several days in a row. They get really annoyed when other people interrupt them or don't agree with everything they say.		
		During the past 12 months, that is since DATEFILL, have you had a time when you were grouchy or angry like this?		
YMMABDMD	2	TIME WHEN GROUCHY/ANGRY PAST 12 MONTHS		
		1 = Yes.....	7637	13.01
		2 = No.....	11647	19.85
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	78	0.13
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has there been a time when you felt very restless, so that you had to keep walking around or be on the move all the time?		
YMMARSLS	2	TIME WHEN RESTLESS PAST 12 MONTHS		
		1 = Yes.....	5662	9.65
		2 = No.....	13610	23.19
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	88	0.15
		97 = REFUSED.....	37	0.06
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, has there been a time when you talked too much or too quickly?		
YMMATAALK	2	TIME WHEN TALKED TOO MUCH/QUICKLY PAST 12 MONTHS		
		1 = Yes.....	8324	14.19
		2 = No.....	10950	18.66
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	83	0.14
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, has there been a time when you thought you had special abilities or powers which made you stronger, smarter, or better than most other people?		
YMMASPAB	2	TIME THOUGHT HAD SPECIAL POWERS PAST 12 MONTHS		
		1 = Yes.....	2531	4.31
		2 = No.....	9623	16.40
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	114	0.19
		99 = LEGITIMATE SKIP.....	46323	78.94

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, has there been a time when you often felt like your mind was racing too quickly from one thought to another?		
YMMAMDRC	2	TIME WHEN MIND WAS RACING QUICKLY PAST 12 MONTHS		
		1 = Yes.....	3721	6.34
		2 = No.....	8424	14.36
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	55	0.09
		97 = REFUSED.....	37	0.06
		98 = BLANK (NO ANSWER).....	114	0.19
		99 = LEGITIMATE SKIP.....	46323	78.94
		Everyone has times when they have trouble concentrating or keeping their mind on what they are doing. This question asks about whether you have had difficulty concentrating, or keeping your mind on what you are doing, most of the time.		
		During the past 12 months, that is since DATEFILL, have you often had trouble keeping your mind on what you are doing for more than a short time?		
YMADCONC	2	OFTEN HAD HARD TIME CONCENTRATING PAST 12 MONTHS		
		1 = Yes.....	5968	10.17
		2 = No.....	13279	22.63
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	93	0.16
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often forgotten what you are supposed to be doing or what you had planned to do?		
YMADFRGT	2	OFTEN FORGOT WHAT TO BE DOING PAST 12 MONTHS		
		1 = Yes.....	7803	13.30
		2 = No.....	11479	19.56
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you often found it hard to keep your mind on what you are doing when other things are going on?		
YMADFCUS	2	OFTEN HARD TO KEEP MIND FOCUSED PAST 12 MONTHS		
		1 = Yes.....	8013	13.66
		2 = No.....	11261	19.19
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	77	0.13
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you taken medication for being overactive, being hyperactive, or having trouble paying attention?		
YMADMEDS	2	TAKEN MED FOR BEING OVERACTIVE PAST 12 MONTHS		
		1 = Yes.....	1277	2.18
		2 = No.....	18017	30.70
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	54	0.09
		97 = REFUSED.....	49	0.08
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you often tried not to do things where you would need to pay attention for a long time?		
YMADAVAT	2	TRIED NOT TO DO THGS THAT REQ ATTENTN PST 12 MOS		
		1 = Yes.....	2954	5.03
		2 = No.....	8063	13.74
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	109	0.19
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	117	0.20
		99 = LEGITIMATE SKIP.....	47390	80.76

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you often made a lot of mistakes because it's hard for you to do things carefully?		
YMADERRO	2	OFTEN MAKE A LOT OF MISTAKES PAST 12 MONTHS		
		1 = Yes.....	2759	4.70
		2 = No.....	8309	14.16
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	117	0.20
		99 = LEGITIMATE SKIP.....	47390	80.76
		During the past 12 months, that is since DATEFILL, have you gotten even with people by doing things like hurting them, messing up their things, or telling lies about them?		
YMODHURT	2	GOTTEN EVEN WITH PEOPLE PAST 12 MONTHS		
		1 = Yes.....	3515	5.99
		2 = No.....	15721	26.79
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	87	0.15
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you refused to do what your parents or teachers told you to do?		
YMODRFUS	2	REFUSED WHAT PARENTS/TCHRS TOLD YOU PST 12 MOS		
		1 = Yes.....	7706	13.13
		2 = No.....	11531	19.65
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	83	0.14
		97 = REFUSED.....	77	0.13
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you been grouchy or easily annoyed?		
YMODANOY	2	GROUCHY/EASILY ANNOYED PAST 12 MONTHS		
		1 = Yes.....	9977	17.00
		2 = No.....	9298	15.85
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	72	0.12
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you done mean things to people on purpose?		
YMODMEAN	2	DONE MEAN THINGS TO PEOPLE PAST 12 MONTHS		
		1 = Yes.....	4603	7.84
		2 = No.....	7701	13.12
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	131	0.22
		99 = LEGITIMATE SKIP.....	46136	78.62
		During the past 12 months, have you blamed someone else for your mistakes or for things you did that you shouldn't have done?		
YMODBLMO	2	BLAMED SOMEONE ELSE FOR MISTAKES PAST 12 MONTHS		
		1 = Yes.....	4428	7.55
		2 = No.....	7881	13.43
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	44	0.07
		97 = REFUSED.....	54	0.09
		98 = BLANK (NO ANSWER).....	131	0.22
		99 = LEGITIMATE SKIP.....	46136	78.62

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you done things just to annoy people or make them mad?		
YMODTANY	2	DONE THINGS TO ANNOY PEOPLE PAST 12 MONTHS		
		1 = Yes.....	6974	11.88
		2 = No.....	5345	9.11
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	48	0.08
		98 = BLANK (NO ANSWER).....	131	0.22
		99 = LEGITIMATE SKIP.....	46136	78.62
		During the past 12 months, have people complained because you swore or used dirty language?		
YMODSWOR	2	PEOPLE COMPLAINED B/C YOU SWORE PST 12 MOS		
		1 = Yes.....	3856	6.57
		2 = No.....	8464	14.42
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	53	0.09
		98 = BLANK (NO ANSWER).....	131	0.22
		99 = LEGITIMATE SKIP.....	46136	78.62
		During the past 12 months, that is since DATEFILL, have you been expelled from school for misbehavior -- that is, have you been told you could never go back to that school at all?		
YMCDEXPL	2	EXPELLED FOR MISBEHAVIOR PAST 12 MONTHS		
		1 = Yes.....	552	0.94
		2 = No.....	18757	31.96
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you shoplifted -- that is, stolen something from a store when you thought no one was looking?		
YMCDSHPL	2	SHOPLIFTED PAST 12 MONTHS		
		1 = Yes.....	1999	3.41
		2 = No.....	17291	29.47
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you lied to get money or something else you wanted?		
YMCDLIED	2	LIED TO GET MONEY/SOMETHING ELSE PAST 12 MONTHS		
		1 = Yes.....	3358	5.72
		2 = No.....	15913	27.12
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	59	0.10
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
		During the past 12 months, have you snatched someone's purse or jewelry?		
YMCDSNAT	2	SNATCHED A PURSE/JEWELRY PAST 12 MONTHS		
		1 = Yes.....	188	0.32
		2 = No.....	4252	7.25
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	138	0.24
		99 = LEGITIMATE SKIP.....	54054	92.12

ADOLESCENT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 12 months, have you broken something or messed up some place on purpose, such as breaking windows, writing on a building, or slashing tires?		
YMCDVAND	2	BROKE/MESSED UP STHING ON PURPOSE PST 12 MOS		
		1 = Yes.....	694	1.18
		2 = No.....	3747	6.39
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	43	0.07
		98 = BLANK (NO ANSWER).....	138	0.24
		99 = LEGITIMATE SKIP.....	54054	92.12
		During the past 12 months, have you stolen from anyone else when they weren't around or weren't looking?		
YMCDSTOL	2	STOLE FR OTHERS WHN THEY WEREN'T AROUND PST 12 MOS		
		1 = Yes.....	1149	1.96
		2 = No.....	3291	5.61
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	138	0.24
		99 = LEGITIMATE SKIP.....	54054	92.12
		During the past 12 months, have you been physically cruel to an animal and hurt it on purpose?		
YMCDCRUA	2	CRUEL TO ANIMAL ON PURPOSE PAST 12 MONTHS		
		1 = Yes.....	373	0.64
		2 = No.....	4065	6.93
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	44	0.07
		98 = BLANK (NO ANSWER).....	138	0.24
		99 = LEGITIMATE SKIP.....	54054	92.12

ADOLESCENT MENTAL HEALTH			PAGE:	450
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		During the past 12 months, have you broken into a house, a building, or a car?		
YMCDBKNT 2		BROKEN INTO A HOUSE/CAR PAST 12 MONTHS		
		1 = Yes.....	338	0.58
		2 = No.....	4100	6.99
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	138	0.24
		99 = LEGITIMATE SKIP.....	54054	92.12

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU01)		YOUTH MENTAL HEALTH SERVICE UTILIZATION		
		These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.		
		During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPYR	2	1STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	235	0.40
		2 = No.....	19048	32.46
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	59	0.10
		97 = REFUSED.....	55	0.09
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU02)		During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPN2	3	1# NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	223	0.38
		31 = 31 or more.....	7	0.01
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	55	0.09
		998 = BLANK (NO ANSWER).....	92	0.16
		999 = LEGITIMATE SKIP.....	58298	99.35
(YSU03)		Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YUHOSUIC	2	1STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	75	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	145	0.25
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	452
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUHODEPR	2	1STAYED IN HOSP BEC YOU FELT DEPRESSED		
		1 = Response entered.....	71	0.12
		6 = Response not entered.....	152	0.26
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35
YUHOFEAR	2	1STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	202	0.34
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35
YUHOBKRU	2	1STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	31	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	191	0.33
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35
YUHOEATP	2	1STAYED IN HOSP BEC YOU HAD EATING PROBS		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	208	0.35
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35
YUHOSOR	2	1STAYED IN HOSP FOR SOME OTHER REASON		
		1 = Response entered.....	82	0.14
		6 = Response not entered.....	141	0.24
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	58298	99.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU04)		During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDYR	2	1STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	143	0.24
		2 = No.....	19144	32.62
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	48	0.08
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU05)		During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDN2	3	1# NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	124	0.21
		31 = 31 or more.....	14	0.02
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	65	0.11
		998 = BLANK (NO ANSWER).....	81	0.14
		999 = LEGITIMATE SKIP.....	58394	99.51
(YSU06)		Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YURSSUIC	2	1STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	52	0.09
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	82	0.14
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	454
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YURSDEPR	2	1STAYED IN RESID CTR BEC YOU FELT DEPRESSED		
		1 = Response entered.....	41	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	93	0.16
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51
YURSFEAR	2	1STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	127	0.22
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51
YURSBKRU	2	1STAYED IN RESID CTR BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	31	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	102	0.17
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51
YURSEATP	2	1STAYED IN RESID CTR BEC YOU HAD EATING PROBS		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	127	0.22
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51
YURSSOR	2	1STAYED IN RESID CTR FOR SOME OTHER REASON		
		1 = Response entered.....	32	0.05
		6 = Response not entered.....	103	0.18
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	81	0.14
		99 = LEGITIMATE SKIP.....	58394	99.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU07)		During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARYR	2	1SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	96	0.16
		2 = No.....	19196	32.71
		4 = No LOGICALLY ASSIGNED.....	53	0.09
		94 = DON'T KNOW.....	20	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU08)		During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARN2	3	1# NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS		
		RANGE = 1 - 30	72	0.12
		31 = 31 or more.....	17	0.03
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	46	0.08
		998 = BLANK (NO ANSWER).....	40	0.07
		999 = LEGITIMATE SKIP.....	58499	99.69
(YSU09)		Think about the last time you stayed overnight in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?		
YUFCSUIC	2	1STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	69	0.12
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	456
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUFCDEPR	2	1STAYED IN FOST CARE BEC YOU FELT DEPRESSED		
		1 = Response entered.....	20	0.03
		6 = Response not entered.....	73	0.12
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69
YUFCFEAR	2	1STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	9	0.02
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	83	0.14
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69
YUFCBKRU	2	1STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	24	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	68	0.12
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69
YUFCEATP	2	1STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		1 = Response entered.....	3	0.01
		6 = Response not entered.....	90	0.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69
YUFCSOR	2	1STAYED IN FOST CARE FOR SOME OTHER REASON		
		1 = Response entered.....	38	0.06
		6 = Response not entered.....	55	0.09
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	58499	99.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU10)		During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUDYTXYR	2	1SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		1 = Yes.....	226	0.39
		2 = No.....	19058	32.48
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU11)		During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUDYTXN2	3	1# TIMES VISITED DAY TRMT PROG PAST 12 MOS		
		RANGE = 1 - 30	200	0.34
		31 = 31 or more.....	13	0.02
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	64	0.11
		998 = BLANK (NO ANSWER).....	83	0.14
		999 = LEGITIMATE SKIP.....	58308	99.37
(YSU12)		Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUDYSUIC	2	1VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	65	0.11
		6 = Response not entered.....	154	0.26
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	458
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YUDYDEPR	2	1VISITED DAY TRMT BEC YOU FELT DEPRESSED		
		1 = Response entered.....	88	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	129	0.22
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37
YUDYFEAR	2	1VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	33	0.06
		6 = Response not entered.....	186	0.32
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37
YUDYBKRU	2	1VISITED DAY TRMT BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	40	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	177	0.30
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37
YUDYEATP	2	1VISITED DAY TRMT BEC YOU HAD EATING PROBS		
		1 = Response entered.....	14	0.02
		6 = Response not entered.....	205	0.35
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37
YUDYSOR	2	1VISITED DAY TRMT FOR SOME OTHER REASON		
		1 = Response entered.....	76	0.13
		6 = Response not entered.....	143	0.24
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	83	0.14
		99 = LEGITIMATE SKIP.....	58308	99.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	459
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU13)		During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUMHCRYR	2	1RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS		
		1 = Yes.....	370	0.63
		2 = No.....	18905	32.22
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	55	0.09
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU14)		During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUMHCRN2	3	1# TIMES VISITED MENT HLTH CLNC PST 12 MOS		
		RANGE = 1 - 30	328	0.56
		31 = 31 or more.....	17	0.03
		994 = DON'T KNOW.....	22	0.04
		997 = REFUSED.....	70	0.12
		998 = BLANK (NO ANSWER).....	88	0.15
		999 = LEGITIMATE SKIP.....	58155	99.11
(YSU15)		Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUMHSUIC	2	1VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	104	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	253	0.43
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	460
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
YUMHDEPR	2	1VISITED MH CLNC BEC YOU FELT DEPRESSED		
		1 = Response entered.....	189	0.32
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	168	0.29
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11
YUMHFEAR	2	1VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	51	0.09
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	306	0.52
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11
YUMHBKRU	2	1VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	62	0.11
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	291	0.50
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11
YUMHEATP	2	1VISITED MH CLNC BEC YOU HAD EATING PROBS		
		1 = Response entered.....	28	0.05
		6 = Response not entered.....	330	0.56
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11
YUMHSOR	2	1VISITED MH CLNC FOR SOME OTHER REASON		
		1 = Response entered.....	133	0.23
		6 = Response not entered.....	225	0.38
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	72	0.12
		98 = BLANK (NO ANSWER).....	88	0.15
		99 = LEGITIMATE SKIP.....	58155	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU16)		During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTYR 2		1RCVD EMOT TRMT FROM THERAPIST PST 12 MOS		
		1 = Yes.....	1365	2.33
		2 = No.....	17908	30.52
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	59	0.10
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU17)		During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTN2 3		1# TIMES VISITED THERAPIST PAST 12 MONTHS		
		RANGE = 1 - 30	1204	2.05
		31 = 31 or more.....	82	0.14
		994 = DON'T KNOW.....	76	0.13
		997 = REFUSED.....	68	0.12
		998 = BLANK (NO ANSWER).....	92	0.16
		999 = LEGITIMATE SKIP.....	57158	97.41
(YSU18)		Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUTPSUIC 2		1VISITED THERAPIST BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	198	0.34
		6 = Response not entered.....	1148	1.96
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	462
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUTPDEPR	2	1VISITED THERAPIST BEC YOU FELT DEPRESSED		
		1 = Response entered.....	578	0.99
		3 = Response entered LOGICALLY ASSIGNED.....	13	0.02
		6 = Response not entered.....	755	1.29
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41
YUTPFEAR	2	1VISITED THERAPIST BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	146	0.25
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	1190	2.03
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41
YUTPBKRU	2	1VISITED THERAPIST BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	233	0.40
		3 = Response entered LOGICALLY ASSIGNED.....	24	0.04
		6 = Response not entered.....	1089	1.86
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41
YUTPEATP	2	1VISITED THERAPIST BEC YOU HAD EATING PROBS		
		1 = Response entered.....	75	0.13
		6 = Response not entered.....	1271	2.17
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41
YUTPSOR	2	1VISITED THERAPIST FOR SOME OTHER REASON		
		1 = Response entered.....	719	1.23
		6 = Response not entered.....	627	1.07
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	92	0.16
		99 = LEGITIMATE SKIP.....	57158	97.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU19)		During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPYR	2	1RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		
		1 = Yes.....	373	0.64
		2 = No.....	18910	32.23
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	49	0.08
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU20)		During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPN2	2	1# TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		
		RANGE = 1 - 30	334	0.57
		31 = 31 or more.....	17	0.03
		994 = DON'T KNOW.....	21	0.04
		997 = REFUSED.....	66	0.11
		998 = BLANK (NO ANSWER).....	82	0.14
		999 = LEGITIMATE SKIP.....	58160	99.11
(YSU21)		Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?		
YUIHSUIC	2	1SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	60	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	303	0.52
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	464
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUIHDEPR	2	1SAW IN HOME COUNS BEC YOU FELT DEPRESSED		
		1 = Response entered.....	143	0.24
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	218	0.37
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11
YUIHFEAR	2	1SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	37	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	325	0.55
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11
YUIHBKRU	2	1SAW IN HOME COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	75	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	284	0.48
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11
YUIHEATP	2	1SAW IN HOME COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	335	0.57
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11
YUIHSOR	2	1SAW IN HOME COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	166	0.28
		6 = Response not entered.....	198	0.34
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	67	0.11
		98 = BLANK (NO ANSWER).....	82	0.14
		99 = LEGITIMATE SKIP.....	58160	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	465
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU22)		During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCYR	2	1RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS		
		1 = Yes.....	375	0.64
		2 = No.....	18907	32.22
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	53	0.09
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU23)		During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCN2	3	1# TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS		
		RANGE = 1 - 30	353	0.60
		31 = 31 or more.....	3	0.01
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	65	0.11
		998 = BLANK (NO ANSWER).....	86	0.15
		999 = LEGITIMATE SKIP.....	58157	99.11
(YSU24)		Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUFDSUIC	2	1SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	40	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	315	0.54
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	466
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUFDDDEPR	2	1SAW FAMLY DOC BEC YOU FELT DEPRESSED		
		1 = Response entered.....	131	0.22
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	223	0.38
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11
YUFDFEAR	2	1SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	37	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	317	0.54
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11
YUFDBKRU	2	1SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	44	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	311	0.53
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11
YUFDEATP	2	1SAW FAMLY DOC BEC YOU HAD EATING PROBS		
		1 = Response entered.....	34	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	320	0.55
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11
YUFDSOR	2	1SAW FAMLY DOC FOR SOME OTHER REASON		
		1 = Response entered.....	161	0.27
		6 = Response not entered.....	195	0.33
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	86	0.15
		99 = LEGITIMATE SKIP.....	58157	99.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	467
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU25)		During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUSPEDYR	2	1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	472	0.80
		2 = No.....	13404	22.84
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	171	0.29
		99 = LEGITIMATE SKIP.....	44537	75.90
(YSU26)		During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?		
YUSHCNYR	2	1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	1123	1.91
		2 = No.....	12752	21.73
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	171	0.29
		99 = LEGITIMATE SKIP.....	44537	75.90
(YSU27)		Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?		
YUSHSUIC	2	1TLKED W/SCH COUNS BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	107	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	994	1.69
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION			PAGE:	468
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUSHDEPR	2	1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED		
		1 = Response entered.....	413	0.70
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	685	1.17
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63
YUSHFEAR	2	1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	131	0.22
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	968	1.65
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63
YUSHBKRU	2	1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	218	0.37
		3 = Response entered LOGICALLY ASSIGNED.....	22	0.04
		6 = Response not entered.....	863	1.47
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63
YUSHEATP	2	1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	49	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1053	1.79
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63
YUSHSOR	2	1TLKED W/SCH COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	621	1.06
		6 = Response not entered.....	482	0.82
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	64	0.11
		98 = BLANK (NO ANSWER).....	212	0.36
		99 = LEGITIMATE SKIP.....	57289	97.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH SERVICE UTILIZATION

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU28)		Have you ever been in jail or in a detention center?		
YUJAILEV	2	1EVER BEEN IN JAIL OR DETENTION CENTER		
		1 = Yes.....	913	1.56
		2 = No.....	18411	31.38
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89
(YSU29)		Have you ever been in foster care?		
YUFCAREV	2	1EVER BEEN IN FOSTER CARE		
		1 = Yes.....	368	0.63
		2 = No.....	18861	32.14
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	96	0.16
		94 = DON'T KNOW.....	26	0.04
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	20	0.03
		99 = LEGITIMATE SKIP.....	39250	66.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	470
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HOUSEHOLD COMPOSITION (ROSTER)				

IRHHSIZ2	1	RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		1 = One person in household.....	4191	7.14
		2 = Two people in household.....	13078	22.29
		3 = Three people in household.....	13804	23.52
		4 = Four people in household.....	14858	25.32
		5 = Five people in household.....	7692	13.11
		6 = 6 to 25 people in household.....	5057	8.62
IIHHSIZ2	1	IRHHSIZ2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58546	99.77
		3 = Statistically imputed data.....	134	0.23
IRHH65_2	1	REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		1 = No people 65 or older in household.....	53354	90.92
		2 = One person 65 or older in household.....	3550	6.05
		3 = Two or more people 65 or older in household.....	1776	3.03
IIHH65_2	1	IRHH65_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58416	99.55
		2 = Logically imputed data.....	35	0.06
		3 = Statistically imputed data.....	229	0.39
IRKI17_2	1	RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		1 = No children under 18.....	22416	38.20
		2 = One child under 18.....	14137	24.09
		3 = Two children under 18.....	13281	22.63
		4 = Three or more children under 18.....	8846	15.07
IIKI17_2	1	IRKI17_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58446	99.60
		3 = Statistically imputed data.....	234	0.40
IMOTHER	1	MOTHER IN HH		
		1 = R is 12-17, mother in hh.....	17707	30.18
		2 = R is 12-17, no mother in hh.....	1588	2.71
		3 = R is 12-17, don't know whether mother is in hh....	135	0.23
		4 = R is 18 or older.....	39250	66.89

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	471
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IFATHER	1	FATHER IN HH		
		1 = R is 12-17, father in hh.....	14477	24.67
		2 = R is 12-17, no father in hh.....	4779	8.14
		3 = R is 12-17, don't know whether father is in hh....	174	0.30
		4 = R is 18 or older.....	39250	66.89
NRCH17_2	1	# R'S CHILDREN < 18 IN HOUSEHOLD		
		RANGE = 0 - 2	56135	95.66
		. = Missing.....	318	0.54
		3 = 3 or more.....	2227	3.80

PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
(HLTH01)		PREGNANCY AND HEALTH CARE		
		NOTE: Questions about pregnancy and health care utilization were self-administered in 2000, such that interviewers would not know how respondents were answering these questions. In 1999, interviewers read these questions aloud to respondents, who then gave their answers to the interviewers. Data file users who wish to compare data between 1999 and 2000 for these variables should keep this difference in mind.		
		The next questions are about your health and health care.		
		Are you currently pregnant?		
PREGNANT 2		ARE YOU PREGNANT		
		1 = Yes.....	1006	1.71
		2 = No.....	24959	42.53
		94 = DON'T KNOW.....	76	0.13
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	32600	55.56
(HLTH03)		During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?		
NMERTMT2 3		# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		RANGE = 0 - 30	57828	98.55
		31 = 31 or more.....	14	0.02
		985 = BAD DATA Logically assigned.....	48	0.08
		994 = DON'T KNOW.....	600	1.02
		997 = REFUSED.....	173	0.29
		998 = BLANK (NO ANSWER).....	17	0.03

PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
(HLTH04)		During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?		
INHOSPYR	2	STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
		1 = Yes.....	4653	7.93
		2 = No.....	53830	91.73
		85 = BAD DATA Logically assigned.....	48	0.08
		94 = DON'T KNOW.....	76	0.13
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	17	0.03
(HLTH05)		During the past 12 months, how many nights were you an inpatient in a hospital?		
NMNGTHS2	3	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 30	4515	7.69
		31 = 31 or more.....	91	0.16
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	39	0.07
		997 = REFUSED.....	64	0.11
		998 = BLANK (NO ANSWER).....	135	0.23
		999 = LEGITIMATE SKIP.....	53830	91.73
		HAS THE PERSON'S [QP02 FILL] JOINED R?		
PROXANS2	2	IS PROXY ANSWERING INSURANCE/INCOME QS		
		1 = Yes.....	16187	27.59
		2 = No.....	93	0.16
		7 = Unclear LOGICALLY ASSIGNED.....	623	1.06
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	324	0.55
		99 = LEGITIMATE SKIP (Respondent answering).....	41416	70.58
		NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section.		
PREG	1	PREGNANT FEMALES AGED 12-44		
		0 = Otherwise.....	57674	98.29
		1 = Pregnant Females Aged 12-44 (PREGNANT=1).....	1006	1.71

PREGNANCY AND HEALTH CARE			PAGE:	474
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
PREG2	1	PREGNANCY STATUS OF FEMALES AGED 12-44		
		. = Unknown (PREGNANT = 94,97,98).....	115	0.20
		1 = Pregnant (PREGNANT=1).....	1006	1.71
		2 = Not Pregnant (PREGNANT=2).....	24959	42.53
		3 = Males/Females not age 12-44 (PREGNANT=99).....	32600	55.56
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY - FEMALES AGE 12-44		
		. = Unknown.....	4	0.01
		1 = 1st 3 months of pregnancy.....	315	0.54
		2 = 2nd 3 months of pregnancy.....	390	0.66
		3 = Last 3 months of pregnancy.....	297	0.51
		4 = Males/Not Pregnant Females.....	57674	98.29

INCOME AND INSURANCE			PAGE:	475
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		INCOME AND INSURANCE		

		NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.		
IRPSOC	1	IMP. REVISED- RESP RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	4588	7.82
		2 = No.....	54092	92.18
IIPSOC	1	IRPSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58076	98.97
		3 = Statistically imputed data.....	604	1.03
IRFAMSOC	1	IMP. REVISED-FAM RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	7388	12.59
		2 = No.....	51292	87.41
IIFAMSOC	1	IRFAMSOC-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57653	98.25
		3 = Statistically imputed data.....	1027	1.75
IRPSSI	1	IMP. REVISED- RESP RECEIVE SSI		
		1 = Yes.....	1706	2.91
		2 = No.....	56974	97.09
IIPSSI	1	IRPSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57976	98.80
		3 = Statistically imputed data.....	704	1.20
IRFAMSSI	1	IMP. REVISED- FAM RECEIVE SSI		
		1 = Yes.....	3315	5.65
		2 = No.....	55365	94.35
IIFAMSSI	1	IRFAMSSI-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57537	98.05
		3 = Statistically imputed data.....	1143	1.95

INCOME AND INSURANCE			PAGE:	476
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRFSTAMP	1	IMP. REVISED-RESP/OTH FAM MEM REC FOOD STAMPS		
		1 = Yes.....	4439	7.56
		2 = No.....	54241	92.44
IIFSTAMP	1	IRFSTAMP-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58157	99.11
		3 = Statistically imputed data.....	523	0.89
IRPPMT	1	IMP. REVISED-RESP RECEIVE PUBLIC ASSIST		
		1 = Yes.....	1766	3.01
		2 = No.....	56914	96.99
IIPPMT	1	IRPPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58114	99.04
		3 = Statistically imputed data.....	566	0.96
IRFAMPMT	1	IMP. REVISED-FAM RECEIVE PUBLIC ASSIST		
		1 = Yes.....	2372	4.04
		2 = No.....	56308	95.96
IIFAMPMT	1	IRFAMPMT -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57922	98.71
		3 = Statistically imputed data.....	758	1.29
IRPSVC	1	IMP. REVISED- RESP REC WELFARE/JOB PL/CHILD CARE		
		1 = Yes.....	1594	2.72
		2 = No.....	57086	97.28
IIPSVC	1	IRPSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58154	99.10
		3 = Statistically imputed data.....	526	0.90
IRFAMSVC	1	IMP. REVISED- FAM REC WELFARE/JOB PL/CHILDCARE		
		1 = Yes.....	2275	3.88
		2 = No.....	56405	96.12
IIFAMSVC	1	IRFAMSVC-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57925	98.71
		3 = Statistically imputed data.....	755	1.29
IRWELMOS	2	IMP. REVISED- NO.OF MONTHS ON WELFARE		
		RANGE = 1 - 12	3441	5.86
		99 = LEGITIMATE SKIP.....	55239	94.14

INCOME AND INSURANCE			PAGE:	477
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIWELMOS	1	IRWELMOS-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	3265	5.56
		3 = Statistically imputed data.....	967	1.65
		9 = Legitimate skip.....	54448	92.79
IRPINT	1	IMP.REVISED-RESP REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	33416	56.95
		2 = No.....	25264	43.05
IIPINT	1	IRPINT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57514	98.01
		3 = Statistically imputed data.....	1166	1.99
IRFAMINT	1	IMP. REV-FAM REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	40575	69.15
		2 = No.....	18105	30.85
IIFAMINT	1	IRFAMINT-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	56711	96.64
		3 = Statistically imputed data.....	1969	3.36
IRPCHD	1	IMP. REVISED-RESP REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	2955	5.04
		2 = No.....	55725	94.96
IIPCHD	1	IRPCHD - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58157	99.11
		3 = Statistically imputed data.....	523	0.89
IRFAMCHD	1	IMP. REVISED-FAM REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	5957	10.15
		2 = No.....	52723	89.85
IIFAMCHD	1	IRFAMCHD -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57947	98.75
		3 = Statistically imputed data.....	733	1.25
IRPWAG	1	IMP. REVISED-RESP RECEIVE INCOME FROM JOB		
		1 = Yes.....	37629	64.13
		2 = No.....	21051	35.87
IIPWAG	1	IRPWAG - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58300	99.35
		3 = Statistically imputed data.....	380	0.65

INCOME AND INSURANCE			PAGE:	478
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRFAMWAG	1	IMP. REVISED-FAM REC INCOME FROM JOB		
		1 = Yes.....	52951	90.24
		2 = No.....	5729	9.76
IIFAMWAG	1	IRFAMWAG -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58224	99.22
		3 = Statistically imputed data.....	456	0.78
IRPOTH	1	IMP.REVISED-RESP REC OTH INCOME FROM OTH SOURCE		
		1 = Yes.....	2621	4.47
		2 = No.....	56059	95.53
IIPOTH	1	IRPOTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	58079	98.98
		3 = Statistically imputed data.....	601	1.02
IRFAMOTH	1	IMP. REVISED-FAM REC OTH INC FR OTH SOURCE		
		1 = Yes.....	5393	9.19
		2 = No.....	53287	90.81
IIFAMOTH	1	IRFAMOTH -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	57608	98.17
		3 = Statistically imputed data.....	1072	1.83
IRPINC3	1	RECODE - IMP.REVISED-RESP'S TOT INC		
		1 = \$0 - \$9,999 (Including Loss).....	32074	54.66
		2 = \$10,000 - \$19,999.....	9445	16.10
		3 = \$20,000 - \$29,999.....	6889	11.74
		4 = \$30,000 - \$39,999.....	4199	7.16
		5 = \$40,000 - \$49,999.....	2361	4.02
		6 = \$50,000 - \$74,999.....	2228	3.80
		7 = \$75,000 or more.....	1484	2.53
IIPINC3	1	IRPINC3 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54769	93.34
		3 = Statistically imputed data.....	3911	6.66
IRFAMIN3	1	RECODE - IMP.REVISED -TOT FAM INCOME		
		1 = \$0 - \$9,999 (Including Loss).....	5392	9.19
		2 = \$10,000 - \$19,999.....	8087	13.78
		3 = \$20,000 - \$29,999.....	8232	14.03
		4 = \$30,000 - \$39,999.....	8129	13.85
		5 = \$40,000 - \$49,999.....	7740	13.19
		6 = \$50,000 - \$74,999.....	10403	17.73
		7 = \$75,000 or more.....	10697	18.23

INCOME AND INSURANCE			PAGE:	479
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIFAMIN3	1	IRFAMIN3 -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	49252	83.93
		3 = Statistically imputed data.....	9428	16.07
NOTE: The following variable, GOVTPROG, was created from one or more of the preceding variables from this same section.				
The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSV).				
GOVTPROG	1	PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		1 = YES (ANY SOURCE VARIABLE=1).....	7942	13.53
		2 = NO (ALL SOURCE VARIABLES=2).....	50738	86.47
NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) answered yes to MEDICARE, MEDICAID, CHAMPUS, OGOVTINS, PRVHLTIN, and OTHLTINS (see below), indicating that the respondent was currently covered by all of these forms of health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents answered yes to MEDICARE, MEDICAID, CHAMPUS, and PRVHLTIN. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.				
HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
		1 = Answered yes to all current health insurance Qs...	9	0.02
		98 = BLANK (NO ANSWER).....	58671	99.98
HLCALL99	2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
		1 = Yes.....	62	0.11
		98 = BLANK (NO ANSWER).....	58618	99.89

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI01)		The next questions are about SAMPLE MEMBER'S health insurance coverage and the kinds and amounts of income that SAMPLE MEMBER and other people in your family receive.		
		People covered by Medicare have a card that looks like this. (Are you/Is SAMPLE MEMBER) covered by Medicare? (Medicare is a health insurance program for persons 65 and older and for certain disabled persons.)		
MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes.....	4233	7.21
		2 = No.....	53990	92.01
		94 = DON'T KNOW.....	283	0.48
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	51	0.09
(QHI02)		(Are you / Is SAMPLE MEMBER) currently covered by Medicaid or Medical Assistance? Medicaid or Medical Assistance is a public assistance program that pays for medical care. (In this state, Medicaid is also known as MEDICAID STATE NAME(S); Medical Assistance may be known as MEDICAL ASSISTANCE STATE NAME(S).)		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes.....	5864	9.99
		2 = No.....	52193	88.95
		94 = DON'T KNOW.....	439	0.75
		97 = REFUSED.....	132	0.22
		98 = BLANK (NO ANSWER).....	52	0.09

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI03)		(Are you/Is SAMPLE MEMBER) currently covered by CHAMPUS or TRICARE, CHAMPVA, the VA, or military health care?		
		These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes.....	1677	2.86
		2 = No.....	56493	96.27
		94 = DON'T KNOW.....	328	0.56
		97 = REFUSED.....	130	0.22
		98 = BLANK (NO ANSWER).....	52	0.09
		(Are you/Is SAMPLE MEMBER) currently covered by any other government-sponsored program that provides or pays for medical care?		
OGOVTINS	2	COVERED BY OTHER GOVT SPONSORED PROGRAM		
		1 = Yes.....	1793	3.06
		2 = No.....	56260	95.88
		94 = DON'T KNOW.....	439	0.75
		97 = REFUSED.....	136	0.23
		98 = BLANK (NO ANSWER).....	52	0.09

INCOME AND INSURANCE			PAGE:	482
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OGOVINS2	3	OTHER GOVT SPONSORED COVERAGE - SPECIFY		
		1 = Medicare.....	49	0.08
		2 = Medicaid or Medical Assistance.....	292	0.50
		3 = Military Health Care (CHAMPUS, TRICARE, VA).....	59	0.10
		4 = State AIDS Drug Assistance Program.....	3	0.01
		5 = SCHIP (State Children's Health Insurance Plan)....	204	0.35
		6 = Public Health Service/Indian health hospital/clinc	242	0.41
		7 = Temp Assistance for Needy Families; formerly AFDC.	9	0.02
		8 = State govt prgm; Chronically Ill/Disabled Children	24	0.04
		9 = State govt program; prescription assistance.....	4	0.01
		11 = Migrant/community/rural health center.....	9	0.02
		12 = Local/state hlth dept;social/human servcs; unspcfd	37	0.06
		13 = School/college/univ health services; govt unspcfd	15	0.03
		15 = WIC/Suppl Nutrition Prgm Women, Infants,& Children	16	0.03
		16 = Sliding scale/subsidized health care; unspecified.	4	0.01
		17 = Non-Medicaid state govt low-income health assistnc	11	0.02
		19 = Social Security; type unspecified.....	3	0.01
		20 = Workman's Compensation.....	7	0.01
		21 = Welfare/social welfare; not otherwise specified...	14	0.02
		22 = State Health program; type unspecified.....	18	0.03
		23 = Other gov't coverage, not classified elsewhere....	2	0.00
		60 = Private ins provider; govt affiliation unspecified	408	0.70
		61 = Civilian govt employee private health insurance...	172	0.29
		62 = Health care coverage outside of the US.....	9	0.02
		63 = Medical/health care/wellness coverage; unspecified	51	0.09
		65 = Private, not-for-profit foundation.....	7	0.01
		70 = Non-health care insurance coverage.....	6	0.01
		72 = Supplemental Social Income (SSI).....	18	0.03
		73 = Other non-gov't insurance/not a type of insurance.	3	0.01
		985 = BAD DATA Logically assigned.....	47	0.08
		994 = DON'T KNOW.....	47	0.08
		997 = REFUSED.....	139	0.24
		998 = BLANK (NO ANSWER).....	491	0.84
		999 = LEGITIMATE SKIP (OGOVINS=2).....	56260	95.88

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI06)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.		
		(Are you/Is SAMPLE MEMBER) currently covered by private health insurance?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE		
		1 = Yes.....	42539	72.49
		2 = No.....	15437	26.31
		94 = DON'T KNOW.....	515	0.88
		97 = REFUSED.....	137	0.23
		98 = BLANK (NO ANSWER).....	52	0.09
(QHI07)		(Was your/SAMPLE MEMBER'S) private health insurance obtained through work, such as through an employer, union, or professional association?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes.....	39068	66.58
		2 = No.....	3360	5.73
		94 = DON'T KNOW.....	108	0.18
		97 = REFUSED.....	140	0.24
		98 = BLANK (NO ANSWER).....	567	0.97
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15437	26.31
(QHI08)		Does (your/SAMPLE MEMBER'S) private health insurance include coverage for treatment for any of the following conditions?		
		Alcohol abuse or alcoholism?		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes.....	21379	36.43
		2 = No.....	4989	8.50
		94 = DON'T KNOW.....	16135	27.50
		97 = REFUSED.....	173	0.29
		98 = BLANK (NO ANSWER).....	567	0.97
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15437	26.31

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI09)		Drug abuse?		
HLTINDRG	2	DRUG ABUSE		
		1 = Yes.....	21215	36.15
		2 = No.....	5042	8.59
		94 = DON'T KNOW.....	16244	27.68
		97 = REFUSED.....	175	0.30
		98 = BLANK (NO ANSWER).....	567	0.97
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15437	26.31
(QHI10)		Mental or emotional problems?		
HLTIMMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes.....	27192	46.34
		2 = No.....	3729	6.35
		94 = DON'T KNOW.....	11583	19.74
		97 = REFUSED.....	172	0.29
		98 = BLANK (NO ANSWER).....	567	0.97
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15437	26.31
		(Are you/Is SAMPLE MEMBER) currently covered by any other type of health insurance or coverage besides the ones I just asked about?		
OTHLTINS	2	COVERED BY OTHER TYPE OF HEALTH INSURANCE		
		1 = Yes.....	2508	4.27
		2 = No.....	55052	93.82
		94 = DON'T KNOW.....	926	1.58
		97 = REFUSED.....	142	0.24
		98 = BLANK (NO ANSWER).....	52	0.09

		INCOME AND INSURANCE	PAGE:	485
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
OTHLINS2	3	OTHER TYPE OF HEALTH INSURANCE - SPECIFY		
		1 = Medicare.....	18	0.03
		2 = Medicaid or Medical Assistance.....	29	0.05
		3 = Military Health Care (CHAMPUS, TRICARE, VA).....	24	0.04
		4 = Private health insurance.....	972	1.66
		5 = Public Health Service/Indian health hospital/clinc	34	0.06
		6 = Health care coverage outside of USA.....	16	0.03
		7 = School/sport-related health care coverage.....	152	0.26
		8 = Non-government medical assistance.....	15	0.03
		9 = Temp Assistance for Needy Families; formerly AFDC.	6	0.01
		10 = Dental/vision/prescription/chiro/alt med insurance	433	0.74
		13 = Cancer/heart insurance coverage.....	94	0.16
		14 = Long term/nursing home care insurance.....	37	0.06
		15 = Hospitalization/catastrophic/major illness insuranc	31	0.05
		17 = Local/state hlth dept;social.human servcs; unspcfd	6	0.01
		18 = Medical/insurance; type unspecified.....	22	0.04
		19 = SCHIP (State Children's Health Insurance Plan)....	36	0.06
		20 = Family member coverage; type unspecified.....	149	0.25
		21 = Secondary/supplemental insurance; private unspcfd	56	0.10
		22 = Employee Assistance Program.....	5	0.01
		23 = State health program; type unspecified.....	10	0.02
		25 = Sliding scale/subsidized health care; unspecified.	4	0.01
		30 = Foreign exchange student program insurance.....	4	0.01
		31 = Accident/injury insurance.....	68	0.12
		32 = Other health insurance, not classified elsewhere..	13	0.02
		50 = All types/combined/other; hlth ins coverage unspcd	9	0.02
		60 = Non-health care insurance/coverage.....	102	0.17
		985 = BAD DATA Logically assigned.....	90	0.15
		994 = DON'T KNOW.....	64	0.11
		997 = REFUSED.....	151	0.26
		998 = BLANK (NO ANSWER).....	978	1.67
		999 = LEGITIMATE SKIP (OTHLTINS=2).....	55052	93.82
(QHI13)		During the past 12 months, was there any time when (you/SAMPLE MEMBER) did not have any kind of health insurance or coverage?		
HLCNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS		
		1 = Yes.....	4006	6.83
		2 = No.....	45958	78.32
		94 = DON'T KNOW.....	271	0.46
		97 = REFUSED.....	119	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	7764	13.23

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI14)		During the past 12 months, about how many months were (you/SAMPLE MEMBER) without any kind of health insurance or coverage?		
HLCNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE		
		RANGE = 1 - 12	3963	6.75
		94 = DON'T KNOW.....	42	0.07
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	833	1.42
		99 = LEGITIMATE SKIP.....	53722	91.55
(QHI15)		NOTE: In the variable HLCLAST, codes of 11 through 15 were assigned when there was some inconsistency between the answer to HLCLAST and data on the type of coverage the respondent last had, why the respondent lost coverage, or why the respondent never had coverage. Codes of 11 through 14 indicate that the respondent (or proxy) reported not being currently covered by any of the forms of health insurance asked about in the interview but (a) the response to the question about the type of last health insurance coverage indicated that the respondent never had health insurance, or (b) the reason specified for losing health insurance indicated that the respondent currently or never had health insurance. Similarly, a code of 15 was assigned to HLCLAST if the respondent (or proxy) reported never having health insurance but subsequently indicated current or former health insurance coverage.		
HLCLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE		
		1 = Within the past 6 months.....	1431	2.44
		2 = More than 6 months ago, but within the past year..	1043	1.78
		3 = More than 1 year ago, but within the past 3 years.	1651	2.81
		4 = More than 3 years ago.....	1714	2.92
		5 = Never had coverage.....	1826	3.11
		11 = Within the past 6 months (see NOTE).....	2	0.00
		12 = More than 6 mos ago but w/in pst yr (see NOTE)....	1	0.00
		13 = More than 1 yr ago but w/in pst 3 yr (see NOTE)...	4	0.01
		14 = More than 3 years ago (see NOTE).....	3	0.01
		15 = Never had coverage (see NOTE).....	9	0.02
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	117	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	50242	85.62

INCOME AND INSURANCE			PAGE:	487
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		When (you were/SAMPLE MEMBER was) last covered, what kind of health care coverage did (you/SAMPLE MEMBER) have?		
HLCPRIVT	2	PRIVATE HEALTH INSURANCE		
		1 = Response entered.....	3932	6.70
		3 = Response entered LOGICALLY ASSIGNED.....	80	0.14
		6 = Response not entered.....	1761	3.00
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLCMCAID	2	MEDICAID OR MEDICAL ASSISTANCE		
		1 = Response entered.....	1259	2.15
		3 = Response entered LOGICALLY ASSIGNED.....	23	0.04
		6 = Response not entered.....	4491	7.65
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLCMILT	2	MILITARY HEALTH CARE (CHAMPUS, TRICARE, CHAMPVA, VA)		
		1 = Response entered.....	115	0.20
		6 = Response not entered.....	5658	9.64
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLCMCARE	2	MEDICARE		
		1 = Response entered.....	65	0.11
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	5707	9.73
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75

INCOME AND INSURANCE			PAGE:	488
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLCOGOV	2	SOME OTHER GOVERNMENT PROGRAM		
		1 = Response entered.....	205	0.35
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	5562	9.48
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLCOTHER	2	SOME OTHER KIND OF COVERAGE (SPECIFY)		
		1 = Response entered.....	214	0.36
		6 = Response not entered.....	5559	9.47
		94 = DON'T KNOW.....	148	0.25
		97 = REFUSED.....	120	0.20
		98 = BLANK (NO ANSWER).....	562	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLCOTHS2	2	LAST KIND OF HEALTH COVERAGE SPECIFIED		
		1 = Private health insurance.....	80	0.14
		2 = Medicaid or medical assistance.....	23	0.04
		4 = Medicare.....	1	0.00
		5 = Some other government program.....	7	0.01
		6 = Some other kind of coverage.....	3	0.01
		8 = Health care coverage outside of USA.....	15	0.03
		9 = School/sport-related health care coverage.....	24	0.04
		11 = Medical, type unspecified.....	6	0.01
		14 = Workman's compensation.....	4	0.01
		60 = Paid out of pocket.....	3	0.01
		61 = Does not have medical insurance.....	2	0.00
		90 = NEVER HAD HEALTH CARE COVERAGE.....	1	0.00
		985 = BAD DATA Logically assigned.....	12	0.02
		994 = DON'T KNOW.....	31	0.05
		997 = REFUSED.....	122	0.21
		998 = BLANK (NO ANSWER).....	710	1.21
		999 = LEGITIMATE SKIP.....	57636	98.22

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		Which of the reasons on this card describe why (you/SAMPLE MEMBER) stopped being covered by health insurance?		
HLLLOSJB	2	PERS IN FAM W/HEALTH INS LOST JOB/CHANGED EMP		
		1 = Response entered.....	1511	2.57
		3 = Response entered LOGICALLY ASSIGNED.....	141	0.24
		6 = Response not entered.....	4186	7.13
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
		NOTE: In the variables HLLMAJOB and HLLMASOR, codes of 11 and 13 were assigned when respondents reported losing Medicaid or medical assistance for some reason (implying prior coverage by Medicaid or other government-sponsored medical assistance) but they had not previously reported that they were last covered by Medicaid or by some other government program.		
HLLMAJOB	2	LOST MEDICAID/MED ASSIST B/C NEW JOB/PAY INCREASE		
		1 = Response entered.....	423	0.72
		3 = Response entered LOGICALLY ASSIGNED.....	13	0.02
		6 = Response not entered.....	5277	8.99
		11 = Response entered (potl incons w/last coverage)....	124	0.21
		13 = Response entered LOG ASSN (potl incons).....	1	0.00
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLMASOR	2	LOST MEDICAID/MED ASSIST FOR SOME OTH REASON		
		1 = Response entered.....	438	0.75
		3 = Response entered LOGICALLY ASSIGNED.....	25	0.04
		6 = Response not entered.....	5309	9.05
		11 = Response entered (potl incons w/last coverage)....	59	0.10
		13 = Response entered LOG ASSN (potl incons).....	7	0.01
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75

INCOME AND INSURANCE			PAGE:	490
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLLCOST	2	COST TOO HIGH/CAN'T AFFORD PREMIUMS		
		1 = Response entered.....	1123	1.91
		3 = Response entered LOGICALLY ASSIGNED.....	27	0.05
		6 = Response not entered.....	4688	7.99
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLINELG	2	BECAME INELIGIBLE B/C AGE OR LEAVING SCHOOL		
		1 = Response entered.....	1012	1.72
		3 = Response entered LOGICALLY ASSIGNED.....	18	0.03
		6 = Response not entered.....	4808	8.19
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLNOFFR	2	EMPLOYER DOES NOT OFFER COVERAGE/NOT ELIGIBLE		
		1 = Response entered.....	462	0.79
		3 = Response entered LOGICALLY ASSIGNED.....	15	0.03
		6 = Response not entered.....	5361	9.14
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLDIVOR	2	DIVORCED/SEPARATED FROM PERSON W/INSURANCE		
		1 = Response entered.....	150	0.26
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	5682	9.68
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLDEATH	2	DEATH OF SPOUSE OR PARENT		
		1 = Response entered.....	32	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	5803	9.89
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75

INCOME AND INSURANCE			PAGE:	491
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLLREFUS	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	50	0.09
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	5787	9.86
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLNONED	2	DON'T NEED IT		
		1 = Response entered.....	158	0.27
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	5677	9.67
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75
HLLSOR	2	LOST HEALTH INSURANCE FOR SOME OTHER REASON		
		1 = Response entered.....	549	0.94
		6 = Response not entered.....	5289	9.01
		94 = DON'T KNOW.....	79	0.13
		97 = REFUSED.....	123	0.21
		98 = BLANK (NO ANSWER).....	563	0.96
		99 = LEGITIMATE SKIP.....	52077	88.75

INCOME AND INSURANCE			PAGE:	492
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLLSORS2	2	OTHER REASON FOR LOSING HLTH INS - SPECIFY		
		1 = Person in family w/ ins lost job/chngd employers..	141	0.24
		2 = Lost Medicaid or med assist cov b/c new job/income	14	0.02
		3 = Lost Medicaid or med assist cov for other reason..	32	0.05
		4 = Cost is too high/can't afford premiums.....	29	0.05
		5 = Became ineligible b/c of age or leaving school....	19	0.03
		6 = Employer doesn't offer cov/not eligible for cov...	15	0.03
		7 = Got divorced or separated from person w/ ins.....	6	0.01
		8 = Death of spouse or parent.....	3	0.01
		9 = Insurance company refused coverage.....	1	0.00
		10 = Don't need it.....	3	0.01
		11 = Some other reason.....	9	0.02
		12 = Have not applied or reapplied for ins coverage....	27	0.05
		13 = Applied ins/Medicaid,waiting for activation/eligib	18	0.03
		14 = Ineligible b/c moved out of parents home/got marri	27	0.05
		15 = Don't know how to obtain/trying to obtain.....	3	0.01
		16 = Non-us citizen.....	42	0.07
		19 = Self-employed/parents self-employed.....	9	0.02
		20 = Dissatisfied with previous/available coverage....	10	0.02
		22 = Had ins in another country before moving to US....	5	0.01
		23 = Moved/don't have same coverage.....	36	0.06
		24 = Parents/guardians got divorced/separated.....	8	0.01
		25 = Don't qualify, no reason specified.....	7	0.01
		26 = Dropped coverage, no reason specified.....	6	0.01
		28 = Don't qualify for partner's/family member's policy	9	0.02
		32 = Ineligible, some other reason.....	3	0.01
		35 = Too complicated to get health insurance coverage..	7	0.01
		39 = Employer/respondent is changing insurance plans...	3	0.01
		41 = Parent/guardian doesn't/won't provide coverage....	9	0.02
		42 = Ins co didn't receive payment/paperwork in time...	3	0.01
		44 = Student/becoming stdnt(elg for oth cov unk).....	4	0.01
		45 = Ineligible because part-time student.....	4	0.01
		90 = CURRENTLY COVERED BY HEALTH INSURANCE.....	9	0.02
		985 = BAD DATA Logically assigned.....	13	0.02
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	125	0.21
		998 = BLANK (NO ANSWER).....	642	1.09
		999 = LEGITIMATE SKIP.....	57366	97.76

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI18)		Which of the reasons on this card describe why (you/SAMPLE MEMBER) have never had health insurance coverage?		
HLNV COST	2	COST TOO HIGH		
		1 = Response entered.....	1185	2.02
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	629	1.07
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	112	0.19
		98 = BLANK (NO ANSWER).....	603	1.03
		99 = LEGITIMATE SKIP.....	56130	95.65
HLNV OFFR	2	EMPLOYER DOESN'T OFFER		
		1 = Response entered.....	306	0.52
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	1507	2.57
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	112	0.19
		98 = BLANK (NO ANSWER).....	603	1.03
		99 = LEGITIMATE SKIP.....	56130	95.65
HLNV REF	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	1798	3.06
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	112	0.19
		98 = BLANK (NO ANSWER).....	603	1.03
		99 = LEGITIMATE SKIP.....	56130	95.65
HLNV NEED	2	DON'T NEED IT		
		1 = Response entered.....	239	0.41
		3 = Response entered LOGICALLY ASSIGNED.....	13	0.02
		6 = Response not entered.....	1568	2.67
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	112	0.19
		98 = BLANK (NO ANSWER).....	603	1.03
		99 = LEGITIMATE SKIP.....	56130	95.65
HLNV SOR	2	NEVER HAD HLTH INS SOME OTHER REASON		
		1 = Response entered.....	147	0.25
		6 = Response not entered.....	1673	2.85
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	112	0.19
		98 = BLANK (NO ANSWER).....	603	1.03
		99 = LEGITIMATE SKIP.....	56130	95.65

INCOME AND INSURANCE			PAGE:	494
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLNVSP2	2	OTHER REASON NEVER HAD HLTH INS - SPECIFY		
		1 = Cost is too high/can't afford premiums.....	8	0.01
		2 = Employer doesn't offer cov/not eligible for cov...	8	0.01
		4 = Don't need it.....	13	0.02
		5 = Some other reason.....	2	0.00
		7 = Have never applied for/thought about ins covrg....	13	0.02
		8 = Religious beliefs/don't trust medical prof/ins co.	13	0.02
		9 = Didn't know available or how to obtain ins.....	3	0.01
		10 = Currently looking for insurance coverage.....	3	0.01
		12 = Non-US citizen.....	20	0.03
		14 = Prefer to pay cash.....	3	0.01
		15 = Never had insurance, no reason specified.....	4	0.01
		16 = Parent/guardian don't/won't provide coverage.....	8	0.01
		17 = Ineligible, other reasons.....	11	0.02
		90 = CURRENTLY COVERED BY HEALTH INSURANCE.....	7	0.01
		91 = ASSISTANCE PROVIDED BY CHURCH/COMMUNITY.....	12	0.02
		92 = HAVE BEEN COVERED BY HEALTH INSURANCE IN PAST.....	2	0.00
		985 = BAD DATA Logically assigned.....	5	0.01
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	113	0.19
		998 = BLANK (NO ANSWER).....	618	1.05
		999 = LEGITIMATE SKIP.....	57803	98.51

The following variable, IRPINSUR, is the imputation revised version of the edited variable PRVHLTIN.

IRPINSUR	1	IMPUTATION-REVISED PRIVATE HEALTH INSURANCE		
		1 = Yes, respondent does have private health insurance	43051	73.37
		2 = No, respondent does not have private health insur.	15629	26.63
IIPINSUR	1	IMPUTATION - INDICATOR IRPINSUR		
		1 = Questionnaire data.....	57976	98.80
		3 = Statistically imputed data.....	704	1.20

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		For IRINSUR, a respondent is classified as having any health insurance (IRINSUR=1) if he/she satisfied ANY of the following conditions. (1) Covered by Private Health Insurance (PRVHLTIN=1) (2) Covered by Medicare (MEDICARE=1) (3) Covered by Medicaid (MEDICAID=1) (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1) A respondent is classified as NOT having any health insurance (IRINSUR=2) if he/she met EVERY one of the following conditions. (1) Not covered by Private Health Insurance (PRVHLTIN=2) (2) Not covered by Medicare (MEDICARE=2) (3) Not covered by Medicaid (MEDICAID=2) (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2) If the respondent is not classified as having or not having any health insurance according to PRVHLTIN, MEDICARE, MEDICAID, and CHAMPUS, then he/she is imputed to either of these two categories, where consistency is maintained between IRINSUR, IRINSUR2, and IRPINSUR.		
IRINSUR	1	IMPUTATION-REVISED HEALTH INSURANCE		
		1 = Yes, respondent does have health insurance.....	49722	84.73
		2 = No, respondent does not have health insurance.....	8958	15.27
IIINSUR	1	IMPUTATION-INDICATOR IRINSUR		
		1 = Questionnaire data.....	57983	98.81
		3 = Statistically imputed data.....	697	1.19

LABEL	LEN	DESCRIPTION	FREQ	%
		The IRINSUR2 variable is similar to IRINSUR. The only difference is that it takes advantage of two additional variables, OGOVTINS (covered by any other government health insurance) and OTHLTINS (covered by any other health insurance), which correspond to two new questions in the 2000 questionnaire.		
		A respondent is classified as having any health insurance (IRINSUR2=1) if he/she satisfied ANY of the following conditions.		
		(1) Covered by Private Health Insurance (PRVHLTIN=1)		
		(2) Covered by Medicare (MEDICARE=1)		
		(3) Covered by Medicaid (MEDICAID=1)		
		(4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)		
		(5) Covered by other government sponsored program (OGOVTINS=1)		
		(6) Covered by other type of health insurance (OTHLTINS=1)		
		A respondent is classified as NOT having any health insurance (IRINSUR2=2) if he/she met EVERY one of the following conditions.		
		(1) Not covered by Private Health Insurance (PRVHLTIN=2)		
		(2) Not covered by Medicare (MEDICARE=2)		
		(3) Not covered by Medicaid (MEDICAID=2)		
		(4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)		
		(5) Not covered by other government sponsored program (OGOVTINS=2)		
		(6) Not covered by other type of health insurance (OTHLTINS=2)		
		If the respondent is not classified as having or not having any health insurance according to PRVHLTIN, MEDICARE, MEDICAID, CHAMPUS, OGOVTINS, and OTHLTINS, then he/she is imputed to either of these categories, where consistency is maintained between IRINSUR, IRINSUR2, and IRPINSUR.		
IRINSUR2	1	IMPUTATION-REVISED HEALTH INSURANCE		
		1 = Yes, respondent does have health insurance.....	50800	86.57
		2 = No, respondent does not have health insurance.....	7880	13.43
IIINSUR2	1	IMPUTATION-INDICATOR IRINSUR		
		1 = Questionnaire data.....	58006	98.85
		3 = Statistically imputed data.....	674	1.15

INTERVIEW INFORMATION			PAGE:	497
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		INTERVIEW INFORMATION		

LANGVER	2	LANGUAGE VERSION		
		1 = English.....	56876	96.93
		2 = Spanish.....	1803	3.07
		98 = BLANK (NO ANSWER).....	1	0.00
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1.....	14825	25.26
		2 = Quarter 2.....	15702	26.76
		3 = Quarter 3.....	15505	26.42
		4 = Quarter 4.....	12648	21.55
GQTYPE	1	TYPE OF GROUP QUARTER		
		= BLANK (NO ANSWER).....	57698	98.33
		B = Boarding House.....	4	0.01
		C = College Dorm.....	843	1.44
		O = Other.....	125	0.21
		S = Shelter.....	4	0.01
		1 = Halfway House.....	6	0.01

INTERVIEW INFORMATION

LABEL LEN DESCRIPTION

FREQ %

(AGE1)

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE2	LEN	DESCRIPTION	FREQ	%
	2	RECODE - FINAL EDITED AGE		
		1 = Respondent is 12 years old.....	3122	5.32
		2 = Respondent is 13 years old.....	3462	5.90
		3 = Respondent is 14 years old.....	3386	5.77
		4 = Respondent is 15 years old.....	3316	5.65
		5 = Respondent is 16 years old.....	3182	5.42
		6 = Respondent is 17 years old.....	2962	5.05
		7 = Respondent is 18 years old.....	2552	4.35
		8 = Respondent is 19 years old.....	2306	3.93
		9 = Respondent is 20 years old.....	2271	3.87
		10 = Respondent is 21 years old.....	2121	3.61
		11 = Respondent is 22 or 23 years old.....	4335	7.39
		12 = Respondent is 24 or 25 years old.....	4278	7.29
		13 = Respondent is between 26 and 29 years old.....	3780	6.44
		14 = Respondent is between 30 and 34 years old.....	4950	8.44
		15 = Respondent is between 35 and 49 years old.....	6426	10.95
		16 = Respondent is between 50 and 64 years old.....	3470	5.91
		17 = Respondent is 65 years old or older.....	2761	4.71

CORE DEMOGRAPHICS			PAGE:	499
LABEL	LEN	DESCRIPTION	FREQ	%
(QD08)		CORE DEMOGRAPHICS		
		How many times have you been married?		
NOMARR2	2	NUMBER OF TIMES MARRIED		
		1 = One time.....	17643	30.07
		2 = Two or more times.....	3861	6.58
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	60	0.10
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	37107	63.24
(QD09)		Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN THE US ARMED FORCES		
		1 = Yes.....	3287	5.60
		2 = No.....	38920	66.33
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		99 = LEGITIMATE SKIP.....	16468	28.06
(QD10)		Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component.....	264	0.45
		3 = Now separated/retired from reserves/active duty...	3012	5.13
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	8	0.01
		99 = LEGITIMATE SKIP.....	55388	94.39
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH		
		1 = Excellent.....	20275	34.55
		2 = Very good.....	21351	36.39
		3 = Good.....	13134	22.38
		4 = Fair.....	3186	5.43
		5 = Poor.....	708	1.21
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	3	0.01

IMPUTED DEMOGRAPHICS			PAGE:	500
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IMPUTED DEMOGRAPHICS				

IRSEX	1	IMPUTATION REVISED GENDER		
		1 = Male.....	28112	47.91
		2 = Female.....	30568	52.09
IISEX	1	IMPUTATION REVISED GENDER INDICATOR		
		1 = Sex from questionnaire.....	58679	100.0
		2 = Sex from screener.....	1	0.00
IRMARIT	2	IMPUTATION REVISED MARITAL STATUS		
		1 = Married.....	17188	29.29
		2 = Widowed.....	1184	2.02
		3 = Divorced or Separated.....	3188	5.43
		4 = Never Been Married.....	27150	46.27
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	9970	16.99
IIMARIT	1	IMPUTATION REVISED MARITAL STATUS INDICATOR		
		1 = Marital status from questionnaire.....	48685	82.97
		3 = Marital status statistically imputed.....	25	0.04
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	9970	16.99
IREDUC2	2	RECODE - IMPUTATION REVISED EDUCATION		
		1 = Fifth grade or less.....	1567	2.67
		2 = Sixth grade.....	3497	5.96
		3 = Seventh grade.....	3664	6.24
		4 = Eighth grade.....	4151	7.07
		5 = Ninth grade.....	4260	7.26
		6 = Tenth grade.....	4322	7.37
		7 = Eleventh grade.....	4545	7.75
		8 = Twelfth grade.....	13927	23.73
		9 = Freshman/13th year.....	3870	6.60
		10 = Sophomore/14th year or Junior/15th year.....	6783	11.56
		11 = Senior/16th year or GradProf School (or higher)...	8094	13.79
IIEDUC2	1	IMPUTATION REVISED EDUCATION INDICATOR		
		1 = Education from questionnaire.....	58661	99.97
		3 = Education statistically imputed.....	19	0.03

IMPUTED DEMOGRAPHICS			PAGE:	501
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
EMPSTAT3	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	23339	39.77
		2 = Employed part time.....	6072	10.35
		3 = Unemployed.....	1330	2.27
		4 = Other.....	8509	14.50
		5 = 12-17 year olds.....	19430	33.11
IIEMPST3	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	38980	66.43
		3 = Employment statistically imputed.....	270	0.46
		4 = 12-17 years old.....	19430	33.11

The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) EMPSTATY differs from EMPSTAT3 in three ways. First, its levels were derived without regard to the other-specify answers to QD30 and QD31 in the 1999 and 2000 questionnaires. Second, its levels were mapped so that they were closer to the definition of "unemployed" in the Current Population Survey. Third, it has meaningful values for 15-17 year old respondents instead of a skip code. The main difference in the definition of "unemployed" between EMPSTATY and the CPS is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.

EMPSTATY	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	23786	40.54
		2 = Employed part time.....	9173	15.63
		3 = Unemployed.....	1363	2.32
		4 = Other (incl. not in labor force).....	14388	24.52
		5 = 12-14 year olds.....	9970	16.99
IIEMPSTY	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	48621	82.86
		3 = Employment statistically imputed.....	89	0.15
		4 = 12-14 years old.....	9970	16.99

IMPUTED DEMOGRAPHICS			PAGE:	502
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		EMPSTAT4 is a recode of EMPSTATY and AGE2. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.		
EMPSTAT4	1	IMP. REV. WORK STATUS CPS NO OTH. SPEC.		
		1 = Employed full time.....	23254	39.63
		2 = Employed part time.....	6068	10.34
		3 = Unemployed.....	1139	1.94
		4 = Other (incl. not in labor force).....	8789	14.98
		5 = 12-17 year olds.....	19430	33.11
IIEMPST4	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	39177	66.76
		3 = Employment statistically imputed.....	73	0.12
		4 = 12-17 years old.....	19430	33.11

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD13)		NON-CORE DEMOGRAPHICS		

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVESPY2	LEN	# TIMES MOVED PAST 12 MONTHS	FREQ	%
	3	0 = None.....	41741	71.13
		1 = One time.....	10934	18.63
		2 = Two times.....	3332	5.68
		3 = Three or more times.....	2562	4.37
		994 = DON'T KNOW.....	39	0.07
		997 = REFUSED.....	37	0.06
		998 = BLANK (NO ANSWER).....	35	0.06

NOTE: The school enrollment variable ENROLED was assigned codes of 11 or 52 if the respondent reported currently being enrolled (in the case of the code of 11) or not being enrolled (in the case of the code of 52) but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.

ENROLED	LEN	NOW ENROLLED IN ANY SCHOOL	FREQ	%
	2	1 = Yes.....	27219	46.39
		2 = No.....	31346	53.42
		3 = Yes LOGICALLY ASSIGNED (LFSCWH2=777,778).....	20	0.03
		5 = Yes LOGICALLY ASSIGNED (LFSCWH2=601).....	15	0.03
		11 = Yes (SCHDSKIP = 30).....	7	0.01
		52 = Summer interview (not enrolled & HSDIPLMA=4).....	5	0.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	34	0.06

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		In what grade or year of school are you now enrolled? Please tell me the number from the card.		
EDUCNOW2	2	RECODE- WHAT GRADE IN NOW		
		1 = 5th Grade or lower.....	103	0.18
		2 = 6th Grade.....	1177	2.01
		3 = 7th Grade.....	3154	5.37
		4 = 8th Grade.....	3465	5.90
		5 = 9th Grade.....	3412	5.81
		6 = 10th Grade.....	3240	5.52
		7 = 11th Grade.....	2922	4.98
		8 = 12th Grade.....	2626	4.48
		9 = College or university/1st year.....	1896	3.23
		10 = College or university/2nd Year, 3rd year.....	3043	5.19
		11 = College or university/4th Year, 5th or higher year	2096	3.57
		12 = Missing.....	200	0.34
		13 = LEGITIMATE SKIP.....	31346	53.42
		Are you a full-time student or a part-time student?		
STUDNT	2	FULL OR PART TIME		
		1 = FULL-TIME.....	25000	42.60
		2 = PART-TIME.....	2215	3.77
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	31	0.05
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	31346	53.42
(QD20)		During the past 30 days, that is from DATEFILL up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
		RANGE = 1 - 30	7383	12.58
		0 = None.....	14741	25.12
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = SCHOOL NOT IN SESSION.....	2784	4.74
		94 = DON'T KNOW.....	87	0.15
		97 = REFUSED.....	32	0.05
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	33561	57.19

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD21)		During the past 30 days, that is since DATEFILL, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		RANGE = 1 - 30	3529	6.01
		0 = None.....	18631	31.75
		94 = DON'T KNOW.....	38	0.06
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	36345	61.94
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA		
		1 = Yes.....	4822	8.22
		2 = No.....	2711	4.62
		3 = Yes LOG ASSN.....	3	0.01
		4 = No LOGICALLY ASSIGNED.....	143	0.24
		89 = LEGITIMATE SKIP Logically assigned.....	35	0.06
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	50923	86.78
(QD23)		Have you received a GED certificate of high school completion?		
HSGED	2	RECEIVED GED		
		1 = Yes.....	451	0.77
		2 = No.....	2259	3.85
		3 = Yes LOG ASSN (LFSCWH2=606).....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	35	0.06
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	172	0.29
		99 = LEGITIMATE SKIP.....	55745	95.00

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD24)		Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.		
LFSCHWH2	3	WHY YOU LEFT SCHOOL		
		1 = School was boring or I didn't want to be there....	472	0.80
		2 = I got pregnant.....	318	0.54
		3 = I got in trouble or expelled for selling drugs....	23	0.04
		4 = I got in trouble or expelled for using drugs.....	14	0.02
		5 = I got in trouble or expelled for some other reason	169	0.29
		6 = I often got into trouble.....	136	0.23
		7 = I had to get a job (or work more hours).....	413	0.70
		8 = I was getting bad grades.....	113	0.19
		9 = I wasn't learning anything.....	96	0.16
		10 = I got married (or moved in with my boy/girlfriend)	144	0.25
		11 = I moved here from another country/didn't enroll...	82	0.14
		12 = I was treated badly at school.....	87	0.15
		13 = I became ill (or injured).....	42	0.07
		14 = I went to jail/prison.....	14	0.02
		15 = I had responsibilities at home/personal problems..	342	0.58
		16 = Other reason.....	27	0.05
		41 = Family member became ill/sick/died.....	3	0.01
		42 = I wasn't admitted/couldn't attend school of choice	4	0.01
		43 = Parents/guardian/partner wouldn't allow me to.....	5	0.01
		44 = Ran away from/put out of/placed out of home.....	8	0.01
		45 = Too stressful/couldn't adjust.....	4	0.01
		46 = Learning disabled.....	5	0.01
		50 = Moved away/didn't re-enroll.....	21	0.04
		51 = Skipping school/excessive absenteeism.....	13	0.02
		52 = Too expensive/couldn't afford.....	14	0.02
		54 = No transportation/school too far away.....	6	0.01
		56 = Grade, credit discrepancies/lacked credits/document	33	0.06
		58 = All the schooling/preferred that was available....	3	0.01
		59 = Wasn't required/didn't have to/not needed/customs.	13	0.02
		60 = Against my religion/beliefs.....	3	0.01
		63 = I was stupid/foolish.....	4	0.01
		66 = Too old.....	4	0.01
		67 = Wanted to work/do apprenticeship instead.....	14	0.02
		69 = Just quit; reason unspecified.....	13	0.02
		71 = Didn't pass/take end of grade/school test.....	10	0.02
		73 = Held back/school didn't think I was capable.....	5	0.01
		601 = Home schooled.....	15	0.03
		602 = Went to technical school/community college.....	3	0.01
		605 = Completed HS/certificate, general.....	3	0.01
		606 = Received GED.....	5	0.01

NON-CORE DEMOGRAPHICS			PAGE:	507
LABEL	LEN	DESCRIPTION	FREQ	%
		607 = Pursuing GED/proficiency exam/re-enrolling.....	7	0.01
		777 = Summer/school not in session.....	12	0.02
		778 = I am still in school.....	8	0.01
		985 = BAD DATA Logically assigned.....	4	0.01
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	172	0.29
		999 = LEGITIMATE SKIP.....	55745	95.00

(QD25) How old were you when you stopped attending school?

LFTSCHA2	3	AGE WHEN STOPPED ATTENDING SCHOOL		
		RANGE = 11 - 18	2230	3.80
		10 = Left at age 10 or younger.....	18	0.03
		19 = Left at age 19 or older.....	83	0.14
		985 = BAD DATA Logically assigned.....	22	0.04
		994 = DON'T KNOW.....	14	0.02
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	520	0.89
		999 = LEGITIMATE SKIP.....	55780	95.06

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer. Would you say 0 times, 1 to 2 times, 3 to 5 times, 6 to 24 times, 25 to 52 times, or more than 52 times?

RLGSVCYR	2	PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	17233	29.37
		2 = 1 to 2 times.....	5978	10.19
		3 = 3 to 5 times.....	6206	10.58
		4 = 6 to 24 times.....	9196	15.67
		5 = 25 to 52 times.....	9895	16.86
		6 = More than 52 times.....	9834	16.76
		94 = DON'T KNOW.....	123	0.21
		97 = REFUSED.....	175	0.30
		98 = BLANK (NO ANSWER).....	40	0.07

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		Now I am going to read some statements about the role that religious beliefs may play in your life. Please tell me if you strongly disagree, disagree, agree, or strongly agree with each statement.		
		My religious beliefs are a very important part of my life.		
RLGIMPRT	2	MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly disagree.....	3798	6.47
		2 = Disagree.....	7068	12.04
		3 = Agree.....	25239	43.01
		4 = Strongly agree.....	21967	37.44
		94 = DON'T KNOW.....	275	0.47
		97 = REFUSED.....	293	0.50
		98 = BLANK (NO ANSWER).....	40	0.07
		My religious beliefs influence how I make decisions in my life.		
RLGDECSN	2	MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly disagree.....	4114	7.01
		2 = Disagree.....	11351	19.34
		3 = Agree.....	24988	42.58
		4 = Strongly agree.....	17584	29.97
		94 = DON'T KNOW.....	312	0.53
		97 = REFUSED.....	291	0.50
		98 = BLANK (NO ANSWER).....	40	0.07
		It is important that my friends share my religious beliefs.		
RLGFRNDS	2	IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		1 = Strongly disagree.....	11748	20.02
		2 = Disagree.....	28289	48.21
		3 = Agree.....	13254	22.59
		4 = Strongly agree.....	4767	8.12
		94 = DON'T KNOW.....	297	0.51
		97 = REFUSED.....	284	0.48
		98 = BLANK (NO ANSWER).....	41	0.07

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QI24)		The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO2	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		0 = None.....	2131	3.63
		1 = One.....	43915	74.84
		2 = Two or more.....	12326	21.01
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	199	0.34
		98 = BLANK (NO ANSWER).....	53	0.09
TUCHTONE	2	ANY PHONES TOUCHTONE		
		1 = Yes.....	55298	94.24
		2 = No.....	972	1.66
		94 = DON'T KNOW.....	81	0.14
		97 = REFUSED.....	145	0.25
		98 = BLANK (NO ANSWER).....	53	0.09
		99 = LEGITIMATE SKIP.....	2131	3.63
NOTE: The following variable, COLLEGE2 was created from one or more of the preceding variables from this same section.				
A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school, enrolled at the college level, and if they were a full-time or part-time student. Otherwise a respondent was defined as not enrolled in college or as an "Other Person Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).				
COLLEGE2	1	COLLEGE ENROLLMENT		
		. = Unknwn Enrollment, Aged 18-22 (ENROLED=94,97,98)...	14	0.02
		1 = Full-Time College Student Aged 18-22.....	3909	6.66
		2 = Part-Time College Student Aged 18-22.....	609	1.04
		3 = Not Enrolled (ENROLED=2).....	5691	9.70
		4 = Others Persons Aged 18-22.....	1201	2.05
		5 = Persons Aged 12-17, or 23 or Older.....	47256	80.53

RECODED DEMOGRAPHICS			PAGE:	510
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 Years Old.....	19430	33.11
		2 = 18-25 Years Old.....	17863	30.44
		3 = 26-34 Years Old.....	8730	14.88
		4 = 35 or Older.....	12657	21.57
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 Years Old.....	19430	33.11
		2 = 18-25 Years Old.....	17863	30.44
		3 = 26 or Older.....	21387	36.45
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 Years Old.....	19430	33.11
		2 = 18-25 Years Old.....	17863	30.44
		3 = 26-34 Years Old.....	8730	14.88
		4 = 35-49 Years Old.....	6426	10.95
		5 = 50 or Older.....	6231	10.62
CATAG7	1	AGE CATEGORY RECODE (7 LEVELS)		
		1 = 12-13 Years Old.....	6584	11.22
		2 = 14-15 Years Old.....	6702	11.42
		3 = 16-17 Years Old.....	6144	10.47
		4 = 18-20 Years Old.....	7129	12.15
		5 = 21-25 Years Old.....	10734	18.29
		6 = 26-34 Years Old.....	8730	14.88
		7 = 35 or Older.....	12657	21.57
NEWRACE2	1	RACE/HISPANICITY RECODE (7 LEVELS)		
		1 = NonHispanic White.....	41140	70.11
		2 = NonHispanic Black/African American.....	6941	11.83
		3 = NonHispanic Native American/Alaska Native.....	511	0.87
		4 = NonHispanic Native Hawaiian/Other Pacific Islander.....	238	0.41
		5 = NonHispanic Asian.....	1862	3.17
		6 = NonHispanic more than one race.....	733	1.25
		7 = Hispanic.....	7255	12.36
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school.....	6792	11.57
		2 = High school graduate.....	13714	23.37
		3 = Some college.....	10650	18.15
		4 = College graduate.....	8094	13.79
		5 = 12 to 17 year olds (1<=AGE2<=6).....	19430	33.11

EMPLOYMENT AND WORKPLACE

NOTE: The variable JOBSTAT2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week.

JOBSTAT2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	22794	38.84
		2 = Worked at part time job, past week.....	8238	14.04
		3 = Has job or volunteer worker, did not work past wk.	1950	3.32
		4 = Unemployed/on layoff, looking for work.....	1377	2.35
		5 = Disabled.....	912	1.55
		6 = Keeping house full-time.....	2544	4.34
		7 = In school/training.....	7421	12.65
		8 = Retired.....	2616	4.46
		9 = Does not have a job, some other reason.....	799	1.36
		10 = MISSING.....	59	0.10
		11 = LEGITIMATE SKIP.....	9970	16.99

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. "Other" reasons specified for not working or not having a job generally were not taken into account in creating JBSTATR2. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work. In the variable JOBSTAT2, these respondents were classified as being unemployed/on layoff and looking for work. Other than these changes, the variable JBSTATR2 is analogous to the variable JOBSTAT2.		
JBSTATR2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	22794	38.84
		2 = Worked at part time job, past week.....	8238	14.04
		3 = Has job or volunteer worker, did not work past wk.	1959	3.34
		4 = Unemployed/on layoff, looking for work.....	1072	1.83
		5 = Disabled.....	906	1.54
		6 = Keeping house full-time.....	2464	4.20
		7 = In school/training.....	7355	12.53
		8 = Retired.....	2587	4.41
		9 = Does not have a job, some other reason.....	1276	2.17
		10 = MISSING.....	59	0.10
		11 = LEGITIMATE SKIP.....	9970	16.99
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS		
		1 = Yes.....	1995	3.40
		2 = No.....	15597	26.58
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	26	0.04
		99 = LEGITIMATE SKIP.....	41028	69.92

EMPLOYMENT AND WORKPLACE			PAGE:	513
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		How many hours did you work last week at all jobs or businesses?		
WRKHRSWK	3	HOW MANY HOURS WORKED LAST WEEK		
		RANGE = 1 - 120	30998	52.83
		994 = DON'T KNOW.....	43	0.07
		997 = REFUSED.....	51	0.09
		998 = BLANK (NO ANSWER).....	26	0.04
		999 = LEGITIMATE SKIP.....	27562	46.97
		NOTE: For the following two questions, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the armed forces.		
		Which of these categories best describes the business or industry you work in?		
WRKINDU2	3	TYPE OF BUSINESS OR INDUSTRY		
		1 = Agriculture, Forestry, and Fisheries.....	1038	1.77
		2 = Mining.....	92	0.16
		3 = Construction.....	2378	4.05
		4 = Manufacturing - Nondurable Goods.....	1290	2.20
		5 = Manufacturing - Durable Goods.....	2717	4.63
		6 = Trans/Commun/and Other Public Utilities.....	1803	3.07
		7 = Wholesale Trade - Durable Goods.....	351	0.60
		8 = Wholesale Trade - Nondurable Goods.....	642	1.09
		9 = Retail Trade.....	8192	13.96
		10 = Finance, Insurance, and Real Estate.....	1599	2.72
		11 = Business and Repair Services.....	2494	4.25
		12 = Personal Services.....	1086	1.85
		13 = Entertainment and Recreation Services.....	984	1.68
		14 = Professional and Related Services.....	7090	12.08
		15 = Public Administration.....	1091	1.86
		16 = Military Duty.....	7	0.01
		985 = BAD DATA Logically assigned.....	94	0.16
		992 = Last worked 1984 or earlier.....	21	0.04
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	111	0.19
		999 = LEGITIMATE SKIP.....	25567	43.57

EMPLOYMENT AND WORKPLACE			PAGE:	514
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		What kind of work do you do? That is, what is your job title?		
WRKOCCU2	3	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial Occupations...	3860	6.58
		2 = Professional Specialty Occupations.....	4188	7.14
		3 = Technicians and Related Support Occupations.....	1360	2.32
		4 = Sales Occupations.....	4622	7.88
		5 = Administrative Support Occupations, Inc Clerical..	4423	7.54
		6 = Private Household Occupations.....	224	0.38
		7 = Protective Service Occupations.....	558	0.95
		8 = Service Occups, Except Protective/Private Househol	5126	8.74
		9 = Farming, Forestry, and Fishing occupations.....	927	1.58
		10 = Mechanics and repairers.....	946	1.61
		11 = Construction trades.....	1320	2.25
		12 = Extractive Occupations.....	719	1.23
		13 = Machine Operators, Assemblers, and Inspectors.....	1651	2.81
		14 = Transportation and Material Moving Occupations....	1067	1.82
		15 = Handlers/Equipment Cleaners/Helpers/Laborers.....	1862	3.17
		16 = Military.....	5	0.01
		909 = Last worked 1984 or earlier.....	20	0.03
		985 = BAD DATA Logically assigned.....	91	0.16
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	111	0.19
		999 = LEGITIMATE SKIP.....	25567	43.57
(INOC06)		Which of these categories best describes the business in which you work?		
WRKBZCA2	2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN		
		1 = Private for-profit company or business.....	24556	41.85
		2 = Private not-for-profit company or business.....	2270	3.87
		3 = Local government (city, county, etc.).....	1818	3.10
		4 = State government.....	1536	2.62
		5 = Federal/Foreign government or international.....	745	1.27
		6 = Self-employed in an incorporated business.....	639	1.09
		7 = Self-employed in an unincorporated business.....	1070	1.82
		8 = Working without pay in a family business/farm.....	121	0.21
		94 = DON'T KNOW.....	206	0.35
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	106	0.18
		99 = LEGITIMATE SKIP.....	25567	43.57

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
		During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.		
WRKEFFRT	2	PAST 30 DAYS, MAKE EFFORT TO FIND WORK		
		1 = Yes.....	1009	1.72
		2 = No.....	257	0.44
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	77	0.13
		99 = LEGITIMATE SKIP.....	57298	97.64
(QD33)		Now, think about the past 12 months, from DATEFILL through today. Did you work at a job or business at any time during the past 12 months?		
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB		
		1 = Yes.....	5169	8.81
		2 = No.....	10425	17.77
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	43023	73.32
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED		
		1 = Yes.....	4944	8.43
		2 = No.....	32911	56.09
		3 = Yes LOGICALLY ASSIGNED (raw var not blank).....	226	0.39
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	123	0.21
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	20394	34.75

EMPLOYMENT AND WORKPLACE			PAGE:	516
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(QD35)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS2	3	PAST 12 MOS, HOW MANY EMPLOYERS		
		1 = One.....	23562	40.15
		2 = Two.....	9476	16.15
		3 = Three.....	2676	4.56
		4 = Four or more.....	1425	2.43
		975 = At least one LOGICALLY ASSIGNED.....	1031	1.76
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	26	0.04
		997 = REFUSED.....	59	0.10
		998 = BLANK (NO ANSWER).....	30	0.05
		999 = LEGITIMATE SKIP.....	20394	34.75
(QD37)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB		
		1 = Yes.....	6561	11.18
		2 = No.....	26464	45.10
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	53	0.09
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD38)		In how many weeks during the past 12 months did you not have at least one job or business?		
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 1 - 52	6448	10.99
		85 = BAD DATA Logically assigned.....	30	0.05
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	61	0.10
		98 = BLANK (NO ANSWER).....	35	0.06
		99 = LEGITIMATE SKIP.....	52031	88.67

EMPLOYMENT AND WORKPLACE			PAGE:	517
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		In what month and year did you last work at a job or business?		
WRKLASY2	4	WHAT YEAR LAST WORKED		
		RANGE = 1961 - 2000	11695	19.93
		1960 = 1960 or earlier.....	156	0.27
		9985 = BAD DATA Logically assigned.....	590	1.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER WORKED FOR PAY.....	4782	8.15
		9994 = DON'T KNOW.....	343	0.58
		9997 = REFUSED.....	62	0.11
		9998 = BLANK (NO ANSWER).....	23	0.04
		9999 = LEGITIMATE SKIP.....	41028	69.92
		Which of these categories best describes the business or industry you worked in?		
WRKINDY2	3	TYPE OF BUSINESS OR INDUSTRY		
		1 = Agriculture, Forestry, and Fisheries.....	284	0.48
		2 = Mining.....	15	0.03
		3 = Construction.....	345	0.59
		4 = Manufacturing - Nondurable Goods.....	163	0.28
		5 = Manufacturing - Durable Goods.....	282	0.48
		6 = Trans/Commun/and Other Public Utilities.....	169	0.29
		7 = Wholesale Trade - Durable Goods.....	30	0.05
		8 = Wholesale Trade - Nondurable Goods.....	78	0.13
		9 = Retail Trade.....	1767	3.01
		10 = Finance, Insurance, and Real Estate.....	108	0.18
		11 = Business and Repair Services.....	300	0.51
		12 = Personal Services.....	266	0.45
		13 = Entertainment and Recreation Services.....	339	0.58
		14 = Professional and Related Services.....	827	1.41
		15 = Public Administration.....	146	0.25
		16 = Military Duty.....	11	0.02
		985 = BAD DATA Logically assigned.....	19	0.03
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		992 = Last worked 1984 or earlier.....	9	0.02
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	40	0.07
		999 = LEGITIMATE SKIP.....	53448	91.08

EMPLOYMENT AND WORKPLACE			PAGE:	518
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		What kind of work do you do? That is, what is your job title?		
WRKOCY2	3	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial Occupations...	238	0.41
		2 = Professional Specialty Occupations.....	368	0.63
		3 = Technicians and Related Support Occupations.....	120	0.20
		4 = Sales Occupations.....	912	1.55
		5 = Administrative Support Occupations, Inc Clerical..	640	1.09
		6 = Private Household Occupations.....	55	0.09
		7 = Protective Service Occupations.....	88	0.15
		8 = Service Occups, Except Protective/Private Househol	1281	2.18
		9 = Farming, Forestry, and Fishing occupations.....	285	0.49
		10 = Mechanics and repairers.....	85	0.14
		11 = Construction trades.....	142	0.24
		12 = Extractive Occupations.....	69	0.12
		13 = Machine Operators, Assemblers, and Inspectors.....	224	0.38
		14 = Transportation and Material Moving Occupations....	90	0.15
		15 = Handlers/Equipment Cleaners/Helpers/Laborers.....	536	0.91
		16 = Military.....	4	0.01
		909 = Last worked 1984 or earlier.....	10	0.02
		985 = BAD DATA Logically assigned.....	11	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	40	0.07
		999 = LEGITIMATE SKIP.....	53448	91.08
(QD40)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	7553	12.87
		0 = None.....	25400	43.29
		85 = BAD DATA Logically assigned.....	32	0.05
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	54	0.09
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
(QD41)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	3875	6.60
		0 = None.....	29113	49.61
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD42)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people.....	9171	15.63
		2 = 10-24 people.....	6768	11.53
		3 = 25-99 people.....	7721	13.16
		4 = 100-499 people.....	5504	9.38
		5 = 500 people or more.....	3714	6.33
		94 = DON'T KNOW.....	142	0.24
		97 = REFUSED.....	66	0.11
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD43)		At your workplace, is there a written policy about employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes.....	22866	38.97
		2 = No.....	8381	14.28
		94 = DON'T KNOW.....	1777	3.03
		97 = REFUSED.....	61	0.10
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57

EMPLOYMENT AND WORKPLACE			PAGE:	520
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD44)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alcohol.....	643	1.10
		2 = Only drugs.....	850	1.45
		3 = Both alcohol and drugs.....	21000	35.79
		94 = DON'T KNOW.....	372	0.63
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	1805	3.08
		99 = LEGITIMATE SKIP.....	33948	57.85
(QD45)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?		
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		1 = Yes.....	11580	19.73
		2 = No.....	19449	33.14
		3 = Don't remember.....	1587	2.70
		94 = DON'T KNOW.....	418	0.71
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD46)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		1 = Yes.....	13020	22.19
		2 = No.....	15602	26.59
		94 = DON'T KNOW.....	4397	7.49
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57

EMPLOYMENT AND WORKPLACE			PAGE:	521
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD47)		Does your workplace ever test its employees for alcohol use?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE		
		1 = Yes.....	8961	15.27
		2 = No.....	22285	37.98
		94 = DON'T KNOW.....	1782	3.04
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD48)		Does your workplace ever test its employees for drug use?		
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE		
		1 = Yes.....	12576	21.43
		2 = No.....	18918	32.24
		94 = DON'T KNOW.....	1536	2.62
		97 = REFUSED.....	54	0.09
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD49)		Does your workplace test its employees for drug or alcohol use as part of the hiring process?		
TSTHIRE	2	TEST FOR DRUG/ALC AS HIRING PROCESS		
		1 = Yes.....	10516	17.92
		2 = No.....	2082	3.55
		94 = DON'T KNOW.....	203	0.35
		97 = REFUSED.....	53	0.09
		98 = BLANK (NO ANSWER).....	1640	2.79
		99 = LEGITIMATE SKIP.....	44186	75.30
(QD50)		Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	TEST ON RANDOM BASIS		
		1 = Yes.....	7229	12.32
		2 = No.....	4891	8.34
		94 = DON'T KNOW.....	681	1.16
		97 = REFUSED.....	53	0.09
		98 = BLANK (NO ANSWER).....	1640	2.79
		99 = LEGITIMATE SKIP.....	44186	75.30

EMPLOYMENT AND WORKPLACE			PAGE:	522
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD51)		According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT		
		1 = Handled on indiv basis/policy does not spec what..	2260	3.85
		2 = Employee is fired.....	5141	8.76
		3 = Employee is referred for treatment or counseling..	2866	4.88
		4 = Nothing happens.....	51	0.09
		5 = Something else happens.....	603	1.03
		94 = DON'T KNOW.....	1874	3.19
		97 = REFUSED.....	59	0.10
		98 = BLANK (NO ANSWER).....	1640	2.79
		99 = LEGITIMATE SKIP.....	44186	75.30
(QD52)		Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		1 = More likely.....	12908	22.00
		2 = Less likely.....	2123	3.62
		3 = Would it make no difference to you.....	17896	30.50
		94 = DON'T KNOW.....	101	0.17
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57
(QD53)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely.....	11305	19.27
		2 = Less likely.....	3352	5.71
		3 = Would make no difference.....	18275	31.14
		94 = DON'T KNOW.....	96	0.16
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	25567	43.57

FIEXP99	1	COMPLETED SOME INTERVIEWS IN 1999		
		1 = Yes.....	50056	85.30
		2 = No.....	8624	14.70

LABEL	LEN	DESCRIPTION	PAGE:	524
-----	----	-----	FREQ	%
		GEOGRAPHIC		-

		GEOGRAPHIC		

		The variable PDEN is based on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons...	22007	37.50
		2 = Segment in a MSA with fewer than 1 million persons	20993	35.78
		3 = Segment not in a MSA.....	15680	26.72

SAMPLE WEIGHTING AND ESTIMATION VARS			PAGE:	525
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SAMPLE WEIGHTING AND ESTIMATION VARS		

VESTR	5	ANALYSIS STRATUM		
VEREP	2	ANALYSIS REPLICATE		
ANALWT_C	8	FIN PRSN-LEVEL SMPLE WGHT		

VARIABLE NAME -----	PAGE ----
ABDILAAL.....	311
ABILANAL.....	309
ABILLALC.....	309
ABODALC.....	310
ABODANL.....	310
ABODCOC.....	310
ABODHAL.....	310
ABODHER.....	310
ABODILAL.....	311
ABODILL.....	311
ABODINH.....	310
ABODMRJ.....	310
ABODPSY.....	311
ABODSED.....	310
ABODSTM.....	310
ABODTRN.....	311
ABUSEALC.....	307
ABUSEANL.....	307
ABUSECOC.....	308
ABUSEHAL.....	308
ABUSEHER.....	308
ABUSEIEM.....	309
ABUSEILL.....	308
ABUSEINH.....	308
ABUSEMRJ.....	308
ABUSEPSY.....	309
ABUSESED.....	308
ABUSESTM.....	308
ABUSETRN.....	308
ABUSEXMJ.....	309
AEROS.....	65
AEROS2.....	162
AGE2.....	498
AL30EST.....	29
ALBSTWAY.....	27
ALCAFU.....	167
ALCCUT1X.....	227
ALCCUTDN.....	226
ALCCUTEV.....	227
ALCDAYS.....	28
ALCDOC.....	368
ALCEMCTD.....	230
ALCEMOPB.....	229
ALCEVER.....	25
ALCFLAG.....	155

VARIABLE NAME -----	PAGE ----
ALCFMCTD.....	233
ALCFMFPB.....	232
ALCGTOVR.....	225
ALCHOSP.....	368
ALCJAIL.....	368
ALCKPLMT.....	225
ALCLAWTR.....	232
ALCLIMIT.....	225
ALCLOTTM.....	224
ALCLSACT.....	231
ALCLSEFX.....	226
ALCMDAYS.....	170
ALCMFU.....	26
ALCMHC.....	368
ALCMON.....	155
ALCNDMOR.....	226
ALCPCRID.....	365
ALCPCARE.....	365
ALCPCORT.....	366
ALCPDANG.....	232
ALCPEMPL.....	366
ALCPFMLY.....	366
ALCPHCTD.....	230
ALCPHLPB.....	230
ALCPINS.....	365
ALCPMILC.....	366
ALCPPUBP.....	366
ALCPSAVE.....	366
ALCREC.....	26
ALCRFIN.....	368
ALCRFOP.....	368
ALCSERP.....	231
ALCSHG.....	368
ALCTRMT.....	362
ALCTRY.....	25
ALCTXER.....	368
ALCWD2SX.....	228
ALCWDSMT.....	229
ALCYDAYS.....	169
ALCYFU.....	25
ALCYR.....	155
ALCYRTOT.....	26
ALDAYPMO.....	28
ALDAYPWK.....	28
ALDAYPYR.....	27

VARIABLE NAME -----	PAGE ----
ALDYSFG.....	29
ALFQFLG.....	27
ALFRAME3.....	176
ALLAST3.....	175
ALMONAVE.....	177
ALRECDK.....	176
ALRECRE.....	176
ALTOTFG.....	26
ALWKAVE.....	177
ALYRAVE.....	177
AMHINP.....	384
AMHOUTP.....	384
AMHRX.....	384
AMHTRTND.....	384
AMHTXREC.....	384
AMYLNIT.....	63
AMYLNIT2.....	161
AMYTAL.....	119
AMYTAL2.....	166
ANALAGE.....	88
ANALMFU.....	88
ANALNEWA.....	82
ANALNEWB.....	85
ANALNEWC.....	86
ANALNEWD.....	87
ANALNEWE.....	87
ANALREC.....	89
ANALWT_C.....	525
ANALYFU.....	88
ANLAFU.....	168
ANLCARD.....	76
ANLCUT1X.....	272
ANLCUTDN.....	271
ANLCUTEV.....	272
ANLEMCTD.....	275
ANLEMOPB.....	274
ANLFLAG.....	157
ANLFMCTD.....	278
ANLFMFPB.....	277
ANLGTOVR.....	270
ANLKPLMT.....	270
ANLLAWTR.....	277
ANLLIMIT.....	270
ANLLOTTM.....	269
ANLLSACT.....	276

VARIABLE NAME -----	PAGE ----
ANLLSEFX.....	271
ANLMON.....	157
ANLNDMOR.....	271
ANLNOLST.....	81
ANLPDANG.....	277
ANLPHCTD.....	275
ANLPHLPB.....	275
ANLSERP.....	276
ANLWD3SX.....	273
ANLWDSMT.....	274
ANLYR.....	157
ANLYRTOT.....	89
ANYEDUC3.....	424
APPSELDG.....	215
ATARAX.....	94
ATARAX2.....	164
AUINAHSP.....	370
AUINMEDU.....	370
AUINPGEN.....	369
AUINPSYH.....	369
AUINPYR.....	369
AUINRES.....	370
AUINRES.....	370
AUINSFAC.....	370
AUNMAHSP.....	371
AUNMCLN2.....	379
AUNMDOC2.....	378
AUNMDTM2.....	379
AUNMMEDU.....	371
AUNMMEN2.....	378
AUNMOTO2.....	379
AUNMPGE2.....	371
AUNMPSY2.....	370
AUNMRES.....	371
AUNMSFA2.....	372
AUNMTHE2.....	378
AUOPCLNC.....	376
AUOPDOC.....	376
AUOPDTMT.....	376
AUOPMENT.....	375
AUOPOTOP.....	377
AUOPTHER.....	376
AUOPTYR.....	375
AUOPYRS2.....	377
AUPINAMT.....	374
AUPINEMP.....	373

VARIABLE NAME -----	PAGE ----
AUPINFRE.....	374
AUPINMCD.....	373
AUPINMCR.....	373
AUPINMIL.....	373
AUPINOFM.....	372
AUPINPHI.....	372
AUPINPRV.....	374
AUPINPUB.....	374
AUPINREH.....	373
AUPINSLF.....	372
AUPOPAMT.....	382
AUPOPEMP.....	381
AUPOPFRE.....	382
AUPOPMCD.....	380
AUPOPMCR.....	380
AUPOPMIL.....	381
AUPOPMOS.....	382
AUPOPOFM.....	380
AUPOPPHI.....	380
AUOPPRV.....	381
AUOPPPUB.....	381
AUOPPREH.....	381
AUOPPSLF.....	380
AURXYR.....	383
AUNMTRS.....	383
AUNMTYR.....	383
BINGEDRK.....	160
BINGEHVY.....	161
BKAGASLT.....	314
BKARSON.....	315
BKBURGL.....	313
BKDRUG.....	317
BKDRUNK.....	316
BKDRVINF.....	316
BKFRAUD.....	318
BKLARCNY.....	313
BKMURDER.....	315
BKMVTHFT.....	313
BKOTH.....	318
BKOTHOF2.....	319
BKPOSTOB.....	316
BKPROS.....	317
BKRAPE.....	315
BKROB.....	314
BKSEXOFF.....	317

VARIABLE NAME -----	PAGE ----
BKSMASLT.....	314
BOOKED.....	312
BUSPAR.....	94
BUSPAR2.....	164
BUTISOL.....	119
BUTISOL2.....	166
CATAG2.....	510
CATAG3.....	510
CATAG7.....	510
CATAGE.....	510
CC30EST.....	40
CCBSTWAY.....	38
CCDAYPMO.....	39
CCDAYPWK.....	39
CCDAYPYR.....	38
CCFQFLG.....	38
CCFRAME3.....	181
CCLAST3.....	180
CCMONAVE.....	181
CCRECDK.....	180
CCRECRE.....	180
CCTOTFG.....	37
CCWKAVE.....	181
CCYRAVE.....	181
CG05.....	171
CG06.....	171
CG06DK.....	171
CG06RE.....	172
CG19.....	172
CG20.....	172
CG20DK.....	173
CG20RE.....	173
CG27.....	173
CG28.....	173
CG28DK.....	174
CG28RE.....	174
CG30EST.....	5
CG36.....	174
CG37.....	174
CG37DK.....	175
CG37RE.....	175
CG43.....	175
CGR30BR2.....	23
CGR30USE.....	22
CGRAFU.....	168

VARIABLE NAME -----	PAGE ----
CGRBRND2.....	154
CGRFLAG.....	151
CGRMON.....	151
CGRYR.....	151
CH30EST.....	12
CHAMPUS.....	481
CHEWEVER.....	10
CHEWMFU.....	11
CHEWREC.....	11
CHEWTRY.....	10
CHEWYFU.....	10
CHHYD.....	119
CHHYD2.....	167
CHW30BR2.....	13
CHW30USE.....	12
CHWFLAG.....	151
CHWMON.....	152
CHWYR.....	152
CI30EST.....	22
CIG100LF.....	9
CIG30AV.....	5
CIG30BR2.....	6
CIG30MEN.....	8
CIG30RO2.....	8
CIG30TYP.....	8
CIG30USE.....	5
CIGAFU.....	168
CIGAGE.....	9
CIGAREVR.....	20
CIGARMFU.....	21
CIGARREC.....	21
CIGARTRY.....	20
CIGARYFU.....	20
CIGBRND2.....	153
CIGCKOUT.....	424
CIGCLERK.....	424
CIGCOMPNY.....	155
CIGCONV.....	425
CIGCUT1X.....	219
CIGCUTDN.....	218
CIGCUTEV.....	218
CIGDLYMO.....	9
CIGDSTO.....	424
CIGEMCTD.....	221
CIGEMOPB.....	220

VARIABLE NAME -----	PAGE ----
CIGEVER.....	2
CIGFLAG.....	151
CIGFRND.....	424
CIGINDIV.....	425
CIGINET.....	424
CIGKPLMT.....	217
CIGLIMIT.....	217
CIGLOTTM.....	216
CIGLSACT.....	222
CIGLSEFX.....	218
CIGMAIL.....	424
CIGMDAYS.....	170
CIGMFU.....	4
CIGMON.....	151
CIGNDMOR.....	217
CIGOFRSM.....	2
CIGPDAY.....	170
CIGPDCRT.....	224
CIGPDPAK.....	223
CIGPHCTD.....	221
CIGPHLPB.....	221
CIGPKCRT.....	222
CIGREC.....	4
CIGSMKT.....	424
CIGTRY.....	3
CIGVEND.....	424
CIGWD4SX.....	219
CIGWDSMT.....	220
CIGWILYR.....	3
CIGYFU.....	3
CIGYR.....	151
CKFRAME3.....	183
CKLAST3.....	182
CKMONAVE.....	183
CKRECDK.....	182
CKRECRE.....	182
CKWKAVE.....	183
CKYRAVE.....	183
CLEFLU.....	63
CLEFLU2.....	161
COCAFU.....	167
COCAGE.....	36
COCCUT1X.....	243
COCCUTDN.....	242
COCCUTEV.....	242

VARIABLE NAME -----	PAGE ----
COCEMCTD.....	245
COCEMOPB.....	244
COCEVER.....	36
COCFLAG.....	156
COCFLBLU.....	243
COCFMCTD.....	248
COCFMFPB.....	247
COCGTOVR.....	240
COCKPLMT.....	241
COCLAWTR.....	247
COCLIMIT.....	241
COCLOTTM.....	240
COCLSACT.....	246
COCLSEFX.....	242
COCMDAYS.....	170
COCMFU.....	37
COCMON.....	156
COCNDMOR.....	241
COCNEEDL.....	200
COCPDANG.....	247
COCPHCTD.....	245
COCPLPB.....	245
COCREC.....	37
COCSERP.....	246
COCUS30A.....	39
COCWD2SX.....	243
COCWDSMT.....	244
COCYDAYS.....	169
COCYFU.....	36
COCYR.....	156
COCYRTOT.....	37
CODEINE.....	76
CODEINE2.....	162
COLLEGE2.....	509
CONDLREC.....	201
CR30EST.....	44
CRAKREC.....	42
CRBSTWAY.....	43
CRDAYPMO.....	43
CRDAYPWK.....	44
CRDAYPYR.....	43
CRFQFLG.....	43
CRKAGE.....	41
CRKEVER.....	41
CRKFLAG.....	156

VARIABLE NAME -----	PAGE ----
CRKMFU.....	42
CRKMON.....	156
CRKUS30A.....	44
CRKYFU.....	41
CRKYR.....	156
CRKYRTOT.....	42
CRTOTFG.....	42
CYLERT.....	106
CYLERT2.....	165
DALMANE.....	119
DALMANE2.....	167
DARVTYL2.....	162
DARVTYLC.....	75
DEMEROL.....	76
DEMEROL2.....	162
DEPNDA LC.....	304
DEPNDA NL.....	304
DEPNDCIG.....	304
DEPNDCOC.....	304
DEPNDHAL.....	304
DEPN DHER.....	304
DEPN DIEM.....	305
DEPN DILL.....	305
DEPN DINH.....	304
DEPN DMRJ.....	304
DEPN DPSY.....	306
DEPN DSED.....	305
DEPN DSTM.....	305
DEPN DTRN.....	305
DEPN DXMJ.....	306
DETAMP.....	106
DETAMP2.....	165
DEXED.....	106
DEXED2.....	165
DGRGCLS2.....	423
DGSPCLS2.....	423
DIDREX.....	106
DIDREX2.....	165
DIETPIL2.....	165
DIETPILS.....	105
DILAUD.....	77
DILAUD2.....	162
DPILANAL.....	306
DPILLALC.....	306
DR5DAY.....	30

VARIABLE NAME -----	PAGE ----
DRGDOC.....	367
DRGHOSP.....	367
DRGJAIL.....	367
DRGLECT2.....	423
DRGMHC.....	367
DRGPLCY.....	519
DRGPRGM.....	520
DRGRFIN.....	367
DRGRFOP.....	367
DRGSHG.....	367
DRGTXER.....	367
DRIVALC.....	322
DRIVALD.....	322
DRIVDRG.....	322
DRPRVME3.....	423
DRVALDR.....	320
DRVAONLY.....	320
DRVDONLY.....	321
ECSTASY.....	50
ECSTASY2.....	161
EDUCCAT2.....	510
EDUCNOW2.....	504
EMPSTAT3.....	501
EMPSTAT4.....	502
EMPSTATY.....	501
ENROLED.....	503
EQUANIL.....	94
EQUANIL2.....	164
ESKAT.....	107
ESKAT2.....	165
ETHER.....	64
ETHER2.....	161
FIEXP99.....	523
FIORICET.....	77
FIORICT2.....	162
FIORINAL.....	77
FIORINL2.....	162
FIRSTPOS.....	522
FLEXERIL.....	94
FLEXERL2.....	164
GAS.....	64
GAS2.....	161
GLUE.....	64
GLUE2.....	161
GNNDCLEN.....	203

VARIABLE NAME -----	PAGE ----
GNNGET2.....	204
GNNLLIF.....	200
GNNLSH1.....	203
GNNLSH2.....	203
GNNREUS.....	202
GOVTPROG.....	479
GQTYPE.....	497
GRPCNSL2.....	422
GRPHLTIN.....	483
GRSKCOCC.....	214
GRSKCREG.....	214
GRSKD4_5.....	215
GRSKD5WK.....	215
GRSKHREG.....	214
GRSKHTRY.....	214
GRSKLREG.....	215
GRSKLTRY.....	214
GRSKMOCC.....	214
GRSKMREG.....	214
GRSKPKCG.....	214
HAL30USE.....	59
HALAFU.....	168
HALCION.....	120
HALCION2.....	167
HALCUTDN.....	258
HALCUTEV.....	259
HALEMCTD.....	259
HALEMOPB.....	259
HALFLAG.....	156
HALFMCTD.....	263
HALFMFPB.....	262
HALGTOVR.....	257
HALKPLMT.....	257
HALLAGE.....	56
HALLAWTR.....	262
HALLIMIT.....	257
HALLOTTM.....	256
HALLREC.....	57
HALLSACT.....	261
HALLSEFX.....	258
HALMDAYS.....	170
HALMFU.....	56
HALMON.....	156
HALNDMOR.....	258
HALNEWA.....	51

VARIABLE NAME -----	PAGE ----
HALNEWB.....	54
HALNEWC.....	55
HALNEWD.....	55
HALNEWE.....	55
HALNOLST.....	50
HALPDANG.....	262
HALPHCTD.....	260
HALPHLPB.....	260
HALSERPB.....	261
HALYDAYS.....	169
HALYFU.....	56
HALYR.....	156
HALYRTOT.....	57
HEALTH.....	499
HEFRAME3.....	184
HELAST3.....	183
HEMONAVE.....	185
HER30USE.....	48
HERAFU.....	167
HERAGE.....	45
HERCUT1X.....	251
HERCUTDN.....	250
HERCUTEV.....	250
HERECDK.....	184
HERECRE.....	184
HEREMCTD.....	253
HEREMOPB.....	252
HEREVER.....	45
HERFLAG.....	156
HERFMCTD.....	256
HERFMFPB.....	255
HERGTOVR.....	248
HERKPLMT.....	249
HERLAWTR.....	255
HERLIMIT.....	249
HERLOTTM.....	248
HERLSACT.....	254
HERLSEFX.....	250
HERMFU.....	46
HERMON.....	156
HERNDMOR.....	249
HERNEEDL.....	201
HERPDANG.....	255
HERPHCTD.....	253
HERPHLPB.....	253

VARIABLE NAME -----	PAGE ----
HERREC.....	46
HERSERPB.....	254
HERSMOK2.....	205
HERSMOKE.....	199
HERSNIF2.....	205
HERSNIFF.....	199
HERWD3SX.....	251
HERWDSMT.....	252
HERYFU.....	45
HERYR.....	156
HERYRTOT.....	46
HEWKAVE.....	185
HEYRAVE.....	184
HL30EST.....	59
HLBSTWAY.....	58
HLCALL99.....	479
HLCALLFG.....	479
HLCLAST.....	486
HLCMCAID.....	487
HLCMCARE.....	487
HLCMILT.....	487
HLCNOTMO.....	486
HLCNOTYR.....	485
HLCOGOV.....	488
HLCOTHER.....	488
HLCOTHS2.....	488
HLCPRIVT.....	487
HLDAYPMO.....	58
HLDAYPWK.....	59
HLDAYPYR.....	58
HLFQFLG.....	57
HLLCOST.....	490
HLLDEATH.....	490
HLLDIVOR.....	490
HLLINELG.....	490
HLLLOSJB.....	489
HLLMAJOB.....	489
HLLMASOR.....	489
HLLNOFFR.....	490
HLLNONED.....	491
HLLREFUS.....	491
HLLSOR.....	491
HLLSORS2.....	492
HLNV COST.....	493
HLNVNEED.....	493

VARIABLE NAME -----	PAGE ----
HLNVOFFR.....	493
HLNVREF.....	493
HLNVSOR.....	493
HLNVSP2.....	494
HLTINALC.....	483
HLTINDRG.....	484
HLTINMNT.....	484
HLTOTFG.....	57
HR30EST.....	48
HRBSTWAY.....	47
HRDAYPMO.....	47
HRDAYPWK.....	48
HRDAYPYR.....	47
HRFQFLG.....	46
HRNDLREC.....	201
HRSMKREC.....	199
HRSNFREC.....	200
HRTOTFG.....	46
HSDIPLMA.....	505
HSGED.....	505
HVYDRK2.....	160
HYDROCD2.....	163
HYDROCOD.....	77
IEMFLAG.....	160
IEMMON.....	160
IEMYR.....	160
IFATHER.....	471
II2ALCD5.....	141
II2ALCFM.....	141
II2ALCFY.....	136
II2ALCRC.....	130
II2ANLFY.....	138
II2ANLRC.....	133
II2CGRFM.....	140
II2CGRRC.....	128
II2CHWFM.....	140
II2CHWRC.....	129
II2CIGFM.....	140
II2CIGRC.....	128
II2COCFM.....	142
II2COCFY.....	136
II2COCRC.....	131
II2CRKFM.....	142
II2CRKFY.....	137
II2CRKRC.....	131

VARIABLE NAME -----	PAGE ----
II2HALFM.....	143
II2HALFY.....	137
II2HALRC.....	132
II2HERFM.....	143
II2HERFY.....	137
II2HERRC.....	132
II2INHFM.....	143
II2INHFY.....	138
II2INHRC.....	133
II2LSDRC.....	132
II2MJFM.....	142
II2MJFY.....	136
II2MJRC.....	131
II2MTHRC.....	134
II2PCPRC.....	133
II2SEDFY.....	139
II2SEDRC.....	135
II2SLTRC.....	129
II2SNFFM.....	141
II2SNFRC.....	130
II2STMFY.....	139
II2STMRC.....	134
II2TRNFY.....	138
II2TRNRC.....	134
IIALCAGE.....	146
IIALCD5.....	141
IIALCFM.....	141
IIALCFY.....	136
IIALCRC.....	130
IIALCYFU.....	146
IIANLAGE.....	149
IIANLFY.....	138
IIANLRC.....	133
IIANLYFU.....	149
IICDUAGE.....	144
IICDUYFU.....	144
IICGRAGE.....	144
IICGRFM.....	140
IICGRRC.....	128
IICGRYFU.....	145
IICHWAGE.....	145
IICHWFM.....	140
IICHWRC.....	129
IICHWYFU.....	145
IICIGAGE.....	144

VARIABLE NAME -----	PAGE ----
IICIGFM.....	140
IICIGRC.....	128
IICIGYFU.....	144
IICOCAGE.....	146
IICOCFM.....	142
IICOCFY.....	136
IICOCRC.....	131
IICOCYFU.....	146
IICRKAGE.....	147
IICRKFM.....	142
IICRKFY.....	137
IICRKRC.....	131
IICRKYFU.....	147
IIEDUC2.....	500
IIEPST3.....	501
IIEPST4.....	502
IIEPSTY.....	501
IIFAMCHD.....	477
IIFAMIN3.....	479
IIFAMINT.....	477
IIFAMOTH.....	478
IIFAMPMT.....	476
IIFAMSOC.....	475
IIFAMSSI.....	475
IIFAMSVL.....	476
IIFAMWAG.....	478
IIFSTAMP.....	476
IIVALAGE.....	147
IIVALFM.....	143
IIVALFY.....	137
IIVALRC.....	132
IIVALYFU.....	147
IIVALRAGE.....	147
IIVALRFM.....	143
IIVALRFY.....	137
IIVALRRC.....	131
IIVALRYFU.....	147
IIVAL65_2.....	470
IIVALSI2.....	470
IIVALHAGE.....	148
IIVALHFM.....	143
IIVALHRY.....	138
IIVALHRC.....	133
IIVALHYFU.....	148
IIVALNSUR.....	495

VARIABLE NAME -----	PAGE ----
IIINSUR2.....	496
IIKI17_2.....	470
IILSDAGE.....	148
IILSDRC.....	132
IILSDYFU.....	148
IIMARIT.....	500
IIMJAGE.....	146
IIMJFM.....	142
IIMJFY.....	136
IIMJRC.....	130
IIMJYFU.....	146
IIMTHAGE.....	150
IIMTHRC.....	134
IIMTHYFU.....	150
IIPCHD.....	477
IIPCPAGE.....	148
IIPCPRC.....	132
IIPCPYFU.....	148
IIPINC3.....	478
IIPINSUR.....	494
IIPINT.....	477
IIPPLF.....	129
IIPPMN.....	129
IIPOTH.....	478
IIPPMT.....	476
IIPSOC.....	475
IIPSSI.....	475
IIPSVL.....	476
IIPWAG.....	477
IISEDAGE.....	150
IISEDYFU.....	139
IISEDRC.....	135
IISEDYFU.....	150
IISEX.....	500
IISLTAGE.....	145
IISLTRC.....	129
IISLTYFU.....	145
IISNFAGE.....	145
IISNFFM.....	141
IISNFRC.....	130
IISNFYFU.....	145
IISTMAGE.....	149
IISTMFY.....	138
IISTMRC.....	134
IISTMYFU.....	149

VARIABLE NAME -----	PAGE ----
IITRNAGE.....	149
IITRNFY.....	138
IITRNRC.....	134
IITRNYFU.....	149
IIWELMOS.....	477
ILLNEED.....	362
ILLPCAID.....	365
ILLPCARE.....	365
ILLPCORT.....	365
ILLPEMPL.....	365
ILLPFMLY.....	365
ILLPINS.....	364
ILLPMILC.....	365
ILLPPUBP.....	365
ILLPSAVE.....	365
ILLTRMT.....	362
IMOTHER.....	470
IN30EST.....	73
INBSTWAY.....	71
INDAYPMO.....	72
INDAYPWK.....	72
INDAYPYR.....	72
INFQFLG.....	71
INFRAME3.....	188
INHAFU.....	168
INHAGE.....	69
INHCUTDN.....	265
INHCUTEV.....	265
INHDY30A.....	73
INHEMCTD.....	266
INHEMOPB.....	266
INHFLAG.....	157
INHFMCTD.....	269
INHFMFPB.....	269
INHGTOVR.....	263
INHKLMT.....	264
INHLLAWTR.....	268
INHLIMIT.....	264
INHLOTTM.....	263
INHLSACT.....	267
INHLSAFX.....	265
INHMDAYS.....	170
INHMFU.....	70
INHMON.....	157
INHNDMOR.....	264

VARIABLE NAME	PAGE
-----	----
INHNEWA.....	67
INHNEWB.....	68
INHNEWC.....	69
INHNEWD.....	69
INHNEWE.....	69
INHNOLST.....	66
INHOSPYR.....	473
INHPDANG.....	268
INHPHCTD.....	267
INHPHLPB.....	266
INHREC.....	70
INHSERPB.....	268
INHYDAYS.....	169
INHYFU.....	70
INHYR.....	157
INHYRTOT.....	71
INLAST.....	187
INMONAVE.....	189
INRECDK.....	188
INRECRE.....	188
INTOTFG.....	71
INWKAVE.....	189
INYRAVE.....	189
IONAMIN.....	107
IONAMIN2.....	166
IRALCAGE.....	146
IRALCD5.....	141
IRALCFM.....	141
IRALCFY.....	136
IRALCRC.....	130
IRALCYFU.....	146
IRANLAGE.....	148
IRANLFY.....	138
IRANLRC.....	133
IRANLYFU.....	149
IRCDUAGE.....	144
IRCDUYFU.....	144
IRCGRAGE.....	144
IRCGRFM.....	140
IRCGRRC.....	128
IRCGRYFU.....	144
IRCHWAGE.....	145
IRCHWFM.....	140
IRCHWRC.....	129
IRCHWYFU.....	145

VARIABLE NAME	PAGE
-----	----
IRCI GAGE.....	144
IRCI GFM.....	140
IRCI GRC.....	128
IRCI GYFU.....	144
IRCO CAGE.....	146
IRCO CFM.....	142
IRCO CFY.....	136
IRCO CRC.....	131
IRCO CYFU.....	146
IRCR KAGE.....	146
IRCR KFM.....	142
IRCR KFY.....	137
IRCR KRC.....	131
IRCR KYFU.....	147
IRREDUC2.....	500
IRFAMCHD.....	477
IRFAMIN3.....	478
IRFAMINT.....	477
IRFAMOTH.....	478
IRFAMPMT.....	476
IRFAMSOC.....	475
IRFAMSSI.....	475
IRFAMSVC.....	476
IRFAMWAG.....	478
IRFSTAMP.....	476
IRHALAGE.....	147
IRHALFM.....	143
IRHALFY.....	137
IRHALRC.....	132
IRHALYFU.....	147
IRHERAGE.....	147
IRHERFM.....	143
IRHERFY.....	137
IRHERRC.....	131
IRHERYFU.....	147
IRHH65_2.....	470
IRHHSIZ2.....	470
IRINHAGE.....	148
IRINHFM.....	143
IRINHFY.....	137
IRINHRC.....	133
IRINHYFU.....	148
IRINSUR.....	495
IRINSUR2.....	496
IRKI17_2.....	470

VARIABLE NAME -----	PAGE ----
IRLSDAGE.....	147
IRLSDRC.....	132
IRLSDYFU.....	148
IRMARIT.....	500
IRMJAGE.....	146
IRMJFM.....	142
IRMJFY.....	136
IRMJRC.....	130
IRMJYFU.....	146
IRMTHAGE.....	150
IRMTHRC.....	134
IRMTHYFU.....	150
IRPCHD.....	477
IRPCPAGE.....	148
IRPCPRC.....	132
IRPCPYFU.....	148
IRPINC3.....	478
IRPINSUR.....	494
IRPINT.....	477
IRPIPLF.....	128
IRPIPMN.....	129
IRPOTH.....	478
IRPPMT.....	476
IRPSOC.....	475
IRPSSI.....	475
IRPSVC.....	476
IRPWAG.....	477
IRSEDAGE.....	150
IRSEDFY.....	139
IRSEDRC.....	135
IRSEDFY.....	150
IRSEX.....	500
IRSLTAGE.....	145
IRSLTRC.....	129
IRSLTYFU.....	145
IRSNFAGE.....	145
IRSNFFM.....	141
IRSNFRC.....	130
IRSNFYFU.....	145
IRSTMAGE.....	149
IRSTMFY.....	138
IRSTMRC.....	134
IRSTMYFU.....	149
IRTRNAGE.....	149
IRTRNFY.....	138

VARIABLE NAME -----	PAGE ----
IRTRNRC.....	133
IRTRNYFU.....	149
IRWELMOS.....	476
JBSTATR2.....	512
JOBSTAT2.....	511
KLONOPI2.....	164
KLONOPIN.....	92
LANGVER.....	497
LFSCHWH2.....	507
LFTSCHA2.....	507
LGAS.....	65
LGAS2.....	162
LIBRIUM.....	95
LIBRIUM2.....	164
LIMBTRL2.....	164
LIMBTROL.....	95
LOCDOC.....	367
LOCHOSP.....	366
LOCJAIL.....	367
LOCMHC.....	366
LOCRFIN.....	366
LOCRFOP.....	366
LOCSHG.....	367
LOCSIZE.....	519
LOCTXER.....	366
LS10.....	187
LS16.....	187
LSD.....	49
LSDAGE.....	59
LSDFLAG.....	156
LSDMFU.....	60
LSDMON.....	157
LSDREC.....	60
LSDYFU.....	60
LSDYR.....	157
LSFRAME3.....	186
LSLAST.....	185
LSMONAVE.....	187
LSRECDK.....	185
LSRECRE.....	186
LSWKAVE.....	187
LSYRAVE.....	186
MAZANOR.....	107
MAZANOR2.....	166
MEDICAID.....	480

VARIABLE NAME -----	PAGE ----
MEDICARE.....	480
MEPROB.....	95
MEPROB2.....	164
MESC.....	50
MESC2.....	161
METHAGE.....	115
METHAQ.....	117
METHAQ2.....	166
METHDES.....	104
METHDES2.....	165
METHDON.....	78
METHDON2.....	163
METHMFU.....	116
METHREC.....	116
METHYFU.....	116
MILSTAT.....	499
MILTOWN.....	95
MILTOWN2.....	164
MJAFU.....	167
MJAGE.....	31
MJDAY30A.....	34
MJEVER.....	31
MJFQFLG.....	33
MJFRAME3.....	179
MJLAST3.....	177
MJMFU.....	32
MJMONAVE.....	179
MJOFLAG.....	159
MJOMON2.....	159
MJOYR2.....	159
MJREC.....	32
MJRECDK.....	178
MJRECRE.....	178
MJWKAVE.....	179
MJYFU.....	31
MJYRAVE.....	179
MJYRTOT.....	32
MORPHIN2.....	163
MORPHINE.....	78
MOVESPY2.....	503
MR30EST.....	35
MRBSTWAY.....	33
MRDAYPMO.....	34
MRDAYPWK.....	34
MRDAYPYR.....	33

VARIABLE NAME -----	PAGE ----
MRJCUTDN.....	235
MRJCUTEV.....	236
MRJEMCTD.....	236
MRJEMOPB.....	236
MRJFLAG.....	155
MRJFMCTD.....	240
MRJFMFPB.....	239
MRJGTOVR.....	234
MRJKPLMT.....	234
MRJLAWTR.....	239
MRJLIMIT.....	234
MRJLOTTM.....	233
MRJLSACT.....	238
MRJLSEFX.....	235
MRJMDAYS.....	170
MRJMON.....	155
MRJNDMOR.....	235
MRJPDANG.....	239
MRJPHCTD.....	237
MRJPHLPB.....	237
MRJSERPB.....	238
MRJYDAYS.....	169
MRJYR.....	155
MRTOTFG.....	32
MTHFLAG.....	158
MTHMON.....	158
MTHYR.....	158
MVIN5YR2.....	420
NDTMRALC.....	335
NDTMRANL.....	336
NDTMRCOC.....	335
NDTMREFT.....	343
NDTMRHAL.....	336
NDTMRHER.....	335
NDTMRINH.....	336
NDTMRMJ.....	335
NDTMROTH.....	337
NDTMRSED.....	337
NDTMRSTM.....	336
NDTMRTRN.....	336
NDTXALCR.....	337
NDTXANLR.....	339
NDTXCOCR.....	338
NDTXDG1R.....	342
NDTXDG2R.....	342

VARIABLE NAME -----	PAGE ----
NDTXDG3R.....	342
NDTXDG4R.....	342
NDTXDG5R.....	343
NDTXEFTR.....	343
NDTXHALR.....	339
NDTXHERR.....	338
NDTXINHR.....	339
NDTXMJR.....	338
NDTXMORE.....	334
NDTXNEDR.....	334
NDTXSEDR.....	341
NDTXSODR.....	341
NDTXSTMR.....	340
NDTXTRNR.....	340
NEDCOC.....	205
NEDFLAG4.....	205
NEDHER.....	205
NEDLRECC.....	205
NEDSTM.....	205
NEMBBAR2.....	166
NEMBBARB.....	118
NEWRACE2.....	510
NGHBLDG2.....	419
NGHCRIM2.....	419
NGHFGHT2.....	419
NGHGRAF2.....	419
NGHHELP2.....	419
NGHMOVE2.....	419
NGHSELL2.....	419
NGHVSIT2.....	419
NITOXID.....	65
NITOXID2.....	162
NMERTMT2.....	472
NMNGTHS2.....	473
NOBOOKY2.....	312
NODR30A.....	29
NOMARR2.....	499
NRCH17_2.....	471
OBLA.....	107
OBLA2.....	166
OGOVINS2.....	482
OGOVTINS.....	481
OTHANL.....	164
OTHLINS2.....	485
OTHLTINS.....	484

VARIABLE NAME -----	PAGE ----
OTHSED.....	167
OTHSTM.....	166
OTHTRN.....	165
OXYCONT2.....	163
OXYCONTN.....	78
PAROL.....	323
PAROLREL.....	320
PCP.....	49
PCPAGE.....	61
PCPFLAG.....	157
PCPMFU.....	61
PCPMON.....	157
PCPREC.....	62
PCPYFU.....	61
PCPYR.....	157
PDEN.....	524
PERCTYL2.....	162
PERCTYLX.....	75
PEYOTE.....	50
PEYOTE2.....	161
PHENCOD.....	78
PHENCOD2.....	163
PHENOBAR.....	120
PHENOBR2.....	167
PIPE30DY.....	24
PIPEVER.....	24
PIPFLAG.....	151
PIPMON.....	151
PLACIDY2.....	167
PLACIDYL.....	120
PLCYCOV.....	520
PLEGINE.....	107
PLEGINE2.....	166
PR09.....	189
PR10.....	191
PR11.....	191
PR12.....	191
PR13.....	192
PRALDLY2.....	420
PRBSOLV2.....	422
PRBSTWAY.....	90
PRDAYPMO.....	91
PRDAYPWK.....	91
PRDAYPYR.....	90
PREG.....	473

VARIABLE NAME -----	PAGE ----
PREG2.....	474
PREGNANT.....	472
PREGPGM2.....	423
PRELUDIN.....	108
PRELUDN2.....	166
PREVIOL2.....	422
PRFQFLG.....	89
PRMJEV2.....	420
PROB.....	323
PROBATON.....	319
PROPOXY.....	79
PROPOXY2.....	163
PROXANS2.....	473
PRPKCIG2.....	420
PRRECDK.....	190
PRRECRE.....	190
PRTALK3.....	420
PRTOTFG.....	89
PRVDRGO2.....	422
PRVHLTIN.....	483
PSILCY.....	50
PSILCY2.....	161
PSYFLAG2.....	158
PSYMON2.....	159
PSYR2.....	158
QUARTER.....	497
QUESTID.....	1
RDIFCOC.....	215
RDIFCRK.....	215
RDIFHER.....	215
RDIFLSD.....	215
RDIFMJ.....	215
RESTTMA2.....	166
RESTTMAZ.....	118
RITMPHE2.....	165
RITMPHEN.....	105
RK5ALDLY.....	209
RK5ALWK.....	209
RKCOCOC.....	208
RKCOCREG.....	209
RKDIFCOC.....	210
RKDIFCRK.....	211
RKDIFHER.....	211
RKDIFLSD.....	210
RKFQDBLT.....	213

VARIABLE NAME -----	PAGE ----
RKFQDNDR.....	212
RKFQPBLT.....	212
RKFQRSKY.....	212
RKHERREG.....	208
RKLSDREG.....	207
RKTRYHER.....	208
RKTRYLSD.....	207
RLGDECSN.....	508
RLGFRNDS.....	508
RLGIMPRT.....	508
RLGSVCYR.....	507
ROHYPNL2.....	164
ROHYPNOL.....	96
RSKDIFMJ.....	210
RSKMJOCC.....	206
RSKMJREG.....	207
RSKPKCIG.....	206
RSKSELL.....	211
SANOREX.....	108
SANOREX2.....	166
SCHDSICK.....	504
SCHDSKIP.....	505
SEDAFU.....	168
SEDAGE.....	123
SEDCARD.....	118
SEDCUT1X.....	297
SEDCUTDN.....	296
SEDCUTEV.....	296
SEDEMCTD.....	299
SEDEMOPB.....	298
SEDFLAG.....	158
SEDFMCTD.....	302
SEDFMFPB.....	301
SEDGTOVR.....	294
SEDKPLMT.....	295
SEDLAWTR.....	301
SEDLIMIT.....	295
SEDLOTTM.....	294
SEDLFACT.....	300
SEDLSEFX.....	296
SEDMFU.....	124
SEDMON.....	158
SEDNDMOR.....	295
SEDNEWA.....	122
SEDNEWB.....	122

VARIABLE NAME -----	PAGE ----
SEDNEWC.....	123
SEDNEWD.....	123
SEDNEWE.....	123
SEDNOLST.....	121
SEDPDANG.....	301
SEDPHCTD.....	299
SEDPHLPB.....	299
SEDREC.....	125
SEDSERP.....	300
SEDWD1SX.....	297
SEDWDSMT.....	298
SEDYFU.....	124
SEDYR.....	158
SEDYRTOT.....	125
SERAX.....	96
SERAX2.....	165
SERVICE.....	499
SK65A.....	79
SK65A2.....	163
SLT30BR2.....	19
SLT30FAV.....	19
SLTAFU.....	169
SLTMFU.....	18
SLTREC.....	18
SLTTRY.....	17
SLTYFU.....	18
SMKBRND2.....	154
SMKFLAG.....	151
SMKMON.....	151
SMKYR.....	151
SN30EST.....	16
SNCRIME.....	385
SNEMTBLD.....	386
SNF30BR2.....	17
SNF30USE.....	16
SNFAALDV.....	393
SNFAALDY.....	393
SNFACIG.....	392
SNFAMJEV.....	393
SNFEVER.....	14
SNFFLAG.....	152
SNFMON.....	152
SNFRACTV.....	391
SNFRCARE.....	391
SNFRCONC.....	390

VARIABLE NAME -----	PAGE ----
SNFREC.....	15
SNFYR.....	152
SNGRAFTI.....	387
SNMOV5Y2.....	388
SNPPHLP.....	386
SNPPMOVE.....	387
SNPPVAL.....	385
SNPPVSIT.....	387
SNSELLDG.....	385
SNSPACTV.....	388
SNSPANGR.....	389
SNSPCONC.....	390
SNSPCRIT.....	390
SNSPHITU.....	389
SNSPOUSE.....	388
SNSTFGT.....	386
SNUFMFU.....	15
SNUFTRY.....	14
SNUFYFU.....	14
SNYATTAK.....	392
SNYHITSP.....	389
SNYSELL.....	391
SNYSTOLE.....	392
SOLVENT.....	64
SOLVENT2.....	162
SOMA.....	96
SOMA2.....	165
SPECTALC.....	361
SPECTILL.....	360
SPILLALC.....	361
SPPAINT.....	65
SPPAINT2.....	162
ST09.....	194
ST10.....	195
ST11.....	195
ST12.....	196
ST13.....	196
ST19.....	196
STADOL.....	79
STADOL2.....	163
STBSTWAY.....	114
STDAYPMO.....	115
STDAYPWK.....	115
STDAYPYR.....	114
STFQFLG.....	113

VARIABLE NAME -----	PAGE ----
STIMAGE.....	111
STIMMFU.....	112
STIMNEWA.....	109
STIMNEWB.....	110
STIMNEWC.....	111
STIMNEWD.....	111
STIMNEWE.....	111
STIMREC.....	113
STIMYFU.....	112
STMAFU.....	168
STMCARD.....	105
STMCUT1X.....	288
STMCUTDN.....	287
STMCUTEV.....	288
STMEMCTD.....	290
STMEMOPB.....	290
STMFLAG.....	158
STMFLBLU.....	288
STMFMCCTD.....	293
STMFMFDPB.....	293
STMGTOVR.....	286
STMKPLMT.....	286
STMLAWTR.....	293
STMLIMIT.....	286
STMLOTTM.....	285
STMLSACT.....	291
STMLSEFX.....	287
STMMON.....	158
STMNDMOR.....	287
STMNOLST.....	108
STMPDANG.....	292
STMPHCTD.....	291
STMPHLPB.....	290
STMSERP.....	292
STMWD2SX.....	289
STMWDSMT.....	289
STMYR.....	158
STMYRTOT.....	113
STNDLREC.....	202
STNEEDLE.....	202
STRECDK.....	194
STRECRE.....	195
STTOTFG.....	113
STUDNT.....	504
SUMFLAG.....	159

VARIABLE NAME -----	PAGE ----
SUMMON.....	159
SUMYR.....	159
SV09.....	196
SV10.....	197
SV11.....	198
SV12.....	198
SV13.....	198
SVBSTWAY.....	126
SVDAYPMO.....	127
SVDAYPWK.....	127
SVDAYPYR.....	126
SVFQFLG.....	125
SVRECDK.....	197
SVRECRE.....	197
SVTOTFG.....	125
TALACEN.....	79
TALACEN2.....	163
TALWIN.....	80
TALWIN2.....	163
TALWINNX.....	80
TALWINX2.....	163
TELNO2.....	509
TENUATE.....	108
TENUATE2.....	166
TOBFLAG.....	152
TOBMON.....	152
TOBYR.....	152
TOTCOKE.....	180
TOTCRACK.....	182
TOTDRINK.....	176
TOTHALL.....	186
TOTHERO.....	184
TOTINHAL.....	188
TOTMJ.....	178
TR09.....	192
TR10.....	193
TR11.....	193
TR12.....	194
TR13.....	194
TRAMADL2.....	163
TRAMADOL.....	80
TRANAGE.....	100
TRANMFU.....	101
TRANREC.....	101
TRANXEN2.....	165

VARIABLE NAME -----	PAGE ----
TRANXENE.....	96
TRANYFU.....	100
TRBSTWAY.....	102
TRDAYPMO.....	103
TRDAYPWK.....	103
TRDAYPYR.....	102
TRFQFLG.....	102
TRIMEST.....	474
TRNAFU.....	168
TRNCARD.....	93
TRNCUTDN.....	280
TRNCUTEV.....	281
TRNEMCTD.....	281
TRNEMOPB.....	281
TRNEWA.....	98
TRNEWB.....	99
TRNEWC.....	99
TRNEWD.....	99
TRNEWE.....	100
TRNFMCTD.....	285
TRNFMFPB.....	284
TRNGTOVR.....	279
TRNKPLMT.....	279
TRNLAWTR.....	284
TRNLIMIT.....	279
TRNLOTTM.....	278
TRNLSACT.....	283
TRNLSEFX.....	280
TRNNDMOR.....	280
TRNOLST.....	97
TRNPDANG.....	284
TRNPHCTD.....	282
TRNPHLPB.....	282
TRNSERP.....	283
TRNYRTOT.....	101
TRQFLAG.....	157
TRQMON.....	158
TRQYR.....	157
TRRECDK.....	192
TRRECRE.....	193
TRTOTFG.....	102
TSTHIRE.....	521
TSTRAND.....	521
TUCHTONE.....	509
TUINAL.....	120

VARIABLE NAME -----	PAGE ----
TUINAL2.....	167
TXENROLL.....	359
TXEVER.....	324
TXILANAL.....	362
TXILLALC.....	362
TXLASREC.....	344
TXLTALC2.....	362
TXLTANL2.....	363
TXLTCOC2.....	363
TXLTHAL2.....	363
TXLTHER2.....	363
TXLTILL2.....	363
TXLTINH2.....	363
TXLTMJ2.....	363
TXLTSED2.....	363
TXLTSTM2.....	363
TXLTTRN2.....	363
TXLTYALC.....	346
TXLTYANL.....	349
TXLTYCOC.....	347
TXLTYDU2.....	352
TXLTYHAL.....	348
TXLTYHER.....	347
TXLTYINH.....	348
TXLTYMJ.....	346
TXLTYMN2.....	345
TXLTYOU2.....	351
TXLTYSED.....	350
TXLTYSOD.....	351
TXLTYSTM.....	350
TXLTYTRN.....	349
TXNOSPEC.....	362
TXPCAID2.....	364
TXPCARE2.....	364
TXPCORT2.....	364
TXPEMPL2.....	364
TXPFMLY2.....	364
TXPINS2.....	364
TXPMILC2.....	364
TXPPUBP2.....	364
TXPSAVE2.....	364
XPYCAID.....	354
XPYPCARE.....	353
XPYPCORT.....	356
XPYEMPL.....	357

VARIABLE NAME -----	PAGE ----
TXPYFMLY.....	355
TXPYFRE.....	358
TXPYINS.....	353
TXPYMILC.....	356
TXPYPUBP.....	354
TXPYSAVE.....	355
TXPYSOS.....	357
TXPYSP2.....	358
TXRCVNOW.....	333
TXYRADG.....	325
TXYRDCAD.....	329
TXYRDOC.....	329
TXYRDTXO.....	359
TXYRERAD.....	329
TXYREVER.....	325
TXYRHOSP.....	326
TXYRHPAD.....	326
TXYRINAD.....	327
TXYRJAIL.....	330
TXYRJLAD.....	330
TXYRMHAD.....	328
TXYRMHC.....	328
TXYRNME2.....	333
TXYROTAD.....	332
TXYROTS2.....	332
TXYRPOAD.....	327
TXYRRFIN.....	326
TXYRRFOP.....	327
TXYRSGAD.....	331
TXYRSHG.....	330
TXYRSOP.....	331
TXYRTXER.....	328
TXYRVSER.....	333
ULTRAM.....	80
ULTRAM2.....	163
USALCTST.....	521
USDRGTST.....	521
VALMDIA2.....	164
VALMDIAZ.....	93
VEREP.....	525
VESTR.....	525
VICOLOR.....	75
VICOLOR2.....	162
VISTAR.....	97
VISTAR2.....	165

VARIABLE NAME -----	PAGE ----
WKDRGED.....	520
WORKBLAH.....	519
WORKDAYS.....	518
WORKRAND.....	522
WRKBZCA2.....	514
WRKEDYR.....	515
WRKEFFRT.....	515
WRKHAVJB.....	512
WRKHIRE.....	522
WRKHRSWK.....	513
WRKINDU2.....	513
WRKINDY2.....	517
WRKJOBS2.....	516
WRKLASY2.....	517
WRKOCCU2.....	514
WRKOCCY2.....	518
WRKSLFEM.....	515
WRKUNEMP.....	516
WRKUNWKS.....	516
XNAXATV2.....	164
XNAXATVN.....	93
YE4HCLUB.....	405
YEBAND.....	406
YEBIGBRO.....	403
YEBL30FQ.....	417
YEBLNT30.....	417
YEBLNTEV.....	417
YECGCHKO.....	411
YECGCLRK.....	412
YECGCONV.....	414
YECGDSTO.....	413
YECGFRND.....	410
YECGINDV.....	414
YECGINET.....	412
YECGMAI2.....	411
YECGPRUF.....	415
YECGRWMJ.....	418
YECGSMKT.....	413
YECGSUCC.....	415
YECGVEND.....	410
YECHOIR.....	408
YECRIME.....	394
YEDECLAS.....	408
YEDERGLR.....	409
YEDESPCL.....	409

VARIABLE NAME -----	PAGE ----
YEDGPRGP.....	405
YEEMTBLD.....	395
YEENRLYR.....	397
YEGALDLY.....	401
YEGMJEV.....	401
YEGPKCIG.....	400
YEGRAFTI.....	396
YEJBSKIL.....	408
YELSTGRD.....	397
YEMOV5Y2.....	396
YEPALDLY.....	400
YEPDCRTN.....	416
YEPDPACK.....	416
YEPKCRTN.....	415
YEPMJEV.....	400
YEPHLP.....	394
YEPKPCIG.....	399
YEPMOVE.....	396
YEPVSIT.....	395
YEPBSLV.....	403
YEPRGSTD.....	407
YEPRTDNG.....	402
YEPVLES.....	404
YEPVNTYR.....	409
YESCHCLB.....	406
YESCOUTS.....	404
YESLLDG.....	394
YESLFHLP.....	406
YESTFGT.....	395
YESTGOVT.....	407
YETEMSPT.....	405
YETLKNON.....	401
YETLKPAR.....	402
YETLKSOP.....	402
YEVIOPRV.....	403
YEVOLUNT.....	407
YEYATTAK.....	399
YEYFGTGP.....	398
YEYFGTSW.....	397
YEYHGUN.....	398
YEYMCA.....	404
YEYSELL.....	398
YEYSTOLE.....	399
YFLADLY2.....	421
YFLPKCG2.....	421

VARIABLE NAME -----	PAGE ----
YFLTMRJ2.....	421
YMADAVAT.....	444
YMADCONC.....	443
YMADERRO.....	445
YMADFCUS.....	444
YMADFRGT.....	443
YADMEDS.....	444
YMAGBRDG.....	430
YMAGCRWD.....	429
YMAGOHSF.....	429
YMAGTRAV.....	430
YMCDBKNT.....	450
YMCDCRUA.....	449
YMCDEXPL.....	447
YMCDLIED.....	448
YMCDSHPL.....	448
YMCDSNAT.....	448
YMCDSTOL.....	449
YMCDVAND.....	449
YMEABING.....	438
YMEAFAT.....	437
YMEATHFD.....	437
YMEATHIN.....	437
YMELSOIL.....	439
YMELWTBD.....	438
YMELWTPT.....	438
YMGAHDAC.....	431
YMGAPAIN.....	432
YMGATNSE.....	432
YMGAWORY.....	431
YMMABDMD.....	441
YMMAMDRC.....	443
YMMARSLs.....	442
YMMASPAB.....	442
YMMATALK.....	442
YMMDLSEG.....	439
YMMDNINT.....	439
YMMDNOGD.....	440
YMMDTHKL.....	440
YMMDTHNK.....	441
YMMDTIRD.....	441
YMMDTYKL.....	440
YMOCCHCK.....	436
YMOCOUN.....	435
YMOCGERM.....	436

VARIABLE NAME -----	PAGE ----
YMOCTHOT.....	436
YMOCWASH.....	435
YMODANOY.....	446
YMODBLMO.....	446
YMODHURT.....	445
YMODMEAN.....	446
YMODRFUS.....	445
YMODSWOR.....	447
YMODTANY.....	447
YMPAATAK.....	430
YMPASUFC.....	431
YMPHANML.....	432
YMPHBLOD.....	434
YMPHBRDG.....	434
YMPHDARK.....	433
YMPHELEV.....	434
YMPHHIGH.....	433
YMPHNEDL.....	433
YMSAABDN.....	428
YMSAACHE.....	427
YMSABDRM.....	427
YMSAHMSK.....	429
YMSAHOME.....	427
YMSASLEP.....	428
YMSAUPLV.....	428
YMSPFNTF.....	426
YMSPGRUP.....	426
YOATTAK2.....	421
YOFIGHT2.....	420
YOGRPFT2.....	420
YOHGUN2.....	420
YOSELL2.....	420
YOSTOLE2.....	421
YOUTHACT.....	422
YTHBGHT.....	425
YUDYBKRU.....	458
YUDYDEPR.....	458
YUDYEATP.....	458
YUDYFEAR.....	458
YUDYSOR.....	458
YUDYSUIC.....	457
YUDYTXN2.....	457
YUDYTXYR.....	457
YUFCAREV.....	469
YUFCARN2.....	455

VARIABLE NAME -----	PAGE ----
YUFCARYR.....	455
YUFCBKRU.....	456
YUFCDEPR.....	456
YUFCEATP.....	456
YUFCFEAR.....	456
YUFCSOR.....	456
YUFCSUIC.....	455
YUFDBKRU.....	466
YUFDDEPR.....	466
YUFDEATP.....	466
YUFDFEAR.....	466
YUFDOCN2.....	465
YUFDOCYR.....	465
YUFDSOR.....	466
YUFDSUIC.....	465
YUHOBKRU.....	452
YUHODEPR.....	452
YUHOEATP.....	452
YUHOFEAR.....	452
YUHOSOR.....	452
YUHOSPN2.....	451
YUHOSPYR.....	451
YUHOSUIC.....	451
YUIHBKRU.....	464
YUIHDEPR.....	464
YUIHEATP.....	464
YUIHFEAR.....	464
YUIHSOR.....	464
YUIHSUIC.....	463
YUIHTPN2.....	463
YUIHTPYR.....	463
YUJAILEV.....	469
YUMHBKRU.....	460
YUMHCRN2.....	459
YUMHCRYR.....	459
YUMHDEPR.....	460
YUMHEATP.....	460
YUMHFEAR.....	460
YUMHSOR.....	460
YUMHSUIC.....	459
YURSBKRU.....	454
YURSDEPR.....	454
YURSEATP.....	454
YURSFEAR.....	454
YURSIDN2.....	453

VARIABLE NAME -----	PAGE ----
YURSIDYR.....	453
YURSSOR.....	454
YURSSUIC.....	453
YUSHBKRU.....	468
YUSHCNYR.....	467
YUSHDEPR.....	468
YUSHEATP.....	468
YUSHFEAR.....	468
YUSHSOR.....	468
YUSHSUIC.....	467
YUSPEDYR.....	467
YUTPBKRU.....	462
YUTPDEPR.....	462
YUTPEATP.....	462
YUTPFEAR.....	462
YUTPSOR.....	462
YUTPSTN2.....	461
YUTPSTYR.....	461
YUTPSUIC.....	461

VARIABLE NAME -----	PAGE ----
QUESTID.....	1
CIGEVER.....	2
CIGOFRSM.....	2
CIGWILYR.....	3
CIGTRY.....	3
CIGYFU.....	3
CIGMFU.....	4
CIGREC.....	4
CIG30USE.....	5
CG30EST.....	5
CIG30AV.....	5
CIG30BR2.....	6
CIG30TYP.....	8
CIG30MEN.....	8
CIG30RO2.....	8
CIGDLYMO.....	9
CIGAGE.....	9
CIG100LF.....	9
CHEWEVER.....	10
CHEWTRY.....	10
CHEWYFU.....	10
CHEWMFU.....	11
CHEWREC.....	11
CHW30USE.....	12
CH30EST.....	12
CHW30BR2.....	13
SNFEVER.....	14
SNUFTRY.....	14
SNUFYFU.....	14
SNUFMFU.....	15
SNFREC.....	15
SNF30USE.....	16
SN30EST.....	16
SNF30BR2.....	17
SLTTRY.....	17
SLTYFU.....	18
SLTMFU.....	18
SLTREC.....	18
SLT30BR2.....	19
SLT30FAV.....	19
CIGAREVR.....	20
CIGARTRY.....	20
CIGARYFU.....	20
CIGARMFU.....	21
CIGARREC.....	21

VARIABLE NAME -----	PAGE ----
CGR30USE.....	22
CI30EST.....	22
CGR30BR2.....	23
PIPEVER.....	24
PIPE30DY.....	24
ALCEVER.....	25
ALCTRY.....	25
ALCYFU.....	25
ALCMFU.....	26
ALCREC.....	26
ALCYRTOT.....	26
ALTOTFG.....	26
ALFQFLG.....	27
ALBSTWAY.....	27
ALDAYPYR.....	27
ALDAYPMO.....	28
ALDAYPWK.....	28
ALCDAYS.....	28
AL30EST.....	29
ALDYSFG.....	29
NODR30A.....	29
DR5DAY.....	30
MJEVER.....	31
MJAGE.....	31
MJYFU.....	31
MJMFU.....	32
MJREC.....	32
MJYRTOT.....	32
MRTOTFG.....	32
MJFQFLG.....	33
MRBSTWAY.....	33
MRDAYPYR.....	33
MRDAYPMO.....	34
MRDAYPWK.....	34
MJDAY30A.....	34
MR30EST.....	35
COCEVER.....	36
COCAGE.....	36
COCYFU.....	36
COCMFU.....	37
COCREC.....	37
COCYRTOT.....	37
CCTOTFG.....	37
CCFQFLG.....	38
CCBSTWAY.....	38

VARIABLE NAME	PAGE
-----	----
CCDAYPYR.....	38
CCDAYPMO.....	39
CCDAYPWK.....	39
COCUS30A.....	39
CC30EST.....	40
CRKEVER.....	41
CRKAGE.....	41
CRKYFU.....	41
CRKMFU.....	42
CRAKREC.....	42
CRKYRTOT.....	42
CRTOTFG.....	42
CRFQFLG.....	43
CRBSTWAY.....	43
CRDAYPYR.....	43
CRDAYPMO.....	43
CRDAYPWK.....	44
CRKUS30A.....	44
CR30EST.....	44
HEREVER.....	45
HERAGE.....	45
HERYFU.....	45
HERMFU.....	46
HERREC.....	46
HERYRTOT.....	46
HRTOTFG.....	46
HRFQFLG.....	46
HRBSTWAY.....	47
HRDAYPYR.....	47
HRDAYPMO.....	47
HRDAYPWK.....	48
HER30USE.....	48
HR30EST.....	48
LSD.....	49
PCP.....	49
PEYOTE.....	50
MESC.....	50
PSILCY.....	50
ECSTASY.....	50
HALNOLST.....	50
HALNEWA.....	51
HALNEWB.....	54
HALNEWC.....	55
HALNEWD.....	55
HALNEWE.....	55

VARIABLE NAME	PAGE
-----	----
HALLAGE.....	56
HALYFU.....	56
HALMFU.....	56
HALLREC.....	57
HALYRTOT.....	57
HLTOTFG.....	57
HLFQFLG.....	57
HLBSTWAY.....	58
HLDAYPYR.....	58
HLDAYPMO.....	58
HLDAYPWK.....	59
HAL30USE.....	59
HL30EST.....	59
LSDAGE.....	59
LSDYFU.....	60
LSDMFU.....	60
LSDREC.....	60
PCPAGE.....	61
PCPYFU.....	61
PCPMFU.....	61
PCPREC.....	62
AMYLNIT.....	63
CLEFLU.....	63
GAS.....	64
GLUE.....	64
ETHER.....	64
SOLVENT.....	64
LGAS.....	65
NITOXID.....	65
SPPAINT.....	65
AEROS.....	65
INHNLST.....	66
INHNEWA.....	67
INHNEWB.....	68
INHNEWC.....	69
INHNEWD.....	69
INHNEWE.....	69
INHAGE.....	69
INHYFU.....	70
INHMFU.....	70
INHREC.....	70
INHVRTOT.....	71
INTOTFG.....	71
INFQFLG.....	71
INBSTWAY.....	71

VARIABLE NAME -----	PAGE ----
INDAYPYR.....	72
INDAYPMO.....	72
INDAYPWK.....	72
INH DY30A.....	73
IN30EST.....	73
DARV TYLC.....	75
PERCTYLX.....	75
VICOLOR.....	75
ANLCARD.....	76
CODEINE.....	76
DEMEROL.....	76
DILAUD.....	77
FIORICET.....	77
FIORINAL.....	77
HYDROCOD.....	77
METHDON.....	78
MORPHINE.....	78
OXYCONTN.....	78
PHENCOD.....	78
PROPOXY.....	79
SK65A.....	79
STADOL.....	79
TALACEN.....	79
TALWIN.....	80
TALWINNX.....	80
TRAMADOL.....	80
ULTRAM.....	80
ANLNOLST.....	81
ANALNEWA.....	82
ANALNEWB.....	85
ANALNEWC.....	86
ANALNEWD.....	87
ANALNEWE.....	87
ANALAGE.....	88
ANALYFU.....	88
ANALMFU.....	88
ANALREC.....	89
ANLYRTOT.....	89
PRTOTFG.....	89
PRFQFLG.....	89
PRBSTWAY.....	90
PRDAYPYR.....	90
PRDAYPMO.....	91
PRDAYPWK.....	91
KLONOPIN.....	92

VARIABLE NAME -----	PAGE ----
XNAXATVN.....	93
VALMDIAZ.....	93
TRNCARD.....	93
ATARAX.....	94
BUSPAR.....	94
EQUANIL.....	94
FLEXERIL.....	94
LIBRIUM.....	95
LIMBTROL.....	95
MEPROB.....	95
MILTOWN.....	95
ROHYPNOL.....	96
SERAX.....	96
SOMA.....	96
TRANXENE.....	96
VISTAR.....	97
TRNOLST.....	97
TRNEWA.....	98
TRNEWB.....	99
TRNEWC.....	99
TRNEWD.....	99
TRNEWE.....	100
TRANAGE.....	100
TRANYFU.....	100
TRANMFU.....	101
TRANREC.....	101
TRNYRTOT.....	101
TRTOTFG.....	102
TRFQFLG.....	102
TRBSTWAY.....	102
TRDAYPYR.....	102
TRDAYPMO.....	103
TRDAYPWK.....	103
METHDES.....	104
DIETPILS.....	105
RITMPHEN.....	105
STMCARD.....	105
CYLERT.....	106
DEXED.....	106
DETAMP.....	106
DIDREX.....	106
ESKAT.....	107
IONAMIN.....	107
MAZANOR.....	107
OBLA.....	107

VARIABLE NAME -----	PAGE ----
PLEGINE.....	107
PRELUDIN.....	108
SANOREX.....	108
TENUATE.....	108
STMNOLST.....	108
STIMNEWA.....	109
STIMNEWB.....	110
STIMNEWC.....	111
STIMNEWD.....	111
STIMNEWE.....	111
STIMAGE.....	111
STIMYFU.....	112
STIMMFU.....	112
STIMREC.....	113
STMVRTOT.....	113
STTOTFG.....	113
STFQFLG.....	113
STBSTWAY.....	114
STDAYPYR.....	114
STDAYPMO.....	115
STDAYPWK.....	115
METHAGE.....	115
METHYFU.....	116
METHMFU.....	116
METHREC.....	116
METHAQ.....	117
NEMBBARB.....	118
RESTTMAZ.....	118
SEDCARD.....	118
AMYTAL.....	119
BUTISOL.....	119
CHHYD.....	119
DALMANE.....	119
HALCION.....	120
PHENOBAR.....	120
PLACIDYL.....	120
TUINAL.....	120
SEDNOLST.....	121
SEDNEWA.....	122
SEDNEWB.....	122
SEDNEWC.....	123
SEDNEWD.....	123
SEDNEWE.....	123
SEDAGE.....	123
SEDYFU.....	124

VARIABLE NAME -----	PAGE ----
SEDMFU.....	124
SEDREC.....	125
SEDYRTOT.....	125
SVTOTFG.....	125
SVFQFLG.....	125
SVBSTWAY.....	126
SVDAYPYR.....	126
SVDAYPMO.....	127
SVDAYPWK.....	127
IRCIIRC.....	128
IICIGRC.....	128
II2CIGRC.....	128
IRCGRRC.....	128
IICGRRC.....	128
II2CGRRC.....	128
IRPIPLF.....	128
IIPILF.....	129
IRPIPMN.....	129
IIPIMN.....	129
IRSLTRC.....	129
IISLTRC.....	129
II2SLTRC.....	129
IRCHWRC.....	129
IICHWRC.....	129
II2CHWRC.....	129
IRSNFRC.....	130
IISNFRC.....	130
II2SNFRC.....	130
IRALCRC.....	130
IIALCRC.....	130
II2ALCRC.....	130
IRMJRC.....	130
IIMJRC.....	130
II2MJRC.....	131
IRCOCRC.....	131
IICOCRC.....	131
II2COCRC.....	131
IRCRKRC.....	131
IICRKRC.....	131
II2CRKRC.....	131
IRHERRC.....	131
IIHERRC.....	131
II2HERRC.....	132
IRHALRC.....	132
IHALRC.....	132

VARIABLE NAME -----	PAGE ----
II2HALRC.....	132
IRLSDRC.....	132
II2LSDRC.....	132
II2LSDRC.....	132
IRPCPRC.....	132
IIPCPRC.....	132
II2PCPRC.....	133
IRINHRC.....	133
IIINHRC.....	133
II2INHRC.....	133
IRANLRC.....	133
IIANLRC.....	133
II2ANLRC.....	133
IRTRNRC.....	133
II2TRNRC.....	134
IRSTMRC.....	134
II2STMRC.....	134
IRMTHRC.....	134
II2MTHRC.....	134
IRSEDRC.....	135
II2SEDRC.....	135
IRALCFY.....	136
II2ALCFY.....	136
IRMJFY.....	136
II2MJFY.....	136
IRCOCFY.....	136
II2COCFY.....	136
IRCRKFY.....	137
II2CRKFY.....	137
IRHERFY.....	137
II2HERFY.....	137
IRHALFY.....	137
II2HALFY.....	137
IRINHFY.....	137
II2INHFY.....	138

VARIABLE NAME	PAGE
-----	----
II2INH FY.....	138
IRANL FY.....	138
IIANL FY.....	138
II2ANL FY.....	138
IRTRN FY.....	138
II TRN FY.....	138
II2TRN FY.....	138
IRSTM FY.....	138
II STM FY.....	138
II2STM FY.....	139
IRSEDFY.....	139
IISEDFY.....	139
II2SEDFY.....	139
IRCIGFM.....	140
II CIGFM.....	140
II2CIGFM.....	140
IRCGRFM.....	140
II CGRFM.....	140
II2CGRFM.....	140
IRCHWFM.....	140
II CHWFM.....	140
II2CHWFM.....	140
IRSNFFM.....	141
II SNFFM.....	141
II2SNFFM.....	141
IRALCFM.....	141
IIALCFM.....	141
II2ALCFM.....	141
IRALCD5.....	141
IIALCD5.....	141
II2ALCD5.....	141
IRMJFM.....	142
II MJFM.....	142
II2MJFM.....	142
IRCOCFM.....	142
II COCFM.....	142
II2COCFM.....	142
IRCRKFM.....	142
II CRKFM.....	142
II2CRKFM.....	142
IRHERFM.....	143
II HERFM.....	143
II2HERFM.....	143
IRHALFM.....	143
II HALFM.....	143

VARIABLE NAME	PAGE
-----	----
II2HALFM.....	143
IRINHFM.....	143
IIINHFM.....	143
II2INHFM.....	143
IRCIGAGE.....	144
IICIGAGE.....	144
IRCIGYFU.....	144
IICIGYFU.....	144
IRCDUAGE.....	144
IICDUAGE.....	144
IRCDUYFU.....	144
IICDUYFU.....	144
IRCGRAGE.....	144
IICGRAGE.....	144
IRCGRYFU.....	144
IICGRYFU.....	145
IRSNFAGE.....	145
IISNFAGE.....	145
IRSNFYFU.....	145
IISNFYFU.....	145
IRCHWAGE.....	145
IICHWAGE.....	145
IRCHWYFU.....	145
IICHWYFU.....	145
IRSLTAGE.....	145
IISLTAGE.....	145
IRSLTYFU.....	145
IISLTYFU.....	145
IRALCAGE.....	146
IIALCAGE.....	146
IRALCYFU.....	146
IIALCYFU.....	146
IRMJAGE.....	146
IIMJAGE.....	146
IRMJYFU.....	146
IIMJYFU.....	146
IRCOAGE.....	146
IICOAGE.....	146
IRCOCYFU.....	146
IICO CYFU.....	146
IRCRKAGE.....	146
IICRKAGE.....	147
IRCRKYFU.....	147
IICRKYFU.....	147
IRHERAGE.....	147

VARIABLE NAME	PAGE
-----	----
IIHERAGE.....	147
IRHERYFU.....	147
IIHERYFU.....	147
IRHALAGE.....	147
IIHALAGE.....	147
IRHALYFU.....	147
IIHALYFU.....	147
IRLSDAGE.....	147
IILSDAGE.....	148
IRLSDYFU.....	148
IILSDYFU.....	148
IRPCPAGE.....	148
IIPCPAGE.....	148
IRPCPYFU.....	148
IIPCPYFU.....	148
IRINHAGE.....	148
IIINHAGE.....	148
IRINHYFU.....	148
IIINHYFU.....	148
IRANLAGE.....	148
IIANLAGE.....	149
IRANLYFU.....	149
IIANLYFU.....	149
IRTRNAGE.....	149
IITRNAGE.....	149
IRTRNYFU.....	149
IITRNYFU.....	149
IRSTMAGE.....	149
IISTMAGE.....	149
IRSTMYFU.....	149
IISTMYFU.....	149
IRMTHAGE.....	150
IIMTHAGE.....	150
IRMTHYFU.....	150
IIMTHYFU.....	150
IRSEDAGE.....	150
IISEDAGE.....	150
IRSEDYFU.....	150
IISEDYFU.....	150
CIGFLAG.....	151
CIGYR.....	151
CIGMON.....	151
CGRFLAG.....	151
CGRYR.....	151
CGRMON.....	151

VARIABLE NAME -----	PAGE ----
PIPFLAG.....	151
PIPMON.....	151
SMKFLAG.....	151
SMKYR.....	151
SMKMON.....	151
CHWFLAG.....	151
CHWYR.....	152
CHWMON.....	152
SNFFLAG.....	152
SNFYR.....	152
SNFMON.....	152
TOBFLAG.....	152
TOBYR.....	152
TOBMON.....	152
CIGBRND2.....	153
CGRBRND2.....	154
SMKBRND2.....	154
CIGCMPNY.....	155
ALCFLAG.....	155
ALCYR.....	155
ALCMON.....	155
MRJFLAG.....	155
MRJYR.....	155
MRJMON.....	155
COCFLAG.....	156
COCYR.....	156
COCMON.....	156
CRKFLAG.....	156
CRKYR.....	156
CRKMON.....	156
HERFLAG.....	156
HERYR.....	156
HERMON.....	156
HALFLAG.....	156
HALYR.....	156
HALMON.....	156
LSDFLAG.....	156
LSDYR.....	157
LSDMON.....	157
PCPFLAG.....	157
PCPYR.....	157
PCPMON.....	157
INHFLAG.....	157
INHYP.....	157
INHMON.....	157

VARIABLE NAME -----	PAGE ----
ANLFLAG.....	157
ANLYR.....	157
ANLMON.....	157
TRQFLAG.....	157
TRQYR.....	157
TRQMON.....	158
STMFLAG.....	158
STMYR.....	158
STMMON.....	158
MTHFLAG.....	158
MTHYR.....	158
MTHMON.....	158
SEDFLAG.....	158
SEDYR.....	158
SEDMON.....	158
PSYFLAG2.....	158
PSYYR2.....	158
PSYMON2.....	159
SUMFLAG.....	159
SUMYR.....	159
SUMMON.....	159
MJOFLAG.....	159
MJOYR2.....	159
MJOMON2.....	159
IEMFLAG.....	160
IEMYR.....	160
IEMMON.....	160
BINGEDRK.....	160
HVYDRK2.....	160
BINGEHVY.....	161
PEYOTE2.....	161
MESC2.....	161
PSILCY2.....	161
ECSTASY2.....	161
AMYLNIT2.....	161
CLEFLU2.....	161
GAS2.....	161
GLUE2.....	161
ETHER2.....	161
SOLVENT2.....	162
LGAS2.....	162
NITOXID2.....	162
SPPAINT2.....	162
AEROS2.....	162
DARVTYL2.....	162

VARIABLE NAME	PAGE
-----	----
PERCTYL2.....	162
VICOLOR2.....	162
CODEINE2.....	162
DEMEROL2.....	162
DILAUD2.....	162
FIORICT2.....	162
FIORINL2.....	162
HYDROCD2.....	163
METHDON2.....	163
MORPHIN2.....	163
OXYCONT2.....	163
PHENCOD2.....	163
PROPOXY2.....	163
SK65A2.....	163
STADOL2.....	163
TALACEN2.....	163
TALWIN2.....	163
TALWINX2.....	163
TRAMADL2.....	163
ULTRAM2.....	163
OTHANL.....	164
KLONOPI2.....	164
XNAXATV2.....	164
VALMDIA2.....	164
ATARAX2.....	164
BUSPAR2.....	164
EQUANIL2.....	164
FLEXERL2.....	164
LIBRIUM2.....	164
LIMBTRL2.....	164
MEPROB2.....	164
MILTOWN2.....	164
ROHYPNL2.....	164
SERAX2.....	165
SOMA2.....	165
TRANXEN2.....	165
VISTAR2.....	165
OTHTRN.....	165
METHDES2.....	165
DIETPIL2.....	165
RITMPHE2.....	165
CYLERT2.....	165
DEXED2.....	165
DETAMP2.....	165
DIDREX2.....	165

VARIABLE NAME	PAGE
-----	----
ESKAT2.....	165
IONAMIN2.....	166
MAZANOR2.....	166
OBLA2.....	166
PLEGINE2.....	166
PRELUDN2.....	166
SANOREX2.....	166
TENUATE2.....	166
OTHSTM.....	166
METHAQ2.....	166
NEMBBAR2.....	166
RESTTMA2.....	166
AMYTAL2.....	166
BUTISOL2.....	166
CHHYD2.....	167
DALMANE2.....	167
HALCION2.....	167
PHENOBR2.....	167
PLACIDY2.....	167
TUINAL2.....	167
OTHSED.....	167
ALCAFU.....	167
MJAFU.....	167
COCAFU.....	167
HERAFU.....	167
HALAFU.....	168
INHAFU.....	168
ANLAFU.....	168
TRNAFU.....	168
STMAFU.....	168
SEDAFU.....	168
CIGAFU.....	168
CGRAFU.....	168
SLTAFU.....	169
MRJYDAYS.....	169
COCYDAYS.....	169
HALYDAYS.....	169
INHVDAYS.....	169
ALCYDAYS.....	169
MRJMDAYS.....	170
COCMDAYS.....	170
HALMDAYS.....	170
INHMDAYS.....	170
ALCMDAYS.....	170
CIGMDAYS.....	170

VARIABLE NAME -----	PAGE ----
CIGPDAY.....	170
CG05.....	171
CG06.....	171
CG06DK.....	171
CG06RE.....	172
CG19.....	172
CG20.....	172
CG20DK.....	173
CG20RE.....	173
CG27.....	173
CG28.....	173
CG28DK.....	174
CG28RE.....	174
CG36.....	174
CG37.....	174
CG37DK.....	175
CG37RE.....	175
CG43.....	175
ALLAST3.....	175
ALRECDK.....	176
ALRECRE.....	176
TOTDRINK.....	176
ALFRAME3.....	176
ALYRAVE.....	177
ALMONAVE.....	177
ALWKAVE.....	177
MJLAST3.....	177
MJRECDK.....	178
MJRECRE.....	178
TOTMJ.....	178
MJFRAME3.....	179
MJYRAVE.....	179
MJMONAVE.....	179
MJWKAVE.....	179
CCLAST3.....	180
CCRECDK.....	180
CCRECRE.....	180
TOTCOKE.....	180
CCFRAME3.....	181
CCYRAVE.....	181
CCMONAVE.....	181
CCWKAVE.....	181
CKLAST3.....	182
CKRECDK.....	182
CKRECRE.....	182

VARIABLE NAME -----	PAGE ----
TOTCRACK.....	182
CKFRAME3.....	183
CKYRAVE.....	183
CKMONAVE.....	183
CKWKAVE.....	183
HELAST3.....	183
HERECDK.....	184
HERECRE.....	184
TOTHERO.....	184
HEFRAME3.....	184
HEYRAVE.....	184
HEMONAVE.....	185
HEWKAVE.....	185
LSLAST.....	185
LSRECDK.....	185
LSRECRE.....	186
TOTHALL.....	186
LSFRAME3.....	186
LSYRAVE.....	186
LSMONAVE.....	187
LSWKAVE.....	187
LS10.....	187
LS16.....	187
INLAST.....	187
INRECDK.....	188
INRECRE.....	188
TOTINHAL.....	188
INFRAME3.....	188
INYRAVE.....	189
INMONAVE.....	189
INWKAVE.....	189
PR09.....	189
PRRECDK.....	190
PRRECRE.....	190
PR10.....	191
PR11.....	191
PR12.....	191
PR13.....	192
TR09.....	192
TRRECDK.....	192
TRRECRE.....	193
TR10.....	193
TR11.....	193
TR12.....	194
TR13.....	194

VARIABLE NAME -----	PAGE ----
ST09.....	194
STRECDK.....	194
STRECRE.....	195
ST10.....	195
ST11.....	195
ST12.....	196
ST13.....	196
ST19.....	196
SV09.....	196
SVRECDK.....	197
SVRECRE.....	197
SV10.....	197
SV11.....	198
SV12.....	198
SV13.....	198
HERSMOKE.....	199
HRSMKREC.....	199
HERSNIFF.....	199
HRSNFREC.....	200
GNNDLLIF.....	200
COCNEEDL.....	200
CONDLREC.....	201
HERNEEDL.....	201
HRNDLREC.....	201
STNEEDLE.....	202
STNDLREC.....	202
GNNdreus.....	202
GNNDLSH1.....	203
GNNDCLEN.....	203
GNNDLSH2.....	203
GNNdGET2.....	204
NEDLRECC.....	205
NEDFLAG4.....	205
HERSMOK2.....	205
HERSNIF2.....	205
NEDHER.....	205
NEDCOC.....	205
NEDSTM.....	205
RSKPKCIG.....	206
RSKMJOCC.....	206
RSKMJREG.....	207
RKTRYLSD.....	207
RKLSDREG.....	207
RKTRYHER.....	208
RKHERREG.....	208

VARIABLE NAME -----	PAGE ----
RKCOCOCC.....	208
RKCOCREG.....	209
RK5ALDLY.....	209
RK5ALWK.....	209
RSKDIFMJ.....	210
RKDIFLSD.....	210
RKDIFCOC.....	210
RKDIFCRK.....	211
RKDIFHER.....	211
RSKSELL.....	211
RKFQDNDR.....	212
RKFQRSKY.....	212
RKFQPBLT.....	212
RKFQDBLT.....	213
GRSKPKCG.....	214
GRSKCREG.....	214
GRSKCOCC.....	214
GRSKMREG.....	214
GRSKMOCC.....	214
GRSKHTRY.....	214
GRSKHREG.....	214
GRSKLTRY.....	214
GRSKLREG.....	215
GRSKD4_5.....	215
GRSKD5WK.....	215
RDIFMJ.....	215
RDIFCOC.....	215
RDIFHER.....	215
RDIFLSD.....	215
RDIFCRK.....	215
APPSELDG.....	215
CIGLOTTM.....	216
CIGLIMIT.....	217
CIGKPLMT.....	217
CIGNDMOR.....	217
CIGLSEFX.....	218
CIGCUTDN.....	218
CIGCUTEV.....	218
CIGCUT1X.....	219
CIGWD4SX.....	219
CIGWDSMT.....	220
CIGEMOPB.....	220
CIGEMCTD.....	221
CIGPHLPB.....	221
CIGPHCTD.....	221

VARIABLE NAME	PAGE
-----	----
CIGLSACT.....	222
CIGPKCRT.....	222
CIGPDPK.....	223
CIGPDCRT.....	224
ALCLOTMM.....	224
ALCGTOVR.....	225
ALCLIMIT.....	225
ALCKPLMT.....	225
ALCNDMOR.....	226
ALCLSEFX.....	226
ALCCUTDN.....	226
ALCCUTEV.....	227
ALCCUT1X.....	227
ALCWD2SX.....	228
ALCWDSMT.....	229
ALCEMOPB.....	229
ALCEMCTD.....	230
ALCPHLPB.....	230
ALCPHCTD.....	230
ALCLSACT.....	231
ALCSERP.....	231
ALCPDANG.....	232
ALCLAWTR.....	232
ALCFMFPB.....	232
ALCFMCTD.....	233
MRJLOTTM.....	233
MRJGTOVR.....	234
MRJLIMIT.....	234
MRJKPLMT.....	234
MRJNDMOR.....	235
MRJLSEFX.....	235
MRJCUTDN.....	235
MRJCUTEV.....	236
MRJEMOPB.....	236
MRJEMCTD.....	236
MRJPHLPB.....	237
MRJPHCTD.....	237
MRJLSACT.....	238
MRJSERP.....	238
MRJPDANG.....	239
MRJLAWTR.....	239
MRJFMFPB.....	239
MRJFMCTD.....	240
COCLOTMM.....	240
COCGTOVR.....	240

VARIABLE NAME -----	PAGE ----
COCLIMIT.....	241
COCKPLMT.....	241
COCNDMOR.....	241
COCLSEFX.....	242
COCCUTDN.....	242
COCCUTEV.....	242
COCCUT1X.....	243
COCFLBLU.....	243
COCWD2SX.....	243
COCWDSMT.....	244
COCEMOPB.....	244
COCEMCTD.....	245
COCPHLPB.....	245
COCPHCTD.....	245
COCLSACT.....	246
COCSERP.....	246
COCPDANG.....	247
COCLAWTR.....	247
COCFMFPB.....	247
COCFMCTD.....	248
HERLOTTM.....	248
HERGTOVR.....	248
HERLIMIT.....	249
HERKPLMT.....	249
HERNDMOR.....	249
HERLSEFX.....	250
HERCUTDN.....	250
HERCUTEV.....	250
HERCUT1X.....	251
HERWD3SX.....	251
HERWDSMT.....	252
HEREMOPB.....	252
HEREMCTD.....	253
HERPHLPB.....	253
HERPHCTD.....	253
HERLSACT.....	254
HERSERPB.....	254
HERPDANG.....	255
HERLAWTR.....	255
HERFMFPB.....	255
HERFMCTD.....	256
HALLOTTM.....	256
HALGTOVR.....	257
HALLIMIT.....	257
HALKPLMT.....	257

VARIABLE NAME -----	PAGE ----
HALNDMOR.....	258
HALLSEFX.....	258
HALCUTDN.....	258
HALCUTEV.....	259
HALEMOPB.....	259
HALEMCTD.....	259
HALPHLPB.....	260
HALPHCTD.....	260
HALLSACT.....	261
HALSERPB.....	261
HALPDANG.....	262
HALLAWTR.....	262
HALFMFPB.....	262
HALFMCTD.....	263
INHLOTTM.....	263
INHGTOVR.....	263
INHLIMIT.....	264
INHKLMT.....	264
INHNDMOR.....	264
INHLSEFX.....	265
INHCUTDN.....	265
INHCUTEV.....	265
INHEMOPB.....	266
INHEMCTD.....	266
INHPLPB.....	266
INHPHCTD.....	267
INHLSACT.....	267
INHSERPB.....	268
INHPDANG.....	268
INHLOWTR.....	268
INHFMFPB.....	269
INHFMCTD.....	269
ANLLOTTM.....	269
ANLGTOVR.....	270
ANLLIMIT.....	270
ANLKLMT.....	270
ANLNDMOR.....	271
ANLLSEFX.....	271
ANLCUTDN.....	271
ANLCUTEV.....	272
ANLCUT1X.....	272
ANLWD3SX.....	273
ANLWDSMT.....	274
ANLEMOPB.....	274
ANLEMCTD.....	275

VARIABLE NAME	PAGE
-----	----
ANLPHLPB.....	275
ANLPHCTD.....	275
ANLLSACT.....	276
ANLSERP.....	276
ANLPDANG.....	277
ANLLAWTR.....	277
ANLFMFPB.....	277
ANLFMCTD.....	278
TRNLOTTM.....	278
TRNGTOVR.....	279
TRNLIMIT.....	279
TRNKPLMT.....	279
TRNNDMOR.....	280
TRNLSEFX.....	280
TRNCUTDN.....	280
TRNCUTEV.....	281
TRNEMOPB.....	281
TRNEMCTD.....	281
TRNPHLPB.....	282
TRNPHCTD.....	282
TRNLSACT.....	283
TRNSERP.....	283
TRNPDANG.....	284
TRNLAWTR.....	284
TRNFMFPB.....	284
TRNFMCTD.....	285
STMLOTTM.....	285
STMGTOVR.....	286
STMLIMIT.....	286
STMKPLMT.....	286
STMNDMOR.....	287
STMLSEFX.....	287
STMCUTDN.....	287
STMCUTEV.....	288
STMCUT1X.....	288
STMFLBLU.....	288
STMWD2SX.....	289
STMWDSMT.....	289
STMEMOPB.....	290
STMEMCTD.....	290
STMPHLPB.....	290
STMPHCTD.....	291
STMLSACT.....	291
STMSERP.....	292
STMPDANG.....	292

VARIABLE NAME -----	PAGE ----
STMLAWTR.....	293
STMFMPFB.....	293
STFMCTD.....	293
SEDLTTM.....	294
SEDGTOVR.....	294
SEDLIMIT.....	295
SEDKPLMT.....	295
SEDNDMOR.....	295
SEDLSEFX.....	296
SEDCUTDN.....	296
SEDCUTEV.....	296
SEDCUT1X.....	297
SEDWD1SX.....	297
SEDWDSMT.....	298
SEDEMOPB.....	298
SEDEMCTD.....	299
SEDPHLPB.....	299
SEDPHCTD.....	299
SEDLFACT.....	300
SEDSERP.....	300
SEDPDANG.....	301
SEDLAWTR.....	301
SEDFMFPB.....	301
SEDFMCTD.....	302
DEPNALC.....	304
DEPNANL.....	304
DEPNDCIG.....	304
DEPNDCOC.....	304
DEPNHAL.....	304
DEPNHER.....	304
DEPNINH.....	304
DEPNMRJ.....	304
DEPNSED.....	305
DEPNSTM.....	305
DEPNTRN.....	305
DEPNILL.....	305
DEPNDIEM.....	305
DEPNXMJ.....	306
DEPNPSY.....	306
DPILLALC.....	306
DPILANAL.....	306
ABUSEALC.....	307
ABUSEANL.....	307
ABUSECOC.....	308
ABUSEHAL.....	308

VARIABLE NAME -----	PAGE ----
ABUSEHER.....	308
ABUSEINH.....	308
ABUSEMRJ.....	308
ABUSESED.....	308
ABUSESTM.....	308
ABUSETRN.....	308
ABUSEILL.....	308
ABUSEIEM.....	309
ABUSEXMJ.....	309
ABUSEPSY.....	309
ABILLALC.....	309
ABILANAL.....	309
ABODALC.....	310
ABODANL.....	310
ABODCOC.....	310
ABODHAL.....	310
ABODHER.....	310
ABODINH.....	310
ABODMRJ.....	310
ABODSED.....	310
ABODSTM.....	310
ABODTRN.....	311
ABODILL.....	311
ABODPSY.....	311
ABODILAL.....	311
ABDILAAL.....	311
BOOKED.....	312
NOBOOKY2.....	312
BKMVTHFT.....	313
BKLARCNY.....	313
BKBURGL.....	313
BKAGASLT.....	314
BKSMASLT.....	314
BKROB.....	314
BKRAPE.....	315
BKMURDER.....	315
BKARSON.....	315
BKDRVINF.....	316
BKDRUNK.....	316
BKPOSTOB.....	316
BKDRUG.....	317
BKPROS.....	317
BKSEXOFF.....	317
BKFRAUD.....	318
BKOTH.....	318

VARIABLE NAME -----	PAGE ----
BKOTHOF2.....	319
PROBATON.....	319
PAROLREL.....	320
DRVALDR.....	320
DRVAONLY.....	320
DRVDONLY.....	321
DRIVALC.....	322
DRIVDRG.....	322
DRIVALD.....	322
PAROL.....	323
PROB.....	323
TXEVER.....	324
TXYREVER.....	325
TXYRADG.....	325
TXYRHOSP.....	326
TXYRHPAD.....	326
TXYRRFIN.....	326
TXYRINAD.....	327
TXYRRFOP.....	327
TXYRPOAD.....	327
TXYRMHC.....	328
TXYRMHAD.....	328
TXYRTXER.....	328
TXYRERAD.....	329
TXYRDOC.....	329
TXYRDCAD.....	329
TXYRJAIL.....	330
TXYRJLAD.....	330
TXYRSHG.....	330
TXYRSGAD.....	331
TXYRSOP.....	331
TXYROTS2.....	332
TXYROTAD.....	332
TXYRVSER.....	333
TXYRNME2.....	333
TXRCVNOW.....	333
NDTXNEDR.....	334
NDTXMORE.....	334
NDTMRALC.....	335
NDTMRMJ.....	335
NDTMRCOC.....	335
NDTMRHER.....	335
NDTMRHAL.....	336
NDTMRINH.....	336
NDTMRANL.....	336

VARIABLE NAME	PAGE
-----	----
TXPYEMPL.....	357
TXPYSOS.....	357
TXPYSP2.....	358
TXPYFRE.....	358
TXENROLL.....	359
TXYRDTXO.....	359
SPECTILL.....	360
SPECTALC.....	361
SPILLALC.....	361
ILLNEED.....	362
TXNOSPEC.....	362
ALCTRMT.....	362
ILLTRMT.....	362
TXILLALC.....	362
TXILANAL.....	362
TXLTALC2.....	362
TXLTANL2.....	363
TXLTCOC2.....	363
TXLTHAL2.....	363
TXLTHER2.....	363
TXLTINH2.....	363
TXLTMJ2.....	363
TXLTSED2.....	363
TXLTSTM2.....	363
TXLTTRN2.....	363
TXLTILL2.....	363
TXPINS2.....	364
TXPCARE2.....	364
TXPCAI2.....	364
TXPPUBP2.....	364
TXPSAVE2.....	364
TXPFMLY2.....	364
TXPCORT2.....	364
TXPMILC2.....	364
TXPEMPL2.....	364
ILLPINS.....	364
ILLPCARE.....	365
ILLPCAI2.....	365
ILLPPUBP.....	365
ILLPSAVE.....	365
ILLPFMLY.....	365
ILLPCORT.....	365
ILLPMILC.....	365
ILLPEMPL.....	365
ALCPINS.....	365

VARIABLE NAME -----	PAGE ----
ALCPCARE.....	365
ALCPCAID.....	365
ALCPPUBP.....	366
ALCPSAVE.....	366
ALCPFMLY.....	366
ALCPCORT.....	366
ALCPMILC.....	366
ALCPEMPL.....	366
LOCHOSP.....	366
LOCRFIN.....	366
LOCRFOP.....	366
LOCMHC.....	366
LOCTXER.....	366
LOCDOC.....	367
LOCJAIL.....	367
LOCSHG.....	367
DRGHOSP.....	367
DRGRFIN.....	367
DRGRFOP.....	367
DRGMHC.....	367
DRGTXER.....	367
DRGDOC.....	367
DRGJAIL.....	367
DRGSHG.....	367
ALCHOSP.....	368
ALCRFIN.....	368
ALCRFOP.....	368
ALCMHC.....	368
ALCTXER.....	368
ALCDOC.....	368
ALCJAIL.....	368
ALCSHG.....	368
AUINPYR.....	369
AUINPSYH.....	369
AUINPGEN.....	369
AUINMEDU.....	370
AUINAHSP.....	370
AUINRESD.....	370
AUINSFAC.....	370
AUNMPY2.....	370
AUNMPGE2.....	371
AUNMMEDU.....	371
AUNMAHSP.....	371
AUNMRESD.....	371
AUNMSFA2.....	372

VARIABLE NAME -----	PAGE ----
AUPINSLF.....	372
AUPINOFM.....	372
AUPINPHI.....	372
AUPINMCR.....	373
AUPINMCD.....	373
AUPINREH.....	373
AUPINEMP.....	373
AUPINMIL.....	373
AUPINPUB.....	374
AUPINPRV.....	374
AUPINFRE.....	374
AUPINAMT.....	374
AUOPTYR.....	375
AUOPMENT.....	375
AUOPTHER.....	376
AUOPDOC.....	376
AUOPCLNC.....	376
AUOPDTMT.....	376
AUOPOTOP.....	377
AUOPYRS2.....	377
AUNMMEN2.....	378
AUNMTHE2.....	378
AUNMDOC2.....	378
AUNMCLN2.....	379
AUNMDTM2.....	379
AUNMOTO2.....	379
AUPOPSLF.....	380
AUPOPOFM.....	380
AUPOPPHI.....	380
AUPOPMCR.....	380
AUPOPMCD.....	380
AUOPPREH.....	381
AUPOPEMP.....	381
AUOPMIL.....	381
AUOPPPUB.....	381
AUOPPRV.....	381
AUOPFRE.....	382
AUOPMOS.....	382
AUOPAMT.....	382
AURXYR.....	383
AUNMTYR.....	383
AUNMTRS.....	383
AMHINP.....	384
AMHOUTP.....	384
AMHRX.....	384

VARIABLE NAME	PAGE
-----	----
AMHTXREC.....	384
AMHTRTND.....	384
SNCRIME.....	385
SNSELLDG.....	385
SNPPVAL.....	385
SNSTFGT.....	386
SNEMTBLD.....	386
SNPPHLP.....	386
SNGRAFTI.....	387
SNPPVSIT.....	387
SNPPMOVE.....	387
SNMOV5Y2.....	388
SNSPOUSE.....	388
SNSPACTV.....	388
SNSPANGR.....	389
SNSPHITU.....	389
SNYHITSP.....	389
SNSPCRIT.....	390
SNSPCONC.....	390
SNFRCONC.....	390
SNFRACTV.....	391
SNFRCARE.....	391
SNYSELL.....	391
SNYSTOLE.....	392
SNYATTAK.....	392
SNFACIG.....	392
SNFAMJEV.....	393
SNFAALDY.....	393
SNFAALDV.....	393
YECRIME.....	394
YESELLDG.....	394
YEPPHLP.....	394
YESTFGT.....	395
YEEMTBLD.....	395
YEPPVSIT.....	395
YEGRAFTI.....	396
YEPPMOVE.....	396
YEMOV5Y2.....	396
YEENRLYR.....	397
YELSTGRD.....	397
YEYFGTSW.....	397
YEYFGTGP.....	398
YEYHGUN.....	398
YEYSELL.....	398
YEYSTOLE.....	399

VARIABLE NAME	PAGE
-----	----
YEYATTAK.....	399
YEPPKCIG.....	399
YEPMJEV.....	400
YEPALDLY.....	400
YEGPKCIG.....	400
YEGMJEV.....	401
YEGALDLY.....	401
YETLKNON.....	401
YETLKP.....	402
YETLKSOP.....	402
YEPRTDNG.....	402
YEBIGBRO.....	403
YEPBRLV.....	403
YEVIOPRV.....	403
YEYMCA.....	404
YESCOU.....	404
YEPVLES.....	404
YEDGPRGP.....	405
YETEMSPT.....	405
YE4HCLUB.....	405
YESLFHLP.....	406
YEBAND.....	406
YESCHCLB.....	406
YEVOLUNT.....	407
YESTGOVT.....	407
YEPRGSTD.....	407
YEJBSKIL.....	408
YECOIR.....	408
YEDECLAS.....	408
YEDERGLR.....	409
YEDESPCL.....	409
YEPVNTYR.....	409
YECGFRND.....	410
YECGVEND.....	410
YECGMAI2.....	411
YECGCHKO.....	411
YECGCLRK.....	412
YECGINET.....	412
YECGSMKT.....	413
YECGDSTO.....	413
YECGCONV.....	414
YECGINDV.....	414
YECGPRUF.....	415
YECGSUCC.....	415
YEPKCRN.....	415

VARIABLE NAME	PAGE
-----	----
YEPDPACK.....	416
YEPDCRTN.....	416
YEBLNTEV.....	417
YEBLNT30.....	417
YEBL30FQ.....	417
YECGRWMJ.....	418
NGHCRIM2.....	419
NGHSELL2.....	419
NGHHELP2.....	419
NGHFGHT2.....	419
NGHBLDG2.....	419
NGHVSIT2.....	419
NGHGRAF2.....	419
NGHMOVE2.....	419
MVIN5YR2.....	420
PRPKCIG2.....	420
PRMJEV2.....	420
PRALDLY2.....	420
PRTALK3.....	420
YOFIGHT2.....	420
YOGRPFT2.....	420
YOHGUN2.....	420
YOSELL2.....	420
YOSTOLE2.....	421
YOATTAK2.....	421
YFLPKCG2.....	421
YFLTMRJ2.....	421
YFLADLY2.....	421
YOUTHACT.....	422
PRBSOLV2.....	422
PREVIOL2.....	422
PRVDRGO2.....	422
GRPCNSL2.....	422
PREGPGM2.....	423
DGSPCLS2.....	423
DGRGCLS2.....	423
DRGLECT2.....	423
DRPRVME3.....	423
ANYEDUC3.....	424
CIGFRND.....	424
CIGVEND.....	424
CIGMAIL.....	424
CIGCKOUT.....	424
CIGCLERK.....	424
CIGINET.....	424

VARIABLE NAME -----	PAGE ----
CIGSMKT.....	424
CIGDSTO.....	424
CIGCONV.....	425
CIGINDIV.....	425
YTHBGHT.....	425
YMSPGRUP.....	426
YMSPFNTF.....	426
YMSAHOME.....	427
YMSAACHE.....	427
YMSABDRM.....	427
YMSASLEP.....	428
YMSAABDN.....	428
YMSAUPLV.....	428
YMSAHMSK.....	429
YMAGOHSF.....	429
YMAGCRWD.....	429
YMAGTRAV.....	430
YMAGBRDG.....	430
YMPAATAK.....	430
YMPASUFC.....	431
YMGAWORY.....	431
YMGAHDAC.....	431
YMGAPAIN.....	432
YMGATNSE.....	432
YMPHANML.....	432
YMPHHIGH.....	433
YMPHDARK.....	433
YMPHNEDL.....	433
YMPHBLOD.....	434
YMPHBRDG.....	434
YMPHELEV.....	434
YMOCCOUN.....	435
YMOCWASH.....	435
YMOCCHCK.....	436
YMOCGERM.....	436
YMOCTHOT.....	436
YMEATHIN.....	437
YMEAFAT.....	437
YMEATHFD.....	437
YMEABING.....	438
YMELWTBD.....	438
YMELWTPT.....	438
YMELSOIL.....	439
YMMDNINT.....	439
YMDLSEG.....	439

VARIABLE NAME	PAGE
-----	----
YMMDNOGD.....	440
YMMDTHKL.....	440
YMMDTYKL.....	440
YMMDTIRD.....	441
YMMDTHNK.....	441
YMMABDMD.....	441
YMMARSLS.....	442
YMMATALK.....	442
YMMASPAB.....	442
YMMAMDRC.....	443
YMADCONC.....	443
YMADFRGT.....	443
YMADFCUS.....	444
YMADMEDS.....	444
YMADAVAT.....	444
YMADERRO.....	445
YMODHURT.....	445
YMODRFUS.....	445
YMODANOY.....	446
YMODMEAN.....	446
YMODBLMO.....	446
YMODTANY.....	447
YMODSWOR.....	447
YMCDEXPL.....	447
YMCDSHPL.....	448
YMCDLIED.....	448
YMCDSNAT.....	448
YMCDVAND.....	449
YMCDSTOL.....	449
YMCDCRUA.....	449
YMCDBKNT.....	450
YUHOSPYR.....	451
YUHOSPN2.....	451
YUHOSUIC.....	451
YUHODEPR.....	452
YUHOFEAR.....	452
YUHOBKRU.....	452
YUHOEATP.....	452
YUHOSOR.....	452
YURSIDYR.....	453
YURSIDN2.....	453
YURSSUIC.....	453
YURSDEPR.....	454
YURSFEAR.....	454
YURSBKRU.....	454

VARIABLE NAME	PAGE
-----	----
YURSEATP.....	454
YURSSOR.....	454
YUFCARYR.....	455
YUFCARN2.....	455
YUFCSUIC.....	455
YUFCDEPR.....	456
YUFCFEAR.....	456
YUFCBKRU.....	456
YUFCEATP.....	456
YUFCSOR.....	456
YUDYTXYR.....	457
YUDYTXN2.....	457
YUDYSUIC.....	457
YUDYDEPR.....	458
YUDYFEAR.....	458
YUDYBKRU.....	458
YUDYEATP.....	458
YUDYSOR.....	458
YUMHCRYR.....	459
YUMHCRN2.....	459
YUMHSUIC.....	459
YUMHDEPR.....	460
YUMHFEAR.....	460
YUMHBKRU.....	460
YUMHEATP.....	460
YUMHSOR.....	460
YUTPSTYR.....	461
YUTPSTN2.....	461
YUTPSUIC.....	461
YUTPDEPR.....	462
YUTPFEAR.....	462
YUTPBKRU.....	462
YUTPEATP.....	462
YUTPSOR.....	462
YUIHTPYR.....	463
YUIHTPN2.....	463
YUIHSUIC.....	463
YUIHDEPR.....	464
YUIHFEAR.....	464
YUIHBKRU.....	464
YUIHEATP.....	464
YUIHSOR.....	464
YUFDOCYR.....	465
YUFDOCN2.....	465
YUFDSUIC.....	465

VARIABLE NAME	PAGE
-----	----
YUFDDEPR.....	466
YUFDFEAR.....	466
YUFD BKRU.....	466
YUFDEATP.....	466
YUFDSOR.....	466
YUSPEDYR.....	467
YUSHCNYR.....	467
YUSHSUIC.....	467
YUSHDEPR.....	468
YUSHFEAR.....	468
YUSHBKRU.....	468
YUSHEATP.....	468
YUSHSOR.....	468
YUJAILEV.....	469
YUFCAREV.....	469
IRHHSIZ2.....	470
IIHHSIZ2.....	470
IRHH65_2.....	470
IIHH65_2.....	470
IRKI17_2.....	470
IIKI17_2.....	470
IMOTHER.....	470
IFATHER.....	471
NRCH17_2.....	471
PREGNANT.....	472
NMERTMT2.....	472
INHOSPYR.....	473
NMNGTHS2.....	473
PROXANS2.....	473
PREG.....	473
PREG2.....	474
TRIMEST.....	474
IRPSOC.....	475
IIPSOC.....	475
IRFAMSOC.....	475
IIFAMSOC.....	475
IRPSSI.....	475
IIPSSI.....	475
IRFAMSSI.....	475
IIFAMSSI.....	475
IRFSTAMP.....	476
IIFSTAMP.....	476
IRPPMT.....	476
IIPPMT.....	476
IRFAMPMT.....	476

VARIABLE NAME	PAGE
-----	----
IIFAMPMT.....	476
IRPSVC.....	476
IIPSVCS.....	476
IRFAMSVCS.....	476
IIFAMSVCS.....	476
IRWELMOS.....	476
IIWELMOS.....	477
IRPINT.....	477
IIPINT.....	477
IRFAMINT.....	477
IIFAMINT.....	477
IRPCHD.....	477
IIPCHD.....	477
IRFAMCHD.....	477
IIFAMCHD.....	477
IRPWAG.....	477
IIPWAG.....	477
IRFAMWAG.....	478
IIFAMWAG.....	478
IRPOTH.....	478
IIPOTH.....	478
IRFAMOTH.....	478
IIFAMOTH.....	478
IRPINC3.....	478
IIPINC3.....	478
IRFAMIN3.....	478
IIFAMIN3.....	479
GOVTPROG.....	479
HLCALLFG.....	479
HLCALL99.....	479
MEDICARE.....	480
MEDICAID.....	480
CHAMPUS.....	481
OGOVTINS.....	481
OGOVINS2.....	482
PRVHLTIN.....	483
GRPHLTIN.....	483
HLTINALC.....	483
HLTINDRG.....	484
HLTINMNT.....	484
OTHLTINS.....	484
OTHLINS2.....	485
HLCNOTYR.....	485
HLCNOTMO.....	486
HLCLAST.....	486

VARIABLE NAME	PAGE
-----	----
HLCPRIVT.....	487
HLCMCAID.....	487
HLCMILT.....	487
HLCMCARE.....	487
HLCOGOV.....	488
HLCOTHER.....	488
HLCOTHS2.....	488
HLLLOSJB.....	489
HLLMAJOB.....	489
HLLMASOR.....	489
HLLCOST.....	490
HLLINELG.....	490
HLLNOFFR.....	490
HLLDIVOR.....	490
HLLDEATH.....	490
HLLREFUS.....	491
HLLNONED.....	491
HLLSOR.....	491
HLLSORS2.....	492
HLNV COST.....	493
HLNV OFFR.....	493
HLNV REF.....	493
HLNV NEED.....	493
HLNVSOR.....	493
HLNVSP2.....	494
IRPINSUR.....	494
IIPINSUR.....	494
IRINSUR.....	495
IIINSUR.....	495
IRINSUR2.....	496
IIINSUR2.....	496
LANGVER.....	497
QUARTER.....	497
GQTYPE.....	497
AGE2.....	498
NOMARR2.....	499
SERVICE.....	499
MILSTAT.....	499
HEALTH.....	499
IRSEX.....	500
IISEX.....	500
IRMARIT.....	500
IIMARIT.....	500
IREDC2.....	500
IIEDUC2.....	500

VARIABLE NAME	PAGE
-----	----
EMPSTAT3.....	501
IIEMPST3.....	501
EMPSTATY.....	501
IIEMPSTY.....	501
EMPSTAT4.....	502
IIEMPST4.....	502
MOVESPY2.....	503
ENROLED.....	503
EDUCNOW2.....	504
STUDNT.....	504
SCHDSICK.....	504
SCHDSKIP.....	505
HSDIPLMA.....	505
HSGED.....	505
LFSCHWH2.....	507
LFTSCHA2.....	507
RLGSVCYR.....	507
RLGIMPRT.....	508
RLGDECSN.....	508
RLGFRNDS.....	508
TELNO2.....	509
TUCHTONE.....	509
COLLEGE2.....	509
CATAGE.....	510
CATAG2.....	510
CATAG3.....	510
CATAG7.....	510
NEWRACE2.....	510
EDUCCAT2.....	510
JOBSTAT2.....	511
JBSTATR2.....	512
WRKHAVJB.....	512
WRKHRSWK.....	513
WRKINDU2.....	513
WRKOCCU2.....	514
WRKBZCA2.....	514
WRKEFFRT.....	515
WRKEDYR.....	515
WRKSLFEM.....	515
WRKJOBS2.....	516
WRKUNEMP.....	516
WRKUNWKS.....	516
WRKLASY2.....	517
WRKINDY2.....	517
WRKOCCY2.....	518

VARIABLE NAME -----	PAGE ----
WORKDAYS.....	518
WORKBLAH.....	519
LOCSIZE.....	519
DRGPLCY.....	519
PLCYCOV.....	520
WKDRGED.....	520
DRGPRGM.....	520
USALCTST.....	521
USDRGTST.....	521
TSTHIRE.....	521
TSTRAND.....	521
FIRSTPOS.....	522
WRKHIRE.....	522
WORKRAND.....	522
FIEXP99.....	523
PDEN.....	524
VESTR.....	525
VEREP.....	525
ANALWT_C.....	525

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (2000 CAI NHSDA)

Numerical Listing

NOTE: Due to changes in the NHSDA instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

101 = Butisol	156 = Sodium barbital
102 = Buticaps	157 = Barbiturates
103 = Amytal	159 = Octanox
104 = Mebaral	163 = Blue meanies
105 = Placidyl	164 = Yellow zombies
106 = Doriden	171 = NyQuil <OTC>
107 = Noludar	172 = Dream Ease <OTC>
108 = Nembutal	173 = Wafers
109 = Seconal	174 = Ambien, Zolpidem
110 = Tuinal	176 = Melatonin <OTC>
111 = Dalmane, Flurazepam	177 = Bean
112 = Restoril, Temazepam	178 = Quetiapine, Seroquel
113 = Halcion	179 = Water tee [sic]
114 = Amobarbital	180 = Tylenol P.M. <OTC>
115 = Phenobarbital	181 = Excedrin P.M. <OTC>
116 = Methaqualone, Quaalude, Sopor	182 = Melzone
117 = Chloral hydrate, Noctec	183 = Mysoline
118 = Pentobarbital, Pentothal, Sodium pentothal	184 = Red and blues
119 = Secobarbital	185 = Tylenol Simply Sleep <OTC>
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	186 = Butalbital
121 = USED SEDATIVE, DON'T KNOW NAME	187 = Belladonna plant/flower/root, Deadly nightshade
122 = Over-the-counter sleep aid; not specified <OTC>	188 = Estazolam
123 = Unisom <OTC>	1001 = Benadryl <OTC>
124 = Yellow jackets	1002 = Dramamine, motion sickness pill, seasick pill <OTC>
126 = Sominex <OTC>	1003 = Donnatal
127 = Nytol <OTC>	1004 = Valerian <OTC>
128 = Nervine <OTC>	
129 = Reds	201 = Valium, Diazepam
130 = Phenergan, Promethazine	202 = Librium, Chlordiazepoxide HCl
131 = Haldol, Haloperidol	203 = Limbitrol [see also 276]
132 = Sleepettes <OTC>	204 = Menrium
136 = Dimetapp <OTC>	205 = Serax
137 = 7-14	206 = Tranxene
138 = Mandrakes	207 = Ativan, Lorazepam
139 = Black widows	208 = Centrax
140 = Seldane	209 = Xanax, Alprazolam
141 = Dilantin	210 = Paxipam
142 = Belladonna	211 = Buspar
145 = Red devil(s)	212 = Miltown
146 = Bentyl, Dicyclomine	213 = Equanil
148 = Actifed <OTC>	214 = Deprol
152 = Eskabarb	215 = Vistaril
153 = Luminal	216 = Atarax, Hydroxyzine
154 = Alurate	217 = Durrax

219 = SK-Lygen
 220 = Meprobamate
 221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
 222 = USED TRANQUILIZER, DON'T KNOW NAME
 223 = Carbacot, Marbaxin, Methocarbamol, Robaxin
 224 = Triavil
 225 = Desyrel, Trazodone hydrochloride
 226 = Stelazine, Trifluoperazine HCl
 227 = Thorazine
 228 = Amitriptyline, Elavil
 229 = Librax
 230 = Compazine
 232 = Mellaril
 233 = Trilafon, Perphenazine
 234 = Cyclobenzaprine, Flexeril
 235 = Imipramine
 237 = Versed
 240 = Lithium carbonate, Lithonate
 241 = Prozac
 242 = Equagesic
 243 = Etrafon
 245 = Tryptophan
 246 = Clonazepam, Klonopin, Rivotril
 247 = Adapin, Doxepin, Sinequan
 249 = Asendin
 250 = Aventyl, Nortriptyline, Pamelor
 252 = Strawberry whip cream
 257 = Zestril
 259 = Desipramine, Norpramin
 260 = PCB
 262 = Prolixin
 263 = Vivactil
 266 = Verstran
 267 = Marezine
 268 = Rohypnol, Roche, roofies
 270 = Torzien
 271 = Zoloft
 275 = Loxitane
 276 = Limbitrol DS [see also 203]
 278 = Benzodiazepines
 280 = Ketaset
 281 = Blue ringer
 282 = Clozapine, Clozaril
 283 = Paroxetine, Paxil
 284 = Tofranil
 285 = Risperdal, resperidone
 288 = Baclofen
 289 = Olanzapine, Zyprexa
 290 = Skelaxin
 291 = Celexa
 292 = Serzone
 293 = Anafranil, Clomipramine
 294 = Fluvoxamine, Luvox
 295 = Mirtazapine, Remeron
 296 = Novoxapam
 297 = Cafia
 2001 = Carisoprodol, Soma
 2002 = Muscle Relaxers
 301 = Dexedrine
 302 = Dexamyl
 303 = Eskatrol
 304 = Benzedrine
 305 = Biphertamine
 306 = Desoxyn
 307 = Tenuate, Diethylpropion
 308 = Tepanil
 309 = Didrex
 310 = Plegine
 311 = Preludin
 312 = Ionamin
 313 = Adipex-P, Fastin, Phentermine
 314 = Pondimin, Fenfluramine
 315 = Voranil
 316 = Sanorex
 317 = Mazanor
 318 = Ritalin, Methylphenidate
 319 = Cylert
 320 = Dextroamphetamine
 321 = Methedrine
 322 = Methamphetamine ("ice" or "crank"), Meth
 323 = Obedrin-L.A.
 324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
 325 = USED STIMULANT, DON'T KNOW NAME
 326 = White cross
 327 = Black beauties, Black beauty
 328 = Pink hearts
 329 = Bird's eggs, Robin's eggs, speckled eggs
 330 = Blue birds, blue jays, blue robins, speckled bird
 331 = Blancs, Whites
 332 = Ephedrine
 333 = 357 Magnum, Magnum 44 <OTC>
 334 = Crossroads, cross tops
 335 = Dexatrim <OTC> [see also 347, 378]
 336 = Diet pills
 337 = White Molly
 339 = Amphetamines
 341 = Pink roses
 342 = Purple hearts
 343 = Nitroglycerine
 344 = Bennies
 345 = Black Molly
 346 = Marax
 347 = Phenylpropanolamine <OTC> [see also 335, 378]
 348 = Crystal
 349 = Phendimetrazine
 351 = Cathinone, Q'at, Cat
 352 = Lemons
 353 = No-Doz <OTC>
 354 = Vivarin <OTC>
 355 = Crystal meth
 356 = Dexies
 357 = Heart-shaped black pills
 358 = 20/20
 359 = Criss cross

360	=	Rainbow speed	3036	=	Ripped fuel <OTC>
363	=	Bam(s)	3037	=	Effexor
364	=	Pseudoephedrine	3038	=	Obenil
366	=	Duromine	3039	=	Theophed
368	=	Peanut butter crank	3040	=	Hyper pills
369	=	Artane	3041	=	Desbutal
371	=	Cogentin	3042	=	30-30
374	=	Christmas tree(s)	3043	=	Brown Bodies
376	=	TAC	3044	=	Caffeine pills <OTC>
377	=	Albuterol, Proventil, Ventolin	3045	=	Stay awakes <OTC>
378	=	Control <OTC> [see also 335, 347]	3046	=	Adrenalin, Epinephrine
379	=	Hearts	3047	=	Sudafed <OTC>
380	=	Pink ladies	3048	=	Diet Pep <OTC>
381	=	P.O.T.C.	3049	=	Truck drivers speed
382	=	Footballs, purple footballs	3050	=	Mini Thins
383	=	Pre-Sate	3051	=	Betel nut, Beetlenut
384	=	Little crosses	3052	=	Speed; otherwise unspecified
385	=	Little pink one	3053	=	Maxair, Pirbuterol
386	=	Herbal ecstasy	3054	=	Up You(r) Gas
387	=	Pink football	3055	=	Clenbuterol
388	=	Pink lemon	3056	=	Xenadrine <OTC>
390	=	Max Alert	3057	=	Diet Fuel <OTC>
393	=	OP 33	3058	=	Metabolift <OTC>
394	=	Debs	3059	=	Metabolize and Save <OTC>
395	=	Black cats	3060	=	Hydroxycut <OTC>
396	=	Black Rjs, RJ8	3061	=	Metab-O-Lite <OTC>
397	=	F-40	3062	=	Homemade Stimulants
398	=	Pink crosses	3063	=	Dymetadrine <OTC>
3001	=	Brown and clear	3064	=	Ephedra, Ma Huang <OTC>
3002	=	Pep ups	3065	=	MA-300 <OTC>
3003	=	Primatene tablets <OTC>	3066	=	Alert Blue and Clear <OTC>
3004	=	Black cadillac	3067	=	Spancap
3005	=	Methylandlanamine	3068	=	Mini Two-way Action <OTC>
3006	=	Green Amps			
3007	=	Nasal inhalant			
3008	=	Miniwhites			
3009	=	Ephedrone, Methcathinone	401	=	Darvon
3010	=	KOOD12	402	=	Dolene
3011	=	Escalation	403	=	SK-65
3012	=	Stud 100, Stud the rock	404	=	Wygesic
3013	=	Tweek	405	=	Levo-Dromoran
3014	=	Uptime	406	=	Percodan
3015	=	Fen-Phen (fenfluramine and phentermine)	407	=	Demerol
3017	=	Dayquil <OTC>	408	=	Dilaudid
3018	=	Up-johns	409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4
3019	=	Peppies	410	=	Phenaphen with Codeine, Phenaphen 3
3020	=	White powder	411	=	Talwin
3021	=	Blue balls	412	=	Talwin NX
3023	=	Adderall	413	=	Talacen
3024	=	Yohimbe	414	=	Propoxyphene
3025	=	Moles [sic]	415	=	Codeine
3026	=	Bupropion, Wellbutrin, Zyban	416	=	Anileridine
3027	=	Energy pills	417	=	Morphine, Roxanol
3028	=	Blackbirds	418	=	Dolophine, Methadone
3029	=	Soccerballs	419	=	Stadol, Stadol NS
3030	=	Red hearts	420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED
3031	=	Brethine, Bricanyl, Terbutaline	421	=	USED ANALGESIC, DON'T KNOW NAME
3032	=	Heads up	422	=	Motrin
3033	=	Metabolife <OTC>			
3034	=	Speckleberry			
3035	=	Blacks			

423	= Percocet	4023	= Pamprin <OTC>
424	= Fioricet	4024	= Reynol [sic]
425	= Advil <OTC>	4025	= Viserol [sic]
426	= Fiorinal	4026	= Ventrex [sic]
427	= Darvocet	4027	= Rorer
429	= Frost 222	4028	= Arthrotec
430	= Aspirin, Ecotrin, Empirin <OTC>	4029	= Feldine, Piroxicam
431	= Tylox	4030	= Triple "S"
432	= Rufen	4031	= Cough medicine with codeine
433	= Paregoric	4032	= Flarex
434	= Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Lortab, Vicodin, Zydane	4033	= Vicoprofen
435	= Tylenol, Tylenol Extra-Strength <OTC>	4034	= Lilly red
436	= Bufferin <OTC>	4035	= Nabumetone, Relafin
438	= Anaprox, Naprosyn, Naproxen	4036	= Stagesic
439	= 222, Canadian 222	4037	= MS Contin
442	= Ibuprofen	4038	= Propacet
443	= Dolobid	4039	= Daypro
444	= Aspirin with Codeine, Empirin 3	4040	= Ridaura
445	= Norgesic Forte	4041	= Maxalt
447	= Synalgos, Synalgos DC	4042	= M-33
450	= Acetaminophen <OTC>	4043	= Tramadol
453	= Organidin with Codeine	4044	= Hydrocodone
454	= Novocain, Procaine	4045	= Phrenilin Forte
455	= Fiorinal with Codeine	4046	= Oxycodone
457	= T's and blues	4047	= Roxicet
458	= Mepergan, Mepergan Fortis, Meprozone	4048	= Motrin IB <OTC>
462	= Norflex	4049	= Headache power <OTC>
465	= Fentanyl, Duragesic, Sublimaze	4050	= Percogesic <OTC>
466	= Midol <OTC>	4051	= Celebrex
467	= Tolectin	4052	= Endocet
468	= Excedrin <OTC>	4053	= Codydramol
469	= Leritine	4054	= Zomax
470	= Cafegot	4055	= Vioxx
471	= Butazolidin	4056	= Diclofenac
472	= Indocin, Indomethacin	4057	= Mejoral
473	= Pyridium	4058	= Totem poles
476	= Duradrin, Isocom, Midrin	4059	= Zomig, Zolmitriptan
477	= Melumbrina, Neo-Melumbrina		
478	= Nogirtronia		
479	= Pentrexyl	501	= Gasoline or lighter fluids
480	= Robitussin AC with Codeine	502	= Spray paints
481	= Acular, Ketorolac tromethamine, Toradol	503	= Other aerosol sprays
487	= Ariel	504	= Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
490	= Nubain	505	= Lacquer thinner or other paint solvents
491	= PDR	506	= Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
495	= Red cross	507	= Halothane, ether, or other anesthetics; chloroform
496	= Ultram	508	= Nitrous oxide, "whippets," dentist gas
498	= Ponstel, Mefenamic acid	509	= Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash
499	= Aleve <OTC>	510	= OTHER Inhalant, NOT OTHERWISE SPECIFIED
4001	= Actron, Ketoprofen, Orudis, Oruvail	511	= Markers, felt-tip pens, ink pens
4002	= Imitrex, Sumatriptan	512	= Incense
4005	= Etodolac, Lodine	516	= Freon, refrigerant
4007	= Happy pills	517	= Tolyol
4008	= Brown gel pills		
4009	= Smilies		
4011	= Carbamazepine, Epitol, Tegretol		
4013	= Fenoprofen, Nalfron		
4014	= Akineton, Biperiden		
4018	= Nuprin <OTC>		
4022	= Buprenex		

518 = Acetone, nail polish remover
 519 = Helium
 520 = Old paint, paint
 521 = Propane [see also 525, 544]
 522 = Liquid TV (MTV), TV tuner, TV11Y
 523 = Matches
 524 = White-Out [see also 509]
 525 = Butane [see also 521, 544]
 526 = Nail polish
 527 = Phenyl nitrate
 528 = Whipped-cream can
 529 = Moth balls
 531 = Candy, powdered candy, sugar
 533 = Window sealant
 534 = Deodorant [see also 827]
 536 = Fire Halt
 537 = Boat horn
 538 = Condensed horn
 539 = ScotchGard
 540 = PAM
 541 = Binaca
 542 = Brasso, lens cleaner, spirits of ammonia
 543 = Liquid oxygen, oxygen
 544 = Lighter gases, not specified [see also 521, 525]
 545 = Car tailpipe exhaust fumes, CO
 546 = Leather protector, suede protector
 548 = Cologne, isopropanol vapors, rubbing alcohol
 550 = Methyl chloride
 551 = Oven cleaner
 553 = Pixie sticks
 554 = Raid
 555 = Chillers
 556 = Energine
 557 = Hagwash [sic], Hogwash
 558 = Kool Aid
 559 = LOLOY
 560 = Laundry detergent, soap
 561 = Amputee gas cleanser
 562 = Ban apple gas
 563 = Acetylene
 564 = Electric contact cleaner
 565 = Trichloroethane
 566 = Smoked tea from Lipton tea bag
 567 = Pertussin spray
 568 = Tally
 569 = Peganento
 571 = Black jack
 572 = Etam
 573 = Furniture polish
 574 = Tornado
 576 = C.A.T.
 577 = Rave runners
 580 = Medusa
 582 = WD-40
 585 = TCL
 586 = Carbon from empty soft drink bottle
 587 = Mineral ice
 588 = Antifreeze
 589 = Tire shine
 590 = Canned air, compressed air
 591 = Air brush propellant
 592 = Computer air duster, computer cleaner, dust-off, dust X
 594 = Starting fluid
 595 = Chlorine
 596 = Femo clay
 597 = Trichloronitrate
 598 = Ethylene dichloride
 599 = Potpourri
 5001 = Bleach
 5003 = Methane
 5004 = Ink print, paper
 5005 = Cobra rush
 5006 = Brake fluid
 5007 = Fly nap
 5008 = R-R
 5009 = Robo
 5011 = Ozone
 5012 = Negros
 5013 = Lebel 12
 5014 = Spray O Buzz
 5015 = MCH
 5016 = Masking tape, tape adhesive
 5017 = Oil, lubricant; otherwise unspecified
 5018 = B-12 (Spanish)
 5019 = Melted plastic
 5020 = Wet cement
 5021 = Octane booster
 5022 = Carbon dioxide, CO₂, dry ice hits
 5023 = Double eagle
 5024 = Citronella candle
 5025 = Lime salt
 5026 = Silly putty
 5027 = Benzene
 5028 = Carburetor cleaner, engine cleaner
 5029 = Floor wax
 5030 = Polyurethane Spray
 5031 = Naphtha
 5032 = Nitrogen
 5033 = Sur-noxem
 5034 = Hippie crack
 5035 = Brake cleaner
 5036 = Wart remover
 5037 = Wood filler
 5038 = Tywall
 5039 = Acetate
 5040 = Methanol
 5041 = Wood alcohol
 5042 = Fuels other than gasoline
 5043 = Carbona
 5044 = Powdered cleansers; e.g. Ajax, Comet, Borax
 5045 = Cleaner; not otherwise specified
 5046 = Glass/window cleaner
 5047 = Tetrafluorethylene
 601 = LSD ("acid") [see also 618]
 602 = Peyote

603	=	Mescaline	668	=	Yellow tiny pills
604	=	Psilocybin (mushrooms), shrooms	669	=	Stropharia
605	=	PCP ("angel dust," phencyclidine)	670	=	Monkey dust
606	=	"Ecstasy" (MDMA), X-TC, "X"	672	=	Suncrush
607	=	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	673	=	Orange
609	=	Jimson weed	674	=	Pee-pope
610	=	Crystal T	677	=	Skunk II
611	=	Greens	678	=	Banana peels
612	=	Happy stick, sherm, sherman, shermstick	679	=	Hell bells
613	=	Duckweed	681	=	Lovely
614	=	MDA, Methylenedioxy amphetamine	682	=	Kif
615	=	Homemade drugs	683	=	Yage
616	=	DET, Dimethyltryptamine, DMT	686	=	Spider in my feet
617	=	Morning glory seeds, morning glory tendrils	687	=	Spray
618	=	Acid paper, blotter (acid) [see also 601]	688	=	AMP
619	=	Tic	690	=	RID
620	=	Blue dragon	691	=	Maximum impact
621	=	Red dragon	693	=	Lemon drops
622	=	Microdot(s), green microdot, purple microdot	695	=	Angel's trumpet
623	=	Mickey, mickey mouse club, mickey mousers	698	=	Nexus, 2C-B
624	=	Orange sunshine, sunshine, yellow sunshine	699	=	BOHA-49B
625	=	Window, window pane, 4-way pane	6001	=	Collapsing little birds
626	=	Jet Fuel	6003	=	Cocahina
627	=	Hawaiian wood rose, Hawaiian Woodrow seeds	6004	=	Hallucinogen seeds
628	=	Hawaiian rosebud seed tea	6005	=	Sassafras tea
629	=	Rocket Fuel	6006	=	Super X
630	=	Black Owsley	6007	=	Bathtub
631	=	Purple Owsley	6008	=	8-Ball
633	=	Mr. Natural	6009	=	Sulfer match smoke
634	=	Unicorn	6010	=	Atrepabelladona (flower)
635	=	Ginseng seeds, ginseng weed	6012	=	Cloud 9
636	=	DOM, STP	6013	=	Lion's tail
637	=	Purple haze	6014	=	Indo
639	=	Nutmeg, Mace	6015	=	Crysta
640	=	Purple pyramid	6016	=	Nas
642	=	Pink Floyd	6017	=	Meesha
643	=	Mount queen, queen	6018	=	Air horn
645	=	Thai stick	6019	=	Black dust, Black duct [sic]
648	=	Designer drugs	6020	=	Chocolate
650	=	Datura stramonium, daytura, thorn apple	6021	=	Snake bite kit (anti-venom)
651	=	Mellow Yellow	6022	=	Tequila worm, agave worm
652	=	ALD-52	6023	=	Euphoria
653	=	Cricket, cricketshit	6024	=	Blue Jesus
654	=	Eve	6025	=	Yellow jell
655	=	Flying elephant	6026	=	KJ
656	=	Mars	6027	=	Judyfly
657	=	Orange barrel	6028	=	Laced flower
658	=	Special K, Ketamine	6029	=	DXM
659	=	Boat	6030	=	Root
660	=	Toad, Toad licking	6031	=	Strychnine
662	=	Kanepolin	6032	=	TSP
663	=	Animal tranquilizer, horse tranquilizer	6033	=	Ramstein
664	=	Purple fingers	6034	=	Pigface
665	=	Paniolis	6035	=	Campana (flower)
666	=	Zonick	6036	=	Coco weed
			6037	=	Fry
			6038	=	Triplets, Trips
			6039	=	Blue Hawaii
			6040	=	Dank
			6041	=	Leaky leak
			6042	=	Super K

6043	=	Salviadinorum	701	=	OTHER Opiates, NOT OTHERWISE SPECIFIED
6044	=	Gel caps, gel tabs	702	=	Heroin
6045	=	Blackboards	703	=	Opium
6046	=	Aquafoot	704	=	Dope
6047	=	Water	705	=	Speed Ball (heroin + cocaine)
6048	=	Dex	706	=	Smack
6049	=	Locoseeds, Locoweed seeds	707	=	Black Tar
6050	=	High roller	709	=	Poppy
6051	=	Triptanene			
6052	=	Acrylic resin	801	=	OTHER Drugs, NOT OTHERWISE SPECIFIED
6053	=	Toothpicks	802	=	THC, cannabinol, marinol
6054	=	Spiny apples	803	=	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
6055	=	Liberty caps	804	=	Hashish
6056	=	Wet	805	=	Cocaine, coca, cocaina, coke
6057	=	Silk	806	=	Crack, rock
6058	=	Purple life	807	=	Alcohol, beer, ethanol, EtOH, pink champagne
6059	=	Satan flower	808	=	All of the ones I've tried
6060	=	Ololiuhqui	809	=	Pills
6061	=	5-MeO-DMT	812	=	Cigars
6062	=	Madderwort, Wormwood	813	=	Cigarettes, smoking (substance not specified), tobacco not specified
6063	=	Foxglove	814	=	Caffeine <OTC>
6064	=	Marigold buttons	815	=	Coffee <OTC>
6065	=	3CPO	816	=	Smokeless tobacco, snuff, chewing tobacco
6066	=	Purple rain	817	=	Hard stuff
6067	=	Venus	818	=	Nicotine
6068	=	Blue ice	819	=	Inderal
6069	=	Peach	820	=	Penicillin
6070	=	DTP	821	=	Amoxicillin, Ampicillin
6071	=	Sinicuichi	822	=	Rabbit tobacco
6072	=	JUNO	824	=	Steroids
6073	=	Rolls	825	=	Theo-Dur
6074	=	LSA	826	=	Alupent
6075	=	Trinity	827	=	Aluminum chloride [see also 534]
6076	=	Lemon 714	828	=	Tetracycline
6077	=	San Pedro	829	=	Robitussin DM <OTC>
6078	=	Trumpet flowers	830	=	Mad bull
6079	=	Sugar cubes	831	=	Honey oil
6080	=	Purple passion	832	=	Primo
6081	=	Shabu	833	=	Bone
6082	=	Ammonia	834	=	Loveboat
6083	=	CCC, Triple "C"	836	=	Antabuse
6084	=	Devil dust	837	=	Paris 400
6085	=	Dips	840	=	Cough medicine (contents not specified) <OTC>
6086	=	Flakes	841	=	Allerest <OTC>, Contact <OTC>
6087	=	Ibogaine	843	=	Antihistamine, cold medicine, cold tablets <OTC>
6088	=	Brugmansia	844	=	Blood pressure medication
6089	=	Cake	846	=	Erythromycin
6090	=	Heaven	847	=	GHB, NSC
6091	=	Ergot, rye mold	848	=	Liquid vitamin <OTC>
6092	=	TCP	849	=	Monosodium glutamate (MSG) <OTC>
6093	=	Mitsubishi	850	=	Slack
6094	=	Mushrooms, specifically not psilocybin			
6095	=	Super cool, Super kool			
6096	=	Bananadine			
6097	=	Banana slug slime			
6098	=	Dust; not otherwise specified			
6099	=	Katmandue Temple Kiff			

852 = Formaldehyde, wak [sic], whack (embalming fluid)	8033 = Heart medication; type unspecified
854 = Juice	8034 = Nutri-calm <OTC>
857 = Wicki stick	8035 = Prednisone
858 = Antibiotic	8036 = Norvasc
865 = Diuretics, Water pills	8037 = Thermochrome 5000 <OTC>
866 = Boomers	8038 = Coldact
867 = Boron	8039 = Kaopectate <OTC>
873 = Contraceptives, Ferutal, Ortho Novum	8040 = Trioxsalen
874 = Premarin	8041 = Garlic, garlic oil <OTC>
875 = Buds	8042 = Alka Seltzer <OTC>
876 = Glass	8043 = Accolate
877 = Methazolamide	8044 = Cephelaxin
879 = Dimethyltriptamide MMPT	8045 = Gax-X <OTC>
880 = Frios	8046 = Slim Fast <OTC>
881 = YLOALE	8047 = Pepcid AC <OTC>
883 = Dextromethorphan Hydrobromide <OTC>	8048 = Theophylline
884 = Snow	8049 = Sorbitol
885 = Drixoral <OTC>	8050 = Tavist D <OTC>
891 = Famotidine, Pepcid	8051 = Sinex <OTC>
892 = Carafate, Sucralfate	8052 = Bactrim, Septra
893 = Estrogen	8053 = Dristan <OTC>
894 = Depakene, Depakote, Valproic Acid	8054 = Beconase
895 = Tagamet, Cimetidine	8055 = Flonase
896 = Catapres, Clonidine	8056 = Vicks VapoRub <OTC>
897 = Synthroid, Levothyroxine	8057 = Natacyc, Natamycin ophthalmic
898 = Propylene	8058 = Cough medicine/syrup; type unspecified
899 = Bromophen	8059 = Peroxyl <OTC>
8001 = Robitussin elixir	8060 = Blue nitro
8002 = Zantac	
8003 = Yesca	
8004 = Guaifenesin	900 = Not a drug
8005 = Imodium AD <OTC>	900 = Non-drug reason given for a drug
8006 = Laxative <OTC>	
8007 = Gabapentin, Neurontin	
8008 = Antidepressant; type unspecified	
8009 = Allergy pills; type unspecified	
8010 = Zyrtec, cetirizine	
8011 = Herb, flower, plant; type unspecified	
8012 = Coriciden <OTC>	
8013 = Maalox <OTC>	
8014 = Vicks throat spray <OTC>	
8015 = Bengay <OTC>	
8016 = Icy hot <OTC>	
8017 = Buscapina	
8018 = Claritromicina	
8019 = Azithromycin, Zithromax	
8020 = Allegra	
8021 = Cipro, Ciprofloxacin, Cliloxam	
8022 = Creatine <OTC>	
8023 = Myoflex <OTC>	
8024 = Asthma inhaler, asthma medication, bronchial dilators	
8025 = Claritin, Claritin D	
8026 = Powder	
8027 = Loradine	
8028 = Bactine <OTC>	
8029 = Flexall <OTC>	
8030 = Tums <OTC>	
8031 = Sugar pills	
8032 = Prilosec	

Alphabetical Listing

NOTE: Due to changes in the NHSDA instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

5013 = 12, Lebel	558 = Aid, Kool
5018 = 12 (Spanish), B-	122 = Aid; not specified <OTC>, Over-the-
3012 = 100, Stud	counter Sleep
698 = 2C-B	591 = Air brush propellent
358 = 20/20	590 = Air, Canned
439 = 222	590 = Air, Compressed
439 = 222, Canadian	592 = Air duster, Computer
429 = 222, Frost	6018 = Air horn
6065 = 3CPO	504 = Airplane glue
444 = 3, Empirin	4014 = Akineton
410 = 3, Phenaphen	377 = Albuterol
409 = 3, Tylenol	807 = Alcohol
3042 = 30-30	548 = Alcohol, Rubbing
3065 = 300, AM-<OTC>	5041 = Alcohol, Wood
393 = 33, OP	652 = ALD-52
333 = 357 Magnum <OTC>	3066 = Alert Blue and clear <OTC>
409 = 4, Tylenol	390 = Alert, Max
625 = 4-way pane	499 = Aleve <OTC>
397 = 40, F-	8042 = Alka Seltzer <OTC>
333 = 44, Magnum <OTC>	808 = All of the ones I've tried
837 = 400, Paris	8020 = Allegra
6061 = 5-MeO-DMT	841 = Allerest <OTC>
8037 = 5000, Thermochrome	8009 = Allergy pills; type unspecified
652 = 52, ALD-	209 = Alprazolam
137 = 7-14	827 = Aluminum chloride
6076 = 714, Lemon	826 = Alupent
6008 = 8-Ball	154 = Alurate
6012 = 9, Cloud	3065 = AM-300 <OTC>
	174 = Ambien
8043 = Accolate	228 = Amitriptyline
450 = Acetaminophen	6082 = Ammonia
5039 = Acetate	542 = Ammonia, Spirits of
518 = Acetone	114 = Amobarbital
563 = Acetylene	821 = Amoxicillin
601 = Acid	688 = AMP
618 = (Acid), Blotter	3006 = Amps, Green
498 = Acid, Mefenamic	614 = Amphetamine, Methylenedioxy
618 = Acid paper	339 = Amphetamines
894 = Acid, Valproic	821 = Ampicillin
6052 = Acrylic resin	561 = Amputee gas cleanser
148 = Actifed	506 = Amyl nitrite
3068 = Action, Mini Two-way <OTC>	103 = Amytal
4001 = Actron	293 = Anafranil
481 = Acular	438 = Anaprox
247 = Adapin	507 = Anesthetics other than halothane and ether
3023 = Adderall	434 = Anexsia
5016 = Adhesive tape	605 = Angel dust
8005 = AD, Imodium <OTC>	695 = Angel's trumpet
313 = Adipex-P	416 = Anileridine
3046 = Adrenalin	663 = Animal tranquilizer
425 = Advil <OTC>	836 = Antabuse
503 = Aerosol sprays other than spray paints	858 = Antibiotic
6022 = Agave worm	8008 = Antidepressant; type unspecified
	588 = Antifreeze
	843 = Antihistamine

562	=	Apple gas, Ban	330	=	Birds, Blue
650	=	Apple, Thorn	6001	=	Birds, Collapsing little
6054	=	Apples, Spiny	6021	=	Bite kit, Snake
6046	=	Aquafoot	327	=	Black beauties
487	=	Ariel	327	=	Black Beauty
369	=	Artane	3028	=	Blackbirds
4028	=	Arthrotec	6045	=	Blackboards
249	=	Asendin	3004	=	Black cadillac
430	=	Aspirin	395	=	Black cats
444	=	Aspirin with Codeine	6019	=	Black duct [sic]
8024	=	Asthma inhaler	6019	=	Black dust
8024	=	Asthma medication	571	=	Black jack
216	=	Atarax	345	=	Black Molly
207	=	Ativan	630	=	Black Owsley
6010	=	Atrepabelladona (flower)	357	=	Black pills, Heart-shaped
250	=	Aventyl	396	=	Black Rjs
3045	=	Awakes, Stay <OTC>	3035	=	Blacks
8019	=	Azithromycin	707	=	Black Tar
			139	=	Black widows
			331	=	Blancs
			5001	=	Bleach
5018	=	B-12 (Spanish)	844	=	Blood pressure medication
288	=	Baclofen	618	=	Blotter (acid)
8028	=	Bactine <OTC>	3066	=	Blue and Clear, Alert <OTC>
8052	=	Bactrim	3021	=	Blue balls
6008	=	Ball, 8-	330	=	Blue birds
3021	=	Balls, Blue	620	=	Blue dragon
529	=	Balls, Moth	6039	=	Blue Hawaii
363	=	Bam(s)	6068	=	Blue ice
562	=	Ban apple gas	330	=	Blue jays
678	=	Banana peels	6024	=	Blue Jesus
6097	=	Banana slug slime	163	=	Blue meanies
6096	=	Bananadine	8060	=	Blue nitro
156	=	Barbital, Sodium	281	=	Blue ringer
157	=	Barbiturates	330	=	Blue robins
657	=	Barrel, Orange	184	=	Blues, Red and
6007	=	Bathtub	457	=	Blues, T's and
177	=	Bean	537	=	Boat horn
327	=	Beauties, Black	659	=	Boat
327	=	Beauty, Black	3043	=	Bodies, Brown
8054	=	Beconase	699	=	BOHA-49B
807	=	Beer	506	=	Bolt
142	=	Belladona	833	=	Bone
187	=	Belladona flower	866	=	Boomers
187	=	Belladona plant	5021	=	Booster, Octane
187	=	Belladona, root	867	=	Boron
679	=	Bells, Hell	586	=	Bottle, Carbon from empty soft drink
1001	=	Benadryl <OTC>	5035	=	Brake cleaner
8015	=	Bengay <OTC>	5006	=	Brake fluid
344	=	Bennies	542	=	Brasso
146	=	Bentyl	3031	=	Brethnine
304	=	Benzedrine	3031	=	Bricanyl
5027	=	Benzene	899	=	Bromophen
278	=	Benzodiazepines	8024	=	Bronchial dilators
3051	=	Beetlenut	3001	=	Brown and clear
3051	=	Betel nut	3043	=	Brown Bodies
541	=	Binaca	4008	=	Brown gel pills
4014	=	Biperiden	6088	=	Brugmansia
305	=	Biphetamine	591	=	Brush propellent, Air
329	=	Bird eggs	875	=	Buds
330	=	Bird, Speckled	436	=	Bufferin <OTC>

830	=	Bull, Mad	6020	=	Chocolate
4022	=	Buprenex	374	=	Christmas tree(s)
3026	=	Bupropion	813	=	Cigarettes
8017	=	Buscapina	812	=	Cigars
211	=	Buspar	8021	=	Ciloxan
186	=	Butalbital	895	=	Cimetidine
471	=	Butazolidin	8021	=	Cipro
525	=	Butane	8022	=	Ciprofloxacin
102	=	Buticaps	5024	=	Citronella Candle
101	=	Butisol	8025	=	Claritin
368	=	Butter crank, Peanut	8025	=	Claritin D
			8018	=	Claritromicina
			596	=	Clay, Femo
6083	=	"C", Triple	5045	=	Cleaner, not otherwise specified
3044	=	Caffeine pills <OTC>	5035	=	Cleaner, Brake
576	=	C.A.T.	5028	=	Cleaner, Carburetor
3009	=	Cat	592	=	Cleaner, Computer
223	=	Carbacot	5028	=	Cleaner, Engine
3004	=	Cadillac, Black	5046	=	Cleaner, Glass/window
470	=	Cafergot	542	=	Cleaner, Lens
814	=	Caffeine <OTC>	551	=	Cleaner, Oven
297	=	Cafia	509	=	Cleaning fluids
6089	=	Cake	5044	=	Cleansers; e.g. Ajax, Comet, borax, Powdered
528	=	Can, Whipped-cream	3066	=	Clear, Alert Blue and <OTC>
439	=	Canadian 222	3001	=	Clear, Brown and
5024	=	Candle, Citronella	3053	=	Clenbuterol
531	=	Candy	293	=	Clomipramine
531	=	Candy, Powdered	246	=	Clonazepam
802	=	Cannabinol	896	=	Clonidine
590	=	Canned air	6012	=	Cloud 9
6044	=	Caps, Gel	639	=	Cloves
6055	=	Caps, Liberty	282	=	Clozapine
545	=	Car tailpipe exhaust fumes	282	=	Clozaril
892	=	Carafate	623	=	Club, Mickey Mouse
4011	=	Carbamazepine	545	=	CO
5022	=	Carbon dioxide	5022	=	CO ₂
586	=	Carbon from empty soft drink bottle	5005	=	Cobra rush
5043	=	Carbona	6003	=	Cocahina
240	=	Carbonate, Lithium	805	=	Cocaine
5028	=	Carburetor cleaner	805	=	Cocaina
896	=	Catapres	6036	=	Coco weed
395	=	Cats, Black	415	=	Codeine
6083	=	CCC	444	=	Codeine, Aspirin with
4051	=	Celebrex	4031	=	Codeine, Cough medicine with
291	=	Celexa	455	=	Codeine, Fiorinal with
504	=	Cement, Rubber	453	=	Codeine, Organidin with
5020	=	Cement, Wet	410	=	Codeine, Phenaphen with
208	=	Centrax	480	=	Codeine, Robitussin AC with
8044	=	Cephelaxin	409	=	Codeine, Tylenol with
8010	=	Cetirizine	4053	=	Codydramol
807	=	Champagne, Pink	815	=	Coffee <OTC>
504	=	Chemical glue	371	=	Cogentin
816	=	Chewing tobacco	434	=	Co-Gesic
555	=	Chillers	805	=	Coke
117	=	Chloral hydrate	8038	=	Coldact
202	=	Chlordiazepoxide	843	=	Cold medicine <OTC>
827	=	Chloride, Aluminum	843	=	Cold tablets
550	=	Chloride, Methyl	6001	=	Collapsing little birds
595	=	Chlorine	548	=	Cologne
507	=	Chloroform	230	=	Compazine

590	=	Compressed air	214	=	Deprol
592	=	Computer air duster	3041	=	Desbutal
592	=	Computer cleaner	648	=	Designer drugs
538	=	Condensed horn	259	=	Desipramine
841	=	Contact <OTC>	306	=	Desoxyn
564	=	Contact cleaner, Electric	225	=	Desyrel
4037	=	Contin, MS	616	=	DET
873	=	Contraceptives	560	=	Detergent, Laundry
378	=	Control	6084	=	Devil dust
6095	=	Cool, Super	145	=	Devil(s), Red
8012	=	Coriciden <OTC>	6048	=	Dex
2001	=	Carisoprodol	302	=	Dexamyl
509	=	Correction fluids	335	=	Dexatrim <OTC>
840	=	Cough medicine (contents not specified) <OTC>	301	=	Dexedrine
8058	=	Cough medicine/syrup; type unspecified	356	=	Dexies
4031	=	Cough medicine with codeine	320	=	Dextroamphetamine
806	=	Crack	883	=	Dextromethorphan Hydrobromide <OTC>
5034	=	Crack, Hippie	598	=	Dichloride, Ethylene
322	=	Crank	4056	=	Diclofenac
368	=	Crank, Peanut butter	146	=	Dicyclomine
252	=	Cream, Strawberry whip	309	=	Didrex
8022	=	Creatine <OTC>	3057	=	Diet Fuel <OTC>
653	=	Cricket	3048	=	Diet Pep <OTC>
653	=	Cricketshit	336	=	Diet pills
359	=	Criss Cross	307	=	Diethylpropion (Tenuate)
359	=	Cross, Criss	141	=	Dilantin
495	=	Cross, Red	8024	=	Dilators, Bronchial
326	=	Cross, White	408	=	Dilaudid
384	=	Crosses, Little	136	=	Dimetapp <OTC>
398	=	Crosses, Pink	879	=	Dimethyltryptamide MMPT
334	=	Crossroads	616	=	Dimethyltryptamine
334	=	Cross tops	6085	=	Dips
6015	=	Crysta	6061	=	DMT, 5-MeO-
348	=	Crystal	865	=	Diuretics
355	=	Crystal meth	616	=	DMT
610	=	Crystal T	402	=	Dolene
6079	=	Cubes, Sugar	443	=	Dolobid
234	=	Cyclobenzaprine	418	=	Dolophine
319	=	Cylert	636	=	DOM
			1003	=	Donnatal
			704	=	Dope
			106	=	Doriden
8025	=	D, Claritin	5023	=	Double eagle
8050	=	D, Tavist <OTC>	120	=	Downers
111	=	Dalmane	247	=	Doxepin
427	=	Darvocet	620	=	Dragon, Blue
401	=	Darvon	621	=	Dragon, Red
650	=	Datura stramonium	1002	=	Dramamine <OTC>
4039	=	Daypro	172	=	Dream Ease <OTC>
3017	=	Dayquil <OTC>	8053	=	Dristan <OTC>
650	=	Daytura	3049	=	Drivers speed, Truck
447	=	DC, Synalgos	885	=	Drixoral <OTC>
187	=	Deadly nightshade	693	=	Drops, Lemon
394	=	Debs	648	=	Drugs, Designer
509	=	Degreasers	615	=	Drugs, Homemade
407	=	Demerol	5022	=	Dry ice hits
508	=	Dentist gas	6070	=	DTP
534	=	Deodorant	613	=	Duckweed
894	=	Depakene	6019	=	Duct, Black [sic]
894	=	Depakote	476	=	Duradin
			465	=	Duragesic

366	=	Duromine	397	=	F-40
217	=	Durrax	891	=	Famotidine
6098	=	Dust; not otherwise specified	8046	=	Fast, Slim <OTC>
605	=	Dust, Angel	313	=	Fastin
6019	=	Dust, Black	686	=	Feet, Spider in my
6084	=	Dust, Devil	4029	=	Feldine
670	=	Dust, Monkey	511	=	Felt-tip pens
592	=	Duster, Computer air	596	=	Femo clay
6029	=	DXM	3015	=	Fen-Phen (fenfluramine + phentermine)
3063	=	Dymetadrine <OTC>	314	=	Fenfluramine
			4013	=	Fenoprofen
			465	=	Fentanyl
5023	=	Eagle, Double	873	=	Ferutal
172	=	Ease, Dream <OTC>	5037	=	Filler, Wood
430	=	Ecotrin <OTC>	664	=	Fingers, Purple
606	=	Ecstasy	424	=	Fioricet
386	=	Ecstasy, Herbal	426	=	Fiorinal
3037	=	Effexor	455	=	Fiorinal with Codeine
329	=	Eggs, Bird	536	=	Fire Halt
329	=	Eggs, Robin's	6086	=	Flakes
329	=	Eggs, Speckled	4032	=	Flarex
564	=	Electric contact cleaner	8029	=	Flexall <OTC>
655	=	Elephant, Flying	234	=	Flexeril
8001	=	Elixir, Robitussin	8055	=	Flonase
852	=	Embalming fluid	5029	=	Floor wax
430	=	Empirin <OTC>	642	=	Floyd, Pink
444	=	Empirin 3	187	=	Flower, Belladonna
586	=	Empty soft drink bottle, Carbon from	6035	=	(Flower), Campana
4052	=	Endocet	8011	=	Flower, plant; type unspecified, Herb
556	=	Energine	6059	=	Flower, Satan
3027	=	Energy pills	6078	=	Flowers, Trumpet
5028	=	Engine cleaner	5006	=	Fluid, Brake
3064	=	Ephedra	852	=	(Fluid), Whack (embalming)
332	=	Ephedrine	509	=	Fluids, Cleaning
3009	=	Ephedrone	509	=	Fluids, Correction
3046	=	Epinephrine	501	=	Fluids, Lighter
4011	=	Epitol	594	=	Fluid, Starting
242	=	Equagesic	111	=	Flurazepam
213	=	Equanil	294	=	Fluvoxamine
6091	=	Ergot	655	=	Flying elephant
846	=	Erythromycin	5007	=	Flynap
3011	=	Escalation	387	=	Football, Pink
152	=	Eskabarb	382	=	Footballs
303	=	Eskatrol	382	=	Footballs, Purple
188	=	Estazolam	852	=	Formaldehyde
893	=	Estrogen	445	=	Forte, Norgesic
572	=	Etam	4045	=	Forte, Phrenilin
807	=	Ethanol	458	=	Fortis, Mepergan
507	=	Ether	6063	=	Foxglove
598	=	Ethylene dichloride	516	=	Freon
4005	=	Etodolac	880	=	Frios
807	=	EtOH	429	=	Frost 222
243	=	Etrafon	6037	=	Fry
6023	=	Euphoria	3057	=	Fuel, Diet <OTC>
654	=	Eve	626	=	Fuel, Jet
468	=	Excedrin <OTC>	3036	=	Fuel, Ripped <OTC>
181	=	Excedrin P.M. <OTC>	629	=	Fuel, Rocket
545	=	Exhaust fumes, Car tailpipe	5042	=	Fuels other than gasoline
435	=	Extra-Strength, Tylenol <OTC>	545	=	Fumes, Car tailpipe exhaust
			573	=	Furniture polish

6025 = Jell, Yellow
 6024 = Jesus, Blue
 626 = Jet Fuel
 609 = Jimson weed
 6027 = Judyfly
 854 = Juice
 6072 = JUNO

 6042 = K, Super
 662 = Kanepolin
 8039 = Kaopectate <OTC>
 6099 = Katmandue Temple Kiff
 509 = K2R Spot Remover
 280 = Ketaset
 4001 = Ketoprofen
 481 = Ketorolac tromethamine
 682 = Kief [sic]
 682 = Kif
 6099 = Kiff, Katmandue temple
 6021 = Kit, Snake bite
 6026 = KJ
 246 = Klonopin
 3010 = KOOD12
 558 = Kool Aid
 6095 = Kool, Super

 6028 = Laced flower
 505 = Lacquer thinner
 380 = Ladies, Pink
 560 = Laundry detergent
 8006 = Laxative <OTC>
 6041 = Leak, Leaky
 6041 = Leaky leak
 546 = Leather protector
 5013 = Lebel 12
 6076 = Lemon 714
 693 = Lemon Drops
 388 = Lemon, Pink
 352 = Lemons
 542 = Lens cleaner
 469 = Leritine
 405 = Levo-Dromoran
 897 = Levothyroxine
 6055 = Liberty caps
 229 = Librax
 202 = Librium
 6058 = Life, Purple
 501 = Lighter fluids
 544 = Lighter gases, not specified
 4034 = Lilly red
 203 = Limbitrol
 276 = Limbitrol DS
 5025 = Lime salt
 6013 = Lion's tail
 566 = Lipton tea bag, Smoked tea from
 504 = Liquid, Shoeshine
 543 = Liquid oxygen

 509 = Liquid Paper [see also 524]
 522 = Liquid TV (MTV)
 848 = Liquid vitamin <OTC>
 240 = Lithium carbonate
 240 = Lithonate
 6001 = Little birds, Collapsing
 384 = Little crosses
 385 = Little pink ones
 506 = Locker room odorizer
 6049 = Locoweed seeds
 6049 = Locoweeds
 4005 = Lodine
 559 = LOLOY
 8027 = Loradine
 207 = Lorazepam
 434 = Lorcet-HD
 434 = Lorcet Plus
 834 = Loveboat
 681 = Lovely
 275 = Loxitane
 6074 = LSA
 601 = LSD
 5017 = Lubricant; otherwise unspecified, Oil
 153 = Luminal
 294 = Luvox

 4042 = M-33
 8013 = Maalox <OTC>
 830 = Mad Bull
 6062 = Madderwort
 333 = Magnum, 357 <OTC>
 333 = Magnum 44 <OTC>
 3064 = Ma Huang
 138 = Mandrakes
 346 = Marax
 223 = Marbaxin
 267 = Marezine
 6064 = Marigold buttons
 803 = Marijuana
 802 = Marinol
 511 = Markers
 803 = MarrJane [sic]
 656 = Mars
 803 = Mary Jane
 5016 = Masking tape
 523 = Matches
 6009 = Match smoke, Sulfer
 390 = Max Alert
 3053 = Maxair
 4041 = Maxalt
 691 = Maximum impact
 317 = Mazanor
 5015 = MCH
 614 = MDA
 606 = MDMA
 163 = Meanies, Blue
 104 = Mebaral
 8024 = Medication, Asthma
 844 = Medication, Blood pressure

843 = Medicine, Cold <OTC>
 840 = Medicine, Cough (contents not specified) <OTC>
 8058 = Medicine/Syrup; type unspecified, Cough
 4031 = Medicine with codeine, Cough
 580 = Medusa
 6017 = Meesha
 498 = Mefenamic acid
 4057 = Mejoral
 176 = Melatonin <OTC>
 232 = Mellaril
 651 = Mellow Yellow
 5019 = Melted plastic
 477 = Melumbrina
 182 = Melzone
 204 = Menrium
 6061 = Meo-DMT, 5-
 458 = Mepergan
 458 = Mepergan Fortis
 220 = Meprobamate
 458 = Meprozone
 603 = Mescaline
 3033 = Metabolife <OTC>
 3061 = Metab-O-Lite <OTC>
 3058 = Metabolift <OTC>
 3059 = Metabolize and Save <OTC>
 322 = Meth
 355 = Meth, Crystal
 418 = Methadone
 322 = Methamphetamine
 5003 = Methane
 5040 = Methanol
 116 = Methaqualone
 877 = Methazolamide
 3009 = Methcathinone
 321 = Methedrine
 223 = Methocarbamol
 3005 = Methylandlanamine
 550 = Methyl chloride
 614 = Methylenedioxy amphetamine
 318 = Methylphenidate
 623 = Mickey
 622 = Microdot, Green
 623 = Mickey Mouse club
 623 = Mickey mousers
 622 = Microdot, Green
 622 = Microdot, Purple
 622 = Microdot(s)
 466 = Midol <OTC>
 476 = Midrin
 212 = Miltown
 587 = Mineral ice
 3050 = Mini Thins
 3060 = Mini Two-way action <OTC>
 3008 = Miniwhites
 295 = Mirtazapine
 6093 = Mitsubishi
 803 = MJ
 879 = MMPT, Dimethyltryptamide
 6091 = Mold, Rye
 504 = Model glue
 3025 = Moles [sic]
 345 = Molly, Black
 337 = Molly, White
 670 = Monkey dust
 849 = Monosodium glutamate (MSG) <OTC>
 617 = Morning glory seeds
 617 = Morning glory tendrils
 417 = Morphine
 1002 = Motion sickness pill <OTC>
 529 = Moth balls
 422 = Motrin
 4048 = Motrin IB <OTC>
 643 = Mount queen
 623 = Mouse club, Mickey
 623 = Mousers, Mickey
 633 = Mr. Natural
 4037 = MS Contin
 849 = (MSG), Monosodium glutamate
 522 = (MTV), Liquid TV
 604 = Mushrooms
 6094 = Mushrooms, specifically not psilocybin
 686 = My feet, Spider in
 8023 = Myoflex <OTC>
 183 = Mysoline
 4035 = Nabumetone
 526 = Nail polish
 518 = Nail polish remover
 4013 = Nalfron
 5007 = Nap, Fly
 5031 = Naphtha
 438 = Naprosyn
 438 = Naproxen
 6016 = Nas
 3007 = Nasal Inhalant
 8057 = Natacyn
 8057 = Natamycin ophthalmic
 633 = Natural, Mr.
 5012 = Negros
 108 = Nembutal
 477 = Neo-Melumbrina
 128 = Nervine
 8007 = Neurontin
 698 = Nexus
 818 = Nicotine
 187 = Nightshade, Deadly
 506 = Nitrate, Isobutyl
 527 = Nitrate, Phenyl
 506 = Nitrite, Amyl
 8060 = Nitro, Blue
 5032 = Nitrogen
 343 = Nitroglycerine
 508 = Nitrous oxide
 117 = Noctec
 353 = No-Doz <OTC>
 478 = Nogirtronia
 107 = Noludar
 462 = Norflex
 445 = Norgesic Forte

259	=	Norpramin	665	=	Paniolis
250	=	Nortriptyline	618	=	Paper, Acid
8036	=	Norvasc	509	=	Paper, Liquid
296	=	Novaxapam	433	=	Paregoric
454	=	Novocain	837	=	Paris 400
419	=	NS, Stadol	283	=	Paroxetine
847	=	NSC	250	=	Pamelor
490	=	Nubain	5004	=	Paper
4018	=	Nuprin <OTC>	6080	=	Passion, Purple
3051	=	Nut, Betel	283	=	Paxil
639	=	Nutmeg	210	=	Paxipam
8034	=	Nutri-calm <OTC>	260	=	PCB
171	=	NyQuil <OTC>	605	=	PCP
127	=	Nytol <OTC>	491	=	PDR
			6069	=	Peach
			368	=	Peanut butter crank
			6078	=	Pedro, San
323	=	Obedrin-L.A.	678	=	Peels, Banana
3038	=	Obenil	674	=	Pee-pope
5021	=	Octane booster	569	=	Peganento
159	=	Octanox	820	=	Penicillin
506	=	Odorizer, Locker room	511	=	Pens, Felt-tip
831	=	Oil, Honey	511	=	Pens, Ink
5017	=	Oil, lubricant; otherwise unspecified	118	=	Pentobarbital
289	=	Olanzapine	118	=	Pentothal
520	=	Old paint	118	=	Pentothal, Sodium
6061	=	Ololiuhqui	479	=	Pentrexyl
385	=	Ones, Little Pink	3048	=	Pep, Diet <OTC>
393	=	OP 33	3002	=	Pep ups
703	=	Opium	891	=	Pepcid
673	=	Orange	8047	=	Pepcid AC <OTC>
657	=	Orange barrel	3019	=	Peppies
624	=	Orange sunshine	423	=	Percocet
453	=	Organidin with Codeine	406	=	Percodan
873	=	Ortho Novum	4050	=	Percogesic <OTC>
4001	=	Orudis	8059	=	Peroxyl <OTC>
4001	=	Oruvail	233	=	Perphenazine
503	=	Other aerosol sprays besides spray paints	567	=	Pertussin spray
507	=	Other anesthetics besides halothane and ether	602	=	Peyote
505	=	Other paint solvents besides lacquer thinner	3015	=	Phen, Fen (fenfluramine and phentermine)
551	=	Oven cleaner	410	=	Phenaphen 3
630	=	Owsley, Black	410	=	Phenaphen with Codeine
631	=	Owsley, Purple	605	=	Phencyclidine
508	=	Oxide, Nitrous	349	=	Phendimetrazine
4046	=	Oxycodone	130	=	Phenergan
543	=	Oxygen	115	=	Phenobarbital
543	=	Oxygen, Liquid	349	=	Pentametrazine
5011	=	Ozone	313	=	Phentermine
			527	=	Phenyl nitrate
			347	=	Phenylpropanolamine
			4045	=	Phrenilin Forte
			1002	=	Pill, Motion sickness <OTC>
			1002	=	Pill, Seasick pill <OTC>
			809	=	Pills
520	=	Paint	4008	=	Pills, Brown gel
520	=	Paint, Old	3044	=	Pills, Caffeine <OTC>
505	=	Paint solvents other than lacquer thinner	336	=	Pills, Diet
502	=	Paints, Spray	3027	=	Pills, Energy
540	=	PAM	4007	=	Pills, Happy
4023	=	Pamprin <OTC>	357	=	Pills, Heart-shaped black
625	=	Pane, 4-way	3040	=	Pills, Hyper
625	=	Pane, Window			

8032	= Pills, Sugar	241	= Prozac
8009	= Pills; type unspecified, Allergy	364	= Pseudoephedrine
668	= Pills, Yellow tiny	604	= Psilocybin
807	= Pink champagne	664	= Purple fingers
398	= Pink crosses	382	= Purple footballs
642	= Pink Floyd	637	= Purple haze
387	= Pink football	342	= Purple hearts
328	= Pink hearts	6058	= Purple life
380	= Pink ladies	622	= Purple microdot
388	= Pink lemon	631	= Purple Owsley
385	= Pink Ones, Little	6080	= Purple passion
341	= Pink roses	640	= Purple pyramid
6034	= Pigface	6066	= Purple rain
3053	= Pirbuterol	5026	= Putty, Silly
4029	= Piroxicam	640	= Pyramid, Purple
553	= Pixie sticks	473	= Pyridium
105	= Placidyl		
187	= Plant, Belladonna		
8011	= Plant; type unspecified, Herb, flower,		
5019	= Plastic, Melted	351	= Q'at
310	= Plegine	116	= Quaalude
434	= Plus, Lorcet	643	= Queen
181	= P.M., Excedrin <OTC>	643	= Queen, Mount
180	= P.M., Tylenol <OTC>	178	= Quetiapine
4058	= Poles, Totem		
573	= Polish, Furniture		
526	= Polish, Nail		
518	= Polish remover, Nail	822	= Rabbit tobacco
5030	= Polyurethane Spray	554	= Raid
314	= Pondimin	360	= Rainbow speed
498	= Ponstel	110	= Rainbows
506	= Poppers	6066	= Rain, Purple
803	= Pot	6033	= Ramstein
381	= P.O.T.C.	577	= Rave runners
599	= Potpourri	184	= Red and blues
8026	= Powder	495	= Red cross
4049	= Powder, Headache <OTC>	145	= Red devil(s)
3020	= Powder, White	621	= Red dragon
531	= Powdered candy	3030	= Red hearts
5044	= Powdered cleansers; e.g. Ajax, Comet, Borax	4034	= Red, Lilly
8035	= Prednisone	129	= Reds
311	= Preludin	516	= Refrigerant
874	= Premarin	4035	= Relafin
383	= Pre-Sate	2002	= Relaxers, Muscle
844	= Pressure medication, Blood	295	= Remeron
8032	= Prilosec	509	= Remover, K2R Spot
3003	= Primatene tablets <OTC>	518	= Remover, Nail polish
832	= Primo	5036	= Remover, Wart
5004	= Print, Ink	6052	= Resin, Acrylic
454	= Procaine	285	= Resperidone
262	= Prolixin	112	= Restoril
130	= Promethazine	4024	= Reynol [sic]
4038	= Propacet	690	= RID
521	= Propane	4040	= Ridaura
591	= Propellant, Air brush	281	= Ringer, blue
414	= Propoxyphene	3036	= Ripped fuel <OTC>
898	= Propylene	285	= Risperdal
546	= Protector, Leather	318	= Ritalin
546	= Protector, Suede	246	= Rivotril
377	= Proventil	396	= RJ8
		396	= RJs, Black

223	=	Robaxin	612	=	Sherm
330	=	Robins, Blue	612	=	Sherman
329	=	Robin's eggs	589	=	Shine, Tire
480	=	Robitussin AC with Codeine	612	=	Shermstick
829	=	Robitussin DM <OTC>	504	=	Shoeshine liquid
8001	=	Robitussin Elixir	604	=	Shrooms
5009	=	Robo	1002	=	Sickness pill, Motion <OTC>
223	=	Robomol	6057	=	Silk
268	=	Roche	5026	=	Silly putty
806	=	Rock	185	=	Simply Sleep, Tylenol <OTC>
3012	=	Rock, Stud the	247	=	Sinequan
629	=	Rocket fuel	8051	=	Sinex <OTC>
268	=	Rohypnol	6071	=	Sinicuichi
6050	=	Roller, High	403	=	SK-65
6073	=	Rolls	290	=	Skelaxin
268	=	Roofies	219	=	SK-Lygen
506	=	Room odorizer, Locker	677	=	Skunk II
6030	=	Root	850	=	Slack
187	=	Root, Belladonna	122	=	Sleep aid; not specified <OTC>, Over-the-counter
4027	=	Rorer	132	=	Sleepettes <OTC>
627	=	Rose, Hawaiian wood	185	=	Sleep, Tylenol Simply <OTC>
628	=	Rosebud seed tea, Hawaiian	8046	=	Slim Fast <OTC>
341	=	Roses, Pink	6097	=	Slime, Banana slug
4047	=	Roxicet	6097	=	Slug slime, Banana
417	=	Roxanol	706	=	Smack
5008	=	R-R	4009	=	Smilies
504	=	Rubber cement	6009	=	Smoke, Sulfer match
548	=	Rubbing alcohol	566	=	Smoked tea from Lipton tea bag
432	=	Rufen	816	=	Smokeless tobacco
577	=	Runners, Rave	813	=	Smoking (substance not specified)
506	=	Rush	6021	=	Snake bite kit
5005	=	Rush, Cobra	884	=	Snow
6091	=	Rye mold	816	=	Snuff
			560	=	Soap
			3029	=	Soccerballs
5025	=	Salt, Lime	156	=	Sodium barbital
6043	=	Salviadinorum	118	=	Sodium pentothal
6077	=	San Pedro	586	=	Soft drink bottle, Carbon from empty
316	=	Sanorex	505	=	Solvents, Paint, other than lacquer thinner
6005	=	Sassafras tea	2001	=	Soma
6059	=	Satan flower	126	=	Sominex <OTC>
3059	=	Save, Metabolize and <OTC>	116	=	Sopor
539	=	ScotchGard	8049	=	Sorbitol
533	=	Sealant, Window	3067	=	Spancap
1002	=	Seasick pill <OTC>	658	=	Special K
119	=	Secobarbital	3034	=	Speckleberry
109	=	Seconal	330	=	Speckled birds
628	=	Seed tea, Hawaiian rosebud	329	=	Speckled eggs
635	=	Seeds, Ginseng	3052	=	Speed; otherwise unspecified
627	=	Seeds, Hawaiian Woodrow	360	=	Speed, Rainbow
6004	=	Seeds, Hallucinogen	3049	=	Speed, Truck drivers
6049	=	Seeds, Locoweed	705	=	Speedball (heroin + cocaine)
617	=	Seeds, Morning glory	686	=	Spider in my feet
140	=	Seldane	6054	=	Spiny apples
8042	=	Seltzer, Alka <OTC>	542	=	Spirits of ammonia
8052	=	Septra	509	=	Spot Remover, K2R
205	=	Serax	687	=	Spray
178	=	Seroquel	5014	=	Spray O Buzz
292	=	Serzone	502	=	Spray paints
6081	=	Shabu	567	=	Spray, Pertussin

5030 = Spray, Polyurethane
 8014 = Spray, Vicks throat <OTC>
 503 = Sprays, other than spray paints, Aerosol
 419 = Stadol
 419 = Stadol NS
 4036 = Stagesic
 594 = Starting fluid
 3045 = Stay awakes <OTC>
 226 = Stelazine
 824 = Steroids
 612 = Stick, Happy
 645 = Stick, Thai
 857 = Stick, Wicki
 553 = Sticks, Pixie
 3062 = Stimulants, Homemade
 636 = STP
 650 = Stramonium, Datura
 252 = Strawberry whip cream
 669 = Stropharia
 6031 = Strychnine
 3012 = Stud 100
 3012 = Stud the rock
 817 = Stuff, Hard
 465 = Sublimaze
 892 = Sucralfate
 3047 = Sudafed <OTC>
 546 = Suede protector
 531 = Sugar
 6079 = Sugar cubes
 8031 = Sugar pills
 6009 = Sulfer match smoke
 4002 = Sumatriptan
 672 = Suncrush
 624 = Sunshine
 624 = Sunshine, Orange
 624 = Sunshine, Yellow
 6042 = Super K
 504 = Super Glue
 6095 = Super cool
 6095 = Super kool
 6006 = Super X
 5033 = Sur-noxem
 447 = Synalgos
 447 = Synalgos DC
 897 = Synthroid
 8058 = Syrup; type unspecified, Cough medicine/

 6044 = Tabs, Gel
 843 = Tablets, Cold
 3003 = Tablets, Primatine <OTC>
 376 = TAC
 895 = Tagamet
 6013 = Tail, Lion's
 545 = Tailpipe exhaust fumes, Car
 413 = Talacen
 568 = Tally
 411 = Talwin
 412 = Talwin NX
 5016 = Tape, Adhesive

 5016 = Tape, Masking
 707 = Tar, Black
 8050 = Tavist D <OTC>
 585 = TCL
 6092 = TCP
 628 = Tea, Hawaiian rosebud seed
 6005 = Tea, Sassafras
 179 = Tee [sic], Water
 4011 = Tegretol
 112 = Temazepam
 6099 = Temple, Kiff Katmandue
 617 = Tendrils, Morning glory
 307 = Tenuate
 308 = Tepanil
 6022 = Tequila worm
 3031 = Terbutaline
 828 = Tetracycline
 5047 = Tetrafluorethylene
 645 = Thai stick
 802 = THC
 825 = Theo-Dur
 3039 = Theophed
 8048 = Theophylline
 8037 = Thermochrome 5000 <OTC>
 505 = Thinner, Lacquer
 3050 = Thins, Mini
 227 = Thorazine
 650 = Thorn, Apple
 8014 = Throat spray, Vicks <OTC>
 619 = Tic
 668 = Tiny pills, Yellow
 589 = Tire shine
 660 = Toad
 660 = Toad licking
 816 = Tobacco, Chewing
 822 = Tobacco, Rabbit
 816 = Tobacco, Smokeless
 813 = Tobacco; not specified
 284 = Tofranil
 467 = Tolectin
 504 = Toluene
 517 = Tolyol
 6053 = Toothpicks
 334 = Tops, Cross
 481 = Toradol
 574 = Tornado
 270 = Torzien
 4058 = Totem poles
 4043 = Tramadol
 663 = Tranquilizer, Animal
 663 = Tranquilizer, Horse
 206 = Tranxene
 225 = Trazodone hydrochloride
 374 = Tree(s), Christmas
 224 = Triavil
 565 = Trichloroethane
 597 = Trichloronitrate
 226 = Trifluoperazine HCl
 233 = Trilafon
 6075 = Trinity
 8040 = Trioxsalen

6083	=	Triple C	215	=	Vistaril
4030	=	Triple "S"	848	=	Vitamin, Liquid <OTC>
6038	=	Triplets	263	=	Vivactil
6038	=	Trips	354	=	Vivarin
6051	=	Triptaneve [sic]	315	=	Voramil
3049	=	Truck drivers speed			
6078	=	Trumpet flowers			
695	=	Trumpets, Angel			
245	=	Tryptophan	173	=	Wafers
457	=	T's and Blues	852	=	Wak [sic]
6032	=	TSP	5036	=	Wart remover
110	=	Tuinal	6047	=	Water
8030	=	Tums <OTC>	865	=	Water pills
522	=	Tuner, TV	179	=	Water tee [sic]
522	=	TV (MTV), Liquid	5029	=	Wax, Floor
522	=	TV Tuner	625	=	Way pane, 4-
522	=	TV 11Y	582	=	WD-40
3013	=	Tweek	803	=	Weed
3068	=	Two-way Action, Mini <OTC>	635	=	Weed, Ginseng
435	=	Tylenol <OTC>	3026	=	Wellbutrin
409	=	Tylenol 3	6056	=	Wet
409	=	Tylenol 4	5020	=	Wet cement
435	=	Tylenol Extra-Strength <OTC>	852	=	Whack
409	=	Tylenol with Codeine	252	=	Whip cream, Strawberry
180	=	Tylenol P.M. <OTC>	528	=	Whipped-cream can
185	=	Tylenol Simply Sleep <OTC>	508	=	Whippets
431	=	Tylox	326	=	White cross
509	=	Typewash	337	=	White Molly
5038	=	Tywall	524	=	White-Out
			3020	=	White powder
			331	=	Whites
			857	=	Wicki stick
496	=	Ultram	139	=	Widows, Black
634	=	Unicorn	625	=	Window
123	=	Unisom <OTC>	5046	=	Window cleaner, Glass/
3032	=	Up, Heads	625	=	Window pane
3054	=	Up You(r) Gas	533	=	Window sealant
3018	=	Up-johns	5041	=	Wood alcohol
324	=	Uppers	5037	=	Wood filler
3032	=	Ups, Head	627	=	Wood rose, Hawaiian
3002	=	Ups, Pep	627	=	Woodrow seeds, Hawaiian
3014	=	Uptime	6022	=	Worm, Agave
			6022	=	Worm, Tequila
			6062	=	Wormwood
			404	=	Wygesic
1004	=	Valerian <OTC>			
201	=	Valium			
894	=	Valproic acid			
548	=	Vapors, Isopropanol	606	=	"X"
8056	=	VapoRub, Vicks <OTC>	3056	=	Xenadrine <OTC>
377	=	Ventolin	6006	=	X, Super
4026	=	Ventrex [sic]	606	=	X-TC
6067	=	Venus			
237	=	Versed			
266	=	Verstran			
8014	=	Vicks throat spray <OTC>	683	=	Yage'
8056	=	Vicks VapoRub <OTC>	124	=	Yellow jackets
434	=	Vicodin	6025	=	Yellow jell
4033	=	Vicoprofen	651	=	Yellow, Mellow
4055	=	Vioxx	624	=	Yellow sunshine
4025	=	Viserol [sic]	668	=	Yellow tiny pills

164 = Yellow zombies
8003 = Yesca
881 = YLOALE
3023 = Yohimbe
3054 = You(r) Gas, Up

8002 = Zantac
3025 = Zentro [sic]
257 = Zestril
8019 = Zithromax
271 = Zoloft
174 = Zolpidem
4054 = Zomax
164 = Zombies, yellow
4059 = Zomig
4059 = Zolmitriptan
666 = Zonick
3026 = Zyban
434 = Zydone
289 = Zyprexa
8010 = Zyrtec

APPENDIX B

Consolidated Drug Other Specify Tables

**Drug Codes for Open-Ended Questions
(2000 CAI NHSDA)**

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
103	Amytal	1	0.04
105	Placidyl	2	0.08
108	Nembutal	3	0.12
109	Seconal	6	0.24
110	Tuinal	9	0.36
111	Dalmane, Flurazepam	1	0.04
112	Restoril, Temazepam	5	0.20
113	Halcion	7	0.28
115	Phenobarbital	5	0.20
116	Methaqualone, Quaalude, Sopor	44	1.74
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	15	0.59
121	USED SEDATIVE, DON'T KNOW NAME	10	0.40
124	Yellow jackets	8	0.32
129	Reds	4	0.16
130	Phenergan, Promethazine	3	0.12
131	Haldol, Haloperidol	2	0.08
132	Sleepettes <OTC>	1	0.04
137	7-14	3	0.12
138	Mandrakes	3	0.12
142	Belladonna	2	0.08
146	Bentyl, Dicyclomine	1	0.04
157	Barbiturates	1	0.04
171	NyQuil <OTC>	3	0.12
174	Ambien, Zolpidem	26	1.03
176	Melatonin <OTC>	1	0.04
180	Tylenol P.M. <OTC>	2	0.08
186	Butalbital	2	0.08
188	Estazolam	1	0.04
201	Valium, Diazepam	130	5.14
202	Librium, Chlordiazepoxide HCl	1	0.04
205	Serax	1	0.04
207	Ativan, Lorazepam	3	0.12
209	Xanax, Alprazolam	93	3.68
211	Buspar	3	0.12
212	Miltown	1	0.04
216	Atarax, Hydroxyzine	3	0.12
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	0.24
222	USED TRANQUILIZER, DON'T KNOW NAME	4	0.16
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	3	0.12
224	Triavil	1	0.04
225	Desyrel, Trazodone hydrochloride	13	0.51
227	Thorazine	3	0.12
228	Amitriptyline, Elavil	6	0.24
232	Mellaril	2	0.08
234	Cyclobenzaprine, Flexeril	20	0.79
240	Lithium carbonate, Lithonate	6	0.24
241	Prozac	19	0.75

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
246	Clonazepam, Klonopin, Rivotril	10	0.40
247	Adapin, Doxepin, Sinequan	2	0.08
267	Marezine	1	0.04
268	Rohypnol, Roche, roofies	24	0.95
271	Zoloft	8	0.32
280	Ketaset	1	0.04
283	Paroxetine, Paxil	7	0.28
289	Olanzapine, Zyprexa	1	0.04
290	Skelaxin	1	0.04
292	Serzone	2	0.08
295	Mirtazapine, Remeron	1	0.04
301	Dexedrine	7	0.28
302	Dexamyl	1	0.04
304	Benzedrine	2	0.08
305	Biphedamine	1	0.04
307	Tenuate, Diethylpropion	1	0.04
311	Preludin	1	0.04
313	Adipex-P, Fastin, Phentermine	2	0.08
318	Ritalin, Methylphenidate	39	1.54
322	Methamphetamine ('ice' or 'crank'),Meth	38	1.50
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	12	0.47
325	USED STIMULANT, DON'T KNOW NAME	8	0.32
326	White cross	18	0.71
327	Black beauties, Black beauty	22	0.87
328	Pink hearts	1	0.04
329	Bird's eggs, Robin's eggs, speckled eggs	1	0.04
330	Blue birds, blue jays, blue robins, speckled bird	3	0.12
331	Blancs, Whites	1	0.04
332	Ephedrine	10	0.40
333	357 Magnum, Magnum 44 <OTC>	3	0.12
334	Crossroads, cross tops	11	0.44
335	Dexatrim <OTC>	4	0.16
336	Diet pills	4	0.16
344	Bennies	1	0.04
345	Black Molly	4	0.16
348	Crystal	6	0.24
351	Cathinone, Q'at, Cat	2	0.08
352	Lemons	2	0.08
353	No-Doz <OTC>	8	0.32
354	Vivarin <OTC>	3	0.12
355	Crystal meth	18	0.71
356	Dexies	4	0.16
364	Pseudoephedrine	1	0.04
374	Christmas tree(s)	4	0.16
377	Albuterol, Proventil, Ventolin	3	0.12
387	Pink football	1	0.04
401	Darvon	2	0.08

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
406	Percodan	3	0.12
407	Demerol	9	0.36
408	Dilaudid	3	0.12
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	9	0.36
415	Codeine	16	0.63
417	Morphine, Roxanol	17	0.67
418	Dolophine, Methadone	1	0.04
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	27	1.07
421	USED ANALGESIC, DON'T KNOW NAME	27	1.07
422	Motrin	48	1.90
423	Percocet	12	0.47
425	Advil <OTC>	43	1.70
426	Fiorinal	3	0.12
427	Darvocet	8	0.32
430	Aspirin, Ecotrin, Empirin <OTC>	27	1.07
431	Tylox	3	0.12
433	Paregoric	2	0.08
434	Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	50	1.98
435	Tylenol, Tylenol Extra-Strength <OTC>	49	1.94
438	Anaprox, Naprosyn, Naproxen	13	0.51
442	Ibuprofen	51	2.02
450	Acetaminophen <OTC>	2	0.08
454	Novocain, Procaine	1	0.04
457	T's and blues	1	0.04
458	Mepergan, Mepergan Fortis, Meprozone	6	0.24
465	Fentanyl, Duragesic, Sublimaze	1	0.04
466	Midol <OTC>	3	0.12
468	Excedrin <OTC>	3	0.12
472	Indocin, Indomethacin	1	0.04
476	Duradrin, Isocom, Midrin	3	0.12
477	Melumbrina, Neo-Melumbrina	1	0.04
481	Acular, Ketorolac tromethamine, Toradol	3	0.12
490	Nubain	1	0.04
496	Ultram	4	0.16
499	Aleve <OTC>	6	0.24
501	Gasoline or lighter fluids	19	0.75
502	Spray paints	6	0.24
503	Other aerosol sprays	57	2.26
504	Shoeshine liquid, glue, or toluene	21	0.83
505	Lacquer thinner or other paint solvents	4	0.16
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	18	0.71
507	Halothane, ether, or other anesthetics; chloroform	4	0.16
508	Nitrous oxide, 'whippets,' dentist gas	27	1.07
509	Correction fluids, degreasers, cleaning fluids	3	0.12
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	22	0.87
511	Markers, felt-tip pens, ink pens	60	2.37
512	Incense	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
516	Freon, refrigerant	19	0.75
518	Acetone, nail polish remover	13	0.51
519	Helium	27	1.07
520	Old paint, paint	12	0.47
521	Propane	1	0.04
524	White-Out	30	1.19
525	Butane	4	0.16
526	Nail polish	24	0.95
528	Whipped-cream can	14	0.55
531	Candy, powdered candy, sugar	2	0.08
534	Deodorant	2	0.08
539	ScotchGard	8	0.32
540	PAM	8	0.32
546	Leather protector, suede protector	2	0.08
548	Cologne, isopropanol vapors, rubbing alcohol	7	0.28
560	Laundry detergent, soap	2	0.08
566	Smoked tea from Lipton tea bag	4	0.16
567	Pertussin spray	1	0.04
580	Medusa	1	0.04
590	Canned air, compressed air	2	0.08
592	Computer air duster, computer cleaner, dust-off	35	1.39
599	Potpourri	3	0.12
601	LSD ('acid')	50	1.98
602	Peyote	1	0.04
603	Mescaline	5	0.20
604	Psilocybin (mushrooms), shrooms	20	0.79
605	PCP ('angel dust,' phencyclidine)	3	0.12
606	'Ecstasy' (MDMA), X-TC, 'X'	3	0.12
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	35	1.39
609	Jimson weed	5	0.20
612	Happy stick, sherm, sherman, shermstick	4	0.16
614	MDA, Methylenedioxy amphetamine	9	0.36
615	Homemade drugs	2	0.08
616	DET, Dimethyltryptamine, DMT	14	0.55
617	Morning glory seeds, morning glory tendrils	14	0.55
618	Acid paper, blotter (acid)	3	0.12
619	Tic	2	0.08
622	Microdot(s), green microdot, purple microdot	7	0.28
624	Orange sunshine, sunshine, yellow sunshine	3	0.12
625	Window, window pane, 4-way pane	2	0.08
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.12
633	Mr. Natural	1	0.04
635	Ginseng seeds, ginseng weed	4	0.16
636	DOM, STP	3	0.12
637	Purple haze	3	0.12
639	Nutmeg, Mace	3	0.12
650	Datura stramonium, daytura, thorn apple	4	0.16

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
658	Special K, Ketamine	52	2.06
660	Toad, Toad licking	1	0.04
663	Animal tranquilizer, horse tranquilizer	2	0.08
678	Banana peels	3	0.12
683	Yage	1	0.04
695	Angel's trumpet	2	0.08
698	Nexus, 2C-B	3	0.12
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.04
702	Heroin	4	0.16
703	Opium	14	0.55
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	4	0.16
802	THC, cannabinol, marinol	7	0.28
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	21	0.83
804	Hashish	1	0.04
805	Cocaine, coca, cocaina, coke	3	0.12
806	Crack, rock	3	0.12
807	Alcohol, beer, ethanol, EtOH, pink champagne	9	0.36
808	All of the ones I've tried	1	0.04
809	Pills	2	0.08
814	Caffeine <OTC>	1	0.04
815	Coffee <OTC>	1	0.04
820	Penicillin	5	0.20
821	Amoxicillin, Ampicillin	4	0.16
824	Steroids	1	0.04
825	Theo-Dur	1	0.04
828	Tetracycline	2	0.08
829	Robitussin DM <OTC>	11	0.44
843	Antihistamine, cold medicine, cold tablets <OTC>	2	0.08
846	Erythromycin	1	0.04
847	GHB, NSC	22	0.87
852	Formaldehyde, wak, whack (embalming fluid)	3	0.12
858	Antibiotic	2	0.08
883	Dextromethorphan Hydrobromide <OTC>	5	0.20
894	Depakene, Depakote, Valproic Acid	2	0.08
895	Tagamet, Cimetidine	1	0.04
896	Catapres, Clonidine	1	0.04
897	Synthroid, Levothyroxine	1	0.04
900	Not a drug	6	0.24
1001	Benadryl <OTC>	10	0.40
1002	Dramamine, seasick/motion sickness pill <OTC>	11	0.44
1004	Valerian <OTC>	1	0.04
2001	Carisoprodol, Soma	44	1.74
2002	Muscle Relaxers	14	0.55
3003	Primatene tablets <OTC>	1	0.04
3004	Black cadillac	2	0.08
3015	Fen-Phen (fenfluramine and phentermine)	3	0.12
3017	Dayquil <OTC>	2	0.08

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
3023	Adderall	44	1.74
3026	Bupropion, Wellbutrin, Zyban	1	0.04
3027	Energy pills	1	0.04
3033	Metabolife <OTC>	3	0.12
3036	Ripped fuel <OTC>	1	0.04
3044	Caffeine pills <OTC>	5	0.20
3047	Sudafed <OTC>	2	0.08
3048	Diet Pep <OTC>	1	0.04
3049	Truck drivers speed	1	0.04
3050	Mini Thins	3	0.12
3052	Speed; otherwise unspecified	28	1.11
3053	Maxair, Pirbuterol	1	0.04
3055	Clenbuterol	1	0.04
3056	Xenadrine <OTC>	1	0.04
3057	Diet Fuel <OTC>	1	0.04
3058	Metabolift <OTC>	1	0.04
3060	Hydroxycut <OTC>	1	0.04
3062	Homemade Stimulants	1	0.04
3063	Dymetadrine <OTC>	1	0.04
3064	Ephedra, Ma Huang <OTC>	1	0.04
3066	Alert Blue and Clear <OTC>	1	0.04
3067	Spancap	1	0.04
3068	Mini Two-way Action <OTC>	1	0.04
4001	Actron, Ketoprofen, Orudis, Oruvail	4	0.16
4002	Imitrex, Sumatriptan	1	0.04
4005	Etodolac, Lodine	4	0.16
4023	Pamprin <OTC>	1	0.04
4027	Rorer	1	0.04
4029	Feldine, Piroxicam	1	0.04
4031	Cough medicine with codeine	1	0.04
4033	Vicoprofen	2	0.08
4034	Lilly red	1	0.04
4035	Nabumetone, Relafin	4	0.16
4037	MS Contin	2	0.08
4039	Daypro	3	0.12
4044	Hydrocodone	10	0.40
4046	Oxycodone	7	0.28
4047	Roxicet	4	0.16
4049	Headache power <OTC>	2	0.08
4050	Percogesic <OTC>	1	0.04
4051	Celebrex	1	0.04
4052	Endocet	2	0.08
4053	Codydramol	1	0.04
4054	Zomax	1	0.04
4055	Vioxx	1	0.04
4058	Totem poles	3	0.12
4059	Zomig, Zolmitriptan	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
5017	Oil, lubricant; otherwise unspecified	1	0.04
5021	Octane booster	1	0.04
5022	Carbon dioxide, CO2, dry ice hits	3	0.12
5028	Carburetor cleaner, engine cleaner	1	0.04
5035	Brake cleaner	1	0.04
5037	Wood filler	1	0.04
5039	Acetate	1	0.04
5041	Wood alcohol	1	0.04
5042	Fuels other than gasoline	1	0.04
5043	Carbona	2	0.08
5044	Powdered cleansers; e.g. Ajax, Comet, Borax	1	0.04
5045	Cleaner; not otherwise specified	1	0.04
5046	Glass/window cleaner	1	0.04
5047	Tetrafluorethylene	1	0.04
6005	Sassafras tea	1	0.04
6029	DXM	13	0.51
6031	Strychnine	1	0.04
6037	Fry	1	0.04
6038	Triplets, Trips	3	0.12
6043	Salviadinorum	2	0.08
6044	Gel caps, gel tabs	7	0.28
6047	Water	1	0.04
6055	Liberty caps	1	0.04
6056	Wet	2	0.08
6062	Madderwort, Wormwood	1	0.04
6063	Foxglove	1	0.04
6073	Rolls	2	0.08
6074	LSA	2	0.08
6076	Lemon 714	1	0.04
6077	San Pedro	1	0.04
6078	Trumpet flowers	2	0.08
6079	Sugar cubes	2	0.08
6080	Purple passion	1	0.04
6083	CCC, Triple 'C'	2	0.08
6084	Devil dust	1	0.04
6085	Dips	1	0.04
6086	Flakes	1	0.04
6087	Ibogaine	1	0.04
6089	Cake	1	0.04
6090	Heaven	1	0.04
6091	Ergot, rye mold	1	0.04
6092	TCP	2	0.08
6094	Mushrooms, specifically not psilocybin	1	0.04
6095	Super cool, Super kool	1	0.04
6096	Bananadine	2	0.08
6097	Banana slug slime	1	0.04
6098	Dust; not otherwise specified	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
6099	Katmandue Temple Kiff	1	0.04
8002	Zantac	4	0.16
8006	Laxative <OTC>	1	0.04
8007	Gabapentin, Neurontin	1	0.04
8008	Antidepressant; type unspecified	1	0.04
8009	Allergy pills; type unspecified	2	0.08
8010	Zyrtec, cetirizine	2	0.08
8011	Herb, flower, plant; type unspecified	9	0.36
8012	Coriciden <OTC>	9	0.36
8018	Claritromicina	1	0.04
8020	Allegra	3	0.12
8024	Asthma inhaler, asthma medication, bronchial dilator	16	0.63
8025	Claritin, Claritin D	3	0.12
8026	Powder	1	0.04
8032	Prilosec	1	0.04
8035	Prednisone	1	0.04
8043	Accolate	1	0.04
8044	Cephelaxin	1	0.04
8046	Slim Fast <OTC>	1	0.04
8047	Pepcid AC <OTC>	1	0.04
8048	Theophylline	1	0.04
8049	Sorbitol	1	0.04
8051	Sinex <OTC>	1	0.04
8052	Bactrim, Septra	1	0.04
8053	Dristan <OTC>	1	0.04
8054	Beconase	1	0.04
8055	Flonase	1	0.04
8057	Natacyn, Natamycin ophthalmic	1	0.04
8058	Cough medicine/syrup; type unspecified	5	0.20
8059	Peroxyl <OTC>	1	0.04

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
110	Tuinal	1	0.24
304	Benzedrine	1	0.24
318	Ritalin, Methylphenidate	1	0.24
322	Methamphetamine ('ice' or 'crank'),Meth	1	0.24
348	Crystal	2	0.48
377	Albuterol, Proventil, Ventolin	3	0.73
501	Gasoline or lighter fluids	5	1.21
502	Spray paints	1	0.24
503	Other aerosol sprays	50	12.11
504	Shoeshine liquid, glue, or toluene	15	3.63
505	Lacquer thinner or other paint solvents	3	0.73
506	Amyl nitrite,'poppers','locker room odorizer','rush'	10	2.42
507	Halothane, ether, or other anesthetics; chloroform	2	0.48
508	Nitrous oxide, 'whippets,' dentist gas	6	1.45
509	Correction fluids, degreasers, cleaning fluids	2	0.48
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	15	3.63
511	Markers, felt-tip pens, ink pens	58	14.04
512	Incense	1	0.24
516	Freon, refrigerant	18	4.36
518	Acetone, nail polish remover	13	3.15
519	Helium	26	6.30
520	Old paint, paint	5	1.21
524	White-Out	25	6.05
525	Butane	2	0.48
526	Nail polish	24	5.81
528	Whipped-cream can	13	3.15
531	Candy, powdered candy, sugar	2	0.48
534	Deodorant	2	0.48
539	ScotchGard	8	1.94
540	PAM	7	1.69
546	Leather protector, suede protector	2	0.48
548	Cologne, isopropanol vapors, rubbing alcohol	7	1.69
560	Laundry detergent, soap	2	0.48
567	Pertussin spray	1	0.24
580	Medusa	1	0.24
590	Canned air, compressed air	2	0.48
592	Computer air duster, computer cleaner, dust-off	33	7.99
599	Potpourri	3	0.73
658	Special K, Ketamine	1	0.24
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.24
815	Coffee <OTC>	1	0.24
829	Robitussin DM <OTC>	1	0.24
847	GHB, NSC	1	0.24
3052	Speed; otherwise unspecified	1	0.24
3053	Maxair, Pirbuterol	1	0.24
5017	Oil, lubricant; otherwise unspecified	1	0.24
5021	Octane booster	1	0.24

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
5022	Carbon dioxide, CO2, dry ice hits	2	0.48
5035	Brake cleaner	1	0.24
5037	Wood filler	1	0.24
5039	Acetate	1	0.24
5041	Wood alcohol	1	0.24
5042	Fuels other than gasoline	1	0.24
5043	Carbona	2	0.48
5044	Powdered cleansers; e.g. Ajax, Comet, Borax	1	0.24
5045	Cleaner; not otherwise specified	1	0.24
5046	Glass/window cleaner	1	0.24
5047	Tetrafluorethylene	1	0.24
6047	Water	1	0.24
8009	Allergy pills; type unspecified	1	0.24
8024	Asthma inhaler, asthma medication, bronchial dilator	14	3.39
8054	Beconase	1	0.24
8055	Flonase	1	0.24

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
112	Restoril, Temazepam	1	0.18
116	Methaqualone, Quaalude, Sopor	3	0.54
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.18
142	Belladonna	2	0.36
201	Valium, Diazepam	2	0.36
267	Mareazine	1	0.18
268	Rohypnol, Roche, roofies	3	0.54
280	Ketaset	1	0.18
292	Serzone	1	0.18
318	Ritalin, Methylphenidate	3	0.54
322	Methamphetamine ('ice' or 'crank'),Meth	8	1.44
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.18
326	White cross	1	0.18
332	Ephedrine	1	0.18
345	Black Molly	1	0.18
348	Crystal	1	0.18
353	No-Doz <OTC>	1	0.18
355	Crystal meth	11	1.99
415	Codeine	1	0.18
417	Morphine, Roxanol	3	0.54
434	Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	1	0.18
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.18
501	Gasoline or lighter fluids	14	2.53
502	Spray paints	5	0.90
503	Other aerosol sprays	7	1.26
504	Shoeshine liquid, glue, or toluene	6	1.08
505	Lacquer thinner or other paint solvents	1	0.18
506	Amyl nitrite, 'poppers,'locker room odorizer,'rush'	8	1.44
507	Halothane, ether, or other anesthetics; chloroform	2	0.36
508	Nitrous oxide, 'whippets,' dentist gas	21	3.79
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	7	1.26
511	Markers, felt-tip pens, ink pens	2	0.36
516	Freon, refrigerant	1	0.18
519	Helium	1	0.18
520	Old paint, paint	7	1.26
521	Propane	1	0.18
524	White-Out	5	0.90
525	Butane	2	0.36
528	Whipped-cream can	1	0.18
540	PAM	1	0.18
566	Smoked tea from Lipton tea bag	4	0.72
592	Computer air duster, computer cleaner, dust-off	2	0.36
601	LSD ('acid')	49	8.84
602	Peyote	1	0.18
603	Mescaline	5	0.90
604	Psilocybin (mushrooms), shrooms	19	3.43
605	PCP ('angel dust,' phencyclidine)	3	0.54

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	34	6.14
609	Jimson weed	5	0.90
612	Happy stick, sherm, sherman, shermstick	4	0.72
614	MDA, Methylenedioxy amphetamine	8	1.44
615	Homemade drugs	2	0.36
616	DET, Dimethyltryptamine, DMT	14	2.53
617	Morning glory seeds, morning glory tendrils	14	2.53
618	Acid paper, blotter (acid)	3	0.54
619	Tic	2	0.36
622	Microdot(s), green microdot, purple microdot	7	1.26
624	Orange sunshine, sunshine, yellow sunshine	3	0.54
625	Window, window pane, 4-way pane	2	0.36
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.54
633	Mr. Natural	1	0.18
636	DOM, STP	3	0.54
637	Purple haze	3	0.54
639	Nutmeg, Mace	3	0.54
650	Datura stramonium, daytura, thorn apple	4	0.72
658	Special K, Ketamine	32	5.78
660	Toad, Toad licking	1	0.18
678	Banana peels	3	0.54
683	Yage	1	0.18
695	Angel's trumpet	2	0.36
698	Nexus, 2C-B	3	0.54
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.18
703	Opium	13	2.35
802	THC, cannabinal, marinol	4	0.72
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	6	1.08
806	Crack, rock	1	0.18
809	Pills	2	0.36
828	Tetracycline	1	0.18
829	Robitussin DM <OTC>	10	1.81
843	Antihistamine, cold medicine, cold tablets <OTC>	1	0.18
847	GHB, NSC	18	3.25
852	Formaldehyde, wak, whack (embalming fluid)	3	0.54
883	Dextromethorphan Hydrobromide <OTC>	5	0.90
1002	Dramamine, seasick/motion sickness pill <OTC>	10	1.81
2002	Muscle Relaxers	1	0.18
3023	Adderall	2	0.36
3052	Speed; otherwise unspecified	13	2.35
3064	Ephedra, Ma Huang <OTC>	1	0.18
5022	Carbon dioxide, CO2, dry ice hits	1	0.18
5028	Carburetor cleaner, engine cleaner	1	0.18
6005	Sassafras tea	1	0.18
6029	DXM	13	2.35
6031	Strychnine	1	0.18
6037	Fry	1	0.18

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
6038	Triplets, Trips	3	0.54
6043	Salviadinorum	2	0.36
6044	Gel caps, gel tabs	7	1.26
6055	Liberty caps	1	0.18
6056	Wet	2	0.36
6062	Madderwort, Wormwood	1	0.18
6063	Foxglove	1	0.18
6073	Rolls	2	0.36
6074	LSA	2	0.36
6077	San Pedro	1	0.18
6078	Trumpet flowers	2	0.36
6079	Sugar cubes	2	0.36
6080	Purple passion	1	0.18
6083	CCC, Triple 'C'	2	0.36
6084	Devil dust	1	0.18
6085	Dips	1	0.18
6086	Flakes	1	0.18
6087	Ibogaine	1	0.18
6089	Cake	1	0.18
6090	Heaven	1	0.18
6091	Ergot, rye mold	1	0.18
6092	TCP	2	0.36
6094	Mushrooms, specifically not psilocybin	1	0.18
6095	Super cool, Super kool	1	0.18
6096	Bananadine	1	0.18
6097	Banana slug slime	1	0.18
6098	Dust; not otherwise specified	1	0.18
6099	Katmandue Temple Kiff	1	0.18
8011	Herb, flower, plant; type unspecified	9	1.62
8012	Coriciden <OTC>	6	1.08
8058	Cough medicine/syrup; type unspecified	4	0.72

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
105	Placidyl	1	0.10
108	Nembutal	1	0.10
109	Seconal	2	0.21
110	Tuinal	6	0.62
112	Restoril, Temazepam	4	0.41
113	Halcion	2	0.21
115	Phenobarbital	2	0.21
116	Methaqualone, Quaalude, Sopor	20	2.05
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	4	0.41
124	Yellow jackets	2	0.21
129	Reds	1	0.10
130	Phenergan, Promethazine	3	0.31
137	7-14	1	0.10
138	Mandrakes	2	0.21
157	Barbiturates	1	0.10
171	NyQuil <OTC>	1	0.10
174	Ambien, Zolpidem	5	0.51
180	Tylenol P.M. <OTC>	2	0.21
186	Butalbital	1	0.10
201	Valium, Diazepam	118	12.10
205	Serax	1	0.10
207	Ativan, Lorazepam	1	0.10
209	Xanax, Alprazolam	82	8.41
211	Buspar	3	0.31
212	Miltown	1	0.10
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	2	0.21
225	Desyrel, Trazodone hydrochloride	3	0.31
227	Thorazine	1	0.10
228	Amitriptyline, Elavil	1	0.10
234	Cyclobenzaprine, Flexeril	15	1.54
240	Lithium carbonate, Lithonate	4	0.41
241	Prozac	8	0.82
246	Clonazepam, Klonopin, Rivotril	8	0.82
268	Rohypnol, Roche, roofies	12	1.23
271	Zoloft	3	0.31
283	Paroxetine, Paxil	3	0.31
292	Serzone	1	0.10
301	Dexedrine	5	0.51
318	Ritalin, Methylphenidate	26	2.67
322	Methamphetamine ('ice' or 'crank'),Meth	1	0.10
334	Crossroads, cross tops	1	0.10
335	Dexatrim <OTC>	2	0.21
336	Diet pills	1	0.10
352	Lemons	1	0.10
353	No-Doz <OTC>	1	0.10
356	Dexies	3	0.31
401	Darvon	2	0.21

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
406	Percodan	3	0.31
407	Demerol	9	0.92
408	Dilaudid	2	0.21
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	9	0.92
415	Codeine	14	1.44
417	Morphine, Roxanol	11	1.13
418	Dolophine, Methadone	1	0.10
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	26	2.67
421	USED ANALGESIC, DON'T KNOW NAME	27	2.77
422	Motrin	48	4.92
423	Percocet	11	1.13
425	Advil <OTC>	40	4.10
426	Fiorinal	3	0.31
427	Darvocet	7	0.72
430	Aspirin, Ecotrin, Empirin <OTC>	27	2.77
431	Tylox	3	0.31
433	Paregoric	2	0.21
434	Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	48	4.92
435	Tylenol, Tylenol Extra-Strength <OTC>	46	4.72
438	Anaprox, Naprosyn, Naproxen	12	1.23
442	Ibuprofen	51	5.23
450	Acetaminophen <OTC>	2	0.21
454	Novocain, Procaine	1	0.10
458	Mepergan, Mepergan Fortis, Meprozone	6	0.62
465	Fentanyl, Duragesic, Sublimaze	1	0.10
466	Midol <OTC>	3	0.31
468	Excedrin <OTC>	1	0.10
472	Indocin, Indomethacin	1	0.10
476	Duradrin, Isocom, Midrin	3	0.31
477	Melumbrina, Neo-Melumbrina	1	0.10
481	Acular, Ketorolac tromethamine, Toradol	3	0.31
490	Nubain	1	0.10
496	Ultram	4	0.41
499	Aleve <OTC>	5	0.51
635	Ginseng seeds, ginseng weed	1	0.10
658	Special K, Ketamine	1	0.10
802	THC, cannabinal, marinol	2	0.21
820	Penicillin	5	0.51
821	Amoxicillin, Ampicillin	4	0.41
824	Steroids	1	0.10
825	Theo-Dur	1	0.10
828	Tetracycline	1	0.10
843	Antihistamine, cold medicine, cold tablets <OTC>	1	0.10
846	Erythromycin	1	0.10
858	Antibiotic	2	0.21
894	Depakene, Depakote, Valproic Acid	1	0.10
895	Tagamet, Cimetidine	1	0.10

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
896	Catapres, Clonidine	1	0.10
900	Not a drug	1	0.10
1001	Benadryl <OTC>	1	0.10
2001	Carisoprodol, Soma	37	3.79
2002	Muscle Relaxers	12	1.23
3015	Fen-Phen (fenfluramine and phentermine)	1	0.10
3017	Dayquil <OTC>	2	0.21
3023	Adderall	5	0.51
3027	Energy pills	1	0.10
3033	Metabolife <OTC>	1	0.10
3047	Sudafed <OTC>	1	0.10
3052	Speed; otherwise unspecified	2	0.21
3068	Mini Two-way Action <OTC>	1	0.10
4001	Actron, Ketoprofen, Orudis, Oruvail	3	0.31
4002	Imitrex, Sumatriptan	1	0.10
4005	Etdolac, Lodine	4	0.41
4023	Pamprin <OTC>	1	0.10
4027	Rorer	1	0.10
4029	Feldine, Piroxicam	1	0.10
4031	Cough medicine with codeine	1	0.10
4033	Vicoprofen	2	0.21
4034	Lilly red	1	0.10
4035	Nabumetone, Relafin	4	0.41
4037	MS Contin	2	0.21
4039	Daypro	2	0.21
4044	Hydrocodone	9	0.92
4046	Oxycodone	7	0.72
4047	Roxicet	4	0.41
4050	Percogesic <OTC>	1	0.10
4051	Celebrex	1	0.10
4052	Endocet	2	0.21
4053	Codydramol	1	0.10
4054	Zomax	1	0.10
4055	Vioxx	1	0.10
4058	Totem poles	3	0.31
4059	Zomig, Zolmitriptan	1	0.10
6076	Lemon 714	1	0.10
8002	Zantac	3	0.31
8006	Laxative <OTC>	1	0.10
8007	Gabapentin, Neurontin	1	0.10
8008	Antidepressant; type unspecified	1	0.10
8010	Zyrtec, cetirizine	1	0.10
8012	Coriciden <OTC>	2	0.21
8018	Claritromicina	1	0.10
8020	Allegra	3	0.31
8024	Asthma inhaler, asthma medication, bronchial dilator	2	0.21
8025	Claritin, Claritin D	3	0.31

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
8032	Prilosec	1	0.10
8035	Prednisone	1	0.10
8043	Accolate	1	0.10
8044	Cephelaxin	1	0.10
8047	Pepcid AC <OTC>	1	0.10
8051	Sinex <OTC>	1	0.10
8052	Bactrim, Septra	1	0.10
8053	Dristan <OTC>	1	0.10
8057	Natacyn, Natamycin ophthalmic	1	0.10
8058	Cough medicine/syrup; type unspecified	1	0.10
8059	Peroxyl <OTC>	1	0.10

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
115	Phenobarbital	1	0.40
116	Methaqualone, Quaalude, Sopor	2	0.81
124	Yellow jackets	6	2.43
137	7-14	1	0.40
174	Ambien, Zolpidem	1	0.40
207	Ativan, Lorazepam	1	0.40
209	Xanax, Alprazolam	1	0.40
225	Desyrel, Trazodone hydrochloride	2	0.81
240	Lithium carbonate, Lithonate	1	0.40
241	Prozac	1	0.40
247	Adapin, Doxepin, Sinequan	1	0.40
268	Rohypnol, Roche, roofies	1	0.40
271	Zoloft	3	1.21
283	Paroxetine, Paxil	1	0.40
301	Dexedrine	2	0.81
302	Dexamyl	1	0.40
304	Benzedrine	1	0.40
305	Biphedamine	1	0.40
307	Tenuate, Diethylpropion	1	0.40
311	Preludin	1	0.40
313	Adipex-P, Fastin, Phentermine	2	0.81
318	Ritalin, Methylphenidate	4	1.62
322	Methamphetamine ('ice' or 'crank'),Meth	7	2.83
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	11	4.45
325	USED STIMULANT, DON'T KNOW NAME	8	3.24
326	White cross	17	6.88
327	Black beauties, Black beauty	21	8.50
328	Pink hearts	1	0.40
329	Bird's eggs, Robin's eggs, speckled eggs	1	0.40
330	Blue birds, blue jays, blue robins, speckled bird	3	1.21
331	Blancs, Whites	1	0.40
332	Ephedrine	9	3.64
333	357 Magnum, Magnum 44 <OTC>	3	1.21
334	Crossroads, cross tops	10	4.05
335	Dexatrim <OTC>	2	0.81
336	Diet pills	3	1.21
344	Bennies	1	0.40
345	Black Molly	3	1.21
348	Crystal	2	0.81
352	Lemons	1	0.40
353	No-Doz <OTC>	6	2.43
354	Vivarin <OTC>	3	1.21
355	Crystal meth	3	1.21
356	Dexies	1	0.40
364	Pseudoephedrine	1	0.40
374	Christmas tree(s)	4	1.62
387	Pink football	1	0.40

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
417	Morphine, Roxanol	1	0.40
468	Excedrin <OTC>	2	0.81
509	Correction fluids, degreasers, cleaning fluids	1	0.40
614	MDA, Methylenedioxy amphetamine	1	0.40
635	Ginseng seeds, ginseng weed	3	1.21
806	Crack, rock	1	0.40
814	Caffeine <OTC>	1	0.40
894	Depakene, Depakote, Valproic Acid	1	0.40
897	Synthroid, Levothyroxine	1	0.40
1001	Benadryl <OTC>	2	0.81
3003	Primatene tablets <OTC>	1	0.40
3004	Black cadillac	2	0.81
3015	Fen-Phen (fenfluramine and phentermine)	2	0.81
3023	Adderall	35	14.17
3026	Bupropion, Wellbutrin, Zyban	1	0.40
3033	Metabolife <OTC>	2	0.81
3036	Ripped fuel <OTC>	1	0.40
3044	Caffeine pills <OTC>	3	1.21
3047	Sudafed <OTC>	1	0.40
3048	Diet Pep <OTC>	1	0.40
3049	Truck drivers speed	1	0.40
3050	Mini Thins	3	1.21
3052	Speed; otherwise unspecified	8	3.24
3055	Clenbuterol	1	0.40
3056	Xenadrine <OTC>	1	0.40
3057	Diet Fuel <OTC>	1	0.40
3058	Metabolift <OTC>	1	0.40
3060	Hydroxycut <OTC>	1	0.40
3062	Homemade Stimulants	1	0.40
3063	Dymetadrine <OTC>	1	0.40
3066	Alert Blue and Clear <OTC>	1	0.40
3067	Spancap	1	0.40
8012	Coriciden <OTC>	1	0.40
8026	Powder	1	0.40
8046	Slim Fast <OTC>	1	0.40
8048	Theophylline	1	0.40

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
105	Placidyl	1	1.14
110	Tuinal	1	1.14
111	Dalmane, Flurazepam	1	1.14
113	Halcion	1	1.14
115	Phenobarbital	1	1.14
116	Methaqualone, Quaalude, Sopor	1	1.14
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	9	10.23
121	USED SEDATIVE, DON'T KNOW NAME	10	11.36
129	Reds	2	2.27
132	Sleepettes <OTC>	1	1.14
138	Mandrakes	1	1.14
146	Bentyl, Dicyclomine	1	1.14
171	NyQuil <OTC>	2	2.27
174	Ambien, Zolpidem	19	21.59
176	Melatonin <OTC>	1	1.14
188	Estazolam	1	1.14
201	Valium, Diazepam	3	3.41
225	Desyrel, Trazodone hydrochloride	6	6.82
228	Amitriptyline, Elavil	3	3.41
246	Clonazepam, Klonopin, Rivotril	2	2.27
247	Adapin, Doxepin, Sinequan	1	1.14
268	Rohypnol, Roche, roofies	1	1.14
271	Zoloft	1	1.14
283	Paroxetine, Paxil	1	1.14
295	Mirtazapine, Remeron	1	1.14
355	Crystal meth	1	1.14
425	Advil <OTC>	2	2.27
457	T's and blues	1	1.14
658	Special K, Ketamine	1	1.14
802	THC, cannabinal, marinol	1	1.14
1001	Benadryl <OTC>	4	4.55
1002	Dramamine, seasick/motion sickness pill <OTC>	1	1.14
1004	Valerian <OTC>	1	1.14
2001	Carisoprodol, Soma	1	1.14
4044	Hydrocodone	1	1.14
8010	Zyrtec, cetirizine	1	1.14
8049	Sorbitol	1	1.14

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
108	Nembutal	2	1.22
109	Seconal	4	2.44
110	Tuinal	1	0.61
113	Halcion	4	2.44
115	Phenobarbital	1	0.61
116	Methaqualone, Quaalude, Sopor	18	10.98
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.61
129	Reds	1	0.61
131	Haldol, Haloperidol	2	1.22
137	7-14	1	0.61
174	Ambien, Zolpidem	1	0.61
186	Butalbital	1	0.61
201	Valium, Diazepam	7	4.27
202	Librium, Chlordiazepoxide HCl	1	0.61
207	Ativan, Lorazepam	1	0.61
209	Xanax, Alprazolam	9	5.49
216	Atarax, Hydroxyzine	3	1.83
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	3.66
222	USED TRANQUILIZER, DON'T KNOW NAME	4	2.44
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.61
224	Triavil	1	0.61
225	Desyrel, Trazodone hydrochloride	2	1.22
227	Thorazine	2	1.22
228	Amitriptyline, Elavil	2	1.22
232	Mellaril	2	1.22
234	Cyclobenzaprine, Flexeril	5	3.05
240	Lithium carbonate, Lithonate	1	0.61
241	Prozac	10	6.10
268	Rohypnol, Roche, roofies	7	4.27
271	Zoloft	1	0.61
283	Paroxetine, Paxil	2	1.22
289	Olanzapine, Zyprexa	1	0.61
290	Skelaxin	1	0.61
318	Ritalin, Methylphenidate	5	3.05
351	Cathinone, Q'at, Cat	2	1.22
408	Dilaudid	1	0.61
415	Codeine	1	0.61
417	Morphine, Roxanol	2	1.22
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.61
423	Percocet	1	0.61
425	Advil <OTC>	1	0.61
427	Darvocet	1	0.61
434	Anexsia, Co-Gesic, Lorcet, Lortab, Tussionex, Vicodin	1	0.61
435	Tylenol, Tylenol Extra-Strength <OTC>	2	1.22
438	Anaprox, Naprosyn, Naproxen	1	0.61
499	Aleve <OTC>	1	0.61
658	Special K, Ketamine	16	9.76

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
663	Animal tranquilizer, horse tranquilizer	2	1.22
847	GHB, NSC	1	0.61
1001	Benadryl <OTC>	3	1.83
2001	Carisoprodol, Soma	6	3.66
2002	Muscle Relaxers	1	0.61
3023	Adderall	2	1.22
3044	Caffeine pills <OTC>	1	0.61
4001	Actron, Ketoprofen, Orudis, Oruvail	1	0.61
4039	Daypro	1	0.61
4049	Headache power <OTC>	2	1.22
8002	Zantac	1	0.61
8009	Allergy pills; type unspecified	1	0.61

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
103	Amytal	1	1.16
209	Xanax, Alprazolam	1	1.16
322	Methamphetamine ('ice' or 'crank'),Meth	21	24.42
327	Black beauties, Black beauty	1	1.16
348	Crystal	1	1.16
355	Crystal meth	3	3.49
601	LSD ('acid')	1	1.16
604	Psilocybin (mushrooms), shrooms	1	1.16
606	'Ecstasy' (MDMA), X-TC, 'X'	3	3.49
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	1	1.16
658	Special K, Ketamine	1	1.16
702	Heroin	4	4.65
703	Opium	1	1.16
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	4	4.65
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	14	16.28
804	Hashish	1	1.16
805	Cocaine, coca, cocaina, coke	3	3.49
806	Crack, rock	1	1.16
807	Alcohol, beer, ethanol, EtOH, pink champagne	9	10.47
808	All of the ones I've tried	1	1.16
847	GHB, NSC	2	2.33
900	Not a drug	5	5.81
3044	Caffeine pills <OTC>	1	1.16
3052	Speed; otherwise unspecified	4	4.65
6096	Bananadine	1	1.16

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen were used to initially create each tobacco product group. Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions (2000 CAI NHSDA)

Numerical Listing

Cigarette Brands

101 = Basic	149 = Pyramid
102 = Benson & Hedges	150 = Raleigh
103 = Cambridge	151 = Richland
104 = Camel	152 = Saratoga
105 = Capri	153 = Satin
106 = Carlton	154 = State Express
107 = Doral	155 = Sterling
108 = Forsyth	156 = Style
109 = GPC	157 = Tareyton
110 = Kent	158 = Top (roll-your-own)
111 = Kool	159 = Triumph
112 = Marlboro	160 = True
113 = Merit	161 = American Spirit
114 = Misty	162 = Austin
115 = Monarch	163 = Bali Hai
116 = Montclair	164 = Bali-Shag (roll-your-own)
117 = More	165 = Best Buy cigarettes
118 = Newport	166 = Bidis; brand unspecified
119 = Pall Mall	167 = Black Death
120 = Parliament	168 = Brandon
121 = Private Label	169 = Bronson
122 = Salem	170 = Cartier
123 = Vantage	171 = Checkers
124 = Viceroy	172 = Cimmarron
125 = Virginia Slims	173 = Clove; brand unspecified
126 = Winston	174 = Daves
127 = Alpine	175 = Djarum cigarettes
128 = Barclay	176 = Drum rolling tobacco
129 = Belair	177 = Du Maurier
130 = Best Value	178 = Dunhill cigarettes
131 = Bristol	179 = Eagle
132 = Bugler (roll-your-own)	180 = Export A
133 = Century	181 = Fiesta
134 = Chesterfield	182 = First Choice
135 = Commander	183 = First Class
136 = Covington	184 = Gauloises
137 = Eve	185 = Generic cigarettes; brand unspecified
138 = Harley Davidson	186 = Gold Coast
139 = Jasmine	187 = Gudang Garam
140 = Lark	188 = Gunsmoke
141 = L & M	189 = Hi-Value
142 = Lucky Strike	190 = Jacks
143 = Magna	191 = Jester (roll-your-own)
144 = Maverick	192 = Kailas Bidis
145 = Max	193 = Kamel Red
146 = Now	194 = Legend
147 = Old Gold	195 = Malibu
148 = Players	196 = Mainstreet
	197 = Marker
	198 = Medallion

- | | | | | | |
|------|---|---------------------------------|------|---|--|
| 199 | = | Meridian | 1061 | = | Signature |
| 1001 | = | Nat Sherman cigarettes | 1062 | = | Sincerely Yours |
| 1002 | = | Omaha | 1063 | = | Fantasia |
| 1003 | = | Piel Roja | 1064 | = | Seneca; company unspecified |
| 1004 | = | Planet | 1064 | = | Splash |
| 1005 | = | Private Stock | 1066 | = | John Player |
| 1006 | = | Quality Smokes | 1067 | = | Amsterdam Shag (roll-your-own) |
| 1007 | = | Rally | 1068 | = | Superkings |
| 1008 | = | Rave | 1069 | = | Zig-Zag (roll-your-own) |
| 1009 | = | Rollrich (roll-your-own) | 1070 | = | Value Time |
| 1010 | = | Rothman | 1071 | = | Value & Quality |
| 1011 | = | Sampoerna's | 1072 | = | Chaparrel |
| 1012 | = | Seven Stars/Mild Sevens | 1073 | = | Grand |
| 1013 | = | Slim Price | 1074 | = | Khrong Thip |
| 1014 | = | Sobranie | 1075 | = | Star |
| 1015 | = | Springwater Vanilla | 1076 | = | Highway |
| 1016 | = | Summit | 1077 | = | Prince (Denmark) |
| 1017 | = | Sundance | 1078 | = | Brentwood |
| 1018 | = | USA Gold | 1079 | = | Amsterdamer (roll-your-own) |
| 1019 | = | Vegas | 1080 | = | Monaco |
| 1020 | = | Waves | 1081 | = | Sebring |
| 1021 | = | Yours | 1082 | = | Tahoe |
| 1022 | = | Bailey | 1083 | = | Liggett Select |
| 1023 | = | Sport | 1084 | = | Image |
| 1024 | = | Prime | 1085 | = | Special |
| 1025 | = | Ultra Buy | 1086 | = | Smoker Friendly |
| 1026 | = | Bull Durham | 1087 | = | Virginian |
| 1027 | = | Mustang | 1088 | = | Marlin |
| 1028 | = | Value; brand unspecified | 1089 | = | Grand Prix |
| 1029 | = | Tourney | 1090 | = | Gold |
| 1030 | = | BV Bonus Value | 1091 | = | Dreams |
| 1031 | = | House Blend | 1998 | = | Roll-your-own cigarette; brand unspecified |
| 1032 | = | American Spirit rolling tobacco | 1999 | = | Cigarette; brand otherwise unspecified |
| 1033 | = | Hollywood | | | |
| 1034 | = | Cardinal | | | |
| 1035 | = | Cherokee | | | |
| 1036 | = | Courier | | | |
| 1037 | = | DTC | | | |
| 1038 | = | Samson rolling tobacco | | | |
| 1039 | = | Lewiston | | | |
| 1040 | = | Smokin Joe | | | |
| 1041 | = | Sonoma | | | |
| 1042 | = | Tall | | | |
| 1043 | = | Tempo | | | |
| 1044 | = | Worth | | | |
| 1045 | = | Turkish Specials | | | |
| 1046 | = | Delicados cigarettes | | | |
| 1047 | = | New York New York | | | |
| 1048 | = | Carnival | | | |
| 1049 | = | Honey B's | | | |
| 1050 | = | USA | | | |
| 1051 | = | Belmont | | | |
| 1052 | = | Premium One | | | |
| 1053 | = | Wills | | | |
| 1054 | = | Omar Sharif | | | |
| 1055 | = | Geranimo | | | |
| 1056 | = | Black Clove | | | |
| 1057 | = | Sovereign | | | |
| 1058 | = | Gitanes | | | |
| 1059 | = | Krakatoa Kretek | | | |
| 1060 | = | Kuta Kretek | | | |
-
- Chewing Tobacco Brands**
- | | | |
|-----|---|--------------------------|
| 201 | = | Beech-Nut |
| 202 | = | Chattanooga Chew |
| 203 | = | Day's Work |
| 204 | = | Granger |
| 205 | = | H.B. Scott |
| 206 | = | Levi Garrett |
| 207 | = | Red Fox |
| 208 | = | Red Man |
| 209 | = | Taylor's Pride |
| 210 | = | Totems |
| 211 | = | Work Horse |
| 212 | = | Apple Jack |
| 213 | = | Ball Park |
| 214 | = | Best Buy chewing tobacco |
| 215 | = | Big Leaf |
| 216 | = | Blackbull |
| 217 | = | Bowie |
| 218 | = | Cannonball |
| 219 | = | Durango |
| 220 | = | Lancaster |
| 221 | = | Mail Pouch |
| 222 | = | Morgan's |
| 223 | = | Peachy Big Leaf |

224 = Rough Country
 225 = Trophy
 226 = WB
 227 = Havana Blossom
 228 = Southern Pride
 229 = Union Workman
 230 = Stoker
 231 = Cottonboll
 232 = Apple Plug Tobacco
 233 = Bloodhound Thick Plug
 234 = Red Horse
 235 = King B
 236 = J. D. Blend
 237 = Our Pride
 238 = Big Red
 2999 = Chewing tobacco; brand otherwise unspecified

Snuff Brands

301 = Copenhagen
 302 = Gold River
 303 = Happy Days
 304 = Hawken
 305 = Kodiak
 306 = Redwood
 307 = Silver Creek
 308 = Skoal
 309 = Timber Wolf
 310 = Bruton
 311 = Cooper
 312 = Cougar
 313 = Dental
 314 = Honey Bee
 315 = Navy
 316 = Red Seal
 317 = Rooster
 318 = Square
 319 = Tops
 320 = Tube Rose
 321 = W. Garrett snuff
 322 = Peach
 323 = Mint Snuff
 324 = Ralphs
 325 = Renegades
 326 = Kayak
 327 = CC Sweet
 328 = Ozona
 329 = Dean Swift
 330 = Extreme
 3999 = Snuff; brand otherwise unspecified

Cigar Brands

401 = Antonio y Cleopatra
 402 = Backwoods
 403 = Bering

404 = Black & Mild
 405 = Captain Black
 406 = Casa Silva
 407 = Cuesta-Rey
 408 = Dutch Masters
 409 = El Producto
 410 = Erik Filter
 411 = Garcia y Vega
 412 = Havatampa
 413 = King Edward
 414 = La Corona
 415 = Little Nippers
 416 = Macanudos
 417 = Muriel
 418 = Partagas
 419 = Phillies
 420 = Rigoletto
 421 = Robert Burns
 422 = Roi-Tan
 423 = Swisher Sweets
 424 = Tijuana Smalls
 425 = Universal
 426 = White Owl
 427 = William Penn
 428 = Winchester
 429 = Al Capone
 430 = Arango Sportsman
 431 = Arturo Fuente
 432 = Ashton
 433 = Astral
 434 = Baccarat
 435 = Balmoral
 436 = Ben Franklin
 437 = Blackstone
 438 = Blair
 439 = Blunts; brand unspecified
 440 = Butera
 441 = Cherry Blend
 442 = Churchill; brand unspecified
 443 = Cohiba
 444 = Cojimar
 445 = Corona; brand unspecified
 446 = Cortina
 447 = Cremosa Cubanos
 448 = Cuban; brand unspecified
 449 = Cubana; brand unspecified
 450 = Dannerman
 451 = Davidoff
 452 = Don Diego
 453 = Don Jose
 454 = Don Lino
 455 = Don Rene
 456 = Don Sebastian
 457 = Don Thomas
 458 = Dunhill cigars
 459 = Dutch Treats
 460 = El Rey del Mundo
 461 = Fonseca
 462 = Grenadiers
 463 = Griffin's
 464 = H. Upmann

465	=	Habana/Havana; brand unspecified	4027	=	Nicaraguan; brand unspecified
466	=	Habana Gold	4028	=	Casa Blanca
467	=	Henry Clay	4029	=	Celestino Vega
468	=	Hobo	4030	=	Felipe Gregorio
469	=	Hoya De Monterrey	4031	=	Playboy
470	=	Hugo Cassar	4032	=	Montesino
471	=	Infiesta	4033	=	Diamond Crown
472	=	Joya De Nicaragua	4034	=	La Fontana
473	=	Jr Ultimate	4035	=	Muniemaker
474	=	King	4036	=	La Finca
475	=	La Aurora	4037	=	V Centennial
476	=	La Gloria Cubana	4038	=	Flor de Oliva
477	=	La Tradicion	4039	=	Palace
478	=	La Unica	4040	=	Reas
479	=	LaFlor Dominicana	4041	=	Miami Suites
480	=	Las Cabrillas	4042	=	R & J Famous
481	=	Lone Wolf	4043	=	Rosa Cuba
482	=	Martinez y Cia	4044	=	Zino
483	=	Mi Cubano	4045	=	Havana Honey
484	=	Middleton Cherry Blend	4046	=	Monte Carlo
485	=	Monero	4047	=	Delicados cigars
486	=	Montecristo	4048	=	Travis Club
487	=	Oliveros	4049	=	Purofino
488	=	Optimo	4050	=	Fuente
489	=	Opus X	4051	=	Avo
490	=	Padron	4052	=	Carl Upmann
491	=	Parodi Cella	4053	=	Bolivar
492	=	Primetime	4054	=	Acid
493	=	Prince Albert cigars	4055	=	La Diva
494	=	Punch	4056	=	Thomas Hinds
495	=	Puros Indios	4057	=	Perfecto Garcia
496	=	Romeo y Julieta	4058	=	Denobili
497	=	Royal Jamaica	4059	=	VM Santana
498	=	Schimmelpennick	4060	=	Honduran; brand unspecified
499	=	Stag	4061	=	Jamaican; brand unspecified
4001	=	Sweets; brand unspecified	4062	=	Ducados
4002	=	Tampa; brand unspecified	4063	=	Topper
4003	=	Te Amo	4064	=	Djarum cigarillos
4004	=	Temple Hall	4065	=	Franco
4005	=	Thompson	4066	=	New York cigars
4006	=	Tiparillo	4067	=	United States; brand unspecified
4007	=	Wolf Brothers	4068	=	Caribbean Rounds
4008	=	Lars Tetens	4069	=	Leon Jimenes
4009	=	Bahia	4070	=	Montecruz
4010	=	Big Butt	4071	=	Mifflins Choice
4011	=	Tobacco Place	4072	=	Gurkha
4012	=	Five Star	4073	=	Dos Reinas
4013	=	Cubita	4074	=	Arizona
4014	=	Avanti	4075	=	Napa
4015	=	Windsor	4076	=	Key West
4016	=	Dominican; brand unspecified	4077	=	Caoba
4017	=	Rum Runner	4078	=	Flor Cabana
4018	=	Nat Sherman Cigars	4079	=	Montoya
4019	=	J.R. Tobacco	4080	=	Quirantes
4020	=	Onyx	4081	=	Royales
4021	=	Credo; brand unspecified			
4022	=	Excalibur	4997	=	Little cigars; brand unspecified
4023	=	John T's	4998	=	Homemade cigars
4024	=	Sierra Sweets	4999	=	Cigar/Cigarillo; brand otherwise unspecified
4025	=	Middleton Gold and Mild			
4026	=	Habana Black and Gold			

Pipe Tobacco or Miscellaneous Tobacco

- 501 = Prince Albert tobacco
- 5999 = Pipe tobacco; brand otherwise unspecified

Miscellaneous Classifications

601 = Homegrown

701 = Marijuana

702 = Cocaine

703 = Coca leaves

801 = Nicorette

Alphabetical Listing

- | | |
|--|---------------------------------|
| 180 = A, Export | 216 = Blackbull |
| 4054 = Acid | 437 = Blackstone |
| 429 = Al Capone | 438 = Blair |
| 493 = Albert Cigars, Prince | 4028 = Blanca, Casa |
| 501 = Albert Tobacco, Prince | 441 = Blend, Cherry |
| 127 = Alpine | 1031 = Blend, House |
| 161 = American Spirit | 236 = Blend, J.D. |
| 1032 = American Spirit rolling tobacco | 484 = Blend, Middleton Cherry |
| 4003 = Amo, Te | 233 = Bloodhound Thick Plug |
| 1067 = Amsterdam Shag (roll-your-own) | 227 = Blossom, Havana |
| 1079 = Amsterdamer (roll-your-won) | 439 = Blunts; brand unspecified |
| 401 = Antonio y Cleopatra | 4053 = Bolivar |
| 212 = Apple Jack | 1030 = Bonus Value, BV |
| 232 = Apple Plug Tobacco | 217 = Bowie |
| 430 = Arango Sportsman | 168 = Brandon |
| 4074 = Arizona | 1078 = Brentwood |
| 431 = Arturo Fuente | 131 = Bristol |
| 432 = Ashton | 169 = Bronson |
| 433 = Astral | 4007 = Brothers, Wolf |
| 475 = Aurora, La | 310 = Bruton |
| 162 = Austin | 132 = Bugler (roll-your-own) |
| 4014 = Avanti | 1026 = Bull Durham |
| 4051 = Avo | 421 = Burns, Robert |
| | 440 = Butera |
| | 4010 = Butt, Big |
| 235 = B, King | 214 = Buy chewing tobacco, Best |
| 1049 = B's, Honey | 165 = Buy cigarettes, Best |
| 434 = Baccarat | 1025 = Buy, Ultra |
| 402 = Backwoods | 1030 = BV Bonus Value |
| 4009 = Bahia | |
| 1022 = Bailey | |
| 163 = Bali Hai | 4078 = Cabana, Flor |
| 164 = Bali-Shag (roll-your-own) | 480 = Cabrillas, Las |
| 213 = Ball Park | 103 = Cambridge |
| 435 = Balmoral | 104 = Camel |
| 128 = Barclay | 218 = Cannonball |
| 101 = Basic | 4077 = Caoba |
| 314 = Bee, Honey | 429 = Capone, Al |
| 201 = Beech-Nut | 105 = Capri |
| 129 = Belair | 405 = Captain Black |
| 1051 = Belmont | 1034 = Cardinal |
| 436 = Ben Franklin | 4068 = Caribbean Rounds |
| 102 = Benson & Hedges | 4052 = Carl Upmann |
| 403 = Bering | 4046 = Carlo, Monte |
| 214 = Best Buy chewing tobacco | 106 = Carlton |
| 165 = Best Buy cigarettes | 1048 = Carnival |
| 130 = Best Value | 170 = Cartier |
| 192 = Bidis, Kailas | 4028 = Casa Blanca |
| 166 = Bidis; brand unspecified | 406 = Casa Silva |
| 4010 = Big Butt | 470 = Cassar, Hugo |
| 223 = Big Leaf, Peachy | 327 = CC Sweet |
| 238 = Big Red | 4029 = Celestino Vega |
| 404 = Black & Mild | 491 = Cella, Parodi |
| 4026 = Black and Gold, Habana | 4037 = Centennial, V |
| 405 = Black, Captain | 133 = Century |
| 1056 = Black Clove | 1072 = Chaparrel |
| 167 = Black Death | 202 = Chattanooga Chew |

171	=	Checkers	4047	=	Delicados cigars
1035	=	Cherokee	469	=	De Monterrey, Hoya
441	=	Cherry Blend	472	=	De Nicaragua, Joya
484	=	Cherry Blend, Middleton	4038	=	De Oliva, Flor
134	=	Chesterfield	329	=	Dean Swift
202	=	Chew, Chattanooga	167	=	Death, Black
2999	=	Chewing tobacco; brand unspecified	460	=	Del Mundo, El Rey
182	=	Choice, First	4058	=	Denobili
4071	=	Choice, Mifflins	313	=	Dental
442	=	Churchill; brand unspecified	4033	=	Diamond Crown
482	=	Cia, Martinez y	452	=	Diego, Don
4999	=	Cigar/Cigarillo; brand unspecified	4055	=	Diva, La
1999	=	Cigarette; brand unspecified	175	=	Djarum cigarettes
1046	=	Cigarettes, Delicados	4064	=	Djarum cigarillos
4064	=	Cigarillos, Djarum	4016	=	Dominican; brand unspecified
4047	=	Cigars, Delicados	479	=	Dominicana, LaFlor
4066	=	Cigars, New York	452	=	Don Diego
172	=	Cimmarron	453	=	Don Jose
183	=	Class, First	454	=	Don Lino
467	=	Clay, Henry	455	=	Don Rene
401	=	Cleopatra, Antonio y	456	=	Don Sebastian
1056	=	Clove, Black	457	=	Don Thomas
173	=	Clove; brand unspecified	107	=	Doral
4048	=	Club, Travis	4073	=	Dos Reinas
186	=	Coast, Gold	1091	=	Dreams
703	=	Coca leaves	176	=	Drum rolling tobacco
702	=	Cocaine	1037	=	DTC
443	=	Cohiba	4062	=	Ducados
444	=	Cojimar	177	=	Du Maurier
135	=	Commander	178	=	Dunhill cigarettes
311	=	Cooper	458	=	Dunhill cigars
301	=	Copenhagen	219	=	Durango
445	=	Corona; brand unspecified	1026	=	Durham, Bull
414	=	Corona, La	408	=	Dutch Masters
446	=	Cortina	459	=	Dutch Treats
231	=	Cottonboll			
312	=	Cougar			
224	=	Country, Rough	179	=	Eagle
1036	=	Courier	413	=	Edward, King
136	=	Covington	409	=	El Producto
4021	=	Credo; brand unspecified	460	=	El Rey del Mundo
307	=	Creek, Silver	410	=	Erik Filter
447	=	Creмоса Cubanos	137	=	Eve
4033	=	Crown, Diamond	4022	=	Excalibur
4043	=	Cuba, Rosa	180	=	Export A
448	=	Cuban; brand unspecified	154	=	Express, State
449	=	Cubana; brand unspecified	330	=	Extreme
476	=	Cubana, La Gloria			
483	=	Cubano, Mi			
447	=	Cubanos, Cremosa	4042	=	Famous, R & J
4013	=	Cubita	1063	=	Fantasia
407	=	Cuesta-Rey	4030	=	Felipe Gregorio
			181	=	Fiesta
			410	=	Filter, Erik
450	=	Dannerman	4036	=	Finca, La
174	=	Daves	182	=	First Choice
451	=	Davidoff	183	=	First Class
138	=	Davidson, Harley	4012	=	Five Star
203	=	Day's Work	4078	=	Flor Cabana
303	=	Days, Happy	4038	=	Flor de Oliva
1046	=	Delicados cigarettes	461	=	Fonseca

4034 = Fontana, La	4998 = Homemade cigars
108 = Forsyth	601 = Homegrown
207 = Fox, Red	4060 = Honduran; brand unspecified
4065 = Franco	314 = Honey Bee
436 = Franklin, Ben	1049 = Honey B's
1086 = Friendly, Smoker	4045 = Honey, Havana
4050 = Fuente	234 = Horse, Red
431 = Fuente, Arturo	211 = Horse, Work
	1031 = House Blend
	469 = Hoya De Monterrey
	470 = Hugo Cassar
4057 = Garcia, Perfecto	
411 = Garcia y Vega	1084 = Image
206 = Garrett, Levi	495 = Indios, Puros
321 = Garrett snuff, W.	471 = Infiesta
184 = Gauloises	
185 = Generic cigarettes; brand unspecified	
1055 = Geranimo	
1058 = Gitanes	
476 = Gloria Cubana, La	236 = J.D. Blend
1090 = Gold	4042 = J Famous, R &
4025 = Gold and Mild, Middleton	4019 = J.R. Tobacco
186 = Gold Coast	212 = Jack, Apple
466 = Gold, Habana	190 = Jacks
4026 = Gold, Habana Black and	497 = Jamaica, Royal
147 = Gold, Old	4061 = Jamaican; brand unspecified
302 = Gold River	139 = Jasmine
1018 = Gold, USA	191 = Jester (roll-your-own)
109 = GPC	4069 = Jimenes, Leon
1073 = Grand	1040 = Joe, Smokin
1089 = Grand Prix	1066 = John Player
204 = Granger	4023 = John T's
4030 = Gregorio, Felipe	453 = Jose, Don
462 = Grenadiers	472 = Joya De Nicaragua
463 = Griffin's	473 = Jr Ultimate
187 = Gudang Guram	496 = Julieta, Romeo y
188 = Gunsmoke	
187 = Guram, Gudang	
4072 = Gurkha	192 = Kailas Bidis
	193 = Kamel Red
	326 = Kayak
464 = H. Upmann	110 = Kent
205 = H.B. Scott	4076 = Key West
4026 = Habana Black and Gold	1074 = Khrong Thip
466 = Habana Gold	474 = King
465 = Habana/Havana; brand unspecified	235 = King B
163 = Hai, Bali	413 = King Edward
4004 = Hall, Temple	305 = Kodiak
303 = Happy Days	111 = Kool
138 = Harley Davidson	1059 = Krakatoa Kretek
227 = Havana Blossom	1059 = Kretek, Krakatoa
465 = Havana; brand unspecified, Habana/	1060 = Kretek, Kuta
4045 = Havana Honey	1060 = Kuta Kretek
412 = Havatampa	
304 = Hawken	
102 = Hedges, Benson &	141 = L & M
467 = Henry Clay	475 = La Aurora
1076 = Highway	414 = La Corona
4056 = Hinds, Thomas	4055 = La Diva
189 = Hi-Value	4036 = La Finca
468 = Hobo	4034 = La Fontana
1033 = Hollywood	476 = La Gloria Cubana

477	=	La Tradicion	4032	=	Montesino
478	=	La Unica	4079	=	Montoya
121	=	Label, Private	117	=	More
479	=	LaFlor Dominicana	222	=	Morgan's
220	=	Lancaster	460	=	Mundo, El Rey del
140	=	Lark	4035	=	Muniemaker
4008	=	Lars Tetens	417	=	Muriel
480	=	Las Cabrillas	1027	=	Mustang
215	=	Leaf, Big			
223	=	Leaf, Peachy Big	4075	=	Napa
703	=	Leaves, Coca	1001	=	Nat Sherman cigarettes
194	=	Legend	4018	=	Nat Sherman cigars
4069	=	Leon Jimenes	315	=	Navy
206	=	Levi Garrett	118	=	Newport
1039	=	Lewiston	4066	=	New York cigars
1083	=	Liggett Select	1047	=	New York New York
454	=	Lino, Don	472	=	Nicaragua, Joya De
4997	=	Little cigars; brand unspecified	4027	=	Nicaraguan; brand unspecified
415	=	Little Nippers	801	=	Nicorette
481	=	Lone Wolf	415	=	Nippers, Little
142	=	Lucky Strike	146	=	Now
4059	=	M Santana, V	147	=	Old Gold
416	=	Macanudos	4038	=	Oliva, Flor de
143	=	Magna	487	=	Oliveros
221	=	Mail Pouch	1002	=	Omaha
196	=	Mainstreet	1054	=	Omar Sharif
195	=	Malibu	1052	=	One, Premium
119	=	Mall, Pall	4020	=	Onyx
208	=	Man, Red	488	=	Optimo
701	=	Marijuana	489	=	Opus X
197	=	Marker	237	=	Our Pride
112	=	Marlboro	426	=	Owl, White
1088	=	Marlin	328	=	Ozona
482	=	Martinez y Cia			
408	=	Masters, Dutch	490	=	Padron
177	=	Maurier, Du	4039	=	Palace
144	=	Maverick	119	=	Pall Mall
145	=	Max	213	=	Park, Ball
198	=	Medallion	120	=	Parliament
199	=	Meridian	491	=	Parodi Cella
113	=	Merit	418	=	Partagas
4041	=	Miami Suites	322	=	Peach
483	=	Mi Cubano	223	=	Peachy Big Leaf
484	=	Middleton Cherry Blend	427	=	Penn, William
4025	=	Middleton Gold and Mild	4057	=	Perfecto Garcia
4071	=	Mifflins Choice	419	=	Phillies
404	=	Mild, Black &	1003	=	Piel Roja
4025	=	Mild, Middleton Gold and	5999	=	Pipe tobacco; brand unspecified
1012	=	Mild Sevens, Seven Stars/	4011	=	Place, Tobacco
323	=	Mint Snuff	1004	=	Planet
114	=	Misty	4031	=	Playboy
1080	=	Monaco	1066	=	Player, John
115	=	Monarch	148	=	Players
485	=	Monero	233	=	Plug, Bloodhound Thick
116	=	Montclair	232	=	Plug Tobacco, Apple
4046	=	Monte Carlo	221	=	Pouch, Mail
486	=	Montecristo	1052	=	Premium One
4070	=	Montecruz			
469	=	Monterrey, Hoya De			

1013	=	Price, Slim	4017	=	Rum Runner
237	=	Pride, Our	4017	=	Runner, Rum
228	=	Pride, Southern			
209	=	Pride, Taylors			
1024	=	Prime	122	=	Salem
492	=	Primetime	1011	=	Sampoerna's
1077	=	Prince (Denmark)	1038	=	Samson rolling tobacco
493	=	Prince Albert cigars	4059	=	Santana, VM
501	=	Prince Albert tobacco	152	=	Saratoga
121	=	Private Label	153	=	Satin
1005	=	Private Stock	498	=	Schimmelpennick
1089	=	Prix, Grand	205	=	Scott, H.B.
409	=	Producto, El	316	=	Seal, Red
494	=	Punch	456	=	Sebastian, Don
4049	=	Purofino	1081	=	Sebring
495	=	Puros Indios	1083	=	Select, Liggett
149	=	Pyramid	1064	=	Seneca; company unspecified
			1012	=	Seven Stars/Mild Sevens
1006	=	Quality Smokes	1012	=	Sevens, Seven Stars/Mild
1071	=	Quality, Value &	1067	=	Shag, Amsterdam (roll-your-own)
4080	=	Quirantes	164	=	Shag, Bali-
			1054	=	Sharif, Omar
			1001	=	Sherman cigarettes, Nat
4042	=	R & J Famous	4018	=	Sherman cigars, Nat
150	=	Raleigh	4024	=	Sierra Sweets
1007	=	Rally	1061	=	Signature
324	=	Ralphs	406	=	Silva, Casa
1008	=	Rave	307	=	Silver Creek
4040	=	Reas	1062	=	Sincerely Yours
238	=	Red, Big	308	=	Skool
207	=	Red Fox	1013	=	Slim Price
234	=	Red Horse	125	=	Slims, Virginia
193	=	Red, Kamel	424	=	Smalls, Tijuana
208	=	Red Man	1086	=	Smoker Friendly
316	=	Red Seal	1006	=	Smokes, Quality
306	=	Redwood	1040	=	Smokin Joe
4073	=	Reinas, Dos	3999	=	Snuff; brand unspecified
455	=	Rene, Don	1014	=	Sobranie
325	=	Renegades	1041	=	Sonoma
407	=	Rey, Cuesta-	228	=	Southern Pride
460	=	Rey del Mundo, El	1057	=	Sovereign
151	=	Richland	1085	=	Special
420	=	Rigoletto	1045	=	Specials, Turkish
302	=	River, Gold	161	=	Spirit, American
421	=	Robert Burns	1032	=	Spirit rolling tobacco, American
422	=	Roi-Tan	1065	=	Splash
1003	=	Roja, Piel	1023	=	Sport
1038	=	Rolling tobacco, Samson	430	=	Sportsman, Arango
1009	=	Rollrich (roll-your-own)	1015	=	Springwater Vanilla
1998	=	Roll-your-own cigarette; brand unspecified	318	=	Square
496	=	Romeo y Julieta	499	=	Stag
317	=	Rooster	1075	=	Star
4043	=	Rosa Cuba	4012	=	Star, Five
320	=	Rose, Tube	1012	=	Stars/Mild Sevens, Seven
1010	=	Rothman	154	=	State Express
224	=	Rough Country	4067	=	States; brand unspecified, United
4068	=	Rounds, Caribbean	155	=	Sterling
4081	=	Royales	1005	=	Stock, Private
497	=	Royal Jamaica	230	=	Stoker
			142	=	Strike, Lucky
			156	=	Style

4041 = Suites, Miami	1050 = USA
1016 = Summit	1018 = USA Gold
1017 = Sundance	
1068 = Superkings	
327 = Sweet, CC	
4001 = Sweets; brand unspecified	4037 = V Centennial
4024 = Sweets, Sierra	4059 = VM Santana
423 = Sweets, Swisher	1071 = Value & Quality
329 = Swift, Dean	130 = Value, Best
423 = Swisher Sweets	1028 = Value; brand unspecified
	1030 = Value, BV Bonus
	189 = Value, Hi-
4023 = T's, John	1070 = Value Time
1082 = Tahoe	1015 = Vanilla, Springwater
1042 = Tall	123 = Vantage
4002 = Tampa; brand unspecified	4029 = Vega, Celestino
422 = Tan, Roi-	411 = Vega, Garcia y
157 = Tareyton	1019 = Vegas
209 = Taylors Pride	124 = Viceroy
4003 = Te Amo	125 = Virginia Slims
4004 = Temple Hall	1087 = Virginian
1043 = Tempo	
4008 = Tetens, Lars	
233 = Thick Plug, Bloodhound	321 = W. Garrett snuff
1074 = Thip, Khrong	1020 = Waves
457 = Thomas, Don	226 = WB
4056 = Thomas Hinds	4076 = West, Key
4005 = Thompson	426 = White Owl
424 = Tijuana Smalls	427 = William Penn
309 = Timber Wolf	1053 = Wills
1070 = Time, Value	428 = Winchester
4006 = Tiparillo	4015 = Windsor
232 = Tobacco, Apple Plug	126 = Winston
5999 = Tobacco; brand unspecified, Pipe	4007 = Wolf Brothers
4011 = Tobacco Place	481 = Wolf, Lone
501 = Tobacco, Prince Albert	309 = Wolf, Timber
4019 = Tobacco, R.J.	203 = Work, Day's
1038 = Tobacco, Samson rolling	211 = Work Horse
158 = Top (roll-your-own)	229 = Workman, Union
4063 = Topper	1044 = Worth
319 = Tops	
210 = Totems	
1029 = Tourney	489 = X, Opus
477 = Tradicion, La	
4048 = Travis Club	
459 = Treats, Dutch	4066 = York cigars, New
159 = Triumph	1047 = York, New York New
225 = Trophy	1021 = Yours
160 = True	1062 = Yours, Sincerely
320 = Tube Rose	
1045 = Turkish Specials	
473 = Ultimate, Jr	1069 = Zig-Zag (roll-your-own)
1025 = Ultra Buy	4044 = Zino
478 = Unica, La	
229 = Union Workman	
4067 = United States; brand unspecified	
425 = Universal	
4052 = Upmann, Carl	
464 = Upmann, H.	

APPENDIX D

Substance Dependence and Abuse Variable Documentation

The 2000 NHSDA CAI included a series of questions designed to assess substance dependence and abuse, based on the criteria for dependence and abuse in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). In order to identify patterns of substance abuse within the 2000 NHSDA data, variable indicators were created to measure dependence on and abuse of alcohol and/or drugs. Due to the complexity of defining these dependence and abuse variables, additional details about how each of these indicators were created is being included in this appendix. For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if they met 3 or more of 6 dependence criteria. For alcohol, pain relievers, cigarettes, cocaine, heroin, sedatives, and stimulants, a respondent was defined as having dependence if they met 3 or more of 7 dependence criteria (including six standard criteria plus a seventh withdrawal symptom criteria). For alcohol and each illicit drug, a respondent was defined as having abused that substance if they met 1 or more of 4 abuse criteria

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances. The general reasons for inconsistencies and general types of inconsistencies are discussed in the following paragraphs.

Responses from core substance use and frequency of substance use questions as well as non-core substance use questions were used as criteria to determine whether or not a respondent was asked the dependence and abuse questions. Unknown responses in the core substance use and frequency of substance use questions are imputed. However, the imputation process does not take into account reported data in the non-core CAI modules. Responses could exist to the dependence and abuse questions that are inconsistent with the imputed substance use or frequency of use. These inconsistent responses could remain in the edited dependence and abuse variables and have not been excluded in the creation of the dependence and abuse recodes. Since different criteria and different combinations of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables may occur.

For the substances alcohol and marijuana, the criteria used to determine whether or not a respondent was asked the dependence and abuse questions included past year use of the respective substance and reporting use of the respective substance on 6 or more days in the past year. Since respondents were asked the dependence and abuse questions if they reported substance use in the past year, but did not report their frequency of substance use in the past year, inconsistencies can occur where the imputed frequency of use variable indicates less frequent use than required for respondents to be asked the dependence and abuse questions originally. For the substances stimulants, heroin, and cocaine, the criteria included reporting past year use in a core drug module or past year use in the non-core Special Drugs module; inconsistencies can occur when a core substance use variable indicates no use in the past year, but a dependence and abuse variable indicates substance dependence or abuse. For the substances hallucinogens, pain relievers, tranquilizers, inhalants, sedatives, and cigarettes, the only criteria used was that the respondent reported past year use of the respective substance, thus no inconsistencies can occur where the respondent is considered a non-user of the substance, but dependent on or abusing the substance. A respondent might provide ambiguous information about their past year use of any individual substance, in which case these respondents are not asked the dependence and abuse questions for that substance. Subsequently, these respondents can be imputed to be past year users of the

respective substance. In this situation, the dependence and abuse data are unknown, thus these respondents are classified as not dependent on or abusing the respective substance; however, the respondent was never actually asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues that exist for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met 3 or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing 2 or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include: i) sweating or feeling that heart was beating fast, ii) having hands tremble, iii) having trouble sleeping, iv) vomiting or feeling nauseous, v) seeing, hearing, or feeling things that weren't really there, vi) feeling like couldn't sit still, vii) feeling anxious, viii) having seizures or fits. (ALCWDSMT=1)

Note: A respondent could answer the dependence questions if they reported using alcohol in the past year, but did not report the frequency of days in which they drank an alcoholic beverage. Thus cases may exist where a respondent was classified as dependent on alcohol, but drank an alcoholic beverage less than six days in the past year according to the imputed frequency of use variable (IRALCFY).

CIGARETTES:

To be defined with cigarette dependence, DEPND CIG, a respondent must have met 3 or more of these cigarette dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cigarettes (CIGLOTTM=1)
- (2) Used cigarettes more often than intended or was unable to keep set limits on cigarette use (CIGKPLMT=2)
- (3) Needed to use cigarettes more than before to get desired effects or noticed that same amount of cigarette use had less effect than before (CIGNDMOR=1 or CIGLSEFX=1)
- (4) Inability to cut down or stop using cigarettes every time tried or wanted to (CIGCUTEV=2)
- (5) Continued to use cigarettes even though it was causing problems with emotions, nerves, mental health, or physical problems (CIGEMCTD=1 or CIGPHCTD=1)
- (6) Cigarette use reduced or eliminated involvement or participation in important activities (CIGLSACT=1)
- (7) Reported experiencing 4 or more cigarette withdrawal symptoms at the same time that lasted longer than a day after cigarette use was cut back or stopped. Symptoms include: i) feeling kind of blue, down, or depressed, ii) having trouble sleeping, iii) feeling irritable, frustrated, or angry, iv) feeling anxious, v) having difficulty concentrating, vi) feeling hungry more often or gaining weight, vii) feeling restless, viii) having slower heart rate. (CIGWDSMT=1)

COCAINE:

To be defined with cocaine dependence, DEPND COC, a respondent must have met 3 or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cocaine (COCLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on alcohol use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCEMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFBLU=1) as well as experiencing 2 or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include: i) feeling tired or exhausted, ii) having bad dreams, iii) having trouble sleeping or sleeping more than normal, iv) feeling hungry more often, v) feeling either very slowed down or like could not sit still. (COCWDSMT=1)

Note: A respondent could answer the dependence questions if they reported injecting cocaine with a needle in the past year, even though they reported not using cocaine in the past year. Thus cases may exist where a respondent was classified as being dependent on cocaine, even though they had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met 3 or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing 3 or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include: i) feeling kind of blue or down, ii) vomiting or feeling nauseous, iii) having cramps or muscle aches, iv) having teary eyes or a runny nose, v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, vi) having diarrhea, vii) yawning, viii) having a fever, ix) having trouble sleeping. (HERWDSMT=1)

Note: A respondent could answer the dependence questions if they reported injecting with a needle, sniffing, or snorting heroin in the past year, even though they reported not using heroin in the past year. Thus cases may exist where a respondent was classified as dependent on heroin, even though they had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met 3 or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)
- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though it was causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing 3 or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include: i) feeling kind of blue or down, ii) vomiting or feeling nauseous, iii) having cramps or muscle aches, iv) having teary eyes or a runny nose, v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, vi) having diarrhea, vii) yawning, viii) having a fever, ix) having trouble sleeping. (ANLWDSMT=1)

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have met 3 or more of these sedative dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of sedatives (SEDLTOTM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though it was causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLFACT=1)
- (7) Reported experiencing 2 or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include: i) sweating or feeling that heart was beating fast, ii) having hands tremble, iii) having trouble sleeping or sleeping more than normal, iv) vomiting or feeling nauseous, v) seeing, hearing, or feeling things that weren't really there, vi) feeling like couldn't sit still, vii) feeling anxious, viii) having seizures or fits. (SEDWDSMT=1)

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have met 3 or more of these stimulant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMLSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though it was causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLFACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing 2 or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include: i) feeling tired or exhausted, ii) having bad dreams, iii) having trouble sleeping or sleeping more than normal, iv) feeling hungry more often, v) feeling either very slowed down or like could not sit still. (STMWDSMT=1)

Note: A respondent could answer the dependence questions if they reported injecting stimulants with a needle in the past year, even though they reported not using stimulants in the past year. Thus cases may exist where a respondent was classified as being dependent on stimulants, even though they had not used stimulants in the past year according to the imputed recency variable (STMYR).

Substance Dependence Recodes Defined Without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have met 3 or more of these hallucinogen dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they was causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1)

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met 3 or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they was causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1)

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met 3 or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)
- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)
- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though they was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1)

Note: A respondent could answer the dependence questions if they reported using marijuana in the past year, but did not report the frequency of days in which they used marijuana. Thus cases may exist where a respondent was classified as dependent on marijuana, but used marijuana less than six days in the past year according to the imputed frequency of use variable (IRMRJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met 3 or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they was causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHCTD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1)

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met 1 or more of these alcohol abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using alcohol - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERP=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1)

Note: A respondent could answer the abuse questions if they reported using alcohol in the past year, but did not report the frequency of days in which they drank an alcoholic beverage. Thus cases may exist where a respondent was classified to have abused alcohol, but drank an alcoholic beverage less than six days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met 1 or more of these cocaine abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using cocaine - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERP=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1)

Note: A respondent could answer the abuse questions if they reported injecting cocaine with a needle in the past year, even though they reported not using cocaine in the past year. Thus cases may exist where a respondent was classified to have abused cocaine, even though they had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have met 1 or more of these hallucinogen abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using hallucinogens - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1)

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met 1 or more of these heroin abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using heroin - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1)

Note: A respondent could answer the abuse questions if they reported injecting with a needle, sniffing, or snorting heroin in the past year, even though they reported not using heroin in the past year. Thus cases may exist where a respondent was classified to have abused heroin, even though they had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met 1 or more of these inhalant abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using inhalants - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INHSERP=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INHLOWTR=1)
- (4) Problems with family or friends caused by using inhalants (INHFMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INHFMCTD=1)

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met 1 or more of these marijuana abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using marijuana - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJSERP=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLOWTR=1)
- (4) Problems with family or friends caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1)

Note: A respondent could answer the abuse questions if they reported using marijuana in the past year, but did not report the frequency of days in which they used marijuana. Thus cases may exist where a respondent was classified to have abused marijuana, but used marijuana less than six days in the past year according to the imputed frequency of use variable (IRMRJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met 1 or more of these pain reliever abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using pain relievers - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ANLSERP=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMFPB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1)

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have met 1 or more of these sedative abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using sedatives - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(SEDSERP=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMFPB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1)

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have met 1 or more of these stimulant abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using stimulants - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(STMSERP=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFPB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCTD=1)

Note: A respondent could answer the abuse questions if they reported injecting stimulants with a needle in the past year, even though they reported not using stimulants in the past year. Thus cases may exist where a respondent was classified to have abused stimulants, even though they had not used stimulants in the past year according to the imputed recency variable (STMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met 1 or more of these tranquilizer abuse criteria in the past year:

- (1) Serious problems at home, work, or school caused by using tranquilizers - such as:
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(TRNSERP=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends caused by using tranquilizers (TRNFMFPB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCTD=1)

APPENDIX E

Occupational Classification System For Recodes

1990 OCCUPATIONAL CLASSIFICATION SYSTEM

Numbers in parentheses following the occupation categories are the 1980 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

1990 Census code	Occupation category	1990 Census code	Occupation category
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS-Con.
1	Executive, Administrative, and Managerial Occupations	2	Professional Specialty Occupations
	Legislators (111)		Engineers, Architects, and Surveyors
	Chief executives and general administrators, public administration (112)		Architects (161)
	Administrators and officials, public administration (1132-1139)		Engineers
	Administrators, protective services (1131)		Aerospace (1622)
	Financial managers (122)		Metallurgical and materials (1623)
	Personnel and labor relations managers (123)		Mining (1624)
	Purchasing managers (124)		Petroleum (1625)
	Managers, marketing, advertising, and public relations (125)		Chemical (1626)
	Administrators, education and related fields (128)		Nuclear (1627)
	Managers, medicine and health (131)		Civil (1628)
	Postmasters and mail superintendents (1344)		Agricultural (1632)
	Managers, food serving and lodging establishments (1351)		Electrical and electronic (1633, 1636)
	Managers, properties and real estate (1353)		Industrial (1634)
	Funeral directors (pt 1359)		Mechanical (1635)
	Managers, service organizations, n.e.c. (127, 1352, 1354, pt 1359)		Marine and naval architects (1637)
	Managers and administrators, n.e.c. (121, 126, 132-1343, 136-139)		Engineers, n.e.c. (1639)
	Management Related Occupations		Surveyors and mapping scientists (164)
	Accountants and auditors (1412)		Mathematical and Computer Scientists
	Underwriters (1414)		Computer systems analysts and scientists (171)
	Other financial officers (1415, 1419)		Operations and systems researchers and analysts (172)
	Management analysts (142)		Actuaries (1732)
	Personnel, training, and labor relations specialists (143)		Statisticians (1733)
	Purchasing agents and buyers, farm products (1443)		Mathematical scientists, n.e.c. (1739)
	Buyers, wholesale and retail trade except farm products (1442)		Natural Scientists
	Purchasing agents and buyers, n.e.c. (1449)		Physicists and astronomers (1842, 1843)
	Business and promotion agents (145)		Chemists, except biochemists (1845)
	Construction inspectors (1472)		Atmospheric and space scientists (1846)
	Inspectors and compliance officers, except construction (1473)		Geologists and geodesists (1847)
	Management related occupations, n.e.c. (149)		Physical scientists, n.e.c. (1849)
			Agricultural and food scientists (1853)
			Biological and life scientists (1854)
			Forestry and conservation scientists (1852)
			Medical scientists (1855)
			Health Diagnosing Occupations
			Physicians (261)
			Dentists (262)
			Veterinarians (27)
			Optometrists (281)
			Podiatrists (283)
			Health diagnosing practitioners, n.e.c. (289)

1990
Census
code

Occupation category

**MANAGERIAL AND PROFESSIONAL
SPECIALTY OCCUPATIONS-Con.
Professional Specialty Occupations-Con.**

Health Assessment and Treating
Occupations
Registered nurses (29)
Pharmacists (301)
Dietitians (302)
Therapists
Respiratory therapists (3031)
Occupational therapists (3032)
Physical therapists (3033)
Speech therapists (3034)
Therapists, n.e.c. (3039)
Physicians' assistants (304)

Teachers, Postsecondary
Earth, environmental, and marine science
teachers (2212)
Biological science teachers (2213)
Chemistry teachers (2214)
Physics teachers (2215)
Natural science teachers, n.e.c. (2216)
Psychology teachers (2217)

Economics teachers (2218)
History teachers (2222)
Political science teachers (2223)
Sociology teachers (2224)
Social science teachers, n.e.c. (2225)
Engineering teachers (2226)
Mathematical science teachers (2227)
Computer science teachers (2228)
Medical science teachers (2231)

Health specialties teachers (2232)
Business, commerce, and marketing
teachers (2233)
Agriculture and forestry teachers (2234)
Art, drama, and music teachers (2235)
Physical education teachers (2236)
Education teachers (2237)
English teachers (2238)
Foreign language teachers (2242)
Law teachers (2243)
Social work teachers (2244)

Theology teachers (2245)
Trade and industrial teachers (2246)
Home economics teachers (2247)
Teachers, postsecondary, n.e.c. (2249)
Postsecondary teachers, subject not
specified

1990
Census
code

Occupation category

**MANAGERIAL AND PROFESSIONAL
SPECIALTY OCCUPATIONS-Con.
Professional Specialty Occupations-Con.**

Teachers, Except Postsecondary
Teachers, prekindergarten and kindergarten
(231)
Teachers, elementary school (232)
Teachers, secondary school (233)
Teachers, special education (235)
Teachers, n.e.c. (236, 239)
Counselors, educational and vocational (24)
Librarians, Archivists, and Curators
Librarians (251)
Archivists and curators (252)
Social Scientists and Urban Planners
Economists (1912)
Psychologists (1915)
Sociologists (1916)
Social scientists, n.e.c. (1913, 1914, 1919)
Urban planners (192)
Social, Recreation, and Religious Workers
Social workers (2032)
Recreation workers (2033)
Clergy (2042)
Religious workers, n.e.c. (2049)
Lawyers and Judges
Lawyers (211)
Judges (212)

Writers, Artists, Entertainers, and Athletes
Authors (321)
Technical writers (398)
Designers (322)
Musicians and composers (323)
Actors and directors (324)
Painters, sculptors, craft-artists, and artist
printmakers (325)
Photographers (326)
Dancers (327)
Artists, performers, and related workers,
n.e.c. (328, 329)
Editors and reporters (331)
Public relations specialists (332)
Announcers (333)
Athletes (34)

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS
Technicians and Related Support
Occupations**

Health Technologists and Technicians
Clinical laboratory technologists and
technicians (362)

1990
Census
code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

Technicians and Related Support

Occupations-Con.

Health Technologists and Technicians-Con.

Dental hygienists (363)

Health record technologists and technicians
(364)

Radiologic technicians (365)

Licensed practical nurses (366)

Health technologists and technicians, n.e.c.
(369)

Technologists and Technicians, Except Health
Engineering and Related Technologists and
Technicians

Electrical and electronic technicians (3711)

Industrial engineering technicians (3712)

Mechanical engineering technicians (3713)

Engineering technicians, n.e.c. (3719)

Drafting occupations (372)

Surveying and mapping technicians (373)

Science Technicians

Biological technicians (382)

Chemical technicians (3831)

Science technicians, n.e.c. (3832, 3833, 384,
389)

Technicians; Except Health, Engineering, and
Science

Airplane pilots and navigators (825)

Air traffic controllers (392)

Broadcast equipment operators (393)

Computer programmers (3971, 3972)

Tool programmers, numerical control (3974)

Legal assistants (396)

Technicians, n.e.c. (399)

4

Sales Occupations

Supervisors and proprietors, sales
occupations (40)

Sales Representatives, Finance and Business
Services

Insurance sales occupations (4122)

Real estate sales occupations (4123)

Securities and financial services sales
occupations (4124)

Advertising and related sales occupations
(4153)

Sales occupations, other business services
(4152)

Sales Representatives, Commodities Except
Retail

Sales engineers (421)

Sales representatives, mining,
manufacturing, and wholesale (423, 424)

1990
Census
code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

Sales Occupations-Con.

Sales Workers, Retail and Personal Services

Sales workers, motor vehicles and boats
(4342, 4344)

Sales workers, apparel (4346)

Sales workers, shoes (4351)

Sales workers, furniture and home
furnishings (4348)

Sales workers; radio, TV, hi-fi, and
appliances (4343, 4352)

Sales workers, hardware and building
supplies (4353)

Sales workers, parts (4367)

Sales workers, other commodities (4345,
4347, 4354, 4356, 4359, 4362, 4369)

Sales counter clerks (4363)

Cashiers (4364)

Street and door-to-door sales workers (4366)

News vendors (4365)

Sales Related Occupations

Demonstrators, promoters and models, sales
(445)

Auctioneers (447)

Sales support occupations, n.e.c. (444, 446,
449)

5

**Administrative Support Occupations,
Including Clerical**

Supervisors, Administrative Support

Occupations

Supervisors, general office (4511, 4513, 4514,
4516, 4519, 4529)

Supervisors, computer equipment operators
(4512)

Supervisors, financial records processing
(4521)

Chief communications operators (4523)

Supervisors; distribution, scheduling, and
adjusting clerks (4522, 4524-4528)

Computer Equipment Operators

Computer operators (4612)

Peripheral equipment operators (4613)

Secretaries, Stenographers, and Typists

Secretaries (4622)

Stenographers (4623)

Typists (4624)

Information Clerks

Interviewers (4642)

Hotel clerks (4643)

Transportation ticket and reservation agents
(4644)

Receptionists (4645)

Information clerks, n.e.c. (4649)

1990
Census
code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

**Administrative Support Occupations,
Including Clerical-Con.**

Records Processing Occupations, Except
Financial

Classified-ad clerks (4662)
Correspondence clerks (4663)
Order clerks (4664)
Personnel clerks, except payroll and
timekeeping (4692)
Library clerks (4694)
File clerks (4696)
Records clerks (4699)

Financial Records Processing Occupations

Bookkeepers, accounting, and auditing clerks
(4712)
Payroll and timekeeping clerks (4713)
Billing clerks (4715)
Cost and rate clerks (4716)
Billing, posting, and calculating machine
operators (4718)

Duplicating, Mail and Other Office Machine
Operators

Duplicating machine operators (4722)
Mail preparing and paper handling machine
operators (4723)
Office machine operators, n.e.c. (4729)

Communications Equipment Operators

Telephone operators (4732)
Communications equipment operators, n.e.c.
(4733,4739)

Mail and Message Distributing Occupations

Postal clerks, exc. mail carriers (4742)
Mail carriers, postal service (4743)
Mail clerks, exc. postal service (4744)
Messengers (4745)

Material Recording, Scheduling, and

Distributing Clerks
Dispatchers (4751)
Production coordinators (4752)
Traffic, shipping, and receiving clerks (4753)
Stock and inventory clerks (4754)
Meter readers (4755)
Weighers, measurers, checkers and
samplers (4756, 4757)
Expeditors (4758)

Material recording, scheduling, and
distributing clerks, n.e.c. (4759)

Adjusters and Investigators

Insurance adjusters, examiners, and
investigators (4782)

1990
Census
code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

**Administrative Support Occupations
Including Clerical-Con**

Adjusters and Investigators-Con.

Investigators and adjusters, except
insurance (4783)
Eligibility clerks, social welfare (4784)
Bill and account collectors (4786)

Miscellaneous Administrative Support
Occupations

General office clerks (463)
Bank tellers (4791)
Proofreaders (4792)
Data-entry keyers (4793)
Statistical clerks (4794)
Teachers' aides (4795)
Administrative support occupations, n.e.c.
(4787, 4799)

SERVICE OCCUPATIONS

6

Private Household Occupations

Launderers and ironers (503)
Cooks, private household (504)
Housekeepers and butlers (505)
Child care workers, private household (506)
Private household cleaners and servants (502,
507, 509)

7

Protective Service Occupations

Supervisors, Protective Service Occupations
Supervisors, firefighting and fire prevention
occupations (5111)
Supervisors, police and detectives (5112)
Supervisors, guards (5113)
Firefighting and Fire Prevention Occupations
Fire inspection and fire prevention
occupations (5122)
Firefighting occupations (5123)

Police and Detectives

Police and detectives, public service (5132)
Sheriffs, bailiffs, and other law enforcement
officers (5134)
Correctional institution officers (5133)

Guards

Crossing guards (5142)
Guards and police, exc. public service
(5144)
Protective service occupations, n.e.c. (5149)

1990 Census code	Occupation category
	SERVICE OCCUPATIONS-Con.
8	Service Occupations, Except Protective and Household
	Food Preparation and Service Occupations
	Supervisors, food preparation and service occupations (5211)
	Bartenders (5212)
	Waiters and waitresses (5213)
	Cooks (5214, 5215)
	Food counter, fountain and related occupations (5216)
	Kitchen workers, food preparation (5217)
	Waiters'/waitresses' assistants (5218)
	Miscellaneous food preparation occupations (5219)
	Health Service Occupations
	Dental assistants (5232)
	Health aides, except nursing (5233)
	Nursing aides, orderlies, and attendants (5236)
	Cleaning and Building Service Occupations, except Household
	Supervisors, cleaning and building service workers (5241)
	Maids and housemen (5242, 5249)
	Janitors and cleaners (5244)
	Elevator operators (5245)
	Pest control occupations (5246)
	Personal Service Occupations
	Supervisors, personal service occupations (5251)
	Barbers (5252)
	Hairdressers and cosmetologists (5253)
	Attendants, amusement and recreation facilities (5254)
	Guides (5255)
	Ushers (5256)
	Public transportation attendants (5257)
	Baggage porters and bellhops (5262)
	Welfare service aides (5263)
	Family child care providers (pt 5264)
	Early childhood teacher's assistants (pt 5264)
	Child care workers, n.e.c. (pt 5264)
	Personal service occupations, n.e.c. (5258, 5269)
9	FARMING, FORESTRY, AND FISHING OCCUPATIONS
	Farm Operators and Managers
	Farmers, except horticultural (5512-5514)
	Horticultural specialty farmers (5515)
	Managers, farms, except horticultural (5522-5524)
	Managers, horticultural specialty farms (5525)

1990 Census code	Occupation category
	FARMING, FORESTRY, AND FISHING OCCUPATIONS-Con.
	Other Agricultural and Related Occupations
	Farm Occupations, Except Managerial
	Supervisors, farm workers (5611)
	Farm workers (5612-5617)
	Marine life cultivation workers (5618)
	Nursery workers (5619)
	Related Agricultural Occupations
	Supervisors, related agricultural occupations (5621)
	Groundskeepers and gardeners, except farm (5622)
	Animal caretakers, except farm (5624)
	Graders and sorters, agricultural products (5625)
	Inspectors, agricultural products (5627)
	Forestry and Logging Occupations
	Supervisors, forestry, and logging workers (571)
	Forestry workers, except logging (572)
	Timber cutting and logging occupations (573, 579)
	Fishers, Hunters, and Trappers
	Captains and other officers, fishing vessels (pt 8241)
	Fishers (583)
	Hunters and trappers (584)
	PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS
10	Mechanics and Repairers
	Supervisors, mechanics and repairers (60)
	Mechanics and Repairers, Except Supervisors
	Vehicle and Mobile Equipment
	Mechanics and Repairers
	Automobile mechanics (pt 6111)
	Automobile mechanic apprentices (pt 6111)
	Bus, truck, and stationary engine mechanics (6112)
	Aircraft engine mechanics (6113)
	Small engine repairers (6114)
	Automobile body and related repairers (6115)
	Aircraft mechanics, exc. engine (6116)
	Heavy equipment mechanics (6117)
	Farm equipment mechanics (6118)
	Industrial machinery repairers (613)
	Machinery maintenance occupations (614)

1990
Census
code

Occupation category

**PRECISION PRODUCTION, CRAFT, AND
REPAIR OCCUPATIONS-Con.**

Mechanics and Repairers-Con.

- Mechanics and Repairers, Except Supervisors-Con.
- Electrical and Electronic Equipment Repairers
- Electronic repairers, communications and industrial equipment (6151, 6153, 6155)
- Data processing equipment repairers (6154)
- Household appliance and power tool repairers (6156)
- Telephone line installers and repairers (6157)
- Telephone installers and repairers (6158)
- Miscellaneous electrical and electronic equipment repairers (6152, 6159)
- Heating, air conditioning, and refrigeration mechanics (616)
- Miscellaneous Mechanics and Repairers
- Camera, watch, and musical instrument repairers (6171, 6172)
- Locksmiths and safe repairers (6173)
- Office machine repairers (6174)
- Mechanical controls and valve repairers (6175)
- Elevator installers and repairers (6176)
- Millwrights (6178)
- Specified mechanics and repairers, n.e.c. (6177, 6179)
- Not specified mechanics and repairers

11

Construction Trades

- Supervisors, Construction Occupations
- Supervisors; brickmasons, stonemasons, and tile setters (6312)
- Supervisors, carpenters and related workers (6313)
- Supervisors, electricians and power transmission installers (6314)
- Supervisors; painters, paperhangers, and plasterers (6315)
- Supervisors; plumbers, pipefitters, and steamfitters (6316)
- Supervisors, n.e.c. (6311, 6318)
- Construction Trades, Except Supervisors
- Brickmasons and stonemasons (pt 6412, pt 6413)
- Brickmason and stonemason apprentices (pt 6412, pt 6413)
- Tile setters, hard and soft (pt 6414, pt 6462)
- Carpet installers (pt 6462)

1990
Census
code

Occupation category

**PRECISION PRODUCTION, CRAFT, AND
REPAIR OCCUPATIONS-Con.**

Construction Trades-Con.

- Construction Trades, Except Supervisors-Con.
 - Carpenters (pt 6422)
 - Carpenter apprentices (pt 6422)
 - Drywall installers (6424)
 - Electricians (pt 6432)
 - Electrician apprentices (pt 6432)
 - Electrical power installers and repairers (6433)
 - Painters, construction and maintenance (6442)
 - Paperhangers (6443)
 - Plasterers (6444)
 - Plumbers, pipefitters, and steamfitters (pt 645)
 - Plumber, pipefitter, and steamfitter apprentices (pt 645)
 - Concrete and terrazzo finishers (6463)
 - Glaziers (6464)
 - Insulation workers (6465)
 - Paving, surfacing, and tamping equipment operators (6466)
 - Roofers (6468)
 - Sheetmetal duct installers (6472)
 - Structural metal workers (6473)
 - Drillers, earth (6474)
 - Construction trades, n.e.c. (6467, 6475, 6476, 6479)
- 12
- Extractive Occupations
 - Supervisors, extractive occupations (632)
 - Drillers, oil well (652)
 - Explosives workers (653)
 - Mining machine operators (654)
 - Mining occupations, n.e.c. (656)
 - Precision Production Occupations
 - Supervisors, production occupations (67, 71)
 - Precision Metal Working Occupations
 - Tool and die makers (pt 6811)
 - Tool and die maker apprentices (pt 6811)
 - Precision assemblers, metal (6812)
 - Machinists (pt 6813)
 - Machinist apprentices (pt 6813)
 - Boilermakers (6814)
 - Precision grinders, filers, and tool sharpeners (6816)
 - Patternmakers and model makers, metal (6817)
 - Lay-out workers (6821)
 - Precious stones and metals workers (Jewelers) (6822, 6866)

1990
Census
code

Occupation category

**PRECISION PRODUCTION, CRAFT, AND
REPAIR OCCUPATIONS-Con.**

Precision Production Occupations-Con.

Precision Metal Working Occupations-Con.

Engravers, metal (6823)

Sheet metal workers (pt 6824)

Sheet metal worker apprentices (pt 6824)

Miscellaneous precision metal workers(6829)

Precision Woodworking Occupations

Patternmakers and model makers, wood
(6831)

Cabinetmakers and bench carpenters (6832)

Furniture and wood finishers (6835)

Miscellaneous precision woodworkers(6839)

Precision Textile, Apparel, and Furnishings

Machine Workers

Dressmakers (pt 6852, pt 7752)

Tailors (pt 6852)

Upholsterers (6853)

Shoe repairers (6854)

Miscellaneous precision apparel and
fabric workers (6856, 6859, pt 7752)

Precision Workers, Assorted Materials

Hand molders and shapers, except
jewelers (6861)

Patternmakers, lay-out workers, and
cutters (6862)

Optical goods workers (6864, pt 7477,
pt 7677)

Dental laboratory and medical appliance
technicians (6865)

Bookbinders (6844)

Electrical and electronic equipment
assemblers (6867)

Miscellaneous precision workers, n.e.c.
(6869)

Precision Food Production Occupations

Butchers and meat cutters (6871)

Bakers (6872)

Food batchmakers (6873, 6879)

Precision Inspectors, Testers, and Related
Workers

Inspectors, testers, and graders (6881,
828)

Adjusters and calibrators (6882)

Plant and System Operators

Water and sewage treatment plant
operators (691)

Power plant operators (pt 693)

Stationary engineers (pt 693, 7668)

Miscellaneous plant and system
operators (692, 694, 695, 696)

1990
Census
code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS**

13

**Machine Operators, Assemblers, and
Inspectors**

Machine Operators and Tenders, Except

Precision

Metalworking and Plastic Working Machine
Operators

Lathe and turning machine set-up
operators (7312)

Lathe and turning machine operators
(7512)

Milling and planing machine operators
(7313, 7513)

Punching and stamping press machine
operators (7314, 7317, 7514, 7517)

Rolling machine operators (7316, 7516)

Drilling and boring machine operators (7318,
7518)

Grinding, abrading, buffing, and polishing
machine operators (7322, 7324, 7522)

Forging machine operators (7319, 7519)

Numerical control machine operators
(7326)

Miscellaneous metal, plastic, stone, and
glass working machine operators (7329,
7529)

Fabricating machine operators, n.e.c. (7339,
7539)

Metal and Plastic Processing Machine
Operators

Molding and casting machine operators
(7315, 7342, 7515, 7542)

Metal plating machine operators (7343,
7543)

Heat treating equipment operators (7344,
7544)

Miscellaneous metal and plastic
processing machine operators (7349,
7549)

Woodworking Machine Operators

Wood lathe, routing, and planing machine
operators (7431, 7432, 7631, 7632)

Sawing machine operators (7433, 7633)

Shaping and joining machine operators
(7435, 7635)

Nailing and tacking machine operators
(7636)

Miscellaneous woodworking machine
operators (7434, 7439, 7634, 7639)

1990
Census
code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Machine Operators, Assemblers, and
Inspectors-Con.**

Machine Operators and Tenders, Except
Precision-Con.

Printing Machine Operators

Printing press operators (7443, 7643)

Photoengravers and lithographers (6842,
7444, 7644)

Typesetters and compositors (6841, 7642)

Miscellaneous printing machine operators
(6849, 7449, 7649)

Textile, Apparel, and Furnishings Machine
Operators

Winding and twisting machine operators
(7451, 7651)

Knitting, looping, taping, and weaving machine
operators (7452, 7652)

Textile cutting machine operators (7654)

Textile sewing machine operators (7655)

Shoe machine operators (7656)

Pressing machine operators (7657)

Laundering and dry cleaning machine
operators (6855, 7658)

Miscellaneous textile machine operators
(7459, 7659)

Machine Operators, Assorted Materials

Cementing and gluing machine operators
(7661)

Packaging and filling machine operators
(7462, 7662)

Extruding and forming machine operators
(7463, 7663)

Mixing and blending machine operators

(7664)

Separating, filtering, and clarifying machine
operators (7476, 7666, 7676)

Compressing and compacting machine
operators (7467, 7667)

Painting and paint spraying machine
operators (7669)

Roasting and baking machine operators,
food (7472, 7672)

Washing, cleaning, and pickling machine
operators (7673)

Folding machine operators (7474, 7674)

Furnace, kiln, and oven operators, exc.
food (7675)

Crushing and grinding machine operators
(pt 7477, pt 7677)

Slicing and cutting machine operators (7478,
7678)

Motion picture projectionists (pt 7479)

1990
Census
code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Machine Operators, Assemblers, and
Inspectors-Con.**

Machine Operators and Tenders, Except
Precision-Con.

Machine Operators, Assorted Materials-Con.

Photographic process machine operators
(6863, 6868, 7671)

Miscellaneous machine operators, n.e.c.
(pt 7479, 7665, 7679)

Machine operators, not specified

Fabricators, Assemblers, and Hand Working
Occupations

Welders and cutters (7332, 7532, 7714)

Solderers and brazers (7333, 7533, 7717)

Assemblers (772, 774)

Hand cutting and trimming occupations
(7753)

Hand molding, casting, and forming
occupations (7754, 7755)

Hand painting, coating, and decorating
occupations (7756)

Hand engraving and printing occupations
(7757)

Miscellaneous hand working occupations
(7758, 7759)

Production Inspectors, Testers, Samplers, and
Weighers

Production inspectors, checkers, and
examiners (782, 787)

Production testers (783)

Production samplers and weighers (784)

Graders and sorters, exc. agricultural (785)

14

**Transportation and Material Moving
Occupations**

Motor Vehicle Operators

Supervisors, motor vehicle operators (8111)

Truck drivers (8212-8214)

Driver-sales workers (8218)

Bus drivers (8215)

Taxicab drivers and chauffeurs (8216)

Parking lot attendants (874)

Motor transportation occupations, n.e.c. (8219)

Transportation Occupations, Except Motor
Vehicles

Rail Transportation Occupations

Railroad conductors and yardmasters
(8113)

Locomotive operating occupations (8232)

Railroad brake, signal, and switch
operators (8233)

Rail vehicle operators, n.e.c. (8239)

1990
Census
code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Transportation and Material Moving
Occupations-Con.**

Transportation Occupations, Except Motor
Vehicles-Con.

Water Transportation Occupations

Ship captains and mates, except fishing
boats (pt 8241, 8242)

Sailors and deckhands (8243)

Marine engineers (8244)

Bridge, lock, and lighthouse tenders

(8245)

Material Moving Equipment Operators

Supervisors, material moving equipment
operators (812)

Operating engineers (8312)

Longshore equipment operators (8313)

Hoist and winch operators (8314)

Crane and tower operators (8315)

Excavating and loading machine
operators (8316)

Grader, dozer, and scraper operators
(8317)

Industrial truck and tractor equipment
operators (8318)

Miscellaneous material moving equipment
operators (8319)

15 **Handlers, Equipment Cleaners, Helpers, and
Laborers**

Supervisors, handlers, equipment cleaners, and
laborers, n.e.c. (85)

Helpers, mechanics and repairers (663)

1990
Census
code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Handlers, Equipment Cleaners, Helpers, and
Laborers-Con.**

Helpers, Construction and Extractive
Occupations

Helpers, construction trades (8641-8645, 8648)

Helpers, surveyor (8646)

Helpers, extractive occupations (865)

Construction laborers (871)

Production helpers (861, 862)

Freight, Stock, and Material Handlers

Garbage collectors (8722)

Stevedores (8723)

Stock handlers and baggers (8724)

Machine feeders and offbearers (8725)

Freight, stock, and material handlers, n.e.c.
(8726)

Garage and service station related
occupations (873)

Vehicle washers and equipment cleaners
(875)

Hand packers and packagers (8761)

Laborers, except construction (8769)

16 **MILITARY OCCUPATIONS**

Commissioned Officers and Warrant Officers
Non-commissioned Officers and Other Enlisted
Personnel

Military occupation, rank not specified

**EXPERIENCED UNEMPLOYED NOT
CLASSIFIED BY OCCUPATION**

909 Last worked 1984 or earlier

APPENDIX F

Industrial Classification System For Recodes

1990 INDUSTRIAL CLASSIFICATION SYSTEM

Numbers in parentheses following the industry categories are the 1987 SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

1990 industry code	1990 industry code
Industry category	Industry category
<p>1 AGRICULTURE, FORESTRY, AND FISHERIES</p> <p>Agricultural production, crops (01) Agricultural production, livestock (02) Veterinary services (074) Landscape and horticultural services (078)</p> <p>Agricultural services, n.e.c. (071, 072, 075, 076) Forestry (0B) Fishing, hunting, and trapping (09)</p> <p>2 MINING</p> <p>Metal mining (10) Coal mining (12) Oil and gas extraction (13) Nonmetallic mining and quarrying, except fuels (14)</p> <p>3 CONSTRUCTION (15, 16, 17)</p> <p>MANUFACTURING</p> <p>4 Nondurable Goods</p> <p>Food and kindred products Meat products (201) Dairy products (202) Canned, frozen, and preserved fruits and vegetables (203) Grain mill products (204) Bakery products (205) Sugar and confectionery products (206) Beverage industries (208)</p> <p>Miscellaneous food preparations and kindred products (207, 209) Not specified food industries</p> <p>Tobacco manufactures (21)</p> <p>Textile mill products Knitting mills (225) Dyeing and finishing textiles, except wool and knit goods (226) Carpets and rugs (227) Yarn, thread, and fabric mills (221-224, 228) Miscellaneous textile mill products (229)</p>	<p>MANUFACTURING-Con. Nondurable Goods-Con.</p> <p>Apparel and other finished textile products Apparel and accessories, except knit (231-238) Miscellaneous fabricated textile products (239)</p> <p>Paper and allied products Pulp, paper, and paperboard mills (261-263) Miscellaneous paper and pulp products (267) Paperboard containers and boxes (265)</p> <p>Printing, publishing, and allied industries Newspaper publishing and printing (271) Printing, publishing, and allied industries, except newspapers (272-279)</p> <p>Chemicals and allied products Plastics, synthetics, and resins (282) Drugs (283) Soaps and cosmetics (284) Paints, varnishes, and related products (285) Agricultural chemicals (287) Industrial and miscellaneous chemicals (281, 286, 289)</p> <p>Petroleum and coal products Petroleum refining (291) Miscellaneous petroleum and coal products (295, 299)</p> <p>Rubber and miscellaneous plastics products Tires and inner tubes (301) Other rubber products and plastics footwear and belting (302-306) Miscellaneous plastics products (308)</p> <p>Leather and leather products</p> <p> Leather tanning and finishing (3,11) Footwear, except rubber and plastic (313, 314) Leather products, except footwear (315-317, 319)</p> <p>5 Durable Goods</p> <p>Lumber and wood products, except furniture Logging (241)</p>

1990
industry
code

Industry category
MANUFACTURING-Con.

Durable Goods-Con.
Lumber and wood products, except
furniture-Con.
Sawmills, planing mills, and millwork (242,
243)
Wood buildings and mobile homes (245)
Miscellaneous wood products (244, 249)
Furniture and fixtures (25)
Stone, clay, glass, and concrete products
Glass and glass products (321-323)
Cement, concrete, gypsum, and plaster
products (324, 327)
Structural clay products (325)
Pottery and related products (326)
Miscellaneous nonmetallic mineral and stone
products (328, 329)

Metal industries
Blast furnaces, steelworks, rolling and
finishing mills (331)
Iron and steel foundries (332)
Primary aluminum industries (3334, part 334,
3353-3355, 3363,3365)
Other primary metal industries (3331, 3339,
part 334, 3351, 3356, 3357, 3364, 3366,
3369, 339)
Cutlery, handtools, and general hardware
(342)
Fabricated structural metal products (344)
Screw machine products (345)
Metal forgings and stampings (346)
Ordnance (348)
Miscellaneous fabricated metal products (341,
343, 347, 349)
Not specified metal industries

Machinery and computing equipment
Engines and turbines (351)
Farm machinery and equipment (352)
Construction and material handling machines
(353)
Metalworking machinery (354)
Office and accounting machines (3578, 3579)
Computers and related equipment (3571-
3577)
Machinery, except electrical, n.e.c. (355, 356,
358, 359)
Not specified machinery

Electrical machinery, equipment, and supplies
Household appliances (363)
Radio, TV, and communication equipment
(365, 366)

1990
industry
code

Industry category
MANUFACTURING-Con.

Durable Goods-Con.
Electrical machinery, equipment, and
supplies-Con.
Electrical machinery, equipment, and supplies
n.e.c. (361, 362, 364, 367, 369)
Not specified electrical machinery, equipment
and supplies

Transportation equipment
Motor vehicles and motor vehicle equipment
(371)
Aircraft and parts (372)
Ship and boat building and repairing (373)
Railroad locomotives and equipment (374)
Guided missiles, space vehicles, and parts
(376)
Cycles and miscellaneous transportation
equipment (375, 379)

Professional and photographic equipment, and
watches
Scientific and controlling instruments (381, 382
exc. 3827)
Medical, dental, and optical instruments and
supplies (3827, 384, 385)

Photographic equipment and supplies (386)
Watches, clocks, and clockwork operated
devices (387)

Toys, amusement, and sporting goods (394)
Miscellaneous manufacturing industries (39 exc.
394)

Not specified manufacturing industries

6

**TRANSPORTATION COMMUNICATIONS,
AND OTHER PUBLIC UTILITIES**

Transportation
Railroads (40)
Bus service and urban transit (41, except 412)
Taxicab service (412)
Trucking service (421, 423)
Warehousing and storage (422)
U.S. Postal Service (43)
Water transportation (44)
Air transportation (45)
Pipe lines, except natural gas (46)
Services incidental to transportation (47)

Communications
Radio and television broadcasting and cable
(483, 484)
Telephone communications (481)
Telegraph and miscellaneous communications
services (482, 489)

1990
industry
code

Industry category

**TRANSPORTATION COMMUNICATIONS,
AND OTHER PUBLIC UTILITIES-Con.**

Utilities and sanitary services
Electric light and power (491)
Gas and steam supply systems (492, 496)
Electric and gas, and other combinations
(493)
Water supply and irrigation (494, 497)
Sanitary services (495)
Not specified utilities

WHOLESALE TRADE

7 Durable Goods

Motor vehicles and equipment (501)
Furniture and home furnishings (502)
Lumber and construction materials (503)
Professional and commercial equipment and
supplies (504)
Metals and minerals, except petroleum (505)
Electrical goods (506)
Hardware, plumbing and heating supplies (507)
Machinery, equipment, and supplies (508)
Scrap and waste materials (5093)
Miscellaneous wholesale, durable goods (509
exc. 5093)

8 Nondurable Goods

Paper and paper products (511)
Drugs, chemicals and allied products (512, 516)
Apparel, fabrics, and notions (513)
Groceries and related products (514)
Farm-product raw materials (515)
Petroleum products (517)
Alcoholic beverages (518)
Farm supplies (5191)
Miscellaneous wholesale, nondurable goods
(5192-5199)
Not specified wholesale trade

9 RETAIL TRADE

Lumber and building material retailing (521, 523)
Hardware stores (525)
Retail nurseries and garden stores (526)
Mobile home dealers (527)
Department stores (531)
Variety stores (533)
Miscellaneous general merchandise stores (539)
Grocery stores (541)
Dairy products stores (545)
Retail bakeries (546)

1990
industry
code

Industry category

RETAIL TRADE-Con.

Food stores, n.e.c. (542, 543, 544, 549)
Motor vehicle dealers (551, 552)
Auto and home supply stores (553)
Gasoline service stations (554)
Miscellaneous vehicle dealers (555, 556, 557,
559)
Apparel and accessory stores, except shoe (56,
except 566)
Shoe stores (566)
Furniture and home furnishings stores (571)
Household appliance stores (572)
Radio, TV, and computer stores (5731, 5734)
Music stores (5735, 5736)
Eating and drinking places (58)
Drug stores (591)
Liquor stores (592)
Sporting goods, bicycles, and hobby stores
(5941, 5945, 5946)
Book and stationery stores (5942, 5943)
Jewelry stores (5944)
Gift, novelty, and souvenir shops (5947)
Sewing, needlework and piece goods stores
(5949)
Catalog and mail order houses (5961)
Veriding machine operators (5962)
Direct selling establishments (5963)
Fuel dealers (598)
Retail florists (5992)
Miscellaneous retail stores (593, 5948, 5993
5995, 5999)
Not specified retail trade

10 FINANCE, INSURANCE, AND REAL ESTATE

Banking (60 exc. 603 and 606)
Savings institutions, including credit unions (603,
606)
Credit agencies, n.e.c. (61)
Security, commodity brokerage, and investment
companies (62, 67)
Insurance (63, 64)
Real estate, including real estate-insurance
offices (65)

11 BUSINESS AND REPAIR SERVICES

Advertising (731)
Services to dwellings and other buildings (734)
Personnel supply services (736)
Computer and data processing services (737)
Detective and protective services (7381, 7382)

Business services, n.e.c. (732, 733, 735, 7383
7389)

1990
industry
code

Industry category

BUSINESS AND REPAIR SERVICES-Con.

Automotive rental and leasing, without drivers (751)
Automobile parking and carwashes (752, 7542)
Automotive repair and related services (753, 7549)
Electrical repair shops (762, 7694)
Miscellaneous repair services (763, 764, 7692, 7699)

12 PERSONAL SERVICES

Private households (88)
Hotels and motels (701)
Lodging places, except hotels and motels (702, 703, 704)
Laundry, cleaning, and garment services (721 exc. part 7219)
Beauty shops (723)
Barber shops (724)
Funeral service and crematories (726)
Shoe repair shops (725)
Dressmaking shops (part 7219)
Miscellaneous personal services (722, 729)

13 ENTERTAINMENT AND RECREATION SERVICES

Theaters and motion pictures (781-783, 792)
Video tape rental (784)
Bowling centers (793)
Miscellaneous entertainment and recreation services (791, 794, 799)

14 PROFESSIONAL AND RELATED SERVICES

Offices and clinics of physicians (801, 803)
Offices and clinics of dentists (802)
Offices and clinics of chiropractors (8041)
Offices and clinics of optometrists (8042)
Offices and clinics of health practitioners, n.e.c. (8043, 8049)
Hospitals (806)
Nursing and personal care facilities (805)
Health services, n.e.c. (807, 808, 809)
Legal services (81)
Elementary and secondary schools (821)
Colleges and universities (822)
Vocational schools (824)
Libraries (823)
Educational services, n.e.c. (829)

1990
industry
code

Industry category

PROFESSIONAL AND RELATED SERVICES-Con.

Job training and vocational rehabilitation services (833)
Child day care services (part 835)
Family child care homes (part 835)
Residential care facilities, without nursing (836)
Social services, n.e.c. (832, 839)
Museums, art galleries, and zoos (84)
Labor unions (863)
Religious organizations (866)
Membership organizations, n.e.c. (861, 862, 864, 865, 869)
Engineering, architectural, and surveying services (871)
Accounting, auditing, and bookkeeping services (872)
Research, development, and testing services (873)
Management and public relations services (874)
Miscellaneous professional and related services (899)

15 PUBLIC ADMINISTRATION

Executive and legislative offices (911-913)
General government, n.e.c. (919)
Justice, public order, and safety (92)
Public finance, taxation, and monetary policy (93)
Administration of human resources programs (94)
Administration of environmental quality and housing programs (95)
Administration of economic programs (96)
National security and international affairs (97)

16 ACTIVE DUTY MILITARY

Armed Forces
Army
Air Force
Navy

Marines
Coast Guard
Armed Forces, Branch not specified
Military Reserves or National Guard

EXPERIENCED UNEMPLOYED NOT CLASSIFIED BY INDUSTRY

992 Last worked 1984 or earlier

APPENDIX G

Variable Map

The Variable Map marks the progression of data from the initial CAI Specification stage through the Edited, Imputation, and Recode stages. There are columns for the variable names at each of these stages. Analysts may use this map to determine what data are used in the creation of variables at a later stage.

CAI variables are those found in the specifications. The specifications include the logic flow and how the respondent reaches each of the questions. The electronic version of the CAI Specifications may be found at <http://datafiles.samhsa.gov>.

Edited variables use mnemonic names to describe the content of the variables and may contain special codes to indicate that logical assignment of values has taken place.

Variables under the column "imputed" are equivalent to their edited counterparts, except that missing or ambiguous values have been replaced by valid response codes obtained using an appropriate imputation procedure. Imputed values are distinguished from nonimputed values by an accompanying indicator variable, identified by the prefix "II" and given in the "Other" column.

Recoded variables are produced for the purpose of creating the estimates found in the Summary Tables and the annual Summary of Findings Report. In general, these use mnemonic names to describe the content of the variables. Data file users are advised to use these recoded variables to produce estimates comparable to those in published reports.

Variables that do not necessarily fall into the above categories are listed in the "Other" column.

The notes on the following page are referenced throughout the map. The column titled Notes will contain numbers 1 through 10 if the analyst should refer to the notes.

NOTE 1: This variable was created from recoded versions of the indicated source data. See the codebook for further information.

NOTE 2: This recoded variable was also created using the source data from the recoded "Ill Drug Dependency - Last 12 Months" variable labeled DEPNDILL.

NOTE 3: This recoded variable was also created using the source data from the recoded "Last/Current Trt for Ill Drugs" variable labeled TXLTILL2.

NOTE 4: This recoded variable was also created using the source data from the recoded "Ill Drug Abuse - Last 12 Months" variable labeled ABUSEILL.

NOTE 5: This recoded variable was also created using the source data from the recoded "Ill Drug Abuse - Last 12 Months" variable labeled ABUSEILL and the recoded "Ill Drug Dependence - Last 12 Months" variable labeled DEPNDILL.

NOTE 6: This recoded variable was also created using the source data from the recoded "Any Psych Abuse - Last 12 Months" variable labeled ABUSEPSY and the recoded "Any Psych Dependence - Last 12 Months" variable labeled DEPNDPSY.

NOTE 7: This recoded variable was also created using the source data from the recoded "Ill Drug Other Than MRJ Dep- Last 12 Months" variable labeled DEPNDIEM.

NOTE 8: This recoded variable was also created using the source data from the recoded "Ill Drug Other Than MRJ Abuse- Last 12 Months" variable labeled ABUSEIEM.

NOTE 9: This recoded variable was also created using the source data from the recoded "Ill Drug and Alc Dep- Last 12 Months" variable labeled DPILANAL and the recoded "Ill Drug and Alc Abuse- Last 12 Months" variable labeled ABILANAL.

NOTE 10: This recoded variable was also created using the source data from the recoded "Ill Drug or Alc Dep- Last 12 Months" variable labeled DPILLALC and the recoded "Ill Drug or Alc Abuse- Last 12 Months" variable labeled ABILLALC.

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QUESTID		QUESTID			
AGE1	AGE2			CATAGE	
AGE1	AGE2			CATAG2	
AGE1	AGE2			CATAG3	
AGE1	AGE2			CATAG7	
AGE1	AGE2			PREG	
AGE1	AGE2			PREG2	
AGE1	AGE2			TRIMEST	1
AGE1	AGE2			COLLEGE2	1
AGE1	AGE2			AGE2	
CALCAGE	AGE2			CATAGE	
CALCAGE	AGE2			CATAG2	
CALCAGE	AGE2			CATAG3	
CALCAGE	AGE2			CATAG7	
CALCAGE	AGE2			PREG	
CALCAGE	AGE2			PREG2	
CALCAGE	AGE2			TRIMEST	1
CALCAGE	AGE2			COLLEGE2	1
CALCAGE	AGE2			AGE2	
CONFIRM	AGE2			CATAGE	
CONFIRM	AGE2			CATAG2	
CONFIRM	AGE2			CATAG3	
CONFIRM	AGE2			CATAG7	
CONFIRM	AGE2			PREG	
CONFIRM	AGE2			PREG2	
CONFIRM	AGE2			TRIMEST	1
CONFIRM	AGE2			COLLEGE2	1
CONFIRM	AGE2			AGE2	
QD01		IISEX	IRSEX	PREG	
QD01		IISEX	IRSEX	PREG2	
QD01		IISEX	IRSEX	TRIMEST	1
QD03				NEW RACE2	
QD04OTHR				NEW RACE2	
QD05				NEW RACE2	
QD05ASIA				NEW RACE2	
OTHASIA				NEW RACE2	
QD05OTHA				NEW RACE2	
QD05OTHR				NEW RACE2	
QD06				NEW RACE2	
QD07		IIMARIT	IRMARIT		
QD08	NOMARR2	IIMARIT	IRMARIT		
QD09	SERVICE				
QD10	MILSTAT				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD11		IIEDUC2	IREduc2		
QD12	HEALTH				
CG01	CIGEVER				
CGREF1	CIGEVER				
CG02	CIGOFRSM				
CG03	CIGWILYR				
CG04	CIGTRY	IICIGAGE	IRCIGAGE	CIGAFU	
CG04	CIGTRY		IRCIGAGE	CIGAFU	
CG04			IRCIGAGE	CIGAFU	
CG04A	CIGYFU	IICIGYFU	IRCIGYFU		
CG04B	CIGYFU	IICIGYFU	IRCIGYFU		
CG04C	CIGYFU	IICIGYFU	IRCIGYFU		
CG04C			IRCIGYFU		
CG04C	CIGMFU				
CG04D	CIGMFU				
CG05	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGMON	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGYR	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBMON	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBYR	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
CG05	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGMON	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGYR	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBMON	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBYR	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
CG06	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGMON	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGYR	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBMON	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBYR	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
CG06	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGMON	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGYR	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBMON	
CG06	CIGREC	IICIGRC	IRCIGRC	TOBYR	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
CG06DK	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IICIGRC	IRCIGRC	CIGMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	CIGREC	IICIGRC	IRCIGRC	CIGYR	
	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
	CIGREC	IICIGRC	IRCIGRC	TOBMON	
	CIGREC	IICIGRC	IRCIGRC	TOBYR	
	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IICIGRC	IRCIGRC	CIGMON	
	CIGREC	IICIGRC	IRCIGRC	CIGYR	
	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
	CIGREC	IICIGRC	IRCIGRC	TOBMON	
	CIGREC	IICIGRC	IRCIGRC	TOBYR	
	CIGREC	IICIGRC	IRCIGRC	CIGBRND2	1
CG06RE	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG07	CIG30USE	IICIGFM	IRCIGFM	CIGMDAYS	
CG07	CIG30USE	IICIGFM	IRCIGFM	CIGPDAY	
CG07	CIG30USE	IICIGFM	IRCIGFM	CIGMDAYS	
CG07	CIG30USE	IICIGFM	IRCIGFM	CIGPDAY	
CG07DKRE	CG30EST	IICIGFM	IRCIGFM	CIGMDAYS	
CG07DKRE	CG30EST	IICIGFM	IRCIGFM	CIGPDAY	
CG07DKRE	CG30EST	IICIGFM	IRCIGFM	CIGMDAYS	
CG07DKRE	CG30EST	IICIGFM	IRCIGFM	CIGPDAY	
CG08	CIG30AV			CIGPDAY	
CG10	CIG30AV			CIGPDAY	
CG11	CIG30BRN	CIGCMPNY		CIGBRND2	1
RCG11	CIG30BRN	CIGCMPNY		CIGBRND2	1
RRCG11	CIG30BRN	CIGCMPNY		CIGBRND2	1
CG11A	CIG30BRN	CIGCMPNY		CIGBRND2	1
RCG11A	CIG30BRN	CIGCMPNY		CIGBRND2	1
RRCG11A	CIG30BRN	CIGCMPNY		CIGBRND2	1
CG12	CIG30BRN	CIGCMPNY		CIGBRND2	1
RCG12	CIG30BRN	CIGCMPNY		CIGBRND2	1
RRCG12	CIG30BRN	CIGCMPNY		CIGBRND2	1
CGTAR1	CIG30TYP				
CGTAR2	CIG30TYP				
CGMENTH1	CIG30MEN				
CGMENTH2	CIG30MEN				
CG14	CIG30ROL				
CG15	CIGDLYMO				
CG16	CIGAGE	IICDUAGE	IRCDUAGE		
CG16	CIGAGE				
CG16	CIGAGE	IICDUYFU	IRCDUYFU		
CG16	CIGAGE		IRCDUAGE		
CG16A	CIG100LF				
CG17	CHEWEVER				
CGREF2	CHEWEVER				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG18	CHEWTRY	IICHWAGE	IRCHWAGE		
CG18	CHEWTRY		IRCHWAGE		
CG18			IRCHWAGE		
CG18	CHEWTRY	SLTTRY	IRSLTAGE	SLTAFU	
CG18	CHEWTRY	IISLTAGE	IRSLTAGE	SLTAFU	
CG18	CHEWTRY		IRSLTAGE	SLTAFU	
CG18			IRSLTAGE	SLTAFU	
CG18A	CHEWYFU	IICHWYFU	IRCHWYFU		
CG18B	CHEWYFU	IICHWYFU	IRCHWYFU		
CG18C	CHEWYFU	IICHWYFU	IRCHWYFU		
CG18C			IRCHWYFU		
CG18A	CHEWYFU	SLTYFU	IRSLTYFU		
CG18B	CHEWYFU	SLTYFU	IRSLTYFU		
CG18C	CHEWYFU	SLTYFU	IRSLTYFU		
CG18C	CHEWYFU	IISLTYFU	IRSLTYFU		
CG18C			IRSLTYFU		
CG18C	CHEWMFU				
CG18D	CHEWMFU				
CG18C	CHEWMFU	SLTMFU			
CG18D	CHEWMFU	SLTMFU			
CG19	CHEWREC	IICHWRC	IRCHWRC	CHWFLAG	
CG19	CHEWREC	IICHWRC	IRCHWRC	CHWYR	
CG19	CHEWREC	IICHWRC	IRCHWRC	CHWMON	
CG19	CHEWREC	IICHWRC	IRCHWRC	TOBFLAG	
CG19	CHEWREC	IICHWRC	IRCHWRC	TOBMON	
CG19	CHEWREC	IICHWRC	IRCHWRC	TOBYR	
CG19	CHEWREC	I12CHWRC	IRCHWRC	CHWFLAG	
CG19	CHEWREC	I12CHWRC	IRCHWRC	CHWYR	
CG19	CHEWREC	I12CHWRC	IRCHWRC	CHWMON	
CG19	CHEWREC	I12CHWRC	IRCHWRC	TOBFLAG	
CG19	CHEWREC	I12CHWRC	IRCHWRC	TOBMON	
CG19	CHEWREC	I12CHWRC	IRCHWRC	TOBYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKBRND2	1
CG20	CHEWREC	IICHWRC	IRCHWRC	CHWFLAG	
CG20	CHEWREC	IICHWRC	IRCHWRC	CHWYR	
CG20	CHEWREC	IICHWRC	IRCHWRC	CHWMON	
CG20	CHEWREC	IICHWRC	IRCHWRC	TOBFLAG	
CG20	CHEWREC	IICHWRC	IRCHWRC	TOBMON	
CG20	CHEWREC	IICHWRC	IRCHWRC	TOBYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG20	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKBRND2	1
CG20	CHEWREC	I12CHWRC	IRCHWRC	CHWFLAG	
CG20	CHEWREC	I12CHWRC	IRCHWRC	CHWYR	
CG20	CHEWREC	I12CHWRC	IRCHWRC	CHWMON	
CG20	CHEWREC	I12CHWRC	IRCHWRC	TOBFLAG	
CG20	CHEWREC	I12CHWRC	IRCHWRC	TOBMON	
CG20	CHEWREC	I12CHWRC	IRCHWRC	TOBYR	
CG20	CHEWREC	I1SLTRC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	I1SLTRC	IRSLTRC	SMKYR	
CG20	CHEWREC	I1SLTRC	IRSLTRC	SMKMON	
CG20	CHEWREC	I1SLTRC	IRSLTRC	TOBFLAG	
CG20	CHEWREC	I1SLTRC	IRSLTRC	TOBMON	
CG20	CHEWREC	I1SLTRC	IRSLTRC	TOBYR	
CG20	CHEWREC	I1SLTRC	IRSLTRC	SMKBRND2	1
CG20	CHEWREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	I12SLTRC	IRSLTRC	SMKYR	
CG20	CHEWREC	I12SLTRC	IRSLTRC	SMKMON	
CG20	CHEWREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKBRND2	1
CG20DK	CHEWREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG20DK	CHEWREC	I12SLTRC	IRSLTRC	SMKYR	
CG20DK	CHEWREC	I12SLTRC	IRSLTRC	SMKMON	
CG20DK	CHEWREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	CHWFLAG	
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	CHWYR	
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	CHWMON	
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	TOBFLAG	
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	TOBMON	
CG20DK	CHEWREC	I1CHWRC	IRCHWRC	TOBYR	
CG20DK	CHEWREC	I12CHWRC	IRCHWRC	CHWFLAG	
CG20DK	CHEWREC	I12CHWRC	IRCHWRC	CHWYR	
CG20DK	CHEWREC	I12CHWRC	IRCHWRC	CHWMON	
CG20DK	CHEWREC	I12CHWRC	IRCHWRC	TOBFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG20DK	CHEWREC	I12CHWRC	IRCHWRC	TOBMON	
CG20DK	CHEWREC	I12CHWRC	IRCHWRC	TOBYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKBRND2	1
CG20RE	CHEWREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG20RE	CHEWREC	I12SLTRC	IRSLTRC	SMKYR	
CG20RE	CHEWREC	I12SLTRC	IRSLTRC	SMKMON	
CG20RE	CHEWREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	CHWFLAG	
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	CHWYR	
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	CHWMON	
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	TOBFLAG	
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	TOBMON	
CG20RE	CHEWREC	I1CHWRC	IRCHWRC	TOBYR	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	CHWFLAG	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	CHWYR	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	CHWMON	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	TOBFLAG	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	TOBMON	
CG20RE	CHEWREC	I12CHWRC	IRCHWRC	TOBYR	
CG21	CHW30USE	I1CHWFM	IRCHWFM		
CG21	CHW30USE	I12CHWFM	IRCHWFM		
CG21DKRE	CH30EST	I1CHWFM	IRCHWFM		
CG21DKRE	CH30EST	I12CHWFM	IRCHWFM		
CG22	CHW30BRN	SLT30BRN		SMKBRND2	1
RCG22	CHW30BRN	SLT30BRN		SMKBRND2	1
RRCG22	CHW30BRN	SLT30BRN		SMKBRND2	1
CG23	CHW30BRN	SLT30BRN		SMKBRND2	1
RCG23	CHW30BRN	SLT30BRN		SMKBRND2	1
RRCG23	CHW30BRN	SLT30BRN		SMKBRND2	1
CG25	SNFEVER				
CGREF3	SNFEVER				
CG26	SNUFTRY	I1SNFAGE	IRSNFAGE		
CG26	SNUFTRY		IRSNFAGE		
CG26			IRSNFAGE		
CG26	SNUFTRY	SLTTRY	IRSLTAGE	SLTAFU	
CG26	SNUFTRY	I1SLTAGE	IRSLTAGE	SLTAFU	
CG26	SNUFTRY		IRSLTAGE	SLTAFU	
CG26			IRSLTAGE		
CG26A	SNUFYFU	I1SNFYFU	IRSNFYFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG26B	SNUFYFU	IISNFYFU	IRSNFYFU		
CG26C	SNUFYFU	IISNFYFU	IRSNFYFU		
CG26C			IRSNFYFU		
CG26C	SNUFYFU	SLTYFU	IRSLTYFU		
CG26C	SNUFYFU	IISLTYFU	IRSLTYFU		
CG26C	SNUFYFU		IRSLTYFU		
CG26C			IRSLTYFU		
CG26C	SNUFMFU				
CG26D	SNUFMFU	SLTMFU			
CG27	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG27	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG27	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG27	SNFREC	I12SNFRC	IRSNFRC	SNFFLAG	
CG27	SNFREC	I12SNFRC	IRSNFRC	SNFYR	
CG27	SNFREC	I12SNFRC	IRSNFRC	SNFMON	
CG27	SNFREC	I12SNFRC	IRSNFRC	TOBFLAG	
CG27	SNFREC	I12SNFRC	IRSNFRC	TOBMON	
CG27	SNFREC	I12SNFRC	IRSNFRC	TOBYR	
CG27	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG27	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG27	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG27	SNFREC	SLTREC	IRSLTRC	SMKBRND2	1
CG27	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG27	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG27	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG27	SNFREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG27	SNFREC	I12SLTRC	IRSLTRC	SMKYR	
CG27	SNFREC	I12SLTRC	IRSLTRC	SMKMON	
CG27	SNFREC	I12SLTRC	IRSLTRC	TOBFLAG	
CG27	SNFREC	I12SLTRC	IRSLTRC	TOBMON	
CG27	SNFREC	I12SLTRC	IRSLTRC	TOBYR	
CG27	SNFREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG28	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG28	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG28	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28	SNFREC	SLTREC	IRSLTRC	TOBFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG28	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKBRND2	1
CG28	SNFREC	I12SNFRC	IRSNFRC	SNFFLAG	
CG28	SNFREC	I12SNFRC	IRSNFRC	SNFYR	
CG28	SNFREC	I12SNFRC	IRSNFRC	SNFMON	
CG28	SNFREC	I12SNFRC	IRSNFRC	TOBFLAG	
CG28	SNFREC	I12SNFRC	IRSNFRC	TOBMON	
CG28	SNFREC	I12SNFRC	IRSNFRC	TOBYR	
CG28	SNFREC	I1SLTRC	IRSLTRC	SMKFLAG	
CG28	SNFREC	I1SLTRC	IRSLTRC	SMKYR	
CG28	SNFREC	I1SLTRC	IRSLTRC	SMKMON	
CG28	SNFREC	I1SLTRC	IRSLTRC	TOBFLAG	
CG28	SNFREC	I1SLTRC	IRSLTRC	TOBMON	
CG28	SNFREC	I1SLTRC	IRSLTRC	TOBYR	
CG28	SNFREC	I1SLTRC	IRSLTRC	SMKBRND2	1
CG28	SNFREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG28	SNFREC	I12SLTRC	IRSLTRC	SMKYR	
CG28	SNFREC	I12SLTRC	IRSLTRC	SMKMON	
CG28	SNFREC	I12SLTRC	IRSLTRC	TOBFLAG	1
CG28	SNFREC	I12SLTRC	IRSLTRC	TOBMON	
CG28	SNFREC	I12SLTRC	IRSLTRC	TOBYR	
CG28	SNFREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKBRND2	1
CG28DK	SNFREC	I1SLTRC	IRSLTRC	SMKFLAG	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	SMKYR	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	SMKMON	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	TOBMON	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	TOBYR	
CG28DK	SNFREC	I1SLTRC	IRSLTRC	SMKBRND2	1
CG28DK	SNFREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	SMKYR	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	SMKMON	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	TOBMON	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	TOBYR	
CG28DK	SNFREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG28DK	SNFREC	I1SNFRC	IRSNFRC	SNFFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG28DK	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28DK	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	SNFFLAG	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	SNFYR	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	SNFMON	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	TOBFLAG	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	TOBMON	
CG28DK	SNFREC	I12SNFRC	IRSNFRC	TOBYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKBRND2	1
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKYR	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKMON	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBMON	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBYR	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKBRND2	1
CG28RE	SNFREC	I12SLTRC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	SMKYR	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	SMKMON	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	TOBMON	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	TOBYR	
CG28RE	SNFREC	I12SLTRC	IRSLTRC	SMKBRND2	1
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	SNFFLAG	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	SNFYR	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	SNFMON	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	TOBFLAG	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	TOBMON	
CG28RE	SNFREC	I12SNFRC	IRSNFRC	TOBYR	
CG29	SNF30USE	IISNFFM	IRSNFFM		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG29	SNF30USE	I 2SNFFM	IRSNFFM		
CG29DKRE	SN30EST	I SNFFM	IRSNFFM		
CG29DKRE	SN30EST	I 2SNFFM	IRSNFFM		
CG30	SNF30BRN	SLT30BRN		SMKBRND2	1
RCG30	SNF30BRN	SLT30BRN		SMKBRND2	1
RRCG30	SNF30BRN	SLT30BRN		SMKBRND2	1
CG31	SNF30BRN	SLT30BRN		SMKBRND2	1
RCG31	SNF30BRN	SLT30BRN		SMKBRND2	1
RRCG31	SNF30BRN	SLT30BRN		SMKBRND2	1
CG33A	SLT30FAV	SLT30BRN		SMKBRND2	1
CG33B	SLT30FAV	SLT30BRN		SMKBRND2	1
CG33C	SLT30FAV	SLT30BRN		SMKBRND2	1
CG33D	SLT30FAV	SLT30BRN		SMKBRND2	1
CG34	CIGAREVR				
CGREF4	CIGAREVR				
CG35	CIGARTRY	I CGRAGE	IRCGRAGE	CGRAFU	
CG35	CIGARTRY		IRCGRAGE	CGRAFU	
CG35			IRCGRAGE	CGRAFU	
CG35A	CIGARYFU	I CGRYFU	IRCGRYFU		
CG35B	CIGARYFU	I CGRYFU	IRCGRYFU		
CG35C	CIGARYFU	I CGRYFU	IRCGRYFU		
CG35C			IRCGRYFU		
CG35C	CIGARMFU				
CG35D	CIGARMFU				
CG36	CIGARREC	I CGRRC	IRCGRRC	CGRFLAG	
CG36	CIGARREC	I CGRRC	IRCGRRC	CGRYR	
CG36	CIGARREC	I CGRRC	IRCGRRC	CGRMON	
CG36	CIGARREC	I CGRRC	IRCGRRC	TOBFLAG	
CG36	CIGARREC	I CGRRC	IRCGRRC	TOBMON	
CG36	CIGARREC	I CGRRC	IRCGRRC	TOBYR	
CG36	CIGARREC	I CGRRC	IRCGRRC	CGRBRND2	1
CG36	CIGARREC	I 2CGRRC	IRCGRRC	CGRFLAG	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	CGRYR	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	CGRMON	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	TOBFLAG	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	TOBMON	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	TOBYR	
CG36	CIGARREC	I 2CGRRC	IRCGRRC	CGRBRND2	1
CG37	CIGARREC	I CGRRC	IRCGRRC	CGRFLAG	
CG37	CIGARREC	I CGRRC	IRCGRRC	CGRYR	
CG37	CIGARREC	I CGRRC	IRCGRRC	CGRMON	
CG37	CIGARREC	I CGRRC	IRCGRRC	TOBFLAG	
CG37	CIGARREC	I CGRRC	IRCGRRC	TOBMON	
CG37	CIGARREC	I CGRRC	IRCGRRC	TOBYR	
CG37	CIGARREC	I CGRRC	IRCGRRC	CGRBRND2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRFLAG	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRYR	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRMON	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBFLAG	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBMON	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBYR	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRBRND2	1
CG37DK	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
	CIGARREC	IICGRRC	IRCGRRC	CGRYR	
	CIGARREC	IICGRRC	IRCGRRC	CGRMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBFLAG	
	CIGARREC	IICGRRC	IRCGRRC	TOBMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBYR	
	CIGARREC	IICGRRC	IRCGRRC	CGRBRND2	1
	CIGARREC	II2CGRRC	IRCGRRC	CGRFLAG	
	CIGARREC	II2CGRRC	IRCGRRC	CGRYR	
	CIGARREC	II2CGRRC	IRCGRRC	CGRMON	
	CIGARREC	II2CGRRC	IRCGRRC	TOBFLAG	
	CIGARREC	II2CGRRC	IRCGRRC	TOBMON	
	CIGARREC	II2CGRRC	IRCGRRC	TOBYR	
	CIGARREC	II2CGRRC	IRCGRRC	CGRBRND2	1
CG37RE	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
CG38	CGR30USE	IICGRFM	IRCGRFM		
CG38	CGR30USE	II2CGRFM	IRCGRFM		
CG38DKRE	CI30EST	IICGRFM	IRCGRFM		
CG38DKRE	CI30EST	II2CGRFM	IRCGRFM		
CG39	CGR30BRN			CGRBRND2	1
RCG39	CGR30BRN			CGRBRND2	1
RRCG39	CGR30BRN			CGRBRND2	1
CG40	CGR30BRN			CGRBRND2	1
RCG40	CGR30BRN			CGRBRND2	1
RRCG40	CGR30BRN			CGRBRND2	1
CG42	PIPEVER	IIPIPLF	IRPIPLF	PIPFLAG	
CG42	PIPEVER	IIPIPLF	IRPIPLF	TOBFLAG	
CGREF5	PIPEVER	IIPIPLF	IRPIPLF	PIPFLAG	
CGREF5	PIPEVER	IIPIPLF	IRPIPLF	TOBFLAG	
CG43	PIPE30DY	IIPIPMN	IRPIPMN	PIPMON	
CG43	PIPE30DY	IIPIPMN	IRPIPMN	TOBMON	
AL01	ALCEVER				
ALREF	ALCEVER				
AL02	ALCTRY	IICALCAGE	IRALCAGE	ALCAFU	
AL02	ALCTRY		IRALCAGE	ALCAFU	
AL02			IRALCAGE	ALCAFU	
AL02A	ALCYFU	IICALCYFU	IRALCYFU		
AL02B	ALCYFU	IICALCYFU	IRALCYFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

AL02C	ALCYFU	IIALCYFU	IRALCYFU		
AL02C			IRALCYFU		
AL02C	ALCMFU				
AL02D	ALCMFU				
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALLAST3	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALLAST3	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALLAST3	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALRECDK	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALRECRE	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALRECRE	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
ALRECRE	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
TOTDRINK	ALCYRTOT	IIALCFY	IRALCFY	ALCYDAYS	
TOTDRINK	ALCYRTOT	II2ALCFY	IRALCFY	ALCYDAYS	
TOTDRINK	ALCYRTOT	ALTOTFG			
TOTDRINK	ALCYRTOT	ALFQFLG			
ALFRAME3	ALBSTWAY				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ALYRAVE	ALDAYPYR				
ALMONAVE	ALDAYPMO				
ALWKAVE	ALDAYPWK				
AL06	ALCDAYS	IIALCFM	IRALCFM	ALCMDAYS	
AL06	ALCDAYS	II2ALCFM	IRALCFM	ALCMDAYS	
AL06	ALCDAYS	ALDYSFG			
AL06DKRE	AL30EST	IIALCFM	IRALCFM	ALCMDAYS	
AL06DKRE	AL30EST	II2ALCFM	IRALCFM	ALCMDAYS	
AL07	NODR30A				
AL08	DR5DAY	IIALCD5	IRALCD5	HVYDRK2	
AL08	DR5DAY	IIALCD5	IRALCD5	BINGEDRK	
AL08	DR5DAY	IIALCD5	IRALCD5	BINGEHVY	1
AL08	DR5DAY	II2ALCD5	IRALCD5	HVYDRK2	
AL08	DR5DAY	II2ALCD5	IRALCD5	BINGEDRK	
AL08	DR5DAY	II2ALCD5	IRALCD5	BINGEHVY	1
MJ01	MJEVER				
MJREF	MJEVER				
MJ02	MJAGE	IIMJAGE	IRMJAGE	MJAFU	
MJ02	MJAGE		IRMJAGE	MJAFU	
MJ02			IRMJAGE	MJAFU	
MJ03A	MJYFU	IIMJYFU	IRMJYFU		
MJ03B	MJYFU	IIMJYFU	IRMJYFU		
MJ03C	MJYFU	IIMJYFU	IRMJYFU		
MJ03C			IRMJYFU		
MJ03C	MJMFU				
MJ03D	MJMFU				
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJFLAG	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJYR	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMYR	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOYR2	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMYR	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJMON	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMMON	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOMON2	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMMON	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MRJFLAG	
MJLAST3	MJREC	II2MJRC	IRMJRC	SUMFLAG	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MJOFLAG	1
MJLAST3	MJREC	II2MJRC	IRMJRC	IEMFLAG	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MRJYR	
MJLAST3	MJREC	II2MJRC	IRMJRC	SUMYR	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MJOYR2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJLAST3	MJREC	I12MJRC	IRMJRC	IEMYR	1
MJLAST3	MJREC	I12MJRC	IRMJRC	MRJMON	
MJLAST3	MJREC	I12MJRC	IRMJRC	SUMMON	1
MJLAST3	MJREC	I12MJRC	IRMJRC	MJOMON2	1
MJLAST3	MJREC	I12MJRC	IRMJRC	IEMMON	1
MJRECDK	MJREC	I1MJRC	IRMJRC	MRJFLAG	
MJRECDK	MJREC	I1MJRC	IRMJRC	SUMFLAG	
MJRECDK	MJREC	I1MJRC	IRMJRC	MJOFLAG	
MJRECDK	MJREC	I1MJRC	IRMJRC	IEMFLAG	
MJRECDK	MJREC	I1MJRC	IRMJRC	MRJYR	
MJRECDK	MJREC	I1MJRC	IRMJRC	SUMYR	
MJRECDK	MJREC	I1MJRC	IRMJRC	MJOYR2	
MJRECDK	MJREC	I1MJRC	IRMJRC	IEMYR	
MJRECDK	MJREC	I1MJRC	IRMJRC	MRJMON	
MJRECDK	MJREC	I1MJRC	IRMJRC	SUMMON	
MJRECDK	MJREC	I1MJRC	IRMJRC	MJOMON2	
MJRECDK	MJREC	I1MJRC	IRMJRC	IEMMON	
MJRECDK	MJREC	I12MJRC	IRMJRC	MRJFLAG	
MJRECDK	MJREC	I12MJRC	IRMJRC	SUMFLAG	
MJRECDK	MJREC	I12MJRC	IRMJRC	MJOFLAG	
MJRECDK	MJREC	I12MJRC	IRMJRC	IEMFLAG	
MJRECDK	MJREC	I12MJRC	IRMJRC	MRJYR	
MJRECDK	MJREC	I12MJRC	IRMJRC	SUMYR	
MJRECDK	MJREC	I12MJRC	IRMJRC	MJOYR2	
MJRECDK	MJREC	I12MJRC	IRMJRC	IEMYR	
MJRECDK	MJREC	I12MJRC	IRMJRC	MRJMON	
MJRECDK	MJREC	I12MJRC	IRMJRC	SUMMON	
MJRECDK	MJREC	I12MJRC	IRMJRC	MJOMON2	
MJRECDK	MJREC	I12MJRC	IRMJRC	IEMMON	
MJRECRE	MJREC	I1MJRC	IRMJRC	MRJFLAG	
MJRECRE	MJREC	I1MJRC	IRMJRC	SUMFLAG	
MJRECRE	MJREC	I1MJRC	IRMJRC	MJOFLAG	
MJRECRE	MJREC	I1MJRC	IRMJRC	IEMFLAG	
MJRECRE	MJREC	I1MJRC	IRMJRC	MRJYR	
MJRECRE	MJREC	I1MJRC	IRMJRC	SUMYR	
MJRECRE	MJREC	I1MJRC	IRMJRC	MJOYR2	
MJRECRE	MJREC	I1MJRC	IRMJRC	IEMYR	
MJRECRE	MJREC	I1MJRC	IRMJRC	MRJMON	
MJRECRE	MJREC	I1MJRC	IRMJRC	SUMMON	
MJRECRE	MJREC	I1MJRC	IRMJRC	MJOMON2	
MJRECRE	MJREC	I1MJRC	IRMJRC	IEMMON	
MJRECRE	MJREC	I12MJRC	IRMJRC	MRJFLAG	
MJRECRE	MJREC	I12MJRC	IRMJRC	SUMFLAG	
MJRECRE	MJREC	I12MJRC	IRMJRC	MJOFLAG	
MJRECRE	MJREC	I12MJRC	IRMJRC	IEMFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJRECRE	MJREC	II2MJRC	IRMJRC	MRJYR	
MJRECRE	MJREC	II2MJRC	IRMJRC	SUMYR	
MJRECRE	MJREC	II2MJRC	IRMJRC	MJOYR2	
MJRECRE	MJREC	II2MJRC	IRMJRC	IEMYR	
MJRECRE	MJREC	II2MJRC	IRMJRC	MRJMON	
MJRECRE	MJREC	II2MJRC	IRMJRC	SUMMON	
MJRECRE	MJREC	II2MJRC	IRMJRC	MJOMON2	
MJRECRE	MJREC	II2MJRC	IRMJRC	IEMMON	
TOTMJ	MJYRTOT	IIMJFY	IRMJFY	MRJYDAYS	
TOTMJ	MJYRTOT	II2MJFY	IRMJFY	MRJYDAYS	
TOTMJ	MJYRTOT	MRTOTFG			
TOTMJ	MJYRTOT	MJFQFLG			
MJFRAME3	MRBSTWAY				
MJYRAVE	MRDAYPYR				
MJMONAVE	MRDAYPMO				
MJWKAVE	MRDAYPWK				
MJ06	MJDAY30A	IIMJFM	IRMJFM	MRJMDAYS	
MJ06	MJDAY30A	II2MJFM	IRMJFM	MRJMDAYS	
MJ06DKRE	MR30EST	IIMJFM	IRMJFM	MRJMDAYS	
MJ06DKRE	MR30EST	II2MJFM	IRMJFM	MRJMDAYS	
CC01	COCEVER				
CCREF	COCEVER				
CC02	COCAGE	IICOCAGE	IRCOCAGE	COCAFU	
CC02	COCAGE		IRCOCAGE	COCAFU	
CC02			IRCOCAGE	COCAFU	
CC03A	COCYFU	IICOCYFU	IRCOCYFU		
CC03B	COCYFU	IICOCYFU	IRCOCYFU		
CC03C	COCYFU	IICOCYFU	IRCOCYFU		
CC03C			IRCOCYFU		
CC03C	COCMFU				
CC03D	COCMFU				
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCFLAG	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	IEMFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCYR	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMYR	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOYR2	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	IEMYR	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCMON	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMMON	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOMON2	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	IEMMON	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCYR	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCMON	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMMON	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOMON2	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMMON	1
CCRECDK	COCREC	IICOCRC	IRCOCRC	COCFLAG	
CCRECDK	COCREC	IICOCRC	IRCOCRC	SUMFLAG	
CCRECDK	COCREC	IICOCRC	IRCOCRC	MJOFLAG	
CCRECDK	COCREC	IICOCRC	IRCOCRC	IEMFLAG	
CCRECDK	COCREC	IICOCRC	IRCOCRC	COCYR	
CCRECDK	COCREC	IICOCRC	IRCOCRC	SUMYR	
CCRECDK	COCREC	IICOCRC	IRCOCRC	MJOYR2	
CCRECDK	COCREC	IICOCRC	IRCOCRC	IEMYR	
CCRECDK	COCREC	IICOCRC	IRCOCRC	COCMON	
CCRECDK	COCREC	IICOCRC	IRCOCRC	SUMMON	
CCRECDK	COCREC	IICOCRC	IRCOCRC	MJOMON2	
CCRECDK	COCREC	IICOCRC	IRCOCRC	IEMMON	
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMYR	
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOYR2	
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMYR	
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCMON	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMMON	
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOMON2	
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMMON	
CCRECRE	COCREC	IICOCRC	IRCOCRC	COCFLAG	
CCRECRE	COCREC	IICOCRC	IRCOCRC	SUMFLAG	
CCRECRE	COCREC	IICOCRC	IRCOCRC	MJOFLAG	
CCRECRE	COCREC	IICOCRC	IRCOCRC	IEMFLAG	
CCRECRE	COCREC	IICOCRC	IRCOCRC	COCYR	
CCRECRE	COCREC	IICOCRC	IRCOCRC	SUMYR	
CCRECRE	COCREC	IICOCRC	IRCOCRC	MJOYR2	
CCRECRE	COCREC	IICOCRC	IRCOCRC	IEMYR	
CCRECRE	COCREC	IICOCRC	IRCOCRC	COCMON	
CCRECRE	COCREC	IICOCRC	IRCOCRC	SUMMON	
CCRECRE	COCREC	IICOCRC	IRCOCRC	MJOMON2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CCRECRE	COCREC	IICOCRC	IRCOCRC	IEMMON	
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMYR	
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOYR2	
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMYR	
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCMON	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMMON	
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOMON2	
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMMON	
TOTCOKE	COCYRTOT	IICOCFY	IRCOCFY	COCYDAYS	
TOTCOKE	COCYRTOT	II2COCFY	IRCOCFY	COCYDAYS	
TOTCOKE	COCYRTOT	CCTOTFG			
TOTCOKE	COCYRTOT	CCFQFLG			
CCFRAME3	CCBSTWAY				
CCYRAVE	CCDAYPYR				
CCMONAVE	CCDAYPMO				
CCWKAVE	CCDAYPWK				
CC06	COCUS30A	IICOCFM	IRCOCFM	COCMDAYS	
CC06	COCUS30A	II2COCFM	IRCOCFM	COCMDAYS	
CC06DKRE	CC30EST	IICOCFM	IRCOCFM	COCMDAYS	
CC06DKRE	CC30EST	II2COCFM	IRCOCFM	COCMDAYS	
CK01	CRKEVER				
CKREF	CRKEVER				
CK02	CRKAGE	IICRKAGE	IRCRKAGE		
CK02	CRKAGE		IRCRKAGE		
CK03A	CRKYFU	IICRKYFU	IRCRKYFU		
CK03B	CRKYFU	IICRKYFU	IRCRKYFU		
CK03C	CRKYFU	IICRKYFU	IRCRKYFU		
CK03C			IRCRKYFU		
CK03C	CRKMFU				
CK03D	CRKMFU				
CKLAST3	CRAKREC	IICRKRC	IRCRKRC	CRKFLAG	
CKLAST3	CRAKREC	IICRKRC	IRCRKRC	CRKYR	
CKLAST3	CRAKREC	IICRKRC	IRCRKRC	CRKMON	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
CKRECDK	CRAKREC	IICRKRC	IRCRKRC	CRKFLAG	
CKRECDK	CRAKREC	IICRKRC	IRCRKRC	CRKYR	
CKRECDK	CRAKREC	IICRKRC	IRCRKRC	CRKMON	
CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
TOTCRACK	CRKYRTOT	II2CRKFC	IRCRKFC		
TOTCRACK	CRKYRTOT	II2CRKFC	IRCRKFC		
TOTCRACK	CRKYRTOT	CRTOTFG			
TOTCRACK	CRKYRTOT	CRFQFLG			
CKFRAME3	CRBSTWAY				
CKYRAVE	CRDAYPYR				
CKMONAVE	CRDAYPMO				
CKWKAVE	CRDAYPWK				
CK06	CRKUS30A	II2CRKFM	IRCRKFM		
CK06	CRKUS30A	II2CRKFM	IRCRKFM		
	CR30EST	II2CRKFM	IRCRKFM		
CK06DKRE	CR30EST	II2CRKFM	IRCRKFM		
HE01	HEREVER				
HEREF	HEREVER				
HE02	HERAGE	IIHERAGE	IRHERAGE	HERAFU	
HE02	HERAGE		IRHERAGE	HERAFU	
HE03A	HERYFU	IIHERYFU	IRHERYFU		
HE03B	HERYFU	IIHERYFU	IRHERYFU		
HE03C	HERYFU	IIHERYFU	IRHERYFU		
HE03C			IRHERYFU		
HE03C	HERMFU				
HE03D	HERMFU				
HELAST3	HERREC	IIHERRC	IRHERRC	HERFLAG	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	HERYR	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMYR	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOYR2	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMYR	1
HELAST3	HERREC	IIHERRC	IRHERRC	HERMON	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMMON	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOMON2	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMMON	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERFLAG	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMFLAG	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

HELAST3	HERREC	II2HERRC	IRHERRC	IEMFLAG	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERYR	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMYR	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOYR2	1
HELAST3	HERREC	II2HERRC	IRHERRC	IEMYR	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERMON	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMMON	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOMON2	1
HELAST3	HERREC	II2HERRC	IRHERRC	IEMMON	1
HERECDK	HERREC	IIHERRC	IRHERRC	HERFLAG	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMFLAG	
HERECDK	HERREC	IIHERRC	IRHERRC	MJOFLAG	
HERECDK	HERREC	IIHERRC	IRHERRC	IEMFLAG	
HERECDK	HERREC	IIHERRC	IRHERRC	HERYR	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMYR	
HERECDK	HERREC	IIHERRC	IRHERRC	MJOYR2	
HERECDK	HERREC	IIHERRC	IRHERRC	IEMYR	
HERECDK	HERREC	IIHERRC	IRHERRC	HERMON	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMMON	
HERECDK	HERREC	IIHERRC	IRHERRC	MJOMON2	
HERECDK	HERREC	IIHERRC	IRHERRC	IEMMON	
HERECDK	HERREC	II2HERRC	IRHERRC	HERFLAG	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMFLAG	
HERECDK	HERREC	II2HERRC	IRHERRC	MJOFLAG	
HERECDK	HERREC	II2HERRC	IRHERRC	IEMFLAG	
HERECDK	HERREC	II2HERRC	IRHERRC	HERYR	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMYR	
HERECDK	HERREC	II2HERRC	IRHERRC	MJOYR2	
HERECDK	HERREC	II2HERRC	IRHERRC	IEMYR	
HERECDK	HERREC	II2HERRC	IRHERRC	HERMON	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMMON	
HERECDK	HERREC	II2HERRC	IRHERRC	MJOMON2	
HERECDK	HERREC	II2HERRC	IRHERRC	IEMMON	
HERECRE	HERREC	IIHERRC	IRHERRC	HERFLAG	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMFLAG	
HERECRE	HERREC	IIHERRC	IRHERRC	MJOFLAG	
HERECRE	HERREC	IIHERRC	IRHERRC	IEMFLAG	
HERECRE	HERREC	IIHERRC	IRHERRC	HERYR	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMYR	
HERECRE	HERREC	IIHERRC	IRHERRC	MJOYR2	
HERECRE	HERREC	IIHERRC	IRHERRC	IEMYR	
HERECRE	HERREC	IIHERRC	IRHERRC	HERMON	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMMON	
HERECRE	HERREC	IIHERRC	IRHERRC	MJOMON2	
HERECRE	HERREC	IIHERRC	IRHERRC	IEMMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

HERECRE	HERREC	II2HERRC	IRHERRC	HERFLAG	
HERECRE	HERREC	II2HERRC	IRHERRC	SUMFLAG	
HERECRE	HERREC	II2HERRC	IRHERRC	MJOFLAG	
HERECRE	HERREC	II2HERRC	IRHERRC	IEMFLAG	
HERECRE	HERREC	II2HERRC	IRHERRC	HERYR	
HERECRE	HERREC	II2HERRC	IRHERRC	SUMYR	
HERECRE	HERREC	II2HERRC	IRHERRC	MJOYR2	
HERECRE	HERREC	II2HERRC	IRHERRC	IEMYR	
HERECRE	HERREC	II2HERRC	IRHERRC	HERMON	
HERECRE	HERREC	II2HERRC	IRHERRC	SUMMON	
HERECRE	HERREC	II2HERRC	IRHERRC	MJOMON2	
HERECRE	HERREC	II2HERRC	IRHERRC	IEMMON	
TOTHERO	HERYRTOT	IIHERFY	IRHERFY		
TOTHERO	HERYRTOT	II2HERFY	IRHERFY		
TOTHERO	HERYRTOT	HRTOTFG			
TOTHERO	HERYRTOT	HRFQFLG			
HEFRAME3	HRBSTWAY				
HEYRAVE	HRDAYPYR				
HEMONAVE	HRDAYPMO				
HEWKAVE	HRDAYPWK				
HE06	HER30USE	IIHERFM	IRHERFM		
HE06	HER30USE	II2HERFM	IRHERFM		
HE06DKRE	HR30EST	IIHERFM	IRHERFM		
HE06DKRE	HR30EST	II2HERFM	IRHERFM		
LS01A	LSD				
LSREF1	LSD				
LS01B	PCP				
LSREF2	PCP				
LS01C	PEYOTE			PEYOTE2	
LS01D	MESC			MESC2	
LS01E	PSILCY			PSILCY2	
LS01F	ECSTASY			ECSTASY2	
LS01H	HALNOLST				
LS01HS1	HALNEWA				
LS01HS2	HALNEWB				
LS01HS3	HALNEWC				
LS01HS4	HALNEWD				
LS01HS5	HALNEWE				
LS02	HALLAGE	IIHALAGE	IRHALAGE	HALAFU	
LS02	HALLAGE		IRHALAGE	HALAFU	
LS03A	HALYFU	IIHALYFU	IRHALYFU		
LS03B	HALYFU	IIHALYFU	IRHALYFU		
LS03C	HALYFU	IIHALYFU	IRHALYFU		
LS03C			IRHALYFU		
LS03C	HALMFU				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LS03D	HALMFU				
LSLAST	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	HALYR	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMYR	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOYR2	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMYR	1
LSLAST	HALLREC	IIHALRC	IRHALRC	HALMON	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMMON	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOMON2	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMMON	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALYR	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMYR	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOYR2	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMYR	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALMON	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMMON	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOMON2	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMMON	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMFLAG	
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOFLAG	
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMFLAG	
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALYR	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMYR	
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOYR2	
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMYR	
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALMON	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMMON	
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOMON2	
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMMON	
LSRECDK	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMFLAG	
LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOFLAG	
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMFLAG	
LSRECDK	HALLREC	II2HALRC	IRHALRC	HALYR	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMYR	
LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOYR2	
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LSRECDK	HALLREC	II2HALRC	IRHALRC	HALMON	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMMON	
LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOMON2	
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMMON	
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMFLAG	
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOFLAG	
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMFLAG	
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALYR	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMYR	
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOYR2	
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMYR	
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALMON	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMMON	
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOMON2	
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMMON	
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMFLAG	
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOFLAG	
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMFLAG	
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALYR	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMYR	
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOYR2	
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMYR	
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALMON	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMMON	
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOMON2	
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMMON	
TOTHALL	HALYRTOT	IIHALFY	IRHALFY	HALYDAYS	
TOTHALL	HALYRTOT	II2HALFY	IRHALFY	HALYDAYS	
TOTHALL	HALYRTOT	HLTOTFG			
TOTHALL	HALYRTOT	HLFQFLG			
LSFRAME3	HLBSTWAY				
LSYRAVE	HLDAYPYR				
LSMONAVE	HLDAYPMO				
LSWKAVE	HLDAYPWK				
LS04	HAL30USE	IIHALFM	IRHALFM	HALMDAYS	
LS04	HAL30USE	II2HALFM	IRHALFM	HALMDAYS	
LS04DKRE	HL30EST	IIHALFM	IRHALFM	HALMDAYS	
LS04DKRE	HL30EST	II2HALFM	IRHALFM	HALMDAYS	
LS05	LSDAGE	IILSDAGE	IRLSDAGE		
LS05	LSDAGE		IRLSDAGE		
LS06	LSDYFU	IILSDYFU	IRLSDYFU		
LS07	LSDYFU	IILSDYFU	IRLSDYFU		
LS08	LSDYFU	IILSDYFU	IRLSDYFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LS08			IRLSDYFU		
LS08	LSDMFU				
LS09	LSDMFU				
LS09			IRLSDYFU		
LS10	LSDREC	IILSDRC	IRLSDRC	LSDFLAG	
LS10	LSDREC	IILSDRC	IRLSDRC	LSDYR	
LS10	LSDREC	IILSDRC	IRLSDRC	LSDMON	
LS10	LSDREC	I12LSDRC	IRLSDRC	LSDFLAG	
LS10	LSDREC	I12LSDRC	IRLSDRC	LSDYR	
LS10	LSDREC	I12LSDRC	IRLSDRC	LSDMON	
LS11	PCPAGE	IIPCAGE	IRPCPAGE		
LS11	PCPAGE		IRPCPAGE		
LS12	PCPYFU	IIPCYPFU	IRPCYPFU		
LS13	PCPYFU	IIPCYPFU	IRPCYPFU		
LS14	PCPYFU	IIPCYPFU	IRPCYPFU		
LS14	PCPYFU		IRPCYPFU		
LS14	PCPMFU				
LS15	PCPMFU				
LS16	PCPREC	IIPCPRC	IRPCPRC	PCPFLAG	
LS16	PCPREC	IIPCPRC	IRPCPRC	PCPYR	
LS16	PCPREC	IIPCPRC	IRPCPRC	PCPMON	
LS16	PCPREC	I12PCPRC	IRPCPRC	PCPFLAG	
LS16	PCPREC	I12PCPRC	IRPCPRC	PCPYR	
LS16	PCPREC	I12PCPRC	IRPCPRC	PCPMON	
IN01A	AMYNIT			AMYNIT2	
IN01B	CLEFLU			CLEFLU2	
IN01C	GAS			GAS2	
IN01D	GLUE			GLUE2	
IN01E	ETHER			ETHER2	
IN01F	SOLVENT			SOLVENT2	
IN01G	LGAS			LGAS2	
IN01H	NITOXID			NITOXID2	
IN01I	SPPAINT			SPPAINT2	
IN01J	AEROS			AEROS2	
IN01L	INHNLST				
IN01OTH1	INHNEWA				
IN01OTH2	INHNEWB				
IN01OTH3	INHNEWC				
IN01OTH4	INHNEWD				
IN01OTH5	INHNEWE				
IN02	INHAGE	IINHAGE	IRINHAGE	INHAFU	
IN02	INHAGE		IRINHAGE	INHAFU	
IN03A	INHUFU	IINHUFU	IRINHUFU		
IN03B	INHUFU	IINHUFU	IRINHUFU		
IN03C	INHUFU	IINHUFU	IRINHUFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

IN03C			IRINHYFU		
IN03C	INHMFU				
IN03D	INHMFU				
INLAST	INHREC	IIINHRC	IRINHRC	INHFLAG	
INLAST	INHREC	IIINHRC	IRINHRC	SUMFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	MJOFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	IEMFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	INHYR	
INLAST	INHREC	IIINHRC	IRINHRC	SUMYR	1
INLAST	INHREC	IIINHRC	IRINHRC	MJOYR2	1
INLAST	INHREC	IIINHRC	IRINHRC	IEMYR	1
INLAST	INHREC	IIINHRC	IRINHRC	INHMON	
INLAST	INHREC	IIINHRC	IRINHRC	SUMMON	1
INLAST	INHREC	IIINHRC	IRINHRC	MJOMON2	1
INLAST	INHREC	IIINHRC	IRINHRC	IEMMON	1
INLAST	INHREC	II2INHRC	IRINHRC	INHFLAG	
INLAST	INHREC	II2INHRC	IRINHRC	SUMFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	MJOFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	IEMFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	INHYR	
INLAST	INHREC	II2INHRC	IRINHRC	SUMYR	1
INLAST	INHREC	II2INHRC	IRINHRC	MJOYR2	1
INLAST	INHREC	II2INHRC	IRINHRC	IEMYR	1
INLAST	INHREC	II2INHRC	IRINHRC	INHMON	
INLAST	INHREC	II2INHRC	IRINHRC	SUMMON	1
INLAST	INHREC	II2INHRC	IRINHRC	MJOMON2	1
INLAST	INHREC	II2INHRC	IRINHRC	IEMMON	1
INRECDK	INHREC	IIINHRC	IRINHRC	INHFLAG	
INRECDK	INHREC	IIINHRC	IRINHRC	SUMFLAG	
INRECDK	INHREC	IIINHRC	IRINHRC	MJOFLAG	
INRECDK	INHREC	IIINHRC	IRINHRC	IEMFLAG	
INRECDK	INHREC	IIINHRC	IRINHRC	INHYR	
INRECDK	INHREC	IIINHRC	IRINHRC	SUMYR	
INRECDK	INHREC	IIINHRC	IRINHRC	MJOYR2	
INRECDK	INHREC	IIINHRC	IRINHRC	IEMYR	
INRECDK	INHREC	IIINHRC	IRINHRC	INHMON	
INRECDK	INHREC	IIINHRC	IRINHRC	SUMMON	
INRECDK	INHREC	IIINHRC	IRINHRC	MJOMON2	
INRECDK	INHREC	IIINHRC	IRINHRC	IEMMON	
INRECDK	INHREC	II2INHRC	IRINHRC	INHFLAG	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMFLAG	
INRECDK	INHREC	II2INHRC	IRINHRC	MJOFLAG	
INRECDK	INHREC	II2INHRC	IRINHRC	IEMFLAG	
INRECDK	INHREC	II2INHRC	IRINHRC	INHYR	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

INRECDK	INHREC	II2INHRC	IRINHRC	MJOYR2	
INRECDK	INHREC	II2INHRC	IRINHRC	IEMYR	
INRECDK	INHREC	II2INHRC	IRINHRC	INHMON	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMMON	
INRECDK	INHREC	II2INHRC	IRINHRC	MJOMON2	
INRECDK	INHREC	II2INHRC	IRINHRC	IEMMON	
INRECRE	INHREC	IIINHRC	IRINHRC	INHFLAG	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMFLAG	
INRECRE	INHREC	IIINHRC	IRINHRC	MJOFLAG	
INRECRE	INHREC	IIINHRC	IRINHRC	IEMFLAG	
INRECRE	INHREC	IIINHRC	IRINHRC	INHYR	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMYR	
INRECRE	INHREC	IIINHRC	IRINHRC	MJOYR2	
INRECRE	INHREC	IIINHRC	IRINHRC	IEMYR	
INRECRE	INHREC	IIINHRC	IRINHRC	INHMON	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMMON	
INRECRE	INHREC	IIINHRC	IRINHRC	MJOMON2	
INRECRE	INHREC	IIINHRC	IRINHRC	IEMMON	
INRECRE	INHREC	II2INHRC	IRINHRC	INHFLAG	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMFLAG	
INRECRE	INHREC	II2INHRC	IRINHRC	MJOFLAG	
INRECRE	INHREC	II2INHRC	IRINHRC	IEMFLAG	
INRECRE	INHREC	II2INHRC	IRINHRC	INHYR	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMYR	
INRECRE	INHREC	II2INHRC	IRINHRC	MJOYR2	
INRECRE	INHREC	II2INHRC	IRINHRC	IEMYR	
INRECRE	INHREC	II2INHRC	IRINHRC	INHMON	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMMON	
INRECRE	INHREC	II2INHRC	IRINHRC	MJOMON2	
INRECRE	INHREC	II2INHRC	IRINHRC	IEMMON	
TOTINHAL	INHRTOT	IIINHRY	IRINHRY	INHRYDAYS	
TOTINHAL	INHRTOT	II2INHRY	IRINHRY	INHRYDAYS	
TOTINHAL	INHRTOT	INTOTFG			
TOTINHAL	INHRTOT	INFQFLG			
INFRAME3	INBWAY				
INYRAVE	INDAYPYR				
INMONAVE	INDAYPMO				
INWKAVE	INDAYPWK				
IN06	INHDI30A	IIINHFM	IRINHFM	INHMDAYS	
IN06	INHDI30A	II2INHFM	IRINHFM	INHMDAYS	
IN06DKRE	IN30EST	IIINHFM	IRINHFM	INHMDAYS	
IN06DKRE	IN30EST	II2INHFM	IRINHFM	INHMDAYS	
PR01	DARVTYLC			DARVTYL2	
PR02	PERCTYLX			PERCTYL2	
PR03	VICOLOR			VICOLOR2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR04	ANLCARD			OTHANL	1
PR04A	CODEINE			CODEINE2	
PR04A	DEMEROL			DEMEROL2	
PR04A	DILAUD			DILAUD2	
PR04A	FIORICET			FIORICT2	
PR04A	FIORINAL			FIORINL2	
PR04A	HYDROCOD			HYDROCD2	
PR04A	METHDON			METHDON2	
PR04A	MORPHINE			MORPHIN2	
PR04A	OXYCONTN			OXYCONT2	
PR04A	PHENCOD			PHENCOD2	
PR04A	PROPOXY			PROPOXY2	
PR04A	SK65A			SK65A2	
PR04A	STADOL			STADOL2	
PR04A	TALACEN			TALACEN2	
PR04A	TALWIN			TALWIN2	
PR04A	TALWINNX			TALWINX2	
PR04A	TRAMADOL			TRAMADL2	
PR04A	ULTRAM			ULTRAM2	
PR05	ANLNOLST			OTHANL	1
PR05A	ANALNEWA				
PR05B	ANALNEWB				
PR05C	ANALNEWC				
PR05D	ANALNEWD				
PR05E	ANALNEWE				
PR06	ANALAGE	IIANLAGE	IRANLAGE	ANLAFU	
PR06	ANALAGE		IRANLAGE	ANLAFU	
PR06			IRANLAGE	ANLAFU	
PR07A	ANALYFU	IIANLYFU	IRANLYFU		
PR07B	ANALYFU	IIANLYFU	IRANLYFU		
PR08A	ANALYFU	IIANLYFU	IRANLYFU		
PR08A			IRANLYFU		
PR08A	ANALMFU				
PR08B	ANALMFU				
PR09	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PR09	ANALREC	IIANLRC	IRANLRC	SUMFLAG	1
PR09	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOFLAG	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMFLAG	1
PR09	ANALREC	IIANLRC	IRANLRC	ANLYR	
PR09	ANALREC	IIANLRC	IRANLRC	SUMYR	1
PR09	ANALREC	IIANLRC	IRANLRC	PSYYR2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOYR2	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMYR	1
PR09	ANALREC	IIANLRC	IRANLRC	ANLMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR09	ANALREC	IIANLRC	IRANLRC	SUMMON	1
PR09	ANALREC	IIANLRC	IRANLRC	PSYMON2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOMON2	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMMON	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMYR	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYYR2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOYR2	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMYR	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLMON	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMMON	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYMON2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOMON2	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMMON	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMFLAG	
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOFLAG	
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMFLAG	
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLYR	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMYR	
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYYR2	
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOYR2	
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMYR	
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLMON	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMMON	
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYMON2	
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOMON2	
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMMON	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMYR	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYYR2	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOYR2	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMYR	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMMON	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYMON2	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOMON2	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMMON	
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMFLAG	
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOFLAG	
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMFLAG	
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLYR	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMYR	
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYYR2	
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOYR2	
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMYR	
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLMON	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMMON	
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYMON2	
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOMON2	
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMMON	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMYR	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYYR2	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOYR2	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMYR	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLMON	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMMON	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYMON2	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOMON2	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMMON	
PR10	PRBSTWAY				
PR11	PRDAYPYR	ANLYRTOT	IRANLFY		
PR11	PRDAYPYR	IIANLFY	IRANLFY		
PR11	PRDAYPYR	II2ANLFY	IRANLFY		3
PR11		PRTOTFG			
PR11		PRFQFLG			
PR12	PRDAYPMO	ANLYRTOT	IRANLFY		
PR12	PRDAYPMO	IIANLFY	IRANLFY		3
PR12	PRDAYPMO	II2ANLFY	IRANLFY		
PR12		PRTOTFG			
PR12		PRFQFLG			

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR13	PRDAYPWK	ANLYRTOT	IRANLFY		
PR13	PRDAYPWK	I1ANLFY	IRANLFY		3
PR13	PRDAYPWK	I12ANLFY	IRANLFY		
PR13		PRTOTFG			
PR13		PRFQFLG			
TR01	KLONOPIN			KLONOPI2	
TR02	XNAXATVN			XNAXATV2	
TR03	VALMDIAZ			VALMDIA2	
TR04	TRNCARD			OTHTRN	1
TR04A	ATARAX			ATARAX2	
TR04A	BUSPAR			BUSPAR2	
TR04A	EQUANIL			EQUANIL2	
TR04A	FLEXERIL			FLEXERL2	
TR04A	LIBRIUM			LIBRIUM2	
TR04A	LIMBTROL			LIMBTRL2	
TR04A	MEPROB			MEPROB2	
TR04A	MILTOWN			MILTOWN2	
TR04A	ROHYPNOL			ROHYPNL2	
TR04A	SERAX			SERAX2	
TR04A	SOMA			SOMA2	
TR04A	TRANXENE			TRANXEN2	
TR04A	VISTAR			VISTAR2	
TR05	TRNOLST			OTHTRN	1
TR05A	TRNEWA				
TR05B	TRNEWB				
TR05C	TRNEWC				
TR05D	TRNEWD				
TR05E	TRNEWE				
TR06	TRANAGE	I1TRNAGE	IRTRNAGE	TRNAFU	
TR06	TRANAGE		IRTRNAGE	TRNAFU	
TR06			IRTRNAGE	TRNAFU	
TR07A	TRANIFYFU	I1TRNYFU	IRTRNYFU		
TR07B	TRANIFYFU	I1TRNYFU	IRTRNYFU		
TR08A	TRANIFYFU	I1TRNYFU	IRTRNYFU		
TR08A			IRTRNYFU		
TR08A	TRANMFU				
TR08B	TRANMFU				
TR09	TRANREC	I1TRNRC	IRTRNRC	TRQFLAG	
TR09	TRANREC	I1TRNRC	IRTRNRC	SUMFLAG	1
TR09	TRANREC	I1TRNRC	IRTRNRC	PSYFLAG2	1
TR09	TRANREC	I1TRNRC	IRTRNRC	MJOFLAG	1
TR09	TRANREC	I1TRNRC	IRTRNRC	IEMFLAG	1
TR09	TRANREC	I1TRNRC	IRTRNRC	TRQYR	
TR09	TRANREC	I1TRNRC	IRTRNRC	SUMYR	1
TR09	TRANREC	I1TRNRC	IRTRNRC	PSYYR2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TR09	TRANREC	IITRNRC	IRTRNRC	MJOYR2	1
TR09	TRANREC	IITRNRC	IRTRNRC	IEMYR	1
TR09	TRANREC	IITRNRC	IRTRNRC	TRQMON	
TR09	TRANREC	IITRNRC	IRTRNRC	SUMMON	1
TR09	TRANREC	IITRNRC	IRTRNRC	PSYMON2	1
TR09	TRANREC	IITRNRC	IRTRNRC	MJOMON2	1
TR09	TRANREC	IITRNRC	IRTRNRC	IEMMON	1
TR09	TRANREC	I12TRNRC	IRTRNRC	TRQFLAG	
TR09	TRANREC	I12TRNRC	IRTRNRC	SUMFLAG	1
TR09	TRANREC	I12TRNRC	IRTRNRC	PSYFLAG2	1
TR09	TRANREC	I12TRNRC	IRTRNRC	MJOFLAG	1
TR09	TRANREC	I12TRNRC	IRTRNRC	IEMFLAG	1
TR09	TRANREC	I12TRNRC	IRTRNRC	TRQYR	
TR09	TRANREC	I12TRNRC	IRTRNRC	SUMYR	1
TR09	TRANREC	I12TRNRC	IRTRNRC	PSYYR2	1
TR09	TRANREC	I12TRNRC	IRTRNRC	MJOYR2	1
TR09	TRANREC	I12TRNRC	IRTRNRC	IEMYR	1
TR09	TRANREC	I12TRNRC	IRTRNRC	TRQMON	
TR09	TRANREC	I12TRNRC	IRTRNRC	SUMMON	1
TR09	TRANREC	I12TRNRC	IRTRNRC	PSYMON2	1
TR09	TRANREC	I12TRNRC	IRTRNRC	MJOMON2	1
TR09	TRANREC	I12TRNRC	IRTRNRC	IEMMON	1
TRRECDK	TRANREC	IITRNRC	IRTRNRC	TRQFLAG	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	SUMFLAG	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	PSYFLAG2	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	MJOFLAG	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	IEMFLAG	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	TRQYR	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	SUMYR	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	PSYYR2	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	MJOYR2	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	IEMYR	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	TRQMON	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	SUMMON	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	PSYMON2	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	MJOMON2	
TRRECDK	TRANREC	IITRNRC	IRTRNRC	IEMMON	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	TRQFLAG	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	SUMFLAG	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	PSYFLAG2	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	MJOFLAG	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	IEMFLAG	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	TRQYR	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	SUMYR	
TRRECDK	TRANREC	I12TRNRC	IRTRNRC	PSYYR2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TRRECDK	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	IEMYR	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	SUMMON	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	IEMMON	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	TRQFLAG	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	SUMFLAG	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	PSYFLAG2	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	MJOFLAG	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	IEMFLAG	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	TRQYR	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	SUMYR	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	PSYYR2	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	MJOYR2	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	IEMYR	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	TRQMON	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	SUMMON	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	PSYMON2	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	MJOMON2	
TRRECRE	TRANREC	IITRNRC	IRTRNRC	IEMMON	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYFLAG2	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQYR	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMYR	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYYR2	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMYR	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMMON	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMMON	
TR10	TRBSTWAY				
TR11	TRDAYPYR	TRNYRTOT	IRTRNFY		
TR11	TRDAYPYR	IITRNFY	IRTRNFY		3
TR11	TRDAYPYR	II2TRNFY	IRTRNFY		
TR11		TRTOTFG			
TR11		TRFQFLG			
TR12	TRDAYPMO	TRNYRTOT	IRTRNFY		
TR12	TRDAYPMO	IITRNFY	IRTRNFY		3

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TR12	TRDAYPMO	II2TRNFY	IRTRNFY		
TR12		TRTOTFG			
TR12		TRFQFLG			
TR13	TRDAYPWK	TRNYRTOT	IRTRNFY		
TR13	TRDAYPWK	IITRNFY	IRTRNFY		
TR13	TRDAYPWK	II2TRNFY	IRTRNFY		
TR13		TRTOTFG			
TR13		TRFQFLG			
ST01	METHDES			METHDES2	
ST02	DIETPILS			DIETPIL2	
ST03	RITMPHEN			RITMPHE2	
ST04	STMCARD			OTHSTM	1
ST04A	CYLERT			CYLERT2	
ST04A	DEXED			DEXED2	
ST04A	DETAMP			DETAMP2	
ST04A	DIDREX			DIDREX2	
ST04A	ESKAT			ESKAT2	
ST04A	IONAMIN			IONAMIN2	
ST04A	MAZANOR			MAZANOR2	
ST04A	OBLA			OBLA2	
ST04A	PLEGINE			PLEGINE2	
ST04A	PRELUDIN			PRELUDN2	
ST04A	SANOREX			SANOREX2	
ST04A	TENUATE			TENUATE2	
ST05	STMNOLST			OTHSTM	1
ST05A	STIMNEWA				
ST05B	STIMNEWB				
ST05C	STIMNEWC				
ST05D	STIMNEWD				
ST05E	STIMNEWE				
ST06	STIMAGE	IISTMAGE	IRSTMAGE	STMAFU	
ST06	STIMAGE		IRSTMAGE	STMAFU	
ST06			IRSTMAGE	STMAFU	
ST07A	STIMYFU	IISTMYFU	IRSTMYFU		
ST07B	STIMYFU	IISTMYFU	IRSTMYFU		
ST08A	STIMYFU	IISTMYFU	IRSTMYFU		
ST08A			IRSTMYFU		
ST08A	STIMMFU				
ST08B	STIMMFU				
ST09	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ST09	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMMON	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMYR	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMMON	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMYR	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMYR	
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYYR2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOYR2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMYR	
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMMON	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMMON	
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYMON2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOMON2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMMON	
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

STRECDK	STIMREC	II2STMRC	IRSTMRC	SUMYR	
STRECDK	STIMREC	II2STMRC	IRSTMRC	PSYYR2	
STRECDK	STIMREC	II2STMRC	IRSTMRC	MJOYR2	
STRECDK	STIMREC	II2STMRC	IRSTMRC	IEMYR	
STRECDK	STIMREC	II2STMRC	IRSTMRC	STMMON	
STRECDK	STIMREC	II2STMRC	IRSTMRC	SUMMON	
STRECDK	STIMREC	II2STMRC	IRSTMRC	PSYMON2	
STRECDK	STIMREC	II2STMRC	IRSTMRC	MJOMON2	
STRECDK	STIMREC	II2STMRC	IRSTMRC	IEMMON	
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMYR	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMYR	
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYYR2	
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOYR2	
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMYR	
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMMON	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMMON	
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYMON2	
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOMON2	
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMMON	
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMFLAG	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMFLAG	
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYFLAG2	
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOFLAG	
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMFLAG	
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMYR	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMYR	
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYYR2	
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOYR2	
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMYR	
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMMON	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMMON	
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYMON2	
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOMON2	
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMMON	
ST10	STBSTWAY				
ST11	STDAYPYR	STMYRTOT	IRSTMFY		
ST11	STDAYPYR	IISTMFY	IRSTMFY		
ST11	STDAYPYR	II2STMFY	IRSTMFY		
ST11		STTOTFG			
ST11		STFQLG			

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ST12	STDAYPMO	STMYRTOT	IRSTMFY		
ST12	STDAYPMO	IISTMFY	IRSTMFY		
ST12	STDAYPMO	II2STMFY	IRSTMFY		
ST12		STTOTFG			
ST12		STFQFLG			
ST13	STDAYPWK	STMYRTOT	IRSTMFY		
ST13	STDAYPWK	IISTMFY	IRSTMFY		
ST13	STDAYPWK	II2STMFY	IRSTMFY		
ST13		STTOTFG			
ST13		STFQFLG			
ST14	METHAGE	IIMTHAGE	IRMTHAGE		
ST14	METHAGE		IRMTHAGE		
ST14			IRMTHAGE		
ST15	METHYFU	IIMTHYFU	IRMTHYFU		
ST16	METHYFU	IIMTHYFU	IRMTHYFU		
ST17	METHYFU	IIMTHYFU	IRMTHYFU		
ST17	METHMFU				
ST18	METHMFU				
ST19	METHREC	IIMTHRC	IRMTHRC	MTHFLAG	
ST19	METHREC	IIMTHRC	IRMTHRC	MTHYR	
ST19	METHREC	IIMTHRC	IRMTHRC	MTHMON	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHFLAG	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHYR	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHMON	
SV01	METHAQ			METHAQ2	
SV02	NEMBBARB			NEMBBAR2	
SV03	RESTTMAZ			RESTTMA2	
SV04	SEDCARD			OTHSERD	1
SV04A	AMYTAL			AMYTAL2	
SV04A	BUTISOL			BUTISOL2	
SV04A	CHHYD			CHHYD2	
SV04A	DALMANE			DALMANE2	
SV04A	HALCION			HALCION2	
SV04A	PHENOBAR			PHENOBR2	
SV04A	PLACIDYL			PLACIDY2	
SV04A	TUINAL			TUINAL2	
SV05	SEDNOLST			OTHSERD	1
SV05A	SEDNEWA				
SV05B	SEDNEWB				
SV05C	SEDNEWC				
SV05D	SEDNEWD				
SV05E	SEDNEWE				
SV06	SEDAGE	IISEDAGE	IRSEDAGE	SEDAFU	
SV06	SEDAGE		IRSEDAGE	SEDAFU	
SV06			IRSEDAGE	SEDAFU	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SV07A	SEDYFU	IISEDYFU	IRSEDYFU		
SV07B	SEDYFU	IISEDYFU	IRSEDYFU		
SV08A	SEDYFU	IISEDYFU	IRSEDYFU		
SV08A			IRSEDYFU		
SV08A	SEDMFU				
SV08B	SEDMFU				
SV09	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMMON	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMMON	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMMON	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMMON	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMYR	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYYR2	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOYR2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMYR	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMMON	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYMON2	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOMON2	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMMON	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDFLAG	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMFLAG	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYFLAG2	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOFLAG	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMFLAG	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDYR	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMYR	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYYR2	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOYR2	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMYR	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDMON	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMMON	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYMON2	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOMON2	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMMON	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMYR	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYYR2	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOYR2	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMYR	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMMON	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYMON2	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOMON2	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMMON	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDFLAG	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMFLAG	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYFLAG2	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOFLAG	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMFLAG	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDYR	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMYR	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYYR2	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOYR2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMYR	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDMON	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMMON	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYMON2	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOMON2	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMMON	
SV10	SVBSTWAY				
SV11	SVDAYPYR	SEDYRTOT	IRSEDFY		
SV11	SVDAYPYR	IISEDFY	IRSEDFY		
SV11	SVDAYPYR	II2SEDFY	IRSEDFY		
SV11		SVTOTFG			
SV11		SVFQFLG			
SV12	SVDAYPMO	SEDYRTOT	IRSEDFY		
SV12	SVDAYPMO	IISEDFY	IRSEDFY		
SV12	SVDAYPMO	II2SEDFY	IRSEDFY		
SV12		SVTOTFG			
SV12		SVFQFLG			
SV13	SVDAYPWK	SEDYRTOT	IRSEDFY		
SV13	SVDAYPWK	IISEDFY	IRSEDFY		
SV13	SVDAYPWK	II2SEDFY	IRSEDFY		
SV13		SVTOTFG			
SV13		SVFQFLG			
SD01	HERSMOKE			HERSMOK2	
SD02	HRSMKREC				
SD03	HERSNIFF			HERSNIF2	
SD04	HRSNFREC				
SD05	GNNDLLIF			NEDLRECC	
SD05	GNNDLLIF			NEDFLAG4	
SD06	COCNEEDL			NEDCOC	
SD07	CONDLREC			NEDLRECC	
SD08	HERNEEDL			NEDHER	
SD09	HRNDLREC			NEDLRECC	
SD10	STNEEDLE			NEDSTM	
SD11	STNDLREC			NEDLRECC	
SD12	GNNDREUS				
SD13	GNNDLSH1				
SD14	GNNDCLEN				
SD15	GNNDLSH2				
SD16	GNNDGET2				
SD16SP	GNNDGET2				
RK01A	RSKPKCIG			GRSKPKCG	
RK01B	RSKMJOCC			GRSKMOCC	
RK01C	RSKMJREG			GRSKMREG	
RK01D	RKTRYLSD			GRSKLTRY	
RK01E	RKLSDREG			GRSKLREG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

RK01F	RKTRYHER			GRSKHTRY	
RK01G	RKHERREG			GRSKHREG	
RK01H	RKCOCOCC			GRSKCOCC	
RK01I	RKCOCREG			GRSKCREG	
RK01J	RK5ALDLY			GRSKD4_5	
RK01K	RK5ALWK			GRSKD5WK	
RK02A	RSKDIFMJ			RDIFMJ	
RK02B	RKDIFLSD			RDIFLSD	
RK02C	RKDIFCOC			RDIFCOC	
RK02D	RKDIFCRK			RDIFCRK	
RK02E	RKDIFHER			RDIFHER	
RK03	RSKSELL			APPSELDG	
RK04A	RKFQDNDR				
RK04B	RKFQRSKY				
RK04C	RKFQPBLT				
RK04D	RKFQDBLT				
DRCIG01	CIGLOTTM			DEPNDCIG	
DRCIG04	CIGLIMIT				
DRCIG05	CIGKPLMT			DEPNDCIG	
DRCIG06	CIGNDMOR			DEPNDCIG	
DRCIG07	CIGLSEFX			DEPNDCIG	
DRCIG08	CIGCUTDN				
DRCIG09	CIGCUTEV			DEPNDCIG	
DRCIG10	CIGCUT1X				
DRCIG11	CIGWD4SX				
DRCIG12	CIGWDSMT			DEPNDCIG	
DRCIG13	CIGEMOPB				
DRCIG14	CIGEMCTD			DEPNDCIG	
DRCIG15	CIGPHLPB				
DRCIG16	CIGPHCTD			DEPNDCIG	
DRCIG17	CIGLSACT			DEPNDCIG	
DRCIG18	CIGPKCRT				
DRCIG19	CIGPDPAK				
DRCIG20	CIGPDCRT				
DRALC01	ALCLOTTM			DEPNDALC	
DRALC01	ALCLOTTM			ABUSEALC	1
DRALC01	ALCLOTTM			ABODALC	1
DRALC01	ALCLOTTM			DPILLALC	2
DRALC01	ALCLOTTM			ABILLALC	4
DRALC01	ALCLOTTM			ABDILAAL	9
DRALC01	ALCLOTTM			DPILANAL	2
DRALC01	ALCLOTTM			ABILANAL	4
DRALC01	ALCLOTTM			ABODILAL	10
DRALC02	ALCGTOVR			DEPNDALC	
DRALC02	ALCGTOVR			ABUSEALC	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC02	ALCGTOVR			ABODALC	1
DRALC02	ALCGTOVR			DPILLALC	2
DRALC02	ALCGTOVR			ABILLALC	4
DRALC02	ALCGTOVR			ABDILAAL	9
DRALC02	ALCGTOVR			DPILANAL	2
DRALC02	ALCGTOVR			ABILANAL	4
DRALC02	ALCGTOVR			ABODILAL	10
DRALC04	ALCLIMIT				
DRALC05	ALCKPLMT			DEPNALC	
DRALC05	ALCKPLMT			ABUSEALC	1
DRALC05	ALCKPLMT			ABODALC	1
DRALC05	ALCKPLMT			DPILLALC	2
DRALC05	ALCKPLMT			ABILLALC	4
DRALC05	ALCKPLMT			ABDILAAL	9
DRALC05	ALCKPLMT			DPILANAL	2
DRALC05	ALCKPLMT			ABILANAL	4
DRALC05	ALCKPLMT			ABODILAL	10
DRALC06	ALCNDMOR			DEPNALC	
DRALC06	ALCNDMOR			ABUSEALC	1
DRALC06	ALCNDMOR			ABODALC	1
DRALC06	ALCNDMOR			DPILLALC	2
DRALC06	ALCNDMOR			ABILLALC	4
DRALC06	ALCNDMOR			ABDILAAL	9
DRALC06	ALCNDMOR			DPILANAL	2
DRALC06	ALCNDMOR			ABILANAL	4
DRALC06	ALCNDMOR			ABODILAL	10
DRALC07	ALCLSEFX			DEPNALC	
DRALC07	ALCLSEFX			ABUSEALC	1
DRALC07	ALCLSEFX			ABODALC	1
DRALC07	ALCLSEFX			DPILLALC	2
DRALC07	ALCLSEFX			ABILLALC	4
DRALC07	ALCLSEFX			ABDILAAL	9
DRALC07	ALCLSEFX			DPILANAL	2
DRALC07	ALCLSEFX			ABILANAL	4
DRALC07	ALCLSEFX			ABODILAL	10
DRALC08	ALCCUTDN				
DRALC09	ALCCUTEV			DEPNALC	
DRALC09	ALCCUTEV			ABUSEALC	1
DRALC09	ALCCUTEV			ABODALC	1
DRALC09	ALCCUTEV			DPILLALC	2
DRALC09	ALCCUTEV			ABILLALC	4
DRALC09	ALCCUTEV			ABDILAAL	9
DRALC09	ALCCUTEV			DPILANAL	2
DRALC09	ALCCUTEV			ABILANAL	4
DRALC09	ALCCUTEV			ABODILAL	10

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC10	ALCCUT1X				
DRALC11	ALCWD2SX				
DRALC12	ALCWDSMT			DEPNALC	
DRALC12	ALCWDSMT			ABUSEALC	1
DRALC12	ALCWDSMT			ABODALC	1
DRALC12	ALCWDSMT			DPILLALC	2
DRALC12	ALCWDSMT			ABILLALC	4
DRALC12	ALCWDSMT			ABDILAAL	9
DRALC12	ALCWDSMT			DPILANAL	2
DRALC12	ALCWDSMT			ABILANAL	4
DRALC12	ALCWDSMT			ABODILAL	10
DRALC13	ALCEMOPB				
DRALC14	ALCEMCTD			DEPNALC	
DRALC14	ALCEMCTD			ABUSEALC	1
DRALC14	ALCEMCTD			ABODALC	1
DRALC14	ALCEMCTD			DPILLALC	2
DRALC14	ALCEMCTD			ABILLALC	4
DRALC14	ALCEMCTD			ABDILAAL	9
DRALC14	ALCEMCTD			DPILANAL	2
DRALC14	ALCEMCTD			ABILANAL	4
DRALC14	ALCEMCTD			ABODILAL	10
DRALC15	ALCPHLPB				
DRALC16	ALCPHCTD			DEPNALC	
DRALC16	ALCPHCTD			ABUSEALC	1
DRALC16	ALCPHCTD			ABODALC	1
DRALC16	ALCPHCTD			DPILLALC	2
DRALC16	ALCPHCTD			ABILLALC	4
DRALC16	ALCPHCTD			ABDILAAL	9
DRALC16	ALCPHCTD			DPILANAL	2
DRALC16	ALCPHCTD			ABILANAL	4
DRALC16	ALCPHCTD			ABODILAL	10
DRALC17	ALCLSACT			DEPNALC	
DRALC17	ALCLSACT			ABUSEALC	1
DRALC17	ALCLSACT			ABODALC	1
DRALC17	ALCLSACT			DPILLALC	2
DRALC17	ALCLSACT			ABILLALC	4
DRALC17	ALCLSACT			ABDILAAL	9
DRALC17	ALCLSACT			DPILANAL	2
DRALC17	ALCLSACT			ABILANAL	4
DRALC17	ALCLSACT			ABODILAL	10
DRALC18	ALCSERP			ABUSEALC	1
DRALC18	ALCSERP			ABODALC	1
DRALC18	ALCSERP			ABILLALC	4
DRALC18	ALCSERP			ABDILAAL	9
DRALC18	ALCSERP			ABILANAL	4

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC18	ALCSERP			ABODILAL	10
DRALC19	ALCPDANG			ABUSEALC	1
DRALC19	ALCPDANG			ABODALC	1
DRALC19	ALCPDANG			ABILLALC	4
DRALC19	ALCPDANG			ABDILAAL	9
DRALC19	ALCPDANG			ABILANAL	4
DRALC19	ALCPDANG			ABODILAL	10
DRALC20	ALCLAWTR			ABUSEALC	1
DRALC20	ALCLAWTR			ABODALC	1
DRALC20	ALCLAWTR			ABILLALC	4
DRALC20	ALCLAWTR			ABDILAAL	9
DRALC20	ALCLAWTR			ABILANAL	4
DRALC20	ALCLAWTR			ABODILAL	10
DRALC21	ALCFMFPB			ABUSEALC	1
DRALC21	ALCFMFPB			ABODALC	1
DRALC21	ALCFMFPB			ABILLALC	4
DRALC21	ALCFMFPB			ABDILAAL	9
DRALC21	ALCFMFPB			ABILANAL	4
DRALC21	ALCFMFPB			ABODILAL	10
DRALC22	ALCFMCTD			ABUSEALC	1
DRALC22	ALCFMCTD			ABODALC	1
DRALC22	ALCFMCTD			ABILLALC	4
DRALC22	ALCFMCTD			ABDILAAL	9
DRALC22	ALCFMCTD			ABILANAL	4
DRALC22	ALCFMCTD			ABODILAL	10
DRMJ01	MRJLOTTM			DEPN DILL	
DRMJ01	MRJLOTTM			ABUSEILL	1
DRMJ01	MRJLOTTM			ABODILL	5
DRMJ01	MRJLOTTM			DEPN DMRJ	
DRMJ01	MRJLOTTM			ABUSEMRJ	1
DRMJ01	MRJLOTTM			ABODMRJ	1
DRMJ01	MRJLOTTM			DEPN D XMJ	
DRMJ01	MRJLOTTM			ABUSEXMJ	8
DRMJ02	MRJGTOVR			DEPN DILL	
DRMJ02	MRJGTOVR			ABUSEILL	1
DRMJ02	MRJGTOVR			ABODILL	5
DRMJ02	MRJGTOVR			DEPN DMRJ	
DRMJ02	MRJGTOVR			ABUSEMRJ	1
DRMJ02	MRJGTOVR			ABODMRJ	1
DRMJ02	MRJGTOVR			DEPN D XMJ	
DRMJ02	MRJGTOVR			ABUSEXMJ	8
DRMJ04	MRJLIMIT				
DRMJ05	MRJKPLMT			DEPN DILL	
DRMJ05	MRJKPLMT			ABUSEILL	1
DRMJ05	MRJKPLMT			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRMJ05	MRJKPLMT			DEPNDRMJ	
DRMJ05	MRJKPLMT			ABUSEMRJ	1
DRMJ05	MRJKPLMT			ABODMRJ	1
DRMJ05	MRJKPLMT			DEPNDRMJ	
DRMJ05	MRJKPLMT			ABUSEXMJ	8
DRMJ06	MRJNDMOR			DEPNDRMJ	
DRMJ06	MRJNDMOR			ABUSEILL	1
DRMJ06	MRJNDMOR			ABODILL	5
DRMJ06	MRJNDMOR			DEPNDRMJ	
DRMJ06	MRJNDMOR			ABUSEMRJ	1
DRMJ06	MRJNDMOR			ABODMRJ	1
DRMJ06	MRJNDMOR			DEPNDRMJ	
DRMJ06	MRJNDMOR			ABUSEXMJ	8
DRMJ07	MRJLSEFX			DEPNDRMJ	
DRMJ07	MRJLSEFX			ABUSEILL	1
DRMJ07	MRJLSEFX			ABODILL	5
DRMJ07	MRJLSEFX			DEPNDRMJ	
DRMJ07	MRJLSEFX			ABUSEMRJ	1
DRMJ07	MRJLSEFX			ABODMRJ	1
DRMJ07	MRJLSEFX			DEPNDRMJ	
DRMJ07	MRJLSEFX			ABUSEXMJ	8
DRMJ08	MRJCUTDN				
DRMJ09	MRJCUTEV			DEPNDRMJ	
DRMJ09	MRJCUTEV			ABUSEILL	1
DRMJ09	MRJCUTEV			ABODILL	5
DRMJ09	MRJCUTEV			DEPNDRMJ	
DRMJ09	MRJCUTEV			ABUSEMRJ	1
DRMJ09	MRJCUTEV			ABODMRJ	1
DRMJ09	MRJCUTEV			DEPNDRMJ	
DRMJ09	MRJCUTEV			ABUSEXMJ	8
DRMJ13	MRJEMOPB				
DRMJ14	MRJEMCTD			DEPNDRMJ	
DRMJ14	MRJEMCTD			ABUSEILL	1
DRMJ14	MRJEMCTD			ABODILL	5
DRMJ14	MRJEMCTD			DEPNDRMJ	
DRMJ14	MRJEMCTD			ABUSEMRJ	1
DRMJ14	MRJEMCTD			ABODMRJ	1
DRMJ14	MRJEMCTD			DEPNDRMJ	
DRMJ14	MRJEMCTD			ABUSEXMJ	8
DRMJ15	MRJPHLPB				
DRMJ16	MRJPHCTD			DEPNDRMJ	
DRMJ16	MRJPHCTD			ABUSEILL	1
DRMJ16	MRJPHCTD			ABODILL	5
DRMJ16	MRJPHCTD			DEPNDRMJ	
DRMJ16	MRJPHCTD			ABUSEMRJ	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRMJ16	MRJPHCTD			ABODMRJ	1
DRMJ16	MRJPHCTD			DEPNDXMJ	
DRMJ16	MRJPHCTD			ABUSEXMJ	8
DRMJ17	MRJLSACT			DEPN DILL	
DRMJ17	MRJLSACT			ABUSEILL	1
DRMJ17	MRJLSACT			ABODILL	5
DRMJ17	MRJLSACT			DEPN DMRJ	
DRMJ17	MRJLSACT			ABUSEMRJ	1
DRMJ17	MRJLSACT			ABODMRJ	1
DRMJ17	MRJLSACT			DEPN DXMJ	
DRMJ17	MRJLSACT			ABUSEXMJ	8
DRMJ18	MRJSERP B			ABUSEILL	1
DRMJ18	MRJSERP B			ABODILL	5
DRMJ18	MRJSERP B			ABUSEMRJ	1
DRMJ18	MRJSERP B			ABODMRJ	1
DRMJ18	MRJSERP B			ABUSEXMJ	8
DRMJ19	MRJPDANG			ABUSEILL	1
DRMJ19	MRJPDANG			ABODILL	5
DRMJ19	MRJPDANG			ABUSEMRJ	1
DRMJ19	MRJPDANG			ABODMRJ	1
DRMJ19	MRJPDANG			ABUSEXMJ	8
DRMJ20	MRJLAW TR			ABUSEILL	1
DRMJ20	MRJLAW TR			ABODILL	5
DRMJ20	MRJLAW TR			ABUSEMRJ	1
DRMJ20	MRJLAW TR			ABODMRJ	1
DRMJ20	MRJLAW TR			ABUSEXMJ	8
DRMJ21	MRJFMFPB			ABUSEILL	1
DRMJ21	MRJFMFPB			ABODILL	5
DRMJ21	MRJFMFPB			ABUSEMRJ	1
DRMJ21	MRJFMFPB			ABODMRJ	1
DRMJ21	MRJFMFPB			ABUSEXMJ	8
DRMJ22	MRJFMCTD			ABUSEILL	1
DRMJ22	MRJFMCTD			ABODILL	5
DRMJ22	MRJFMCTD			ABUSEMRJ	1
DRMJ22	MRJFMCTD			ABODMRJ	1
DRMJ22	MRJFMCTD			ABUSEXMJ	8
DRCC01	COCLOTTM			DEPN DILL	
DRCC01	COCLOTTM			ABUSEILL	1
DRCC01	COCLOTTM			ABODILL	5
DRCC01	COCLOTTM			DEPN DCOC	
DRCC01	COCLOTTM			ABUSECOC	1
DRCC01	COCLOTTM			ABODCOC	1
DRCC01	COCLOTTM			DEPN DIEM	
DRCC01	COCLOTTM			ABUSEIEM	7
DRCC01	COCLOTTM			DEPN DXMJ	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC01	COCLOTTM			ABUSEXMJ	8
DRCC02	COCGTOVR			DEPNDILL	
DRCC02	COCGTOVR			ABUSEILL	1
DRCC02	COCGTOVR			ABODILL	5
DRCC02	COCGTOVR			DEPNDCOG	
DRCC02	COCGTOVR			ABUSECOC	1
DRCC02	COCGTOVR			ABODCOG	1
DRCC02	COCGTOVR			DEPNDIEM	
DRCC02	COCGTOVR			ABUSEIEM	7
DRCC02	COCGTOVR			DEPNDXMJ	
DRCC02	COCGTOVR			ABUSEXMJ	8
DRCC04	COCLIMIT				
DRCC05	COCKPLMT			DEPNDILL	
DRCC05	COCKPLMT			ABUSEILL	1
DRCC05	COCKPLMT			ABODILL	5
DRCC05	COCKPLMT			DEPNDCOG	
DRCC05	COCKPLMT			ABUSECOC	1
DRCC05	COCKPLMT			ABODCOG	1
DRCC05	COCKPLMT			DEPNDIEM	
DRCC05	COCKPLMT			ABUSEIEM	7
DRCC05	COCKPLMT			DEPNDXMJ	
DRCC05	COCKPLMT			ABUSEXMJ	8
DRCC06	COCNDMOR			DEPNDILL	
DRCC06	COCNDMOR			ABUSEILL	1
DRCC06	COCNDMOR			ABODILL	5
DRCC06	COCNDMOR			DEPNDCOG	
DRCC06	COCNDMOR			ABUSECOC	1
DRCC06	COCNDMOR			ABODCOG	1
DRCC06	COCNDMOR			DEPNDIEM	
DRCC06	COCNDMOR			ABUSEIEM	7
DRCC06	COCNDMOR			DEPNDXMJ	
DRCC06	COCNDMOR			ABUSEXMJ	8
DRCC07	COCLSEFX			DEPNDILL	
DRCC07	COCLSEFX			ABUSEILL	1
DRCC07	COCLSEFX			ABODILL	5
DRCC07	COCLSEFX			DEPNDCOG	
DRCC07	COCLSEFX			ABUSECOC	1
DRCC07	COCLSEFX			ABODCOG	1
DRCC07	COCLSEFX			DEPNDIEM	
DRCC07	COCLSEFX			ABUSEIEM	7
DRCC07	COCLSEFX			DEPNDXMJ	
DRCC07	COCLSEFX			ABUSEXMJ	8
DRCC08	COCCUTDN				
DRCC09	COCCUTEV			DEPNDILL	
DRCC09	COCCUTEV			ABUSEILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC09	COCCUTEV			ABODILL	5
DRCC09	COCCUTEV			DEPNDCOC	
DRCC09	COCCUTEV			ABUSECOC	1
DRCC09	COCCUTEV			ABODCOC	1
DRCC09	COCCUTEV			DEPNDIEM	
DRCC09	COCCUTEV			ABUSEIEM	7
DRCC09	COCCUTEV			DEPNDXMJ	
DRCC09	COCCUTEV			ABUSEXMJ	8
DRCC10	COCCUT1X				
DRCC10A	COCFLBLU				
DRCC11	COCWD2SX				
DRCC12	COCWDSMT			DEPN DILL	
DRCC12	COCWDSMT			ABUSEILL	1
DRCC12	COCWDSMT			ABODILL	5
DRCC12	COCWDSMT			DEPNDCOC	
DRCC12	COCWDSMT			ABUSECOC	1
DRCC12	COCWDSMT			ABODCOC	1
DRCC12	COCWDSMT			DEPNDIEM	
DRCC12	COCWDSMT			ABUSEIEM	7
DRCC12	COCWDSMT			DEPNDXMJ	
DRCC12	COCWDSMT			ABUSEXMJ	8
DRCC13	COCEMOPB				
DRCC14	COCEMCTD			DEPN DILL	
DRCC14	COCEMCTD			ABUSEILL	1
DRCC14	COCEMCTD			ABODILL	5
DRCC14	COCEMCTD			DEPNDCOC	
DRCC14	COCEMCTD			ABUSECOC	1
DRCC14	COCEMCTD			ABODCOC	1
DRCC14	COCEMCTD			DEPNDIEM	
DRCC14	COCEMCTD			ABUSEIEM	7
DRCC14	COCEMCTD			DEPNDXMJ	
DRCC14	COCEMCTD			ABUSEXMJ	8
DRCC15	COCPLPB				
DRCC16	COCPHCTD			DEPN DILL	
DRCC16	COCPHCTD			ABUSEILL	1
DRCC16	COCPHCTD			ABODILL	5
DRCC16	COCPHCTD			DEPNDCOC	
DRCC16	COCPHCTD			ABUSECOC	1
DRCC16	COCPHCTD			ABODCOC	1
DRCC16	COCPHCTD			DEPNDIEM	
DRCC16	COCPHCTD			ABUSEIEM	7
DRCC16	COCPHCTD			DEPNDXMJ	
DRCC16	COCPHCTD			ABUSEXMJ	8
DRCC17	COCLSACT			DEPN DILL	
DRCC17	COCLSACT			ABUSEILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC17	COCLSACT			ABODILL	5
DRCC17	COCLSACT			DEPNDCOC	
DRCC17	COCLSACT			ABUSECOC	1
DRCC17	COCLSACT			ABODCOC	1
DRCC17	COCLSACT			DEPNDIEM	
DRCC17	COCLSACT			ABUSEIEM	7
DRCC17	COCLSACT			DEPNDXMJ	
DRCC17	COCLSACT			ABUSEXMJ	8
DRCC18	COCSERP			ABUSEILL	1
DRCC18	COCSERP			ABODILL	5
DRCC18	COCSERP			ABUSECOC	1
DRCC18	COCSERP			ABODCOC	1
DRCC18	COCSERP			ABUSEIEM	7
DRCC18	COCSERP			ABUSEXMJ	8
DRCC19	COCPDANG			ABUSEILL	1
DRCC19	COCPDANG			ABODILL	5
DRCC19	COCPDANG			ABUSECOC	1
DRCC19	COCPDANG			ABODCOC	1
DRCC19	COCPDANG			ABUSEIEM	7
DRCC19	COCPDANG			ABUSEXMJ	8
DRCC20	COCLAWTR			ABUSEILL	1
DRCC20	COCLAWTR			ABODILL	5
DRCC20	COCLAWTR			ABUSECOC	1
DRCC20	COCLAWTR			ABODCOC	1
DRCC20	COCLAWTR			ABUSEIEM	7
DRCC20	COCLAWTR			ABUSEXMJ	8
DRCC21	COCFMFPB			ABUSEILL	1
DRCC21	COCFMFPB			ABODILL	5
DRCC21	COCFMFPB			ABUSECOC	1
DRCC21	COCFMFPB			ABODCOC	1
DRCC21	COCFMFPB			ABUSEIEM	7
DRCC21	COCFMFPB			ABUSEXMJ	8
DRCC22	COCFMCTD			ABUSEILL	1
DRCC22	COCFMCTD			ABODILL	5
DRCC22	COCFMCTD			ABUSECOC	1
DRCC22	COCFMCTD			ABODCOC	1
DRCC22	COCFMCTD			ABUSEIEM	7
DRCC22	COCFMCTD			ABUSEXMJ	8
DRHE01	HERLOTTM			DEPN DILL	
DRHE01	HERLOTTM			ABUSEILL	1
DRHE01	HERLOTTM			ABODILL	5
DRHE01	HERLOTTM			DEPN DHER	
DRHE01	HERLOTTM			ABUSEHER	1
DRHE01	HERLOTTM			ABODHER	1
DRHE01	HERLOTTM			DEPN DIEM	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE01	HERLOTTM			ABUSEIEM	7
DRHE01	HERLOTTM			DEPNDXMJ	
DRHE01	HERLOTTM			ABUSEXMJ	8
DRHE02	HERGTOVR			DEPNDILL	
DRHE02	HERGTOVR			ABUSEILL	1
DRHE02	HERGTOVR			ABODILL	5
DRHE02	HERGTOVR			DEPNDHER	
DRHE02	HERGTOVR			ABUSEHER	1
DRHE02	HERGTOVR			ABODHER	1
DRHE02	HERGTOVR			DEPNDIEM	
DRHE02	HERGTOVR			ABUSEIEM	7
DRHE02	HERGTOVR			DEPNDXMJ	
DRHE02	HERGTOVR			ABUSEXMJ	8
DRHE04	HERLIMIT				
DRHE05	HERKPLMT			DEPNDILL	
DRHE05	HERKPLMT			ABUSEILL	1
DRHE05	HERKPLMT			ABODILL	5
DRHE05	HERKPLMT			DEPNDHER	
DRHE05	HERKPLMT			ABUSEHER	1
DRHE05	HERKPLMT			ABODHER	1
DRHE05	HERKPLMT			DEPNDIEM	
DRHE05	HERKPLMT			ABUSEIEM	7
DRHE05	HERKPLMT			DEPNDXMJ	
DRHE05	HERKPLMT			ABUSEXMJ	8
DRHE06	HERNDMOR				
DRHE07	HERLSEFX			DEPNDILL	
DRHE07	HERLSEFX			ABUSEILL	1
DRHE07	HERLSEFX			ABODILL	5
DRHE07	HERLSEFX			DEPNDHER	
DRHE07	HERLSEFX			ABUSEHER	1
DRHE07	HERLSEFX			ABODHER	1
DRHE07	HERLSEFX			DEPNDIEM	
DRHE07	HERLSEFX			ABUSEIEM	7
DRHE07	HERLSEFX			DEPNDXMJ	
DRHE07	HERLSEFX			ABUSEXMJ	8
DRHE08	HERCUTDN				
DRHE09	HERCUTEV			DEPNDILL	
DRHE09	HERCUTEV			ABUSEILL	1
DRHE09	HERCUTEV			ABODILL	5
DRHE09	HERCUTEV			DEPNDHER	
DRHE09	HERCUTEV			ABUSEHER	1
DRHE09	HERCUTEV			ABODHER	1
DRHE09	HERCUTEV			DEPNDIEM	
DRHE09	HERCUTEV			ABUSEIEM	7
DRHE09	HERCUTEV			DEPNDXMJ	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE09	HERCUTEV			ABUSEXMJ	8
DRHE10	HERCUT1X				
DRHE11	HERWD3SX				
DRHE12	HERWDSMT			DEPNDILL	
DRHE12	HERWDSMT			ABUSEILL	1
DRHE12	HERWDSMT			ABODILL	5
DRHE12	HERWDSMT			DEPNDHER	
DRHE12	HERWDSMT			ABUSEHER	1
DRHE12	HERWDSMT			ABODHER	1
DRHE12	HERWDSMT			DEPNDIEM	
DRHE12	HERWDSMT			ABUSEIEM	7
DRHE12	HERWDSMT			DEPNDXMJ	
DRHE12	HERWDSMT			ABUSEXMJ	8
DRHE13	HEREMOPB				
DRHE14	HEREMCTD			DEPNDILL	
DRHE14	HEREMCTD			ABUSEILL	1
DRHE14	HEREMCTD			ABODILL	5
DRHE14	HEREMCTD			DEPNDHER	
DRHE14	HEREMCTD			ABUSEHER	1
DRHE14	HEREMCTD			ABODHER	1
DRHE14	HEREMCTD			DEPNDIEM	
DRHE14	HEREMCTD			ABUSEIEM	7
DRHE14	HEREMCTD			DEPNDXMJ	
DRHE14	HEREMCTD			ABUSEXMJ	8
DRHE15	HERPHLPB				
DRHE16	HERPHCTD			DEPNDILL	
DRHE16	HERPHCTD			ABUSEILL	1
DRHE16	HERPHCTD			ABODILL	5
DRHE16	HERPHCTD			DEPNDHER	
DRHE16	HERPHCTD			ABUSEHER	1
DRHE16	HERPHCTD			ABODHER	1
DRHE16	HERPHCTD			DEPNDIEM	
DRHE16	HERPHCTD			ABUSEIEM	7
DRHE16	HERPHCTD			DEPNDXMJ	
DRHE16	HERPHCTD			ABUSEXMJ	8
DRHE17	HERLSACT				
DRHE18	HERSERPB			ABUSEILL	1
DRHE18	HERSERPB			ABODILL	5
DRHE18	HERSERPB			ABUSEHER	1
DRHE18	HERSERPB			ABODHER	1
DRHE18	HERSERPB			ABUSEIEM	7
DRHE18	HERSERPB			ABUSEXMJ	8
DRHE19	HERPDANG			ABUSEILL	1
DRHE19	HERPDANG			ABODILL	5
DRHE19	HERPDANG			ABUSEHER	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE19	HERPDANG			ABODHER	1
DRHE19	HERPDANG			ABUSEIEM	7
DRHE19	HERPDANG			ABUSEXMJ	8
DRHE20	HERLAWTR			ABUSEILL	1
DRHE20	HERLAWTR			ABODILL	5
DRHE20	HERLAWTR			ABUSEHER	1
DRHE20	HERLAWTR			ABODHER	1
DRHE20	HERLAWTR			ABUSEIEM	7
DRHE20	HERLAWTR			ABUSEXMJ	8
DRHE21	HERFMFPB			ABUSEILL	1
DRHE21	HERFMFPB			ABODILL	5
DRHE21	HERFMFPB			ABUSEHER	1
DRHE21	HERFMFPB			ABODHER	1
DRHE21	HERFMFPB			ABUSEIEM	7
DRHE21	HERFMFPB			ABUSEXMJ	8
DRHE22	HERFMCTD			ABUSEILL	1
DRHE22	HERFMCTD			ABODILL	5
DRHE22	HERFMCTD			ABUSEHER	1
DRHE22	HERFMCTD			ABODHER	1
DRHE22	HERFMCTD			ABUSEIEM	7
DRHE22	HERFMCTD			ABUSEXMJ	8
DRLS01	HALLOTTM			DEPNDILL	
DRLS01	HALLOTTM			ABUSEILL	1
DRLS01	HALLOTTM			ABODILL	5
DRLS01	HALLOTTM			DEPNDHAL	
DRLS01	HALLOTTM			ABUSEHAL	1
DRLS01	HALLOTTM			ABODHAL	1
DRLS01	HALLOTTM			DEPNDIEM	
DRLS01	HALLOTTM			ABUSEIEM	7
DRLS01	HALLOTTM			DEPNDXMJ	
DRLS01	HALLOTTM			ABUSEXMJ	8
DRLS02	HALGTOVR			DEPNDILL	
DRLS02	HALGTOVR			ABUSEILL	1
DRLS02	HALGTOVR			ABODILL	5
DRLS02	HALGTOVR			DEPNDHAL	
DRLS02	HALGTOVR			ABUSEHAL	1
DRLS02	HALGTOVR			ABODHAL	1
DRLS02	HALGTOVR			DEPNDIEM	
DRLS02	HALGTOVR			ABUSEIEM	7
DRLS02	HALGTOVR			DEPNDXMJ	
DRLS02	HALGTOVR			ABUSEXMJ	8
DRLS04	HALLIMIT				
DRLS05	HALKPLMT			DEPNDILL	
DRLS05	HALKPLMT			ABUSEILL	1
DRLS05	HALKPLMT			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS05	HALKPLMT			DEPNDHAL	
DRLS05	HALKPLMT			ABUSEHAL	1
DRLS05	HALKPLMT			ABODHAL	1
DRLS05	HALKPLMT			DEPNDIEM	
DRLS05	HALKPLMT			ABUSEIEM	7
DRLS05	HALKPLMT			DEPNDXMJ	
DRLS05	HALKPLMT			ABUSEXMJ	8
DRLS06	HALNDMOR			DEPNDILL	
DRLS06	HALNDMOR			ABUSEILL	1
DRLS06	HALNDMOR			ABODILL	5
DRLS06	HALNDMOR			DEPNDHAL	
DRLS06	HALNDMOR			ABUSEHAL	1
DRLS06	HALNDMOR			ABODHAL	1
DRLS06	HALNDMOR			DEPNDIEM	
DRLS06	HALNDMOR			ABUSEIEM	7
DRLS06	HALNDMOR			DEPNDXMJ	
DRLS06	HALNDMOR			ABUSEXMJ	8
DRLS07	HALLSEFX			DEPNDILL	
DRLS07	HALLSEFX			ABUSEILL	1
DRLS07	HALLSEFX			ABODILL	5
DRLS07	HALLSEFX			DEPNDHAL	
DRLS07	HALLSEFX			ABUSEHAL	1
DRLS07	HALLSEFX			ABODHAL	1
DRLS07	HALLSEFX			DEPNDIEM	
DRLS07	HALLSEFX			ABUSEIEM	7
DRLS07	HALLSEFX			DEPNDXMJ	
DRLS07	HALLSEFX			ABUSEXMJ	8
DRLS08	HALCUTDN				
DRLS09	HALCUTEV			DEPNDILL	
DRLS09	HALCUTEV			ABUSEILL	1
DRLS09	HALCUTEV			ABODILL	5
DRLS09	HALCUTEV			DEPNDHAL	
DRLS09	HALCUTEV			ABUSEHAL	1
DRLS09	HALCUTEV			ABODHAL	1
DRLS09	HALCUTEV			DEPNDIEM	
DRLS09	HALCUTEV			ABUSEIEM	7
DRLS09	HALCUTEV			DEPNDXMJ	
DRLS09	HALCUTEV			ABUSEXMJ	8
DRLS13	HALEMOPB				
DRLS14	HALEMCTD			DEPNDILL	
DRLS14	HALEMCTD			ABUSEILL	1
DRLS14	HALEMCTD			ABODILL	5
DRLS14	HALEMCTD			DEPNDHAL	
DRLS14	HALEMCTD			ABUSEHAL	1
DRLS14	HALEMCTD			ABODHAL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS14	HALEMCTD			DEPNDIEM	
DRLS14	HALEMCTD			ABUSEIEM	7
DRLS14	HALEMCTD			DEPNDXMJ	
DRLS14	HALEMCTD			ABUSEXMJ	8
DRLS15	HALPHLPB				
DRLS16	HALPHCTD			DEPNDILL	
DRLS16	HALPHCTD			ABUSEILL	1
DRLS16	HALPHCTD			ABODILL	5
DRLS16	HALPHCTD			DEPNDHAL	
DRLS16	HALPHCTD			ABUSEHAL	1
DRLS16	HALPHCTD			ABODHAL	1
DRLS16	HALPHCTD			DEPNDIEM	
DRLS16	HALPHCTD			ABUSEIEM	7
DRLS16	HALPHCTD			DEPNDXMJ	
DRLS16	HALPHCTD			ABUSEXMJ	8
DRLS17	HALLSACT			DEPNDILL	
DRLS17	HALLSACT			ABUSEILL	1
DRLS17	HALLSACT			ABODILL	5
DRLS17	HALLSACT			DEPNDHAL	
DRLS17	HALLSACT			ABUSEHAL	1
DRLS17	HALLSACT			ABODHAL	1
DRLS17	HALLSACT			DEPNDIEM	
DRLS17	HALLSACT			ABUSEIEM	7
DRLS17	HALLSACT			DEPNDXMJ	
DRLS17	HALLSACT			ABUSEXMJ	8
DRLS18	HALSERPB			ABUSEILL	1
DRLS18	HALSERPB			ABODILL	5
DRLS18	HALSERPB			ABUSEHAL	1
DRLS18	HALSERPB			ABODHAL	1
DRLS18	HALSERPB			ABUSEIEM	7
DRLS18	HALSERPB			ABUSEXMJ	8
DRLS19	HALPDANG			ABUSEILL	1
DRLS19	HALPDANG			ABODILL	5
DRLS19	HALPDANG			ABUSEHAL	1
DRLS19	HALPDANG			ABODHAL	1
DRLS19	HALPDANG			ABUSEIEM	7
DRLS19	HALPDANG			ABUSEXMJ	8
DRLS20	HALLAWTR			ABUSEILL	1
DRLS20	HALLAWTR			ABODILL	5
DRLS20	HALLAWTR			ABUSEHAL	1
DRLS20	HALLAWTR			ABODHAL	1
DRLS20	HALLAWTR			ABUSEIEM	7
DRLS20	HALLAWTR			ABUSEXMJ	8
DRLS21	HALFMFPB			ABUSEILL	1
DRLS21	HALFMFPB			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS21	HALFMFPB			ABUSEHAL	1
DRLS21	HALFMFPB			ABODHAL	1
DRLS21	HALFMFPB			ABUSEIEM	7
DRLS21	HALFMFPB			ABUSEXMJ	8
DRLS22	HALFMCTD			ABUSEILL	1
DRLS22	HALFMCTD			ABODILL	5
DRLS22	HALFMCTD			ABUSEHAL	1
DRLS22	HALFMCTD			ABODHAL	1
DRLS22	HALFMCTD			ABUSEIEM	7
DRLS22	HALFMCTD			ABUSEXMJ	8
DRIN01	INHLOTTM			DEPNDILL	
DRIN01	INHLOTTM			ABUSEILL	1
DRIN01	INHLOTTM			ABODILL	5
DRIN01	INHLOTTM			DEPNDINH	
DRIN01	INHLOTTM			ABUSEINH	1
DRIN01	INHLOTTM			ABODINH	1
DRIN01	INHLOTTM			DEPNDIEM	
DRIN01	INHLOTTM			ABUSEIEM	7
DRIN01	INHLOTTM			DEPNDXMJ	
DRIN01	INHLOTTM			ABUSEXMJ	8
DRIN02	INHGTOVR			DEPNDILL	
DRIN02	INHGTOVR			ABUSEILL	1
DRIN02	INHGTOVR			ABODILL	5
DRIN02	INHGTOVR			DEPNDINH	
DRIN02	INHGTOVR			ABUSEINH	1
DRIN02	INHGTOVR			ABODINH	1
DRIN02	INHGTOVR			DEPNDIEM	
DRIN02	INHGTOVR			ABUSEIEM	7
DRIN02	INHGTOVR			DEPNDXMJ	
DRIN02	INHGTOVR			ABUSEXMJ	8
DRIN04	INHLIMIT				
DRIN05	INHKLPLMT			DEPNDILL	
DRIN05	INHKLPLMT			ABUSEILL	1
DRIN05	INHKLPLMT			ABODILL	5
DRIN05	INHKLPLMT			DEPNDINH	
DRIN05	INHKLPLMT			ABUSEINH	1
DRIN05	INHKLPLMT			ABODINH	1
DRIN05	INHKLPLMT			DEPNDIEM	
DRIN05	INHKLPLMT			ABUSEIEM	7
DRIN05	INHKLPLMT			DEPNDXMJ	
DRIN05	INHKLPLMT			ABUSEXMJ	8
DRIN06	INHNDMOR			DEPNDILL	
DRIN06	INHNDMOR			ABUSEILL	1
DRIN06	INHNDMOR			ABODILL	5
DRIN06	INHNDMOR			DEPNDINH	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRIN06	INHNDMOR			ABUSEINH	1
DRIN06	INHNDMOR			ABODINH	1
DRIN06	INHNDMOR			DEPNDIEM	
DRIN06	INHNDMOR			ABUSEIEM	7
DRIN06	INHNDMOR			DEPNDXMJ	
DRIN06	INHNDMOR			ABUSEXMJ	8
DRIN07	INHLSEFX			DEPNDILL	
DRIN07	INHLSEFX			ABUSEILL	1
DRIN07	INHLSEFX			ABODILL	5
DRIN07	INHLSEFX			DEPNDINH	
DRIN07	INHLSEFX			ABUSEINH	1
DRIN07	INHLSEFX			ABODINH	1
DRIN07	INHLSEFX			DEPNDIEM	
DRIN07	INHLSEFX			ABUSEIEM	7
DRIN07	INHLSEFX			DEPNDXMJ	
DRIN07	INHLSEFX			ABUSEXMJ	8
DRIN08	INHCUTDN				
DRIN09	INHCUTEV			DEPNDILL	
DRIN09	INHCUTEV			ABUSEILL	1
DRIN09	INHCUTEV			ABODILL	5
DRIN09	INHCUTEV			DEPNDINH	
DRIN09	INHCUTEV			ABUSEINH	1
DRIN09	INHCUTEV			ABODINH	1
DRIN09	INHCUTEV			DEPNDIEM	
DRIN09	INHCUTEV			ABUSEIEM	7
DRIN09	INHCUTEV			DEPNDXMJ	
DRIN09	INHCUTEV			ABUSEXMJ	8
DRIN13	INHEMOPB				
DRIN14	INHEMCTD			DEPNDILL	
DRIN14	INHEMCTD			ABUSEILL	1
DRIN14	INHEMCTD			ABODILL	5
DRIN14	INHEMCTD			DEPNDINH	
DRIN14	INHEMCTD			ABUSEINH	1
DRIN14	INHEMCTD			ABODINH	1
DRIN14	INHEMCTD			DEPNDIEM	
DRIN14	INHEMCTD			ABUSEIEM	7
DRIN14	INHEMCTD			DEPNDXMJ	
DRIN14	INHEMCTD			ABUSEXMJ	8
DRIN15	INHPHLPB				
DRIN16	INHPHCTD			DEPNDILL	
DRIN16	INHPHCTD			ABUSEILL	1
DRIN16	INHPHCTD			ABODILL	5
DRIN16	INHPHCTD			DEPNDINH	
DRIN16	INHPHCTD			ABUSEINH	1
DRIN16	INHPHCTD			ABODINH	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRIN16	INHPHCTD			DEPNDIEM	
DRIN16	INHPHCTD			ABUSEIEM	7
DRIN16	INHPHCTD			DEPNDXMJ	
DRIN16	INHPHCTD			ABUSEXMJ	8
DRIN17	INHLSACT			DEPNDILL	
DRIN17	INHLSACT			ABUSEILL	1
DRIN17	INHLSACT			ABODILL	5
DRIN17	INHLSACT			DEPNDINH	
DRIN17	INHLSACT			ABUSEINH	1
DRIN17	INHLSACT			ABODINH	1
DRIN17	INHLSACT			DEPNDIEM	
DRIN17	INHLSACT			ABUSEIEM	7
DRIN17	INHLSACT			DEPNDXMJ	
DRIN17	INHLSACT			ABUSEXMJ	8
DRIN18	INHSERPB			ABUSEILL	1
DRIN18	INHSERPB			ABODILL	5
DRIN18	INHSERPB			ABUSEINH	1
DRIN18	INHSERPB			ABODINH	1
DRIN18	INHSERPB			ABUSEIEM	7
DRIN18	INHSERPB			ABUSEXMJ	8
DRIN19	INHPDANG			ABUSEILL	1
DRIN19	INHPDANG			ABODILL	5
DRIN19	INHPDANG			ABUSEINH	1
DRIN19	INHPDANG			ABODINH	1
DRIN19	INHPDANG			ABUSEIEM	7
DRIN19	INHPDANG			ABUSEXMJ	8
DRIN20	INHLOWTR			ABUSEILL	1
DRIN20	INHLOWTR			ABODILL	5
DRIN20	INHLOWTR			ABUSEINH	1
DRIN20	INHLOWTR			ABODINH	1
DRIN20	INHLOWTR			ABUSEIEM	7
DRIN20	INHLOWTR			ABUSEXMJ	8
DRIN21	INHFMFPB			ABUSEILL	1
DRIN21	INHFMFPB			ABODILL	5
DRIN21	INHFMFPB			ABUSEINH	1
DRIN21	INHFMFPB			ABODINH	1
DRIN21	INHFMFPB			ABUSEIEM	7
DRIN21	INHFMFPB			ABUSEXMJ	8
DRIN22	INHFMCTD			ABUSEILL	1
DRIN22	INHFMCTD			ABODILL	5
DRIN22	INHFMCTD			ABUSEINH	1
DRIN22	INHFMCTD			ABODINH	1
DRIN22	INHFMCTD			ABUSEIEM	7
DRIN22	INHFMCTD			ABUSEXMJ	8
DRPR01	ANLLOTTM			DEPNDILL	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR01	ANLLOTTM			ABUSEILL	1
DRPR01	ANLLOTTM			ABODILL	5
DRPR01	ANLLOTTM			DEPNDANL	
DRPR01	ANLLOTTM			ABUSEANL	1
DRPR01	ANLLOTTM			ABODANL	1
DRPR01	ANLLOTTM			DEPNDPSY	
DRPR01	ANLLOTTM			ABUSEPSY	1
DRPR01	ANLLOTTM			ABODPSY	6
DRPR01	ANLLOTTM			DEPNDIEM	
DRPR01	ANLLOTTM			ABUSEIEM	7
DRPR01	ANLLOTTM			DEPNDXMJ	
DRPR01	ANLLOTTM			ABUSEXMJ	8
DRPR02	ANLGTOVR			DEPNDILL	
DRPR02	ANLGTOVR			ABUSEILL	1
DRPR02	ANLGTOVR			ABODILL	5
DRPR02	ANLGTOVR			DEPNDANL	
DRPR02	ANLGTOVR			ABUSEANL	1
DRPR02	ANLGTOVR			ABODANL	1
DRPR02	ANLGTOVR			DEPNDPSY	
DRPR02	ANLGTOVR			ABUSEPSY	1
DRPR02	ANLGTOVR			ABODPSY	6
DRPR02	ANLGTOVR			DEPNDIEM	
DRPR02	ANLGTOVR			ABUSEIEM	7
DRPR02	ANLGTOVR			DEPNDXMJ	
DRPR02	ANLGTOVR			ABUSEXMJ	8
DRPR04	ANLLIMIT				
DRPR05	ANLKPLMT			DEPNDILL	
DRPR05	ANLKPLMT			ABUSEILL	1
DRPR05	ANLKPLMT			ABODILL	5
DRPR05	ANLKPLMT			DEPNDANL	
DRPR05	ANLKPLMT			ABUSEANL	1
DRPR05	ANLKPLMT			ABODANL	1
DRPR05	ANLKPLMT			DEPNDPSY	
DRPR05	ANLKPLMT			ABUSEPSY	1
DRPR05	ANLKPLMT			ABODPSY	6
DRPR05	ANLKPLMT			DEPNDIEM	
DRPR05	ANLKPLMT			ABUSEIEM	7
DRPR05	ANLKPLMT			DEPNDXMJ	
DRPR05	ANLKPLMT			ABUSEXMJ	8
DRPR06	ANLNDMOR			DEPNDILL	
DRPR06	ANLNDMOR			ABUSEILL	1
DRPR06	ANLNDMOR			ABODILL	5
DRPR06	ANLNDMOR			DEPNDANL	
DRPR06	ANLNDMOR			ABUSEANL	1
DRPR06	ANLNDMOR			ABODANL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR06	ANLNDMOR			DEPNDPSY	
DRPR06	ANLNDMOR			ABUSEPSY	1
DRPR06	ANLNDMOR			ABODPSY	6
DRPR06	ANLNDMOR			DEPNDIEM	
DRPR06	ANLNDMOR			ABUSEIEM	7
DRPR06	ANLNDMOR			DEPNDXMJ	
DRPR06	ANLNDMOR			ABUSEXMJ	8
DRPR07	ANLLSEFX			DEPNDILL	
DRPR07	ANLLSEFX			ABUSEILL	1
DRPR07	ANLLSEFX			ABODILL	5
DRPR07	ANLLSEFX			DEPNDANL	
DRPR07	ANLLSEFX			ABUSEANL	1
DRPR07	ANLLSEFX			ABODANL	1
DRPR07	ANLLSEFX			DEPNDPSY	
DRPR07	ANLLSEFX			ABUSEPSY	1
DRPR07	ANLLSEFX			ABODPSY	6
DRPR07	ANLLSEFX			DEPNDIEM	
DRPR07	ANLLSEFX			ABUSEIEM	7
DRPR07	ANLLSEFX			DEPNDXMJ	
DRPR07	ANLLSEFX			ABUSEXMJ	8
DRPR08	ANLCUTDN				
DRPR09	ANLCUTEV			DEPNDILL	
DRPR09	ANLCUTEV			ABUSEILL	1
DRPR09	ANLCUTEV			ABODILL	5
DRPR09	ANLCUTEV			DEPNDANL	
DRPR09	ANLCUTEV			ABUSEANL	1
DRPR09	ANLCUTEV			ABODANL	1
DRPR09	ANLCUTEV			DEPNDPSY	
DRPR09	ANLCUTEV			ABUSEPSY	1
DRPR09	ANLCUTEV			ABODPSY	6
DRPR09	ANLCUTEV			DEPNDIEM	
DRPR09	ANLCUTEV			ABUSEIEM	7
DRPR09	ANLCUTEV			DEPNDXMJ	
DRPR09	ANLCUTEV			ABUSEXMJ	8
DRPR10	ANLCUT1X				
DRPR11	ANLWD3SX				
DRPR12	ANLWDSMT			DEPNDILL	
DRPR12	ANLWDSMT			ABUSEILL	1
DRPR12	ANLWDSMT			ABODILL	5
DRPR12	ANLWDSMT			DEPNDANL	
DRPR12	ANLWDSMT			ABUSEANL	1
DRPR12	ANLWDSMT			ABODANL	1
DRPR12	ANLWDSMT			DEPNDPSY	
DRPR12	ANLWDSMT			ABUSEPSY	1
DRPR12	ANLWDSMT			ABODPSY	6

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR12	ANLWDSMT			DEPNDIEM	
DRPR12	ANLWDSMT			ABUSEIEM	7
DRPR12	ANLWDSMT			DEPNDXMJ	
DRPR12	ANLWDSMT			ABUSEXMJ	8
DRPR13	ANLEMOPB				
DRPR14	ANLEMCTD			DEPNDILL	
DRPR14	ANLEMCTD			ABUSEILL	1
DRPR14	ANLEMCTD			ABODILL	5
DRPR14	ANLEMCTD			DEPNDANL	
DRPR14	ANLEMCTD			ABUSEANL	1
DRPR14	ANLEMCTD			ABODANL	1
DRPR14	ANLEMCTD			DEPNDPSY	
DRPR14	ANLEMCTD			ABUSEPSY	1
DRPR14	ANLEMCTD			ABODPSY	6
DRPR14	ANLEMCTD			DEPNDIEM	
DRPR14	ANLEMCTD			ABUSEIEM	7
DRPR14	ANLEMCTD			DEPNDXMJ	
DRPR14	ANLEMCTD			ABUSEXMJ	8
DRPR15	ANLPHLPB				
DRPR16	ANLPHCTD			DEPNDILL	
DRPR16	ANLPHCTD			ABUSEILL	1
DRPR16	ANLPHCTD			ABODILL	5
DRPR16	ANLPHCTD			DEPNDANL	
DRPR16	ANLPHCTD			ABUSEANL	1
DRPR16	ANLPHCTD			ABODANL	1
DRPR16	ANLPHCTD			DEPNDPSY	
DRPR16	ANLPHCTD			ABUSEPSY	1
DRPR16	ANLPHCTD			ABODPSY	6
DRPR16	ANLPHCTD			DEPNDIEM	
DRPR16	ANLPHCTD			ABUSEIEM	7
DRPR16	ANLPHCTD			DEPNDXMJ	
DRPR16	ANLPHCTD			ABUSEXMJ	8
DRPR17	ANLLSACT			DEPNDILL	
DRPR17	ANLLSACT			ABUSEILL	1
DRPR17	ANLLSACT			ABODILL	5
DRPR17	ANLLSACT			DEPNDANL	
DRPR17	ANLLSACT			ABUSEANL	1
DRPR17	ANLLSACT			ABODANL	1
DRPR17	ANLLSACT			DEPNDPSY	
DRPR17	ANLLSACT			ABUSEPSY	1
DRPR17	ANLLSACT			ABODPSY	6
DRPR17	ANLLSACT			DEPNDIEM	
DRPR17	ANLLSACT			ABUSEIEM	7
DRPR17	ANLLSACT			DEPNDXMJ	
DRPR17	ANLLSACT			ABUSEXMJ	8

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR18	ANLSERP			ABUSEILL	1
DRPR18	ANLSERP			ABODILL	5
DRPR18	ANLSERP			ABUSEANL	1
DRPR18	ANLSERP			ABODANL	1
DRPR18	ANLSERP			ABUSEPSY	1
DRPR18	ANLSERP			ABODPSY	6
DRPR18	ANLSERP			ABUSEIEM	7
DRPR18	ANLSERP			ABUSEXMJ	8
DRPR19	ANLPDANG			ABUSEILL	1
DRPR19	ANLPDANG			ABODILL	5
DRPR19	ANLPDANG			ABUSEANL	1
DRPR19	ANLPDANG			ABODANL	1
DRPR19	ANLPDANG			ABUSEPSY	1
DRPR19	ANLPDANG			ABODPSY	6
DRPR19	ANLPDANG			ABUSEIEM	7
DRPR19	ANLPDANG			ABUSEXMJ	8
DRPR20	ANLLAWTR			ABUSEILL	1
DRPR20	ANLLAWTR			ABODILL	5
DRPR20	ANLLAWTR			ABUSEANL	1
DRPR20	ANLLAWTR			ABODANL	1
DRPR20	ANLLAWTR			ABUSEPSY	1
DRPR20	ANLLAWTR			ABODPSY	6
DRPR20	ANLLAWTR			ABUSEIEM	7
DRPR20	ANLLAWTR			ABUSEXMJ	8
DRPR21	ANLFMFPB			ABUSEILL	1
DRPR21	ANLFMFPB			ABODILL	5
DRPR21	ANLFMFPB			ABUSEANL	1
DRPR21	ANLFMFPB			ABODANL	1
DRPR21	ANLFMFPB			ABUSEPSY	1
DRPR21	ANLFMFPB			ABODPSY	6
DRPR21	ANLFMFPB			ABUSEIEM	7
DRPR21	ANLFMFPB			ABUSEXMJ	8
DRPR22	ANLFMCTD			ABUSEILL	1
DRPR22	ANLFMCTD			ABODILL	5
DRPR22	ANLFMCTD			ABUSEANL	1
DRPR22	ANLFMCTD			ABODANL	1
DRPR22	ANLFMCTD			ABUSEPSY	1
DRPR22	ANLFMCTD			ABODPSY	6
DRPR22	ANLFMCTD			ABUSEIEM	7
DRPR22	ANLFMCTD			ABUSEXMJ	8
DRTR01	TRNLOTTM			DEPNDILL	
DRTR01	TRNLOTTM			ABUSEILL	1
DRTR01	TRNLOTTM			ABODILL	5
DRTR01	TRNLOTTM			DEPNDTRN	
DRTR01	TRNLOTTM			ABUSETRN	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR01	TRNLOTTM			ABODTRN	1
DRTR01	TRNLOTTM			DEPNDRN	
DRTR01	TRNLOTTM			ABUSEPSY	1
DRTR01	TRNLOTTM			ABODPSY	6
DRTR01	TRNLOTTM			DEPNDIEM	
DRTR01	TRNLOTTM			ABUSEIEM	7
DRTR01	TRNLOTTM			DEPNDRN	
DRTR01	TRNLOTTM			ABUSEXMJ	8
DRTR02	TRNGTOVR			DEPNDRN	
DRTR02	TRNGTOVR			ABUSEILL	1
DRTR02	TRNGTOVR			ABODILL	5
DRTR02	TRNGTOVR			DEPNDRN	
DRTR02	TRNGTOVR			ABUSETRN	1
DRTR02	TRNGTOVR			ABODTRN	1
DRTR02	TRNGTOVR			DEPNDRN	
DRTR02	TRNGTOVR			ABUSEPSY	1
DRTR02	TRNGTOVR			ABODPSY	6
DRTR02	TRNGTOVR			DEPNDRN	
DRTR02	TRNGTOVR			ABUSEIEM	7
DRTR02	TRNGTOVR			DEPNDRN	
DRTR02	TRNGTOVR			ABUSEXMJ	8
DRTR04	TRNLIMIT				
DRTR05	TRNKPLMT			DEPNDRN	
DRTR05	TRNKPLMT			ABUSEILL	1
DRTR05	TRNKPLMT			ABODILL	5
DRTR05	TRNKPLMT			DEPNDRN	
DRTR05	TRNKPLMT			ABUSETRN	1
DRTR05	TRNKPLMT			ABODTRN	1
DRTR05	TRNKPLMT			DEPNDRN	
DRTR05	TRNKPLMT			ABUSEPSY	1
DRTR05	TRNKPLMT			ABODPSY	6
DRTR05	TRNKPLMT			DEPNDRN	
DRTR05	TRNKPLMT			ABUSEIEM	7
DRTR05	TRNKPLMT			DEPNDRN	
DRTR05	TRNKPLMT			ABUSEXMJ	8
DRTR06	TRNNDMOR			DEPNDRN	
DRTR06	TRNNDMOR			ABUSEILL	1
DRTR06	TRNNDMOR			ABODILL	5
DRTR06	TRNNDMOR			DEPNDRN	
DRTR06	TRNNDMOR			ABUSETRN	1
DRTR06	TRNNDMOR			ABODTRN	1
DRTR06	TRNNDMOR			DEPNDRN	
DRTR06	TRNNDMOR			ABUSEPSY	1
DRTR06	TRNNDMOR			ABODPSY	6
DRTR06	TRNNDMOR			DEPNDRN	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR06	TRNNDMOR			ABUSEIEM	7
DRTR06	TRNNDMOR			DEPNDXMJ	
DRTR06	TRNNDMOR			ABUSEXMJ	8
DRTR07	TRNLSEFX			DEPN DILL	
DRTR07	TRNLSEFX			ABUSEILL	1
DRTR07	TRNLSEFX			ABODILL	5
DRTR07	TRNLSEFX			DEPN DTRN	
DRTR07	TRNLSEFX			ABUSETRN	1
DRTR07	TRNLSEFX			ABODTRN	1
DRTR07	TRNLSEFX			DEPN DPSY	
DRTR07	TRNLSEFX			ABUSEPSY	1
DRTR07	TRNLSEFX			ABODPSY	6
DRTR07	TRNLSEFX			DEPN DIEM	
DRTR07	TRNLSEFX			ABUSEIEM	7
DRTR07	TRNLSEFX			DEPN DXMJ	
DRTR07	TRNLSEFX			ABUSEXMJ	8
DRTR08	TRNCUTDN				
DRTR09	TRNCUTEV			DEPN DILL	
DRTR09	TRNCUTEV			ABUSEILL	1
DRTR09	TRNCUTEV			ABODILL	5
DRTR09	TRNCUTEV			DEPN DTRN	
DRTR09	TRNCUTEV			ABUSETRN	1
DRTR09	TRNCUTEV			ABODTRN	1
DRTR09	TRNCUTEV			DEPN DPSY	
DRTR09	TRNCUTEV			ABUSEPSY	1
DRTR09	TRNCUTEV			ABODPSY	6
DRTR09	TRNCUTEV			DEPN DIEM	
DRTR09	TRNCUTEV			ABUSEIEM	7
DRTR09	TRNCUTEV			DEPN DXMJ	
DRTR09	TRNCUTEV			ABUSEXMJ	8
DRTR13	TRNEMOPB				
DRTR14	TRNEMCTD			DEPN DILL	
DRTR14	TRNEMCTD			ABUSEILL	1
DRTR14	TRNEMCTD			ABODILL	5
DRTR14	TRNEMCTD			DEPN DTRN	
DRTR14	TRNEMCTD			ABUSETRN	1
DRTR14	TRNEMCTD			ABODTRN	1
DRTR14	TRNEMCTD			DEPN DPSY	
DRTR14	TRNEMCTD			ABUSEPSY	1
DRTR14	TRNEMCTD			ABODPSY	6
DRTR14	TRNEMCTD			DEPN DIEM	
DRTR14	TRNEMCTD			ABUSEIEM	7
DRTR14	TRNEMCTD			DEPN DXMJ	
DRTR14	TRNEMCTD			ABUSEXMJ	8
DRTR15	TRNPHLPB				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR16	TRNPHCTD			DEPNDILL	
DRTR16	TRNPHCTD			ABUSEILL	1
DRTR16	TRNPHCTD			ABODILL	5
DRTR16	TRNPHCTD			DEPNDTRN	
DRTR16	TRNPHCTD			ABUSETRN	1
DRTR16	TRNPHCTD			ABODTRN	1
DRTR16	TRNPHCTD			DEPNDPSY	
DRTR16	TRNPHCTD			ABUSEPSY	1
DRTR16	TRNPHCTD			ABODPSY	6
DRTR16	TRNPHCTD			DEPNDIEM	
DRTR16	TRNPHCTD			ABUSEIEM	7
DRTR16	TRNPHCTD			DEPNDXMJ	
DRTR16	TRNPHCTD			ABUSEXMJ	8
DRTR17	TRNLSACT			DEPNDILL	
DRTR17	TRNLSACT			ABUSEILL	1
DRTR17	TRNLSACT			ABODILL	5
DRTR17	TRNLSACT			DEPNDTRN	
DRTR17	TRNLSACT			ABUSETRN	1
DRTR17	TRNLSACT			ABODTRN	1
DRTR17	TRNLSACT			DEPNDPSY	
DRTR17	TRNLSACT			ABUSEPSY	1
DRTR17	TRNLSACT			ABODPSY	6
DRTR17	TRNLSACT			DEPNDIEM	
DRTR17	TRNLSACT			ABUSEIEM	7
DRTR17	TRNLSACT			DEPNDXMJ	
DRTR17	TRNLSACT			ABUSEXMJ	8
DRTR18	TRNSERP			ABUSEILL	1
DRTR18	TRNSERP			ABODILL	5
DRTR18	TRNSERP			ABUSETRN	1
DRTR18	TRNSERP			ABODTRN	1
DRTR18	TRNSERP			ABUSEPSY	1
DRTR18	TRNSERP			ABODPSY	6
DRTR18	TRNSERP			ABUSEIEM	7
DRTR18	TRNSERP			ABUSEXMJ	8
DRTR19	TRNPDANG			ABUSEILL	1
DRTR19	TRNPDANG			ABODILL	5
DRTR19	TRNPDANG			ABUSETRN	1
DRTR19	TRNPDANG			ABODTRN	1
DRTR19	TRNPDANG			ABUSEPSY	1
DRTR19	TRNPDANG			ABODPSY	6
DRTR19	TRNPDANG			ABUSEIEM	7
DRTR19	TRNPDANG			ABUSEXMJ	8
DRTR20	TRNLAWTR			ABUSEILL	1
DRTR20	TRNLAWTR			ABODILL	5
DRTR20	TRNLAWTR			ABUSETRN	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR20	TRNLAWTR			ABODTRN	1
DRTR20	TRNLAWTR			ABUSEPSY	1
DRTR20	TRNLAWTR			ABODPSY	6
DRTR20	TRNLAWTR			ABUSEIEM	7
DRTR20	TRNLAWTR			ABUSEXMJ	8
DRTR21	TRNFMFPB			ABUSEILL	1
DRTR21	TRNFMFPB			ABODILL	5
DRTR21	TRNFMFPB			ABUSETRN	1
DRTR21	TRNFMFPB			ABODTRN	1
DRTR21	TRNFMFPB			ABUSEPSY	1
DRTR21	TRNFMFPB			ABODPSY	6
DRTR21	TRNFMFPB			ABUSEIEM	7
DRTR21	TRNFMFPB			ABUSEXMJ	8
DRTR22	TRNFMCTD			ABUSEILL	1
DRTR22	TRNFMCTD			ABODILL	5
DRTR22	TRNFMCTD			ABUSETRN	1
DRTR22	TRNFMCTD			ABODTRN	1
DRTR22	TRNFMCTD			ABUSEPSY	1
DRTR22	TRNFMCTD			ABODPSY	6
DRTR22	TRNFMCTD			ABUSEIEM	7
DRTR22	TRNFMCTD			ABUSEXMJ	8
DRST01	STMLOTTM			DEPNDILL	
DRST01	STMLOTTM			ABUSEILL	1
DRST01	STMLOTTM			ABODILL	5
DRST01	STMLOTTM			DEPNDSTM	
DRST01	STMLOTTM			ABUSESTM	1
DRST01	STMLOTTM			ABODSTM	1
DRST01	STMLOTTM			DEPNDPSY	
DRST01	STMLOTTM			ABUSEPSY	1
DRST01	STMLOTTM			ABODPSY	6
DRST01	STMLOTTM			DEPNDIEM	
DRST01	STMLOTTM			ABUSEIEM	7
DRST01	STMLOTTM			DEPNDXMJ	
DRST01	STMLOTTM			ABUSEXMJ	8
DRST02	STMGTQVR			DEPNDILL	
DRST02	STMGTQVR			ABUSEILL	1
DRST02	STMGTQVR			ABODILL	5
DRST02	STMGTQVR			DEPNDSTM	
DRST02	STMGTQVR			ABUSESTM	1
DRST02	STMGTQVR			ABODSTM	1
DRST02	STMGTQVR			DEPNDPSY	
DRST02	STMGTQVR			ABUSEPSY	1
DRST02	STMGTQVR			ABODPSY	6
DRST02	STMGTQVR			DEPNDIEM	
DRST02	STMGTQVR			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST02	STMGTOVR			DEPNDXMJ	
DRST02	STMGTOVR			ABUSEXMJ	8
DRST04	STMLIMIT				
DRST05	STMKPLMT			DEPNDILL	
DRST05	STMKPLMT			ABUSEILL	1
DRST05	STMKPLMT			ABODILL	5
DRST05	STMKPLMT			DEPNDSTM	
DRST05	STMKPLMT			ABUSESTM	1
DRST05	STMKPLMT			ABODSTM	1
DRST05	STMKPLMT			DEPNDPSY	
DRST05	STMKPLMT			ABUSEPSY	1
DRST05	STMKPLMT			ABODPSY	6
DRST05	STMKPLMT			DEPNDIEM	
DRST05	STMKPLMT			ABUSEIEM	7
DRST05	STMKPLMT			DEPNDXMJ	
DRST05	STMKPLMT			ABUSEXMJ	8
DRST06	STMNDMOR			DEPNDILL	
DRST06	STMNDMOR			ABUSEILL	1
DRST06	STMNDMOR			ABODILL	5
DRST06	STMNDMOR			DEPNDSTM	
DRST06	STMNDMOR			ABUSESTM	1
DRST06	STMNDMOR			ABODSTM	1
DRST06	STMNDMOR			DEPNDPSY	
DRST06	STMNDMOR			ABUSEPSY	1
DRST06	STMNDMOR			ABODPSY	6
DRST06	STMNDMOR			DEPNDIEM	
DRST06	STMNDMOR			ABUSEIEM	7
DRST06	STMNDMOR			DEPNDXMJ	
DRST06	STMNDMOR			ABUSEXMJ	8
DRST07	STMLSEFX			DEPNDILL	
DRST07	STMLSEFX			ABUSEILL	1
DRST07	STMLSEFX			ABODILL	5
DRST07	STMLSEFX			DEPNDSTM	
DRST07	STMLSEFX			ABUSESTM	1
DRST07	STMLSEFX			ABODSTM	1
DRST07	STMLSEFX			DEPNDPSY	
DRST07	STMLSEFX			ABUSEPSY	1
DRST07	STMLSEFX			ABODPSY	6
DRST07	STMLSEFX			DEPNDIEM	
DRST07	STMLSEFX			ABUSEIEM	7
DRST07	STMLSEFX			DEPNDXMJ	
DRST07	STMLSEFX			ABUSEXMJ	8
DRST08	STMCUTDN				
DRST09	STMCUTEV			DEPNDILL	
DRST09	STMCUTEV			ABUSEILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST09	STMCUTEV			ABODILL	5
DRST09	STMCUTEV			DEPNDSTM	
DRST09	STMCUTEV			ABUSESTM	1
DRST09	STMCUTEV			ABODSTM	1
DRST09	STMCUTEV			DEPNDPSY	
DRST09	STMCUTEV			ABUSEPSY	1
DRST09	STMCUTEV			ABODPSY	6
DRST09	STMCUTEV			DEPNDIEM	
DRST09	STMCUTEV			ABUSEIEM	7
DRST09	STMCUTEV			DEPNDXMJ	
DRST09	STMCUTEV			ABUSEXMJ	8
DRST10	STMCUT1X				
DRST10A	STMFLBLU				
DRST11	STMWD2SX				
DRST12	STMWDSMT			DEPNDILL	
DRST12	STMWDSMT			ABUSEILL	1
DRST12	STMWDSMT			ABODILL	5
DRST12	STMWDSMT			DEPNDSTM	
DRST12	STMWDSMT			ABUSESTM	1
DRST12	STMWDSMT			ABODSTM	1
DRST12	STMWDSMT			DEPNDPSY	
DRST12	STMWDSMT			ABUSEPSY	1
DRST12	STMWDSMT			ABODPSY	6
DRST12	STMWDSMT			DEPNDIEM	
DRST12	STMWDSMT			ABUSEIEM	7
DRST12	STMWDSMT			DEPNDXMJ	
DRST12	STMWDSMT			ABUSEXMJ	8
DRST13	STMEMOPB				
DRST14	STMEMCTD			DEPNDILL	
DRST14	STMEMCTD			ABUSEILL	1
DRST14	STMEMCTD			ABODILL	5
DRST14	STMEMCTD			DEPNDSTM	
DRST14	STMEMCTD			ABUSESTM	1
DRST14	STMEMCTD			ABODSTM	1
DRST14	STMEMCTD			DEPNDPSY	
DRST14	STMEMCTD			ABUSEPSY	1
DRST14	STMEMCTD			ABODPSY	6
DRST14	STMEMCTD			DEPNDIEM	
DRST14	STMEMCTD			ABUSEIEM	7
DRST14	STMEMCTD			DEPNDXMJ	
DRST14	STMEMCTD			ABUSEXMJ	8
DRST15	STMPHLPB				
DRST16	STMPHCTD			DEPNDILL	
DRST16	STMPHCTD			ABUSEILL	1
DRST16	STMPHCTD			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST16	STMPHCTD			DEPNSTDM	
DRST16	STMPHCTD			ABUSESTM	1
DRST16	STMPHCTD			ABODSTM	1
DRST16	STMPHCTD			DEPNSTPSY	
DRST16	STMPHCTD			ABUSEPSY	1
DRST16	STMPHCTD			ABODPSY	6
DRST16	STMPHCTD			DEPNSTDIEM	
DRST16	STMPHCTD			ABUSEIEM	7
DRST16	STMPHCTD			DEPNSTXMJ	
DRST16	STMPHCTD			ABUSEXMJ	8
DRST17	STMLSACT			DEPNSTDILL	
DRST17	STMLSACT			ABUSEILL	1
DRST17	STMLSACT			ABODILL	5
DRST17	STMLSACT			DEPNSTDM	
DRST17	STMLSACT			ABUSESTM	1
DRST17	STMLSACT			ABODSTM	1
DRST17	STMLSACT			DEPNSTPSY	
DRST17	STMLSACT			ABUSEPSY	1
DRST17	STMLSACT			ABODPSY	6
DRST17	STMLSACT			DEPNSTDIEM	
DRST17	STMLSACT			ABUSEIEM	7
DRST17	STMLSACT			DEPNSTXMJ	
DRST17	STMLSACT			ABUSEXMJ	8
DRST18	STMSERP			ABUSEILL	1
DRST18	STMSERP			ABODILL	5
DRST18	STMSERP			ABUSESTM	1
DRST18	STMSERP			ABODSTM	1
DRST18	STMSERP			ABUSEPSY	1
DRST18	STMSERP			ABODPSY	6
DRST18	STMSERP			ABUSEIEM	7
DRST18	STMSERP			ABUSEXMJ	8
DRST19	STMPDANG			ABUSEILL	1
DRST19	STMPDANG			ABODILL	5
DRST19	STMPDANG			ABUSESTM	1
DRST19	STMPDANG			ABODSTM	1
DRST19	STMPDANG			ABUSEPSY	1
DRST19	STMPDANG			ABODPSY	6
DRST19	STMPDANG			ABUSEIEM	7
DRST19	STMPDANG			ABUSEXMJ	8
DRST20	STMLAWTR			ABUSEILL	1
DRST20	STMLAWTR			ABODILL	5
DRST20	STMLAWTR			ABUSESTM	1
DRST20	STMLAWTR			ABODSTM	1
DRST20	STMLAWTR			ABUSEPSY	1
DRST20	STMLAWTR			ABODPSY	6

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST20	STMLAWTR			ABUSEIEM	7
DRST20	STMLAWTR			ABUSEXMJ	8
DRST21	STMFMFPB			ABUSEILL	1
DRST21	STMFMFPB			ABODILL	5
DRST21	STMFMFPB			ABUSESTM	1
DRST21	STMFMFPB			ABODSTM	1
DRST21	STMFMFPB			ABUSEPSY	1
DRST21	STMFMFPB			ABODPSY	6
DRST21	STMFMFPB			ABUSEIEM	7
DRST21	STMFMFPB			ABUSEXMJ	8
DRST22	STMFMCTD			ABUSEILL	1
DRST22	STMFMCTD			ABODILL	5
DRST22	STMFMCTD			ABUSESTM	1
DRST22	STMFMCTD			ABODSTM	1
DRST22	STMFMCTD			ABUSEPSY	1
DRST22	STMFMCTD			ABODPSY	6
DRST22	STMFMCTD			ABUSEIEM	7
DRST22	STMFMCTD			ABUSEXMJ	8
DRSV01	SEDL0TTM			DEPN0ILL	
DRSV01	SEDL0TTM			ABUSEILL	1
DRSV01	SEDL0TTM			ABODILL	5
DRSV01	SEDL0TTM			DEPN0SED	
DRSV01	SEDL0TTM			ABUSESED	1
DRSV01	SEDL0TTM			AB0DSED	1
DRSV01	SEDL0TTM			DEPN0PSY	
DRSV01	SEDL0TTM			ABUSEPSY	1
DRSV01	SEDL0TTM			AB0DPSY	6
DRSV01	SEDL0TTM			DEPN0DIEM	
DRSV01	SEDL0TTM			ABUSEIEM	7
DRSV01	SEDL0TTM			DEPN0XMJ	
DRSV01	SEDL0TTM			ABUSEXMJ	8
DRSV02	SEDG0TVR			DEPN0ILL	
DRSV02	SEDG0TVR			ABUSEILL	1
DRSV02	SEDG0TVR			ABODILL	5
DRSV02	SEDG0TVR			DEPN0SED	
DRSV02	SEDG0TVR			ABUSESED	1
DRSV02	SEDG0TVR			AB0DSED	1
DRSV02	SEDG0TVR			DEPN0PSY	
DRSV02	SEDG0TVR			ABUSEPSY	1
DRSV02	SEDG0TVR			AB0DPSY	6
DRSV02	SEDG0TVR			DEPN0DIEM	
DRSV02	SEDG0TVR			ABUSEIEM	7
DRSV02	SEDG0TVR			DEPN0XMJ	
DRSV02	SEDG0TVR			ABUSEXMJ	8
DRSV04	SEDLIMIT				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV05	SEDKPLMT			DEPNDILL	
DRSV05	SEDKPLMT			ABUSEILL	1
DRSV05	SEDKPLMT			ABODILL	5
DRSV05	SEDKPLMT			DEPNDS	
DRSV05	SEDKPLMT			ABUSESED	1
DRSV05	SEDKPLMT			ABODSED	1
DRSV05	SEDKPLMT			DEPNDP	
DRSV05	SEDKPLMT			ABUSEPSY	1
DRSV05	SEDKPLMT			ABODPSY	6
DRSV05	SEDKPLMT			DEPNDIEM	
DRSV05	SEDKPLMT			ABUSEIEM	7
DRSV05	SEDKPLMT			DEPNDXMJ	
DRSV05	SEDKPLMT			ABUSEXMJ	8
DRSV06	SEDNDMOR			DEPNDILL	
DRSV06	SEDNDMOR			ABUSEILL	1
DRSV06	SEDNDMOR			ABODILL	5
DRSV06	SEDNDMOR			DEPNDS	
DRSV06	SEDNDMOR			ABUSESED	1
DRSV06	SEDNDMOR			ABODSED	1
DRSV06	SEDNDMOR			DEPNDP	
DRSV06	SEDNDMOR			ABUSEPSY	1
DRSV06	SEDNDMOR			ABODPSY	6
DRSV06	SEDNDMOR			DEPNDIEM	
DRSV06	SEDNDMOR			ABUSEIEM	7
DRSV06	SEDNDMOR			DEPNDXMJ	
DRSV06	SEDNDMOR			ABUSEXMJ	8
DRSV07	SEDLSEFX			DEPNDILL	
DRSV07	SEDLSEFX			ABUSEILL	1
DRSV07	SEDLSEFX			ABODILL	5
DRSV07	SEDLSEFX			DEPNDS	
DRSV07	SEDLSEFX			ABUSESED	1
DRSV07	SEDLSEFX			ABODSED	1
DRSV07	SEDLSEFX			DEPNDP	
DRSV07	SEDLSEFX			ABUSEPSY	1
DRSV07	SEDLSEFX			ABODPSY	6
DRSV07	SEDLSEFX			DEPNDIEM	
DRSV07	SEDLSEFX			ABUSEIEM	7
DRSV07	SEDLSEFX			DEPNDXMJ	
DRSV07	SEDLSEFX			ABUSEXMJ	8
DRSV08	SEDCUTDN				
DRSV09	SEDCUTEV			DEPNDILL	
DRSV09	SEDCUTEV			ABUSEILL	1
DRSV09	SEDCUTEV			ABODILL	5
DRSV09	SEDCUTEV			DEPNDS	
DRSV09	SEDCUTEV			ABUSESED	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV09	SEDCUTEV			ABODSED	1
DRSV09	SEDCUTEV			DEPNDRPSY	
DRSV09	SEDCUTEV			ABUSEPSY	1
DRSV09	SEDCUTEV			ABODPSY	6
DRSV09	SEDCUTEV			DEPNDIEM	
DRSV09	SEDCUTEV			ABUSEIEM	7
DRSV09	SEDCUTEV			DEPNDRXMJ	
DRSV09	SEDCUTEV			ABUSEXMJ	8
DRSV10	SEDCUT1X				
DRSV11	SEDWD1SX				
DRSV12	SEDWDSMT			DEPNDRILL	
DRSV12	SEDWDSMT			ABUSEILL	1
DRSV12	SEDWDSMT			ABODILL	5
DRSV12	SEDWDSMT			DEPNDRSED	
DRSV12	SEDWDSMT			ABUSESED	1
DRSV12	SEDWDSMT			ABODSED	1
DRSV12	SEDWDSMT			DEPNDRPSY	
DRSV12	SEDWDSMT			ABUSEPSY	1
DRSV12	SEDWDSMT			ABODPSY	6
DRSV12	SEDWDSMT			DEPNDRDIEM	
DRSV12	SEDWDSMT			ABUSEIEM	7
DRSV12	SEDWDSMT			DEPNDRXMJ	
DRSV12	SEDWDSMT			ABUSEXMJ	8
DRSV13	SEDEMOPB				
DRSV14	SEDEMCTD			DEPNDRILL	
DRSV14	SEDEMCTD			ABUSEILL	1
DRSV14	SEDEMCTD			ABODILL	5
DRSV14	SEDEMCTD			DEPNDRSED	
DRSV14	SEDEMCTD			ABUSESED	1
DRSV14	SEDEMCTD			ABODSED	1
DRSV14	SEDEMCTD			DEPNDRPSY	
DRSV14	SEDEMCTD			ABUSEPSY	1
DRSV14	SEDEMCTD			ABODPSY	6
DRSV14	SEDEMCTD			DEPNDRDIEM	
DRSV14	SEDEMCTD			ABUSEIEM	7
DRSV14	SEDEMCTD			DEPNDRXMJ	
DRSV14	SEDEMCTD			ABUSEXMJ	8
DRSV15	SEDPHLPB				
DRSV16	SEDPHCTD			DEPNDRILL	
DRSV16	SEDPHCTD			ABUSEILL	1
DRSV16	SEDPHCTD			ABODILL	5
DRSV16	SEDPHCTD			DEPNDRSED	
DRSV16	SEDPHCTD			ABUSESED	1
DRSV16	SEDPHCTD			ABODSED	1
DRSV16	SEDPHCTD			DEPNDRPSY	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV16	SEDPHCTD			ABUSEPSY	1
DRSV16	SEDPHCTD			ABODPSY	6
DRSV16	SEDPHCTD			DEPNDIEM	
DRSV16	SEDPHCTD			ABUSEIEM	7
DRSV16	SEDPHCTD			DEPNDXMJ	
DRSV16	SEDPHCTD			ABUSEXMJ	8
DRSV17	SEDLFACT			DEPN DILL	
DRSV17	SEDLFACT			ABUSEILL	1
DRSV17	SEDLFACT			ABODILL	5
DRSV17	SEDLFACT			DEPN DSED	
DRSV17	SEDLFACT			ABUSESED	1
DRSV17	SEDLFACT			ABODSED	1
DRSV17	SEDLFACT			DEPN DPSY	
DRSV17	SEDLFACT			ABUSEPSY	1
DRSV17	SEDLFACT			ABODPSY	6
DRSV17	SEDLFACT			DEPN DIEM	
DRSV17	SEDLFACT			ABUSEIEM	7
DRSV17	SEDLFACT			DEPN DXMJ	
DRSV17	SEDLFACT			ABUSEXMJ	8
DRSV18	SEDSERP B			ABUSEILL	1
DRSV18	SEDSERP B			ABODILL	5
DRSV18	SEDSERP B			ABUSESED	1
DRSV18	SEDSERP B			ABODSED	1
DRSV18	SEDSERP B			ABUSEPSY	1
DRSV18	SEDSERP B			ABODPSY	6
DRSV18	SEDSERP B			ABUSEIEM	7
DRSV18	SEDSERP B			ABUSEXMJ	8
DRSV19	SEDPDANG			ABUSEILL	1
DRSV19	SEDPDANG			ABODILL	5
DRSV19	SEDPDANG			ABUSESED	1
DRSV19	SEDPDANG			ABODSED	1
DRSV19	SEDPDANG			ABUSEPSY	1
DRSV19	SEDPDANG			ABODPSY	6
DRSV19	SEDPDANG			ABUSEIEM	7
DRSV19	SEDPDANG			ABUSEXMJ	8
DRSV20	SEDLAW TR			ABUSEILL	1
DRSV20	SEDLAW TR			ABODILL	5
DRSV20	SEDLAW TR			ABUSESED	1
DRSV20	SEDLAW TR			ABODSED	1
DRSV20	SEDLAW TR			ABUSEPSY	1
DRSV20	SEDLAW TR			ABODPSY	6
DRSV20	SEDLAW TR			ABUSEIEM	7
DRSV20	SEDLAW TR			ABUSEXMJ	8
DRSV21	SEDFMFPB			ABUSEILL	1
DRSV21	SEDFMFPB			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV21	SEDFMFPB			ABUSESED	1
DRSV21	SEDFMFPB			ABODSED	1
DRSV21	SEDFMFPB			ABUSEPSY	1
DRSV21	SEDFMFPB			ABODPSY	6
DRSV21	SEDFMFPB			ABUSEIEM	7
DRSV21	SEDFMFPB			ABUSEXMJ	8
DRSV22	SEDFMCTD			ABUSEILL	1
DRSV22	SEDFMCTD			ABODILL	5
DRSV22	SEDFMCTD			ABUSESED	1
DRSV22	SEDFMCTD			ABODSED	1
DRSV22	SEDFMCTD			ABUSEPSY	1
DRSV22	SEDFMCTD			ABODPSY	6
DRSV22	SEDFMCTD			ABUSEIEM	7
DRSV22	SEDFMCTD			ABUSEXMJ	8
SP01	BOOKED				
SP02	NOBOOKY2				
SP03A	BKMVTHFT				
SP03B	BKLARCNY				
SP03C	BKBURGL				
SP03D	BKAGASLT				
SP03E	BKSMASLT				
SP03F	BKROB				
SP03G	BKRAPE				
SP03H	BKMURDER				
SP03I	BKARSON				
SP03J	BKDRVINF				
SP03K	BKDRUNK				
SP03L	BKPOSTOB				
SP03M	BKDRUG				
SP03N	BKPROS				
SP03O	BKSEXOFF				
SP03P	BKFRAUD				
SP03Q	BKOTH				
SP03QSP	BKOTHOF2				
SP04	PROBATON			PROB	
SP05	PAROLREL			PAROL	
SP06A	DRVALDR			DRIVALC	
SP06A	DRVALDR			DRIVDRG	
SP06A	DRVALDR			DRIVALD	1
SP06B	DRVAONLY			DRIVALC	
SP06B	DRVAONLY			DRIVALD	1
SP06C	DRVDONLY			DRIVDRG	
SP06C	DRVDONLY			DRIVALD	1
TX01	TXEVER				
TX02	TXYREVER			SPILLALC	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX02	TXYREVER			TXILLALC	
TX03	TXYRADG			SPECTILL	
TX03	TXYRADG			SPECTALC	
TX03	TXYRADG			ILLNEED	
TX03	TXYRADG			TXNOSPEC	
TX03	TXYRADG			ALCTRMT	
TX03	TXYRADG			ILLTRMT	
TX03	TXYRADG			TXILANAL	
TX03	TXYRADG				
TX04A	TXYRHOSP			DRGHOSP	
TX04A	TXYRHOSP			ALCHOSP	
TX04A	TXYRHOSP			LOCHOSP	
TX04A	TXYRHOSP			SPECTILL	
TX04A	TXYRHOSP			SPECTALC	
TX04A	TXYRHOSP			SPILLALC	
TX04A	TXYRHOSP			ILLNEED	
TX04A	TXYRHOSP			TXNOSPEC	
TX04A1	TXYRHPAD			DRGHOSP	
TX04A1	TXYRHPAD			SPECTILL	
TX04A1	TXYRHPAD			SPECTALC	
TX04A1	TXYRHPAD			ILLNEED	
TX04A1	TXYRHPAD			TXNOSPEC	
TX04A1	TXYRHPAD			ALCHOSP	
TX04B	TXYRRFIN			DRGRFIN	
TX04B	TXYRRFIN			ALCRFIN	
TX04B	TXYRRFIN			LOCRFIN	
TX04B	TXYRRFIN			SPECTILL	
TX04B	TXYRRFIN			SPECTALC	
TX04B	TXYRRFIN			SPILLALC	
TX04B	TXYRRFIN			ILLNEED	
TX04B	TXYRRFIN			TXNOSPEC	
TX04B1	TXYRINAD			DRGRFIN	
TX04B1	TXYRINAD			SPECTILL	
TX04B1	TXYRINAD			SPECTALC	
TX04B1	TXYRINAD			ILLNEED	
TX04B1	TXYRINAD			TXNOSPEC	
TX04B1	TXYRINAD			ALCRFIN	
TX04C	TXYRRFOP			DRGRFOP	
TX04C	TXYRRFOP			ALCRFOP	
TX04C	TXYRRFOP			LOCRFOP	
TX04C	TXYRRFOP			SPECTILL	
TX04C	TXYRRFOP			SPECTALC	
TX04C	TXYRRFOP			SPILLALC	
TX04C	TXYRRFOP			ILLNEED	
TX04C	TXYRRFOP			TXNOSPEC	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX04C1	TXYRPOAD			DRGRFOP	
TX04C1	TXYRPOAD			ALCRFOP	
TX04C1	TXYRPOAD			SPECTILL	
TX04C1	TXYRPOAD			SPECTALC	
TX04C1	TXYRPOAD			ILLNEED	
TX04C1	TXYRPOAD			TXNOSPEC	
TX04D	TXYRMHC			DRGMHC	
TX04D	TXYRMHC			ALCMHC	
TX04D	TXYRMHC			LOCMHC	
TX04D	TXYRMHC			SPECTILL	
TX04D	TXYRMHC			SPECTALC	
TX04D	TXYRMHC			SPILLALC	
TX04D	TXYRMHC			ILLNEED	
TX04D	TXYRMHC			TXNOSPEC	
TX04D1	TXYRMHAD			DRGMHC	
TX04D1	TXYRMHAD			ALCMHC	
TX04D1	TXYRMHAD			SPECTILL	
TX04D1	TXYRMHAD			SPECTALC	
TX04D1	TXYRMHAD			ILLNEED	
TX04D1	TXYRMHAD			TXNOSPEC	
TX04E	TXYRTXER			DRGTXER	
TX04E	TXYRTXER			ALCTXER	
TX04E	TXYRTXER			LOCTXER	
TX04E1	TXYRERAD			DRGTXER	
TX04E1	TXYRERAD			ALCTXER	
TX04F	TXYRDOC			DRGDOC	
TX04F	TXYRDOC			ALCDOC	
TX04F	TXYRDOC			LOCDOC	
TX04F1	TXYRDCAD			DRGDOC	
TX04F1	TXYRDCAD			ALCDOC	
TX04G	TXYRJAIL			DRGJAIL	
TX04G	TXYRJAIL			ALCJAIL	
TX04G	TXYRJAIL			LOCJAIL	
TX04G1	TXYRJLAD			DRGJAIL	
TX04G1	TXYRJLAD			ALCJAIL	
TX04H	TXYRSHG			DRGSHG	
TX04H	TXYRSHG			ALCSHG	
TX04H	TXYRSHG			LOCSHG	
TX04H1	TXYRSGAD			DRGSHG	
TX04H1	TXYRSGAD			ALCSHG	
TX04I	TXYRSOP				
TX04ISP	TXYROTS2				
TX04I1	TXYROTAD				
TX05	TXYRVSER				
TX06	TXYRNME2				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX07	TXRCVNOW				
TX08	NDTXNEDR				
TX09	NDTXMORE				
TX10	NDTMRALC				
TX10	NDTMRMJ				
TX10	NDTMRROC				
TX10	NDTMRHER				
TX10	NDTMRHAL				
TX10	NDTMRINH				
TX10	NDTMRANL				
TX10	NDTMRTRN				
TX10	NDTMRSTM				
TX10	NDTMRSED				
TX10	NDTMROTH				
TX11	NDTXALCR				
TX12	NDTXMJR				
TX13	NDTXCOCR				
TX14	NDTXHERR				
TX15	NDTXHALR				
TX16	NDTXINHR				
TX17	NDTXANLR				
TX18	NDTXTRNR				
TX19	NDTXSTM				
TX20	NDTXSEDR				
TX21	NDTXSODR				
TX21SP1	NDTXDG1R				
TX21SP2	NDTXDG2R				
TX21SP3	NDTXDG3R				
TX21SP4	NDTXDG4R				
TX21SP5	NDTXDG5R				
TX22	NDTXEFTR				
TX23	NDTMREFT				
TX24	TXLASREC				
TX25	TXLTYMN2				
TX25SP	TXLTYMN2				
TX26	TXLTYALC			TXLTALC2	
TX26	TXLTYALC			ALCPINS	
TX26	TXLTYALC			ALCPCARE	
TX26	TXLTYALC			ALCPCPID	
TX26	TXLTYALC			ALCPPUBP	
TX26	TXLTYALC			ALCPSAVE	
TX26	TXLTYALC			ALCPFMLY	
TX26	TXLTYALC			ALCPCORT	
TX26	TXLTYALC			ALCPMILC	
TX26	TXLTYALC			ALCPEMPL	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX27	TXLTYMJ			TXLTMJ2	
TX27	TXLTYMJ			TXLTILL2	1
TX28	TXLTYCOC			TXLTCOC2	
TX28	TXLTYCOC			TXLTILL2	1
TX29	TXLTYHER			TXLTHER2	
TX29	TXLTYHER			TXLTILL2	1
TX30	TXLTYHAL			TXLTHAL2	
TX30	TXLTYHAL			TXLTILL2	1
TX31	TXLTYINH			TXLTINH2	
TX31	TXLTYINH			TXLTILL2	1
TX32	TXLTYANL			TXLTANL2	
TX32	TXLTYANL			TXLTILL2	1
TX33	TXLTYTRN			TXLTTRN2	
TX33	TXLTYTRN			TXLTILL2	1
TX34	TXLTYSTM			TXLTSTM2	
TX34	TXLTYSTM			TXLTILL2	1
TX35	TXLTYSED			TXLTSED2	
TX35	TXLTYSED			TXLTILL2	1
TX36	TXLTYSED				
TX38	TXLTYOU2				
TX38SP	TXLTYOU2				
TX39	TXLTYDU2				
TX40DAY1	TXLTYDU2				
TX40DAY2	TXLTYDU2				
TX41MON1	TXLTYDU2				
TX41MON2	TXLTYDU2				
TX42A	TXPYINS			TXPINS2	
TX42A	TXPYINS			ILLPINS	3
TX42A	TXPYINS			ALCPINS	
TX42B	TXPYCARE			TXPCARE2	
TX42B	TXPYCARE			ILLPCARE	3
TX42B	TXPYCARE			ALCPCARE	
TX42C	TXPYCAID			TXPCAI2	
TX42C	TXPYCAID			ILLPCAI2	3
TX42C	TXPYCAID			ALCPCAI2	
TX42D	TXPYPUBP			TXPPUBP2	
TX42D	TXPYPUBP			ILLPPUBP	3
TX42D	TXPYPUBP			ALCPPUBP	
TX42E	TXPYSAVE			TXPSAVE2	
TX42E	TXPYSAVE			ILLPSAVE	3
TX42E	TXPYSAVE			ALCPSAVE	
TX42F	TXPYFMLY			TXPFMLY2	
TX42F	TXPYFMLY			ILLPFMLY	3
TX42F	TXPYFMLY			ALCPFMLY	
TX42G	TXPYCORT			TXPCORT2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX42G	TXPYCORT			ILLPCORT	3
TX42G	TXPYCORT			ALCPCORT	
TX42H	TXPYMILC			TXPMILC2	
TX42H	TXPYMILC			ILLPMILC	3
TX42H	TXPYMILC			ALCPMILC	
TX42I	TXPYEMPL			TXPEMPL2	
TX42I	TXPYEMPL			ILLPEMPL	3
TX42I	TXPYEMPL			ALCPEMPL	
TX42J	TXPYSOS				
TX42JSP	TXPYSP2				
TX42K	TXPYFRE				
TX43	TXENROLL				
TX44	TXYRDTXO				
HLTH01	PREGNANT			PREG	
HLTH01	PREGNANT			PREG2	
HLTH01	PREGNANT			TRIMEST	1
HLTH02				TRIMEST	1
HLTH03	NMERTMT2				
HLTH04	INHOSPYR				
HLTH05	NMNGTHS2				
ADMENT01	AUINPYR			AMHINP	
ADMENT01	AUINPYR			AMHTXREC	
ADMENT02	AUINPSYH				
ADMENT02	AUINPGEN				
ADMENT02	AUINMEDU				
ADMENT02	AUINAHSP				
ADMENT02	AUINRESD				
ADMENT02	AUINSFAC				
ADMENT04	AUNMPSY2				
ADMENT05	AUNMPGE2				
ADMENT06	AUNMMEDU				
ADMENT07	AUNMAHSP				
ADMENT08	AUNMRESD				
ADMENT09	AUNMSFA2				
ADMENT10	AUPINSLF				
ADMENT10	AUPINOFM				
ADMENT10	AUPINPHI				
ADMENT10	AUPINMCR				
ADMENT10	AUPINMCD				
ADMENT10	AUPINREH				
ADMENT10	AUPINEMP				
ADMENT10	AUPINMIL				
ADMENT10	AUPINPUB				
ADMENT10	AUPINPRV				
ADMENT10	AUPINFRE				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ADMENT12	AUPINAMT				
ADMENT13	AUOPTYR			AMHOUTP	
ADMENT13	AUOPTYR			AMHTXREC	
ADMENT14	AUOPMENT				
ADMENT14	AUOPTHER				
ADMENT14	AUOPDOC				
ADMENT14	AUOPCLNC				
ADMENT14	AUOPDTMT				
ADMENT14	AUOPOTOP				
ADMENT15	AUOPYRS2				
ADMENT16	AUNMMEN2				
ADMENT17	AUNMTHE2				
ADMENT18	AUNMDOC2				
ADMENT19	AUNMCLN2				
ADMENT20	AUNMDTM2				
ADMENT21	AUNMOTO2				
ADMENT22	AUOPSLF				
ADMENT22	AUPOPOFM				
ADMENT22	AUOPPHI				
ADMENT22	AUOPMCR				
ADMENT22	AUOPMCD				
ADMENT22	AUOPPREH				
ADMENT22	AUPOPEMP				
ADMENT22	AUOPMIL				
ADMENT22	AUOPPOPUB				
ADMENT22	AUOPPPRV				
ADMENT22	AUOPPFRE				
ADMENT23	AUOPPMOS				
ADMENT24	AUOPAMT				
ADMENT25	AURXYR			AMHRX	
ADMENT25	AURXYR			AMHTXREC	
ADMENT26	AUUNMTYR			AMHTRTND	
ADMENT27	AUUNMTRS				
SEN02A	SNCRIME				
SEN02B	SNSELLDG				
SEN02C	SNPPVAL				
SEN02D	SNSTFGT				
SEN02E	SNEMTBLD				
SEN02F	SNPPHLP				
SEN02G	SNGRAFTI				
SEN02H	SNPPVSIT				
SEN02I	SNPPMOVE				
SEN04	SNMOV5Y2				
SEN07	SNSPOUSE				
SEN08A	SNSPACTV				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SEN08B	SNSPANGR				
SEN08C	SNSPHITU				
SEN08D	SNYHITSP				
SEN09	SNSPCRIT				
SEN10	SNSPCONC				
SEN11A	SNFRCONC				
SEN11B	SNFRACTV				
SEN11C	SNFRCARE				
SEN12A	SNYSELL				
SEN12B	SNYSTOLE				
SEN12C	SNYATTAK				
SEN13A	SNFACIG				
SEN13B	SNFAMJEV				
SEN13C	SNFAALDY				
SEN13D	SNFAALDV				
YE02A	YECRIME			NGHCRIM2	
YE02B	YESELLDG			NGHSELL2	
YE02C	YEPPHLP			NGHHELP2	
YE02D	YESTFGT			NGHFGHT2	
YE02E	YEEMTBLD			NGHBLDG2	
YE02F	YEPPVSIT			NGHVSIT2	
YE02G	YEGRAFTI			NGHGRAF2	
YE02H	YEPPMOVE			NGHMOVE2	
YE04	YEMOV5Y2			MVIN5YR2	
YE09	YEENRLYR				
YE15	YELSTGRD				
YE18B	YEYFGTSW			YOFIGHT2	
YE18C	YEYFGTGP			YOGRPFT2	
YE18D	YEYHGUN			YOHGUN2	
YE18E	YEYSELL			YOSELL2	
YE18F	YEYSTOLE			YOSTOLE2	
YE18G	YEYATTAK			YOATTAK2	
YE07A	YEPKPCIG			PRPKCIG2	
YE07B	YEPMJVR			PRMJVR2	
YE07C	YEPALDLY			PRALDLY2	
YE19A	YEGPKCIG			YFLPKCG2	
YE19B	YEGMJVR			YFLTMRJ2	
YE19C	YEGALDLY			YFLADLY2	
YE22	YETLKNON				
YE22	YETLKPAR				
YE22	YETLKSOP				
YE08	YEPRTDNG			PRTALK3	
YE23A	YEBIGBRO				
YE23B	YEPRBSLV			PRBSOLV2	
YE23C	YEVIOPRV			PREVIOL2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE23D	YEYMCA			YOUTHACT	
YE23E	YESCOOTS			YOUTHACT	
YE23F	YEPRVLES			YOUTHACT	
YE23G	YEDGPRGP			PRVDRGO2	
YE23H	YETEMSPT			YOUTHACT	
YE23I	YE4HCLUB			YOUTHACT	
YE23J	YESLFHLP			GRPCNSL2	
YE23K	YEBAND			YOUTHACT	
YE23L	YESCHCLB			YOUTHACT	
YE23M	YEVOLUNT			YOUTHACT	
YE23N	YESTGOVT			YOUTHACT	
YE23O	YEPRGSTD			PREGPGM2	
YE23P	YEJBSKIL				
YE23Q	YECHOIR			YOUTHACT	
YE24A	YEDECLAS			DGSPCLS2	
YE24A	YEDECLAS			ANYEDUC3	1
YE24B	YEDERGLR			DGRGCLS2	
YE24B	YEDERGLR			ANYEDUC3	1
YE24C	YEDESPCL			DRGLECT2	
YE24C	YEDESPCL			ANYEDUC3	1
YE25	YEPVNTYR			DRPRVME3	
YE26	YECGFRND			CIGFRND	
YE27	YECGVEND			CIGVEND	
YE28	YECGMAI2			CIGMAIL	
YE29	YECGCHKO			CIGCKOUT	
YE30	YECGCLRK			CIGCLERK	
YE31	YECGINET			CIGINET	
YE32	YECGSMKT			CIGSMKT	
YE33	YECGDSTO			CIGDSTO	
YE34	YECGCONV			CIGCONV	
YE35	YECGINDV			CIGINDIV	
YE27	YECGVEND			YTHBGHT	1
YE28	YECGMAI2			YTHBGHT	1
YE29	YECGCHKO			YTHBGHT	1
YE30	YECGCLRK			YTHBGHT	1
YE31	YECGINET			YTHBGHT	1
YE32	YECGSMKT			YTHBGHT	1
YE33	YECGDSTO			YTHBGHT	1
YE34	YECGCONV			YTHBGHT	1
YE35	YECGINDV			YTHBGHT	1
YE26	YECGFRND			NOCIGPUR	1
YE27	YECGVEND			NOCIGPUR	1
YE28	YECGMAI2			NOCIGPUR	1
YE29	YECGCHKO			NOCIGPUR	1
YE30	YECGCLRK			NOCIGPUR	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE31	YECGINET			NOCIGPUR	1
YE32	YECGSMKT			NOCIGPUR	1
YE33	YECGDSTO			NOCIGPUR	1
YE34	YECGCONV			NOCIGPUR	1
YE35	YECGINDV			NOCIGPUR	1
YE36	YECGPRUF				
YE37	YECGSUCC				
YE38	YEPKCRTN				
YE39	YEPDPACK				
YE40	YEPDCRTN				
YE41	YEBLNTEV				
YE42	YEBLNT30				
YE43	YEBL30FQ				
YE44	YECGRWMJ				
DPS01	YMSPGRUP				
DPS02	YMSPFNTP				
DPS03	YMSAHOME				
DPS04	YMSAACHE				
DPS05	YMSABDRM				
DPS06	YMSASLEP				
DPS07	YMSAABDN				
DPS08	YMSAUPLV				
DPS09	YMSAHMSK				
DPS10	YMAGOHSF				
DPS11	YMAGCRWD				
DPS12	YMAGTRAV				
DPS13	YMAGBRDG				
DPS14	YMPAATAK				
DPS15	YMPASUFC				
DPS16	YMGAWORY				
DPS17	YMGAHDAC				
DPS18	YMGAPAIN				
DPS19	YMGATNSE				
DPS20	YMPHANML				
DPS21	YMPHHIGH				
DPS22	YMPHDARK				
DPS23	YMPHNEDL				
DPS24	YMPHBLOD				
DPS25	YMPHBRDG				
DPS26	YMPHELEV				
DPS27	YMOCCOUN				
DPS28	YMOCWASH				
DPS29	YMOCCCHK				
DPS30	YMOCGERM				
DPS31	YMOCTHOT				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DPS32	YMEATHIN				
DPS33	YMEAFAT				
DPS34	YMEATHFD				
DPS35	YMEABING				
DPS36	YMELWTBD				
DPS37	YMELWTPT				
DPS38	YMELSOIL				
DPS39	YMMDNINT				
DPS40	YMMDLSEG				
DPS41	YMMDNOGD				
DPS42	YMMDTHKL				
DPS43	YMMDTYKL				
DPS44	YMMDTIRD				
DPS45	YMMDTHNK				
DPS46	YMMABDMD				
DPS47	YMMARSL				
DPS48	YMMATAK				
DPS49	YMMASPAB				
DPS50	YMMAMDR				
DPS51	YMADCONC				
DPS52	YMAFRGT				
DPS53	YMAFCUS				
DPS54	YMADMEDS				
DPS55	YMAAVAT				
DPS56	YMAERRO				
DPS57	YMODHURT				
DPS58	YMODRFUS				
DPS59	YMODANOY				
DPS60	YMODMEAN				
DPS61	YMODBLMO				
DPS62	YMODTANY				
DPS63	YMODSWOR				
DPS64	YMCDEXPL				
DPS65	YMCDSHPL				
DPS66	YMCDLIED				
DPS67	YMCDSNAT				
DPS68	YMCDVAND				
DPS69	YMCDSTOL				
DPS70	YMCDCRUA				
DPS71	YMCDBKNT				
YSU01	YUHOSPYR				
YSU02	YUHOSPN2				
YSU03	YUHOSUIC				
YSU03	YUHODEPR				
YSU03	YUHOFEAR				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YSU03	YUHOBKRU				
YSU03	YUHOEATP				
YSU03	YUHOSOR				
YSU04	YURSIDYR				
YSU05	YURSIDN2				
YSU06	YURSSUIC				
YSU06	YURSDEPR				
YSU06	YURSFEAR				
YSU06	YURSBKRU				
YSU06	YURSEATP				
YSU06	YURSSOR				
YSU07	YUFCARYR				
YSU08	YUFCARN2				
YSU09	YUFCSUIC				
YSU09	YUFCDEPR				
YSU09	YUFCFEAR				
YSU09	YUFCBKRU				
YSU09	YUFCEATP				
YSU09	YUFCSOR				
YSU10	YUDYTXYR				
YSU11	YUDYTXN2				
YSU12	YUDYSUIC				
YSU12	YUDYDEPR				
YSU12	YUDYFEAR				
YSU12	YUDYBKRU				
YSU12	YUDYEATP				
YSU12	YUDYSOR				
YSU13	YUMHCRYR				
YSU14	YUMHCRN2				
YSU15	YUMHSUIC				
YSU15	YUMHDEPR				
YSU15	YUMHFEAR				
YSU15	YUMHBKRU				
YSU15	YUMHEATP				
YSU15	YUMHSOR				
YSU16	YUTPSTYR				
YSU17	YUTPSTN2				
YSU18	YUTPSUIC				
YSU18	YUTPDEPR				
YSU18	YUTPFEAR				
YSU18	YUTPBKRU				
YSU18	YUTPEATP				
YSU18	YUTPSOR				
YSU19	YUIHTPYR				
YSU20	YUIHTPN2				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YSU21	YUIHSUIC				
YSU21	YUIHDEPR				
YSU21	YUIHFEAR				
YSU21	YUIHBKRU				
YSU21	YUIHEATP				
YSU21	YUIHSOR				
YSU22	YUFDOCYR				
YSU23	YUFDOCN2				
YSU24	YUFDSUIC				
YSU24	YUFDDEPR				
YSU24	YUFDFEAR				
YSU24	YUFDBKRU				
YSU24	YUFDEATP				
YSU24	YUFDSOR				
YSU25	YUSPEDYR				
YSU26	YUSHCNYR				
YSU27	YUSHSUIC				
YSU27	YUSHDEPR				
YSU27	YUSHFEAR				
YSU27	YUSHBKRU				
YSU27	YUSHEATP				
YSU27	YUSHSOR				
YSU28	YUJAILEV				
YSU29	YUFCAREV				
QD13	MOVESPY2				
QD14	BORNINUS				
QD16	LIVEDUS2				
QD17	ENROLED			COLLEGE2	1
QD17	ENROLED				1
QD18	EDUCNOW2			COLLEGE2	1
QD18	EDUCNOW2				1
QD19	STUDNT			COLLEGE2	1
QD19	STUDNT				1
QD20	SCHDSICK				
QD21	SCHDSKIP				
QD22	HSDIPLMA				
QD23	HSGED				
QD24	LFSCWHH2				
QD24SP	LFSCWHH2				
QD25	LFTSCHA2				
QD26		JOBSTAT2	EMPSTAT3		
QD26		IIEMPST3	EMPSTAT3		
QD26		JBSTATR2	EMPSTAT4		
QD26		IIEMPST4	EMPSTAT4		
QD26		IIEMPSTY	EMPSTATY		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD27	WRKHAVJB				
QD28	WRKHRSWK				
QD29		JOBSTAT2	EMPSTAT3		
QD29		IIEMPST3	EMPSTAT3		
QD29		JBSTATR2	EMPSTAT4		
QD29		IIEMPST4	EMPSTAT4		
QD29		IIEMPSTY	EMPSTATY		
INOC01				WRKINDU2	
INOC03				WRKINDU2	
INOC04				WRKOCCU2	
INOC05				WRKOCCU2	
INOC06	WRKBZCAT				
QD30		JOBSTAT2	EMPSTAT3		
QD30		IIEMPST3	EMPSTAT3		
QD30		JBSTATR2	EMPSTAT4		
QD30		IIEMPST4	EMPSTAT4		
QD30		IIEMPSTY	EMPSTATY		
QD30SP		JOBSTAT2	EMPSTAT3		
QD30SP		IIEMPST3	EMPSTAT3		
QD31		JOBSTAT2	EMPSTAT3		
QD31		IIEMPST3	EMPSTAT3		
QD31		JBSTATR2	EMPSTAT4		
QD31		IIEMPST4	EMPSTAT4		
QD31		IIEMPSTY	EMPSTATY		
QD31SP		JOBSTAT2	EMPSTAT3		
QD31SP		IIEMPST3	EMPSTAT3		
QD32	WRKEFFRT	JBSTATR2	EMPSTAT4		
QD32	WRKEFFRT	IIEMPST4	EMPSTAT4		
QD32	WRKEFFRT	IIEMPSTY	EMPSTATY		
QD33	WRKEDYR	JBSTATR2	EMPSTAT4		
QD33	WRKEDYR	IIEMPST4	EMPSTAT4		
QD33	WRKEDYR	IIEMPSTY	EMPSTATY		
QD34	WRKSLFEM				
QD35	WRKJOBS2				
QD36	WRKJOBS2				
QD37	WRKUNEMP				
QD38	WRKUNWKS				
QD39	WRKLASY2				
INOC07				WRKINDY2	
INOC09				WRKINDY2	
INOC10				WRKOCCY2	
INOC11				WRKOCCY2	
QD40	WORKDAYS				
QD41	WORKBLAH				
QD42	LOCSIZE				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD43	DRGPLCY				
QD44	PLCYCOV				
QD45	WKDRGED				
QD46	DRGPRGM				
QD47	USALCTST				
QD48	USDRGTST				
QD49	TSTHIRE				
QD50	TSTRAND				
QD51	FIRSTPOS				
QD52	WRKHIRE				
QD53	WORKRAND				
RELATTEN	RLGSVCYR				
RELBELF1	RLGIMPRT				
RELBELF2	RLGDECSN				
RELBELF3	RLGFRNDS				
QD54		IIHHSIZ2	IRHHSIZ2		
PERAGEYR		IIKI17_2	IRKI17_2		
PERAGEYR		IIHH65_2	IRHH65_2		
MRELATON	IFATHER				
MRELATON				NRCH17_2	
FRELATON	IMOTHER				
FRELATON				NRCH17_2	
PERAGEY2		IIKI17_2	IRKI17_2		
PERAGEY2		IIHH65_2	IRHH65_2		
MRELATO2	IFATHER				
MRELATO2				NRCH17_2	
FRELATO2	IMOTHER				
FRELATO2				NRCH17_2	
PERAGEY3		IIKI17_2	IRKI17_2		
PERAGEY3		IIHH65_2	IRHH65_2		
MRELATO3	IFATHER				
MRELATO3				NRCH17_2	
FRELATO3	IFATHER				
FRELATO3				NRCH17_2	
PERAGEY4		IIKI17_2	IRKI17_2		
PERAGEY4		IIHH65_2	IRHH65_2		
MRELATO4	IFATHER				
MRELATO4				NRCH17_2	
FRELATO4	IFATHER				
FRELATO4				NRCH17_2	
PERAGEY5		IIKI17_2	IRKI17_2		
PERAGEY5		IIHH65_2	IRHH65_2		
MRELATO5	IFATHER				
MRELATO5				NRCH17_2	
FRELATO5	IFATHER				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

FRELATO5				NRCH17_2	
PERAGEY6		IIKI17_2	IRKI17_2		
PERAGEY6		IIHH65_2	IRHH65_2		
MRELATO6	IFATHER				
MRELATO6				NRCH17_2	
FRELATO6	IFATHER				
FRELATO6				NRCH17_2	
PERAGEY7		IIKI17_2	IRKI17_2		
PERAGEY7		IIHH65_2	IRHH65_2		
MRELATO7	IFATHER				
MRELATO7				NRCH17_2	
FRELATO7	IFATHER				
FRELATO7				NRCH17_2	
PERAGEY8		IIKI17_2	IRKI17_2		
PERAGEY8		IIHH65_2	IRHH65_2		
MRELATO8	IFATHER				
MRELATO8				NRCH17_2	
FRELATO8	IFATHER				
FRELATO8				NRCH17_2	
PERAGEY9		IIKI17_2	IRKI17_2		
PERAGEY9		IIHH65_2	IRHH65_2		
MRELATO9	IFATHER				
MRELATO9				NRCH17_2	
FRELATO9	IFATHER				
FRELATO9				NRCH17_2	
PERAGE10		IIKI17_2	IRKI17_2		
PERAGE10		IIHH65_2	IRHH65_2		
MRELAT10	IFATHER				
MRELAT10				NRCH17_2	
FRELAT10	IFATHER				
FRELAT10				NRCH17_2	
PERAGE11		IIKI17_2	IRKI17_2		
PERAGE11		IIHH65_2	IRHH65_2		
MRELAT11	IFATHER				
MRELAT11				NRCH17_2	
FRELAT11	IFATHER				
FRELAT11				NRCH17_2	
PERAGE12		IIKI17_2	IRKI17_2		
PERAGE12		IIHH65_2	IRHH65_2		
MRELAT12	IFATHER				
MRELAT12				NRCH17_2	
FRELAT12	IFATHER				
FRELAT12				NRCH17_2	
PERAGE13		IIKI17_2	IRKI17_2		
PERAGE13		IIHH65_2	IRHH65_2		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MRELAT13	IFATHER				
MRELAT13				NRCH17_2	
FRELAT13	IFATHER				
FRELAT13				NRCH17_2	
PERAGE14		IIKI17_2	IRKI17_2		
PERAGE14		IIHH65_2	IRHH65_2		
MRELAT14	IFATHER				
MRELAT14				NRCH17_2	
FRELAT14	IFATHER				
FRELAT14				NRCH17_2	
PERAGE15		IIKI17_2	IRKI17_2		
PERAGE15		IIHH65_2	IRHH65_2		
MRELAT15	IFATHER				
MRELAT15				NRCH17_2	
FRELAT15	IFATHER				
FRELAT15				NRCH17_2	
PERAGE16		IIKI17_2	IRKI17_2		
PERAGE16		IIHH65_2	IRHH65_2		
MRELAT16	IFATHER				
MRELAT16				NRCH17_2	
FRELAT16	IFATHER				
FRELAT16				NRCH17_2	
PERAGE17		IIKI17_2	IRKI17_2		
PERAGE17		IIHH65_2	IRHH65_2		
MRELAT17	IFATHER				
MRELAT17				NRCH17_2	
FRELAT17	IFATHER				
FRELAT17				NRCH17_2	
PERAGE18		IIKI17_2	IRKI17_2		
PERAGE18		IIHH65_2	IRHH65_2		
MRELAT18	IFATHER				
MRELAT18				NRCH17_2	
FRELAT18	IFATHER				
FRELAT18				NRCH17_2	
PERAGE19		IIKI17_2	IRKI17_2		
PERAGE19		IIHH65_2	IRHH65_2		
MRELAT19	IFATHER				
MRELAT19				NRCH17_2	
FRELAT19	IFATHER				
FRELAT19				NRCH17_2	
PERAGE20		IIKI17_2	IRKI17_2		
PERAGE20		IIHH65_2	IRHH65_2		
MRELAT20	IFATHER				
MRELAT20				NRCH17_2	
FRELAT20	IFATHER				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

FRELAT20				NRCH17_2	
PERAGE21		IIKI17_2	IRKI17_2		
PERAGE21		IIHH65_2	IRHH65_2		
MRELAT21	IFATHER				
MRELAT21				NRCH17_2	
FRELAT21	IFATHER				
FRELAT21				NRCH17_2	
PERAGE22		IIKI17_2	IRKI17_2		
PERAGE22		IIHH65_2	IRHH65_2		
MRELAT22	IFATHER				
MRELAT22				NRCH17_2	
FRELAT22	IFATHER				
FRELAT22				NRCH17_2	
PERAGE23		IIKI17_2	IRKI17_2		
PERAGE23		IIHH65_2	IRHH65_2		
MRELAT23	IFATHER				
MRELAT23				NRCH17_2	
FRELAT23	IFATHER				
FRELAT23				NRCH17_2	
PERAGE24		IIKI17_2	IRKI17_2		
PERAGE24		IIHH65_2	IRHH65_2		
MRELAT24	IFATHER				
MRELAT24				NRCH17_2	
FRELAT24	IFATHER				
FRELAT24				NRCH17_2	
PERAGE25		IIKI17_2	IRKI17_2		
PERAGE25		IIHH65_2	IRHH65_2		
MRELAT25	IFATHER				
MRELAT25				NRCH17_2	
FRELAT25	IFATHER				
FRELAT25				NRCH17_2	
HASJOIN	PROXANS2				
		HLCALLFG			
		HLCALL99			
QHI01	MEDICARE		IRINSUR		
QHI01	MEDICARE	IIINSUR	IRINSUR		
QHI01	MEDICARE		IRINSUR2		
QHI01	MEDICARE	IIINSUR2	IRINSUR2		
QHI02	MEDICAID		IRINSUR		
QHI02	MEDICAID	IIINSUR	IRINSUR		
QHI02	MEDICAID		IRINSUR2		
QHI02	MEDICAID	IIINSUR2	IRINSUR2		
QHI03	CHAMPUS		IRINSUR		
QHI03	CHAMPUS	IIINSUR	IRINSUR		
QHI03	CHAMPUS		IRINSUR2		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QHI03	CHAMPUS	IIINSUR2	IRINSUR2		
QHI04	OGOVTINS		IRINSUR2		
QHI04	OGOVTINS	IIINSUR2	IRINSUR2		
QHI05	OGOVINS2				
QHI06	PRVHLTIN		IRPINSUR		
QHI06	PRVHLTIN	IIPINSUR	IRPINSUR		
QHI06	PRVHLTIN		IRINSUR		
QHI06	PRVHLTIN	IIINSUR	IRINSUR		
QHI06	PRVHLTIN		IRINSUR2		
QHI06	PRVHLTIN	IIINSUR2	IRINSUR2		
QHI07	GRPHLTIN		IRPINSUR		
QHI07	GRPHLTIN	IIPINSUR	IRPINSUR		
QHI07	GRPHLTIN		IRINSUR		
QHI07	GRPHLTIN	IIINSUR	IRINSUR		
QHI07	GRPHLTIN		IRINSUR2		
QHI07	GRPHLTIN	IIINSUR2	IRINSUR2		
QHI08	HLTINALC		IRPINSUR		
QHI08	HLTINALC	IIPINSUR	IRPINSUR		
QHI08	HLTINALC		IRINSUR		
QHI08	HLTINALC	IIINSUR	IRINSUR		
QHI08	HLTINALC		IRINSUR2		
QHI08	HLTINALC	IIINSUR2	IRINSUR2		
QHI09	HLTINDRG		IRPINSUR		
QHI09	HLTINDRG	IIPINSUR	IRPINSUR		
QHI09	HLTINDRG		IRINSUR		
QHI09	HLTINDRG	IIINSUR	IRINSUR		
QHI09	HLTINDRG		IRINSUR2		
QHI09	HLTINDRG	IIINSUR2	IRINSUR2		
QHI10	HLTINMNT		IRPINSUR		
QHI10	HLTINMNT	IIPINSUR	IRPINSUR		
QHI10	HLTINMNT		IRINSUR		
QHI10	HLTINMNT	IIINSUR	IRINSUR		
QHI10	HLTINMNT		IRINSUR2		
QHI10	HLTINMNT	IIINSUR2	IRINSUR2		
QHI11	OTHLTINS		IRINSUR2		
QHI11	OTHLTINS	IIINSUR2	IRINSUR2		
QHI12	OTHLINS2				
QHI13	HLCNOTYR				
QHI14	HLCNOTMO				
QHI15	HLCLAST				
QHI16	HLCPRIVT				
QHI16	HLCMCAID				
QHI16	HLCMILT				
QHI16	HLCMCARE				
QHI16	HLCOGVT				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QHI16	HLCOTHER				
QHI16SP	HLCOTHS2				
QHI17	HLLLOSJB				
QHI17	HLLMAJOB				
QHI17	HLLMASOR				
QHI17	HLLCOST				
QHI17	HLLINELG				
QHI17	HLLNOFFR				
QHI17	HLLDIVOR				
QHI17	HLLDEATH				
QHI17	HLLREFUS				
QHI17	HLLNONED				
QHI17	HLLSOR				
QHI17SP	HLLSORS2				
QHI18	HLNVCOST				
QHI18	HLNVOFFR				
QHI18	HLNVREF				
QHI18	HLNVNEED				
QHI18	HLNVSOR				
QHI18SP	HLNVSP2				
QI01		IIPSOC	IRPSOC		
QI01		IIFAMSOC	IRFAMSOC		
QI02			IRFAMSOC		
QI02		IIFAMSOC	IRFAMSOC		
QI03		IIPSSI	IRPSSI		
QI03		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI04A		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI04B		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI05		IIPWAG	IRPWAG		
QI05		IIFAMWAG	IRFAMWAG		
QI06A		IIFAMWAG	IRFAMWAG		
QI06B		IIFAMWAG	IRFAMWAG		
QI07A		IIFSTAMP	IRFSTAMP	GOVTPROG	
QI07B		IIFSTAMP	IRFSTAMP	GOVTPROG	
QI08		IIPPMT	IRPPMT		
QI08		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI09A		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI09B		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI10		IIPSVC	IRPSVC		
QI10		IIFAMSVSVC	IRFAMSVSVC	GOVTPROG	
QI11A		IIFAMSVSVC	IRFAMSVSVC	GOVTPROG	
QI11B		IIFAMSVSVC	IRFAMSVSVC	GOVTPROG	
QI12A		IIWELMOS	IRWELMOS		
QI12B		IIWELMOS	IRWELMOS		
QI13		IIPINT	IRPINT		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QI13		IIFAMINT	IRFAMINT		
QI14A		IIFAMINT	IRFAMINT		
QI14B		IIFAMINT	IRFAMINT		
QI15		IIPCHD	IRPCHD		
QI15		IIFAMCHD	IRFAMCHD		
QI16A		IIFAMCHD	IRFAMCHD		
QI16B		IIFAMCHD	IRFAMCHD		
QI17		IIPOTH	IRPOTH		
QI17		IIFAMOTH	IRFAMOTH		
QI18A		IIFAMOTH	IRFAMOTH		
QI18B		IIFAMOTH	IRFAMOTH		
QI21A		IIPINC3	IRPINC3		
QI21A		IIFAMIN3	IRFAMIN3		
QI21B		IIPINC3	IRPINC3		
QI21B		IIFAMIN3	IRFAMIN3		
QI23A		IIFAMIN3	IRFAMIN3		
QI23B		IIFAMIN3	IRFAMIN3		
QI24	TELNO2				
QI25	TUCHTONE				
CASEID					
FIEXIT					
		QUARTER			
		GQTYPE			
		PDEN			
		VEREP			
		VESTR			
		ANALWT_C			
		FIEXP99			
		LANGVER			