

**National Treatment Improvement  
Evaluation Study (NTIES),  
1992-1997**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Center for Substance Abuse Treatment*

NTIES Treatment Experience Questionnaire  
(NTEQ) Codebook



## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>





NATIONAL EVALUATION DATA SERVICES

**NATIONAL TREATMENT IMPROVEMENT  
EVALUATION STUDY:**

**DOCUMENTATION AND CODEBOOK FOR  
PUBLIC USE DATA FILE 2**

**CLIENT-LEVEL DATA:  
NTIES TREATMENT EXPERIENCE QUESTIONNAIRE**

**APRIL 2000**





NATIONAL EVALUATION DATA SERVICES

**NATIONAL TREATMENT IMPROVEMENT  
EVALUATION STUDY:**

**Documentation and Codebook for  
Public Use Data File 2**

**Client-Level Data:  
NTIES Treatment Experience Questionnaire**

**Prepared by**

**Ann Ragin, Ph.D.  
Hee-Choon Shin, Ph.D.  
Marianna Toce  
Dean R. Gerstein, Ph.D.**

**National Opinion Research Center  
1155 East 60th Street, Chicago, Illinois 60637  
1350 Connecticut Avenue, NW, Suite 500  
Washington, DC 20036**

**April 2000**

This document was supported by the Center for Substance Abuse Treatment, Department of Health and Human Services, Caliber/NEDS Contract No. 270-97-7016.





# TABLE OF CONTENTS

	<u>Page</u>
FOREWORD .....	i
ACKNOWLEDGMENTS .....	iii
OVERVIEW OF THE NTIES PUBLIC USE DATA FILES .....	iv
ABSTRACT .....	vi
DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS (1990-1992) .....	1
TREATMENT DEMONSTRATION PROGRAMS .....	1
Target Cities .....	1
Critical Populations .....	2
Incarcerated and Non-Incarcerated Criminal Justice Populations .....	2
DESCRIPTION OF THE NTIES DESIGN .....	2
The Administrative/Services Component .....	2
Clinical Treatment Outcomes Component .....	3
DESCRIPTION OF SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE .....	4
PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES .....	8
USER RESPONSIBILITY .....	9
NTIES TREATMENT EXPERIENCE QUESTIONNAIRE CODEBOOK .....	11



## **FOREWORD**

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important mission of CSAT is to expand the availability of effective substance abuse treatment and recovery services. To aid in accomplishing that mission, CSAT has invested and continues to invest significant resources in the development and acquisition of high quality data about substance abuse treatment services, clients, and outcomes. Sound scientific analysis of this data provides evidence upon which to base answers to questions about what kinds of treatment work best for what groups of clients, and about which treatment approaches are cost-effective methods for curbing addiction and addiction-related behaviors.

In support of these efforts, the Program Evaluation Branch of CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of data management and scientific support services across various programmatic and evaluation activities. NEDS is a pioneering effort for CSAT in that the Center previously had no mechanisms established to pull together databases for broad analytic purposes or to house databases produced under an array of activities. One of the specific objectives of NEDS is to provide CSAT with flexible analytic capability to address policy-relevant questions about substance abuse treatment. This codebook and the cognate public use files have been produced in pursuit of this objective.

This documentation and data file codebook covers client-level information collected by the National Treatment Improvement Evaluation Study (NTIES), a major CSAT evaluation project conducted by the National Opinion Research Center with assistance from Research Triangle Institute. NTIES analyzed data from approximately 70 service delivery units (SDUs) funded by CSAT demonstration grants. The data reflects client treatment experiences from 1993 through 1994.

General questions regarding the proper uses and limitations of these public use data files should be directed to the Substance Abuse and Mental Health Data Archive (SAMHDA) Helpline at 1-888-741-7242. Readers who are interested in more detailed information about the NTIES project are invited to visit the NEDS website at: **<http://neds.calib.com>**. The NEDS website provides the NTIES Final Report (1997), additional NTIES reports and Fact Sheets, and copies of all data collection instruments employed in NTIES.

Sharon Bishop, Project Director  
National Evaluation Data Services

## ACKNOWLEDGMENTS

This codebook was prepared by Ann Ragin, Ph.D., Hee-Choon Shin, Ph.D., Marianna Toce, and Dean R. Gerstein, Ph.D. In addition, the following individuals at NORC (except as noted) made significant contributions: A. Rupa Datta, Gayle Hutchinson, Tim Smith, and Kathleen Jordan, Ph.D. (the last two from Research Triangle Institute), who co-authored the patient questionnaires with Dean Gerstein; Joseph Taylor and Lee Lefes, who developed the original NTIES electronic codebook; Julia S. Ingels, the NTIES project director; and Alma Kuby, who assisted in managing the codebook production task.

We wish to thank the Center for Substance Abuse Treatment staff who provided overall guidance and direction to the NTIES project and its follow-through in NEDS, with particular thanks to Ron Smith, Ph.D., Program Evaluation Branch, CSAT.

Caliber Associates is the prime contractor for NEDS in partnership with Battelle Centers for Public Health Research and Evaluation (CPHRE); the Lewin Group; and the National Opinion Research Center (NORC). The NTIES Public Use Data Files were produced by NORC under the NEDS contract.

The Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies (OAS) has provided data archiving through the Substance Abuse and Mental Health Data Archive (SAMHDA) contract. The Inter-university Consortium for Political and Social Research (ICPSR) at the University of Michigan, in its role as the SAMHDA contractor, provides ready access to substance abuse and mental health research data and promotes the sharing of these data among researchers, academics, policymakers, service providers, and others. We wish to thank Charlene S. Lewis, Ph.D., Office of Applied Studies, SAMHSA, for her assistance in this cooperative effort between NEDS and SAMHDA.

---

## OVERVIEW OF THE NTIES PUBLIC USE DATA FILES

Three levels of the NTIES data have been released to the public through the Substance Abuse and Mental Health Data Archive (SAMHDA): Service Delivery Unit (SDU) level data (e.g., treatment program revenues and costs, services provided, treatment orientations and practices), clinician-level data (e.g., clinician background, training, demographics, etc), and client-level data (e.g., client background, pre- and post-treatment drug use, employment, criminal behaviors, etc).

In addition to the Clinical Unit Public Use Data File (PUDF: File 5) which contains data from the first two levels, namely SDU- and clinician-level, interested users can also access four NTIES client-level PUDFs. Each of the 6,593 records in the Clinical Unit file contains data from the clinical unit in which a specific NTIES client was admitted to treatment, and each includes a unique client identifier number that can be matched to one or all of the four companion client-level PUDFs. A thorough disclosure analysis was performed on all three levels of data to safeguard against the possible identification of individual clients, clinicians, or SDUs.

The material in this document provides a description of the NTIES study design, data collection procedures, and content for the NTIES Treatment Experience Questionnaire (File 2). Limitations of the public use data and user responsibilities are also described. To summarize, the contents of the five NTIES PUDFs are:

**File 1:** Client-level data: NTIES Research Intake Questionnaire (NRIQ). Administered during the client's first 3 weeks of treatment, the NRIQ file contains data for 6,593 persons admitted to substance abuse treatment in 1993-1994 in 71 SDUs.

**File 2:** Client-level data: NTIES Treatment Experience Questionnaire (NTEQ). Contains data for 5,294 clients collected at the time of discharge from treatment.

**File 3:** Client-level data: NTIES Post-discharge Assessment Questionnaire (NPAQ). Contains data for 5,388 clients collected approximately one year after discharge.

**File 4:** Client-level data: NTIES Patient Record Abstraction Form (NPRAF). Contains data on 6,412 clients, compiled by NTIES research staff on the treatment records of those clients.

**File 5:** Clinical-unit data: NTIES Baseline Administrative Report (NBAR) and the NTIES Clinician Form (NCF). Contains information about the clinical units in which NTIES clients received treatment.

The Public Use Data Files have been made available in three different formats to maximize access to the data by end users: (1) as a compiled SPSS data file (file extension: \*.sav); as a SAS transport file (file extension: \*.tsp); and as an ASCII text file (file extension: \*.dat). Further assistance regarding archive data in general, the use of specific data formats, documentation, downloading, or website technical issues can be found on the SAMHDA website at <http://www.icpsr.umich.edu/SAMHDA/> or by calling the SAMHDA project Helpline at 1-800-741-7242.

## **ABSTRACT**

This volume contains one of five codebooks for the National Treatment Improvement Evaluation Study (NTIES), 1992-1997. The NTIES data cover the characteristics and behavior of 6,593 persons admitted to substance abuse treatment in 1993-1994 in 78 of the clinical service delivery units receiving demonstration program funding from the Center for Substance Abuse Treatment. There are also data on characteristics of the clinical units that provided the treatment services. Data were collected in computer-assisted personal interviews with clients at admission to treatment, discharge from treatment, and approximately one year after discharge from treatment; from clinical records, program administrators, and clinicians; and from arrest reports and results of urine assays at the one-year follow-up. The data have been edited to assure the confidentiality of clients and facilitate analysis by evaluation researchers.



## **DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS**

The National Treatment Improvement Evaluation Study (NTIES) was a national evaluation of the effectiveness of substance abuse treatment services delivered in comprehensive treatment demonstration programs supported by the Center for Substance Abuse Treatment (CSAT). The NTIES project (1992-1997) was designed and performed for CSAT by the National Opinion Research Center at the University of Chicago with assistance from Research Triangle Institute. The NTIES project collected longitudinal data between 1992 and 1995 on a purposive sample of clients in treatment programs receiving demonstration grant funding from CSAT. Client-level data were obtained at treatment intake, at treatment exit, and one year after treatment exit. Service delivery unit data from the administrator and from individual clinicians were obtained at two time points one year apart. For a fuller description of the study, see the NTIES Final Report, prepared by Dean R. Gerstein and associates, available from the following web address: <http://neds.calib.com/products/abstract.cfm?ProductID=52>

### **TREATMENT DEMONSTRATION PROGRAMS**

CSAT initiated three major demonstration programs and made 157 multi-year treatment enhancement awards across 47 states and several territories during 1990 through 1992. One objective common to all demonstrations was CSAT's emphasis on the provision of "comprehensive treatment" services to targeted client populations. The recipients of these awards focused special attention on the substance abuse treatment service needs of minority and special populations located primarily within large metropolitan areas. The demonstration programs are briefly described below.

#### **Target Cities**

Under this demonstration, nine metropolitan areas were selected to receive awards, of which half were included in the NTIES purposive sample. The following treatment improvement activities were explicitly provided for in the awards:

- Establishment of a Central Intake Unit (CIU) with automated client tracking and referral systems in place
- Provision of comprehensive services, including vocational, educational, biological, psychological, informational, and lifestyle components
- Improved inter-agency coordination (e.g., mental health, criminal justice, and human service agencies)
- Services for special populations—adolescents, pregnant and postpartum women, racial and ethnic minorities, and public housing residents.

---

## 2.2 Critical Populations

Under this demonstration program, awardees were required to implement “model enhancements” to existing treatment services for one or more of the following critical populations: racial and ethnic minorities, residents of public housing, and/or adolescents. Special emphasis was given to services provided to the homeless, the dually diagnosed, or persons living in rural areas. A total of 130 grants was awarded, covering services such as vocational support/counseling, housing assistance, integrated mental health and/or medical services, coordinated social services, culturally directed services, and others.

## 2.3 Incarcerated and Non-Incarcerated Criminal Justice Populations

Under this demonstration program, funds were directed toward improving the standard of comprehensive treatment services for criminally involved clients in correctional and other settings. Some program emphasis was placed on ethnic and/or racial minorities. Nine Correctional Setting demonstrations were funded: five in prisons, three in local jails, and one across a network of juvenile detention facilities. All projects included a screening component to identify substance-abusing inmates, a variety of targeted treatment interventions (e.g., therapeutic communities, intensive day treatment programs), and a substantial aftercare component.

Ten non-incarcerated projects were funded. Five programs targeted interventions at clients in diversionary programs, three focused services on probationers or parolees, and two programs targeted both populations. Almost all of the funded demonstration projects included the following components:

- Basic eligibility determination, followed by systematic screening and assessment
- Referral to treatment
- Graduated sanctions and incentives while in treatment
- Intensive supervision in treatment
- Community-based aftercare with supervision and service coordination.

In total, 19 criminal justice projects were funded as part of the CSAT 1990-1992 demonstrations, and as indicated below, these projects were purposively over-sampled in order to obtain a more robust evaluation of this program.

## THE NTIES DESIGN

### The Administrative/Services Component

The NTIES study design had two levels—an administrative/services component and a clinical treatment outcomes component. The administrative component was designed to assess how CSAT demonstration funds were used, what improvements in services were implemented at the program level, and what kind and how many programs and clients were affected by the demonstration awards. Four data collection instruments were used to gather administrative data on treatment services: the NTIES Baseline Administration Report (NBAR), the NTIES Continuing Administrative Report (NCAR), the NTIES Exit Log, and the NTIES Clinician Form (NCF).

The unit of analysis for the administrative component, the service delivery unit (SDU), was defined by CSAT as a single site offering a single level of care. The classification of *level of care* is based on three parameters: (1) facility type (e.g., hospital, etc.); (2) intensity of care (e.g., 24-hour, etc.); and (3) type of service (e.g., outpatient, etc.). An SDU could be a standalone treatment provider or it could be one component of a multi-tiered treatment organization. For example, a large county mental health agency may be the *organization* within which the SDU is located. The organization may have multiple substance abuse treatment components, such as a county hospital and a county (ambulatory) mental health center. The county hospital may have multiple SDUs, such as an inpatient detoxification service, an outpatient counseling service, and a hospital satellite center providing transitional care. In summary, the SDU provided NTIES evaluators with a stable, uniform platform of comparison for examining service delivery issues.

A range of key clinician-specific data elements (within the administrative component) was assessed using the NTIES Clinician Form (NCF). The NCF items were an important adjunct to the SDU level instruments; these items assessed clinician training, experience, client exposure, and service provision, and were completed by all counseling and clinical (medical and therapeutic) staff at the individual SDUs.

### **The Clinical Treatment Outcomes Component**

The unit of analysis for the clinical treatment outcomes component was individual client data. NTIES measured the clinical outcomes of treatment primarily through a *before/after* or *pre- to post-treatment* design. This method compares behaviors or other individual characteristics in the same participants, measured in similar ways, before and after an intervention.

Information about clients' lives for the *before-treatment* period was obtained from the NTIES Research Intake Questionnaire (NRIQ), which was administered within the first three weeks of treatment. The specific areas assessed included:

- Drug and alcohol use
- Employment
- Criminal justice involvement and criminal behaviors
- Living arrangements
- Mental and physical health.

Information about clients' lives for the *after-treatment* period was obtained from the NTIES Post-discharge Assessment Questionnaire (NPAQ), with the same areas assessed an average of 11 months post-treatment. Other client data sources included a treatment discharge interview (NTIES Treatment Experience Questionnaire, NTEQ), abstracted client records, urine drug screens collected at the time of the follow-up interview, and arrest reports from state databases.

Between August 1993 and October 1994, research staff successfully enrolled 78 SDUs in NTIES. These SDUs were chosen from the universe of 792 SDUs (see Exhibit 1) participating in the demonstration grants from CSAT. Some of the selected facilities were wholly supported by CSAT awards, while others received only indirect support or none.

Clients were interviewed in person using a computer-assisted interview protocol shortly after their first day of treatment. Fifteen percent of the eligible clients at the 78 NTIES SDUs refused

or avoided participation at intake, a recruitment rate of 85 percent, yielding 6,593 intake interviews (NRIQ). Of those clients successfully recruited into NTIES, 80 percent (N=5,274) completed the NTEQ at or near the time when they left treatment, and 82 percent (N=5,388) completed the NPAQ, nominally about one year after the end of treatment, but in fact with a much wider range of post-treatment durations due to a variety of practical obstacles and constraints.

A number of exclusion criteria were implemented at the time the NTIES Final Report was developed, yielding an analytical sample of clients that comprised a subset of those completing the various questionnaires. These exclusions, which were also reflected in a number of published analyses since the Final Report, were as follows:

- All clients in 7 of the 78 SDUs were excluded from follow-up eligibility due to the very small numbers enrolled in these SDUs and their geographic isolation from other SDUs, a combination of circumstances that made these follow-up interviews very uneconomical to collect.
- All clients whose treatment exit dates were missing or undetermined were excluded from the outcome analyses.
- All clients with NPAQ follow-up intervals of less than 5 or more than 16 months were excluded from the outcome analyses.
- All clients incarcerated for most or all of the follow-up period were excluded from the outcome analyses. (Nearly all of these clients had been treated while incarcerated, and were not yet released into the community at the time of the NPAQ interview.)

There was some overlap in applicability across these exclusion criteria. About 50 clients were affected by each of the first two criteria, about 300 by the third criterion, and about 700 by the fourth criterion. These exclusions resulted in a net outcome analysis sample of 4,411 individuals (identified by variable IN\_4411 in the NPAQ data file), representing 71 of the 78 SDUs.

Note that all of the interview data collected from clients of 78 SDUs at treatment intake, exit, and follow-up are included in the NTIES public use file. Users of these files may therefore select different analytical samples—larger or smaller than the N of 4,411—for outcome analysis or other purposes, depending on their analytic interests. The data management variables QUEXSTAT, TFSCOMP, and DURAPDP provide further information for sample selection.

## **SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE**

The 71 SDUs contributing clients to the previously published outcome analyses are characterized by modality and demonstration program type in Exhibit 1 below. Among the 698 SDUs in the NTIES universe after removal of 94 specialized service units that did not provide treatment per se, 52 percent (n=365) were in Target Cities programs, 39 percent (n=274) were in Critical Populations programs, and 9 percent (n=59) were in Criminal Justice programs. Of the 71 SDUs represented in the NTIES outcome analysis, 44 percent were Target Cities programs, 38

percent were Critical Populations programs, and 23 percent were Criminal Justice programs. Criminal Justice SDUs were purposely over-sampled as part of the NTIES evaluation design. Nearly half of the sampled SDUs were (non-methadone) outpatient programs, and about one-quarter were long-term residential programs.

As shown in Exhibit 2, 59 percent of the NTIES clients represented in the Final Report and other published outcome analysis sample were from Target Cities SDUs. Slightly more than 21 percent of the NTIES outcome sample clients were from Critical Populations SDUs and 20 percent were from Criminal Justice SDUs. Outpatient (non-methadone) SDUs treated over one-third (35%) of the clients in the outcomes analysis sample, and almost 80 percent of these were sampled from Target Cities programs.

EXHIBIT 1 SDUs IN THE OUTCOME ANALYSIS SAMPLE						
Program Title Number of SDUs (% of NTIES Universe)*	NTIES Sample	Methadone	Outpatient	Long- Term Residential	Short- Term Residential	Correc- tional
<b>Target Cities</b> n=365 (52%)	31 (44%)	6	15	6	4	0
<b>Critical Populations</b> n=274 (39%)	27 (38%)	1	13	10	3	0
<b>Criminal Justice</b> n=59 (9%)	13 (23%)	0	5	0	0	8
<b>Totals</b> N=698 (100%)	71 (100%)	7	33	16	7	8

- The original NTIES universe of SDUs included a program type called *Specialized Services*. Because clients for the outcome analysis sample were not drawn from these SDUs (n=94), they are excluded from the Exhibit.

<b>EXHIBIT 2</b> <b>DISTRIBUTION OF CLIENTS IN THE OUTCOMES ANALYSIS SAMPLE</b>					
<b>Program Title</b> Number of Clients (% of Analysis Sample)	<b>Methadone</b>	<b>Outpatient</b>	<b>Long-Term Residential</b>	<b>Short-Term Residential</b>	<b>Correctional</b>
<b>Target Cities</b> n=2,600 (59%)	377 (89%)	1,214 (78%)	504 (60%)	505 (58%)	0
<b>Critical Populations</b> n=931 (21%)	45 (11%)	220 (14%)	298 (35%)	368 (42%)	0
<b>Criminal Justice</b> n=880 (20%)	0	132 (8%)	39 (5%)	0	709 (100%)
<b>Totals</b> n=4,411 (100%)	422	1,566	841	873	709

---

## PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES

It is the intention of CSAT to make much of the NTIES data available through public use data files (PUDFs). It is necessary, however, to maintain the confidentiality of individuals participating in research. This is especially critical due to the sensitive nature of the NTIES information about illicit drug use and other illegal activity, motivation for using substances and clinical treatment details. Participating individuals were given assurance of confidentiality. In order to protect confidentiality, a disclosure analysis of the data was conducted. This analysis resulted in protective modifications of the data.

In order to create PUDFs from the original restricted use files, all potential identifiers in the client questionnaires were documented and steps necessary to address disclosure risk were delineated. This analysis aimed to minimize the chance of client identification while preserving analytic utility. Procedures necessary to guard against direct or indirect disclosure of event or identity included eliminating obvious identifiers, such as names and publicly available identification numbers. The reasons for these eliminations are obvious and are consistent with those of most publicly available social science data sets, whether they are produced by the government or by other research institutions. Other potential identifiers were reviewed individually. Variables such as specific dates of admission and discharge were supplanted with measures of length-of-stay and post-discharge period duration. The data were also screened for the potential deductive disclosure risk of outlying continuous variables and very low frequency categorical values. In order to minimize the chance of client identification, it was necessary to truncate extreme values, categorize some continuous variables or recode some categorical variables. Fifty to one hundred responses per category was deemed adequate to protect against deductive disclosure even assuming decomposition of the sample into smaller subgroups. In some instances, responses were recoded with median values. As a final resort, it was necessary to remove some variables from the PUDF. This disclosure protection was only used for items that were impossible to mask through re-categorization or for which a median value substitution would be analytically inutile. Even those response values numerous in the data were inspected through three- and four- way cross-tabs to check for rare footprints. All variables revealing cell sizes of three or fewer respondents were recoded either according to the preferences discussed above or to other substantially similar values or to 'missing.' In the disclosure analysis, two rounds of data masking yielded a small cell rate of 1.69% (458 small cells out of 23137 cells total). Three rounds of data masking reduced the small cell rate to .4%, a proportion which is acceptable under standard confidentiality protocols.

NTIES used a two-level design in which clients were clustered within SDUs. The identity of recipients and subrecipients of NTIES demonstration awards is a matter of public record, and



the considerable variation among SDUs for a number of parameters render individual SDUs relatively easy to identify. This in itself does not imply unacceptable risk of disclosure; however if SDUs were identifiable and if they could be linked with clients, there would be disclosure risk to clients. Careful study of the NTIES data indicated that directly linking client data and unmodified SDU data, even with overt SDU identifiers removed, would compromise disclosure protection for clients. Therefore the data from SDUs represented in these files has been modified by three strategies: (a) removal of all identifying information about these units, (b) recoding and aggregation of administrative and clinical staff information into broad research-focused categories that preclude isolation of particular SDU “footprints”, and (c) limiting the number of items of information available about each unit. This public use file permits researchers to exploit the multi-level design in which clients are clustered within SDUs, without compromising client confidentiality.

Because of the disclosure alterations to the restricted-use files that have been available only to the NTIES and NEDS contract research team, estimates derived from the PUF will not always match exactly the detailed results published in SAMHSA reports. There may be slight bias in either direction, if present, owing to the suppression of a sparse number of cases by setting some values to missing.

It is important to note that the data from NTIES were collected from SDUs receiving CSAT support. Individuals served by CSAT grants were generally from vulnerable and underserved populations (minorities, pregnant women, youth, public housing residents, welfare recipients, and those in the criminal justice system). Results from NTIES may not generalize to all clients in substance abuse treatment or to all kinds of service delivery units. Nonetheless, the NTIES data are a rich source of information about CSAT-supported substance abuse treatment and clinical outcomes among vulnerable and underserved populations. The data will allow researchers to study the efficacy of substance abuse treatment and factors that influence course and outcome.

## **USER RESPONSIBILITY**

Users are reminded that these data are intended to be used solely for statistical analysis, reporting, and evaluation of aggregated information and not for investigation of specific individuals or organizations.



## FREQUENCIES



<b>GENERAL CASE INFORMATION</b>
---------------------------------

<b>CASEID</b>	<b>CASEID</b>
---------------	---------------

Patient record number in SDU files

5,274 cases (Range of valid codes: 113-9993897)

Data type: numeric

Columns: 1-7

<b>T5</b>	<b>NRIQ SETTING</b>
-----------	---------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	692	2	JAIL
15.5	15.5	819	3	PRISON
71.3	71.3	3,761	4	OTHER SITES
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 8-9

<b>T6</b>	<b>GENDER</b>
-----------	---------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	71.9	3,792	1	MALE
28.1	28.1	1,480	2	FEMALE
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 10-11

<b>T8</b>	<b>NRIQ: LANGUAGE PREFERENCE</b>
-----------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	93.9	4,950	1	ENGLISH
1.9	1.9	99	2	SPANISH
0.3	0.3	18	3	OTHER
3.9	3.9	207	4	DEPENDS
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 12-13

<b>T9</b>	<b>NRIQ: HS DIPLOMA/GED</b>
-----------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	54.1	2,851	1	YES
45.9	45.9	2,423	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 14-15

<b>T11</b>	<b>OTHER CHILDREN RAISED</b>
------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	38.9	2,054	1	YES
61.0	61.0	3,219	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 16-17

<b>T32</b>	<b>NTEQ: LANGUAGE FLAG</b>
------------	----------------------------

INTERVIEWER: SELECT THE LANGUAGE R PREFERS TO USE TO ANSWER QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	99.4	5,243	0	ENGLISH
0.6	0.6	31	1	SPANISH
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 18-19

<b>T71</b>	<b>NRIQ &amp; NTEQ NAMES MATCH</b>
------------	------------------------------------

SCREENER CHECKPOINT II: SEE NAME ON INTAKE FORM: PRELOADED ITEM  
NAME JUST GIVEN BY R: DISPLAY Q68

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	98.5	5,194	1	FIRST/LAST NAME MATCH INTAKE
1.5	1.5	80	2	FIRST/LAST NAME DO NOT MATCH INTAKE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 20-21

**T83****NRIQ & NTEQ DOB MATCH**

SCREENER CHECKPOINT III: SEE DOB ON INTAKE. CODE ONLY ONE. DOB ON  
INTAKE FORM: PRELOADED ITEM DOB GIVEN BY R JUST NOW : DISPLAY Q73

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	98.9	5,216	1	DOB MATCHES INTAKE
1.1	1.1	58	2	DOB DOES NOT MATCH INTAKE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 22-23

**T87****SCRN CHECK V: NTEQ SETTING**

SCREENER CHECKPOINT V: CODE NTEQ SETTING:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	26.2	1,383	1	JAIL/DETENTION
73.8	73.8	3,890	2	OTHER
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 24-25



<b>T89</b>	<b>OUT OF CUSTODY SINCE NRIQ?</b>
------------	-----------------------------------

We first interviewed you at {Note 1: PROGRAM} on {Note 2: DATE OF NRIQ ADMINISTRATION}. Since that time, have you been out of custody? CODE ONLY ONE.

Note 1: Program from intake form  
blank in otherwise

Note 2: Date of NRIQ administration from intake form  
blank in otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	75.1	3,959	1	YES
22.9	22.9	1,206	2	NO
2.1	2.1	109	3	NOT INCARCERATED AT NRIQ BUT WAS AT NTEQ
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 26-27

<b>T93</b>	<b>LENGTH OF CURRENT INCARCERATION</b>
------------	--

How long have you been {Note 1: in jail/locked up/detained} {Note 2: this time}? PROBE FOR BEST ESTIMATE.

Note 1: 'in jail' if T87 V=2  
'locked up' if T87=3 'detained' if T87=1 blank if otherwise

Note 2: 'this time' if no previous admission from intake form  
blank in otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	7	2	2-6 DAYS
3.0	0.8	41	3	1-3 WEEKS
5.4	1.4	74	4	1-3 MONTHS
3.2	0.8	44	5	4-12 MONTHS
88.0	23.1	1,217	6	MORE THAN 1 YEAR
	0.0	1	-9	LEGITIMATE SKIP
	73.8	3,890	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 28-29

<b>T99M3</b>	<b>SERVING A SENTENCE?</b>
--------------	----------------------------

SERVING A SENTENCE? Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.3	1,229	1	YES
76.7	76.7	4,045	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 30-31

<b>T99M4</b>	<b>SOMETHING ELSE?</b>
--------------	------------------------

AWAITING SOMETHING ELSE? Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	44	1	YES
99.2	99.2	5,230	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 32-33

<b>NTIES TREATMENT SETTING/PROGRAM TYPE</b>
---

<b>PRGMTYPE</b>	<b>PROGRAM TYPE</b>
-----------------	---------------------

ADMINISTRATIVE VARIABLE FROM CSAT RECORDS, REFERRING TO NTIES SDU AT WHICH RS NTIES TREATMENT EPISODE OCCURRED. DENOTES DEMONSTRATION PROGRAM UNDER WHICH SDU RECEIVED FUNDING FROM CSAT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	1,029	1	CRITICAL POPULATIONS
28.7	28.7	1,512	2	CORRECTIONAL SETTINGS
2.5	2.5	133	3	NON-INCARCERATED OFFENDERS
47.7	47.7	2,517	4	TARGET CITIES
0.5	0.5	28	5	ADOLESCENT/JUVENILE JUSTICE
1.0	1.0	55	6	PUBLIC HOUSING
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 34-35

<b>TRT2</b>	<b>REVISED TREATMENT MODALITY</b>
-------------	-----------------------------------

ADAPTED FROM NTIES VARIABLE TRTMNT - INPATIENT AND RESIDENTIAL CASES COMBINED DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.6	1,664	1	IN-PATIENT
31.4	31.4	1,656	2	LONG-TERM RESIDENTIAL/IN-PATIENT
8.6	8.6	456	3	OUT-PATIENT METHADONE
28.4	28.4	1,498	4	AMBULATORY OUT-PATIENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 36-37

<b>PRG2</b>	<b>REVISED PROGRAM TYPE</b>
-------------	-----------------------------

ADAPTED FROM NTIES VARIABLE PRGMTYPE - ADOLESCENT/JUVENILE JUSTICE AND PUBLIC HOUSING FOLDED INTO CRITICAL POPULATIONS AND NON-INCARCERATED OFFENDERS COMBINED WITH CORRECTIONAL SETTINGS DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	21.1	1,112	1	AJJ/PH
31.2	31.2	1,645	2	CRIMINAL JUSTICE
47.7	47.7	2,517	3	TARGET CITIES
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 38-39

<b>CELL</b>	<b>ANALYSIS VARIABLE</b>
-------------	--------------------------

INTERACTION OF NTIES VARIABLES PRG2 AND TRT2. METHADONE SDUs OF ALL PROGRAM TYPES ARE COMBINED IN ONE CELL DUE TO INSUFFICIENT SAMPLE SIZE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.1	479	1	CP/SR
6.8	6.8	356	2	CP/LR
4.3	4.3	226	3	CP/OP
9.6	9.6	507	4	TC/SR
9.3	9.3	492	5	TC/LR
21.1	21.1	1,113	6	TC/OP
12.9	12.9	678	7	CJ/SR
15.3	15.3	808	8	CJ/LR
3.0	3.0	159	9	CJ/OP
8.6	8.6	456	10	METHADONE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 40-41

**CELL2****ANALYSIS VARIABLE V.2**

SDUs CATEGORIZED BY MODALITY EXCEPT CRIMINAL JUSTICE SDUs PULLED  
OUT AS A SEPARATE CELL.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.6	456	1	METHADONE
27.3	27.3	1,439	2	NON-METHADONE OUT-PATIENT
18.7	18.7	986	3	SHORT-TERM RESIDENTIAL
16.7	16.7	881	4	LONG-TERM RESIDENTIAL
28.7	28.7	1,512	5	CORRECTIONAL SETTINGS
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 42-43

<b>SECTION A: INTREATMENT EXPERIENCE</b>
--

T115

## INTV CHECK I: SDU RECS SHOW DISCHARGE?

INTERVIEWER CHECKPOINT I: Do SDU records indicate that R has been discharged?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	72.2	3,810	1	YES
27.8	27.8	1,464	2	NO
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 44-45

T117

## SDU SHOWS: R STOPPED TREATMENT

(POINT TO CALENDAR) My records show that you {Note 1: stopped going to treatment at/last went to} {Note 2: PROGRAM} on {Note 3: READ STOP DATE FROM DISCHARGE FORM}. As best as you can remember, is that right?

Note 1: 'stopped going to treatment' if R is 18 years old or older

'last went to' if R is younger than 18  
blank if otherwise

Note 2: See T93 Note 1

Note 3: Date from discharge form from SDU  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	68.2	3,596	1	YES
4.0	2.9	151	2	NO
	0.2	8	-2	DON'T KNOW
	28.8	1,519	3	R STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 46-47

**T119****SDU SHOWS: R STILL IN TREATMENT?**

My records show that you are still {Note 1: in treatment/going to}  
 {Note 2: PROGRAM}.

Is that right? CODE ONE ONLY.

Note 1: See T117 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	24.6	1,298	1	YES
11.3	3.1	166	2	NO
	72.2	3,810	3	NOT IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 48-49

**T132****FINAL STATUS: IN OR OUT OF TREATMENT?**

INTERVIEWER: PLEASE CODE WHETHER RESPONDENT IS STILL IN TREATMENT  
 OR

STOPPED TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	27.1	1,431	1	STILL IN TREATMENT
72.9	72.9	3,843	2	STOPPED TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 50-51

**T141****CONFIRM DATES?**

Let me check what you just told me. You {Note 1: were in treatment at/ went to/have been at} {Note 2: PROGRAM} from {Note 3: START DATE} to {Note 4: {Note 5: STOP DATE}/today}. Is that right? CODE ONE ONLY.

Note 1: 'were in treatment at' if R if 18 years old or older  
           'went to' if R is younger than 18  
           'have been at' if T115=2  
           blank if otherwise

Note 2: See T93 Note 1

Note 3: Start date from intake form

Note 4: STOP DATE if T132=2

          'today' if T132=1  
           blank if otherwise

Note 5: Stop date=T121

          blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	99.8	5,265	1	YES
	0.2	8	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW

-----

100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 52-53



**T145****LENGTH IN WKS OF NTEQ REF PERIOD**

THE CALCULATED TREATMENT PERIOD from {Note 1: START DATE} to  
{Note 2: STOP DATE} is:

WEEKS:

Note 1: Start date from intake form

Note 2: Stop date=T121

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	126	0	0
5.4	5.4	287	1	1
5.5	5.5	292	2	2
13.0	13.0	684	3	3
7.2	7.2	378	4	4
3.2	3.2	170	5	5
3.0	3.0	158	6	6
7.0	7.0	367	7	7
2.5	2.5	134	8	8
2.1	2.1	111	9	9
1.6	1.6	87	10	10
1.9	1.9	102	11	11
1.8	1.8	93	12	12
2.0	2.0	108	13	13
3.4	3.4	178	14	14
2.4	2.4	126	15	15
1.9	1.9	101	16	16
2.3	2.3	121	17	17
1.3	1.3	69	18	18
1.3	1.3	70	19	19
1.4	1.4	76	20	20
1.2	1.2	63	21	21
1.4	1.4	75	22	22
1.6	1.6	82	23	23
1.5	1.5	79	24	24
6.5	6.5	341	27	25-29
3.9	3.9	208	32	30-34
2.8	2.8	149	37	35-39
1.9	1.9	102	42	40-44
3.3	3.3	173	47	45-49
3.1	3.1	163	50	50 OR MORE
	0.0	1	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 54-55

**T153****R SAW TREATMENT PLAN?**

While you {Note 1: were/have been} at {Note 2: PROGRAM},  
 {Note 3: did you see/have you seen} a treatment plan or a list of  
 treatment goals?

Note 1: 'were' if T132=2  
           'have been' if T132=1  
           blank if otherwise  
 Note 2: See T93 Note 1  
 Note 3: 'did you see' if T132=2  
           'have you seen' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	78.4	4,135	1	YES
21.2	21.1	1,115	2	NO
	0.4	23	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 56-57

**T158****R HELPED DEVELOP TX PLAN?**

{Note 1: Did you help/Have you helped} decide the treatment plan or the treatment goals, or {Note 2: did/has} someone at {Note 3: PROGRAM} {Note 4: decide/decided} without you?

Note 1: 'Did you help' if T132=2  
           'Have you helped' if T132=1  
           blank if otherwise

Note 2: 'did' if T132=2  
           'has' if T132=1  
           blank if otherwise

Note 3: See T93 Note 1

Note 4: 'decide' if T132=2  
           'decided' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	69.8	3,679	1	R HELPED DECIDE
8.6	8.6	453	2	SOMEONE AT PROGRAM DECIDED WITHOUT R
21.6	21.6	1,139	3	NO GOALS SET
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 58-59

**T164M1****GET OFF ILLEGAL DRUGS**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Get off illegal drugs

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	50.5	2,666	1	YES
27.8	27.8	1,466	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 60-61

**T164M2****GET OFF METHADONE/ANTABUSE/TREATMNT DRUG**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Get off methadone/antabuse/treatment drug

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	68	1	YES
77.1	77.1	4,064	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 62-63

**T164M3****QUIT DRINKING**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Quit drinking

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.2	1,223	1	YES
55.2	55.2	2,909	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

**T164M4****IMPROVE PHYSICAL HEALTH**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Improve physical health

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	192	1	YES
74.7	74.7	3,940	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 66-67

**T164M5****IMPROVE MENTAL HEALTH/EMOTIONAL PROBLEMS**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Improve mental health/get help with emotional problems

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.5	604	1	YES
66.9	66.9	3,528	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 68-69



**T164M6****JOB-RELATED**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Job-related

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.6	979	1	YES
59.8	59.8	3,153	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 70-71

**T164M7****REDUCE FINANCIAL PROBLEMS**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Reduce financial problems

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	85	1	YES
76.8	76.7	4,047	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL

-----  
 100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

**T164M8****GET HOUSING**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Get housing

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	244	1	YES
73.8	73.7	3,888	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 74-75

**T164M9****SCHOOL-RELATED**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

School-related

Note 1: 'were' if T132=2  
           'have' if T132=1  
           blank if otherwise  
 Note 2: 'been' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.7	564	1	YES
67.7	67.7	3,568	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 76-77

<b>T164M10</b>	<b>STOP COMMITTING CRIMES</b>
----------------	-------------------------------

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Stop committing crimes

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	97	1	YES
76.6	76.5	4,035	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 78-79

**T164M11****REDUCE LEGAL PROBLEMS**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Reduce legal problems

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	70	1	YES
77.1	77.0	4,062	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL

-----

100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 80-81

**T164M12****IMPROVE FAMILY RELATIONS**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Improve family relationships

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.4	654	1	YES
66.0	65.9	3,478	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL

-----

100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 82-83

**T164M13****OTHER**

What {Note 1: were/have} your treatment goals {Note 2: been}?

CODE ALL GOALS MENTIONED:

Other

Note 1: 'were' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.7	1,358	1	YES
52.6	52.6	2,774	2	NO
21.6	21.6	1,139	3	NO GOALS SET
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 84-85

**T169****S-S AGREEMENT WITH TX GOALS**

In general, would you say that you {Note 1: have} agreed with the goals not at all, somewhat, or very much? CODE ONLY ONE.

Note 1: 'have' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	53	1	NOT AT ALL
11.5	11.5	608	2	SOMEWHAT
65.8	65.7	3,465	3	VERY MUCH
21.7	21.7	1,143	4	NO GOALS SET
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 86-87



**T172****S-S ADHERENCE TO TX GOALS**

In general from {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, would you say you {Note 4: have} tried to stick to or reach the treatment goals very much, somewhat, or not at all?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'have' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	63.8	3,365	1	VERY MUCH
13.5	13.5	713	2	SOMEWHAT
1.0	1.0	53	3	NOT AT ALL
21.6	21.6	1,139	4	NO GOALS SET
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 88-89

**T176****S-S PRIMARY PROVIDER**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 which staff member at {Note 4: PROGRAM} {Note 5: was/has been} the  
 most important to you? Please give me that person's first and last  
 names and title.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T93 Note 1

Note 5: 'was' if T132=2

'has been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	92.5	4,876	1	PERSON EXISTS
7.3	7.2	382	2	NO SUCH PERSON
	0.3	15	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 90-91

**T183****S-S TIME/WK WITH 1-ARY PROVIDER**

(HAND R SHOWCARD A). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, how often each week {Note 4: did you receive/have you received} counseling or other help from {Note 5: PROVIDER}? Would you say 5 or more times per week, 2-4 times per week, 1 time per week, 2-4 times per month, or once a month or less?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you receive' if T132=2

'have you received' if T132=1

blank if otherwise

Note 5: Provider specified in T178

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	31.7	1,670	1	5 OR MORE TIMES PER WEEK
32.6	30.1	1,590	2	2-4 TIMES PER WEEK
26.3	24.3	1,280	3	1 TIME PER WEEK
4.1	3.8	198	4	2-4 TIMES PER MONTH
2.1	2.0	104	5	ONCE A MONTH OR LESS
0.7	0.6	33	6	TOTAL NUMBER OF SESSIONS (SPECIFY)
	0.0	1	-2	DON'T KNOW
	7.5	398	7	NO SUCH PERSON
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 92-93

**T191****LENGTH OF SESSIONS WITH 1-ARY PROVIDER**

How long {Note 1: did/have} {Note 2: this session/ your sessions  
with {Note 3: PROVIDER}} usually {Note 4: last/lasted}?

Note 1: 'did' if T132=2

'have' if T132=1

blank if otherwise

Note 2: 'this session' if T132=2

'your sessions with {PROVIDER}' if T132=1

blank if otherwise

Note 3: Provider specified in T178

Note 4: 'last' if T132=2

'lasted' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.8	201	1	LESS THAN 10 MINUTES
16.4	15.2	800	2	10-29 MINUTES
32.5	30.0	1,584	3	30-59 MINUTES
42.0	38.9	2,049	4	1-2 HOURS
4.9	4.6	240	5	MORE THAN 2 HOURS
	0.0	1	-2	DON'T KNOW
	7.6	399	6	NO SUCH PERSON
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 94-95

**T195****AGREEMENT WITH 1-ARY PROVIDER**

In general, how much {Note 1: did/have} you and {Note 2: PROVIDER} {Note 3: agree/agreed} about what things you might need to change in your life in order to stay drug free, such as changing the place you lived, changing your friends, going back to school or getting a new job? Would you say you agreed very much, somewhat, or not at all? CODE ONE ONLY.

Note 1: 'did' if T132=2

'have' if T132=1

blank if otherwise

Note 2: Provider specified in T178

Note 3: 'agree' if T132=1

'agreed' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	69.3	3,655	1	VERY MUCH
23.1	21.3	1,121	2	SOMEWHAT
1.8	1.6	86	3	NOT AT ALL
	0.3	14	-2	DON'T KNOW
	7.5	398	4	NO SUCH PERSON
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 4, lowest thru -1

Columns: 96-97

**T198****UNDERSTANDING BY 1-ARY PROVIDER**

In general, how well do you feel {Note 1: PROVIDER} {Note 2: has} understood the problems you might have with alcohol or drugs? Would you say very much, somewhat, or not at all?

Note 1: Provider specified in T178

Note 2: 'has' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	76.7	4,044	1	VERY MUCH
15.0	13.9	733	2	SOMEWHAT
1.9	1.8	95	3	NOT AT ALL
	0.1	4	-2	DON'T KNOW
	7.5	398	4	NO SUCH PERSON

-----  
100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: 4, lowest thru -1

Columns: 98-99

**T201****1-ARY PROV SPEAKS PREFERRD LANGUAGE?**

IF R PREFERS TO SPEAK LANGUAGE OTHER THAN ENGLISH, ASK 201. OTHERWISE, SKIP TO 211. {Note 1: Did/Does} {Note 2: PROVIDER} speak the language you prefer to speak? CODE ONE ONLY.

Note 1: 'Did' if T132=2

'Does' if T132=1

blank if otherwise

Note 2: Provider specified in T178

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	91.9	4,848	1	YES
0.6	0.5	28	2	NO
	7.5	398	3	NO SUCH PERSON

-----  
100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 100-101

**T203****S-S RECVD SERVS FOR SPANISH-SPEAKERS**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any counseling or  
 other kinds of help especially for people who speak Spanish? CODE  
 ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you receive' if T132=2  
           'have you received' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	0.8	40	1	YES
59.6	1.1	59	2	NO
	98.1	5,175	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 102-103

**T211****S-S # APPTS MISSD FOR INCARCERATION**

Now I would like to ask about reasons you may have missed any  
 {Note 1: treatment/of your appointments} at {Note 2: PROGRAM}.  
 From {Note 3: START DATE} to {Note 4: {Note 5: STOP DATE}/today},  
 about how many appointments {Note 6: did you miss/have you missed}  
 because you were in jail or in prison? Was it none, 1, 2-3, 4-10,  
 or 11 or more?

Note 1: 'treatment' if R if 18 years old or older  
           'of your appointments' if R is younger than 18  
           blank if otherwise

Note 2: See T93 Note 1

Note 3: Start date from intake form

Note 4: See T141 Note 4

Note 5: See T141 Note 5

Note 6: 'did you miss' if T132=2  
           'have you missed' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	32.4	1,707	1	NONE
2.5	0.9	47	2	ONE
3.6	1.3	68	3	2-3
2.1	0.8	40	4	4-10
1.7	0.6	32	5	11 OR MORE
	64.1	3,379	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105



**T213****S-S # APPTS MISSED FOR ILLNESS**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 about how many appointments {Note 4: did you miss/have you missed}  
 because you were so sick you had to stay in bed or see a doctor?  
 Was it none, one, 2-3, 4-10, or 11 or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T211 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	79.3	4,181	1	NONE
7.5	7.5	396	2	ONE
9.3	9.3	488	3	2-3
3.3	3.3	172	4	4-10
0.7	0.7	37	5	11 OR MORE

-----  
 100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 106-107

**T215****S-S # APPTS MISSED FOR ILL RELATIVE**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 about how many appointments {Note 4: did you miss/have you  
 missed} because a family member or someone close to you was ill  
 and you had to take care of him or her? Was it none, one, 2-3,  
 4-10, or 11 or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T211 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	64.0	3,375	1	NONE
4.3	3.0	160	2	ONE
4.5	3.2	170	3	2-3
1.3	0.9	48	4	4-10
0.3	0.2	10	5	11 OR MORE
	28.6	1,511	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 108-109

**T217****S-S # APPTS MISSED FOR OTHER REASON**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 about how many appointments {Note 4: did you miss/have you missed}  
 for any other reasons? Was it none, one, 2-3, 4-10, or 11 or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T211 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	73.2	3,863	1	NONE
8.4	8.4	442	2	ONE
10.9	10.9	577	3	2-3
6.0	6.0	316	4	4-10
1.4	1.4	73	5	11 OR MORE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 110-111

**T221****S-S TX MISSED 1 WK OR MORE?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 3: did you ever miss/have you ever missed} {Note 4:  
 treatment/ all of your appointments at {Note 5: PROGRAM}} for a  
 week or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'treatment' if R is 18 years old or older

'all of your appointment at {PROGRAM}' if R is  
 younger than 18.

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.1	743	1	YES
85.9	85.9	4,528	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 112-113

**T225****S-S TOTAL # DAYS SERV REC'D FROM PROGM**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
on how many days {Note 4: did you receive/have you received} any  
services or help from a staff member at {Note 5: OUTPATIENT  
NONMETHADONE PROGRAM}? Would you say none, one day, 2-3 days,  
4-10 days, or 11 days or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	2.1	109	1	NONE
4.8	1.4	72	2	ONE
11.1	3.2	167	3	2-3
21.2	6.0	317	4	4-10
55.6	15.8	833	5	11 OR MORE
	71.6	3,775	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 114-115

**T229****S-S TOTAL # DAYS REC'D SERV NOT FROM PR**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
on how many days {Note 4: did you receive/have you received} any  
services or help from either someone who worked at a place {Note  
5: PROGRAM} sent you to or from someone you saw on your own? Would  
you say none, one day, 2-3 days, 4-10 days, or 11 days or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	47.9	2,524	1	NONE
5.8	5.7	303	2	ONE
9.8	9.8	515	3	2-3
9.1	9.1	480	4	4-10
27.4	27.3	1,442	5	11 OR MORE
	0.2	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 116-117

**T233M1****REASON STOPPED TX/COMPLETED TX PLAN/GRAD**

Completed treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.9	1,578	1	YES
70.1	70.1	3,696	2	NO
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 118-119

<b>T233M2</b>	<b>REASON STOPPED TX/KICKED OUT OF PROG BY</b>
---------------	--

Kicked out of program by staff/involuntary discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	355	1	YES
93.3	93.3	4,919	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 120-121

<b>T233M3</b>	<b>REASON STOPPED TX/DID NOT WANT TO BE THE</b>
---------------	---

Did not want to be there in first place

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	123	1	YES
97.7	97.7	5,151	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 122-123

<b>T233M4</b>	<b>REASON STOPPED TX/TX NOT SUCCESSFUL/KEEP</b>
---------------	---

Treatment not successful, kept doing drugs, discouraged

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.1	217	1	YES
95.9	95.9	5,057	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 124-125

**T233M5****REASON STOPPED TX/TRANSFERRED TO ANOTHER**

Transferred to another program because dissatisfied.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	73	1	YES
98.6	98.6	5,201	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 126-127

**T233M6****REASON STOPPED TX/CHANGES IN ELIGIBILITY**

Changes in eligibility/program had to reduce size

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	40	1	YES
99.2	99.2	5,234	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 128-129

**T233M7****REASON STOPPED TX/BECAME INCARCERATED**

Became incarcerated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	94	1	YES
98.2	98.2	5,180	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 130-131



<b>T233M8</b>	<b>REASON STOPPED TX/LOGIST.PROB/TOO DIFFIC</b>
---------------	---

Logistical problems, difficulty getting there, child care,  
conflict on job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	196	1	YES
96.3	96.3	5,078	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 132-133

<b>T233M9</b>	<b>REASON STOPPED TX/COULDN'T AFFORD IT</b>
---------------	---

Couldn't afford it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	66	1	YES
98.7	98.7	5,208	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 134-135

<b>T233M10</b>	<b>REASON STOPPED TX/PRESSURE FROM FAMILY &amp;</b>
----------------	---

Pressure from family and friends to end treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	30	1	YES
99.4	99.4	5,244	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 136-137

<b>T233M11</b>	<b>REASON STOPPED TX/LEFT AREA</b>
----------------	------------------------------------

Left the area

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	115	1	YES
97.8	97.8	5,159	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 138-139

<b>T233M12</b>	<b>REASON STOPPED TX/OTHER</b>
----------------	--------------------------------

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.8	1,255	1	YES
76.2	76.2	4,019	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 140-141

<b>T233M13</b>	<b>REASON STOPPED TX/NONE GIVEN</b>
----------------	-------------------------------------

No reason given

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.9	838	1	YES
84.1	84.1	4,436	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 142-143

<b>SECTION B: DRUG AND ALCOHOL USE</b>
--

<b>T241A1</b>	<b>INHALANTS, GLUE, WHITE OUT, POPPERS</b>
---------------	--

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more? READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Inhalants, such as glue, white out or poppers

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	24	1	YES, DRUGS USED
99.5	99.5	5,250	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 144-145

**T241A2****MARIJUANA OR HASHISH?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more? READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH. Marijuana  
 or hashish

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	298	1	YES, DRUGS USED
94.3	94.3	4,976	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 146-147

**T241A3****CRACK,NOT COCAINE POWDER?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more? READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH. Crack,  
 not cocaine powder

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	193	1	YES, DRUGS USED
96.3	96.3	5,081	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 148-149

**T241A4****COCAINE POWDER?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more? READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH. Cocaine  
 powder

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	226	1	YES, DRUGS USED
95.7	95.7	5,047	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 150-151

**T241A5****PCP OR ANGEL DUST?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more? READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH. PCP or  
 angel dust

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	18	1	YES, DRUGS USED
99.7	99.7	5,256	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-153

**T241A6****PSYCHEDELICS SUCH AS ACID/MESCALINE?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Psychedelics, such as acid or mescaline

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	16	1	YES, DRUGS USED
99.7	99.7	5,257	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 154-155

**T241A7****HEROIN?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Herion

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	335	1	YES, DRUGS USED
93.6	93.6	4,939	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 156-157



**T241A8****ILLEGAL METHADONE?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Illegal methadone

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	13	1	YES, DRUGS USED
99.8	99.8	5,261	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 158-159

**T241A9****OTHER NARCOTICS (MORPHINE/OPIUM/ETC)**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Other narcotics, such as morphine, opium, codeine  
 or cough syrup, or talwin to get high

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	33	1	YES, DRUGS USED
99.4	99.4	5,241	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 160-161

**T241A10****UPPERS (SPEED, CRANK, AMPHETAMNES/ETC)**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Uppers, such as speed, crank, amphetamines, crystal  
 meth, preludins or ritalins

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	28	1	YES, DRUGS USED
99.5	99.5	5,246	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 162-163

**T241A11****DOWNERS (BARBITURATES/SECONAL/ETC)**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Downers, such as barbituates, seconal, doriden,  
 tranquilizers or quaaludes to get high

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	66	1	YES, DRUGS USED
98.7	98.7	5,208	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 164-165

**T241A12****OTHER DRUGS (NOT ALCOHOL) TO GET HIGH**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you use/have you used} (DRUG TYPE) five times or  
 more?

READ EACH TYPE a-1 BELOW. CODE ONE ONLY FOR EACH.

Any other drugs, not counting alcohol, to get high or for  
 non-medical effects that I didn't ask about?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	8	1	YES, DRUGS USED
99.8	99.8	5,266	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 166-167

**T243****S-S AVG # DAYS PER WK/MO DRUGS USED**

INTERVIEWER: IF TREATMENT PERIOD IS 8 WEEKS OR LESS {Q148<=8}, HAND SHOWCARD D AND USE WEEKLY SCALE. IF TREATMENT PERIOD IS MORE THAN 8 WEEKS {Q148>8}, HAND R SHOWCARD E AND USE MONTHLY SCALE. Looking at the number of days on this card, from {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, on how many days in a typical {Note 4: week/month} {Note 5: did you use/have you used} drugs to get high or for other non-medical effects? {Note 6: Would you say one or two days, 3-5 days, or 6-7 days/ Would you say one or two days, 3-10 days, 11-20 days, or 21 days or more?} CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'week' if T148 is less than or equal to 8  
           'month' if T148 is greater than 8

Note 5: 'did you use' if T132=2  
           'have you used' if T132=1  
           blank if otherwise

Note 6: 'Would you say one or two days, 3-5 days, .' if T148 is less than or equal to 8  
           'Would you say one or two days, 3-10 days, .' if T148 is greater than 8  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	84.9	4,476	1	NONE
5.5	5.5	290	2	ONE OR TWO DAYS
1.2	1.2	61	3	3-5 DAYS
0.6	0.6	32	4	6-7 DAYS
4.1	4.1	218	5	3-10 DAYS
1.5	1.5	79	6	11-20 DAYS
1.4	1.4	76	7	21 DAYS OR MORE
0.8	0.8	41	8	TOTAL OVER TREATMENT PERIOD
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 168-169

**T246M1****R USED: INHALANTS?**

INHALANTS USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION: CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	9	1	YES
99.8	99.8	5,264	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 170-171

**T246M2****R USED: MARIJUANA/HASHISH?**

MARIJUANA/HASHISH USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION: CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	279	1	YES
94.7	94.7	4,994	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 172-173

**T246M3****R USED: CRACK?**

CRACK USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION: CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	311	1	YES
94.1	94.1	4,962	2	NO
	0.0	1	-2	DON'T KNOW

-----

100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 174-175

**T246M4****R USED: COCAINE POWDER?**

COCAINE POWDER USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION: CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	392	1	YES
92.6	92.5	4,881	2	NO
	0.0	1	-2	DON'T KNOW

-----

100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 176-177



**T246M5****R USED: PCP?**

PCP USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	11	1	YES
99.8	99.8	5,262	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 178-179

**T246M6****R USED: HALLUCINOGENS OR PSYCHEDELICS?**

HALLUCINOGENS OR PSYCHEDELICS USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	9	1	YES
99.8	99.8	5,264	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 180-181

**T246M7****R USED: UPPERS?**

UPPERS USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	16	1	YES
99.7	99.7	5,257	2	NO
	0.0	1	-2	DON'T KNOW

-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 182-183

**T246M8****R USED: DOWNERS?**

DOWNERS USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	17	1	YES
99.7	99.7	5,256	2	NO
	0.0	1	-2	DON'T KNOW

-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 184-185

**T246M9****R USED: HEROIN?**

HEROIN USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	499	1	YES
90.5	90.5	4,774	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 186-187

**T246M11****R USED: OTHER NARCOTICS?**

OTHER NARCOTICS USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	10	1	YES
99.8	99.8	5,263	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 188-189

**T246M12****R USED: ALCOHOL?**

ALCOHOL USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.7	408	1	YES
92.3	92.2	4,865	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 190-191

**T246M13****R USED: OTHER DRUG**

OTHER DRUG USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	20	1	YES
99.6	99.6	5,253	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 192-193

<b>T246M14</b>	<b>R USED: NONE</b>
----------------	---------------------

NONE USED MOST?

PLEASE CODE THE DRUG OR DRUG COMBINATION : CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	73.5	3,879	1	YES
26.4	26.4	1,394	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 194-195

<b>T247</b>	<b>S-S INJECTED DRUGS?</b>
-------------	----------------------------

{Note 1: At any time} From {Note 2: START TIME} to {Note 3: {Note 4: STOP DATE}/today} {Note 5: did you use/have you used} a needle to inject drugs to get high or for other non-medical effects?

Note 1: 'at any time' if T132=1  
blank if otherwise  
Note 2: Start date from intake form  
Note 3: See T131 Note 4  
Note 4: See T131 Note 5  
Note 5: 'did you use' if T132=2  
'have you used' if T132=1  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	315	1	YES
94.0	94.0	4,959	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 196-197

**T248****S-S AVG # DAYS PER WK/MO INJECTED DRUGS**

Looking at the number of days on this card, from {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, in a typical {Note 4: week/month}, about how many days {Note 5: did you inject/have you injected} drugs to get high or for other non-medical effects? {Note 6: Would you say one or two days, 3-5 days, or 6-7 days?/Would you say one or two days, 3-10 days, 11-20 days, or 21 days or more?} CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'week' if T148 is less than or equal to 8

'month' if T148 is greater than 8

Note 5: 'did you inject' if T132=2

'have you injected' if T132=1

blank if otherwise

Note 6: 'Would you say one or two days, 3-5 days, .' if T148 is less than or equal to 8

'Would you say one or two days, 3-10 days, .' if T148 is greater than 8

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.2	9	1	NONE
26.0	1.6	82	2	ONE OR TWO DAYS
5.7	0.3	18	3	3-5 DAYS
4.4	0.3	14	4	6-7 DAYS
31.7	1.9	100	5	3-10 DAYS
12.1	0.7	38	6	11-20 DAYS
11.4	0.7	36	7	21 DAYS OR MORE
5.7	0.3	18	8	TOTAL OVER TREATMENT PERIOD
	94.0	4,959	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 198-199

T250

## S-S HOW OFTN SHARED STRANGER'S NDLE

These next questions are about sharing needles and sharing works: cotton, cookers, wine caps, spoons or water. By sharing, I mean using a needle or works after someone else uses it.

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE/today}}, when you {Note 4: have} used a needle to inject drugs to get high, about how often {Note 5: did you share/have you shared} the needle or works with a stranger? Would you say none of the time, less than half of the time, half of the time, more than half of the time, or every time? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'have' if T132=1

blank if otherwise

Note 5: 'did you share' if T132=2

'have you shared' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	5.0	263	1	NONE OF THE TIME
7.9	0.5	25	2	LESS THAN HALF OF THE TIME
4.1	0.2	13	3	HALF OF THE TIME
2.5	0.2	8	4	MORE THAN HALF OF THE TIME
1.9	0.1	6	5	EVERY TIME
	94.0	4,959	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 200-201

**T251****S-S HOW OFTEN CLEANED NEEDLE**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 when you {Note 4: have} used a needle after someone else, about  
 how often {Note 5: did you clean/have you cleaned} it with bleach  
 before you {Note 6: have} used it? Would you say less than half  
 of the time or more than half of the time? 1Less than half of the  
 time

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T250 Note 4

Note 5: 'did you clean' if T132=2  
           'have you cleaned' if T132=1  
           blank if otherwise

Note 6: See T250 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	0.6	32	1	LESS THAN HALF OF THE TIME
38.5	0.4	20	2	MORE THAN HALF OF THE TIME
	99.0	5,222	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 202-203



**T252****S-S DRANK ALCOHOL?**

Now I would like to ask about your use of alcoholic beverages. By an alcoholic beverage I mean either a can of beer, a glass of wine or wine cooler, a shot of hard liquor, or a single mixed drink.

>From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}  
 {Note 4: did you drink/have you drunk} an alcohol beverage? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you drink' if T132=2  
 'have you drunk' if T132=1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	14.2	748	1	YES
80.1	57.2	3,015	2	NO
	28.6	1,511	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 204-205

T253

## S-S AVG # DAYS IN WK/MO DRANK ALCOHL

INTERVIEWER: SEE 148 IF TREATMENT PERIOD IS 8 WEEKS OR LESS  
 {Q148<=8}, HAND R SHOWCARD D AND USE WEEKLY SCALE. IF TREATMENT  
 PERIOD IS MORE THAN 8 WEEKS {Q148>8}, HAND R SHOWCARD E AND USE  
 MONTHLY SCALE. >From {Note 1: START DATE} to {Note 2: {Note 3:  
 STOP DATE}/today}, in a typical {Note 4: week/month}, on how many  
 days {Note 5: did you have/ have you had} at least one drink of  
 any beer, malt liquor, wine, wine coolers, or hard liquor? {Note  
 6: Would you say one or two days, 3-5 days, or 6-7 days?/Would you  
 say one or two days, 2-10 days, 11-20 days, or 21 days or more?}  
 CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T248 Note 4

Note 5: 'did you have' if T132=2  
           'have you had' if T132=1  
           blank if otherwise

Note 6: See T248 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.6	31	1	NONE
40.4	5.7	302	2	ONE OR TWO DAYS
6.8	1.0	51	3	3-5 DAYS
3.9	0.5	29	4	6-7 DAYS
24.7	3.5	185	5	3-10 DAYS
7.4	1.0	55	6	11-20 DAYS
7.6	1.1	57	7	21 DAYS OR MORE
5.1	0.7	38	8	TOTAL OVER TREATMENT PERIOD
	28.6	1,511	-7	NOT ASKED OF INMATES
	57.2	3,015	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 206-207

T255

S-S AVG # DAYS PER WK/MO GOT DRUNK

INTERVIEWER: SEE Q148. IF TREATMENT PERIOD IS 8 WEEKS OR LESS {Q148<=8}, HAND R SHOWCARD D AND USE WEEKLY SCALE. IF TREATMENT PERIOD IS MORE THAN 8 WEEKS {Q148>8}, HAND R SHOWCARD E AND USE MONTHLY SCALE. From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, in a typical {Note 4: week/month}, how many days {Note 5: did you get/have you gotten} drunk? {Note 6: Would you say none, one or two days, 3-5 days, or 6-7 days?/Would you say none, one or two days, 2-10 days, 11-20 days, or 21 days or more?} CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T248 Note 4

Note 5: See T255 Note 5

Note 6: See T248 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	7.5	395	1	NONE
26.8	3.6	192	2	ONE OR TWO DAYS
1.8	0.2	13	3	3-5 DAYS
1.7	0.2	12	4	6-7 DAYS
8.5	1.2	61	5	3-10 DAYS
2.6	0.4	19	6	11-20 DAYS
2.0	0.3	14	7	21 DAYS OR MORE
1.5	0.2	11	8	TOTAL OVER TREATMENT PERIOD
	28.6	1,511	-7	NOT ASKED OF INMATES
	57.8	3,046	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 208-209

**T257****S-S MEDICINES FOR DRUG/ALC PROBS?**

Now I would like to ask about the kinds of treatment you received from {Note 1: START DATE} to {Note 2: STOP DATE}.

At any time from {Note 3: START DATE} to {Note 4: {Note 5: STOP DATE}/ today}, {Note 6: did you take/have you taken} any medicines prescribed for you by a doctor for drug or alcohol problems, such as methadone, amantidine, or antabuse? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: Stop date=T121

blank if otherwise

Note 3: See Note 1

Note 4: See T141 Note 4

Note 5: See T141 Note 5

Note 6: 'did you take' if T132=2

'have you taken' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.9	731	1	YES
86.1	86.1	4,542	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 210-211

**T261****APPROPRIATE DOSES OF METHADONE**

In general, would you say that the doses of methadone you {Note 1: were/ have been} prescribed {Note 2: were/have been} too high, the right amount, or too low?

Note 1: 'were' if T132=2  
           'have been' if T132=1  
           blank if otherwise

Note 2: See Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.6	32	1	TOO HIGH
61.5	4.7	249	2	THE RIGHT AMOUNT
30.6	2.4	124	3	TOO LOW
	92.3	4,866	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 212-213

**T262M1****DOCTOR PRESCRIBED MEDCIN WORKED AT PGM**

DOCTOR W/PRESCRIPTION FROM PROGRM?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed the medicine for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, at another place that {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2

'Is' if T132=1

blank if otherwise

Note 2: 'has' if T132=1

blank if otherwise

Note 3: 'worked' if T132=2

'works' if T132=1

blank if otherwise

Note 4: See T93 Note 1

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	12.8	673	1	YES
7.9	1.1	58	2	NO
	86.1	4,543	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 214-215

**T262M2****DOCTOR WORKED AT SOME PLACE PGM SENT R**

DOCTOR W/PRESCRIPTION FROM ANTHR PROGRM?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed the medicine for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, at another place that {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2

'Is' if T132=1

blank if otherwise

Note 2: 'has' if T132=1

blank if otherwise

Note 3: 'worked' if T132=2

'works' if T132=1

blank if otherwise

Note 4: See T93 Note 1

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.5	26	1	YES
96.4	13.4	705	2	NO
	86.1	4,543	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 216-217

**T262M3****DOCTOR WORKED SOMEWHERE ELSE**

DOCTOR W/PRESCRIPTION FROM SMEWHRE ELSE?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed the medicine for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, at another place that {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2

'Is' if T132=1

blank if otherwise

Note 2: 'has' if T132=1

blank if otherwise

Note 3: 'worked' if T132=2

'works' if T132=1

blank if otherwise

Note 4: See T93 Note 1

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.8	42	1	YES
94.3	13.1	689	2	NO
	86.1	4,543	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 218-219



**T263****S-S, ATTENDED 12-STEP?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you go/have you gone} to any meetings of Cocaine  
 Anonymous (CA), Narcotics Anonymous (NA), or Alcoholics Anonymous  
 (AA)?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you go' if T132=2  
           'have you gone' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	76.5	4,037	1	YES
23.4	23.4	1,234	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 220-221

**T264M1****R ATT'D CA/NA/AA MEETINGS AT PGM?**

COUNSELING FROM PROGRAM?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2

'Has this been' if T132=1

blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	58.1	3,066	1	YES
24.1	18.4	971	2	NO
	23.5	1,237	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 222-223

**T264M2****CA/NA/AA MEETINGS AT PLACE PGM SENT R?**

COUNSELING FROM OTR PLACE PROGRM SENT R?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2

'Has this been' if T132=1

blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	15.1	798	1	YES
80.2	61.4	3,239	2	NO
	23.5	1,237	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 224-225

**T264M3****ATT'D CA/NA/AA MEETINGS SOMEWHERE ELSE**

COUNSELING FROM SOMEWHERE ELSE?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2

'Has this been' if T132=1

blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	21.0	1,109	1	YES
72.5	55.5	2,928	2	NO
	23.5	1,237	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 226-227

**T265****S-S OTHER DRUG/ALCOHOL COUNSELING**

{Note 1: Not including any CA, NA, or AA meetings you've gone to,}  
 from {Note 2: START DATE} to {Note 3: {Note 4: STOP DATE}/today},  
 {Note 5: did you receive/have you received} any other counseling  
 or  
 {Note 6: attend/ attended} any classes specifically about your  
 problems with drugs or alcohol? CODE ONE ONLY.

Note 1: 'Not including.' if T263=1

blank if otherwise

Note 2: Start date from intake form

Note 3: See T141 Note 4

Note 4: See T141 Note 5

Note 5: 'did you receive' if T132=2

'have you received' if T132=1

blank if otherwise

Note 6: 'attend' if T132=2

'attended' if T132=1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	54.7	2,884	1	YES
45.3	45.3	2,389	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 228-229

<b>T266M1</b>	<b>DRUG/ALCOHOL COUNSELING AT PGM?</b>
---------------	--

OTR COUNSELING FROM PROGRAM?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2  
           'Has this been' if T132=1  
           blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	50.2	2,645	1	YES
8.3	4.5	239	2	NO
	45.3	2,390	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 230-231

<b>T266M2</b>	<b>DRUG/ALCOHOL COUNSELING PLACE PGM SENT R</b>
---------------	---

OTR COUNSELING FROM OTR PLACE?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2  
           'Has this been' if T132=1  
           blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	1.7	88	1	YES
96.9	53.0	2,796	2	NO
	45.3	2,390	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 232-233

**T266M3****DRUG/ALCOHOL COUNSELING SOMEWHERE ELSE?**

OTR COUNSELING FROM SOMEWHERE ELSE?

{Note 1: Was this/Has this been} at {Note 2: PROGRAM}, at another place that {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if T132=2  
           'Has this been' if T132=1  
           blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	6.0	315	1	YES
89.1	48.7	2,569	2	NO
	45.3	2,390	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 234-235

**T267****# SESSIONS OF COUNSELING ATTENDED**

How many such sessions or classes {Note 1: did you attend/have you attended}? Would you say one, 2-3, 4-10 or 11 or more? CODE ONE ONLY.

Note 1: 'did you attend' if T132=2  
           'have you attended' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.2	61	1	ONE
8.4	4.6	241	2	2-3
21.2	11.6	611	3	4-10
68.3	37.3	1,968	4	11 OR MORE
	45.3	2,390	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

<b>T268</b>	<b>HELPLEFULNESS OF COUNSELING REC'D</b>
-------------	--

How helpful were these classes or sessions that you attended?  
Would you say very helpful, somewhat helpful, or not at all  
helpful? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	40.7	2,146	1	VERY HELPFUL
22.8	12.5	657	2	SOMEWHAT HELPFUL
2.8	1.5	81	3	NOT AT ALL HELPFUL
	45.3	2,390	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 238-239

<b>T269</b>	<b>S-S URINE TESTED?</b>
-------------	--------------------------

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
{Note 4: was/has} your urine {Note 5: been} tested for drugs? CODE  
ONE ONLY.

Note 1: Start date from intake form  
Note 2: See T141 Note 4  
Note 3: See T141 Note 5  
Note 4: 'was' if T132=2  
          'has' if T132=1  
          blank if otherwise  
Note 5: 'been' if T132=1  
          blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	63.3	3,340	1	YES
36.5	36.4	1,922	2	NO
	0.2	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 240-241

T270

## AVG # DAYS IN WK/MO TESTD FOR DRUG

Looking at the number of days on this card, from {Note 1: START DATE} to {Note 2:{Note 3: STOP DATE}/today}, on how many days in a typical {Note 4: week/month} your urine {Note 5: been} tested for drugs? {Note 6: Would you say none, one or two days, 3-5 days or 6-7 days?/ Would you say none, one or two days, 3-10 days, 11-20 days, or 21 days or more?}

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T248 Note 4

Note 5: See T248 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	5.8	305	1	NONE
66.1	41.8	2,203	2	ONE OR TWO DAYS
2.0	1.2	65	3	3-5 DAYS
0.5	0.3	15	4	6-7 DAYS
13.3	8.4	443	5	3-10 DAYS
1.3	0.8	44	6	11-20 DAYS
0.8	0.5	25	7	21 DAYS OR MORE
7.0	4.4	232	8	TOTAL OVER TREATMENT PERIOD
	36.7	1,934	-6	NOT APPLICABLE
	0.2	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 242-243



**T272****ATTENDED 12-STEP SINCE PROGM?**

Since {Note 1: STOP DATE}, have you gone to any meetings of Cocaine Anonymous, Narcotics Anonymous, or Alcoholics Anonymous?

Note 1: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.6	34.7	1,831	1	YES
52.4	38.1	2,012	2	NO
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 244-245

**T273****REC'D DRUG/ALCOHOL TX SINCE PROGM?**

Since {Note 1: STOP DATE}, have you received any kind of treatment for drugs or alcohol problems?

Note 1: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	20.3	1,068	1	YES
72.2	52.6	2,775	2	NO
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 246-247

**T274M1****DRUG/ALCOHOL TREATMENT AT PGM?**

OTR TREATMENT FROM PROGRAM?

Was this at {Note 1: PROGRAM}, at another place that {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	6.2	327	1	YES
69.4	14.1	741	2	NO
	52.6	2,775	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 248-249

**T274M2****DRUG/ALCOHOL TREATMENT PLACE PGM SENT R?**

OTR TREATMENT FROM OTR PLACE?

Was this at {Note 1: PROGRAM}, at another place that {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	4.5	236	1	YES
77.9	15.8	832	2	NO
	52.6	2,775	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 250-251

**T274M3****DRUG/ALCOHOL TREATMENT SOMEWHERE ELSE?**

OTR TREATMENT FROM SOMEWHERE ELSE?

Was this at {Note 1: PROGRAM}, at another place that {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	10.3	541	1	YES
49.3	10.0	527	2	NO
	52.6	2,775	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 252-253

<b>SECTION C: CRIMINAL JUSTICE INVOLVEMENT</b>
--

**T277****S-S DWI/DUI?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you do/have you done} any of the following things  
 more than one time? READ EACH ACTIVITY a-f BELOW AND CODE ONE ONLY  
 FOR EACH. {Note 5: Drive/Driven} a vehicle, that is, a car, truck,  
 van or motorcycle, while you were drunk or high?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you do' if T132=2

'have you done' if T132=1

blank if otherwise

Note 5: 'Drive' if T132=2

'Driven' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	132	1	YES
97.5	97.5	5,142	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 254-255

**T278****S-S SOLD DRUGS?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you do/have you done} any of the following things  
 more than one time? READ EACH ACTIVITY a-f BELOW AND CODE ONE ONLY  
 FOR EACH. {Note 5: Sell/Sold} drugs or {Note 6: help/helped}  
 someone else sell drugs, including cutting, weighing, packaging,  
 or manufacturing drugs?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you do' if T132=2  
           'have you done' if T132=1  
           blank if otherwise

Note 5: 'Sell' if T132=1  
           'Sold' if T132=2  
           blank if otherwise

Note 6: 'help' if T132=1  
           'helped' if T132=2  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	128	1	YES
97.6	97.6	5,145	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 256-257

**T279****S-S PROSTITUTED?**

{Note 1: Have/Had} sex for money or drugs (prostitution)?

Note 1: 'Have' if T132=1

'Had' if T132=2

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	46	1	YES
99.1	99.1	5,227	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 258-259

**T280****S-S OTHER ACQUISITIVE CRIMES?**

{Note 1: Do/Done} any other things to make money that are against the law?

Note 1: 'Do' if T132=1

'Done' if T132=2

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	126	1	YES
97.6	97.6	5,146	2	NO
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 260-261

<b>T281</b>	<b>S-S BEAT SOMEONE UP?</b>
-------------	-----------------------------

{Note 1: Beat/Beaten} someone up or {Note 2: use/used} a weapon against someone?

Note 1: 'Beat' if T132=1  
           'Beaten' if T132=2  
           blank if otherwise  
 Note 2: 'use' if T132=1  
           'used' if T132=2  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	82	1	YES
98.4	98.4	5,191	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 262-263

<b>T282</b>	<b>S-S OTHER ILLEGAL ACTIVITIES?</b>
-------------	--------------------------------------

{Note 1: Do/Done} anything else against the law that I didn't ask you about?

Note 1: See T280 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	90	1	YES
98.3	98.2	5,181	2	NO
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 264-265

**T284****S-S ARRESTED/BOOKED OR IN CUSTODY?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: were you/have you been} arrested and booked or taken into  
 custody? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'were you' if T132=1  
           'have you been' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	3.1	161	1	YES
94.0	47.5	2,506	2	NO
	21.3	1,125	-7	NOT ASKED OF INMATES
	28.1	1,480	-3	MISSING
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267



**T285M7****CHARGES: BOOKMAKING/NUMBERS/GAMBLING?**

BOOKED FOR BOOKMAKING/NUMBERS/GAMBLING?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	209	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

**T285M9****CHARGES: MOTOR VEHICLE THEFT?**

BOOKED FOR MOTOR VEHICLE THEFT?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.2	13	1	YES
93.8	3.7	196	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

<b>T285M10</b>	<b>CHARGES: SHOPLIFTING?</b>
----------------	------------------------------

BOOKED FOR SHOPLIFTING?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.4	22	1	YES
89.5	3.5	187	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 272-273

<b>T285M12</b>	<b>CHARGES: ARMED ROBBERY/ROBBERY BY FORCE?</b>
----------------	---

BOOKED FOR ARMED ROBBERY/ROBBERY BY FORCE?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.1	5	1	YES
97.6	3.9	204	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 274-275

<b>T285M13</b>	<b>CHARGES: OTHER THEFT (LARCENCY/MUGGING?)</b>
----------------	---

BOOKED FOR OTHER THEFT?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.3	18	1	YES
91.4	3.6	191	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 276-277

<b>T285M16</b>	<b>CHARGES: AGGRAVTD ASSAULT/INTENT KILL?</b>
----------------	---

BOOKED FOR AGGRAVATED ASSAULT?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	14	1	YES
93.3	3.7	195	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 278-279

**T285M17****CHARGES: SIMPLE ASSAULT/FIGHTING?**

BOOKED FOR SIMPLE ASSAULT/FIGHTING?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.2	13	1	YES
93.8	3.7	196	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 280-281

**T285M18****CHARGES: FORCIBLE/STATUTORY RAPE?**

BOOKED FOR FORCIBLE RAPE/STATUTORY RAPE?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	209	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 282-283

**T285M19****CHARGES: MURDER/MANSLAUGHTER?**

BOOKED FOR MURDER/MANSLAUGHTER?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	209	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 284-285

**T285M20****CHARGES: CURFEW VIOLATION/TRUANCY/RUNAW?**

BOOKED FOR CURFEW VIOLATION/TRUANCY?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.1	5	1	YES
97.6	3.9	204	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 286-287

**T285M21****CHARGES: OTHER?**

BOOKED FOR OTHER?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	1.8	94	1	YES
55.0	2.2	115	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 288-289

**T285M22****CHARGES: CANNOT CODE?**

BOOKED FOR CANNOT CODE?

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
what {Note 4: were you/have you been} arrested and booked or taken  
into custody for? CODE ALL THAT APPLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.1	7	1	YES
96.7	3.8	202	2	NO
	96.0	5,064	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-291

**T286****S-S # TIMES ARRESTED/BKED/IN CUSTODY**

(HAND R SHOWCARD B). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}}, how many times altogether {Note :4 were you/have you been} arrested and booked or taken into custody? Would you say one time, or more? PROBE FOR BEST ESTIMATE.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	3.0	160	1	ONE TIME
23.8	0.9	50	2	MORE THAN ONE TIME
	21.4	1,127	-7	NOT ASKED OF INMATES
	47.5	2,506	-6	NOT APPLICABLE
	27.1	1,431	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 292-293

**T287****ON JUVENILE PROBATION/PAROLE/COND RELEASES**

FOR R'S 25 OR UNDER ONLY :

Right now, are you under any kind of supervision, such as juvenile probation, parole or conditional release?

PROBE FOR CURRENT STATUS.

Juvenile Probation, Parole or Conditional Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	1.8	94	1	YES
88.0	13.1	690	2	NO
	7.2	382	-7	NOT ASKED OF INMATES
	28.1	1,480	-3	MISSING
	49.8	2,628	3	AGE 26 OR OLDER
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 294-295

**T289****ON ADULT PROBATION/PAROLE/COND RELEASE?**

FOR ALL R'S :

Right now, are you under any kind of supervision,  
such as adult probation, parole or conditional release?

PROBE FOR CURRENT STATUS.

Adult Probation, Parole or Conditional Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	23.8	1,255	1	YES
69.7	54.8	2,891	2	NO
	20.0	1,054	-7	NOT ASKED OF INMATES
	1.4	73	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 296-297

**T291****ON WORK RELEASE?/ELEC MONITOR/OTHER SUPE**

FOR ALL R'S :

Right now, are you under any of the following kinds of  
supervision?

PROBE FOR CURRENT STATUS.

Work Release, Electronic monitoring or other supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.4	74	1	YES
98.2	77.2	4,072	2	NO
	20.0	1,055	-7	NOT ASKED OF INMATES
	1.4	73	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 298-299



<b>T295</b>	<b>HOW OFTEN TALK TO OFFICER</b>
-------------	----------------------------------

(HAND R SHOWCARD A). How often do you talk to your {Note 1: probation/ parole} officer(s)? Would you say 5 or more times per week, 2-4 times per week, 1 time per week, 2-3 times per month, or once a month or less?

Note 1: 'probation' if T287=1 or if T289=1  
 'parole' if T288=1 or if T290=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.5	29	1	5 OR MORE TIMES PER WEEK
6.8	1.7	91	2	2-4 TIMES PER WEEK
15.2	3.8	203	3	ONCE A WEEK
20.5	5.2	274	4	2-3 TIMES A MONTH
55.4	14.1	741	5	ONCE A MONTH OR LESS
	73.7	3,885	-6	NOT APPLICABLE
	0.9	50	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 300-301

<b>T297</b>	<b>CHARGES PENDING?</b>
-------------	-------------------------

Right now, do you have any (other) criminal charges or criminal cases pending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.5	659	1	YES
87.5	87.1	4,595	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.3	18	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 302-303

**T298****S-S REC'D LEGAL SERVICES?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
did you get any services to help you with any criminal charges  
against you, such as seeing a lawyer? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.2	382	1	YES
92.8	92.7	4,890	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 304-305

**T299M1****RECVD LEGAL SERVICES AT PGM?**

CRIMINAL SERVICES FROM PROGRAM?

Where {Note 1: did you get/have you gotten} those services?  
{Note 2: Did you get/have you gotten} them at {Note 3: PROGRAM},  
at another place {Note 4: PROGRAM} sent you to, or somewhere  
else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	3.7	196	1	YES
48.7	3.5	186	2	NO
	92.8	4,892	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 306-307

**T299M2****LEGAL SERVICES AT PLACE PGM SENT R?**

CRIMINAL SERVICES FROM ANOTHER PROGRAM?

Where {Note 1: did you get/have you gotten} those services?  
 {Note 2: Did you get/have you gotten} them at {Note 3: PROGRAM},  
 at another place {Note 4: PROGRAM} sent you to, or somewhere  
 else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	0.6	32	1	YES
91.6	6.6	350	2	NO
	92.8	4,892	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

**T299M3****LEGAL SERVICES SOMEWHERE ELSE?**

CRIMINAL SERVICES FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} those services?  
 {Note 2: Did you get/have you gotten} them at {Note 3: PROGRAM},  
 at another place {Note 4: PROGRAM} sent you to, or somewhere  
 else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	3.1	161	1	YES
57.9	4.2	221	2	NO
	92.8	4,892	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 310-311

**T300****HELPFULNESS OF LEGAL SERVICES REC'D**

How helpful were the services you received at {Note 1: {Note 2: PROGRAM}/ the other place {Note 3: PROGRAM} sent you to/{Note 4: PROGRAM} and the other place {Note 5: PROGRAM} sent you to}? Would you say very helpful, somewhat helpful, or not at all helpful?  
CODE ONE ONLY.

Note 1: '{PROGRAM}' if T299M1=1 and if T299M2<>1 and if  
T299M3<>1 'the other place {PROGRAM} sent you to'  
if T299M2=1 and if T299M1<>1  
'{PROGRAM} and the other place {PROGRAM} sent you' if  
T299M1=1.  
and if T299M2=1  
blank if otherwise

Note 2: See T93 Note 1

Note 3: See T93 Note 1

Note 4: See T93 Note 1

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	3.6	192	1	VERY HELPFUL
37.5	2.6	139	2	SOMEWHAT HELPFUL
10.8	0.8	40	3	NOT AT ALL HELPFUL
	92.8	4,892	-6	NOT APPLICABLE
	0.2	11	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 312-313

## SECTION D: LIVING ARRANGEMENTS

T307

PLACE R STAYED LAST NIGHT-C

SKIP TO T321 IF R WAS IN JAIL/PRISON/DETENTION LAST NIGHT.

What type of place did you stay in last night?

CODE RESPONSE:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.8	1,887	1	RS OWN APARTMENT/HOUSE
11.2	11.2	592	2	SOMEONE ELSE'S APARTMENT/HOUSE
0.9	0.9	50	3	HOTEL, MOTEL, ROOMING/BOARDING HOUSE/DOR
1.2	1.2	63	4	HOMELESS SHELTER/ON STREET
0.5	0.5	29	5	OTHER TYPE OF SHELTER
1.1	1.1	56	6	HOSPITAL
26.9	26.8	1,416	7	IN JAIL/PRISON/DETENTION/WORK RELEASE
21.5	21.5	1,136	8	GROUP HOME/TREATMENT CENTER
0.8	0.8	44	9	SOME OTHER PLACE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-315

**T309****PUBLIC HOUSING?**

Is {Note 1: your apartment or house/this apartment or house/this place} owned by the government or does the government help pay the rent or make the payments?

Note 1: 'your apartment or house' if T307=1  
 'this apartment or house' if T307=2  
 'this place' if T307=3 or if T307>=5 and if T307<=9  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	6.0	315	1	YES
86.6	38.5	2,028	2	NO
	4.5	237	-8	NOT ASKED OF MINORS
	50.6	2,668	-6	NOT APPLICABLE
	0.5	25	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 316-317

**T310****SHOOTNG KNIFNG NEAR HOME LAST 7 DAYS**

In the past seven days, was there a shooting or knifing that you know of at or near any place you stayed? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	8.6	456	1	YES
86.0	53.1	2,799	2	NO
	26.2	1,383	-7	NOT ASKED OF INMATES
	11.5	604	-6	NOT APPLICABLE
	0.3	18	-3	MISSING
	0.2	13	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 318-319

<b>T312</b>	<b>LIVING WITH SPOUSE/PARTNER?</b>
-------------	------------------------------------

IF R IS 15 OR YOUNGER, SKIP TO T313

Are you now living with a {Note 1: wife/husband} or someone who is like a partner or spouse? CODE ONE ONLY.

Note 1: 'wife' if T65=1 or if T65=3

'husband' if T65=2 or if T65=4

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	16.4	867	1	YES
73.1	44.6	2,351	2	NO
	26.2	1,383	-7	NOT ASKED OF INMATES
	11.6	611	-6	NOT APPLICABLE
	1.2	62	-3	MISSING

-----  
100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

<b>T313</b>	<b>LIVING WITH CHILDREN (UNDER 18)</b>
-------------	--

Are you now living with children {Note 1: under 18 years old} who are your natural children or whom you are raising as your own? CODE ONE ONLY.

Note 1: 'under 18 years old' if R is 18 years old or older

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	16.5	871	1	YES
73.5	45.8	2,415	2	NO
	26.2	1,383	-7	NOT ASKED OF INMATES
	11.5	605	-6	NOT APPLICABLE

-----  
100.0 100.0 5,274 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 322-323

**T315****S-S STAYED IN HOMELESS SHELTER?**

Between {Note 1: START DATE} and {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you stay/have you stayed} . . in a homeless shelter or on the street?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you stay' if T132=2  
'have you stayed' if T132=1  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	146	1	YES
97.2	97.2	5,128	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 324-325

**T316****S-S STAYED IN OTHER SHELTER?**

Between {Note 1: START DATE} and {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you stay/have you stayed}. . in another type of shelter facility (such as a shelter for runaways or battered women)?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T315 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	113	1	YES
97.9	97.9	5,161	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 326-327



**T321****S-S REC'D CHILD CARE HELP?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did/has} {Note 5: PROGRAM} or someone they referred you  
 to ever {Note 6: supply/supplied} child care for you or {Note 7:  
 give/given} you money to get child care or in any other way {Note  
 8: help/helped} you to get child care? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did' if T132=2

'has' if T132=1

blank if otherwise

Note 5: See T93 Note 1

Note 6: 'supply' if T132=2

'supplied' if T132=1

blank if otherwise

Note 7: 'give' if T132=2

'given' if T132=1

blank if otherwise

Note 8: 'help' if T132=2

'helped' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	98	1	YES
28.9	28.9	1,522	2	NO
69.3	69.3	3,654	3	CHILDCARE NOT NECESSARY
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 328-329

**T324M1****RECVD CHILD CARE HELP AT PGM?**

CHILDCARE HELP FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that help? {Note 2: Was it/ Has it been} at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: 'Was it' if T132=2

'Has it been' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	1.6	82	1	YES
16.3	0.3	16	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 330-331

**T324M2****CHILD CARE HELP AT PLACE PGM SENT R?**

CHILDCARE HELP FROM ANOTHER PROGRAM?

Where {Note 1: did you get/have you gotten} that help? {Note 2: Was it/ Has it been} at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: 'Was it' if T132=2

'Has it been' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	0.2	12	1	YES
87.8	1.6	86	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 332-333

**T324M3****CHILD CARE HELP SOMEWHERE ELSE?**

CHILDCARE HELP FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} that help? {Note 2: Was it/ Has it been} at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: 'Was it' if T132=2

'Has it been' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.1	6	1	YES
93.9	1.7	92	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 334-335

**T326****MISSED TX FOR LACK OF CHILDCARE?**

{Note 1: Were you/Have you been} unable to attend any counseling or treatment sessions because you could not get child care? CODE ONLY ONE.

Note 1: 'Were you' if T132=2

'Have you been' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.4	22	1	YES
83.3	3.3	175	2	NO
6.2	0.2	13	3	CHILDCARE NOT NECESSARY
	96.0	5,064	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 336-337

**T331****S-S REC'D PARENTING TRAINING**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any kind of counseling  
 or {Note 5: attend/attended} any classes for problems you may have  
 had raising children or to help you become a better parent? CODE  
 ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: 'attend' if T132=2

'attended' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	17.9	945	1	YES
76.0	56.9	2,999	2	NO
	25.2	1,329	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 338-339

**T333M1****RECVD PARENTING TRAINING AT PGM?**

HELP W/KIDS COUNSLNG FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	16.5	870	1	YES
7.9	1.4	75	2	NO
	82.1	4,329	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 340-341

**T333M2****PARENTING TRAINING AT PLACE PGM SENT R?**

HELP W/KIDS COUNSLNG FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	0.9	49	1	YES
94.8	17.0	896	2	NO
	82.1	4,329	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 342-343

**T333M3****PARENTING TRAINING SOMEWHERE ELSE?**

HELP W/KIDS COUNSLNG FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	1.1	59	1	YES
93.8	16.8	886	2	NO
	82.1	4,329	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 344-345

**T334****# TIMES RECEIVED PARENTING TRAINING**

(POINT TO SHOWCARD G). How many times {Note 1: did you receive/have you received} any counseling or attend any classes for problems you may have had raising children or to become a better parent? Would you say one time, 2-3 times, 4-10 times, or 11 times or more?

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	1.7	90	1	ONE
25.6	4.6	242	2	2-3
29.0	5.2	274	3	4-10
35.9	6.4	339	4	11 OR MORE
	82.1	4,329	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 346-347

**T335****S-S REC'D SERVICES FOR ABUSED?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any counseling or  
 {Note 5: attend/attended} any classes especially for people who  
 have been abused {Note 6: as children or adults}? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: See T331 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.2	748	1	YES
85.8	85.8	4,523	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 348-349



**T336M1****RECVD SERVICES FOR ABUSED AT PGM?**

ABUSED COUNSELING FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	13.4	706	1	YES
5.6	0.8	42	2	NO
	85.8	4,526	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 350-351

**T336M2****SERVICES FOR ABUSED AT PLACE PGM SENT R?**

ABUSED COUNSELING FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.3	16	1	YES
97.9	13.9	732	2	NO
	85.8	4,526	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 352-353

**T336M3****SERVICES FOR ABUSED SOMEWHERE ELSE?**

ABUSED COUNSELING FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	0.7	39	1	YES
94.8	13.4	709	2	NO
	85.8	4,526	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 354-355

**T338****# OF SESSIONS FOR ABUSED ATTENDED?**

(POINT TO SHOWCARD G). How many sessions or classes {Note 1: did you attend/have you attended}? Would you say one, 2-3, 4-10, or 11 or more? CODE ONE ONLY.

Note 1: 'did you attend' if T132=2

'have you attended' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	1.8	94	1	ONE
32.6	4.6	243	2	2-3
27.7	3.9	206	3	4-10
27.1	3.8	202	4	11 OR MORE
	85.8	4,526	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 356-357

**T339****S-S SERVS FOR OTHER FAMILY PROBS?**

{Note 1: Not including any counseling or classes that you have told me about}, From {Note 2: START DATE} to {Note 3: {Note 4: STOP DATE}/today}, {Note 5: did you receive/have you received} any individual, group or family counseling for any other family problems?

Note 1: 'Not including any counseling or classes.'" if T265=1  
blank if otherwise

Note 2: Start date from intake form

Note 3: See T141 Note 4

Note 4: See T141 Note 5

Note 5: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.6	1,667	1	YES
68.4	68.4	3,605	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 358-359

**T340M1****RECVD SERVS FOR OTH FAMILY PROBS AT PGM?**

FAMILY COUNSELING THROUGH PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	30.3	1,598	1	YES
4.1	1.3	69	2	NO
	68.4	3,607	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 360-361

**T340M2****SERVS FOR FAMLY PROBS PLACE PGM SENT R**

FAMILY COUNSELING THROUGH OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.6	31	1	YES
98.1	31.0	1,636	2	NO
	68.4	3,607	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 362-363

**T340M3****SERVS FOR FAMLY PROBS SOMEWHERE ELSE?**

FAMILY COUNSELING FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	2.3	122	1	YES
92.7	29.3	1,545	2	NO
	68.4	3,607	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 364-365

**T341****# TIMES OTHER FAMILY PROBS SERVS**

(POINT TO SHOWCARD G). How many times {Note 1: did you receive/have you received} individual, group, or family counseling for any other problems? Would you say one time, 2-3 times, 4-10 times, or 11 times or more?

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	3.0	158	1	ONE
22.7	7.2	379	2	2-3
23.3	7.4	389	3	4-10
44.4	14.0	740	4	11 OR MORE
	68.4	3,607	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 366-367

**T342****S-S REC'D ASSERTIVENESS TRAINING?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you attend/have you attended} any other kinds of  
 classes or counseling to help you get along better with others,  
 such as teaching you ways to speak up for yourself or control your  
 temper?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	48.5	2,557	1	YES
51.5	51.5	2,715	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 368-369

**T343M1****RECVD ASSERTIVENESS TRAINING AT PGM?**

SELF HELP COUNSELING FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	46.5	2,450	1	YES
4.2	2.0	107	2	NO
	51.5	2,717	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 370-371

**T343M2****ASSERTIVENESS TRAINING PLACE PGM SENT R?**

SELF HELP COUNSELING FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.9	48	1	YES
98.1	47.6	2,509	2	NO
	51.5	2,717	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 372-373

**T343M3****ASSERTIVENESS TRAINING SOMEWHERE ELSE?**

SELF HELP COUNSELING FROM SOMWHRE ELSE?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	2.9	153	1	YES
94.0	45.6	2,404	2	NO
	51.5	2,717	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 374-375

**T344****# TIMES ATTENDED ASSERT TRNG**

(POINT TO SHOWCARD G). How many such sessions or classes {Note 1: did you attend/have you attended}? Would you say one, 2-3, 4-10, or 11 or more?

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	2.6	139	1	ONE
24.4	11.8	624	2	2-3
28.7	13.9	734	3	4-10
41.4	20.1	1,059	4	11 OR MORE
	51.5	2,717	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 376-377



**T346****S-S REC'D LIFE SKILLS TRNG?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you attend/have you attended} any classes or  
 {Note 5: receive/received} any lessons on how to do things for  
 yourself like buy groceries, cook, clean house, or handle your  
 money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.4	1,076	1	YES
79.6	79.6	4,197	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 378-379

**T347M1****RECVD LIFE SKILLS TRNG AT PGM?**

LIFE SKILLS TRAINING FROM PROGRAM?  
 Where {Note 1: did you get/have you gotten} that service?  
 {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at  
 another place {Note 4: PROGRAM} sent you to, or somewhere else?  
 CODE ALL THAT APPLY.

Note 1: See T255 Note 5  
 Note 2: See T255 Note 5  
 Note 3: See T93 Note 1  
 Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	19.1	1,007	1	YES
6.3	1.3	68	2	NO
	79.6	4,198	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 380-381

**T347M2****LIFE SKILLS TRNG AT PLACE PGM SENT R?**

LIFE SKILLS TRAINING FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	14	1	YES
98.7	20.1	1,061	2	NO
	79.6	4,198	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 382-383

**T347M3****LIFE SKILLS TRNG SOMEWHERE ELSE?**

LIFE SKILLS TRAINING FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.4	76	1	YES
92.9	18.9	999	2	NO
	79.6	4,198	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 384-385

**T348****# LIFE SKILLS TRNG SESSIONS ATTND?**

How many sessions or classes {Note 1: did you attend/have you attended}? Would you say one, 2-3, 4-10, or 11 or more?

Note 1: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	1.8	93	1	ONE
24.1	4.9	259	2	2-3
26.8	5.5	288	3	4-10
40.5	8.2	435	4	11 OR MORE
	79.6	4,198	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 386-387

**T349****S-S REC'D SERVICES FOR TEENS?**

IF R IS 17 OR YOUNGER, ASK 349. OTHERWISE, SKIP TO 354.  
 From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any counseling or any  
 other kinds of help especially for teenagers?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	1.9	99	1	YES
58.1	2.6	137	2	NO
	95.5	5,037	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 388-389

**T350M1****RECVD SERVICES FOR TEENS AT PGM?**

TEEN COUNSELING FROM PROGRAM

Where {Note 1: did you get/have yo on to a house or apartment?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did anyone try' if T132=2

'has anyone tried' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	1.7	92	1	YES
7.1	0.1	7	2	NO
	98.1	5,175	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 390-391

**T350M2****SERVICES FOR TEENS AT PLACE PGM SENT R?**

TEEN COUNSELING FROM OTR PROGRAM

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	7	1	YES
92.9	1.7	92	2	NO
	98.1	5,175	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

**T350M3****SERVICES FOR TEENS SOMEWHERE ELSE?**

TEEN COUNSELING FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	0.3	15	1	YES
84.8	1.6	84	2	NO
	98.1	5,175	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

<b>SECTION E: EDUCATION AND OCCUPATION</b>
--

**T357****S-S ATTENDED SCHOOL?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you attend/have you attended} school or {Note 5:  
 take/taken} any classes or lessons to get a GED or a high school,  
 technical school, or college diploma?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T338 Note 1

Note 5: 'take' if T132=2

'taken' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	16.3	862	1	YES
83.7	83.6	4,411	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 396-397

**T358M1****R ATT'D ELEMENTARY/MIDDLE/JUN HIGH**

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

Elementary school/Middle school/Junior high

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.5	26	1	YES
97.0	15.9	836	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 398-399

**T358M2****R ATT'D HIGH SCHL/HIGH SCHL PGM?**

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

High school or high school program

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	2.6	136	1	YES
84.2	13.8	726	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 400-401

**T358M3****R ATT'D GED PROGRAM?**

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

GED program

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	9.9	520	1	YES
39.7	6.5	342	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 402-403

**T358M4****R ATT'D JUNIOR (2-YR) COLLEGE?**

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

Junior {2-year} college

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.6	30	1	YES
96.5	15.8	832	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 404-405



<b>T358M5</b>	<b>R ATT'D 4-YR COLLEGE/UNIVERSITY?</b>
---------------	---

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

4-year college/university

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.3	15	1	YES
98.3	16.1	847	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-407

<b>T358M6</b>	<b>R ATT'D TECHNICAL/TRADE/VOCATIONAL SCHL</b>
---------------	--

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

Technical/Trade/Vocational school

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	1.9	101	1	YES
88.3	14.4	761	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 408-409

**T358M7****R ATT'D OTHER**

What kind of school {Note 1: did you attend/have you attended}?

CODE ALL MENTIONS.

Other

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.1	59	1	YES
93.2	15.2	803	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 410-411

**T362M1****R RECVD SCHOOLING AT PGM?**

EDUCATION FROM PROGRAM?

{Note 1: Was this/Were these} at {Note 2: PROGRAM}, at another place {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if only one option was selected from  
T358M1-T358M7

'Were these' if more than one was selected from  
T358M1-T358M6

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	7.8	409	1	YES
52.6	8.6	453	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 412-413

**T362M2****R RECVD SCHOOLING AT PLACE PGM SENT R?**

EDUCATION FROM OTR PROGRAM?

{Note 1: Was this/Were these} at {Note 2: PROGRAM}, at another place {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if only one option was selected from  
T358M1-T358M7

'Were these' if more than one was selected from  
T358M1-T358M7

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	2.2	118	1	YES
86.3	14.1	744	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 414-415

**T362M3****R RECVD SCHOOLING SOMEWHERE ELSE?**

EDUCATION FROM SOMEWHERE ELSE?

{Note 1: Was this/Were these} at {Note 2: PROGRAM}, at another place {Note 3: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was this' if only one option was selected from  
T358M1-T358M7  
Were these' if more than one was selected from  
T358M1-T358M7

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	6.7	353	1	YES
59.0	9.7	509	2	NO
	83.7	4,412	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 416-417

**T364****S-S REC'D HS DIPLOMA/GED?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you get/have you gotten} a high school diploma or a GED?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	71	1	YES
44.5	44.5	2,347	2	NO
54.1	54.1	2,851	3	RECEIVED DIPLOMA/GED PRIOR TO INTAKE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 418-419

<b>T365</b>	<b>REC'D HS DIPLOMA OR GED</b>
-------------	--------------------------------

Which one {Note 1: did you get/have you gotten}? CODE ONE ONLY.

Note 1: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	5	1	HIGH SCHOOL DIPLOMA
2.3	1.3	66	2	GED CERTIFICATE
97.6	54.1	2,851	3	RECEIVED DIPLOMA/GED PRIOR TO INTAKE
	44.6	2,352	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 420-421

<b>T369</b>	<b>DIPLOMA RECEIVED</b>
-------------	-------------------------

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
{Note 4: did you receive/have you received} any {Note 5: other}  
diplomas, degrees, or certificates from schools you {Note 6: have}  
attended?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: 'other' if T364=1 or if R had diploma/GED in NRIQ  
blank if otherwise

Note 6: See T250 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	54	1	VOCATIONAL/TRADE DIPLOMA
0.1	0.1	5	2	OTHER DIPLOMA
98.9	98.9	5,215	3	NO DIPLOMA
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 422-423

**T374****S-S REC'D ENGLISH LANGUAGE CLASSES?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you get/have you gotten} any services, such as  
 classes or lessons to help you learn English?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	21	1	YES
93.5	5.7	303	2	NO
	93.9	4,950	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 424-425

**T376M1****ENGLISH CLASSES AT PGM?**

S-S ENGLISH CLASSES FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at  
 another place {Note 4: PROGRAM} sent you to or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	14	1	YES
33.3	0.1	7	2	NO
	99.6	5,253	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 426-427

**T381****S-S R EMPLOYED?**

Next I would like to ask about how you have supported yourself.  
 From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you have/have you had} a job? That is, {Note 5: did  
 you do/ have you done} any work for pay that {Note 6: did/does}  
 not include illegal activities? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you have' if T132=2  
           'have you had' if T132=1  
           blank if otherwise

Note 5: 'did you do' if T132=2  
           'have you done' if T132=1  
           blank if otherwise

Note 6: 'did if T132=2  
           'does' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	17.8	940	1	YES
75.2	59.2	3,120	2	NO
2.1	1.6	87	3	R HAS NEVER HAD A JOB
	21.4	1,127	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 428-429

**T383****S-S # WEEKS EMPLOYED-SP**

IF R TREATMENT PERIOD IS LESS THAN TWO MONTHS (Q148<=8), ASK FOR NUMBER OF WEEKS AT 383, OTHERWISE (Q148>8), ASK FOR NUMBER OF MONTHS. From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today} how many {Note 4: weeks/months} {Note 5: did you have/have you had} a job? RECORD NUMBER NUMBER OF WEEKS/MONTHS:

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'weeks' if T148<=8

'months' if T148>8

blank if otherwise

Note 5: See T381 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	2.4	127	1	1 WEEK
13.5	2.4	125	2	2 WEEKS
18.4	3.2	171	3	3 WEEKS
12.8	2.3	119	4	4 WEEKS
9.3	1.6	86	5	5 WEEKS
10.5	1.9	98	6	6 WEEKS
7.5	1.3	70	7	7 WEEKS
14.3	2.5	133	8	8 OR MORE WEEKS
	82.2	4,334	-9	LEGITIMATE SKIP
	0.2	9	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 430-431



<b>T384</b>	<b>CURRENTLY EMPLOYED?</b>
-------------	----------------------------

Right now, do you have a job? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	23.0	1,211	1	YES
70.1	53.9	2,844	2	NO
	23.0	1,214	-9	LEGITIMATE SKIP
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 432-433

<b>T385</b>	<b>HOW LONG AT CURRENT JOB?</b>
-------------	---------------------------------

(HAND R SHOWCARD H). How long have you had that job? Have you had it less than a month, 1-6 months, 7-12 months, or more than 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	5.0	264	1	LESS THAN ONE MONTH
41.0	9.4	496	2	1-6 MONTHS
11.3	2.6	137	3	7-12 MONTHS
25.8	5.9	312	4	MORE THAN 12 MONTHS
	77.0	4,063	-9	LEGITIMATE SKIP
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 434-435

**T386****AVERAGE # HOURS WORKED/WEEK-SP**

Including all jobs that do not involve illegal activities, how many hours a week do you usually work on the average? HOURS PER WEEK:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	2.3	120	1	1-20 HOURS
17.9	4.1	216	2	21-35 HOURS
53.1	12.1	640	3	36-45 HOURS
19.0	4.3	229	4	46 HOURS OR MORE
	77.0	4,063	-9	LEGITIMATE SKIP
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 436-437

**T388****S-S REC'D JOB SKILLS SERVICES?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you get/have you gotten} any classes or lessons to help you get a job, to help you hold a job or to improve job skills?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.3	1,178	1	YES
77.6	77.6	4,091	2	NO
	0.1	4	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 438-439

**T389M1****RECVD JOB SKILLS SERVCS AT PGM?**

REC^D JOB SKILLS FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	8.7	460	1	YES
25.4	3.0	157	2	NO
	22.9	1,206	-7	NOT ASKED OF INMATES
	65.4	3,451	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 440-441

T389M2

RECVD JOB SKILLS SERVCS PLACE PGM SENT R

REC^D JOB SKILLS FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	1.2	61	1	YES
90.1	10.5	556	2	NO
	22.9	1,206	-7	NOT ASKED OF INMATES
	65.4	3,451	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 442-443

**T389M3****RECVD JOB SKILLS SERVCS SOMEWHERE ELSE?**

REC^D JOB SKILLS FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} that service?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	2.3	122	1	YES
80.2	9.4	495	2	NO
	22.9	1,206	-7	NOT ASKED OF INMATES
	65.4	3,451	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 444-445

**T390****# SESSIONS ATTENDED FOR JOB SKILLS**

(HAND R SHOWCARD G). How many sessions or classes {Note 1: did you attend/have you attended}? Would you say one, 2-3, 4-10, or 11 or more?

Note 1: See T338 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	2.0	108	1	ONE
24.6	5.5	289	2	2-3
34.6	7.7	407	3	4-10
31.6	7.1	372	4	11 OR MORE
	77.7	4,096	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 446-447

**T392****S-S REC'D HELP WITH HOUSING PROBS?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did anyone try/has anyone tried} to help you with a  
 housing problem, such as finding you a place to live, getting you  
 a better place, or helping you hold on to a house or apartment?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did anyone try' if T132=2  
 'has anyone tried' if T132=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	11.9	628	1	YES
84.8	66.3	3,496	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	21.8	1,148	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 448-449

**T393M1****RECVD HOUSING HELP AT PGM?**

HOUSING PROBLMS HELP FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	9.6	504	1	YES
19.7	2.4	124	2	NO
	0.0	2	-9	LEGITIMATE SKIP
	22.8	1,204	-7	NOT ASKED OF INMATES
	65.2	3,440	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 450-451

**T393M2****RECVD HOUSING HELP AT PLACE PGM SENT R?**

HOUSING PROBLMS HELP FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	1.1	56	1	YES
91.1	10.8	572	2	NO
	0.0	2	-9	LEGITIMATE SKIP
	22.8	1,204	-7	NOT ASKED OF INMATES
	65.2	3,440	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 452-453



**T393M3****RECVD HOUSING HELP SOMEWHERE ELSE?**

HOUSING PROBLMS HELP FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	2.3	123	1	YES
80.4	9.6	505	2	NO
	0.0	2	-9	LEGITIMATE SKIP
	22.8	1,204	-7	NOT ASKED OF INMATES
	65.2	3,440	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 454-455

**T394****HELPFULNESS OF HOUSING HELPERS**

How helpful were the people who met with you about housing problems? Would you say very helpful, somewhat helpful, or not helpful at all?

CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	7.3	383	1	VERY HELPFUL
30.5	3.6	191	2	SOMEWHAT HELPFUL
8.3	1.0	52	3	NOT AT ALL HELPFUL
	0.0	2	-9	LEGITIMATE SKIP
	22.8	1,204	-7	NOT ASKED OF INMATES
	65.2	3,440	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 456-457

**T398****S-S PROGRAM PROVIDED TRANSPORTATION?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did/has} {Note 5: PROGRAM} ever {Note 6:  
 provide/provided} you with transportation, or in some other way  
 {Note 7: help/helped} you with transportation?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did' if T132=2

'has' if T132=1

blank if otherwise

Note 5: See T93 Note 1

Note 6: 'provide' if T132=2

'provided' if T132=1

blank if otherwise

Note 7: 'help' if T132=2

'helped' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	30.4	1,604	1	YES
61.1	47.8	2,521	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	21.8	1,148	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 458-459

**T401****R ABLE TO GET TO TX WITH TRANS HELP**

IF R WAS IN RESIDENTIAL TREATMENT PROGRAM, GO TO 403.  
 {Note 1: Was/Has} the help with transportation {Note 2: been}  
 enough to allow you to get to the program for treatment? CODE ONE  
 ONLY.

Note 1: See T269 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	11.3	598	1	YES
5.8	0.7	37	2	NO
	22.9	1,206	-7	NOT ASKED OF INMATES
	61.6	3,249	-6	NOT APPLICABLE
	3.5	184	3	NOT ASKED OF INPATIENTS
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 460-461

**T403****S-S HELP COLLECTING GOV'T PAYMTS**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did anyone help/has anyone helped} you to get money or  
 payments from the government? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did anyone help' if T132=2  
 'has anyone helped' if T132=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	13.8	728	1	YES
82.3	64.4	3,394	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	21.8	1,148	-7	NOT ASKED OF INMATES
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 462-463

**T404M1****HELP COLLECT GOV'T PAYMTS AT PGM?**

PROGRAM HELPD W/COLLCTNG GOV^T \$?  
 Where {Note 1: did you get/have you gotten} that help?  
 {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at  
 another place {Note 4: PROGRAM} sent you to, or somewhere else?  
 Note 1: See T255 Note 5  
 Note 2: See T255 Note 5  
 Note 3: See T93 Note 1  
 Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	11.5	606	1	YES
16.8	2.3	122	2	NO
	22.8	1,201	-7	NOT ASKED OF INMATES
	63.4	3,345	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 464-465

**T404M2****HELP COLLECT GOV PAYS PLACE PGM SENT R?**

OTR PROGRAM HELPD W/COLLCTNG GOV^T \$?  
 Where {Note 1: did you get/have you gotten} that help?  
 {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at  
 another place {Note 4: PROGRAM} sent you to, or somewhere else?  
 Note 1: See T255 Note 5  
 Note 2: See T255 Note 5  
 Note 3: See T93 Note 1  
 Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	1.5	81	1	YES
88.9	12.3	647	2	NO
	22.8	1,201	-7	NOT ASKED OF INMATES
	63.4	3,345	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 466-467

**T404M3****HELP COLLECT GOV'T PAYS SOMEWHERE ELSE?**

SOMEWHERE ELSE HELPD W/COLLCTNG GOV^T \$?

Where {Note 1: did you get/have you gotten} that help?

{Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else?

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	3.7	197	1	YES
72.9	10.1	531	2	NO
	22.8	1,201	-7	NOT ASKED OF INMATES
	63.4	3,345	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 468-469

**T409****HELPLESSNESS PAYMT COLLECTION AIDES**

How helpful (was/were) the (person/people) who (have) met with you about getting you benefits, payments, or financial assistance?

Would you say very helpful, somewhat helpful, or not at all helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	9.9	523	1	VERY HELPFUL
23.7	3.3	172	2	SOMEWHAT HELPFUL
4.1	0.6	30	3	NOT AT ALL HELPFUL
	22.8	1,201	-7	NOT ASKED OF INMATES
	63.4	3,345	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 470-471

**T410****S-S PGM HELPED ALIMONY/CHILD SUPPT**

FOR FEMALES ONLY

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did/has} {Note 5: PROGRAM} {Note 6: help/helped} you to  
 get alimony or child support?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did' if T132=2

'has' if T132=1

blank if otherwise

Note 5: See T93 Note 1

Note 6: 'help' if T132=2

'helped' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	11	1	YES
99.2	25.7	1,354	2	NO
	22.8	1,205	-7	NOT ASKED OF INMATES
	51.3	2,703	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 472-473

<b>SECTION F: TREATMENT HISTORY/MENTAL HEALTH</b>
---

**T417****S-S SEVERELY DEPRESSED FOR 2 WEEKS?**

IF Q145 <= 2, SKIP TO 420, OTHERWISE, GO TO 417.  
 From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you have/have you had} a period of two weeks or  
 longer when you {Note 5: have} felt either very sad or depressed?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T381 Note 4

Note 5: See T250 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	30.3	1,599	1	YES
65.0	56.3	2,968	2	NO
	0.0	1	-2	DON'T KNOW
	13.4	706	3	S-S LESS THAN 2 WEEKS
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 474-475

**T418****S-S LOST INTEREST IN LIFE 2 WEEKS?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you have/have you had} a period of 2 weeks or longer  
 when you lost interest and pleasure in things you care about?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T381 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.7	196	1	YES
60.7	52.6	2,773	2	NO
35.0	30.3	1,599	4	SKIPPED YES TO 417
	13.4	706	3	S-S LESS THAN 2 WEEKS
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 476-477

**T420****S-S ATTEMPTED SUICIDE?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you try/have you tried} to commit suicide?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you try' if T132=2  
           'have you tried' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	95	1	YES
98.2	97.2	5,126	2	NO
	1.0	52	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 478-479



**T422****S-S SUICIDAL THOUGHTS?**

At any time from {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/ today}, {Note 4: did you think/have you thought} seriously about committing suicide?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you think' if T132=2  
'have you thought' if T132=1  
blank of otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	426	1	YES
91.9	91.9	4,848	2	NO
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 480-481

**T424****S-S REC'D MENTAL HEALTH TX?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you receive/have you received} any counseling or treatment for problems with your emotions, nerves, or mental health?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	26.3	1,385	1	YES
73.7	73.7	3,888	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 482-483

**T426M1****DEPRESSION, MANIC DEPRESSION, SAD, BLUE, LOW**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: DEPRESSION,  
MANIC DEPRESSION, SAD, BLUE, LOW, DOWN

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	12.4	653	1	YES
52.8	13.8	730	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 484-485

**T426M2****FEAR, ANXIETY, FEARFUL, PHOBIA, STRESS DISOR**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: FEAR,  
ANXIETY, GENERALIZATION ANXIETY, PANIC, FEARFUL, PHOBIA  
POSTTRAUMATIC STRESS DISORDER, GENERAL ANXIETY OR FEAR RELATED

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	3.8	200	1	YES
85.5	22.4	1,183	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 486-487

**T426M3****SCHIZOPHRENIA**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED:  
SCHIZOPHRENIA

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	9	1	YES
99.3	26.1	1,374	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 488-489

**T426M4****PARANOIA, PSYCHOSIS**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: PARANOIA,  
PSYCHOSIS

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.3	17	1	YES
98.8	25.9	1,366	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 490-491

**T426M5****THOUGHTS OF SUICIDE, ATTEMPTED SUICIDE**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: THOUGHTS OF  
SUICIDE, ATTEMPTED SUICIDE

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.7	37	1	YES
97.3	25.5	1,346	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 492-493

**T426M6****ANY UPSETTING EXPERIENCE, LOST JOB, RAPE**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: ANY  
UPSETTING EXPERIENCE, E.G. LOST JOB, RAPE

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.1	57	1	YES
95.9	25.1	1,326	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 494-495

**T426M7****OTHER SPECIFIC TYPES OF MENTAL DISORDERS**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: OTHER NAMES  
OF SPECIFIC TYPES OF MENTAL DISORDERS, E.G., ANOREXIA, HYSTERIA

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	10	1	YES
99.3	26.0	1,373	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 496-497

**T426M8****PERSONALITY DISORDER/PROBLEMS**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: PERSONALITY  
DISORDER, PERSONALITY PROBLEMS

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.2	65	1	YES
95.3	25.0	1,318	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 498-499

**T426M9****OTHER GENRL EXPLANATION, TENSION, STRESS**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: ANY OTHER  
GENERAL EXPLANATION, E.G., TENSION STRESS, EXHAUSTION, BURNOUT,  
NERVOUS BREAKDOWN, EMOTIONAL PROBLEMS, COULDN'T COPE, THOUGHT I  
WAS GOING CRAZY

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	8.0	424	1	YES
69.3	18.2	959	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 500-501

**T426M10****OTHER**

What problem {Note 1: did you receive/have you received}  
counseling or treatment for? CODE PROBLEMS MENTIONED: OTHER

Note 1: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	5.8	308	1	YES
77.7	20.4	1,075	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 502-503

**T428M1****RECVD MENTAL HEALTH COUNSLNG AT PGM?**

REC^D MENTAL HLTH TX FROM PROGRAM?

Where {Note 1: did you receive/have you received} the counseling or treatment? {Note 2: Did you receive/Have you received} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T203 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	23.0	1,211	1	YES
12.5	3.3	173	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 504-505

**T428M2****MENTAL HEALTH COUNSLNG PLACE PGM SENT R?**

REC^D MENTAL HLTH TX FROM OTR PROGRAM?

Where {Note 1: did you receive/have you received} the counseling or treatment? {Note 2: Did you receive/Have you received} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T203 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.5	81	1	YES
94.1	24.7	1,303	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507



**T428M3****MENTAL HEALTH COUNSLNG SOMEWHERE ELSE?**

REC^D MENTAL HLTH TX FROM SOMWHRE ELSE?

Where {Note 1: did you receive/have you received} the counseling or treatment? {Note 2: Did you receive/Have you received} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T203 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	3.1	164	1	YES
88.2	23.1	1,220	2	NO
	73.7	3,889	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 508-509

**T429****# TIMES MENTAL HEALTH TX REC'D**

(POINT TO SHOWCARD G). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, how many times {Note 4: did you receive/have you received} this counseling or treatment? Would you say one time, 2-3 times, 4-10 times, or 11 times or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	2.6	136	1	ONE
27.5	7.2	381	2	2-3
25.4	6.7	352	3	4-10
37.2	9.8	515	4	11 OR MORE
	73.7	3,889	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 510-511

**T431****S-S PSYCHOTROPIC DRUGS TAKEN?**

At any time from {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/ today}, {Note 4: did you take/have you taken} any medicines prescribed by a doctor because you were having problems with your emotions, nerves, or mental health?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T257 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	584	1	YES
88.9	88.9	4,688	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 512-513

**T434M1****DOCTOR PRESCRIBD MED WORKED AT PGM**

PSYCHOTROPIC DRUGS FROM PROGRAM?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed these medicines for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, another place {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2  
           'Is' if T132=1  
           blank if otherwise  
 Note 2: 'has' if T132=1  
           blank if otherwise  
 Note 3: 'worked' if T132=2  
           'works' if T132=1  
           blank if otherwise  
 Note 4: See T93 Note 1  
 Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	6.0	319	1	YES
45.4	5.0	265	2	NO
	88.9	4,690	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 514-515

**T434M2****DOCTOR WORKED AT SOME PLACE PGM SENT R**

PSYCHOTROPIC DRUGS FROM OTR PROGRAM?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed these medicines for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, another place {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2

'Is' if T132=1

blank if otherwise

Note 2: 'has' if T132=1

blank if otherwise

Note 3: 'worked' if T132=2

'works' if T132=1

blank if otherwise

Note 4: See T93 Note 1

Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	1.5	77	1	YES
86.8	9.6	507	2	NO
	88.9	4,690	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 516-517

**T434M3****DOCTOR WORKED SOMEWHERE ELSE**

PSYCHOTROPIC DRUGS FROM SOMEWHRE ELSE?

{Note 1: Was/Is} the doctor who {Note 2: has} prescribed these medicines for you someone who {Note 3: worked/works} at {Note 4: PROGRAM}, another place {Note 5: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'Was' if T132=2  
           'Is' if T132=1  
           blank if otherwise  
 Note 2: 'has' if T132=1  
           blank if otherwise  
 Note 3: 'worked' if T132=2  
           'works' if T132=1  
           blank if otherwise  
 Note 4: See T93 Note 1  
 Note 5: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	3.7	197	1	YES
66.3	7.3	387	2	NO
	88.9	4,690	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 518-519

**T435****24 HR MENTAL HEALTH VISIT SINCE PGM?**

IF R IS STILL IN TREATMENT, SKIP TO 442.

Not including any drug or alcohol treatment, since {Note 1: STOP DATE}, have you stayed in a hospital, clinic, or mental health center for at least 24 hours for problems with your emotions, nerves, or mental health?

Note 1: Stop date=T121

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.3	70	1	YES
98.2	71.5	3,772	2	NO
	27.2	1,432	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 520-521

**T436****OTHER MENTAL HEALTH TX SINCE PROGM?**

Since {Note 1: STOP DATE}, have you received any other treatment for problems with your emotions, nerves, or mental health? CODE ONE ONLY.

Note 1: Stop date=T121

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	3.7	195	1	YES
94.9	69.2	3,647	2	NO
	27.2	1,432	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 522-523

**T437M1****RECVD MENTAL HEALTH TX AT PGM?**

OTR MENTAL HEALTH TX FROM PROGRAM?

Where did you receive this treatment? Was it at {Note 1: PROGRAM}, another place {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.7	37	1	YES
81.0	3.0	158	2	NO
	69.2	3,648	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 524-525

**T437M2****MENTAL HEALTH TX AT PLACE PGM SENT R?**

OTR MENTAL HEALTH TX FROM OTR PROGRAM?

Where did you receive this treatment? Was it at {Note 1: PROGRAM}, another place {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.4	23	1	YES
88.2	3.3	172	2	NO
	69.2	3,648	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 526-527



**T437M3****MENTAL HEALTH TX SOMEWHERE ELSE?**

OTR MENTAL HEALTH TX FROM SOMEWHRE ELSE?

Where did you receive this treatment? Was it at {Note 1: PROGRAM}, another place {Note 2: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T93 Note 1

Note 2: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	2.7	140	1	YES
28.2	1.0	55	2	NO
	69.2	3,648	-6	NOT APPLICABLE
	27.1	1,431	3	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 528-529

**T438****# MENTAL HEALTH VISITS SINCE PROGM?**

(HAND R SHOWCARD K). Since {Note 1: STOP DATE}, how many times have you gone to a clinic, doctor or counselor for problems with your emotions, nerves, or mental health? Has it been 1-5 times, 6-10 times, 11-30 times, or 31 times or more? CODE ONE ONLY.

Note 1: Stop date=T121

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	2.0	108	1	1-5 TIMES
19.5	0.7	38	2	6-10 TIMES
17.4	0.6	34	3	11-30 TIMES
7.7	0.3	15	4	31 TIMES OR MORE
	69.2	3,648	-6	NOT APPLICABLE
	27.1	1,431	5	STILL IN TREATMENT
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: 5, lowest thru -1

Columns: 530-531

## SECTION G: HEALTH

T446

## S-S GENERAL HEALTH

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, in general, {Note 4: was your health/has your health been} excellent, good, fair or poor?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'was your health' if T132=2  
 'has your health been' if T132=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	31.1	1,642	1	EXCELLENT
46.3	46.2	2,439	2	GOOD
18.9	18.8	994	3	FAIR
3.7	3.7	196	4	POOR
	0.0	1	-9	LEGITIMATE SKIP
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 532-533

**T448****S-S HEALTH PROBLEMS?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you have/have you had} any serious physical illness  
 or condition that caused you pain, limited your activities, or  
 caused you other problems? Please do not include problems you may  
 have had with drugs or alcohol.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T381 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	22.0	1,161	1	YES
78.0	78.0	4,112	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 534-535

**T452****HEALTH PROBLEM FOR > 1WEEK?**

{Note 1: Did/Has} this serious illness or condition {Note 2: cause/caused} you pain, {Note 3: limit/limited} your activities, or {Note 4: cause/caused} you other problems for more than one week?

Note 1: See T410 Note 4

Note 2: 'cause' if T132=2

'caused' if T132=1

blank if otherwise

Note 3: 'limit' if T132=2

'limited' if T132=1

blank if otherwise

Note 4: See Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	16.2	854	1	YES
26.4	5.8	307	2	NO
	78.0	4,113	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 536-537

**T454****S-S SPENT NIGHT IN HOSPITAL?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you spend/have you spent} any nights in the hospital  
 for a physical illness, condition or injury not including  
 treatment for problems with drugs or alcohol?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'did you spend' if T132=2  
 'have you spent' if T132=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.4	230	1	YES
95.6	95.6	5,043	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 538-539

**T455****S-S # NIGHTS SPENT IN HOSPITAL-SP**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 how many nights {Note 4: did you spend/have you spent} in the  
 hospital for a physical illness, condition or injury? RECORD  
 NUMBER OF NIGHTS. NIGHT(S):

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T454 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	1.3	70	1	1 NIGHT
17.0	0.7	39	2	2 NIGHTS
14.0	0.6	32	3	3 NIGHTS
38.4	1.7	88	4	4 OR MORE NIGHTS
	95.6	5,044	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 540-541

**T457****S-S # DAYS REC'D MEDICAL SERVICES**

(HAND R SHOWCARD B). {Note 1: Not counting times when you were staying overnight in a hospital}, from {Note 2: START DATE} to {Note 3: {Note 4: STOP DATE}/today}, on how many days {Note 5: did you get/have you gotten} any kind of medical services? This would include things like medical tests, physical exams, getting a cast put on, or getting an injection. Would you say none, one day, 2-3 days, 4-10 days, or 11 days or more?

Note 1: 'Not counting times.' if T454=1  
blank if otherwise

Note 2: Start date from intake form

Note 3: See T141 Note 4

Note 4: See T141 Note 5

Note 5: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.5	2,031	1	NONE
23.6	23.6	1,244	2	ONE DAY
20.2	20.2	1,063	3	2-3 DAYS
10.1	10.1	532	4	4-10 DAYS
7.5	7.5	397	5	11 OR MORE DAYS
	0.0	1	-9	LEGITIMATE SKIP
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 542-543

**T459M1****RECVD ANY MEDICAL SERVCS AT PGM?**

MEDICAL SERVICES FROM PROGRAM?

Where {Note 1: did you get/have you gotten} these services?  
 {Note 2: Did you get/Have you gotten} them at {Note 3: PROGRAM},  
 at another place {Note 4: PROGRAM} sent you to, or somewhere  
 else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	39.7	2,092	1	YES
35.4	21.7	1,144	2	NO
	38.6	2,038	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 544-545

**T459M2****ANY MEDICAL SERVCS AT PLACE PGM SENT R?**

MEDICAL SERVICES FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} these services?  
 {Note 2: Did you get/Have you gotten} them at {Note 3: PROGRAM},  
 at another place {Note 4: PROGRAM} sent you to, or somewhere  
 else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	12.2	641	1	YES
80.2	49.2	2,595	2	NO
	38.6	2,038	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 546-547



**T459M3****ANY MEDICAL SERVCS SOMEWHERE ELSE?**

MEDICAL SERVICES FROM SOMEWHERE ELSE?

Where {Note 1: did you get/have you gotten} these services?  
 {Note 2: Did you get/Have you gotten} them at {Note 3: PROGRAM},  
 at another place {Note 4: PROGRAM} sent you to, or somewhere  
 else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	16.4	867	1	YES
73.2	44.9	2,369	2	NO
	38.6	2,038	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 548-549

**T461****S-S TESTED FOR TB?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: were you/have you been} tested for TB? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	57.4	3,026	1	YES
42.4	42.3	2,230	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.3	17	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 550-551

**T463M1****R RECVD TB TEST AT PGM?**

TESTED FOR TB AT PROGRAM?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	42.8	2,258	1	YES
25.4	14.6	768	2	NO
	42.6	2,248	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 552-553

**T463M2****R RECVD TB TEST AT PLACE PGM SENT R?**

TESTED FOR TB AT OTR PROGRAM?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	5.9	312	1	YES
89.7	51.5	2,714	2	NO
	42.6	2,248	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 554-555

**T463M3****R RECVD TB TEST SOMEWHERE ELSE?**

TESTED FOR TB SOMEWHERE ELSE?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	11.2	590	1	YES
80.5	46.2	2,436	2	NO
	42.6	2,248	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 556-557

**T464****S-S TESTED AIDS**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, tested for AIDS?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.0	2,004	1	YES
61.6	61.0	3,218	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	1.0	51	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 558-559

**T465M1****R RECVD AIDS TEST AT PGM?**

TESTED FOR AIDS AT PROGRAM?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	27.0	1,423	1	YES
29.0	11.0	581	2	NO
	62.0	3,270	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 560-561

**T465M2****R RECVD AIDS TEST AT PLACE PGM SENT R?**

TESTED FOR AIDS AT OTR PROGRAM?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	4.4	234	1	YES
88.3	33.6	1,770	2	NO
	62.0	3,270	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 562-563

**T465M3****R RECVD AIDS TEST SOMEWHERE ELSE?**

TESTED FOR AIDS SOMEWHERE ELSE?

Where {Note 1: were you/have you been} tested? {Note 2: Were you/Have you been} tested at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T284 Note 4

Note 2: See T284 Note 4

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	7.8	409	1	YES
79.6	30.2	1,595	2	NO
	62.0	3,270	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 564-565

**T466****S-S # AIDS TEST TAKEN-SP**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 how many times {Note 4: were you/have you been} tested for AIDS?  
 NUMBER OF TIMES:

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T284 Note 5

Note 5: These respondents indicated YES to T466, but were  
 skipped over this question if they had a  
 start-to-stop-date treatment duration of less than 8  
 weeks; in other words, they had been tested for HIV  
 during this period but were not queried on the number  
 of times tested.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	17.8	939	1	1 TIME
11.5	4.4	230	2	2 TIMES
4.8	1.8	97	3	3 OR MORE TIMES
36.7	13.9	735	4	UNSPECIFIED (SEE NOTE 5)
	62.0	3,270	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 566-567

**T469****R KNOWS AIDS TEST RESULTS?**

I am not going to ask you for the results of the test, but I would  
 like to know if you got the results.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	32.7	1,725	1	YES
13.9	5.3	279	2	NO
	62.0	3,270	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 568-569

**T472****S-S REC'D AIDS PREVENTION SERVICES?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any counseling or  
 {Note 5: attend/attended} any classes to learn about ways not to  
 get or spread AIDS? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: See T331 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	71.9	3,790	1	YES
28.0	28.0	1,476	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 570-571

**T475M1****R RECVD AIDS PREVENTION SERVCS AT PGM?**

AIDS PREVENTION SERVICES AT PROGRAM?

Where {Note 1: did you go/have you gone} for those sessions or classes? {Note 2: Did you go/Have you gone} to {Note 3: PROGRAM}, another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'did you go' if T132=2

Note 2: 'have you gone' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	68.4	3,609	1	YES
4.8	3.4	181	2	NO
	28.1	1,484	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 572-573



**T475M2****AIDS PREVENTION SERVCS PLACE PGM SENT R?**

AIDS PREVENTION SERVICES AT OTR PROGRAM?

Where {Note 1: did you go/have you gone} for those sessions or classes? {Note 2: Did you go/Have you gone} to {Note 3: PROGRAM}, another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'did you go' if T132=2

Note 2: 'have you gone' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.4	76	1	YES
98.0	70.4	3,714	2	NO
	28.1	1,484	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 574-575

**T475M3****AIDS PREVENTION SERVCS SOMEWHERE ELSE?**

AIDS PREVENTION SERVICES SOMEWHRE ELSE?

Where {Note 1: did you go/have you gone} for those sessions or classes? {Note 2: Did you go/Have you gone} to {Note 3: PROGRAM}, another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: 'did you go' if T132=2

Note 2: 'have you gone' if T132=1

blank if otherwise

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	5.7	298	1	YES
92.1	66.2	3,492	2	NO
	28.1	1,484	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 576-577

**T480****S-S # OF SEX PARTNERS**

(HAND R SHOWCARD L). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today} about how many different partners {Note 4: did you have/ have you had} vaginal, oral, or anal sex with, even if only one time? Would you say none, one partner, 2-9 partners or 10 or more partners?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T381 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	66.2	3,489	1	NONE
24.3	24.2	1,277	2	ONE
8.5	8.5	448	3	2-9
0.7	0.7	37	4	10 OR MORE
	0.0	1	-9	LEGITIMATE SKIP
	0.1	3	-2	DON'T KNOW
	0.4	19	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 578-579

**T484****QTG8A S-S CONDOM USE DURING SEX**

(HAND R SHOWCARD F). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today} when you {Note 4: have} had vaginal, oral, or anal sex, about how often {Note 5: did/have} you or your partner {Note 6: use/used} a latex condom, "rubber," or a female condom? Would you say none of the time, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T250 Note 4

Note 5: 'did' if T132=2

'have' if T132=1

blank if otherwise

Note 6: 'use' if T132=2

'used' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	17.5	925	1	NONE OF THE TIME
7.5	2.5	133	2	LESS THAN HALF THE TIME
8.3	2.8	146	3	HALF OF THE TIME
8.0	2.7	141	4	MORE THAN HALF THE TIME
23.7	7.9	417	5	EVERY TIME
	66.6	3,512	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 580-581

**T485****S-S REC'D FAMILY PLANNING SERVICES**

IF R IS FEMALE, ASK 485. IF R IS MALE, SKIP TO SECTION H  
 From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any type of classes,  
 counseling, or medical care about planning or preventing  
 pregnancy? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	5.7	300	1	YES
79.7	22.4	1,179	2	NO
	71.9	3,793	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 582-583

**T486M1****RECVD FAMILY PLANNING SERVCS AT PGM?**

REC^D FAM PLANNING FROM PROGRAM?

Where {Note 1: did you get/have you gotten} the counseling, classes, or medical care? {Note 2; Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	4.8	252	1	YES
16.0	0.9	48	2	NO
	94.3	4,974	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 584-585

**T486M2****FAMILY PLANNING SERVCS PLACE PGM SENT R?**

REC^D FAM PLANNING FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} the counseling, classes, or medical care? {Note 2; Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	0.3	18	1	YES
94.0	5.3	282	2	NO
	94.3	4,974	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 586-587

**T486M3****FAMILY PLANNING SERVCS SOMEWHERE ELSE?**

REC^D FAM PLANNING FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} the counseling, classes, or medical care? {Note 2; Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	0.8	44	1	YES
85.3	4.9	256	2	NO
	94.3	4,974	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 588-589

**T487****S-S PREGNANT?**

From {Note 1: START DATE} to {Note 2: STOP DATE}, {Note 3: were you/ have you been} pregnant at any time? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: Stop date=T121

blank if otherwise

Note 3: See T284 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	2.3	122	1	YES
91.8	25.7	1,358	2	NO
	71.9	3,793	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 590-591

**T488****S-S REC'D MEDICAL PREGCY CARE?**

From {Note 1: START DATE} to {Note 2: STOP DATE}, {Note 3: did you receive/ have you received} any type of medical services for your pregnancy? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: Stop date=T121

blank if otherwise

Note 3: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	1.9	98	1	YES
19.7	0.5	24	2	NO
	97.7	5,152	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 592-593

**T489M1****R RECVD MED CARE FOR PREGCY AT PGM?**

REC'D CARE WHEN PREGNT FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.4	23	1	YES
76.5	1.4	75	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 594-595



**T489M2****MED CARE FOR PREGCY AT PLACE PGM SENT R?**

REC^D CARE WHEN PREGNT FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.7	35	1	YES
64.3	1.2	63	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 596-597

**T489M3****MED CARE FOR PREGCY SOMEWHERE ELSE?**

REC^D CARE WHEN PREGNT SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at another place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ALL THAT APPLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.9	49	1	YES
50.0	0.9	49	2	NO
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 598-599

**T490****S-S # TIMES MED CARE FOR PREGCY**

(HAND R SHOWCARD G). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, how many times {Note 4: did you receive/have you received} medical services for pregnancy? Would you say one time, 2-3 times, 4-10 times or 11 or more?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	0.2	10	1	ONE
31.6	0.6	31	2	2-3
35.7	0.7	35	3	4-10
22.4	0.4	22	4	11 OR MORE
	98.1	5,176	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 600-601

**T491****S-S REC'D NON-MED SERVS FOR PREGCY**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, {Note 4: did you get/have you gotten} any kind of services for pregnant women besides medical care, such as classes in taking care of new baby or a support group for mothers? CODE ONE ONLY.

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T255 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.5	25	1	YES
79.5	1.8	97	2	NO
	97.7	5,152	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 602-603

**T492M1****R RECVD NON-MED PREGCY CARE AT PGM?**

NON-MED PREG SERVICES FROM PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at some other place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ONE ONLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	0.3	14	1	YES
44.0	0.2	11	2	NO
	99.5	5,249	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 604-605

**T492M2****NON-MED PREGCY CARE AT PLACE PGM SENT R?**

NON-MED PREG SERVICES FROM OTR PROGRAM?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at some other place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ONE ONLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	0.1	7	1	YES
72.0	0.3	18	2	NO
	99.5	5,249	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 606-607

**T492M3****NON-MED PREGCY CARE SOMEWHERE ELSE?**

NON-MED PREG SERVICES FROM SOMEWHRE ELSE?

Where {Note 1: did you get/have you gotten} that service? {Note 2: Did you get/Have you gotten} it at {Note 3: PROGRAM}, at some other place {Note 4: PROGRAM} sent you to, or somewhere else? CODE ONE ONLY.

Note 1: See T255 Note 5

Note 2: See T255 Note 5

Note 3: See T93 Note 1

Note 4: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	0.2	8	1	YES
68.0	0.3	17	2	NO
	99.5	5,249	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 608-609

<b>SECTION H: POST-TREATMENT EVALUATION</b>
---

**T500****S-S REC'D OTHER SERVICES?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received) any types of  
 counseling, classes or other help that were useful to you besides  
 those we have already talked about?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	692	1	YES
86.9	86.8	4,580	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 610-611

**T509****S-S MOST USEFUL SERVICE REC'D-C**

(HAND R SHOWCARD C). From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today}, which of these kinds of counseling, classes or other help that you {Note 4: have} received was the most useful to you? Please include counseling as well as services you received from staff at {Note 5: PROGRAM}, at other places {Note 6: PROGRAM} sent you to, any anywhere else. RECORD VERBATIM. CODE THE MOST USEFUL SERVICE:

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T250 Note 4

Note 5: See T93 Note 1

Note 6: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	488	1	EDUCATION
9.1	9.1	479	2	FAMILY ISSUES
50.3	50.1	2,643	3	DRUG OR ALCOHOL USE
8.7	8.7	458	4	MENTAL HEALTH
1.6	1.6	85	5	MEDICAL EMOTIONS, NERVES OR AND HEALTH I
0.5	0.5	24	6	LEGAL PROBLEMS
1.1	1.1	59	7	JOB OR EMPLOYMENT PROBLEMS
0.3	0.3	17	8	INCOME OR FINANCIAL PROBLEMS
0.4	0.4	21	9	HOUSING ISSUES
18.7	18.7	984	10	OTHER
	0.2	10	-3	MISSING
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 612-613

**T513****S-S SERVICE NEEDED, NOT REC'D?**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: was there/has there been} any type of help or service  
 that you {Note 5: have} felt you needed from the program but {Note  
 6: didn't get/ haven't gotten}?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: 'was there' if T132=2

'has there been' if T132=1

blank if otherwise

Note 5: See T250 Note 4

Note 6: 'didn't get' if T132=2

'haven't gotten' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	27.7	1,463	1	YES
72.2	72.0	3,798	2	NO
	0.0	1	-9	LEGITIMATE SKIP
	0.2	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 614-615

**T516M1****HELP NOT RECVD: EDUCATION**

What type of help {Note 1: do you feel/have you felt) you needed?

Education

Note 1: 'do you feel' if T132=2  
           'have you felt' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	3.1	164	1	YES
88.8	24.6	1,299	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-617

**T516M2****HELP NOT RECVD: FAMILY ISSUES**

What type of help {Note 1: do you feel/have you felt) you needed?

Family Issues

Note 1: 'do you feel' if T132=2  
           'have you felt' if T132=1  
           blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	3.0	159	1	YES
89.1	24.7	1,304	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 618-619



**T516M3****HELP NOT RECVD: DRUG OR ALCOHOL USE**

What type of help {Note 1: do you feel/have you felt) you needed?

Drug or alcohol use

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	4.0	209	1	YES
85.7	23.8	1,254	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 620-621

**T516M4****HELP NOT RECVD: EMOTIONS,NERVES,MENTAL H**

What type of help {Note 1: do you feel/have you felt) you needed?

Emotions, nerves or mental health

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	4.1	216	1	YES
85.2	23.6	1,247	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

**T516M5****HELP NOT RECVD: MEDICAL/HEALTH ISSUES**

What type of help {Note 1: do you feel/have you felt) you needed?

Medical and health issues

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	1.8	93	1	YES
93.6	26.0	1,370	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

**T516M6****HELP NOT RECVD: LEGAL PROBLEMS**

What type of help {Note 1: do you feel/have you felt) you needed?

Legal problems

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.8	44	1	YES
97.0	26.9	1,419	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 626-627

**T516M7****HELP NOT RECVD: JOB/EMPLOYMENT PROBLEMS**

What type of help {Note 1: do you feel/have you felt) you needed?

Job or employment problems

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	3.8	201	1	YES
86.3	23.9	1,262	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 628-629

**T516M8****HELP NOT RECVD: INCOME/FINANCIAL PROBLMS**

What type of help {Note 1: do you feel/have you felt) you needed?

Income or financial problems

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.9	99	1	YES
93.2	25.9	1,364	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 630-631

**T516M9****HELP NOT RECVD: HOUSING ISSUES**

What type of help {Note 1: do you feel/have you felt) you needed?

Housing issues

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	3.3	174	1	YES
88.1	24.4	1,289	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 632-633

**T516M10****HELP NOT RECVD: OTHER**

What type of help {Note 1: do you feel/have you felt) you needed?

Other

Note 1: 'do you feel' if T132=2

'have you felt' if T132=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	13.4	708	1	YES
51.6	14.3	755	2	NO
	72.3	3,811	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 634-635

**T518****S-S REC'D SERVICES FOR LIFE AFTER**

From {Note 1: START DATE} to {Note 2: {Note 3: STOP DATE}/today},  
 {Note 4: did you receive/have you received} any counseling or  
 {Note 5: attend/attended} any classes to help you plan your  
 future; including how to handle problems after you left the  
 treatment?

Note 1: Start date from intake form

Note 2: See T141 Note 4

Note 3: See T141 Note 5

Note 4: See T203 Note 4

Note 5: See T331 Note 5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	48.4	2,552	1	YES
51.6	51.6	2,721	2	NO
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 636-637

**T519M1****SERVICES RECVD AFTER TX AT PGM?**

LIFE AFTER TX HELP FROM PROGRAM?

{Note 1: Did you receive/Have you received} this service at  
 {Note 2: PROGRAM}, another place {Note 3: PROGRAM} sent you to, or  
 somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	47.4	2,498	1	YES
2.1	1.0	54	2	NO
	51.6	2,722	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

**T519M2****SERVICES AFTER TX AT PLACE PGM SENT R?**

LIFE AFTER TX HELP FROM OTR PROGRAM?

{Note 1: Did you receive/Have you received} this service at  
{Note 2: PROGRAM}, another place {Note 3: PROGRAM} sent you to, or  
somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.6	34	1	YES
98.7	47.7	2,518	2	NO
	51.6	2,722	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 640-641

**T519M3****SERVICES RECVD AFTER TX SOMEWHERE ELSE?**

LIFE AFTER TX HELP FROM SOMEWHERE ELSE?

{Note 1: Did you receive/Have you received} this service at  
{Note 2: PROGRAM}, another place {Note 3: PROGRAM} sent you to, or  
somewhere else? CODE ALL THAT APPLY.

Note 1: See T203 Note 4

Note 2: See T93 Note 1

Note 3: See T93 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	1.6	85	1	YES
96.7	46.8	2,467	2	NO
	51.6	2,722	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 642-643

**T520****HELPLEFULNESS OF LIFE AFTER TX SERVS**

How helpful were the services you received? Would you say very helpful, somewhat helpful, or not at all helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	37.2	1,960	1	VERY HELPFUL
21.6	10.4	550	2	SOMEWHAT HELPFUL
1.6	0.8	40	3	NOT AT ALL HELPFUL
	51.6	2,722	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 644-645

**T523****OVERALL HELPLEFULNESS OF PROGRAM**

Finally, in general, {Note 1: did/has} {Note 2: PROGRAM} {Note 3: help/ helped} you very much, somewhat, or not at all? CODE ONE ONLY.

Note 1: See T410 Note 4

Note 2: See T93 Note 1

Note 3: See T410 Note 6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	64.9	3,425	1	VERY MUCH
28.4	28.4	1,497	2	SOMEWHAT
6.5	6.5	344	3	NOT AT ALL
	0.0	1	-9	LEGITIMATE SKIP
	0.1	6	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 646-647

**SECTION I: ANALYSIS VARIABLES****T547                      ELAPSED MINUTES FOR SCR**

5,274 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 648-649

**T548                      ELAPSED MINUTES FOR A**

5,274 cases (Range of valid codes: 0-118)

Data type: numeric

Columns: 650-652



**T549****ELAPSED MINUTES FOR B**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	41	0	
18.7	18.7	988	1	
25.8	25.8	1,361	2	
22.5	22.5	1,187	3	
13.6	13.6	715	4	
8.2	8.2	435	5	
4.2	4.2	221	6	
2.2	2.2	116	7	
1.4	1.4	72	8	
0.7	0.7	37	9	
0.5	0.5	28	10	
0.3	0.3	17	11	
0.1	0.1	7	12	
0.1	0.1	7	13	
0.1	0.1	3	14	
0.1	0.1	3	15	
0.1	0.1	4	16	
0.0	0.0	2	17	
0.1	0.1	6	18	
0.1	0.1	3	19	
0.0	0.0	2	20	
0.1	0.1	3	21	
0.0	0.0	1	22	
0.0	0.0	1	23	
0.0	0.0	2	24	
0.0	0.0	1	25	
0.0	0.0	1	28	
0.0	0.0	1	29	
0.0	0.0	2	31	
0.0	0.0	1	32	
0.0	0.0	1	38	
0.0	0.0	1	41	
0.0	0.0	1	53	
0.0	0.0	1	57	
0.0	0.0	1	74	
	0.0	1	.	(No Data)
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Columns: 653-654

**T550****ELAPSED MINUTES FOR C**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	51.9	2,739	0	
33.9	33.9	1,786	1	
8.9	8.9	468	2	
2.7	2.7	145	3	
1.2	1.2	65	4	
0.5	0.5	25	5	
0.2	0.2	13	6	
0.2	0.2	10	7	
0.1	0.1	4	8	
0.2	0.2	8	9	
0.1	0.1	3	10	
0.0	0.0	1	11	
0.0	0.0	1	12	
0.0	0.0	1	13	
0.0	0.0	2	14	
0.0	0.0	1	15	
0.0	0.0	1	16	
	0.0	1	.	(No Data)

-----	-----	-----	
100.0	100.0	5,274	cases

Data type: numeric  
Columns: 655-656

**T551****ELAPSED MINUTES FOR D**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	19.1	1,007	0	
41.4	41.4	2,182	1	
23.9	23.9	1,259	2	
9.0	9.0	476	3	
3.4	3.4	179	4	
1.1	1.1	59	5	
0.7	0.7	37	6	
0.5	0.5	24	7	
0.2	0.2	11	8	
0.2	0.2	12	9	
0.1	0.1	4	10	
0.1	0.1	4	11	
0.0	0.0	1	12	
0.1	0.1	3	13	
0.0	0.0	1	14	
0.0	0.0	2	15	
0.0	0.0	2	16	
0.0	0.0	1	17	
0.0	0.0	1	18	
0.0	0.0	1	19	
0.0	0.0	1	20	
0.0	0.0	2	21	
0.0	0.0	1	29	
0.0	0.0	1	30	
0.0	0.0	1	53	
0.0	0.0	1	120	
	0.0	1	.	(No Data)
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Columns: 657-659

**T552****ELAPSED MINUTES FOR E**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	34.5	1,817	0	
37.9	37.9	2,000	1	
16.9	16.9	892	2	
6.3	6.3	333	3	
2.3	2.3	119	4	
0.6	0.6	34	5	
0.7	0.7	37	6	
0.3	0.3	17	7	
0.1	0.1	6	8	
0.0	0.0	2	9	
0.1	0.1	3	10	
0.1	0.1	3	11	
0.0	0.0	1	12	
0.0	0.0	2	13	
0.0	0.0	2	14	
0.0	0.0	1	16	
0.0	0.0	1	17	
0.0	0.0	1	19	
0.0	0.0	1	24	
0.0	0.0	1	45	
	0.0	1	.	(No Data)
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric  
Columns: 660-661

**T553****ELAPSED MINUTES FOR F**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	46.5	2,454	0	
34.6	34.6	1,827	1	
11.7	11.7	619	2	
4.1	4.1	217	3	
1.3	1.3	69	4	
0.7	0.7	36	5	
0.3	0.3	16	6	
0.2	0.2	10	7	
0.2	0.2	10	8	
0.0	0.0	2	9	
0.1	0.1	4	10	
0.0	0.0	1	11	
0.0	0.0	1	12	
0.0	0.0	1	14	
0.0	0.0	1	16	
0.0	0.0	2	17	
0.0	0.0	1	18	
0.0	0.0	1	22	
0.0	0.0	1	24	
	0.0	1	.	(No Data)
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Columns: 662-663

**T554****ELAPSED MINUTES FOR G**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	498	0	
38.9	38.6	2,036	1	
26.8	26.6	1,403	2	
12.8	12.7	669	3	
6.7	6.6	350	4	
2.6	2.6	137	5	
1.2	1.2	63	6	
0.5	0.5	26	7	
0.2	0.2	12	8	
0.2	0.2	10	9	
0.1	0.1	5	10	
0.1	0.1	4	11	
0.0	0.0	1	12	
0.1	0.1	3	13	
0.1	0.1	4	14	
0.1	0.1	3	16	
0.0	0.0	1	18	
0.0	0.0	1	19	
0.0	0.0	1	30	
0.0	0.0	1	94	
	0.0	1	-9	LEGITIMATE SKIP
	0.0	1	-8	NOT ASKED OF MINORS
	0.0	1	-7	NOT ASKED OF INMATES
	0.0	1	-6	NOT APPLICABLE
	0.8	42	-3	MISSING
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 664-665

**T555****ELAPSED MINUTES FOR H**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	392	0	
37.9	37.9	1,999	1	
25.7	25.7	1,357	2	
12.7	12.7	672	3	
6.3	6.3	332	4	
3.0	3.0	157	5	
1.9	1.9	102	6	
1.4	1.4	74	7	
0.8	0.8	43	8	
0.5	0.5	27	9	
0.4	0.4	20	10	
0.2	0.2	12	11	
0.3	0.3	16	12	
0.1	0.1	6	13	
0.1	0.1	3	14	
0.1	0.1	3	15	
0.0	0.0	1	16	
0.2	0.2	8	17	
0.1	0.1	6	18	
0.2	0.2	9	19	
0.0	0.0	1	20	
0.0	0.0	2	21	
0.0	0.0	1	22	
0.1	0.1	3	23	
0.1	0.1	3	24	
0.1	0.1	3	25	
0.0	0.0	2	26	
0.1	0.1	3	27	
0.0	0.0	2	29	
0.0	0.0	2	31	
0.1	0.1	4	33	
0.0	0.0	1	35	
0.0	0.0	1	36	
0.0	0.0	1	38	
0.0	0.0	1	39	
0.0	0.0	1	40	
0.0	0.0	2	42	
0.0	0.0	1	43	
	0.0	1	.	(No Data)
-----	-----	-----		
100.0	100.0	5,274	cases	

Data type: numeric

Columns: 666-667

<b>T556</b>	<b>ELAPSED MINUTES FOR K</b>
-------------	------------------------------

5,274 cases (Range of valid codes: 0-109)

Data type: numeric

Columns: 668-670

<b>T128</b>	<b>REASON FOR NTEQ ELIGIBILITY</b>
-------------	------------------------------------

INTERVIEWER CODED-ITEM: DENOTES WHICH ONE OF THREE CRITERIA WAS INVOKED IN DECLARING THE RESPONDENT ELIGIBLE FOR THE NTEQ INTERVIEW.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	636	1	MONTHS
16.2	16.2	854	2	R < 48 HOURS DISCHARGE
71.7	71.7	3,784	3	STOPPED TREATMENT
-----	-----	-----		
100.0	100.0	5,274		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 671-672