

**National Treatment Improvement
Evaluation Study (NTIES),
1992-1997**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Center for Substance Abuse Treatment*

NTIES Patient Record Abstraction Form
(NPRAF) Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

NEDS

NATIONAL EVALUATION DATA SERVICES

NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY:

DOCUMENTATION AND CODEBOOK FOR
PUBLIC USE DATA FILE 4

CLIENT-LEVEL DATA:
NTIES PATIENT RECORD ABSTRACTION FORM

APRIL 2000

CSAT
Center for Substance
Abuse Treatment
SAMHSA

CALIBER
ASSOCIATES

NORC
AT THE
UNIVERSITY OF CHICAGO



NATIONAL EVALUATION DATA SERVICES

**NATIONAL TREATMENT IMPROVEMENT
EVALUATION STUDY:**

**Documentation and Codebook for
Public Use Data File 4**

**Client-Level Data:
NTIES Patient Record Abstraction Form**

Prepared by

**Ann Ragin, Ph.D.
Hee-Choon Shin, Ph.D.
Marianna Toce
Dean R. Gerstein, Ph.D.**

**National Opinion Research Center
1155 East 60th Street, Chicago, Illinois 60637
1350 Connecticut Avenue, NW, Suite 500
Washington, DC 20036**

April 2000

This document was supported by the Center for Substance Abuse Treatment, Department of Health and Human Services, Caliber/NEDS Contract No. 270-97-7016.

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	i
ACKNOWLEDGMENTS	iii
OVERVIEW OF THE NTIES PUBLIC USE DATA FILES	iv
ABSTRACT	vi
DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS (1990-1992)	1
TREATMENT DEMONSTRATION PROGRAMS	1
Target Cities	1
Critical Populations	2
Incarcerated and Non-Incarcerated Criminal Justice Populations	2
DESCRIPTION OF THE NTIES DESIGN	2
The Administrative/Services Component	2
Clinical Treatment Outcomes Component	3
DESCRIPTION OF SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE	4
PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES	8
USER RESPONSIBILITY	9
NTIES PATIENT RECORDS ABSTRACTION FORM CODEBOOK	11

FOREWORD

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important mission of CSAT is to expand the availability of effective substance abuse treatment and recovery services. To aid in accomplishing that mission, CSAT has invested and continues to invest significant resources in the development and acquisition of high quality data about substance abuse treatment services, clients, and outcomes. Sound scientific analysis of this data provides evidence upon which to base answers to questions about what kinds of treatment work best for what groups of clients, and about which treatment approaches are cost-effective methods for curbing addiction and addiction-related behaviors.

In support of these efforts, the Program Evaluation Branch of CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of data management and scientific support services across various programmatic and evaluation activities. NEDS is a pioneering effort for CSAT in that the Center previously had no mechanisms established to pull together databases for broad analytic purposes or to house databases produced under an array of activities. One of the specific objectives of NEDS is to provide CSAT with flexible analytic capability to address policy-relevant questions about substance abuse treatment. This codebook and the cognate public use files have been produced in pursuit of this objective.

This documentation and data file codebook covers client-level information collected by the National Treatment Improvement Evaluation Study (NTIES), a major CSAT evaluation project conducted by the National Opinion Research Center with assistance from Research Triangle Institute. NTIES analyzed data from approximately 70 service delivery units (SDUs) funded by CSAT demonstration grants. The data reflects client treatment experiences from 1993 through 1994.

General questions regarding the proper uses and limitations of these public use data files should be directed to the Substance Abuse and Mental Health Data Archive (SAMHDA) Helpline at 1-888-741-7242. Readers who are interested in more detailed information about the NTIES project are invited to visit the NEDS website at: <http://neds.calib.com>. The NEDS website provides the NTIES Final Report (1997), additional NTIES reports and Fact Sheets, and copies of all data collection instruments employed in NTIES.

Sharon Bishop, Project Director
National Evaluation Data Services

ACKNOWLEDGMENTS

This codebook was prepared by Ann Ragin, Ph.D., Hee-Choon Shin, Ph.D., Marianna Toce, and Dean R. Gerstein, Ph.D. In addition, the following individuals at NORC (except as noted) made significant contributions: A. Rupa Datta, Gayle Hutchinson, Tim Smith, and Kathleen Jordan, Ph.D. (the last two from Research Triangle Institute), who co-authored the patient questionnaires with Dean Gerstein; Joseph Taylor and Lee Lefes, who developed the original NTIES electronic codebook; Julia S. Ingels, the NTIES project director; and Alma Kuby, who assisted in managing the codebook production task.

We wish to thank the Center for Substance Abuse Treatment staff who provided overall guidance and direction to the NTIES project and its follow-through in NEDS, with particular thanks to Ron Smith, Ph.D., Program Evaluation Branch, CSAT.

Caliber Associates is the prime contractor for NEDS in partnership with Battelle Centers for Public Health Research and Evaluation (CPHRE); the Lewin Group; and the National Opinion Research Center (NORC). The NTIES Public Use Data Files were produced by NORC under the NEDS contract.

The Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies (OAS) has provided data archiving through the Substance Abuse and Mental Health Data Archive (SAMHDA) contract. The Inter-university Consortium for Political and Social Research (ICPSR) at the University of Michigan, in its role as the SAMHDA contractor, provides ready access to substance abuse and mental health research data and promotes the sharing of these data among researchers, academics, policymakers, service providers, and others. We wish to thank Charlene S. Lewis, Ph.D., Office of Applied Studies, SAMHSA, for her assistance in this cooperative effort between NEDS and SAMHDA.

OVERVIEW OF THE NTIES PUBLIC USE DATA FILES

Three levels of the NTIES data have been released to the public through the Substance Abuse and Mental Health Data Archive (SAMHDA): Service Delivery Unit (SDU) level data (e.g., treatment program revenues and costs, services provided, treatment orientations and practices), clinician-level data (e.g., clinician background, training, demographics, etc), and client-level data (e.g., client background, pre- and post-treatment drug use, employment, criminal behaviors, etc).

In addition to the Clinical Unit Public Use Data File (PUDF: File 5) which contains data from the first two levels, namely SDU- and clinician-level, interested users can also access four NTIES client-level PUDFs. Each of the 6,593 records in the Clinical Unit file contains data from the clinical unit in which a specific NTIES client was admitted to treatment, and each includes a unique client identifier number that can be matched to one or all of the four companion client-level PUDFs. A thorough disclosure analysis was performed on all three levels of data to safeguard against the possible identification of individual clients, clinicians, or SDUs.

The material in this document provides a description of the NTIES study design, data collection procedures, and content for the Patient Record Abstraction Form (File 4). Limitations of the public use data and user responsibilities are also described. To summarize, the contents of the five NTIES PUDFs are:

File 1: Client-level data: NTIES Research Intake Questionnaire (NRIQ). Administered during the client's first 3 weeks of treatment, the NRIQ file contains data for 6,593 persons admitted to substance abuse treatment in 1993-1994 in 71 SDUs.

File 2: Client-level data: NTIES Treatment Experience Questionnaire (NTEQ). Contains data for 5,294 clients collected at the time of discharge from treatment.

File 3: Client-level data: NTIES Post-discharge Assessment Questionnaire (NPAQ). Contains data for 5,388 clients collected approximately one year after discharge.

File 4: Client-level data: NTIES Patient Record Abstraction Form (NPRAF). Contains data on 6,412 clients, compiled by NTIES research staff on the treatment records of those clients.

File 5: Clinical-unit data: NTIES Baseline Administrative Report (NBAR) and the NTIES Clinician Form (NCF). Contains information about the clinical units in which NTIES clients received treatment.

The Public Use Data Files have been made available in three different formats to maximize access to the data by end users: (1) as a compiled SPSS data file (file extension: *.sav); as a SAS transport file (file extension: *.tsp); and as an ASCII text file (file extension: *.dat). Further assistance regarding archive data in general, the use of specific data formats, documentation, downloading, or website technical issues can be found on the SAMHDA website at <http://www.icpsr.umich.edu/SAMHDA/> or by calling the SAMHDA project Helpline at 1-800-741-7242.

ABSTRACT

This volume contains one of five codebooks for the National Treatment Improvement Evaluation Study (NTIES), 1992-1997. The NTIES data cover the characteristics and behavior of 6,593 persons admitted to substance abuse treatment in 1993-1994 in 78 of the clinical service delivery units receiving demonstration program funding from the Center for Substance Abuse Treatment. There are also data on characteristics of the clinical units that provided the treatment services. Data were collected in computer-assisted personal interviews with clients at admission to treatment, discharge from treatment, and approximately one year after discharge from treatment; from clinical records, program administrators, and clinicians; and from arrest reports and results of urine assays at the one-year follow-up. The data have been edited to assure the confidentiality of clients and facilitate analysis by evaluation researchers.

**DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT
EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE
TREATMENT DEMONSTRATIONS**

The National Treatment Improvement Evaluation Study (NTIES) was a national evaluation of the effectiveness of substance abuse treatment services delivered in comprehensive treatment demonstration programs supported by the Center for Substance Abuse Treatment (CSAT). The NTIES project (1992-1997) was designed and performed for CSAT by the National Opinion Research Center at the University of Chicago with assistance from Research Triangle Institute. The NTIES project collected longitudinal data between 1992 and 1995 on a purposive sample of clients in treatment programs receiving demonstration grant funding from CSAT. Client-level data were obtained at treatment intake, at treatment exit, and one year after treatment exit. Service delivery unit data from the administrator and from individual clinicians were obtained at two time points one year apart. For a fuller description of the study, see the NTIES Final Report, prepared by Dean R. Gerstein and associates, available from the following web address: <http://neds.calib.com/products/abstract.cfm?ProductID=52>

TREATMENT DEMONSTRATION PROGRAMS

CSAT initiated three major demonstration programs and made 157 multi-year treatment enhancement awards across 47 states and several territories during 1990 through 1992. One objective common to all demonstrations was CSAT's emphasis on the provision of "comprehensive treatment" services to targeted client populations. The recipients of these awards focused special attention on the substance abuse treatment service needs of minority and special populations located primarily within large metropolitan areas. The demonstration programs are briefly described below.

Target Cities

Under this demonstration, nine metropolitan areas were selected to receive awards, of which half were included in the NTIES purposive sample. The following treatment improvement activities were explicitly provided for in the awards:

- Establishment of a Central Intake Unit (CIU) with automated client tracking and referral systems in place
- Provision of comprehensive services, including vocational, educational, biological, psychological, informational, and lifestyle components
- Improved inter-agency coordination (e.g., mental health, criminal justice, and human service agencies)
- Services for special populations—adolescents, pregnant and postpartum women, racial and ethnic minorities, and public housing residents.

2.2 Critical Populations

Under this demonstration program, awardees were required to implement “model enhancements” to existing treatment services for one or more of the following critical populations: racial and ethnic minorities, residents of public housing, and/or adolescents. Special emphasis was given to services provided to the homeless, the dually diagnosed, or persons living in rural areas. A total of 130 grants was awarded, covering services such as vocational support/counseling, housing assistance, integrated mental health and/or medical services, coordinated social services, culturally directed services, and others.

2.3 Incarcerated and Non-Incarcerated Criminal Justice Populations

Under this demonstration program, funds were directed toward improving the standard of comprehensive treatment services for criminally involved clients in correctional and other settings. Some program emphasis was placed on ethnic and/or racial minorities. Nine Correctional Setting demonstrations were funded: five in prisons, three in local jails, and one across a network of juvenile detention facilities. All projects included a screening component to identify substance-abusing inmates, a variety of targeted treatment interventions (e.g., therapeutic communities, intensive day treatment programs), and a substantial aftercare component.

Ten non-incarcerated projects were funded. Five programs targeted interventions at clients in diversionary programs, three focused services on probationers or parolees, and two programs targeted both populations. Almost all of the funded demonstration projects included the following components:

- Basic eligibility determination, followed by systematic screening and assessment
- Referral to treatment
- Graduated sanctions and incentives while in treatment
- Intensive supervision in treatment
- Community-based aftercare with supervision and service coordination.

In total, 19 criminal justice projects were funded as part of the CSAT 1990-1992 demonstrations, and as indicated below, these projects were purposively over-sampled in order to obtain a more robust evaluation of this program.

THE NTIES DESIGN

The Administrative/Services Component

The NTIES study design had two levels—an administrative/services component and a clinical treatment outcomes component. The administrative component was designed to assess how CSAT demonstration funds were used, what improvements in services were implemented at the program level, and what kind and how many programs and clients were affected by the demonstration awards. Four data collection instruments were used to gather administrative data on treatment services: the NTIES Baseline Administration Report (NBAR), the NTIES Continuing Administrative Report (NCAR), the NTIES Exit Log, and the NTIES Clinician Form (NCF).

The unit of analysis for the administrative component, the service delivery unit (SDU), was defined by CSAT as a single site offering a single level of care. The classification of *level of care* is based on three parameters: (1) facility type (e.g., hospital, etc.); (2) intensity of care (e.g., 24-hour, etc.); and (3) type of service (e.g., outpatient, etc.). An SDU could be a standalone treatment provider or it could be one component of a multi-tiered treatment organization. For example, a large county mental health agency may be the *organization* within which the SDU is located. The organization may have multiple substance abuse treatment components, such as a county hospital and a county (ambulatory) mental health center. The county hospital may have multiple SDUs, such as an inpatient detoxification service, an outpatient counseling service, and a hospital satellite center providing transitional care. In summary, the SDU provided NTIES evaluators with a stable, uniform platform of comparison for examining service delivery issues.

A range of key clinician-specific data elements (within the administrative component) was assessed using the NTIES Clinician Form (NCF). The NCF items were an important adjunct to the SDU level instruments; these items assessed clinician training, experience, client exposure, and service provision, and were completed by all counseling and clinical (medical and therapeutic) staff at the individual SDUs.

The Clinical Treatment Outcomes Component

The unit of analysis for the clinical treatment outcomes component was individual client data. NTIES measured the clinical outcomes of treatment primarily through a *before/after* or *pre- to post-treatment* design. This method compares behaviors or other individual characteristics in the same participants, measured in similar ways, before and after an intervention.

Information about clients' lives for the *before-treatment* period was obtained from the NTIES Research Intake Questionnaire (NRIQ), which was administered within the first three weeks of treatment. The specific areas assessed included:

- Drug and alcohol use
- Employment
- Criminal justice involvement and criminal behaviors
- Living arrangements
- Mental and physical health.

Information about clients' lives for the *after-treatment* period was obtained from the NTIES Post-discharge Assessment Questionnaire (NPAQ), with the same areas assessed an average of 11 months post-treatment. Other client data sources included a treatment discharge interview (NTIES Treatment Experience Questionnaire, NTEQ), abstracted client records, urine drug screens collected at the time of the follow-up interview, and arrest reports from state databases.

Between August 1993 and October 1994, research staff successfully enrolled 78 SDUs in NTIES. These SDUs were chosen from the universe of 792 SDUs (see Exhibit 1) participating in the demonstration grants from CSAT. Some of the selected facilities were wholly supported by CSAT awards, while others received only indirect support or none.

Clients were interviewed in person using a computer-assisted interview protocol shortly after their first day of treatment. Fifteen percent of the eligible clients at the 78 NTIES SDUs refused or avoided participation at intake, a recruitment rate of 85 percent, yielding 6,593 intake interviews (NRIQ). Of those clients successfully recruited into NTIES, 80 percent (N=5,274) completed the NTEQ at or near the time when they left treatment, and 82 percent (N=5,388) completed the NPAQ, nominally about one year after the end of treatment, but in fact with a much wider range of post-treatment durations due to a variety of practical obstacles and constraints.

A number of exclusion criteria were implemented at the time the NTIES Final Report was developed, yielding an analytical sample of clients that comprised a subset of those completing the various questionnaires. These exclusions, which were also reflected in a number of published analyses since the Final Report, were as follows:

- All clients in 7 of the 78 SDUs were excluded from follow-up eligibility due to the very small numbers enrolled in these SDUs and their geographic isolation from other SDUs, a combination of circumstances that made these follow-up interviews very uneconomical to collect.
- All clients whose treatment exit dates were missing or undetermined were excluded from the outcome analyses.
- All clients with NPAQ follow-up intervals of less than 5 or more than 16 months were excluded from the outcome analyses.
- All clients incarcerated for most or all of the follow-up period were excluded from the outcome analyses. (Nearly all of these clients had been treated while incarcerated, and were not yet released into the community at the time of the NPAQ interview.)

There was some overlap in applicability across these exclusion criteria. About 50 clients were affected by each of the first two criteria, about 300 by the third criterion, and about 700 by the fourth criterion. These exclusions resulted in a net outcome analysis sample of 4,411 individuals (identified by variable IN_4411 in the NPAQ data file), representing 71 of the 78 SDUs.

Note that all of the interview data collected from clients of 78 SDUs at treatment intake, exit, and follow-up are included in the NTIES public use file. Users of these files may therefore select different analytical samples—larger or smaller than the N of 4,411—for outcome analysis or other purposes, depending on their analytic interests. The data management variables QUEXSTAT, TFSCOMP, and DURAPDP provide further information for sample selection.

SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE

The 71 SDUs contributing clients to the previously published outcome analyses are characterized by modality and demonstration program type in Exhibit 1 below. Among the 698 SDUs in the NTIES universe after removal of 94 specialized service units that did not provide treatment per se, 52 percent (n=365) were in Target Cities programs, 39 percent (n=274) were in

Critical Populations programs, and 9 percent (n=59) were in Criminal Justice programs. Of the 71 SDUs represented in the NTIES outcome analysis, 44 percent were Target Cities programs, 38 percent were Critical Populations programs, and 23 percent were Criminal Justice programs. Criminal Justice SDUs were purposely over-sampled as part of the NTIES evaluation design. Nearly half of the sampled SDUs were (non-methadone) outpatient programs, and about one-quarter were long-term residential programs.

As shown in Exhibit 2, 59 percent of the NTIES clients represented in the Final Report and other published outcome analysis sample were from Target Cities SDUs. Slightly more than 21 percent of the NTIES outcome sample clients were from Critical Populations SDUs and 20 percent were from Criminal Justice SDUs. Outpatient (non-methadone) SDUs treated over one-third (35%) of the clients in the outcomes analysis sample, and almost 80 percent of these were sampled from Target Cities programs.

EXHIBIT 1						
SDUs IN THE OUTCOME ANALYSIS SAMPLE						
Program Title Number of SDUs (% of NTIES Universe)*	NTIES Sample	Methadone	Outpatient	Long- Term Residential	Short- Term Residential	Correc- tional
Target Cities n=365 (52%)	31 (44%)	6	15	6	4	0
Critical Populations n=274 (39%)	27 (38%)	1	13	10	3	0
Criminal Justice n=59 (9%)	13 (23%)	0	5	0	0	8
Totals N=698 (100%)	71 (100%)	7	33	16	7	8

- The original NTIES universe of SDUs included a program type called *Specialized Services*. Because clients for the outcome analysis sample were not drawn from these SDUs (n=94), they are excluded from the Exhibit.

EXHIBIT 2					
DISTRIBUTION OF CLIENTS IN THE OUTCOMES ANALYSIS SAMPLE					
Program Title Number of Clients (% of Analysis Sample)	Methadone	Outpatient	Long-Term Residential	Short-Term Residential	Correctional
Target Cities n=2,600 (59%)	377 (89%)	1,214 (78%)	504 (60%)	505 (58%)	0
Critical Populations n=931 (21%)	45 (11%)	220 (14%)	298 (35%)	368 (42%)	0
Criminal Justice n=880 (20%)	0	132 (8%)	39 (5%)	0	709 (100%)
Totals n=4,411 (100%)	422	1,566	841	873	709

PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES

It is the intention of CSAT to make much of the NTIES data available through public use data files (PUDFs). It is necessary, however, to maintain the confidentiality of individuals participating in research. This is especially critical due to the sensitive nature of the NTIES information about illicit drug use and other illegal activity, motivation for using substances and clinical treatment details. Participating individuals were given assurance of confidentiality. In order to protect confidentiality, a disclosure analysis of the data was conducted. This analysis resulted in protective modifications of the data.

In order to create PUDFs from the original restricted use files, all potential identifiers in the client questionnaires were documented and steps necessary to address disclosure risk were delineated. This analysis aimed to minimize the chance of client identification while preserving analytic utility. Procedures necessary to guard against direct or indirect disclosure of event or identity included eliminating obvious identifiers, such as names and publicly available identification numbers. The reasons for these eliminations are obvious and are consistent with those of most publicly available social science data sets, whether they are produced by the government or by other research institutions. Other potential identifiers were reviewed individually. Variables such as specific dates of admission and discharge were supplanted with measures of length-of-stay and post-discharge period duration. The data were also screened for the potential deductive disclosure risk of outlying continuous variables and very low frequency categorical values. In order to minimize the chance of client identification, it was necessary to truncate extreme values, categorize some continuous variables or recode some categorical variables. Fifty to one hundred responses per category was deemed adequate to protect against deductive disclosure even assuming decomposition of the sample into smaller subgroups. In some instances, responses were recoded with median values. As a final resort, it was necessary to remove some variables from the PUDF. This disclosure protection was only used for items that were impossible to mask through re-categorization or for which a median value substitution would be analytically inutile. Even those response values numerous in the data were inspected through three- and four- way cross-tabs to check for rare footprints. All variables revealing cell sizes of three or fewer respondents were recoded either according to the preferences discussed above or to other substantially similar values or to 'missing.' In the disclosure analysis, two rounds of data masking yielded a small cell rate of 1.69% (458 small cells out of 23137 cells total). Three rounds of data masking reduced the small cell rate to .4%, a proportion which is acceptable under standard confidentiality protocols.

NTIES used a two-level design in which clients were clustered within SDUs. The identity of recipients and subrecipients of NTIES demonstration awards is a matter of public record, and the considerable variation among SDUs for a number of parameters render individual SDUs

relatively easy to identify. This in itself does not imply unacceptable risk of disclosure; however if SDUs were identifiable and if they could be linked with clients, there would be disclosure risk to clients. Careful study of the NTIES data indicated that directly linking client data and unmodified SDU data, even with overt SDU identifiers removed, would compromise disclosure protection for clients. Therefore the data from SDUs represented in these files has been modified by three strategies: (a) removal of all identifying information about these units, (b) recoding and aggregation of administrative and clinical staff information into broad research-focused categories that preclude isolation of particular SDU “footprints”, and (c) limiting the number of items of information available about each unit. This public use file permits researchers to exploit the multi-level design in which clients are clustered within SDUs, without compromising client confidentiality.

Because of the disclosure alterations to the restricted-use files that have been available only to the NTIES and NEDS contract research team, estimates derived from the PUF will not always match exactly the detailed results published in SAMHSA reports. There may be slight bias in either direction, if present, owing to the suppression of a sparse number of cases by setting some values to missing.

It is important to note that the data from NTIES were collected from SDUs receiving CSAT support. Individuals served by CSAT grants were generally from vulnerable and underserved populations (minorities, pregnant women, youth, public housing residents, welfare recipients, and those in the criminal justice system). Results from NTIES may not generalize to all clients in substance abuse treatment or to all kinds of service delivery units. Nonetheless, the NTIES data are a rich source of information about CSAT-supported substance abuse treatment and clinical outcomes among vulnerable and underserved populations. The data will allow researchers to study the efficacy of substance abuse treatment and factors that influence course and outcome.

USER RESPONSIBILITY

Users are reminded that these data are intended to be used solely for statistical analysis, reporting, and evaluation of aggregated information and not for investigation of specific individuals or organizations.

FREQUENCIES

GENERAL CASE INFORMATION

CASEID	PATIENT ID
--------	------------

Patient record number in SDU files

6,420 cases (Range of valid codes: 113-9993897)

Data type: numeric

Columns: 1-7

NTIES TREATMENT SETTING/PROGRAM TYPE

PRGMTYPE	PROGRAM TYPE
-----------------	---------------------

ADMINISTRATIVE VARIABLE FROM CSAT RECORDS, REFERRING TO NTIES SDU AT WHICH R_s NTIES TREATMENT EPISODE OCCURRED. DENOTES DEMONSTRATION PROGRAM UNDER WHICH SDU RECEIVED FUNDING FROM CSAT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	19.2	1,235	1	CRITICAL POPULATIONS
24.9	24.9	1,601	2	CORRECTIONAL SETTINGS
3.4	3.4	219	3	OFFENDERS
50.5	50.5	3,243	4	TARGET CITIES
0.7	0.7	47	5	JUSTICE
1.2	1.2	75	6	PUBLIC HOUSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 8

TRT2	REVISED TREATMENT MODALITY
-------------	-----------------------------------

ADAPTED FROM NTIES VARIABLE TRTMENT - INPATIENT AND RESIDENTIAL CASES COMBINED DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	29.3	1,881	1	SHORT-TERM RESIDENTIAL/IN-PATIENT
30.5	30.5	1,955	2	LONG-TERM RESIDENTIAL/IN-PATIENT
8.0	8.0	512	3	OUT-PATIENT METHADONE
32.3	32.3	2,072	4	AMBULATORY OUT-PATIENT
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 9

PRG2	REVISED PROGRAM TYPE
-------------	-----------------------------

ADAPTED FROM NTIES VARIABLE PRGMTYPE - ADOLESCENT/JUVENILE JUSTICE AND PUBLIC HOUSING FOLDED INTO CRITICAL POPULATIONS AND NON-INCARCERATED OFFENDERS COMBINED WITH CORRECTIONAL SETTINGS DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	21.1	1,357	1	AJJ/PH
28.3	28.3	1,820	2	CRIMINAL JUSTICE
50.5	50.5	3,243	3	TARGET CITIES
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 10

CELL	ANALYSIS VARIABLE
-------------	--------------------------

INTERACTION OF NTIES VARIABLES PRG2 AND TRT2. METHADONE SDUs OF ALL PROGRAM TYPES ARE COMBINED IN ONE CELL DUE TO INSUFFICIENT SAMPLE SIZE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	561	1	CP/SR
6.8	6.8	434	2	CP/LR
4.7	4.7	300	3	CP/OP
10.0	10.0	645	4	TC/SR
9.5	9.5	613	5	TC/LR
23.9	23.9	1,535	6	TC/OP
10.5	10.5	675	7	CJ/SR
14.1	14.1	908	8	CJ/LR
3.7	3.7	237	9	CJ/OP
8.0	8.0	512	10	METHADONE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 11-12

CELL2

ANALYSIS VARIABLE V.2

SDUs CATEGORIZED BY MODALITY EXCEPT CRIMINAL JUSTICE SDUs PULLED
OUT AS A SEPARATE CELL.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	512	1	METHADONE
31.2	31.2	2,004	2	NON-METHADONE OUT-PATIENT
18.8	18.8	1,206	3	SHORT-TERM RESIDENTIAL
17.1	17.1	1,097	4	LONG-TERM RESIDENTIAL
24.9	24.9	1,601	5	CORRECTIONAL SETTINGS
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Column: 13

F3_2

NTIES LAST TX DAY

3 Date of last NTIES treatment:
DAY:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.1	199	1	
3.3	2.8	179	2	
3.4	2.9	185	3	
3.2	2.8	178	4	
3.1	2.6	170	5	
4.6	3.9	252	6	
3.1	2.6	168	7	
3.4	2.9	188	8	
2.9	2.5	161	9	
3.3	2.9	184	10	
3.1	2.6	169	11	
2.3	2.0	129	12	
2.3	2.0	128	13	
3.7	3.2	203	14	
3.6	3.1	200	15	
3.5	3.0	191	16	
2.3	2.0	129	17	
3.9	3.4	216	18	
3.2	2.7	174	19	
3.3	2.9	184	20	
3.3	2.8	181	21	
3.4	2.9	189	22	
2.6	2.2	144	23	
3.2	2.7	176	24	
2.9	2.5	160	25	
2.5	2.1	137	26	
3.0	2.6	164	27	
3.3	2.9	183	28	
4.2	3.6	233	29	
3.7	3.2	206	30	
2.7	2.3	146	31	
	8.1	517	-4	MULTIPLE RESPONSES
	1.3	83	-3	MISSING
	4.9	314	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 16-17

F3_3	NTIES LAST TX YEAR
-------------	---------------------------

3 Date of last NTIES treatment:
YEAR:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	17.3	1,113	93	
74.5	63.9	4,102	94	
5.3	4.6	294	95	
	8.1	518	-4	MULTIPLE RESPONSES
	1.2	79	-3	MISSING
	4.9	314	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 18-19

SECTION B: BILLING AND PAYMENT

F4 1RY SRCE OF PYMT FOR NTIES TX EPISODE?

4 Primary Source of Payment billed for NTIES Treatment Episode
(CODE ONE):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	3.3	210	1	PRIV HLTH INSURANCE/PRIV HLTH PLAN/HMO
13.5	9.5	608	2	SELF-PAY/RS MONEY
30.7	21.6	1,387	3	MEDICAID/CHAMPUS/CHAMPVA
4.4	3.1	199	4	OTHER INSURANCE (SPECIFY)
41.1	28.9	1,855	5	OTHER GOVERNMENT SOURCE
5.6	4.0	255	6	ANOTHER SOURCE (SPECIFY)
	0.0	2	-4	MULTIPLE RESPONSES
	0.7	44	-3	MISSING
	29.0	1,860	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 20-21

F7	TOTAL \$-CHARGE FOR NTIES TX
-----------	-------------------------------------

7 What was the total charge for the NTIES treatment episode?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	3.5	225	0	NONE
29.5	11.9	763	1	LESS THAN 500
15.4	6.2	399	2	500-1000
25.6	10.3	664	3	1001-5000
20.8	8.4	539	4	MORE THAN 5000
	2.8	180	-3	MISSING
	56.8	3,649	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 22-23

F7A_1	PATIENT \$-AMOUNT
--------------	--------------------------

7a Amount billed for NTIES treatment episode to each source:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	3.2	203	0	NONE
8.3	3.9	251	1	50 OR LESS
5.5	2.6	165	2	51-500
1.1	0.5	33	3	MORE THAN 500
78.4	36.8	2,365	4	TOTAL CODED IN F7
	3.1	199	-9	LEGITIMATE SKIP
	9.0	575	-3	MISSING
	41.0	2,629	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 24-25

F7A_2**INSURANCE \$-AMOUNT**

7a Amount billed for NTIES treatment episode to each source:
\$:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	4.2	269	0	NONE
0.2	0.1	4	1	50 OR LESS
0.5	0.2	12	2	51-500
0.2	0.1	5	3	MORE THAN 500
89.1	36.8	2,365	4	TOTAL CODED IN F7
	3.1	199	-9	LEGITIMATE SKIP
	9.8	632	-3	MISSING
	45.7	2,934	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 26-27

F7A_3**GOVERNMENT \$-AMOUNT**

7a Amount billed for NTIES treatment episode to each source:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	1.2	77	0	NONE
7.8	3.7	240	1	LESS THAN 500
7.0	3.3	213	2	500-2000
5.5	2.6	169	3	MORE THAN 2000
77.2	36.8	2,365	4	TOTAL CODED IN F7
	3.1	199	-9	LEGITIMATE SKIP
	8.2	528	-3	MISSING
	41.0	2,629	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 28-29

F8 PATN ON PAROLE/PROBATION AT ADMIT?

8 Was patient on parole or probation at NTIES admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	23.6	1,518	1	YES
67.3	48.7	3,124	2	NO
	2.6	167	-3	MISSING
	25.1	1,611	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 30-31

F9 PATN WENT ON PROBATION/PAROLE DURING TX

9 Did patient acquire parole or probation status during treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	2.1	137	1	YES
96.3	54.8	3,519	2	NO
	0.0	1	-5	NOT APPLICABLE
	4.9	316	-3	MISSING
	38.1	2,447	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 32-33

SECTION C: PROBLEMS AND DIAGNOSIS

F10A **DSM-III CODE**

10a What was the primary diagnosis at NTIES admission? (COPY VERBATIM; ALSO COPY ANY DIAGNOSIS CODES IN RECORD IN 10a AND 10b): STATISTICAL DSM CODE IF PRESENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	8.5	545	1	OPIATE DEPENDENCE (304.00-09/.70-79)
8.3	3.2	207	2	ALCOHOL ABUSE (305.00-09)
18.0	7.0	449	3	ALCOHOL DEPENDENCE (303.90-99)
6.9	2.7	173	4	COCAINE ABUSE (305.60-69)
34.3	13.3	855	5	COCAINE DEPENDENCE (304.20-29)
1.8	0.7	44	6	MARIJUANA ABUSE (305.20-29)
1.5	0.6	38	7	MARIJUANA DEPENDENCE (304.30-39)
1.3	0.5	33	8	OTHER DRUG ABUSE (OTHER 305.XX)
4.8	1.9	119	9	OTHER DRUG DEPENDENCE (OTHER 304.XX)
0.4	0.2	11	10	PSYCHIATRIC/NON-DRUG (294-302.99, 306-320)
0.8	0.3	21	11	ORGANIC (1-293.99, 320-999)
0.0	0.0	0	12	UNRECOGNIZED CODE (>999)
	46.4	2,979	-3	MISSING
	14.7	946	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 34-35

F10B OTHER CODE

10b What was the primary diagnosis at NTIES admission? (COPY VERBATIM; ALSO COPY ANY DIAGNOSIS CODES IN RECORD IN 10a AND 10b) STATISTICAL DSM OR OTHER ICD CODE IF PRESENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	0.5	33	1	OPIATE DEPENDENCE (304.00-09/.70-79)
5.8	0.5	35	2	ALCOHOL ABUSE (305.00-09)
24.8	2.3	150	3	ALCOHOL DEPENDENCE (303.90-99)
3.8	0.4	23	4	COCAINE ABUSE (305.60-69)
17.7	1.7	107	5	COCAINE DEPENDENCE (304.20-29)
3.6	0.3	22	6	MARIJUANA ABUSE (305.20-29)
8.9	0.8	54	7	MARIJUANA DEPENDENCE (304.30-39)
2.3	0.2	14	8	OTHER DRUG ABUSE (OTHER 305.XX)
3.3	0.3	20	9	OTHER DRUG DEPENDENCE (OTHER 304.XX)
3.1	0.3	19	10	PSYCHIATRIC/NON-DRUG (294-302.99, 306-320)
18.6	1.8	113	11	ORGANIC (1-293.99, 320-999)
2.6	0.2	16	12	UNRECOGNIZED CODE (>999)
	73.2	4,701	-3	MISSING
	17.3	1,113	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 36-37

F11 MORE THAN 1 DIAGNOSIS AT NTIES ADMIT

11 Is there more than one diagnosis at NTIES admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	44.1	2,833	1	YES
55.0	53.8	3,456	2	NO
	0.0	1	-5	NOT APPLICABLE
	1.9	125	-3	MISSING
	0.1	5	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 38-39

F11B**DSM-III CODE**

11b What is the secondary diagnosis at NTIES admission? (COPY
SECONDARY DIAGNOSIS VERBATIM AND ENTER ANY DIAGNOSIS CODES AT 11b
AND 11c) STATISTICAL DSM CODE IF PRESENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.5	32	1	OPIATE DEPENDENCE (304.00-09/.70-79)
9.0	1.2	77	2	ALCOHOL ABUSE (305.00-09)
53.6	7.1	458	3	ALCOHOL DEPENDENCE (303.90-99)
5.5	0.7	47	4	COCAINE ABUSE (305.60-69)
10.2	1.4	87	5	COCAINE DEPENDENCE (304.20-29)
3.7	0.5	32	6	MARIJUANA ABUSE (305.20-29)
6.4	0.9	55	7	MARIJUANA DEPENDENCE (304.30-39)
1.4	0.2	12	8	OTHER DRUG ABUSE (OTHER 305.XX)
3.0	0.4	26	9	OTHER DRUG DEPENDENCE (OTHER 304.XX)
3.2	0.4	27	10	PSYCHIATRIC/NON-DRUG (294-302.99, 306-320)
0.2	0.0	2	11	ORGANIC (1-293.99, 320-999)
0.0	0.0	0	12	UNRECOGNIZED CODE (>999)
	55.9	3,587	-5	NOT APPLICABLE
	25.5	1,635	-3	MISSING
	5.3	343	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

F11C	OTHER CODE
-------------	-------------------

11c What is the secondary diagnosis at NTIES admission? (COPY SECONDARY DIAGNOSIS VERBATIM AND ENTER ANY DIAGNOSIS CODES AT 11b AND 11c) STATISTICAL DSM OR OTHER ICD CODE IF PRESENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	4	1	OPIATE DEPENDENCE (304.00-09/.70-79)
1.1	0.0	3	2	ALCOHOL ABUSE (305.00-09)
9.3	0.4	26	3	ALCOHOL DEPENDENCE (303.90-99)
0.0	0.0	0	4	COCAINE ABUSE (305.60-69)
3.6	0.2	10	5	COCAINE DEPENDENCE (304.20-29)
1.8	0.1	5	6	MARIJUANA ABUSE (305.20-29)
31.4	1.4	88	7	MARIJUANA DEPENDENCE (304.30-39)
1.8	0.1	5	8	OTHER DRUG ABUSE (OTHER 305.XX)
3.2	0.1	9	9	OTHER DRUG DEPENDENCE (OTHER 304.XX)
10.0	0.4	28	10	PSYCHIATRIC/NON-DRUG (294-302.99, 306-320)
33.6	1.5	94	11	ORGANIC (1-293.99, 320-999)
2.9	0.1	8	12	UNRECOGNIZED CODE (>999)
	55.9	3,587	-5	NOT APPLICABLE
	32.8	2,105	-3	MISSING
	7.0	448	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 42-43

F12	HIV/AIDS STATUS IN RECORD?
------------	-----------------------------------

12 Is HIV or AIDS status stated in record?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	24.8	1,590	1	YES
74.7	73.3	4,706	2	NO
	0.0	1	-5	NOT APPLICABLE
	1.9	121	-3	MISSING
	0.0	2	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 44-45

F12C**AIDS TESTING DONE BY SDU?**

12c Was any AIDS testing done by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	6.7	427	1	YES
72.4	17.4	1,120	2	NO
	75.2	4,830	-5	NOT APPLICABLE
	0.4	25	-3	MISSING
	0.3	18	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 46-47

F13M1**INHALANTS**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
INHALANTS

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	13	1	YES
99.8	95.6	6,138	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

F13M2	MARIJUANA
--------------	------------------

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
MARIJUANA
Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.7	878	1	YES
85.7	82.1	5,273	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 50-51

F13M3	CRACK
--------------	--------------

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
CRACK
Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	22.4	1,438	1	YES
76.6	73.4	4,713	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 52-53

F13M4**COCAINE POWDER**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
COCAINE POWDER

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	22.5	1,443	1	YES
76.5	73.3	4,708	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 54-55

F13M5**PCP OR ANGEL DUST**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
PCP OR ANGEL DUST

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	29	1	YES
99.5	95.4	6,122	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

F13M6 HALLUCINOGENS OR PSYCHEDELICS

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
 HALLUCINOGENS OR PSYCHEDELICS
 Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	22	1	YES
99.6	95.5	6,129	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 58-59

F13M7 UPPERS

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
 UPPERS
 Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	117	1	YES
98.1	94.0	6,034	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

F13M8**DOWNERS**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
DOWNERS

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	29	1	YES
99.5	95.4	6,122	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 62-63

F13M9**HEROIN**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
HEROIN

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.0	1,092	1	YES
82.2	78.8	5,059	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

F13M10 ILLEGAL METHADONE

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
 ILLEGAL METHADONE
 Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	11	1	YES
99.8	95.6	6,140	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 66-67

F13M11 OTHER NARCOTICS

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
 OTHER NARCOTICS
 Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	23	1	YES
99.6	95.5	6,128	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

F13M12**ALCOHOL**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
ALCOHOL

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	35.5	2,281	1	YES
62.9	60.3	3,870	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 70-71

F13M13**OTHER**

13 INSTRUCTIONS FOR Q13, PRIMARY DRUG PROBLEM AT NTIES ADMISSION:
OTHER

Code only for primary drug problem at admission to NTIES treatment episode. Generally only one drug will be cited as primary. If more than one drug is cited as primary, code all primary drugs and write "multi" to left of each circled primary drug code.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	132	1	YES
97.9	93.8	6,019	2	NO
	0.0	2	-5	NOT APPLICABLE
	1.1	69	-3	MISSING
	3.1	198	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

SECTION D: DRUG TESTS

F14 URINE TESTING DONE DURING NTIES TX?.

14 Does patient record show urine testing for substance use during NTIES treatment episode?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	38.4	2,464	1	YES
	61.6	3,956	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 74-75

F14A1**1ST URINE TEST DATE**

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	13.2	850	0.25	
9.2	3.2	204	0.50	
7.6	2.6	169	0.75	
5.6	1.9	123	1.00	
5.8	2.0	128	1.25	
2.7	0.9	60	1.50	
2.9	1.0	64	1.75	
2.0	0.7	45	2.00	
2.2	0.8	49	2.25	
2.0	0.7	44	2.50	
4.1	1.4	90	3.00	
3.7	1.3	82	4.00	
2.0	0.7	44	5.00	
2.2	0.8	49	6.00	
1.6	0.6	36	7.00	
1.6	0.6	36	8.00	
1.0	0.3	21	9.00	
1.2	0.4	27	10.00	
1.0	0.3	21	11.00	
0.8	0.3	17	12.00	
0.6	0.2	14	13.00	
0.5	0.2	10	14.00	
0.3	0.1	7	15.00	
0.2	0.1	4	16.00	
0.1	0.0	3	17.00	
0.2	0.1	4	18.00	
0.0	0.0	1	20.00	
0.4	0.1	8	42.00	
	2.8	181	-8.00	PREADMISSION
	62.8	4,029	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 76-80

F14A1M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: COCAINE/BENZOYLECOGNINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	8.5	544	1	YES
77.2	28.8	1,846	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 81-82

F14A1M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	5.1	328	1	YES
86.3	32.1	2,062	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 83-84

F14A1M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	3.7	237	1	YES
90.1	33.5	2,153	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 85-86

F14A1M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.5	29	1	YES
98.8	36.8	2,361	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 87-88

F14A1M5

METHAMPHETAMINE/AMPHETAMINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: METHAMPHETAMINE/AMPHETAMINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	19	1	YES
99.2	36.9	2,371	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 89-90

F14A1M6

MARIJUANA/HASHISH/THC POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	1.7	106	1	YES
95.6	35.6	2,284	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 91-92

F14A1M7**PCP POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	11	1	YES
99.5	37.1	2,379	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

F14A1M8**ANY OTHER POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 1: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	1.6	105	1	YES
95.6	35.6	2,285	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 95-96

F14A1M9**NO POSITIVE DRUG RESULT**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
1: NO POSITIVE DRUG RESULT
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	24.2	1,552	1	YES
35.1	13.1	838	2	NO
	62.8	4,030	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 97-98

F14A2

2ND URINE TEST DATE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	1.9	120	0.25	
8.0	1.5	98	0.50	
7.2	1.4	88	0.75	
9.4	1.8	116	1.00	
7.6	1.5	94	1.25	
5.7	1.1	70	1.50	
3.7	0.7	46	1.75	
3.9	0.7	48	2.00	
2.8	0.5	35	2.25	
5.0	1.0	62	2.50	
7.6	1.5	94	3.00	
5.8	1.1	71	4.00	
4.0	0.8	49	5.00	
4.4	0.8	54	6.00	
2.4	0.5	29	7.00	
2.1	0.4	26	8.00	
1.9	0.4	23	9.00	
1.6	0.3	20	10.00	
0.7	0.1	9	11.00	
1.0	0.2	12	12.00	
1.0	0.2	12	13.00	
0.6	0.1	7	14.00	
0.2	0.0	3	15.00	
0.2	0.0	2	16.00	
0.3	0.1	4	17.00	
0.1	0.0	1	18.00	
0.2	0.0	2	19.00	
0.1	0.0	1	20.00	
2.7	0.5	33	42.00	
	0.9	56	-8.00	PREADMISSION
	80.0	5,135	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 99-103

F14A2M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	3.9	248	1	YES
80.7	16.2	1,040	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 104-105

F14A2M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	3.2	207	1	YES
83.9	16.8	1,081	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 106-107

F14A2M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	4.1	262	1	YES
79.7	16.0	1,026	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 108-109

F14A2M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.2	15	1	YES
98.8	19.8	1,273	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 110-111

F14A2M6 MARIJUANA/HASHISH/THC POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.9	60	1	YES
95.3	19.1	1,228	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 112-113

F14A2M8 ANY OTHER POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.2	77	1	YES
94.0	18.9	1,211	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 114-115

F14A2M9**NO POSITIVE DRUG RESULT**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 2: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	12.8	820	1	YES
36.3	7.3	468	2	NO
	79.9	5,132	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 116-117

F14A3	3RD URINE TEST DATE
--------------	----------------------------

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.) MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	0.7	48	0.25	
4.0	0.5	35	0.50	
4.8	0.7	42	0.75	
5.3	0.7	47	1.00	
4.4	0.6	39	1.25	
7.0	1.0	62	1.50	
4.5	0.6	40	1.75	
5.9	0.8	52	2.00	
4.0	0.5	35	2.25	
5.5	0.8	49	2.50	
10.4	1.4	92	3.00	
8.0	1.1	71	4.00	
7.0	1.0	62	5.00	
7.5	1.0	66	6.00	
3.7	0.5	33	7.00	
2.8	0.4	25	8.00	
2.6	0.4	23	9.00	
1.2	0.2	11	10.00	
0.9	0.1	8	11.00	
1.7	0.2	15	12.00	
0.6	0.1	5	13.00	
0.5	0.1	4	14.00	
0.5	0.1	4	15.00	
0.3	0.0	3	16.00	
0.1	0.0	1	17.00	
0.1	0.0	1	18.00	
1.2	0.2	11	42.00	
	0.7	44	-8.00	PREADMISSION
	85.5	5,492	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 118-122

F14A3M1**COCAINE/BENZOYLEGCONINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	3.1	201	1	YES
78.3	11.3	724	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 123-124

F14A3M2**OPIATE/MORPHINE/CODEINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	2.6	169	1	YES
81.7	11.8	756	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 125-126

F14A3M3	METHADONE POSITIVE
----------------	---------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	3.6	231	1	YES
75.0	10.8	694	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 127-128

F14A3M4	BARBITURATE POSITIVE
----------------	-----------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	5	1	YES
99.5	14.3	920	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 129-130

F14A3M6**MARIJUANA/HASHISH/THC POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.5	33	1	YES
96.4	13.9	892	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 131-132

F14A3M8**ANY OTHER POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.8	52	1	YES
94.4	13.6	873	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 133-134

F14A3M9	NO POSITIVE DRUG RESULT
----------------	--------------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 3: NO POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.6	8.7	561	1	YES
39.4	5.7	364	2	NO
	85.6	5,495	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 135-136

F14A4**4TH URINE TEST DATE**

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.5	34	0.25	
2.2	0.2	15	0.50	
3.2	0.3	22	0.75	
3.3	0.4	23	1.00	
3.5	0.4	24	1.25	
5.2	0.6	36	1.50	
5.5	0.6	38	1.75	
4.6	0.5	32	2.00	
3.6	0.4	25	2.25	
4.9	0.5	34	2.50	
10.7	1.2	74	3.00	
10.1	1.1	70	4.00	
9.7	1.0	67	5.00	
9.1	1.0	63	6.00	
7.1	0.8	49	7.00	
3.2	0.3	22	8.00	
2.9	0.3	20	9.00	
1.7	0.2	12	10.00	
1.4	0.2	10	11.00	
0.7	0.1	5	12.00	
0.4	0.0	3	13.00	
0.4	0.0	3	14.00	
0.4	0.0	3	15.00	
0.3	0.0	2	16.00	
0.1	0.0	1	17.00	
0.4	0.0	3	42.00	
	0.4	27	-8.00	PREADMISSION
	88.8	5,703	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 137-141

F14A4M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	2.8	180	1	YES
74.7	8.3	532	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

F14A4M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	2.6	164	1	YES
77.0	8.5	548	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 144-145

F14A4M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	3.3	211	1	YES
70.4	7.8	501	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 146-147

F14A4M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.2	11	1	YES
98.5	10.9	701	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 148-149

F14A4M5

METHAMPHETAMINE/AMPHETAMINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: METHAMPHETAMINE/AMPHETAMINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.1	712	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 150-151

F14A4M6

MARIJUANA/HASHISH/THC POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.3	17	1	YES
97.6	10.8	695	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 152-153

F14A4M7**PCP POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.1	712	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 154-155

F14A4M8**ANY OTHER POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 4: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.8	53	1	YES
92.6	10.3	659	2	NO
	88.9	5,708	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 156-157

F14A5

5TH URINE TEST DATE

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.3	22	0.25	
1.6	0.1	9	0.50	
1.9	0.2	11	0.75	
2.9	0.3	17	1.00	
2.8	0.2	16	1.25	
2.6	0.2	15	1.50	
3.8	0.3	22	1.75	
5.3	0.5	31	2.00	
3.6	0.3	21	2.25	
5.9	0.5	34	2.50	
10.2	0.9	59	3.00	
12.4	1.1	72	4.00	
11.2	1.0	65	5.00	
9.7	0.9	56	6.00	
8.8	0.8	51	7.00	
5.0	0.5	29	8.00	
2.9	0.3	17	9.00	
2.1	0.2	12	10.00	
0.9	0.1	5	11.00	
0.7	0.1	4	12.00	
0.2	0.0	1	13.00	
0.5	0.0	3	14.00	
0.5	0.0	3	15.00	
0.2	0.0	1	16.00	
0.7	0.1	4	42.00	
	0.4	28	-8.00	PREADMISSION
	90.5	5,812	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 160-164

F14A5M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	2.3	148	1	YES
75.6	7.1	458	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 165-166

F14A5M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	1.8	117	1	YES
80.7	7.6	489	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

F14A5M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	3.0	191	1	YES
68.5	6.5	415	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 169-170

F14A5M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	7	1	YES
98.8	9.3	599	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 171-172

F14A5M6 MARIJUANA/HASHISH/THC POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	9	1	YES
98.5	9.3	597	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 173-174

F14A5M8 ANY OTHER POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.8	49	1	YES
91.9	8.7	557	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 175-176

F14A5M9

NO POSITIVE DRUG RESULT

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 5: NO POSITIVE DRUG TEST
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	5.1	330	1	YES
45.5	4.3	276	2	NO
	90.6	5,814	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 177-178

F14A6	6TH URINE TEST DATE
--------------	----------------------------

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.) MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.2	16	0.25	
2.4	0.2	12	0.50	
1.8	0.1	9	0.75	
2.2	0.2	11	1.00	
2.4	0.2	12	1.25	
2.8	0.2	14	1.50	
2.0	0.2	10	1.75	
2.6	0.2	13	2.00	
3.4	0.3	17	2.25	
6.3	0.5	31	2.50	
13.0	1.0	64	3.00	
13.0	1.0	64	4.00	
12.4	1.0	61	5.00	
5.9	0.5	29	6.00	
8.7	0.7	43	7.00	
7.3	0.6	36	8.00	
4.3	0.3	21	9.00	
2.6	0.2	13	10.00	
0.8	0.1	4	11.00	
1.2	0.1	6	12.00	
0.4	0.0	2	13.00	
0.2	0.0	1	14.00	
0.2	0.0	1	15.00	
0.2	0.0	1	18.00	
0.4	0.0	2	42.00	
	0.4	24	-8.00	PREADMISSION
	91.9	5,903	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 179-183

F14A6M1**COCAINE/BENZOYLEGCONINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	1.9	121	1	YES
76.3	6.1	390	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 184-185

F14A6M2**OPIATE/MORPHINE/CODEINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	1.7	111	1	YES
78.3	6.2	400	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 186-187

F14A6M3 METHADONE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	2.6	168	1	YES
67.1	5.3	343	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 188-189

F14A6M4 BARBITURATE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	8	1	YES
98.4	7.8	503	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 190-191

F14A6M6	MARIJUANA/HASHISH/THC POSITIVE
----------------	---------------------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	6	1	YES
98.8	7.9	505	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 192-193

F14A6M8	ANY OTHER POSITIVE
----------------	---------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 6: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.5	34	1	YES
93.3	7.4	477	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 194-195

F14A6M9**NO POSITIVE DRUG RESULT**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
6: NO POSITIVE DRUG
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	4.3	276	1	YES
46.0	3.7	235	2	NO
	92.0	5,909	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 196-197

F14A7

7TH URINE TEST DATE

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.3	22	0.25	
1.4	0.1	6	0.50	
1.2	0.1	5	0.75	
2.1	0.1	9	1.00	
2.3	0.2	10	1.25	
3.0	0.2	13	1.50	
3.7	0.2	16	1.75	
3.3	0.2	14	2.00	
2.1	0.1	9	2.25	
3.0	0.2	13	2.50	
14.0	0.9	60	3.00	
14.0	0.9	60	4.00	
12.6	0.8	54	5.00	
6.5	0.4	28	6.00	
6.1	0.4	26	7.00	
6.3	0.4	27	8.00	
5.1	0.3	22	9.00	
4.0	0.3	17	10.00	
0.9	0.1	4	11.00	
1.4	0.1	6	12.00	
0.9	0.1	4	13.00	
0.5	0.0	2	14.00	
0.2	0.0	1	42.00	
	0.3	22	-8.00	PREADMISSION
	93.0	5,970	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 198-202

F14A7M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: COCAINE/BENZOYLECOGNINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	1.6	105	1	YES
76.3	5.3	338	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 203-204

F14A7M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	1.4	87	1	YES
80.4	5.5	356	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 205-206

F14A7M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	2.4	151	1	YES
65.9	4.5	292	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 207-208

F14A7M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	6	1	YES
98.6	6.8	437	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 209-210

F14A7M8**ANY OTHER POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: ANY OTHER DRUG
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.4	28	1	YES
93.7	6.5	415	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 215-216

F14A7M9**NO POSITIVE DRUG RESULT**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 7: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	3.8	245	1	YES
44.7	3.1	198	2	NO
	93.1	5,977	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 217-218

F14A8	8TH URINE TEST DATE
--------------	----------------------------

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.) MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.2	15	0.25	
1.1	0.1	4	0.50	
3.1	0.2	11	0.75	
3.9	0.2	14	1.00	
1.7	0.1	6	1.25	
3.1	0.2	11	1.50	
1.4	0.1	5	1.75	
3.4	0.2	12	2.00	
2.0	0.1	7	2.25	
1.4	0.1	5	2.50	
14.0	0.8	50	3.00	
14.3	0.8	51	4.00	
12.9	0.7	46	5.00	
6.4	0.4	23	6.00	
7.0	0.4	25	7.00	
5.0	0.3	18	8.00	
4.5	0.2	16	9.00	
3.4	0.2	12	10.00	
4.8	0.3	17	11.00	
2.0	0.1	7	12.00	
0.3	0.0	1	13.00	
0.3	0.0	1	14.00	
	0.3	19	-8.00	PREADMISSION
	94.1	6,044	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 219-223

F14A8M1**COCAINE/BENZOYLEGCONINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	1.3	82	1	YES
78.0	4.5	291	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 224-225

F14A8M2**OPIATE/MORPHINE/CODEINE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	1.1	71	1	YES
81.0	4.7	302	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 226-227

F14A8M3 METHADONE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	2.0	126	1	YES
66.2	3.8	247	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 228-229

F14A8M4 BARBITURATE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	6	1	YES
98.4	5.7	367	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 230-231

F14A8M6	MARIJUANA/HASHISH/THC POSITIVE
----------------	---------------------------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	5	1	YES
98.7	5.7	368	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 232-233

F14A8M7	PCP POSITIVE
----------------	---------------------

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	373	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 234-235

F14A8M8 ANY OTHER POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.4	25	1	YES
93.3	5.4	348	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 236-237

F14A8M9 NO POSITIVE DRUG RESULT

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 8: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	3.2	208	1	YES
44.2	2.6	165	2	NO
	94.2	6,047	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 238-239

F14A9

9TH URINE TEST DATE

14a INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.2	10	0.25	
1.4	0.1	4	0.50	
2.0	0.1	6	0.75	
1.7	0.1	5	1.00	
2.0	0.1	6	1.25	
3.1	0.1	9	1.50	
2.4	0.1	7	1.75	
2.7	0.1	8	2.00	
2.7	0.1	8	2.25	
2.7	0.1	8	2.50	
10.9	0.5	32	3.00	
13.0	0.6	38	4.00	
14.0	0.6	41	5.00	
12.3	0.6	36	6.00	
3.8	0.2	11	7.00	
4.4	0.2	13	8.00	
4.8	0.2	14	9.00	
4.4	0.2	13	10.00	
5.8	0.3	17	11.00	
1.0	0.0	3	12.00	
0.3	0.0	1	13.00	
0.3	0.0	1	15.00	
0.7	0.0	2	42.00	
	0.2	15	-8.00	PREADMISSION
	95.2	6,112	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 240-244

F14A9M1 COCAINE/BENZOYLEGCONINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	1.1	68	1	YES
77.7	3.7	237	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 245-246

F14A9M2 OPIATE/MORPHINE/CODEINE POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.9	56	1	YES
81.6	3.9	249	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 247-248

F14A9M3**METHADONE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	1.5	99	1	YES
67.5	3.2	206	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 249-250

F14A9M4**BARBITURATE POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: BARBITURATE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	7	1	YES
97.7	4.6	298	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 251-252

F14A9M6 MARIJUANA/HASHISH/THC POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: MARIJUANA/HASHISH/THC POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	5	1	YES
98.4	4.7	300	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 253-254

F14A9M7 PCP POSITIVE

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	305	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 255-256

F14A9M8**ANY OTHER POSITIVE**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.2	14	1	YES
95.4	4.5	291	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 257-258

F14A9M9**NO POSITIVE DRUG RESULT**

14b INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 9: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	2.7	174	1	YES
43.0	2.0	131	2	NO
	95.2	6,115	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 259-260

F14A10	10TH URINE TEST DATE
---------------	-----------------------------

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.) MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	9	0.25	
2.5	0.1	6	0.50	
2.5	0.1	6	0.75	
3.7	0.1	9	1.00	
0.8	0.0	2	1.25	
2.1	0.1	5	1.50	
1.7	0.1	4	1.75	
3.7	0.1	9	2.00	
2.1	0.1	5	2.25	
4.5	0.2	11	2.50	
9.1	0.3	22	3.00	
12.4	0.5	30	4.00	
12.0	0.5	29	5.00	
12.8	0.5	31	6.00	
4.5	0.2	11	7.00	
5.4	0.2	13	8.00	
3.7	0.1	9	9.00	
3.3	0.1	8	10.00	
2.1	0.1	5	11.00	
5.0	0.2	12	12.00	
1.2	0.0	3	13.00	
0.4	0.0	1	14.00	
0.8	0.0	2	42.00	
	0.2	13	-8.00	PREADMISSION
	96.0	6,165	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 261-265

F14A10M1	COCAINE/BENZOYLEGCONINE POSITIVE
-----------------	---

ENTER CODES FOR TEST RESULTS FROM CODE LIST.

14b 10: COCAINE/BENZOYLECOGNINE POSITIVE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	0.8	51	1	YES
79.8	3.1	201	2	NO
	96.1	6,168	-7	NO DATA

 100.0 100.0 6,420 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267

F14A10M2	OPIATE/MORPHINE/CODEINE POSITIVE
-----------------	---

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD

14b 10: OPIATE/MORPHINE/CODEINE POSITIVE

RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)

ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.6	36	1	YES
85.7	3.4	216	2	NO
	96.1	6,168	-7	NO DATA

 100.0 100.0 6,420 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

F14A10M3 METHADONE POSITIVE

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 10: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	1.3	81	1	YES
67.9	2.7	171	2	NO
	96.1	6,168	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 270-271

F14A10M7 PCP POSITIVE

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 10: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	252	2	NO
	96.1	6,168	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 272-273

F14A10M8**ANY OTHER POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 10: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.3	20	1	YES
92.1	3.6	232	2	NO
	96.1	6,168	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 274-275

F14A10M9**NO POSITIVE DRUG RESULT**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 10: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	2.3	145	1	YES
42.5	1.7	107	2	NO
	96.1	6,168	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 276-277

F14A11	11TH URINE TEST DATE
---------------	-----------------------------

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
MONTH:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.2	10	0.25	
2.0	0.1	4	0.50	
4.4	0.1	9	0.75	
3.0	0.1	6	1.00	
2.0	0.1	4	1.25	
1.0	0.0	2	1.50	
1.5	0.0	3	1.75	
1.5	0.0	3	2.00	
3.0	0.1	6	2.25	
3.9	0.1	8	2.50	
11.8	0.4	24	3.00	
13.8	0.4	28	4.00	
7.9	0.2	16	5.00	
10.8	0.3	22	6.00	
6.4	0.2	13	7.00	
7.9	0.2	16	8.00	
3.4	0.1	7	9.00	
2.0	0.1	4	10.00	
1.5	0.0	3	11.00	
4.4	0.1	9	12.00	
2.5	0.1	5	13.00	
0.5	0.0	1	14.00	
	0.2	16	-8.00	PREADMISSION
	96.6	6,201	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 278-282

F14A11M1**COCAINE/BENZOYLEGCONINE POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: COCAINE/BENZOYLECOGNINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.7	45	1	YES
79.2	2.7	171	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 283-284

F14A11M2**OPIATE/MORPHINE/CODEINE POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	0.5	30	1	YES
86.1	2.9	186	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 285-286

F14A11M3 METHADONE POSITIVE

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	1.0	67	1	YES
69.0	2.3	149	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 287-288

F14A11M7 PCP POSITIVE

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	216	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 289-290

F14A11M8**ANY OTHER POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	14	1	YES
93.5	3.1	202	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 291-292

F14A11M9**NO POSITIVE DRUG RESULT**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 11: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	2.1	133	1	YES
38.4	1.3	83	2	NO
	96.6	6,204	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 293-294

F14A12	12TH URINE TEST DATE
---------------	-----------------------------

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.) MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	6	0.25	
3.0	0.1	5	0.50	
3.0	0.1	5	0.75	
0.6	0.0	1	1.00	
3.0	0.1	5	1.25	
1.2	0.0	2	1.50	
3.0	0.1	5	1.75	
1.2	0.0	2	2.00	
7.2	0.2	12	2.25	
2.4	0.1	4	2.50	
13.2	0.3	22	3.00	
15.0	0.4	25	4.00	
5.4	0.1	9	5.00	
10.2	0.3	17	6.00	
6.6	0.2	11	7.00	
4.8	0.1	8	8.00	
2.4	0.1	4	9.00	
3.6	0.1	6	10.00	
1.2	0.0	2	11.00	
3.0	0.1	5	12.00	
3.0	0.1	5	13.00	
1.2	0.0	2	14.00	
0.6	0.0	1	15.00	
0.6	0.0	1	17.00	
1.2	0.0	2	42.00	
	0.2	12	-8.00	PREADMISSION
	97.2	6,241	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 295-299

F14A12M1**COCAINE/BENZOYLEGCONINE POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: COCAINE/BENZOYLEGCONINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	0.4	23	1	YES
87.0	2.4	154	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 300-301

F14A12M2**OPIATE/MORPHINE/CODEINE POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: OPIATE/MORPHINE/CODEINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.3	21	1	YES
88.1	2.4	156	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 302-303

F14A12M3	METHADONE POSITIVE
-----------------	---------------------------

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: METHADONE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	0.7	43	1	YES
75.7	2.1	134	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 304-305

F14A12M5	METHAMPHETAMINE/AMPHETAMINE POSITIVE
-----------------	---

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: METHAMPHETAMINE/AMPHETAMINE POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	177	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

F14A12M7**PCP POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: PCP POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	177	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 308-309

F14A12M8**ANY OTHER POSITIVE**

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: ANY OTHER POSITIVE
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.2	11	1	YES
93.8	2.6	166	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 310-311

F14A12M9	NO POSITIVE DRUG RESULT
-----------------	--------------------------------

INSTRUCTIONS FOR Q14. URINE TEST RESULTS: RECORD
 14b 12: NO POSITIVE DRUG RESULT
 RESULTS FOR 12 MOST RECENT URINE TESTS. (SEE CODE LIST BELOW.)
 ENTER CODES FOR TEST RESULTS FROM CODE LIST.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	1.9	120	1	YES
32.2	0.9	57	2	NO
	97.2	6,243	-7	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

SECTION E: SERVICES PROVIDED TO CLIENT

F15A1**#-RCVD: INTAKE EXAM BY PHYSICIAN/NURSE.**

15a1 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	52.6	3,378	1	ONE TIME
2.5	1.4	88	2	2-3 TIMES
0.5	0.3	19	3	4-10 TIMES
0.3	0.1	9	4	11 OR MORE TIMES
	0.0	3	-5	NOT APPLICABLE
	0.8	54	-3	MISSING
	40.8	2,620	-2	NOT AVAILABLE
	3.9	249	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 314-315

F15A4**#-RCVD: NURSE/NURSE PRACTITIONER SERVICE**

15a4 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	9.3	594	1	ONE TIME
19.3	5.6	361	2	2-3 TIMES
23.8	6.9	445	3	4-10 TIMES
25.2	7.3	471	4	11 OR MORE TIMES
	1.4	88	-3	MISSING
	64.6	4,147	-2	NOT AVAILABLE
	4.9	314	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 320-321

F15A6**#-RCVD: INDIVIDUAL COUNSELING.**

15a6 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.1	391	1	ONE TIME
18.2	13.6	874	2	2-3 TIMES
29.4	21.9	1,408	3	4-10 TIMES
44.2	33.0	2,117	4	11 OR MORE TIMES
	1.0	62	-3	MISSING
	6.7	430	-2	NOT AVAILABLE
	17.7	1,138	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 322-323

F15A9	#-RCVD: EMPLOYMENT COUNSELING .
--------------	--

15a9 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	2.9	188	1	ONE TIME
17.6	3.2	204	2	2-3 TIMES
16.9	3.1	196	3	4-10 TIMES
49.3	8.9	572	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.1	73	-3	MISSING
	76.1	4,884	-2	NOT AVAILABLE
	4.7	302	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 328-329

F15A10	#-RCVD: JOB TRAINING.
---------------	------------------------------

15a10 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	0.6	39	1	ONE TIME
33.3	1.6	100	2	2-3 TIMES
9.7	0.5	29	3	4-10 TIMES
44.0	2.1	132	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.3	85	-3	MISSING
	92.5	5,936	-2	NOT AVAILABLE
	1.5	98	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 330-331

F15A13**#-RCVD: PRACTICAL SKILLS TRAINING.**

15a13 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	2.0	131	1	ONE TIME
11.5	2.6	165	2	2-3 TIMES
14.1	3.2	203	3	4-10 TIMES
65.2	14.6	936	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.2	76	-3	MISSING
	75.1	4,824	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
	1.3	83	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 336-337

F15A14 **#-RCVD: INTERPERSONAL SKILLS TRAINING .**

15a14 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	3.2	204	1	ONE TIME
13.2	4.4	282	2	2-3 TIMES
21.9	7.3	469	3	4-10 TIMES
55.4	18.5	1,186	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.0	62	-3	MISSING
	60.8	3,905	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
	4.8	310	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 338-339

F15A15**#-RCVD: PARENTING SKILLS TRAINING.**

15a15 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	1.5	95	1	ONE TIME
14.0	2.2	139	2	2-3 TIMES
15.5	2.4	153	3	4-10 TIMES
60.9	9.4	603	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.0	62	-3	MISSING
	82.6	5,300	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
	1.0	66	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 340-341

F15A16 **#-RCVD: AIDS EDUCATION.**

15a16 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	32.3	2,073	1	ONE TIME
20.0	9.8	632	2	2-3 TIMES
8.2	4.0	258	3	4-10 TIMES
6.1	3.0	191	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.0	63	-3	MISSING
	40.8	2,622	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
	9.0	579	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 342-343

F15A17**#-RCVD: ASSISTANCE GETTING BENEFITS.**

15a17 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	8.3	535	1	ONE TIME
27.4	3.4	219	2	2-3 TIMES
2.9	0.4	23	3	4-10 TIMES
2.9	0.4	23	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	0.9	56	-3	MISSING
	81.8	5,253	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
	4.8	309	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 344-345

F15A18**#-RCVD: LEGAL SERVICES.**

15a18 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	1.5	98	1	ONE TIME
33.8	0.8	50	2	2-3 TIMES
	0.0	1	-5	NOT APPLICABLE
	1.1	72	-3	MISSING
	94.2	6,049	-2	NOT AVAILABLE
	2.3	150	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 346-347

F15A19 # -RCVD: TRANSPORTATION SERVICES.

15a19 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	2.5	161	1	ONE TIME
18.6	2.0	126	2	2-3 TIMES
11.6	1.2	79	3	4-10 TIMES
46.1	4.9	313	4	11 OR MORE TIMES
	0.0	1	-5	NOT APPLICABLE
	1.0	66	-3	MISSING
	85.4	5,482	-2	NOT AVAILABLE
	3.0	192	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 348-349

F15A20 # -RCVD: PREGNANCY RELATED SERVICES.

15a20 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	93	7	SERVICE RECEIVED
	0.0	1	-5	NOT APPLICABLE
	1.0	62	-3	MISSING
	97.6	6,264	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 350-351

F15A21	#-RCVD: DAY CARE FOR CHILDREN.
---------------	---------------------------------------

15a21 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	92	7	SERVICE RECEIVED
	0.0	1	-5	NOT APPLICABLE
	1.0	63	-3	MISSING
	97.6	6,264	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 352-353

F15A22	#-RCVD: HOUSING ASSISTANCE.
---------------	------------------------------------

15a22 Scan patient record for services received by patient during NTIES treatment episode. For each service listed in Table 15, code in column A the number of times the service was received. If the code in column A=8, go to next service. Then go to next service.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	3.3	215	1	ONE TIME
7.3	0.3	17	3	4-10 TIMES
	0.0	1	-5	NOT APPLICABLE
	1.1	73	-3	MISSING
	91.0	5,840	-2	NOT AVAILABLE
	4.3	274	7	NUMBER UNCERTAIN
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: 7, lowest thru -1
 Columns: 354-355

SECTION F: MEDICATIONS

F16M1	ANALGESICS
--------------	-------------------

16M1 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
LIST ANALGESICS NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.8	627	1	YES
29.2	27.2	1,749	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 360-361

F16M2	ANTABUSE
--------------	-----------------

16M2 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
LIST ANTABUSE NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.4	155	1	YES
37.1	34.6	2,221	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 362-363

F16M3	ANTACIDS
--------------	-----------------

16M3 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST ANTACIDS NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.7	238	1	YES
35.7	33.3	2,138	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

F16M4	ANTIANSXIETY MEDICATIONS
--------------	---------------------------------

16M4 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST ANTIANSXIETY MEDICATIONS NAMES OF ALL MEDICATIONS EXACTLY AS
 THEY APPEAR IN RECORD AND CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.0	131	1	YES
37.5	35.0	2,245	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-367

F16M5	ANTICONVULSANTS
--------------	------------------------

16M5 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
LIST ANTICONVULSANTS NAMES OF ALL MEDICATIONS EXACTLY AS THEY
APPEAR IN RECORD AND CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	17	1	YES
39.4	36.7	2,359	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 368-369

F16M6	ANTIDEPRESSANTS
--------------	------------------------

16M6 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
LIST ANTIDEPRESSANTS NAMES OF ALL MEDICATIONS EXACTLY AS THEY
APPEAR IN RECORD AND CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	175	1	YES
36.8	34.3	2,201	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 370-371

F16M7	ANTIMANICS
--------------	-------------------

16M7 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST ANTIMANICS NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	29	1	YES
39.2	36.6	2,347	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

F16M8	METHADONE
--------------	------------------

16M8 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST METHADONE NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	7.9	504	1	YES
31.3	29.2	1,872	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 374-375

F16M9**MULTIVITAMINS**

16M9 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST MULTIVITAMINS NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR
 IN RECORD AND CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	11.6	747	1	YES
27.2	25.4	1,629	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 376-377

F16M11**SEDATIVES**

16M11 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST SEDATIVES NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	47	1	YES
38.9	36.3	2,329	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

F16M12	OTHER
---------------	--------------

16M12 WERE MEDICATIONS PRESCRIBED DURING NTIES TREATMENT EPISODE?
 LIST OTHER NAMES OF ALL MEDICATIONS EXACTLY AS THEY APPEAR IN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	21.7	1,390	1	YES
16.5	15.4	986	2	NO
60.3	56.2	3,605	3	NO RX IN RECORD
	0.0	1	-5	NOT APPLICABLE
	2.9	184	-3	MISSING
	4.0	254	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-381

F17	METHADONE GIVEN DURING EPISODE?
------------	--

17 Was methadone given during NTIES treatment episode?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	8.2	527	1	YES
88.6	63.7	4,092	2	NO
	1.2	79	-3	MISSING
	26.8	1,722	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 382-383

F17A1	METHADONE TX DATE-TX1
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	7.1	455	0.25	
0.4	0.0	2	0.50	
0.2	0.0	1	0.75	
0.2	0.0	1	2.00	
0.6	0.0	3	3.00	
0.8	0.1	4	5.00	
0.2	0.0	1	9.00	
0.6	0.0	3	12.00	
0.2	0.0	1	42.00	
	0.6	39	-8.00	PREADMISSION
	92.1	5,910	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 384-388

F17A1A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	5.8	373	1	30 OR LESS
17.5	1.4	89	2	31-40
5.5	0.4	28	3	41-50
3.7	0.3	19	4	MORE THAN 50
	91.8	5,894	-5	NOT APPLICABLE
	0.2	14	-3	MISSING
	0.0	3	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 389-390

F17A1A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	1.9	120	1	YES
67.6	3.9	250	2	NO
	91.8	5,894	-5	NOT APPLICABLE
	0.7	45	-3	MISSING
	1.7	111	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 391-392

F17A2	METHADONE TX DATE-TX2
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	4.5	292	0.25	
11.3	0.8	54	0.50	
10.1	0.7	48	0.75	
5.7	0.4	27	1.00	
1.5	0.1	7	1.25	
1.3	0.1	6	1.50	
1.3	0.1	6	1.75	
1.5	0.1	7	2.00	
0.6	0.0	3	2.25	
0.4	0.0	2	2.50	
1.0	0.1	5	3.00	
1.3	0.1	6	4.00	
0.6	0.0	3	5.00	
0.8	0.1	4	6.00	
0.4	0.0	2	7.00	
0.4	0.0	2	12.00	
0.2	0.0	1	13.00	
0.4	0.0	2	42.00	
	0.3	22	-8.00	PREADMISSION
	92.2	5,921	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 393-397

F17A2A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.8	54	1	30 OR LESS
56.9	4.4	283	2	31-40
18.1	1.4	90	3	41-50
14.1	1.1	70	4	MORE THAN 50
	92.1	5,914	-5	NOT APPLICABLE
	0.1	5	-3	MISSING
	0.1	4	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 398-399

F17A2A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	2.1	132	1	YES
61.1	3.2	207	2	NO
	92.1	5,914	-5	NOT APPLICABLE
	0.7	42	-3	MISSING
	1.9	125	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 400-401

F17A3	METHADONE TX DATE-TX3
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	2.4	151	0.25	
13.4	1.0	65	0.50	
4.3	0.3	21	0.75	
5.0	0.4	24	1.00	
8.1	0.6	39	1.25	
7.2	0.5	35	1.50	
9.1	0.7	44	1.75	
4.5	0.3	22	2.00	
1.0	0.1	5	2.25	
1.0	0.1	5	2.50	
3.5	0.3	17	3.00	
4.3	0.3	21	4.00	
2.1	0.2	10	5.00	
1.4	0.1	7	6.00	
0.6	0.0	3	7.00	
0.8	0.1	4	8.00	
0.2	0.0	1	9.00	
0.2	0.0	1	10.00	
0.2	0.0	1	11.00	
0.8	0.1	4	12.00	
0.2	0.0	1	13.00	
0.2	0.0	1	18.00	
0.4	0.0	2	42.00	
	0.1	6	-8.00	PREADMISSION
	92.4	5,930	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 402-406

F17A3A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	0.6	41	1	30 OR LESS
31.4	2.4	153	2	31-40
38.9	3.0	190	3	41-50
21.3	1.6	104	4	MORE THAN 50
	92.2	5,922	-5	NOT APPLICABLE
	0.1	7	-3	MISSING
	0.0	3	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 407-408

F17A3A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	1.9	121	1	YES
62.1	3.1	198	2	NO
	92.2	5,922	-5	NOT APPLICABLE
	0.8	51	-3	MISSING
	2.0	128	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 409-410

F17A4A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.8	51	1	30 OR LESS
27.2	1.9	125	2	31-40
22.8	1.6	105	3	41-50
38.9	2.8	179	4	MORE THAN 50
	92.7	5,951	-5	NOT APPLICABLE
	0.1	7	-3	MISSING
	0.0	2	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 416-417

F17A4A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	1.7	107	1	YES
64.6	3.0	195	2	NO
	92.7	5,951	-5	NOT APPLICABLE
	0.7	45	-3	MISSING
	1.9	122	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 418-419

F17A5	METHADONE TX DATE-TX5
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	1.0	64	0.25	
4.7	0.3	20	0.50	
5.9	0.4	25	0.75	
5.9	0.4	25	1.00	
2.8	0.2	12	1.25	
2.1	0.1	9	1.50	
1.2	0.1	5	1.75	
2.1	0.1	9	2.00	
1.6	0.1	7	2.25	
3.8	0.2	16	2.50	
15.8	1.0	67	3.00	
16.9	1.1	72	4.00	
4.0	0.3	17	5.00	
2.4	0.2	10	6.00	
5.4	0.4	23	7.00	
5.2	0.3	22	8.00	
1.6	0.1	7	9.00	
1.2	0.1	5	10.00	
0.5	0.0	2	11.00	
0.9	0.1	4	12.00	
0.2	0.0	1	13.00	
0.5	0.0	2	14.00	
0.2	0.0	1	42.00	
	0.0	3	-8.00	PREADMISSION
	93.3	5,992	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 420-424

F17A5A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	1.1	71	1	30 OR LESS
20.5	1.4	87	2	31-40
17.7	1.2	75	3	41-50
45.0	3.0	191	4	MORE THAN 50
	93.2	5,985	-5	NOT APPLICABLE
	0.1	9	-3	MISSING
	0.0	2	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 425-426

F17A5A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	1.7	106	1	YES
62.8	2.8	179	2	NO
	93.2	5,985	-5	NOT APPLICABLE
	0.6	39	-3	MISSING
	1.7	111	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 427-428

F17A6	METHADONE TX DATE-TX6
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	0.8	52	0.25	
3.6	0.2	14	0.50	
1.3	0.1	5	0.75	
6.0	0.4	23	1.00	
3.4	0.2	13	1.25	
1.8	0.1	7	1.50	
1.6	0.1	6	1.75	
1.8	0.1	7	2.00	
1.3	0.1	5	2.25	
2.1	0.1	8	2.50	
7.0	0.4	27	3.00	
15.8	1.0	61	4.00	
18.4	1.1	71	5.00	
2.1	0.1	8	6.00	
2.8	0.2	11	7.00	
2.8	0.2	11	8.00	
4.7	0.3	18	9.00	
4.9	0.3	19	10.00	
1.3	0.1	5	11.00	
0.8	0.0	3	12.00	
0.8	0.0	3	13.00	
1.3	0.1	5	14.00	
0.3	0.0	1	17.00	
0.3	0.0	1	22.00	
0.5	0.0	2	42.00	
	0.0	3	-8.00	PREADMISSION
	93.9	6,031	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 429-433

F17A6A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	1.3	81	1	30 OR LESS
18.5	1.1	71	2	31-40
18.0	1.1	69	3	41-50
42.4	2.5	163	4	MORE THAN 50
	93.8	6,025	-5	NOT APPLICABLE
	0.2	11	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 434-435

F17A6A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	1.2	78	1	YES
68.5	2.6	170	2	NO
	93.9	6,027	-5	NOT APPLICABLE
	0.7	44	-3	MISSING
	1.6	101	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 436-437

F17A7A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	1.1	70	1	30 OR LESS
18.8	1.0	63	2	31-40
17.0	0.9	57	3	41-50
43.3	2.3	145	4	MORE THAN 50
	94.6	6,075	-5	NOT APPLICABLE
	0.2	10	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 443-444

F17A7A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.9	60	1	YES
72.7	2.5	160	2	NO
	94.6	6,076	-5	NOT APPLICABLE
	0.5	32	-3	MISSING
	1.4	91	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 445-446

F17A8

METHADONE TX DATE-TX8

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.6	38	0.25	
6.9	0.3	19	0.50	
1.4	0.1	4	1.00	
0.4	0.0	1	1.25	
4.0	0.2	11	1.50	
0.7	0.0	2	1.75	
2.9	0.1	8	2.00	
1.8	0.1	5	2.25	
1.8	0.1	5	2.50	
6.5	0.3	18	3.00	
5.8	0.2	16	4.00	
4.3	0.2	12	5.00	
15.2	0.7	42	6.00	
18.4	0.8	51	7.00	
2.5	0.1	7	8.00	
2.2	0.1	6	9.00	
0.7	0.0	2	10.00	
0.7	0.0	2	11.00	
1.1	0.0	3	12.00	
3.6	0.2	10	13.00	
4.3	0.2	12	14.00	
0.4	0.0	1	15.00	
0.4	0.0	1	21.00	
0.4	0.0	1	42.00	
	0.0	3	-8.00	PREADMISSION
	95.6	6,140	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 447-451

F17A8A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	1.2	80	1	30 OR LESS
16.5	0.7	46	2	31-40
15.8	0.7	44	3	41-50
38.8	1.7	108	4	MORE THAN 50
	95.5	6,133	-5	NOT APPLICABLE
	0.1	9	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 452-453

F17A8A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	0.7	47	1	YES
73.7	2.1	132	2	NO
	95.5	6,133	-5	NOT APPLICABLE
	0.5	31	-3	MISSING
	1.2	76	-2	NOT AVAILABLE
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 454-455

F17A9	METHADONE TX DATE-TX9
--------------	------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	0.4	28	0.25	
11.2	0.4	26	0.50	
0.9	0.0	2	1.00	
0.4	0.0	1	1.25	
0.9	0.0	2	1.50	
3.0	0.1	7	1.75	
1.3	0.0	3	2.00	
2.1	0.1	5	2.25	
2.1	0.1	5	2.50	
4.7	0.2	11	3.00	
7.3	0.3	17	4.00	
4.3	0.2	10	5.00	
3.4	0.1	8	6.00	
14.6	0.5	34	7.00	
18.5	0.7	43	8.00	
2.1	0.1	5	9.00	
1.3	0.0	3	10.00	
1.3	0.0	3	11.00	
1.3	0.0	3	12.00	
0.4	0.0	1	13.00	
1.3	0.0	3	14.00	
2.6	0.1	6	15.00	
1.7	0.1	4	16.00	
0.4	0.0	1	19.00	
0.4	0.0	1	20.00	
0.4	0.0	1	42.00	
	0.1	5	-8.00	PREADMISSION
	96.3	6,182	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 456-460

F17A9A4	METHADONE DOSE (MG)
----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	1.2	77	1	30 OR LESS
15.7	0.6	37	2	31-40
14.9	0.5	35	3	41-50
36.6	1.3	86	4	MORE THAN 50
	96.2	6,176	-5	NOT APPLICABLE
	0.1	9	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 461-462

F17A9A5	METHADONE TAKEN HOME?
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	0.5	34	1	YES
75.7	1.7	106	2	NO
	96.2	6,177	-5	NOT APPLICABLE
	0.5	34	-3	MISSING
	1.1	69	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 463-464

F17A10	METHADONE TX DATE-TX10
---------------	-------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.3	22	0.25	
15.2	0.5	29	0.50	
0.5	0.0	1	0.75	
1.0	0.0	2	1.00	
0.5	0.0	1	1.50	
2.1	0.1	4	1.75	
3.1	0.1	6	2.00	
1.6	0.0	3	2.25	
2.1	0.1	4	2.50	
2.6	0.1	5	3.00	
7.9	0.2	15	4.00	
5.8	0.2	11	5.00	
3.1	0.1	6	6.00	
1.0	0.0	2	7.00	
16.2	0.5	31	8.00	
18.3	0.5	35	9.00	
0.5	0.0	1	10.00	
0.5	0.0	1	11.00	
1.6	0.0	3	12.00	
1.0	0.0	2	13.00	
1.0	0.0	2	15.00	
1.6	0.0	3	16.00	
1.0	0.0	2	17.00	
	0.1	4	-8.00	PREADMISSION
	97.0	6,225	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 465-469

F17A10A4	METHADONE DOSE (MG)
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	1.1	68	1	30 OR LESS
14.7	0.4	28	2	31-40
9.9	0.3	19	3	41-50
39.8	1.2	76	4	MORE THAN 50
	96.9	6,219	-5	NOT APPLICABLE
	0.2	10	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 470-471

F17A10A5	METHADONE TAKEN HOME?
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	0.3	22	1	YES
80.7	1.4	92	2	NO
	96.9	6,219	-5	NOT APPLICABLE
	0.4	26	-3	MISSING
	1.0	61	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 472-473

F17A11	METHADONE TX DATE-TX11
---------------	-------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.3	19	0.25	
17.1	0.4	28	0.50	
1.2	0.0	2	0.75	
1.8	0.0	3	1.00	
1.2	0.0	2	2.00	
3.7	0.1	6	2.25	
1.2	0.0	2	2.50	
4.3	0.1	7	3.00	
3.0	0.1	5	4.00	
7.3	0.2	12	5.00	
4.3	0.1	7	6.00	
3.0	0.1	5	7.00	
0.6	0.0	1	8.00	
17.7	0.5	29	9.00	
14.6	0.4	24	10.00	
1.8	0.0	3	11.00	
1.2	0.0	2	12.00	
1.2	0.0	2	13.00	
0.6	0.0	1	14.00	
0.6	0.0	1	15.00	
0.6	0.0	1	16.00	
1.2	0.0	2	19.00	
	0.0	3	-8.00	PREADMISSION
	97.4	6,253	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 474-478

F17A11A4	METHADONE DOSE (MG)
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	1.0	64	1	30 OR LESS
13.5	0.3	22	2	31-40
6.7	0.2	11	3	41-50
40.5	1.0	66	4	MORE THAN 50
	97.3	6,247	-5	NOT APPLICABLE
	0.2	10	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 479-480

F17A11A5	METHADONE TAKEN HOME?
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.2	16	1	YES
82.6	1.2	76	2	NO
	97.3	6,247	-5	NOT APPLICABLE
	0.5	29	-3	MISSING
	0.8	52	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 481-482

F17A12	METHADONE TX DATE-TX12
---------------	-------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	0.2	15	0.25	
22.0	0.5	29	0.50	
1.5	0.0	2	1.00	
0.8	0.0	1	2.00	
3.8	0.1	5	2.50	
5.3	0.1	7	3.00	
3.0	0.1	4	4.00	
6.8	0.1	9	5.00	
4.5	0.1	6	6.00	
2.3	0.0	3	7.00	
2.3	0.0	3	8.00	
4.5	0.1	6	9.00	
16.7	0.3	22	10.00	
10.6	0.2	14	11.00	
1.5	0.0	2	13.00	
0.8	0.0	1	14.00	
0.8	0.0	1	15.00	
0.8	0.0	1	18.00	
0.8	0.0	1	20.00	
	0.0	3	-8.00	PREADMISSION
	97.9	6,285	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 483-487

F17A12A4	METHADONE DOSE (MG)
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.9	60	1	30 OR LESS
12.9	0.3	17	2	31-40
4.5	0.1	6	3	41-50
37.1	0.8	49	4	MORE THAN 50
	97.8	6,277	-5	NOT APPLICABLE
	0.2	11	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 488-489

F17A12A5	METHADONE TAKEN HOME?
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	0.2	12	1	YES
83.6	1.0	61	2	NO
	97.8	6,277	-5	NOT APPLICABLE
	0.3	20	-3	MISSING
	0.8	50	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 490-491

F17A13	METHADONE TX DATE-TX13
---------------	-------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	0.25	
38.0	0.6	41	0.50	
1.9	0.0	2	0.75	
1.9	0.0	2	1.25	
2.8	0.0	3	2.50	
4.6	0.1	5	3.00	
0.9	0.0	1	4.00	
10.2	0.2	11	5.00	
3.7	0.1	4	6.00	
3.7	0.1	4	7.00	
1.9	0.0	2	8.00	
2.8	0.0	3	9.00	
5.6	0.1	6	10.00	
12.0	0.2	13	11.00	
7.4	0.1	8	12.00	
0.9	0.0	1	13.00	
0.9	0.0	1	20.00	
	0.0	3	-8.00	PREADMISSION
	98.3	6,309	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 492-496

F17A13A4	METHADONE DOSE (MG)
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	0.9	55	1	30 OR LESS
12.0	0.2	13	2	31-40
5.6	0.1	6	3	41-50
31.5	0.5	34	4	MORE THAN 50
	98.2	6,302	-5	NOT APPLICABLE
	0.2	10	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 497-498

F17A13A5	METHADONE TAKEN HOME?
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.1	7	1	YES
86.3	0.7	44	2	NO
	98.2	6,302	-5	NOT APPLICABLE
	0.3	17	-3	MISSING
	0.8	50	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 499-500

F17A14	METHADONE TX DATE-TX14
---------------	-------------------------------

17a INSTRUCTIONS FOR Q17. METHADONE TREATMENT: SPECIFY DATE, METHADONE DOSE, AND LOCATION OF THE FOLLOWING METHADONE TREATMENTS DURING NTIES TREATMENT EPISODE.

1. FIRST RECORDED DOSE AND TAKE-HOME STATUS.
2. USE APPLICABLE INSTRUCTION:
MONTHS SINCE DAY OF ADMISSION TO TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	0.5	31	0.50	
9.8	0.1	9	0.75	
1.1	0.0	1	1.25	
1.1	0.0	1	1.75	
1.1	0.0	1	2.25	
7.6	0.1	7	3.00	
1.1	0.0	1	4.00	
5.4	0.1	5	5.00	
6.5	0.1	6	6.00	
3.3	0.0	3	7.00	
1.1	0.0	1	9.00	
4.3	0.1	4	10.00	
1.1	0.0	1	11.00	
9.8	0.1	9	12.00	
5.4	0.1	5	13.00	
3.3	0.0	3	14.00	
2.2	0.0	2	15.00	
1.1	0.0	1	16.00	
1.1	0.0	1	17.00	
	0.0	3	-8.00	PREADMISSION
	98.5	6,325	-7.00	NO DATA
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 501-505

F17A14A4	METHADONE DOSE (MG)
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	0.9	55	1	30 OR LESS
4.3	0.1	4	2	31-40
3.3	0.0	3	3	41-50
32.6	0.5	30	4	MORE THAN 50
	98.5	6,321	-5	NOT APPLICABLE
	0.1	7	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 506-507

F17A14A5	METHADONE TAKEN HOME?
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	0.1	7	1	YES
84.8	0.6	39	2	NO
	98.5	6,321	-5	NOT APPLICABLE
	0.2	10	-3	MISSING
	0.7	43	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 508-509

F17B**METHADONE TAKEN HOME?**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	3.8	244	1	YES
94.5	65.0	4,175	2	NO
	0.3	21	-5	NOT APPLICABLE
	1.1	68	-3	MISSING
	29.8	1,912	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 510-511

SECTION G: TREATMENT OUTCOMES

F18 **R'S TX EPISODE ENDED?**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	87.7	5,631	1	YES
11.4	11.3	728	2	NO
	0.0	1	-4	MULTIPLE RESPONSES
	0.9	58	-3	MISSING
	0.0	2	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 512-513

F19 **PRIOR (NOT INMED) TX/DETOX EPISODES**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	28.5	1,828	1	YES
70.9	69.3	4,446	2	NO
	0.0	1	-5	NOT APPLICABLE
	2.2	140	-3	MISSING
	0.1	5	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 514-515

F20 **IMMED PRIOR TX EPISODES**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.6	1,260	1	YES
80.1	79.2	5,086	2	NO
	1.0	66	-3	MISSING
	0.1	8	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 516-517

F20A1 **DETOXIFICATION**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	16.5	1,059	1	YES
10.3	1.9	121	2	NO OR UNSPECIFIED
	80.4	5,161	-5	NOT APPLICABLE
	1.2	79	-3	MISSING
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 518-519

F20A2 **ORIENTATION**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	1.4	88	1	YES
88.3	10.3	661	2	NO OR UNSPECIFIED
	80.4	5,160	-5	NOT APPLICABLE
	7.9	506	-3	MISSING
	0.1	5	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 520-521

F20A3	TREATMENT?
--------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	2.5	158	1	YES
78.5	9.0	578	2	NO OR UNSPECIFIED
	80.4	5,161	-5	NOT APPLICABLE
	8.1	518	-3	MISSING
	0.1	5	-2	NOT AVAILABLE
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 522-523

F20B	SITE OF IMMEDIATELY PRECEDING EPISODE
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	9.0	580	1	IN A LINKED SDU
41.3	7.5	484	2	IN AN UNCONNECTED SDU
9.1	1.7	107	3	IN BOTH KINDS (MULTIPLE SDUs)
	80.4	5,160	-5	NOT APPLICABLE
	0.9	57	-3	MISSING
	0.5	32	4	UNKNOWN/NOT IN RECORD
-----	-----	-----		
100.0	100.0	6,420	cases	

Data type: numeric
 Missing-data codes: 4, lowest thru -1
 Columns: 524-525

SECTION H: CONSTRUCTED VARIABLES

PRAFMODE	QUEX MODE
----------	-----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	28.0	1,797	1	FULL NPRAF
72.0	72.0	4,623	2	MINI NPRAF
-----	-----	-----		
100.0	100.0	6,420		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 526