

**National Youth Survey [United States]: Wave III, 1978**

Delbert Elliott

*University of Colorado. Institute of Behavioral Science*

Codebook

## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

**\*\*Processor Note\*\***  
**NYS WAVE 3 1978:**  
**National Youth Survey**

**Processor Notes on Version 2**

- 1) Variables (V1, V2, V3, & V4) from previous versions of the data set were dropped as these are no longer in use.
- 2) The variables RECORD1 and RECORD2 were removed as individual cases are no longer split into 2 lines of data.

## TABEL OF CONTENTS

Sections	Page
CODEBOOK	
1) FREQUENCIES	1
a) Identification	1
b) Respondent Characteristics	3
c) Disruptive Events in the Home	12
d) Social Integration	28
i) Friends	28
ii) Social Activities	32
iii) Studying	33
iv) School Athletics	37
v) School Activities	41
vi) Community Activities	43
vii) Employment	49
viii) Family	54
ix) Religion	57
e) Aspirations	58
i) Current Success	58
ii) Future Aspirations	72
f) Maturation Indices	74
g) Expectation for Future Goals	84
h) Social Isolation	85
i) Normlessness	93
j) Labeling	100
i) Labeling by Parents	100
ii) Labeling by Friends	106
iii) Labeling by Teachers	112
k) Perceived Disapproval	118
i) Perceived Disapproval from Parents	118
ii) Perceived Disapproval from Peer	125
l) Counterlabeling	133
m) Attitudes Towards Deviance	139
n) Delinquent Peers	145
i) Exposure to Delinquent Peers	145
ii) Commitment to Delinquent Peers	152
o) Sex Roles	154
p) Interpersonal Violence	159
q) Attitudes toward Sexual Assault	164
r) Pressure for Substance Abuse by Peers	170
s) Exposure to Substance Abuse Among Parents	173
t) Self-Reported Delinquency	177

Sections	Page
FREQUENCIES continued	
u) Substance Use	245
i) Alcohol	245
ii) Tobacco	267
iii) Marijuana	277
iv) Hallucinogens	284
v) Tranquilizers	291
vi) Amphetamines	298
vii) Sedatives/Barbiturates	306
viii) Codeine	314
ix) Heroin	322
x) Cocaine	328
xi) Inhalants	336
xii) PCP	342
xiii) Other Substances	349
xiv) Cost of Alcohol, Tobacco, & Drugs	354
xv) Problem Behavior Resulting from Drug or Alcohol Use	357
v) Victimization	375
w) Respondent Observations	389
x) Interviewer Observations	394
y) Geographic Code	398
APPENDICES	
2. Appendix A: Original Codebook	401
3. Appendix B: Original Instrument	469
a) Log of Calls	471
b) Respondent Receipt Form	473
c) Refusal Form	475
d) Youth Interview Schedule	477
e) Interviewer Observations	523
f) Informed Youth Consent Form	525
g) Informed Parental Consent Form	527



<b>V46</b>	<b>DATA SET NUMBER</b>
------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	1,725	148	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 77-79

<b>V72</b>	<b>7I. CODING PROBLEMS</b>
------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	73.7	1,271	1	No coding problems
21.8	20.6	355	2	Coding problems
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 130-131

<b>V90</b>	<b>SOCIAL CLASS</b>
------------	---------------------

1,725 cases (Range of valid codes: 11-77)

Data type: numeric  
 Missing-data code: -1  
 Columns: 166-167

<b>V118</b>	<b>46.4 DUNCAN SOCIOEC INDX</b>
-------------	---------------------------------

1,725 cases (Range of valid codes: 3-78)

Data type: numeric  
 Missing-data code: -1  
 Columns: 222-223



V10

## 4. AGE

That makes you how old now? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	252	13	
14.9	14.9	257	14	
15.6	15.6	269	15	
15.0	15.0	258	16	
14.7	14.7	253	17	
13.9	13.9	239	18	
11.4	11.4	197	19	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 5-6

V11

## 5. WITH WHOM LIVING

With whom are you now living?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	58.8	1,015	1	Mother/father
13.8	13.0	225	2	Mother only
1.8	1.7	29	3	Father only
5.2	4.9	85	4	Mother/stepfather
1.2	1.1	19	5	Father/stepmother
2.6	2.5	43	6	Spouse
4.7	4.5	77	7	Roommate
0.3	0.3	5	8	Boy/girl friend
0.6	0.5	9	9	Alone
0.7	0.7	12	10	Moth/oth rel
0.6	0.6	10	11	Moth/oth non-rel
0.2	0.2	3	12	Fath/oth rel
0.0	0.0	0	13	Fath/oth non-rel
0.3	0.3	5	14	Moth/fath/rel
0.0	0.0	0	15	Moth/fath/non-rel
3.4	3.2	55	16	Relatives
2.0	1.9	33	17	Other
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 7-8

<b>V12</b>	<b>6A1. EVENT-MARRIAGE</b>
------------	----------------------------

Have any of the following events ever happened to you?

Marriage

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	91.2	1,573	1	No
3.3	3.1	53	2	Yes
	5.7	99	-1	
-----				
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 9-10

<b>V13</b>	<b>6A2. WHEN-MONTH-MAR</b>
------------	----------------------------

IF YES to V12: When? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	1	1	
9.6	0.3	5	3	
7.7	0.2	4	4	
5.8	0.2	3	5	
11.5	0.3	6	6	
15.4	0.5	8	7	
19.2	0.6	10	8	
9.6	0.3	5	9	
7.7	0.2	4	10	
7.7	0.2	4	11	
3.8	0.1	2	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	97.0	1,673	-1	
-----				
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 11-12

<b>V14</b>	<b>6A3. WHEN-YEAR-MAR</b>
------------	---------------------------

IF YES to V12: When? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.2	4	75	
11.5	0.3	6	76	
19.2	0.6	10	77	
61.5	1.9	32	78	
	97.0	1,673	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 13-14

<b>V15</b>	<b>6B1. EVENT-CHILDREN</b>
------------	----------------------------

Have any of the following events ever happened to you?

Have you had any children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	91.6	1,580	1	No
2.8	2.7	46	2	Yes
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 15-16

<b>V16</b>	<b>6B2. WHEN-MONTH-CHILD</b>
------------	------------------------------

IF YES to V15: When? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	3	1	
4.3	0.1	2	2	
4.3	0.1	2	3	
6.5	0.2	3	4	
8.7	0.2	4	6	
10.9	0.3	5	7	
2.2	0.1	1	8	
19.6	0.5	9	9	
8.7	0.2	4	10	
10.9	0.3	5	11	
17.4	0.5	8	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	97.3	1,679	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 17-18

<b>V17</b>	<b>6B3. WHEN-YEAR-CHILD</b>
------------	-----------------------------

IF YES to V15: When? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	3	75	
15.2	0.4	7	76	
21.7	0.6	10	77	
56.5	1.5	26	78	
	97.3	1,679	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 19-20

<b>V18</b>	<b>6C1. EVENT-SEPARATION</b>
------------	------------------------------

(IF NEVER MARRIED, SKIP TO V27)

Have any of the following events ever happened to you?

Separated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	2.7	47	1	No
6.0	0.2	3	2	Yes
	97.1	1,675	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 21-22

<b>V19</b>	<b>6C2. WHEN-MONTH-SEP</b>
------------	----------------------------

IF YES to V18: When? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	4	
33.3	0.1	1	10	
33.3	0.1	1	11	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 23-24

<b>V20</b>	<b>6C3. WHEN-YEAR-SEP</b>
------------	---------------------------

IF YES to V18: When? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	76	
66.7	0.1	2	78	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 25-26

<b>V21</b>	<b>6D1. EVENT-DIVORCE</b>
------------	---------------------------

(IF NEVER MARRIED, SKIP TO V27)

Have any of the following events ever happened to you?

Divorced?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	2.8	49	1	No
2.0	0.1	1	2	Yes
	97.1	1,675	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 27-28

<b>V22</b>	<b>6D2. WHEN-MONTH-DIV</b>
------------	----------------------------

IF YES to V21: When? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	9	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 29-30

<b>V23</b>	<b>6D3. WHEN-YEAR-DIV</b>
------------	---------------------------

IF YES to V21: When? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	77	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 31-32

**V24** **6E1. EVENT-REMARRIAGE**

(IF NEVER MARRIED, SKIP TO V27)

Have any of the following events ever happened to you?

Remarried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	2.8	49	1	No
2.0	0.1	1	2	Yes
	97.1	1,675	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 33-34

**V25** **6E2. WHEN-MONTH-REMAR**

IF YES to V24: When? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 35-36

**V26** **6E3. WHEN-YEAR-REMAR**

IF YES to V24: When? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	78	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 37-38



<b>V29</b>	<b>7A3. 1ST DATE-YEAR-DIV</b>
------------	-------------------------------

IF YES to V27: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	1.2	21	77	
58.8	1.7	30	78	
	97.0	1,674	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 43-44

<b>V30</b>	<b>7A4. 2ND DATE-MONTH-DIV</b>
------------	--------------------------------

IF YES to V27: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 45-46

<b>V31</b>	<b>7A5. 2ND DATE-YEAR-DIV</b>
------------	-------------------------------

IF YES to V27: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	78	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 47-48

**V32** **7B1. PARENTS-SEPARATION**

Have any of the following events occurred to your parents since we FIRST interviewed you?

Separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	90.7	1,564	1	No
3.8	3.5	61	2	Yes
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 49-50

**V33** **7B2. 1ST DATE-MONTH-SEP**

IF YES to V32: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	1	1	
2.1	0.1	1	2	
4.2	0.1	2	3	
2.1	0.1	1	4	
12.5	0.3	6	5	
12.5	0.3	6	6	
8.3	0.2	4	7	
10.4	0.3	5	8	
6.2	0.2	3	9	
4.2	0.1	2	10	
20.8	0.6	10	11	
14.6	0.4	7	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	97.2	1,677	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 51-52

**V34** **7B3. 1ST DATE-YEAR-SEP**

IF YES to V32: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	1	76	
47.2	1.4	25	77	
50.9	1.6	27	78	
	96.9	1,672	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 53-54

**V35** **7B4. 2ND DATE-MONTH-SEP**

IF YES to V32: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 55-56

**V36** **7B5. 2ND DATE-YEAR-SEP**

IF YES to V32: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 57-58

**V37** **7C1. PARENTS-REMARRIAGE**

Have any of the following events occurred to your parents since we FIRST interviewed you?

Remarriage?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	91.8	1,583	1	No
2.6	2.4	42	2	Yes
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 59-60

**V38** **7C2. 1ST DATE-MONTH**

IF YES to V37: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	2	1	
5.3	0.1	2	2	
2.6	0.1	1	3	
2.6	0.1	1	4	
5.3	0.1	2	5	
15.8	0.3	6	6	
5.3	0.1	2	7	
10.5	0.2	4	8	
13.2	0.3	5	9	
7.9	0.2	3	10	
7.9	0.2	3	11	
15.8	0.3	6	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
2.6	0.1	1	15	Summer
0.0	0.0	0	16	Fall
	97.8	1,687	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 61-62

**V39** **7C3. 1ST DATE-YEAR**

IF YES to V37: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	1.2	20	77	
51.2	1.2	21	78	
	97.6	1,684	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 63-64

**V40** **7C4. 2ND DATE-MONTH**

IF YES to V37: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	4	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 65-66

**V41** **7C5. 2ND DATE-YEAR**

IF YES to V37: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	78	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 67-68

**V47** **7D1. PARENTS-DEATH**

Have any of the following events occurred to your parents since we FIRST interviewed you?

Death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	92.6	1,597	1	No
1.7	1.6	28	2	Yes
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 80-81

**V48** **7D2.1ST DATE-MONTH-DEATH**

IF YES to V47: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.1	2	1	
7.4	0.1	2	3	
3.7	0.1	1	4	
7.4	0.1	2	5	
22.2	0.3	6	6	
7.4	0.1	2	7	
7.4	0.1	2	8	
7.4	0.1	2	9	
18.5	0.3	5	10	
7.4	0.1	2	11	
3.7	0.1	1	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 82-83

**V49** **7D3. 1ST DATE-YEAR-DEATH**

IF YES to V47: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	7	77	
75.0	1.2	21	78	
	98.4	1,697	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 84-85

**V50** **7D4. 2ND DATE-MONTH-DEATH**

IF YES to V47: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 86-87

**V51** **7D5. 2ND DATE-YEAR-DEATH**

IF YES to V47: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 88-89

<b>V52</b>	<b>7E1.PAR-FATHER LOST JOB</b>
------------	--------------------------------

Have any of the following events occurred to your parents since we FIRST interviewed you?

Father (FATHER FIGURE) lost his job for a period of two months or longer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	83.0	1,431	1	No
6.1	5.4	93	2	Yes
	11.7	201	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 90-91

<b>V53</b>	<b>7E2.1ST DATE-MONTH-JOB-F</b>
------------	---------------------------------

IF YES to V52: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.3	6	1	
4.0	0.2	3	2	
8.0	0.3	6	3	
1.3	0.1	1	4	
1.3	0.1	1	5	
5.3	0.2	4	6	
9.3	0.4	7	7	
9.3	0.4	7	8	
10.7	0.5	8	9	
9.3	0.4	7	10	
16.0	0.7	12	11	
14.7	0.6	11	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
1.3	0.1	1	15	Summer
1.3	0.1	1	16	Fall
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 92-93

**V54** **7E3. 1ST DATE-YEAR-JOB-F**

IF YES to V52: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	1.5	26	77	
67.1	3.1	53	78	
	95.4	1,646	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 94-95

**V55** **7E4. 2ND DATE-MNTH-JOB-F**

IF YES to V52: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 96-97

**V56** **7E5. 2ND DATE-YEAR-JOB-F**

IF YES to V52: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	78	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 98-99

V57	7F1.PAR-MOTHER LOST JOB
-----	-------------------------

Have any of the following events occurred to your parents since we FIRST interviewed you?

Mother (MOTHER FIGURE) lost her job for a period of two months or longer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	87.3	1,506	1	No
6.9	6.4	111	2	Yes
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 100-101

V58	7F2. 1ST DATE-MNTH-JOB-M
-----	--------------------------

IF YES to V57: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.3	5	1	
3.2	0.2	3	2	
4.2	0.2	4	3	
4.2	0.2	4	4	
2.1	0.1	2	5	
11.6	0.6	11	6	
9.5	0.5	9	7	
15.8	0.9	15	8	
8.4	0.5	8	9	
12.6	0.7	12	10	
11.6	0.6	11	11	
7.4	0.4	7	12	
1.1	0.1	1	13	Winter
0.0	0.0	0	14	Spring
2.1	0.1	2	15	Summer
1.1	0.1	1	16	Fall
	94.5	1,630	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 102-103

<b>V59</b>	<b>7F3. 1ST DATE-YEAR-JOB-M</b>
------------	---------------------------------

IF YES to V57: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	76	
14.1	0.8	14	77	
84.8	4.9	84	78	
	94.3	1,626	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 104-105

<b>V60</b>	<b>7F4. 2ND DATE-MNTH-JOB-M</b>
------------	---------------------------------

IF YES to V57: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 106-107

<b>V61</b>	<b>7F5. 2ND DATE-YEAR-JOB-M</b>
------------	---------------------------------

IF YES to V57: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 108-109

<b>V62</b>	<b>7G1. ADULT MOVED IN</b>
------------	----------------------------

Have any of the following events occurred to your parents since we FIRST interviewed you?

Other adult moved in while you were living at home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	87.1	1,502	1	No
7.6	7.1	123	2	Yes
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 110-111

<b>V63</b>	<b>7G2. 1ST DATE-MONTH-IN</b>
------------	-------------------------------

IF YES to V62: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.3	6	1	
2.7	0.2	3	2	
3.5	0.2	4	3	
4.4	0.3	5	4	
6.2	0.4	7	5	
10.6	0.7	12	6	
8.8	0.6	10	7	
5.3	0.3	6	8	
8.0	0.5	9	9	
7.1	0.5	8	10	
7.1	0.5	8	11	
26.5	1.7	30	12	
0.0	0.0	0	13	Winter
0.9	0.1	1	14	Spring
2.7	0.2	3	15	Summer
0.9	0.1	1	16	Fall
	93.4	1,612	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 112-113

**V64** **7G3. 1ST DATE-YEAR-IN**

IF YES to V62: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	1.7	30	77	
74.1	5.0	86	78	
	93.3	1,609	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 114-115

**V65** **7G4. 2ND DATE-MONTH-IN**

IF YES to V62: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	6	
50.0	0.1	1	11	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 116-117

**V66** **7G5. 2ND DATE-YEAR-IN**

IF YES to V62: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	77	
50.0	0.1	1	78	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 118-119

**V67** **7H1. ADULT MOVED OUT**

Have any of the following events occurred to your parents since we FIRST interviewed you?

Other adult moved out while you were living at home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	88.1	1,519	1	No
6.5	6.1	106	2	Yes
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 120-121

**V68** **7H2. 1ST DATE-MONTH-OUT**

IF YES to V67: When (1st DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.4	7	1	
6.3	0.3	6	2	
2.1	0.1	2	3	
4.2	0.2	4	4	
4.2	0.2	4	5	
8.4	0.5	8	6	
9.5	0.5	9	7	
9.5	0.5	9	8	
9.5	0.5	9	9	
14.7	0.8	14	10	
4.2	0.2	4	11	
16.8	0.9	16	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
2.1	0.1	2	15	Summer
1.1	0.1	1	16	Fall
	94.5	1,630	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 122-123

**V69** **7H3. 1ST DATE-YEAR-OUT**

IF YES to V67: When (1st DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	76	
14.3	0.8	14	77	
84.7	4.8	83	78	
	94.3	1,627	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 124-125

**V70** **7H4. 2ND DATE-MONTH-OUT**

IF YES to V67: When (2nd DATE)? (MONTH)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	2	
50.0	0.1	1	12	
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 126-127

**V71** **7H5. 2ND DATE-YEAR-OUT**

IF YES to V67: When (2nd DATE)? (YEAR)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	78	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 128-129



**V75 9. IMPRTNCE/HAVING FRNDS**

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important is it to you to have a group of friends and be included in their activities?

(AFTER RESPONSE, SKIP TO V81)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.7	12	1	Not important
27.8	1.9	32	2	Not too important
28.7	1.9	33	3	Somewhat important
17.4	1.2	20	4	Pretty important
15.7	1.0	18	5	Very important
	93.3	1,610	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 136-137

**V76 11.#AFTERNOONS W/FRIENDS**

(QUESTIONS V76-V80 REFER TO MORE THAN ONE FRIEND; IF RESPONDENT LISTS ONLY ONE FRIEND, SKIP TO V81)

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	12.1	209	0	< once a week
13.4	11.8	203	1	
19.6	17.2	296	2	
21.4	18.7	323	3	
12.1	10.6	182	4	
19.7	17.2	297	5	
	12.5	215	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 138-139

**V77****12. #EVENINGS W/FRIENDS**

(QUESTIONS V76-V80 REFER TO MORE THAN ONE FRIEND; IF RESPONDENT LISTS ONLY ONE FRIEND, SKIP TO V81)

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	16.0	276	0	< once a week
17.4	15.2	262	1	
22.3	19.5	336	2	
19.6	17.2	296	3	
9.9	8.7	150	4	
12.6	11.0	190	5	
	12.5	215	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 140-141

**V78****13. WEEKENDS W/FRIENDS**

(QUESTIONS V76-V80 REFER TO MORE THAN ONE FRIEND; IF RESPONDENT LISTS ONLY ONE FRIEND, SKIP TO V81)

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the weekends, how much time have you generally spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.9	119	1	Very little
8.2	7.1	123	2	Not too much
25.6	22.4	386	3	Some
28.7	25.0	432	4	Quite a bit
29.6	25.9	446	5	A great deal
	12.7	219	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 142-143

**V79** **14. FRIENDS INFLUENCE**

(QUESTIONS V76-V80 REFER TO MORE THAN ONE FRIEND; IF RESPONDENT LISTS ONLY ONE FRIEND, SKIP TO V81)

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How much have your friends influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	6.7	115	1	Very little
16.3	14.3	246	2	Not too much
43.0	37.6	649	3	Some
22.5	19.7	340	4	Quite a bit
10.5	9.2	158	5	A great deal
	12.6	217	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 144-145

**V80** **15.HOW IMP HAVE FRIENDS**

(QUESTIONS V76-V80 REFER TO MORE THAN ONE FRIEND; IF RESPONDENT LISTS ONLY ONE FRIEND, SKIP TO V81)

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important has it been to you to have a group of friends and be included in their activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.1	19	1	Not important
6.7	5.9	101	2	Not too important
19.9	17.4	301	3	Somewhat important
31.6	27.7	477	4	Pretty important
40.5	35.4	611	5	Very important
	12.5	216	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 146-147

<b>Social Activities</b>
--------------------------

<b>V81</b>	<b>16.EVENING/WEEK ON DATES</b>
------------	---------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	13.7	237	0	< once a week
23.4	22.1	381	1	
25.5	24.0	414	2	
18.8	17.7	306	3	
9.0	8.5	147	4	
5.5	5.2	90	5	
1.3	1.2	21	6	
1.8	1.7	29	7	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 148-149

<b>V82</b>	<b>17.IMPORT OF SOC ACTIV.</b>
------------	--------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important has it been to you to have dates and go to parties and other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	78	1	Not important
17.7	16.7	288	2	Not too important
31.5	29.7	513	3	Somewhat important
27.8	26.2	452	4	Pretty important
18.1	17.1	295	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 150-151



V85

## 20. GRADE POINT AVERAGE

Which of the following best describes the grades you are getting at school?

(MOST RECENT GRADING PERIOD - CIRCLE ANSWER)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Mostly F's
4.1	3.7	63	2	Mostly D's
34.8	30.6	528	3	Mostly C's
43.3	38.1	658	4	Mostly B's
16.9	14.9	257	5	Mostly A's
	11.9	206	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 156-157

V86

## 21.# AFTERNOONS STUDYING

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	18.5	319	0	< once a week
14.8	13.0	225	1	
18.6	16.5	284	2	
19.8	17.5	302	3	
9.8	8.7	150	4	
16.1	14.2	245	5	
	11.6	200	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 158-159



V89

## 24.IMPRTNCE OF SCHOOLWRK

Between Christmas a year ago (1977) and the Christmas just past  
(1978) . . .

How important has your school work been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	15	1	Not important
4.9	4.3	75	2	Not too important
19.1	16.9	291	3	Somewhat important
33.9	30.0	518	4	Pretty important
41.1	36.3	627	5	Very important
	11.5	199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 164-165



V93

## 26.IMPRTNCE OF ATHLETICS

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important is it to you to be on an athletic team at school?

(AFTER RESPONSE, SKIP TO V98)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	17.4	300	1	Not important
39.3	21.2	365	2	Not too important
17.6	9.4	163	3	Somewhat important
6.7	3.6	62	4	Pretty important
4.1	2.2	38	5	Very important
	46.2	797	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 172-173

V94

## 27.#AFTERNOONS W/TEAM

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	2.0	35	0	< once a week
6.9	2.4	41	1	
11.8	4.1	70	2	
13.6	4.7	81	3	
12.4	4.3	74	4	
49.4	17.0	294	5	
	65.5	1,130	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 174-175

<b>V95</b>	<b>28.#EVENINGS W/TEAM</b>
------------	----------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	14.3	246	0	< once a week
18.2	6.3	108	1	
21.0	7.2	125	2	
10.4	3.6	62	3	
4.0	1.4	24	4	
5.0	1.7	30	5	
	65.5	1,130	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 176-177

<b>V96</b>	<b>29.#WEEKENDS W/TEAM</b>
------------	----------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the weekends, how much time have you generally spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	10.8	187	1	Very little
16.1	5.6	96	2	Not too much
30.9	10.7	184	3	Some
12.6	4.3	75	4	Quite a bit
8.9	3.1	53	5	A great deal
	65.5	1,130	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 178-179

V97

## 30.HOW IMP ARE ATHLETICS

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important have school athletics been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	3	1	Not important
5.0	1.7	30	2	Not too important
19.9	6.9	119	3	Somewhat important
33.5	11.6	200	4	Pretty important
41.0	14.2	245	5	Very important
	65.4	1,128	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 180-181



V100

## 32.HOW IMP/SCHL ACTVTIES

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important is it to you to be involved in these school activities?

(AFTER RESPONSE, SKIP TO V105)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	13.7	236	1	Not important
46.4	23.5	406	2	Not too important
17.9	9.1	157	3	Somewhat important
5.8	3.0	51	4	Pretty important
2.9	1.4	25	5	Very important
	49.3	850	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 186-187

V101

## 33.#AFTERNOONS W/ACTIVIT

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	9.4	162	0	< once a week
32.7	12.3	213	1	
20.6	7.8	134	2	
10.6	4.0	69	3	
6.0	2.3	39	4	
5.2	2.0	34	5	
	62.3	1,074	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 188-189

<b>V102</b>	<b>34.#EVENINGS W/ACTIVIT.</b>
-------------	--------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	17.7	306	0	< once a week
26.1	9.9	170	1	
15.5	5.9	101	2	
7.2	2.7	47	3	
2.0	0.8	13	4	
2.2	0.8	14	5	
	62.3	1,074	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 190-191

<b>V103</b>	<b>35.WEEKENDS W/ACTIVIT.</b>
-------------	-------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the weekends, how much time have you generally spent on these school activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	17.6	303	1	Very little
21.2	8.0	138	2	Not too much
22.1	8.3	144	3	Some
6.8	2.6	44	4	Quite a bit
3.4	1.3	22	5	A great deal
	62.3	1,074	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 192-193

<b>V104</b>	<b>36.HOW IMP SCH ACTIVIT.</b>
-------------	--------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important have school activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.4	7	1	Not important
10.4	3.9	68	2	Not too important
34.3	12.9	223	3	Somewhat important
31.8	12.0	207	4	Pretty important
22.4	8.5	146	5	Very important
	62.3	1,074	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 194-195

<b>V105</b>	<b>37.HW CLASSMATES SEE R</b>
-------------	-------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

Which of the following descriptions best describes how your classmates see you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	10.8	186	1	Athlete
3.7	3.2	56	2	Activ member
27.7	24.5	422	3	Social type
25.4	22.4	386	4	Good student
26.7	23.6	407	5	Average student
0.9	0.8	14	6	None
3.4	3.0	51	7	Other
	11.8	203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 196-197



V108

## 39.IMP OF COMM ACTIVIT.

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important is it to you to be involved in any of these community activities?

(AFTER RESPONSE, SKIP TO V113)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	16.2	279	1	Not important
48.7	29.2	504	2	Not too important
18.0	10.8	186	3	Somewhat important
4.6	2.8	48	4	Pretty important
1.6	1.0	17	5	Very important
	40.1	691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 202-203

V109

## 40.#AFTERNOONS/COMM ACTS

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	12.1	209	0	< once a week
25.5	8.6	149	1	
17.5	5.9	102	2	
9.9	3.4	58	3	
5.0	1.7	29	4	
6.3	2.1	37	5	
	66.1	1,141	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 204-205

<b>V110</b>	<b>41.#EVES/COMM ACTIVITIES</b>
-------------	---------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	10.0	173	0	< once a week
36.8	12.5	215	1	
17.1	5.8	100	2	
9.9	3.4	58	3	
3.8	1.3	22	4	
2.9	1.0	17	5	
	66.1	1,140	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 206-207

<b>V111</b>	<b>42.WKENDS/COMM ACTIVIT.</b>
-------------	--------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the weekends, how much time have you generally spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	6.2	107	1	Very little
14.5	4.9	85	2	Not too much
36.9	12.5	216	3	Some
19.0	6.4	111	4	Quite a bit
11.3	3.8	66	5	A great deal
	66.1	1,140	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 208-209

V112

43.HW IMP COMM ACTIVIT.

Between Christmas a year ago (1977) and the Christmas just past  
(1978) . . .

How important have these community activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.5	8	1	Not important
7.7	2.6	45	2	Not too important
30.3	10.3	178	3	Somewhat important
30.5	10.4	179	4	Pretty important
30.2	10.3	177	5	Very important
	66.0	1,138	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 210-211



<b>V115</b>	<b>46.1 JOB DESCRIPTION</b>
-------------	-----------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

Was your job full-time, 40 hour week or more, or part-time work, less than 40 hour week? (IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIONS IN TERMS OF THE MOST RECENT JOB)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	55.9	965	1	Part-time
23.6	17.3	298	2	Full-time
	26.8	462	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 216-217

<b>V116</b>	<b>46.2 LENGTH/TIME ON JOB</b>
-------------	--------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How long did you maintain that job?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	10.7	184	1	Seasonal/episodic
85.4	62.5	1,078	2	Year round
	26.8	463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 218-219



V120

## 48.WAS JOB SUPERVISORY

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

Did you hold any supervisory roles in your job, for example, being in charge of other cashiers at your store, or being in charge of a number of newspaper routes run by different kids

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	62.8	1,083	1	No
14.2	10.4	179	2	Yes
	26.8	463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 226-227

V121

## 49.SPEND EXTRA TIME/JOB

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

Did you willingly spend extra time on the job when there was a large amount of work that needed to be done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	16.1	278	1	No
77.9	56.9	982	2	Yes
	27.0	465	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 228-229

<b>V122</b>	<b>50.LIKE/STAY IN THIS WRK</b>
-------------	---------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

Would you like to stay in this kind of work as an adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	56.2	969	1	No
22.9	16.7	288	2	Yes
	27.1	468	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 230-231

<b>V123</b>	<b>51.HW IMP HAS JOB BEEN</b>
-------------	-------------------------------

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important has your job been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.5	9	1	Not important
6.6	4.8	83	2	Not too important
24.3	17.8	307	3	Somewhat important
32.9	24.1	416	4	Pretty important
35.5	26.0	448	5	Very important
	26.8	462	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 232-233



**V126** **54.WEEKENDS W/FAMILY**

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

On the weekends, how much time have you generally spent talking, working or playing with members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.5	146	1	Very little
11.9	11.2	194	2	Not too much
33.5	31.6	545	3	Some
26.0	24.5	422	4	Quite a bit
19.6	18.4	318	5	A great deal
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 238-239

**V127** **55.IMPRTNCE OF FAM ACT.**

Between Christmas a year ago (1977) and the Christmas just past (1978) . . .

How important have the things you've done with your family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	15	1	Not important
3.1	2.9	50	2	Not too important
18.2	17.2	296	3	Somewhat important
32.1	30.2	521	4	Pretty important
45.7	43.0	742	5	Very important
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 240-241

V128

## 56.PARENTS INFLUENCE

Between Christmas a year ago (1977) and the Christmas just past  
(1978) . . .

How much have your parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	51	1	Very little
5.0	4.7	81	2	Not too much
18.0	16.9	292	3	Some
34.5	32.5	560	4	Quite a bit
39.4	37.1	640	5	A great deal
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 242-243



**ASPIRATIONS**

**Current Success**

**V131                    59.1 IMP OF FAM ACTIVIT.**

How important is it to you . . .

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	38	1	Not important at
35.8	33.7	582	3	Somewhat important
61.9	58.3	1,006	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 248-249

**V132                    59.2 FAM ACTIV.-HW DOING**

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V131)

How well are you doing at this?

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.5	95	1	Not well at all
61.6	56.7	978	3	O.K.
32.4	29.9	515	5	Very well
	7.9	137	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 250-251



V135	61.1 IMP-LOTS OF DATES
------	------------------------

How important is it to you . . .

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	22.8	394	1	Not important
56.3	52.9	913	3	Somewhat important
19.4	18.2	314	5	Very important
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 256-257

V136	61.2 LOTS/DATES-HW DOING
------	--------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V135)

How well are you doing at this?

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	8.8	152	1	Not well at all
63.7	45.2	780	3	O.K.
23.9	17.0	293	5	Very well
	29.0	500	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 258-259

<b>V137</b>	<b>62.1 IMP-TALK W/PARENTS</b>
-------------	--------------------------------

How important is it to you . . .

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.1	37	1	Not important
21.0	19.7	340	3	Somewhat important
76.7	72.1	1,244	5	Very important
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 260-261

<b>V138</b>	<b>62.2 TALK W/PARNTS-HW DO</b>
-------------	---------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V137)

How well are you doing at this?

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.2	142	1	Not well at all
45.6	41.9	723	3	O.K.
45.4	41.7	719	5	Very well
	8.2	141	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 262-263

V139	63.1 IMP-DO WELL ACADEM.
------	--------------------------

How important is it to you . . .

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.2	38	1	Not important
39.4	34.9	602	3	Somewhat important
58.1	51.4	886	5	Very important
	11.5	199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 264-265

V140	63.2 WELL ACAD-HW DOING
------	-------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V139)

How well are you doing at this?

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	10.0	172	1	Not well at all
70.2	60.6	1,045	3	O.K.
18.2	15.7	271	5	Very well
	13.7	237	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 266-267

<b>V141</b>	<b>64.1 IMP-SOC W/FRIENDS</b>
-------------	-------------------------------

How important is it to you . . .

to be asked to take part in things your friends do such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.9	119	1	Not important
48.1	45.3	782	3	Somewhat important
44.6	42.0	725	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 268-269

<b>V142</b>	<b>64.2 SOC W/FRIENDS-HW DO</b>
-------------	---------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V141)

How well are you doing at this?

to be asked to take part in things your friends do such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.3	40	1	Not well at all
56.9	49.6	856	3	O.K.
40.5	35.3	609	5	Very well
	12.8	220	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 270-271

V143

## 65.1 IMP-COMFORT/PARENTS

How important is it to you . . .

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.3	57	1	Not important
26.4	24.9	430	3	Somewhat important
70.0	66.0	1,139	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 272-273

V144

## 65.2 PRNTS COMFORT-HW DO

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V143)

How well are you doing at this?

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.6	62	1	Not well at all
49.9	45.3	782	3	O.K.
46.1	41.9	722	5	Very well
	9.2	159	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 274-275

<b>V145</b>	<b>66.1 IMP-SCH WRK/NO HELP</b>
-------------	---------------------------------

How important is it to you . . .

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.6	96	1	Not important
43.3	38.3	660	3	Somewhat important
50.5	44.6	770	5	Very important
	11.5	199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 276-277

<b>V146</b>	<b>66.2 SCHOOL/NO HLP-HW DO</b>
-------------	---------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V145)

How well are you doing at this?

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.1	54	1	Not well at all
57.1	47.3	816	3	O.K.
39.1	32.4	559	5	Very well
	17.2	296	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 278-279

<b>V147</b>	<b>67.1 IMP-SPEC B/GFRIEND</b>
-------------	--------------------------------

How important is it to you . . .

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	16.8	290	1	Not important
43.9	41.0	708	3	Somewhat important
38.2	35.7	616	5	Very important
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 280-281

<b>V148</b>	<b>67.2 B/GFRIEND-HOW DOING</b>
-------------	---------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V147)

How well are you doing at this?

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	7.2	125	1	Not well at all
51.8	39.7	685	3	O.K.
38.7	29.7	512	5	Very well
	23.4	403	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 282-283



<b>V151</b>	<b>69.1 IMP-TEACHERS OPIN</b>
-------------	-------------------------------

How important is it to you . . .

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.7	98	1	Not important
43.7	38.7	667	3	Somewhat important
49.8	44.1	760	5	Very important
	11.6	200	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 288-289

<b>V152</b>	<b>69.2 TEACH OPIN-HW DOING</b>
-------------	---------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO V151)

How well are you doing at this?

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.4	42	1	Not well at all
64.8	53.6	925	3	O.K.
32.2	26.7	460	5	Very well
	17.3	298	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 290-291

**V153** **70.1IMP-FR ASK SPND TIME**

How important is it to you . . .

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	49	1	Not important
42.9	40.5	698	3	Somewhat important
54.1	51.0	879	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 292-293

**V154** **70.2FRND/SPND TIME-HW DO**

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" V153)

How well are you doing at this?

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	20	1	Not well at all
54.4	49.7	858	3	O.K.
44.3	40.5	698	5	Very well
	8.6	149	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 294-295

V155	71.1 IMP-HI GRADE PT AVG
------	--------------------------

How important is it to you . . .

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.1	70	1	Not important
36.2	32.0	552	3	Somewhat important
59.2	52.3	903	5	Very important
	11.6	200	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 296-297

V156	71.2 HI GRADE PT-HW DOIN
------	--------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" V155)

How well are you doing at this?

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	8.9	153	1	Not well at all
63.8	53.6	925	3	O.K.
25.7	21.6	372	5	Very well
	15.9	275	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 298-299

**V157** **72.1 IMP-GET ALNG W/PARS**

How important is it to you . . .  
to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Not important
15.6	14.7	253	3	Somewhat important
84.2	79.4	1,369	5	Very important
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 300-301

**V158** **72.2 ALNG W/PARNTS-HW DO**

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" V157)

How well are you doing at this?  
to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.0	52	1	Not well at all
45.2	42.3	729	3	O.K.
51.6	48.3	833	5	Very well
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 302-303

Future aspirations
--------------------

V159	73. IMPORTANCE/GOOD JOB
------	-------------------------

How important is it to you . . .

to have a good job or career after you've finished school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	8	1	Not important
6.3	6.0	103	3	Somewhat important
93.2	87.7	1,513	5	Very important
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 304-305

V160	74. IMPORTANCE/COLLEGE
------	------------------------

How important is it to you . . .

to go to college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	16.6	286	1	Not important
28.7	27.0	465	3	Somewhat important
53.7	50.5	871	5	Very important
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 306-307

<b>V161</b>	<b>75. IMPORTANCE/MARRIAGE</b>
-------------	--------------------------------

How important is it to you . . .

to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	14.8	255	1	Not important
51.4	48.1	830	3	Somewhat important
32.8	30.7	530	5	Very important
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 308-309

<b>V162</b>	<b>76. IMPORTANCE/CHILDREN</b>
-------------	--------------------------------

How important is it to you . . .

to have children of your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	14.2	245	1	Not important
47.1	44.2	763	3	Somewhat important
37.8	35.5	613	5	Very important
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 310-311

<b>MATURATION INDICES</b>
---------------------------

<b>V163</b>	<b>77.1 JOB PLANS-SPECIFIC</b>
-------------	--------------------------------

Have you made a specific decision about a job or career?

(IF ANSWERED YES, GO TO V164)

(IF ANSWERED DON'T KNOW, GO TO V164)

(IF ANSWERED HAVEN'T THOUGHT, SKIP TO V169)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	25.7	444	1	Yes
36.6	19.8	341	2	Don't know
15.7	8.5	146	3	Haven't thought
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 312-313

<b>V164</b>	<b>77A. JOB PLANS-CHANGING</b>
-------------	--------------------------------

Has there ever been a time when you frequently changed your mind about these job or career plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	19.1	330	1	No
57.9	26.3	454	2	Yes
	54.6	941	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 314-315

**V165** **77B.PLANS-LOOK FOR INFOR**

Have you ever talked to people or looked for information about these job or career plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	9.1	157	1	No
80.0	36.3	627	2	Yes
	54.6	941	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 316-317

**V166** **77C.JOB PLANS-CONFUSION**

Did your job or career plans or values come to you without much thought or confusion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	22.6	390	1	No
50.1	22.7	391	2	Yes
	54.7	944	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 318-319

**V167** **77D.PLNS-PARNTS DISAGREE**

Did you ever get into disagreements or arguments with your parents about your job or career plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	36.0	621	1	No
20.8	9.4	163	2	Yes
	54.6	941	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 320-321

**V168****77E.JOB PLANS-PLNS V PAR**

Would you stick with your job or career plans or values even against the wishes of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	11.4	196	1	No
74.6	33.3	575	2	Yes
	55.3	954	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 322-323

**V169****78.1 COLL PLNS-SPECIFIC**

Have you made a specific decision about whether or not to go to college?

(IF ANSWERED YES, GO TO V170)  
 (IF ANSWERED DON'T KNOW, GO TO V170)  
 (IF ANSWERED HAVEN'T THOUGHT, SKIP TO V175)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	31.8	549	1	Yes
23.6	12.8	220	2	Don't know
17.4	9.4	162	3	Haven't thought
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 324-325

**V170** **78A.COLL PLNS-CHANGING**

Has there ever been a time when you frequently changed your mind about these college plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	26.8	462	1	No
39.9	17.8	307	2	Yes
	55.4	956	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 326-327

**V171** **78B.PLNS-LOOK FOR INFOR**

Have you ever talked to people or looked for information about these college plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	17.2	297	1	No
61.3	27.3	471	2	Yes
	55.5	957	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 328-329

**V172** **78C.COLL PLNS-CONFUSION**

Did your college plans or values come to you without much thought or confusion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	21.4	370	1	No
51.8	23.0	397	2	Yes
	55.5	958	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 330-331

V173

## 78D.PLANS-PARNTS DISAGRE

Did you ever get into disagreements or arguments with your parents about your college plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	36.8	634	1	No
17.6	7.8	135	2	Yes
	55.4	956	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 332-333

V174

## 78E.PLNS-PLNS VS PARNTS

Would you stick with your college plans or values even against the wishes of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	11.9	205	1	No
73.1	32.3	557	2	Yes
	55.8	963	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 334-335

**V175** **79.1 MARR/CHIL-SPECIFIC**

Have you made a specific decision about whether or not to marry and have children?

(IF ANSWERED YES, GO TO V176)  
 (IF ANSWERED DON'T KNOW, GO TO V176)  
 (IF ANSWERED HAVEN'T THOUGHT, SKIP TO V181)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	20.9	361	1	Yes
24.5	13.2	228	2	Don't know
36.7	19.8	341	3	Haven't thought
	46.1	795	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 336-337

**V176** **79A.MARR/CHIL-CHANGING**

Has there ever been a time when you frequently changed your mind about these marriage/children plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	22.3	385	1	No
34.5	11.8	203	2	Yes
	65.9	1,137	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 338-339

<b>V177</b>	<b>79B.M/CHL-LOOK FOR INFOR</b>
-------------	---------------------------------

Have you ever talked to people or looked for information about these marriage/children plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	23.0	396	1	No
32.7	11.1	192	2	Yes
	65.9	1,137	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 340-341

<b>V178</b>	<b>79C.MARR/CHIL-CONFUSION</b>
-------------	--------------------------------

Did your marriage/children plans or values come to you without much thought or confusion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	16.5	285	1	No
51.5	17.6	303	2	Yes
	65.9	1,137	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 342-343

<b>V179</b>	<b>79D.M/CHL-PARNTS DISAGRE</b>
-------------	---------------------------------

Did you ever get into disagreements or arguments with your parents about your marriage/children plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	28.6	494	1	No
16.0	5.4	94	2	Yes
	65.9	1,137	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 344-345

<b>V180</b>	<b>79E.M/CHL-PLNS VS PARNTS</b>
-------------	---------------------------------

Would you stick with your marriage/children plans or values even against the wishes of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	8.0	138	1	No
76.4	25.9	446	2	Yes
	66.1	1,141	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 346-347

<b>V181</b>	<b>80.1 RELIGION-SPECIFIC</b>
-------------	-------------------------------

Have you made a specific decision about your religious values?

(IF ANSWERED YES, GO TO V182)  
 (IF ANSWERED DON'T KNOW, GO TO V182)  
 (IF ANSWERED HAVEN'T THOUGHT, SKIP TO V187)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	23.7	409	1	Yes
22.4	12.1	209	2	Don't know
33.6	18.1	313	3	Haven't thought
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 348-349

<b>V182</b>	<b>80A.RELIGION-CHANGING</b>
-------------	------------------------------

Has there ever been a time when you frequently changed your mind about these religious plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	23.9	413	1	No
33.1	11.8	204	2	Yes
	64.2	1,108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 350-351

<b>V183</b>	<b>80B.REL.-LOOK FOR INFOR</b>
-------------	--------------------------------

Have you ever talked to people or looked for information about these religious plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	15.5	268	1	No
56.6	20.2	349	2	Yes
	64.2	1,108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 352-353

<b>V184</b>	<b>80C.RELIGION-CONFUSION</b>
-------------	-------------------------------

Did your religious plans or values come to you without much thought or confusion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	19.4	335	1	No
45.5	16.2	280	2	Yes
	64.3	1,110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 354-355

V185

80D.REL.-PARENTS DISAGRE

Did you ever get into disagreements or arguments with your parents about your religious plans or values?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	29.7	513	1	No
16.9	6.0	104	2	Yes
	64.2	1,108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 356-357

V186

80E.REL.-PLNS VS PARENTS

Would you stick with your religious plans or values even against the wishes of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	8.3	144	1	No
76.5	27.2	469	2	Yes
	64.5	1,112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 358-359

<b>EXPECTATIONS FOR FUTURE GOALS</b>
--------------------------------------

V187

## 81.CHANCES-JOB YOU LIKE

What do you think your chances are for . . .

getting the kind of job you would like to have after finishing school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.7	30	1	Poor
27.8	26.0	449	2	Fair
70.4	66.0	1,138	3	Good
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 360-361

V188

## 82.CHANCES-COMPLTNG COLL

What do you think your chances are for . . .

completing a college degree?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	16.5	284	1	Poor
33.5	31.2	538	2	Fair
48.8	45.5	785	3	Good
	6.8	118	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 362-363



**V191****85.FAMILY OUTSIDER**

Tell me how much you agree or disagree with these statements about you.

I feel like an outsider with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	36.7	633	1	Strongly disagree
51.6	48.6	839	2	Disagree
5.3	5.0	86	3	Neither
2.8	2.7	46	4	Agree
1.3	1.2	21	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 368-369

**V192****86.NOBODY AT SCHOOL CARES**

Tell me how much you agree or disagree with these statements about you.

I often feel like nobody at school cares about me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	25.0	432	1	Strongly disagree
59.5	52.5	906	2	Disagree
7.6	6.7	116	3	Neither
4.2	3.7	64	4	Agree
0.3	0.3	5	5	Strongly agree
	11.7	202	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 370-371

**V193** **87.FRIENDS NOT INTEREST**

Tell me how much you agree or disagree with these statements about you.

My friends don't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	25.5	440	1	Strongly disagree
60.3	56.8	980	2	Disagree
8.4	7.9	137	3	Neither
3.9	3.7	63	4	Agree
0.2	0.2	4	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 372-373

**V194** **88.FAM LISTENS/PROBLEMS**

Tell me how much you agree or disagree with these statements about you.

My family is willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Strongly disagree
3.0	2.8	49	2	Disagree
4.4	4.2	72	3	Neither
58.1	54.7	944	4	Agree
32.9	31.0	534	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 374-375

**V195****89.FEEL CLOSE TO FRIENDS**

Tell me how much you agree or disagree with these statements about you.

I feel close to my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly disagree
1.7	1.6	28	2	Disagree
5.2	4.9	85	3	Neither
65.6	61.7	1,064	4	Agree
27.3	25.7	443	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 376-377

**V196****90.FEEL LONELY W/FAMILY**

Tell me how much you agree or disagree with these statements about you.

Sometimes I feel lonely when I'm with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	12.9	223	1	Strongly disagree
45.1	42.4	732	2	Disagree
13.6	12.8	221	3	Neither
25.8	24.3	419	4	Agree
1.7	1.6	28	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 378-379

**V197** **91.DONT BELONG AT SCHOOL**

Tell me how much you agree or disagree with these statements about you.

I don't feel as if really belong at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	22.4	387	1	Strongly disagree
60.2	53.2	917	2	Disagree
7.9	7.0	120	3	Neither
5.4	4.8	83	4	Agree
1.1	0.9	16	5	Strongly agree
	11.7	202	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 380-381

**V198** **92.FRIENDS LISTEN PROBLM**

Tell me how much you agree or disagree with these statements about you.

My friends are willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Strongly disagree
3.8	3.5	61	2	Disagree
6.9	6.5	112	3	Neither
69.2	65.1	1,123	4	Agree
19.9	18.7	323	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 382-383

**V199****93.FEEL LONELY AT SCHOOL**

Tell me how much you agree or disagree with these statements about you.

Even though there are lots of kids around, I often feel lonely at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	11.7	201	1	Strongly disagree
55.0	48.6	838	2	Disagree
12.0	10.6	183	3	Neither
18.4	16.2	280	4	Agree
1.4	1.3	22	5	Strongly agree
	11.7	201	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 384-385

**V200****94.TCHRS DNT ASK/PROJECTS**

Tell me how much you agree or disagree with these statements about you.

Teachers don't ask me to work on special classroom projects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	10.6	183	1	Strongly disagree
62.4	55.0	949	2	Disagree
15.3	13.4	232	3	Neither
9.7	8.6	148	4	Agree
0.6	0.5	9	5	Strongly agree
	11.8	204	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 386-387



V203

97.FAM NOT INTRSTED/PROB

Tell me how much you agree or disagree with these statements about you.

My family doesn't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	31.7	547	1	Strongly disagree
57.4	54.1	933	2	Disagree
4.8	4.5	78	3	Neither
3.3	3.1	54	4	Agree
0.9	0.8	14	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 392-393



**V206****100.FRIENDS IMPRESN IMP**

Tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	19.2	332	1	Strongly disagree
64.0	60.1	1,037	2	Disagree
9.0	8.5	146	3	Neither
6.0	5.6	97	4	Agree
0.5	0.5	8	5	Strongly agree
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 398-399

**V207****101.PLAY DRTY TO WIN/SCL**

Tell me how much you agree or disagree with these statements about you.

At school it is sometimes necessary to play dirty in order to win.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	21.2	365	1	Strongly disagree
56.2	49.7	857	2	Disagree
8.8	7.8	134	3	Neither
10.6	9.3	161	4	Agree
0.5	0.4	7	5	Strongly agree
	11.7	201	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 400-401

**V208** **102.LYING FOR FRIENDS OK**

Tell me how much you agree or disagree with these statements about you.

It's okay to lie if it keeps your friends out of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	12.5	216	1	Strongly disagree
42.5	40.0	690	2	Disagree
27.4	25.9	446	3	Neither
15.8	14.9	257	4	Agree
1.0	0.9	16	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 402-403

**V209** **103.1ST IMPRESN IMP-PARS**

Tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.0	396	1	Strongly disagree
62.8	59.0	1,018	2	Disagree
8.0	7.5	130	3	Neither
4.3	4.1	70	4	Agree
0.4	0.3	6	5	Strongly agree
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 404-405

<b>V210</b>	<b>104.FIGHT KIDS/RESPECT</b>
-------------	-------------------------------

Tell me how much you agree or disagree with these statements about you.

In order to gain the respect of your friends, it's sometimes necessary to beat up on other kids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	33.2	573	1	Strongly disagree
59.3	55.9	964	2	Disagree
3.9	3.7	64	3	Neither
1.4	1.3	23	4	Agree
0.1	0.1	2	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 406-407

<b>V211</b>	<b>105.SUCCEED W/O CHEATING</b>
-------------	---------------------------------

Tell me how much you agree or disagree with these statements about you.

You can make it in school without having to cheat on exams or tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.2	21	1	Strongly disagree
5.5	4.9	84	2	Disagree
5.6	4.9	85	3	Neither
61.1	54.0	932	4	Agree
26.4	23.4	403	5	Strongly agree
	11.6	200	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 408-409

**V212** **106.BREAK RULES/POPULAR**

Tell me how much you agree or disagree with these statements about you.

You have to be willing to break some rules if you want to be popular with your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	17.2	296	1	Strongly disagree
57.2	53.8	928	2	Disagree
13.0	12.2	211	3	Neither
11.3	10.7	184	4	Agree
0.2	0.2	4	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 410-411

**V213** **107.LIE PRNTS KEEP TRUST**

Tell me how much you agree or disagree with these statements about you.

Sometimes it's necessary to lie to your parents in order to keep their trust.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	17.8	307	1	Strongly disagree
52.4	49.4	852	2	Disagree
13.0	12.3	212	3	Neither
15.1	14.3	246	4	Agree
0.5	0.5	8	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 412-413

<b>V214</b>	<b>108.DOING OWN WORK/IMPOR</b>
-------------	---------------------------------

Tell me how much you agree or disagree with these statements about you.

It is important to do your own work at school even if it means some kids won't like you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	15	1	Strongly disagree
10.3	9.0	156	2	Disagree
13.4	11.8	204	3	Neither
60.3	53.1	916	4	Agree
15.1	13.3	229	5	Strongly agree
	11.9	205	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 414-415

<b>V215</b>	<b>109.BREAKING PARENT RULE</b>
-------------	---------------------------------

Tell me how much you agree or disagree with these statements about you.

It may be necessary to break some of your parents' rules in order to keep some of your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	10.6	182	1	Strongly disagree
46.7	44.0	759	2	Disagree
17.2	16.2	280	3	Neither
23.8	22.4	386	4	Agree
1.1	1.0	18	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 416-417

V216	110.GOOD IMP W/TEACHERS
------	-------------------------

Tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	13.2	227	1	Strongly disagree
64.8	57.2	986	2	Disagree
11.6	10.3	177	3	Neither
8.3	7.4	127	4	Agree
0.3	0.3	5	5	Strongly agree
	11.8	203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 418-419

<b>LABELING</b>
-----------------

<b>Labeling by Parents</b>
----------------------------

<b>V217</b>	<b>111.PRNTS AGRE-WELL LIKD</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are well-liked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly disagree
0.6	0.5	9	2	Disagree
2.9	2.7	47	3	Neither
63.2	59.4	1,025	4	Agree
33.1	31.1	537	5	Strongly agree
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 420-421

<b>V218</b>	<b>112.PRNTS AGRE-NEED HELP</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
need help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.2	314	1	Strongly disagree
57.7	54.3	936	2	Disagree
10.5	9.9	171	3	Neither
10.2	9.6	166	4	Agree
2.1	2.0	34	5	Strongly agree
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 422-423

<b>V219</b>	<b>113.PARENTS AGRE-BAD KID</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are a bad kid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	27.0	465	1	Strongly disagree
61.2	57.4	991	2	Disagree
6.9	6.4	111	3	Neither
2.9	2.7	47	4	Agree
0.4	0.3	6	5	Strongly agree
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 424-425

<b>V220</b>	<b>114.PRNTS AG-OFTEN UPSET</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are often upset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.7	150	1	Strongly disagree
51.3	48.2	831	2	Disagree
16.8	15.8	273	3	Neither
20.7	19.5	336	4	Agree
1.9	1.8	31	5	Strongly agree
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 426-427

<b>V221</b>	<b>115.PRNTS AG-GOOD CITIZN</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are a good citizen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
1.9	1.8	31	2	Disagree
11.7	11.0	190	3	Neither
71.2	67.0	1,155	4	Agree
15.1	14.2	245	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 428-429

<b>V222</b>	<b>116.PARNTS AGRE-AMIABLE</b>
-------------	--------------------------------

How much would your parents agree that you . . .  
get along well with other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
1.9	1.8	31	2	Disagree
2.8	2.7	46	3	Neither
67.8	63.9	1,102	4	Agree
27.2	25.6	442	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 430-431

<b>V223</b>	<b>117.PRNTS AGRE-MESSED UP</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are messed up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	31.9	551	1	Strongly disagree
58.7	55.2	952	2	Disagree
4.2	3.9	68	3	Neither
2.5	2.4	41	4	Agree
0.6	0.6	10	5	Strongly agree
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 432-433

<b>V224</b>	<b>118.PRNTS AG-BREAK RULES</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
break rules.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	16.8	290	1	Strongly disagree
57.9	54.5	940	2	Disagree
12.4	11.7	202	3	Neither
11.0	10.3	178	4	Agree
0.9	0.8	14	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 434-435

<b>V225</b>	<b>119.PRNTS AG-PRSNL PROBS</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
 have a lot of personal problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.3	299	1	Strongly disagree
57.9	54.4	939	2	Disagree
11.0	10.4	179	3	Neither
11.2	10.5	181	4	Agree
1.5	1.4	25	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 436-437

<b>V226</b>	<b>120.PRTS AG-GT INTO TRBL</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
 get into trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	19.7	339	1	Strongly disagree
59.2	55.8	962	2	Disagree
9.9	9.3	161	3	Neither
9.4	8.8	152	4	Agree
0.7	0.6	11	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 438-439

<b>V227</b>	<b>121.PRNTS AG-LKLY TO SUC</b>
-------------	---------------------------------

How much would your parents agree that you . . .  
are likely to succeed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly disagree
4.5	4.2	73	2	Disagree
7.2	6.8	117	3	Neither
66.7	62.7	1,081	4	Agree
21.2	19.9	344	5	Strongly agree
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 440-441

<b>V228</b>	<b>122.PRNTS AG-BREAK LAWS</b>
-------------	--------------------------------

How much would your parents agree that you . . .  
do things that are against the law.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	30.5	526	1	Strongly disagree
55.4	52.2	901	2	Disagree
5.4	5.0	87	3	Neither
6.4	6.0	104	4	Agree
0.4	0.4	7	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 442-443

Labeling by Friends
---------------------

V229

123.FRND5 AG-WELL-LIKED

How much would your friends agree that you . . .  
are well-liked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Strongly disagree
0.9	0.8	14	2	Disagree
3.9	3.7	63	3	Neither
70.7	66.6	1,149	4	Agree
24.2	22.8	394	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 444-445

V230

124.FRND5 AGRE-NEED HELP

How much would your friends agree that you . . .  
need help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	19.2	332	1	Strongly disagree
68.5	64.4	1,111	2	Disagree
6.1	5.7	99	3	Neither
4.5	4.2	73	4	Agree
0.5	0.5	8	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 446-447

<b>V231</b>	<b>125.FRND5 AGRE-BAD KID</b>
-------------	-------------------------------

How much would your friends agree that you . . .  
are a bad kid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	19.9	343	1	Strongly disagree
69.6	65.4	1,129	2	Disagree
6.3	5.9	102	3	Neither
2.8	2.7	46	4	Agree
0.1	0.1	2	5	Strongly agree
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 448-449

<b>V232</b>	<b>126.FRND5 AG-OFTEN UPSET</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
are often upset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.3	177	1	Strongly disagree
62.2	58.6	1,010	2	Disagree
12.9	12.1	209	3	Neither
12.6	11.8	204	4	Agree
1.4	1.3	23	5	Strongly agree
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 450-451

**V233****127.FRND5 AGRE-AMIABLE**

How much would your friends agree that you . . .  
get along well with other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly disagree
1.4	1.3	23	2	Disagree
2.7	2.6	44	3	Neither
76.2	71.7	1,237	4	Agree
19.5	18.4	317	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 452-453

**V234****128.FRND5 AGRE-MESSED UP**

How much would your friends agree that you . . .  
are messed up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	24.6	424	1	Strongly disagree
68.2	64.2	1,107	2	Disagree
3.5	3.2	56	3	Neither
2.0	1.9	33	4	Agree
0.1	0.1	2	5	Strongly agree
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 454-455

<b>V235</b>	<b>129.FRND5 AG-BREAK RULES</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
break rules.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	16.6	286	1	Strongly disagree
57.0	53.7	927	2	Disagree
12.9	12.2	210	3	Neither
11.6	11.0	189	4	Agree
0.8	0.8	13	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 456-457

<b>V236</b>	<b>130.FRND5 AG-PRSNL PROBS</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
have a lot of personal problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	14.9	257	1	Strongly disagree
64.0	60.1	1,036	2	Disagree
10.4	9.8	169	3	Neither
8.8	8.3	143	4	Agree
0.9	0.9	15	5	Strongly agree
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 458-459

<b>V237</b>	<b>131.FRND5 AG-GT IN TRBLE</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
get into trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	16.5	285	1	Strongly disagree
62.1	58.5	1,009	2	Disagree
9.4	8.8	152	3	Neither
10.4	9.8	169	4	Agree
0.6	0.5	9	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 460-461

<b>V238</b>	<b>132.FRND5 AG-LIKLY SUCCD</b>
-------------	---------------------------------

How much would your friends agree that you . . .  
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
5.8	5.4	94	2	Disagree
12.5	11.7	202	3	Neither
68.5	64.3	1,109	4	Agree
12.9	12.1	209	5	Strongly agree
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 462-463

V239	133.FRND5 AGRE-BREAK LAW
------	--------------------------

How much would your friends agree that you . . .  
do things that are against the law.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.0	396	1	Strongly disagree
57.2	53.9	930	2	Disagree
9.4	8.9	153	3	Neither
8.2	7.7	133	4	Agree
0.8	0.8	13	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 464-465

<b>Labeling by Teachers</b>
-----------------------------

V240

134.TCHRS AGR-WELL-LIKED

How much would your teachers agree that you . . .  
are well-liked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
1.2	1.0	18	2	Disagree
9.0	7.9	136	3	Neither
73.2	64.2	1,108	4	Agree
16.5	14.5	250	5	Strongly agree
	12.2	211	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 466-467

V241

135.TCHRS AGRE-NEED HELP

How much would your teachers agree that you . . .  
need help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	13.2	228	1	Strongly disagree
64.0	56.3	971	2	Disagree
10.3	9.1	157	3	Neither
9.8	8.6	149	4	Agree
0.9	0.8	13	5	Strongly agree
	12.0	207	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 468-469

<b>V242</b>	<b>136.TCHRS AGRE-BAD KID</b>
-------------	-------------------------------

How much would your teachers agree that you . . .  
are a bad kid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	15.7	270	1	Strongly disagree
70.3	61.9	1,067	2	Disagree
7.3	6.4	110	3	Neither
4.2	3.7	63	4	Agree
0.5	0.4	7	5	Strongly agree
	12.1	208	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 470-471

<b>V243</b>	<b>137.TCHRS AG-OFTEN UPSET</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
are often upset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	10.8	186	1	Strongly disagree
66.3	58.2	1,004	2	Disagree
11.9	10.5	181	3	Neither
9.0	7.9	137	4	Agree
0.5	0.4	7	5	Strongly agree
	12.2	210	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 472-473

<b>V244</b>	<b>138.TCHRS AG-GOOD CITIZEN</b>
-------------	----------------------------------

How much would your teachers agree that you . . .  
are a good citizen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
3.2	2.8	49	2	Disagree
14.8	13.0	225	3	Neither
71.3	62.7	1,081	4	Agree
10.5	9.2	159	5	Strongly agree
	12.1	209	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 474-475

<b>V245</b>	<b>139.TCHRS AGRE-AMIABLE</b>
-------------	-------------------------------

How much would your teachers agree that you . . .  
get along well with other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	4	1	Strongly disagree
2.0	1.8	31	2	Disagree
5.5	4.9	84	3	Neither
76.9	67.7	1,168	4	Agree
15.3	13.4	232	5	Strongly agree
	11.9	206	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 476-477

**V246** **140.TCHRS AGRE-MESSED UP**

How much would your teachers agree that you . . .  
are messed up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	19.7	339	1	Strongly disagree
69.8	61.5	1,061	2	Disagree
5.3	4.6	80	3	Neither
2.2	1.9	33	4	Agree
0.4	0.3	6	5	Strongly agree
	11.9	206	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 478-479

**V247** **141.TCHRS AG-BREAK RULES**

How much would your teachers agree that you . . .  
break rules.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	14.1	244	1	Strongly disagree
62.6	55.1	950	2	Disagree
11.3	9.9	171	3	Neither
9.4	8.2	142	4	Agree
0.7	0.6	11	5	Strongly agree
	12.0	207	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 480-481

<b>V248</b>	<b>142.TCHRS AG-PERSNL PRBS</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
have a lot of personal problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	12.3	212	1	Strongly disagree
67.0	58.7	1,012	2	Disagree
12.2	10.7	185	3	Neither
6.3	5.5	95	4	Agree
0.5	0.4	7	5	Strongly agree
	12.4	214	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 482-483

<b>V249</b>	<b>143.TCHRS AG-GT IN TRBLE</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
get into trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	14.1	243	1	Strongly disagree
62.3	54.8	945	2	Disagree
11.4	10.0	173	3	Neither
9.2	8.1	140	4	Agree
1.0	0.9	15	5	Strongly agree
	12.1	209	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 484-485

<b>V250</b>	<b>144.TCHRS AGR-LKLY SUCCD</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
are likely to succeed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly disagree
5.6	4.9	84	2	Disagree
12.2	10.7	185	3	Neither
69.2	60.7	1,047	4	Agree
12.6	11.1	191	5	Strongly agree
	12.3	212	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 486-487

<b>V251</b>	<b>145.TCHRS AGR-BREAK LAWS</b>
-------------	---------------------------------

How much would your teachers agree that you . . .  
do things that are against the law.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	20.8	359	1	Strongly disagree
62.5	55.0	948	2	Disagree
9.7	8.5	147	3	Neither
3.8	3.4	58	4	Agree
0.3	0.3	5	5	Strongly agree
	12.1	208	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 488-489

**PERCEIVED DISAPPROVAL**

**Perceived Disapproval from Parents**

**V252**                      **146.P DSAPRV-KPT PROMISE**

How would your parents react if you . . .  
 kept promises you made to others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	31.9	551	1	Strongly approve
60.0	56.5	974	2	Approve
3.7	3.5	60	3	Neither
2.1	2.0	34	4	Disapprove
0.2	0.2	4	5	Strongly disapprove
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 490-491

**V253**                      **147.PNTS DSAPRV-CHEATING**

How would your parents react if you . . .  
 cheated on school tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.6	0.5	9	2	Approve
1.7	1.6	28	3	Neither
55.4	52.1	898	4	Disapprove
42.2	39.7	684	5	Strongly disapprove
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 492-493

<b>V254</b>	<b>148.PNTS DSAPRV-STEAL&lt;\$5</b>
-------------	-------------------------------------

How would your parents react if you . . .  
 stole something worth less than \$5.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Strongly approve
0.5	0.5	8	2	Approve
2.0	1.9	32	3	Neither
46.8	44.1	760	4	Disapprove
50.5	47.5	820	5	Strongly disapprove
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 494-495

<b>V255</b>	<b>149.PTS DSAPRV-OTHR RACE</b>
-------------	---------------------------------

How would your parents react if you . . .  
 were friendly with people who are of a different race, religion, or  
 color than you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	19.8	342	1	Strongly approve
58.7	55.2	953	2	Approve
16.3	15.3	264	3	Neither
3.2	3.0	52	4	Disapprove
0.7	0.7	12	5	Strongly disapprove
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 496-497

<b>V256</b>	<b>150.PS DSAPRV-SOLD DRUGS</b>
-------------	---------------------------------

How would your parents react if you . . .

sold hard drugs such as heroin, cocaine and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.1	0.1	1	2	Approve
0.3	0.3	5	3	Neither
17.0	16.1	277	4	Disapprove
82.5	77.7	1,340	5	Strongly disapprove
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 498-499

<b>V257</b>	<b>151.P DSAPRV-RTRND MONEY</b>
-------------	---------------------------------

How would your parents react if you . . .

returned money you found or any extra change a cashier gave you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	24.6	424	1	Strongly approve
60.5	57.0	983	2	Approve
10.8	10.1	175	3	Neither
2.1	2.0	34	4	Disapprove
0.5	0.5	8	5	Strongly disapprove
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 500-501

**V258** **152.PTS DSAPRV-MARIJUANA**

How would your parents react if you . . .  
 used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.5	0.5	8	2	Approve
6.8	6.4	110	3	Neither
34.3	32.3	557	4	Disapprove
58.4	55.0	949	5	Strongly disapprove
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 502-503

**V259** **153.PTS DSAPRV-STEAL>\$50**

How would your parents react if you . . .  
 stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
0.1	0.1	2	2	Approve
0.2	0.2	4	3	Neither
23.3	22.0	379	4	Disapprove
76.1	71.7	1,236	5	Strongly disapprove
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 504-505

**V260****154.P DSAPRV-HIT SOMEONE**

How would your parents react if you . . .

hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.4	0.4	7	2	Approve
3.5	3.3	57	3	Neither
51.7	48.6	839	4	Disapprove
44.4	41.7	720	5	Strongly disapprove
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 506-507

**V261****155.PS DSAPRV-HELP NEEDY**

How would your parents react if you . . .

gave some of your time to someone or some group who was in need.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	30.1	520	1	Strongly approve
62.8	59.1	1,020	2	Approve
3.8	3.6	62	3	Neither
1.1	1.0	18	4	Disapprove
0.2	0.2	3	5	Strongly disapprove
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 508-509

<b>V262</b>	<b>156.PRNTS DSAPRV-ALCOHOL</b>
-------------	---------------------------------

How would your parents react if you . . .  
 used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
3.4	3.2	55	2	Approve
19.6	18.5	319	3	Neither
45.2	42.6	734	4	Disapprove
31.6	29.7	513	5	Strongly disapprove
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 510-511

<b>V263</b>	<b>157.PRNTS DSAPRV-A FAVOR</b>
-------------	---------------------------------

How would your parents react if you . . .  
 did a favor for someone without being asked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	23.7	409	1	Strongly approve
69.0	64.9	1,119	2	Approve
4.3	4.0	69	3	Neither
1.4	1.3	22	4	Disapprove
0.2	0.2	3	5	Strongly disapprove
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 512-513

**V264****158.P DSAPRV-DEST PROPTY**

How would your parents react if you . . .

purposely damaged or destroyed property that did not belong to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.5	0.5	8	2	Approve
0.5	0.5	8	3	Neither
37.9	35.7	615	4	Disapprove
61.0	57.4	991	5	Strongly disapprove
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 514-515

**V265****159.P DSAPRV-LARCNY VHCL**

How would your parents react if you . . .

broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.2	0.2	4	2	Approve
0.2	0.2	3	3	Neither
25.9	24.4	421	4	Disapprove
73.5	69.2	1,194	5	Strongly disapprove
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 516-517



<b>V268</b>	<b>162.PEER DSAPRV-STEAL&lt;\$5</b>
-------------	-------------------------------------

How would your close friends react if you . . .  
stole something worth less than \$5.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly approve
5.9	5.6	96	2	Approve
28.2	26.4	456	3	Neither
50.4	47.3	816	4	Disapprove
15.1	14.2	245	5	Strongly disapprove
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 522-523

<b>V269</b>	<b>163.PEER DSAPRV-DIF RACE</b>
-------------	---------------------------------

How would your close friends react if you . . .  
were friendly with people who are of a different race, religion, or  
color than you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.7	184	1	Strongly approve
59.4	55.7	961	2	Approve
24.7	23.2	400	3	Neither
4.4	4.1	71	4	Disapprove
0.1	0.1	2	5	Strongly disapprove
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 524-525

**V270** **164.PEER DSAPRV-SLD DRUG**

How would your close friends react if you . . .  
 sold hard drugs such as heroin, cocaine, and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
3.1	2.9	50	2	Approve
11.5	10.8	186	3	Neither
46.2	43.3	747	4	Disapprove
39.1	36.6	632	5	Strongly disapprove
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 526-527

**V271** **165.PEER DSAPRV-RETND \$\$**

How would your close friends react if you . . .  
 returned money you found or any extra change a cashier gave  
 you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.6	97	1	Strongly approve
44.4	41.7	719	2	Approve
33.2	31.1	537	3	Neither
14.8	13.9	239	4	Disapprove
1.6	1.5	26	5	Strongly disapprove
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 528-529

**V272****166.PEER DSAPRV-MARIJUAN**

How would your close friends react if you . . .  
used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Strongly approve
13.5	12.6	218	2	Approve
25.9	24.3	419	3	Neither
34.7	32.6	562	4	Disapprove
25.3	23.7	409	5	Strongly disapprove
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 530-531

**V273****167.PEER DSAPRV-STLE>\$50**

How would your close friends react if you . . .  
stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	8	1	Strongly approve
3.6	3.4	58	2	Approve
10.2	9.6	165	3	Neither
49.8	46.7	806	4	Disapprove
35.9	33.6	580	5	Strongly disapprove
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 532-533

**V274** **168.PEER DSAPRV-HIT SONE**

How would your close friends react if you . . .  
hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
3.8	3.6	62	2	Approve
19.4	18.2	314	3	Neither
57.5	53.9	930	4	Disapprove
19.0	17.9	308	5	Strongly disapprove
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 534-535

**V275** **169.PEER DSAPRV-HLP NEDY**

How would your close friends react if you . . .  
gave some of your time to someone or some group who was in need.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.6	183	1	Strongly approve
70.1	65.6	1,132	2	Approve
16.5	15.4	266	3	Neither
1.9	1.7	30	4	Disapprove
0.2	0.2	3	5	Strongly disapprove
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 536-537

**V276****170.PEERS DSAPRV-ALCOHOL**

How would your close friends react if you . . .  
used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	17	1	Strongly approve
20.9	19.6	338	2	Approve
35.0	32.8	566	3	Neither
31.0	29.0	501	4	Disapprove
12.1	11.3	195	5	Strongly disapprove
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 538-539

**V277****171.PEER DSAPRV-A FAVOR**

How would your close friends react if you . . .  
did a favor for someone without being asked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.3	178	1	Strongly approve
72.9	68.1	1,174	2	Approve
14.4	13.4	232	3	Neither
1.6	1.5	26	4	Disapprove
0.0	0.0	0	5	Strongly disapprove
	6.7	115	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 540-541

**V278** **172.PEER DSAPRV-SEX PRES**

How would your close friends react if you . . .

pressured or forced someone to do more sexually than they wanted to do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
2.9	2.7	47	2	Approve
15.6	14.6	252	3	Neither
54.9	51.4	886	4	Disapprove
26.3	24.6	424	5	Strongly disapprove
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 542-543

**V279** **173.PEER DSAPRV-DES PROP**

How would your close friends react if you . . .

purposely damaged or destroyed property that did not belong to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
2.3	2.1	37	2	Approve
12.4	11.6	200	3	Neither
60.2	56.4	973	4	Disapprove
25.1	23.5	406	5	Strongly disapprove
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 544-545

**V280****174.PEER DSPRV-LRCNY VEH**

How would your close friends react if you . . .

broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
2.0	1.9	32	2	Approve
8.5	8.0	138	3	Neither
57.4	53.7	927	4	Disapprove
32.1	30.0	518	5	Strongly disapprove
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 546-547

**V281****175.PEER DSPRV-SEX INTER**

How would your close friends react if you . . .

had sexual intercourse with a person of the opposite sex (IF MARRIED, ADD other than with your husband/wife.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.3	40	1	Strongly approve
16.8	15.7	271	2	Approve
39.7	37.0	639	3	Neither
26.0	24.3	419	4	Disapprove
15.0	14.0	242	5	Strongly disapprove
	6.6	114	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 548-549



**V284****176.3FRNDS RCT-TRBLE/SCH**

If you got into trouble at school, how often would each of the following people defend you or stick up for you?

your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.8	13	1	Almost never
10.9	5.8	100	2	Sometimes
31.7	16.8	290	3	Often
56.0	29.7	513	4	Almost always
	46.9	809	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 554-555

**V285****177.1MTHR RCT-TRBL/POLCE**

If you got into trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not to worry?

your mother (OR MOTHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	3.5	61	1	Almost never
18.9	10.1	174	2	Sometimes
29.7	15.8	273	3	Often
44.8	23.9	412	4	Almost always
	46.7	805	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 556-557

**V286** **177.2FTHR RCT-TRBL/POLCE**

If you got into trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not to worry?

your father (OR FATHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	4.3	74	1	Almost never
20.8	10.3	178	2	Sometimes
29.6	14.7	253	3	Often
40.9	20.2	349	4	Almost always
	50.5	871	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 558-559

**V287** **177.3FRNDS RCT-TRB/POLCE**

If you got into trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not to worry?

your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	1.4	24	1	Almost never
18.6	10.0	172	2	Sometimes
38.0	20.4	352	3	Often
40.8	21.9	378	4	Almost always
	46.3	799	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 560-561

**V288****178.1MTHR RCT-TRBL NBRHD**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they still believed in you and trusted you?

your mother (OR MOTHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	1.4	25	1	Almost never
15.0	8.0	138	2	Sometimes
29.9	15.9	275	3	Often
52.3	27.9	481	4	Almost always
	46.7	806	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 562-563

**V289****178.2FTHR RCT-TRBL NBRHD**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they still believed in you and trusted you?

your father (OR FATHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	2.6	45	1	Almost never
18.8	9.3	161	2	Sometimes
28.4	14.1	243	3	Often
47.5	23.6	407	4	Almost always
	50.4	869	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 564-565

**V290** **178.3FRNDS RCT-TRB NBRHD**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they still believed in you and trusted you?

your close friends stick

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.9	15	1	Almost never
17.8	9.6	165	2	Sometimes
36.7	19.7	340	3	Often
43.8	23.5	406	4	Almost always
	46.3	799	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 566-567

**V291** **179.1MTHR REACTN-W/RUMOR**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

your mother (OR MOTHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	1.7	30	1	Almost never
11.3	6.0	104	2	Sometimes
21.0	11.2	194	3	Often
64.5	34.5	595	4	Almost always
	46.5	802	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 568-569

<b>V292</b>	<b>179.2FTHR REACTN-W/RUMOR</b>
-------------	---------------------------------

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

your father (OR FATHER FIGURE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	2.5	43	1	Almost never
13.9	6.9	119	2	Sometimes
21.7	10.8	186	3	Often
59.5	29.6	511	4	Almost always
	50.2	866	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 570-571

<b>V293</b>	<b>179.3FRNDS REACT-W/RUMOR</b>
-------------	---------------------------------

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	2.5	43	1	Almost never
16.2	8.7	150	2	Sometimes
31.7	17.0	294	3	Often
47.5	25.5	440	4	Almost always
	46.3	798	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 572-573



V296	182.R - ATT:USE MARIJUAN
------	--------------------------

How wrong is it for someone your age to . . .

use marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.3	213	1	Not wrong at all
21.1	19.9	343	2	A little bit wrong
24.1	22.7	392	3	Wrong
41.7	39.3	678	4	Very wrong
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 578-579

V297	183.R - ATT:STEAL < \$5
------	-------------------------

How wrong is it for someone your age to . . .

steal something worth less than \$5?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	17	1	Not wrong at all
12.7	11.9	206	2	A little bit wrong
50.3	47.4	818	3	Wrong
36.0	33.9	585	4	Very wrong
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 580-581



V300

186.R - ATT:BRK IN VEHCL

How wrong is it for someone your age to . . .

break into a vehicle or building to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Not wrong at all
1.4	1.3	22	2	A little bit wrong
31.1	29.3	505	3	Wrong
67.4	63.4	1,094	4	Very wrong
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 586-587

V301

187.R- ATT:SELL HRD DRGS

How wrong is it for someone your age to . . .

sell hard drugs such as heroin, cocaine, and LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	21	1	Not wrong at all
3.1	2.9	50	2	A little bit wrong
20.5	19.3	333	3	Wrong
75.2	70.8	1,222	4	Very wrong
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 588-589



V304

190.R ATT:USE PRESC DRGS

How wrong is it for someone your age to . . .

use prescription drugs such as amphetamines or barbiturates when there is no medical need for them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	21	1	Not wrong at all
5.7	5.4	93	2	A little bit wrong
30.6	28.9	498	3	Wrong
62.4	58.8	1,014	4	Very wrong
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 594-595

V305

191.R ATT:GIV/SELL ALCHL

How wrong is it for someone your age to . . .

give or sell alcohol to kids under 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.9	68	1	Not wrong at all
16.6	15.6	269	2	A little bit wrong
31.5	29.6	511	3	Wrong
47.8	45.0	776	4	Very wrong
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 596-597



V307

193.R- FRND:DEST PROPTY

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .

purposely damaged or destroyed property that did not belong to them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	55.6	959	1	None of them
27.6	25.8	445	2	Very few of them
10.9	10.2	176	3	Some of them
1.5	1.4	24	4	Most of them
0.6	0.6	10	5	All of them
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 600-601

V308

194.R- FRNDS:USE MARIJ

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .

used marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	40.6	700	1	None of them
16.5	15.4	266	2	Very few of them
18.3	17.2	296	3	Some of them
12.8	12.0	207	4	Most of them
9.1	8.5	147	5	All of them
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 602-603



V311

197.R- FRNDS:USE ALCHOL

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .  
used alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	23.1	399	1	None of them
18.3	17.2	297	2	Very few of them
20.4	19.2	331	3	Some of them
17.8	16.7	288	4	Most of them
18.8	17.6	304	5	All of them
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 608-609

V312

198.R- FRNDS:BRK IN VEH

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .  
broken into a vehicle or building to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	81.2	1,400	1	None of them
9.7	9.0	156	2	Very few of them
2.7	2.5	43	3	Some of them
0.5	0.5	8	4	Most of them
0.4	0.3	6	5	All of them
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 610-611



V315

201.R FDS:SUGGST BRK LAW

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .

suggested you do something that was against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	65.9	1,137	1	None of them
16.3	15.3	264	2	Very few of them
9.0	8.5	146	3	Some of them
2.6	2.4	42	4	Most of them
1.9	1.7	30	5	All of them
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 616-617

V316

202.R- FRNDS:GET DRUNK

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . .

gotten drunk once in awhile?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	24.0	414	1	None of them
20.7	19.4	335	2	Very few of them
20.2	19.0	327	3	Some of them
15.8	14.8	255	4	Most of them
17.7	16.6	286	5	All of them
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 618-619



Commitment to Delinquent Peers
--------------------------------

V319	205.DEV FRNDS-CONT ASSOC
------	--------------------------

If you found that your group of friends was leading you into trouble, would you still run around with them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	61.8	1,066	1	No
26.2	24.6	424	2	Don't know
8.0	7.5	129	3	Yes
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 624-625

V320	206.DEV FRNDS-ST ACTVTES
------	--------------------------

If you found that your group of friends was leading you into trouble, would you try to stop these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.4	110	1	No
13.0	12.2	211	2	Don't know
80.2	75.2	1,298	3	Yes
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 626-627

V321	207.DEV FRNDS-LIE FR THM
------	--------------------------

If your friends got into trouble with the police, would you be willing to lie to protect them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	52.1	899	1	No
26.6	25.0	431	2	Don't know
17.9	16.8	289	3	Yes
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 628-629

## SEX ROLES

V322

208.R AGRE-FA GRTR AUTHY

Please tell me how much you agree or disagree with these statements.

When parents disagree over how to raise and discipline the children, the father should decide what to do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.5	130	1	Strongly disagree
35.7	33.6	580	2	Disagree
22.8	21.5	371	3	Neither
29.6	27.8	480	4	Agree
3.9	3.7	63	5	Strongly agree
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 630-631

V323

209.R AGR-WOMN/MOST JOBS

Please tell me how much you agree or disagree with these statements.

Women can do most jobs as well as men.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	11	1	Strongly disagree
8.6	8.1	140	2	Disagree
15.1	14.2	245	3	Neither
64.4	60.7	1,047	4	Agree
11.2	10.6	182	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 632-633

<b>V324</b>	<b>210.R AGR-MEN MST RELBLE</b>
-------------	---------------------------------

Please tell me how much you agree or disagree with these statements.

Men are more reliable in emergencies than women.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.8	117	1	Strongly disagree
34.2	32.1	553	2	Disagree
31.6	29.6	511	3	Neither
24.4	22.9	395	4	Agree
2.7	2.5	43	5	Strongly agree
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 634-635

<b>V325</b>	<b>211.R AGR-WOMEN EMOTIONL</b>
-------------	---------------------------------

Please tell me how much you agree or disagree with these statements.

Women are too emotional to solve problems well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.1	174	1	Strongly disagree
53.1	50.0	862	2	Disagree
24.0	22.6	389	3	Neither
11.5	10.8	186	4	Agree
0.7	0.6	11	5	Strongly agree
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 636-637

**V326****212.R AGR-WOMEN SMART**

Please tell me how much you agree or disagree with these statements.

It is more important for a woman to be smart than pretty.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Strongly disagree
19.1	18.0	310	2	Disagree
35.4	33.2	573	3	Neither
38.2	35.9	619	4	Agree
5.7	5.3	92	5	Strongly agree
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 638-639

**V327****213.R AGR-MEN SHDNT CRY**

Please tell me how much you agree or disagree with these statements.

A man who is really a man wouldn't cry over a movie.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.0	172	1	Strongly disagree
44.9	42.2	728	2	Disagree
20.1	18.9	326	3	Neither
20.8	19.5	337	4	Agree
3.6	3.4	58	5	Strongly agree
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 640-641

<b>V328</b>	<b>214.R AGR-WMN RESP/CHILD</b>
-------------	---------------------------------

Please tell me how much you agree or disagree with these statements.

It is the woman's job to take care of the home and the children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.0	104	1	Strongly disagree
31.1	29.3	506	2	Disagree
22.3	21.0	363	3	Neither
35.7	33.7	581	4	Agree
4.4	4.2	72	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 642-643

<b>V329</b>	<b>215.R AGR-MEN RESP/MONEY</b>
-------------	---------------------------------

Please tell me how much you agree or disagree with these statements.

It is the man's job to earn the money for the family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.8	66	1	Strongly disagree
25.3	23.8	411	2	Disagree
21.0	19.8	341	3	Neither
42.5	40.1	691	4	Agree
7.2	6.8	117	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 644-645

V330

216.R AGR-WOMEN WEAK

Please tell me how much you agree or disagree with these statements.

Because women are physically and emotionally weaker, they need men to support and take care of them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.8	151	1	Strongly disagree
45.7	43.1	743	2	Disagree
21.2	20.0	345	3	Neither
21.1	19.9	343	4	Agree
2.7	2.6	44	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 646-647

V331

217.R AGR-AGGR WMN/UNFEM

Please tell me how much you agree or disagree with these statements.

Women who are forceful and try to get ahead in their jobs are not very feminine.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.4	128	1	Strongly disagree
53.7	50.3	867	2	Disagree
21.9	20.5	354	3	Neither
15.6	14.6	251	4	Agree
0.9	0.8	14	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 648-649



V334

220.R AGRE-HIT ACCEPTBLE

Please tell me how much you agree or disagree with each of the following statements.

It is all right to physically beat up people who call you names.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	14.2	245	1	Strongly disagree
64.2	60.5	1,044	2	Disagree
13.8	13.0	225	3	Neither
6.6	6.2	107	4	Agree
0.2	0.2	4	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 654-655

V335

221.R AGRE-TV VIOL EFCTV

Please tell me how much you agree or disagree with each of the following statements.

Since the people on TV often get what they want by using violence, it's probably all right for you to use it too.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	21.8	376	1	Strongly disagree
69.6	65.6	1,131	2	Disagree
5.8	5.4	94	3	Neither
1.4	1.3	22	4	Agree
0.2	0.2	3	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 656-657

**V336** **222.R AGRE-NO RSN FR HIT**

Please tell me how much you agree or disagree with each of the following statements.

There is no good reason to hit anyone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.1	37	1	Strongly disagree
33.1	31.2	538	2	Disagree
16.4	15.4	266	3	Neither
40.4	38.0	656	4	Agree
7.9	7.4	128	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 658-659

**V337** **223.R AGRE-RETALIATE/HIT**

Please tell me how much you agree or disagree with each of the following statements.

If people do something to make you really mad, they deserve to be beaten up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.3	195	1	Strongly disagree
51.0	48.1	830	2	Disagree
21.0	19.8	341	3	Neither
15.1	14.3	246	4	Agree
0.9	0.8	14	5	Strongly agree
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 660-661

V338

224.R AGR-OK HIT SOMEONE

Please tell me how much you agree or disagree with each of the following statements.

It's OK to hit someone to get them to do what you want.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	18.8	324	1	Strongly disagree
72.3	68.1	1,175	2	Disagree
5.8	5.4	94	3	Neither
1.8	1.7	29	4	Agree
0.2	0.2	3	5	Strongly agree
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 662-663

V339

225.R AGR-TIMES/NEC FGHT

Please tell me how much you agree or disagree with each of the following statements.

You should never beat up another person unless someone's life is at stake.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	32	1	Strongly disagree
21.4	20.1	346	2	Disagree
22.8	21.3	368	3	Neither
46.2	43.3	747	4	Agree
7.7	7.2	124	5	Strongly agree
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 664-665

V340	226.R AGR-FORC/TIMES NEC
------	--------------------------

Please tell me how much you agree or disagree with each of the following statements.

If you don't physically fight back, people will walk all over you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.6	96	1	Strongly disagree
34.3	32.2	556	2	Disagree
16.6	15.6	269	3	Neither
38.3	36.1	622	4	Agree
4.9	4.6	79	5	Strongly agree
	6.0	103	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 666-667

**ATTITUDES TOWARD SEXUAL ASSAULT**

**V341****227.R AGRE-RAPIST VIOLNT**

Please tell me how much you agree or disagree with each of the following statements.

Men who rape women are generally violent people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	18	1	Strongly disagree
10.7	10.0	172	2	Disagree
8.8	8.2	142	3	Neither
58.5	54.7	944	4	Agree
20.9	19.6	338	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 668-669

**V342****228.R AGRE-WOMN WNT RAPE**

Please tell me how much you agree or disagree with each of the following statements.

Most women secretly want to be raped or sexually assaulted.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	20.5	353	1	Strongly disagree
50.5	46.9	809	2	Disagree
21.6	20.1	346	3	Neither
5.5	5.1	88	4	Agree
0.4	0.4	7	5	Strongly agree
	7.1	122	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 670-671



V345	231.R AG-WMN RESIST RAPE
------	--------------------------

Please tell me how much you agree or disagree with each of the following statements.

Any healthy woman can resist a rapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.8	134	1	Strongly disagree
52.0	48.6	838	2	Disagree
17.4	16.2	280	3	Neither
20.3	19.0	327	4	Agree
2.0	1.9	33	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 676-677

V346	232.R AG-VCTM FEEL GUILT
------	--------------------------

Please tell me how much you agree or disagree with each of the following statements.

A woman should feel guilty after a sexual assault or rape.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.6	251	1	Strongly disagree
53.1	49.5	854	2	Disagree
17.5	16.3	282	3	Neither
12.6	11.8	203	4	Agree
1.2	1.1	19	5	Strongly agree
	6.7	116	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 678-679



**V349****235.R AG-WOMN NOT RAPED**

Please tell me how much you agree or disagree with each of the following statements.

A woman cannot be sexually assaulted or raped against her will, unless there is a weapon or more than one attacker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.4	145	1	Strongly disagree
51.5	48.0	828	2	Disagree
13.4	12.5	216	3	Neither
23.7	22.1	381	4	Agree
2.3	2.1	37	5	Strongly agree
	6.8	118	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 684-685

**V350****236.R AG-RAPISTS ANGRY**

Please tell me how much you agree or disagree with each of the following statements.

In general, men rape to show their anger and hatred of women.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.0	52	1	Strongly disagree
38.6	35.7	615	2	Disagree
32.7	30.1	520	3	Neither
23.6	21.8	376	4	Agree
1.8	1.7	29	5	Strongly agree
	7.7	133	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 686-687

V351

237.R AG-WMN RESPBL RAPE

Please tell me how much you agree or disagree with each of the following statements.

If a woman gets a man sexually excited, it's her own fault if he rapes or sexually assaults her.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.7	98	1	Strongly disagree
34.1	31.8	549	2	Disagree
26.2	24.5	423	3	Neither
31.1	29.1	502	4	Agree
2.5	2.3	40	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 688-689



**V354 240.FRND SUGG GET DRUNK**

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get drunk to have a good time

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	30.7	530	1	Never
17.5	7.0	121	2	Once or twice
4.1	1.6	28	3	Several times
1.6	0.6	11	4	Often
	60.0	1,035	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 694-695

**V355 241.FRND S OFFER MARIJUAN**

During the past year, how often have your close friends done any of the following:

Offered marijuana to you

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	21.6	372	1	Never
18.7	7.5	129	2	Once or twice
16.6	6.7	115	3	Several times
10.9	4.3	75	4	Often
	59.9	1,034	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 696-697

V356

## 242.FRND SUGG GET HIGH

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get high on drugs to have a good time

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	33.3	575	1	Never
12.7	5.1	88	2	Once or twice
2.7	1.1	19	3	Several times
1.3	0.5	9	4	Often
	59.9	1,034	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 698-699

V357

## 243.FRND S PRESS US DRUGS

During the past year, how often have your close friends done any of the following:

Put pressure on you to use drugs

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	36.9	637	1	Never
5.2	2.1	36	2	Once or twice
1.9	0.8	13	3	Several times
0.7	0.3	5	4	Often
	59.9	1,034	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 700-701



V360

245.1HW OFT FA GOT DRUNK

How often has your Father gotten drunk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	21.1	364	1	Never
24.8	9.1	157	2	Once or twice
11.1	4.1	70	3	Several times
6.6	2.4	42	4	Often
	63.3	1,092	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 706-707

V361

245.2HW OFT MO GOT DRUNK

How often has your Mother gotten drunk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	30.8	531	1	Never
17.7	7.1	122	2	Once or twice
4.2	1.7	29	3	Several times
0.9	0.3	6	4	Often
	60.1	1,037	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 708-709

<b>V362</b>	<b>246.1HW OFT FA US MARIJA</b>
-------------	---------------------------------

How often has your Father used marijuana?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	35.4	610	1	Never
2.5	0.9	16	2	Once or twice
0.6	0.2	4	3	Several times
0.3	0.1	2	4	Often
	63.4	1,093	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 710-711

<b>V363</b>	<b>246.2HW OFT MO US MARIJA</b>
-------------	---------------------------------

How often has your Mother used marijuana?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	38.8	669	1	Never
1.7	0.7	12	2	Once or twice
0.6	0.2	4	3	Several times
0.3	0.1	2	4	Often
	60.2	1,038	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 712-713

V364

247.1HW OFTN FA/TRANQZRS

How often has your Father used drugs such as tranquilizers?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	30.7	529	1	Never
10.2	3.7	64	2	Once or twice
4.1	1.5	26	3	Several times
1.7	0.6	11	4	Often
	63.5	1,095	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 714-715

V365

247.2HW OFTN MO/TRANQZRS

How often has your Mother used drugs such as tranquilizers?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	29.0	500	1	Never
18.1	7.2	124	2	Once or twice
6.6	2.6	45	3	Several times
2.2	0.9	15	4	Often
	60.3	1,041	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 716-717



<b>V367</b>	<b>248.2RATE-DMG FAM PROPTY</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to your parents or other family members.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	82.1	1,417	1	Never
10.9	10.3	178	2	Once or twice
0.8	0.8	13	3	Once every 2-3 mos
0.9	0.8	14	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.1	0.1	2	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 720-721

V368	249.1FRQ-DMG SCHL PROPTY
------	--------------------------

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	83.5	1,440	0	
5.6	5.3	91	1	
2.7	2.6	44	2	
0.9	0.9	15	3	
0.4	0.4	7	4	
0.6	0.6	10	5	
0.2	0.2	3	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.3	0.3	5	10	
0.2	0.2	4	12	
0.1	0.1	1	13	
0.1	0.1	1	20	
0.1	0.1	1	30	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 722-723

<b>V369</b>	<b>249.2RATE-DMG SCL PROPTY</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	83.5	1,440	1	Never
9.2	8.7	150	2	Once or twice
1.2	1.2	20	3	Once every 2-3 mos
0.7	0.7	12	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 724-725

V370	250.1FRQ-DMG OTHR PROPTY
------	--------------------------

How many times in the LAST YEAR have you:

purposely damaged or destroyed other property that did not belong to you, not counting family or school property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	80.9	1,395	0	
6.1	5.7	99	1	
3.7	3.5	60	2	
2.1	2.0	34	3	
0.8	0.8	13	4	
0.7	0.7	12	5	
0.1	0.1	1	7	
0.1	0.1	2	8	
0.4	0.3	6	10	
0.1	0.1	2	12	
0.1	0.1	1	44	
0.1	0.1	1	48	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 726-727

**V371 250.2RATE-DMG OTH PROPTY**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed other property that did not belong to you, not counting family or school property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	80.9	1,395	1	Never
11.9	11.2	193	2	Once or twice
1.5	1.4	25	3	Once every 2-3 mos
0.7	0.6	11	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 728-729

**V372 251.1FRQ -STLN MOTR VEHL**

How many times in the LAST YEAR have you:

stolen or tried to steal a motor vehicle, such as a car or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	93.3	1,609	0	
0.7	0.6	11	1	
0.2	0.2	4	2	
0.1	0.1	1	4	
0.1	0.1	1	5	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 730-731

**V373 251.2RATE-STLN MOTR VEHL**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen or tried to steal a motor vehicle, such as a car or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	93.3	1,609	1	Never
0.9	0.9	15	2	Once or twice
0.1	0.1	2	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 732-733

**V374 252.1FRQNCY-STOLEN > \$50**

How many times in the LAST YEAR have you:

stolen or tried to steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	91.8	1,583	0	
1.3	1.2	21	1	
0.9	0.8	14	2	
0.2	0.2	3	4	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.1	0.1	1	20	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 734-735

V375

252.2RATE-STOLEN &gt; \$50

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen or tried to steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	91.8	1,583	1	Never
2.2	2.0	35	2	Once or twice
0.2	0.2	3	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 736-737

V376	253.1FRQ-BGHT STOLEN GDS
------	--------------------------

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods or tried to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	85.9	1,481	0	
4.1	3.9	67	1	
2.0	1.9	33	2	
0.9	0.9	15	3	
0.6	0.5	9	4	
0.1	0.1	2	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.3	0.3	5	10	
0.2	0.2	3	12	
0.1	0.1	1	15	
0.2	0.2	3	20	
0.1	0.1	1	50	
0.1	0.1	1	90	
0.1	0.1	1	100	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 738-740

<b>V377</b>	<b>253.2RATE-BGHT STOLN GDS</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods or tried to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	85.9	1,481	1	Never
7.1	6.7	115	2	Once or twice
0.8	0.8	13	3	Once every 2-3 mos
0.6	0.5	9	4	Once a mo
0.2	0.2	4	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.2	0.2	3	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 741-742

<b>V378</b>	<b>254.1FRQ -RETURN THINGS</b>
-------------	--------------------------------

How many times in the LAST YEAR have you:

found something like a wallet or some jewelry and returned it to the owner or the police?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	42.7	736	0	
13.0	7.0	121	1	
4.2	2.3	39	2	
2.0	1.1	19	3	
0.6	0.3	6	4	
0.5	0.3	5	5	
0.4	0.2	4	12	
0.1	0.1	1	50	
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 743-744



V380

255.1FRQ -THROWN OBJECTS

How many times in the LAST YEAR have you:

thrown objects such as rocks, snowballs, or bottles at cars or people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	60.9	1,051	0	
7.6	7.1	123	1	
7.5	7.0	121	2	
3.5	3.3	57	3	
2.6	2.4	42	4	
3.5	3.2	56	5	
0.7	0.7	12	6	
0.4	0.4	7	7	
0.2	0.2	4	8	
0.1	0.1	1	9	
2.1	2.0	34	10	
1.2	1.1	19	12	
1.0	1.0	17	15	
1.3	1.2	21	20	
0.3	0.3	5	25	
0.4	0.4	7	30	
0.1	0.1	1	34	
0.1	0.1	2	35	
0.1	0.1	2	40	
0.1	0.1	1	45	
0.1	0.1	1	48	
1.0	0.9	16	50	
0.1	0.1	1	52	
0.1	0.1	1	75	
0.1	0.1	1	80	
0.1	0.1	2	90	
0.7	0.6	11	100	
0.1	0.1	1	149	
0.1	0.1	1	150	
0.1	0.1	1	162	
0.1	0.1	2	200	
0.1	0.1	1	300	
0.1	0.1	1	999	
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 747-749

**V381 255.2RATE-THROWN OBJECTS**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

thrown objects such as rocks, snowballs, or bottles at cars or people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	60.9	1,051	1	Never
18.5	17.4	301	2	Once or twice
6.8	6.4	110	3	Once every 2-3 mos
3.1	3.0	51	4	Once a mo
1.5	1.4	25	5	Once every 2-3 wks
1.4	1.3	23	6	Once a wk
2.1	2.0	34	7	2-3 times a wk
0.6	0.6	10	8	Once a day
1.1	1.0	18	9	2-3 times a day
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 750-751

**V382 256.1FRQ-RUNAWAY HOME**

How many times in the LAST YEAR have you:

run away from home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	89.7	1,548	0	
3.3	3.1	53	1	
0.9	0.9	15	2	
0.3	0.3	5	3	
0.2	0.2	3	4	
0.1	0.1	1	5	
0.1	0.1	1	10	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 752-753

<b>V383</b>	<b>256.2RATE-RUNAWAY/HOME</b>
-------------	-------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

run away from home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	89.7	1,548	1	Never
4.5	4.2	73	2	Once or twice
0.2	0.2	4	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 754-755

V384	257.1FRQNCY-LIED ABT AGE
------	--------------------------

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.5	64.6	1,114	0	
7.6	7.1	123	1	
6.0	5.7	98	2	
2.8	2.7	46	3	
2.1	2.0	34	4	
2.9	2.7	47	5	
0.4	0.3	6	6	
0.5	0.5	8	7	
0.5	0.5	8	8	
1.8	1.7	30	10	
0.1	0.1	1	11	
1.6	1.5	26	12	
0.1	0.1	2	14	
0.7	0.6	11	15	
0.1	0.1	1	18	
1.4	1.3	23	20	
0.1	0.1	1	22	
0.4	0.3	6	24	
0.4	0.4	7	25	
0.1	0.1	1	28	
0.4	0.4	7	30	
0.1	0.1	1	45	
0.3	0.3	5	50	
0.2	0.2	4	52	
0.1	0.1	1	60	
0.1	0.1	1	70	
0.1	0.1	1	96	
0.4	0.4	7	100	
0.1	0.1	1	125	
0.1	0.1	1	150	
0.1	0.1	1	156	
0.1	0.1	1	364	
0.1	0.1	1	365	
0.1	0.1	1	400	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 756-758

V385

257.2RATE-LIED ABT AGE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	64.6	1,114	1	Never
16.4	15.5	267	2	Once or twice
5.4	5.0	87	3	Once every 2-3 mos
3.9	3.7	63	4	Once a mo
2.6	2.4	42	5	Once every 2-3 wks
1.8	1.7	29	6	Once a wk
1.2	1.1	19	7	2-3 times a wk
0.3	0.3	5	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 759-760

V386	258.1FRQNCY-CARRY WEAPON
------	--------------------------

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.7	88.3	1,524	0	
2.0	1.9	33	1	
0.7	0.7	12	2	
0.8	0.8	13	3	
0.1	0.1	2	4	
0.4	0.3	6	5	
0.1	0.1	1	6	
0.1	0.1	1	8	
0.1	0.1	2	10	
0.2	0.2	4	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	2	30	
0.1	0.1	1	48	
0.1	0.1	2	50	
0.1	0.1	2	60	
0.1	0.1	1	90	
0.2	0.2	4	100	
0.1	0.1	1	120	
0.1	0.1	1	149	
0.1	0.1	2	150	
0.1	0.1	1	200	
0.1	0.1	1	250	
0.4	0.4	7	365	
0.1	0.1	1	725	
	5.7	99	-1	
-----				
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 761-763

V387	<b>258.2RATE-CARRIED WEAPON</b>
------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.7	88.3	1,524	1	Never
3.6	3.4	58	2	Once or twice
0.6	0.5	9	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.2	0.2	4	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.5	0.5	8	7	2-3 times a wk
0.7	0.7	12	8	Once a day
0.2	0.2	3	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 764-765

V388	259.1FRQNCY-STOLEN < \$5
------	--------------------------

How many times in the LAST YEAR have you:  
 stolen or tried to steal things worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	80.5	1,388	0	
6.1	5.7	99	1	
3.1	2.9	50	2	
1.7	1.6	27	3	
0.5	0.5	8	4	
1.1	1.0	18	5	
0.2	0.2	4	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.5	0.5	8	10	
0.4	0.3	6	12	
0.2	0.2	3	15	
0.1	0.1	1	18	
0.2	0.2	4	20	
0.1	0.1	1	27	
0.1	0.1	1	40	
0.1	0.1	1	52	
0.1	0.1	1	70	
0.1	0.1	2	100	
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 766-768



**V391 260.2RATE-ATTCKD SOMEONE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

attacked someone with the idea of seriously hurting or killing him or her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	90.4	1,559	1	Never
3.4	3.2	56	2	Once or twice
0.5	0.5	8	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 773-774

**V392 261.1FRQNCY-PAID SEX REL**

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	93.7	1,617	0	
0.2	0.2	3	1	
0.1	0.1	2	2	
0.1	0.1	2	3	
0.1	0.1	1	15	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 775-776

V393

## 261.2RATE-PAID SEX RELS

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	93.7	1,617	1	Never
0.4	0.4	7	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 777-778

V394

## 262.1FRQNCY-SEX INTRCRSE

How many times in the LAST YEAR have you:

had sexual intercourse with a person or the opposite sex (IF MARRIED, ADD other than with your wife/husband)?

1,725 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data code: -1

Columns: 779-781

**V395 262.2RATE-SEX INTRCOURSE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had sexual intercourse with a person or the opposite sex (IF MARRIED, ADD other than with your wife/husband)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	65.1	1,123	1	Never
9.8	9.2	158	2	Once or twice
4.6	4.3	75	3	Once every 2-3 mos
4.5	4.2	73	4	Once a mo
3.7	3.5	60	5	Once every 2-3 wks
3.1	3.0	51	6	Once a wk
4.3	4.1	70	7	2-3 times a wk
0.6	0.6	10	8	Once a day
0.0	0.0	0	9	2-3 times a day
	6.1	105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 782-783

**V396 263.1FRQNCY-GANG FIGHTS**

How many times in the LAST YEAR have you:

been involved in gang fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	86.8	1,498	0	
4.1	3.9	67	1	
2.0	1.9	33	2	
0.6	0.5	9	3	
0.2	0.2	3	4	
0.4	0.3	6	5	
0.2	0.2	3	6	
0.1	0.1	1	8	
0.1	0.1	2	10	
0.2	0.2	3	12	
0.1	0.1	1	50	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 784-785

V397

## 263.2RATE-GANG FIGHTS

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been involved in gang fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	86.8	1,498	1	Never
6.7	6.3	109	2	Once or twice
0.7	0.7	12	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 786-787

V398	264.1FRQNCY-SOLD MARIJUA
------	--------------------------

How many times in the LAST YEAR have you:

sold marijuana or hashish ("POT", "GRASS", "HASH")?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	84.4	1,456	0	
2.3	2.2	38	1	
1.7	1.6	27	2	
0.9	0.8	14	3	
0.8	0.8	13	4	
1.0	1.0	17	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.2	0.2	3	8	
0.3	0.3	5	10	
0.1	0.1	1	11	
0.6	0.6	10	12	
0.1	0.1	2	13	
0.1	0.1	1	14	
0.1	0.1	2	15	
0.1	0.1	1	18	
0.4	0.4	7	20	
0.1	0.1	1	24	
0.1	0.1	2	25	
0.2	0.2	3	30	
0.1	0.1	1	35	
0.2	0.2	3	40	
0.2	0.2	3	50	
0.1	0.1	1	70	
0.1	0.1	2	100	
0.1	0.1	1	120	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	2	364	
0.1	0.1	1	365	
0.1	0.1	1	750	
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 788-790

<b>V399</b>	<b>264.2RATE-SOLD MARIJUANA</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

sold marijuana or hashish ("POT", "GRASS", "HASH")?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	84.4	1,456	1	Never
4.9	4.6	79	2	Once or twice
2.0	1.9	32	3	Once every 2-3 mos
1.5	1.4	25	4	Once a mo
0.9	0.9	15	5	Once every 2-3 wks
0.1	0.1	2	6	Once a wk
0.4	0.3	6	7	2-3 times a wk
0.2	0.2	4	8	Once a day
0.2	0.2	4	9	2-3 times a day
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 791-792

V400	265.1FRQNCY-CHEATED/TEST
------	--------------------------

How many times in the LAST YEAR have you:  
cheated on school tests?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	54.9	947	0	
11.7	11.0	190	1	
10.1	9.5	164	2	
4.0	3.8	65	3	
2.8	2.6	45	4	
4.2	4.0	69	5	
0.6	0.6	10	6	
0.1	0.1	1	7	
0.6	0.5	9	8	
0.1	0.1	1	9	
2.0	1.9	33	10	
1.4	1.3	22	12	
0.1	0.1	1	14	
0.7	0.6	11	15	
1.4	1.3	23	20	
0.1	0.1	1	24	
0.4	0.4	7	25	
0.4	0.4	7	30	
0.1	0.1	2	32	
0.1	0.1	1	34	
0.1	0.1	2	36	
0.1	0.1	1	40	
0.1	0.1	1	45	
0.1	0.1	1	48	
0.4	0.3	6	50	
0.1	0.1	2	52	
0.1	0.1	1	100	
0.1	0.1	1	112	
0.1	0.1	1	150	
0.1	0.1	1	200	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 793-795

V401

265.2RATE-CHEATED/TESTS

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

cheated on school tests?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	54.9	947	1	Never
25.8	24.3	419	2	Once or twice
7.6	7.2	124	3	Once every 2-3 mos
3.8	3.5	61	4	Once a mo
1.4	1.3	22	5	Once every 2-3 wks
2.0	1.9	32	6	Once a wk
0.9	0.8	14	7	2-3 times a wk
0.4	0.3	6	8	Once a day
0.1	0.1	1	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 796-797

V402	266.1FRQ-HTCHHKD ILLEGLY
------	--------------------------

How many times in the LAST YEAR have you:  
hitchhiked where it was illegal to do so?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.0	85.7	1,478	0	
3.4	3.2	55	1	
0.9	0.8	14	2	
1.0	1.0	17	3	
0.7	0.6	11	4	
0.7	0.7	12	5	
0.2	0.2	4	6	
0.1	0.1	1	7	
0.6	0.6	10	10	
0.1	0.1	2	12	
0.1	0.1	2	20	
0.1	0.1	1	21	
0.1	0.1	1	25	
0.1	0.1	2	30	
0.1	0.1	1	48	
0.2	0.2	3	50	
0.1	0.1	2	52	
0.1	0.1	1	65	
0.1	0.1	1	75	
0.2	0.2	3	100	
0.1	0.1	1	120	
0.1	0.1	1	200	
0.1	0.1	1	250	
0.1	0.1	1	300	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 798-800

V403	<b>266.2RATE-HTCHHK ILLEGLY</b>
------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hitchiked where it was illegal to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	85.7	1,478	1	Never
5.3	5.0	86	2	Once or twice
1.7	1.6	27	3	Once every 2-3 mos
0.6	0.5	9	4	Once a mo
0.5	0.5	8	5	Once every 2-3 wks
0.4	0.3	6	6	Once a wk
0.3	0.3	5	7	2-3 times a wk
0.2	0.2	3	8	Once a day
0.2	0.2	3	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 801-802

V404	267.1FRQ-HLP SOMONE HURT
------	--------------------------

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick?

VALID	PCT	PCT	N	VALUE	LABEL
58.0	31.3		540	0	
16.8	9.0		156	1	
13.0	7.0		121	2	
5.4	2.9		50	3	
1.6	0.9		15	4	
1.8	1.0		17	5	
0.3	0.2		3	6	
0.3	0.2		3	8	
0.1	0.1		1	9	
0.6	0.3		6	10	
1.0	0.5		9	12	
0.2	0.1		2	20	
0.1	0.1		1	30	
0.1	0.1		1	36	
0.2	0.1		2	50	
0.2	0.1		2	60	
0.1	0.1		1	180	
0.1	0.1		1	200	
	46.0		794	-1	
-----	-----	-----			
100.0	100.0		1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 803-805

V405

267.2RATE-HLP SOMONE HRT

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	31.3	540	1	Never
35.1	19.0	327	2	Once or twice
3.8	2.0	35	3	Once every 2-3 mos
1.9	1.0	18	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.2	0.1	2	7	2-3 times a wk
0.2	0.1	2	8	Once a day
0.3	0.2	3	9	2-3 times a day
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 806-807

V406	268.1FRQ-STLN MONEY FMLY
------	--------------------------

How many times in the LAST YEAR have you:

stolen money or other things from your parents or other members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	85.7	1,479	0	
3.6	3.4	58	1	
2.4	2.3	39	2	
0.8	0.8	13	3	
0.2	0.2	4	4	
0.4	0.4	7	5	
0.3	0.3	5	6	
0.1	0.1	1	7	
0.2	0.2	4	10	
0.6	0.5	9	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	40	
0.1	0.1	1	100	
0.1	0.1	1	149	
0.1	0.1	1	365	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 808-810

**V407****268.2RATE-STLN MONY FMLY**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V406) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen money or other things from your parents or other members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	85.7	1,479	1	Never
6.8	6.4	110	2	Once or twice
1.0	0.9	16	3	Once every 2-3 mos
0.8	0.8	13	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.1	0.1	2	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 811-812

**V408****269.1FRQ-FORCED/HVE SEX**

How many times in the LAST YEAR have you:

had or tried to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	93.6	1,615	0	
0.6	0.5	9	1	
0.1	0.1	2	2	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 813-814

**V409 269.2RATE-FORCED/HVE SEX**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V408) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had or tried to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	93.6	1,615	1	Never
0.7	0.6	11	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 815-816

**V410 270.1FRQNCY-HIT TEACHER**

How many times in the LAST YEAR have you:

hit or threatened to hit a teacher or adult at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	88.0	1,518	0	
3.9	3.7	64	1	
1.5	1.4	24	2	
0.5	0.5	8	3	
0.1	0.1	2	4	
0.3	0.3	5	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	2	12	
0.1	0.1	1	20	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 817-818

<b>V411</b>	<b>270.2RATE-HIT TEACHER</b>
-------------	------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V410) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit or threatened to hit a teacher or adult at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	88.0	1,518	1	Never
5.9	5.6	96	2	Once or twice
0.5	0.5	8	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 819-820

<b>V412</b>	<b>271.1FRQNCY-HIT PARENT</b>
-------------	-------------------------------

How many times in the LAST YEAR have you:

hit or threatened to hit one of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	89.6	1,545	0	
3.2	3.0	52	1	
0.9	0.8	14	2	
0.3	0.3	5	3	
0.1	0.1	2	4	
0.2	0.2	3	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	2	10	
0.1	0.1	1	12	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 821-822

<b>V413</b>	<b>271.2RATE-HIT PARENT</b>
-------------	-----------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V412) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit or threatened to hit one of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	89.6	1,545	1	Never
4.4	4.1	71	2	Once or twice
0.4	0.3	6	3	Once every 2-3 mos
0.2	0.2	4	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 823-824

<b>V414</b>	<b>272.1FRQ-HIT OTH STUDENT</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:  
hit or threatened to hit other students?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	63.0	1,087	0	
9.0	8.5	146	1	
9.0	8.5	147	2	
3.9	3.7	64	3	
1.4	1.3	22	4	
4.2	4.0	69	5	
0.6	0.6	10	6	
0.4	0.3	6	7	
0.3	0.3	5	8	
1.0	1.0	17	10	
1.1	1.0	18	12	
0.3	0.3	5	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
0.3	0.3	5	20	
0.2	0.2	3	24	
0.1	0.1	2	25	
0.1	0.1	1	30	
0.1	0.1	2	36	
0.1	0.1	1	44	
0.1	0.1	1	50	
0.2	0.2	3	52	
0.2	0.2	3	100	
0.1	0.1	2	104	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	1	300	
0.1	0.1	1	365	
0.1	0.1	1	400	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 825-827

<b>V415</b>	<b>272.2RATE-HIT OTH STUDNT</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V414) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit or threatened to hit other students?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	63.0	1,087	1	Never
22.0	20.7	357	2	Once or twice
6.2	5.9	101	3	Once every 2-3 mos
2.9	2.7	47	4	Once a mo
0.7	0.6	11	5	Once every 2-3 wks
0.5	0.5	8	6	Once a wk
0.5	0.5	8	7	2-3 times a wk
0.1	0.1	2	8	Once a day
0.3	0.3	5	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 828-829

V416	273.1FRQ-LOUD AND ROWDY
------	-------------------------

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place - disorderly conduct?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.9	64.9	1,120	0	
7.4	7.0	120	1	
8.6	8.1	140	2	
3.5	3.3	57	3	
1.6	1.5	26	4	
2.7	2.6	44	5	
0.9	0.9	15	6	
0.2	0.2	4	7	
0.2	0.2	4	8	
1.5	1.4	25	10	
1.0	0.9	16	12	
0.6	0.5	9	15	
0.1	0.1	1	17	
0.1	0.1	1	18	
0.6	0.6	10	20	
0.1	0.1	1	23	
0.1	0.1	2	24	
0.2	0.2	4	30	
0.1	0.1	1	35	
0.2	0.2	3	40	
0.1	0.1	1	48	
0.3	0.3	5	50	
0.2	0.2	4	52	
0.1	0.1	1	60	
0.1	0.1	2	70	
0.1	0.1	1	75	
0.1	0.1	2	100	
0.1	0.1	1	134	
0.2	0.2	3	150	
0.1	0.1	2	200	
0.1	0.1	1	360	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 830-832

**V417 273.2RATE-LOUD AND ROWDY**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V416) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place - disorderly conduct?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	64.9	1,120	1	Never
19.5	18.4	317	2	Once or twice
5.2	4.9	85	3	Once every 2-3 mos
3.0	2.8	48	4	Once a mo
1.2	1.2	20	5	Once every 2-3 wks
1.0	1.0	17	6	Once a wk
0.7	0.7	12	7	2-3 times a wk
0.2	0.2	4	8	Once a day
0.2	0.2	3	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 833-834

**V418 274.1FRQ-SOLD HARD DRUGS**

How many times in the LAST YEAR have you:

sold hard drugs such as heroin, cocaine, and LSD? (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	92.8	1,601	0	
0.4	0.4	7	1	
0.2	0.2	4	2	
0.1	0.1	2	3	
0.3	0.3	5	5	
0.1	0.1	1	10	
0.1	0.1	1	15	
0.1	0.1	1	24	
0.1	0.1	1	25	
0.1	0.1	1	35	
0.1	0.1	1	52	
0.1	0.1	1	364	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 835-837

<b>V421</b>	<b>275.2RATE-TAKEN VEHICLE</b>
-------------	--------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V420) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

taken a vehicle for a ride or drive without the owner's permission?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	90.0	1,553	1	Never
4.0	3.8	65	2	Once or twice
0.4	0.4	7	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 843-844

V422	276.1FRQ-BOUGHT LIQUOR
------	------------------------

How many times in the LAST YEAR have you:  
bought or provided liquor for a minor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	82.3	1,419	0	
3.0	2.8	49	1	
2.8	2.6	45	2	
1.6	1.5	26	3	
0.4	0.3	6	4	
1.1	1.0	18	5	
0.4	0.3	6	6	
0.2	0.2	4	7	
0.1	0.1	2	8	
0.7	0.6	11	10	
0.8	0.8	13	12	
0.1	0.1	1	15	
0.1	0.1	1	18	
0.6	0.6	10	20	
0.1	0.1	1	24	
0.1	0.1	2	25	
0.2	0.2	4	30	
0.1	0.1	2	50	
0.1	0.1	2	52	
0.2	0.2	4	100	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 845-847

<b>V423</b>	<b>276.2RATE-BOUGHT LIQUOR</b>
-------------	--------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V422) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

bought or provided liquor for a minor?

PCT VALID	PCT ALL	N	VALUE	LABEL
87.3	82.3	1,419	1	Never
7.4	7.0	120	2	Once or twice
1.8	1.7	30	3	Once every 2-3 mos
1.6	1.5	26	4	Once a mo
1.0	1.0	17	5	Once every 2-3 wks
0.4	0.4	7	6	Once a wk
0.4	0.3	6	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 848-849

<b>V424</b>	<b>277.1FRQ-GIVE MONEY,GOOD</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:

given money, food, or clothing to someone or some group who needed them very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	20.7	357	0	
19.0	10.3	177	1	
17.8	9.6	166	2	
8.4	4.5	78	3	
4.2	2.3	39	4	
3.7	2.0	34	5	
1.4	0.8	13	6	
0.3	0.2	3	7	
0.2	0.1	2	8	
1.8	1.0	17	10	
0.1	0.1	1	11	
2.5	1.3	23	12	
0.1	0.1	1	15	
0.8	0.4	7	20	
0.1	0.1	1	24	
0.1	0.1	1	25	
0.1	0.1	1	26	
0.1	0.1	1	36	
0.1	0.1	1	48	
0.6	0.3	6	52	
0.1	0.1	1	100	
0.1	0.1	1	104	
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 850-852

<b>V425</b>	<b>277.2RATE-GIV MONEY/GOOD</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V424) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

given money, food, or clothing to someone or some group who needed them very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	20.7	357	1	Never
45.2	24.4	421	2	Once or twice
9.2	5.0	86	3	Once every 2-3 mos
4.7	2.6	44	4	Once a mo
1.1	0.6	10	5	Once every 2-3 wks
1.0	0.5	9	6	Once a wk
0.4	0.2	4	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 853-854

<b>V426</b>	<b>278.1FRQ-PRSS SOMONE SEX</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:

pressured or pushed someone such as a date or friend to do more sexually than they wanted to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	92.6	1,598	0	
0.9	0.8	14	1	
0.4	0.4	7	2	
0.1	0.1	2	3	
0.1	0.1	1	6	
0.1	0.1	2	10	
0.1	0.1	1	11	
0.1	0.1	1	12	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 855-856

**V427 278.2RATE-PRS SOMONE SEX**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V426) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

pressured or pushed someone such as a date or friend to do more sexually than they wanted to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	92.6	1,598	1	Never
1.4	1.3	23	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 857-858

**V428 279.1FRQ-USD FRCE/ STDNT**

How many times in the LAST YEAR have you:

used force or strong-arm methods to get money or things from other students?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	91.9	1,586	0	
1.0	0.9	16	1	
0.6	0.5	9	2	
0.3	0.3	5	3	
0.1	0.1	1	4	
0.1	0.1	1	6	
0.1	0.1	2	10	
0.1	0.1	1	13	
0.1	0.1	2	15	
0.1	0.1	2	20	
0.1	0.1	1	50	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 859-860

**V429** **279.2RATE-USD FRCE/STDNT**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V428) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force or strong-arm methods to get money or things from other students?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	91.9	1,586	1	Never
1.8	1.7	30	2	Once or twice
0.1	0.1	2	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.2	0.2	4	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 861-862

**V430** **280.1FRQ-USD FRCE/ TCHRS**

How many time in the YEAR have you:

used force or strong-arm methods to get money or things from a teacher or other adult at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	93.9	1,620	0	
0.2	0.2	3	1	
0.1	0.1	2	3	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 863-864



V432

281.1FRQ-REFSD HLP CHEAT

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	36.5	629	0	
7.1	3.8	66	1	
9.9	5.3	92	2	
4.2	2.3	39	3	
1.7	0.9	16	4	
2.5	1.3	23	5	
0.8	0.4	7	6	
0.2	0.1	2	7	
0.1	0.1	1	8	
0.1	0.1	1	9	
2.5	1.3	23	10	
1.1	0.6	10	12	
0.2	0.1	2	15	
0.8	0.4	7	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.3	0.2	3	36	
0.1	0.1	1	38	
0.8	0.4	7	50	
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 867-868

**V433 281.2RATE-REFUSD/HLP CHT**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V432) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	36.5	629	1	Never
21.2	11.4	197	2	Once or twice
4.9	2.7	46	3	Once every 2-3 mos
3.1	1.7	29	4	Once a mo
1.5	0.8	14	5	Once every 2-3 wks
1.6	0.9	15	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 869-870

**V434 282.1FRQ-USD FRCE/ OTHRS**

How many times in the LAST YEAR have you:

used force or strong-arm methods to get money or things from other people not students or teachers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	92.5	1,595	0	
0.5	0.5	8	1	
0.7	0.7	12	2	
0.2	0.2	4	3	
0.1	0.1	1	5	
0.2	0.2	3	10	
0.1	0.1	1	15	
0.1	0.1	1	50	
0.1	0.1	1	100	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 871-873



V436	283.1FRQ-AVOIDED PAYING
------	-------------------------

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides, and food?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.2	79.4	1,369	0	
4.1	3.9	67	1	
4.3	4.1	70	2	
1.5	1.4	25	3	
0.8	0.8	13	4	
1.5	1.4	25	5	
0.2	0.2	4	6	
0.3	0.3	5	7	
0.2	0.2	3	8	
0.6	0.6	10	10	
0.5	0.5	8	12	
0.1	0.1	2	15	
0.1	0.1	1	18	
0.4	0.3	6	20	
0.1	0.1	2	25	
0.1	0.1	1	30	
0.1	0.1	1	34	
0.1	0.1	1	36	
0.1	0.1	2	50	
0.1	0.1	2	52	
0.2	0.2	4	100	
0.1	0.1	2	150	
0.1	0.1	1	365	
0.1	0.1	1	400	
	5.8	100	-1	
-----				
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 876-878

<b>V437</b>	<b>283.2RATE-AVOIDED PAYING</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V436) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides, and food?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	79.4	1,369	1	Never
10.0	9.4	162	2	Once or twice
2.6	2.4	42	3	Once every 2-3 mos
1.7	1.6	28	4	Once a mo
0.4	0.4	7	5	Once every 2-3 wks
0.5	0.5	8	6	Once a wk
0.2	0.2	4	7	2-3 times a wk
0.2	0.2	3	8	Once a day
0.1	0.1	2	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 879-880

V438	284.1FRQ-BEEN DRUNK
------	---------------------

How many times in the LAST YEAR have you:  
 been drunk in a public place?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.4	69.2	1,193	0	
6.1	5.7	99	1	
4.2	4.0	69	2	
2.8	2.7	46	3	
1.4	1.3	23	4	
2.3	2.2	38	5	
0.9	0.9	15	6	
0.1	0.1	2	7	
0.4	0.4	7	8	
1.3	1.2	21	10	
1.2	1.2	20	12	
0.1	0.1	1	13	
0.7	0.6	11	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
1.1	1.0	18	20	
0.1	0.1	1	21	
0.2	0.2	3	24	
0.4	0.4	7	25	
0.1	0.1	1	28	
0.3	0.3	5	30	
0.1	0.1	1	32	
0.2	0.2	3	35	
0.1	0.1	1	36	
0.1	0.1	1	40	
0.9	0.8	14	50	
0.3	0.3	5	52	
0.1	0.1	1	60	
0.7	0.6	11	100	
0.1	0.1	1	125	
0.1	0.1	1	134	
0.2	0.2	3	150	
0.1	0.1	1	200	
	5.8	100	-1	
-----				
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 881-883

<b>V439</b>	<b>284.2RATE-BEEN DRUNK</b>
-------------	-----------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V438) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been drunk in a public place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	69.2	1,193	1	Never
13.2	12.4	214	2	Once or twice
4.7	4.4	76	3	Once every 2-3 mos
3.3	3.1	53	4	Once a mo
1.9	1.8	31	5	Once every 2-3 wks
1.9	1.8	31	6	Once a wk
1.6	1.5	26	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 884-885

<b>V440</b>	<b>285.1FRQ-STOLEN \$5-\$50</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:

stolen or tried to steal things worth \$5 and \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	88.8	1,531	0	
2.3	2.1	37	1	
2.0	1.9	32	2	
0.5	0.5	8	3	
0.1	0.1	1	4	
0.2	0.2	4	5	
0.2	0.2	3	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	30	
0.1	0.1	1	40	
0.1	0.1	2	50	
0.1	0.1	1	52	
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 886-887

**V441 285.2RATE-STOLEN \$5-\$50**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V440) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen or tried to steal things worth \$5 and \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	88.8	1,531	1	Never
4.7	4.5	77	2	Once or twice
0.3	0.3	5	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 888-889

**V442 286.1FRQ-STOLN AT SCHOOL**

How many times in the LAST YEAR have you:

stolen or tried to steal something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	89.9	1,550	0	
2.5	2.3	40	1	
1.0	1.0	17	2	
0.3	0.3	5	3	
0.3	0.3	5	4	
0.2	0.2	4	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	1	34	
0.1	0.1	1	90	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 890-891



**V446 288.1FRQ-BEGGD FOR MONEY**

How many times in the LAST YEAR have you:  
begged for money or things from strangers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	92.9	1,603	0	
0.7	0.6	11	1	
0.6	0.5	9	2	
0.1	0.1	2	3	
0.1	0.1	1	20	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 898-899

**V447 288.2RATE-BEGGD FR MONEY**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V446) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:  
begged for money or things from strangers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	92.9	1,603	1	Never
1.4	1.3	22	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 900-901

<b>V448</b>	<b>289.1FRQ-SKIPPED CLASSES</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:

skipped classes without an excuse?

1,725 cases (Range of valid codes: 0-900)

Data type: numeric  
 Missing-data code: -1  
 Columns: 902-904

<b>V449</b>	<b>289.2RATE-SKIPPED CLASS</b>
-------------	--------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V448) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

skipped classes without an excuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	54.6	942	1	Never
19.0	17.9	308	2	Once or twice
7.9	7.5	129	3	Once every 2-3 mos
3.7	3.5	60	4	Once a mo
3.6	3.4	59	5	Once every 2-3 wks
3.5	3.2	56	6	Once a wk
2.5	2.4	41	7	2-3 times a wk
1.1	1.0	18	8	Once a day
0.6	0.6	10	9	2-3 times a day
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 905-906

V450	290.1FRQ-NOT RTRN CHANGE
------	--------------------------

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	71.8	1,239	0	
10.6	10.0	172	1	
6.2	5.9	101	2	
2.8	2.7	46	3	
0.7	0.6	11	4	
1.3	1.2	21	5	
0.1	0.1	2	6	
0.2	0.2	4	7	
0.2	0.2	4	8	
0.4	0.4	7	10	
0.1	0.1	1	11	
0.4	0.4	7	12	
0.2	0.2	3	15	
0.1	0.1	1	17	
0.2	0.2	3	20	
0.1	0.1	1	24	
0.1	0.1	1	25	
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 907-908

**V451 290.2RATE-NOT RTRN CHANG**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V450) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	71.7	1,236	1	Never
19.7	18.5	319	2	Once or twice
2.1	2.0	34	3	Once every 2-3 mos
1.7	1.6	27	4	Once a mo
0.2	0.2	3	5	Once every 2-3 wks
0.1	0.1	2	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	6.0	104	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 909-910

**V452 291.1FRQ-AGGRSV SEX DMND**

How many times in the LAST YEAR have you:

physically hurt or threatened to hurt someone to get them to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	94.1	1,623	0	
0.1	0.1	2	1	
0.1	0.1	1	2	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 911-912

<b>V453</b>	<b>291.2RATE-AGRSV SEX DMND</b>
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V452) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

physically hurt or threatened to hurt someone to get them to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	93.9	1,620	1	Never
0.2	0.2	3	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 913-914

V454

292.1FRQ-TLK FRNDS/ILLGL

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	33.7	581	0	
11.7	6.3	109	1	
11.4	6.1	106	2	
4.3	2.3	40	3	
1.8	1.0	17	4	
3.7	2.0	34	5	
0.4	0.2	4	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
1.0	0.5	9	10	
1.3	0.7	12	12	
0.1	0.1	1	15	
0.6	0.3	6	20	
0.1	0.1	1	23	
0.2	0.1	2	30	
0.1	0.1	1	40	
0.2	0.1	2	50	
0.1	0.1	1	100	
0.1	0.1	1	150	
0.1	0.1	1	300	
0.1	0.1	1	500	
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 915-917

**V455 292.2RATE-TLK /ILLGL ACT**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V454) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	33.7	581	1	Never
27.4	14.8	255	2	Once or twice
5.9	3.2	55	3	Once every 2-3 mos
2.6	1.4	24	4	Once a mo
0.8	0.4	7	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.5	0.3	5	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 918-919

**V456 293.1FRQ-BEEN SUSPENDED**

How many times in the LAST YEAR have you:

been suspended from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	83.1	1,433	0	
7.7	7.2	125	1	
1.8	1.7	30	2	
1.0	0.9	16	3	
0.5	0.5	8	4	
0.1	0.1	2	5	
0.3	0.3	5	6	
0.1	0.1	2	7	
0.1	0.1	2	8	
0.1	0.1	1	10	
0.1	0.1	1	15	
0.1	0.1	1	20	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 920-921



V458	294.1FRQ-MDE OBSCEN CALL
------	--------------------------

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying dirty things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	87.7	1,512	0	
2.5	2.3	40	1	
1.5	1.4	25	2	
0.9	0.8	14	3	
0.2	0.2	4	4	
0.4	0.4	7	5	
0.1	0.1	2	6	
0.2	0.2	3	7	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.5	0.5	8	10	
0.2	0.2	3	12	
0.1	0.1	1	16	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	75	
0.1	0.1	1	365	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 924-926

V459

294.2RATE-MD OBSCEN CALL

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V458) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying dirty things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	87.5	1,510	1	Never
4.8	4.5	78	2	Once or twice
0.8	0.8	13	3	Once every 2-3 mos
0.7	0.6	11	4	Once a mo
0.3	0.3	5	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.1	0.1	2	8	Once a day
0.1	0.1	1	9	2-3 times a day
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 927-928



V462

295.03BR-HW OFTEN/PST YR

During the last year, how often did you drink beer?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	14.1	243	1	Never
18.1	7.3	126	2	Once or twice
8.2	3.3	57	3	Once every 2-3 mos
8.2	3.3	57	4	Once a mo
8.9	3.6	62	5	Once every 2-3 wks
9.5	3.8	66	6	Once a wk
10.2	4.1	71	7	2-3 times a wk
1.4	0.6	10	8	Once a day
0.4	0.2	3	9	2-3 times a day
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 934-935

V463

295.04BR-EPISODIC USAGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	7	1	Yes
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 936-937

<b>V464</b>	<b>295.05BR-LAST USED BEER</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.4	7	1	
0.7	0.2	3	2	
0.7	0.2	3	3	
0.4	0.1	2	4	
2.0	0.5	9	5	
2.7	0.7	12	6	
2.7	0.7	12	7	
3.8	1.0	17	8	
2.0	0.5	9	9	
2.7	0.7	12	10	
9.1	2.4	41	11	
71.8	18.7	323	12	
	73.9	1,275	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 938-939

<b>V465</b>	<b>295.06BR-HW MUCH WAS USD</b>
-------------	---------------------------------

When drinking beer how much do you usually drink?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	4.7	81	0	Less than 1 can
18.6	4.9	84	1	1 can
18.1	4.8	82	2	2 cans
13.7	3.6	62	3	Three cans
13.5	3.5	61	4	4-5 cans
18.1	4.8	82	5	6-pack or more
0.0	0.0	0	6	Other
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 940-941

V466

295.07BR-FUNCTION/ BEER

What is your usual purpose or reason in using Beer?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	Relieve phys pain
3.1	0.8	14	2	Relieve boredom
2.0	0.5	9	3	Relieve tension
69.0	18.1	312	4	Pleasure
0.7	0.2	3	5	To be different
5.3	1.4	24	6	To be accepted
2.4	0.6	11	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.2	0.1	1	10	Get through day
3.8	1.0	17	11	Curiosity
12.8	3.4	58	12	Special occasions
0.0	0.0	0	13	Family encourage
0.2	0.1	1	14	Other
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 942-943

V467

295.08BR-HOW EFFCTIVE

Is Beer effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	4.4	76	1	Not effective
79.8	17.4	300	2	Effective
	78.2	1,349	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 944-945



<b>V471</b>	<b>295.12SRCE/BEER-FRIENDS</b>
-------------	--------------------------------

Do you get your Beer from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	14.3	246	1	No
45.6	11.9	206	2	Yes
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 952-953

<b>V472</b>	<b>295.13SRCE/BR-RESTNT/BAR</b>
-------------	---------------------------------

Do you get your Beer from Restaurant or bar?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	23.1	399	1	No
11.7	3.1	53	2	Yes
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 954-955

<b>V473</b>	<b>295.14SOURCE/BEER-OTHER</b>
-------------	--------------------------------

Do you get your Beer from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	26.0	448	1	No
0.9	0.2	4	2	Yes
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 956-957

**V474** **295.15HVE STOPPD DRNK BR**

Have you stopped using Beer?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	18.3	316	1	No
30.1	7.9	136	2	Yes
	73.8	1,273	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 958-959

**V475** **295.16WHY STOPPD DRNK BR**

If stopped using Beer: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	2.6	45	1	Disliked taste
12.6	1.0	17	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
14.8	1.2	20	4	Felt it was wrong
0.7	0.1	1	5	Friends' pressure
3.0	0.2	4	6	Trouble w/parents
1.5	0.1	2	7	Fearful of addict
0.0	0.0	0	8	Not available
0.7	0.1	1	9	Lost effects
25.9	2.0	35	10	Didn't need it
7.4	0.6	10	11	Other
	92.2	1,590	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 960-961

V476	296.01WIN-# TIMES/PST YR
------	--------------------------

How many times in the LAST YEAR have you:  
used Wine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

VALID	PCT	PCT	N	VALUE	LABEL
48.9	19.7		340	0	
13.8	5.6		96	1	
10.9	4.4		76	2	
4.7	1.9		33	3	
3.5	1.4		24	4	
4.2	1.7		29	5	
1.7	0.7		12	6	
0.6	0.2		4	7	
0.1	0.1		1	8	
3.5	1.4		24	10	
1.9	0.8		13	12	
0.3	0.1		2	13	
0.7	0.3		5	15	
0.3	0.1		2	16	
0.1	0.1		1	17	
0.9	0.3		6	20	
0.3	0.1		2	25	
0.1	0.1		1	26	
0.7	0.3		5	30	
0.1	0.1		1	32	
0.4	0.2		3	40	
0.3	0.1		2	50	
0.4	0.2		3	52	
0.1	0.1		1	60	
0.1	0.1		1	70	
0.1	0.1		1	100	
0.1	0.1		1	104	
0.1	0.1		1	125	
0.1	0.1		1	130	
0.1	0.1		1	150	
0.3	0.1		2	200	
0.1	0.1		1	350	
	59.7		1,030	-1	
-----	-----	-----			
100.0	100.0		1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 962-964



<b>V480</b>	<b>296.05WIN-LAST USED WINE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.6	10	1	
0.3	0.1	1	2	
0.3	0.1	1	3	
0.9	0.2	3	4	
1.4	0.3	5	5	
2.6	0.5	9	6	
2.6	0.5	9	7	
3.7	0.8	13	8	
2.3	0.5	8	9	
3.4	0.7	12	10	
10.5	2.1	37	11	
69.3	14.1	244	12	
	79.6	1,373	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 971-972

<b>V481</b>	<b>296.06WIN-HW MCH WIN USD</b>
-------------	---------------------------------

When drinking Wine how much do you usually drink?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	5.0	86	0	Less than 1 glass
36.1	7.4	128	1	1 glass
16.3	3.4	58	2	2 glasses
9.9	2.0	35	3	Three glasses
5.4	1.1	19	4	4-5 glasses
7.6	1.6	27	5	6 glasses or more
0.6	0.1	2	6	Other
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 973-974

**V482** **296.07WIN-FUNCTION/ WINE**

What is your usual purpose or reason in using Wine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.3	0.1	1	2	Relieve boredom
0.6	0.1	2	3	Relieve tension
48.2	9.9	171	4	Pleasure
0.3	0.1	1	5	To be different
0.6	0.1	2	6	To be accepted
1.7	0.3	6	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
4.8	1.0	17	11	Curiosity
40.8	8.4	145	12	Special occasions
2.5	0.5	9	13	Family encourage
0.3	0.1	1	14	Other
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 975-976

**V483** **296.08WIN-HOW EFFECTIVE**

Is Wine effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	2.3	40	1	Not effective
78.0	8.2	142	2	Effective
	89.4	1,543	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 977-978

<b>V484</b>	<b>296.09SOURCE/FOOD STORE</b>
-------------	--------------------------------

Do you get your Wine from Food stores?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	19.2	332	1	No
6.5	1.3	23	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 979-980

<b>V485</b>	<b>296.10SOURCE/LIQ STORES</b>
-------------	--------------------------------

Do you get your Wine from Liquor stores?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	17.9	308	1	No
13.2	2.7	47	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 981-982

<b>V486</b>	<b>296.11SOURCE/WINE-FAMILY</b>
-------------	---------------------------------

Do you get your Wine from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	8.6	149	1	No
58.0	11.9	206	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 983-984



**V490** **296.15HVE STPD DRNK WINE**

Have you stopped using Wine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	14.6	251	1	No
29.3	6.0	104	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 991-992

**V491** **296.16WHY STPD DRNK WINE**

If stopped using Wine: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	3.0	52	1	Disliked taste
9.7	0.6	10	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
6.8	0.4	7	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
1.0	0.1	1	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
1.0	0.1	1	9	Lost effects
22.3	1.3	23	10	Didn't need it
8.7	0.5	9	11	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 993-994

V492	297.01LIQR-# TIME/PST YR
------	--------------------------

How many times in the LAST YEAR have you:

used Hard Liquor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	24.3	419	0	
4.7	1.9	33	1	
7.8	3.1	54	2	
3.6	1.4	25	3	
2.6	1.0	18	4	
3.3	1.3	23	5	
1.0	0.4	7	6	
0.1	0.1	1	7	
0.7	0.3	5	8	
3.6	1.4	25	10	
1.4	0.6	10	12	
0.1	0.1	1	14	
2.0	0.8	14	15	
0.3	0.1	2	17	
0.3	0.1	2	18	
1.7	0.7	12	20	
0.3	0.1	2	24	
0.6	0.2	4	25	
0.9	0.3	6	30	
0.1	0.1	1	35	
0.1	0.1	1	37	
0.3	0.1	2	40	
0.1	0.1	1	45	
1.6	0.6	11	50	
0.7	0.3	5	52	
0.4	0.2	3	80	
0.9	0.3	6	100	
0.1	0.1	1	125	
0.1	0.1	1	250	
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 995-997

V493

297.02LIQR-DRINK NXT YER

Do you think that you might start using Hard Liquor in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	21.8	376	1	No
8.7	2.1	36	2	Yes
1.0	0.2	4	3	Don't know
	75.9	1,309	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 998-999

V494

297.03LIQR-HW OFT/PST YR

During the last year how often did you drink Hard Liquor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	24.2	417	1	Never
13.6	5.4	94	2	Once or twice
8.7	3.5	60	3	Once every 2-3 mos
5.9	2.4	41	4	Once a mo
6.3	2.6	44	5	Once every 2-3 wks
3.5	1.4	24	6	Once a wk
1.9	0.8	13	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	59.8	1,032	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1000-1001

<b>V495</b>	<b>297.04LIQR-EPISODIC USAG</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	Yes
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1002-1003

<b>V496</b>	<b>297.05LIQ-LAST USED LIQR</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.2	3	1	
0.4	0.1	1	3	
0.4	0.1	1	4	
1.5	0.2	4	5	
1.8	0.3	5	6	
3.7	0.6	10	7	
2.2	0.3	6	8	
3.3	0.5	9	9	
4.4	0.7	12	10	
5.5	0.9	15	11	
75.8	12.0	207	12	
	84.2	1,452	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1004-1005

<b>V497</b>	<b>297.06LIQ-HOW MUCH/ USED</b>
-------------	---------------------------------

When drinking Hard Liquor how much do you usually drink?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	1.6	27	0	Less than 1 glass
18.5	3.0	51	1	1 glass
26.1	4.2	72	2	2 glasses
18.8	3.0	52	3	Three glasses
14.9	2.4	41	4	4-5 glasses
11.2	1.8	31	5	6 glasses or more
0.7	0.1	2	6	Other
	84.0	1,449	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1006-1007

<b>V498</b>	<b>297.07LIQ-FUNCTON/LIQUOR</b>
-------------	---------------------------------

What is your usual purpose or reason in using Hard Liquor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	1	Relieve phys pain
2.5	0.4	7	2	Relieve boredom
0.7	0.1	2	3	Relieve tension
71.4	11.4	197	4	Pleasure
0.0	0.0	0	5	To be different
2.5	0.4	7	6	To be accepted
4.0	0.6	11	7	To be relaxed
0.4	0.1	1	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.4	0.1	1	10	Get through day
3.6	0.6	10	11	Curiosity
13.8	2.2	38	12	Special occasions
0.0	0.0	0	13	Family encourage
0.4	0.1	1	14	Other
	84.0	1,449	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1008-1009



**V502****297.11SOURCE/LIQ-FAMILY**

Do you get your Hard Liquor from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	12.8	220	1	No
20.3	3.2	56	2	Yes
	84.0	1,449	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1016-1017

**V505****297.14SOURCE/LIQ-OTHER**

Do you get your Hard Liquor from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	15.7	270	1	No
2.2	0.3	6	2	Yes
	84.0	1,449	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1022-1023

**V506****297.15HVE STPD DRNK LIQR**

Have you stopped using Hard Liquor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	12.0	207	1	No
25.0	4.0	69	2	Yes
	84.0	1,449	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1024-1025

**V507 297.16WHY STOPD DRNK LIQ**

If stopped using Hard Liquor: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.3	23	1	Disliked taste
21.7	0.9	15	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
5.8	0.2	4	4	Felt it was wrong
1.4	0.1	1	5	Friends' pressure
2.9	0.1	2	6	Trouble w/parents
4.3	0.2	3	7	Fearful of addict
0.0	0.0	0	8	Not available
2.9	0.1	2	9	Lost effects
18.8	0.8	13	10	Didn't need it
8.7	0.3	6	11	Other
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1026-1027

**V508 298.1ALCOH BEV-#TIMES/YR**

How many times in the LAST YEAR have you:

used alcoholic beverages, beer, wine and hard liquor?

1,725 cases (Range of valid codes: 0-999)

Data type: numeric  
 Missing-data code: -1  
 Columns: 1028-1030

V509

298.2ALCOH BEV-RATE/ USE

How many times in the LAST YEAR have you:

used alcoholic beverages, beer, wine and hard liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	18.7	322	1	Never
19.3	10.4	180	2	Once or twice
9.0	4.9	84	3	Once every 2-3 mos
8.6	4.6	80	4	Once a mo
8.3	4.5	77	5	Once every 2-3 wks
11.1	6.0	103	6	Once a wk
8.2	4.4	76	7	2-3 times a wk
1.0	0.5	9	8	Once a day
0.0	0.0	0	9	2-3 times a day
	46.0	794	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1031-1032



V512

299.03TBCO-HW OFT/PST YR

During the last year how often did you smoke?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	25.9	446	1	Never
5.1	2.0	35	2	Once or twice
2.0	0.8	14	3	Once every 2-3 mos
1.2	0.5	8	4	Once a mo
0.6	0.2	4	5	Once every 2-3 wks
1.9	0.8	13	6	Once a wk
2.9	1.2	20	7	2-3 times a wk
1.9	0.8	13	8	Once a day
20.0	8.0	138	9	2-3 times a day
	59.9	1,034	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1037-1038

V513

299.04TBCO-EPISODIC USAG

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1039-1040

V514	299.05TBCO-LST USD TOBAC
------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	2	
0.4	0.1	1	3	
0.4	0.1	1	4	
1.6	0.2	4	5	
1.2	0.2	3	6	
3.3	0.5	8	7	
1.6	0.2	4	8	
1.6	0.2	4	9	
2.0	0.3	5	10	
6.1	0.9	15	11	
81.3	11.6	200	12	
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1041-1042

V515

299.06#CIGS-USED PER DAY

How many cigarettes do you usually smoke a day?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	2.4	42	0	
15.4	2.2	38	1	
10.6	1.5	26	2	
5.7	0.8	14	3	
4.1	0.6	10	4	
4.1	0.6	10	5	
2.8	0.4	7	6	
2.4	0.3	6	7	
0.8	0.1	2	8	
0.4	0.1	1	9	
13.8	2.0	34	10	
0.4	0.1	1	11	
2.4	0.3	6	12	
5.3	0.8	13	15	
0.4	0.1	1	16	
0.4	0.1	1	18	
11.4	1.6	28	20	
0.4	0.1	1	23	
0.4	0.1	1	25	
0.4	0.1	1	28	
0.8	0.1	2	30	
0.4	0.1	1	40	
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1043-1044

**V516** **299.07#CIG/PIPES USD/DAY**

How many cigars or pipes do you usually smoke a day?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	13.9	239	0	
1.6	0.2	4	1	
1.2	0.2	3	2	
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1045-1046

**V517** **299.08#CANS CHEW/TBC/MTH**

How many cans of chewing tobacco do you usually use in a month?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	12.3	213	0	
4.5	0.6	11	1	
0.4	0.1	1	2	
2.0	0.3	5	3	
2.0	0.3	5	4	
0.4	0.1	1	6	
0.4	0.1	1	8	
0.8	0.1	2	12	
1.2	0.2	3	15	
0.8	0.1	2	20	
0.4	0.1	1	30	
0.4	0.1	1	64	
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1047-1048

<b>V518</b>	<b>299.09OTHER TOBACCO USAG</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.3	246	0	
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1049-1050

<b>V519</b>	<b>299.10TBCO-FUNCT/TOBACCO</b>
-------------	---------------------------------

What is your usual purpose or reason in using Tobacco?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	4	1	Relieve phys pain
3.7	0.5	9	2	Relieve boredom
6.5	0.9	16	3	Relieve tension
51.8	7.4	127	4	Pleasure
0.8	0.1	2	5	To be different
4.5	0.6	11	6	To be accepted
6.5	0.9	16	7	To be relaxed
0.4	0.1	1	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
10.2	1.4	25	10	Get through day
10.6	1.5	26	11	Curiosity
0.4	0.1	1	12	Special occasions
0.0	0.0	0	13	Family encourage
2.9	0.4	7	14	Other
	85.8	1,480	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1051-1052



**V523****299.14SOURCE/TBCO-FAMILY**

Do you get your Tobacco from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	13.5	233	1	No
5.3	0.8	13	2	Yes
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1059-1060

**V524****299.15SOURCE/TBCO-FRIEND**

Do you get your Tobacco from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	11.5	198	1	No
19.5	2.8	48	2	Yes
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1061-1062

**V525****299.16SOURCE/RESTRNT/BAR**

Do you get your Tobacco from Restaurant or bar?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	13.6	234	1	No
4.9	0.7	12	2	Yes
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1063-1064

<b>V526</b>	<b>299.17SOURCE/TBCO-OTHER</b>
-------------	--------------------------------

Do you get your Tobacco from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.3	246	1	No
0.0	0.0	0	2	Yes
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1065-1066

<b>V527</b>	<b>299.18HVE STOPPED/TOBACC</b>
-------------	---------------------------------

Have you stopped using Tobacco?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	10.8	187	1	No
24.0	3.4	59	2	Yes
	85.7	1,479	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1067-1068

V528

299.19WHY STOPPED/TOBACC

If stopped using Tobacco: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	0.9	16	1	Disliked taste
13.6	0.5	8	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
13.6	0.5	8	4	Felt it was wrong
8.5	0.3	5	5	Friends' pressure
1.7	0.1	1	6	Trouble w/parents
5.1	0.2	3	7	Fearful of addict
0.0	0.0	0	8	Not available
1.7	0.1	1	9	Lost effects
22.0	0.8	13	10	Didn't need it
6.8	0.2	4	11	Other
	96.6	1,666	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1069-1070



<b>V531</b>	<b>300.03MARJ-HW OFT PST YR</b>
-------------	---------------------------------

During the last year, how often did you use marijuana or hashish ("GRASS", "POT", "HASHISH")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	60.3	1,041	1	Never
9.9	9.3	160	2	Once or twice
4.1	3.9	67	3	Once every 2-3 mos
4.7	4.5	77	4	Once a mo
3.5	3.3	57	5	Once every 2-3 wks
3.2	3.0	52	6	Once a wk
6.7	6.3	109	7	2-3 times a wk
2.3	2.2	38	8	Once a day
1.4	1.3	23	9	2-3 times a day
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1076-1077

<b>V532</b>	<b>300.04MARIJ-EPISODIC USE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	Yes
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1078-1079

**V533 300.05MARIJ-LAST USED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	2	1	
1.1	0.2	3	2	
1.1	0.2	3	4	
1.1	0.2	3	5	
3.8	0.6	10	6	
2.7	0.4	7	7	
3.4	0.5	9	8	
4.6	0.7	12	9	
5.0	0.8	13	10	
7.7	1.2	20	11	
68.6	10.4	179	12	
	84.9	1,464	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1080-1081

**V534 300.06MARIJ-HW MUCH USED**

How much marijuana or hashish ("GRASS", "POT", "HASHISH") do you usually use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	6.3	109	1	Share joint
16.4	2.5	43	2	1 joint
22.5	3.4	59	3	2 joints
19.1	2.9	50	4	More than 2 joints
0.4	0.1	1	5	Other
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1082-1083

V535

## 300.07MARIJ-FUNCTION

What is your usual purpose or reason in using marijuana or hashish ("GRASS", "POT", "HASHISH")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	2	1	Relieve phys pain
5.0	0.8	13	2	Relieve boredom
3.8	0.6	10	3	Relieve tension
66.4	10.1	174	4	Pleasure
0.0	0.0	0	5	To be different
5.7	0.9	15	6	To be accepted
3.4	0.5	9	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
1.5	0.2	4	9	Increase self-aware
0.0	0.0	0	10	Get through day
12.6	1.9	33	11	Curiosity
0.4	0.1	1	12	Special occasions
0.0	0.0	0	13	Family encourage
0.4	0.1	1	14	Other
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1084-1085

V536

## 300.08MARIJ-HW EFFECTIVE

Is marijuana or hashish ("GRASS", "POT", "HASHISH") effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	1.4	24	1	Not effective
89.5	11.8	204	2	Effective
	86.8	1,497	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1086-1087

**V537 300.09SRCE/MARIJUANA-FAM**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	14.8	255	1	No
2.7	0.4	7	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1088-1089

**V538 300.10SRCE/MARIJ-FRIENDS**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Friend?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	2.1	37	1	No
85.9	13.0	225	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1090-1091

**V539 300.11SRCE/MARIJ-ANONYMS**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Anonymous seller/pusher?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	12.6	218	1	No
16.8	2.6	44	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1092-1093

**V540 300.12SRCE/MARIJANA-GROW**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Grow/pick it?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	14.9	257	1	No
1.9	0.3	5	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1094-1095

**V541 300.13SRCE/MARIJNA-STEAL**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Steal it?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.2	262	1	No
0.0	0.0	0	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1096-1097

**V542 300.14SRCE/MARIJNA-OTHER**

Do you get your marijuana or hashish ("GRASS", "POT", "HASHISH") from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.2	262	1	No
0.0	0.0	0	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1098-1099

**V543 300.15HVE STP USNG MARIJ**

Have you stopped using marijuana or hashish ("GRASS", "POT", "HASHISH")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	10.2	176	1	No
32.8	5.0	86	2	Yes
	84.8	1,463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1100-1101

**V544 300.16WHY STP USNG MARIJ**

If stopped using marijuana or hashish ("GRASS", "POT", "HASHISH"): What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.5	8	1	Disliked taste
11.9	0.6	10	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
14.3	0.7	12	4	Felt it was wrong
3.6	0.2	3	5	Friends' pressure
4.8	0.2	4	6	Trouble w/parents
4.8	0.2	4	7	Fearful of addict
1.2	0.1	1	8	Not available
6.0	0.3	5	9	Lost effects
27.4	1.3	23	10	Didn't need it
16.7	0.8	14	11	Other
	95.1	1,641	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1102-1103

**Hallucinogens**

**V545**                      **301.01PSYCS-#TIMES PT/YR**

How many times in the LAST YEAR have you:

used hallucinogens, "LSD", "mescaline", "peyote", and "acid"?

VALID	PCT	PCT	N	VALUE	LABEL
95.8	90.3		1,557	0	
1.3	1.2		21	1	
0.8	0.8		13	2	
0.6	0.6		10	3	
0.1	0.1		2	4	
0.2	0.2		4	5	
0.1	0.1		1	6	
0.1	0.1		2	7	
0.2	0.2		3	10	
0.1	0.1		2	12	
0.1	0.1		1	14	
0.1	0.1		1	15	
0.2	0.2		3	20	
0.1	0.1		1	25	
0.1	0.1		1	30	
0.1	0.1		1	40	
0.1	0.1		2	100	
0.1	0.1		1	150	
	5.7		99	-1	
-----	-----	-----			
100.0	100.0		1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1104-1106

**V546 301.02PSYCS-USE NEXT YR**

Do you think that you might start using hallucinogens, "LSD", "mescaline", "peyote", and "acid" in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	38.3	660	1	No
1.0	0.4	7	2	Yes
0.0	0.0	0	3	Don't know
	61.3	1,058	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1107-1108

**V547 301.03PSYCS-HW OFT PT YR**

During the last year, how often did you use hallucinogens  
 hallucinogens, "LSD", "mescaline", "peyote", and "acid"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	90.3	1,557	1	Never
2.6	2.5	43	2	Once or twice
0.6	0.5	9	3	Once every 2-3 mos
0.5	0.5	8	4	Once a mo
0.2	0.2	4	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	2	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1109-1110

**V548 301.04PSYCS-EPISODIC USE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1111-1112

**V549 301.05PSYCS-LAST USED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	1	
4.0	0.1	1	3	
4.0	0.1	1	5	
4.0	0.1	1	6	
12.0	0.2	3	7	
8.0	0.1	2	8	
4.0	0.1	1	9	
12.0	0.2	3	10	
8.0	0.1	2	11	
40.0	0.6	10	12	
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1113-1114

**V550 301.06PSYCS-HW MUCH USED**

When using hallucinogens, "LSD", "mescaline", "peyote", and "acid" how much do you usually take?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	1.2	20	1	
4.3	0.1	1	2	
8.7	0.1	2	4	
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1115-1116

**V551 301.07PSYCS-FUNCTION**

What is your usual purpose or reason in using hallucinogens, "LSD", "mescaline", "peyote", and "acid"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	1	Relieve phys pain
4.0	0.1	1	2	Relieve boredom
8.0	0.1	2	3	Relieve tension
60.0	0.9	15	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
8.0	0.1	2	9	Increase self-aware
0.0	0.0	0	10	Get through day
16.0	0.2	4	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1117-1118

**V552 301.08PSYCS-HW EFFECTIVE**

Is hallucinogens, "LSD", "mescaline", "peyote", and "acid" effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.1	2	1	Not effective
89.5	1.0	17	2	Effective
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1119-1120

**V553****301.09SRCE/PSYCS-PHYSICN**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Physician?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	25	1	No
0.0	0.0	0	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1121-1122

**V554****301.10SRCE/PSYCS-FAMILY**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	1.4	24	1	No
4.0	0.1	1	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1123-1124

**V555****301.11SRCE/PSYCS-FRIENDS**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	0.3	6	1	No
76.0	1.1	19	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1125-1126

**V556 301.12SRCE/PSYCS-ANONYMS**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Anonymous Seller/Pusher?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	1.1	19	1	No
24.0	0.3	6	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1127-1128

**V557 301.13SRCE/PSYCS-STEAL**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Steal it?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	25	1	No
0.0	0.0	0	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1129-1130

**V558 301.14SRCE/PSYCS-OTHER**

Do you get your hallucinogens, "LSD", "mescaline", "peyote", and "acid" from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	1.4	24	1	No
4.0	0.1	1	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1131-1132

<b>V559</b>	<b>301.15HVE STP USNG PSYCS</b>
-------------	---------------------------------

Have you stopped using hallucinogens, "LSD", "mescaline", "peyote", and "acid"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	0.5	9	1	No
64.0	0.9	16	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1133-1134

<b>V560</b>	<b>301.16WHY STP USNG PSYCS</b>
-------------	---------------------------------

If stopped using hallucinogens, "LSD", "mescaline", "peyote", and "acid":

What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
43.8	0.4	7	2	Bad phys effects
6.2	0.1	1	3	Bad emotion effect
18.8	0.2	3	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
6.2	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost effects
18.8	0.2	3	10	Didn't need it
6.2	0.1	1	11	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1135-1136

**Tranquilizers**

**V561**                      **302.01TRANQ-#TIMES PT/YR**

How many times in the LAST YEAR have you:  
used Tranquilizers?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	38.8	670	0	
1.0	0.4	7	1	
0.9	0.3	6	2	
0.7	0.3	5	3	
0.3	0.1	2	4	
0.1	0.1	1	5	
0.1	0.1	1	6	
0.1	0.1	1	52	
0.1	0.1	1	60	
0.1	0.1	1	365	
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1137-1139

**V562**                      **302.02TRANQ-USE NEXT YR**

Do you think that you might start using Tranquilizers in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	38.1	658	1	No
0.9	0.3	6	2	Yes
0.2	0.1	1	3	Don't know
	61.4	1,060	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1140-1141

**V563 302.03TRANQ-HW OFT PT YR**

During the last year, how often did you use Tranquilizers?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	38.8	670	1	Never
2.3	0.9	16	2	Once or twice
0.9	0.3	6	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.3	0.1	2	9	2-3 times a day
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1142-1143

**V564 302.04TRANQ-EPISODIC USE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	Yes
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1144-1145

**V565 302.05TRANQ-LAST USED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	1	6	
8.3	0.1	2	7	
4.2	0.1	1	8	
25.0	0.3	6	9	
12.5	0.2	3	10	
20.8	0.3	5	11	
25.0	0.3	6	12	
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1146-1147



V568

## 302.08TRANQ-FUNCTION

What is your usual purpose or reason in using Tranquilizers?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	0.8	13	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
8.0	0.1	2	3	Relieve tension
24.0	0.3	6	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
16.0	0.2	4	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1152-1153

V569

## 302.09TRANQ-EFFECTIVENES

Is Tranquilizers effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.3	22	2	Effective
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1154-1155

**V570** **302.10SRCE/TRANQ-PHARMCY**

Do you get your Tranquilizers from Pharmacy/Drugstore?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	1.0	18	1	No
28.0	0.4	7	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1156-1157

**V571** **302.11SRCE/TRANQ-PHYSICN**

Do you get your Tranquilizers from Physician?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	1.1	19	1	No
24.0	0.3	6	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1158-1159

**V572** **302.12SRCE/TRANQ-FAMILY**

Do you get your Tranquilizers from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	1.2	21	1	No
16.0	0.2	4	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1160-1161

**V573****302.13SRCE/TRANQ-FRIENDS**

Do you get your Tranquilizers from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	1.0	18	1	No
28.0	0.4	7	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1162-1163

**V574****302.14SRCE/TRANQ-ANONYMS**

Do you get your Tranquilizers from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	1.4	24	1	No
4.0	0.1	1	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1164-1165

**V575****302.15SRCE/TRANQ-OTHER**

Do you get your Tranquilizers from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	1.4	24	1	No
4.0	0.1	1	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1166-1167

**V576 302.16HVE STP USNG TRANQ**

Have you stopped using Tranquilizers)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.6	10	1	No
60.0	0.9	15	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1168-1169

**V577 302.17WHY STP USNG TRANQ**

If stopped using Tranquilizers: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
20.0	0.2	3	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
6.7	0.1	1	9	Lost effects
66.7	0.6	10	10	Didn't need it
6.7	0.1	1	11	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1170-1171

**Amphetamines**

**V578**                      **303.01AMPHT-#TIMES PT/YR**

How many times in the LAST YEAR have you:

used amphetamines, "uppers", "speed", "whites"?

(IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY, SAY: "People can take amphetamines to lose weight, to stay awake, or to make them feel they have more energy.")

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	87.4	1,507	0	
1.9	1.8	31	1	
1.5	1.4	24	2	
0.9	0.9	15	3	
0.1	0.1	1	4	
0.4	0.4	7	5	
0.2	0.2	3	6	
0.2	0.2	3	7	
0.1	0.1	1	8	
0.2	0.2	3	10	
0.6	0.5	9	12	
0.1	0.1	1	14	
0.2	0.2	3	15	
0.1	0.1	1	16	
0.2	0.2	4	20	
0.1	0.1	1	25	
0.1	0.1	2	30	
0.1	0.1	2	50	
0.1	0.1	2	52	
0.1	0.1	1	75	
0.1	0.1	2	100	
0.1	0.1	1	135	
0.1	0.1	1	150	
0.1	0.1	1	300	
	5.7	99	-1	

-----  
 100.0    100.0    1,725 cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1172-1174

**V579** **303.02AMPHT-USE NEXT YR**

Do you think that you might start using amphetamines, "uppers", "speed", "whites" in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	36.8	634	1	No
1.9	0.7	12	2	Yes
0.0	0.0	0	3	Don't know
	62.6	1,079	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1175-1176

**V580** **303.03AMPHT-HW OFT PT YR**

During the last year, how often did you use amphetamines, "uppers", "speed", "whites"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	87.4	1,507	1	Never
4.0	3.8	65	2	Once or twice
1.2	1.2	20	3	Once every 2-3 mos
0.9	0.8	14	4	Once a mo
0.4	0.3	6	5	Once every 2-3 wks
0.4	0.3	6	6	Once a wk
0.3	0.3	5	7	2-3 times a wk
0.2	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1177-1178

<b>V581</b>	<b>303.04AMPHT-EPISODIC USE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1179-1180

<b>V582</b>	<b>303.05AMPHT-LAST USED</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	1	1	
4.3	0.1	2	3	
2.2	0.1	1	6	
8.7	0.2	4	7	
6.5	0.2	3	8	
4.3	0.1	2	9	
8.7	0.2	4	10	
23.9	0.6	11	11	
39.1	1.0	18	12	
	97.3	1,679	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1181-1182

<b>V583</b>	<b>303.06AMPHT-PRESCRIBED</b>
-------------	-------------------------------

Was this amphetamines, "uppers", "speed", "whites" prescribed by a doctor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	2.6	45	1	No
4.3	0.1	2	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1183-1184

**V584 303.07AMPHT- AMT PRESCBD**

IF AMPHETAMINES, "uppers", "speed", "whites" PRESCRIBED, Do you usually take the amount prescribed on the label?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	< prescribed
100.0	0.1	2	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1185-1186

**V585 303.08AMPHT-FUNCTION**

What is your usual purpose or reason in using amphetamines, "uppers", "speed", "whites"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	1.1	19	1	Relieve phys pain
2.1	0.1	1	2	Relieve boredom
2.1	0.1	1	3	Relieve tension
40.4	1.1	19	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
2.1	0.1	1	9	Increase self-aware
2.1	0.1	1	10	Get through day
8.5	0.2	4	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
2.1	0.1	1	14	Other
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1187-1188

**V586****303.09AMPHS-EFFECTIVNESS**

Is amphetamines, "uppers", "speed", "whites" effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.3	6	1	Not effective
86.0	2.1	37	2	Effective
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1189-1190

**V587****303.10SRCE/AMPHS-PHARMCY**

Do you get your amphetamines, "uppers", "speed", "whites" from Pharmacy/Drugstore?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	2.5	43	1	No
8.5	0.2	4	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1191-1192

**V588****303.11SRCE/AMPHS-PHYSICN**

Do you get your amphetamines, "uppers", "speed", "whites" from Physician?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	47	1	No
0.0	0.0	0	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1193-1194

**V589** **303.12SRCE/AMPHS-FAMILY**

Do you get your amphetamines, "uppers", "speed", "whites" from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	2.5	43	1	No
8.5	0.2	4	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1195-1196

**V590** **303.13SRCE/AMPHS-FRIENDS**

Do you get your amphetamines, "uppers", "speed", "whites" from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	0.8	13	1	No
72.3	2.0	34	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1197-1198

**V591** **303.14SRCE/AMPHS-ANONYMS**

Do you get your amphetamines, "uppers", "speed", "whites" from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	2.3	39	1	No
17.0	0.5	8	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1199-1200

**V592****303.15SRCE/AMPHS-OTHER**

Do you get your amphetamines, "uppers", "speed", "whites" from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	47	1	No
0.0	0.0	0	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1201-1202

**V593****303.16HVE STP USNG AMPHS**

Have you stopped using amphetamines, "uppers", "speed", "whites"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	0.9	16	1	No
66.0	1.8	31	2	Yes
	97.3	1,678	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1203-1204

V594	303.17WHY STP USNG AMPHS
------	--------------------------

If stopped using amphetamines, "uppers", "speed", "whites": What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
25.8	0.5	8	2	Bad phys effects
6.5	0.1	2	3	Bad emotion effect
19.4	0.3	6	4	Felt it was wrong
3.2	0.1	1	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
3.2	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
3.2	0.1	1	9	Lost effects
32.3	0.6	10	10	Didn't need it
6.5	0.1	2	11	Other
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1205-1206

**Sedatives/Barbiturates**

**V595**                      **304.01BARBS-#TIMES PT/YR**

How many times in the LAST YEAR have you:

used barbiturates, "downers", "reds"?

(IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY, SAY: "These drugs can be used for calming down, reducing tension, and getting to sleep.")

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	91.4	1,576	0	
0.7	0.7	12	1	
0.7	0.7	12	2	
0.1	0.1	1	3	
0.3	0.3	5	4	
0.2	0.2	4	5	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.2	0.2	3	10	
0.1	0.1	2	12	
0.1	0.1	2	15	
0.1	0.1	1	16	
0.1	0.1	1	50	
0.1	0.1	2	200	
0.1	0.1	1	250	
0.1	0.1	1	365	
0.1	0.1	1	730	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1207-1209

**V596** **304.02BARBS-USE NEXT YER**

Do you think that you might start using barbiturates, "downers", "reds" in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	38.7	667	1	No
0.9	0.3	6	2	Yes
0.1	0.1	1	3	Don't know
	60.9	1,051	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1210-1211

**V597** **304.03BARBS-HW OFT PT YR**

During the last year, how often did you use barbiturates, "downers", "reds"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	91.4	1,576	1	Never
1.6	1.5	26	2	Once or twice
0.6	0.5	9	3	Once every 2-3 mos
0.4	0.4	7	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	2	7	2-3 times a wk
0.2	0.2	3	8	Once a day
0.1	0.1	2	9	2-3 times a day
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1212-1213

<b>V598</b>	<b>304.04BARBS-EPISODIC USE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1214-1215

<b>V599</b>	<b>304.05BARBS-LAST USED</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	
5.3	0.1	1	4	
10.5	0.1	2	9	
5.3	0.1	1	10	
10.5	0.1	2	11	
63.2	0.7	12	12	
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1216-1217

<b>V600</b>	<b>304.06BARBS-PRESCRIBED</b>
-------------	-------------------------------

Was this barbiturates, "downers", "reds" prescribed by a doctor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	0.8	13	1	No
31.6	0.3	6	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1218-1219

**V601** **304.07BARBS-AMT PRESCRBD**

IF BARBITURATES, "downers", "reds" PRESCRIBED, Do you usually take the amount prescribed on the label?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	< prescribed
83.3	0.3	5	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1220-1221

**V602** **304.08BARBS-FUNCTION**

What is your usual purpose or reason in using barbiturates, "downers", "reds"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	0.3	6	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
5.3	0.1	1	3	Relieve tension
57.9	0.6	11	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
5.3	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1222-1223

**V603****304.09BARBS-EFFECTIVENES**

Is barbiturates, "downers", "reds" effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.2	4	1	Not effective
77.8	0.8	14	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1224-1225

**V604****304.10SRCE/BARBS-PHARMCY**

Do you get your barbiturates, "downers", "reds" from Pharmacy/Drugstore?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	0.8	14	1	No
26.3	0.3	5	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1226-1227

**V605****304.11SRCE/BARBS-PHYSICN**

Do you get your barbiturates, "downers", "reds" from Physician?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	1.0	17	1	No
10.5	0.1	2	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1228-1229

**V606 304.12SRCE/BARBS-FAMILY**

Do you get your barbiturates, "downers", "reds" from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	1.0	17	1	No
10.5	0.1	2	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1230-1231

**V607 304.13SRCE/BARBS-FRIENDS**

Do you get your barbiturates, "downers", "reds" from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.5	8	1	No
57.9	0.6	11	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1232-1233

**V608 304.14SRCE/BARBS-ANONYMS**

Do you get your barbiturates, "downers", "reds" from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	1.0	18	1	No
5.3	0.1	1	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1234-1235

**V609****304.15SRCE/BARBS-OTHER**

Do you get your barbiturates, "downers", "reds" from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	19	1	No
0.0	0.0	0	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1236-1237

**V610****304.16HVE STP USNG BARBS**

Have you stopped using barbiturates, "downers", "reds"?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	0.5	9	1	No
52.6	0.6	10	2	Yes
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1238-1239

V611	304.17WHY STP USNG BARBS
------	--------------------------

If you stopped using barbiturates, "downers", "reds": What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
30.0	0.2	3	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
10.0	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
20.0	0.1	2	9	Lost effects
30.0	0.2	3	10	Didn't need it
10.0	0.1	1	11	Other
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1240-1241



<b>V614</b>	<b>305.03CODN-HW OFTN PT YR</b>
-------------	---------------------------------

During the last year, how often did you use Codeine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	38.5	664	1	Never
3.5	1.4	24	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.3	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.4	0.2	3	9	2-3 times a day
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1246-1247

<b>V615</b>	<b>305.04CODN-EPISODIC USE</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	10	1	Yes
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1248-1249

<b>V616</b>	<b>305.05CODN-LAST USED</b>
-------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.1	2	1	
6.9	0.1	2	4	
3.4	0.1	1	5	
6.9	0.1	2	6	
6.9	0.1	2	7	
20.7	0.3	6	8	
3.4	0.1	1	9	
6.9	0.1	2	10	
17.2	0.3	5	11	
20.7	0.3	6	12	
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1250-1251

<b>V617</b>	<b>305.06CODN-PREScribed</b>
-------------	------------------------------

Was this (Codeine) prescribed by a doctor?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	0.2	4	1	No
87.1	1.6	27	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1252-1253

**V618** **305.07CODN-AMT PRESCRBD**

IF CODEINE PRESCRIBED, Do you usually take the amount prescribed on the label?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.2	3	1	< prescribed
81.5	1.3	22	2	Amount prescribed
7.4	0.1	2	3	> prescribed
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1254-1255

**V619** **305.08CODN-FUNCTION**

What is your usual purpose or reason in using Codeine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	1.7	30	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
3.2	0.1	1	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1256-1257

<b>V620</b>	<b>305.09CODN-EFFECTIVENESS</b>
-------------	---------------------------------

Is Codeine effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.1	1	1	Not effective
96.7	1.7	29	2	Effective
	98.3	1,695	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1258-1259

<b>V621</b>	<b>305.10SRCE/CODN-PHARMACY</b>
-------------	---------------------------------

Do you get your Codeine from Pharmacy/Drugstore?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	0.5	9	1	No
71.0	1.3	22	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1260-1261

<b>V622</b>	<b>305.11SRCE/CODN-PHYSICN</b>
-------------	--------------------------------

Do you get your Codeine from Physician?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	1.2	21	1	No
32.3	0.6	10	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1262-1263

**V623** **305.12SRCE/CODN-FAMILY**

Do you get your Codeine from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	1.6	28	1	No
9.7	0.2	3	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1264-1265

**V624** **305.13SRCE/CODN-FRIENDS**

Do you get your Codeine from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	1.7	30	1	No
3.2	0.1	1	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1266-1267

**V625** **305.14SRCE/CODN-ANONYOMS**

Do you get your Codeine from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	31	1	No
0.0	0.0	0	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1268-1269

**V626****305.15SRCE/CODEINE-OTHER**

Do you get your Codeine from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	31	1	No
0.0	0.0	0	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1270-1271

**V627****305.16HVE STP USNG CODNE**

Have you stopped using Codeine?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	0.3	6	1	No
80.6	1.4	25	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1272-1273

V628 305.17WHY STP USNG CODNE

If you stopped using Codeine: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
0.0	0.0	0	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
4.0	0.1	1	9	Lost effects
92.0	1.3	23	10	Didn't need it
4.0	0.1	1	11	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1274-1275



**V631 306.03HERO-HOW OFT PT YR**

During the last year, how often did you use heroin ("HORSE", "SMACK")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	93.9	1,619	1	Never
0.3	0.3	5	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1280-1281

**V632 306.04HERO-EPISODIC USE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1282-1283

**V633 306.05HERO-LAST USED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	8	
50.0	0.1	1	12	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1284-1285

**V634****306.06HERO-FUNCTION**

What is your usual purpose or reason in using heroin ("HORSE", "SMACK")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
50.0	0.1	1	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
50.0	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1286-1287

**V635****306.07HERO-EFFECTIVENESS**

Is heroin ("HORSE", "SMACK") effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1288-1289

**V636** **306.08SRCE/HEROIN-FAMILY**

Do you get your heroin ("HORSE", "SMACK") from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1290-1291

**V637** **306.09SRCE/HEROIN-FRIEND**

Do you get your heroin ("HORSE", "SMACK") from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	2	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1292-1293

**V638****306.10SRCE/HERO-ANONYMOU**

Do you get your heroin ("HORSE", "SMACK") from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1294-1295

**V639****306.11SRCE/HEROIN-OTHER**

Do you get your heroin ("HORSE", "SMACK") from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1296-1297

**V640** **306.12HVE STPD USNG HERO**

Have you stopped using heroin ("HORSE", "SMACK")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	2	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1298-1299

**V641** **306.13WHY STPD USNG HERO**

If stopped using heroin ("HORSE", "SMACK"): What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Disliked taste
0.0	0.0	0	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost effects
50.0	0.1	1	10	Didn't need it
0.0	0.0	0	11	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1300-1301



**V643** **307.01CO-USE NEXT YEAR**

Do you think that you might start using cocaine ("COKE") in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	37.4	646	1	No
1.8	0.7	12	2	Yes
0.0	0.0	0	3	Don't know
	61.9	1,067	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1305-1306

**V644** **307.02CO-HW OFTN PAST YR**

During the last year, how often did you use cocaine ("COKE")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	89.5	1,544	1	Never
3.5	3.3	57	2	Once or twice
0.6	0.5	9	3	Once every 2-3 mos
0.6	0.5	9	4	Once a mo
0.2	0.2	4	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1307-1308

<b>V645</b>	<b>307.03CO-EPISODIC USE</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1309-1310

<b>V646</b>	<b>307.04COCAINE-LAST USED</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	1	1	
3.1	0.1	1	4	
3.1	0.1	1	5	
3.1	0.1	1	6	
9.4	0.2	3	7	
3.1	0.1	1	8	
12.5	0.2	4	9	
21.9	0.4	7	10	
12.5	0.2	4	11	
28.1	0.5	9	12	
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1311-1312

**V647** **307.05C-HOW MUCH WAS USD**

When taking cocaine ("COKE"), how much do you usually use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.1	2	0	< 1
60.6	1.2	20	1	1 line
15.2	0.3	5	2	2 lines
18.2	0.3	6	3	3 or more lines
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1313-1314

**V648** **307.06COFUNCTION**

What is your usual purpose or reason in using cocaine ("COKE")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.1	1	1	Relieve phys pain
3.0	0.1	1	2	Relieve boredom
3.0	0.1	1	3	Relieve tension
39.4	0.8	13	4	Pleasure
0.0	0.0	0	5	To be different
3.0	0.1	1	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
48.5	0.9	16	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1315-1316

V649

307.07COEFFEFFECTIVENESS

Is cocaine ("COKE") effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.0	18	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1317-1318

V650

307.08SRCE/COCINE-FAMILY

Do you get your cocaine ("COKE") from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	1.7	29	1	No
12.1	0.2	4	2	Yes
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1319-1320

<b>V651</b>	<b>307.09SRCE/COINE-FRIENDS</b>
-------------	---------------------------------

Do you get your cocaine ("COKE") from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	0.8	13	1	No
60.6	1.2	20	2	Yes
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1321-1322

<b>V652</b>	<b>307.10SRCE/CO-ANONYMOUS</b>
-------------	--------------------------------

Do you get your cocaine ("COKE") from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	1.4	24	1	No
27.3	0.5	9	2	Yes
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1323-1324

**V653****307.11SRCE/COCAINE-OTHER**

Do you get your cocaine ("COKE") from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	33	1	No
0.0	0.0	0	2	Yes
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1325-1326

**V654****307.12HVE STPD USNG COCE**

Have you stopped using cocaine ("COKE")?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	0.8	14	1	No
57.6	1.1	19	2	Yes
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1327-1328

V655	307.13WHY STPD USNG CO
------	------------------------

If stopped using cocaine ("COKE"): What is your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	Disliked taste
5.3	0.1	1	2	Bad phys effects
5.3	0.1	1	3	Bad emotion effect
15.8	0.2	3	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
26.3	0.3	5	8	Not available
0.0	0.0	0	9	Lost effects
36.8	0.4	7	10	Didn't need it
5.3	0.1	1	11	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1329-1330

<b>Inhalants</b>
------------------

<b>V656</b>	<b>308.00IN-# TIMES PAST/YR</b>
-------------	---------------------------------

How many times in the LAST YEAR have you:

used Inhalants

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	39.6	683	0	
0.9	0.3	6	1	
0.4	0.2	3	2	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.1	0.1	1	30	
	59.7	1,030	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1331-1332

<b>V657</b>	<b>308.01IN-USE NEXT YEAR</b>
-------------	-------------------------------

Do you think that you might start using Inhalants in the next 12 months?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	39.2	677	1	No
0.1	0.1	1	2	Yes
0.1	0.1	1	3	Don't know
	60.6	1,046	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1333-1334

<b>V658</b>	<b>308.02IN-HW OFTN PAST YR</b>
-------------	---------------------------------

During the last year, how often did you use Inhalants?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	39.5	681	1	Never
1.3	0.5	9	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	59.8	1,032	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1335-1336

<b>V659</b>	<b>308.03IN-EPISODIC USE</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1337-1338

<b>V660</b>	<b>308.04IN-LAST USED</b>
-------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	7	
16.7	0.1	2	9	
25.0	0.2	3	11	
50.0	0.3	6	12	
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1339-1340

<b>V661</b>	<b>308.05IN-FUNCTION</b>
-------------	--------------------------

What is your usual purpose or reason in using Inhalants?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
41.7	0.3	5	4	Pleasure
0.0	0.0	0	5	To be different
8.3	0.1	1	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
50.0	0.3	6	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1341-1342

**V662 308.06IN-EFFECTIVENESS**

Is Inhalants effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.3	5	1	Not effective
16.7	0.1	1	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1343-1344

**V663 308.07SRCE/IN-STORES**

Do you get your Inhalants from Stores (supermarkets, hardware, etc.)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.5	8	1	No
33.3	0.2	4	2	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1345-1346

**V664 308.08SRCE/IN-FAMILY**

Do you get your Inhalants from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	9	1	No
25.0	0.2	3	2	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1347-1348

**V665****308.09SRCE/IN-FRIENDS**

Do you get your Inhalants from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	9	1	No
25.0	0.2	3	2	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1349-1350

**V666****308.10SRCE/IN-OTHER**

Do you get your Inhalants from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.6	10	1	No
16.7	0.1	2	2	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1351-1352

**V667****308.11HVE STPD USNG IN**

Have you stopped using Inhalants?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	No
91.7	0.6	11	2	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1353-1354

V668	308.12WHY STPD USNG IN
------	------------------------

If you stopped using Inhalants: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
63.6	0.4	7	2	Bad phys effects
0.0	0.0	0	3	Bad emotion effect
9.1	0.1	1	4	Felt it was wrong
9.1	0.1	1	5	Friends' pressure
18.2	0.1	2	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost effects
0.0	0.0	0	10	Didn't need it
0.0	0.0	0	11	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1355-1356



<b>V671</b>	<b>309.02A D-HW OFTN PST YR</b>
-------------	---------------------------------

During the last year, how often did you use angel dust?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	38.8	669	1	Never
2.3	0.9	16	2	Once or twice
0.6	0.2	4	3	Once every 2-3 mos
0.3	0.1	2	4	Once a mo
0.3	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	59.8	1,031	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1361-1362

<b>V672</b>	<b>309.03A D-EPISODIC USE</b>
-------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1363-1364

<b>V673</b>	<b>309.04A D-LAST USED</b>
-------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	5	
4.0	0.1	1	6	
8.0	0.1	2	7	
8.0	0.1	2	8	
4.0	0.1	1	9	
20.0	0.3	5	10	
12.0	0.2	3	11	
40.0	0.6	10	12	
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1365-1366

<b>V674</b>	<b>309.05A D-HW MCH WAS USD</b>
-------------	---------------------------------

When taking angel dust, how much do you usually use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.7	12	1	With marijuana
25.0	0.2	4	2	Powder
0.0	0.0	0	3	Capsule
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1367-1368

**V675 309.06A D-FUNCTION**

What is your usual purpose or reason in using angel dust?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
58.3	0.8	14	4	Pleasure
0.0	0.0	0	5	To be different
4.2	0.1	1	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
37.5	0.5	9	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1369-1370

**V676 309.07A D-HW EFFECTIVE**

Is angel dust effective for your purposes?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	3	1	Not effective
80.0	0.7	12	2	Effective
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1371-1372

<b>V677</b>	<b>309.08SRCE/A D-FAMILY</b>
-------------	------------------------------

Do you get your angel dust from Family?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	1.3	23	1	No
8.0	0.1	2	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1373-1374

<b>V678</b>	<b>309.09SRCE/A D-FRIENDS</b>
-------------	-------------------------------

Do you get your angel dust from Friends?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	0.3	6	1	No
76.0	1.1	19	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1375-1376

<b>V679</b>	<b>309.10SRCE/A D-ANONYMOUS</b>
-------------	---------------------------------

Do you get your angel dust from Anonymous pusher or seller?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	1.0	18	1	No
28.0	0.4	7	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1377-1378

<b>V680</b>	<b>309.11SRCE/A D-OTHER</b>
-------------	-----------------------------

Do you get your angel dust from Other (specify)?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	25	1	No
0.0	0.0	0	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1379-1380

<b>V681</b>	<b>309.12HVE STPD USNG A DT</b>
-------------	---------------------------------

Have you stopped using angel dust?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	0.5	9	1	No
64.0	0.9	16	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1381-1382

V682

309.13WHY STPD USNG A DT

If stopped using angel dust: What was your major reason?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
43.8	0.4	7	2	Bad phys effects
31.2	0.3	5	3	Bad emotion effect
6.2	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
6.2	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost effects
12.5	0.1	2	10	Didn't need it
0.0	0.0	0	11	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1383-1384



<b>V685</b>	<b>310.02NN PRES-USE NXT YR</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	37.9	653	1	No
1.4	0.5	9	2	Yes
0.2	0.1	1	3	Don't know
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
Missing-data code: -1  
Columns: 1389-1390

<b>V686</b>	<b>310.03NN PRES-HW OFTN</b>
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	39.0	672	1	Never
1.4	0.6	10	2	Once or twice
0.4	0.2	3	3	Once every 2-3 mos
0.6	0.2	4	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.3	0.1	2	6	Once a wk
0.1	0.1	1	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.1	0.1	1	9	2-3 times a day
	59.8	1,031	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
Missing-data code: -1  
Columns: 1391-1392

<b>V687</b>	<b>310.04NN PRES-EPISODIC</b>
-------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric  
Missing-data code: -1  
Columns: 1393-1394

<b>V688</b>	<b>310.05NN PRES-LAST USED</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	1	
4.5	0.1	1	2	
4.5	0.1	1	5	
4.5	0.1	1	6	
9.1	0.1	2	8	
18.2	0.2	4	9	
4.5	0.1	1	10	
4.5	0.1	1	11	
45.5	0.6	10	12	
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1395-1396

<b>V689</b>	<b>310.06NN PRES-FUNCTION</b>
-------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.9	16	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
13.6	0.2	3	4	Pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown-up
0.0	0.0	0	9	Increase self-aware
0.0	0.0	0	10	Get through day
9.1	0.1	2	11	Curiosity
0.0	0.0	0	12	Special occasions
0.0	0.0	0	13	Family encourage
4.5	0.1	1	14	Other
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1397-1398

<b>V690</b>	<b>310.07NN PRES-HW EFFCTVE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	4	1	Not effective
80.0	0.9	16	2	Effective
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1399-1400

<b>V691</b>	<b>310.08SRCE/NN PRESC DRUG</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	0.3	5	1	Friends
50.0	0.6	11	2	Pharm/Drug Store
4.5	0.1	1	3	Neighbors
9.1	0.1	2	4	Friends
4.5	0.1	1	5	Physician
4.5	0.1	1	6	Seller/pusher
4.5	0.1	1	7	Store
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1401-1402

<b>V692</b>	<b>310.09STPD USING NN PRES</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.5	8	1	No
63.6	0.8	14	2	Yes
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1403-1404

V693	310.10WHY STPD NN PRESC
------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
14.3	0.1	2	2	Bad phys effects
7.1	0.1	1	3	Bad emotion effect
7.1	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends' pressure
0.0	0.0	0	6	Trouble w/parents
7.1	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost effects
64.3	0.5	9	10	Didn't need it
0.0	0.0	0	11	Other
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1405-1406



V695	312.MONTHLY EXPEND-TOBAC
------	--------------------------

What is your average monthly expenditure (in dollars) on Tobacco?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	2.6	44	0	
10.1	1.4	25	1	
9.3	1.3	23	2	
5.6	0.8	14	3	
3.6	0.5	9	4	
10.5	1.5	26	5	
2.0	0.3	5	6	
0.8	0.1	2	7	
1.2	0.2	3	8	
0.8	0.1	2	9	
12.1	1.7	30	10	
2.0	0.3	5	12	
0.4	0.1	1	14	
3.6	0.5	9	15	
0.4	0.1	1	16	
0.4	0.1	1	17	
0.4	0.1	1	18	
6.0	0.9	15	20	
1.2	0.2	3	21	
0.4	0.1	1	24	
3.2	0.5	8	25	
0.8	0.1	2	30	
0.8	0.1	2	35	
0.8	0.1	2	40	
3.2	0.5	8	50	
0.4	0.1	1	60	
0.8	0.1	2	70	
0.8	0.1	2	100	
0.4	0.1	1	200	
	85.6	1,477	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1410-1412

V696

313.MONTHLY EXPEND-DRUGS

What is your average monthly expenditure (in dollars) on Drugs?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBBOX)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	8.6	149	0	
2.7	0.5	8	1	
3.0	0.5	9	2	
1.0	0.2	3	3	
1.4	0.2	4	4	
8.4	1.4	25	5	
0.3	0.1	1	6	
0.7	0.1	2	7	
7.4	1.3	22	10	
3.4	0.6	10	15	
0.3	0.1	1	17	
4.1	0.7	12	20	
2.4	0.4	7	25	
3.4	0.6	10	30	
0.3	0.1	1	35	
3.0	0.5	9	40	
0.3	0.1	1	45	
1.0	0.2	3	50	
1.7	0.3	5	60	
0.3	0.1	1	70	
0.7	0.1	2	80	
0.7	0.1	2	100	
0.7	0.1	2	150	
1.4	0.2	4	200	
0.3	0.1	1	220	
0.7	0.1	2	300	
	82.8	1,429	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1413-1415



V699

315.1PROBS W/FAM-ALCOHOL

How many times in the last year have you had problems with your family because of drinking?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	23.9	413	1	Never
16.5	5.0	87	2	Once or twice
1.9	0.6	10	3	Three or four times
1.1	0.3	6	4	Five or six times
1.9	0.6	10	5	More than six times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1420-1421

V700

315.2PROBS W/FAMILY-DRUG

How many times in the last year have you had problems with your family because of drug use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	14.3	246	1	Never
9.5	1.6	28	2	Once or twice
4.1	0.7	12	3	Three or four times
1.7	0.3	5	4	Five or six times
1.4	0.2	4	5	More than six times
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1422-1423

<b>V701</b>	<b>316.1TRBLE W/FRNDS-ALCOL</b>
-------------	---------------------------------

How many times in the last year have you gotten into trouble with your friends because of your drinking?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	28.2	486	1	Never
6.7	2.0	35	2	Once or twice
0.4	0.1	2	3	Three or four times
0.2	0.1	1	4	Five or six times
0.4	0.1	2	5	More than six times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1424-1425

<b>V702</b>	<b>316.2TRBLE W/FRNDS-DRUGS</b>
-------------	---------------------------------

How many times in the last year have you gotten into trouble with your friends because of your drug use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	15.7	271	1	Never
6.8	1.2	20	2	Once or twice
0.7	0.1	2	3	Three or four times
0.0	0.0	0	4	Five or six times
0.7	0.1	2	5	More than six times
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1426-1427

**V703****317.1TRBLE W/TCHERS-ALCO**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drinking?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	29.2	504	1	Never
2.7	0.8	14	2	Once or twice
0.4	0.1	2	3	Three or four times
0.0	0.0	0	4	Five or six times
0.4	0.1	2	5	More than six times
	69.7	1,203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1428-1429

**V704****317.2TRBLE W/TCHERS-DRUG**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drug use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	15.8	273	1	Never
5.1	0.9	15	2	Once or twice
0.7	0.1	2	3	Three or four times
0.0	0.0	0	4	Five or six times
0.7	0.1	2	5	More than six times
	83.1	1,433	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1430-1431

<b>V705</b>	<b>318.1FIGHTS BCause ALCOH</b>
-------------	---------------------------------

How many times in the last year have you gotten into physical fights because of your drinking?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	27.6	476	1	Never
6.1	1.9	32	2	Once or twice
2.1	0.6	11	3	Three or four times
1.0	0.3	5	4	Five or six times
0.4	0.1	2	5	More than six times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1432-1433

<b>V706</b>	<b>318.2FIGHTS BCause DRUGS</b>
-------------	---------------------------------

How many times in the last year have you gotten into physical fights because of your drug use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	16.3	281	1	Never
3.7	0.6	11	2	Once or twice
0.3	0.1	1	3	Three or four times
0.0	0.0	0	4	Five or six times
0.7	0.1	2	5	More than six times
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1434-1435

**V707****319.1HLTH PROBS-ALCOHOL**

How often in the last year has your use of alcohol caused problems with your physical health?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	27.0	466	1	Never
7.6	2.3	40	2	Once or twice
1.7	0.5	9	3	Three or four times
0.6	0.2	3	4	Five or six times
1.5	0.5	8	5	More than six times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1436-1437

**V708****319.2HLTH PROBS-DRUGS**

How often in the last year has your use of drugs caused problems with your physical health?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	15.4	265	1	Never
7.5	1.3	22	2	Once or twice
1.4	0.2	4	3	Three or four times
0.7	0.1	2	4	Five or six times
0.7	0.1	2	5	More than six times
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1438-1439

**V709** **320.1MEMORY LOSS-ALCOHOL**

Have you ever found that you couldn't remember what had happened to you because of your drinking?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	23.8	410	1	No
22.1	6.7	116	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1440-1441

**V710** **320.2MEMORY LOSS-DRUGS**

Have you ever found that you couldn't remember what had happened to you because of your drug use?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	14.8	255	1	No
13.6	2.3	40	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1442-1443

<b>V711</b>	<b>321.1STAYED DRUNK/DAYS</b>
-------------	-------------------------------

Have you ever stayed drunk for more than a day at a time?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	28.9	498	1	No
5.3	1.6	28	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1444-1445

<b>V712</b>	<b>321.2STAYED HIGH/DAYS</b>
-------------	------------------------------

Have you ever stayed high on drugs for more than a day at a time?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	15.1	260	1	No
11.9	2.0	35	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1446-1447

<b>V713</b>	<b>322.1CDNT STP ALCOL USE</b>
-------------	--------------------------------

Have you ever wanted to stop drinking and found you couldn't?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	29.9	516	1	No
1.9	0.6	10	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1448-1449

**V714 322.2CDNT STOP DRUG USE**

Have you ever wanted to stop using drugs and found you couldn't?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	16.6	287	1	No
2.7	0.5	8	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1450-1451

**V715 323.1HD TO BORROW/ALCOHL**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	28.2	487	1	No
7.4	2.3	39	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1452-1453

**V716 323.2HD TO BORROW/DRUGS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	15.6	269	1	No
8.8	1.5	26	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1454-1455

<b>V717</b>	<b>324.1GO W/O FOR ALCOHOL</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	25.6	442	1	No
16.0	4.9	84	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1456-1457

<b>V718</b>	<b>324.2GO WITHOUT FR DRUGS</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	13.6	235	1	No
20.3	3.5	60	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1458-1459

<b>V719</b>	<b>325.01ILLEGAL ACT/ALCOHL</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	28.5	491	1	No
6.7	2.0	35	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1460-1461

<b>V720</b>	<b>325.02ILLEGAL ACTS/DRUGS</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	16.1	278	1	No
5.8	1.0	17	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1462-1463

**V721** **325.03ILLGL ACT-STEALING**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1464-1465

**V722** **325.04ILLGL ACT-PROSTITU**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1466-1467

**V723** **325.05ILLGL ACT-GAMBLING**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	Yes
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1468-1469

**V724** **325.06ILLGL ACT-SELL D/A**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	1	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1470-1471

<b>V725</b>	<b>325.07ILLGL SELL STLN GD</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1472-1473

<b>V726</b>	<b>325.08ILLGL BEAT SOMEONE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1474-1475

<b>V727</b>	<b>325.09ILLGL ACT-FAKE ID</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	26	1	Yes
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1476-1477

<b>V728</b>	<b>325.10ILLGL STEAL DR/ALC</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1478-1479

**V729 325.11ILLGL FAKE PRESCTN**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1480-1481

**V730 325.12ILLGL FAKE ILLNESS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1482-1483

**V731 325.13ILLGL ACT-GREW POT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	Yes
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1484-1485

**V732 326.01ARRESTS FOR ALCOHL**

During the last year, have you been arrested for any alcohol related offenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	29.5	509	1	No
3.2	1.0	17	2	Yes
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1486-1487

<b>V733</b>	<b>326.02ARRESTS FOR DRUGS</b>
-------------	--------------------------------

During the last year, have you been arrested for any drug related offenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	16.9	291	1	No
1.4	0.2	4	2	Yes
	82.9	1,430	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1488-1489

<b>V734</b>	<b>326.03ARRESTS-INTOXICATN</b>
-------------	---------------------------------

How many times have you been arrested for Intoxication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.5	8	0	
52.4	0.6	11	1	
4.8	0.1	1	2	
4.8	0.1	1	4	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1490-1491

<b>V735</b>	<b>326.04ARRESTS-DRUNK DRVG</b>
-------------	---------------------------------

How many times have you been arrested for Driving under the influence of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	1.0	17	0	
19.0	0.2	4	1	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1492-1493

**V736** **326.05ARRESTS-POSSN ALCL**

How many times have you been arrested for Possession of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	15	0	
23.8	0.3	5	1	
4.8	0.1	1	4	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1494-1495

**V737** **326.06ARRESTS-POSSN/DRUG**

How many times have you been arrested for Possession of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	0.9	16	0	
23.8	0.3	5	1	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1496-1497

**V738** **326.07ARRESTS-SALE/DRUGS**

How many times have you been arrested for Sale (or possession for sale) of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	0	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1498-1499

<b>V739</b>	<b>326.08ARRESTS-OTHER</b>
-------------	----------------------------

How many times have you been arrested for Other (Specify)?

	PCT	PCT	N	VALUE	LABEL
VALID		ALL			
	76.2	0.9	16	0	
	23.8	0.3	5	1	
		98.8	1,704	-1	
-----	-----	-----			
100.0	100.0		1,725	cases	

Data type: numeric  
Missing-data code: -1  
Columns: 1500-1501

V740	327.PST YR-# TIMES DRUNK
------	--------------------------

How many times in the last year have you gotten drunk or pretty high on alcohol?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	13.0	224	0	
8.7	2.7	46	1	
10.5	3.2	55	2	
3.0	0.9	16	3	
2.9	0.9	15	4	
4.8	1.4	25	5	
2.5	0.8	13	6	
0.8	0.2	4	7	
0.6	0.2	3	8	
3.8	1.2	20	10	
1.1	0.3	6	12	
0.2	0.1	1	14	
1.1	0.3	6	15	
0.6	0.2	3	17	
0.2	0.1	1	18	
3.6	1.1	19	20	
1.1	0.3	6	25	
1.1	0.3	6	30	
0.2	0.1	1	34	
0.4	0.1	2	36	
0.2	0.1	1	38	
1.5	0.5	8	40	
0.2	0.1	1	45	
1.7	0.5	9	50	
1.0	0.3	5	52	
0.2	0.1	1	55	
0.2	0.1	1	60	
0.6	0.2	3	75	
0.6	0.2	3	80	
0.2	0.1	1	90	
2.1	0.6	11	100	
0.2	0.1	1	104	
0.2	0.1	1	150	
0.4	0.1	2	200	
0.6	0.2	3	250	
0.4	0.1	2	300	
0.2	0.1	1	364	
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1502-1504

<b>V741</b>	<b>328.PST YR-# TIMES HIGH</b>
-------------	--------------------------------

How many times in the last year have you gotten high on drugs?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 2 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
26.8	4.6	80	0	
9.7	1.7	29	1	
8.7	1.5	26	2	
4.0	0.7	12	3	
3.0	0.5	9	4	
2.7	0.5	8	5	
2.7	0.5	8	6	
1.7	0.3	5	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
4.4	0.8	13	10	
0.7	0.1	2	12	
2.0	0.3	6	15	
5.4	0.9	16	20	
1.7	0.3	5	25	
3.7	0.6	11	30	
0.3	0.1	1	35	
1.3	0.2	4	40	
2.7	0.5	8	50	
1.0	0.2	3	52	
1.0	0.2	3	60	
0.3	0.1	1	70	
0.3	0.1	1	75	
0.3	0.1	1	90	
3.4	0.6	10	100	
0.3	0.1	1	104	
0.7	0.1	2	120	
0.3	0.1	1	125	
1.0	0.2	3	150	
0.3	0.1	1	156	
0.3	0.1	1	180	
0.3	0.1	1	185	
1.7	0.3	5	200	
0.3	0.1	1	260	
1.7	0.3	5	300	
0.3	0.1	1	350	
2.0	0.3	6	365	
1.0	0.2	3	400	
0.3	0.1	1	800	
	82.7	1,427	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1505-1507



<b>V743</b>	<b>330.1VICTIM-BEATN/PARNTS</b>
-------------	---------------------------------

How many times in the LAST YEAR:

have you been beaten up by your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	91.7	1,582	0	
1.0	1.0	17	1	
0.8	0.8	13	2	
0.2	0.2	4	3	
0.1	0.1	1	5	
0.1	0.1	1	6	
0.1	0.1	2	7	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.1	0.1	2	20	
0.1	0.1	2	50	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1510-1511

<b>V744</b>	<b>330.2VICTMIZE-FORCED SEX</b>
-------------	---------------------------------

IF YES to V743: Did this attack involve an attempt to force sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	44	1	No
0.0	0.0	0	2	Yes
	97.4	1,681	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1512-1513

**V745 331.VICTM-CAR/BIKE STOLN**

How many times in the LAST YEAR:

has your car, motorcycle or bicycle been stolen or an attempt to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	83.8	1,445	0	
9.1	8.6	148	1	
1.4	1.3	22	2	
0.2	0.2	3	3	
0.2	0.2	4	4	
0.2	0.2	3	5	
0.1	0.1	1	9	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1514-1515

**V746 332.VICTM-THNGS TKN:CAR**

How many times in the LAST YEAR:

have things been taken from your car, motorcycle or bike such as hubcaps, books or packages, or bike locks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	81.6	1,408	0	
8.9	8.4	145	1	
2.6	2.4	42	2	
0.8	0.8	13	3	
0.4	0.3	6	4	
0.4	0.4	7	5	
0.2	0.2	3	6	
0.1	0.1	1	25	
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1516-1517

V747	333.VICTM-THNGS DAMAGED
------	-------------------------

How many times in the LAST YEAR:

have any of your things been damaged on purpose, such as car or bike tires slashed or books and clothing ripped up?

VALID	PCT	PCT	N	VALUE	LABEL
	83.3	78.6	1,355	0	
	10.7	10.1	174	1	
	3.8	3.5	61	2	
	1.0	0.9	16	3	
	0.3	0.3	5	4	
	0.3	0.3	5	5	
	0.1	0.1	2	6	
	0.1	0.1	1	7	
	0.1	0.1	1	8	
	0.1	0.1	2	10	
	0.1	0.1	1	12	
	0.2	0.2	3	20	
		5.7	99	-1	
-----	100.0	100.0	1,725		cases

Data type: numeric  
 Missing-data code: -1  
 Columns: 1518-1519

**V748** **334.VICTM-THNGS STLN PUB**

How many times in the LAST YEAR:

have some of your things, such as your jacket, notebooks, or sports equipment been stolen from a public place such as a school cafeteria, restaurant or bowling alley?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	70.3	1,212	0	
15.5	14.6	252	1	
6.4	6.0	104	2	
1.7	1.6	27	3	
0.6	0.5	9	4	
0.7	0.7	12	5	
0.2	0.2	3	7	
0.1	0.1	1	8	
0.1	0.1	2	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	16	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1520-1521

**V749** **335.VICTM-SEXUALLY ATCKD**

How many times in the LAST YEAR:

have you been sexually attacked or raped or an attempt to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	92.5	1,596	0	
1.7	1.6	28	1	
0.1	0.1	1	2	
0.1	0.1	1	15	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1522-1523

<b>V750</b>	<b>336.01VICTM-ATTCKD W/WPN</b>
-------------	---------------------------------

How many times in the LAST YEAR:

have you been attacked with a weapon, such as a gun, knife, bottle or chair by someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	86.1	1,485	0	
5.5	5.2	89	1	
1.4	1.3	23	2	
0.7	0.6	11	3	
0.2	0.2	4	4	
0.3	0.3	5	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	2	10	
0.1	0.1	1	12	
0.1	0.1	2	20	
0.1	0.1	1	50	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1524-1525

<b>V751</b>	<b>336.02ATTACKED/BROTHER</b>
-------------	-------------------------------

IF YES to V750: Was this by a brother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	7.8	134	1	No
5.0	0.4	7	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1526-1527

**V752** **336.03ATTACKED/SISTER**

IF YES to V750: Was this by a sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	141	1	No
0.0	0.0	0	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1528-1529

**V753** **336.04ATTACKED/TEACHER**

IF YES to V750: Was this by a teacher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	141	1	No
0.0	0.0	0	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1530-1531

**V754** **336.05ATTACKED/STUDENT**

IF YES to V750: Was this by a student?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	6.7	116	1	No
17.7	1.4	25	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1532-1533

<b>V755</b>	<b>336.06ATTACKED/GANG</b>
-------------	----------------------------

IF YES to V750: Was this by a gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	6.7	115	1	No
18.4	1.5	26	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1534-1535

<b>V756</b>	<b>336.07ATTACKED/OTH ADULT</b>
-------------	---------------------------------

IF YES to V750: Was this by another adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	6.3	109	1	No
22.7	1.9	32	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1536-1537

<b>V757</b>	<b>336.08ATTACKED/OTH YOUTH</b>
-------------	---------------------------------

IF YES to V750: Was this by another youth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	4.6	80	1	No
43.3	3.5	61	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1538-1539

<b>V758</b>	<b>336.09ATTACKED/OTHER</b>
-------------	-----------------------------

IF YES to V750: Was this by another (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	8.1	140	1	No
0.7	0.1	1	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1540-1541

<b>V759</b>	<b>336.10ATTACK INVLED SEX</b>
-------------	--------------------------------

IF YES to V750: Did this attack involve an attempt to force sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	8.0	138	1	No
2.1	0.2	3	2	Yes
	91.8	1,584	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1542-1543

<b>V760</b>	<b>337.01BEATEN UP/OTHERS</b>
-------------	-------------------------------

How many times in the LAST YEAR:

have you been beaten up or threatened with being beaten up by someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	78.6	1,355	0	
8.8	8.3	143	1	
4.3	4.1	70	2	
1.5	1.4	24	3	
0.6	0.5	9	4	
0.3	0.3	5	5	
0.2	0.2	3	7	
0.1	0.1	2	8	
0.4	0.4	7	10	
0.1	0.1	2	12	
0.1	0.1	1	13	
0.1	0.1	1	30	
0.1	0.1	2	50	
0.1	0.1	2	100	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1544-1546

<b>V761</b>	<b>337.02BEATEN UP/BROTHER</b>
-------------	--------------------------------

IF YES to V760: Was this by a brother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	15.0	259	1	No
4.1	0.6	11	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1547-1548

**V762** **337.03BEATEN UP/SISTER**

IF YES to V760: Was this by a sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	15.5	267	1	No
1.1	0.2	3	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1549-1550

**V763** **337.04BEATEN UP/TEACHER**

IF YES to V760: Was this by a teacher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.7	270	1	No
0.0	0.0	0	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1551-1552

**V764** **337.05BEATEN UP/STUDENT**

IF YES to V760: Was this by a student?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	10.0	172	1	No
36.3	5.7	98	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1553-1554

<b>V765</b>	<b>337.06BEATEN UP/GANG</b>
-------------	-----------------------------

IF YES to V760: Was this by a gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	13.9	239	1	No
11.5	1.8	31	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1555-1556

<b>V766</b>	<b>337.07BEAT UP/OTHR ADULT</b>
-------------	---------------------------------

IF YES to V760: Was this by another adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	13.4	232	1	No
14.1	2.2	38	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1557-1558

<b>V767</b>	<b>337.08BEAT UP/OTHR YOUTH</b>
-------------	---------------------------------

IF YES to V760: Was this by another youth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	8.8	152	1	No
43.7	6.8	118	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1559-1560

<b>V768</b>	<b>337.09BEATEN UP/OTHER</b>
-------------	------------------------------

IF YES to V760: Was this by another (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	15.4	266	1	No
1.5	0.2	4	2	Yes
	84.3	1,455	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1561-1562

<b>V769</b>	<b>337.10BEAT INVLV FRCD SX</b>
-------------	---------------------------------

IF YES to V760: Did this attack involve an attempt to force sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	15.2	262	1	No
2.6	0.4	7	2	Yes
	84.4	1,456	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1563-1564

**V770****338.SEXUALLY PRESSURED**

How many times in the LAST YEAR:

has someone such as a date or friend pressured or pushed you to do more sexually than you wanted to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	89.6	1,546	0	
3.1	2.9	50	1	
1.2	1.1	19	2	
0.2	0.2	3	3	
0.1	0.1	2	4	
0.1	0.1	2	5	
0.1	0.1	2	6	
0.1	0.1	1	10	
0.1	0.1	1	50	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1565-1566

**V771****339.POCKET PICKED**

How many times in the LAST YEAR:

has your pocket been picked or your purse or wallet snatched or an attempt to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	85.7	1,479	0	
6.6	6.3	108	1	
1.5	1.4	24	2	
0.4	0.4	7	3	
0.1	0.1	2	4	
0.1	0.1	2	6	
0.1	0.1	1	9	
0.1	0.1	1	12	
0.1	0.1	1	19	
0.1	0.1	1	104	
	5.7	99	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1567-1569



<b>V775</b>	<b>388.3 SPECIFIC QUESTION #</b>
-------------	----------------------------------

1,725 cases (Range of valid codes: 6-360)

Data type: numeric  
 Missing-data code: -1  
 Columns: 1576-1578

<b>V776</b>	<b>388.4 SPECIFIC QUESTION #</b>
-------------	----------------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
2.5	0.1	1	75	
2.5	0.1	1	113	
2.5	0.1	1	123	
5.0	0.1	2	135	
2.5	0.1	1	145	
5.0	0.1	2	147	
2.5	0.1	1	177	
2.5	0.1	1	192	
5.0	0.1	2	193	
2.5	0.1	1	202	
2.5	0.1	1	204	
5.0	0.1	2	209	
5.0	0.1	2	219	
2.5	0.1	1	227	
5.0	0.1	2	228	
2.5	0.1	1	230	
5.0	0.1	2	237	
2.5	0.1	1	241	
2.5	0.1	1	243	
2.5	0.1	1	245	
2.5	0.1	1	265	
2.5	0.1	1	278	
2.5	0.1	1	296	
2.5	0.1	1	300	
2.5	0.1	1	304	
2.5	0.1	1	337	
2.5	0.1	1	338	
5.0	0.1	2	341	
5.0	0.1	2	342	
5.0	0.1	2	386	
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1579-1581

<b>V777</b>	<b>388.5SPECIFIC QUESTION #</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	76	
3.7	0.1	1	136	
3.7	0.1	1	140	
7.4	0.1	2	148	
3.7	0.1	1	178	
3.7	0.1	1	192	
3.7	0.1	1	194	
7.4	0.1	2	210	
7.4	0.1	2	220	
3.7	0.1	1	227	
7.4	0.1	2	229	
3.7	0.1	1	237	
3.7	0.1	1	238	
3.7	0.1	1	242	
3.7	0.1	1	291	
3.7	0.1	1	297	
3.7	0.1	1	298	
3.7	0.1	1	330	
3.7	0.1	1	335	
7.4	0.1	2	342	
3.7	0.1	1	343	
3.7	0.1	1	360	
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1582-1584

<b>V778</b>	<b>389.1ASK QUES AB FRIENDS</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	69	1	Friends
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1585-1586

<b>V779</b>	<b>389.2QUES AB DRGS/ALCHOL</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	107	1	Drugs/alcohol
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1587-1588

<b>V780</b>	<b>389.3ASK QUES AB FAMILY</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	40	1	Family
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1589-1590

<b>V781</b>	<b>389.4ASK QUES AB ACTIVIT</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	102	1	Activities
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1591-1592

<b>V782</b>	<b>389.5ASK QUES AB SCHOOL</b>
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.1	53	1	School
	96.9	1,672	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1593-1594

<b>V783</b>	<b>389.6ASK AB OTHER THINGS</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.8	255	1	Other
	85.2	1,470	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1595-1596

<b>V784</b>	<b>390.GOOD/POOR UNDERSTAND</b>
-------------	---------------------------------

Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	90.0	1,552	1	Good understanding
2.1	2.0	34	2	Poor understanding
1.7	1.6	27	3	Fair understanding
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1597-1598

INTERVIEWER OBSERVATIONS
--------------------------

V785	1.R - ANXTY AB INTERVIEW
------	--------------------------

How anxious did the respondent seem to be about the study before the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	70.0	1,208	1	Not anxious
20.6	19.4	335	2	Somewhat anxious
5.0	4.8	82	3	Very anxious
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1599-1600

V786	2.R HOSTILE TOWRD INTRVW
------	--------------------------

Was the respondent at all hostile either before or during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	93.0	1,604	1	No
1.2	1.1	19	2	Yes
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1601-1602



**V790****4.3PROBS-INTERRUPTIONS**

Did you encounter any problems or circumstances that might have affected the interview?

Many interruptions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	60	1	Interruptions
	96.5	1,665	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1609-1610

**V791****4.4PROBS-TEMP BREAK-OFF**

Did you encounter any problems or circumstances that might have affected the interview?

Temporary breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	29	1	Temp Breakoff
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1611-1612

**V792****4.5PROBS-BREAKOFF**

Did you encounter any problems or circumstances that might have affected the interview?

Breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Breakoff
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1613-1614

**V793 4.6PROBS-OTHER**

Did you encounter any problems or circumstances that might have affected the interview?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	113	1	Other
	93.4	1,612	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1615-1616

**V794 5.R - ANXTY AF INTERVIEW**

How did the respondent seem at the end of the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	87.8	1,515	1	Relaxed
4.4	4.1	71	2	Tense
2.3	2.2	38	3	Other
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1617-1618

**V795 INTERVWER ADDNL COMMENTS**

Thumbnail Sketch and Comments:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.8	118	1	No
92.7	87.3	1,506	2	Yes
	5.9	101	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1619-1620



<b>V798</b>	<b>PLACE SIZE</b>
-------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	14	0	Under 200
3.0	2.8	49	1	200-499
4.6	4.3	74	2	500-999
3.5	3.3	57	3	1,000-1,499
2.7	2.6	44	4	-1,500-1,999
3.4	3.2	55	5	2,000-2,499
4.8	4.5	78	6	2,500-4,999
11.3	10.6	183	7	5,000-9,999
12.4	11.7	201	8	10,000-19,999
2.6	2.5	43	9	20,000-24,999
12.7	11.9	206	10	25,000-49,999
11.3	10.6	183	11	50,000-99,999
8.9	8.3	144	12	100,000-249,999
6.2	5.8	100	13	250,000-499,999
6.8	6.4	111	14	500,000-999,999
5.1	4.8	83	15	1,000,000 or >
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1625-1626

<b>V799</b>	<b>URBAN-SUBURBAN-RURAL CDE</b>
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	23.7	409	1	Urban
44.3	41.7	720	2	Suburban
30.5	28.8	496	3	Rural
	5.8	100	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric  
 Missing-data code: -1  
 Columns: 1627-1628



APPENDIX A: ORIGINAL CODEBOOK

NATIONAL YOUTH SURVEY [UNITED STATES]: WAVE III, 1978

PLEASE NOTE: See Page 3 for the appropriate column locations for the data.

The variable label in the re-formatted codebook, (the codebook which begins on page 3), includes the questionnaire item number from the original codebook. The variable label in the re-formatted codebook can then be used to match variable names between the re-formatted codebook and the original codebook which follows.



## THIRD WAVE YOUTH DATA

CARD 1/17

VARIABLE	COLUMN	QUESTIONNAIRE ITEM NUMBER	VARIABLE DESCRIPTION AND CODING
Y3-1		1	Sex 1=Male 2=Female
Y3-2		2	Ethnicity 1=Anglo 2=Black 3=Hispanic 4=American Indian 5=Asian 6=Other
Y3-3-5		3	Birthdate
Y3-3			01-12=Month
Y3-4			01-31=Day
Y3-5			58-66=Year
Y3-6		4	Age 13-19
Y3-7		5	With whom living? 1=Mother and Father 2=Mother only 3=Father only 4=Mother and Stepfather 5=Father and Stepmother 6=Spouse 7=Roommate 8=Boyfriend/Girlfriend (Opposite sex) 9=Alone 10=Mother and other relative(s) 11=Mother and other non-related adult(s) 12=Father and other relative(s) 13=Father and other non-related adult(s) 14=Mother and Father plus relative(s) 15=Mother and Father plus other non-related adult(s) 16=Relative(s) (not parents) 17=Other

Y3-8-22	6a-e(1-3)	Events ever happened to you?
	(1)	1=No 2=Yes
	(2)	Month 01-12=Month 13=Winter 14=Spring 15=Summer 16=Fall Year 75-78
	(3)	Year 60-79
Y3-8	6a(1)	Marriage:
Y3-9	6a(2)	Month
Y3-10	6a(3)	Year
Y3-11	6b(1)	Children:
Y3-12	6b(2)	Month (Date of 1st Child born)
Y3-13	6b(3)	Year
Y3-14	6c(1)	Separation:
Y3-15	6c(2)	Month
Y3-16	6c(3)	Year
Y3-17	6d(1)	Divorce:
Y3-18	6d(2)	Month
Y3-19	6d(3)	Year
Y3-20	6e(1)	Remarriage:
Y3-21	6e(2)	Month
Y3-22	6e(3)	Year

DISRUPTIVE EVENTS IN HOME - Questionnaire item 7 asks respondents to indicate which of a number of events has occurred to their parents since 1976, and the date(s) of occurrence. Items are scored so that the higher the total score, the greater the number of disruptive events.

Y3-23-62	(1)	1=No 2=Yes
	(2)	FIRST DATE Month 01-12=Month 13=Winter 14=Spring 15=Summer 16=Fall

	(3)	Year 77-78
	(4)	SECOND DATE Month 01-12=Month 13=Winter 14=Spring 15=Summer 16=Fall
	(5)	Year 76-78
Y3-23	7a(1)	Divorce?
Y3-24	7a(2)	Month (1st Date)
Y3-25	7a(3)	Year
Y3-26	7a(4)	Month (2nd Date)
Y3-27	7a(5)	Year
Y3-28	7b(1)	Separation?
Y3-29	7b(2)	Month (1st Date)
Y3-30	7b(3)	Year
Y3-31	7b(4)	Month (2nd Date)
Y3-32	7b(5)	Year
Y3-33	7c(1)	Remarriage?
Y3-34	7c(2)	Month (1st Date)
Y3-35	7c(3)	Year
Y3-36	7c(4)	Month (2nd Date)
Y3-37	7C(5)	Year
		Blank
		PSU Number
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household ID #
		Respondent ID #(01-09)
		Data Set Number (0148)
		Card Number (01)
Card 2/17		
Y3-38	7d(1)	Death?
Y3-39	7d(2)	Month (1st Date)
Y3-40	7d(3)	Year
Y3-41	7d(4)	Month (2nd Date)
Y3-42	7d(5)	Year

Y3-43	7e(1)	Father lost job?
Y3-44	7e(2)	Month (1st Date)
Y3-45	7e(3)	Year
Y3-46	7e(4)	Month (2nd Date)
Y3-47	7e(5)	Year
Y3-48	7f(1)	Mother lost job?
Y3-49	7f(2)	Month (1st Date)
Y3-50	7f(3)	Year
Y3-51	7f(4)	Month (2nd Date)
Y3-52	7f(5)	Year
Y3-53	7g(1)	Adult moved in?
Y3-54	7g(2)	Month (1st Date)
Y3-55	7g(3)	Year
Y3-56	7g(4)	Month (2nd Date)
Y3-57	7g(5)	Year
Y3-58	7h(1)	Adult moved out?
Y3-59	7h(2)	Month (1st Date)
Y3-60	7h(3)	Year
Y3-61	7h(4)	Month (2nd Date)
Y3-62	7h(5)	Year
Y3-63	7i	1=No coding problems 2=Coding problems
Y3-64	8(1)	Particular group of friends? 1=No 2=Yes
Y3-65	8(2)	Any close friends? 1=No 2=Yes
Y3-66	9	How important is it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-67	11	Afternoons/school week spent with friends: 0-5 (0=everything less than once a week)

Y3-68	12	Evenings/school week spent with friends: 0-5 (0=everything less than once a week)
Y3-69	13	Time spent with friends on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-70	14	Friends' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-71	15	How important was it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-72	16	Evenings/week spent on dating and social activities: 0-7 (0=everything less than once per week)
Y3-73	17	How important have social activities been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-74	18	Attended any school program? 1=No 2=Yes

Y3-75	19	Grade in school: 5-17=Number of grade 18=Not in school 19=Adult education (night school) 20=GED program 21=Business/secretarial school 22=Vocational/technical school (trade school, nursing, beauty, etc.) 23=Other
Y3-76	20	Grade point average: 5=Mostly A's/Excellent 4=Mostly B's 3=Mostly C's/Satisfactory/Passing 2=Mostly D's 1=Mostly F's/Non-Satisfactory/ Failing
Y3-77	21	Afternoons/school week spent studying: 0-5 (0=everything less than once a week)
Y3-78	22	Evenings/school week spent studying: 0-5 (0=everything less than once a week)
Y3-79	23	Time spent studying on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-80	24	How important has schoolwork been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all

Blank  
 Social Class (Hollingshead)  
 Funding Agency Designation  
     1=NIMH  
     2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (02)

CARD 3/17

Y3-81	25(1)	Member of any athletic teams at school? 1=No 2=Yes
Y3-82	25(2)	Type of team: 1=Contact sport 2=Non-contact sport 3=Combination
Y3-83	26	How important is it to be on an athletic team? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-84	27	Afternoons/school week spent on team activities: 0-5 (0=everything less than once a week)
Y3-85	28	Evenings/school week spent on team activities: 0-5 (0=everything less than once a week)
Y3-86	29	Time spent on team activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little

Y3-87	30	How important are school athletics? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-88	31(1)	Participant in school activities? 1=No 2=Yes
Y3-89	31(2)	Type of activity: 1=Service clubs 2=Recreational/hobby/vocational 3=Student gov't 4=Journalistic groups 5=Drama/art/cultural groups 6=Cheerleading/Pom-Pom/Pep clubs, etc. 7=R.O.T.C. 8=Other 9=Combination of activities 10=Academic clubs
Y3-90	32	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-91	33	Afternoons/school week spent on school activities: 0-5 (0=everything less than once a week)
Y3-92	34	Evenings/school week spent on school activities: 0-5 (0=everything less than once a week)

Y3-93	35	Time spent on school activities on weekends? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-94	36	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-95	37	How do your classmates see you? 1=Athlete 2=Activities member 3=Social type 4=Good student 5=Average student 6=None of the above 7=Other
Y3-96	38(1)	Participant in community activities? 1=No 2=Yes
Y3-97	38(2)	Type of activity: 1=Religious/church groups 2=Service clubs 3=Recreational/athletic clubs 4=Other 5=Combination of activities 6=Drama/art/cultural groups
Y3-98	39	How important are community activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-99	40	Afternoons/school week spent on community activities: 0-5 (0=everything less than once a week)

Y3-100	41	Evenings/school week spent on community activities: 0-5 (0=everything less than once a week)
Y3-101	42	Time spent on community activities on weekends? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-102	43	How important have community activities been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-103	44	Any jobs in the past year? 1=No 2=Yes
Y3-104	45	How important to have a job? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-105	46(1)	Job description: 1=Part-time 2=Full-time
Y3-106	46(2)	Length of time? 1=Seasonal/episodic 2=Year round
Y3-107	46(3)	What kind of work? 1=Informal, irregular jobs 2=Unskilled & semi-skilled 3=Skilled manual 4=Clerical, technical, sales 5=Executive, professional, administrative

Y3-108	46(4)	Duncan Socioeconomic Index 00-96
Y3-109	47	Reason for working: 9=For the experience 8=Boredom 7=Help someone 6=Enjoyment/fun 5=Money 4=Freedom 3=Out of house 2=Experience for future jobs 1=Other (non-classifiable)
Y3-110	48	Supervisory roles? 1=No 2=Yes
Y3-111	49	Spent extra time? 1=No 2=Yes
Y3-112	50	Like to stay in this work? 1=No 2=Yes
Y3-113	51	How important has job been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-114	52	Afternoons/school week spent with family (parents, brothers, sisters): 0-5 (0=everything less than once a week)
Y3-115	53	Evenings/school week spent with family: 0-5 (0=everything less than once a week)

Y3-116	54	Time on weekends spent with family? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-117	55	Importance of family activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y3-118	56	Parents' influence? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y3-119	57	Attendance at religious services: 5=Several times a week 4=Once a week 3=Once or twice a month 2=Several times a year 1=Never (Once or twice)
Y3-120	58	Importance of religion? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all

ASPIRATIONS/CURRENT SUCCESS - Questionnaire items 59 through 72 ask respondents about a variety of social, family, and educational goals. Each question consists of 2 parts. The first asks how important each goal is to the respondent; the second asks how well he is doing at that goal. For scaling, items are scored so that a higher score reflects greater importance and greater success.

Y3-121-148	59-70 71-72	(1) 5=Very important 3=Somewhat important 1= Not important at all (2) 5=Very well 3=O.K. 1=Not well at all
------------	----------------	---

	59	Family that does things together?
Y3-121	59(1)	How important?
Y3-122	59(2)	How are you doing?
	60	Have other students think of you as a good student?
Y3-123	60(1)	How important?
Y3-124	60(2)	How are you doing?
	61	Have lots of dates?
Y3-125	61(1)	How important?
Y3-126	61(2)	How are you doing?
	62	Have parents you can talk to?
Y3-127	62(1)	How important?
Y3-128	62(2)	How are you doing?
	63	Do well in hard subjects?
Y3-129	63(1)	How important?
Y3-130	63(2)	How are you doing?
	64	Asked to take part in things your friends do?
Y3-131	64(1)	How important?
Y3-132	64(2)	How are you doing?
	65	Have parents who comfort you when you're unhappy?
Y3-133	65(1)	How important?
Y3-134	65(2)	How are you doing?
	66	Do your own schoolwork without help?
Y3-135	66(1)	How important?
Y3-136	66(2)	How are you doing?
	67	Have a special boyfriend/girlfriend?
Y3-137	67(1)	How important?
Y3-138	67(2)	How are you doing?
	68	Have your parents think you do things well?
Y3-139	68(1)	How important?
Y3-140	68(2)	How are you doing?
	69	Have teachers think of you as a good student?
Y3-141	69(1)	How important?
Y3-142	69(2)	How are you doing?

	70	Have friends ask to spend time and do things with you?
Y3-143	70(1)	How important?
Y3-144	70(2)	How are you doing?

Blank  
 Funding Agency Designation  
 1=NIMH  
 2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (03)

## CARD 4/17

	71	Have a high grade point average?
Y3-145	71(1)	How important?
Y3-146	71(2)	How are you doing?
	72	Get along well with your parents?
Y3-147	72(1)	How important?
Y3-148	72(2)	How are you doing?

FUTURE ASPIRATIONS - Questionnaire items 73 through 76 ask respondents about the importance of each of a set of family, school, and work goals. Items are scored so that a higher score reflects a greater importance for these aspirations.

Y3-149-152	73-76	5=Very important 3=Somewhat important 1=Not important at all
Y3-149	73	Importance of: Good job or career.
Y3-150	74	Going to college.
Y3-151	75	Getting married.
Y3-152	76	Having children of your own.

MATURATION INDICES\* - Questionnaire items 77 through 80 ask respondents about the degree of questioning and decision-making they have done in major areas of their lives. Items are scored so that a higher score reflects greater maturation.

Y3-153-176	77-80*	(1) 1=Yes 2=Don't know 3=Haven't thought about this (a-e) 1=No 2=Yes
------------	--------	--

	77*	Job plans:
Y3-153	77(1)*	Specific decision?
Y3-154	77(a)*	Changed mind?
Y3-155	77(b)*	Looked for information?
Y3-156	77(c)*	Confusion?
Y3-157	77(d)*	Disagreement with parents?
Y3-158	77(e)*	Stick to plans vs. parents?
	78*	College plans:
Y3-159	78(1)*	Specific decision?
Y3-160	78(a)*	Changed mind?
Y3-161	78(b)*	Looked for information?
Y3-162	78(c)*	Confusion?
Y3-163	78(d)*	Disagreement with parents?
Y3-164	78(e)*	Stick to plans vs. parents?
	79*	Marriage/children plans:
Y3-165	79(1)*	Specific decision?
Y3-166	79(a)*	Changed mind?
Y3-167	79(b)*	Looked for information?
Y3-168	79(c)*	Confusion?
Y3-169	79(d)*	Disagreement with parents?
Y3-170	79(e)*	Stick to plans vs. parents?
	80*	Religious values:
Y3-171	80(1)*	Specific decision?
Y3-172	80(a)*	Changed mind?
Y3-173	80(b)*	Looked for information?
Y3-174	80(c)*	Confusion?
Y3-175	80(d)*	Disagreement with parents?
Y3-176	80(e)*	Stick to plans vs. parents?

EXPECTATIONS FOR FUTURE GOALS - Questionnaire items 81 and 82 ask respondents for their estimate of the chances that they will attain specific work and educational goals. Items are scored so that a higher score represents a greater expectation of success.

Y3-177-178	81-82	3=Good 2=Fair 1=Poor
		Chances for:
Y3-177	81	Getting job you'd like.
Y3-178	82	Completing a college degree.

SOCIAL ISOLATION - Questionnaire items 83 through 97 ask for respondents' level of agreement with a series of statements reflecting the social isolation variant of alienation. Items are scored so that a higher score reflects a greater perceived level of social isolation.

Y3-179-193	83-97	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-179	83	Don't fit well with friends.
Y3-180	84	Teachers don't call on me.
Y3-181	85	Outsider with family.
Y3-182	86	Nobody at school cares.
Y3-183	87	Friends don't take interest.
Y3-184	88	Family listens to problems.
Y3-185	89	Feel close to friends.
Y3-186	90	Feel lonely with family.
Y3-187	91	Don't belong at school.
Y3-188	92	Friends listen to problems.
Y3-189	93	Feel lonely at school.
Y3-190	94	Teachers don't ask me to work on projects.
Y3-191	95	Feel close to family.
Y3-192	96	Feel lonely with friends.
Y3-193	97	Family not interested in problems.

NORMLESSNESS- Questionnaire items 98 through 110 ask for respondents' level of agreement with a series of statements reflecting the normlessness variant of alienation. Items are scored so that a higher score reflects a greater perception of normlessness.

Y3-194-206	98-110	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-194	98	Important to be honest with parents.
Y3-195	99	To avoid trouble, lie to teachers.
Y3-196	100	With friends, good impression foremost.
Y3-197	101	Play dirty to win at school.
Y3-198	102	Lying okay if keeps friends out of trouble.
Y3-199	103	With parents, first impression foremost.

Y3-200	104	Beat up kids to gain respect of friends.
Y3-201	105	Can succeed in school without cheating.
Y3-202	106	To be popular, must break rules.
Y3-203	107	Lie to parents to keep trust.
Y3-204	108	Doing own work more important than being liked.
Y3-205	109	Break parents' rules to keep friends.
Y3-206	110	With teachers, good impression foremost.

Blank  
 Funding Agency Designation  
 1=NIMH  
 2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (04)

CARD 5/17

LABELING BY PARENTS - Questionnaire items 111 through 122 ask respondents to indicate the extent to which their parents would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y3-207-218	111-122	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-207	111	Well-liked.
Y3-208	112	Need help.
Y3-209	113	Bad kid.
Y3-210	114	Often upset.
Y3-211	115	Good citizen.
Y3-212	116	Get along well with others.
Y3-213	117	Messed up.
Y3-214	118	Break rules.
Y3-215	119	Personal problems.
Y3-216	120	Get into trouble.
Y3-217	121	Likely to succeed.
Y3-218	122	Do things against the law.

LABELING BY FRIENDS - Questionnaire items 123 through 133 ask respondents to indicate the extent to which their friends would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y3-219-229	123-133	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-219	123	Well-liked.
Y3-220	124	Need help.
Y3-221	125	Bad kid.
Y3-222	126	Often upset.
Y3-223	127	Get along well with others.
Y3-224	128	Messed up.
Y3-225	129	Break rules.
Y3-226	130	Personal problems.
Y3-227	131	Get into trouble.
Y3-228	132	Likely to succeed.
Y3-229	133	Do things against the law.

LABELING BY TEACHERS - Questionnaire items 134 through 145 ask respondents to indicate the extent to which their teachers would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y3-230-241	134-145	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-230	134	Well-liked.
Y3-231	135	Need help.
Y3-232	136	Bad kid.
Y3-233	137	Often upset.
Y3-234	138	Good citizen
Y3-235	139	Get along well with others,
Y3-236	140	Messed up.
Y3-237	141	Break rules.
Y3-238	142	Personal problems.
Y3-239	143	Get into trouble.
Y3-240	144	Likely to succeed.
Y3-241	145	Do things against the law.

PERCEIVED DISAPPROVAL/PARENTS - Questionnaire items 146 through 159 ask respondents the extent to which their parents would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y3-242-255	146-159	5=Strongly disapprove 4=disapprove 3=Neither disapprove nor approve 2=Approve 1=Strongly approve
Y3-242	146	Kept promises.
Y3-243	147	Cheated.
Y3-244	148	Stole something worth less than \$5.
Y3-245	149	Were friendly with people of different race.
Y3-246	150	Sold hard drugs.
Y3-247	151	Returned money.
Y3-248	152	Used marijuana.
Y3-249	153	Stole something worth more than \$50.
Y3-250	154	Hit someone.
Y3-251	155	Gave to needy.
Y3-252	156	Used alcohol.
Y3-253	157	Did a favor.
Y3-254	158	Destroyed property.
Y3-255	159	Broke into vehicle

PERCEIVED DISAPPROVAL/PEERS - Questionnaire items 160 through 175 ask respondents the extent to which their peers would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y3-256-271	160-175	5=Strongly disapprove 4=disapprove 3=Neither disapprove nor approve 2=Approve 1=Strongly approve
Y3-256	160	Kept promises.
Y3-257	161	Cheated.
Y3-258	162	Stole something worth less than \$5.
Y3-259	163	Were friendly with people of different race.
Y3-260	164	Sold hard drugs.
Y3-261	165	Returned money.
Y3-262	166	Used marijuana.

Y3-263	167	Stole something worth more than \$50.
Y3-264	168	Hit someone.
Y3-265	169	Gave to needy.
Y3-266	170	Used alcohol.
Y3-267	171	Did a favor.
Y3-268	172	Pressured someone sexually
Y3-269	173	Destroyed property.
Y3-270	174	Broke into vehicle
Y3-271	175	Had sexual intercourse.

Blank  
 Funding Agency Designation  
 1=NIMH  
 2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (05)

CARD 6/17

COUNTERLABELING\* - Questionnaire items 176 through 179 ask respondents the extent to which their mother, father, and friends would be supportive if the respondent got into different kinds of trouble. Items are scored so that a higher score reflects greater counterlabeling.

Y3-272-283	176-179(1-3)*	4=Almost always 3=Often 2=Sometimes 1=Almost never
------------	---------------	---

REACTION IF YOU WERE IN TROUBLE:

	176*	At school:
Y3-272	176(1)*	Mother
Y3-273	176(2)*	Father
Y3-274	176(3)*	Friends
	177*	With police:
Y3-275	177(1)*	Mother
Y3-276	177(2)*	Father
Y3-277	177(3)*	Friends
	178*	In neighborhood:
Y3-278	178(1)*	Mother
Y3-279	178(2)*	Father
Y3-280	178(3)*	Friends

	179*	With rumors:
Y3-281	179(1)*	Mother
Y3-282	179(2)*	Father
Y3-283	179(3)*	Friends

ATTITUDES TOWARD DEVIANCE - Questionnaire items 180 through 191 ask respondents for their estimates of how wrong each of a set of deviant behaviors is for themselves or someone their age. Items are scored so that a higher score represents a greater perceived wrongness.

Y3-284-295	180-191	4=Very wrong 3=Wrong 2=A little bit wrong 1=Not wrong at all
------------	---------	---

HOW WRONG IS IT TO:

Y3-284	180	Cheat on school tests
Y3-285	181	Destroy property
Y3-286	182	Use marijuana
Y3-287	183	Steal something (less than \$5)
Y3-288	184	Hit someone
Y3-289	185	Use alcohol
Y3-290	186	Break into vehicle
Y3-291	187	Sell hard drugs
Y3-292	188	Steal something (more than \$50)
Y3-293	189	Get drunk
Y3-294	190	Use prescription drugs
Y3-295	191	Give or sell alcohol

EXPOSURE TO DELINQUENT PEERS - Questionnaire items 192 through 204 ask respondents how many of their close friends have engaged in each of a set of deviant behaviors in the past year. Items are scored so that a higher score represents a higher proportion of friends committing each act.

Y3-296-308	192-204	5=All of them 4=Most of them 3=Some of them 2=Very few of them 1=None of them
------------	---------	---

HOW MANY OF YOUR FRIENDS HAVE . . .

Y3-296	192	Cheated on school tests
Y3-297	193	Destroyed property
Y3-298	194	Used marijuana
Y3-299	195	Stolen something (less than \$5)

Y3-300	196	Hit someone
Y3-301	197	Used alcohol
Y3-302	198	Broken into vehicle
Y3-303	199	Sold hard drugs
Y3-304	200	Stolen something (more than \$50)
Y3-305	201	Suggested you break the law
Y3-306	202	Gotten drunk
Y3-307	203	Used prescription drugs
Y3-308	204	Given or sold alcohol

COMMITMENT TO DELINQUENT PEERS - Questionnaire items 205 through 207 ask respondents how they would react if friends engaged in deviant behaviors. Items are scored so that a higher score indicates greater commitment to delinquent friends.

Y3-309-311	205-207	3=Yes 2=Don't know 1=No
Y3-309	205	Would you still run around with them?
Y3-310	206	Would you try to stop these activities?
Y3-311	207	Would you be willing to lie?

SEX ROLES - Questionnaire items 208 through 217 ask for respondents' level of agreement with each of a set of statements reflecting attitudes toward sex roles. Items are scored so that a higher score reflects greater traditionalism with respect to sex roles.

Y3-312-321	208-217	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-312	208	Father should have greater authority.
Y3-313	209	Women are able to do most jobs.
Y3-314	210	Men are more reliable.
Y3-315	211	Women are too emotional.
Y3-316	212	Women should be smart.
Y3-317	213	Men shouldn't cry.
Y3-318	214	Women's responsibility to care for children.
Y3-319	215	Men's responsibility to earn money.
Y3-320	216	Women are physically weaker.
Y3-321	217	Forceful women are unfeminine.

INTERPERSONAL VIOLENCE - Questionnaire items 218 through 226 ask for respondents' level of agreement with each of a set of statements concerning violence. Items are scored so that a higher score reflects greater acceptance of violence.

Y3-322-330	218-226	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-322	218	All right to beat someone up.
Y3-323	219	Fighting doesn't solve problems.
Y3-324	220	Hitting another person is acceptable.
Y3-325	221	Television violence effective.
Y3-326	222	No good reason for hitting.
Y3-327	223	All right to beat up another person if he started it.
Y3-328	224	OK to hit someone.
Y3-329	225	It is sometimes necessary to fight.
Y3-330	226	Physical force avoids people walking over you.
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household ID #
		Respondent ID #(01-09)
		Data Set Number (0148)
		Card Number (06)

CARD 7/17

ATTITUDES TOWARD SEXUAL ASSAULT - Questionnaire items 227 through 237 ask for respondents' level of agreement with each set of statements concerning sexual assault. Items are scored so that a higher score reflects greater acceptance of sexual assault.

Y3-331-341	227-237	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y3-331	227	Rapists are violent people.
Y3-332	228	Women want to be raped.
Y3-333	229	Hitchhikers deserve rape.
Y3-334	230	Men rape women for sex.

Y3-335	231	Women can resist rapists.
Y3-336	232	Rape victims should feel guilty.
Y3-337	233	Rapists have mental problems.
Y3-338	234	Women ask for rape.
Y3-339	235	Woman can't be raped against her will.
Y3-340	236	Men rape women out of anger.
Y3-341	237	If she excites man, she's responsible for rape.

PRESSURE FOR SUBSTANCE ABUSE BY PEERS# - Questionnaire items 238 through 243 ask respondents about the frequency with which they were encouraged to engaged in certain drug and alcohol-related activities by their friends during the previous year. Items are scored so that a higher score reflects greater pressure.

Y3-342-347	238-243#	1=Never 2=Once or twice 3=Several times 4=Often
------------	----------	--

HOW OFTEN HAVE YOUR CLOSE FRIENDS . . .

Y3-342	238#	Suggested you go drinking with them?
Y3-343	239#	Put pressure on you to drink?
Y3-344	240#	Suggested you have to get drunk?
Y3-345	241#	Offered marijuana to you?
Y3-346	242#	Suggested you have to get high?
Y3-347	243#	Put pressure on you to use drugs?

EXPOSURE TO SUBSTANCE ABUSE BY PARENTS# - Questionnaire items 244 through 247 ask respondents about the frequency with which their parents engaged in certain drug and alcohol-related activities during the previous year. Items are scored so that a higher score reflects greater exposure.

Y3-348-355	244-247#	1=Never 2=Once or twice 3=Several times 4=Often
------------	----------	--

HOW OFTEN HAVE YOUR MOTHER AND FATHER . . .

	244#	Used alcohol?
Y3-348	244(1)#	Father
Y3-349	244(2)#	Mother

	245#	Gotten drunk?
Y3-350	245(1)#	Father
Y3-351	245(2)#	Mother
	246#	Used marijuana?
Y3-352	246(1)#	Father
Y3-353	246(2)#	Mother
	247#	Used drugs such as tranquilizers?
Y3-354	247(1)#	Father
Y3-355	247(2)#	Mother

SELF-REPORTED DELINQUENCY - Questionnaire items 248 through 294 ask respondents to report the frequency with which they engaged in each of a variety of behaviors (both deviant and positive social behaviors) during the previous year. Each question consists of two parts. The first asks for an absolute frequency of each behavior; the second asks for an estimate of the rate of occurrence of the behavior on a 6-point scale for initial responses indicating a frequency of 10 or more. When the frequency scores are less than 10, the rate scores 1, 2, 3 result from a fixed scoring rule from the frequency response. Items are scored so that a higher score reflects greater frequency or rate of involvement in each behavior.

Y3-356-449	248-294	(1) 0-999=Number of times in last year (2) 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
	248	Damaged family property.
Y3-356	248(1)	Frequency
Y3-357	248(2)	Rate
	249	Damaged school property.
Y3-358	249(1)	Frequency
Y3-359	249(2)	Rate
	250	Damaged other property.
Y3-360	250(1)	Frequency
Y3-361	250(2)	Rate

	251	Stolen motor vehicle.
Y3-362	251(1)	Frequency
Y3-363	251(2)	Rate
	252	Stolen something worth over \$50.
Y3-364	252(1)	Frequency
Y3-365	252(2)	Rate
	253	Bought stolen goods.
Y3-366	253(1)	Frequency
Y3-367	253(2)	Rate
	254*	Returned things to owner.
Y3-368	254(1)*	Frequency
Y3-369	254(2)*	Rate
	255	Thrown objects.
Y3-370	255(1)	Frequency
Y3-371	255(2)	Rate
	256	Run away from home.
Y3-372	256(1)	Frequency
Y3-373	256(2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household ID #
		Respondent ID #(01-09)
		Data Set Number (0148)
		Card Number (07)
CARD 8/17		
	257	Lied about your age.
Y3-374	257(1)	Frequency
Y3-375	257(2)	Rate
	258	Carried a hidden weapon.
Y3-376	258(1)	Frequency
Y3-377	258(2)	Rate
	259	Stolen something less than \$5.
Y3-378	259(1)	Frequency
Y3-379	259(2)	Rate
	260	Attacked someone.
Y3-380	260(1)	Frequency
Y3-381	260(2)	Rate

	261	Been paid for sexual relations.
Y3-382	261 (1)	Frequency
Y3-383	261 (2)	Rate
	262	Sexual intercourse.
Y3-384	262 (1)	Frequency
Y3-385	262 (2)	Rate
	263	Been in gang fights.
Y3-386	263 (1)	Frequency
Y3-387	263 (2)	Rate
	264	Sold marijuana.
Y3-388	264 (1)	Frequency
Y3-389	264 (2)	Rate
	265	Cheated on school tests.
Y3-390	265 (1)	Frequency
Y3-391	265 (2)	Rate
	266	Hitchhiked where illegal.
Y3-392	266 (1)	Frequency
Y3-393	266 (2)	Rate
	267*	Helped someone who was hurt.
Y3-394	267 (1) *	Frequency
Y3-395	267 (2) *	Rate
	268	Stolen money from family.
Y3-396	268 (1)	Frequency
Y3-397	268 (2)	Rate
	269	Had sexual relations against someone's will.
Y3-398	269 (1)	Frequency
Y3-399	269 (2)	Rate
	270	Hit teacher.
Y3-400	270 (1)	Frequency
Y3-401	270 (2)	Rate
	271	Hit parent.
Y3-402	271 (1)	Frequency
Y3-403	271 (2)	Rate
	272	Hit other students.
Y3-404	272 (1)	Frequency
Y3-405	272 (2)	Rate

Blank  
 Funding Agency Designation  
 1=NIMH  
 2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (08)

CARD 9/17

	273	Been loud, rowdy.
Y3-406	273 (1)	Frequency
Y3-407	273 (2)	Rate
	274	Sold hard drugs.
Y3-408	274 (1)	Frequency
Y3-409	274 (2)	Rate
	275	Taken vehicle.
Y3-410	275 (1)	Frequency
Y3-411	275 (2)	Rate
	276	Bought liquor.
Y3-412	276 (1)	Frequency
Y3-413	276 (2)	Rate
	277*	Given money, good, etc.
Y3-414	277 (1) *	Frequency
Y3-415	277 (2) *	Rate
	278	Pressured someone sexually.
Y3-416	278 (1)	Frequency
Y3-417	278 (2)	Rate
	279	Used force on students.
Y3-418	279 (1)	Frequency
Y3-419	279 (2)	Rate
	280	Used force on teachers.
Y3-420	280 (1)	Frequency
Y3-421	280 (2)	Rate
	281*	Refused to help cheat.
Y3-422	281 (1) *	Frequency
Y3-423	281 (2) *	Rate
	282	Used force on others.
Y3-424	282 (1)	Frequency
Y3-425	282 (2)	Rate

	283	Avoided paying for things.
Y3-426	283 (1)	Frequency
Y3-427	283 (2)	Rate
	284	Been drunk.
Y3-428	284 (1)	Frequency
Y3-429	284 (2)	Rate
	285	Stolen things (\$5-50).
Y3-430	285 (1)	Frequency
Y3-431	285 (2)	Rate
	286	Stolen thing at school.
Y3-432	286 (1)	Frequency
Y3-433	286 (2)	Rate
	287	Broken into building.
Y3-434	287 (1)	Frequency
Y3-435	287 (2)	Rate
	288	Begged for money.
Y3-436	288 (1)	Frequency
Y3-437	288 (2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household ID #
		Respondent ID #(01-09)
		Data Set Number (0148)
		Card Number (09)
CARD 10/17		
	289	Skipped classes.
Y3-438	289 (1)	Frequency
Y3-439	289 (2)	Rate
	290	Failed to return change.
Y3-440	290 (1)	Frequency
Y3-441	290 (2)	Rate
	291	Physical threats for sexual relations.
Y3-442	291 (1)	Frequency
Y3-443	291 (2)	Rate

	292*	Tried to talk friends out of illegal acts.
Y3-444	292 (1) *	Frequency
Y3-445	292 (2) *	Rate
	293	Been suspended.
Y3-446	293 (1)	Frequency
Y3-447	293 (2)	Rate
	294	Made obscene calls.
Y3-448	294 (1)	Frequency
Y3-449	294 (2)	Rate
Y3-450		

DRUG OR ALCOHOL USE - Questionnaire items 295 through 310 ask respondents about a number of substances they may have used in the past year. For each substance used, the respondent is asked a series of other questions.

Y3-451-684	295-310	
		USE OF BEER#
Y3-451	295#	How many times in the past year? Frequency (0-999)
Y3-452	#	IF 0: Do you think that you might drink beer in the next 12 months? 1=No 2=Yes 3=Don't know
Y3-453	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-454	#	Episodic usage? 1=Yes
Y3-455	#	When was the last time? 1-12 according to month, 1978

Y3-456	#	How much? 0=Less than one can 1=One can 2=Two cans 3=Three cans 4=4-5 cans 5=6-pack or more 6=Other
Y3-457	#	Function of Beer? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness (not used for beer) 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-458	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of Beer? (each source) 1=No 2=Yes
Y3-459	#	Food stores
Y3-460	#	Liquor store
Y3-461	#	Family
Y3-462	#	Friends
Y3-463	#	Restaurant or bar
Y3-464	#	Other
Y3-465	#	Have you stopped drinking Beer? 1=No 2=Yes

Y3-466	#	<p>IF YES: Reason for stopping?</p> <p>1=Disliked the taste  2=Bad physical effects  3=Bad emotional effects  4=Felt it was wrong  5=Friends' pressure  6=Trouble with parents, etc.  7=Fearful of addiction  8=Not available any more  (not used for Beer)  9=Lost its effects  10=Didn't need it  11=Other</p> <p>USE OF WINE#</p>
Y3-467	296#	<p>How many times in the past year?  Frequency (0-999 )</p>
Y3-468	#	<p>IF 0: Do you think that you  might drink Wine in the next 12  months?</p> <p>1=No  2=Yes  3=Don't know</p>
Y3-469	#	<p>How often in the past year?</p> <p>1=Never  2=Once or twice  3=Once every 2-3 months  4=Once a month  5=Once every 2-3 weeks  6=Once a week  7=2-3 times a week  8=Once a day  9=2-3 times a day</p>
Y3-470	#	<p>Episodic usage?</p> <p>1=Yes</p>
Y3-471	#	<p>When was the last time?  1-12 according to month, 1978</p>
Y3-472	#	<p>How much?</p> <p>0=Less than one glass  1=One glass  2=Two glasses  3=Three glasses  4=4-5 glasses  5=6 glasses or more  6=Other</p>

Y3-473	#	Function of Wine? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness (not used for Wine) 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-474	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of Wine? (each source) 1=No 2=Yes
Y3-475	#	Food stores
Y3-476	#	Liquor store
Y3-477	#	Family
Y3-478	#	Friends
Y3-479	#	Restaurant or bar
Y3-480	#	Other
		Blank Funding Agency Designation 1=NIMH 2=LEAA Household ID # Respondent ID #(01-09) Data Set Number (0148) Card Number (10)
CARD 11/17		
Y3-481	#	Have you stopped drinking Wine? 1=No 2=Yes

Y3-482	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more (not used for Wine) 9=Lost its effects 10=Didn't need it 11=Other
		USE OF HARD LIQUOR#
Y3-483	297#	How many times in the past year? Frequency (0-999)
Y3-484	#	IF 0: Do you think that you might drink hard liquor in the next 12 months? 1=No 2=Yes 3=Don't know
Y3-485	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-486	#	Episodic usage? 1=Yes
Y3-487	#	When was the last time? 1-12 according to month, 1978
Y3-488	#	How much? 0=Less than one drink 1=One drink 2=Two drinks 3=Three drinks 4=4-5 drinks 5=6 drinks or more 6=Other

Y3-489	#	Function of hard liquor? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness (not used for hard liquor) 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-490	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of hard liquor? (Each source) 1=No 2=Yes
Y3-491	#	Food stores
Y3-492	#	Liquor store
Y3-493	#	Family
Y3-494	#	Friends
Y3-495	#	Restaurant or bar
Y3-496	#	Other
Y3-497	#	Have you stopped drinking hard liquor? 1=No 2=Yes

Y3-498	#	<p>IF YES: Reason for stopping?</p> <p>1=Disliked the taste  2=Bad physical effects  3=Bad emotional effects  4=Felt it was wrong  5=Friends' pressure  6=Trouble with parents, etc.  7=Fearful of addiction  8=Not available any more  (not used for hard liquor)  9=Lost its effects  10=Didn't need it  11=Other</p> <p>USE OF ALCOHOLIC BEVERAGES*</p>
Y3-499	298*	<p>How many times in past year have you used alcoholic beverages?  Frequency (0-999)</p>
Y3-500	*	<p>If 10 or more, rate of use?</p> <p>1=Never  2=Once or twice  3=Once every 2-3 months  4=Once a month  5=Once every 2-3 weeks  6=Once a week  7=2-3 times a week  8=Once a day  9=2-3 times a day</p> <p>USE OF TOBACCO#</p>
Y3-501	299#	<p>Have you used tobacco in past year?</p> <p>1=No  2=Yes</p>
Y3-502	#	<p>IF NO= Do you think that you might use tobacco in the next 12 months?</p> <p>1=No  2=Yes  3=Don't know</p>

Y3-503	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-504	#	Episodic usage? 1=Yes
Y3-505	#	When was the last time? 1-12 according to month, 1978  How much?
Y3-506	#	Number of cigarettes per day
Y3-507	#	Number of cigars/pipes per day
Y3-508	#	Cans of chewing tobacco/month
Y3-509	#	Other
Y3-510	#	Function of tobacco? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness (not used for tobacco) 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-511	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of tobacco? (Each source) 1=No 2=Yes
Y3-512	#	Stores or gas stations

Y3-513	#	Cigarette machines
Y3-514	#	Family
Y3-515	#	Friends
Y3-516	#	Restaurant or bar
Y3-517	#	Other
Y3-518	#	Have you stopped using tobacco? 1=No 2=Yes
Y3-519	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it-was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more (not used for tobacco) 9=Lost its effects 10=Didn't need it 11=Other
		USE OF MARIJUANA
Y3-520	300#	How many times have you used marijuana in the past year? Frequency (0-999)
Y3-521	#	IF 0: Do you think you might use marijuana in next 12 months? 1=No 2=Yes 3=Don't Know
Y3-522	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-523	#	Episodic use? 1=Yes

Y3-524	#	When was the last time? 1-12 according to month, 1978
Y3-525	#	How much? 1=Share a joint 2=One joint 3=Two joints 4=More than two joints 5=Other
Y3-526	#	Function of marijuana? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-527	#	Effectiveness for selected function? 1=Not effective 2=Effective  Blank Funding Agency Designation 1=NIMH 2=LEAA Household ID # Respondent ID #(01-09) Data Set Number (0148) Card Number (11)
CARD 12/17		Source of marijuana? (Each source) 1=No 2=Yes
Y3-528	#	Family
Y3-529	#	Friends

Y3-530	#	Anonymous seller or pusher
Y3-531	#	Grow or pick it
Y3-532	#	Steal it
Y3-533	#	Other
Y3-534	#	Have you stopped using marijuana? 1=No 2=Yes
Y3-535	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other
USE OF PSYCHEDELICS		
Y3-536	301#	How many times have you used psychedelics in the past year? Frequency (0-999)
Y3-537	#	IF 0: Do you think that you might use psychedelics in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-538	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-539	#	Episodic usage? 1=Yes
Y3-540	#	When was the last time? 1-12 according to month, 1978

Y3-541	#	How much? Number of hits (0-99)
Y3-542	#	Function of psychedelics? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-543	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of psychedelics? (Each source) 1=No 2=Yes
Y3-544	#	Physician
Y3-545	#	Family
Y3-546	#	Friends
Y3-547	#	Anonymous seller or pusher
Y3-548	#	Steal it
Y3-549	#	Other
Y3-550	#	Have you stopped psychedelics? 1=No 2=Yes

Y3-551	#	<p>If Yes: Reason for stopping?</p> <p>1=Disliked the taste  2=Bad physical effects  3=Bad emotional effects  4=Felt it was wrong  5=Friends' pressure  6=Trouble with parents, etc.  7=Fearful of addiction  8=Not available any more  9=Lost its effects  10=Didn't need it  11=Other</p> <p>USE OF TRANQUILIZERS#</p>
Y3-552	302#	<p>How many times have you used tranquilizers in the past year?  Frequency (0-999)</p>
Y3-553	#	<p>IF 0: Do you think that you might use tranquilizers in the next 12 months?</p> <p>1=No  2=Yes  3=Don't Know</p>
Y3-554	#	<p>How often in the past year?</p> <p>1=Never  2=Once or twice  3=Once every 2-3 months  4=Once a month  5=Once every 2-3 weeks  6=Once a week  7=2-3 times a week  8=Once a day  9=2-3 times a day</p>
Y3-555	#	<p>Episodic usage?</p> <p>1=Yes</p>
Y3-556	#	<p>When was the last time?  1-12 according to month, 1978</p>
Y3-557	#	<p>Prescribed by a doctor?</p> <p>1=No  2=Yes</p>
Y3-558	#	<p>IF YES: Take amount prescribed?</p> <p>1=Less than prescribed  2=Amount prescribed  3=More than prescribed</p>

Y3-559	#	Function of tranquilizers? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-560	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of tranquilizers? (Each source) 1=No 2=Yes
Y3-561	#	Pharmacy/Drugstore
Y3-562	#	Physician
Y3-563	#	Family
Y3-564	#	Friends
Y3-565	#	Anonymous Seller or Pusher
Y3-566	#	Other
Y3-567	#	Have you stopped using tranquilizers? 1=No 2=Yes
Y3-568	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other

## USE OF AMPHETAMINES

Y3-569	303#	How many times have you used amphetamines in the past year? Frequency (0-999)
Y3-570	#	IF 0: Do you think that you might use amphetamines in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-571	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-572	#	Episodic usage? 1=Yes
Y3-573	#	When was the last time? 1-12 according to month, 1978
Y3-574	#	Prescribed by a doctor? 1=No 2=Yes
Y3-575	#	IF YES: Take amount prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed

Y3-576	#	Function of amphetamines? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other  Blank Funding Agency Designation 1=NIMH 2=LEAA Household ID # Respondent ID #(01-09) Data Set Number (0148) Card Number (12)
CARD 13/17		
Y3-577	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of amphetamines? (Each source) 1=No 2=Yes
Y3-578	#	Pharmacy/Drugstore
Y3-579	#	Physician
Y3-580	#	Family
Y3-581	#	Friends
Y3-582	#	Anonymous Seller or Pusher
Y3-583	#	Other
Y3-584	#	Have you stopped using amphetamines? 1=No 2=Yes

Y3-585	#	<p>If Yes: Reason for stopping?</p> <p>1=Disliked the taste  2=Bad physical effects  3=Bad emotional effects  4=Felt it was wrong  5=Friends' pressure  6=Trouble with parents, etc.  7=Fearful of addiction  8=Not available any more  9=Lost its effects  10=Didn't need it  11=Other</p> <p>USE OF BARBITURATES</p>
Y3-586	304	<p>How many times have you used  barbiturates in the past year?  Frequency (0-999)</p>
Y3-587	#	<p>IF 0: Do you think that you might  use barbiturates in the next 12  months?</p> <p>1=No  2=Yes  3=Don't Know</p>
Y3-588	#	<p>How often in the past year?</p> <p>1=Never  2=Once or twice  3=Once every 2-3 months  4=Once a month  5=Once every 2-3 weeks  6=Once a week  7=2-3 times a week  8=Once a day  9=2-3 times a day</p>
Y3-589	#	<p>Episodic usage?</p> <p>1=Yes</p>
Y3-590	#	<p>When was the last time?  1-12 according to month, 1978</p>
Y3-591	#	<p>Prescribed by a doctor?</p> <p>1=No  2=Yes</p>
Y3-592	#	<p>IF YES: Take amount prescribed?</p> <p>1=Less than prescribed  2=Amount prescribed  3=More than prescribed</p>

Y3-593	#	Function of barbiturates? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-594	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of barbiturates? (Each source) 1=No 2=Yes
Y3-595	#	Pharmacy/Drugstore
Y3-596	#	Physician
Y3-597	#	Family
Y3-598	#	Friends
Y3-599	#	Anonymous Seller or Pusher
Y3-600	#	Other
Y3-601	#	Have you stopped using barbiturates? 1=No 2=Yes
Y3-602	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other

		USE OF CODEINE#
Y3-603	305#	How many times have you used codeine in the past year? Frequency (0-999)
Y3-604	#	IF 0: Do you think that you might use codeine in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-605	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-606	#	Episodic usage? 1=Yes
Y3-607	#	When was the last time? 1-12 according to month, 1978
Y3-608	#	Prescribed by a doctor? 1=No 2=Yes
Y3-609	#	IF YES: Take amount prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed

Y3-610 # Function of codeine?  
 1=To relieve physical pain,  
 etc.  
 2=To relieve boredom  
 3=To relieve tension  
 4=For pleasure, etc.  
 5=To be different, etc.  
 6=To be accepted  
 7=To be relaxed  
 8=To appear more grown-up  
 9=To increase self-awareness  
 10=To get through the day  
 11=Curiosity, experimentation,  
 etc.  
 12=Special occasions, celebration  
 13=Family encouragement  
 14=Other

Y3-611 # Effectiveness for selected function?  
 1=Not effective  
 2=Effective

Source of codeine? (Each source)  
 1=No  
 2=Yes

Y3-612 # Pharmacy/Drugstore  
 Y3-613 # Physician  
 Y3-614 # Family  
 Y3-615 # Friends  
 Y3-616 # Anonymous Seller or Pusher  
 Y3-617 # Other

Y3-618 # Have you stopped using codeine?  
 1=No  
 2=Yes

Y3-619 # IF YES: Reason for stopping?  
 1=Disliked the taste  
 2=Bad physical effects  
 3=Bad emotional effects  
 4=Felt it was wrong  
 5=Friends' pressure  
 6=Trouble with parents, etc.  
 7=Fearful of addiction  
 8=Not available any more  
 9=Lost its effects  
 10=Didn't need it  
 11=Other

USE OF HEROIN

Y3-620	306#	How many times have you used heroin in the past year? Frequency (0-999)
Y3-621	#	IF 0: Do you think that you might use heroin in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-622	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-623	#	Episodic usage? 1=Yes
Y3-624	#	When was the last time? 1-12 according to month, 1978
Y3-625	#	Function of heroin? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-626	#	Effectiveness for selected function? 1=Not effective 2=Effective

Blank  
 Funding Agency Designation  
     1=NIMH  
     2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (13)

CARD 14/17

Source of heroin? (Each source)  
     1=No  
     2=Yes

Y3-627	#	Family
Y3-628	#	Friends
Y3-629	#	Anonymous Seller or Pusher
Y3-630	#	Other

Y3-631	#	Have you stopped using heroin? 1=No 2=Yes
--------	---	---

Y3-632	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other
--------	---	--

USE OF COCAINE

Y3-633	307#	How many times have you used cocaine in the past year? Frequency (0-999)
--------	------	---

Y3-634	#	IF 0: Do you think that you might use cocaine in the next 12 months? 1=No 2=Yes 3=Don't Know
--------	---	---

Y3-635	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-636	#	Episodic usage? 1=Yes
Y3-637	#	When was the last time? 1-12 according to month, 1978
Y3-638	#	How much? Number of lines? 0=Less than one 1=One line 2=Two lines 3=3 or more lines
Y3-639	#	Function of cocaine? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other
Y3-640	#	Effectiveness for selected function? 1=Not effective 2=Effective  Source of cocaine? (Each source) 1=No 2=Yes

Y3-641	#	Family
Y3-642	#	Friends
Y3-643	#	Anonymous Seller or Pusher
Y3-644	#	Other
Y3-645	#	Have you stopped using cocaine? 1=No 2=Yes
Y3-646	#	If Yes: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other
		USE OF INHALANTS#
Y3-647	308#	How many times have you used inhalants in the past year? Frequency (0-999)
Y3-648	#	IF 0: Do you think that you might use inhalants in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-649	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-650	#	Episodic usage? 1=Yes
Y3-651	#	When was the last time? 1-12 according to month, 1978

- Y3-652 # Function of inhalants?  
 1=To relieve physical pain, etc.  
 2=To relieve boredom  
 3=To relieve tension  
 4=For pleasure, etc.  
 5=To be different, etc.  
 6=To be accepted  
 7=To be relaxed  
 8=To appear more grown-up  
 9=To increase self-awareness  
 10=To get through the day  
 11=Curiosity, experimentation,  
 etc.  
 12=Special occasions,  
 celebration  
 13=Family encouragement  
 14=Other
- Y3-653 # Effectiveness for selected function?  
 1=Not effective  
 2=Effective
- Source of inhalants? (Each source)  
 1=No  
 2=Yes
- Y3-654 # Stores, etc.  
 Y3-655 # Family  
 Y3-656 # Friends  
 Y3-657 # Other
- Y3-658 # Have you stopped using inhalants?  
 1=No  
 2=Yes
- Y3-659 # IF YES: Reason for stopping?  
 1=Disliked the taste  
 2=Bad physical effects  
 3=Bad emotional effects  
 4=Felt it was wrong  
 5=Friends' pressure  
 6=Trouble with parents, etc.  
 7=Fearful of addiction  
 8=Not available any more  
 9=Lost its effects  
 10=Didn't need it  
 11=Other

USE OF ANGEL DUST#

Y3-660	309#	How many times have you used angel dust in the past year? Frequency (0-999)
Y3-661	#	IF 0: Do you think that you might use angel dust in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-662	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-663	#	Episodic usage? 1=Yes
Y3-664	#	When was the last time? 1-12 according to month, 1978
Y3-665	#	How much? (coded as form of use) 1=With marijuana 2=Powder 3=Capsule
Y3-666	#	Function of angel dust? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown-up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation, etc. 12=Special occasions, celebration 13=Family encouragement 14=Other

Y3-667	#	Effectiveness for selected function? 1=Not effective 2=Effective
		Source of angel dust? (Each source) 1=No 2=Yes
Y3-668	#	Family
Y3-669	#	Friends
Y3-670	#	Anonymous Seller or Pusher
Y3-671	#	Other
Y3-672	#	Have you stopped using angel dust? 1=No 2=Yes
Y3-673	#	IF YES: Reason for stopping? 1=Disliked the taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends' pressure 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available any more 9=Lost its effects 10=Didn't need it 11=Other
		USE OF OTHER NON-PRESCRIPTION DRUGS#
Y3-674	310#	IF USED, Substance, according to following list? 1=THC 2=Quaaludes 3=Cough medicine 4=Robitussin 5=Sominex 6=Sudafed 7=No-doze 8=Demerol 9=Weight-control pills 10=Coricidin 11=Mushrooms 12=MDA 13=Pam

Blank  
 Funding Agency Designation  
     1=NIMH  
     2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (14)

CARD 15/17

Y3-675	#	Frequency (0-999)
Y3-676	#	IF 0: Do you think that you might use other drugs in the next 12 months? 1=No 2=Yes 3=Don't Know
Y3-677	#	How often in the past year? 1=Never 2=Once or twice 3=Once every 2-3 months 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=2-3 times a week 8=Once a day 9=2-3 times a day
Y3-678	#	Episodic usage? 1=Yes
Y3-679	#	When was the last time? 1-12 according to month, 1978

- Y3-680 # Function of other drugs?  
1=To relieve physical pain, etc.  
2=To relieve boredom  
3=To relieve tension  
4=For pleasure, etc.  
5=To be different, etc.  
6=To be accepted  
7=To be relaxed  
8=To appear more grown-up  
9=To increase self-awareness  
10=To get through the day  
11=Curiosity, experimentation,  
etc.  
12=Special occasions,  
celebration  
13=Family encouragement  
14=Other
- Y3-681 # Effectiveness for selected  
function?  
1=Not effective  
2=Effective
- Y3-682 # Source of other drugs?  
1=Friends  
2=Pharmacy/Drugstore  
3=Neighbors  
4=Friends  
5=Physician  
6=Anonymous Seller or Pusher  
7=Store
- Y3-683 # Have you stopped using other drugs?  
1=No  
2=Yes
- Y3-684 # IF YES: Reason for stopping?  
1=Disliked the taste  
2=Bad physical effects  
3=Bad emotional effects  
4=Felt it was wrong  
5=Friends' pressure  
6=Trouble with parents, etc.  
7=Fearful of addiction  
8=Not available any more  
9=Lost its effects  
10=Didn't need it  
11=Other

COST OF ALCOHOL, TOBACCO, AND DRUGS# - Each category of substance scored according to the average monthly expenditure reported for last year in dollars.

Y3-685-687	311-313#	(0-999) dollars
Y3-685	311#	Beer, wine and liquor
Y3-686	312#	Tobacco
Y3-687	313#	Drugs

PROBLEM BEHAVIOR RESULTING FROM DRUG OR ALCOHOL USE# - Questionnaire items 314 through 319 ask respondents to report the number of times they have experienced various problems as a result of drug or alcohol use.

Y3-688-699	314-319#	1=Never 2=Once or twice 3=Three or four times 4=Five or six times 5=More than six times
Y3-688	314#	Trouble with girlfriend/boyfriend:
Y3-689	#	Alcohol
	#	Drugs
Y3-690	315#	Problems with family:
Y3-691	#	Alcohol
	#	Drugs
Y3-692	316#	Trouble with friends:
Y3-693	#	Alcohol
	#	Drugs
Y3-694	317#	Trouble with teachers:
Y3-695	#	Alcohol
	#	Drugs
Y3-696	318#	Gotten into fights:
Y3-697	#	Alcohol
	#	Drugs
Y3-698	319#	Problems with physical health:
Y3-699	#	Alcohol
	#	Drugs

ADDITIONAL PROBLEM BEHAVIOR# - Items 320 through 325 ask respondents whether various results have occurred due to drug or alcohol use.

Y3-700-711	320-325#	1=No 2=Yes
	320#	Couldn't remember what happened:
Y3-700	#	Alcohol
Y3-701	#	Drugs
	321#	Stayed drunk or high for days:
Y3-702	#	Alcohol
Y3-703	#	Drugs
	322#	Couldn't stop use:
Y3-704	#	Alcohol
Y3-705	#	Drugs
	323#	Had to borrow money:
Y3-706	#	Alcohol
Y3-707	#	Drugs
	324#	Had to go without
Y3-708	#	Alcohol
Y3-709	#	Drugs
	325#	Do something illegal
Y3-710	#	Alcohol
Y3-711	#	Drugs

ILLEGAL ACTIVITY TO GET ALCOHOL OR DRUGS# - If a "Yes" response was given to either part of question 325, each of the following activities was coded according to respondent's report of having done them.

Y3-712-722		1=Yes -1=No/missing data
Y3-712	#	Steal something
Y3-713	#	Prostitution
Y3-714	#	Gambling
Y3-715	#	Sell drugs or alcohol
Y3-716	#	Sell things not yours
Y3-717	#	Beat someone up
Y3-718	#	Use fake ID
Y3-719	#	Steal alcohol or drugs
Y3-720	#	Fake prescription
Y3-721	#	Fake illness
Y3-722	#	Bought alcohol while underage/ grew own pot

	326#	Arrests in past year for alcohol or drug related offenses: 1=No 2=Yes
Y3-723	#	Alcohol
Y3-724	#	Drugs
Y3-725	#	If Yes: Number of arrests for: intoxication (0-9)
Y3-726	#	Driving under influence (0-9)
Y3-727	#	Possession of alcohol (0-9)
Y3-728	#	Possession of drugs (0-9)
Y3-729	#	Sale of drugs (0-9)
Y3-730	#	Other (0-9)
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household ID #
		Respondent ID #(01-09)
		Data Set Number (0148)
		Card Number (15

CARD 16/17

Y3-731	327#	Number of times drunk in last year (0-999)
Y3-732	328#	Number of times high on drugs in last year (0-999)

VICTIMIZATION - Questionnaire items 329 through 339 ask respondents to report how often in the past year they have been the victim of various acts. The exact number of times is recorded in each case (0-999). A few of the victimization acts include one or two additional questions.

Y3-733-762	329-339	Frequency(0-999)
Y3-733	329	Things taken directly from you
Y3-734	330(1)	Beaten up by parent
Y3-735	330(2)	Involved forced sex? 1=No 2=Yes
Y3-736	331	Motor vehicle or bike stolen

Y3-737	332	Things taken from car
Y3-738	333	Things damaged
Y3-739	334	Things stolen from public place
Y3-740	335	Sexually attacked
Y3-741	336(1)	Attacked with a weapon Relation of attacker(s): 1=No 2=Yes
Y3-742	336(2)	Brother
Y3-743	336(3)	Sister
Y3-744	336(4)	Teacher
Y3-745	336(5)	Student
Y3-746	336(6)	Gang
Y3-747	336(7)	Other adult
Y3-748	336(8)	Other youth
Y3-749	336(9)	Other
Y3-750	336(10)	Involved forced sex? 1=No 2=Yes
Y3-751	337(1)	Beaten up by others Relation of attacker(s): 1=No 2=Yes
Y3-752	337(2)	Brother
Y3-753	337(3)	Sister
Y3-754	337(4)	Teacher
Y3-755	337(5)	Student
Y3-756	337(6)	Gang
Y3-757	337(7)	Other adult
Y3-758	337(8)	Other youth
Y3-759	337(9)	Other
Y3-760	337(10)	Involved forced sex? 1=No 2=Yes
Y3-761	338	Sexually pressured
Y3-762	339	Pocket picked
Y3-763		Unuseable data

Blank  
 Funding Agency Designation  
   1=NIMH  
   2=LEAA  
 Household ID #  
 Respondent ID #(01-09)  
 Data Set Number (0148)  
 Card Number (16)

CARD 17/17

RESPONDENT OBSERVATIONS

Y3-764	387	Further explanation of answers? 1=No (code blanks as no) 2=Yes
	388	Uncomfortable questions?
Y3-765	388(1)	1=Drugs
Y3-766	388(2)	1=Sex
Y3-767	388(3)	Specific item #
Y3-768	388(4)	Specific item #
Y3-769	388(5)	Specific item #
	389	Questions to learn about youth:
Y3-770	389(1)	1=Friends
Y3-771	389(2)	1=Drugs/alcohol
Y3-772	389(3)	1=Family
Y3-773	389(4)	1=Activities
Y3-774	389(5)	1=School
Y3-775	389(6)	1=Other (all other non- classifiable)
Y3-776	390	Understanding of you: 1=Good understanding 2=Poor understanding 3=Fair understanding

INTERVIEWER OBSERVATIONS

Y3-777	1	Respondent's anxiety before interview: 1=Not at all anxious 2=Somewhat anxious 3=Very anxious
Y3-778	2	Was respondent hostile? 1=No 2=Yes

Y3-779	3	3 Respondent's interest? 1=Very low 2=Below average 3=Average 4=Above average 5=Very high
Y3-780	4	Problems encountered:
Y3-781	4(1)	1=Difficulty with language
Y3-782	4(2)	1=Difficulty with questions
Y3-783	4(3)	1=Interruptions
Y3-784	4(4)	1=Temporary Breakoff
Y3-785	4(5)	1=Breakoff
	4(6)	1=Other (all other unclassifiable)
Y3-786	5	Respondent's anxiety after interview: 1=Relaxed 2=Tense 3=Other
Y3-787		Additional comments? 1=No 2=Yes
		Unuseable code
		SMSA code 0=Respondent does not live in an SMSA 1=Respondent does live in an SMSA
		Place code 1=Central city of SMSA 2=Central city of urbanized area 3=Central city of SMSA and urban area 4=Other incorporated place 5=Not incorporated

## Place size:

00=Under 200  
01=200-499  
02=500-999  
03=1,000-1,499  
04=1,500-1,999  
05=2,000-2,499  
06=2,500-4,999  
07=5,000-9,999  
08=10,000-19,999  
09=20,000-24,999  
10=25,000-49,999  
11=50,000-99,999  
12=100,000-249,999  
13=250,000-499,999  
14=500,000-999,999  
15=1,000,000 or more

## Unuseable code

## NYS Urban Suburban Rural Code

1=Urban:  
Central city of SMSA  
or urban area with population  
>= 100,000  
2=Suburban:  
Central city of SMSA  
or urban area with population  
< 100,000  
Any part of SMSA not classified  
as urban  
Any other community with  
population  
>= 25,000  
3=Rural:  
Not part of SMSA or urban area  
and population < 25,000

## Blank

## Funding Agency Designation

1=NIMH  
2=LEAA

Household ID #

Respondent ID #(01-09)

Data Set Number (0148)

Card Number (17)



Wave 3 NIMH Interview Schedule

---

Field Coordinator

APPENDIX B: ORIGINAL INSTRUMENT

YOUTH INTERVIEW SCHEDULE

NATIONAL YOUTH SURVEY

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302  
(303) 444-1682



RESPONDENT ID \_\_\_\_\_

INTERVIEWER'S NAME \_\_\_\_\_

DATE OF INTERVIEW \_\_\_\_\_

Hello, my name is \_\_\_\_\_ and I'm part of the research group which interviewed you last year as part of our National Youth Survey. At that time we said that we would be back this winter to re-interview you. We want to interview you again to learn if your feelings, values and activities have changed since last year. The interview will take about an hour and you will be paid \$5 for your participation. I'd like to set up the interview with you now. (DO NOT INCLUDE ANY NAMES OR IDENTIFYING INFORMATION ON THIS SCHEDULE. REFER TO RESPONDENT AS 'R'. IF YOU KNOW THE RESPONDENT, CONTACT BRI IMMEDIATELY FOR REASSIGNMENT.)

## LOG OF CALLS

TIME	DATE	COMMENTS
------	------	----------

---



RESPONDENT RECEIPT FORM

I have received \$5 in payment for my completion of the Youth Interview Schedule in the National Youth Survey.

With the exception of your signature, PLEASE PRINT the following information.

\_\_\_\_\_ Respondent Name

\_\_\_\_\_ Respondent Signature

\_\_\_\_\_ Date

\_\_\_\_\_ \*Address

\_\_\_\_\_ \*City, State and Zip Code

\_\_\_\_\_ \*Phone Number

\*If different from the address and phone number printed above.

Name, address and phone number of a RELATIVE not living in your household who would always know your whereabouts:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State and Zip Code: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Name, address and phone number of a FRIEND who would always know your whereabouts:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State and Zip Code: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Signed copies of this form will be kept in locked files at the Behavioral Research Institute offices in Boulder, Colorado.



REFUSAL FORM

TIME: \_\_\_\_\_

DATE: \_\_\_\_\_

SEX, AGE, AND RACE: \_\_\_\_\_

COMMENTS:





6. Have any of the following events ever happened to you?

	No	Yes	(IF YES:) When?
a. Marriage	1	2	_____ Month - Year
b. Have you had any children? (IF NEVER MARRIED, GO TO QUESTION 7)	1	2	_____ Month - Year
c. Separated?	1	2	_____ Month - Year
d. Divorced?	1	2	_____ Month - Year
e. Remarried?	1	2	_____ Month - Year

7. Have any of the following events occurred to your parents since we FIRST interviewed you?

	No	Yes	(IF YES:) When?
a. Divorce?	1	2	_____ Month - Year
b. Separation?	1	2	_____ Month - Year
c. Remarriage?	1	2	_____ Month - Year
d. Death?	1	2	_____ Month - Year
e. Father (FATHER FIGURE) lost his job for a period of two months or longer	1	2	_____ Month - Year
f. Mother (MOTHER FIGURE) lost her job for a period of two months or longer (NOTE COMMENTS: _____)	1	2	_____ Month - Year
g. Other adult moved in while you were living at home	1	2	_____ Month - Year
h. Other adult moved out while you were living at home	1	2	_____ Month - Year



12. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends? (PROBE FOR A SINGLE RESPONSE)

0      1      2      3      4      5

13. On the weekends, how much time have you generally spent with your friends?

A Great Deal      Quite a Bit      Some      Not too Much      Very Little  
5                      4                      3                      2                      1

14. How much have your friends influenced what you've thought and done?

A Great Deal      Quite a Bit      Some      Not too Much      Very Little  
5                      4                      3                      2                      1

15. How important has it been to you to have a group of friends and be included in their activities?

Very                  Pretty                  Somewhat                  Not too                  Not Important  
Important              Important              Important              Important              at All  
5                      4                      3                      2                      1

Between Christmas a year ago and the Christmas just past . . .

16. How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities? (PROBE FOR A SINGLE RESPONSE)

0      1      2      3      4      5      6      7

17. How important has it been to you to have dates and go to parties and other social activities?

Very                  Pretty                  Somewhat                  Not too                  Not Important  
Important              Important              Important              Important              at All  
5                      4                      3                      2                      1

18. Now let's talk about school. Did you attend any school program between Christmas a year ago and the Christmas just past?

- 1 No (IF NO, SKIP TO QUESTION 38)
- 2 Yes (IF YES, GO TO NEXT QUESTION)

19. What grade are you in? (FALL 1978 - CIRCLE ONE)

Grade School				High School			
5	6	7	8	9	10	11	12
College				Graduate School		Not In School	
13	14	15	16	17			18

(other) \_\_\_\_\_  
 (SPECIFY: FOR EXAMPLE, IF SUBJECT IS IN TRADE, BEAUTY OR BUSINESS SCHOOL)

20. Which of the following best describes the grades you are getting at school? (MOST RECENT GRADING PERIOD. READ CATEGORIES - CIRCLE ANSWER):

Mostly A's	Mostly B's	Mostly C's	Mostly D's	Mostly F's
5	4	3	2	1

(IF GRADES CANNOT BE TRANSLATED INTO THE ABOVE SCALE, DESCRIBE THE GRADING SYSTEM AND THE RESPONDENT'S SCORE WITHIN IT)

21. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

0      1      2      3      4      5

22. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent studying?

0      1      2      3      4      5

23. On the weekends, how much time have you generally spent studying?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

24. How important has your school work been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

25. Have you been a member of any athletic team at school? (INCLUDE ONLY TEAMS FORMALLY SPONSORED AND SUPERVISED BY SCHOOL INCLUDING INTRAMURAL TEAMS, GIRLS' ATHLETIC ASSOCIATION, ETC., BUT NOT CHEERLEADING, POM POM, YMCA TEAMS, ETC.)

- 1 No
- 2 Yes (IF YES:) which team or teams? (VERIFY THAT RESPONSE IS APPROPRIATE, THEN SKIP TO QUESTION 27)

26. How important is it to you to be on an athletic team at school?

Very	Pretty	Somewhat	Not too	Not Important
Important	Important	Important	Important	at All
5	4	3	2	1

(SKIP TO QUESTION 31)

27. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities? (PROBE FOR A SINGLE RESPONSE)

- 0
- 1
- 2
- 3
- 4
- 5

28. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities? (PROBE FOR A SINGLE RESPONSE)

- 0
- 1
- 2
- 3
- 4
- 5

29. On the weekends, how much time have you generally spent on team activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

30. How important have school athletics been to you?

Very	Pretty	Somewhat	Not too	Not Important
Important	Important	Important	Important	at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

31. Have you taken part in any school activities, for example, service clubs, recreational or hobby clubs, student government, newspaper or yearbook (NOT ATHLETIC TEAMS OR HONOR SOCIETIES)?

- 1 No
- 2 Yes (IF YES:)Which activities? (VERIFY THAT RESPONSE IS APPROPRIATE, THEN SKIP TO QUESTION 33)

32. How important is it to you to be involved in these school activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

(SKIP TO QUESTION 37)

33. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

- 0    1    2    3    4    5

34. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

- 0    1    2    3    4    5

35. On the weekends, how much time have you generally spent on these school activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

36. How important have school activities been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

37. Which of the following descriptions best describes how your classmates see you? (PROBE FOR ONLY ONE RESPONSE)

	Activities	Social	Good	Average	None of
Athlete	Member	Type	Student	Student	the Above
1	2	3	4	5	6

(IF NONE:)How do your classmates see you? \_\_\_\_\_ (SPECIFY)

Between Christmas a year ago and the Christmas just past . . .

38. Have you been a member of any groups in the community such as service clubs, religious groups, recreational or hobby clubs, and athletic teams? (INCLUDES SCOUTS, LITTLE LEAGUE, YM/YWCA, ETC., BUT NOT INFORMAL ACTIVITIES SUCH AS SANDLOT BASEBALL)

- 1 No
- 2 Yes (IF YES:) which community group or groups? (VERIFY THAT RESPONSE IS APPROPRIATE? THEN SKIP TO QUESTION 40)

39. How important is it to you to be involved in any of these community activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

(SKIP TO QUESTION 44)

40. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities? (NOTE IF RESPONDENT MENTIONS "DURING SUMMER" OR SOME OTHER TIME FRAME)

- 0    1    2    3    4    5

41. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

- 0    1    2    3    4    5

42. On the weekends, how much time have you generally spent on these community activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

43. How important have these community activities been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

44. Have you had a job or jobs, such as working at a store, office, or service station, or babysitting for pay? (INCLUDE ANY JOB FOR PAY, BUT NOT "ALLOWANCE")

- 1 No (IF NO, GO TO NEXT QUESTION)
- 2 Yes (IF YES, SKIP TO QUESTION 46)

45. How important is it to you to have a job?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

(SKIP TO QUESTION 52)

46. Was your job full-time, 40 hour week or more, or part-time work, less than 40 hour week? (IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIONS IN TERMS OF THE MOST RECENT JOB: IF RESPONDENT MENTIONS "ONLY DURING THE SUMMER" OR SOME OTHER TIME FRAME, PLEASE NOTE)

- 1 Part-time Work
- 2 Full-time Work

What kind of work did you do? \_\_\_\_\_

47. What was the main reason you worked?

Money	Freedom	Got me out of the House	Experience for Future Jobs	Other (SPECIFY) _____
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

48. Did you hold any supervisory roles in your job, for example, being in charge of other cashiers at your store, or being in charge of a number of newspaper routes run by different kids

- 1 No
- 2 Yes

49. Did you willingly spend extra time on the job when there was a large amount of work that needed to be done?

- 1 No
- 2 Yes

50. Would you like to stay in this kind of work as an adult?

- 1 No
- 2 Yes

51. How important has your job been to you?

- |                   |                     |                       |                      |                         |
|-------------------|---------------------|-----------------------|----------------------|-------------------------|
| Very<br>Important | Pretty<br>Important | Somewhat<br>Important | Not too<br>Important | Not Important<br>at All |
| 5                 | 4                   | 3                     | 2                    | 1                       |

The following questions have to do with your family, meaning your parents, brothers and sisters. Between Christmas a year ago and the Christmas just past . . .

52. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent talking, working or playing with members of your family?

- 0    1    2    3    4    5

53. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent talking, working or playing with members of your family?

- 0    1    2    3    4    5

54. On the weekends, how much time have you generally spent talking, working or playing with members of your family?

- |              |             |      |              |             |
|--------------|-------------|------|--------------|-------------|
| A Great Deal | Quite a Bit | Some | Not too Much | Very Little |
| 5            | 4           | 3    | 2            | 1           |

55. How important have the things you've done with your family been to you?

- |                   |                     |                       |                      |                         |
|-------------------|---------------------|-----------------------|----------------------|-------------------------|
| Very<br>Important | Pretty<br>Important | Somewhat<br>Important | Not too<br>Important | Not Important<br>at All |
| 5                 | 4                   | 3                     | 2                    | 1                       |

56. How much have your parents influenced what you've thought and done?

- |              |             |      |              |             |
|--------------|-------------|------|--------------|-------------|
| A Great Deal | Quite a Bit | Some | Not too Much | Very Little |
| 5            | 4           | 3    | 2            | 1           |

57. During the past year, how often did you attend church, synagogue, or other religious services? (READ RESPONSES)

_____ (5) Several times a week	_____ (2) Several times a year
_____ (4) Once a week	_____ (1) Never
_____ (3) Once or twice a month	

58. How important has religion been in your life? (READ RESPONSES)

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Now I'd like to ask you how important certain things are to you and how well you are doing at these things. Use the left side of card number 1, the first blue card, to pick your answer for how important each goal is to you and the right side of this blue card for your answer for how well you are doing at that goal. (IF RESPONDENT DIFFERENTIATES BETWEEN MOTHER AND FATHER FOR PARENTS ITEMS, RECORD AND LABEL EACH SEPARATELY)

How important is it to you..

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL
59. to have a family that does lots of things together.	5	3	1
60. to have other students think of you as a good student.	5	3	1
61. to have lots of dates.	5	3	1
62. to have parents you can talk to about almost everything.	5	3	1
63. to do well even in hard subjects.	5	3	1
64. to be asked to take part in things your friends do such as going to parties and games.	5	3	1
65. to have parents who comfort you when you're unhappy about something.	5	3	1

66. to do your own school work without help from anybody.	5	3	1
67. to have a special boyfriend/girlfriend.	5	3	1
68. to have your parents think you do things well.	5	3	1
69. to have teachers think of you as a good student.	5	3	1
70. to have friends ask to spend time and do things with you.	5	3	1
71. to have a high grade point average.	5	3	1
72. to get along well with your parents.	5	3	1

How well are you doing at this? (ASK ONLY IF RESPONDENT ANSWERS "VERY" OR SOMEWHAT" IMPORTANT)

	VERY WELL	O.K.	NOT WELL AT ALL	(DON'T KNOW)
59. to have a family that does lots of things together.	5	3	1	_____
60. to have other students think of you as a good student.	5	3	1	_____
61. to have lots of dates.	5	3	1	_____
62. to have parents you can talk to about almost everything.	5	3	1	_____
63. to do well even in hard subjects.	5	3	1	_____
64. to be asked to take part in things your friends do such as going to parties and games.	5	3	1	_____

65. to have parents who comfort you when you're unhappy about something.	5	3	1	_____
66. to do your own school work without help from anybody.	5	3	1	_____
67. to have a special boy- friend/girlfriend.	5	3	1	_____
68. to have your parents think you do things well.	5	3	1	_____
69. to have teachers think of you as a good student.	5	3	1	_____
70. to have friends ask to spend time and do things with you.	5	3	1	_____
71. to have a high grade point average.	5	3	1	_____
72. to get along well with your parents.	5	3	1	_____

Next I'd like to ask you some questions about your future goals.  
Again, pick your answers from the left side of the blue card (CARD  
NUMBER 1).

How important is it to you..

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL	(DON'T KNOW)
73. to have a good job or career after you've finished school?	5	3	1	_____
74. to go to college?	5	3	1	_____
75. to get married?	5	3	1	_____
76. to have children of your own?	5	3	1	_____

Have you made a specific decision about  
(REPEAT STEM FOR EACH QUESTION #77, #78, #79, AND #80)

77. a job or career ? (READ RESPONSES)

- 1 Yes (IF ANSWERED YES, GO TO a)
  - 2 I've thought about this but don't know (IF ANSWERED NO, GO TO a)
  - 3 So far I haven't thought about this (IF ANSWERED 3, GO TO 78)
- a. Has there ever been a time when you frequently changed your mind about these plans or values?
 

Yes	No
2	1
  - b. Have you ever talked to people or looked for information about these plans or values?
 

Yes	No
2	1
  - c. Did your plans or values come to you without much thought or confusion?
 

Yes	No
2	1
  - d. Did you ever get into disagreements or arguments with your parents about your plans or values?
 

Yes	No
2	1
  - e. Would you stick with your plans or values even against the wishes of your parents?
 

Yes	No
2	1

78. whether or not to go to college? (READ RESPONSES)

- 1 Yes (IF ANSWERED YES, GO TO a)
  - 2 I've thought about this but don't know (IF ANSWERED NO, GO TO a)
  - 3 So far I haven't thought about this (IF ANSWERED 3, GO TO 79)
- a. Has there ever been a time when you frequently changed your mind about these plans or values?
 

Yes	No
2	1
  - b. Have you ever talked to people or looked for information about these plans or values?
 

Yes	No
2	1

c. Did your plans or values come to you without much thought or confusion?	Yes 2	No 1
d. Did you ever get into disagreements or arguments with your parents about your plans or values?	Yes 2	No 1
e. Would you stick with your plans or values even against the wishes of your parents?	Yes 2	No 1

79. whether or not to marry and have children? (READ RESPONSES)

- 1 Yes (IF ANSWERED YES, GO TO a)
- 2 I've thought about this but don't know (IF ANSWERED NO, GO TO a)
- 3 So far I haven't thought about this (IF ANSWERED 3, GO TO 80)

a. Has there ever been a time when you frequently changed your mind about these plans or values?	Yes 2	No 1
b. Have you ever talked to people or looked for information about these plans or values?	Yes 2	No 1
c. Did your plans or values come to you without much thought or confusion?	Yes 2	No 1
d. Did you ever get into disagreements or arguments with your parents about your plans or values?	Yes 2	No 1
e. Would you stick with your plans or values even against the wishes of your parents?	Yes 2	No 1

## 80. your religious values? (READ RESPONSES)

- 1 Yes (IF ANSWERED YES, GO TO a)
- 2 I've thought about this but don't know (IF ANSWERED NO, GO TO a)
- 3 So far I haven't thought about this (IF ANSWERED 3, GO TO 81)

a. Has there ever been a time when you frequently changed your mind about these plans or values?	Yes 2	No 1
b. Have you ever talked to people or looked for information about these plans or values?	Yes 2	No 1
c. Did your plans or values come to you without much thought or confusion?	Yes 2	No 1
d. Did you ever get into disagreements or arguments with your parents about your plans or values?	Yes 2	No 1
e. Would you stick with your plans or values even against the wishes of your parents?	Yes 2	No 1

## What do you think your chances are for . . . (READ RESPONSES)

	Good	Fair	Poor	(DON'T KNOW)
81. getting the kind of job you would like to have after finishing school?	3	2	1	_____
82. completing a college degree?	3	2	1	_____

In the next set of questions, I'd like to ask about some of your feelings and beliefs. Please tell me how much you agree or disagree with these statements about you. Choose your answers from card number 2, the first yellow card.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	(DON'T KNOW)
83. I don't feel that I fit in very well with my friends.	5	4	3	2	1	_____
84. Teachers don't call on me in class, even when I raise my hand.	5	4	3	2	1	_____
85. I feel like an outsider with my family.	5	4	3	2	1	_____
86. I often feel like nobody at school cares about me.	5	4	3	2	1	_____
87. My friends don't take much interest in my problems.	5	4	3	2	1	_____
88. My family is willing to listen if I have a problem.	5	4	3	2	1	_____
89. I feel close to my friends.	5	4	3	2	1	_____
90. Sometimes I feel lonely when I'm with my family.	5	4	3	2	1	_____
91. I don't feel as if really belong at school.	5	4	3	2	1	_____

92.	My friends are willing to lis- ten if I have a problem.	5	4	3	2	1	_____
93.	Even though there are lots of kids around, I often feel lonely at school.	5	4	3	2	1	_____
94.	Teachers don't ask me to work on special class- room projects.	5	4	3	2	1	_____
95.	I feel close to my family.	5	4	3	2	1	_____
96.	Sometimes I feel lonely when I'm with my friends.	5	4	3	2	1	_____
97.	My family doesn't take much interest in my problems.	5	4	3	2	1	_____
98.	It's important to be honest with your parents, even if they become upset or you get punished.	5	4	3	2	1	_____
99.	To stay out of trouble, it is sometimes necessary to lie to teachers.	5	4	3	2	1	_____
100.	Making a good impression is more important than telling the truth to friends.	5	4	3	2	1	_____

101.	At school it is sometimes necessary to play dirty in order to win.	5	4	3	2	1	_____
102.	It's okay to lie if it keeps your friends out of trouble.	5	4	3	2	1	_____
103.	Making a good impression is more important than telling the truth to parents.	5	4	3	2	1	_____
104.	In order to gain the respect of your friends, it's sometimes necessary to beat up on other kids.	5	4	3	2	1	_____
105.	You can make it in school without having to cheat on exams or tests.	5	4	3	2	1	_____
106.	You have to be willing to break some rules if you want to be popular with your friends.	5	4	3	2	1	_____
107.	Sometimes it's necessary to lie to your parents in order to keep their trust.	5	4	3	2	1	_____

- |      |   |   |   |   |   |   |       |
|------|---|---|---|---|---|---|-------|
| 108. | It is important<br>to do your own<br>work at school<br>even if it means<br>some kids won't<br>like you.           | 5 | 4 | 3 | 2 | 1 | _____ |
| 109. | It may be<br>necessary to<br>break some of<br>your parents'<br>rules in order<br>to keep some<br>of your friends. | 5 | 4 | 3 | 2 | 1 | _____ |
| 110. | Making a good<br>impression is<br>more important<br>than telling<br>the truth to<br>teachers.                     | 5 | 4 | 3 | 2 | 1 | _____ |

I'd like to know how your parents, friends and teachers would describe you. I'll read a list of phrases and for each will ask you to tell me how much you think your parents would agree with that description of you. I'll repeat the list twice more, to learn how your friends and your teachers would describe you. Use the yellow card again to pick your responses.

- |   | STRONGLY<br>AGREE                       | AGREE | NEITHER<br>AGREE NOR<br>DISAGREE | DISAGREE | STRONGLY<br>DISAGREE | (DON'T<br>KNOW) |       |
|---|---|-------|----------------------------------|----------|----------------------|-----------------|-------|
| How much would your parents agree that you . . . (READ THIS STEM WITH EACH PHRASE UNTIL FAMILIAR) |   |       |                                  |          |                      |                 |       |
| 111.  | are well-liked.                         | 5     | 4                                | 3        | 2                    | 1               | _____ |
| 112.  | need help.                              | 5     | 4                                | 3        | 2                    | 1               | _____ |
| 113.  | are a b kid.                            | 5     | 4                                | 3        | 2                    | 1               | _____ |
| 114.  | are often<br>upset.                     | 5     | 4                                | 3        | 2                    | 1               | _____ |
| 115.  | are a good<br>citizen.                  | 5     | 4                                | 3        | 2                    | 1               | _____ |
| 116.  | get along<br>well with<br>other people. | 5     | 4                                | 3        | 2                    | 1               | _____ |

117. are messed up.	5	4	3	2	1	_____
118. break rules.	5	4	3	2	1	_____
119. have a lot of personal problems.	5	4	3	2	1	_____
120. get into trouble.	5	4	3	2	1	_____
121. are likely to succeed.	5	4	3	2	1	_____
122. do things that are against the law.	5	4	3	2	1	_____

How much would your friends agree that you . . . (READ THIS STEM WITH EACH PHRASE UNTIL FAMILIAR)

123. are well-liked.	5	4	3	2	1	_____
124. need help.	5	4	3	2	1	_____
125. are a bad kid.	5	4	3	2	1	_____
126. are often upset.	5	4	3	2	1	_____
127. get along well with other people.	5	4	3	2	1	_____
128. are messed up.	5	4	3	2	1	_____
129. break rules.	5	4	3	2	1	_____
130. have a lot of personal problems.	5	4	3	2	1	_____
131. get into trouble.	5	4	3	2	1	_____
132. are likely to succeed	5	4	3	2	1	_____

133. do things that are against the law.	5	4	3	2	1	_____
---	---	---	---	---	---	-------

How much would your teachers agree that you . . . (READ THIS STEM  
WITH EACH PHRASE UNTIL FAMILIAR)

134. are well- liked.	5	4	3	2	1	_____
--------------------------	---	---	---	---	---	-------

135. need hp.	5	4	3	2	1	_____
---------------	---	---	---	---	---	-------

136. are a bad kid.	5	4	3	2	1	_____
---------------------	---	---	---	---	---	-------

137. are often upset.	5	4	3	2	1	_____
--------------------------	---	---	---	---	---	-------

138. are a good citizen.	5	4	3	2	1	_____
-----------------------------	---	---	---	---	---	-------

139. get along well with other people.	5	4	3	2	1	_____
--	---	---	---	---	---	-------

140. are messed up.	5	4	3	2	1	_____
------------------------	---	---	---	---	---	-------

141. break rules.	5	4	3	2	1	_____
-------------------	---	---	---	---	---	-------

142. have a lot of personal problems.	5	4	3	2	1	_____
---	---	---	---	---	---	-------

143. get into trouble.	5	4	3	2	1	_____
---------------------------	---	---	---	---	---	-------

144. are likely to succeed.	5	4	3	2	1	_____
--------------------------------	---	---	---	---	---	-------

145. do things that are against the law.	5	4	3	2	1	_____
--	---	---	---	---	---	-------

I'm going to read a list of behaviors to you, and then ask you how others would react if you behaved in these ways. I'll repeat the list of behaviors twice to learn how your parents and close friends would react if you did each thing. Use card number 3, the first green card, to select your answers. (IF RESPONDENT DIFFERENTIATES BETWEEN MOTHER AND FATHER, RECORD AND LABEL EACH SEPARATELY)

	STRONGLY		NEITHER			
	DIS-	DIS-	APPROVE		STRONGLY	(DON'T
	APPROVE	APPROVE	NOR DIS-	APPROVE	APPROVE	KNOW)

How would your parents react if you . . . (READ STEM WITH EACH PHRASE UNTIL FAMILIAR)

146. kept promises you made to others.	5	4	3	2	1	_____
147. cheated on school tests.	5	4	3	2	1	_____
148. stole something worth less than \$5.	5	4	3	2	1	_____
149. were friendly with people who are of a different race, religion, or color than you.	5	4	3	2	1	_____
150. sold hard drugs such as heroin, cocaine and LSD.	5	4	3	2	1	_____
151. returned money you found or any extra change a cashier gave you.	5	4	3	2	1	_____
152. used marijuana or hashish.	5	4	3	2	1	_____
153. stole something worth more than \$50.	5	4	3	2	1	_____

154. hit or threat- ened to hit someone without any reason.	5	4	3	2	1	_____
155. gave some of your time to someone or some group who was in need.	5	4	3	2	1	_____
156. used alcohol.	5	4	3	2	1	_____
157. did a favor for someone without being asked.	5	4	3	2	1	_____
158. purposely dam- aged or dest- royed property that did not belong to you.	5	4	3	2	1	_____
159. broke into a vehicle or or building to steal something.	5	4	3	2	1	_____
How would your close friends react if you . . . (READ THIS STEM WITH EACH PHRASE UNTIL FAMILIAR)						
160. kept promises you made to others.	5	4	3	2	1	_____
161. cheated on school tests.	5	4	3	2	1	_____
162. stole something worth less than \$5.	5	4	3	2	1	_____
163. were friendly with people who are of a different race, religion, or color than you.	5	4	3	2	1	_____

164.	sold hard drugs such as heroin, cocaine, and LSD.	5	4	3	2	1	_____
165.	returned money you found or any extra change a cashier gave you.	5	4	3	2	1	_____
166.	used marijuana or hashish.	5	4	3	2	1	_____
167.	stole something worth more than \$50.	5	4	3	2	1	_____
168.	hit or threat- ened to hit someone without any reason.	5	4	3	2	1	_____
169.	gave some of your time to someone or some group who was in need.	5	4	3	2	1	_____
170.	used alcohol.	5	4	3	2	1	_____
171.	did a favor for someone without being asked.	5	4	3	2	1	_____
172.	pressured or forced someone to do more sexually than they wanted to do.	5	4	3	2	1	_____
173.	purposely damaged or destroyed property that did not belong to you.	5	4	3	2	1	_____
174.	broke into a vehicle or building to steal something.	5	4	3	2	1	_____

175. had sexual intercourse with a person of the opposite sex (IF MARRIED, ADD other than with your husband /wife.)

	5	4	3	2	1	_____
--	---	---	---	---	---	-------

Now I'd like to ask you some questions about how your mother, your father, and your close friends would act if you were to get into trouble at school, with the police, or in your neighborhood. Select your answers from the response categories listed on card number 4, the first cream card.

176. If you got into trouble at school, how often would each of the following people defend you or stick up for you?

	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	(DON'T KNOW)
How often would: (REPEAT STEM WITH EACH PHRASE)					
a. your mother (OR MOTHER FIGURE) stick up for you?	4	3	2	1	_____
b. your father (OR FATHER FIGURE) stick up for you?	4	3	2	1	_____
c. your close friends stick up for you?	4	3	2	1	_____

177. If you got into trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not to worry?

	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	(DON'T KNOW)
How often would: (REPEAT STEM WITH EACH PHRASE)					
a. your mother (OR MOTHER FIGURE) stick up for you?	4	3	2	1	_____
b. your father (OR FATHER FIGURE) stick up for you?	4	3	2	1	_____
c. your close friends stick up for you?	4	3	2	1	_____

178. If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they still believed in you and trusted you?

How often would: (REPEAT STEM WITH EACH PHRASE)	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	(DON'T KNOW)
a. your mother (OR MOTHER FIGURE) stick up for you?	4	3	2	1	_____
b. your father (OR FATHER FIGURE) stick up for you?	4	3	2	1	_____
c. your close friends stick up for you?	4	3	2	1	_____

179. If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

How often would: (REPEAT STEM WITH EACH PHRASE)	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	(DON'T KNOW)
a. your mother (OR MOTHER FIGURE) stick up for you?	4	3	2	1	_____
b. your father (OR FATHER FIGURE) stick up for you?	4	3	2	1	_____
c. your close friends stick up for you?	4	3	2	1	_____

For this next set of questions, please tell me how wrong you think each of the following things is for you or someone your age. Use card number 5, the first gray card, to select your answers.

How wrong is it for someone your age to . . . (REPEAT STEM SEVERAL TIMES)

	VERY WRONG	WRONG	A LITTLE BIT WRONG	NOT WRONG AT ALL	(DON'T KNOW)
180. cheat on school tests?	4	3	2	1	_____
181. purposely damage or destroy property that does not belong to him or her?	4	3	2	1	_____
182. use marijuana or hashish?	4	3	2	1	_____

183. steal something worth less than \$5?	4	3	2	1	_____
184. hit or threaten to hit someone without any reason?	4	3	2	1	_____
185. use alcohol?	4	3	2	1	_____
186. break into a vehicle or building to steal something?	4	3	2	1	_____
187. sell hard drugs such as heroin, cocaine, and LSD?	4	3	2	1	_____
188. steal something worth more than \$50?	4	3	2	1	_____
189. get drunk once in awhile?	4	3	2	1	_____
190. use prescription drugs such as amphetamines or barbiturates when there is no medical need for them?	4	3	2	1	_____
191. give or sell alcohol to kids under 18?	4	3	2	1	_____

of your close friends have done each thing I will read to you. Please use card number 6, the first brown card, to choose your responses.

Think of your friends. (ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS)

During the last year how many of them have . . . (REPEAT STEM SEVERAL TIMES)

	ALL OF THEM	MOST OF THEM	SOME OF THEM	VERY FEW OF THEM	NONE OF THEM	(DON'T KNOW)
192. cheated on school tests?	5	4	3	2	1	_____

193. purposely damaged or destroyed property that did not belong to them?	5	4	3	2	1	_____
194. used marijuana or hashish?a	5	4	3	2	1	_____
195. stolen something worth less than \$5?	5	4	3	2	1	_____
196. hit or threatened to hit someone without any reason?	5	4	3	2	1	_____
197. used alcohol?	5	4	3	2	1	_____
198. broken into a vehicle or building to steal something?	5	4	3	2	1	_____
199. sold hard drugs such and LSD?	5	4	3	2	1	_____
200. stolen something worth more than \$50?	5	4	3	2	1	_____
201. suggested you do something that was against the law?	5	4	3	2	1	_____
202. gotten drunk once in awhile?	5	4	3	2	1	_____
203. used prescription drugs such as amphetamines or barbiturates when there was no medical need for them?	5	4	3	2	1	_____
204. sold or given alcohol to kids under 18?	5	4	3	2	1	_____

Now I'd like to ask what you think about your friends' behavior.

	YES	DON'T KNOW	NO
205. If you found that your group of friends was leading you into trouble, would you still run around with them?	3	2	1
206. If you found that your group of friends was leading you into trouble, would you try to stop these activities?	3	2	1
207. If your friends got into trouble with the police, would you be willing to lie to protect them?	3	2	1

Now I'm going to read some statements that describe attitudes different people have about men and women in America. Please tell me how much you agree or disagree with these statements. Choose your answers from card number 2, the first yellow card.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	(DON'T KNOW)
208. When parents disagree over how to raise and discipline the children, the father should decide what to do.	5	4	3	2	1	_____
209. Women can do most jobs as well as men.	5	4	3	2	1	_____
210. Men are more reliable in emergencies than women.	5	4	3	2	1	_____
211. Women are too emotional to solve problems well.	5	4	3	2	1	_____

212. It is more important for a woman to be smart than pretty.	5	4	3	2	1	_____
213. A man who is really a man wouldn't cry over a movie.	5	4	3	2	1	_____
214. It is the woman's job to take care of the home and the children.	5	4	3	2	1	_____
215. It is the man's job to earn the money for the family.	5	4	3	2	1	_____
216. Because women are physically and emotionally weaker, they need men to support and take care of them.	5	4	3	2	1	_____
217. Women who are forceful and try to get ahead in their jobs are not very feminine.	5	4	3	2	1	_____

The next set of items asks about your opinions about violence between people. Please tell me how much you agree or disagree with each of the following statements. Choose your answers from the yellow card again.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	(DON'T KNOW)
218. It is all right to beat up people if they started the fight.	5	4	3	2	1	_____

219.	Fighting doesn't solve problems, it just creates them.	5	4	3	2	1	_____
220.	It is all right to physically beat up people who call you names.	5	4	3	2	1	_____
221.	Since the people on TV often get what they want by using violence, it's probably all right for you to use it too.	5	4	3	2	1	_____
222.	There is no good reason to hit anyone.	5	4	3	2	1	_____
223.	If people do something to make you really mad, they deserve to be beaten up.	5	4	3	2	1	_____
224.	It's OK to hit someone to get them to do what you want.	5	4	3	2	1	_____
225.	You should never beat up another person unless someone's life is at stake.	5	4	3	2	1	_____
226.	If you don't physically fight back, people will walk all over you.	5	4	3	2	1	_____

Now I'd like to ask you some questions about your attitudes toward rape and sexual assault. Again, I'd like you to tell me how much you agree or disagree with each statement I read. Use the yellow card to choose your answers.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	(DON'T KNOW)
227. Men who rape women are generally violent people.	5	4	3	2	1	_____
228. Most women secretly want to be raped or sexually assaulted.	5	4	3	2	1	_____
229. A woman who gets raped or sexually assaulted while hitchhiking gets what she deserves.	5	4	3	2	1	_____
230. In general, men rape women for sex.	5	4	3	2	1	_____
231. Any healthy woman can resist a rapist.	5	4	3	2	1	_____
232. A woman should feel guilty after a sexual assault or rape.	5	4	3	2	1	_____
233. Men who rape women have a serious mental problem.	5	4	3	2	1	_____

234. Women who are sexually assaulted or raped have generally asked for it by the way they dress and act.	5	4	3	2	1	_____
235. A woman cannot be sexually assaulted or raped against her will, unless there is a weapon or more than one attacker.	5	4	3	2	1	_____
236. In general, men rape to show their anger and hatred of women.	5	4	3	2	1	_____
237. If a woman gets a man sexually excited, it's her own fault if he rapes or sexually assaults her.	5	4	3	2	1	_____

(ITEMS 238 - 247 NOT INCLUDED ON THIS SCHEDULE.)

This section deals with your own behavior. I'd like to remind you that all your answers are confidential. I'll read a series of behaviors to you. Please give me your best estimate of the EXACT NUMBER of times you've done each thing during the last year from Christmas a year ago to the Christmas just past. (RECORD A SINGLE NUMBER, NOT A RANGE, AND "0" IF RESPONDENT NEVER ENGAGED IN A BEHAVIOR. FOR ANY BEHAVIOR THAT THE RESPONDENT HAS ENGAGED IN 10 OR MORE TIME IN THE LAST YEAR, ALSO RECORD RESPONSE IN THE SECOND COLUMN, SAYING "Please look at the responses on card number 7, the second blue card, and select the one which best describes how often you were involved in this behavior.")

			ONCE				
		ONCE	EVERY	ONCE	2-3	ONCE	2-3
		A	2-3	A	TIMES	A	TIMES
		MONTH	WEEKS	WEEK	A WEEK	DAY	A DAY
	LAST						

How many time in the YEAR have you:

(REPEAT STEM SEVERAL TIMES)

- |  |       |   |   |   |   |   |   |
|--|-------|---|---|---|---|---|---|
| 248. purposely damaged<br>or destroyed<br>property belonging<br>to your parents<br>or other family<br>members.                           | _____ | 1 | 2 | 3 | 4 | 5 | 6 |
| 249. purposely damaged<br>or destroyed<br>property belonging<br>to a school?   | _____ | 1 | 2 | 3 | 4 | 5 | 6 |
| 250. purposely damaged<br>or destroyed<br>other property that<br>did not belong to<br>you, not counting<br>family or school<br>property? | _____ | 1 | 2 | 3 | 4 | 5 | 6 |
| 251. stolen or tried to<br>steal a motor<br>vehicle, such as a<br>car or motorcycle?   | _____ | 1 | 2 | 3 | 4 | 5 | 6 |
| 252. stolen or tried to<br>steal something<br>worth more than 50\$?  | _____ | 1 | 2 | 3 | 4 | 5 | 6 |

253. knowingly bought,  
sold or held \_\_\_\_\_ 1 2 3 4 5 6  
stolen goods or  
tried to do any  
of these things?
254. found something  
like a wallet or \_\_\_\_\_ 1 2 3 4 5 6  
some jewelry and  
returned it to the  
owner or the police?
255. thrown objects such  
as rocks, snow- \_\_\_\_\_ 1 2 3 4 5 6  
balls, or bottles at  
cars or people?
256. run away from  
home? \_\_\_\_\_ 1 2 3 4 5 6
257. lied about your age  
to gain entrance \_\_\_\_\_ 1 2 3 4 5 6  
or to purchase some-  
thing, for example,  
lying about your age  
to buy liquor or get  
into a movie?
258. carried a hidden  
weapon other than \_\_\_\_\_ 1 2 3 4 5 6  
a plain pocket knife?
259. stolen or tried to  
steal things worth \_\_\_\_\_ 1 2 3 4 5 6  
\$5 or less?
260. attacked someone  
with the idea of \_\_\_\_\_ 1 2 3 4 5 6  
seriously hurting  
or killing him or her?
261. been paid for having  
sexual relations \_\_\_\_\_ 1 2 3 4 5 6  
with someone?
262. had sexual inter-  
course with a \_\_\_\_\_ 1 2 3 4 5 6  
person or the opp-  
osite sex (IF MARRIED,  
ADD other than with  
your wife/husband)?

263. been involved in gang fights? _____	1	2	3	4	5	6
264. sold marijuana or hashish ("POT", "GRASS", "HASH")? _____	1	2	3	4	5	6
265. cheated on school tests? _____	1	2	3	4	5	6
266. hitchhiked where it was illegal to do so? _____	1	2	3	4	5	6
267. helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick? _____	1	2	3	4	5	6
268. stolen money or other things from your parents or other members of your family? _____	1	2	3	4	5	6
*						
269. had or tried to have sexual relations with some- one against their will? _____	1	2	3	4	5	6
270. hit or threatened to hit a teacher or adult at school? _____	1	2	3	4	5	6
271. hit or threatened to hit one of your parents? _____	1	2	3	4	5	6
272. hit or threatened to hit other students? _____	1	2	3	4	5	6
273. been loud, rowdy, or unruly in a public place - disorderly conduct? _____	1	2	3	4	5	6

274. sold hard drugs such as heroin, cocaine, and LSD? (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)	_____	1	2	3	4	5	6
275. taken a vehicle for a ride or drive without the owner's permission?	_____	1	2	3	4	5	6
276. bought or provide liquor for a minor?	_____	1	2	3	4	5	6
277. given money, food, or clothing to someone or some group who needed them very much?	_____	1	2	3	4	5	6
*							
278. pressured or pushed someone such as a date or friend to do more sexually than they wanted to do?	_____	1	2	3	4	5	6
279. used force or strong-arm methods to get money or things from other students?	_____	1	2	3	4	5	6
280. used force or strong-arm methods to get money or things from a teacher or other adult at school?	_____	1	2	3	4	5	6

281. refused to participate when another student asked you to help him or her cheat on an exam?	_____	1	2	3	4	5	6
282. used force or strong-arm methods to get money or things from other people not students or teachers?	_____	1	2	3	4	5	6
283. avoided paying for such things as movies, bus or subway rides, and food?	_____	1	2	3	4	5	6
284. been drunk in a public place?	_____	1	2	3	4	5	6
285. stolen or tried to steal things worth \$5 and \$50?	_____	1	2	3	4	5	6
286. stolen or tried to steal something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library?	_____	1	2	3	4	5	6
287. broken or tried to break into a building or vehicle to steal something or just look around?	_____	1	2	3	4	5	6
288. begged for money or things from strangers?	_____	1	2	3	4	5	6
289. skipped classes without an excuse?	_____	1	2	3	4	5	6

290. failed to return  
 extra change that \_\_\_\_\_ 1 2 3 4 5 6  
 a cashier gave you  
 by mistake?

\*

291. physically hurt  
 or threatened to \_\_\_\_\_ 1 2 3 4 5 6  
 hurt someone to  
 get them to have  
 sex with you?

292. tried to talk  
 your friends out \_\_\_\_\_ 1 2 3 4 5 6  
 of doing something  
 that was against  
 the law?

293. been suspended  
 from school? \_\_\_\_\_ 1 2 3 4 5 6

294. made obscene  
 telephone calls, \_\_\_\_\_ 1 2 3 4 5 6  
 such as calling  
 someone and saying  
 dirty things?

(IF RESPONDENT REPORTS HAVING COMMITTED ONE OR MORE SEXUAL ASSAULTS  
 ON MORE THAN ONE OF THE STARRED ITEMS, ASK, "How many total events  
 were there?" RECORD THIS NUMBER ON THE LINE BELOW.)

\_\_\_\_\_  
 (NUMBER)

(FROM THIS POINT ON, SELECTED ITEMS WILL BE OMITTED FROM THIS  
 SCHEDULE.)

In this set of questions, I'd like to ask you about any drugs you may use, and how often you've used each type of drug in the last year. I'd like to remind you again that your answers will be kept strictly confidential and that last year refers to the period from Christmas a year ago to the Christmas just past. Please use the same blue card again (card number 7) to select your responses. Okay, let's begin.

	ONCE A MONTH	ONCE EVERY 2-3 WEEKS	ONCE A WEEK	2-3 TIMES A WEEK	ONCE A DAY	2-3 TIMES A DAY
	LAST					
	How many times in the YEAR have you:					
	(REPEAT STEM SEVERAL TIMES)					
298.v alcoholic beverages, beer, wine and hard liquor? _____	1	2	3	4	5	6
300. marijuana or hashish ("GRASS", "POT", "HASHISH") _____	1	2	3	4	5	6
301. hallucinogens, "LSD", "mescaline", "peyote", and "acid"? _____	1	2	3	4	5	6
303. amphetamines, "uppers", "speed", "whites"? _____ (IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY, SAY: "People can take amphetamines to lose weight, to stay awake, or to make them feel they have more energy.")	1	2	3	4	5	6
304. barbiturates, "downers", "reds"? (IF _____ RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY, SAY: "These drugs can be used for calming down, reducing tension, and getting to sleep.")	1	2	3	4	5	6

306. heroin ("HORSE",  
"SMACK")? \_\_\_\_\_ 1 2 3 4 5 6
307. cocaine ("COKE")? \_\_\_\_\_ 1 2 3 4 5 6

Now that you've told me about the things you've done, I'd like to know how many times each of the following things has happened to you in the last year, from Christmas a year ago to the Christmas just past.

How many times in the LAST YEAR: (REPEAT STEM UNTIL FAMILIAR)

329. has something been taken directly from you \_\_\_\_\_  
or an attempt made to do so by force or  
threatening to hurt you?

\*  
330. have you been beaten you by your mother or \_\_\_\_\_  
father? (IF ONE OR MORE TIMES:)

Did this attack involve an attempt to force Yes No  
sex on you? 2 1

331. has your car, motorcycle or bicycle been stolen \_\_\_\_\_  
or an attempt to do so?

332. have things been taken from your car, motorcycle \_\_\_\_\_  
or bike such as hubcaps, books or packages,  
or bike locks?

333. have any of your things been damaged on purpose, \_\_\_\_\_  
such as car or bike tires slashed or books and  
clothing ripped up?

334. have some of your things, such as your jacket, \_\_\_\_\_  
notebooks, or sports equipment been stolen from  
a public place such as a school cafeteria,  
restaurant or bowling alley?

\*  
335. have you been sexually attacked or raped or an \_\_\_\_\_  
attempt to do so?



340. (IF RESPONDENT HAS COMMITTED A SEXUAL ASSAULT (BLOCKED ITEMS #269, #278 AND #291), ASK QUESTIONS #341 THROUGH #359. IF MORE THAN ONE ASSAULT WAS REPORTED, ASK ABOUT THE MOST RECENT EVENT AND CIRCLE THE NUMBER OF THE BLOCKED ITEM WHICH INCLUDES THIS EVENT.

IF RESPONDENT HAS BEEN SEXUALLY ASSAULTED (BLOCKED ITEMS #330, #335, #336, #337 AND #338), ASK QUESTIONS #360 THROUGH #386. IF MORE THAN ONE ASSAULT WAS REPORTED, ASK ABOUT THE MOST RECENT EVENT AND CIRCLE THE NUMBER OF THE BLOCKED ITEM WHICH INCLUDED THIS EVENT.

IF THESE QUESTIONS ARE NOT APPLICABLE, SKIP TO QUESTION #387, AND CONCLUDE THIS INTERVIEW.)

SEXUAL ASSAULT OFFENDER

The following set of questions are related to the event you reported earlier in the interview of having pressured someone to do more sexually than they wanted to do. For purposes of this interview, we are interested in the sexual situation in which contact with the private parts of your body or another person's body was brought about by pressure from you. Please remember that all your answers are confidential and that your name will not appear anywhere on the interview. (AT THIS POINT, IT IS POSSIBLE THE RESPONDENT WILL SAY THAT WHAT HE/SHE REPORTED DOES NOT FALL WITHIN OR DEFINITION AS STATED ABOVE. IF THE RESPONDENT DOES NOT VOLUNTARILY DESCRIBE WHAT HE/SHE DID DO, GO BACK TO THE BLOCKED ITEM AND ASK, What did you mean when you said that (READ BLOCKED ITEM). RECORD RESPONSE BUT DO NOT PROBE FURTHER IF RESPONDENT IS EMBARRASSED, HOSTILE, ETC. IF YOU SUSPECT THE RESPONDENT HAS CHANGED HIS/HER ANSWER TO AVOID THE OFFENDER QUESTIONS. PLEASE INDICATE WHAT MADE YOU THINK THIS.)

Before beginning, remember that we are talking about the most recent event.

341. When did the event take place? (DO NOT READ THE FOLLOWING LIST.)

- \_\_\_\_\_ (1) January - March, 1978
- \_\_\_\_\_ (2) April - June, 1978
- \_\_\_\_\_ (3) July - September, 1978
- \_\_\_\_\_ (4) October - December, 1978

342. Where did the event take place? (DO NOT READ THE FOLLOWING LIST. CHECK ALL THAT APPLY. DO NOT ALLOW PLACE NAMES SUCH AS CHICAGO, NEW YORK, ETC.)

- (1) Victim's house or apartment
- (2) Offender's house or apartment
- (3) Someone else's house or apartment
- (4) Other buildings or enclosed structures (such as schools, stairwells, empty buildings, etc.)
- (5) Motel/hotel room
- (6) Car, van, truck, or other vehicle
- (7) Street or alley
- (8) Other outside (such as beach, field, in the hills or mountains, backyard, etc.)
- (9) Other (specify) \_\_\_\_\_

We've now completed the formal part of the interview, but I'd like to give you a chance to add comments to the information you've already given me.

387. Would you like to explain any of your answers further? \_\_\_\_\_

---

---

---

388. Were there any specific questions I asked that made you feel particularly uncomfortable?

IF YES, WHICH ONES? \_\_\_\_\_

---

---

389. What questions would you ask if you really wanted to learn about people your age?

---

---

---

390. Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

Good Understanding  
1

Poor Understanding  
2

Comments: \_\_\_\_\_

---

---

---

Thank you very much for your participation in this study.



6. Thumbnail Sketch and Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302

INFORMED YOUTH CONSENT FORM

The Behavioral Research Institute of Boulder, Colorado, is continuing its national study of youth, ages 11 - 20, in the United States. This study will give us information on delinquent and conforming behavior in American youth, as well as causes of this behavior. It is hoped that this information will help us understand delinquency and plan better programs to reduce delinquency. As part of the study, we plan to check police records. In the event a youth has had some contact with police, information on the date and reason for the contact and any police action taken will be collected.

PARTICIPATION REQUIREMENTS AND GUARANTEES

You are free to choose whether or not you want to be involved in this part of the study. If you agree to participate, you have the right to end your participation at any time during the course of the study. The check of police records may or may not result in any information about you. However, any information from police records is very personal and you may have some concern or worry about the confidentiality of such information. We promise you that all such information will be kept strictly confidential by BRI. Your name will not appear with any of the information from the records search. Codes which are known only to BRI staff will be used in place of names. Name-code lists will be kept apart from the police contact information in an Institute safe and will be destroyed once the study is over. At that point, all young people who took part in the study will become unknown even to the Institute staff.

Further, your confidentiality is protected by a Special Assurance for the Protection of Human Subjects Agreement and a Certificate of Confidentiality from the U.S. Department of Health, Education and Welfare, which guarantees you that no individual information will be given to other persons or agencies. You are welcome to examine both of these documents if you wish. Finally, none of this information will be reported on an individual basis by BRI. All reports will present data for groups only.

The person from BRI will be happy to answer any questions you might have about taking part in the police records check. Each participant in the study will be given a copy of this form (the Consent Form), and any other questions you have later may be sent to:

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302  
Phone: (303) 444-1682

CONSENT

I have read the above description of the police records check for the National Survey of Youth and the participation requirements and guarantees. I understand the procedures to be followed and the promises of confidentiality for all information gathered. I understand that I am giving permission to the Behavioral Research Institute to check police records for any contacts I might have had; and for the release of information to BRI about the date and reason for contacts and about police action taken. It is also my understanding that participation in this study at any time. I have had a chance to look at BRI's Special Assurance Agreement with the U.S. Department of Health, Education and Welfare, and BRI's Certificate of Confidentiality from the Department of Health, Education Welfare.

Subject's Name \_\_\_\_\_

Subject's Signature \_\_\_\_\_

Date \_\_\_\_\_

Signed copies of this form will be kept in locked files at the Behavioral Research Institute offices in Boulder, Colorado.

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302

INFORMED PARENTAL CONSENT FORM

The Behavioral Research Institute of Boulder, Colorado, is continuing its national study of youth, ages 11-20, in the United States. This study will provide information on the extent and types of delinquent behavior and conforming behavior in American youth, as well as causes of this behavior. This information will be valuable in understanding delinquency and planning better programs for youth. As part of the study, we plan to check police records. In the event a youth has had some contact with police, information on the date and reason for the contact and any police action will be collected.

PARTICIPATION REQUIREMENTS AND GUARANTEES

Participation in this phase of the study is strictly voluntary. If you agree to your child's participation, you have the right to end his or her participation at any time during the course of the study. The check of police records may or may not result in any information about your child. Information from police records is very personal, so to avoid any possible concern or anxiety, we assure you that all such information will be kept strictly confidential by BRI and will be protected by a Federal guarantee against any legal action. NO NAMES WILL APPEAR WITH ANY OF THE INFORMATION from the records search. Codes which are known only by BRI staff will be used in place of names. Name-code lists will be kept separate from the police contact information in an Institute safe and will be destroyed once the study is completed. At that point, all youth who took part in the study will become anonymous even to the Institute staff.

Further, the confidentiality of information is protected by a Special Assurance for the Protection of Human Subjects Agreement, a Privacy Certification with the United States Department of Justice, by Federal Regulations (28 CFR Part 22), and by a Certificate of Confidentiality from the U.S. Department of Health, Education and Welfare, which guarantee that no individual information will be given to other persons or agencies. You are welcome to examine these documents if you wish. Finally, none of this information will be reported on an individual basis by BRI. All Reports will present data for groups only.

The interviewer from BRI will be happy to answer any questions you might have about your child's participation in the police records check. Each youth participant and parent in the study will be given a copy of this Consent Form and any other questions you may have later may be directed to:

Behavioral Research Institute  
2305 Canyon Boulevard  
Boulder, Colorado 80302  
Phone: (303) 444-1682

## CONSENT

I have read the above description of the police records check for the National Youth Survey and the participation requirements and guarantees. I understand the procedures to be followed and the promises of confidentiality for all information gathered. I understand that I am giving permission to the Behavioral Research Institute to check police records for any contacts my child might have had; and for the release of information to BRI about the data and reason for contacts and about police action taken. It is also my understanding that participation is voluntary and I may withdraw my agreement for my child to take part and stop his/her participation in this study at any time. I have had a chance to look at BRI's Special Assurance Agreement with the U.S. Department of Health, Education and Welfare, and the Privacy Certification with the U.S. Department of Justice.

Subject's Name: \_\_\_\_\_

Parent or Guardian's Name: \_\_\_\_\_

Parent or Guardian's Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Signed copies of this form will be kept in locked files at the behavioral Research Institute Offices in Boulder, Colorado.