

National Youth Survey [United States]: Wave VII, 1987

Delbert Elliott

University of Colorado. Institute of Behavioral Science

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

****Processor Note****
NYS WAVE 7 1987
National Youth Survey

Processor Notes on Version 3

1. All HHLID#, RESP#, & SSMPL# variables where # was larger than 1 were dropped as these variables are obsolete given that data is no longer stored on cards
2. Variable Y7_1196 was dropped for this release as all records in study were set to missing for this variable in the original data set.
3. Variables Y7_1589 – Y7_1729 were dropped to reduce disclosure risk.
4. Codebook section “UPDATED COLUMN LOCATIONS” was dropped for the 3rd version as such information can now be found in the “FREQUENCIES” section. Users are advised to use column locations from this section instead of those given in the body of the original codebook because these are no longer consistent with the data file.

Processor Notes on Version 2

1. For the second version of this data collection, the data were converted from card image format to logical record length (LRECL)format
2. Sixty variables related to the old card image format were dropped from the data file, including all variable names beginning with BLANK, BLNK, and CARD.
3. The SPSS and SAS data definition statements were also updated to reflect the LRECL data format.
4. Stata data definition statements were added to the collection.
5. Column location specifications in the body of the codebook reflect the 1st version and are no longer consistent with the data file due to the format change. The new column locations are documented under "UPDATED COLUMN LOCATIONS".

TABEL OF CONTENTS

Sections	Page
CODEBOOK	
1) FREQUENCIES	1
a) Identification	1
b) Respondent Characteristics	3
c) Life Events	8
d) Disruptive Events for Parents	20
e) Neighborhood Problems	35
f) Social Integration	43
i) Friends	43
ii) Education	52
iii) Employment	62
iv) Partner	113
v) Family	129
vi) Children	143
vii) Religion	165
g) Aspirations	166
h) Normlessness	173
i) Labeling by Parents	186
j) Perceived Disapproval	192
i) Perceived Disapproval by Parents	192
ii) Perceived Disapproval by Peers	198
iii) Perceived Disapproval from People at Work	203
iv) Perceived Disapproval by Partner	208
k) Attitudes Towards Deviance	213
l) Exposure to Delinquent Peers	221
m) Self-Reported Delinquency	229
n) Substance Use	407
i) Alcohol	407
ii) Tobacco	409
iii) Marijuana	412
iv) Hallucinogens	414
v) Tranquilizers	416
vi) Amphetamines	418
vii) Barbiturates	420
viii) Codeine	422
ix) Heroin	424
x) Crack Cocaine	426
xi) Cocaine	428
xii) Inhalants	430
xiii) PCP	432
xiv) Other Substances	434
xv) Problem Behavior Resulting from Drug or Alcohol Use	439

Sections	Page
FREQUENCIES continued	
o) Self-Reported Delinquency	464
i) Self-Reported Delinquency – Lifetime	464
ii) Self-Reported Delinquency – 1984 and 1985	475
p) Interactions with Law Enforcement	507
i) Police Arrests	507
ii) Police Questioning	536
iii) Legal Detainment	542
iv) Likelihood of Being Punished for Illegal Behavior	546
v) Type of Punishment for Illegal Behavior	551
q) Guilt/Remorse/Personal Discomfort from acts	576
r) Victimization	563
s) Respondent’s Health	595
i) Physical Health	595
ii) Depression	623
iii) Use of Outpatient Services	645
t) Spousal Abuse	700
i) Spouse Abuse by Respondent	700
ii) Spouse Abuse by Partner	706
u) Sexual Activity	716
v) Respondent Observations	738
w) Interviewer Observations	741
x) Additional Self-Reported Delinquency	746
APPENDICES	
2) Appendix A: Original Codebook	757
3) Appendix B: Self-Reported Arrest and Police Contact Codes	859

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

1,725 cases (Range of valid codes: 1-1725)

Data type: numeric
 Missing-data code: -1
 Columns: 1-8

DTSET1 DATA SET NAME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	1,725	183	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 9-12

SSMPL1 SSMPL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.1	985	1	
42.9	42.9	740	2	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 13-14

HHL1 HOUSEHOLD ID

1,725 cases (Range of valid codes: 3-9895)

Data type: numeric
 Missing-data code: -1
 Columns: 15-18

RESP1	RESPONDENT ID			
-------	---------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	60.5	1,043	2	
27.2	27.2	469	3	
9.3	9.3	160	4	
2.4	2.4	41	5	
0.6	0.6	10	6	
0.1	0.1	2	7	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 19-20

Y7_3**ETHNICITY**

(ASK THIS QUESTION ONLY IF YOU CANNOT VISUALLY DETERMINE)

Which one of these groups best describes you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	78.9	1,361	1	Anglo
15.1	15.1	260	2	Black
4.4	4.4	76	3	Hispanic
0.5	0.5	8	4	American Indian
1.0	1.0	17	5	Asian
0.2	0.2	3	6	Other
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 25-26

Y7_7**AGE**

That makes you how old now?

Min	= 21	Mean	= 23.874
Max	= 27	Std Dev	= 1.945
Median	= 24	Variance	= 3.782

(Based on 1,725 valid cases)

Data type: numeric

Missing-data code: -1

Columns: 27-28

Y7_8**MILITARY IN 1984**

Were you in the military (including the coastguard) during 1984?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	76.0	1,311	1	No
5.3	4.2	73	2	Yes
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 29-30

Y7_9	MILITARY IN 1985
-------------	-------------------------

Were you in the military (including the coastguard) during 1985?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	76.2	1,315	1	No
5.0	4.0	69	2	Yes
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 31-32

Y7_10	MILITARY IN 1986
--------------	-------------------------

Were you in the military (including the coastguard) during 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	76.5	1,319	1	No
4.7	3.8	65	2	Yes
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 33-34

Y7_11

BRANCH OF MILITARY

What branch of the military?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	1.7	29	1	Army
14.8	0.8	13	2	Navy
18.2	0.9	16	3	Air Force
13.6	0.7	12	4	Marines
1.1	0.1	1	5	Coast Guard
19.3	1.0	17	6	Inactive
	94.9	1,637	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 35-36

Y7_12

MARITAL STATUS

What is your present marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	40.3	696	1	Single
43.3	34.7	599	2	Married
3.5	2.8	49	3	Divorced
2.8	2.3	39	4	Separated
0.1	0.1	1	5	Widowed
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 37-38

Y7_13	IF SINGLE: Ever Married?
-------	--------------------------

(IF SINGLE)

Have you ever been married?

VALID	PCT	PCT	N	VALUE	LABEL
	99.3	40.0	690	1	No
	0.7	0.3	5	2	Yes
		59.7	1,030	-1	
-----	-----	-----			
100.0	100.0		1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 39-40

LIFE EVENTS

Y7_14	MARRIED IN 1984
--------------	------------------------

(IF YES TO Y7_13)

Were you married at any time in 1984?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	1	No
20.0	0.1	1	2	Yes
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 41-42

Y7_15	MARRIED IN 1985
--------------	------------------------

(IF YES TO Y7_13)

Were you married at any time in 1985?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	No
25.0	0.1	1	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 43-44

Y7_16	MARRIED IN 1986
--------------	------------------------

(IF YES TO Y7_13)

Were you married at any time in 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	1	No
25.0	0.1	1	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 45-46

Y7_17	SPOUSE SERIOUS ACCIDENT
--------------	--------------------------------

(IF MARRIED DURING 1984, 1985 or 1986)

Did your spouse have a serious accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	33.6	580	1	No
6.5	2.3	40	2	Yes
	64.1	1,105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 47-48

Y7_18

SPOUSE SERIOUS ACCIDENT-MONTH

(IF YES TO Y7_17)

When? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.2	4	1	Jan
7.5	0.2	3	2	Feb
5.0	0.1	2	3	Mar
5.0	0.1	2	4	Apr
7.5	0.2	3	5	May
10.0	0.2	4	6	Jun
10.0	0.2	4	7	Jul
5.0	0.1	2	8	Aug
10.0	0.2	4	9	Sept
7.5	0.2	3	10	Oct
7.5	0.2	3	11	Nov
10.0	0.2	4	12	Dec
5.0	0.1	2	99	
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 49-50

Y7_19	SPOUSE SERIOUS ACCIDENT-YEAR
--------------	-------------------------------------

(IF YES TO Y7_17)

When? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	17	All Year
30.0	0.7	12	84	1984
22.5	0.5	9	85	1985
45.0	1.0	18	86	1986
2.5	0.1	1	99	Dont Know
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 51-52

Y7_20	SPOUSE SERIOUS ILLNESS
--------------	-------------------------------

(IF MARRIED DURING 1984, 1985 or 1986)

Did your spouse have a serious illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	34.0	587	1	No
5.3	1.9	33	2	Yes
	64.1	1,105	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 53-54

Y7_21	SPOUSE SERIOUS ILLNESS-MONTH
-------	------------------------------

(IF YES TO Y7_20)

When? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.1	2	1	Jan
6.1	0.1	2	2	Feb
3.0	0.1	1	3	Mar
3.0	0.1	1	4	Apr
15.2	0.3	5	5	May
6.1	0.1	2	6	Jun
12.1	0.2	4	7	Jul
3.0	0.1	1	8	Aug
3.0	0.1	1	9	Sept
0.0	0.0	0	10	Oct
9.1	0.2	3	11	Nov
6.1	0.1	2	12	Dec
3.0	0.1	1	16	
18.2	0.3	6	17	
6.1	0.1	2	99	
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 55-56

Y7_22	SPOUSE SERIOUS ILLNESS-YEAR
--------------	------------------------------------

(IF YES TO Y7_20)

When? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	17	All Year
21.2	0.4	7	84	1984
30.3	0.6	10	85	1985
48.5	0.9	16	86	1986
0.0	0.0	0	99	Dont Know
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 57-58

Y7_23	SPOUSE UNEMPLOYED
--------------	--------------------------

(IF MARRIED DURING 1984, 1985 or 1986)

Was your spouse unemployed for two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	23.1	399	1	No
35.4	12.7	219	2	Yes
	64.2	1,107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 59-60

Y7_24

SPOUSE UNEMPLOYED 1984-MOS

(IF YES TO Y7_23)

How many months in 1984?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	4.3	75	0	
0.6	0.1	1	1	Jan84
4.0	0.4	7	2	Feb84
5.2	0.5	9	3	Mar84
4.6	0.5	8	4	Apr84
0.6	0.1	1	5	May84
9.2	0.9	16	6	Jun84
0.6	0.1	1	7	Jul84
0.0	0.0	0	8	Aug84
1.1	0.1	2	9	Sept84
0.0	0.0	0	10	Oct84
0.6	0.1	1	11	Nov84
29.9	3.0	52	12	Dec84
0.6	0.1	1	99	
	89.9	1,551	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 61-62

Y7_25	SPOUSE UNEMPLOYED 1985-MOS
-------	----------------------------

(IF YES TO Y7_23)

How many months in 1985?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	3.8	66	0	
1.5	0.2	3	1	Jan85
9.1	1.0	18	2	Feb85
6.6	0.8	13	3	Mar85
6.6	0.8	13	4	Apr85
1.5	0.2	3	5	May85
8.1	0.9	16	6	Jun85
0.5	0.1	1	7	Jul85
1.5	0.2	3	8	Aug85
1.5	0.2	3	9	Sept85
1.0	0.1	2	10	Oct85
0.0	0.0	0	11	Nov85
28.8	3.3	57	12	Dec85
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 63-64

Y7_26	SPOUSE UNEMPLOYED 1986-MOS
--------------	-----------------------------------

(IF YES TO Y7_23)

How many months in 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	3.4	58	0	
0.5	0.1	1	1	Jan86
9.5	1.2	20	2	Feb86
7.1	0.9	15	3	Mar86
5.7	0.7	12	4	Apr86
1.9	0.2	4	5	May86
9.5	1.2	20	6	Jun86
3.3	0.4	7	7	Jul86
5.2	0.6	11	8	Aug86
1.4	0.2	3	9	Sept86
1.9	0.2	4	10	Oct86
2.4	0.3	5	11	Nov86
23.8	2.9	50	12	Dec86
	87.8	1,515	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 65-66

Y7_27	RESPONDENT SERIOUS ACCIDENT
--------------	------------------------------------

Did you have a serious accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	73.3	1,265	1	No
8.5	6.8	118	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 67-68

Y7_28	RESPONDENT SERIOUS ACCIDENT-MOS
--------------	--

(IF YES TO Y7_27)

When? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.8	14	1	Jan
7.6	0.5	9	2	Feb
3.4	0.2	4	3	Mar
5.9	0.4	7	4	Apr
11.0	0.8	13	5	May
9.3	0.6	11	6	Jun
5.9	0.4	7	7	Jul
8.5	0.6	10	8	Aug
4.2	0.3	5	9	Sept
11.9	0.8	14	10	Oct
5.9	0.4	7	11	Nov
9.3	0.6	11	12	Dec
5.1	0.3	6	99	
	93.2	1,607	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 69-70

Y7_29	RESP SERIOUS ACCID-1984,1985,1986
--------------	--

(IF YES TO Y7_27)

When? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	2.1	36	84	1984
23.7	1.6	28	85	1985
44.1	3.0	52	86	1986
1.7	0.1	2	99	
	93.2	1,607	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 71-72

Y7_30	RESPONDENT SERIOUS ILLNESS
--------------	-----------------------------------

Did you have a serious illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	75.8	1,307	1	No
5.6	4.5	77	2	Yes
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 73-74

Y7_31	RESPONDENT SERIOUS ILLNESS-MOS
--------------	---------------------------------------

(IF YES TO Y7_30)

When? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	0.2	3	1	Jan
6.6	0.3	5	2	Feb
6.6	0.3	5	3	Mar
3.9	0.2	3	4	Apr
7.9	0.3	6	5	May
10.5	0.5	8	6	Jun
2.6	0.1	2	7	Jul
1.3	0.1	1	8	Aug
9.2	0.4	7	9	Sept
10.5	0.5	8	10	Oct
10.5	0.5	8	11	Nov
17.1	0.8	13	12	Dec
5.3	0.2	4	17	
3.9	0.2	3	99	
	95.6	1,649	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 75-76

Y7_32	RESP SERIOUS ILLNESS-1984,85,86
-------	---------------------------------

(IF YES TO Y7_30)

When? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	1.0	18	84	1984
30.3	1.3	23	85	1985
46.1	2.0	35	86	1986
	95.6	1,649	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 77-78

Y7_35	PARENTS DIVORCE-1986
--------------	-----------------------------

In 1986, have any of the following events happened to your parents . . .

Divorce?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	79.0	1,362	1	No
1.2	1.0	17	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 83-84

Y7_36	PARENTS SEPARATION-1984
--------------	--------------------------------

In 1984, have any of the following events happened to your parents . . .

Separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	78.3	1,351	1	No
2.0	1.6	28	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 85-86

Y7_37

PARENTS SEPARATION-1985

In 1985, have any of the following events happened to your parents . . .

Separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	78.4	1,352	1	No
2.0	1.6	27	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 87-88

Y7_38

PARENTS SEPARATION-1986

In 1986, have any of the following events happened to your parents . . .

Separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	78.1	1,347	1	No
2.3	1.9	32	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 89-90

Y7_39	PARENTS REMARRIAGE-1984
--------------	--------------------------------

In 1984, have any of the following events happened to your parents . . .

Remarriage?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	78.3	1,350	1	No
1.7	1.4	24	2	Yes
	20.3	351	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 91-92

Y7_40	PARENTS REMARRIAGE-1985
--------------	--------------------------------

In 1985, have any of the following events happened to your parents . . .

Remarriage?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	78.9	1,361	1	No
0.9	0.8	13	2	Yes
	20.3	351	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 93-94

Y7_41	PARENTS REMARRIAGE-1986
--------------	--------------------------------

In 1986, have any of the following events happened to your parents . . .

Remarriage?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	78.1	1,347	1	No
2.0	1.6	27	2	Yes
	20.3	351	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 95-96

Y7_42	PARENTS DEATH-1984
--------------	---------------------------

In 1984, have any of the following events happened to your parents . . .

Death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	79.1	1,365	1	No
1.1	0.9	15	2	Yes
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 97-98

Y7_43	PARENTS DEATH-1985
--------------	---------------------------

In 1985, have any of the following events happened to your parents . . .

Death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.2	1,367	1	No
0.9	0.8	13	2	Yes
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 99-100

Y7_44	PARENTS DEATH-1986
--------------	---------------------------

In 1986, have any of the following events happened to your parents . . .

Death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	78.6	1,355	1	No
1.8	1.4	25	2	Yes
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 101-102

Y7_45

PARENTS SERIOUS ACCIDENT-1984

In 1984, have any of the following events happened to your
parents . . .

Serious Accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	79.1	1,365	1	No
1.0	0.8	14	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 103-104

Y7_46

PARENTS SERIOUS ACCIDENT-1985

In 1985, have any of the following events happened to your
parents . . .

Serious Accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.2	1,367	1	No
0.9	0.7	12	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 105-106

Y7_47	PARENTS SERIOUS ACCIDENT-1986
--------------	--------------------------------------

In 1986, have any of the following events happened to your parents . . .

Serious Accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	78.6	1,355	1	No
1.7	1.4	24	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 107-108

Y7_48	PARENTS SERIOUS ILLNESS-1984
--------------	-------------------------------------

In 1984, have any of the following events happened to your parents . . .

Serious Illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	75.4	1,300	1	No
5.6	4.5	77	2	Yes
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 109-110

Y7_49

PARENTS SERIOUS ILLNESS-1985

In 1985, have any of the following events happened to your parents . . .

Serious Illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	76.3	1,316	1	No
4.4	3.5	61	2	Yes
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 111-112

Y7_50

PARENTS SERIOUS ILLNESS-1986

In 1986, have any of the following events happened to your parents . . .

Serious Illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	74.1	1,278	1	No
7.2	5.7	99	2	Yes
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 113-114

Y7_51	FATHER LOST JOB-1984
--------------	-----------------------------

In 1984, have any of the following events happened to your parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	73.0	1,260	1	No
4.2	3.2	55	2	Yes
	23.8	410	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 115-116

Y7_52	FATHER LOST JOB-1985
--------------	-----------------------------

In 1985, have any of the following events happened to your parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	73.0	1,259	1	No
4.3	3.2	56	2	Yes
	23.8	410	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 117-118

Y7_53

FATHER LOST JOB-1986

In 1986, have any of the following events happened to your parents . . .

Did your father (FATHER FIGURE) lose his job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	71.7	1,237	1	No
5.9	4.5	78	2	Yes
	23.8	410	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 119-120

Y7_54

MOTHER LOST JOB-1984

In 1984, have any of the following events happened to your parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	78.0	1,346	1	No
1.8	1.4	24	2	Yes
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 121-122

Y7_55	MOTHER LOST JOB-1985
--------------	-----------------------------

In 1985, have any of the following events happened to your parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	77.1	1,330	1	No
2.9	2.3	40	2	Yes
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 123-124

Y7_56	MOTHER LOST JOB-1986
--------------	-----------------------------

In 1986, have any of the following events happened to your parents . . .

Did your Mother (MOTHER FIGURE) lose her job for a period of two months or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	76.9	1,326	1	No
3.2	2.6	44	2	Yes
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 125-126

Y7_57

LIVED WITH LONGEST

Who did you live with during 1986?

(CHECK AS MANY CATEGORIES AS APPLY)

(IF MORE THAN ONE ASK, Who did you live with the longest?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	12.1	209	1	Mother and Father
6.4	5.2	89	2	Mother only
1.2	1.0	17	3	Father only
1.1	0.9	15	4	Mother/Stepfather
0.2	0.2	3	5	Father/Stepmother
38.7	31.0	535	6	Spouse
12.3	9.9	170	7	Roommate
7.3	5.9	101	8	Bfriend/gfriend
11.2	9.0	155	9	Alone
1.2	0.9	16	10	Military
0.3	0.2	4	11	Other
0.3	0.2	4	12	Mother/other (reltd or not)
0.0	0.0	0	13	Father/other (reltd or not)
0.0	0.0	0	14	Mother/father/other
2.3	1.9	32	15	Relatives (not parents)
0.0	0.0	0	16	In-laws
0.6	0.5	8	17	Spouse and in-laws
0.3	0.2	4	18	Prison
0.6	0.5	8	19	Spouse and parents
0.1	0.1	2	20	Boyfr/girlfr/parents
0.0	0.0	0	21	Boyfr/girlfr/in-laws
0.2	0.2	3	22	Boyfr/girlfr
0.7	0.5	9	23	Alone w/own children
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 127-128

Y7_58	LIVED WITH 2ND LONGEST
-------	------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
76.3	61.2	1,056	0	
4.6	3.7	64	1	Mother and Father
1.7	1.3	23	2	Mother only
0.1	0.1	2	3	Father only
0.6	0.5	8	4	Mother/Stepfather
0.4	0.3	5	5	Father/Stepmother
2.5	2.0	34	6	Spouse
4.2	3.4	58	7	Roommate
1.9	1.5	26	8	Bfriend/gfriend
4.3	3.4	59	9	Alone
1.0	0.8	14	10	Military
0.0	0.0	0	11	Other
0.0	0.0	0	12	Mother/other (reltd or not)
0.1	0.1	1	13	Father/other (reltd or not)
0.1	0.1	1	14	Mother/father/other
1.4	1.1	19	15	Relatives (not parents)
0.1	0.1	1	16	In-laws
0.4	0.3	5	17	Spouse and in-laws
0.1	0.1	2	18	Prison
0.1	0.1	2	19	Spouse and parents
0.0	0.0	0	20	Boyfr/girlfr/parents
0.1	0.1	1	21	Boyfr/girlfr/in-laws
0.0	0.0	0	22	Boyfr/girlfr
0.2	0.2	3	23	Alone w/own children
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 129-130

Y7_59

LIVED WITH 3RD LONGEST

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	77.8	1,342	0	
0.9	0.8	13	1	Mother and Father
0.2	0.2	3	2	Mother only
0.0	0.0	0	3	Father only
0.0	0.0	0	4	Mother/Stepfather
0.0	0.0	0	5	Father/Stepmother
0.1	0.1	2	6	Spouse
0.6	0.5	8	7	Roommate
0.1	0.1	2	8	Bfriend/gfriend
0.4	0.3	5	9	Alone
0.1	0.1	2	10	Military
0.0	0.0	0	11	Other
0.0	0.0	0	12	Mother/other (reltd or not)
0.0	0.0	0	13	Father/other (reltd or not)
0.0	0.0	0	14	Mother/father/other
0.4	0.3	5	15	Relatives (not parents)
0.0	0.0	0	16	In-laws
0.1	0.1	1	17	Spouse and in-laws
0.0	0.0	0	18	Prison
0.0	0.0	0	19	Spouse and parents
0.0	0.0	0	20	Boyfr/girlfr/parents
0.1	0.1	1	21	Boyfr/girlfr/in-laws
0.0	0.0	0	22	Boyfr/girlfr
0.0	0.0	0	23	Alone w/own children
	19.8	341	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 131-132

NEIGHBORHOOD PROBLEMS

Y7_60 NEIGH PROB-HIGH UNEMPLOYMENT

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

High unemployment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	44.8	773	1	Not a problem
31.2	25.0	431	2	Somewhat of a problem
12.8	10.2	176	3	Big problem
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 133-134

Y7_61 NEIGH PROB-RACIAL CONFLICT

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Different racial or cultural groups who do not get along with each other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	62.2	1,073	1	Not a problem
18.6	14.9	257	2	Somewhat of a problem
3.8	3.0	52	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 135-136

Y7_62**NEIGH PROB-VANDALISM**

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Vandalism, buildings and personal belongings broken and torn up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	46.8	808	1	Not a problem
32.6	26.1	450	2	Somewhat of a problem
9.0	7.2	124	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 137-138

Y7_63**NEIGH PROB-LAWLESSNESS**

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Little respect for rules, laws and authority

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	50.5	871	1	Not a problem
29.4	23.5	406	2	Somewhat of a problem
7.6	6.1	105	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 139-140

Y7_64	NEIGH PROB-WINOS AND JUNKIES
--------------	-------------------------------------

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Winos and junkies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	63.7	1,099	1	Not a problem
13.8	11.1	191	2	Somewhat of a problem
6.5	5.2	90	3	Big problem
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 141-142

Y7_65	NEIGH PROB-PROSTITUTION
--------------	--------------------------------

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Prostitution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	72.3	1,248	1	Not a problem
6.5	5.2	90	2	Somewhat of a problem
3.2	2.6	44	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 143-144

Y7_66

NEIGH PROB-TRAFFIC

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Heavy vehicle traffic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	41.1	709	1	Not a problem
36.4	29.2	503	2	Somewhat of a problem
12.3	9.9	170	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 145-146

Y7_67

NEIGH PROB-ABANDONED HOUSES

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Abandoned houses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	69.1	1,192	1	Not a problem
10.8	8.6	149	2	Somewhat of a problem
3.0	2.4	41	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 147-148

Y7_68	NEIGH PROB-SEX ASSAULTS/RAPES
--------------	--------------------------------------

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Sexual assaults or rapes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	65.3	1,126	1	Not a problem
15.7	12.6	217	2	Somewhat of a problem
2.8	2.3	39	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 149-150

Y7_69	NEIGH PROB-BURGLARIES/THEFTS
--------------	-------------------------------------

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Burglaries and thefts

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	44.3	765	1	Not a problem
36.5	29.2	504	2	Somewhat of a problem
8.2	6.6	113	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 151-152

Y7_70

NEIGH PROB-GAMBLING

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Gambling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	70.3	1,213	1	Not a problem
9.4	7.5	130	2	Somewhat of a problem
2.8	2.2	38	3	Big problem
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 153-154

Y7_71

NEIGH PROB-RUN DOWN BUILDINGS

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Run down and poorly kept buildings and yards

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	58.8	1,014	1	Not a problem
21.2	17.0	293	2	Somewhat of a problem
5.4	4.3	75	3	Big problem
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 155-156

Y7_72 NEIGH PROB-ORGANIZED CRIME

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Syndicate, mafia, or organized crime

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	74.9	1,292	1	Not a problem
4.7	3.8	65	2	Somewhat of a problem
1.5	1.2	21	3	Big problem
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 157-158

Y7_73 NEIGH PROB-ASSAULTS/MUGGINGS

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Assaults and muggings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	65.9	1,137	1	Not a problem
14.2	11.4	196	2	Somewhat of a problem
3.5	2.8	48	3	Big problem
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 159-160

Y7_74

NEIGH PROB-DELINQUENT GANGS

Please tell me whether you think each was a problem in your neighborhood or area where you lived for most of last year (1986).

Delinquent gangs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	68.9	1,188	1	Not a problem
10.6	8.5	146	2	Somewhat of a problem
3.4	2.7	47	3	Big problem
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 161-162

Y7_76**ANY CLOSE FRIENDS**

(IF NO TO Y7_75)

Did you have any close friends?

(IF YES, SKIP TO Y7_79)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	7.2	124	1	No
68.7	15.8	272	2	Yes
	77.0	1,329	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 165-166

Y7_77**HOW IMPORTANT TO HAVE FRIENDS**

(IF NO TO Y7_76)

How important is it to you to have a group of friends and be included in their activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	1.9	33	1	Not important at all
31.5	3.7	64	2	Not too important
32.0	3.8	65	3	Somewhat important
11.3	1.3	23	4	Pretty important
8.9	1.0	18	5	Very important
	88.2	1,522	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 167-168

Y7_78	STRESS FROM NOT HAVING FRIENDS
--------------	---------------------------------------

Do you feel any stress or pressure as a result of not having a group of friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	5.7	99	1	Very little
33.7	3.9	67	2	Not too much
11.1	1.3	22	3	Some
4.0	0.5	8	4	Quite a bit
1.5	0.2	3	5	A great deal
	88.5	1,526	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 169-170

Y7_79	AFT/WKD SPENT W/FRIENDS
--------------	--------------------------------

On the average, how many weekday afternoons, Monday through Friday, from 5:00 p.m. or the end of work to dinner, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	12.2	211	0	> than once aftn/weekday
23.9	16.3	282	1	one aftn/weekday
20.2	13.8	238	2	two aftn/weekday
16.6	11.3	195	3	three aftn/weekday
9.3	6.3	109	4	four aftn/weekday
12.1	8.3	143	5	five aftn/weekday
	31.7	547	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 171-172

Y7_80	EVEN/WKD SPENT W/FRIENDS
--------------	---------------------------------

On the average, how many weekday evenings, Monday through Friday, from dinnertime to bedtime, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	8.3	143	0	> than once even/weekday
26.5	18.1	312	1	1 evenings/weekday
21.7	14.8	256	2	2 evenings/weekday
18.3	12.5	216	3	three evenings/weekday
11.4	7.8	134	4	four evenings/weekday
10.0	6.8	118	5	five evenings/weekday
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 173-174

Y7_81	TIME SPENT W/FRIENDS ON WKENDS
--------------	---------------------------------------

On the weekends, how much time have you generally spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	5.1	88	1	Very little
13.1	9.0	155	2	Not too much
31.5	21.6	372	3	Some
32.0	21.9	378	4	Quite a bit
15.8	10.8	187	5	A great deal
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 175-176

Y7_82	HRS PER WK SPENT W/FRIENDS
--------------	-----------------------------------

On the average, how many hours per week have you spent with your friends?

Min	=	0	Mean	=	17.294
Max	=	99	Std Dev	=	16.753
Median	=	12	Variance	=	280.657

(Based on 1,177 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 177-178

Y7_83	FRIENDS' INFLUENCE
--------------	---------------------------

How much have your friends influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	5.3	92	1	Very little
21.6	14.8	255	2	Not too much
42.5	29.0	501	3	Some
21.4	14.7	253	4	Quite a bit
6.7	4.6	79	5	A great deal
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 179-180

Y7_84

WANT TO BE LIKE CLOSEST FRIENDS

Would you like to be the kind of person your closest friends are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	5.9	102	1	Not at all
24.4	16.7	288	2	In a few ways
50.4	34.5	595	3	In some ways
14.7	10.1	174	4	In most ways
1.8	1.2	21	5	In all ways
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 181-182

Y7_85

HOW IMP WAS IT TO HAVE FRIENDS

How important has it been to you to have a group of friends and be included in their activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	11	1	Not important at all
7.5	5.1	88	2	Not too important
31.1	21.3	367	3	Somewhat important
34.2	23.4	404	4	Pretty important
26.3	18.0	310	5	Very important
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 183-184

Y7_86	HOW SATISFIED W/GROUP OF FRIENDS
--------------	---

All things considered, how satisfied have you been with your group of friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	1	very dissatisfied
2.0	1.4	24	2	Somewhat dissatisfied
5.8	4.0	69	3	Neither
33.0	22.6	389	4	Somewhat satisfied
59.0	40.3	696	5	Very satisfied
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 185-186

Y7_87	INTEREST/ACTIVITY SHARED W/FRIEND
--------------	--

To what extent have you and your friends shared the same interests and activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	1	None
6.4	4.4	76	2	A few
35.5	24.3	419	3	Some
54.9	37.6	648	4	Most
3.0	2.0	35	5	All
	31.6	545	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 187-188

Y7_88

STRESS/PRESSURE W/FRIENDS

How much stress or pressure has there been in your relationships with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	19.1	329	1	Very little
48.5	33.2	572	2	Not too much
17.4	11.9	205	3	Some
4.5	3.1	53	4	Quite a bit
1.7	1.2	20	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 189-190

Y7_89

WARMTH/AFFECTION FROM FRIENDS

How much warmth and affection have you received from your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	1.8	31	1	Very little
3.9	2.7	46	2	Not too much
25.6	17.5	302	3	Some
47.3	32.3	558	4	Quite a bit
20.5	14.0	242	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 191-192

Y7_90	SUPPORT/ENCOURAGE FROM FRIENDS
--------------	---------------------------------------

How much support and encouragement have you received from your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.8	14	1	Very little
2.5	1.7	30	2	Not too much
17.8	12.2	210	3	Some
48.1	32.9	567	4	Quite a bit
30.4	20.8	358	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 193-194

Y7_91	LOYALTY FOR ONE
--------------	------------------------

How much loyalty have you and your friends had for one another?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	7	1	Very little
1.4	0.9	16	2	Not too much
10.8	7.4	127	3	Some
44.7	30.6	527	4	Quite a bit
42.6	29.1	502	5	A great deal
	31.7	546	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 195-196

Education

Y7_92

RESPONDENT IN EDUCATION EXPER

Were you in high school, college, or university degree program, a business/vocational school program or some other educational program at any time during 1986?

(IF RESPONSE IS ACADEMIC PROGRAM, SKIP TO Y7_98)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	17.9	309	1	Academic Program
4.3	3.5	60	2	Business/Vocational School
3.5	2.8	49	3	Other
69.8	55.9	965	4	No
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 197-198

Y7_93

HIGHEST GRADE COMPLETED

What is the highest grade you've completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	5th grade
0.4	0.2	4	6	6th grade
0.4	0.2	4	7	7th grade
0.8	0.5	9	8	8th grade
3.6	2.3	39	9	9th grade
6.2	3.9	67	10	10th grade
5.3	3.3	57	11	11th grade
48.0	29.9	515	12	12th grade
8.2	5.1	88	13	1st college
10.8	6.7	116	14	2nd college
3.4	2.1	36	15	3rd college
11.2	7.0	120	16	4th college
1.7	1.0	18	17	1st grad sch
	37.8	652	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 199-200

Y7_94	LAST YEAR IN SCHOOL
--------------	----------------------------

What was the last year during which you were in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	73	
0.1	0.1	1	74	1974
0.3	0.2	3	75	1975
1.7	1.0	18	76	1976
4.7	2.9	50	77	1977
8.1	5.0	86	78	1978
8.6	5.3	92	79	1979
9.8	6.1	105	80	1980
14.2	8.8	151	81	1981
13.6	8.4	145	82	1982
15.7	9.7	167	83	1983
11.8	7.3	126	84	1984
11.2	6.9	119	85	1985
0.2	0.1	2	99	Dont Remember
	38.1	658	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 201-202

Y7_95	SATISFIED W/EDUCATION EXPERIENCE
--------------	---

All things considered, how satisfied are you with your educational experience?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	3.7	63	1	Very dissatisfied
16.6	10.3	178	2	Somewhat dissatisfied
10.2	6.3	109	3	Neither
44.6	27.7	478	4	Somewhat satisfied
22.8	14.1	244	5	Very satisfied
	37.9	653	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 203-204

Y7_96	IMP PAST EDUCATION EXPERIENCE
--------------	--------------------------------------

How important is your past educational experience to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.3	5	1	Not important at all
4.4	2.7	47	2	Not too important
17.5	10.8	187	3	Somewhat important
32.1	19.9	344	4	Pretty important
45.6	28.3	488	5	Very important
	37.9	654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 205-206

Y7_97	STRESS/PRESSURE FROM SIG OTHERS
--------------	--

Do you feel any personal stress or pressure from persons who are important to you as a result of your not going further in school?

(AFTER RESPONSE, SKIP TO Y7_107)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	24.9	430	1	Very little
28.7	17.8	307	2	Not too much
19.3	12.0	207	3	Some
9.1	5.6	97	4	Quite a bit
2.7	1.7	29	5	A great deal
	38.0	655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 207-208

Y7_98

SCHOOL 1986, HIGHEST GRADE COMPL

What was the highest grade you completed in 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	5th grade
0.0	0.0	0	6	6th grade
0.0	0.0	0	7	7th grade
0.0	0.0	0	8	8th grade
0.6	0.1	2	9	9th grade
0.0	0.0	0	10	10th grade
0.0	0.0	0	11	11th grade
7.4	1.3	23	12	12th grade
12.9	2.3	40	13	1st college
17.2	3.1	53	14	2nd college
28.2	5.0	87	15	3rd college
23.3	4.2	72	16	4th college
10.4	1.9	32	17	Graduate School
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 209-210

Y7_99

GRADE POINT AVERAGE

Which of the following best describes the grades you were getting at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	3	1	Fs Mostly
0.7	0.1	2	2	Ds Mostly
18.2	3.2	56	3	Cs Mostly
49.8	8.9	153	4	Bs Mostly
30.3	5.4	93	5	As Mostly
	82.2	1,418	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 211-212

Y7_100	AFT/SCHOOL WK SPENT STUDYING
---------------	-------------------------------------

During the period you were in school . . .

On the average, how many weekday afternoons Monday through Friday, from the end of school or work to dinner, did you spend studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	2.4	41	0	> than once aftn/weekday
12.3	2.2	38	1	one aftn/weekday
18.1	3.2	56	2	two aftn/weekday
17.8	3.2	55	3	three aftn/weekday
14.9	2.7	46	4	four aftn/weekday
23.6	4.2	73	5	five aftn/weekday
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 213-214

Y7_101	EVE/SCHOOL WK SPENT STUDYING
---------------	-------------------------------------

During the period you were in school . . .

On the average, how many weekday evenings Monday through Friday, from dinnertime to bedtime, did you spend studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.9	15	0	> than once even/weekday
10.7	1.9	33	1	1 evenings/weekday
17.2	3.1	53	2	2 evenings/weekday
25.9	4.6	80	3	three evenings/weekday
20.7	3.7	64	4	four evenings/weekday
20.7	3.7	64	5	five evenings/weekday
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 215-216

Y7_102

TIME SPENT STUDYING ON WKENDS

During the period you were in school . . .

On the weekends, how much time did you generally spend studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	1.9	32	1	Very little
22.7	4.1	70	2	Not too much
39.8	7.1	123	3	Some
23.0	4.1	71	4	Quite a bit
4.2	0.8	13	5	A great deal
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 217-218

Y7_103	HRS PER WK SPENT STUDYING
--------	---------------------------

During the period you were in school . . .

On the average, how many hours per week did you spend studying?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.1	2	0	
0.3	0.1	1	1	
2.3	0.4	7	2	
0.3	0.1	1	3	
4.5	0.8	14	4	
4.2	0.8	13	5	
6.8	1.2	21	6	
1.0	0.2	3	7	
5.8	1.0	18	8	
1.9	0.3	6	9	
13.3	2.4	41	10	
6.8	1.2	21	12	
1.0	0.2	3	14	
8.1	1.4	25	15	
1.6	0.3	5	16	
0.3	0.1	1	17	
1.3	0.2	4	18	
11.7	2.1	36	20	
0.3	0.1	1	23	
0.3	0.1	1	24	
6.2	1.1	19	25	
0.3	0.1	1	26	
0.3	0.1	1	27	
1.0	0.2	3	28	
7.8	1.4	24	30	
1.6	0.3	5	35	
0.3	0.1	1	36	
3.2	0.6	10	40	
0.6	0.1	2	45	
0.6	0.1	2	48	
0.3	0.1	1	49	
2.3	0.4	7	50	
1.3	0.2	4	60	
1.0	0.2	3	72	
0.3	0.1	1	80	
0.0	0.0	0	99	99 hours or more
	82.1	1,417	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 219-220

Y7_104

HOW IMP SCHOOL/COLLEGE WORK

How important has your school/college work been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not important at all
1.6	0.3	5	2	Not too important
9.7	1.7	30	3	Somewhat important
33.7	6.0	104	4	Pretty important
55.0	9.9	170	5	Very important
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 221-222

Y7_105

SATISFIED W/EDUCATION EXPERIENCE

All things considered, how satisfied are you with your educational experience?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Very dissatisfied
6.5	1.2	20	2	Somewhat dissatisfied
6.1	1.1	19	3	Neither
44.3	7.9	137	4	Somewhat satisfied
42.7	7.7	132	5	Very satisfied
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 223-224

Y7_106

STRESS/PRESSURE IN SCHOOL/COLLEGE

How much pressure or stress was associated with your being in school/college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.8	13	1	Very little
12.0	2.1	37	2	Not too much
31.4	5.6	97	3	Some
30.1	5.4	93	4	Quite a bit
22.3	4.0	69	5	A great deal
	82.1	1,416	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 225-226

Employment

Y7_107

ANY JOBS IN THE PAST YEAR

Between Christmas a year ago and the Christmas just past . . .

Have you had a job or jobs? (INCLUDE ANY JOB FOR PAY
INCLUDING MILITARY BUT NOT "ALLOWANCE")

(IF YES, SKIP TO Y7_124)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	7.8	134	1	No
90.3	72.4	1,249	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 227-228

Y7_108

LOOKED COULDN'T FIND JOB IN 1986

(IF NO TO Y7_107)

Between Christmas a year ago and the Christmas just past . . .

Was there ever a time last year when you looked hard for
a job but couldn't find one?

(IF NO, SKIP TO Y7_121)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	5.6	97	1	No
27.1	2.1	36	2	Yes
	92.3	1,592	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 229-230

Y7_109	LACKED NECESSARY SKILLS
---------------	--------------------------------

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Lacked the skills necessary for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	1.1	19	1	No
47.2	1.0	17	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 231-232

Y7_110	LACKED EXPERIENCE
---------------	--------------------------

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Lacked the experience required for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	1.0	17	1	No
52.8	1.1	19	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 233-234

Y7_111	LACKED EDUCATIONAL REQUIREMENTS
---------------	--

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Lacked the educational requirements for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	1.4	25	1	No
30.6	0.6	11	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 235-236

Y7_112	RACIAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Racial discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	2.0	34	1	No
5.6	0.1	2	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 237-238

Y7_113	SEXUAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Sexual discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	2.0	34	1	No
5.6	0.1	2	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 239-240

Y7_114	JOB DIDN'T PAY ENOUGH
---------------	------------------------------

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Job didn't pay enough?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	1.7	29	1	No
19.4	0.4	7	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 241-242

Y7_115	NO JOBS AVAILABLE
---------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	1.9	32	1	No
11.1	0.2	4	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 243-244

Y7_116	PRISON RECORD
---------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	2.0	35	1	No
2.8	0.1	1	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 245-246

Y7_117	TRANSPORTATION PROBLEMS
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	2.0	35	1	No
2.8	0.1	1	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 247-248

Y7_118 **TOO YOUNG**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	36	1	No
0.0	0.0	0	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 249-250

Y7_119 **TIMING PROBLEMS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	36	1	No
0.0	0.0	0	2	Yes
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 251-252

Y7_120 **OTHER**

(IF YES TO Y7_108)

Were any of the following things involved in your failure to get a job . . .

Other (DESCRIBE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	1.7	29	1	
19.4	0.4	7	2	
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 253-254

Y7_121**RECEIVE WELFARE/PUBLIC ASSISTANCE**

Were you receiving any welfare or public assistance during the year such as Aid to Families with Dependent Children, Food Stamps or Medicaid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	4.8	83	1	No
37.1	2.8	49	2	Yes
	92.3	1,593	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 255-256

Y7_122**HOW IMPORTANT TO HAVE A JOB**

How important is it to you to have a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.5	9	1	Not important at all
16.0	1.2	21	2	Not too important
19.8	1.5	26	3	Somewhat important
22.9	1.7	30	4	Pretty important
34.4	2.6	45	5	Very important
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 257-258

Y7_123	HOW MUCH STRESS/PRESSURE SIG OTH
---------------	---

Do you feel any personal stress or pressure from persons who are important to you to get a job?

(AFTER RESPONSE, SKIP TO Y7_186)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	3.1	53	1	Very little
23.7	1.8	31	2	Not too much
16.8	1.3	22	3	Some
9.9	0.8	13	4	Quite a bit
9.2	0.7	12	5	A great deal
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 259-260

Y7_124	TOTAL NO. JOBS REPORTED FOR 1986
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	46.2	797	1	1 job
24.5	17.7	306	2	2 jobs
9.4	6.8	117	3	3 jobs
1.8	1.3	22	4	4 jobs
0.4	0.3	5	5	5 jobs
0.2	0.1	2	6	6 jobs
0.0	0.0	0	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 261-262

Y7_125	DUNCAN SOCIOECONOMIC INDEX 1986
---------------	--

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
 Missing-data code: -1
 Columns: 263-264

Y7_126	HOLLINGSHEAD CODE MAJOR JOB 1986
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.7	29	1	
9.1	6.6	114	2	
7.8	5.6	97	3	
33.9	24.6	424	4	
12.2	8.8	152	5	
25.8	18.7	322	6	
8.9	6.4	111	7	
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 265-266

Y7_127	WEEKS WORKED-1986
---------------	--------------------------

Weeks worked last year?

Min	=	1	Mean	=	39.520
Max	=	52	Std Dev	=	15.210
Median	=	50	Variance	=	231.341

(Based on 1,249 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 267-268

Y7_128	HOURS PER WEEK-1986
---------------	----------------------------

Hours/week worked last year?

Min	=	2	Mean	=	40.520
Max	=	99	Std Dev	=	12.657
Median	=	40	Variance	=	160.192

(Based on 1,249 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 269-270

Y7_129	HIGHEST HOURLY WAGE IN 1986
---------------	------------------------------------

What was your pay?

Min	=	0	Mean	=	7.041
Max	=	67	Std Dev	=	4.109
Median	=	6	Variance	=	16.880

(Based on 1,245 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 271-272

Y7_130	DUNCAN SOCIOECONOMIC INDEX 1986
---------------	--

1,725 cases (Range of valid codes: 2-84)

Data type: numeric
 Missing-data code: -1
 Columns: 273-274

Y7_131	WEEKS WORKED-1986
---------------	--------------------------

Weeks worked last year?

Min	=	1	Mean	=	17.618
Max	=	52	Std Dev	=	13.050
Median	=	14	Variance	=	170.312

(Based on 453 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 275-276

Y7_132	HOURS PER WEEK-1986
---------------	----------------------------

Hours/week worked last year?

Min	=	1	Mean	=	31.353
Max	=	84	Std Dev	=	15.379
Median	=	35	Variance	=	236.521

(Based on 453 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 277-278

Y7_133	HIGHEST HOURLY WAGE IN 1986
---------------	------------------------------------

What was your pay?

Min	=	0	Mean	=	7.199
Max	=	99	Std Dev	=	7.999
Median	=	5	Variance	=	63.990

(Based on 448 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 279-280

Y7_134	DUNCAN SOCIOECONOMIC INDEX 1986
---------------	--

1,725 cases (Range of valid codes: 5-78)

Data type: numeric
 Missing-data code: -1
 Columns: 281-282

Y7_135	WEEKS WORKED-1986
---------------	--------------------------

Weeks worked last year?

Min	=	1	Mean	=	10.605
Max	=	52	Std Dev	=	8.945
Median	=	8	Variance	=	80.008

(Based on 147 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 283-284

Y7_136**HOURS PER WEEK-1986**

Hours/week worked last year?

Min	=	1	Mean	=	26.828
Max	=	65	Std Dev	=	14.742
Median	=	24	Variance	=	217.324

(Based on 145 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 285-286

Y7_137**HIGHEST HOURLY WAGE IN 1986**

What was your pay?

Min	=	1	Mean	=	6.021
Max	=	44	Std Dev	=	4.496
Median	=	5	Variance	=	20.216

(Based on 144 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 287-288

Y7_138

DUNCAN SOCIOECONOMIC INDEX 1986

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	1	7	
13.8	0.2	4	11	
3.4	0.1	1	15	
6.9	0.1	2	16	
3.4	0.1	1	18	
3.4	0.1	1	27	
3.4	0.1	1	31	
10.3	0.2	3	39	
17.2	0.3	5	44	
10.3	0.2	3	50	
3.4	0.1	1	58	
3.4	0.1	1	61	
3.4	0.1	1	64	
6.9	0.1	2	65	
6.9	0.1	2	67	
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 289-290

Y7_139

WEEKS WORKED-1986

Weeks worked last year?

Min	=	1	Mean	=	7.690
Max	=	30	Std Dev	=	6.825
Median	=	5	Variance	=	46.579

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 291-292

Y7_140 HOURS PER WEEK-1986

Hours/week worked last year?

Min	=	2	Mean	=	21.429
Max	=	55	Std Dev	=	14.831
Median	=	15	Variance	=	219.958

(Based on 28 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 293-294

Y7_141 HIGHEST HOURLY WAGE IN 1986

What was your pay?

Min	=	3	Mean	=	5.345
Max	=	22	Std Dev	=	3.687
Median	=	4	Variance	=	13.591

(Based on 29 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 295-296

Y7_142	DUNCAN SOCIOECONOMIC INDEX 1986
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	6	
14.3	0.1	1	11	
14.3	0.1	1	15	
28.6	0.1	2	39	
14.3	0.1	1	65	
14.3	0.1	1	72	
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 297-298

Y7_143	WEEKS WORKED-1986
---------------	--------------------------

Weeks worked last year?

Min	=	1	Mean	=	6.286
Max	=	20	Std Dev	=	6.849
Median	=	2	Variance	=	46.905

(Based on 7 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 299-300

Y7_144	HOURS PER WEEK-1986
---------------	----------------------------

Hours/week worked last year?

Min	=	2	Mean	=	17.857
Max	=	40	Std Dev	=	12.655
Median	=	20	Variance	=	160.143

(Based on 7 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 301-302

Y7_145 HIGHEST HOURLY WAGE IN 1986

What was your pay?

Min	=	4	Mean	=	5.333
Max	=	10	Std Dev	=	2.338
Median	=	4.5	Variance	=	5.467

(Based on 6 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 303-304

Y7_146 TOTAL WKS WORKED OTHER JOBS-1986

Min	=	1	Mean	=	2.500
Max	=	4	Std Dev	=	2.121
Median	=	2.5	Variance	=	4.500

(Based on 2 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 305-306

Y7_147 MEAN NO HRS/WK OTHER JOBS-1986

Min	=	16	Mean	=	18.000
Max	=	20	Std Dev	=	2.828
Median	=	18	Variance	=	8.000

(Based on 2 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 307-308

Y7_151	HOW MUCH PRESSURE/STRESS AT WORK
---------------	---

How much pressure or stress have you been under at work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	10.6	182	1	Very little
21.4	15.4	266	2	Not too much
27.7	19.9	344	3	Some
23.3	16.8	289	4	Quite a bit
13.0	9.3	161	5	A great deal
	28.0	483	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 315-316

Y7_152	LOOKED COULDN'T FIND JOB IN 1986
---------------	---

Was there ever a time last year when you looked hard for a job but couldn't find one?

(IF NO, SKIP TO Y7_165)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	58.3	1,005	1	No
19.5	14.1	244	2	Yes
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 317-318

Y7_153**LACKED NECESSARY SKILLS**

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Lacked the skills necessary for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	9.2	159	1	No
34.8	4.9	85	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 319-320

Y7_154**LACKED EXPERIENCE**

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Lacked the experience required for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	6.2	107	1	No
56.1	7.9	137	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 321-322

Y7_155	LACKED EDUCATIONAL REQUIREMENTS
---------------	--

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Lacked the educational requirements for the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	10.2	176	1	No
27.9	3.9	68	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 323-324

Y7_156	RACIAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Racial discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	13.3	229	1	No
6.1	0.9	15	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 325-326

Y7_157	SEXUAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Sexual discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	13.6	234	1	No
4.1	0.6	10	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 327-328

Y7_158	JOB DIDN'T PAY ENOUGH
---------------	------------------------------

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Job didn't pay enough?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	8.3	143	1	No
41.4	5.9	101	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 329-330

Y7_159 NO JOBS AVAILABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	12.4	214	1	No
12.3	1.7	30	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 331-332

Y7_160 PRISON RECORD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	14.1	243	1	No
0.4	0.1	1	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 333-334

Y7_161 TRANSPORTATION PROBLEMS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	14.0	242	1	No
0.8	0.1	2	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 335-336

Y7_162	TOO YOUNG
---------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	14.1	243	1	No
0.4	0.1	1	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 337-338

Y7_163	TIMING PROBLEMS
---------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	13.7	236	1	No
3.3	0.5	8	2	Yes
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 339-340

Y7_164	OTHER
---------------	--------------

(IF YES TO Y7_152)

Were any of the following things involved in your failure to get a job . . .

Other (DESCRIBE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	11.3	195	1	
20.1	2.8	49	2	
	85.9	1,481	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 341-342

Y7_165	WELFARE/PUBLIC ASSISTANCE
---------------	----------------------------------

Were you receiving any welfare or public assistance during the year such as Aid to Families with Dependent Children, Food Stamps or Medicaid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	68.2	1,177	1	No
5.8	4.2	72	2	Yes
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 343-344

Y7_166	BEEN FIRED/LAID OFF PAST YEAR
---------------	--------------------------------------

Have you been fired or laid off from a job during the past year?

(IF NO, SKIP TO Y7_179)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	64.8	1,118	1	No
10.5	7.6	131	2	Yes
	27.6	476	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 345-346

Y7_167	REDUCTION IN FORCE
---------------	---------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Reduction in force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	3.9	68	1	No
47.7	3.6	62	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 347-348

Y7_168	LOW SENIORITY
---------------	----------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Low seniority?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	5.6	97	1	No
26.0	2.0	34	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 349-350

Y7_169	FOR VIOLATION OF COMPANY RULES
---------------	---------------------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Your violation of company rules or policies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	6.4	111	1	No
15.3	1.2	20	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 351-352

Y7_170	RACIAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Racial discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	7.3	126	1	No
3.8	0.3	5	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 353-354

Y7_171	SEXUAL DISCRIMINATION
---------------	------------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Sexual discrimination by the employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	7.4	127	1	No
3.1	0.2	4	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 355-356

Y7_172	LACK OF SKILLS FOR THE JOB
---------------	-----------------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Lacked the necessary skills to do the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	7.1	123	1	No
6.1	0.5	8	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 357-358

Y7_173	PERSONALITY CONFLICT
---------------	-----------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Personality conflict with the boss/supervisor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	5.8	100	1	No
23.7	1.8	31	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 359-360

Y7_174	USING ALCOHOL/DRUGS ON THE JOB
---------------	---------------------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Your use of alcohol or drugs on the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	131	1	No
0.0	0.0	0	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 361-362

Y7_175**USING ALCOHOL/DRUGS OFF THE JOB**

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Your use of alcohol or drugs off the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	7.4	127	1	No
3.1	0.2	4	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 363-364

Y7_176**THEFT OF COMPANY CASH/PROPERTY**

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Theft of company cash or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.6	131	1	No
0.0	0.0	0	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 365-366

Y7_177	SEXUAL HARRASSMENT
---------------	---------------------------

(IF YES TO Y7_166)

Were any of the following things involved in your termination . . .

Sexual harassment by another employee/supervisor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	7.5	129	1	No
1.5	0.1	2	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 367-368

Y7_178	WAS TERMINATION JUSTIFIED
---------------	----------------------------------

Do you feel this termination was justified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	3.4	59	1	No
55.0	4.2	72	2	Yes
	92.4	1,594	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 369-370

Y7_179**INTERPERSONAL SKILLS**

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Your interpersonal skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	68.5	1,182	1	No
4.8	3.5	60	2	Yes
	28.0	483	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 371-372

Y7_180**JOB SKILLS**

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	67.2	1,159	1	No
6.7	4.8	83	2	Yes
	28.0	483	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 373-374

Y7_181	LEVEL OF EDUCATIONAL ACHIEVEMENT
---------------	---

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Your level of educational achievement or degree?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	60.4	1,042	1	No
16.0	11.5	199	2	Yes
	28.1	484	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 375-376

Y7_182	AMOUNT OF JOB EXPERIENCE
---------------	---------------------------------

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Your amount of experience on the job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	58.6	1,011	1	No
18.6	13.4	231	2	Yes
	28.0	483	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 377-378

Y7_183

SEXUAL DISCRIMINATION

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Sexual discrimination?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	69.4	1,198	1	No
3.5	2.5	43	2	Yes
	28.1	484	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 379-380

Y7_184

RACIAL DISCRIMINATION

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Racial discrimination?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	70.4	1,215	1	No
2.1	1.5	26	2	Yes
	28.1	484	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 381-382

Y7_185	APPEARANCE
---------------	-------------------

Do you believe your chances for promotion or advancement at work have been seriously limited by any of the following things . . .

Your appearance (clothes, grooming, complexion weight, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	70.2	1,211	1	No
2.5	1.8	31	2	Yes
	28.0	483	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 383-384

Y7_186	AMOUNT INCOME OTHER THAN JOB EARN
---------------	--

Excluding money earned on a job, what was the total amount of money you received from interest, dividends, gifts from parent(s), unemployment, alimony, public assistance etc. during 1986?

Min	=	0	Mean	=	1,443.440
Max	=	36,000	Std Dev	=	3,278.945
Median	=	300	Variance	=	10,751,479.541

(Based on 1,362 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 385-389

Y7_187	EMPLOYED DURING 1985
---------------	-----------------------------

Did you have a job during 1985?

(IF NO, SKIP TO Y7_210)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	10.3	178	1	No
87.1	69.9	1,205	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 390-391

Y7_188	NUMBER OF JOBS IN 1985
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	48.9	844	1	1 job
23.8	16.6	287	2	2 jobs
5.0	3.5	60	3	3 jobs
0.9	0.6	11	4	4 jobs
0.2	0.1	2	5	5 jobs
0.0	0.0	0	6	6 jobs
0.1	0.1	1	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	30.1	520	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 392-393

Y7_189	DUNCAN SOCIOECONOMIC INDEX 1985
---------------	--

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
 Missing-data code: -1
 Columns: 394-395

Y7_190 **HOLLINGSHEAD CODE MAJOR JOB 1985**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.6	28	1	
7.8	5.4	94	2	
7.0	4.9	84	3	
31.6	22.1	381	4	
10.3	7.2	124	5	
30.0	20.9	361	6	
11.0	7.7	133	7	
	30.1	520	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 396-397

Y7_191 **WEEKS WORKED-1985**

Weeks worked during 1985?

Min	=	1	Mean	=	39.635
Max	=	52	Std Dev	=	14.844
Median	=	50	Variance	=	220.357

(Based on 1,205 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 398-399

Y7_192 **HOURS PER WEEK-1985**

Hours/week worked during 1985?

Min	=	3	Mean	=	39.894
Max	=	99	Std Dev	=	12.738
Median	=	40	Variance	=	162.246

(Based on 1,204 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 400-401

Y7_193	HIGHEST HOURLY WAGE IN 1985
---------------	------------------------------------

What was your pay?

Min	=	0	Mean	=	6.499
Max	=	67	Std Dev	=	3.816
Median	=	6	Variance	=	14.560

(Based on 1,200 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 402-403

Y7_194	DUNCAN SOCIOECONOMIC INDEX 1985
---------------	--

1,725 cases (Range of valid codes: 6-85)

Data type: numeric
 Missing-data code: -1
 Columns: 404-405

Y7_195	WEEKS WORKED-1985
---------------	--------------------------

Weeks worked during 1985?

Min	=	2	Mean	=	17.983
Max	=	52	Std Dev	=	12.991
Median	=	14	Variance	=	168.754

(Based on 359 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 406-407

Y7_196	HOURS PER WEEK-1985
---------------	----------------------------

Hours/week worked during 1985?

Min	=	1	Mean	=	31.492
Max	=	80	Std Dev	=	14.985
Median	=	35	Variance	=	224.542

(Based on 358 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 408-409

Y7_197

HIGHEST HOURLY WAGE IN 1985

What was your pay?

Min	=	0	Mean	=	6.421
Max	=	94	Std Dev	=	6.820
Median	=	5	Variance	=	46.515

(Based on 356 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 410-411

Y7_198

DUNCAN SOCIOECONOMIC INDEX 1985

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.2	3	6	
1.4	0.1	1	7	
1.4	0.1	1	9	
14.9	0.6	11	11	
2.7	0.1	2	12	
1.4	0.1	1	13	
4.1	0.2	3	15	
2.7	0.1	2	16	
2.7	0.1	2	17	
2.7	0.1	2	18	
2.7	0.1	2	19	
1.4	0.1	1	27	
1.4	0.1	1	34	
1.4	0.1	1	36	
16.2	0.7	12	39	
16.2	0.7	12	44	
1.4	0.1	1	46	
1.4	0.1	1	47	
1.4	0.1	1	48	
1.4	0.1	1	49	
2.7	0.1	2	50	
1.4	0.1	1	51	
1.4	0.1	1	52	
1.4	0.1	1	59	
4.1	0.2	3	64	
1.4	0.1	1	65	
1.4	0.1	1	67	
1.4	0.1	1	72	
1.4	0.1	1	78	
1.4	0.1	1	87	
	95.7	1,651	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 412-413

Y7_199**WEEKS WORKED-1985**

Weeks worked during 1985?

Min	=	1	Mean	=	12.068
Max	=	52	Std Dev	=	9.549
Median	=	10	Variance	=	91.176

(Based on 73 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 414-415

Y7_200**HOURS PER WEEK-1985**

Hours/week worked during 1985?

Min	=	1	Mean	=	27.351
Max	=	84	Std Dev	=	16.459
Median	=	25	Variance	=	270.889

(Based on 74 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 416-417

Y7_201**HIGHEST HOURLY WAGE IN 1985**

What was your pay?

Min	=	1	Mean	=	5.676
Max	=	40	Std Dev	=	4.974
Median	=	5	Variance	=	24.743

(Based on 74 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 418-419

Y7_202	DUNCAN SOCIOECONOMIC INDEX 1985
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	6	11	
7.1	0.1	1	12	
7.1	0.1	1	16	
7.1	0.1	1	17	
7.1	0.1	1	24	
7.1	0.1	1	39	
14.3	0.1	2	44	
7.1	0.1	1	64	
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 420-421

Y7_203	WEEKS WORKED-1985
---------------	--------------------------

Weeks worked during 1985?

Min	=	1	Mean	=	7.000
Max	=	20	Std Dev	=	5.277
Median	=	5.5	Variance	=	27.846

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 422-423

Y7_204	HOURS PER WEEK-1985
---------------	----------------------------

Hours/week worked during 1985?

Min	=	6	Mean	=	24.286
Max	=	50	Std Dev	=	14.117
Median	=	18	Variance	=	199.297

(Based on 14 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 424-425

Y7_205	HOURLY WAGE IN 1985
---------------	----------------------------

What was your pay?

What was your pay?

Min	=	2	Mean	=	6.500
Max	=	25	Std Dev	=	5.761
Median	=	5	Variance	=	33.192

(Based on 14 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 426-427

Y7_206	DUNCAN SOCIOECONOMIC INDEX 1985
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	11	
33.3	0.1	1	65	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 428-429

Y7_207	WEEKS WORKED-1985
---------------	--------------------------

Weeks worked during 1985?

Min	=	2	Mean	=	9.333
Max	=	20	Std Dev	=	9.452
Median	=	6	Variance	=	89.333

(Based on 3 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 430-431

Y7_208**HOURS PER WEEK-1985**

Hours/week worked during 1985?

Min	= 16	Mean	= 32.000
Max	= 40	Std Dev	= 13.856
Median	= 40	Variance	= 192.000

(Based on 3 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 432-433

Y7_209**HIGHEST HOURLY WAGE IN 1985**

What was your pay?

Min	= 3	Mean	= 4.000
Max	= 5	Std Dev	= 1.000
Median	= 4	Variance	= 1.000

(Based on 3 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 434-435

Y7_210**EMPLOYED DURING 1984**

Did you have a job during 1984?

(IF NO, SKIP TO Y7_233)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	12.8	220	1	No
84.1	67.4	1,163	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 436-437

Y7_211	NUMBER OF JOBS IN 1984
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	51.9	895	1	1 job
18.9	12.8	220	2	2 jobs
3.4	2.3	40	3	3 jobs
0.7	0.5	8	4	4 jobs
0.0	0.0	0	5	5 jobs
0.0	0.0	0	6	6 jobs
0.0	0.0	0	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	32.6	562	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 438-439

Y7_212	DUNCAN SOCIOECONOMIC INDEX 1984
---------------	--

1,725 cases (Range of valid codes: 2-92)

Data type: numeric
 Missing-data code: -1
 Columns: 440-441

Y7_213	HOLLINGSHEAD CODE MAJOR JOB 1984
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.2	20	1	
6.4	4.3	74	2	
5.8	3.9	68	3	
31.1	21.0	362	4	
9.5	6.4	110	5	
32.6	22.0	379	6	
12.9	8.7	150	7	
	32.6	562	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 442-443

Y7_214	WEEKS WORKED-1984
---------------	--------------------------

Weeks worked during 1984?

Min	=	2	Mean	=	39.033
Max	=	52	Std Dev	=	15.035
Median	=	48	Variance	=	226.052

(Based on 1,162 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 444-445

Y7_215	HOURS PER WEEK-1984
---------------	----------------------------

Hours/week worked during 1984?

Min	=	3	Mean	=	39.120
Max	=	99	Std Dev	=	13.737
Median	=	40	Variance	=	188.701

(Based on 1,160 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 446-447

Y7_216	HIGHEST HOURLY WAGE IN 1984
---------------	------------------------------------

What was your pay?

Min	=	1	Mean	=	5.890
Max	=	45	Std Dev	=	3.173
Median	=	5	Variance	=	10.067

(Based on 1,156 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 448-449

Y7_217	DUNCAN SOCIOECONOMIC INDEX 1984
---------------	--

1,725 cases (Range of valid codes: 5-87)

Data type: numeric
 Missing-data code: -1
 Columns: 450-451

Y7_218**WEEKS WORKED-1984**

Weeks worked during 1984?

Min	=	1	Mean	=	16.895
Max	=	52	Std Dev	=	12.169
Median	=	14	Variance	=	148.087

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 452-453

Y7_219**HOURS PER WEEK-1984**

Hours/week worked during 1984?

Min	=	2	Mean	=	30.839
Max	=	75	Std Dev	=	13.782
Median	=	35	Variance	=	189.940

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 454-455

Y7_220**HIGHEST HOURLY WAGE IN 1984**

What was your pay?

Min	=	0	Mean	=	5.734
Max	=	42	Std Dev	=	3.937
Median	=	5	Variance	=	15.497

(Based on 267 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 456-457

Y7_221	DUNCAN SOCIOECONOMIC INDEX 1984
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	1	6	
20.8	0.6	10	11	
2.1	0.1	1	12	
2.1	0.1	1	13	
2.1	0.1	1	15	
4.2	0.1	2	16	
4.2	0.1	2	17	
4.2	0.1	2	18	
2.1	0.1	1	26	
2.1	0.1	1	28	
2.1	0.1	1	33	
2.1	0.1	1	37	
8.3	0.2	4	39	
2.1	0.1	1	43	
18.8	0.5	9	44	
2.1	0.1	1	49	
4.2	0.1	2	50	
2.1	0.1	1	52	
2.1	0.1	1	60	
4.2	0.1	2	61	
2.1	0.1	1	64	
2.1	0.1	1	65	
2.1	0.1	1	67	
	97.2	1,677	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 458-459

Y7_222	WEEKS WORKED-1984
---------------	--------------------------

Weeks worked during 1984?

Min	=	1	Mean	=	13.646
Max	=	52	Std Dev	=	9.094
Median	=	12	Variance	=	82.702

(Based on 48 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 460-461

Y7_223	HOURS PER WEEK-1984
---------------	----------------------------

Hours/week worked during 1984?

Min	=	1	Mean	=	24.239
Max	=	60	Std Dev	=	14.813
Median	=	20	Variance	=	219.430

(Based on 46 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 462-463

Y7_224	HIGHEST HOURLY WAGE IN 1984
---------------	------------------------------------

What was your pay?

Min	=	2	Mean	=	5.087
Max	=	20	Std Dev	=	3.203
Median	=	4	Variance	=	10.259

(Based on 46 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 464-465

Y7_225	DUNCAN SOCIOECONOMIC INDEX 1984
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	7	
12.5	0.1	1	11	
25.0	0.1	2	15	
12.5	0.1	1	16	
12.5	0.1	1	18	
12.5	0.1	1	32	
12.5	0.1	1	50	
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 466-467

Y7_226	WEEKS WORKED-1984
---------------	--------------------------

Weeks worked during 1984?

Min	=	2	Mean	=	8.375
Max	=	26	Std Dev	=	8.070
Median	=	5	Variance	=	65.125

(Based on 8 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 468-469

Y7_227	HOURS PER WEEK-1984
---------------	----------------------------

Hours/week worked during 1984?

Min	=	8	Mean	=	35.125
Max	=	75	Std Dev	=	21.243
Median	=	35	Variance	=	451.268

(Based on 8 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 470-471

Y7_228	HIGHEST HOURLY WAGE IN 1984
---------------	------------------------------------

What was your pay?

Min	=	2	Mean	=	6.000
Max	=	11	Std Dev	=	2.976
Median	=	5.5	Variance	=	8.857

(Based on 8 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 472-473

Y7_229	DUNCAN SOCIOECONOMIC INDEX 1984
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 474-475

Y7_230	WEEKS WORKED-1984
---------------	--------------------------

Weeks worked during 1984?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 476-477

Y7_231	HOURS PER WEEK-1984
---------------	----------------------------

Hours/week worked during 1984?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 478-479

Y7_232	HIGHEST HOURLY WAGE IN 1984
---------------	------------------------------------

What was your pay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 480-481

Y7_234	MONTHS LIVED WITH PARTNER
--------	---------------------------

(ASK QUESTIONS FOR THE MOST RECENT RELATIONSHIP)

Between Christmas a year ago and the Christmas just past . . .

How many months did you live with your
(spouse/girlfriend/boyfriend)?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	1	0	
0.3	0.1	2	1	(>1 month
1.7	0.7	12	2	2 months
2.2	0.9	16	3	3 months
1.8	0.8	13	4	4 months
3.8	1.6	27	5	5 months
2.7	1.1	19	6	6 months
2.7	1.1	19	7	7 months
3.2	1.3	23	8	8 months
2.7	1.1	19	9	9 months
1.7	0.7	12	10	10 months
1.4	0.6	10	11	11 months
75.8	31.5	543	12	12 months
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 484-485

Y7_235	HOW IMPORTANT ACTIVIT W/PARTNER
---------------	--

(ASK QUESTIONS FOR THE MOST RECENT RELATIONSHIP)

How important have the things you've done with your (spouse/girlfriend/boyfriend) been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	3	1	Not important at all
1.3	0.5	9	2	Not too important
8.1	3.4	58	3	Somewhat important
13.0	5.4	93	4	Pretty important
77.2	32.1	553	5	Very important
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 486-487

Y7_236	PARTNER'S INFLUENCE
---------------	----------------------------

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much has your (spouse/girlfriend/boyfriend) influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	1.1	19	1	Very little
4.1	1.7	29	2	Not too much
18.6	7.7	133	3	Some
39.8	16.5	285	4	Quite a bit
34.9	14.5	250	5	A great deal
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 488-489

Y7_237

WANT TO BE LIKE PARTNER

(ASK FOR THE MOST RECENT RELATIONSHIP)

Would you like to be the kind of person your
(spouse/boyfriend/girlfriend)is?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	3.9	68	1	Not at all
17.7	7.4	127	2	In a few ways
46.2	19.2	331	3	In some ways
23.0	9.6	165	4	In most ways
3.5	1.4	25	5	In all ways
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 490-491

Y7_238

SATISFIED W/RELATION W/PARTNER

(ASK FOR THE MOST RECENT RELATIONSHIP)

All things considered, how satisfied have you been with your
relationship with your (spouse/boyfriend/girlfriend)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.4	25	1	very dissatisfied
6.0	2.5	43	2	Somewhat dissatisfied
2.9	1.2	21	3	Neither
22.7	9.4	162	4	Somewhat satisfied
64.9	26.9	464	5	Very satisfied
	58.6	1,010	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 492-493

Y7_239	INTEREST/ACTIVIT SHARED W/PARTN
---------------	--

(ASK FOR THE MOST RECENT RELATIONSHIP)

To what extent have you and your (spouse/boyfriend/girlfriend) shared the same interests and activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.5	8	1	None
8.1	3.4	58	2	A few
28.1	11.7	201	3	Some
54.7	22.7	392	4	Most
8.0	3.3	57	5	All
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 494-495

Y7_240	HOW MUCH WARMTH/AFF FROM PARTNER
---------------	---

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much warmth and affection have you received from your (spouse/boyfriend/girlfriend)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.9	16	1	Very little
2.2	0.9	16	2	Not too much
8.8	3.7	63	3	Some
26.7	11.1	191	4	Quite a bit
60.1	24.9	430	5	A great deal
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 496-497

Y7_241	HOW SATISFIED W/SEXUAL RELATIONS
---------------	---

(ASK FOR THE MOST RECENT RELATIONSHIP)

How satisfied have you been with the quality of your sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.9	15	1	very dissatisfied
3.8	1.6	27	2	Somewhat dissatisfied
3.5	1.4	25	3	Neither
30.4	12.6	217	4	Somewhat satisfied
60.2	24.9	429	5	Very satisfied
	58.7	1,012	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 498-499

Y7_242	HOW MUCH SUPP/ENCOURAGE F/PARTNER
---------------	--

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much support and encouragement have you received from your (spouse/boyfriend/girlfriend)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	1.0	18	1	Very little
3.9	1.6	28	2	Not too much
10.6	4.4	76	3	Some
29.3	12.2	210	4	Quite a bit
53.6	22.3	384	5	A great deal
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 500-501

Y7_243	HOW MUCH LOYALTY BETWN YOU/PART
---------------	--

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much loyalty have you and your (spouse/boyfriend/girlfriend) had for one another?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.6	11	1	Very little
2.4	1.0	17	2	Not too much
6.0	2.5	43	3	Some
18.7	7.8	134	4	Quite a bit
71.3	29.6	510	5	A great deal
	58.6	1,010	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 502-503

Y7_244	HOW MUCH STRESS/PRESS IN RELATION
---------------	--

(ASK FOR THE MOST RECENT RELATIONSHIP)

How much stress or pressure has there been in this relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	5.7	98	1	Very little
25.4	10.6	182	2	Not too much
30.6	12.7	219	3	Some
19.4	8.1	139	4	Quite a bit
10.9	4.5	78	5	A great deal
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 504-505

Y7_245**PARTNER TRY INFLUENCE YOU WRONG**

(ASK FOR THE MOST RECENT RELATIONSHIP)

Has your (spouse/boyfriend/girlfriend) ever tried to influence you to do something most people would think of as wrong?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	39.6	683	0	No
1.0	0.4	7	1	Once
1.8	0.8	13	2	Two or three times
1.8	0.8	13	3	Four or more times
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 506-507

Y7_246**PARTNER EMPLOYED DURING 1986**

(ASK FOR THE MOST RECENT RELATIONSHIP)

Was your (spouse/boyfriend/girlfriend) employed at any time during 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	4.8	82	1	No
88.5	36.8	634	2	Yes
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 508-509

Y7_247	NO. JOBS PARTNER HAD IN 1986
---------------	-------------------------------------

What kind of job(s) did your (spouse/boyfriend/girlfriend) have during 1986?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	31.5	544	1	1 job
12.8	4.7	81	2	2 jobs
1.4	0.5	9	3	3 jobs
0.0	0.0	0	4	4 jobs
0.0	0.0	0	5	5 jobs
0.0	0.0	0	6	6 jobs
0.0	0.0	0	7	7 jobs
0.0	0.0	0	8	8 jobs
0.0	0.0	0	9	9 jobs
0.0	0.0	0	10	10 jobs
	63.2	1,091	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 510-511

Y7_248	DUNCAN SOCIOECONOMIC INDEX
---------------	-----------------------------------

1,725 cases (Range of valid codes: 3-96)

Data type: numeric
 Missing-data code: -1
 Columns: 512-513

Y7_249	HOLLINGSHEAD CODE FOR MAJOR JOB
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.9	16	1	
9.8	3.6	62	2	
7.7	2.8	49	3	
30.2	11.1	191	4	
14.5	5.3	92	5	
25.8	9.4	163	6	
9.5	3.5	60	7	
	63.3	1,092	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 514-515

Y7_250	WEEKS WORKED AT PRIMARY JOB
---------------	------------------------------------

How many weeks did s/he work at this job?

Min	=	1	Mean	=	43.326
Max	=	52	Std Dev	=	14.161
Median	=	52	Variance	=	200.535

(Based on 631 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 516-517

Y7_251	HRS PER WKS WORKED AT PRIMARY JOB
---------------	--

On the average, how many hours per week did s/he work at this job?

Min	=	5	Mean	=	41.174
Max	=	99	Std Dev	=	11.390
Median	=	40	Variance	=	129.729

(Based on 627 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 518-519

Y7_252	DUNCAN SOCIOECONOMIC INDEX
--------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	1	4	
4.4	0.2	4	6	
7.8	0.4	7	7	
1.1	0.1	1	8	
8.9	0.5	8	9	
11.1	0.6	10	11	
1.1	0.1	1	13	
3.3	0.2	3	15	
5.6	0.3	5	16	
4.4	0.2	4	18	
5.6	0.3	5	19	
1.1	0.1	1	23	
2.2	0.1	2	24	
1.1	0.1	1	29	
3.3	0.2	3	32	
1.1	0.1	1	33	
1.1	0.1	1	38	
13.3	0.7	12	39	
6.7	0.3	6	44	
1.1	0.1	1	45	
1.1	0.1	1	47	
1.1	0.1	1	48	
1.1	0.1	1	49	
2.2	0.1	2	50	
1.1	0.1	1	62	
1.1	0.1	1	64	
2.2	0.1	2	65	
1.1	0.1	1	66	
2.2	0.1	2	67	
1.1	0.1	1	73	
	94.8	1,635	-1	

 100.0 100.0 1,725 cases

Data type: numeric
 Missing-data code: -1
 Columns: 520-521

Y7_253	WEEKS WORKED AT 2ND JOB
---------------	--------------------------------

How many weeks did s/he work at this job?

Min	=	2	Mean	=	18.876
Max	=	52	Std Dev	=	14.196
Median	=	16	Variance	=	201.519

(Based on 89 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 522-523

Y7_254	HRS PER WKS WORKED AT 2ND JOB
---------------	--------------------------------------

On the average, how many hours per week did s/he work at this job?

Min	=	3	Mean	=	30.205
Max	=	70	Std Dev	=	14.431
Median	=	37.5	Variance	=	208.257

(Based on 88 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 524-525

Y7_255	DUNCAN SOCIOECONOMIC INDEX
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	7	
11.1	0.1	1	8	
11.1	0.1	1	15	
11.1	0.1	1	16	
11.1	0.1	1	19	
11.1	0.1	1	52	
11.1	0.1	1	65	
11.1	0.1	1	72	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 526-527

Y7_256	WEEKS WORKED AT 3RD JOB
---------------	--------------------------------

How many weeks did s/he work at this job?

Min	=	3	Mean	=	10.333
Max	=	18	Std Dev	=	5.050
Median	=	12	Variance	=	25.500

(Based on 9 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 528-529

Y7_257	HRS PER WKS WORKED AT 3RD JOB
---------------	--------------------------------------

On the average, how many hours per week did s/he work at this job?

Min	=	15	Mean	=	32.778
Max	=	50	Std Dev	=	12.019
Median	=	40	Variance	=	144.444

(Based on 9 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 530-531

Y7_258	DUNCAN SOCIOECONOMIC INDEX
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 532-533

Y7_259

WEEKS WORKED AT 4TH JOB

How many weeks did s/he work at this job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 534-535

Y7_260

HRS PER WKS WORKED AT 4TH JOB

On the average, how many hours per week did s/he work at this job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 536-537

Y7_261	HIGHEST GRADE PARTNER COMPLETED
---------------	--

How far has your (spouse/boyfriend/girlfriend) gone in school?
 (HIGHEST ACADEMIC GRADE COMPLETED OR DEGREE ATTAINED)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	6th grade
0.0	0.0	0	7	7th grade
0.8	0.3	6	8	8th grade
2.8	1.2	20	9	9th grade
3.8	1.6	27	10	10th grade
5.9	2.4	42	11	11th grade
48.0	19.9	344	12	12th grade
7.5	3.1	54	13	1st college
11.3	4.7	81	14	2nd college
3.5	1.4	25	15	3rd college
12.6	5.2	90	16	Bachelors degree
3.4	1.4	24	17	Graduate degrees
0.4	0.2	3	99	Dont Know
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 538-539

Y7_262	PARTNER'S TOTAL INCOME IN 1986
---------------	---------------------------------------

Approximately what was your (spouse's/boyfriend's/girlfriend's) total income during 1986?

Min	=	0	Mean	=	14,775.293
Max	=	99,999	Std Dev	=	11,614.177
Median	=	13,000	Variance	=	134,889,096.526

(Based on 679 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 540-544

Y7_263	ACCURACY OF AMT GIVEN AS ANSWER
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	59	1	Amount given is only a guess
	96.6	1,666	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 545-546

Family

Y7_264 FREQ PARTICIPATION FAM ACTIVITY

Between Christmas a year ago and the Christmas just past . . .

How often have you taken part in family activities such as birthday parties, holiday dinners, and traditional times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	2.4	41	1	Never
17.2	7.1	123	2	Once or twice
26.4	11.0	189	3	3 or 4 times
35.2	14.6	252	4	Monthly
15.5	6.4	111	5	Weekly (or more often)
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 547-548

Y7_265

NO. MOS LIVED W/FAMILY

Between Christmas a year ago and the Christmas just past . . .

How many months did you live with your family, meaning
your parents, brothers and sisters?

(IF 12 MONTHS, SKIP TO Y7_267)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	34.7	599	0	>1 month
2.8	1.2	20	1	1 month
1.1	0.5	8	2	2 months
1.7	0.7	12	3	3 months
1.4	0.6	10	4	4 months
1.3	0.5	9	5	5 months
1.1	0.5	8	6	6 months
1.4	0.6	10	7	7 months
1.0	0.4	7	8	8 months
1.0	0.4	7	9	9 months
0.6	0.2	4	10	10 months
0.4	0.2	3	11	11 months
2.7	1.1	19	12	12 months
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 549-550

Y7_266	FREQ CONTACT W/FAMILY
---------------	------------------------------

Between Christmas a year ago and the Christmas just past . . .

During the months you were not living with your family in the pastyear, how often have you been in touch with your family through phone calls, letters, or visits?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
1.3	0.5	9	2	Once or twice
4.0	1.6	28	3	3 or 4 times
18.2	7.3	126	4	Monthly
76.5	30.7	530	5	Weekly (or more often)
	59.8	1,032	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 551-552

Y7_267	PARENTS' INFLUENCE
---------------	---------------------------

Between Christmas a year ago and the Christmas just past . . .

How much have your parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	2.2	38	1	Very little
10.2	4.2	73	2	Not too much
27.3	11.3	195	3	Some
32.0	13.3	229	4	Quite a bit
25.2	10.4	180	5	A great deal
	58.6	1,010	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 553-554

Y7_268**IMPORTANCE FAMILY ACTIVITIES**

Between Christmas a year ago and the Christmas just past . . .

How important have the things you've done with your family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	1	Not important at all
3.4	1.4	24	2	Not too important
16.5	6.8	118	3	Somewhat important
30.7	12.8	220	4	Pretty important
49.2	20.4	352	5	Very important
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 555-556

Y7_269**HOW SATISFIED W/REL W/PARENTS**

Between Christmas a year ago and the Christmas just past . . .

Overall, how satisfied have you been with your relationship with your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.5	9	1	very dissatisfied
3.9	1.6	28	2	Somewhat dissatisfied
5.6	2.3	40	3	Neither
37.3	15.5	267	4	Somewhat satisfied
51.9	21.5	371	5	Very satisfied
	58.6	1,010	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 557-558

Y7_270	HOW MUCH STRESS/PRESS REL PARENTS
---------------	--

Between Christmas a year ago and the Christmas just past . . .

Think of your relationship with your parents. How much stress or pressure has there been in this area of your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	9.9	171	1	Very little
32.6	13.5	233	2	Not too much
29.1	12.1	208	3	Some
10.3	4.3	74	4	Quite a bit
4.1	1.7	29	5	A great deal
	58.6	1,010	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 559-560

Y7_271	FREQ PARTICIPATION PART FAM ACTIV
---------------	--

Between Christmas a year ago and the Christmas just past . . .

How often have you taken part in your (spouse's/girlfriend's/boyfriend's) family activities such as birthday parties, holiday dinners, and traditional times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	3.8	66	1	Never
20.7	8.6	148	2	Once or twice
26.7	11.1	191	3	3 or 4 times
30.6	12.7	219	4	Monthly
12.8	5.3	92	5	Weekly (or more often)
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 561-562

Y7_272	NO. MOS LIVED W/PARTNER'S FAMILY
---------------	---

Between Christmas a year ago and the Christmas just past . . .

How many months did you live with your
(spouse's/girlfriend's/boyfriend's) family?

(IF 12 MONTHS, SKIP TO Y7_274)

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	38.5	664	0	>1 month
2.1	0.9	15	1	1 month
1.1	0.5	8	2	2 months
0.8	0.3	6	3	3 months
0.3	0.1	2	4	4 months
0.3	0.1	2	5	5 months
0.7	0.3	5	6	6 months
0.1	0.1	1	7	7 months
0.3	0.1	2	8	8 months
0.1	0.1	1	9	9 months
0.1	0.1	1	10	10 months
1.3	0.5	9	12	
	58.5	1,009	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 563-564

Y7_273	FREQ CONTACT W/PARTNER'S FAMILY
---------------	--

Between Christmas a year ago and the Christmas just past . . .

During the months you were not living with your (spouse's/girlfriend's/boyfriend's) family in the past year, how often have you been in touch with them through phone calls, letters, or visits?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	2.4	41	1	Never
7.5	3.1	53	2	Once or twice
7.1	2.9	50	3	3 or 4 times
20.3	8.3	143	4	Monthly
59.3	24.3	419	5	Weekly (or more often)
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 565-566

Y7_274	PARTNER'S PARENTS' INFLUENCE
---------------	-------------------------------------

Between Christmas a year ago and the Christmas just past . . .

How much have (his/her) parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	12.5	216	1	Very little
25.6	10.6	182	2	Not too much
26.6	11.0	189	3	Some
13.4	5.5	95	4	Quite a bit
4.1	1.7	29	5	A great deal
	58.8	1,014	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 567-568

Y7_275	IMPORTANCE PARTNER'S FAM ACTIVITY
---------------	--

Between Christmas a year ago and the Christmas just past . . .

How important have the things you've done with (his/her) family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	2.5	43	1	Not important at all
11.0	4.5	78	2	Not too important
34.8	14.4	248	3	Somewhat important
30.3	12.5	216	4	Pretty important
17.8	7.4	127	5	Very important
	58.7	1,013	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 569-570

Y7_276	STRESS/PRESS REL W/PART PAR
---------------	------------------------------------

Between Christmas a year ago and the Christmas just past . . .

Think of your relationship with your (spouse's/boyfriend's/girlfriend's) parents. How much stress or pressure has there been in this area of your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	13.4	232	1	Very little
30.1	12.4	214	2	Not too much
21.0	8.6	149	3	Some
11.5	4.8	82	4	Quite a bit
4.6	1.9	33	5	A great deal
	58.8	1,015	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 571-572

Y7_277	HOW SATISFIED W/REL W/PART PAR
---------------	---------------------------------------

Between Christmas a year ago and the Christmas just past . . .

Overall, how satisfied have you been with your relationship with your (in-laws/girlfriend's parents/boyfriend's parents)?

(AFTER RESPONSE, SKIP TO Y7_290)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	1.7	30	1	Very dissatisfied
8.7	3.6	62	2	Somewhat dissatisfied
14.5	6.0	103	3	Neither
39.4	16.2	280	4	Somewhat satisfied
33.2	13.7	236	5	Very satisfied
	58.8	1,014	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 573-574

Y7_278	AFT/SCHOOL WK SPENT W/FAMILY
---------------	-------------------------------------

Between Christmas a year ago and the Christmas just past . . .

On the average, how many weekday afternoons, Monday through Friday, from 5:00 p.m. or the end of work to dinner, have you spent playing, talking, or working with members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	11.2	193	0	>No wkday aftn with fam
13.9	5.3	92	1	1 Wkday aftn with fam
15.5	6.0	103	2	2 Wkday aftn with fam
12.4	4.8	82	3	3 Wkday aftn with fam
10.1	3.9	67	4	4 Wkday aftn with fam
19.0	7.3	126	5	5 Wkday aftn with fam
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 575-576

Y7_279

EVE/SCHOOL WK SPENT W/FAMILY

Between Christmas a year ago and the Christmas just past . . .

On the average, how many weekday evenings, Monday through Friday, from dinnertime to bedtime, have you spent playing, talking, or working with members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	7.7	132	0	>No wkday even with fam
19.2	7.4	127	1	1 Wkday even with fam
19.2	7.4	127	2	2 Wkday even with fam
15.2	5.9	101	3	3 Wkday even with fam
11.3	4.3	75	4	4 Wkday even with fam
15.2	5.9	101	5	5 Wkday even with fam
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 577-578

Y7_280

TIME WKNDSPENT W/FAMILY

Between Christmas a year ago and the Christmas just past . . .

On the weekends, how much time have you generally spent playing, talking, or working with members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	6.7	116	1	Very little
16.9	6.5	112	2	Not too much
39.1	15.0	259	3	Some
19.5	7.5	129	4	Quite a bit
7.1	2.7	47	5	A great deal
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 579-580

Y7_281	FREQ PARTICIPATION FAM ACTIV
--------	------------------------------

Between Christmas a year ago and the Christmas just past . . .

How often have you taken part in family activities such as birthday parties, holiday dinners, and traditional times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	2.0	34	1	Never
14.2	5.4	94	2	Once or twice
26.1	10.0	173	3	3 or 4 times
39.5	15.2	262	4	Monthly
15.2	5.9	101	5	Weekly (or more often)
	61.5	1,061	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 581-582

Y7_282

NO. MOS LIVED W/FAMILY

Between Christmas a year ago and the Christmas just past . . .

How many months did you live with your family?

(IF 12 MONTHS, SKIP TO Y7_284)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	14.1	244	0	>1 month
2.6	1.0	17	1	1 month
2.0	0.8	13	2	2 months
4.8	1.9	32	3	3 months
3.3	1.3	22	4	4 months
2.1	0.8	14	5	5 months
2.7	1.0	18	6	6 months
1.5	0.6	10	7	7 months
2.6	1.0	17	8	8 months
2.0	0.8	13	9	9 months
1.1	0.4	7	10	10 months
0.8	0.3	5	11	11 months
37.9	14.6	251	12	12 months
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 583-584

Y7_283	FREQ OF CONTACT W/FAMILY
---------------	---------------------------------

Between Christmas a year ago and the Christmas just past . . .

During the months you were not living with your family in the past year, how often have you been in touch with your family through phone calls, letters, or visits?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	1	Never
3.2	0.8	13	2	Once or twice
4.6	1.1	19	3	3 or 4 times
11.4	2.7	47	4	Monthly
80.3	19.1	330	5	Weekly (or more often)
	76.2	1,314	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 585-586

Y7_284	PARENTS' INFLUENCE
---------------	---------------------------

Between Christmas a year ago and the Christmas just past . . .

How much have your parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	1.3	22	1	Very little
6.5	2.5	43	2	Not too much
21.3	8.2	141	3	Some
37.3	14.3	247	4	Quite a bit
31.7	12.2	210	5	A great deal
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 587-588

Y7_285

IMPORTANCE OF FAMILY ACTIVITIES

Between Christmas a year ago and the Christmas just past . . .

How important have the things you've done with your family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.4	7	1	Not important at all
1.1	0.4	7	2	Not too important
16.1	6.2	107	3	Somewhat important
38.3	14.7	254	4	Pretty important
43.5	16.8	289	5	Very important
	61.5	1,061	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 589-590

Y7_286

HOW SATISFIED W/REL W/PARENTS

Between Christmas a year ago and the Christmas just past . . .

All things considered, how satisfied have you been with your relationship with your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.5	9	1	very dissatisfied
3.8	1.4	25	2	Somewhat dissatisfied
5.1	2.0	34	3	Neither
36.3	14.0	241	4	Somewhat satisfied
53.4	20.5	354	5	Very satisfied
	61.6	1,062	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 591-592

Y7_287	HOW MUCH WARMTH/AFF FROM PARENTS
---------------	---

Between Christmas a year ago and the Christmas just past . . .

How much warmth and affection have you received from your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.9	16	1	Very little
3.0	1.2	20	2	Not too much
14.4	5.5	95	3	Some
35.7	13.7	236	4	Quite a bit
44.5	17.0	294	5	A great deal
	61.7	1,064	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 593-594

Y7_288	HOW MUCH SUPPORT/ENCOURAGE F/PAR
---------------	---

Between Christmas a year ago and the Christmas just past . . .

How much support and encouragement have you received from your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.9	16	1	Very little
3.3	1.3	22	2	Not too much
14.1	5.4	93	3	Some
33.1	12.7	219	4	Quite a bit
47.0	18.0	311	5	A great deal
	61.7	1,064	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 595-596

Y7_289

HOW MUCH STRESS/PRESS REL W/PAR

Between Christmas a year ago and the Christmas just past . . .

Think of your relationship with your parents. How much stress or pressure has there been in this relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	8.0	138	1	Very little
32.2	12.3	213	2	Not too much
32.0	12.3	212	3	Some
10.0	3.8	66	4	Quite a bit
5.0	1.9	33	5	A great deal
	61.6	1,063	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 597-598

Children

Y7_290 HAVE ANY CHILDREN

Do you have any children? (INCLUDE STEPCHILDREN)

(IF NO SKIP TO Y7_325)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	48.4	835	1	No
39.6	31.8	548	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 599-600

Y7_291 OLDEST CHILD-BIRTHDATE MO

Birthdate of Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	2.5	43	1	Jan
8.2	2.6	45	2	Feb
8.2	2.6	45	3	Mar
8.8	2.8	48	4	Apr
8.4	2.7	46	5	May
6.9	2.2	38	6	Jun
7.8	2.5	43	7	Jul
9.7	3.1	53	8	Aug
8.8	2.8	48	9	Sept
9.1	2.9	50	10	Oct
6.9	2.2	38	11	Nov
9.1	2.9	50	12	Dec
0.2	0.1	1	99	Dont know
	68.2	1,177	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 601-602

Y7_292	OLDEST CHILD-BIRTHDATE YR
---------------	----------------------------------

Birthdate of Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	62	
0.2	0.1	1	67	
0.0	0.0	0	70	1970
0.5	0.2	3	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.2	0.1	1	74	1974
0.4	0.1	2	75	1975
1.5	0.5	8	76	1976
2.0	0.6	11	77	1977
3.6	1.2	20	78	1978
5.1	1.6	28	79	1979
8.2	2.6	45	80	1980
9.7	3.1	53	81	1981
8.8	2.8	48	82	1982
11.1	3.5	61	83	1983
14.2	4.5	78	84	1984
12.0	3.8	66	85	1985
17.0	5.4	93	86	1986
5.3	1.7	29	87	1987
	68.2	1,177	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 603-604

Y7_293	OLDEST CHILD-SEX
---------------	-------------------------

Sex of Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	16.1	278	1	Boy
49.2	15.6	269	2	Girl
	68.3	1,178	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 605-606

Y7_294	OLDEST CHILD-LIVING W/RESP
---------------	-----------------------------------

Is Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	26.8	463	1	Yes
15.2	4.8	83	2	No
	68.3	1,179	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 607-608

Y7_295	OLDEST CHILD-BIOLOGICAL
---------------	--------------------------------

Is Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	1.6	28	1	No
94.7	30.0	517	2	Yes
0.2	0.1	1	9	Dont Know
	68.3	1,179	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 609-610

Y7_296

NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.0	17	1	Jan
9.2	1.3	22	2	Feb
8.8	1.2	21	3	Mar
9.6	1.3	23	4	Apr
8.4	1.2	20	5	May
7.9	1.1	19	6	Jun
6.7	0.9	16	7	Jul
5.4	0.8	13	8	Aug
10.0	1.4	24	9	Sept
9.2	1.3	22	10	Oct
7.9	1.1	19	11	Nov
8.8	1.2	21	12	Dec
0.8	0.1	2	99	
	86.1	1,486	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 611-612

Y7_297	NEXT OLDEST CHILD-BIRTHDATE YR
---------------	---------------------------------------

Birthdate of Next Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.4	0.1	1	74	1974
0.4	0.1	1	75	1975
0.0	0.0	0	76	1976
0.8	0.1	2	77	1977
1.3	0.2	3	78	1978
2.1	0.3	5	79	1979
2.9	0.4	7	80	1980
9.2	1.3	22	81	1981
7.1	1.0	17	82	1982
12.1	1.7	29	83	1983
14.6	2.0	35	84	1984
18.8	2.6	45	85	1985
23.0	3.2	55	86	1986
7.1	1.0	17	87	1987
	86.1	1,486	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 613-614

Y7_298	NEXT OLDEST CHILD-SEX
---------------	------------------------------

Sex of Next Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	6.5	112	1	Boy
53.1	7.4	127	2	Girl
	86.1	1,486	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 615-616

Y7_299

NEXT OLDEST CHILD-LIVING W/RESP

Is Next Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	11.8	204	1	Yes
14.3	2.0	34	2	No
	86.2	1,487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 617-618

Y7_300

NEXT OLDEST CHILD-BIOLOGICAL

Is Next Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.6	10	1	No
95.8	13.3	229	2	Yes
0.0	0.0	0	9	Dont Know
	86.1	1,486	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 619-620

Y7_301

NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.3	6	1	Jan
10.0	0.4	7	2	Feb
4.3	0.2	3	3	Mar
7.1	0.3	5	4	Apr
1.4	0.1	1	5	May
12.9	0.5	9	6	Jun
11.4	0.5	8	7	Jul
10.0	0.4	7	8	Aug
14.3	0.6	10	9	Sept
2.9	0.1	2	10	Oct
10.0	0.4	7	11	Nov
5.7	0.2	4	12	Dec
1.4	0.1	1	99	
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 621-622

Y7_302	NEXT OLDEST CHILD-BIRTHDATE YR
---------------	---------------------------------------

Birthdate of Next Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
1.4	0.1	1	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
1.4	0.1	1	79	1979
0.0	0.0	0	80	1980
11.4	0.5	8	81	1981
8.6	0.3	6	82	1982
8.6	0.3	6	83	1983
15.7	0.6	11	84	1984
20.0	0.8	14	85	1985
27.1	1.1	19	86	1986
5.7	0.2	4	87	1987
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 623-624

Y7_303	NEXT OLDEST CHILD-SEX
---------------	------------------------------

Sex of Next Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	2.3	40	1	Boy
42.9	1.7	30	2	Girl
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 625-626

Y7_304	NEXT OLDEST CHILD-LIVING W/RESP
---------------	--

Is Next Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	3.5	61	1	Yes
11.6	0.5	8	2	No
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 627-628

Y7_305	NEXT OLDEST CHILD-BIOLOGICAL
---------------	-------------------------------------

Is Next Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	2	1	No
97.1	3.9	68	2	Yes
0.0	0.0	0	9	Dont Know
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 629-630

Y7_306

NEXT OLDEST CHILD-BIRTHDATE MO

Birthdate of Next Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	Jan
10.5	0.1	2	2	Feb
0.0	0.0	0	3	Mar
5.3	0.1	1	4	Apr
5.3	0.1	1	5	May
5.3	0.1	1	6	Jun
5.3	0.1	1	7	Jul
21.1	0.2	4	8	Aug
15.8	0.2	3	9	Sept
10.5	0.1	2	10	Oct
5.3	0.1	1	11	Nov
10.5	0.1	2	12	Dec
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 631-632

Y7_307	NEXT OLDEST CHILD-BIRTHDATE YR
---------------	---------------------------------------

Birthdate of Next Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
5.3	0.1	1	80	1980
5.3	0.1	1	81	1981
5.3	0.1	1	82	1982
15.8	0.2	3	83	1983
21.1	0.2	4	84	1984
21.1	0.2	4	85	1985
21.1	0.2	4	86	1986
5.3	0.1	1	87	1987
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 633-634

Y7_308	NEXT OLDEST CHILD-SEX
---------------	------------------------------

Sex of Next Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.5	8	1	Boy
57.9	0.6	11	2	Girl
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 635-636

Y7_309	NEXT OLDEST CHILD-LIVING W/RESP
---------------	--

Is Next Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.9	15	1	Yes
16.7	0.2	3	2	No
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 637-638

Y7_310	NEXT OLDEST CHILD-BIOLOGICAL
---------------	-------------------------------------

Is Next Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	1.1	19	2	Yes
0.0	0.0	0	9	Dont Know
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 639-640

Y7_311	NEXT OLDEST CHILD-BIRTHDATE MO
--------	--------------------------------

Birthdate of Next Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Jan
0.0	0.0	0	2	Feb
0.0	0.0	0	3	Mar
20.0	0.1	1	4	Apr
20.0	0.1	1	5	May
0.0	0.0	0	6	Jun
0.0	0.0	0	7	Jul
0.0	0.0	0	8	Aug
40.0	0.1	2	9	Sept
0.0	0.0	0	10	Oct
0.0	0.0	0	11	Nov
20.0	0.1	1	12	Dec
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 641-642

Y7_312	NEXT OLDEST CHILD-BIRTHDATE YR
---------------	---------------------------------------

Birthdate of Next Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
0.0	0.0	0	80	1980
0.0	0.0	0	81	1981
40.0	0.1	2	82	1982
0.0	0.0	0	83	1983
20.0	0.1	1	84	1984
20.0	0.1	1	85	1985
20.0	0.1	1	86	1986
0.0	0.0	0	87	1987
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 643-644

Y7_313	NEXT OLDEST CHILD-SEX
---------------	------------------------------

Sex of Next Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	3	1	Boy
40.0	0.1	2	2	Girl
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 645-646

Y7_314	NEXT OLDEST CHILD-LIVING W/RESP
---------------	--

Is Next Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	1	Yes
20.0	0.1	1	2	No
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 647-648

Y7_315	NEXT OLDEST CHILD-BIOLOGICAL
---------------	-------------------------------------

Is Next Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.3	5	2	Yes
0.0	0.0	0	9	Dont Know
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 649-650

Y7_316	NEXT OLDEST CHILD-BIRTHDATE MO
--------	--------------------------------

Birthdate of Next Oldest child? (Month)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Jan
0.0	0.0	0	2	Feb
0.0	0.0	0	3	Mar
0.0	0.0	0	4	Apr
50.0	0.1	1	5	May
0.0	0.0	0	6	Jun
0.0	0.0	0	7	Jul
0.0	0.0	0	8	Aug
50.0	0.1	1	9	Sept
0.0	0.0	0	10	Oct
0.0	0.0	0	11	Nov
0.0	0.0	0	12	Dec
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 651-652

Y7_317	NEXT OLDEST CHILD-BIRTHDATE YR
---------------	---------------------------------------

Birthdate of Next Oldest child? (Year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	70	1970
0.0	0.0	0	71	1971
0.0	0.0	0	72	1972
0.0	0.0	0	73	1973
0.0	0.0	0	74	1974
0.0	0.0	0	75	1975
0.0	0.0	0	76	1976
0.0	0.0	0	77	1977
0.0	0.0	0	78	1978
0.0	0.0	0	79	1979
0.0	0.0	0	80	1980
0.0	0.0	0	81	1981
0.0	0.0	0	82	1982
0.0	0.0	0	83	1983
0.0	0.0	0	84	1984
0.0	0.0	0	85	1985
100.0	0.1	2	86	1986
0.0	0.0	0	87	1987
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 653-654

Y7_318	NEXT OLDEST CHILD-SEX
---------------	------------------------------

Sex of Next Oldest child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Boy
50.0	0.1	1	2	Girl
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 655-656

Y7_319	NEXT OLDEST CHILD-LIVING W/RESP
---------------	--

Is Next Oldest child living with respondent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Yes
50.0	0.1	1	2	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 657-658

Y7_320	NEXT OLDEST CHILD-BIOLOGICAL
---------------	-------------------------------------

Is Next Oldest child your biological child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	2	2	Yes
0.0	0.0	0	9	Dont Know
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 659-660

Y7_321	HOW MUCH TIME SPENT W/CHILDREN
---------------	---------------------------------------

During an average week in the past year, how many hours have you spent with your (child/children)?

Min	=	0	Mean	=	66.538
Max	=	168	Std Dev	=	53.191
Median	=	48	Variance	=	2,829.257

(Based on 517 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 661-663

Y7_322	ENJOYED BEING W/CHILDREN
---------------	---------------------------------

In general, how much have you enjoyed being with your (child/children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	1	Very little
0.0	0.0	0	2	Not too much
1.0	0.3	5	3	Some
9.3	2.8	48	4	Quite a bit
89.5	26.7	460	5	A great deal
	70.2	1,211	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 664-665

Y7_323	HOW SATISFIED W/RELATIONSHIP
---------------	-------------------------------------

How satisfied have you been with your relationship with your (child/children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.2	3	1	very dissatisfied
1.5	0.5	8	2	Somewhat dissatisfied
0.8	0.2	4	3	Neither
17.6	5.3	91	4	Somewhat satisfied
79.5	23.8	411	5	Very satisfied
	70.0	1,208	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 666-667

Y7_324

STRESS/PRESS IN REL W/CHILD

Thinking of your relationships) with your (child/children) during the past year, how much stress or pressure is there in this/these relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	12.7	219	1	Very little
23.2	7.0	120	2	Not too much
25.0	7.5	129	3	Some
7.0	2.1	36	4	Quite a bit
2.5	0.8	13	5	A great deal
	70.0	1,208	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 668-669

Religion

Y7_325 ATTENDANCE AT RELIGIOUS SERVICES

During the past year, how often did you attend church, synagogue, or other religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	24.9	429	1	Never (Once or twice)
30.2	24.2	418	2	Several times a year
16.8	13.5	233	3	Once or twice a month
14.8	11.9	205	4	Once a week
7.1	5.7	98	5	Several times a week
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 670-671

Y7_326 IMPORTANCE OF RELIGION

How important has religion been in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	5.4	94	1	Not important at all
19.7	15.8	272	2	Not too important
29.1	23.3	402	3	Somewhat important
16.7	13.4	231	4	Pretty important
27.7	22.2	383	5	Very important
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 672-673

ASPIRATIONS

Y7_327

SUCCESS IN WORK-HOW IMPORTANT

How important is it to you . . .

to be a success in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.3	22	1	Not important at all
19.0	15.2	263	3	Somewhat important
79.4	63.5	1,096	5	Very important
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 674-675

Y7_328

SUCCESS IN WORK-HOW DOING

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_327)

What do you think your chances are for . . .

to be a success in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.9	16	1	Poor
19.8	15.6	269	3	Fair
78.9	62.0	1,070	5	Good
0.1	0.1	1	8	Already achieved
	21.4	369	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 676-677

Y7_329	ABILITIES IN WORK-HOW IMPORTANT
---------------	--

How important is it to you . . .
to use your abilities in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.0	17	1	Not important at all
14.9	11.9	206	3	Somewhat important
83.9	67.1	1,158	5	Very important
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 678-679

Y7_330	ABILITIES IN WORK-HOW DOING
---------------	------------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_329)

What do you think your chances are for . . .
to use your abilities in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.9	15	1	Poor
17.1	13.5	233	3	Fair
81.7	64.5	1,113	5	Good
0.1	0.1	2	8	Already achieved
	21.0	362	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 680-681

Y7_331	GET AHEAD IN WORK-HOW IMPORTANT
---------------	--

How important is it to you . . .

to get ahead quickly in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	5.4	94	1	Not important at all
46.1	36.9	637	3	Somewhat important
47.1	37.7	651	5	Very important
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 682-683

Y7_332	GET AHEAD IN WORK-HOW DOING
---------------	------------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_331)

What do you think your chances are for . . .

to get ahead quickly in your work or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	2.9	50	1	Poor
39.4	29.3	506	3	Fair
56.6	42.1	727	5	Good
0.2	0.1	2	8	Already achieved
	25.5	440	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 684-685

Y7_333	HAVE GOOD JOB-HOW IMPORTANT
---------------	------------------------------------

How important is it to you . . .

to have a good job or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.8	31	1	Not important at all
16.4	13.1	226	3	Somewhat important
81.4	65.2	1,125	5	Very important
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 686-687

Y7_334	HAVE GOOD JOB-HOW DOING
---------------	--------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_333)

What do you think your chances are for . . .

to have a good job or career?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.7	29	1	Poor
25.9	20.2	349	3	Fair
71.6	55.9	964	5	Good
0.4	0.3	5	8	Already achieved
	21.9	378	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 688-689

Y7_335	GRAD FROM COLLEGE-HOW IMPORTANT
---------------	--

How important is it to you . . .

to graduate from college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	22.2	383	1	Not important at all
28.9	22.7	391	3	Somewhat important
42.9	33.7	581	5	Very important
	21.4	370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 690-691

Y7_336	GRAD FROM COLLEGE-HOW DOING
---------------	------------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_335)

What do you think your chances are for . . .

to graduate from college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	7.2	124	1	Poor
28.5	16.4	283	3	Fair
36.5	21.0	363	5	Good
22.5	13.0	224	8	Already achieved
	42.4	731	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 692-693

Y7_337	GET MARRIED-HOW IMPORTANT
---------------	----------------------------------

(IF NOT MARRIED)

How important is it to you . . .
to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	9.4	162	1	Not important at all
43.6	19.0	328	3	Somewhat important
34.8	15.2	262	5	Very important
	56.4	973	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 694-695

Y7_338	GET MARRIED-HOW DOING
---------------	------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_337)

What do you think your chances are for . . .
to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.4	24	1	Poor
35.6	12.1	208	3	Fair
60.3	20.4	352	5	Good
0.0	0.0	0	8	Already achieved
	66.1	1,141	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 696-697

Y7_339	HAVE LONG TERM REL-HOW IMPORTANT
---------------	---

How important is it to you . . .

to have a long term intimate relationship with a person of
the opposite sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.6	96	1	Not important at all
21.4	17.2	296	3	Somewhat important
71.6	57.3	989	5	Very important
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 698-699

Y7_340	HAVE LONG TERM REL-HOW DOING
---------------	-------------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_339)

What do you think your chances are for . . .

to have a long term intimate relationship with a person
of the opposite sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.8	13	1	Poor
17.7	13.2	227	3	Fair
78.8	58.5	1,009	5	Good
2.5	1.9	32	8	Already achieved
	25.7	444	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 700-701

Y7_341	HAVE CHILDREN-HOW IMPORTANT
---------------	------------------------------------

How important is it to you . . .

to have children of your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	6.1	106	1	Not important at all
20.3	16.1	278	3	Somewhat important
72.0	57.2	986	5	Very important
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 702-703

Y7_342	HAVE CHILDREN-HOW DOING
---------------	--------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_341)

What do you think your chances are for . . .

to have children of your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	2.4	42	1	Poor
16.1	11.8	203	3	Fair
60.4	44.2	763	5	Good
20.3	14.8	256	8	Already achieved
	26.7	461	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 704-705

Y7_343	EARN \$20K ANNUAL-HOW IMPORTANT
---------------	--

How important is it to you . . .

to earn an annual salary of at least \$20,000 this year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	15.1	261	1	Not important at all
25.5	20.4	352	3	Somewhat important
55.6	44.6	769	5	Very important
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 706-707

Y7_344	EARN \$20K ANNUAL-HOW DOING
---------------	------------------------------------

(ASK ONLY IF "VERY" OR "SOMEWHAT IMPORTANT" TO Y7_341)

What do you think your chances are for . . .

to earn an annual salary of at least \$20,000 this year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	17.3	298	1	Poor
25.7	16.7	288	3	Fair
43.8	28.4	490	5	Good
3.8	2.5	43	8	Already achieved
	35.1	606	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 708-709

NORMLESSNESS

Y7_345 **CAN SUCCEED AT WORK W/O CHEATING**

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

You can make it at work without having to cheat or lie.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	11	1	Strongly disagree
1.3	0.9	16	2	Disagree
1.5	1.0	18	3	Neither agree nor disagree
31.8	22.8	393	4	Agree
64.5	46.2	797	5	Strongly agree
	28.4	490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 710-711

Y7_346

LIE TO PARTNER AVOID ARGUMENTS

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes you have to lie to your (husband/wife/girlfriend/boyfriend) in order to avoid arguments or fights.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	10.7	185	1	Strongly disagree
36.9	15.5	267	2	Disagree
12.8	5.4	93	3	Neither agree nor disagree
22.2	9.3	161	4	Agree
2.5	1.0	18	5	Strongly agree
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 712-713

Y7_347

LIE TO GET A JOB

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes you need to lie in order to get a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	23.1	398	1	Strongly disagree
45.1	32.2	556	2	Disagree
10.8	7.7	133	3	Neither agree nor disagree
10.8	7.7	133	4	Agree
1.1	0.8	14	5	Strongly agree
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 714-715

Y7_348	W/FRIENDS GOOD IMPRESS FOREMOST
---------------	--

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

Making a good impression is more important than telling the truth to friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	26.4	455	1	Strongly disagree
58.4	46.8	807	2	Disagree
4.9	3.9	67	3	Neither agree nor disagree
2.5	2.0	35	4	Agree
1.2	1.0	17	5	Strongly agree
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 716-717

Y7_349	TO AVOID TROUBLE LIE TO TEACHERS
---------------	---

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

To stay out of trouble, it's sometimes necessary to lie to professors/teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	4.5	77	1	Strongly disagree
52.2	9.4	163	2	Disagree
13.1	2.4	41	3	Neither agree nor disagree
9.0	1.6	28	4	Agree
1.0	0.2	3	5	Strongly agree
	81.9	1,413	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 718-719

Y7_350

W/PARENTS GOOD IMPRESS FOREMOST

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

Making a good impression is more important than telling the truth to parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	27.5	474	1	Strongly disagree
56.4	45.2	780	2	Disagree
6.2	5.0	86	3	Neither agree nor disagree
2.4	1.9	33	4	Agree
0.7	0.5	9	5	Strongly agree
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 720-721

Y7_351

LIKING WORKERS REQUIRES COVER UP

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

If you want your fellow workers to like you, you may have to cover up for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	14.9	257	1	Strongly disagree
51.1	36.6	631	2	Disagree
17.7	12.7	219	3	Neither agree nor disagree
10.0	7.2	124	4	Agree
0.3	0.2	4	5	Strongly agree
	28.4	490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 722-723

Y7_352	LIE OK KEEP PARTNER OUT/O TROUBLE
---------------	--

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements about you . . .

It's okay to lie if it keeps your
(husband/wife/girlfriend/boyfriend) out of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	8.2	142	1	Strongly disagree
45.6	19.1	330	2	Disagree
22.8	9.6	165	3	Neither agree nor disagree
11.2	4.7	81	4	Agree
0.8	0.3	6	5	Strongly agree
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 724-725

Y7_353	CAN SUCCEED SCHOOL W/O CHEATING
---------------	--

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

You can make it in school/college without having to cheat on exams or tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.2	4	1	Strongly disagree
2.9	0.5	9	2	Disagree
2.3	0.4	7	3	Neither agree nor disagree
49.8	9.0	155	4	Agree
43.7	7.9	136	5	Strongly agree
	82.0	1,414	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 726-727

Y7_354

IMPORTANT TO BE HONEST W/PARENTS

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

It's important to be honest with your parents, even if they become upset or angry.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.5	9	1	Strongly disagree
3.3	2.7	46	2	Disagree
7.7	6.2	107	3	Neither agree nor disagree
61.9	49.6	855	4	Agree
26.4	21.2	365	5	Strongly agree
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 728-729

Y7_355

TO BE POPULAR MUST BREAK RULES

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

You have to be willing to break some rules if you want to be popular with your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	23.0	397	1	Strongly disagree
58.1	46.6	804	2	Disagree
7.8	6.3	108	3	Neither agree nor disagree
5.1	4.1	71	4	Agree
0.2	0.2	3	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 730-731

Y7_356 OWN WORK MORE IMPORTANT

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

It's important to do your own work at school/college even if it means some students won't like you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Strongly disagree
0.6	0.1	2	2	Disagree
8.0	1.4	25	3	Neither agree nor disagree
59.0	10.7	184	4	Agree
32.1	5.8	100	5	Strongly agree
	81.9	1,413	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 732-733

Y7_357 BEAT UP KIDS GAIN RESPECT

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

In order to gain the respect of your friends, it's sometimes necessary to beat up on other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	47.2	814	1	Strongly disagree
39.6	31.7	547	2	Disagree
0.5	0.4	7	3	Neither agree nor disagree
0.7	0.5	9	4	Agree
0.4	0.3	6	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 734-735

Y7_358

BREAK RULES TO SUCCEED AT WORK

(RESPONDENT TYPES C D G H)

Please tell me how much you agree or disagree with these statements about you . . .

At work it's sometimes necessary to break the rules in order to get ahead.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	22.8	394	1	Strongly disagree
53.7	38.4	663	2	Disagree
7.1	5.0	87	3	Neither agree nor disagree
7.1	5.0	87	4	Agree
0.2	0.2	3	5	Strongly agree
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 736-737

Y7_359

TO HAVE GOOD REL MUST DECEIVE

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes it's necessary to deceive your (husband/wife/girlfriend/boyfriend) in order to have a good relationship.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	15.4	265	1	Strongly disagree
53.3	22.4	386	2	Disagree
6.2	2.6	45	3	Neither agree nor disagree
3.3	1.4	24	4	Agree
0.6	0.2	4	5	Strongly agree
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 738-739

Y7_360	PLAY DIRTY TO WIN AT SCHOOL
---------------	------------------------------------

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

At school/college it's sometimes necessary to play dirty in order to win.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	7.1	122	1	Strongly disagree
48.7	8.9	153	2	Disagree
8.6	1.6	27	3	Neither agree nor disagree
3.8	0.7	12	4	Agree
0.0	0.0	0	5	Strongly agree
	81.8	1,411	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 740-741

Y7_361	LIE TO PARENTS TO KEEP TRUST
---------------	-------------------------------------

(RESPONDENT TYPES A B C D E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

Sometimes it's necessary to lie to your parents in order to keep their trust.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	23.3	402	1	Strongly disagree
54.6	43.8	755	2	Disagree
8.8	7.1	122	3	Neither agree nor disagree
7.2	5.8	100	4	Agree
0.3	0.2	4	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 742-743

Y7_362

W/TEACHERS GOOD IMPRESS FOREMOST

(RESPONDENT TYPES E F G H)

Please tell me how much you agree or disagree with these statements about you . . .

Making a good impression is more important than telling the truth to professors/teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	4.9	85	1	Strongly disagree
58.8	10.6	183	2	Disagree
10.0	1.8	31	3	Neither agree nor disagree
3.9	0.7	12	4	Agree
0.0	0.0	0	5	Strongly agree
	82.0	1,414	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 744-745

Y7_363

BREAK PROMISE GET ALONG W/PARTNER

(RESPONDENT TYPES B D F H)

Please tell me how much you agree or disagree with these statements about you . . .

It may be necessary to break promises to others in order to get along with your (husband/wife/girlfriend/boyfriend).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	7.0	120	1	Strongly disagree
46.5	19.5	337	2	Disagree
15.2	6.4	110	3	Neither agree nor disagree
21.0	8.8	152	4	Agree
0.8	0.3	6	5	Strongly agree
	58.0	1,000	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 746-747

LABELING BY PARENTS

Y7_366

WELL-LIKED

How would your PARENTS agree that you . . .
are well-liked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly disagree
0.4	0.3	5	2	Disagree
3.0	2.4	42	3	Neither agree nor disagree
59.8	47.8	824	4	Agree
36.7	29.3	506	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 752-753

Y7_367

NEED HELP

How would your PARENTS agree that you . . .
need help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	22.8	393	1	Strongly disagree
55.9	44.6	770	2	Disagree
7.8	6.3	108	3	Neither agree nor disagree
6.0	4.8	83	4	Agree
1.7	1.3	23	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 754-755

Y7_368	BAD KID
---------------	----------------

How would your PARENTS agree that you . . .
are a bad person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	35.5	613	1	Strongly disagree
52.5	41.9	723	2	Disagree
2.3	1.9	32	3	Neither agree nor disagree
0.5	0.4	7	4	Agree
0.2	0.2	3	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 756-757

Y7_369	OFTEN UPSET
---------------	--------------------

How would your PARENTS agree that you . . .
are often upset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	11.9	206	1	Strongly disagree
54.8	43.8	755	2	Disagree
17.1	13.7	236	3	Neither agree nor disagree
12.2	9.7	168	4	Agree
0.9	0.8	13	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 758-759

Y7_370**GOOD CITIZEN**

How would your PARENTS agree that you . . .
are a good citizen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly disagree
0.9	0.8	13	2	Disagree
5.2	4.1	71	3	Neither agree nor disagree
68.8	55.0	948	4	Agree
25.1	20.0	345	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 760-761

Y7_371**GET ALONG WELL W/OTHERS**

How would your PARENTS agree that you . . .
get along well with other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly disagree
0.7	0.6	10	2	Disagree
2.4	1.9	33	3	Neither agree nor disagree
64.3	51.4	886	4	Agree
32.5	26.0	448	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 762-763

Y7_372	MESSED UP
---------------	------------------

How would your PARENTS agree that you . . .
are messed up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	33.2	573	1	Strongly disagree
52.9	42.3	729	2	Disagree
3.2	2.6	44	3	Neither agree nor disagree
1.8	1.4	25	4	Agree
0.4	0.3	6	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 764-765

Y7_373	BREAK RULES
---------------	--------------------

How would your PARENTS agree that you . . .
break rules.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	25.0	432	1	Strongly disagree
54.3	43.4	748	2	Disagree
8.4	6.7	116	3	Neither agree nor disagree
5.3	4.2	73	4	Agree
0.6	0.5	8	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 766-767

Y7_374**PERSONAL PROBLEMS**

How would your PARENTS agree that you . . .

have a lot of personal problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	20.7	357	1	Strongly disagree
55.0	43.9	757	2	Disagree
10.0	8.0	138	3	Neither agree nor disagree
8.0	6.4	110	4	Agree
1.1	0.9	15	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 768-769

Y7_375**GET INTO TROUBLE**

How would your PARENTS agree that you . . .

get into trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	27.9	481	1	Strongly disagree
58.1	46.4	801	2	Disagree
4.4	3.5	61	3	Neither agree nor disagree
2.3	1.9	32	4	Agree
0.2	0.2	3	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 770-771

Y7_376	LIKELY TO SUCCEED
---------------	--------------------------

How would your PARENTS agree that you . . .
are likely to succeed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	10	1	Strongly disagree
3.0	2.4	41	2	Disagree
6.5	5.2	89	3	Neither agree nor disagree
63.3	50.6	872	4	Agree
26.5	21.2	365	5	Strongly agree
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 772-773

Y7_377	DO THINGS AGAINST THE LAW
---------------	----------------------------------

How would your PARENTS agree that you . . .
do things that are against the law.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	33.2	572	1	Strongly disagree
48.6	38.8	670	2	Disagree
5.1	4.1	70	3	Neither agree nor disagree
4.2	3.4	58	4	Agree
0.6	0.5	8	5	Strongly agree
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 774-775

PERCEIVED DISAPPROVAL

Perceived Disapproval from Parents

Y7_378 **PARENTS OPIN:CHEAT ON INCOME TAX**

How would your parents react if you . . .
cheated on your income tax.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
1.1	0.9	15	2	Approve
19.9	15.9	274	3	Neither approve nor disapprove
52.6	42.0	725	4	Disapprove
26.3	21.0	362	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 776-777

Y7_379 **PARENTS OPIN:STOLE WORTH < \$5**

How would your parents react if you . . .
stole something worth less than \$5.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.1	0.1	2	2	Approve
4.9	3.9	68	3	Neither approve nor disapprove
54.4	43.5	750	4	Disapprove
40.3	32.2	556	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 778-779

Y7_380	PARENTS OPIN:SOLD HARD DRUGS
---------------	-------------------------------------

How would your parents react if you . . .
 sold hard drugs such as heroin, cocaine and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.0	0.0	0	2	Approve
0.3	0.2	4	3	Neither approve nor disapprove
15.0	12.0	207	4	Disapprove
84.6	67.6	1,166	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 780-781

Y7_381	PARENTS OPIN:USED MARIJUANA
---------------	------------------------------------

How would your parents react if you . . .
 used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.4	0.3	6	2	Approve
7.3	5.9	101	3	Neither approve nor disapprove
35.0	27.9	482	4	Disapprove
57.1	45.6	787	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 782-783

Y7_382	PARENTS OPIN:STOLE WORTH > \$50
---------------	---

How would your parents react if you . . .

stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.1	0.1	2	2	Approve
0.7	0.5	9	3	Neither approve nor disapprove
28.2	22.6	389	4	Disapprove
70.8	56.6	977	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 784-785

Y7_383	PARENTS OPIN:HIT SOMEONE
---------------	---------------------------------

How would your parents react if you . . .

hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.1	0.1	2	2	Approve
1.5	1.2	21	3	Neither approve nor disapprove
41.8	33.4	577	4	Disapprove
56.5	45.2	779	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 786-787

Y7_384	PARENTS OPIN:USED ALCOHOL
---------------	----------------------------------

How would your parents react if you . . .
used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	7	1	Strongly approve
13.9	11.1	192	2	Approve
51.6	41.2	711	3	Neither approve nor disapprove
23.5	18.8	324	4	Disapprove
10.5	8.4	145	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 788-789

Y7_385	PARENTS OPIN:DESTROYED PROPERTY
---------------	--

How would your parents react if you . . .
purposely damaged or destroyed property that did not belong to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.1	0.1	1	2	Approve
0.7	0.6	10	3	Neither approve nor disapprove
37.9	30.3	523	4	Disapprove
61.2	48.9	844	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 790-791

Y7_386

PARENTS OPIN:BROKE INTO VEHICLE

How would your parents react if you . . .

broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.1	0.1	1	2	Approve
0.4	0.3	5	3	Neither approve nor disapprove
27.6	22.0	380	4	Disapprove
71.9	57.5	992	5	Strongly disapprove
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 792-793

Y7_387

PARENTS OPIN:DELIB HURT SP/PARTN

How would your parents react if you . . .

deliberately injured your spouse/boyfriend/girlfriend, e.g., hit,
choked or cut him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.6	0.5	8	2	Approve
1.6	1.3	22	3	Neither approve nor disapprove
28.3	22.6	390	4	Disapprove
69.4	55.4	956	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 794-795

Y7_388 **PEER OPIN:CHEATED ON INCOME TAX**

How would your close friends react if you . . .
cheated on your income tax.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.5	9	1	Strongly approve
4.5	3.6	62	2	Approve
46.4	37.0	639	3	Neither approve nor disapprove
35.6	28.4	490	4	Disapprove
12.8	10.2	176	5	Strongly disapprove
	20.2	349	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 796-797

Y7_389 **PEER OPIN:STOLE WORTH < \$5**

How would your close friends react if you . . .
stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
1.7	1.4	24	2	Approve
26.3	21.0	362	3	Neither approve nor disapprove
51.9	41.4	714	4	Disapprove
20.1	16.0	276	5	Strongly disapprove
	20.2	349	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 798-799

Perceived Disapproval by Peers

Y7_390**PEER OPIN:SOLD HARD DRUGS**

How would your close friends react if you . . .

sold hard drugs such as heroin, cocaine and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	7	1	Strongly approve
2.0	1.6	28	2	Approve
10.3	8.2	142	3	Neither approve nor disapprove
36.8	29.4	507	4	Disapprove
50.4	40.2	694	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 800-801

Y7_391**PEER OPIN:USED MARIJUANA**

How would your close friends react if you . . .

used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.9	16	1	Strongly approve
8.6	6.9	119	2	Approve
36.0	28.8	496	3	Neither approve nor disapprove
28.7	22.9	395	4	Disapprove
25.5	20.3	351	5	Strongly disapprove
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 802-803

Y7_392	PEER OPIN:STOLE WORTH > \$50
---------------	--

How would your close friends react if you . . .
 stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
1.2	1.0	17	2	Approve
8.6	6.9	119	3	Neither approve nor disapprove
45.0	35.9	619	4	Disapprove
45.1	36.0	621	5	Strongly disapprove
	20.2	348	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 804-805

Y7_393	PEER OPIN:HIT SOMEONE
---------------	------------------------------

How would your close friends react if you . . .
 hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.9	0.8	13	2	Approve
8.9	7.1	123	3	Neither approve nor disapprove
50.5	40.2	694	4	Disapprove
39.4	31.4	542	5	Strongly disapprove
	20.3	350	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 806-807

Y7_394

PEER OPIN:USED ALCOHOL

How would your close friends react if you . . .
used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.2	56	1	Strongly approve
27.4	21.9	378	2	Approve
52.1	41.6	718	3	Neither approve nor disapprove
10.2	8.2	141	4	Disapprove
6.2	4.9	85	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 808-809

Y7_395

PEER OPIN:PRESSED SEXUALLY

How would your close friends react if you . . .
pressured or forced someone to do more sexually than he/she wanted
to do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.7	0.6	10	2	Approve
7.6	6.1	105	3	Neither approve nor disapprove
49.4	39.5	681	4	Disapprove
42.2	33.7	582	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 810-811

Y7_396 PEER OPIN:DESTROYED PROPERTY

How would your close friends react if you . . .

purposely damaged or destroyed property that did not belong to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.2	0.2	3	2	Approve
5.4	4.3	75	3	Neither approve nor disapprove
52.5	42.0	724	4	Disapprove
41.7	33.3	575	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 812-813

Y7_397 PEER OPIN:BROKE INTO VEHICLE

How would your close friends react if you . . .

broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.4	0.3	6	2	Approve
3.7	3.0	51	3	Neither approve nor disapprove
47.8	38.1	658	4	Disapprove
48.1	38.4	663	5	Strongly disapprove
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 814-815

Y7_398

PEER OPIN:HAD SEXUAL INTERCOURSE

How would your close friends react if you . . .

had sexual intercourse with a person of the opposite sex
(IF MARRIED, other than with your husband/wife.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.0	51	1	Strongly approve
15.8	12.6	217	2	Approve
36.7	29.2	504	3	Neither approve nor disapprove
21.0	16.7	288	4	Disapprove
22.7	18.1	312	5	Strongly disapprove
	20.5	353	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 816-817

Y7_399

PEER OPIN:DELIB HURT SPOUSE/PARTN

How would your close friends react if you . . .

deliberately injured your spouse/boyfriend/girlfriend,
e.g., hit, choked or cut him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.9	0.7	12	2	Approve
5.2	4.2	72	3	Neither approve nor disapprove
44.3	35.4	610	4	Disapprove
49.6	39.5	682	5	Strongly disapprove
	20.2	349	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 818-819

Perceived Disapproval by People at Work

Y7_400 COWORK OPIN:CHEATED ON INCOME TAX

(IF WORKING)

How would the people at work react if you . . .
cheated on your income tax.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	4	1	Strongly approve
2.8	2.0	35	2	Approve
41.1	29.4	507	3	Neither approve nor disapprove
39.9	28.5	492	4	Disapprove
15.9	11.4	196	5	Strongly disapprove
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 820-821

Y7_401 COWORK OPIN:STOLE WORTH < \$5

(IF WORKING)

How would the people at work react if you . . .
stole something worth less than \$5.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.8	0.6	10	2	Approve
16.5	11.8	203	3	Neither approve nor disapprove
56.8	40.6	701	4	Disapprove
25.9	18.5	319	5	Strongly disapprove
	28.5	491	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 822-823

Y7_402

COWORK OPIN:SOLD HARD DRUGS

(IF WORKING)

How would the people at work react if you . . .

sold hard drugs such as heroin, cocaine and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	1	Strongly approve
0.7	0.5	9	2	Approve
5.7	4.1	71	3	Neither approve nor disapprove
36.3	26.0	449	4	Disapprove
57.1	40.9	706	5	Strongly disapprove
	28.3	488	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 824-825

Y7_403

COWORK OPIN:USED MARIJUANA

(IF WORKING)

How would the people at work react if you . . .

used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	4	1	Strongly approve
3.5	2.5	43	2	Approve
24.1	17.3	298	3	Neither approve nor disapprove
37.6	27.0	465	4	Disapprove
34.5	24.8	427	5	Strongly disapprove
	28.3	488	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 826-827

Y7_404 COWORK OPIN:STOLE WORTH > \$50

(IF WORKING)

How would the people at work react if you . . .

stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.2	0.2	3	2	Approve
4.5	3.2	55	3	Neither approve nor disapprove
45.2	32.3	558	4	Disapprove
50.1	35.9	619	5	Strongly disapprove
	28.4	490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 828-829

Y7_405 COWORK OPIN:HIT SOMEONE

(IF WORKING)

How would the people at work react if you . . .

hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.3	0.2	4	2	Approve
6.5	4.7	81	3	Neither approve nor disapprove
50.8	36.5	629	4	Disapprove
42.2	30.3	523	5	Strongly disapprove
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 830-831

Y7_406**COWORK OPIN:USED ALCOHOL**

(IF WORKING)

How would the people at work react if you . . .

used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.4	24	1	Strongly approve
18.4	13.2	227	2	Approve
56.9	40.8	704	3	Neither approve nor disapprove
16.1	11.5	199	4	Disapprove
6.7	4.8	83	5	Strongly disapprove
	28.3	488	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 832-833

Y7_407**COWORK OPIN:DESTROYED PROPERTY**

(IF WORKING)

How would the people at work react if you . . .

purposely damaged or destroyed property that did not belong to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.6	0.4	7	2	Approve
3.8	2.7	47	3	Neither approve nor disapprove
51.9	37.2	642	4	Disapprove
43.7	31.4	541	5	Strongly disapprove
	28.3	488	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 834-835

Y7_408 COWORK OPIN:BROKE INTO VEHICLE

(IF WORKING)

How would the people at work react if you . . .

broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.2	0.2	3	2	Approve
2.9	2.1	36	3	Neither approve nor disapprove
47.6	34.1	589	4	Disapprove
49.3	35.4	610	5	Strongly disapprove
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 836-837

Y7_409 COWORK OPIN:DELIB HURT SP/PARTN

(IF WORKING)

How would the people at work react if you . . .

deliberately injured your spouse/boyfriend/girlfriend,
 e.g., hit, choked or cut him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.3	0.2	4	2	Approve
5.1	3.7	63	3	Neither approve nor disapprove
48.1	34.5	595	4	Disapprove
46.4	33.3	574	5	Strongly disapprove
	28.3	489	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 838-839

Perceived Disapproval by Partner

Y7_410 PARTNER OPIN:CHEAT ON INCOME TAX

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
cheated on your income tax.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
3.6	1.5	26	2	Approve
20.4	8.6	148	3	Neither approve nor disapprove
49.3	20.8	358	4	Disapprove
26.6	11.2	193	5	Strongly disapprove
	57.9	999	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 840-841

Y7_411 PARTNER OPIN:STOLE WORTH < \$5

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.8	0.3	6	2	Approve
8.1	3.4	59	3	Neither approve nor disapprove
53.0	22.3	385	4	Disapprove
38.1	16.1	277	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 842-843

Y7_412	PARTNER OPIN:SOLD HARD DRUGS
---------------	-------------------------------------

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
 sold hard drugs such as heroin, cocaine and LSD.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.8	0.3	6	2	Approve
3.0	1.3	22	3	Neither approve nor disapprove
26.5	11.2	193	4	Disapprove
69.6	29.3	506	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 844-845

Y7_413	PARTNER OPIN:USED MARIJUANA
---------------	------------------------------------

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
 used marijuana or hashish.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
6.3	2.7	46	2	Approve
19.7	8.3	143	3	Neither approve nor disapprove
29.0	12.2	211	4	Disapprove
45.0	19.0	327	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 846-847

Y7_414	PARTNER OPIN:STOLE WORTH > \$50
---------------	---

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
stole something worth more than \$50.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.3	0.1	2	2	Approve
1.8	0.8	13	3	Neither approve nor disapprove
36.0	15.1	261	4	Disapprove
62.0	26.1	450	5	Strongly disapprove
	57.9	999	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 848-849

Y7_415	PARTNER OPIN:HIT SOMEONE
---------------	---------------------------------

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
hit or threatened to hit someone without any reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.6	0.2	4	2	Approve
2.2	0.9	16	3	Neither approve nor disapprove
43.9	18.5	319	4	Disapprove
53.4	22.5	388	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 850-851

Y7_416 PARTNER OPIN:USED ALCOHOL

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
used alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	6	1	Strongly approve
21.5	9.0	156	2	Approve
50.2	21.2	365	3	Neither approve nor disapprove
17.3	7.3	126	4	Disapprove
10.2	4.3	74	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 852-853

Y7_417 PARTNER OPIN:DESTROYED PROPERTY

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
purposely damaged or destroyed property that did not belong
to you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.3	0.1	2	2	Approve
1.2	0.5	9	3	Neither approve nor disapprove
44.2	18.6	321	4	Disapprove
54.3	22.9	395	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 854-855

Y7_418	PARTNER OPIN:BROKE INTO VEHICLE
---------------	--

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
broke into a vehicle or building to steal something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
0.3	0.1	2	2	Approve
1.2	0.5	9	3	Neither approve nor disapprove
35.6	15.0	259	4	Disapprove
62.9	26.5	457	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 856-857

Y7_419	PARTNER OPIN:DELIB HURT SP/PARTN
---------------	---

(IF MARRIED OR LIVING TOGETHER)

How would your spouse/boyfriend/girlfriend react if you . . .
deliberately injured him/her, e.g., hit, choked or cut him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.1	0.1	1	2	Approve
0.3	0.1	2	3	Neither approve nor disapprove
21.9	9.2	159	4	Disapprove
77.6	32.7	564	5	Strongly disapprove
	57.9	998	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 858-859

ATTITUDES TOWARD DEVIANCE

Y7_420 OWN OPIN:CHEAT ON INCOME TAX

How wrong is it for someone your age to . . .
cheat on their income tax?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.6	28	1	Not wrong at all
18.7	15.0	258	2	A little bit wrong
42.4	33.9	585	3	Wrong
36.9	29.6	510	4	Very wrong
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 860-861

Y7_421 OWN OPIN:DESTROY PROPERTY

How wrong is it for someone your age to . . .
purposely damage or destroy property that does not belong to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Not wrong at all
1.1	0.9	15	2	A little bit wrong
28.6	22.9	395	3	Wrong
70.3	56.3	971	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 862-863

Y7_422

OWN OPIN:USE MARIJUANA

How wrong is it for someone your age to . . .

use marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	10.7	184	1	Not wrong at all
25.1	20.1	347	2	A little bit wrong
30.8	24.6	425	3	Wrong
30.7	24.6	424	4	Very wrong
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 864-865

Y7_423

OWN OPIN:STEAL WORTH < \$5

How wrong is it for someone your age to . . .

steal something worth less than \$5?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.6	11	1	Not wrong at all
9.4	7.5	130	2	A little bit wrong
51.2	41.0	708	3	Wrong
38.6	30.9	533	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 866-867

Y7_424 **OWN OPIN:HIT SOMEONE**

How wrong is it for someone your age to . . .

hit or threaten to hit someone without any reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Not wrong at all
1.5	1.2	21	2	A little bit wrong
37.3	29.9	516	3	Wrong
61.1	48.9	844	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 868-869

Y7_425 **OWN OPIN:USE ALCOHOL**

How wrong is it for someone your age to . . .

use alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	41.8	721	1	Not wrong at all
26.7	21.4	369	2	A little bit wrong
11.8	9.4	163	3	Wrong
9.2	7.4	127	4	Very wrong
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 870-871

Y7_426

OWN OPIN: BREAK INTO VEHICLE

How wrong is it for someone your age to . . .

break into a vehicle or building to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Not wrong at all
0.9	0.7	12	2	A little bit wrong
32.6	26.1	451	3	Wrong
66.4	53.2	917	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 872-873

Y7_427

OWN OPIN: SELL HARD DRUGS

How wrong is it for someone your age to . . .

sell hard drugs such as heroin, cocaine, and LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	10	1	Not wrong at all
3.1	2.5	43	2	A little bit wrong
21.2	17.0	293	3	Wrong
75.0	60.1	1,036	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 874-875

Y7_428 **OWN OPIN:STOLE WORTH > \$50**

How wrong is it for someone your age to . . .
steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Not wrong at all
1.1	0.9	15	2	A little bit wrong
28.7	23.0	397	3	Wrong
70.1	56.2	969	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 876-877

Y7_429 **OWN OPIN:GET DRUNK**

How wrong is it for someone your age to . . .
get drunk once in awhile?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	34.0	586	1	Not wrong at all
32.1	25.7	443	2	A little bit wrong
15.7	12.6	217	3	Wrong
9.8	7.9	136	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 878-879

Y7_430

OWN OPIN:USE PRESCRIPTION DRUGS

How wrong is it for someone your age to . . .

use prescription drugs such as amphetamines or barbiturates
when there is no medical need for them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.9	15	1	Not wrong at all
9.1	7.3	126	2	A little bit wrong
34.5	27.6	476	3	Wrong
55.3	44.3	764	4	Very wrong
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 880-881

Y7_431

OWN OPIN:GIVE OR SELL ALCHOHOL

How wrong is it for someone your age to . . .

give or sell alcohol to kids under 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.9	15	1	Not wrong at all
7.1	5.7	98	2	A little bit wrong
33.9	27.1	468	3	Wrong
58.0	46.4	801	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 882-883

Y7_432 OWN OPIN:ATTACK ONE TO HURT/KILL

How wrong is it for someone your age to . . .
 attack someone with the idea of seriously hurting or killing them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Not wrong at all
0.7	0.5	9	2	A little bit wrong
18.5	14.8	256	3	Wrong
80.7	64.6	1,115	4	Very wrong
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 884-885

Y7_433 OWN OPIN:EXC SPEED LIM 10-20 MPH

How wrong is it for someone your age to . . .
 exceed the speed limit by 10-20 mph?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	13.2	227	1	Not wrong at all
42.5	34.0	587	2	A little bit wrong
31.1	24.9	429	3	Wrong
9.9	7.9	137	4	Very wrong
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 886-887

Y7_434

OWN OPIN:STRONGARM OTHER PEOPLE

How wrong is it for someone your age to . . .

use force (strongarming) to get money or things from other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Not wrong at all
0.4	0.3	5	2	A little bit wrong
26.6	21.3	367	3	Wrong
72.9	58.4	1,008	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 888-889

Y7_435

OWN OPIN:DELIB HURT SPOUSE/PART

How wrong is it for someone your age to . . .

deliberately hit and injure their spouse/boyfriend/girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Not wrong at all
0.9	0.7	12	2	A little bit wrong
24.0	19.2	331	3	Wrong
75.1	60.2	1,038	4	Very wrong
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 890-891

EXPOSURE TO DELINQUENT PEERS

Y7_436 OWN FRIENDS:CHEAT ON INCOME TAX

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

cheated on their income tax?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	53.2	918	1	None of them
19.3	14.8	255	2	Very few of them
9.5	7.2	125	3	Some of them
1.1	0.9	15	4	Most of them
0.5	0.3	6	5	All of them
	23.5	406	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 892-893

Y7_437

OWN FRIENDS:DESTROYED PROPERTY

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

purposely damaged or destroyed property that did not belong to them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	66.4	1,146	1	None of them
13.6	10.8	186	2	Very few of them
2.3	1.8	31	3	Some of them
0.3	0.2	4	4	Most of them
0.1	0.1	2	5	All of them
	20.6	356	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 894-895

Y7_438

OWN FRIENDS:USED MARIJUANA

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

used marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	28.3	489	1	None of them
24.0	19.0	328	2	Very few of them
23.8	18.9	326	3	Some of them
11.2	8.9	153	4	Most of them
5.3	4.2	72	5	All of them
	20.7	357	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 896-897

Y7_439 OWN FRIENDS:STOLE WORTH < \$5

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

stolen something worth less than \$5?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	56.2	969	1	None of them
19.7	15.5	267	2	Very few of them
7.2	5.6	97	3	Some of them
1.5	1.2	20	4	Most of them
0.2	0.2	3	5	All of them
	21.4	369	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 898-899

Y7_440 OWN FRIENDS:HIT SOMEONE

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

hit or threatened to hit someone without any reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	64.8	1,117	1	None of them
13.5	10.7	185	2	Very few of them
4.1	3.2	56	3	Some of them
0.5	0.4	7	4	Most of them
0.1	0.1	1	5	All of them
	20.8	359	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 900-901

Y7_441

OWN FRIENDS:USED ALCOHOL

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

used alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.6	96	1	None of them
8.8	7.0	120	2	Very few of them
22.4	17.8	307	3	Some of them
29.1	23.1	398	4	Most of them
32.8	26.0	449	5	All of them
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 902-903

Y7_442

OWN FRIENDS:BROKEN INTO VEHICLE

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

broken into a vehicle or building to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	75.0	1,294	1	None of them
3.7	3.0	51	2	Very few of them
1.6	1.3	22	3	Some of them
0.1	0.1	2	4	Most of them
0.1	0.1	1	5	All of them
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 904-905

Y7_443 OWN FRIENDS:SOLD HARD DRUGS

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

sold hard drugs such as heroin, cocaine, and LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	67.9	1,171	1	None of them
9.4	7.5	129	2	Very few of them
4.1	3.2	56	3	Some of them
0.6	0.5	8	4	Most of them
0.2	0.2	3	5	All of them
	20.8	358	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 906-907

Y7_444 OWN FRIENDS:STOLEN WORTH > \$50

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

stolen something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	72.2	1,245	1	None of them
5.3	4.2	73	2	Very few of them
3.2	2.6	44	3	Some of them
0.1	0.1	1	4	Most of them
0.2	0.2	3	5	All of them
	20.8	359	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 908-909

Y7_445 OWN FRIENDS:SUGG YOU BREAK LAW

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

suggested you do something that was against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	61.7	1,064	1	None of them
13.3	10.6	182	2	Very few of them
6.5	5.2	89	3	Some of them
1.5	1.2	21	4	Most of them
1.0	0.8	14	5	All of them
	20.6	355	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 910-911

Y7_446 OWN FRIENDS:GOTTEN DRUNK

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

gotten drunk once in awhile?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	8.3	143	1	None of them
11.1	8.8	152	2	Very few of them
28.4	22.6	389	3	Some of them
25.5	20.2	349	4	Most of them
24.5	19.5	336	5	All of them
	20.6	356	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 912-913

Y7_447 OWN FRIENDS:USED PRESCRIP DRUGS

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

used prescription drugs such as amphetamines or barbiturates when there was no medical need for them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	60.1	1,036	1	None of them
15.3	12.1	209	2	Very few of them
7.3	5.8	100	3	Some of them
0.7	0.6	10	4	Most of them
0.5	0.4	7	5	All of them
	21.0	363	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 914-915

Y7_448 OWN FRIENDS:GIVEN OR SOLD ALCH

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

sold or given alcohol to kids under 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	57.9	999	1	None of them
18.5	14.6	252	2	Very few of them
7.0	5.6	96	3	Some of them
1.0	0.8	14	4	Most of them
0.2	0.2	3	5	All of them
	20.9	361	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 916-917

Y7_449

OWN FRIENDS:PRESS ONE SEXUALLY

(ASK THESE QUESTIONS FOR ALL RESPONDENTS, UNLESS THEY REITERATE THAT THEY HAVE NO FRIENDS AND CAN'T ANSWER THE QUESTIONS.)

Think of your friends. During the last year how many of them have . . .

pressured or forced someone to do more sexually than he/she wanted to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	72.3	1,248	1	None of them
6.0	4.7	81	2	Very few of them
1.5	1.2	20	3	Some of them
0.1	0.1	2	4	Most of them
0.1	0.1	1	5	All of them
	21.6	373	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 918-919

SELF-REPORTED DELINQUENCY

Y7_450 DAMAGED FAMILY PROP-FREQ

How many times in the Last Year have you . . .

purposely damaged or destroyed property belonging to your parents or other family members?

Min	= 0	Mean	= .012
Max	= 3	Std Dev	= .137
Median	= 0	Variance	= .019

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 920-922

Y7_451 DAMAGED FAMILY PROP-RATE

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_450) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

purposely damaging or destroying property belonging to your parents or other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.5	1,371	1	Never
0.9	0.7	12	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 923-924

Y7_452	DAMAGED EMPLOYER PROP-FREQ
---------------	-----------------------------------

(IF WORKING)

How many times in the Last Year have you . . .

purposely damaged or destroyed property belonging to your employer?

Min	= 0	Mean	= .036
Max	= 5	Std Dev	= .317
Median	= 0	Variance	= .100

(Based on 1,262 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 925-927

Y7_453	DAMAGED EMPLOYER PROP-RATE
---------------	-----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_452) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

purposely damaging or destroying property belonging to your employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	71.9	1,240	1	Never
1.5	1.1	19	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	26.8	463	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 928-929

Y7_454	DAMAGED OTHER PROP-FREQ
---------------	--------------------------------

How many times in the Last Year have you . . .

purposely damaged or destroyed other property that did not belong to you, not counting family, or work property?

Min	=	0	Mean	=	.094
Max	=	50	Std Dev	=	1.397
Median	=	0	Variance	=	1.951

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 930-932

Y7_455	DAMAGED OTHER PROP-RATE
---------------	--------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_454) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

purposely damaging or destroying other property that did not belong to you, not counting family, or work property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	77.6	1,339	1	Never
2.8	2.3	39	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 933-934

Y7_456	STOLEN MOTOR VEHICLE-FREQ
---------------	----------------------------------

How many times in the Last Year have you . . .

stolen or tried to steal a motor vehicle such as a car or motorcycle?

Min	= 0	Mean	= .005
Max	= 4	Std Dev	= .117
Median	= 0	Variance	= .014

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 935-937

Y7_457	STOLEN MOTOR VEHICLE-RATE
---------------	----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_456) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

stealing or trying to steal a motor vehicle such as a car or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	79.9	1,379	1	Never
0.2	0.2	3	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 938-939

Y7_458	STOLEN > \$50-FREQ
---------------	------------------------------

How many times in the Last Year have you . . .
 stolen or tried to steal something worth more
 than \$50?

Min = 0	Mean = .069
Max = 50	Std Dev = 1.382
Median = 0	Variance = 1.911

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 940-942

Y7_459	STOLEN > \$50-RATE
---------------	------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_458) 10 OR MORE TIMES IN
 THE LAST YEAR)

How often you were involved in . . .
 stealing or trying to steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	78.8	1,360	1	Never
1.2	1.0	17	2	Once or twice
0.4	0.3	5	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 943-944

Y7_460	BOUGHT STOLEN GOODS-FREQ
---------------	---------------------------------

How many times in the Last Year have you . . .

knowingly bought, sold or held stolen goods or tried to do any of these things?

Min	=	0	Mean	=	.146
Max	=	65	Std Dev	=	1.911
Median	=	0	Variance	=	3.650

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 945-947

Y7_461	BOUGHT STOLEN GOODS-RATE
---------------	---------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_460) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

knowingly buying, selling or holding stolen goods or tried to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	76.9	1,326	1	Never
3.5	2.8	49	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.2	0.2	3	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 948-949

Y7_462	SET FIRE TO PROPERTY-FREQ
---------------	----------------------------------

How many times in the Last Year have you . . .

purposely set fire to a building, a car, or other property or tried to do so?

Min	= 0	Mean	= .001
Max	= 1	Std Dev	= .038
Median	= 0	Variance	= .001

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 950-952

Y7_463	SET FIRE TO PROPERTY-RATE
---------------	----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_462) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

purposely setting fire to a building, a car, or other property or trying to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	80.1	1,381	1	Never
0.1	0.1	2	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 953-954

Y7_464	CARRIED HIDDEN WEAPON-FREQ
---------------	-----------------------------------

How many times in the Last Year have you . . .

carried a hidden weapon other than a plain pocket knife?

Min	=	0	Mean	=	8.139
Max	=	365	Std Dev	=	50.181
Median	=	0	Variance	=	2,518.175

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 955-957

Y7_465	CARRIED HIDDEN WEAPON-RATE
---------------	-----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_464) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

carrying a hidden weapon other than a plain pocket knife?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	72.9	1,257	1	Never
3.9	3.1	54	2	Once or twice
1.2	1.0	17	3	Once every 2-3 months
0.7	0.5	9	4	Once a month
0.4	0.3	5	5	Once every 2-3 weeks
0.2	0.2	3	6	Once a week
0.6	0.5	8	7	2-3 times a week
2.2	1.7	30	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 958-959

Y7_466	STOLEN < \$5-FREQ
---------------	-----------------------------

How many times in the Last Year have you . . .

stolen or tried to steal things worth \$5
or less?

Min	=	0	Mean	=	1.122
Max	=	999	Std Dev	=	27.074
Median	=	0	Variance	=	733.000

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 960-962

Y7_467	STOLEN < \$5-RATE
---------------	-----------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_466) 10 OR MORE TIMES IN
THE LAST YEAR)

How often you were involved in . . .

stealing or trying to steal things worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	73.9	1,275	1	Never
5.4	4.3	75	2	Once or twice
1.4	1.2	20	3	Once every 2-3 months
0.4	0.3	5	4	Once a month
0.4	0.3	5	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 963-964

Y7_468	ATTACKED SOMEONE-FREQ
---------------	------------------------------

How many times in the Last Year have you . . .

attacked someone with the idea of seriously hurting or killing that person?

Min	= 0	Mean	= .087
Max	= 8	Std Dev	= .506
Median	= 0	Variance	= .256

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 965-967

Y7_469	ATTACKED SOMEONE-RATE
---------------	------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_468) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

attacking someone with the idea of seriously hurting or killing that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	76.5	1,319	1	Never
4.0	3.2	56	2	Once or twice
0.5	0.4	7	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 968-969

Y7_470	BEEN PAID SEX RELATIONS-FREQ
---------------	-------------------------------------

How many times in the Last Year have you . . .

been paid for having sexual relations with someone?

Min	=	0	Mean	=	.038
Max	=	25	Std Dev	=	.767
Median	=	0	Variance	=	.589

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 970-972

Y7_471	BEEN PAID SEX RELATIONS-RATE
---------------	-------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_470) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

being paid for having sexual relations with someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	79.5	1,372	1	Never
0.5	0.4	7	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 973-974

Y7_472	PAID FOR SEX RELATIONS-FREQ
---------------	------------------------------------

How many times in the Last Year have you . . .

paid someone to have sexual relations with you?

Min	=	0	Mean	=	.048
Max	=	25	Std Dev	=	.732
Median	=	0	Variance	=	.536

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 975-977

Y7_473	PAID FOR SEX RELATIONS-RATE
---------------	------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_472) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

paying someone to have sexual relations with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	78.9	1,361	1	Never
1.2	1.0	17	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 978-979

Y7_474	BEEN IN GANG FIGHTS-FREQ
---------------	---------------------------------

How many times in the Last Year have you . . .
 been involved in gang fights?

Min	=	0	Mean	=	.020
Max	=	12	Std Dev	=	.352
Median	=	0	Variance	=	.124

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 980-982

Y7_475	BEEN IN GANG FIGHTS-RATE
---------------	---------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_474) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .
 gang fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.5	1,371	1	Never
0.8	0.6	11	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 983-984

Y7_476 USED CHECKS ILLEGALLY-FREQ

How many times in the Last Year have you . . .

used checks illegally or used phony money to pay for something? (INCLUDES INTENTIONAL OVERDRAFTS)

Min = 0 Mean = .053
 Max = 15 Std Dev = .622
 Median = 0 Variance = .388

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 985-987

Y7_477 USED CHECKS ILLEGALLY-RATE

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_476) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

using checks illegally or using phony money to pay for something? (INCLUDES INTENTIONAL OVERDRAFTS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	78.8	1,360	1	Never
1.1	0.9	15	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 988-989

Y7_478	SOLD MARIJUANA-FREQ
---------------	----------------------------

How many times in the Last Year have you . . .

sold marijuana or hashish?
 ("POT", "GRASS", "HASH")

Min	=	0	Mean	=	1.647
Max	=	500	Std Dev	=	16.961
Median	=	0	Variance	=	287.683

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 990-992

Y7_479	SOLD MARIJUANA-RATE
---------------	----------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_478) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

selling marijuana or hashish? ("POT", "GRASS", "HASH")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	75.5	1,302	1	Never
2.1	1.7	29	2	Once or twice
0.7	0.5	9	3	Once every 2-3 months
0.9	0.7	12	4	Once a month
0.8	0.6	11	5	Once every 2-3 weeks
0.6	0.5	8	6	Once a week
0.7	0.6	10	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 993-994

Y7_480	HITCHHIKED WHERE ILLEGAL-FREQ
---------------	--------------------------------------

How many times in the Last Year have you . . .

hitchhiked where it was illegal to do so?

Min	=	0	Mean	=	.338
Max	=	340	Std Dev	=	9.208
Median	=	0	Variance	=	84.793

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 995-997

Y7_481	HITCHHIKED WHERE ILLEGAL-RATE
---------------	--------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_480) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

hitchhiking where it was illegal to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	78.0	1,346	1	Never
2.1	1.7	29	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	2	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 998-999

Y7_482	STOLEN MONEY FROM FAMILY-FREQ
---------------	--------------------------------------

How many times in the Last Year have you . . .

Stolen money or other things from your parents or other members of your family?

Min	=	0	Mean	=	.048
Max	=	40	Std Dev	=	1.092
Median	=	0	Variance	=	1.192

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1000-1002

Y7_483	STOLEN MONEY FROM FAMILY-RATE
---------------	--------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_482) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

Stealing money or other things from your parents or other members of your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	79.1	1,365	1	Never
1.2	1.0	17	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1003-1004

Y7_484	STOLEN MONEY FROM EMPLOYER-FREQ
---------------	--

(IF WORKING)

How many times in the Last Year have you . . .

Stolen money, goods, or property from the place where you work?

Min	=	0	Mean	=	1.132
Max	=	999	Std Dev	=	28.375
Median	=	0	Variance	=	805.129

(Based on 1,254 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1005-1007

Y7_485	STOLEN MONEY FROM EMPLOYER-RATE
---------------	--

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_484) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

Stealing money, goods, or property from the place where you work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	66.4	1,145	1	Never
6.5	4.8	82	2	Once or twice
1.4	1.0	18	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.2	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	27.3	471	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1008-1009

Y7_486	SEX AGAINST SOMEONE'S WILL-FREQ
---------------	--

How many times in the Last Year have you . . .

had or tried to have sexual relations with someone against their will?

Min	=	0	Mean	=	.017
Max	=	10	Std Dev	=	.320
Median	=	0	Variance	=	.103

(Based on 1,381 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1010-1012

Y7_487	SEX AGAINST SOMEONE'S WILL-RATE
---------------	--

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_486) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

having or trying to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	79.6	1,373	1	Never
0.4	0.3	6	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1013-1014

Y7_488	HIT PARENT-FREQ
---------------	------------------------

How many times in the Last Year have you . . .
hit or threatened to hit one of your parents?

Min	= 0	Mean	= .014
Max	= 5	Std Dev	= .176
Median	= 0	Variance	= .031

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1015-1017

Y7_489	HIT PARENT-RATE
---------------	------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_488) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .
hitting or threatening to hit one of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.3	1,368	1	Never
0.9	0.7	12	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1018-1019

Y7_490	HIT SOMEONE AT WORK-FREQ
---------------	---------------------------------

(IF WORKING)

How many times in the Last Year have you . . .

hit or threatened to hit your supervisor or other employee?

Min	=	0	Mean	=	.154
Max	=	70	Std Dev	=	2.055
Median	=	0	Variance	=	4.221

(Based on 1,253 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1020-1022

Y7_491	HIT SOMEONE AT WORK-RATE
---------------	---------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_490) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

hitting or threatening to hit your supervisor or other employee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	68.5	1,181	1	Never
5.3	3.8	66	2	Once or twice
0.2	0.2	3	3	Once every 2-3 months
0.2	0.1	2	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	27.4	472	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1023-1024

Y7_492	HIT ANYONE ELSE-FREQ
---------------	-----------------------------

How many times in the Last Year have you . . .

hit or threatened to hit anyone else (other than parents, persons at work)?

Min	=	0	Mean	=	1.735
Max	=	999	Std Dev	=	29.368
Median	=	0	Variance	=	862.476

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1025-1027

Y7_493	HIT ANYONE ELSE-RATE
---------------	-----------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_492) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

hitting or threatening to hit anyone else (other than parents, persons at work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	67.5	1,164	1	Never
11.6	9.3	160	2	Once or twice
2.5	2.0	34	3	Once every 2-3 months
1.1	0.9	15	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.4	0.3	5	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1028-1029

Y7_494	BEEN LOUD/ROWDY-FREQ
---------------	-----------------------------

How many times in the Last Year have you . . .
 been loud, rowdy, or unruly in a public place-disorderly conduct?

Min	=	0	Mean	=	1.130
Max	=	100	Std Dev	=	5.042
Median	=	0	Variance	=	25.419

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1030-1032

Y7_495	BEEN LOUD/ROWDY-RATE
---------------	-----------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_494) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .
 being loud, rowdy, or unruly in a public place-disorderly conduct?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	61.4	1,059	1	Never
16.3	13.0	225	2	Once or twice
4.4	3.5	61	3	Once every 2-3 months
1.6	1.3	22	4	Once a month
0.4	0.3	6	5	Once every 2-3 weeks
0.7	0.5	9	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1033-1034

Y7_496	SOLD HARD DRUGS-FREQ
---------------	-----------------------------

How many times in the Last Year have you . . .

sold hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)

Min	=	0	Mean	=	.794
Max	=	365	Std Dev	=	12.528
Median	=	0	Variance	=	156.959

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1035-1037

Y7_497	SOLD HARD DRUGS-RATE
---------------	-----------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_496) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

selling hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	78.4	1,353	1	Never
0.7	0.5	9	2	Once or twice
0.4	0.3	6	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.4	0.3	5	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1038-1039

Y7_498	TRIED TO SELL WORTHLESS-FREQ
---------------	-------------------------------------

How many times in the Last Year have you . . .

tried to cheat someone by selling them something that was worthless or not what you said it was?

Min	=	0	Mean	=	.107
Max	=	30	Std Dev	=	1.341
Median	=	0	Variance	=	1.798

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1040-1042

Y7_499	TRIED TO SELL WORTHLESS-RATE
---------------	-------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_498) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

trying to cheat someone by selling them something that was worthless or not what you said it was?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	78.6	1,355	1	Never
1.4	1.2	20	2	Once or twice
0.1	0.1	2	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1043-1044

Y7_500	TAKEN VEHICLE-FREQ
---------------	---------------------------

How many times in the Last Year have you . . .

taken a vehicle for a ride or drive without the owner's permission?

Min	=	0	Mean	=	.038
Max	=	24	Std Dev	=	.684
Median	=	0	Variance	=	.468

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1045-1047

Y7_501	TAKEN VEHICLE-RATE
---------------	---------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_500) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

taking a vehicle for a ride or drive without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	79.0	1,362	1	Never
1.3	1.0	18	2	Once or twice
0.1	0.1	2	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1048-1049

Y7_502	BOUGHT LIQUOR FOR MINOR-FREQ
---------------	-------------------------------------

How many times in the Last Year have you . . .

Bought or provided liquor for a minor?

Min	=	0	Mean	=	.764
Max	=	52	Std Dev	=	3.407
Median	=	0	Variance	=	11.609

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1050-1052

Y7_503	BOUGHT LIQUOR FOR MINOR-RATE
---------------	-------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_502) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

Buying or providing liquor for a minor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	68.5	1,181	1	Never
8.7	7.0	120	2	Once or twice
3.0	2.4	42	3	Once every 2-3 months
1.8	1.4	25	4	Once a month
0.7	0.5	9	5	Once every 2-3 weeks
0.3	0.2	4	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1053-1054

Y7_504	USED FORCE ON OTHERS-FREQ
---------------	----------------------------------

How many times in the Last Year have you . . .

used force or strongarm methods to get money or things from people?

Min	=	0	Mean	=	.059
Max	=	75	Std Dev	=	2.019
Median	=	0	Variance	=	4.078

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1055-1057

Y7_505	USED FORCE ON OTHERS-RATE
---------------	----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_504) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

using force or strongarm methods to get money or things from people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	79.9	1,378	1	Never
0.3	0.2	4	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1058-1059

Y7_506	AVOIDED PAYING FOR THINGS-FREQ
---------------	---------------------------------------

How many times in the Last Year have you . . .

avoided paying for such things as movies, bus or subway rides, and food?

Min	=	0	Mean	=	.230
Max	=	25	Std Dev	=	1.516
Median	=	0	Variance	=	2.297

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1060-1062

Y7_507	AVOIDED PAYING FOR THINGS-RATE
---------------	---------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_506) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

avoiding paying for such things as movies, bus or subway rides, and food?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	75.8	1,308	1	Never
3.6	2.9	50	2	Once or twice
0.9	0.8	13	3	Once every 2-3 months
0.6	0.5	8	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	2	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1063-1064

Y7_508	BEEN DRUNK-FREQ
---------------	------------------------

How many times in the Last Year have you . . .
 been drunk in a public place?

Min	=	0	Mean	=	4.665
Max	=	360	Std Dev	=	17.203
Median	=	0	Variance	=	295.942

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1065-1067

Y7_509	BEEN DRUNK-RATE
---------------	------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_508) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .
 being drunk in a public place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	44.9	775	1	Never
21.1	16.9	292	2	Once or twice
8.2	6.6	114	3	Once every 2-3 months
6.7	5.4	93	4	Once a month
4.5	3.6	62	5	Once every 2-3 weeks
2.6	2.1	36	6	Once a week
0.8	0.6	11	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1068-1069

Y7_510	STOLEN THINGS \$5 TO \$50-FREQ
---------------	---------------------------------------

How many times in the Last Year have you . . .

stolen or tried to steal things worth between \$5 and \$50?

Min	=	0	Mean	=	.137
Max	=	35	Std Dev	=	1.341
Median	=	0	Variance	=	1.797

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1070-1072

Y7_511	STOLEN THINGS \$5 TO \$50-RATE
---------------	---------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_510) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

stealing or trying to steal things worth between \$5 and \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	77.6	1,339	1	Never
2.1	1.7	29	2	Once or twice
0.7	0.5	9	3	Once every 2-3 months
0.3	0.2	4	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1073-1074

Y7_512	BROKEN INTO BUILDING-FREQ
---------------	----------------------------------

How many times in the Last Year have you . . .

broken or tried to break into a building or vehicle to steal something or just to look around?

Min	=	0	Mean	=	.043
Max	=	35	Std Dev	=	1.000
Median	=	0	Variance	=	1.000

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1075-1077

Y7_513	BROKEN INTO BUILDING-RATE
---------------	----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_512) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

breaking or trying to break into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	79.5	1,371	1	Never
0.7	0.6	10	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1078-1079

Y7_514	BEGGED FOR MONEY-FREQ
---------------	------------------------------

How many times in the Last Year have you . . .
 begged for money or things from strangers?

Min	=	0	Mean	=	.090
Max	=	114	Std Dev	=	3.068
Median	=	0	Variance	=	9.415

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1080-1082

Y7_515	BEGGED FOR MONEY-RATE
---------------	------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_514) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .
 begging for money or things from strangers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	79.8	1,377	1	Never
0.3	0.2	4	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1083-1084

Y7_518	USED CREDIT W/O PERMISSION-FREQ
---------------	--

How many times in the Last Year have you . . .

used or tried to use credit cards without the owner's permission?

Min	= 0	Mean	= .006
Max	= 5	Std Dev	= .147
Median	= 0	Variance	= .022

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1090-1092

Y7_519	USED CREDIT W/O PERMISSION-RATE
---------------	--

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_518) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

using or trying to use credit cards without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	80.0	1,380	1	Never
0.1	0.1	2	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1093-1094

Y7_520	OBSCENE PHONE CALLS-FREQ
---------------	---------------------------------

How many times in the Last Year have you . . .

made obscene telephone calls (such as calling someone and saying dirty things)?

Min	=	0	Mean	=	.038
Max	=	30	Std Dev	=	.848
Median	=	0	Variance	=	.720

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1095-1097

Y7_521	OBSCENE PHONE CALLS-RATE
---------------	---------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_520) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

making obscene telephone calls (such as calling someone and saying dirty things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	79.7	1,374	1	Never
0.3	0.2	4	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1098-1099

Y7_522	PICKED SOMEONE'S POCKET-FREQ
---------------	-------------------------------------

How many times in the Last Year have you . . .

Snatched someone's purse or wallet or picked someone's pocket?

Min	= 0	Mean	= .001
Max	= 2	Std Dev	= .054
Median	= 0	Variance	= .003

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1100-1102

Y7_523	PICKED SOMEONE'S POCKET-RATE
---------------	-------------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_522) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

Snatching someone's purse or wallet or picked someone's pocket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	80.1	1,382	1	Never
0.1	0.1	1	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1103-1104

Y7_524	EMBEZZLED MONEY/FUNDS-FREQ
---------------	-----------------------------------

How many times in the Last Year have you . . .

Embezzled money, that is, used money or funds entrusted to your care for some purpose other than that intended?

Min	=	0	Mean	=	.365
Max	=	500	Std Dev	=	13.450
Median	=	0	Variance	=	180.898

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1105-1107

Y7_525	EMBEZZLED MONEY/FUNDS-RATE
---------------	-----------------------------------

(IF RESPONDENT HAS ENGAGED IN BEHAVIOR (Y7_524) 10 OR MORE TIMES IN THE LAST YEAR)

How often you were involved in . . .

Embezzling money, that is, used money or funds entrusted to your care for some purpose other than that intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	79.8	1,376	1	Never
0.4	0.3	5	2	Once or twice
0.0	0.0	0	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1108-1109

Y7_526 **DAMAGED FAMILY PROPERTY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	Inappropriate
16.7	0.1	2	2	Appropriate but trivial
75.0	0.5	9	3	Appropriate and nontrivial
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1110-1111

Y7_527 **DAMAGED EMPLOYER'S PROPERTY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
9.1	0.1	2	2	Appropriate but trivial
90.9	1.2	20	3	Appropriate and nontrivial
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1112-1113

Y7_528 **DAMAGED OTHER PROPERTY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
11.4	0.3	5	2	Appropriate but trivial
88.6	2.3	39	3	Appropriate and nontrivial
	97.4	1,681	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1114-1115

Y7_529	STOLEN MV-THE LAST TIME
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.2	4	3	Appropriate and nontrivial
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1116-1117

Y7_530	STOLEN MV-NEXT TO LAST TIME
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1118-1119

Y7_531	STOLEN MV-TIME BEFORE THAT
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1120-1121

Y7_532 STOLEN > \$50-THE LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	2	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
91.3	1.2	21	3	Appropriate and nontrivial
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1122-1123

Y7_533 STOLEN > \$50-NEXT TO LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
88.9	0.5	8	3	Appropriate and nontrivial
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1124-1125

Y7_534 STOLEN > \$50-TIME BEFORE THAT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
66.7	0.2	4	3	Appropriate and nontrivial
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1126-1127

Y7_535	BOUGHT STOLEN GOODS
---------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	3.3	57	3	Appropriate and nontrivial
	96.7	1,668	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1128-1129

Y7_536	SET FIRE TO PROPERTY
---------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	2	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1130-1131

Y7_537	CARRIED A HIDDEN WEAPON
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	1	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
99.2	7.2	124	3	Appropriate and nontrivial
	92.8	1,600	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1132-1133

Y7_538 STOLEN SOMETHING WORTH < \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	7	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
93.5	5.8	100	3	Appropriate and nontrivial
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1134-1135

Y7_539 ATTACK SOMEONE-THE LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	1	1	Inappropriate
34.9	1.3	22	2	Appropriate but trivial
63.5	2.3	40	3	Appropriate and nontrivial
	96.3	1,662	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1136-1137

Y7_540 ATTACK SOMEONE-NEXT TO LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
54.2	0.8	13	2	Appropriate but trivial
45.8	0.6	11	3	Appropriate and nontrivial
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1138-1139

Y7_541	ATTACK SOMEONE-TIME BEFORE THAT
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
70.0	0.4	7	2	Appropriate but trivial
30.0	0.2	3	3	Appropriate and nontrivial
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1140-1141

Y7_542	IN GANG FIGHTS-THE LAST TIME
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	Inappropriate
33.3	0.2	4	2	Appropriate but trivial
58.3	0.4	7	3	Appropriate and nontrivial
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1142-1143

Y7_543	IN GANG FIGHTS-NEXT TO LAST TIME
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
20.0	0.1	1	2	Appropriate but trivial
80.0	0.2	4	3	Appropriate and nontrivial
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1144-1145

Y7_544 **IN GANG FIGHTS-TIME BEFORE THAT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	2	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1146-1147

Y7_545 **USED CHECKS ILLEGALLY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
9.5	0.1	2	2	Appropriate but trivial
90.5	1.1	19	3	Appropriate and nontrivial
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1148-1149

Y7_546 **SOLD MARIJUANA**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
7.4	0.3	6	2	Appropriate but trivial
92.6	4.3	75	3	Appropriate and nontrivial
	95.3	1,644	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1150-1151

Y7_547	STOLEN MONEY FROM FAMILY
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
5.6	0.1	1	2	Appropriate but trivial
94.4	1.0	17	3	Appropriate and nontrivial
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1152-1153

Y7_548	STOLEN MONEY FROM EMPLOYER
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	1	Inappropriate
33.9	2.1	37	2	Appropriate but trivial
65.1	4.1	71	3	Appropriate and nontrivial
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1154-1155

Y7_549	SEX AGAINST WILL-THE LAST TIME
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
12.5	0.1	1	2	Appropriate but trivial
87.5	0.4	7	3	Appropriate and nontrivial
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1156-1157

Y7_550 SEX AGAINST WILL-NEXT/LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
33.3	0.1	1	2	Appropriate but trivial
66.7	0.1	2	3	Appropriate and nontrivial
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1158-1159

Y7_551 SEX AGN'ST WILL-TIME BEFORE THAT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
50.0	0.1	1	2	Appropriate but trivial
50.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1160-1161

Y7_552 HIT PARENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
84.6	0.6	11	2	Appropriate but trivial
15.4	0.1	2	3	Appropriate and nontrivial
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1162-1163

Y7_553	HIT SOMEONE AT WORK
---------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
91.7	3.8	66	2	Appropriate but trivial
8.3	0.3	6	3	Appropriate and nontrivial
	95.8	1,653	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1164-1165

Y7_554	HIT ANYONE ELSE
---------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
75.1	9.4	163	2	Appropriate but trivial
24.9	3.1	54	3	Appropriate and nontrivial
	87.4	1,508	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1166-1167

Y7_555	SOLD HARD DRUGS
---------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	1.7	29	3	Appropriate and nontrivial
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1168-1169

Y7_556 TRIED SELL SOMETHING WORTHLESS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.3	6	1	Inappropriate
3.7	0.1	1	2	Appropriate but trivial
74.1	1.2	20	3	Appropriate and nontrivial
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1170-1171

Y7_557 TAKEN VEHICLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
4.8	0.1	1	2	Appropriate but trivial
95.2	1.2	20	3	Appropriate and nontrivial
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1172-1173

Y7_558 FORCE OTHERS-THE LAST TIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
40.0	0.1	2	2	Appropriate but trivial
60.0	0.2	3	3	Appropriate and nontrivial
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1174-1175

Y7_559	FORCE OTHERS-NEXT TO LAST TIME
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
50.0	0.1	1	2	Appropriate but trivial
50.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1176-1177

Y7_560	FORCE OTHERS-TIME BEFORE THAT
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	2	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1178-1179

Y7_561	STOLEN THINGS WORTH FROM \$5-\$50
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.2	4	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
90.7	2.3	39	3	Appropriate and nontrivial
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1180-1181

Y7_562 **BROKEN INTO BLDG-THE LAST TIME**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
83.3	0.6	10	3	Appropriate and nontrivial
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1182-1183

Y7_563 **BROKEN INTO BLDG-NEXT/LAST TIME**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
66.7	0.1	2	3	Appropriate and nontrivial
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1184-1185

Y7_564 **BROKE INTO BLDG-TIME BEFORE THAT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
50.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1186-1187

Y7_565	CREDIT CARDS WITHOUT PERMISSION
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.2	3	3	Appropriate and nontrivial
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1188-1189

Y7_566	PICKED SOMEONE'S POCKET
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
100.0	0.1	1	3	Appropriate and nontrivial
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1190-1191

Y7_567	EMBEZZLED MONEY OR FUNDS
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	Inappropriate
0.0	0.0	0	2	Appropriate but trivial
83.3	0.3	5	3	Appropriate and nontrivial
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1192-1193

Y7_568	DAMAGE FAM PROP-HOW MUCH WORTH
--------	---------------------------------------

Thinking of the last time you purposely damaged or destroyed property belonging to your parents or other family members . . .

What was the dollar amount of the damage, i.e., what would it cost to repair it, or if totally destroyed, to replace it?
(SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	2	
8.3	0.1	1	4	
8.3	0.1	1	15	
8.3	0.1	1	24	
8.3	0.1	1	25	
8.3	0.1	1	30	
16.7	0.1	2	50	
8.3	0.1	1	150	
8.3	0.1	1	500	
16.7	0.1	2	999	
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1194-1196

Y7_569	DAMAGE FAM PROP-OTHERS INVOLVED
---------------	--

Thinking of the last time you purposely damaged or destroyed property belonging to your parents or other family members . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.6	11	0	Alone
0.0	0.0	0	1	1 person
8.3	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1197-1198

Y7_570	DAMAGE FAM PROP-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	0	No
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1199-1201

Y7_571	DAMAGE FAM PROP-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	0	No
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1202-1204

Y7_572	DAMAGE EMPLOY PROP-WORTH
---------------	---------------------------------

Thinking of the last time you purposely damaged or destroyed property belonging to your employer . . .

What was the dollar amount of the damage, i.e., what would it cost to repair it, or if totally destroyed, to replace it?
 (SPECIFY)

Min	=	0	Mean	=	135.227
Max	=	1,000	Std Dev	=	240.222
Median	=	12.5	Variance	=	57,706.755

(Based on 22 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1205-1208

Y7_573	DAMAGE EMPLOY PROP-OTHER INVOLVE
---------------	---

Thinking of the last time you purposely damaged or destroyed property belonging to your employer . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	0.9	15	0	Alone
17.4	0.2	4	1	1 person
4.3	0.1	1	2	2 people
4.3	0.1	1	3	3 people
8.7	0.1	2	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1209-1210

Y7_574	DAMAGE EMPLOY PROP-1ST ITEM NO.
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	1.3	22	0	
4.3	0.1	1	243	
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1211-1213

Y7_575	DAMAGE EMPLOY PROP-2ND ITEM NO.
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	23	0	
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1214-1216

Y7_576	DAMAGE OTHER PROP-HOW MUCH WORTH
---------------	---

Thinking of the last time you purposely damaged or destroyed other property that did not belong to you, not counting family, or work property . . .

What was the dollar amount of the damage, i.e., what would it cost to repair it, or if totally destroyed, to replace it? (SPECIFY)

Min	=	0	Mean	=	173.220
Max	=	999	Std Dev	=	292.128
Median	=	50	Variance	=	85,338.576

(Based on 41 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1217-1219

Y7_577	DAMAGE OTHER PROP-OTHER INVOLVE
---------------	--

Thinking of the last time you purposely damaged or destroyed other property that did not belong to you, not counting family, or work property . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	1.4	24	0	
4.7	0.1	2	1	
9.3	0.2	4	2	
18.6	0.5	8	3	
4.7	0.1	2	4	
2.3	0.1	1	5	
2.3	0.1	1	7	
2.3	0.1	1	9	
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1220-1221

Y7_578	DAMAGE OTHER PROP-1ST ITEM NO.
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	2.3	40	0	No
2.3	0.1	1	226	
4.7	0.1	2	232	
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1222-1224

Y7_579	DAMAGE OTHER PROP-2ND ITEM NO.
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	2.4	42	0	No
2.3	0.1	1	227	
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1225-1227

Y7_580	STOLE MV/LAST TIME-KIND O/VEHICLE
---------------	--

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

What kind of vehicle was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Car
25.0	0.1	1	2	Truck
25.0	0.1	1	3	Motorcycle
25.0	0.1	1	4	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1228-1229

Y7_581	STOLE MV/LAST TIME-ACTUALLY STEAL
---------------	--

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	No
75.0	0.2	3	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1230-1231

Y7_582	STOLE MV/LAST TIME-VEHICLE OWNER
---------------	---

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Who did the vehicle belong to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Family member
25.0	0.1	1	2	Friend
75.0	0.2	3	3	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1232-1233

Y7_583	STOLE MV/LAST TIME-START VEHICLE
---------------	---

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

How did you get the vehicle started?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Had keys
0.0	0.0	0	2	Hot wired
75.0	0.2	3	3	Keys in ignition
25.0	0.1	1	4	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1234-1235

Y7_584	STOLE MV/LAST TIME-INTENT
---------------	----------------------------------

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

What were you going to do with the vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	Resping
0.0	0.0	0	2	Keep
0.0	0.0	0	3	Keep parts
25.0	0.1	1	4	Sell
0.0	0.0	0	5	Sell parts
25.0	0.1	1	6	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1236-1237

Y7_585

STOLE MV/LAST TIME-OTH INVOLVE

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	0	Alone
25.0	0.1	1	1	1 person
25.0	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1238-1239

Y7_586

STOLE MV/LAST TIME-DRINK/DRUGS

Thinking of the last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	No
75.0	0.2	3	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1240-1241

Y7_587	STOLE MV/LAST TIME-1ST ITEM NO.
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
75.0	0.2	3	227	
25.0	0.1	1	248	
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1242-1244

Y7_588	STOLE MV/LAST TIME-2ND ITEM NO.
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	No
25.0	0.1	1	228	
25.0	0.1	1	229	
25.0	0.1	1	248	
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1245-1247

Y7_589

STOLE MV/NEXT LAST-KIND VEHICLE

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

What kind of vehicle was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Car
0.0	0.0	0	2	Truck
0.0	0.0	0	3	Motorcycle
100.0	0.1	1	4	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1248-1249

Y7_590

STOLE MV/NEXT LAST-ACTUALLY STEAL

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1250-1251

Y7_593	STOLE MV/NEXT LAST-INTENT
---------------	----------------------------------

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

What were you going to do with the vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Resping
0.0	0.0	0	2	Keep
0.0	0.0	0	3	Keep parts
100.0	0.1	1	4	Sell
0.0	0.0	0	5	Sell parts
0.0	0.0	0	6	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1256-1257

Y7_594	STOLE MV/NEXT LAST-OTH INVOLVE
---------------	---------------------------------------

Thinking of the next to last time you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Alone
0.0	0.0	0	1	1 person
100.0	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1258-1259

Y7_602	STOLE MV/TIME BEF-INTENT
---------------	---------------------------------

Thinking of the time before that that you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

What were you going to do with the vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Riding
0.0	0.0	0	2	Keep
0.0	0.0	0	3	Keep parts
100.0	0.1	1	4	Sell
0.0	0.0	0	5	Sell parts
0.0	0.0	0	6	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1276-1277

Y7_603	STOLE MV/TIME BEF-OTH INVOLVE
---------------	--------------------------------------

Thinking of the time before that that you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1278-1279

Y7_604 STOLE MV/TIME BEF-DRINK/DRUGS

Thinking of the time before that that you stole or tried to steal a motor vehicle such as a car or motorcycle . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	No
0.0	0.0	0	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1280-1281

Y7_605 STOLE MV/TIME BEF-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
100.0	0.1	1	227	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1282-1284

Y7_606 STOLE MV/TIME BEF-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
100.0	0.1	1	228	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1285-1287

Y7_607	STOLE LAST TIME-VALUE (\$0-\$999)
---------------	--

Thinking of the last time you stole or tried to steal something worth more than \$50 . . .

About how much do you think it was worth? (SPECIFY)

Min	=	20	Mean	=	297.217
Max	=	999	Std Dev	=	349.231
Median	=	200	Variance	=	121,962.542

(Based on 23 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1288-1290

Y7_608	STOLE LAST TME-ACTUAL STEAL
---------------	------------------------------------

Thinking of the last time you stole or tried to steal something worth more than \$50 . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	0.2	3	1	No
87.0	1.2	20	2	Yes
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1291-1292

Y7_609	STOLE LAST TIME-STOLEN FROM
---------------	------------------------------------

Thinking of the last time you stole or tried to steal something worth more than \$50 . . .

Where did you steal it from?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.2	4	1	Retail store
17.4	0.2	4	2	Private home
4.3	0.1	1	3	Auto
30.4	0.4	7	4	Work place
4.3	0.1	1	5	College/school
8.7	0.1	2	6	Construction site
0.0	0.0	0	7	Warehouse
17.4	0.2	4	8	Other
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1293-1294

Y7_610	STOLE LAST TIME-OTH INVOLVE
---------------	------------------------------------

Thinking of the last time you stole or tried to steal something worth more than \$50 . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	0.8	13	0	Alone
17.4	0.2	4	1	1 person
13.0	0.2	3	2	2 people
8.7	0.1	2	3	3 people
0.0	0.0	0	4	4 people
4.3	0.1	1	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1295-1296

Y7_611	STOLE LAST TIME-DRINK/DRUGS
---------------	------------------------------------

Thinking of the last time you stole or tried to steal something worth more than \$50 . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	0.9	15	0	No
26.1	0.3	6	1	Drinking
8.7	0.1	2	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1297-1298

Y7_612	STOLE LAST TIME-1ST ITEM NO
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	0.8	14	0	No
13.0	0.2	3	226	
8.7	0.1	2	228	
4.3	0.1	1	239	
8.7	0.1	2	240	
4.3	0.1	1	253	
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1299-1301

Y7_613	STOLE LAST TIME-2ND ITEM NO
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	1.2	20	0	No
4.3	0.1	1	229	
4.3	0.1	1	240	
4.3	0.1	1	248	
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1302-1304

Y7_614	STOLE (\$0-\$999)/NEXT LAST-VALUE
---------------	--

Thinking of the next to last time you stole or tried to steal something worth more than \$50 . . .

About how much do you think it was worth? (SPECIFY)

Min	=	15	Mean	=	329.222
Max	=	999	Std Dev	=	386.271
Median	=	150	Variance	=	149,205.194

(Based on 9 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1305-1307

Y7_615

STOLE NEXT LST-ACTUAL STEAL

Thinking of the next to last time you stole or tried to steal something worth more than \$50 . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	No
88.9	0.5	8	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1308-1309

Y7_616

STOLE NEXT LAST-STOLEN FROM

Thinking of the next to last time you stole or tried to steal something worth more than \$50 . . .

Where did you steal it from?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	1	Retail store
11.1	0.1	1	2	Private home
0.0	0.0	0	3	Auto
33.3	0.2	3	4	Work place
0.0	0.0	0	5	College/school
0.0	0.0	0	6	Construction site
0.0	0.0	0	7	Warehouse
33.3	0.2	3	8	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1310-1311

Y7_619	STOLE NEXT LAST-1ST ITEM NO
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.4	7	0	No
11.1	0.1	1	226	
11.1	0.1	1	240	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1316-1318

Y7_620	STOLE NEXT LAST-2ND ITEM NO
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	0	No
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1319-1321

Y7_621	STOLE (\$0-\$999)/TIME BEF-VALUE
---------------	---

Thinking of the time before that that you stole or tried to steal something worth more than \$50 . . .

About how much do you think it was worth? (SPECIFY)

Min	=	10	Mean	=	255.667
Max	=	999	Std Dev	=	378.770
Median	=	100	Variance	=	143,466.667

(Based on 6 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1322-1324

Y7_624

STOLE TIME BEF-OTH INVOLVE

Thinking of the time before that that you stole or tried to steal something worth more than \$50 . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.3	5	0	Alone
16.7	0.1	1	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1329-1330

Y7_625

STOLE TIME BEF-DRINK/DRUGS

Thinking of the time before that that you stole or tried to steal something worth more than \$50 . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	3	0	No
16.7	0.1	1	1	Drinking
33.3	0.1	2	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1331-1332

Y7_626	STOLE TIME BEF-1ST ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	4	0	No
16.7	0.1	1	226	
16.7	0.1	1	240	
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1333-1335

Y7_627	STOLE TIME BEF-2ND ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	0	No
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1336-1338

Y7_628**BOUGHT STOLEN-WHAT DID YOU DO**

Thinking of the last time you knowingly bought, sold or held stolen goods or tried to do any of these things . . .

What did you do? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.5	9	1	Try to buy
3.5	0.1	2	2	Try to sell
5.3	0.2	3	3	Try to hold
40.4	1.3	23	4	Buy
7.0	0.2	4	5	Sell
21.1	0.7	12	6	Hold
7.0	0.2	4	7	Other
	96.7	1,668	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1339-1340

Y7_629**BOUGHT STOLEN-VALUE (\$0-\$9999)**

Thinking of the last time you knowingly bought, sold or held stolen goods or tried to do any of these things . . .

About how much do you think the goods were worth? (SPECIFY)

Min	=	12	Mean	=	879.404
Max	=	9,999	Std Dev	=	1,786.657
Median	=	300	Variance	=	3,192,143.566

(Based on 57 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1341-1344

Y7_630	BOUGHT STOLEN-OTH INVOLVE
---------------	----------------------------------

Thinking of the last time you knowingly bought, sold or held stolen goods or tried to do any of these things . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	1.4	25	0	Alone
20.0	0.6	11	1	1 person
16.4	0.5	9	2	2 people
12.7	0.4	7	3	3 people
3.6	0.1	2	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
1.8	0.1	1	9	9 people
	96.8	1,670	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1345-1346

Y7_631	BOUGHT STOLEN-1ST ITEM NO.
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	2.9	50	0	No
1.8	0.1	1	226	
5.4	0.2	3	227	
1.8	0.1	1	230	
1.8	0.1	1	237	
	96.8	1,669	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1347-1349

Y7_632	BOUGHT STOLEN-2ND ITEM NO.
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	3.1	54	0	No
1.8	0.1	1	227	
1.8	0.1	1	246	
	96.8	1,669	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1350-1352

Y7_633	SET FIRE TO PROP-ACTUALLY SET
---------------	--------------------------------------

Thinking of the last time you purposely set fire to a building, a car, or other property or tried to do so . . .

Did you actually set it on fire?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	No
50.0	0.1	1	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1353-1354

Y7_634 SET FIRE TO PROP-OTH INVOLVE

Thinking of the last time you purposely set fire to a building, a car, or other property or tried to do so . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Alone
50.0	0.1	1	1	1 person
50.0	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1355-1356

Y7_635 SET FIRE TO PROP-DRINK/DRUGS

Thinking of the last time you purposely set fire to a building, a car, or other property or tried to do so . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
100.0	0.1	2	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1357-1358

Y7_636	SET FIRE TO PROP-1ST ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	226	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1359-1361

Y7_637	SET FIRE TO PROP-2ND ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	227	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1362-1364

Y7_638 CARRIED HIDDEN WEAPON-KIND

Thinking of the last time you carried a hidden weapon other than a plain pocket knife . . .

What kind of weapon was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	1.5	26	1	Knife, cutting/stabbing thing
4.0	0.3	5	2	Chain, bat/hitting thing
3.2	0.2	4	3	Hard knuckles/numchucks
66.7	4.9	84	4	Gun and other firearm
4.8	0.3	6	5	Other
0.0	0.0	0	6	Mixed weapons excluding gun
0.8	0.1	1	7	Mixed weapons including gun
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	92.7	1,599	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1365-1366

Y7_639 STOLE-VALUE (\$0-\$9)

Thinking of the last time you stole or tried to steal things worth \$5 or less . . .

About how much do you think it was worth? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.6	10	0	\$0
27.1	1.7	29	1	\$1
20.6	1.3	22	2	\$2
11.2	0.7	12	3	\$3
12.1	0.8	13	4	\$4
13.1	0.8	14	5	\$5
0.9	0.1	1	6	\$6
0.0	0.0	0	7	\$7
0.9	0.1	1	8	\$8
4.7	0.3	5	9	\$9
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1367-1368

Y7_640	STOLE-VALUE ACTUALLY STEAL
---------------	-----------------------------------

Thinking of the last time you stole or tried to steal things worth \$5 or less . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.8	13	1	No
87.9	5.4	94	2	Yes
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1369-1370

Y7_641	STOLE OTH INVOLVE
---------------	--------------------------

Thinking of the last time you stole or tried to steal things worth \$5 or less . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	4.5	77	0	Alone
15.0	0.9	16	1	1 person
9.3	0.6	10	2	2 people
1.9	0.1	2	3	3 people
0.0	0.0	0	4	4 people
0.9	0.1	1	5	5 people
0.0	0.0	0	6	6 people
0.9	0.1	1	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1371-1372

Y7_642	STOLE DRINK/DRUGS
---------------	--------------------------

Thinking of the last time you stole or tried to steal things worth \$5 or less . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	5.3	92	0	No
8.4	0.5	9	1	Drinking
0.9	0.1	1	2	Using drugs
4.7	0.3	5	3	Drinking and drugs
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1373-1374

Y7_643	STOLE (\$0-\$9)-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	4.6	79	0	No
1.9	0.1	2	239	
21.5	1.3	23	240	
2.8	0.2	3	253	
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1375-1377

Y7_644	STOLE (\$0-\$9)-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	107	0	No
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1378-1380

Y7_645

ATTACK/LAST TIME-FORM OF ATTACK

Thinking of the last time you attacked someone with the idea of seriously hurting or killing that person . . .

In which of the following ways did you attack the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	1.9	33	1	Hit
29.7	1.1	19	2	Beat/choked
12.5	0.5	8	3	Attacked with weapon
6.2	0.2	4	4	Other
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1381-1382

Y7_646

ATTACK/LAST TIME-EXTENT INJURY

Thinking of the last time you attacked someone with the idea of seriously hurting or killing that person . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	1.0	18	0	No injury
3.1	0.1	2	1	Knocked down
15.6	0.6	10	2	Bruised
32.8	1.2	21	3	Cut/bleeding
3.1	0.1	2	4	Unconscious
14.1	0.5	9	5	Hospitalized
3.1	0.1	2	6	Required medical treatment
0.0	0.0	0	7	Other
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1383-1384

Y7_649**ATTACK/LAST TIME-DRINK/DRUGS**

Thinking of the last time you attacked someone with the idea of seriously hurting or killing that person . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	2.4	41	0	No
29.7	1.1	19	1	Drinking
0.0	0.0	0	2	Using drugs
6.2	0.2	4	3	Drinking and drugs
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1389-1390

Y7_650**ATTACK/LAST TIME-1ST ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	2.0	35	0	No
3.1	0.1	2	225	
1.6	0.1	1	235	
4.7	0.2	3	243	
35.9	1.3	23	244	
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1391-1393

Y7_651**ATTACK/LAST TIME-2ND ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	3.7	63	0	No
1.6	0.1	1	245	
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1394-1396

Y7_652	ATTACK/NEXT LAST-FORM OF ATTACK
---------------	--

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

In which of the following ways did you attack the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	0.9	16	1	Hit
16.0	0.2	4	2	Beat/choked
12.0	0.2	3	3	Attacked with weapon
8.0	0.1	2	4	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1397-1398

Y7_653	ATTACK/NEXT LAST-EXTENT OF INJURY
---------------	--

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	0.6	11	0	No injury
0.0	0.0	0	1	Knocked down
24.0	0.3	6	2	Bruised
20.0	0.3	5	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
8.0	0.1	2	5	Hospitalized
4.0	0.1	1	6	Required medical treatment
0.0	0.0	0	7	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1399-1400

Y7_654

ATTACK/NEXT LAST-WAS THE PERSON

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

Who was the person you attacked?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.6	10	1	A stranger
24.0	0.3	6	2	An acquaintance
16.0	0.2	4	3	A friend
16.0	0.2	4	4	Family member
4.0	0.1	1	5	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1401-1402

Y7_655

ATTACK/NEXT LAST-OTH INVOLVE

Thinking of the next to last time you attacked someone with the idea of seriously hurting or killing that person . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	1.2	21	0	Alone
4.0	0.1	1	1	1 person
8.0	0.1	2	2	2 people
4.0	0.1	1	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1403-1404

Y7_659

ATTACK/TIME BEF-FORM OF ATTACK

Thinking of the time before that that you attacked someone with the idea of seriously hurting or killing that person . . .

In which of the following ways did you attack the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	0.3	6	1	Hit
27.3	0.2	3	2	Beat/choked
9.1	0.1	1	3	Attacked with weapon
9.1	0.1	1	4	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1413-1414

Y7_660

ATTACK/TIME BEF-EXTENT OF INJURY

Thinking of the time before that that you attacked someone with the idea of seriously hurting or killing that person . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.3	5	0	No injury
9.1	0.1	1	1	Knocked down
27.3	0.2	3	2	Bruised
18.2	0.1	2	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1415-1416

Y7_663	ATTACK/TIME BEF-DRINK/DRUGS
---------------	------------------------------------

Thinking of the time before that that you attacked someone with the idea of seriously hurting or killing that person . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	0.3	6	0	No
36.4	0.2	4	1	Drinking
9.1	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1421-1422

Y7_664	ATTACK/TIME BEF-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.5	9	0	No
18.2	0.1	2	244	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1423-1425

Y7_665	ATTACK/TIME BEF-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	0	No
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1426-1428

Y7_666	GANG FIGHT/LAST-NO. GROUP
---------------	----------------------------------

Thinking of the last time you were involved in gang fights . . .

Counting yourself, how many were in your group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	1-2 people
25.0	0.2	3	2	3-5
66.7	0.5	8	3	More than 5 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1429-1430

Y7_667	GANG FIGHT/LAST-NO. OTH GROUP
---------------	--------------------------------------

Thinking of the last time you were involved in gang fights . . .

How many were in the other group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1-2 people
25.0	0.2	3	2	3-5
75.0	0.5	9	3	More than 5 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1431-1432

Y7_668	GANG FIGHT/LAST-NATURE OF WEAPON
---------------	---

Thinking of the last time you were involved in gang fights . . .

What weapons were used? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	0	No weapons
8.3	0.1	1	1	Knives, cutting/stabbing things
8.3	0.1	1	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
8.3	0.1	1	4	Guns and other firearms
0.0	0.0	0	5	Other
25.0	0.2	3	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1433-1434

Y7_669	GANG FIGHT/LAST-EXTENT OF INJURY
---------------	---

Thinking of the last time you were involved in gang fights . . .

How badly hurt was the most injured person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	0	No injury
0.0	0.0	0	1	Knocked down
27.3	0.2	3	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
18.2	0.1	2	5	Hospitalized
27.3	0.2	3	6	Required medical treatment
0.0	0.0	0	7	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1435-1436

Y7_673

GANG FIGHT/NEXT-NO. GROUP

Thinking of the next to last time you were involved in gang fights . . .

Counting yourself, how many were in your group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1-2 people
60.0	0.2	3	2	3-5
40.0	0.1	2	3	More than 5 people
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1445-1446

Y7_674

GANG FIGHT/NEXT-NO. OTH GROUP

Thinking of the next to last time you were involved in gang fights . . .

How many were in the other group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	1	1-2 people
0.0	0.0	0	2	3-5
80.0	0.2	4	3	More than 5 people
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1447-1448

Y7_677	GANG FIGHT/NEXT-DRINK/DRUGS
---------------	------------------------------------

Thinking of the next to last time you were involved in gang fights . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	0	No
60.0	0.2	3	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1453-1454

Y7_678	GANG FIGHT/NEXT-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	0	No
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1455-1457

Y7_679	GANG FIGHT/NEXT-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	0	No
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1458-1460

Y7_680	GANG FIGHT/BEF-NO. GROUP
---------------	---------------------------------

Thinking of the time before that that you were involved in gang fights . . .

Counting yourself, how many were in your group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1-2 people
0.0	0.0	0	2	3-5
100.0	0.1	2	3	More than 5 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1461-1462

Y7_681	GANG FIGHT/BEF-NO. OTH GROUP
---------------	-------------------------------------

Thinking of the time before that that you were involved in gang fights . . .

How many were in the other group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	1-2 people
0.0	0.0	0	2	3-5
50.0	0.1	1	3	More than 5 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1463-1464

Y7_682

GANG FIGHT/BEF-NATURE OF WEAPONS

Thinking of the time before that that you were involved in gang fights . . .

What weapons were used? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No weapons
0.0	0.0	0	1	Knives, cutting/stabbing things
0.0	0.0	0	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
0.0	0.0	0	4	Guns and other firearms
0.0	0.0	0	5	Other
50.0	0.1	1	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1465-1466

Y7_683

GANG FIGHT/BEF-EXTENT OF INJURY

Thinking of the time before that that you were involved in gang fights . . .

How badly hurt was the most injured person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No injury
0.0	0.0	0	1	Knocked down
0.0	0.0	0	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1467-1468

Y7_684 GANG FIGHT/BEF-DRINK/DRUGS

Thinking of the time before that that you were involved in gang fights . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1469-1470

Y7_685 GANG FIGHT/BEF-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1471-1473

Y7_686 GANG FIGHT/BEF-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1474-1476

Y7_687**USE CHECK ILLEGALLY-HOW USED**

Thinking of the last time you used checks illegally or used phony money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

What did you do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.0	18	1	Overdraft
4.8	0.1	1	2	Forged check
0.0	0.0	0	3	Cashed someones check
0.0	0.0	0	4	Counterfeit money
9.5	0.1	2	5	Other
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1477-1478

Y7_688**USE CHECK ILLEG-VALUE(\$0-\$999)**

Thinking of the last time you used checks illegally or used phony money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

What was the dollar value involved in this incident?

Min	=	5	Mean	=	64.857
Max	=	200	Std Dev	=	62.533
Median	=	35	Variance	=	3,910.429

(Based on 21 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1479-1481

Y7_689	USE CHECK ILLEGALLY-OTH INVOLVE
---------------	--

Thinking of the last time you used checks illegally or used phony money to pay for something (INCLUDES INTENTIONAL OVERDRAFTS) . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	15	0	Alone
23.8	0.3	5	1	1 person
4.8	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1482-1483

Y7_690	USE CHECK ILLEGALLY-1ST ITEM NO.
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	0	No
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1484-1486

Y7_691	USE CHECK ILLEGALLY-2ND ITEM NO.
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	21	0	No
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1487-1489

Y7_692	SOLD MARIJUANA-VALUE(\$0-\$99999)
---------------	--

Thinking of the last time you sold marijuana or hashish ("POT",
"GRASS", "HASH") . . .

How much money was involved in the sale? (SPECIFY)
(IF OTHER THAN MONEY, SPECIFY)

Min	=	1	Mean	=	135.556
Max	=	4,500	Std Dev	=	511.246
Median	=	30	Variance	=	261,372.775

(Based on 81 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1490-1494

Y7_693	SOLD MARIJUANA-AMOUNT(F5.2) OZ
---------------	---------------------------------------

Thinking of the last time you sold marijuana or hashish ("POT",
"GRASS", "HASH") . . .

How much marijuana/hashish did you sell? (SPECIFY)

Min	=	3	Mean	=	354.395
Max	=	16,000	Std Dev	=	1,821.723
Median	=	25	Variance	=	3,318,675.842

(Based on 81 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1495-1499

Y7_694	SOLD MARIJUANA-OTH INVOLVE
---------------	-----------------------------------

Thinking of the last time you sold marijuana or hashish ("POT", "GRASS", "HASH") . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	3.2	56	0	Alone
9.9	0.5	8	1	1 person
8.6	0.4	7	2	2 people
9.9	0.5	8	3	3 people
1.2	0.1	1	4	4 people
1.2	0.1	1	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	95.3	1,644	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1500-1501

Y7_695	SOLD MARIJUANA-1ST ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	4.5	78	0	No
1.2	0.1	1	230	
1.2	0.1	1	246	
1.2	0.1	1	247	
	95.3	1,644	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1502-1504

Y7_696 **SOLD MARIJUANA-2ND ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.7	81	0	No
	95.3	1,644	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1505-1507

Y7_697 **STOLE F/FAM-WHAT DID YOU STEAL**

Thinking of the last time you stole money or other things from your parents or other members of your family . . .

What did you steal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	1.0	17	1	Money
5.6	0.1	1	2	Other
0.0	0.0	0	3	Both
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1508-1509

Y7_700	STOLE F/FAMILY-PLANNED USE
---------------	-----------------------------------

Thinking of the last time you stole money or other things from your parents or other members of your family . . .

What were you going to do with it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	7	1	Use it yourself
0.0	0.0	0	2	Give it away
0.0	0.0	0	3	Sell it
0.0	0.0	0	4	Other
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1516-1517

Y7_701	STOLE F/FAMILY-OTH INVOLVE
---------------	-----------------------------------

Thinking of the last time you stole money or other things from your parents or other members of your family . . .

Were you alone, or did others take part in the theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	18	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1518-1519

Y7_705

STOLE F/EMPLOY-WHAT DID YOU STEAL

(IF WORKING)

Thinking of the last time you stole money, goods, or property from the place where you work . . .

What did you steal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	0.5	8	1	Money
92.7	5.9	101	2	Other
0.0	0.0	0	3	Both
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1528-1529

Y7_706

STOLE F/EMPL-AMT STOLEN (\$0-\$999)

(IF WORKING)

(IF MONEY STOLEN TO Y7_705)

Thinking of the last time you stole money, goods, or property from the place where you work . . .

How much money did you steal? (SPECIFY)

Min	=	1	Mean	=	39.875
Max	=	240	Std Dev	=	82.853
Median	=	4	Variance	=	6,864.696

(Based on 8 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1530-1532

Y7_707	STOLE F/EMP-VAL OF OTHR (\$0-\$999)
---------------	--

(IF WORKING)

(IF OTHER STOLEN TO Y7_705)

Thinking of the last time you stole money, goods, or property from the place where you work . . .

How much do you think it was worth? (SPECIFY)

Min	=	0	Mean	=	32.220
Max	=	999	Std Dev	=	120.851
Median	=	5	Variance	=	14,605.022

(Based on 100 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1533-1535

Y7_708	STOLE F/EMPLOY-OTH INVOLVE
---------------	-----------------------------------

(IF WORKING)

Thinking of the last time you stole money, goods, or property from the place where you work . . .

Were you alone, or did others take part in the theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	4.8	82	0	Alone
11.9	0.8	13	1	1 person
11.0	0.7	12	2	2 people
1.8	0.1	2	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1536-1537

Y7_709	STOLE F/EMPLOY-DRINK/DRUGS
---------------	-----------------------------------

(IF WORKING)

Thinking of the last time you stole money, goods, or property from the place where you work . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	6.1	105	0	No
1.8	0.1	2	1	Drinking
1.8	0.1	2	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1538-1539

Y7_710	STOLE F/EMPLOY-1ST ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	4.3	74	0	No
3.7	0.2	4	227	
21.1	1.3	23	231	
6.4	0.4	7	253	
0.9	0.1	1	256	
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1540-1542

Y7_711	STOLE F/EMPLOY-2ND ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	6.2	107	0	No
0.9	0.1	1	231	
0.9	0.1	1	240	
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1543-1545

Y7_712	SEX AGAINST/LAST-OUTCOME ATTEMPT
---------------	---

Thinking of the last time you had or tried to have sexual relations with someone against their will . . .

Did you actually force someone to have sexual relations or only try?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Actually forced
87.5	0.4	7	2	Tried but didnt succeed
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1546-1547

Y7_713

SEX AGAINST/LAST-MEANS FORCE

Thinking of the last time you had or tried to have sexual relations with someone against their will . . .

In which of the following ways did you force the person?
(CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	4	1	Verbal threats of injury
25.0	0.1	2	2	Mild roughness
12.5	0.1	1	3	Physical beating/choking
0.0	0.0	0	4	Threat of weapon
0.0	0.0	0	5	Used a weapon
12.5	0.1	1	6	Other
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1548-1549

Y7_714

SEX AGAINST/LAST-EXTENT INJURY

Thinking of the last time you had or tried to have sexual relations with someone against their will . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.4	7	0	No injury
0.0	0.0	0	1	Knocked down
12.5	0.1	1	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1550-1551

Y7_717	SEX AGAINST/LAST-DRINK/DRUGS
---------------	-------------------------------------

Thinking of the last time you had or tried to have sexual relations with someone against their will . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	4	0	No
12.5	0.1	1	1	Drinking
0.0	0.0	0	2	Using drugs
37.5	0.2	3	3	Drinking and drugs
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1556-1557

Y7_718	SEX AGAINST/LAST-1ST ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	8	0	No
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1558-1560

Y7_719	SEX AGAINST/LAST-2ND ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	8	0	No
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1561-1563

Y7_722	SEX AGAINST/NEXT-EXTENT INJURY
---------------	---------------------------------------

Thinking of the next to last time you had or tried to have sexual relations with someone against their will . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	0	No injury
0.0	0.0	0	1	Knocked down
0.0	0.0	0	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1568-1569

Y7_728	SEX AGAINST/BEF-OUTCOME ATTEMPT
---------------	--

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

Did you actually force someone to have sexual relations or only try?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Actually forced
100.0	0.1	2	2	Tried but didnt succeed
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1582-1583

Y7_729	SEX AGAINST/BEF-MEANS FORCE
---------------	------------------------------------

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

In which of the following ways did you force the person?
 (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Verbal threats of injury
50.0	0.1	1	2	Mild roughness
0.0	0.0	0	3	Physical beating/choking
0.0	0.0	0	4	Threat of weapon
0.0	0.0	0	5	Used a weapon
50.0	0.1	1	6	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1584-1585

Y7_730	SEX AGAINST/BEF-EXTENT INJURY
--------	--------------------------------------

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

How badly did you hurt the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No injury
0.0	0.0	0	1	Knocked down
50.0	0.1	1	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1586-1587

Y7_731	SEX AGAINST/BEF-OTH INVOLVE
---------------	------------------------------------

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

Was anyone else besides yourself involved in pressuring or forcing the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1588-1589

Y7_732	SEX AGAINST/BEF-WAS THE PERSON
---------------	---------------------------------------

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

Who was the person you tried to have sex with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	A stranger
50.0	0.1	1	2	An acquaintance
50.0	0.1	1	3	A friend
0.0	0.0	0	4	Family member
0.0	0.0	0	5	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1590-1591

Y7_733	SEX AGAINST/BEF-DRINK/DRUGS
---------------	------------------------------------

Thinking of the time before that that you had or tried to have sexual relations with someone against their will . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
0.0	0.0	0	1	Drinking
0.0	0.0	0	2	Using drugs
50.0	0.1	1	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1592-1593

Y7_734	SEX AGAINST/BEF-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1594-1596

Y7_735	SEX AGAINST/BEF-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1597-1599

Y7_736 HIT PARENTS-OUTCOME ATTEMPT

Thinking of the last time you hit or threatened to hit one of your parents . . .

Did you actually hit them or just threaten to hit them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.2	3	1	Actually hit
0.0	0.0	0	2	Tried, didnt succeed
76.9	0.6	10	3	Only threatened to hit
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1600-1601

Y7_737 HIT PARENTS-EXTENT INJURY

Thinking of the last time you hit or threatened to hit one of your parents . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	0	No injury
0.0	0.0	0	1	Pushed or slapped
0.0	0.0	0	2	Caused pain
0.0	0.0	0	3	knocked down
66.7	0.1	2	4	Bruised
0.0	0.0	0	5	Cut/bleeding
0.0	0.0	0	6	Unconscious
0.0	0.0	0	7	Hospitalized
0.0	0.0	0	8	Required medical treatment
0.0	0.0	0	9	Other
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1602-1603

Y7_738	HIT PARENTS-OTH INVOLVE
---------------	--------------------------------

Thinking of the last time you hit or threatened to hit one of your parents . . .

Were you alone, or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	0.6	11	0	Alone
7.7	0.1	1	1	1 person
7.7	0.1	1	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1604-1605

Y7_739	HIT PARENTS-DRINK/DRUGS
---------------	--------------------------------

Thinking of the last time you hit or threatened to hit one of your parents . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	0.6	11	0	No
7.7	0.1	1	1	Drinking
7.7	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1606-1607

Y7_740 HIT PARENTS-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	13	0	No
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1608-1610

Y7_741 HIT PARENTS-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	13	0	No
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1611-1613

Y7_742 HIT AT WORK-OUTCOME ATTEMPT

(IF WORKING)

Thinking of the last time you hit or threatened to hit your supervisor or other employee . . .

Did you actually hit them or just threaten to hit them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	0.6	10	1	Actually hit
2.8	0.1	2	2	Tried, didnt succeed
83.3	3.5	60	3	Only threatened to hit
	95.8	1,653	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1614-1615

Y7_743	HIT AT WORK-EXTENT INJURY
--------	---------------------------

(IF WORKING)

Thinking of the last time you hit or threatened to hit your supervisor or other employee . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	5	0	No injury
0.0	0.0	0	1	Pushed or slapped
10.0	0.1	1	2	Caused pain
0.0	0.0	0	3	knocked down
10.0	0.1	1	4	Bruised
20.0	0.1	2	5	Cut/bleeding
0.0	0.0	0	6	Unconscious
10.0	0.1	1	7	Hospitalized
0.0	0.0	0	8	Required medical treatment
0.0	0.0	0	9	Other
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1616-1617

Y7_744	HIT AT WORK-OTH INVOLVE
---------------	--------------------------------

(IF WORKING)

Thinking of the last time you hit or threatened to hit your supervisor or other employee . . .

Were you alone, or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	3.3	57	0	Alone
4.2	0.2	3	1	1 person
5.6	0.2	4	2	2 people
2.8	0.1	2	3	3 people
1.4	0.1	1	4	4 people
2.8	0.1	2	5	5 people
0.0	0.0	0	6	6 people
1.4	0.1	1	7	7 people
0.0	0.0	0	8	8 people
1.4	0.1	1	9	9 people
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1618-1619

Y7_745	HIT AT WORK-DRINK/DRUGS
---------------	--------------------------------

(IF WORKING)

Thinking of the last time you hit or threatened to hit your supervisor or other employee . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	71	0	No
0.0	0.0	0	1	Drinking
0.0	0.0	0	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1620-1621

Y7_746	HIT AT WORK-1ST ITEM NO.
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	3.8	66	0	No
4.2	0.2	3	232	
2.8	0.1	2	244	
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1622-1624

Y7_747	HIT AT WORK-2ND ITEM NO.
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	71	0	No
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1625-1627

Y7_748	HIT ELSE-OUTCOME ATTEMPT
---------------	---------------------------------

Thinking of the last time you hit or threatened to hit anyone else
 (other than parents, persons at work) . . .

Did you actually hit them or just threaten to hit them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.3	91	1	Actually hit
1.4	0.2	3	2	Tried, didnt succeed
56.9	7.2	124	3	Only threatened to hit
	87.4	1,507	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1628-1629

Y7_749	HIT ELSE-EXTENT INJURY
---------------	-------------------------------

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	2.2	38	0	No injury
7.7	0.4	7	1	Pushed or slapped
1.1	0.1	1	2	Caused pain
5.5	0.3	5	3	knocked down
16.5	0.9	15	4	Bruised
17.6	0.9	16	5	Cut/bleeding
3.3	0.2	3	6	Unconscious
4.4	0.2	4	7	Hospitalized
2.2	0.1	2	8	required medical treatment
0.0	0.0	0	9	Other
	94.7	1,634	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1630-1631

Y7_750**HIT ELSE-OTH INVOLVE**

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

Were you alone, or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	9.4	163	0	Alone
6.9	0.9	15	1	1 person
4.6	0.6	10	2	2 people
3.2	0.4	7	3	3 people
2.3	0.3	5	4	4 people
1.4	0.2	3	5	5 people
0.9	0.1	2	6	6 people
0.5	0.1	1	7	7 people
0.5	0.1	1	8	8 people
4.2	0.5	9	9	9 people
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1632-1633

Y7_751**HIT ELSE-DRINK/DRUGS**

Thinking of the last time you hit or threatened to hit anyone else
(other than parents, persons at work) . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	8.9	153	0	No
25.2	3.2	55	1	Drinking
0.9	0.1	2	2	Using drugs
3.7	0.5	8	3	Drinking and drugs
	87.4	1,507	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1634-1635

Y7_752	HIT ELSE-1ST ITEM NO.
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	11.1	191	0	No
0.5	0.1	1	121	
0.5	0.1	1	225	
10.1	1.3	22	232	
0.5	0.1	1	235	
0.5	0.1	1	243	
0.5	0.1	1	343	
	87.4	1,507	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1636-1638

Y7_753	HIT ELSE-2ND ITEM NO.
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	12.6	217	0	No
0.5	0.1	1	232	
	87.4	1,507	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1639-1641

Y7_754	SOLD HARD DRUGS-WHAT DRUGS
---------------	-----------------------------------

Thinking of the last time you sold hard drugs such as heroin, cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS) . . .

What drug or drugs were included in the sale?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	1	1	Marijuana
17.2	0.3	5	2	Pills
65.5	1.1	19	3	Cocaine
3.4	0.1	1	4	Heroin
10.3	0.2	3	5	Other
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1642-1643

Y7_755	SOLD HARD DRUGS-VALUE
---------------	------------------------------

Thinking of the last time you sold hard drugs such as heroin, cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS) . . .

How much money was involved in the sale? (SPECIFY)
 (IF OTHER THAN MONEY, SPECIFY)

Min	=	10	Mean	=	665.862
Max	=	6,000	Std Dev	=	1,457.036
Median	=	100	Variance	=	2,122,953.695

(Based on 29 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1644-1648

Y7_756 SOLD HARD DRUGS-OTH INVOLVE

Thinking of the last time you sold hard drugs such as heroin, cocaine, and LSD (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS) . . .

Were you alone, or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	0.8	13	0	Alone
17.2	0.3	5	1	1 person
27.6	0.5	8	2	2 people
3.4	0.1	1	3	3 people
6.9	0.1	2	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1649-1650

Y7_757 SOLD HARD DRUGS-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	1.6	27	0	No
3.4	0.1	1	230	
3.4	0.1	1	237	
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1651-1653

Y7_758	SOLD HARD DRUGS-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	29	0	No
	98.3	1,696	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1654-1656

Y7_759	SOLD WORTHLESS-SOLD TO WHOM
---------------	------------------------------------

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

Who were you trying to sell the _____ to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	0.8	13	1	Stranger
7.4	0.1	2	2	Family member
29.6	0.5	8	3	Friend
14.8	0.2	4	4	Other
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1657-1658

Y7_760**SOLD WORTHLESS-REAL VALUE**

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

How much was the _____ really worth? (SPECIFY)

Min	=	0	Mean	=	123.077
Max	=	1,000	Std Dev	=	223.996
Median	=	22.5	Variance	=	50,174.154

(Based on 26 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1659-1662

Y7_761**SOLD WORTHLESS-ASKING PRICE**

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

How much did you try to sell it for? (SPECIFY)

Min	=	3	Mean	=	206.731
Max	=	1,650	Std Dev	=	358.868
Median	=	52.5	Variance	=	128,786.205

(Based on 26 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1663-1666

Y7_762

SOLD WORTHLESS-OUTCOME O/ATTEMPT

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

Did you actually sell _____ or just try to sell it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	1.2	21	1	Actually sold it
19.2	0.3	5	2	Tried to sell it
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1667-1668

Y7_763

SOLD WORTHLESS-OTH INVOLVE

Thinking of the last time you tried to cheat someone by selling them something that was worthless or not what you said it was . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	1.0	17	0	Alone
22.2	0.3	6	1	1 person
3.7	0.1	1	2	2 people
3.7	0.1	1	3	3 people
3.7	0.1	1	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
3.7	0.1	1	9	9 people
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1669-1670

Y7_764 **SOLD WORTHLESS-1ST ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	1.4	25	0	No
3.7	0.1	1	230	
3.7	0.1	1	237	
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1671-1673

Y7_765 **SOLD WORTHLESS-2ND ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	1.5	26	0	No
3.7	0.1	1	246	
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1674-1676

Y7_766 **TAKEN VEHICLE-KIND OF VEHICLE**

Thinking of the last time you took a vehicle for a ride or drive without the owner's permission . . .

What kind of vehicle was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	0.8	13	1	Car
23.8	0.3	5	2	Truck
4.8	0.1	1	3	Motorcycle
9.5	0.1	2	4	Other
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1677-1678

Y7_767 **TAKEN VEHICLE-VEHICLE OWNER**

Thinking of the last time you took a vehicle for a ride or drive without the owner's permission . . .

Who did the vehicle belong to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	0.3	5	1	Family member
38.1	0.5	8	2	Friend
38.1	0.5	8	3	Other
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1679-1680

Y7_768 **TAKEN VEHICLE-STARTED VEHICLE**

Thinking of the last time you took a vehicle for a ride or drive without the owner's permission . . .

How did you get the vehicle started?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	15	1	Had keys
4.8	0.1	1	2	Hot wired
19.0	0.2	4	3	Keys in ignition
4.8	0.1	1	4	Other
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1681-1682

Y7_769	TAKEN VEHICLE-OTH INVOLVE
---------------	----------------------------------

Thinking of the last time you took a vehicle for a ride or drive without the owner's permission . . .

Were you alone, or did others take part in the theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	0.8	13	0	Alone
28.6	0.3	6	1	1 person
9.5	0.1	2	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1683-1684

Y7_770	TAKEN VEHICLE-DRINK/DRUGS
---------------	----------------------------------

Thinking of the last time you took a vehicle for a ride or drive without the owner's permission . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.8	14	0	No
23.8	0.3	5	1	Drinking
4.8	0.1	1	2	Using drugs
4.8	0.1	1	3	Drinking and drugs
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1685-1686

Y7_771 **TAKEN VEHICLE-1ST ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.0	18	0	No
9.5	0.1	2	226	
4.8	0.1	1	227	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1687-1689

Y7_772 **TAKEN VEHICLE-2ND ITEM NO.**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	1.1	19	0	No
4.8	0.1	1	226	
4.8	0.1	1	227	
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1690-1692

Y7_773 **FORCE OTHERS/LAST-TYPE FORCE**

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

What kind of force did you use? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	3	1	Punched
20.0	0.1	1	2	Physical beating
20.0	0.1	1	3	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1693-1694

Y7_774	FORCE OTHERS/LAST-NATURE WEAPONS
---------------	---

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

What was the weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	0	No weapons
0.0	0.0	0	1	Knives, cutting/stabbing things
0.0	0.0	0	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
20.0	0.1	1	4	Guns and other firearms
0.0	0.0	0	5	Other
0.0	0.0	0	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1695-1696

Y7_775	FORCE OTHERS/LAST-PURPOSE
---------------	----------------------------------

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

What were you trying to get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	1	Money
20.0	0.1	1	2	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1697-1698

Y7_776

FORCE OTHERS/LAST-EXTENT INJURY

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	3	0	No injury
0.0	0.0	0	1	Knocked down
20.0	0.1	1	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
20.0	0.1	1	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1699-1700

Y7_777

FORCE OTHERS/LAST-OTH INVOLVE

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	0	Alone
20.0	0.1	1	1	1 person
20.0	0.1	1	2	2 people
20.0	0.1	1	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1701-1702

Y7_778 FORCE OTHERS/LAST-DRINK/DRUGS

Thinking of the last time you used force or strongarm methods to get money or things from people . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	3	0	No
0.0	0.0	0	1	Drinking
20.0	0.1	1	2	Using drugs
20.0	0.1	1	3	Drinking and drugs
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1703-1704

Y7_779 FORCE OTHERS/LAST-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	0	No
20.0	0.1	1	230	
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1705-1707

Y7_780 FORCE OTHERS/LAST-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	4	0	No
20.0	0.1	1	246	
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1708-1710

Y7_781	FORCE OTHERS/NEXT-TYPE FORCE
---------------	-------------------------------------

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

What kind of force did you use? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Punched
0.0	0.0	0	2	Physical beating
50.0	0.1	1	3	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1711-1712

Y7_782	FORCE OTHERS/NEXT-NATURE WEAPONS
---------------	---

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

What was the weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No weapons
0.0	0.0	0	1	Knives, cutting/stabbing things
0.0	0.0	0	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
0.0	0.0	0	4	Guns and other firearms
0.0	0.0	0	5	Other
0.0	0.0	0	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1713-1714

Y7_783 FORCE OTHERS/NEXT-PURPOSE

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

What were you trying to get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Money
50.0	0.1	1	2	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1715-1716

Y7_784 FORCE OTHERS/NEXT-EXTENT INJURY

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No injury
0.0	0.0	0	1	Knocked down
0.0	0.0	0	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1717-1718

Y7_785	FORCE OTHERS/NEXT-OTH INVOLVE
---------------	--------------------------------------

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Alone
50.0	0.1	1	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
50.0	0.1	1	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1719-1720

Y7_786	FORCE OTHERS/NEXT-DRINK/DRUGS
---------------	--------------------------------------

Thinking of the next to last time you used force or strongarm methods to get money or things from people . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
0.0	0.0	0	1	Drinking
100.0	0.1	2	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1721-1722

Y7_787 FORCE OTHERS/NEXT-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	230	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1723-1725

Y7_788 FORCE OTHERS/NEXT-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	246	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1726-1728

Y7_789 FORCE OTHERS/BEF-TYPE FORCE

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

What kind of force did you use? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Punched
0.0	0.0	0	2	Physical beating
50.0	0.1	1	3	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1729-1730

Y7_790	FORCE OTHERS/BEF-NATURE WEAPONS
---------------	--

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

What was the weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No weapons
0.0	0.0	0	1	Knives, cutting/stabbing things
0.0	0.0	0	2	Chains, bats/hitting things
0.0	0.0	0	3	Hard knuckles/numchucks
0.0	0.0	0	4	Guns and other firearms
0.0	0.0	0	5	Other
0.0	0.0	0	6	Mixed weapons excluding guns
0.0	0.0	0	7	Mixed weapons including guns
0.0	0.0	0	8	Mixed weapons-no gun or knife types
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1731-1732

Y7_791	FORCE OTHERS/BEF-PURPOSE
---------------	---------------------------------

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

What were you trying to get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Money
50.0	0.1	1	2	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1733-1734

Y7_792	FORCE OTHERS/BEF-EXTENT INJURY
---------------	---------------------------------------

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

How badly did you hurt the person? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No injury
0.0	0.0	0	1	Knocked down
0.0	0.0	0	2	Bruised
0.0	0.0	0	3	Cut/bleeding
0.0	0.0	0	4	Unconscious
0.0	0.0	0	5	Hospitalized
0.0	0.0	0	6	Required medical treatment
0.0	0.0	0	7	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1735-1736

Y7_793	FORCE OTHERS/BEF-OTH INVOLVE
---------------	-------------------------------------

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Alone
50.0	0.1	1	1	1 person
0.0	0.0	0	2	2 people
50.0	0.1	1	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1737-1738

Y7_794	FORCE OTHERS/BEF-DRINK/DRUGS
---------------	-------------------------------------

Thinking of the time before that that you used force or strongarm methods to get money or things from people . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
0.0	0.0	0	1	Drinking
50.0	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1739-1740

Y7_795	FORCE OTHERS/BEF-1ST ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	228	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1741-1743

Y7_796	FORCE OTHERS/BEF-2ND ITEM NO.
---------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
50.0	0.1	1	230	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1744-1746

Y7_797	STOLE \$0 TO \$99-VALUE
---------------	--------------------------------

Thinking of the last time you stole or tried to steal things worth between \$5 and \$50 . . .

About how much do you think it was worth?

Min	=	2	Mean	=	27.209
Max	=	99	Std Dev	=	23.214
Median	=	20	Variance	=	538.884

(Based on 43 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1747-1748

Y7_798	STOLE \$0 TO \$99-STOLEN FROM
---------------	--------------------------------------

Thinking of the last time you stole or tried to steal things worth between \$5 and \$50 . . .

Where did you steal it from?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	0.8	13	1	Retail store
9.3	0.2	4	2	Private home
9.3	0.2	4	3	Auto
39.5	1.0	17	4	Work place
0.0	0.0	0	5	School/college
0.0	0.0	0	6	Construction site
0.0	0.0	0	7	Warehouse
11.6	0.3	5	8	Other
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1749-1750

Y7_799	STOLE \$0 TO \$99-ACTUALLY STEAL
---------------	---

Thinking of the last time you stole or tried to steal things worth between \$5 and \$50 . . .

Did you actually steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.3	5	1	No
88.4	2.2	38	2	Yes
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1751-1752

Y7_800	STOLE \$0 TO \$99-OTH INVOLVE
---------------	--------------------------------------

Thinking of the last time you stole or tried to steal things worth between \$5 and \$50 . . .

Were you alone or did others take part in this theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	1.8	31	0	Alone
16.7	0.4	7	1	1 person
9.5	0.2	4	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1753-1754

Y7_801 STOLE \$0 TO \$99-DRINK/DRUGS

Thinking of the last time you stole or tried to steal things worth between \$5 and \$50 . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	2.1	36	0	No
11.6	0.3	5	1	Drinking
4.7	0.1	2	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	97.5	1,682	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1755-1756

Y7_802 STOLE \$0 TO \$99-1ST ITEM NO.

Min	=	0	Mean	=	84.738
Max	=	240	Std Dev	=	115.098
Median	=	0	Variance	=	13,247.564

(Based on 42 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1757-1759

Y7_803 STOLE \$0 TO \$99-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	42	0	No
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1760-1762

Y7_804 BROKE BLDG/LAST-BROKE INTO WHAT

Thinking of the last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

What did you break into or try to break into?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.3	5	1	Building
8.3	0.1	1	2	Vehicle
8.3	0.1	1	3	House
41.7	0.3	5	4	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1763-1764

Y7_805 BROKE BLDG/LAST-ACTUAL BREAK IN

Thinking of the last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Did you actually break in or did you only try to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.6	10	1	Broke in
0.0	0.0	0	2	Tried
16.7	0.1	2	3	Door open
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1765-1766

Y7_806 BROKE BLDG/LAST-REASON

Thinking of the last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Why were you breaking in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	1	Look around
25.0	0.2	3	2	Steal
25.0	0.2	3	3	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1767-1768

Y7_807 BROKE BLDG/LAST-OTH INVOLVE

Thinking of the last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.3	5	0	Alone
33.3	0.2	4	1	1 person
16.7	0.1	2	2	2 people
8.3	0.1	1	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1769-1770

Y7_808	BROKE BLDG/LAST-DRINK/DRUGS
---------------	------------------------------------

Thinking of the last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	0	No
41.7	0.3	5	1	Drinking
8.3	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1771-1772

Y7_809	BROKE BLDG/LAST-1ST ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	0	No
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1773-1775

Y7_810	BROKE BLDG/LAST-2ND ITEM NO.
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	0	No
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1776-1778

Y7_811 BROKE BLDG/NEXT-BROKE INTO WHAT

Thinking of the next to last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

What did you break into or try to break into?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	Building
25.0	0.1	1	2	Vehicle
0.0	0.0	0	3	House
25.0	0.1	1	4	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1779-1780

Y7_812 BROKE BLDG/NEXT-ACTUAL BREAK IN

Thinking of the next to last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Did you actually break in or did you only try to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	Broke in
25.0	0.1	1	2	Tried
25.0	0.1	1	3	Door open
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1781-1782

Y7_813

BROKE BLDG/NEXT-REASON

Thinking of the next to last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Why were you breaking in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	Look around
50.0	0.1	2	2	Steal
0.0	0.0	0	3	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1783-1784

Y7_814

BROKE BLDG/NEXT-OTH INVOLVE

Thinking of the next to last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	0	Alone
50.0	0.1	2	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1785-1786

Y7_815 BROKE BLDG/NEXT-DRINK/DRUGS

Thinking of the next to last time you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	0	No
0.0	0.0	0	1	Drinking
25.0	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1787-1788

Y7_816 BROKE BLDG/NEXT-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	0	No
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1789-1791

Y7_817 BROKE BLDG/NEXT-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	0	No
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1792-1794

Y7_818

BROKE BLDG/BEF-BROKE INTO WHAT

Thinking of the time before that that you broke or tried to break into a building or vehicle to steal something or just to look around . . .

What did you break into or try to break into?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Building
100.0	0.1	2	2	Vehicle
0.0	0.0	0	3	House
0.0	0.0	0	4	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1795-1796

Y7_819

BROKE BLDG/BEF-ACTUAL BREAK IN

Thinking of the time before that that you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Did you actually break in or did you only try to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Broke in
0.0	0.0	0	2	Tried
50.0	0.1	1	3	Door open
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1797-1798

Y7_820 **BROKE BLDG/BEF-REASON**

Thinking of the time before that that you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Why were you breaking in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Look around
50.0	0.1	1	2	Steal
0.0	0.0	0	3	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1799-1800

Y7_821 **BROKE BLDG/BEF-OTH INVOLVE**

Thinking of the time before that that you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1801-1802

Y7_822	BROKE BLDG/BEF-DRINK/DRUGS
---------------	-----------------------------------

Thinking of the time before that that you broke or tried to break into a building or vehicle to steal something or just to look around . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	No
0.0	0.0	0	1	Drinking
50.0	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1803-1804

Y7_823	BROKE BLDG/BEF-1ST ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1805-1807

Y7_824	BROKE BLDG/BEF-2ND ITEM NO.
---------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	No
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1808-1810

Y7_825 CREDIT W/O PERMISSION-WHOSE CARD

Thinking of the last time you used or tried to use credit cards without the owner's permission . . .

Whose credit card was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	Stranger
0.0	0.0	0	2	Family member
33.3	0.1	1	3	Friend
0.0	0.0	0	4	Other
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1811-1812

Y7_826 CREDIT W/O PERMIS-\$0-\$999 CHARGED

Thinking of the last time you used or tried to use credit cards without the owner's permission . . .

How much did you charge or try to charge? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	5	
33.3	0.1	1	100	
33.3	0.1	1	200	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1813-1815

Y7_827	CREDIT W/O PERMISSION-OTH INVOLVE
---------------	--

Thinking of the last time you used or tried to use credit cards without the owner's permission . . .

Were you alone or did others take part in this event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	0	Alone
66.7	0.1	2	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1816-1817

Y7_828	CREDIT W/O PERMISSION-1ST ITEM NO
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	No
33.3	0.1	1	236	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1818-1820

Y7_829	CREDIT W/O PERMISSION-2ND ITEM NO
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	0	No
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1821-1823

Y7_830	PICKED POCKET-WHAT DID YOU DO
---------------	--------------------------------------

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

What did you do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Purse snatching
100.0	0.1	1	2	Pick pocket
0.0	0.0	0	3	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1824-1825

Y7_831

PICKED POCKET-MONEY TAKEN

Thinking of the last time you snatched someone's purse or wallet or
picked someone's pocket . . .

Was money taken?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1826-1827

Y7_832

PICKED POCKET-CREDIT CARDS TAKEN

Thinking of the last time you snatched someone's purse or wallet or
picked someone's pocket . . .

Were credit cards taken?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1828-1829

Y7_833 PICKED POCKET-CHECKS TAKEN

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

Were checks taken?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1830-1831

Y7_834 PICKED POCKET-OTHER TAKEN

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

Was other (SPECIFY) taken?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1832-1833

Y7_835	PICKED POCKET-OTH INVOLVE
---------------	----------------------------------

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

Were you alone, or did others take part in the theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	Alone
0.0	0.0	0	1	1 person
0.0	0.0	0	2	2 people
0.0	0.0	0	3	3 people
0.0	0.0	0	4	4 people
0.0	0.0	0	5	5 people
0.0	0.0	0	6	6 people
0.0	0.0	0	7	7 people
0.0	0.0	0	8	8 people
0.0	0.0	0	9	9 people
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1834-1835

Y7_836	PICKED POCKET-DRINK/DRUGS
---------------	----------------------------------

Thinking of the last time you snatched someone's purse or wallet or picked someone's pocket . . .

Had you been drinking or taking drugs before the incident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
0.0	0.0	0	1	Drinking
100.0	0.1	1	2	Using drugs
0.0	0.0	0	3	Drinking and drugs
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1836-1837

Y7_837 PICKED POCKET-1ST ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
100.0	0.1	1	236	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1838-1840

Y7_838 PICKED POCKET-2ND ITEM NO.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
100.0	0.1	1	257	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1841-1843

Y7_839 EMBEZZ MONEY/FNDS-(\$0-\$999)VALUE

Thinking of the last time you embezzled money, that is, used money or funds entrusted to your care for some purpose other than that intended . . .

How much money was involved?

Min	=	5	Mean	=	54.167
Max	=	180	Std Dev	=	66.964
Median	=	20	Variance	=	4,484.167

Data type: numeric
 Missing-data code: -1
 Columns: 1844-1846

Y7_840	EMBEZZLED MONEY/FUNDS-1ST ITEM NO
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	0	No
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1847-1849

Y7_841	EMBEZZLED MONEY/FUNDS-2ND ITEM NO
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	0	No
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1850-1852

SUBSTANCE USE

Alcohol

Y7_842 ALCOHOLIC BEVERAGES-FREQ

How many times in the last year have you . . .
 used alcoholic beverages, beer, wine, hard liquor?

Min	=	0	Mean	=	59.259
Max	=	999	Std Dev	=	84.466
Median	=	26	Variance	=	7,134.581

(Based on 1,381 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1853-1855

Y7_843 ALCOHOLIC BEVERAGES-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_842) 10 OR MORE TIMES IN THE
 LAST YEAR)

How often have you drunk/used alcoholic beverages, beer, wine, hard
 liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	8.4	145	1	Never
9.2	7.4	127	2	Once or twice
7.1	5.7	98	3	Once every 2-3 months
13.9	11.1	192	4	Once a month
14.0	11.2	194	5	Once every 2-3 weeks
19.0	15.2	263	6	Once a week
22.0	17.6	304	7	2-3 times a week
3.8	3.1	53	8	Once a day
0.4	0.3	6	9	2-3 times a day
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1856-1857

Y7_844

ALCOHOLIC BEVERAGES-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
50.0	0.1	2	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
50.0	0.1	2	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1858-1859

Tobacco

Y7_845 TOBACCO-USED TOBACCO

During the past year, have you used tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	42.9	740	1	No
46.5	37.3	643	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1860-1861

Y7_846 TOBACCO-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
50.0	0.1	1	3	GT 1 to 2 months
50.0	0.1	1	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1862-1863

Y7_847 TOBACCO-# CIGS PER DAY

(IF YES TO Y7_845)

When using tobacco, how much do you usually use?

Cigarettes per day (NUMBER)

Min	=	0	Mean	=	14.191
Max	=	90	Std Dev	=	12.741
Median	=	10	Variance	=	162.336

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1864-1865

Y7_848 TOBACCO-# CIGARS/PIPES PER DAY

(IF YES TO Y7_845)

When using tobacco, how much do you usually use?

Cigars or pipes per day (NUMBER)

Min	=	0	Mean	=	.031
Max	=	3	Std Dev	=	.241
Median	=	0	Variance	=	.058

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1866-1867

Y7_849**TOBACCO-CANS CHEW TOBACCO/MO**

(IF YES TO Y7_845)

Cans of chewing tobacco per month

Min	=	0	Mean	=	.778
Max	=	45	Std Dev	=	3.624
Median	=	0	Variance	=	13.133

(Based on 643 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1868-1869

Y7_852	MARIJUANA-EPISODIC
--------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	1	LT 2 weeks
20.0	0.1	1	2	2 to 4 weeks
20.0	0.1	1	3	GT 1 to 2 months
20.0	0.1	1	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
20.0	0.1	1	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1875-1876

Y7_855

HALLUCINOGENS-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1882-1883

Y7_858

TRANQUILIZERS-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.2	4	1	LT 2 weeks
28.6	0.1	2	2	2 to 4 weeks
14.3	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1889-1890

Amphetamines

Y7_859	AMPHETAMINES-DR PERSCRIBED
---------------	-----------------------------------

Min	=	0	Mean	=	21.930
Max	=	365	Std Dev	=	66.582
Median	=	1	Variance	=	4,433.219

(Based on 86 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1891-1893

Y7_860	AMPHETAMINES-FREQ
---------------	--------------------------

How many times in the last year have you . . .

used amphetamines, uppers, ups, speed, pep pills or
 bennies? (DEXEDRINE, BENZEDRINE, WHITES, DIET PILLS,
 DEXIES, DEXAMYL, STP)

(IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY -
 People can take amphetamines to lose weight to stay awake,
 or to make them feel they have more energy.)

Min	=	0	Mean	=	2.800
Max	=	999	Std Dev	=	32.990
Median	=	0	Variance	=	1,088.351

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1894-1896

Barbiturates

Y7_863	BARBITURATES-DR PERSCRIBED
---------------	-----------------------------------

Min	=	0	Mean	=	11.320
Max	=	999	Std Dev	=	98.937
Median	=	0	Variance	=	9,788.514

(Based on 103 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1901-1903

Y7_864	BARBITURATES-FREQ
---------------	--------------------------

How many times in the last year have you . . .

used barbiturates, downers, reds, yellows, blues?
 (RAINBOWS, GOOF BALLS, PHENOBARBITAL, PRESCRIPTION SLEEPING PILLS,
 SECONALS, YELLOW JACKETS OR NEMBUTAL)

(IF RESPONDENT DOES NOT UNDERSTAND THIS DRUG CATEGORY - These drugs
 can be used for calming down, reducing tension, and getting to
 sleep.)

Min	=	0	Mean	=	.577
Max	=	365	Std Dev	=	10.900
Median	=	0	Variance	=	118.815

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1904-1906

Codeine

Y7_867 CODEINE-DR PERSCRIBED

Min	=	0	Mean	=	24.556
Max	=	365	Std Dev	=	85.548
Median	=	0	Variance	=	7,318.379

(Based on 18 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1911-1913

Y7_868 CODEINE-FREQ

How many times in the last year have you . . .
 used codeine?

Min	=	0	Mean	=	1.427
Max	=	320	Std Dev	=	10.840
Median	=	0	Variance	=	117.508

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1914-1916

Y7_869	CODEINE-RATE
---------------	---------------------

(IF RESPONDENT HAS USED SUBSTANCE (Y7_868) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	69.1	1,192	1	Never
7.2	5.8	100	2	Once or twice
2.1	1.7	29	3	Once every 2-3 months
1.8	1.4	25	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.2	0.2	3	7	2-3 times a week
0.3	0.2	4	8	Once a day
2.0	1.6	28	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1917-1918

Y7_870	CODEINE-EPISODIC
---------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	1.6	28	1	LT 2 weeks
9.1	0.2	3	2	2 to 4 weeks
3.0	0.1	1	3	GT 1 to 2 months
3.0	0.1	1	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1919-1920

Heroin

Y7_871	HEROIN-DR PERSCRIBED
--------	----------------------

Min	=	0	Mean	=	7.942
Max	=	120	Std Dev	=	15.973
Median	=	2	Variance	=	255.149

(Based on 191 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1921-1923

Y7_872	HEROIN-FREQ
--------	-------------

How many times in the last year have you . . .
 used heroin? (HORSE, H, SKAG, SMACK, JUNK)

Min	=	0	Mean	=	.176
Max	=	200	Std Dev	=	5.419
Median	=	0	Variance	=	29.364

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1924-1926

Y7_873	HEROIN-RATE
---------------	--------------------

(IF RESPONDENT HAS USED SUBSTANCE (Y7_872) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used heroin? (HORSE, H, SKAG, SMACK, JUNK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	79.7	1,375	1	Never
0.3	0.2	4	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	1	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1927-1928

Y7_874	HEROIN-EPISODIC
---------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
100.0	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1929-1930

Crack Cocaine

Y7_875 CRACK-FREQ

How many times in the last year have you . . .

Used crack?

Min	=	0	Mean	=	.354
Max	=	365	Std Dev	=	9.899
Median	=	0	Variance	=	97.983

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1931-1933

Y7_876 CRACK-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_875) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	79.0	1,363	1	Never
0.9	0.7	12	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.1	0.1	1	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.1	0.1	2	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1934-1935

Y7_877	CRACK-EPISODIC
--------	----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
50.0	0.1	1	3	GT 1 to 2 months
50.0	0.1	1	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1936-1937

Cocaine

Y7_878 COCAINE-FREQ

How many times in the last year have you . . .
used cocaine, or coke, other than crack?

Min	=	0	Mean	=	2.496
Max	=	400	Std Dev	=	18.948
Median	=	0	Variance	=	359.037

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 1938-1940

Y7_879 COCAINE-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_878) 10 OR MORE TIMES IN THE
LAST YEAR)

How often have you used cocaine, or coke, other than crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	67.9	1,171	1	Never
7.4	6.0	103	2	Once or twice
2.5	2.0	35	3	Once every 2-3 months
2.7	2.1	37	4	Once a month
1.1	0.9	15	5	Once every 2-3 weeks
1.1	0.9	15	6	Once a week
0.3	0.2	4	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1941-1942

Y7_880	COCAINE-EPISODIC
--------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
100.0	0.1	1	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1943-1944

Inhalants

Y7_881 INHALANTS-FREQ

How many times in the last year have you . . .

used inhalants glue, paint, nail polish, or aerosol sprays?

Min	=	0	Mean	=	.013
Max	=	12	Std Dev	=	.344
Median	=	0	Variance	=	.118

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1945-1947

Y7_882 INHALANTS-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_881) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used inhalants glue, paint, nail polish, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	80.0	1,380	1	Never
0.1	0.1	1	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.1	0.1	1	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1948-1949

Y7_883

INHALANTS-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1950-1951

PCP

Y7_884 ANGEL DUST-FREQ

How many times in the last year have you . . .

used angel dust or PCP? (PHENCYCLIDINE, SERNYLAN, CRYSTAL, PEACE HILL, HOG, SHEETS)

Min	=	0	Mean	=	.035
Max	=	35	Std Dev	=	.956
Median	=	0	Variance	=	.913

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1952-1954

Y7_885 ANGEL DUST-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_884) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used angel dust or PCP? (PHENCYCLIDINE, SERNYLAN, CRYSTAL, PEACE HILL, HOG, SHEETS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	79.7	1,375	1	Never
0.4	0.3	6	2	Once or twice
0.1	0.1	1	3	Once every 2-3 months
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.1	0.1	1	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1955-1956

Y7_886

ANGEL DUST-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1957-1958

Other Substances

Y7_887 DRUGS-SSMPLSTANCE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	THC
0.0	0.0	0	2	Quaaludes
0.0	0.0	0	3	Cough medicine
0.0	0.0	0	4	Robitussin
0.0	0.0	0	5	Sominex
0.0	0.0	0	6	Sudafed
18.8	0.2	3	7	No-Doze
0.0	0.0	0	8	Demerol
12.5	0.1	2	9	Weight control pills
0.0	0.0	0	10	Coricidin
0.0	0.0	0	11	Mushrooms
6.2	0.1	1	12	MDA
0.0	0.0	0	13	Pam
62.5	0.6	10	99	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1959-1960

Y7_888 OTHER DRUGS-FREQ

How many times in the last year have you . . .
 used any other non-prescription drugs or intoxicants?
 (EXCLUDE ASPIRIN AND TYLENOL)

Min	=	0	Mean	=	.168
Max	=	40	Std Dev	=	1.987
Median	=	0	Variance	=	3.948

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1961-1963

Y7_889 OTHER DRUGS-RATE

(IF RESPONDENT HAS USED SUBSTANCE (Y7_888) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used any other non-prescription drugs or intoxicants?

(EXCLUDE ASPIRIN AND TYLENOL)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	79.0	1,362	1	Never
0.6	0.5	8	2	Once or twice
0.3	0.2	4	3	Once every 2-3 months
0.2	0.2	3	4	Once a month
0.1	0.1	2	5	Once every 2-3 weeks
0.1	0.1	2	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	2	8	Once a day
0.0	0.0	0	9	2-3 times a day
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1964-1965

Y7_890 OTHER DRUGS-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
100.0	0.1	1	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1966-1967

Y7_891	DRUGS EXCEED DR RX-FREQ
---------------	--------------------------------

How many times in the last year have you . . .

Used drugs prescribed for you by a doctor more often or in greater amounts than was prescribed?

Min	=	0	Mean	=	.102
Max	=	30	Std Dev	=	1.034
Median	=	0	Variance	=	1.070

(Based on 1,381 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 1968-1970

Y7_892	DRUGS EXCEED DR RX-RATE
---------------	--------------------------------

(IF RESPONDENT HAS USED SUBSTANCE (Y7_891) 10 OR MORE TIMES IN THE LAST YEAR)

How often have you used drugs prescribed for you by a doctor more often or in greater amounts than was prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	77.7	1,340	1	Never
2.2	1.8	31	2	Once or twice
0.4	0.3	5	3	Once every 2-3 months
0.1	0.1	2	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.1	0.1	1	8	Once a day
0.1	0.1	2	9	2-3 times a day
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1971-1972

Y7_893 DRUGS EXCEED DR RX-EPISODIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	LT 2 weeks
0.0	0.0	0	2	2 to 4 weeks
0.0	0.0	0	3	GT 1 to 2 months
0.0	0.0	0	4	GT 2 to 3 months
0.0	0.0	0	5	GT 3 to 4 months
0.0	0.0	0	6	GT 4 to 6 months
0.0	0.0	0	7	GT 6 months
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1973-1974

Y7_894 INJECT ILLICIT DRUG

Have you ever injected any illicit drug through the skin or into a vein?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	78.6	1,356	0	No
0.2	0.2	3	1	Heroin
0.5	0.4	7	2	Cocaine
0.4	0.3	6	3	Other drugs
0.4	0.3	5	4	Heroin and cocaine
0.0	0.0	0	5	Other comb incl heroin
0.3	0.2	4	6	Other comb incl cocaine
0.1	0.1	1	7	Comb incl heroin and
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1975-1976

Y7_895

SHARE UNSTERILIZED NEEDLE

(IF YES TO Y7_894)

Have you ever shared the same injection needle with another person without cleaning or sterilizing it between uses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	1.3	22	1	No
12.0	0.2	3	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1977-1978

Y7_898	TROUBLE W/GIRL/BOYFRIEND-DRUGS
---------------	---------------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF MARRIED OR LIVING WITH BOYFRIEND/GIRLFRIEND)

How many times in the last year have you gotten into trouble with your (husband/wife/girlfriend/boyfriend) because of your use of Other Drugs?

(AFFECTED YOUR RELATIONSHIP - NOT TROUBLE WITH POLICE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	11.5	198	1	Never
8.7	1.2	20	2	Once or twice
0.9	0.1	2	3	Three or four times
0.9	0.1	2	4	Five or six times
3.1	0.4	7	5	More than six times
	86.7	1,496	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1983-1984

Y7_899	TROUBLE W/FRIENDS-ALCOHOL
---------------	----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into trouble with your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	61.4	1,060	1	Never
12.1	8.7	150	2	Once or twice
1.3	0.9	16	3	Three or four times
0.2	0.2	3	4	Five or six times
0.5	0.3	6	5	More than six times
	28.4	490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1985-1986

Y7_900**TROUBLE W/FRIENDS-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into trouble with your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	27.9	482	1	Never
4.1	1.2	21	2	Once or twice
1.4	0.4	7	3	Three or four times
0.0	0.0	0	4	Five or six times
0.2	0.1	1	5	More than six times
	70.4	1,214	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1987-1988

Y7_901**TROUBLE W/FRIENDS-DRUGS**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into trouble with your friends (OTHER THAN GIRLFRIEND/BOYFRIEND) because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	24.1	416	1	Never
3.8	1.0	17	2	Once or twice
0.9	0.2	4	3	Three or four times
0.5	0.1	2	4	Five or six times
0.7	0.2	3	5	More than six times
	74.4	1,283	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1989-1990

Y7_902	PROBLEMS W/FAMILY-ALCOHOL
---------------	----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your family because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	62.6	1,079	1	Never
9.6	6.9	119	2	Once or twice
1.3	0.9	16	3	Three or four times
0.6	0.5	8	4	Five or six times
1.3	0.9	16	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1991-1992

Y7_903	PROBLEMS W/FAMILY-MARIJUANA
---------------	------------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your family because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	26.8	463	1	Never
7.8	2.3	40	2	Once or twice
0.8	0.2	4	3	Three or four times
0.6	0.2	3	4	Five or six times
0.4	0.1	2	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1993-1994

Y7_904	PROBLEMS W/FAMILY-DRUGS
---------------	--------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you had problems with your family because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	24.3	420	1	Never
3.2	0.8	14	2	Once or twice
0.5	0.1	2	3	Three or four times
0.2	0.1	1	4	Five or six times
1.4	0.3	6	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1995-1996

Y7_905	GOTTEN INTO FIGHTS-ALCOHOL
---------------	-----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	65.4	1,128	1	Never
6.8	4.9	84	2	Once or twice
1.3	0.9	16	3	Three or four times
0.4	0.3	5	4	Five or six times
0.4	0.3	5	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1997-1998

Y7_906	GOTTEN INTO FIGHTS-MARIJUANA
---------------	-------------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	28.8	496	1	Never
2.7	0.8	14	2	Once or twice
0.2	0.1	1	3	Three or four times
0.2	0.1	1	4	Five or six times
0.0	0.0	0	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1999-2000

Y7_907	GOTTEN INTO FIGHTS-DRUGS
---------------	---------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How many times in the last year have you gotten into physical fights because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	25.2	434	1	Never
1.6	0.4	7	2	Once or twice
0.2	0.1	1	3	Three or four times
0.2	0.1	1	4	Five or six times
0.0	0.0	0	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2001-2002

Y7_908**PROBS W/PHYS HEALTH-ALCOHOL**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical health because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	65.3	1,126	1	Never
6.3	4.5	78	2	Once or twice
1.3	0.9	16	3	Three or four times
0.6	0.4	7	4	Five or six times
0.9	0.6	11	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2003-2004

Y7_909**PROBS W/PHYS HEALTH-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical health because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	28.6	494	1	Never
2.7	0.8	14	2	Once or twice
0.6	0.2	3	3	Three or four times
0.0	0.0	0	4	Five or six times
0.2	0.1	1	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2005-2006

Y7_910	PROBS W/PHYS HEALTH-DRUGS
---------------	----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

How often in the last year have you had problems with your physical health because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	24.3	419	1	Never
3.2	0.8	14	2	Once or twice
0.7	0.2	3	3	Three or four times
0.7	0.2	3	4	Five or six times
0.9	0.2	4	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2007-2008

Y7_911	TROUBLE W/POLICE-ALCOHOL
---------------	---------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with the police or been arrested because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	68.4	1,180	1	Never
4.6	3.3	57	2	Once or twice
0.1	0.1	1	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	28.2	487	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2009-2010

Y7_912**TROUBLE W/POLICE-MARIJUANA**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with the police or been arrested because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	28.9	499	1	Never
2.1	0.6	11	2	Once or twice
0.4	0.1	2	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2011-2012

Y7_913**TROUBLE W/POLICE-DRUGS**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you gotten into trouble with the police or been arrested because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	25.3	437	1	Never
0.9	0.2	4	2	Once or twice
0.5	0.1	2	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2013-2014

Y7_914	ACCIDENTS WHILE DRIVE-ALCOHOL
---------------	--------------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while driving because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	69.6	1,201	1	Never
2.9	2.1	36	2	Once or twice
0.0	0.0	0	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	28.3	488	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2015-2016

Y7_915	ACCIDENTS WHILE DRIVE-MARIJUANA
---------------	--

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while driving because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	29.6	511	1	Never
0.2	0.1	1	2	Once or twice
0.0	0.0	0	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	70.3	1,213	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2017-2018

Y7_916**ACCIDENTS WHILE DRIVE-DRUGS**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

During the past year how many times have you had any accidents while driving because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	25.6	441	1	Never
0.5	0.1	2	2	Once or twice
0.0	0.0	0	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2019-2020

Y7_917**CALLED IN SICK WORK-ALCOHOL**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to call in sick because of your use of Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	55.9	965	1	Never
12.0	7.8	135	2	Once or twice
1.2	0.8	14	3	Three or four times
0.4	0.3	5	4	Five or six times
0.7	0.5	8	5	More than six times
	34.7	598	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2021-2022

Y7_918	CALLED IN SICK WORK-MARIJUANA
---------------	--------------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to call in sick because of your use of Marijuana or Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	26.9	464	1	Never
1.5	0.4	7	2	Once or twice
0.2	0.1	1	3	Three or four times
0.0	0.0	0	4	Five or six times
0.0	0.0	0	5	More than six times
	72.6	1,253	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2023-2024

Y7_919	CALLED IN SICK WORK-DRUGS
---------------	----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF WORKING)

During the past year how many times have you missed work or had to call in sick because of your use of Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	21.7	374	1	Never
3.7	0.9	15	2	Once or twice
1.2	0.3	5	3	Three or four times
0.7	0.2	3	4	Five or six times
1.0	0.2	4	5	More than six times
	76.8	1,324	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2025-2026

Y7_920	DONE ILLEGAL-ALCOHOL
---------------	-----------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order to get Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	71.1	1,226	1	No
1.0	0.8	13	2	Yes
	28.2	486	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2027-2028

Y7_921	DONE ILLEGAL-MARIJUANA
---------------	-------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order to get Marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	28.9	498	1	No
2.9	0.9	15	2	Yes
	70.3	1,212	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2029-2030

Y7_922	DONE ILLEGAL-DRUGS
---------------	---------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

In the past year, did you ever have to do anything illegal in order to get Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	24.9	429	1	No
3.4	0.9	15	2	Yes
	74.3	1,281	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2031-2032

Y7_923	STEAL SOMETHING
---------------	------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	Yes
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2033-2034

Y7_924	PROSTITUTION
---------------	---------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

prostitution?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2035-2036

Y7_925	GAMBLE
---------------	---------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

gamble?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2037-2038

Y7_926	SELL DRUGS OR ALCOHOL
---------------	------------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

sell drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	12	1	Yes
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2039-2040

Y7_927	SELL THINGS NOT YOURS
---------------	------------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

sell things that were not yours?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2041-2042

Y7_928	BEAT SOMEONE UP
---------------	------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

beat someone up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2043-2044

Y7_929	BOUGHT ALCOHOL WHILE UNDERAGE
---------------	--------------------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

purchased while underage?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	Yes
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2045-2046

Y7_930	USE FAKE ID
---------------	--------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

use fake ID?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	Yes
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2047-2048

Y7_931	STEAL ALCOHOL OR DRUGS
---------------	-------------------------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

steal alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2049-2050

Y7_932**FAKE PRESCRIPTION**

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

fake prescription?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2051-2052

Y7_933**FAKE ILLNESS**

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

fake illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2053-2054

Y7_934	OTHER
---------------	--------------

(IF YES TO Y7_920, Y7_921, AND/OR Y7_922)

What did you do . . .

Other (DESCRIBE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	Yes
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2055-2056

Y7_935	DRUNK ON ALCOHOL PAST YEAR
---------------	-----------------------------------

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

How many times in the past year have you been drunk or pretty high on alcohol? (EXACT NUMBER)

Min	=	0	Mean	=	14.883
Max	=	365	Std Dev	=	36.076
Median	=	3	Variance	=	1,301.504

(Based on 1,238 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2057-2059

Y7_936**DRUNK WHILE DRIVING**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

How many times have you driven a motor vehicle when you were drunk or pretty high? (EXACT NUMBER)

Min	=	0	Mean	=	4.716
Max	=	110	Std Dev	=	12.642
Median	=	1	Variance	=	159.812

(Based on 976 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2060-2062

Y7_937**DRUNK WHILE AT WORK**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY ALCOHOL)

(IF WORKING)

How many times have you been drunk or pretty high on alcohol while you were at work? (EXACT NUMBER)

Min	=	0	Mean	=	1.393
Max	=	500	Std Dev	=	20.762
Median	=	0	Variance	=	431.041

(Based on 904 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2063-2065

Y7_938**HIGH ON MARIJUANA PAST YEAR**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY MARIJUANA/HASH)

How many times in the past year have you been high on marijuana?
(EXACT NUMBER)

Min	=	0	Mean	=	63.400
Max	=	999	Std Dev	=	143.596
Median	=	8	Variance	=	20,619.756

(Based on 513 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2066-2068

Y7_939**HIGH ON MARIJUANA WHILE DRIVING**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY MARIJUANA/HASH)

How many times have you driven a motor vehicle when you were high on
marijuana? (EXACT NUMBER)

Min	=	0	Mean	=	29.046
Max	=	999	Std Dev	=	97.655
Median	=	1	Variance	=	9,536.541

(Based on 483 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2069-2071

Y7_940**HIGH ON MARIJUANA WHILE AT WORK**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY MARIJUANA/HASH)

(IF WORKING)

How many times have you been high on marijuana while you were at work?

(EXACT NUMBER)

Min	=	0	Mean	=	14.921
Max	=	999	Std Dev	=	68.933
Median	=	0	Variance	=	4,751.726

(Based on 445 valid cases)

Data type: numeric

Missing-data code: -1

Columns: 2072-2074

Y7_941**HIGH ON OTHER DRUGS PAST YEAR**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

How many times in the past year have you been high on other drugs?

(EXACT NUMBER)

Min	=	0	Mean	=	11.797
Max	=	500	Std Dev	=	45.867
Median	=	0	Variance	=	2,103.783

(Based on 444 valid cases)

Data type: numeric

Missing-data code: -1

Columns: 2075-2077

Y7_942**HIGH ON OTHER DRUGS WHILE DRIVING**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

How many times have you driven a motor vehicle when you were high on drugs other than marijuana? (EXACT NUMBER)

Min	=	0	Mean	=	6.667
Max	=	320	Std Dev	=	27.417
Median	=	0	Variance	=	751.712

(Based on 216 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2078-2080

Y7_943**HIGH ON OTHER DRUGS WHILE AT WORK**

(IF NO DRUG OR ALCOHOL USE IN 1986, SKIP TO Y7_944)

(IF USED ANY OTHER DRUGS)

(IF WORKING)

How many times have you been high on drugs other than marijuana while you were at work? (EXACT NUMBER)

Min	=	0	Mean	=	5.438
Max	=	320	Std Dev	=	32.656
Median	=	0	Variance	=	1,066.396

(Based on 203 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2081-2083

SELF-REPORTED DELINQUENCY

Self-Reported Delinquency - Lifetime

Y7_944 **STOLEN M VEH-IN LIFETIME**

Have you ever in your lifetime . . .

Stolen a motor vehicle such as a car or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	77.1	1,330	1	No
3.8	3.1	53	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2084-2085

Y7_945 **STOLEN M VEH-AGE 1ST TIME**

(IF YES TO Y7_944)

How old were you when you first stole a vehicle? (AGE)

Min	= 10	Mean	= 16.038
Max	= 22	Std Dev	= 2.601
Median	= 16	Variance	= 6.768

(Based on 53 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2086-2087

Y7_948	SET FIRE TO PROPERTY-IN LIFETIME
---------------	---

Have you ever in your lifetime . . .

Purposely set fire to a building, car or other property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	78.8	1,359	1	No
1.7	1.4	24	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2092-2093

Y7_949	SET FIRE TO PROPERTY-AGE 1ST TIME
---------------	--

(IF YES TO Y7_948)

How old were you when you first set fire to a building, car or other property? (AGE)

Min	=	3	Mean	=	16.500
Max	=	99	Std Dev	=	18.118
Median	=	13.5	Variance	=	328.261

(Based on 24 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2094-2095

Y7_950	ATTACKED SOMEONE-IN LIFETIME
---------------	-------------------------------------

Have you ever in your lifetime . . .

Attacked someone with the idea of seriously hurting or killing them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	72.8	1,256	1	No
9.2	7.4	127	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2096-2097

Y7_951	ATTACKED SOMEONE-AGE 1ST TIME
---------------	--------------------------------------

(IF YES TO Y7_950)

How old were you when you first attacked someone? (AGE)

Min	= 7	Mean	= 16.787
Max	= 25	Std Dev	= 3.800
Median	= 16	Variance	= 14.439

(Based on 127 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2098-2099

Y7_952	BEEN IN GANG FIGHTS-IN LIFETIME
---------------	--

Have you ever in your lifetime . . .
 gotten involved in a gang fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	74.6	1,287	1	No
6.9	5.6	96	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2100-2101

Y7_953	BEEN IN GANG FIGHTS-AGE 1ST TIME
---------------	---

(IF YES TO Y7_952)

How old were you when you first got involved in a gang fight? (AGE)

Min	=	7	Mean	=	15.989
Max	=	24	Std Dev	=	3.144
Median	=	16	Variance	=	9.883

(Based on 95 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2102-2103

Y7_954	SEX REL AGAINST WILL-IN LIFETIME
---------------	---

Have you ever in your lifetime . . .

had or tried to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	78.4	1,353	1	No
2.1	1.7	29	2	Yes
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2104-2105

Y7_955	SEX REL AGAINST WILL-AGE 1ST TIME
---------------	--

(IF YES TO Y7_954)

How old were you when you first had or tried to have sexual relations with someone against their will? (AGE)

Min	= 11	Mean	= 20.655
Max	= 99	Std Dev	= 15.391
Median	= 17	Variance	= 236.877

(Based on 29 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2106-2107

Y7_956	BROKEN INTO BUILDING-IN LIFETIME
---------------	---

Have you ever in your lifetime . . .

broken into a vehicle or building to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	74.9	1,292	1	No
6.6	5.3	91	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2108-2109

Y7_957	BROKEN INTO BUILDING-AGE 1ST TIME
---------------	--

(IF YES TO Y7_956)

How old were you when you first broke into a vehicle or building?
 (AGE)

Min	=	7	Mean	=	15.549
Max	=	21	Std Dev	=	2.482
Median	=	15	Variance	=	6.161

(Based on 91 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2110-2111

Y7_958	USED FORCE ON OTHERS-IN LIFETIME
---------------	---

Have you ever in your lifetime . . .

used force or strongarm methods to get money or things from someone (students, teachers, other people)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	78.9	1,361	1	No
1.6	1.3	22	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2112-2113

Y7_959	USED FORCE ON OTHERS-AGE 1ST TIME
---------------	--

(IF YES TO Y7_958)

How old were you when you first used force or strongarm methods to get money or things from someone? (AGE)

Min	= 12	Mean	= 20.909
Max	= 99	Std Dev	= 17.661
Median	= 17	Variance	= 311.896

(Based on 22 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2114-2115

Y7_960	PHYS HURT OTH FOR SEX-IN LIFETIME
---------------	--

Have you ever in your lifetime . . .

Physically hurt or threatened to hurt someone to get them
to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	79.7	1,375	1	No
0.5	0.4	7	2	Yes
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2116-2117

Y7_961	PHYS HRT OTH FOR SEX-AGE 1ST TIME
---------------	--

(IF YES TO Y7_960)

How old were you when you first hurt or threatened to hurt someone to
get them to have sex with you? (AGE)

Min	= 12	Mean	= 17.714
Max	= 21	Std Dev	= 2.812
Median	= 18	Variance	= 7.905

(Based on 7 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2118-2119

Y7_962	SOLD HARD DRUGS-IN LIFETIME
---------------	------------------------------------

Have you ever in your lifetime . . .

Sold hard drugs such as heroin, cocaine and LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	75.1	1,296	1	No
6.3	5.0	87	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2120-2121

Y7_963	SOLD HARD DRUGS-AGE 1ST TIME
---------------	-------------------------------------

(IF YES TO Y7_962)

How old were you when you first sold hard (illicit) drugs? (AGE)

Min	= 12	Mean	= 18.207
Max	= 24	Std Dev	= 2.668
Median	= 18	Variance	= 7.119

(Based on 87 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2122-2123

Y7_964	INJURED SPOUSE/PARTN-IN LIFETIME
---------------	---

Have you ever in your lifetime . . .

Deliberately injured your spouse/girlfriend/boyfriend, e.g., hit, knocked down, choked, beat or cut them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	76.4	1,318	1	No
4.7	3.8	65	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2124-2125

Y7_965	INJURED SPOUSE/PARTN-AGE 1ST TIME
---------------	--

(IF YES TO Y7_964)

How old were you when you first deliberately injured your spouse/girlfriend/boyfriend? (AGE)

Min	= 13	Mean	= 20.831
Max	= 27	Std Dev	= 3.100
Median	= 21	Variance	= 9.612

(Based on 65 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2126-2127

Y7_968	STOLEN VALUED > \$50-1984
---------------	-------------------------------------

During 1984 did you ever . . .

steal or try to steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	46.8	807	1	Never
1.5	0.7	12	2	1-2 Times
0.4	0.2	3	3	3-11 Times
0.2	0.1	2	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2132-2133

Y7_969	STOLEN VALUED > \$50-1985
---------------	-------------------------------------

During 1985 did you ever . . .

steal or try to steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	47.0	811	1	Never
0.8	0.4	7	2	1-2 Times
0.5	0.2	4	3	3-11 Times
0.2	0.1	2	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2134-2135

Y7_970	BOUGHT STOLEN GOODS-1984
---------------	---------------------------------

During 1984 did you ever . . .

knowingly buy, sell or hold stolen goods or try to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	45.7	789	1	Never
3.0	1.4	25	2	1-2 Times
0.6	0.3	5	3	3-11 Times
0.6	0.3	5	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2136-2137

Y7_971	BOUGHT STOLEN GOODS-1985
---------------	---------------------------------

During 1985 did you ever . . .

knowingly buy, sell or hold stolen goods or try to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	45.8	790	1	Never
2.9	1.4	24	2	1-2 Times
0.5	0.2	4	3	3-11 Times
0.7	0.3	6	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2138-2139

Y7_972	SET FIRE TO PROPERTY-1984
---------------	----------------------------------

During 1984 did you ever . . .

purposely set fire to a building, a car, or other property or try to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	47.6	821	1	Never
0.4	0.2	3	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2140-2141

Y7_973	SET FIRE TO PROPERTY-1985
---------------	----------------------------------

During 1985 did you ever . . .

purposely set fire to a building, a car, or other property or try to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.1	0.1	1	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2142-2143

Y7_974	CARRIED A HIDDEN WEAPON-1984
---------------	-------------------------------------

During 1984 did you ever . . .

carry a hidden weapon other than a plain pocket knife?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	44.2	763	1	Never
1.3	0.6	11	2	1-2 Times
1.7	0.8	14	3	3-11 Times
4.3	2.0	35	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2144-2145

Y7_975	CARRIED A HIDDEN WEAPON-1985
---------------	-------------------------------------

During 1985 did you ever . . .

carry a hidden weapon other than a plain pocket knife?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	43.9	757	1	Never
1.6	0.8	13	2	1-2 Times
1.7	0.8	14	3	3-11 Times
4.7	2.3	39	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2146-2147

Y7_976	STOLEN SOMETHING < \$5-1984
---------------	---------------------------------------

During 1984 did you ever . . .

steal or try to steal things worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	42.9	740	1	Never
6.5	3.1	54	2	1-2 Times
2.8	1.3	23	3	3-11 Times
1.0	0.5	8	4	12 or More Times
	52.2	900	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2148-2149

Y7_977	STOLEN SOMETHING < \$5-1985
---------------	---------------------------------------

During 1985 did you ever . . .

steal or try to steal things worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	43.7	754	1	Never
5.2	2.5	43	2	1-2 Times
2.2	1.0	18	3	3-11 Times
1.1	0.5	9	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2150-2151

Y7_978	ATTACK SOMEONE-1984
---------------	----------------------------

During 1984 did you ever . . .

attack someone with the idea of seriously hurting or killing him or her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	46.4	801	1	Never
2.3	1.1	19	2	1-2 Times
0.5	0.2	4	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2152-2153

Y7_979	ATTACK SOMEONE-1985
---------------	----------------------------

During 1985 did you ever . . .

attack someone with the idea of seriously hurting or killing him or her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	46.1	796	1	Never
2.8	1.3	23	2	1-2 Times
0.6	0.3	5	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2154-2155

Y7_980

BEEN PAID FOR SEX RELATIONS-1984

During 1984 did you ever . . .

get paid for having sexual relations with someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	47.4	818	1	Never
0.4	0.2	3	2	1-2 Times
0.2	0.1	2	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2156-2157

Y7_981

BEEN PAID FOR SEX RELATIONS-1985

During 1985 did you ever . . .

get paid for having sexual relations with someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	47.5	819	1	Never
0.4	0.2	3	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2158-2159

Y7_982	PAY FOR SEX RELATIONS-1984
---------------	-----------------------------------

During 1984 did you ever . . .

pay someone to have sexual relations with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	47.1	812	1	Never
1.1	0.5	9	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.1	0.1	1	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2160-2161

Y7_983	PAY FOR SEX RELATIONS-1985
---------------	-----------------------------------

During 1985 did you ever . . .

pay someone to have sexual relations with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	47.1	812	1	Never
0.9	0.4	7	2	1-2 Times
0.5	0.2	4	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2162-2163

Y7_984	BEEN IN GANG FIGHTS-1984
---------------	---------------------------------

During 1984 did you ever . . .

get involved in gang fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	47.3	816	1	Never
1.0	0.5	8	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2164-2165

Y7_985	BEEN IN GANG FIGHTS-1985
---------------	---------------------------------

During 1985 did you ever . . .

get involved in gang fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	47.7	822	1	Never
0.2	0.1	2	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2166-2167

Y7_986	USED CHECKS ILLEGALLY-1984
---------------	-----------------------------------

During 1984 did you ever . . .

use checks illegally or use phony money to pay for something?
 (INCLUDES INTENTIONAL OVERDRAFTS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	47.2	814	1	Never
0.4	0.2	3	2	1-2 Times
0.6	0.3	5	3	3-11 Times
0.2	0.1	2	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2168-2169

Y7_987	USED CHECKS ILLEGALLY-1985
---------------	-----------------------------------

During 1985 did you ever . . .

use checks illegally or use phony money to pay for something?
 (INCLUDES INTENTIONAL OVERDRAFTS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	47.2	815	1	Never
0.4	0.2	3	2	1-2 Times
0.7	0.3	6	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2170-2171

Y7_988	SOLD MARIJUANA-1984
---------------	----------------------------

During 1984 did you ever . . .

sell marijuana or hashish ? ("POT", "GRASS", "HASH")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	43.2	745	1	Never
1.7	0.8	14	2	1-2 Times
3.0	1.4	25	3	3-11 Times
4.9	2.3	40	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2172-2173

Y7_989	SOLD MARIJUANA-1985
---------------	----------------------------

During 1985 did you ever . . .

sell marijuana or hashish ? ("POT", "GRASS", "HASH")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	42.8	739	1	Never
2.2	1.0	18	2	1-2 Times
4.2	2.0	35	3	3-11 Times
3.9	1.9	32	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2174-2175

Y7_990	SEX RELATIONS AGAINST WILL-1984
---------------	--

During 1984 did you ever . . .

have or try to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	822	1	Never
0.1	0.1	1	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2176-2177

Y7_991	SEX RELATIONS AGAINST WILL-1985
---------------	--

During 1985 did you ever . . .

have or try to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	47.4	817	1	Never
0.7	0.3	6	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2178-2179

Y7_992**HIT PARENT-1984**

During 1984 did you ever . . .

hit or threaten to hit one of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	47.4	817	1	Never
0.7	0.3	6	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2180-2181

Y7_993**HIT PARENT-1985**

During 1985 did you ever . . .

hit or threaten to hit one of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	47.4	818	1	Never
0.6	0.3	5	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2182-2183

Y7_994	HIT SOMEONE AT WORK-1984
---------------	---------------------------------

(IF WORKING)

During 1984 did you ever . . .

hit or threaten to hit your supervisor or other employee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	43.5	751	1	Never
2.2	1.0	17	2	1-2 Times
0.4	0.2	3	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	55.3	954	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2184-2185

Y7_995	HIT SOMEONE AT WORK-1985
---------------	---------------------------------

(IF WORKING)

During 1985 did you ever . . .

hit or threaten to hit your supervisor or other employee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	43.3	747	1	Never
2.3	1.0	18	2	1-2 Times
0.3	0.1	2	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	55.5	958	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2186-2187

Y7_996

HIT ANYONE ELSE-1984

During 1984 did you ever . . .

hit or threaten to hit anyone else (other than parents or persons at work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	43.4	748	1	Never
5.7	2.7	47	2	1-2 Times
2.7	1.3	22	3	3-11 Times
0.7	0.3	6	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2188-2189

Y7_997

HIT ANYONE ELSE-1985

During 1985 did you ever . . .

hit or threaten to hit anyone else (other than parents or persons at work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	43.1	744	1	Never
5.7	2.7	47	2	1-2 Times
3.0	1.4	25	3	3-11 Times
0.9	0.4	7	4	12 or More Times
	52.3	902	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2190-2191

Y7_998	SOLD HARD DRUGS-1984
---------------	-----------------------------

During 1984 did you ever . . .

sell hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	45.9	792	1	Never
1.2	0.6	10	2	1-2 Times
1.0	0.5	8	3	3-11 Times
1.7	0.8	14	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2192-2193

Y7_999	SOLD HARD DRUGS-1985
---------------	-----------------------------

During 1985 did you ever . . .

sell hard drugs such as heroin, cocaine, and LSD?
 (TOTAL FREQUENCY OF ALL HARD DRUG SALES, NOT LIMITED TO THESE THREE DRUGS)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	45.6	786	1	Never
1.5	0.7	12	2	1-2 Times
1.0	0.5	8	3	3-11 Times
2.2	1.0	18	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2194-2195

Y7_1000	TRIED SELL WORTHLESS-1984
----------------	----------------------------------

During 1984 did you ever . . .

try to cheat someone by selling them something that was worthless or not what you said it was?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	47.2	815	1	Never
0.7	0.3	6	2	1-2 Times
0.2	0.1	2	3	3-11 Times
0.1	0.1	1	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2196-2197

Y7_1001	TRIED SELL WORTHLESS-1985
----------------	----------------------------------

During 1985 did you ever . . .

try to cheat someone by selling them something that was worthless or not what you said it was?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	47.1	813	1	Never
1.1	0.5	9	2	1-2 Times
0.2	0.1	2	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2198-2199

Y7_1002	TAKEN VEHICLE-1984
----------------	---------------------------

During 1984 did you ever . . .

take a vehicle for a ride or drive without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	47.2	815	1	Never
1.1	0.5	9	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2200-2201

Y7_1003	TAKEN VEHICLE-1985
----------------	---------------------------

During 1985 did you ever . . .

take a vehicle for a ride or drive without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	47.2	815	1	Never
1.0	0.5	8	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2202-2203

Y7_1004	USED FORCE ON ANYONE-1984
----------------	----------------------------------

During 1984 did you ever . . .

use force or strongarm methods to get money or things from people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.0	0.0	0	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2204-2205

Y7_1005	USED FORCE ON ANYONE-1985
----------------	----------------------------------

During 1985 did you ever . . .

use force or strongarm methods to get money or things from people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	47.7	822	1	Never
0.1	0.1	1	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2206-2207

Y7_1006	STOLEN THINGS \$5 TO \$50-1984
----------------	---------------------------------------

During 1984 did you ever . . .

steal or try to steal things worth between \$5 and \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	46.1	796	1	Never
2.2	1.0	18	2	1-2 Times
0.8	0.4	7	3	3-11 Times
0.4	0.2	3	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2208-2209

Y7_1007	STOLEN THINGS \$5 TO \$50-1985
----------------	---------------------------------------

During 1985 did you ever . . .

steal or try to steal things worth between \$5 and \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	46.1	795	1	Never
2.4	1.2	20	2	1-2 Times
0.7	0.3	6	3	3-11 Times
0.4	0.2	3	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2210-2211

Y7_1008	BROKEN INTO BUILDING-1984
----------------	----------------------------------

During 1984 did you ever . . .

break or try to break into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	47.2	814	1	Never
1.0	0.5	8	2	1-2 Times
0.2	0.1	2	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2212-2213

Y7_1009	BROKEN INTO BUILDING-1985
----------------	----------------------------------

During 1985 did you ever . . .

break or try to break into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	47.6	821	1	Never
0.2	0.1	2	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2214-2215

Y7_1010	CR CDS W/OUT PERMISSION-1984
---------	------------------------------

During 1984 did you ever . . .

use or try to use credit cards without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.0	0.0	0	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.1	0.1	1	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2216-2217

Y7_1011	CR CDS W/OUT PERMISSION-1985
---------	------------------------------

During 1985 did you ever . . .

use or try to use credit cards without the owner's permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.0	0.0	0	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.1	0.1	1	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2218-2219

Y7_1012	PICKED SOMEONE'S POCKET-1984
----------------	-------------------------------------

During 1984 did you ever . . .

snatch someone's purse or wallet or pick someone's pocket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.1	0.1	1	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2220-2221

Y7_1013	PICKED SOMEONE'S POCKET-1985
----------------	-------------------------------------

During 1985 did you ever . . .

snatch someone's purse or wallet or pick someone's pocket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	47.7	823	1	Never
0.1	0.1	1	2	1-2 Times
0.0	0.0	0	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2222-2223

Y7_1014	EMBEZZLED MONEY/FUNDS-1984
----------------	-----------------------------------

During 1984 did you ever . . .

embezzle money, that is, use money or funds entrusted to your care for some purpose other than intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	47.6	821	1	Never
0.0	0.0	0	2	1-2 Times
0.2	0.1	2	3	3-11 Times
0.1	0.1	1	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2224-2225

Y7_1015	EMBEZZLED MONEY/FUNDS-1985
----------------	-----------------------------------

During 1985 did you ever . . .

embezzle money, that is, use money or funds entrusted to your care for some purpose other than intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	47.5	820	1	Never
0.4	0.2	3	2	1-2 Times
0.1	0.1	1	3	3-11 Times
0.0	0.0	0	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2226-2227

Y7_1016	USED ALCOHOLIC BEVERAGES-1984
----------------	--------------------------------------

During 1984 did you ever . . .

use alcoholic beverages, beer, wine, hard liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	5.9	102	1	Never
7.7	3.7	63	2	1-2 Times
17.3	8.2	142	3	3-11 Times
62.7	29.9	515	4	12 or More Times
	52.3	903	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2228-2229

Y7_1017	USED ALCOHOLIC BEVERAGES-1985
----------------	--------------------------------------

During 1985 did you ever . . .

use alcoholic beverages, beer, wine, hard liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	5.6	96	1	Never
8.0	3.8	66	2	1-2 Times
16.5	7.9	136	3	3-11 Times
63.7	30.4	524	4	12 or More Times
	52.3	903	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2230-2231

Y7_1018	USED MARIJUANA-1984
----------------	----------------------------

During 1984 did you ever . . .

use marijuana or hashish (GRASS, POT, HASH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	25.9	447	1	Never
9.3	4.5	77	2	1-2 Times
11.0	5.3	91	3	3-11 Times
25.4	12.1	209	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2232-2233

Y7_1019	USED MARIJUANA-1985
----------------	----------------------------

During 1985 did you ever . . .

use marijuana or hashish (GRASS, POT, HASH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	26.6	459	1	Never
9.6	4.6	79	2	1-2 Times
11.8	5.6	97	3	3-11 Times
22.9	11.0	189	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2234-2235

Y7_1020	USED HALLUCINOGENS-1984
----------------	--------------------------------

During 1984 did you ever . . .

use hallucinogens (LSD, ACID, PEYOTE, Mescaline, Psilocybin, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	43.8	756	1	Never
5.7	2.7	47	2	1-2 Times
1.8	0.9	15	3	3-11 Times
0.7	0.3	6	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2236-2237

Y7_1021	USED HALLUCINOGENS-1985
----------------	--------------------------------

During 1985 did you ever . . .

use hallucinogens (LSD, ACID, PEYOTE, Mescaline, Psilocybin, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	43.8	756	1	Never
5.3	2.6	44	2	1-2 Times
2.2	1.0	18	3	3-11 Times
0.7	0.3	6	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2238-2239

Y7_1022	USED TRANQUILIZERS-1984
----------------	--------------------------------

During 1984 did you ever . . .

use tranquilizers such as Valium, Librium, Thorazine, Miltown Equanil, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	45.6	786	1	Never
1.9	0.9	16	2	1-2 Times
1.5	0.7	12	3	3-11 Times
1.2	0.6	10	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2240-2241

Y7_1023	USED TRANQUILIZERS-1985
----------------	--------------------------------

During 1985 did you ever . . .

use tranquilizers such as Valium, Librium, Thorazine, Miltown Equanil, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	45.5	785	1	Never
1.6	0.8	13	2	1-2 Times
1.5	0.7	12	3	3-11 Times
1.7	0.8	14	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2242-2243

Y7_1024

USED AMPHETAMINES-1984

During 1984 did you ever . . .

use amphetamines, uppers, speed, pep pills or bennies?
(DEXEDRINE, BENZEDRINE, DEXAMIL, DIET PILLS, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	43.6	752	1	Never
2.3	1.1	19	2	1-2 Times
3.2	1.5	26	3	3-11 Times
3.3	1.6	27	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2244-2245

Y7_1025

USED AMPHETAMINES-1985

During 1985 did you ever . . .

use amphetamines, uppers, speed, pep pills or bennies?
(DEXEDRINE, BENZEDRINE, DEXAMIL, DIET PILLS, ETC.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	43.7	754	1	Never
2.8	1.3	23	2	1-2 Times
3.2	1.5	26	3	3-11 Times
2.5	1.2	21	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2246-2247

Y7_1026	USED BARBITURATES-1984
----------------	-------------------------------

During 1984 did you ever . . .

use barbiturates, downers, reds, yellows, blues,
rainbows or goofballs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	46.7	806	1	Never
0.8	0.4	7	2	1-2 Times
0.4	0.2	3	3	3-11 Times
1.0	0.5	8	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2248-2249

Y7_1027	USED BARBITURATES-1985
----------------	-------------------------------

During 1985 did you ever . . .

use barbiturates, downers, reds, yellows, blues, rainbows or
goofballs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	46.6	804	1	Never
1.0	0.5	8	2	1-2 Times
0.6	0.3	5	3	3-11 Times
0.8	0.4	7	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2250-2251

Y7_1028

USED COCAINE-1984

During 1984 did you ever . . .

use cocaine, coke or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	38.8	669	1	Never
9.1	4.3	75	2	1-2 Times
4.6	2.2	38	3	3-11 Times
5.1	2.4	42	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2252-2253

Y7_1029

USED COCAINE-1985

During 1985 did you ever . . .

use cocaine, coke or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	37.5	647	1	Never
10.0	4.8	82	2	1-2 Times
6.8	3.2	56	3	3-11 Times
4.7	2.3	39	4	12 or More Times
	52.2	901	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2254-2255

INTERACTIONS WITH LAW ENFORCEMENT

Police Arrests

Y7_1030 **EVER ARRESTED**

Since January of 1984 have you ever been arrested by the police for anything other than a minor traffic offense?

(IF NO, SKIP TO Y7_1058)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	74.0	1,276	0	No
6.3	5.0	87	1	
1.0	0.8	14	2	
0.2	0.2	3	3	
0.1	0.1	2	4	
0.1	0.1	1	12	
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2256-2257

Y7_1031	ARRESTS MOST RECENT-MONTH
---------	---------------------------

For the last (most recent) time you were arrested . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.6	10	1	Jan
2.8	0.2	3	2	Feb
9.3	0.6	10	3	Mar
2.8	0.2	3	4	Apr
12.1	0.8	13	5	May
7.5	0.5	8	6	Jun
10.3	0.6	11	7	Jul
9.3	0.6	10	8	Aug
5.6	0.3	6	9	Sept
11.2	0.7	12	10	Oct
12.1	0.8	13	11	Nov
5.6	0.3	6	12	Dec
0.0	0.0	0	13	Winter
0.9	0.1	1	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.9	0.1	1	99	Unknown
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2258-2259

Y7_1032	ARRESTS MOST RECENT-YEAR
----------------	---------------------------------

For the last (most recent) time you were arrested . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	2.0	35	84	1984
23.4	1.4	25	85	1985
42.1	2.6	45	86	1986
0.9	0.1	1	87	
0.9	0.1	1	99	
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2260-2261

Y7_1033	ARST MOST RECENT-1ST THING DOING
---------	----------------------------------

For the last (most recent) time you were arrested . . .

What were you doing that led the police to arrest you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.2	3	2	
2.8	0.2	3	3	
0.9	0.1	1	5	
0.9	0.1	1	6	
1.9	0.1	2	7	
0.9	0.1	1	8	
19.8	1.2	21	9	
8.5	0.5	9	10	
3.8	0.2	4	14	
0.9	0.1	1	17	
0.9	0.1	1	21	
0.9	0.1	1	23	
1.9	0.1	2	24	
0.9	0.1	1	25	
2.8	0.2	3	26	
0.9	0.1	1	27	
1.9	0.1	2	29	
2.8	0.2	3	30	
8.5	0.5	9	32	
0.9	0.1	1	33	
1.9	0.1	2	34	
0.9	0.1	1	40	
1.9	0.1	2	41	
1.9	0.1	2	43	
23.6	1.4	25	49	
1.9	0.1	2	50	
1.9	0.1	2	51	
	93.9	1,619	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2262-2263

Y7_1034	ARST MOST RECENT-2ND THING DOING
----------------	---

For the last (most recent) time you were arrested . . .

What were you doing that led the police to arrest you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	4	10	
12.5	0.1	1	11	
12.5	0.1	1	23	
12.5	0.1	1	25	
12.5	0.1	1	51	
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2264-2265

Y7_1035	ARST MOST RECENT-3RD THING DOING
----------------	---

For the last (most recent) time you were arrested . . .

What were you doing that led the police to arrest you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2266-2267

Y7_1036	ARRESTS MOST RECENT-1ST CHARGE
---------	---------------------------------------

For the last (most recent) time you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	0.2	4	2	
2.8	0.2	3	3	
0.9	0.1	1	6	
2.8	0.2	3	7	
0.9	0.1	1	8	
15.1	0.9	16	9	
8.5	0.5	9	10	
0.9	0.1	1	11	
3.8	0.2	4	14	
1.9	0.1	2	15	
1.9	0.1	2	17	
0.9	0.1	1	21	
2.8	0.2	3	23	
2.8	0.2	3	24	
1.9	0.1	2	25	
1.9	0.1	2	26	
0.9	0.1	1	27	
0.9	0.1	1	28	
1.9	0.1	2	29	
3.8	0.2	4	30	
2.8	0.2	3	32	
0.9	0.1	1	33	
0.9	0.1	1	34	
0.9	0.1	1	35	
0.9	0.1	1	40	
3.8	0.2	4	43	
22.6	1.4	24	49	
0.9	0.1	1	50	
0.9	0.1	1	51	
0.9	0.1	1	54	
0.9	0.1	1	56	
0.9	0.1	1	80	
0.9	0.1	1	81	
	93.9	1,619	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2268-2269

Y7_1037	ARRESTS MOST RECENT-2ND CHARGE
----------------	---------------------------------------

For the last (most recent) time you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	2	
11.1	0.1	1	8	
22.2	0.1	2	10	
11.1	0.1	1	23	
22.2	0.1	2	34	
11.1	0.1	1	39	
11.1	0.1	1	49	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2270-2271

Y7_1038	ARRESTS MOST RECENT-3RD CHARGE
----------------	---------------------------------------

For the last (most recent) time you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	9	
50.0	0.1	1	49	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2272-2273

Y7_1039	ARSTS MOST RECENT-DO POL CHARGE
----------------	--

For the last (most recent) time you were arrested . . .

Did you actually commit the offense for which they arrested you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	1.0	18	1	No
83.2	5.2	89	2	Yes
	93.8	1,618	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2274-2275

Y7_1040	ARRESTS 1ST BEFORE-MONTH
----------------	---------------------------------

For the time before that that you were arrested . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.2	3	1	Jan
0.0	0.0	0	2	Feb
10.0	0.1	2	3	Mar
0.0	0.0	0	4	Apr
5.0	0.1	1	5	May
10.0	0.1	2	6	Jun
15.0	0.2	3	7	Jul
0.0	0.0	0	8	Aug
20.0	0.2	4	9	Sept
5.0	0.1	1	10	Oct
15.0	0.2	3	11	Nov
0.0	0.0	0	12	Dec
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
5.0	0.1	1	99	Unknown
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2276-2277

Y7_1041	ARRESTS 1ST BEFORE-YEAR
----------------	--------------------------------

For the time before that that you were arrested . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.3	6	84	1984
40.0	0.5	8	85	1985
30.0	0.3	6	86	1986
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2278-2279

Y7_1042	ARST 1ST BEFORE-1ST THING DOING
----------------	--

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	1	3	
5.0	0.1	1	7	
5.0	0.1	1	9	
15.0	0.2	3	10	
5.0	0.1	1	26	
5.0	0.1	1	27	
5.0	0.1	1	29	
15.0	0.2	3	32	
5.0	0.1	1	34	
5.0	0.1	1	35	
5.0	0.1	1	41	
5.0	0.1	1	43	
15.0	0.2	3	49	
5.0	0.1	1	51	
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2280-2281

Y7_1043	ARST 1ST BEFORE-2ND THING DOING
----------------	--

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2282-2283

Y7_1044	ARST 1ST BEFORE-3RD THING DOING
----------------	--

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2284-2285

Y7_1045	ARRESTS 1ST BEFORE-1ST CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	1	3	
5.0	0.1	1	7	
5.0	0.1	1	9	
15.0	0.2	3	10	
5.0	0.1	1	24	
5.0	0.1	1	26	
5.0	0.1	1	27	
5.0	0.1	1	29	
5.0	0.1	1	32	
5.0	0.1	1	34	
5.0	0.1	1	35	
25.0	0.3	5	49	
5.0	0.1	1	51	
5.0	0.1	1	54	
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2286-2287

Y7_1046	ARRESTS 1ST BEFORE-2ND CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	25	
50.0	0.1	1	84	
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2288-2289

Y7_1047	ARRESTS 1ST BEFORE-3RD CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	34	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2290-2291

Y7_1048	ARSTS 1ST BEFORE-DO POL CHARGE
----------------	---------------------------------------

For the time before that that you were arrested . . .

Did you actually commit the offense for which they arrested you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	2	1	No
90.0	1.0	18	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2292-2293

Y7_1049	ARRESTS 2ND BEFORE-MONTH
----------------	---------------------------------

For the time before that that you were arrested . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	Jan
0.0	0.0	0	2	Feb
16.7	0.1	1	3	Mar
0.0	0.0	0	4	Apr
0.0	0.0	0	5	May
33.3	0.1	2	6	Jun
16.7	0.1	1	7	Jul
16.7	0.1	1	8	Aug
0.0	0.0	0	9	Sept
0.0	0.0	0	10	Oct
0.0	0.0	0	11	Nov
0.0	0.0	0	12	Dec
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	99	Unknown
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2294-2295

Y7_1050	ARRESTS 2ND BEFORE-YEAR
----------------	--------------------------------

For the time before that that you were arrested . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	84	1984
66.7	0.2	4	85	1985
16.7	0.1	1	86	1986
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2296-2297

Y7_1051	ARRESTS 2ND BEFORE-1ST THING
----------------	-------------------------------------

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	26	
16.7	0.1	1	32	
33.3	0.1	2	43	
33.3	0.1	2	49	
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2298-2299

Y7_1052	ARRESTS 2ND BEFORE-2ND THING
----------------	-------------------------------------

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2300-2301

Y7_1053	ARRESTS 2ND BEFORE-3RD THING
----------------	-------------------------------------

For the time before that that you were arrested . . .

What were you doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2302-2303

Y7_1054	ARRESTS 2ND BEFORE-1ST CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	25	
16.7	0.1	1	26	
16.7	0.1	1	34	
33.3	0.1	2	49	
16.7	0.1	1	54	
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2304-2305

Y7_1055	ARRESTS 2ND BEFORE-2ND CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	49	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2306-2307

Y7_1056	ARRESTS 2ND BEFORE-3RD CHARGE
----------------	--------------------------------------

For the time before that that you were arrested . . .

What offense did the police charge you with? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	84	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2308-2309

Y7_1057	ARRESTS 2ND BEFORE-DO POL CHARGE
---------	----------------------------------

For the time before that that you were arrested . . .

Did you actually commit the offense for which they arrested you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	1	No
66.7	0.2	4	2	Yes
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2310-2311

Police Questioning

Y7_1058 **SINCE JAN 1984-EVER QUEST BY POL**

Since January of 1984 not counting any arrests, have you ever been questioned by the police about your possible involvement in a delinquent or criminal offense?

(IF NO, SKIP TO Y7_1077)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	76.8	1,324	0	No
3.3	2.7	46	1	
0.6	0.5	8	2	
0.1	0.1	1	3	
0.1	0.1	2	5	
0.1	0.1	1	8	
0.1	0.1	1	12	
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2312-2313

Y7_1059	POLICE Q. MOST RECENT-MO
---------	--------------------------

For the last (most recent) time you were questioned . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	1	0	
5.1	0.2	3	1	Jan
8.5	0.3	5	2	Feb
8.5	0.3	5	3	Mar
5.1	0.2	3	4	Apr
3.4	0.1	2	5	May
5.1	0.2	3	6	Jun
18.6	0.6	11	7	Jul
8.5	0.3	5	8	Aug
13.6	0.5	8	9	Sept
6.8	0.2	4	10	Oct
1.7	0.1	1	11	Nov
8.5	0.3	5	12	Dec
0.0	0.0	0	13	Winter
1.7	0.1	1	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
3.4	0.1	2	99	Unknown
	96.6	1,666	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2314-2315

Y7_1060	POLICE Q. MOST RECENT-YR
---------	--------------------------

For the last (most recent) time you were questioned . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	1.2	21	84	1984
36.2	1.2	21	85	1985
24.1	0.8	14	86	1986
3.4	0.1	2	87	
	96.6	1,667	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2316-2317

Y7_1061	POL Q. MOST RECENT-ABOUT WHAT
---------	-------------------------------

For the last (most recent) time you were questioned . . .

What were you questioned about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	0.2	3	3	
3.4	0.1	2	5	
10.3	0.3	6	7	
1.7	0.1	1	8	
6.9	0.2	4	9	
1.7	0.1	1	10	
3.4	0.1	2	14	
1.7	0.1	1	20	
8.6	0.3	5	21	
1.7	0.1	1	23	
3.4	0.1	2	25	
3.4	0.1	2	26	
1.7	0.1	1	27	
1.7	0.1	1	28	
1.7	0.1	1	29	
3.4	0.1	2	30	
8.6	0.3	5	32	
5.2	0.2	3	34	
5.2	0.2	3	41	
5.2	0.2	3	43	
1.7	0.1	1	49	
3.4	0.1	2	50	
1.7	0.1	1	52	
1.7	0.1	1	55	
5.2	0.2	3	57	
1.7	0.1	1	83	
	96.6	1,667	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2318-2319

Y7_1062	POL Q. MOST RECENT-COMM ANY OFF
----------------	--

For the last (most recent) time you were questioned . . .

Had you actually committed any offense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	2.6	44	1	No
24.1	0.8	14	2	Yes
	96.6	1,667	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2320-2321

Y7_1063	POL Q. MOST RECENT-WHAT DO
----------------	-----------------------------------

For the last (most recent) time you were questioned . . .

What did you do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	1	2	
7.1	0.1	1	3	
7.1	0.1	1	7	
7.1	0.1	1	9	
7.1	0.1	1	23	
7.1	0.1	1	26	
14.3	0.1	2	32	
14.3	0.1	2	34	
7.1	0.1	1	49	
7.1	0.1	1	50	
7.1	0.1	1	52	
7.1	0.1	1	55	
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2322-2323

Y7_1064	POL Q. MOST RECENT-WHAT POL DO
---------	--------------------------------

For the last (most recent) time you were questioned . . .

What did the police do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	0.5	8	1	No police action
69.0	2.3	40	2	Asked questions, no action
0.0	0.0	0	3	Took Respondent home, no action
5.2	0.2	3	4	Investigation report/complaint
8.6	0.3	5	5	Temporarily detained/questioned
1.7	0.1	1	6	Arrested/released on bail
1.7	0.1	1	7	Placed in custody/jailed
0.0	0.0	0	9	Other
	96.6	1,667	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2324-2325

Y7_1065	POL Q. 2ND MOST RECENT Q.-MO
----------------	-------------------------------------

For the time before that that you were questioned . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	1	Jan
18.2	0.1	2	2	Feb
0.0	0.0	0	3	Mar
9.1	0.1	1	4	Apr
9.1	0.1	1	5	May
18.2	0.1	2	6	Jun
0.0	0.0	0	7	Jul
18.2	0.1	2	8	Aug
0.0	0.0	0	9	Sept
9.1	0.1	1	10	Oct
0.0	0.0	0	11	Nov
9.1	0.1	1	12	Dec
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	99	Unknown
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2326-2327

Y7_1066	POL Q. 2ND MOST RECENT Q.-YR
----------------	-------------------------------------

For the time before that that you were questioned . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.4	7	84	1984
27.3	0.2	3	85	1985
9.1	0.1	1	86	1986
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2328-2329

Y7_1067	POL Q. 2ND MOST RECENT Q-ABOUT
---------	--------------------------------

For the time before that that you were questioned . . .

What were you questioned about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	1	
9.1	0.1	1	2	
9.1	0.1	1	4	
18.2	0.1	2	7	
18.2	0.1	2	9	
9.1	0.1	1	10	
9.1	0.1	1	20	
9.1	0.1	1	21	
9.1	0.1	1	57	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2330-2331

Y7_1068	POL Q 2ND MOST RECENT Q-COMM OFF
---------	----------------------------------

For the time before that that you were questioned . . .

Had you actually committed any offense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.6	10	1	No
9.1	0.1	1	2	Yes
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2332-2333

Y7_1069	POL Q 2ND MOST RECENT Q.-WHAT DO
----------------	---

For the time before that that you were questioned . . .

What did you do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	20	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2334-2335

Y7_1070	2ND MOST RECENT Q.-WHAT POL DO
----------------	---------------------------------------

For the time before that that you were questioned . . .

What did the police do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	1	
36.4	0.2	4	2	
36.4	0.2	4	5	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2336-2337

Y7_1071 POL Q. 3RD MOST RECENT Q.-MO

For the time before that that you were questioned . . .

What month was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Jan
0.0	0.0	0	2	Feb
25.0	0.1	1	3	Mar
0.0	0.0	0	4	Apr
0.0	0.0	0	5	May
25.0	0.1	1	6	Jun
0.0	0.0	0	7	Jul
0.0	0.0	0	8	Aug
0.0	0.0	0	9	Sept
0.0	0.0	0	10	Oct
25.0	0.1	1	11	Nov
0.0	0.0	0	12	Dec
0.0	0.0	0	13	Winter
0.0	0.0	0	14	Spring
0.0	0.0	0	15	Summer
0.0	0.0	0	16	Fall
0.0	0.0	0	99	Unknown
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2338-2339

Y7_1072 POL Q. 3RD MOST RECENT Q.-YR

For the time before that that you were questioned . . .

What year was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	84	1984
0.0	0.0	0	85	1985
50.0	0.1	2	86	1986
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2340-2341

Y7_1073	POL Q 3RD MOST RECENT Q-ABOUT
----------------	--------------------------------------

For the time before that that you were questioned . . .

What were you questioned about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	5	
25.0	0.1	1	10	
25.0	0.1	1	21	
25.0	0.1	1	41	
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2342-2343

Y7_1074	POL Q 3RD MOST RECENT Q-COMM OFF
----------------	---

For the time before that that you were questioned . . .

Had you actually committed any offense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2344-2345

Y7_1075	POL Q 3RD MOST RECENT Q-WHAT DO
---------	---------------------------------

For the time before that that you were questioned . . .

What did you do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2346-2347

Y7_1076	3RD MOST RECENT Q.-WHAT POL DO
---------	--------------------------------

For the time before that that you were questioned . . .

What did the police do? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No police action
66.7	0.1	2	2	Asked questions, no action
0.0	0.0	0	3	Took Respondent home, no action
0.0	0.0	0	4	Investigation report/complaint
33.3	0.1	1	5	Temporarily detained/questioned
0.0	0.0	0	6	Arrested/released on bail
0.0	0.0	0	7	Placed in custody/jailed
0.0	0.0	0	9	Other
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2348-2349

Court Appearances

Y7_1077 **WHAT COURT FOR CRIME**

Have you ever been to juvenile court or an adult court for a crime you were accused of committing (excluding minor traffic offenses)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	71.7	1,237	0	No
2.6	2.1	36	1	Juvenile Court
7.0	5.6	97	2	Adult Court
0.9	0.8	13	3	Both
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2350-2351

Y7_1078	AGE AT 1ST COURT APPEAR
---------	-------------------------

(IF YES TO Y7_1077)

How old were you at the time of your first court appearance? (AGE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	1	9	
0.7	0.1	1	12	
4.8	0.4	7	13	
6.2	0.5	9	14	
8.9	0.8	13	15	
9.6	0.8	14	16	
11.6	1.0	17	17	
11.6	1.0	17	18	
4.1	0.3	6	19	
7.5	0.6	11	20	
9.6	0.8	14	21	
5.5	0.5	8	22	
4.8	0.4	7	23	
6.2	0.5	9	24	
4.1	0.3	6	25	
2.1	0.2	3	26	
0.7	0.1	1	27	
1.4	0.1	2	28	
	91.5	1,579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2352-2353

Y7_1079	TIMES CONVICTED
----------------	------------------------

(IF YES TO Y7_1077)

How many times were you convicted? (NUMBER)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	3.1	54	0	Never convicted
44.5	3.8	65	1	
9.6	0.8	14	2	
6.2	0.5	9	3	
1.4	0.1	2	6	
0.7	0.1	1	10	
0.7	0.1	1	13	
	91.5	1,579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2354-2355

Y7_1080	CHARGE 1ST CONVICTION
---------	------------------------------

(IF CONVICTED IN Y7_1079)

For what charges? (DESCRIBE/LIST)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	0.2	4	2	
1.1	0.1	1	3	
5.4	0.3	5	5	
14.0	0.8	13	7	
3.2	0.2	3	8	
8.6	0.5	8	9	
3.2	0.2	3	10	
1.1	0.1	1	11	
3.2	0.2	3	14	
1.1	0.1	1	15	
1.1	0.1	1	17	
3.2	0.2	3	23	
2.2	0.1	2	24	
2.2	0.1	2	26	
2.2	0.1	2	27	
3.2	0.2	3	29	
4.3	0.2	4	30	
3.2	0.2	3	32	
2.2	0.1	2	33	
2.2	0.1	2	34	
3.2	0.2	3	35	
1.1	0.1	1	36	
20.4	1.1	19	49	
2.2	0.1	2	54	
1.1	0.1	1	56	
1.1	0.1	1	84	
	94.6	1,632	-1	

100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2356-2357

Y7_1081	CHARGE 2ND CONVICTION
---------	-----------------------

(IF CONVICTED IN Y7_1079)

For what charges? (DESCRIBE/LIST)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	1	3	
6.2	0.1	2	5	
9.4	0.2	3	7	
6.2	0.1	2	9	
9.4	0.2	3	10	
6.2	0.1	2	17	
3.1	0.1	1	21	
3.1	0.1	1	22	
3.1	0.1	1	23	
3.1	0.1	1	24	
3.1	0.1	1	25	
3.1	0.1	1	27	
3.1	0.1	1	29	
3.1	0.1	1	30	
6.2	0.1	2	31	
6.2	0.1	2	32	
3.1	0.1	1	34	
3.1	0.1	1	35	
6.2	0.1	2	49	
3.1	0.1	1	51	
3.1	0.1	1	53	
3.1	0.1	1	85	
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2358-2359

Y7_1082	CHARGE 3RD CONVICTION
---------	-----------------------

(IF CONVICTED IN Y7_1079)

For what charges? (DESCRIBE/LIST)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	1	3	
7.1	0.1	1	7	
7.1	0.1	1	17	
14.3	0.1	2	21	
7.1	0.1	1	25	
7.1	0.1	1	26	
7.1	0.1	1	32	
14.3	0.1	2	49	
7.1	0.1	1	51	
7.1	0.1	1	54	
14.3	0.1	2	84	
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2360-2361

Legal Detainment

Y7_1083 EVER SERVE TIME FOR OFF

(IF CONVICTED IN Y7_1079)

Did you spend any time in a detention center, training school, jail or prison as a result of this/these convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	2.8	49	1	No
47.3	2.6	44	2	Yes
	94.6	1,632	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2362-2363

Y7_1084 TIME IN DETEN CTR, 1ST-NO. DAYS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	0	
12.5	0.1	1	2	
12.5	0.1	1	3	
25.0	0.1	2	14	
12.5	0.1	1	17	
12.5	0.1	1	99	
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2364-2365

Y7_1085 **TIME IN DETEN CTR, 1ST-YR BEGUN**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	77	
33.3	0.2	3	78	
11.1	0.1	1	79	
22.2	0.1	2	80	
11.1	0.1	1	84	
11.1	0.1	1	85	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2366-2367

Y7_1086 **TIME SRVD TRAIN SCH, 1ST-NO DAYS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	12	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2368-2369

Y7_1087 **TIME SRVD TRAIN SCH 1ST-YR BEGUN**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	81	
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2370-2371

Y7_1088	TIME SERVED JAIL, 1ST-NO. DAYS
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	1	0	
25.0	0.4	7	1	
14.3	0.2	4	2	
3.6	0.1	1	3	
3.6	0.1	1	6	
3.6	0.1	1	7	
3.6	0.1	1	8	
3.6	0.1	1	13	
3.6	0.1	1	14	
3.6	0.1	1	30	
3.6	0.1	1	31	
10.7	0.2	3	60	
3.6	0.1	1	90	
3.6	0.1	1	120	
3.6	0.1	1	190	
3.6	0.1	1	206	
3.6	0.1	1	697	
	98.4	1,697	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2372-2374

Y7_1089	TIME SERVED JAIL, 1ST-YR BEGUN
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	2	80	
3.8	0.1	1	81	
11.5	0.2	3	82	
15.4	0.2	4	83	
15.4	0.2	4	84	
26.9	0.4	7	85	
11.5	0.2	3	86	
7.7	0.1	2	87	
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2375-2376

Y7_1090	TIME SERVED PRISON, 1ST-NO. DAYS
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	2	
11.1	0.1	1	4	
11.1	0.1	1	5	
11.1	0.1	1	11	
11.1	0.1	1	29	
11.1	0.1	1	30	
11.1	0.1	1	36	
11.1	0.1	1	44	
11.1	0.1	1	50	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2377-2378

Y7_1091	TIME SERVED PRISON, 1ST-YR BEGUN
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	79	
8.3	0.1	1	81	
25.0	0.2	3	82	
25.0	0.2	3	83	
8.3	0.1	1	85	
16.7	0.1	2	86	
8.3	0.1	1	87	
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2379-2380

Likelihood of Being Punished for Illegal Behavior

Y7_1092 CHANCE ARR-EXCD LIMIT 10-20 MPH

What are the chances you would get a speeding ticket if you exceeded the speed limit by 10 to 20 miles per hour?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.4	58	0	0% chance
19.0	15.2	263	1	10% chance
14.4	11.5	199	2	20% chance
11.2	8.9	154	3	30% chance
7.1	5.7	98	4	40% chance
23.8	19.0	328	5	50% chance
4.8	3.8	66	6	60% chance
4.0	3.2	55	7	70% chance
4.3	3.5	60	8	80% chance
2.8	2.2	38	9	90% chance
4.5	3.6	62	10	100% chance
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2381-2382

Y7_1093 CHANCE ARR-STEAL < \$5

What are the chances you would be arrested if you stole something worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	10.2	176	0	0% chance
23.8	19.0	328	1	10% chance
12.5	10.0	173	2	20% chance
8.8	7.0	121	3	30% chance
4.5	3.6	62	4	40% chance
16.2	13.0	224	5	50% chance
2.0	1.6	27	6	60% chance
3.3	2.6	45	7	70% chance
4.2	3.4	58	8	80% chance
3.1	2.5	43	9	90% chance
9.0	7.2	124	10	100% chance
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2383-2384

Y7_1094 CHANCE ARR-STEAL > \$50

What are the chances you would be arrested if you stole something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.3	22	0	0% chance
5.6	4.5	78	1	10% chance
6.1	4.9	84	2	20% chance
6.4	5.1	88	3	30% chance
6.4	5.1	88	4	40% chance
19.9	15.9	275	5	50% chance
5.7	4.6	79	6	60% chance
10.6	8.5	147	7	70% chance
11.8	9.4	163	8	80% chance
8.5	6.8	118	9	90% chance
17.4	13.9	240	10	100% chance
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2385-2386

Y7_1095	CHANCE ARR-BREAK INTO BUILDING
----------------	---------------------------------------

What are the chances you would be arrested if you broke into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.2	20	0	0% chance
3.9	3.1	54	1	10% chance
4.8	3.9	67	2	20% chance
4.3	3.5	60	3	30% chance
4.6	3.7	63	4	40% chance
16.6	13.3	229	5	50% chance
4.9	3.9	68	6	60% chance
10.3	8.3	143	7	70% chance
13.5	10.8	187	8	80% chance
12.7	10.1	175	9	90% chance
22.9	18.3	316	10	100% chance
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2387-2388

Y7_1096	CHANCE ARR-STRONGARM OTHERS
----------------	------------------------------------

What are the chances you would be arrested if you used force (strongarm methods) to get money or things from other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.4	24	0	0% chance
3.8	3.0	52	1	10% chance
3.5	2.8	48	2	20% chance
3.8	3.1	53	3	30% chance
5.1	4.1	70	4	40% chance
16.7	13.3	230	5	50% chance
6.2	5.0	86	6	60% chance
9.3	7.5	129	7	70% chance
13.8	11.0	190	8	80% chance
13.5	10.8	186	9	90% chance
22.7	18.1	313	10	100% chance
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2389-2390

Y7_1097	CHANCE ARR-ATTACK SOMEONE
---------	----------------------------------

What are the chances you would be arrested if you attacked someone with the idea of seriously hurting or killing that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.8	14	0	0% chance
2.9	2.3	40	1	10% chance
1.7	1.4	24	2	20% chance
2.4	1.9	33	3	30% chance
2.9	2.3	40	4	40% chance
12.8	10.3	177	5	50% chance
4.4	3.5	61	6	60% chance
8.5	6.8	118	7	70% chance
12.5	10.0	173	8	80% chance
17.4	14.0	241	9	90% chance
33.4	26.7	461	10	100% chance
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2391-2392

Y7_1098

CHANCE ARR-DELIB INJ SP/PARTN

What are the chances you would be arrested if you deliberately injured your spouse/boyfriend/girlfriend, e.g, hit, knocked down, choked, beat or cut him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.8	48	0	0% chance
8.8	7.0	121	1	10% chance
3.6	2.9	50	2	20% chance
4.5	3.6	62	3	30% chance
3.6	2.9	50	4	40% chance
14.1	11.3	195	5	50% chance
4.9	3.9	68	6	60% chance
7.2	5.7	99	7	70% chance
8.2	6.6	113	8	80% chance
12.7	10.1	175	9	90% chance
29.0	23.2	400	10	100% chance
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2393-2394

Type of Punishment for Illegal Behavior

Y7_1099 PUNISHMENT-EXCD LIMIT 10-20 MPH

Suppose you were given a ticket/arrested for exceeding the speed limit by 10 to 20 miles per hour.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	7.8	134	1	Released without charges
3.3	2.6	45	2	Dismissed at court
85.5	68.6	1,183	3	Fined and released
0.5	0.4	7	4	Probation/suspended sentence
0.8	0.6	11	5	Short time in jail
0.0	0.0	0	6	Long time in jail
0.0	0.0	0	7	Serious punishment
0.2	0.2	3	8	Nonserious punishment
0.0	0.0	0	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2395-2396

Y7_1100

PUNISHMENT-STEAL < \$5

Suppose you were given a ticket/arrested for stealing something worth \$5 or less.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	11.0	190	1	Released without charges
10.8	8.7	150	2	Dismissed at court
45.0	36.1	623	3	Fined and released
23.9	19.1	330	4	Probation/suspended sentence
5.4	4.3	74	5	Short time in jail
0.6	0.5	8	6	Long time in jail
0.0	0.0	0	7	Serious punishment
0.6	0.5	8	8	Nonserious punishment
0.0	0.0	0	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2397-2398

Y7_1101 PUNISHMENT-STEAL > \$50

Suppose you were given a ticket/arrested for stealing something worth more than \$50.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	7	1	Released without charges
2.6	2.1	36	2	Dismissed at court
24.5	19.7	339	3	Fined and released
46.1	36.9	637	4	Probation/suspended sentence
21.9	17.6	303	5	Short time in jail
3.5	2.8	48	6	Long time in jail
0.2	0.2	3	7	Serious punishment
0.7	0.5	9	8	Nonserious punishment
0.1	0.1	1	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2399-2400

Y7_1102

PUNISHMENT-BREAK INTO BUILDING

Suppose you were given a ticket/arrested for breaking into a building or vehicle to steal something or just to look around.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Released without charges
2.2	1.8	31	2	Dismissed at court
10.8	8.7	150	3	Fined and released
42.3	33.9	585	4	Probation/suspended sentence
35.4	28.4	490	5	Short time in jail
7.7	6.1	106	6	Long time in jail
0.3	0.2	4	7	Serious punishment
0.3	0.2	4	8	Nonserious punishment
0.0	0.0	0	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2401-2402

Y7_1103	PUNISHMENT-STRONGARM OTHERS
---------	-----------------------------

Suppose you were given a ticket/arrested for using force (strongarm methods) to get money or things from other people.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.5	26	1	Released without charges
2.6	2.1	36	2	Dismissed at court
9.3	7.4	128	3	Fined and released
34.2	27.4	473	4	Probation/suspended sentence
40.5	32.5	560	5	Short time in jail
11.1	8.9	153	6	Long time in jail
0.2	0.2	3	7	Serious punishment
0.3	0.2	4	8	Nonserious punishment
0.0	0.0	0	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2403-2404

Y7_1104

PUNISHMENT-ATTACK SOMEONE

Suppose you were given a ticket/arrested for attacking someone with the idea of seriously hurting or killing that person.

What would be the most likely punishment that would result from that ticket/arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	12	1	Released without charges
1.4	1.1	19	2	Dismissed at court
3.8	3.1	53	3	Fined and released
20.9	16.8	289	4	Probation/suspended sentence
41.3	33.1	571	5	Short time in jail
31.5	25.3	436	6	Long time in jail
0.1	0.1	2	7	Serious punishment
0.1	0.1	1	8	Nonserious punishment
0.0	0.0	0	9	No punishment
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2405-2406

GUILT/REMORSE/PERSONAL DISCOMFORT FOR ACTS

Y7_1105 GUILT-EXCEED LIMIT 10-20 MPH

How much guilt, remorse or personal discomfort would you experience if you . . .

exceeded the speed limit by 10 to 20 mph?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	35.2	608	1	Very little
28.5	22.8	394	2	Not too much
18.9	15.1	261	3	Some
5.9	4.7	81	4	Quite a bit
2.7	2.2	38	5	A great deal
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2407-2408

Y7_1106 GUILT-STEAL SOMETHING < \$5

How much guilt, remorse or personal discomfort would you experience if you . . .

stole something worth \$5 or less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	6.8	117	1	Very little
14.5	11.7	201	2	Not too much
27.8	22.3	384	3	Some
28.2	22.6	390	4	Quite a bit
21.0	16.9	291	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2409-2410

Y7_1107	GUILT-STEAL SOMETHING > \$50
----------------	--

How much guilt, remorse or personal discomfort would you experience if you . . .

stole something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.2	20	1	Very little
3.5	2.8	49	2	Not too much
11.9	9.6	165	3	Some
31.7	25.4	438	4	Quite a bit
51.4	41.2	711	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2411-2412

Y7_1108	GUILT-BREAK INTO BUILDING
----------------	----------------------------------

How much guilt, remorse or personal discomfort would you experience if you . . .

broke into a building or vehicle to steal something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.8	14	1	Very little
1.7	1.3	23	2	Not too much
8.2	6.6	113	3	Some
28.7	23.0	397	4	Quite a bit
60.4	48.5	836	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2413-2414

Y7_1109	GUILT-STRONGARM OTHERS
----------------	-------------------------------

How much guilt, remorse or personal discomfort would you experience if you . . .

used force (strongarm methods) to get money or things from other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.6	11	1	Very little
0.7	0.5	9	2	Not too much
3.8	3.1	53	3	Some
26.5	21.2	366	4	Quite a bit
68.3	54.7	944	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2415-2416

Y7_1110	GUILT-ATTACK SOMEONE
----------------	-----------------------------

How much guilt, remorse or personal discomfort would you experience if you . . .

attacked someone with the idea of seriously hurting or killing him/her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	12	1	Very little
1.2	0.9	16	2	Not too much
4.0	3.2	55	3	Some
16.9	13.6	234	4	Quite a bit
77.1	61.7	1,065	5	A great deal
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2417-2418

Y7_1111	GUILT-EXCD LIMIT 10-20 MPH HELP
---------	---------------------------------

How much guilt, remorse or personal discomfort would you experience if you . . .

exceeded the speed limit by 10 to 20 mph while taking a friend with a broken arm to the hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	51.7	891	1	Very little
19.0	15.2	262	2	Not too much
8.8	7.1	122	3	Some
3.5	2.8	49	4	Quite a bit
4.2	3.4	58	5	A great deal
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2419-2420

Y7_1112	GUILT-STEAL < \$5 STORE OVERCHRG
---------	----------------------------------

How much guilt, remorse or personal discomfort would you experience if you . . .

stole something worth less than \$5 from a shopkeeper who often overcharged his customers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	11.2	193	1	Very little
16.4	13.2	227	2	Not too much
26.5	21.3	367	3	Some
22.5	18.0	311	4	Quite a bit
20.6	16.5	285	5	A great deal
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2421-2422

Y7_1115	GUILT-STRONGARM TO GET CAN'T PAY
----------------	---

How much guilt, remorse or personal discomfort would you experience if you . . .

robbed a druggist at gunpoint to get some expensive drugs for a sick friend because neither of you had the money to pay for them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.1	37	1	Very little
3.8	3.1	53	2	Not too much
12.5	10.0	172	3	Some
26.9	21.6	372	4	Quite a bit
54.1	43.3	747	5	A great deal
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2427-2428

Y7_1116	GUILT-ATTACK BECAUSE OF ARGUMENT
----------------	---

How much guilt, remorse or personal discomfort would you experience if you . . .

attacked a person with the intent to kill or seriously injure him/her because of an argument over your girlfriend/boyfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.7	29	1	Very little
2.6	2.1	36	2	Not too much
8.9	7.1	123	3	Some
24.7	19.8	341	4	Quite a bit
61.7	49.4	853	5	A great deal
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2429-2430

VICTIMIZATION

Y7_1117 THINGS TAKEN FROM YOU

How many times in the Last Year . . .

has something been taken directly from you or an attempt made to do so by force or threatening to hurt you?

Min	=	0	Mean	=	.154
Max	=	15	Std Dev	=	.666
Median	=	0	Variance	=	.443

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2431-2433

Y7_1118 BEATEN UP BY PARENT

How many times in the Last Year . . .

have you been beaten up by your mother, stepmother, father or stepfather?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	80.1	1,381	0	
0.1	0.1	1	1	
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2434-2436

Y7_1119	BEATEN BY PARENT-FORCED SEX
----------------	------------------------------------

(IF ONE OR MORE TIMES TO Y7_1118)

Did this attack (any of these attacks) involve an attempt to force sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2437-2438

Y7_1120	PAR/FORCED SEX-THREAT/INJ WEAPON
----------------	---

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex on you, were you . . .

threatened or injured by a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
0.0	0.0	0	2	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2439-2440

Y7_1121	PAR/FORCED SEX-SERIOUSLY INJURED
----------------	---

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex on you, were you . . .

seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
0.0	0.0	0	2	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2441-2442

Y7_1122	PAR/FORCED SEX-FORCED SEX REL
----------------	--------------------------------------

(IF YES TO Y7_1119)

During the most recent attack which involved an attempt to force sex on you, were you . . .

forced to have sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
0.0	0.0	0	2	Yes
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2443-2444

Y7_1123	THREAT/BEATEN UP BY OTHERS
----------------	-----------------------------------

How many times in the Last Year . . .

have you been beaten up or threatened with being beaten up by someone other than your mother or father?

Min	=	0	Mean	=	.765
Max	=	500	Std Dev	=	13.672
Median	=	0	Variance	=	186.927

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2445-2447

Y7_1124	BEATEN UP BY OTHS-NO. TIMES
----------------	------------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

On how many of these occasions were you actually beaten up? (NUMBER)

Min	=	0	Mean	=	.812
Max	=	30	Std Dev	=	3.145
Median	=	0	Variance	=	9.894

(Based on 186 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2448-2450

Y7_1125	BEATEN UP BY OTHS-BROTHER
----------------	----------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
brother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	10.7	185	1	No
0.5	0.1	1	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2451-2452

Y7_1126	BEATEN UP BY OTHS-SISTER
----------------	---------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	10.7	185	1	No
0.5	0.1	1	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2453-2454

Y7_1127	BEATEN UP BY OTHS-TEACHER
----------------	----------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
teacher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.8	186	1	No
0.0	0.0	0	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2455-2456

Y7_1128	BEATEN UP BY OTHS-SPOUSE
----------------	---------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
spouse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	9.7	167	1	No
10.2	1.1	19	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2457-2458

Y7_1129	BEATEN UP BY OTHS-STUDENT
----------------	----------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
student?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	10.5	181	1	No
2.7	0.3	5	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2459-2460

Y7_1130	BEATEN UP BY OTHS-GANG
----------------	-------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	10.4	180	1	No
3.2	0.3	6	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2461-2462

Y7_1131	BEATEN UP BY OTHS-OTHER ADULT
----------------	--------------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by an . . .
other adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	4.8	82	1	No
55.9	6.0	104	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2463-2464

Y7_1132	BEATEN UP BY OTHS-BOY/GIRLFRIEND
----------------	---

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by a . . .
boyfriend/girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	9.1	157	1	No
15.6	1.7	29	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2465-2466

Y7_1133	BEATEN UP BY OTHS-OTHER YOUTH
----------------	--------------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by an . . .
other youth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	10.1	174	1	No
6.5	0.7	12	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2467-2468

Y7_1134	BEATEN UP BY OTHS-OTHER
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Was this attack (were any of these attacks) by an . . .
other (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	10.0	172	1	No
7.5	0.8	14	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2469-2470

Y7_1135	BEATEN UP BY OTHERS-FORCED SEX
----------------	---------------------------------------

(IF ONE OR MORE TIMES TO Y7_1123)

Did this attack (any of these attacks) involve an attempt to force sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	10.0	172	1	No
7.5	0.8	14	2	Yes
	89.2	1,539	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2471-2472

Y7_1136	BEAT OTHS/FOR SEX-THRT/INJ WEAP
----------------	--

(IF YES TO Y7_1135)

During the most recent attack which involved an attempt to force sex on you were you . . .

threatened or injured by a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2473-2474

Y7_1137	BEAT OTHS/FORCE SEX-SERIOUS INJ
----------------	--

(IF YES TO Y7_1135)

During the most recent attack which involved an attempt to force sex on you were you . . .

seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2475-2476

Y7_1138	BEAT OTHS/FORCE SEX-FORCED SEX
----------------	---------------------------------------

(IF YES TO Y7_1135)

During the most recent attack which involved an attempt to force sex on you were you . . .

forced to have sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	6	1	No
57.1	0.5	8	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2477-2478

Y7_1139	ATTACKED W/WEAPON
----------------	--------------------------

How many times in the Last Year . . .

have you been attacked with a weapon, such as a gun, knife, bottle or chair by someone other than your mother or father?

Min	=	0	Mean	=	.076
Max	=	10	Std Dev	=	.480
Median	=	0	Variance	=	.231

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2479-2481

Y7_1140	ATTACK W/WEAPON-BROTHER
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
 brother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	70	1	No
0.0	0.0	0	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2482-2483

Y7_1141	ATTACK W/WEAPON-SISTER
----------------	-------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	70	1	No
0.0	0.0	0	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2484-2485

Y7_1142	ATTACK W/WEAPON-TEACHER
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
teacher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	70	1	No
0.0	0.0	0	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2486-2487

Y7_1143	ATTACK W/WEAPON-SPOUSE
----------------	-------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
 spouse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	3.8	66	1	No
5.7	0.2	4	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2488-2489

Y7_1144	ATTACK W/WEAPON-STUDENT
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
 student?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	70	1	No
0.0	0.0	0	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2490-2491

Y7_1145	ATTACK W/WEAPON-GANG
----------------	-----------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	3.9	68	1	No
2.9	0.1	2	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2492-2493

Y7_1146	ATTACK W/WEAPON-OTHER ADULT
----------------	------------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .
other adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	1.4	24	1	No
65.7	2.7	46	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2494-2495

Y7_1147	ATTACK W/WEAPON-BOY/GIRLFRIEND
----------------	---------------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by a . . .
 boyfriend/girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	3.8	66	1	No
5.7	0.2	4	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2496-2497

Y7_1148	ATTACK W/WEAPON-OTHER YOUTH
----------------	------------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .
 other youth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	3.7	63	1	No
10.0	0.4	7	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2498-2499

Y7_1149	ATTACK W/WEAPON-OTHER
----------------	------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Was this attack (were any of these attacks) by an . . .
 other (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	3.5	60	1	No
14.3	0.6	10	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2500-2501

Y7_1150	ATTACK W/WEAPON-FORCED SEX
----------------	-----------------------------------

(IF ONE OR MORE TIMES TO Y7_1139)

Did this attack (any of these attacks) involve an attempt to force
 sex on you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	3.9	68	1	No
2.9	0.1	2	2	Yes
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2502-2503

Y7_1151	ATTACK/FORCE SEX-THREAT/INJ WEAP
----------------	---

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex on you, were you . . .

threatened or injured by a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	No
50.0	0.1	1	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2504-2505

Y7_1152	ATTACK/FORCE SEX-SERIOUS INJURY
----------------	--

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex on you, were you . . .

seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2506-2507

Y7_1153 ATTACK/FORCE SEX-FORCED SEX

(IF YES TO Y7_1150)

During the most recent attack which involved an attempt to force sex on you, were you . . .

forced to have sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	No
0.0	0.0	0	2	Yes
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2508-2509

Y7_1154 MOTOR VEHICLE OR BIKE STOLEN

How many times in the Last Year . . .

has your car, motorcycle or bicycle been stolen or an attempt made to do so?

Min	= 0	Mean	= .078
Max	= 6	Std Dev	= .342
Median	= 0	Variance	= .117

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2510-2512

Y7_1155 **THINGS TAKEN FROM CAR**

How many times in the Last Year . . .

have things been taken from your car, motorcycle or bike
such as hubcaps, books or packages, or bike locks?

Min	=	0	Mean	=	.284
Max	=	50	Std Dev	=	1.517
Median	=	0	Variance	=	2.301

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2513-2515

Y7_1156 **SEXUALLY ATTACKED**

How many times in the Last Year . . .

have you been sexually attacked or raped or an attempt
made to do so?

Min	=	0	Mean	=	.038
Max	=	20	Std Dev	=	.625
Median	=	0	Variance	=	.391

(Based on 1,383 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2516-2518

Y7_1157	SEXUALLY ATTACKED-BROTHER
----------------	----------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .
brother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2519-2520

Y7_1158	SEXUALLY ATTACKED-SISTER
----------------	---------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .
sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2521-2522

Y7_1161	SEXUALLY ATTACKED-STUDENT
----------------	----------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .
student?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	1.1	19	1	No
5.0	0.1	1	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2527-2528

Y7_1162	SEXUALLY ATTACKED-GANG
----------------	-------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .
gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2529-2530

Y7_1163	SEXUALLY ATTACKED-OTHER ADULT
----------------	--------------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by an . . .
other adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.6	10	1	No
50.0	0.6	10	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2531-2532

Y7_1164	SEXUALLY ATTACKED-BOY/GIRLFRIEND
----------------	---

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by a . . .
boyfriend/girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	1.0	17	1	No
15.0	0.2	3	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2533-2534

Y7_1165	SEXUALLY ATTACKED-OTHER YOUTH
----------------	--------------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by an . . .
other youth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2535-2536

Y7_1166	SEXUALLY ATTACKED-OTHER
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

Was this attack (were any of these attacks) by an . . .
other (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.9	16	1	No
20.0	0.2	4	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2537-2538

Y7_1167 SEX ATTACK-THREAT/INJURED WEAPON

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .
 threatened or injured by a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	1.0	18	1	No
10.0	0.1	2	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2539-2540

Y7_1168 SEX ATTACK-SERIOUSLY INJURED

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .
 seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	1.1	19	1	No
5.0	0.1	1	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2541-2542

Y7_1169	SEX ATTACK-FORCED SEX
----------------	------------------------------

(IF ONE OR MORE TIMES TO Y7_1156)

During the most recent event, were you . . .

forced to have sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	0.6	11	1	No
45.0	0.5	9	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2543-2544

Y7_1170	THINGS DAMAGED
----------------	-----------------------

How many times in the Last Year . . .

have any of your things been damaged on purpose, such as car or bike tires slashed or books and clothing ripped up?

Min	=	0	Mean	=	.260
Max	=	52	Std Dev	=	1.563
Median	=	0	Variance	=	2.444

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2545-2547

Y7_1171	THINGS STOLEN FROM PUBLIC PLACE
----------------	--

How many times in the Last Year . . .

have some of your things, such as your jacket, notebooks, or sports equipment been stolen from a public place such as a cafeteria, restaurant or bowling alley?

Min	=	0	Mean	=	.140
Max	=	15	Std Dev	=	.613
Median	=	0	Variance	=	.375

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2548-2550

Y7_1172	SEXUALLY PRESSURED
----------------	---------------------------

How many times in the Last Year . . .

has someone such as a date or friend pressured or pushed you to do more sexually than you wanted to do?

Min	=	0	Mean	=	.155
Max	=	50	Std Dev	=	1.548
Median	=	0	Variance	=	2.396

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2551-2553

Y7_1173	SEX PRESSURE-THREAT/INJ WEAPON
----------------	---------------------------------------

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .
 threatened or injured by a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	3.9	68	1	No
1.4	0.1	1	2	Yes
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2554-2555

Y7_1174	SEX PRESSURE-SERIOUSLY INJURED
----------------	---------------------------------------

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .
 seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	69	1	No
0.0	0.0	0	2	Yes
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2556-2557

Y7_1175	SEX PRESSURE-FORCED SEX
----------------	--------------------------------

(IF ONE OR MORE TIMES TO Y7_1172)

During the most recent event, were you . . .
 forced to have sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	3.0	51	1	No
26.1	1.0	18	2	Yes
	96.0	1,656	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2558-2559

Y7_1176	POCKET PICKED
----------------	----------------------

How many times in the Last Year . . .

has your pocket been picked or your purse or wallet snatched or an attempt made to do so?

Min	= 0	Mean	= .053
Max	= 4	Std Dev	= .299
Median	= 0	Variance	= .089

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2560-2562

Y7_1179	SEX ASSAULT-ITEM NO. MOST RECENT
----------------	---

(IF MORE THAN 1 TO Y7_1178)

Which was the most recent event?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	371	
50.0	0.2	4	375	
37.5	0.2	3	378	
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2567-2569

RESPONDENT'S HEALTH**Physical Health****Y7_1180 WHAT IS YOUR CURRENT WEIGHT**

What is your current weight?

Min	=	86	Mean	=	156.174
Max	=	410	Std Dev	=	33.893
Median	=	154	Variance	=	1,148.738

(Based on 1,375 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2570-2572

Y7_1181 WHAT IS YOUR HEIGHT

What is your height?

Min	=	57	Mean	=	67.664
Max	=	83	Std Dev	=	4.106
Median	=	68	Variance	=	16.862

(Based on 1,381 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2573-2574

Y7_1182	EAT WELL BALANCED MEALS
----------------	--------------------------------

Do you agree or disagree with each of the following statements?

I try to eat at least two well-balanced meals every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.0	17	1	Strongly disagree
11.8	9.4	163	2	Disagree
8.3	6.7	115	3	Neither agree nor disagree
62.7	50.3	867	4	Agree
16.0	12.8	221	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2575-2576

Y7_1183	EAT FRESH VEG AND FRUIT
----------------	--------------------------------

Do you agree or disagree with each of the following statements?

I try to eat some fresh vegetables or fresh fruit every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Strongly disagree
13.4	10.8	186	2	Disagree
12.1	9.7	168	3	Neither agree nor disagree
59.8	47.9	827	4	Agree
13.7	11.0	189	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2577-2578

Y7_1184	EAT TOO MUCH JUNK FOOD
----------------	-------------------------------

Do you agree or disagree with each of the following statements?

I eat too much junk food

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.4	58	1	Strongly disagree
29.1	23.4	403	2	Disagree
14.0	11.2	193	3	Neither agree nor disagree
42.7	34.2	590	4	Agree
10.1	8.1	139	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2579-2580

Y7_1185	EAT JUNK FOOD INSTEAD OF MEALS
----------------	---------------------------------------

Do you agree or disagree with each of the following statements?

I often eat junk food for regular meals

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	8.6	148	1	Strongly disagree
55.1	44.2	762	2	Disagree
9.5	7.6	131	3	Neither agree nor disagree
21.3	17.0	294	4	Agree
3.4	2.7	47	5	Strongly agree
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2581-2582

Y7_1186	TAKE DAILY VITAMIN SUPPLM
----------------	----------------------------------

Do you agree or disagree with each of the following statements?

I try to take a vitamin supplement every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.2	90	1	Strongly disagree
42.4	34.0	586	2	Disagree
14.2	11.4	196	3	Neither agree nor disagree
29.5	23.7	408	4	Agree
7.4	6.0	103	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2583-2584

Y7_1187	EXERCISE ON A REGULAR BASIS
----------------	------------------------------------

Do you agree or disagree with each of the following statements?

I exercise on a regular basis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.7	47	1	Strongly disagree
33.0	26.4	456	2	Disagree
15.8	12.6	218	3	Neither agree nor disagree
37.0	29.7	512	4	Agree
10.8	8.7	150	5	Strongly agree
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2585-2586

Y7_1188	PHYS PROBLEMS RESTRICT ACTIVITY
----------------	--

Do you have any physical problems which restrict your activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	9.3	160	1	Yes
88.4	70.9	1,223	2	No
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2587-2588

Y7_1189	1ST PHYSICAL PROBLEM
----------------	-----------------------------

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
47.9	4.5	78	1	Orthopedic problems
8.0	0.8	13	2	Endocrinology problems
5.5	0.5	9	3	Ear/eye/nose/throat
1.8	0.2	3	4	Heart disease
1.2	0.1	2	5	Blood/circulatory
1.2	0.1	2	6	Urological
0.6	0.1	1	7	Skin problems
3.1	0.3	5	8	Neurological
12.9	1.2	21	9	Pulmonary
0.0	0.0	0	10	Cancer
17.8	1.7	29	11	Other
	90.6	1,562	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2589-2590

Y7_1190

2ND PHYSICAL PROBLEM

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	8.6	149	0	No problem
0.6	0.1	1	1	Orthopedic problems
0.0	0.0	0	2	Endocrinology problems
1.2	0.1	2	3	Ear/eye/nose/throat
0.6	0.1	1	4	Heart disease
0.6	0.1	1	5	Blood/circulatory
0.6	0.1	1	6	Urological
0.0	0.0	0	7	Skin problems
0.6	0.1	1	8	Neurological
2.5	0.2	4	9	Pulmonary
0.0	0.0	0	10	Cancer
1.8	0.2	3	11	Other
	90.6	1,562	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2591-2592

Y7_1191	3RD PHYSICAL PROBLEM
---------	----------------------

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	9.4	162	0	No problem
0.0	0.0	0	1	Orthopedic problems
0.0	0.0	0	2	Endocrinology problems
0.0	0.0	0	3	Ear/eye/nose/throat
0.0	0.0	0	4	Heart disease
0.0	0.0	0	5	Blood/circulatory
0.0	0.0	0	6	Urological
0.0	0.0	0	7	Skin problems
0.0	0.0	0	8	Neurological
0.0	0.0	0	9	Pulmonary
0.0	0.0	0	10	Cancer
0.6	0.1	1	11	Other
	90.6	1,562	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 2593-2594

Y7_1192	4TH PHYSICAL PROBLEM
----------------	-----------------------------

(IF YES TO Y7_1188)

DESCRIBE PHYSICAL PROBLEM

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	163	0	No problem
0.0	0.0	0	1	Orthopedic problems
0.0	0.0	0	2	Endocrinology problems
0.0	0.0	0	3	Ear/eye/nose/throat
0.0	0.0	0	4	Heart disease
0.0	0.0	0	5	Blood/circulatory
0.0	0.0	0	6	Urological
0.0	0.0	0	7	Skin problems
0.0	0.0	0	8	Neurological
0.0	0.0	0	9	Pulmonary
0.0	0.0	0	10	Cancer
0.0	0.0	0	11	Other
	90.6	1,562	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 2595-2596

Y7_1193	EVER HAD A VENERAL DISEASE
----------------	-----------------------------------

Have you ever had a venereal disease, such as genital herpes or gonorrhoea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.2	72	1	Yes
94.6	75.8	1,307	2	No
0.1	0.1	2	8	Dont know
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 2597-2598

Y7_1194	IF YES-WHAT TYPE OF V.D.
----------------	---------------------------------

(IF YES TO Y7_1193)

What type of V.D. did you have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	2.8	48	1	Gonorrhea
15.7	0.6	11	2	Genital herpes
2.9	0.1	2	3	Syphilis
1.4	0.1	1	4	Clap
11.4	0.5	8	5	Other
	95.9	1,655	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2599-2600

Y7_1195	PROBLEMS BECAUSE OF V.D.
----------------	---------------------------------

(IF YES TO Y7_1193)

At present, are you having any physical or psychological problems which you associate with having had V.D.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.2	4	1	Yes
94.4	3.9	68	2	No
	95.8	1,653	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2601-2602

Y7_1197	TESTED FOR AIDS
----------------	------------------------

Have you ever been tested for AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	73.0	1,259	1	No
8.9	7.1	123	2	Yes
	19.9	343	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2603-2604

Y7_1198	TEST FOR AIDS-RESULTS
----------------	------------------------------

(IF YES TO Y7_1197)

Were you tested negative or positive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	7.0	120	1	Negative
0.0	0.0	0	2	Positive
1.6	0.1	2	3	Outcome unknown
0.8	0.1	1	4	Refused
	92.9	1,602	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2605-2606

Y7_1199	GENERAL PHYSICAL HEALTH
----------------	--------------------------------

At present, how would you describe your general physical health?

(AFTER RESPONSE, MALES SKIP TO Y7_1229)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	15.5	268	1	Excellent
44.9	35.9	619	2	Very good
29.2	23.4	403	3	Good
6.2	4.9	85	4	Fair
0.4	0.3	5	5	Poor
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2607-2608

Y7_1200	AGE AT 1ST PERIOD
----------------	--------------------------

(FOR FEMALES ONLY)

How old were you when you had your first period? (AGE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	8	
2.1	0.8	14	9	
2.9	1.2	20	10	
9.5	3.8	65	11	
27.6	10.9	188	12	
32.7	12.9	223	13	
12.9	5.1	88	14	
6.9	2.7	47	15	
4.1	1.6	28	16	
0.6	0.2	4	17	
0.3	0.1	2	18	
0.1	0.1	1	19	
0.1	0.1	1	20	
0.0	0.0	0	88	Cant remember
	60.5	1,043	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2609-2610

Y7_1201	PREGNANT IN 1984,1985, OR 1986
----------------	---------------------------------------

(FOR FEMALES ONLY)

Were you pregnant at any time during 1984, 1985 or 1986?

(IF NO, SKIP TO Y7_1229)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	17.5	302	1	Yes
55.7	22.0	380	2	No
	60.5	1,043	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2611-2612

Y7_1202	PREGNANCY 1ST-YEAR
----------------	---------------------------

Year of pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	3	83	1983
42.4	7.4	128	84	1984
28.8	5.0	87	85	1985
27.8	4.9	84	86	1986
	82.5	1,423	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2613-2614

Y7_1203	PREGNANCY 1ST-OUTCOME
----------------	------------------------------

Outcome?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	13.0	224	1	Live birth
9.9	1.7	30	2	Abortion
10.9	1.9	33	3	Miscarriage
0.7	0.1	2	4	Stillbirth
4.3	0.8	13	5	Currently pregnant
0.0	0.0	0	8	Other
	82.5	1,423	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2615-2616

Y7_1204	PREGNANCY 1ST-1ST PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	11.2	193	0	No
2.8	0.5	8	1	Difficult labor/delivery
13.1	2.2	38	2	C-section
2.1	0.3	6	3	Urological problems
1.7	0.3	5	4	Respiratory/cardiac distress
0.7	0.1	2	5	Atopic pregnancy
2.1	0.3	6	6	Miscarriage (or threat of)
0.3	0.1	1	7	Difficult presentation
0.3	0.1	1	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
1.4	0.2	4	10	Hemorrhaging during delivery
8.7	1.4	25	11	Other
	83.2	1,436	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2617-2618

Y7_1205	PREGNANCY 1ST-2ND PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	15.6	269	0	No
0.7	0.1	2	1	Difficult labor/delivery
0.0	0.0	0	2	C-section
0.3	0.1	1	3	Urological problems
2.1	0.3	6	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
1.0	0.2	3	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.7	0.1	2	10	Hemorrhaging during delivery
2.1	0.3	6	11	Other
	83.2	1,436	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2619-2620

Y7_1206	PREGNANCY 1ST-VOLUNTARY ABORTION
----------------	---

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO Y7_1203)

Was your (abortion/miscarriage/loss of baby) involuntary, that is, due to natural causes or medical reasons; or was it voluntary, that is, a personal choice to terminate the pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	2.1	37	1	Involuntary
42.2	1.6	27	2	Voluntary
	96.3	1,661	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2621-2622

Y7_1207	PREGNANCY 2ND-YEAR
----------------	---------------------------

Year of pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	83	1983
5.5	0.2	4	84	1984
41.1	1.7	30	85	1985
53.4	2.3	39	86	1986
	95.8	1,652	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2623-2624

Y7_1208	PREGNANCY 2ND-OUTCOME
----------------	------------------------------

Outcome?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	2.6	45	1	Live birth
9.6	0.4	7	2	Abortion
13.7	0.6	10	3	Miscarriage
0.0	0.0	0	4	Stillbirth
15.1	0.6	11	5	Currently pregnant
0.0	0.0	0	8	Other
	95.8	1,652	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2625-2626

Y7_1209	PREGNANCY 2ND-1ST PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	2.8	49	0	No
3.0	0.1	2	1	Difficult labor/delivery
11.9	0.5	8	2	C-section
3.0	0.1	2	3	Urological problems
0.0	0.0	0	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
3.0	0.1	2	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
6.0	0.2	4	11	Other
	96.1	1,658	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2627-2628

Y7_1210	PREGNANCY 2ND-2ND PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	3.5	60	0	No
0.0	0.0	0	1	Difficult labor/delivery
0.0	0.0	0	2	C-section
0.0	0.0	0	3	Urological problems
4.5	0.2	3	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
6.0	0.2	4	11	Other
	96.1	1,658	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2629-2630

Y7_1211	PREGNANCY 2ND-VOLUNTARY ABORTION
----------------	---

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO Y7_1208)

Was your (abortion/miscarriage/loss of baby) involuntary, that is, due to natural causes or medical reasons; or was it voluntary, that is, a personal choice to terminate the pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	0.6	10	1	Involuntary
41.2	0.4	7	2	Voluntary
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2631-2632

Y7_1212	PREGNANCY 3RD-YEAR
----------------	---------------------------

Year of pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	83	1983
12.5	0.1	1	84	1984
0.0	0.0	0	85	1985
87.5	0.4	7	86	1986
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2633-2634

Y7_1213	PREGNANCY 3RD-OUTCOME
----------------	------------------------------

Outcome?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	Live birth
12.5	0.1	1	2	Abortion
50.0	0.2	4	3	Miscarriage
0.0	0.0	0	4	Stillbirth
12.5	0.1	1	5	Currently pregnant
0.0	0.0	0	8	Other
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2635-2636

Y7_1214	PREGNANCY 3RD-1ST PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.3	5	0	No
0.0	0.0	0	1	Difficult labor/delivery
14.3	0.1	1	2	C-section
0.0	0.0	0	3	Urological problems
0.0	0.0	0	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
14.3	0.1	1	11	Other
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2637-2638

Y7_1215	PREGNANCY 3RD-2ND PROBLEM
----------------	----------------------------------

Any prenatal or delivery problems? (DESCRIBE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	7	0	No
0.0	0.0	0	1	Difficult labor/delivery
0.0	0.0	0	2	C-section
0.0	0.0	0	3	Urological problems
0.0	0.0	0	4	Respiratory/cardiac distress
0.0	0.0	0	5	Atopic pregnancy
0.0	0.0	0	6	Miscarriage (or threat of)
0.0	0.0	0	7	Difficult presentation
0.0	0.0	0	8	Drug addiction
0.0	0.0	0	9	Phlebitis, hemorrhoids
0.0	0.0	0	10	Hemorrhaging during delivery
0.0	0.0	0	11	Other
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2639-2640

Y7_1216	PREGNANCY 3RD-VOLUNTARY ABORTION
----------------	---

(IF RESPONDENT SAYS Abortion, Miscarriage or "Lost the Baby" TO Y7_1213)

Was your (abortion/miscarriage/loss of baby) involuntary, that is, due to natural causes or medical reasons; or was it voluntary, that is, a personal choice to terminate the pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	Involuntary
0.0	0.0	0	2	Voluntary
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2641-2642

Y7_1217	EFFECTS FROM 1ST EVENT
----------------	-------------------------------

(IF RESPONDENT MENTIONS ANY MISCARRIAGES/ABORTIONS/STILL BIRTHS)

(FIRST REPORT)

You mentioned that you had an (abortion/miscarriage/loss of baby).
Did you have any physical or psychological effects from your
(abortion/miscarriage/loss of baby) in (DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	1.8	31	1	No
57.5	2.4	42	2	Yes
	95.8	1,652	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2643-2644

Y7_1218	EFFECTS 1ST EVENT-1ST EFFECT
----------------	-------------------------------------

(IF YES TO Y7_1217)

Please describe effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
57.1	1.4	24	4	Depression
11.9	0.3	5	5	Guilt
0.0	0.0	0	6	Fatigue
2.4	0.1	1	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
23.8	0.6	10	11	Other problem
2.4	0.1	1	12	Other benefit
2.4	0.1	1	13	Anger
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2645-2646

Y7_1219	EFFECTS 1ST EVENT-2ND EFFECT
---------	------------------------------

(IF YES TO Y7_1217)

Please describe effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	1.8	31	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
0.0	0.0	0	4	Depression
4.8	0.1	2	5	Guilt
0.0	0.0	0	6	Fatigue
2.4	0.1	1	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
14.3	0.3	6	11	Other problem
2.4	0.1	1	12	Other benefit
2.4	0.1	1	13	Anger
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2647-2648

Y7_1220	EFFECTS 1ST EVENT-3RD EFFECT
----------------	-------------------------------------

(IF YES TO Y7_1217)

Please describe effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	2.4	41	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
2.4	0.1	1	11	Other problem
0.0	0.0	0	12	Other benefit
0.0	0.0	0	13	Anger
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2649-2650

Y7_1221	EFFECTS FROM 2ND EVENT
----------------	-------------------------------

(IF RESPONDENT MENTIONS ANY MISCARRIAGES/ABORTIONS/STILL BIRTHS)

(SECOND REPORT)

Did you have any physical or psychological effects from your
 (abortion/miscarriage/loss of baby) in (DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	3	1	No
66.7	0.3	6	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2651-2652

Y7_1222	EFFECTS F/2ND EVENT-1ST EFFECT
---------	--------------------------------

(IF YES TO Y7_1221)

Please describe effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
66.7	0.2	4	4	Depression
16.7	0.1	1	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
16.7	0.1	1	11	Other problem
0.0	0.0	0	12	Other benefit
0.0	0.0	0	13	Anger
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2653-2654

Y7_1223	EFFECTS F/2ND EVENT-2ND EFFECT
---------	--------------------------------

(IF YES TO Y7_1221)

Please describe effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.3	5	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
16.7	0.1	1	10	Relieved
0.0	0.0	0	11	Other problem
0.0	0.0	0	12	Other benefit
0.0	0.0	0	13	Anger
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 2655-2656

Y7_1226

PRES EFFECTS FROM EVENTS-1ST EFF

(IF YES TO Y7_1225)

Please describe problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No effect
5.9	0.1	1	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
11.8	0.1	2	4	Depression
5.9	0.1	1	5	Guilt
0.0	0.0	0	6	Fatigue
5.9	0.1	1	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
23.5	0.2	4	11	Other problem
41.2	0.4	7	12	Other benefit
5.9	0.1	1	13	Anger
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2661-2662

Y7_1227	PRES EFFECTS FROM EVENTS-2ND EFF
---------	----------------------------------

(IF YES TO Y7_1225)

Please describe problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	0.7	12	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
5.9	0.1	1	4	Depression
0.0	0.0	0	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
5.9	0.1	1	11	Other problem
17.6	0.2	3	12	Other benefit
0.0	0.0	0	13	Anger
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2663-2664

Y7_1228

PRES EFFECTS FROM EVENTS-3RD EFF

(IF YES TO Y7_1225)

Please describe problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	0.9	16	0	No effect
0.0	0.0	0	1	Hemorrhaging/blood disorders
0.0	0.0	0	2	Hysterectomy
0.0	0.0	0	3	Infections
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Guilt
0.0	0.0	0	6	Fatigue
0.0	0.0	0	7	Fear of pregnancy/intercourse
0.0	0.0	0	8	Husband/boyfriend upset
0.0	0.0	0	9	Never get another abortion
0.0	0.0	0	10	Relieved
0.0	0.0	0	11	Other problem
0.0	0.0	0	12	Other benefit
5.9	0.1	1	13	Anger
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 2665-2666

Depression

Y7_1229 DEPRESS > 2 WKS -1984,1985,1986

In the past three years (1984-1986) have you had two weeks or more during which you felt sad, blue, depressed, or when you lost all interest and pleasure in things that you usually cared about or enjoyed?

(IF NO, SKIP TO Y7_1273)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	53.7	926	1	No
33.0	26.5	457	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2667-2668

Y7_1230 DEPRESSION-LOSS OF APPETITE

During the past three years, has there ever been a period of two weeks or longer when you lost your appetite?

(CAN BE POSITIVE EVEN IF FOOD INTAKE IS NORMAL)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	21.9	378	1	Symptom not present
17.3	4.6	79	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2669-2670

Y7_1231	DEPRESSION-LOSS OF WEIGHT
----------------	----------------------------------

During the past three years, have you lost weight without trying to- as much as two pounds a week for several weeks (or as much as 10 pounds altogether)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	24.8	428	1	Symptom not present
6.3	1.7	29	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2671-2672

Y7_1232	DEPRESSION-WEIGHT GAIN
----------------	-------------------------------

Have you had a period when your eating increased so much that you gained as much as two pounds a week for several weeks (or 10 pounds altogether)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	24.4	421	1	Symptom not present
7.9	2.1	36	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2673-2674

Y7_1233	DEPRESSION-APPETITE SUMMARY
----------------	------------------------------------

APPETITE SECTION CODE BOX

(MAKE NO ENTRY IF ALL APPETITE QUESTIONS WERE CODED 1, MARK AN "X" IF ANY ONE APPETITE QUESTION IS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	19.9	344	1	No symptom(s)
24.7	6.6	113	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2675-2676

Y7_1234	DEPRESSION-INSOMNIA
----------------	----------------------------

During the past three years, have you ever had a period of two weeks or more when you had trouble falling asleep, staying asleep, or with waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	19.8	341	1	Symptom not present
25.4	6.7	116	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2677-2678

Y7_1235	DEPRESSION-SLEEP TOO MUCH
----------------	----------------------------------

During the past three years, have you had a period of two weeks or longer when you were sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	22.0	380	1	Symptom not present
16.8	4.5	77	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2679-2680

Y7_1236	DEPRESSION-SLEEP SUMMARY
----------------	---------------------------------

SLEEP SECTION CODE BOX

(MAKE NO ENTRY IF ALL SLEEP QUESTIONS WERE CODED 1, MARK AN "X" IF ANY ONE SLEEP QUESTION IS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	17.4	300	1	No symptom(s)
34.4	9.1	157	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2681-2682

Y7_1237 DEPRESSION-TIRED ALL THE TIME

During the past three years, has there been a period lasting two weeks or more when you felt tired out all of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	18.2	314	1	Symptom not present
31.1	8.2	142	5	Symptom present
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2683-2684

Y7_1238 DEPRESSION-TIRED SUMMARY

TIRED SECTION CODE BOX

(MAKE NO ENTRY IF ALL TIRED QUESTIONS WERE CODED 1, MARK AN "X" IF ANY ONE TIRED QUESTION IS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	18.2	314	1	No symptom(s)
31.1	8.2	142	5	Symptom in at least one category
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2685-2686

Y7_1239	DEPRESSION-TALK/MOVE SLOWER
----------------	------------------------------------

During the past three years has there been a period of two weeks or more when you talked or moved more slowly than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	24.5	422	1	Symptom not present
7.7	2.0	35	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2687-2688

Y7_1240	DEPRESSION-UNABLE TO BE STILL
----------------	--------------------------------------

During the past three years, has there been a period of two weeks or more when you had to be moving all the time--that is, you couldn't sit still and paced up and down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	24.8	427	1	Symptom not present
6.6	1.7	30	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2689-2690

Y7_1241	DEPRESSION-SLOW/RESTLESS SUMMARY
----------------	---

SLOW/RESTLESS SECTION CODE BOX

(MAKE NO ENTRY IF ALL SLOW/RESTLESS QUESTIONS WERE CODED 1, MARK AN "X" IF ANY ONE SLOW/RESTLESS QUESTION IS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	23.0	397	1	No symptom(s)
13.1	3.5	60	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 2691-2692

Y7_1242	DEPRESSION-LOST INTEREST IN SEX
----------------	--

During the past three years, has there been a period of several weeks when your interest in sex was a lot less than usual?

(IF VOLUNTEERS NO INTEREST EVER, CODE AS 1 BELOW)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	23.4	403	1	Symptom not present
11.8	3.1	54	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 2693-2694

Y7_1243	DEPRESSION-LOST INTEREST SUMMARY
----------------	---

LOST INTEREST SECTION CODE BOX

(MAKE NO ENTRY IF THE LOST INTEREST QUESTION WAS CODED 1 MARK AN "X"
IF LOST INTEREST QUESTION WAS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	23.4	403	1	No symptom(s)
11.8	3.1	54	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2695-2696

Y7_1244	DEPRESSION-TROUBLE CONCENTRATING
----------------	---

During the past three years, has there been a period of two weeks or more when you had a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	20.1	347	1	Symptom not present
23.9	6.3	109	5	Symptom present
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2697-2698

Y7_1245	DEPRESSION-THOUGHTS SLOW/MIX UP
----------------	--

Have you had a period when your thoughts came much slower than usual or seemed mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	22.6	390	1	Symptom not present
14.7	3.9	67	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2699-2700

Y7_1246	DEPRESSION-TROUBLE THINK SUMMARY
----------------	---

TROUBLE THINKING SECTION CODE BOX

(MAKE NO ENTRY IF ALL TROUBLE THINKING QUESTIONS WERE CODED 1, MARK AN "X" IF EITHER OF THE TROUBLE THINKING QUESTIONS WAS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	18.8	325	1	No symptom(s)
28.7	7.6	131	5	Symptom in at least one category
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2701-2702

Y7_1247	DEPRESSION-FELT WORTHLESS/GUILTY
----------------	---

During the past three years, has there been a period of two weeks or more when you felt worthless, sinful or guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	15.6	269	1	Symptom not present
41.1	10.9	188	5	Symptom present
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2703-2704

Y7_1248	DEPRESSION-WORTHLESS SUMMARY
----------------	-------------------------------------

WORTHLESS SECTION CODE BOX

(MAKE NO ENTRY IF QUESTION WAS CODED 1, MARK AN "X" IF WORTHLESS QUESTION WAS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	15.6	269	1	No symptom(s)
41.1	10.9	188	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2705-2706

Y7_1251	DEPRESSION-THOUGHT OF SUICIDE
----------------	--------------------------------------

During the past three years, have you felt so low you thought of committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	21.2	366	1	Symptom not present
19.7	5.2	90	5	Symptom present
	73.6	1,269	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2711-2712

Y7_1252	DEPRESSION-ATTEMPTED SUICIDE
----------------	-------------------------------------

During the past three years have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	25.3	437	1	Symptom not present
4.0	1.0	18	5	Symptom present
	73.6	1,270	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2713-2714

Y7_1253	DEPRESSION-THOUGHT DEATH SUMMARY
----------------	---

THOUGHT OF DEATH SECTION CODE BOX

(MAKE NO ENTRY IF DEATH QUESTION CODED 1, MARK AN "X" IF ANY DEATH QUESTION IS CODED 5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	12.7	219	1	No symptom(s)
52.1	13.8	238	5	Symptom in at least one category
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2715-2716

Y7_1254	FLAG FOR DEPRESSION
----------------	----------------------------

(INTERVIEWER: HAVE '5's BEEN CODED AND BOXES MARKED IN 3 OR MORE SECTIONS (E.G., APPETITE, SLEEP, TIRED)?)

(IF NO, SKIP TO Y7_1273)
 (IF YES, GO TO Y7_1255)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	16.3	281	1	No: less than 3 summaries
38.5	10.2	176	2	Yes: 3 or more summaries
	73.5	1,268	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2717-2718

Y7_1255	DEPRESS OTH PROBS OCCUR TOGETHER
----------------	---

You said that during the past three years you've had a problem of feeling (depressed or blue/R'S TERM) and also said you've had some other problems like (LIST ALL '5's IN QUESTIONS Y7_1230-Y7_1252). Has there ever been a time when the feelings of depression and some of these other problems occurred together--that is, within the same month?

(IF YES, SKIP TO Y7_1257)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	9.3	160	1	Yes
9.1	0.9	16	2	No
	89.8	1,549	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2719-2720

Y7_1256	NOT BLUE PLUS OTHER SYMPTOMS
----------------	-------------------------------------

(IF NO, TO Y7_1255)

So there's never been a period during the past three years when you felt sad, blue, or depressed at the same time you were having some of these other problems? Is that correct?

(IF YES, SKIP TO Y7_1273)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.7	12	1	Yes (No correction)
25.0	0.2	4	2	No (Depression with symptoms)
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2721-2722

Y7_1257 LONG TIME DEPRESS/OTH SYMP-YRS

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Years)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	9.3	161	0	
0.6	0.1	1	1	
0.6	0.1	1	2	
0.6	0.1	1	3	
	90.5	1,561	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2723-2724

Y7_1258 LONG TIME DEPRESS/OTH SYMP-MOS

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Months)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

Min	= 0	Mean	= 1.591
Max	= 8	Std Dev	= 2.092
Median	= 1	Variance	= 4.378

(Based on 164 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2725-2726

Y7_1259**LONG TIME DEPRESS/OTH SYMP-WKS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Weeks)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

Min	=	0	Mean	=	1.372
Max	=	21	Std Dev	=	2.348
Median	=	0	Variance	=	5.511

(Based on 164 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2727-2728

Y7_1260**LONG TIME DEPRESS/OTH SYMP-DYS**

During the past three years, what's the longest spell you've ever had when you felt blue and had several of the other problems at the same time? (Days)

(INTERVIEWER: IF LESS THAN 14 DAYS SKIP TO Y7_1273)

Min	=	0	Mean	=	.768
Max	=	90	Std Dev	=	7.177
Median	=	0	Variance	=	51.504

(Based on 164 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2729-2730

Y7_1261	NO. EPISODE DEPRESS/OTH SYMPTOMS
----------------	---

Now I'd like to ask about spells when you felt both (depressed/R'S TERM)and had some of these other problems like (LIST 2 OR 3 ITEMS CODED "5" IN QUESTIONS Y7_1230-Y7_1252. In the past three years, how many spells like that have you had that lasted two weeks or more? (NUMBER OF SPELLS)

Min	=	1	Mean	=	3.778
Max	=	60	Std Dev	=	6.236
Median	=	2	Variance	=	38.885

(Based on 153 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2731-2732

Y7_1262	SEE DOCTOR ABOUT ANY EPISODES
----------------	--------------------------------------

Did you tell a doctor about (that spell/any of those spells)?

(IF YES, SKIP TO Y7_1266)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	5.5	95	1	No
37.9	3.4	58	5	Yes
	91.1	1,572	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2733-2734

Y7_1263	SEE PROFESSIONAL ABOUT EPISODES
----------------	--

Did you tell any other professional about (it/any of them)?

(IF YES, SKIP TO Y7_1266)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	4.9	85	1	No
12.4	0.7	12	5	Yes
	94.4	1,628	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2735-2736

Y7_1264	MEDICINE > ONCE FOR FOR EPISODES
----------------	--

Did you take medicine more than once because of (that spell/any of those spells)?

(IF YES, SKIP TO Y7_1266)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	4.5	78	1	No
8.2	0.4	7	5	Yes
	95.1	1,640	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2737-2738

Y7_1265	EPISODES INTERFERE W/LIFE
----------------	----------------------------------

Did (that spell/those spells) interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.7	12	1	No
84.6	3.8	66	5	Yes
	95.5	1,647	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2739-2740

Y7_1266	EPISODE OCCR AFT DEATH LOVED ONE
----------------	---

(THIS QUESTION REFERS TO SPELLS DURING THE PAST THREE YEARS)

Did (this spell/any of those spells) occur just after someone close to you died?

(IF RESPONDENT VOLUNTEERS THAT SPELL(S) BEGAN MORE THAN 2 MONTHS AFTER DEATH CODE 1 AND GO TO Y7_1268)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	6.7	116	1	No
24.2	2.1	37	2	Yes
	91.1	1,572	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2741-2742

Y7_1267	ANY EPISODE NOT ASSOC W/DEATH
----------------	--------------------------------------

(IF YES TO Y7_1266)

Have you had any spell of (depression/OWN EQUIVALENT) along with these other problems (such as _____) at times when it wasn't due to a death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	0.8	14	2	Only due to a death
63.2	1.4	24	5	Not due to a death
	97.8	1,687	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2743-2744

Y7_1268	DEPRESSED PLUS OTHER SYMPTOM NOW
----------------	---

Are you in one of those spells of feeling low or disinterested and having some of these other problems now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	1.9	33	1	Yes
78.4	7.0	120	2	No
	91.1	1,572	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2745-2746

Y7_1269	WHEN LAST SUCH EPISODE ENDED
----------------	-------------------------------------

When did your last spell like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.5	8	1	Within last 2 weeks
12.6	0.9	15	2	Within last month
37.0	2.6	44	3	Within last 6 months
17.6	1.2	21	4	Within last year
26.1	1.8	31	5	More than 1 year ago
	93.1	1,606	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2747-2748

Y7_1270	HOW OLD THEN
----------------	---------------------

(IF MORE THAN 1 YEAR AGO TO Y7_1269)

How old were you then?

Min	= 18	Mean	= 22.172
Max	= 27	Std Dev	= 2.269
Median	= 22	Variance	= 5.148

(Based on 29 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2749-2750

Y7_1271	SEEING PROFESSIONAL FOR EPISODE
----------------	--

(INTERVIEWER: IF RESPONDENT ANSWERS YES TO Y7_1268)

Are you currently seeing a Doctor or other mental health professional about this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.4	7	1	Yes
78.8	1.5	26	2	No
	98.1	1,692	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2751-2752

Y7_1272	UNUSABLE CODE
----------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	0.5	8	1	
68.0	1.0	17	2	
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2753-2754

Use of Outpatient Services

Y7_1273

HELP TO FRIEND/RELATIVE-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the last year have you gone to a friend or relative for help with these problems?

Min	=	0	Mean	=	25.542
Max	=	999	Std Dev	=	146.564
Median	=	0	Variance	=	21,481.140

(Based on 1,379 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 2755-2757

Y7_1274

HELP TO FRIEND/RELATIVE-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
3.1	0.8	14	1	Drugs
3.8	1.0	17	2	Alcohol
22.2	5.7	99	3	Family relationships
23.4	6.0	104	4	Depression
2.2	0.6	10	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.0	3.4	58	7	Emotional stress/nerves
8.1	2.1	36	8	Problem with boy/girlfriend
5.8	1.5	26	9	Work/school problems
0.2	0.1	1	10	Problems with friends
3.1	0.8	14	11	Physical health/illness
2.5	0.6	11	12	Financial problems
1.1	0.3	5	13	Death of friend/relative
11.2	2.9	50	99	Other
	74.2	1,280	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2758-2759

Y7_1275	HELP TO FRIEND/RELATIVE-2ND PROB
---------	----------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	16.1	278	0	No problem
0.0	0.0	0	1	Drugs
0.2	0.1	1	2	Alcohol
3.4	0.9	15	3	Family relationships
2.7	0.7	12	4	Depression
1.3	0.3	6	5	Sexual relationships
0.2	0.1	1	6	Trouble with the law
4.0	1.0	18	7	Emotional stress/nerves
6.1	1.6	27	8	Problem with boy/girlfriend
5.8	1.5	26	9	Work/school problems
0.0	0.0	0	10	Problems with friends
2.9	0.8	13	11	Physical health/illness
1.1	0.3	5	12	Financial problems
1.8	0.5	8	13	Death of friend/relative
7.9	2.0	35	99	Other
	74.2	1,280	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2760-2761

Y7_1276	HELP TO FRIEND/RELATIVE-3RD PROB
----------------	---

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1273)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	23.0	397	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.7	0.2	3	4	Depression
0.7	0.2	3	5	Sexual relationships
0.2	0.1	1	6	Trouble with the law
0.2	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
2.7	0.7	12	9	Work/school problems
0.2	0.1	1	10	Problems with friends
1.1	0.3	5	11	Physical health/illness
0.7	0.2	3	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
4.3	1.1	19	99	Other
	74.2	1,280	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2762-2763

Y7_1277	HELP TO FRIEND/RELATIVE-AMT HELP
----------------	---

How much did A friend or relative help with any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	1	None at all
6.3	1.6	28	2	Only a little
15.8	4.1	70	3	Some
28.4	7.3	126	4	A fair amount
49.0	12.6	217	5	A great deal
	74.3	1,282	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2764-2765

Y7_1278 HELP MINISTER/RABBI-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a minister, priest, or rabbi for help with any of these problems?

Min = 0 Mean = 10.311
 Max = 999 Std Dev = 100.033
 Median = 0 Variance = 10,006.618

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2766-2768

Y7_1279 HELP MINISTER/RABBI-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1278)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
1.3	0.1	1	1	Drugs
6.7	0.3	5	2	Alcohol
28.0	1.2	21	3	Family relationships
24.0	1.0	18	4	Depression
2.7	0.1	2	5	Sexual relationships
1.3	0.1	1	6	Trouble with the law
6.7	0.3	5	7	Emotional stress/nerves
6.7	0.3	5	8	Problem with boy/girlfriend
2.7	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
2.7	0.1	2	12	Financial problems
1.3	0.1	1	13	Death of friend/relative
16.0	0.7	12	99	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2769-2770

Y7_1280

HELP MINISTER/RABBI-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1278)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	3.1	54	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
4.0	0.2	3	3	Family relationships
1.3	0.1	1	4	Depression
1.3	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
1.3	0.1	1	7	Emotional stress/nerves
1.3	0.1	1	8	Problem with boy/girlfriend
4.0	0.2	3	9	Work/school problems
0.0	0.0	0	10	Problems with friends
1.3	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
13.3	0.6	10	99	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2771-2772

Y7_1283	HELP PYSCH/COUNSEL-FREQ
----------------	--------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you to a psychiatrist, psychologist, social worker or counselor in private practice for help with your emotions, nerves, drugs, alcohol, or your mental health?

Min	=	0	Mean	=	23.790
Max	=	999	Std Dev	=	150.200
Median	=	0	Variance	=	22,560.150

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2777-2779

Y7_1284	HELP PYSCH/COUNSEL-1ST PROB
----------------	------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
1.2	0.1	1	1	Drugs
8.5	0.4	7	2	Alcohol
23.2	1.1	19	3	Family relationships
30.5	1.4	25	4	Depression
2.4	0.1	2	5	Sexual relationships
1.2	0.1	1	6	Trouble with the law
12.2	0.6	10	7	Emotional stress/nerves
4.9	0.2	4	8	Problem with boy/girlfriend
1.2	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
6.1	0.3	5	11	Physical health/illness
0.0	0.0	0	12	Financial problems
1.2	0.1	1	13	Death of friend/relative
7.3	0.3	6	99	Other
	95.2	1,643	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2780-2781

Y7_1285 HELP PYSCH/COUNSEL-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	2.7	47	0	No problem
0.0	0.0	0	1	Drugs
2.4	0.1	2	2	Alcohol
2.4	0.1	2	3	Family relationships
6.1	0.3	5	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
9.8	0.5	8	7	Emotional stress/nerves
2.4	0.1	2	8	Problem with boy/girlfriend
3.7	0.2	3	9	Work/school problems
0.0	0.0	0	10	Problems with friends
4.9	0.2	4	11	Physical health/illness
1.2	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
9.8	0.5	8	99	Other
	95.2	1,643	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2782-2783

Y7_1286

HELP PYSCH/COUNSEL-3RD PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1283)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	3.9	67	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
2.4	0.1	2	4	Depression
2.4	0.1	2	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
1.2	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
2.4	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
1.2	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
8.5	0.4	7	99	Other
	95.2	1,643	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2784-2785

Y7_1287

HELP PYSCH/COUNSEL-AMOUNT HELP

How much did a psychiatrist, psychologist, social worker or counselor in private practice help with your emotions, nerves, drugs, alcohol, or your mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.3	5	1	None at all
7.4	0.3	6	2	Only a little
16.0	0.8	13	3	Some
21.0	1.0	17	4	A fair amount
49.4	2.3	40	5	A great deal
	95.3	1,644	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2786-2787

Y7_1288	HELP MEDICAL DR-FREQ
----------------	-----------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you to a medical doctor in private practice (except for a psychiatrist) or to any medical person in private practice?

Min	=	0	Mean	=	8.289
Max	=	999	Std Dev	=	88.847
Median	=	0	Variance	=	7,893.775

(Based on 1,381 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2788-2790

Y7_1289	HELP MEDICAL DR-1ST PROB
----------------	---------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
1.0	0.1	1	1	Drugs
3.9	0.2	4	2	Alcohol
11.7	0.7	12	3	Family relationships
24.3	1.4	25	4	Depression
5.8	0.3	6	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
26.2	1.6	27	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
1.9	0.1	2	9	Work/school problems
0.0	0.0	0	10	Problems with friends
22.3	1.3	23	11	Physical health/illness
0.0	0.0	0	12	Financial problems
1.0	0.1	1	13	Death of friend/relative
1.9	0.1	2	99	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2791-2792

Y7_1290	HELP MEDICAL DR-2ND PROB
---------	--------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	3.4	58	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
1.9	0.1	2	3	Family relationships
2.9	0.2	3	4	Depression
1.0	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
4.9	0.3	5	7	Emotional stress/nerves
3.9	0.2	4	8	Problem with boy/girlfriend
2.9	0.2	3	9	Work/school problems
0.0	0.0	0	10	Problems with friends
13.6	0.8	14	11	Physical health/illness
1.0	0.1	1	12	Financial problems
1.0	0.1	1	13	Death of friend/relative
10.7	0.6	11	99	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2793-2794

Y7_1291	HELP MEDICAL DR-3RD PROB
----------------	---------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1288)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	5.5	95	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
1.0	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
1.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
2.9	0.2	3	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
2.9	0.2	3	99	Other
	94.0	1,622	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2795-2796

Y7_1292	HELP MEDICAL DR-AMOUNT HELP
----------------	------------------------------------

How much did a medical doctor in private practice (except for a psychiatrist) or to any medical person in private practice help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	0.5	9	1	None at all
9.4	0.5	9	2	Only a little
26.0	1.4	25	3	Some
20.8	1.2	20	4	A fair amount
34.4	1.9	33	5	A great deal
	94.4	1,629	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2797-2798

Y7_1293	HELP SPIRIT/HEALER-FREQ
----------------	--------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a spiritualist, herbalist, natural therapist or reader for problems with emotions, nerves, drugs, alcohol, or mental health?

Min	=	0	Mean	=	.774
Max	=	999	Std Dev	=	26.879
Median	=	0	Variance	=	722.470

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2799-2801

Y7_1294	HELP SPIRIT/HEALER-1ST PROB
----------------	------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
8.3	0.1	1	2	Alcohol
8.3	0.1	1	3	Family relationships
16.7	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
25.0	0.2	3	7	Emotional stress/nerves
16.7	0.1	2	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
8.3	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
16.7	0.1	2	99	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2802-2803

Y7_1295

HELP SPIRIT/HEALER-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
8.3	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
8.3	0.1	1	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
8.3	0.1	1	99	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2804-2805

Y7_1296	HELP SPIRIT/HEALER-3RD PROB
---------	-----------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1293)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.6	11	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
8.3	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2806-2807

Y7_1297

HELP SPIRIT/HEALER-AMOUNT HELP

How much did a spiritualist, herbalist, natural therapist or reader help your problems with emotions, nerves, drugs, alcohol, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	None at all
8.3	0.1	1	2	Only a little
16.7	0.1	2	3	Some
25.0	0.2	3	4	A fair amount
41.7	0.3	5	5	A great deal
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2808-2809

Y7_1298

HELP ANYONE ELSE-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to anyone else?

Min	=	0	Mean	=	3.762
Max	=	999	Std Dev	=	60.042
Median	=	0	Variance	=	3,605.093

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2810-2812

Y7_1300

HELP ANYONE ELSE-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1298)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	6	0	No problem
0.0	0.0	0	1	Drugs
7.1	0.1	1	2	Alcohol
7.1	0.1	1	3	Family relationships
14.3	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
7.1	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
21.4	0.2	3	99	Other
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2815-2816

Y7_1301	HELP ANYONE ELSE-3RD PROB
----------------	----------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1298)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.7	12	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
14.3	0.1	2	99	Other
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2817-2818

Y7_1302	HELP ANYONE ELSE-AMOUNT HELP
----------------	-------------------------------------

How much did anyone else help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	None at all
14.3	0.1	2	2	Only a little
14.3	0.1	2	3	Some
7.1	0.1	1	4	A fair amount
64.3	0.5	9	5	A great deal
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2819-2820

Y7_1303	HELP MENTAL HEALTH-FREQ
----------------	--------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a mental health center?

Min	=	0	Mean	=	10.244
Max	=	999	Std Dev	=	100.081
Median	=	0	Variance	=	10,016.135

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2821-2823

Y7_1304	HELP MENTAL HEALTH-1ST PROB
----------------	------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
10.5	0.1	2	1	Drugs
0.0	0.0	0	2	Alcohol
26.3	0.3	5	3	Family relationships
31.6	0.3	6	4	Depression
10.5	0.1	2	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
21.1	0.2	4	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2824-2825

Y7_1305	HELP MENTAL HEALTH-2ND PROB
---------	-----------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	0.6	11	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
5.3	0.1	1	3	Family relationships
5.3	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
15.8	0.2	3	7	Emotional stress/nerves
5.3	0.1	1	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
5.3	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
5.3	0.1	1	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2826-2827

Y7_1306**HELP MENTAL HEALTH-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1303)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	0.9	15	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
5.3	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
5.3	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
10.5	0.1	2	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 2828-2829

Y7_1307**HELP MENTAL HEALTH-AMOUNT HELP**

How much did going to a mental health center help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.2	4	1	None at all
5.9	0.1	1	2	Only a little
29.4	0.3	5	3	Some
11.8	0.1	2	4	A fair amount
29.4	0.3	5	5	A great deal
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 2830-2831

Y7_1310

HELP PSYCH/OUT CLINIC-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1308)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.3	6	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
20.0	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	2	99	Other
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 2837-2838

Y7_1313	HELP OUT CLINIC PSYCH-FREQ
----------------	-----------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to an outpatient clinic in a psychiatric hospital?

Min	=	0	Mean	=	1.497
Max	=	999	Std Dev	=	37.980
Median	=	0	Variance	=	1,442.499

(Based on 1,384 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2843-2845

Y7_1314	HELP OUT CLINIC PSYCH-1ST PROB
----------------	---------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1313)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
60.0	0.2	3	3	Family relationships
20.0	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
20.0	0.1	1	99	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2846-2847

Y7_1316	HELP OUT CLINIC PSYCH-3RD PROB
----------------	---------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1313)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.2	3	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
20.0	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
20.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2850-2851

Y7_1317	HELP OUT CLINIC PSYCH-AMOUNT HLP
----------------	---

How much did going to an outpatient clinic in a psychiatric hospital help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	None at all
0.0	0.0	0	2	Only a little
0.0	0.0	0	3	Some
20.0	0.1	1	4	A fair amount
80.0	0.2	4	5	A great deal
	99.7	1,720	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2852-2853

Y7_1318	HELP DRUG CLINIC-FREQ
----------------	------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a drug clinic?

Min	=	0	Mean	=	2.221
Max	=	999	Std Dev	=	46.507
Median	=	0	Variance	=	2,162.887

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2854-2856

Y7_1319	HELP DRUG CLINIC-1ST PROB
----------------	----------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
100.0	0.5	9	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2857-2858

Y7_1320

HELP DRUG CLINIC-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	6	0	No problem
0.0	0.0	0	1	Drugs
22.2	0.1	2	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
11.1	0.1	1	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2859-2860

Y7_1321	HELP DRUG CLINIC-3RD PROB
----------------	----------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1318)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2861-2862

Y7_1322	HELP DRUG CLINIC-AMOUNT HELP
----------------	-------------------------------------

How much did going to a drug clinic help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	1	None at all
22.2	0.1	2	2	Only a little
22.2	0.1	2	3	Some
11.1	0.1	1	4	A fair amount
22.2	0.1	2	5	A great deal
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2863-2864

Y7_1323

HELP ALCOHOLIC CLINIC-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to an alcohol clinic?

Min	=	0	Mean	=	.972
Max	=	999	Std Dev	=	27.107
Median	=	0	Variance	=	734.810

(Based on 1,384 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2865-2867

Y7_1324

HELP ALCOHOLIC CLINIC-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
11.1	0.1	2	1	Drugs
88.9	0.9	16	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2868-2869

Y7_1325	HELP ALCOHOLIC CLINIC-2ND PROB
---------	--------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.8	14	0	No problem
0.0	0.0	0	1	Drugs
11.1	0.1	2	2	Alcohol
5.6	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
5.6	0.1	1	99	Other
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2870-2871

Y7_1326**HELP ALCOHOLIC CLINIC-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1323)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	18	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2872-2873

Y7_1327**HELP ALCOHOLIC CLINIC-AMOUNT HLP**

How much did going to an alcohol clinic help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.1	1	1	None at all
16.7	0.2	3	2	Only a little
22.2	0.2	4	3	Some
5.6	0.1	1	4	A fair amount
50.0	0.5	9	5	A great deal
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2874-2875

Y7_1328 HELP EMERGENCY ROOM-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to an emergency room for problems with emotions, nerves, drugs, alcohol or mental health?

Min = 0 Mean = 4.353
 Max = 999 Std Dev = 65.657
 Median = 0 Variance = 4,310.790

(Based on 1,384 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2876-2878

Y7_1329 HELP EMERGENCY ROOM-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
4.0	0.1	1	1	Drugs
4.0	0.1	1	2	Alcohol
12.0	0.2	3	3	Family relationships
16.0	0.2	4	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
24.0	0.3	6	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
4.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
24.0	0.3	6	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
12.0	0.2	3	99	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2879-2880

Y7_1330

HELP EMERGENCY ROOM-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	0.8	13	0	No problem
0.0	0.0	0	1	Drugs
4.0	0.1	1	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
16.0	0.2	4	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
12.0	0.2	3	11	Physical health/illness
0.0	0.0	0	12	Financial problems
4.0	0.1	1	13	Death of friend/relative
12.0	0.2	3	99	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2881-2882

Y7_1331 HELP EMERGENCY ROOM-3RD PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1328)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	1.3	22	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
4.0	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
4.0	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
4.0	0.1	1	99	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2883-2884

Y7_1332 HELP EMERGENCY ROOM-AMOUNT HELP

How much did going to an emergency room for problems with emotions, nerves, drugs, alcohol or mental health help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	0.3	6	1	None at all
16.0	0.2	4	2	Only a little
16.0	0.2	4	3	Some
12.0	0.2	3	4	A fair amount
32.0	0.5	8	5	A great deal
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2885-2886

Y7_1333 HELP FAM/SOC AGENCY-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a family service, child counseling or social service agency?

Min = 0 Mean = 4.439
 Max = 999 Std Dev = 65.674
 Median = 0 Variance = 4,313.065

(Based on 1,384 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2887-2889

Y7_1334 HELP FAM/SOC AGENCY-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
15.8	0.2	3	2	Alcohol
42.1	0.5	8	3	Family relationships
21.1	0.2	4	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
5.3	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
10.5	0.1	2	11	Physical health/illness
5.3	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2890-2891

Y7_1335	HELP FAM/SOC AGENCY-2ND PROB
---------	------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	0.7	12	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
10.5	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
5.3	0.1	1	11	Physical health/illness
5.3	0.1	1	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
15.8	0.2	3	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2892-2893

Y7_1336**HELP FAM/SOC AGENCY-3RD PROB**

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1333)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	0.9	15	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
5.3	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
15.8	0.2	3	99	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2894-2895

Y7_1337**HELP FAM/SOC AGENCY-AMOUNT HELP**

How much did going to family service, child counseling or social service agency help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	None at all
15.8	0.2	3	2	Only a little
21.1	0.2	4	3	Some
10.5	0.1	2	4	A fair amount
47.4	0.5	9	5	A great deal
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2896-2897

Y7_1338 HELP SELF-HELP GROUP-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a self-help group like Alcoholics Anonymous, etc.?

Min = 0 Mean = 2.897
 Max = 999 Std Dev = 47.547
 Median = 0 Variance = 2,260.750

(Based on 1,384 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2898-2900

Y7_1339 HELP SELF-HELP GROUP-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1338)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
26.5	0.5	9	1	Drugs
58.8	1.2	20	2	Alcohol
2.9	0.1	1	3	Family relationships
2.9	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
2.9	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
5.9	0.1	2	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2901-2902

Y7_1340

HELP SELF-HELP GROUP-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1338)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	1.3	22	0	No problem
0.0	0.0	0	1	Drugs
8.8	0.2	3	2	Alcohol
23.5	0.5	8	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
2.9	0.1	1	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2903-2904

Y7_1343	HELP CRISIS/HOTLINE-FREQ
----------------	---------------------------------

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to a community program like a crisis center or hotline (not including any other clinics mentioned above)?

Min	=	0	Mean	=	1.479
Max	=	999	Std Dev	=	37.979
Median	=	0	Variance	=	1,442.381

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2909-2911

Y7_1344	HELP CRISIS/HOTLINE-1ST PROB
----------------	-------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
27.3	0.2	3	1	Drugs
0.0	0.0	0	2	Alcohol
18.2	0.1	2	3	Family relationships
9.1	0.1	1	4	Depression
9.1	0.1	1	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
18.2	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
18.2	0.1	2	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2912-2913

Y7_1345	HELP CRISIS/HOTLINE-2ND PROB
---------	------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.5	8	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
9.1	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
18.2	0.1	2	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2914-2915

Y7_1346	HELP CRISIS/HOTLINE-3RD PROB
----------------	-------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1343)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.6	10	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
9.1	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2916-2917

Y7_1347	HELP CRISIS/HOTLINE-AMOUNT HELP
----------------	--

How much did going to a community program like a crisis center or hotline (not including any other clinics mentioned above) help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	1	None at all
0.0	0.0	0	2	Only a little
18.2	0.1	2	3	Some
27.3	0.2	3	4	A fair amount
27.3	0.2	3	5	A great deal
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2918-2919

Y7_1348 HELP OTH AGENCY/PROG-FREQ

I'm going to read you a list of different kinds of people and places where someone might get help for problems with emotions, nerves, drugs, alcohol, or general mental health.

How many times in the past year have you gone to any other agencies or programs not mentioned above?

Min = 0 Mean = 2.999
 Max = 999 Std Dev = 53.756
 Median = 0 Variance = 2,889.721

(Based on 1,382 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2920-2922

Y7_1349 HELP OTH AGENCY/PROG-1ST PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1348)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
0.0	0.0	0	1	Drugs
27.3	0.2	3	2	Alcohol
9.1	0.1	1	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
18.2	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
9.1	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
36.4	0.2	4	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2923-2924

Y7_1350

HELP OTH AGENCY/PROG-2ND PROB

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1348)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.5	8	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
18.2	0.1	2	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
9.1	0.1	1	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 2925-2926

Y7_1353	ADMIT HOSP EMOT/DRUG PROB-FREQ
----------------	---------------------------------------

How many times in the past year have you been admitted to a hospital or clinic where you stayed overnight because of personal problems, mental or emotional problems, or a problem with drugs or alcohol?

Min	=	0	Mean	=	3.675
Max	=	999	Std Dev	=	59.992
Median	=	0	Variance	=	3,599.087

(Based on 1,383 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2931-2933

Y7_1354	ADMIT HOSP EMOT/DRUG PROB-1ST
----------------	--------------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No problem
20.0	0.2	3	1	Drugs
33.3	0.3	5	2	Alcohol
13.3	0.1	2	3	Family relationships
13.3	0.1	2	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.3	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
0.0	0.0	0	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
6.7	0.1	1	99	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2934-2935

Y7_1355	ADMIT HOSP EMOT/DRUG PROB-2ND
---------	-------------------------------

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.5	9	0	No problem
0.0	0.0	0	1	Drugs
13.3	0.1	2	2	Alcohol
0.0	0.0	0	3	Family relationships
6.7	0.1	1	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
13.3	0.1	2	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
6.7	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
0.0	0.0	0	99	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2936-2937

Y7_1356

ADMIT HOSP EMOT/DRUG PROB-3RD

(IF ONE OR MORE TIMES DURING THE PAST YEAR TO Y7_1353)

What was the problem(s) for which you sought help during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.7	12	0	No problem
0.0	0.0	0	1	Drugs
0.0	0.0	0	2	Alcohol
0.0	0.0	0	3	Family relationships
0.0	0.0	0	4	Depression
0.0	0.0	0	5	Sexual relationships
0.0	0.0	0	6	Trouble with the law
0.0	0.0	0	7	Emotional stress/nerves
0.0	0.0	0	8	Problem with boy/girlfriend
6.7	0.1	1	9	Work/school problems
0.0	0.0	0	10	Problems with friends
0.0	0.0	0	11	Physical health/illness
0.0	0.0	0	12	Financial problems
0.0	0.0	0	13	Death of friend/relative
13.3	0.1	2	99	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2938-2939

Y7_1357

ADM HOSP EMOT/DRUG PROB-AMT HLP

How much did going to a hospital or clinic where you stayed overnight because of personal problems, mental or emotional problems, or a problem with drugs or alcohol help you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	3	1	None at all
13.3	0.1	2	2	Only a little
6.7	0.1	1	3	Some
0.0	0.0	0	4	A fair amount
60.0	0.5	9	5	A great deal
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2940-2941

SPOUSAL ABUSE

Spouse Abuse by Respondent

Y7_1358 **TIMES YOU-INSULT/SWORE**

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Insulted or sworn at your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	8.3	143	0	Never
8.0	3.4	58	1	Once
13.7	5.7	99	2	Twice
22.6	9.4	163	3	3-5 Times
14.4	6.0	104	4	6-10 Times
9.0	3.8	65	5	11-20 Times
12.5	5.2	90	6	More Than 20 Times
	58.1	1,003	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2942-2943

Y7_1359	TIMES YOU-THREAT HIT/THROW
----------------	-----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Threatened to hit or throw something at your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	29.5	509	0	Never
9.3	3.9	67	1	Once
7.1	3.0	51	2	Twice
7.2	3.0	52	3	3-5 Times
3.9	1.6	28	4	6-10 Times
1.2	0.5	9	5	11-20 Times
1.0	0.4	7	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2944-2945

Y7_1360	TIMES YOU-THREW SOMETHING
----------------	----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Thrown something at your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	35.3	609	0	Never
6.8	2.8	49	1	Once
4.3	1.8	31	2	Twice
3.5	1.4	25	3	3-5 Times
1.2	0.5	9	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2946-2947

Y7_1361	TIMES YOU-PUSHED/GRABBED/SHOVED
----------------	--

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Pushed, grabbed or shoved your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	29.7	512	0	Never
12.2	5.1	88	1	Once
5.9	2.5	43	2	Twice
7.9	3.3	57	3	3-5 Times
2.1	0.9	15	4	6-10 Times
0.4	0.2	3	5	11-20 Times
0.7	0.3	5	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2948-2949

Y7_1362	TIMES YOU-SLAPPED PARTNER
----------------	----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Slapped your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	36.5	629	0	Never
6.8	2.8	49	1	Once
2.8	1.2	20	2	Twice
2.4	1.0	17	3	3-5 Times
0.7	0.3	5	4	6-10 Times
0.1	0.1	1	5	11-20 Times
0.3	0.1	2	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 2950-2951

Y7_1363	TIMES YOU-KICKED/BIT/HIT
----------------	---------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Kicked, bit, or hit your spouse/partner with your fist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	38.1	658	0	Never
3.2	1.3	23	1	Once
2.1	0.9	15	2	Twice
2.1	0.9	15	3	3-5 Times
1.4	0.6	10	4	6-10 Times
0.1	0.1	1	5	11-20 Times
0.1	0.1	1	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2952-2953

Y7_1364	TIMES YOU-HIT W/SOMETHING
----------------	----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Hit or tried to hit your spouse/partner with something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	38.3	660	0	Never
4.0	1.7	29	1	Once
1.7	0.7	12	2	Twice
2.1	0.9	15	3	3-5 Times
1.0	0.4	7	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2954-2955

Y7_1365	TIMES YOU-BEAT UP PARTNER
----------------	----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Beaten up your spouse/partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	41.3	713	0	Never
0.4	0.2	3	1	Once
0.3	0.1	2	2	Twice
0.4	0.2	3	3	3-5 Times
0.3	0.1	2	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2956-2957

Y7_1366	TIMES YOU-THREATENED W/A GUN
----------------	-------------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Threatened your spouse/partner with a knife or gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	41.3	713	0	Never
1.0	0.4	7	1	Once
0.3	0.1	2	2	Twice
0.1	0.1	1	3	3-5 Times
0.0	0.0	0	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2958-2959

Y7_1367	TIMES YOU-USED KNIFE/FIRED GUN
---------	---------------------------------------

(IF MARRIED/LIVING WITH PARTNER)

Between Christmas a year ago and Christmas just past how many times have you personally . . .

Used a knife or fired a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	41.8	721	0	Never
0.1	0.1	1	1	Once
0.0	0.0	0	2	Twice
0.0	0.0	0	3	3-5 Times
0.1	0.1	1	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2960-2961

Spouse Abuse by Partner

Y7_1368 **TIMES PART-INSULT/SWORE**

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Insulted or sworn at you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	9.2	158	0	Never
9.4	3.9	68	1	Once
13.2	5.5	95	2	Twice
23.0	9.6	166	3	3-5 Times
10.9	4.6	79	4	6-10 Times
8.0	3.4	58	5	11-20 Times
13.6	5.7	98	6	More Than 20 Times
	58.1	1,003	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2962-2963

Y7_1369	TIMES PART-THREAT HIT/THROW
----------------	------------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Threatened to hit or throw something at you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	30.0	517	0	Never
6.8	2.8	49	1	Once
5.3	2.2	38	2	Twice
8.0	3.4	58	3	3-5 Times
4.4	1.9	32	4	6-10 Times
2.6	1.1	19	5	11-20 Times
1.2	0.5	9	6	More Than 20 Times
	58.1	1,003	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2964-2965

Y7_1370	TIMES PART-THREW SOMETHING
----------------	-----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Thrown something at you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	33.9	585	0	Never
6.6	2.8	48	1	Once
5.9	2.5	43	2	Twice
3.3	1.4	24	3	3-5 Times
2.2	0.9	16	4	6-10 Times
0.4	0.2	3	5	11-20 Times
0.6	0.2	4	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2966-2967

Y7_1371	TIMES PART-PUSHED/GRABBED/SHOVED
----------------	---

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Pushed, grabbed or shoved you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	29.9	516	0	Never
9.4	3.9	68	1	Once
7.3	3.1	53	2	Twice
7.2	3.0	52	3	3-5 Times
3.0	1.3	22	4	6-10 Times
0.6	0.2	4	5	11-20 Times
1.1	0.5	8	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2968-2969

Y7_1372	TIMES PART-SLAPPED PARTNER
----------------	-----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Slapped you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	35.7	616	0	Never
4.8	2.0	35	1	Once
3.3	1.4	24	2	Twice
3.9	1.6	28	3	3-5 Times
1.5	0.6	11	4	6-10 Times
0.7	0.3	5	5	11-20 Times
0.6	0.2	4	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2970-2971

Y7_1373	TIMES PART-KICKED/BIT/HIT
----------------	----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Kicked, bit, or hit you with their fist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	37.0	639	0	Never
2.8	1.2	20	1	Once
3.3	1.4	24	2	Twice
2.4	1.0	17	3	3-5 Times
2.1	0.9	15	4	6-10 Times
0.3	0.1	2	5	11-20 Times
0.8	0.3	6	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2972-2973

Y7_1374	TIMES PART-HIT W/SOMETHING
----------------	-----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Hit or tried to hit you with something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	36.6	631	0	Never
4.1	1.7	30	1	Once
4.0	1.7	29	2	Twice
2.1	0.9	15	3	3-5 Times
1.5	0.6	11	4	6-10 Times
0.4	0.2	3	5	11-20 Times
0.6	0.2	4	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2974-2975

Y7_1375	TIMES PART-BEAT UP PARTNER
----------------	-----------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Beaten you up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	40.6	700	0	Never
1.1	0.5	8	1	Once
1.1	0.5	8	2	Twice
0.6	0.2	4	3	3-5 Times
0.1	0.1	1	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.3	0.1	2	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2976-2977

Y7_1376	TIMES PART-THREATENED W/A GUN
----------------	--------------------------------------

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Threatened you with a knife or gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	40.4	697	0	Never
2.5	1.0	18	1	Once
0.4	0.2	3	2	Twice
0.4	0.2	3	3	3-5 Times
0.1	0.1	1	4	6-10 Times
0.1	0.1	1	5	11-20 Times
0.0	0.0	0	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2978-2979

Y7_1377	TIMES PART-USED KNIFE/FIRED GUN
----------------	--

(IF MARRIED/LIVING WITH PARTNER)

What about your (spouse/boyfriend/girlfriend)? Tell me how many times in the past 12 months he/she has . . .

Used a knife or fired a gun?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	41.4	715	0	Never
0.7	0.3	5	1	Once
0.1	0.1	1	2	Twice
0.0	0.0	0	3	3-5 Times
0.1	0.1	1	4	6-10 Times
0.0	0.0	0	5	11-20 Times
0.1	0.1	1	6	More Than 20 Times
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2980-2981

Y7_1378	NO. FIGHTS IN PAST YEAR
----------------	--------------------------------

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

Since one or more of these behaviors could have occurred during a single argument or fight with your spouse/boyfriend/girlfriend, altogether how many separate fights have you had during the last year?

Min	=	0	Mean	=	15.073
Max	=	365	Std Dev	=	32.941
Median	=	5	Variance	=	1,085.083

(Based on 330 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2982-2984

Y7_1379	NO. FIGHTS RESULT-PERS PHYS INJ
----------------	--

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

In how many of these fights were you physically injured, e.g., knocked down, bruised, scratched, cut, choked, bones broken, eyes or teeth injured?

Min	=	0	Mean	=	1.255
Max	=	150	Std Dev	=	8.995
Median	=	0	Variance	=	80.907

(Based on 322 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2985-2987

Y7_1380	NO. TIMES TO DR/HOSP TREATM
----------------	------------------------------------

(IF ANY INJURY REPORTED IN Y7_1379)

During the past year, how many times did you go to a doctor, clinic or hospital for medical treatment as a result of these fights?

Min	=	0	Mean	=	.212
Max	=	5	Std Dev	=	.795
Median	=	0	Variance	=	.631

(Based on 66 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2988-2989

Y7_1381	NO. FIGHTS RESULT-PARTN PHYS INJ
----------------	---

(IF RESPONSE OF 1 OR MORE TO Y7_1360-Y7_1367 OR Y7_1370-Y7_1377)

In how many of these fights was your spouse/boyfriend/girlfriend physically injured, e.g., knocked down, bruised, scratched, cut, choked, bones broken, eyes or teeth injured?

Min	=	0	Mean	=	.336
Max	=	11	Std Dev	=	1.088
Median	=	0	Variance	=	1.184

(Based on 330 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2990-2992

Y7_1382	NO TIMES PARTN TO DR/HOSP TREATM
----------------	---

(IF ANY INJURY REPORTED IN Y7_1381)

How many times did your spouse/boyfriend/girlfriend go to a doctor, clinic or hospital for medical treatment as a result of these fights?

Min	=	0	Mean	=	.286
Max	=	3	Std Dev	=	.677
Median	=	0	Variance	=	.458

(Based on 49 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2993-2994

Y7_1383	SEXUAL INTERCOURSE/OPPOSITE SEX
----------------	--

Have you ever had sexual intercourse with a person of the opposite sex?

(IF NO, SKIP TO Y7_1411)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	4.4	76	1	No
94.5	75.5	1,303	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 2995-2996

Y7_1384	SEX INTER (NOT SPOUSE)-FREQ
----------------	------------------------------------

How many times in the last year have you had sexual intercourse with someone of the opposite sex (IF MARRIED, other than your wife/husband?)

Min	=	0	Mean	=	40.312
Max	=	999	Std Dev	=	78.626
Median	=	2	Variance	=	6,182.091

(Based on 1,290 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 2997-2999

Y7_1385	SEX INTER (NOT SPOUSE)-RATE
---------	-----------------------------

(IF FREQUENCY IS 10 OR MORE TO Y7_1384)

How often you were involved in this behavior (Y7_1384)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	33.3	574	1	
7.4	5.5	95	2	
3.5	2.6	45	3	
5.3	4.0	69	4	Once a month
8.4	6.3	109	5	Once every 2-3 weeks
9.4	7.0	121	6	Once a week
18.9	14.1	244	7	2-3 times a week
1.9	1.4	24	8	Once a day
0.7	0.5	9	9	2-3 times a day
	25.2	435	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3000-3001

SEXUAL ACTIVITY

Y7_1386 SEX INTERCOURSE (SPOUSE)-FREQ

(IF MARRIED IN 1986)

How many times in the last year have you had sexual intercourse with your husband/wife?

Min	=	0	Mean	=	117.602
Max	=	900	Std Dev	=	106.620
Median	=	100	Variance	=	11,367.884

(Based on 596 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3002-3004

Y7_1387 SEX INTERCOURSE (SPOUSE)-RATE

(IF FREQUENCY IS 10 OR MORE TO Y7_1386)

How often you were involved in this behavior (Y7_1386)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.5	8	1	
0.8	0.3	5	2	
0.7	0.2	4	3	
2.8	1.0	17	4	Once a month
9.2	3.2	55	5	Once every 2-3 weeks
18.4	6.4	110	6	Once a week
59.8	20.7	357	7	2-3 times a week
5.2	1.8	31	8	Once a day
1.7	0.6	10	9	2-3 times a day
	65.4	1,128	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3005-3006

Y7_1388**HOW MANY SEXUAL PARTNERS**

(IF NO SEXUAL INTERCOURSE IN LAST YEAR SKIP TO Y7_1389)

Altogether during the past year, including your spouse, how many different people of the opposite sex have you had as sexual partners?

Min	=	1	Mean	=	2.091
Max	=	99	Std Dev	=	4.331
Median	=	1	Variance	=	18.755

(Based on 1,244 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3007-3008

Y7_1389**PRESSURED SOMEONE SEXUALLY-FREQ**

How many times in the last year have you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do?

Min	=	0	Mean	=	.018
Max	=	4	Std Dev	=	.217
Median	=	0	Variance	=	.047

(Based on 1,304 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3009-3011

Y7_1390	PRESSURED SOMEONE SEXUALLY-RATE
---------	---------------------------------

(IF FREQUENCY IS 10 OR MORE TO Y7_1389)

How often have you pressured someone?

(IF RESPONSE IS ZERO, SKIP TO Y7_1398)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	74.8	1,291	1	
0.8	0.6	11	2	
0.2	0.1	2	3	
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	24.4	421	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3012-3013

Y7_1391	RELATIONSHIP TO PERSON PRESSURED
---------	---

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

What was your relationship to the person(s)? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.2	4	1	Boy/girlfriend
0.0	0.0	0	2	Date
18.2	0.1	2	3	Friend
9.1	0.1	1	4	Acquaintance
0.0	0.0	0	5	Stranger
36.4	0.2	4	6	Spouse
0.0	0.0	0	7	Relative
0.0	0.0	0	8	Other
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3014-3015

Y7_1392	SEX OF PERSON PRESSURED
----------------	--------------------------------

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

What was the sex of the person(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.1	2	1	Male
81.8	0.5	9	2	Female
0.0	0.0	0	3	Both
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3016-3017

Y7_1393	KIND OF PRESSURE/FORCE USED
----------------	------------------------------------

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

What kind of pressure or force did you use? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.5	9	1	Verbal persuasion
0.0	0.0	0	2	Verbal threats of injury
18.2	0.1	2	3	Hit, slap, mild roughness
0.0	0.0	0	4	Physical beating/choking
0.0	0.0	0	5	Threat to use weapon
0.0	0.0	0	6	Used a weapon
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3018-3019

Y7_1394	OTHERS INVOLVED W/PRESSURING
----------------	-------------------------------------

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

Was anyone else, besides yourself, involved in pressuring or forcing the person(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.6	10	0	No
9.1	0.1	1	3	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3020-3021

Y7_1395	WAS THE PERSON INJURED
----------------	-------------------------------

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

Did you hurt or injure the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	10	1	No
0.0	0.0	0	2	Yes
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3022-3023

Y7_1396	SUCCEED IN FORCING SEX RELATIONS
----------------	---

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

Did you succeed in forcing the person(s) to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	4	1	No
60.0	0.3	6	2	Yes
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3024-3025

Y7_1397	EVENT REPORT ANY OTH QUEST ITEM
----------------	--

(IF ONE OR MORE TO Y7_1390)

Thinking of the last time you pressured or pushed someone such as a date or friend to do more sexually than he/she wanted to do . . .

Did you report this same event for any other question(s) we've asked?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.3	5	0	No
33.3	0.2	3	241	
11.1	0.1	1	439	
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3026-3028

Y7_1398	THREATENED SOMEONE FOR SEX-FREQ
----------------	--

How many times in the last year have you physically hurt or threatened to hurt someone to get them to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	75.5	1,303	0	
0.1	0.1	1	1	
	24.4	421	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3029-3031

Y7_1399	THREATENED SOMEONE FOR SEX-RATE
----------------	--

(IF FREQUENCY IS 10 OR MORE TO Y7_1398)

How often you were involved in this behavior (Y7_1398).

(IF RESPONSE IS ZERO, SKIP TO Y7_1407)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	75.5	1,303	1	
0.1	0.1	1	2	
0.0	0.0	0	4	Once a month
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a week
0.0	0.0	0	7	2-3 times a week
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times a day
	24.4	421	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3032-3033

Y7_1400	RELATIONSHIP TO PERS THREATENED
----------------	--

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

What was your relationship to the person(s) (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Boy/girlfriend
0.0	0.0	0	2	Date
0.0	0.0	0	3	Friend
0.0	0.0	0	4	Acquaintance
0.0	0.0	0	5	Stranger
0.0	0.0	0	6	Spouse
0.0	0.0	0	7	Relative
0.0	0.0	0	8	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3034-3035

Y7_1401	SEX OF PERSON THREATENED
----------------	---------------------------------

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

What was the sex of the person(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Male
100.0	0.1	1	2	Female
0.0	0.0	0	3	Both
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3036-3037

Y7_1402	KIND OF PRESSURE/FORCE USED
----------------	------------------------------------

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

What kind of pressure or force did you use? (CHECK ALL THAT APPLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Verbal persuasion
0.0	0.0	0	2	Verbal threats of injury
100.0	0.1	1	3	Hit, slap, mild roughness
0.0	0.0	0	4	Physical beating/choking
0.0	0.0	0	5	Threat to use weapon
0.0	0.0	0	6	Used a weapon
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3038-3039

Y7_1403	OTHERS INVOLVED W/THREATENING
----------------	--------------------------------------

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

Was anyone else, besides yourself, involved in pressuring or forcing the person(s)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	No
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3040-3041

Y7_1404	WAS THE PERSON INJURED
----------------	-------------------------------

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

Did you hurt or injure the person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3042-3043

Y7_1405	SUCCEED IN FORCING SEX RELATIONS
----------------	---

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

Did you succeed in forcing the person(s) to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3044-3045

Y7_1406 EVENT REPORT ANY OTH QUEST ITEM

(IF ONE OR MORE TO Y7_1399)

Thinking of the last time you physically hurt or threatened to hurt someone to get them to have sex with you . . .

Did you report this same event for any other question(s) we've asked?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	No
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3046-3048

Y7_1407 AGE 1ST SEX INTER W/OPPOSITE SEX

How old were you when you first had sexual intercourse with someone of the opposite sex?

Min	=	4	Mean	=	16.840
Max	=	28	Std Dev	=	2.835
Median	=	17	Variance	=	8.034

(Based on 1,296 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3049-3050

Y7_1408	RELATIONSHIP TO THAT PERSON
----------------	------------------------------------

What was your relationship to that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	4.3	75	1	Husband/wife
4.8	3.6	62	2	Fiance/fiancee
56.0	42.1	727	3	Steady dating partner
25.5	19.2	331	4	Friend
0.2	0.1	2	5	Teacher
5.6	4.2	73	6	Casual acquaintance
0.5	0.4	7	7	Relative
1.5	1.2	20	8	Complete stranger
0.2	0.1	2	9	Prostitute
	24.7	426	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3051-3052

Y7_1409	1ST SEXUAL EXPERIENCE VOLUNTARY
----------------	--

Was your first experience with sexual intercourse forced or voluntary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.7	46	1	Forced
96.5	72.8	1,255	2	Voluntary
	24.6	424	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3053-3054

Y7_1410	FEELINGS ABOUT THAT EXPERIENCE
----------------	---------------------------------------

How do you feel about that sexual experience?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	10.9	188	1	Very positive
33.9	25.6	441	2	Positive
18.6	14.0	242	3	Both positive and negative
21.2	16.0	276	4	Neither positive or negative
6.8	5.1	88	5	Negative
5.0	3.8	65	6	Very negative
	24.6	425	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3055-3056

Y7_1411	SEXUAL RELATIONS W/SAME SEX
----------------	------------------------------------

Have you ever engaged in sexual relations with someone of the same sex?

(IF NO, SKIP TO Y7_1418)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	78.0	1,345	1	No
2.6	2.1	36	2	Yes
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3057-3058

Y7_1412 AGE 1ST TIME SEX REL W/SAME SEX

How old were you when you had your first sexual experience with someone of the same sex? (Age)

Min = 6 Mean = 16.278
 Max = 25 Std Dev = 4.412
 Median = 17 Variance = 19.463

(Based on 36 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3059-3060

Y7_1413 1ST EXPERIENCE VOLUNTARY

Was this experience forced or voluntary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.1	2	1	Forced
94.4	2.0	34	2	Voluntary
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3061-3062

Y7_1414 FEELINGS ABOUT THAT EXPERIENCE

How do you feel about that sexual experience?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.5	8	1	Very positive
8.3	0.2	3	2	Positive
25.0	0.5	9	3	Both positive and negative
30.6	0.6	11	4	Neither positive or negative
8.3	0.2	3	5	Negative
5.6	0.1	2	6	Very negative
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3063-3064

Y7_1415	HOW OFTN SEX REL W/SAME SEX-FREQ
----------------	---

How many times in the last year, that is from Christmas a year ago to the Christmas just past, have you had sexual relations with someone of the same sex?

Min	=	0	Mean	=	35.111
Max	=	365	Std Dev	=	78.635
Median	=	3.5	Variance	=	6,183.473

(Based on 36 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3065-3067

Y7_1416	HOW OFTN SEX REL W/SAME SEX-RATE
----------------	---

(IF FREQUENCY IS 10 OR MORE TO Y7_1415)

How often have you had intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.7	12	1	
16.7	0.3	6	2	
8.3	0.2	3	3	
5.6	0.1	2	4	Once a month
13.9	0.3	5	5	Once every 2-3 weeks
5.6	0.1	2	6	Once a week
13.9	0.3	5	7	2-3 times a week
2.8	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times a day
	97.9	1,689	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3068-3069

Y7_1417	NO. OF SAME-SEX SEX PART LAST YR
----------------	---

Altogether during the past year, how many different people of the same sex have you had as sexual partners?

Min	=	0	Mean	=	2.147
Max	=	10	Std Dev	=	2.664
Median	=	1	Variance	=	7.099

(Based on 34 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3070-3071

Y7_1418	SEXUAL IDENTITY
----------------	------------------------

At this point in your life, how would you describe your sexual identity, that is, your sexual preference or commitment? (CHECK ONLY ONE RESPONSE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	77.2	1,331	1	Heterosexual
0.9	0.8	13	2	Bisexual
1.2	0.9	16	3	Gay
1.4	1.1	19	4	Uncertain
0.1	0.1	1	9	Dont know (Respondent did not
	20.0	345	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3072-3073

Y7_1419	SATISFIED W/SEX LIFE
----------------	-----------------------------

How do you feel about your sex life over the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.9	33	1	Very dissatisfied
6.0	4.8	82	2	Somewhat dissatisfied
11.2	8.9	154	3	Neither satisfied nor dissatisfied
32.9	26.3	454	4	Somewhat satisfied
47.5	38.0	655	5	Very satisfied
	20.1	347	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3074-3075

Y7_1420	AMOUNT OF STRESS/PRESS SEX LIFE
----------------	--

Thinking of your sexual experience in the past year, how much pressure or stress is there in this area of your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	34.0	586	1	Very little
27.6	22.1	381	2	Not too much
21.1	16.9	291	3	Some
5.9	4.8	82	4	Quite a bit
2.8	2.3	39	5	A great deal
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3076-3077

Y7_1421	EXP SERIOUS FUNCTIONAL SEX PROB
----------------	--

Has there ever been a period of two months or longer when you had sexual problems such as (FOR MALES) trouble having an erection? (FOR FEMALES) extreme fear of having sexual relations or inability to experience orgasm?

(IF NO, SKIP TO Y7_1423)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	76.2	1,315	1	No
4.6	3.7	64	2	Yes
	20.1	346	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3078-3079

Y7_1422	NO. TIMES SEX BEHAV AFF PAST YR
----------------	--

(IF YES TO Y7_1421)

How many times in the last year was your sexual behavior affected by any such problem(s)?

Min	=	0	Mean	=	10.317
Max	=	99	Std Dev	=	16.384
Median	=	4	Variance	=	268.446

(Based on 63 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3080-3081

Y7_1423	PEEP OTHS DRESSING/ENGAGED SEX
----------------	---------------------------------------

How many times in past year have you . . .

Purposefully and secretly watched others as they undressed or engaged in sexual acts?

Min	=	0	Mean	=	7.299
Max	=	999	Std Dev	=	84.784
Median	=	0	Variance	=	7,188.246

(Based on 1,379 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3082-3084

Y7_1424	TRIED ENGAGE CHILD SEX ACTIVITY
----------------	--

How many times in past year have you . . .

Made sexual advances to or engaged in sexual behavior with children?

Min	=	0	Mean	=	.000
Max	=	0	Std Dev	=	.000
Median	=	0	Variance	=	.000

(Based on 1,379 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3085-3087

Y7_1425	SEXUALLY EXPOSED TO STRANGERS
----------------	--------------------------------------

How many times in past year have you . . .

Purposefully exposed (displayed) the sexual parts of your body to strangers?

Min	=	0	Mean	=	2.199
Max	=	999	Std Dev	=	46.562
Median	=	0	Variance	=	2,167.991

(Based on 1,379 valid cases)

Data type: numeric
 Missing-data code: -1
 Columns: 3088-3090

Y7_1426	WATCH PORNOGRAPHIC MOVIES/OTHER
----------------	--

How many times in past year have you . . .

Watched X-rated movies or pornographic live shows or
purchased materials from a pornographic shop?

Min	=	0	Mean	=	22.726
Max	=	999	Std Dev	=	141.056
Median	=	0	Variance	=	19,896.671

(Based on 1,374 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3091-3093

Y7_1427	BEEN CRUEL/HURTFUL TO SEX PART
----------------	---------------------------------------

(ASK ONLY IF RESPONDENT REPORTS SOME SEXUAL RELATIONS)

How many times in past year have you . . .

Had sexual relations where you purposefully were cruel and
inflicted pain on your partner?

Min	=	0	Mean	=	.014
Max	=	10	Std Dev	=	.305
Median	=	0	Variance	=	.093

(Based on 1,306 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3094-3096

Y7_1428

SOUGHT CRUEL/PAIN FROM SEX PART

(ASK ONLY IF RESPONDENT REPORTS SOME SEXUAL RELATIONS)

How many times in past year have you . . .

Had sexual relations where you sought cruel, dominating and abusive behavior from your partner?

Min	=	0	Mean	=	.795
Max	=	999	Std Dev	=	27.660
Median	=	0	Variance	=	765.100

(Based on 1,305 valid cases)

Data type: numeric
Missing-data code: -1
Columns: 3097-3099

RESPONDENT OBSERVATIONS

Y7_1429

FURTHER EXPLANATION OF ANSWERS

Would you like to explain any of your answers further?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	70.3	1,212	1	No
12.2	9.8	169	2	Yes
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3100-3101

Y7_1430

UNCOMFORT Q.-DRUGS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	31	1	Drugs
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3102-3103

Y7_1431

UNCOMFORT Q.-SEX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.7	116	1	Sex
	93.3	1,609	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3104-3105

Y7_1432 UNCOMFORT Q.-MENTAL HEALTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	8	1	Mental health
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3106-3107

Y7_1433 UNCOMFORT Q.-CRIMINAL BEHAVIOR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	Criminal behavior
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3108-3109

Y7_1434 UNCOMFORT Q.-SPOUSE VIOLENCE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	Spouse violence
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3110-3111

Y7_1435 UNCOMFORT Q.-SPECIFIC ITEM NO.

1,725 cases (Range of valid codes: 6-478)

Data type: numeric
 Missing-data code: -1
 Columns: 3112-3114

Y7_1436	UNCOMFORT Q.-SPECIFIC ITEM NO.
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	27	
9.1	0.1	2	73	
4.5	0.1	1	116	
4.5	0.1	1	239	
4.5	0.1	1	301	
4.5	0.1	1	334	
9.1	0.1	2	356	
4.5	0.1	1	381	
4.5	0.1	1	416	
4.5	0.1	1	418	
4.5	0.1	1	429	
4.5	0.1	1	443	
9.1	0.1	2	445	
4.5	0.1	1	454	
4.5	0.1	1	462	
4.5	0.1	1	465	
4.5	0.1	1	466	
4.5	0.1	1	472	
4.5	0.1	1	476	
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3115-3117

Y7_1437	DELIB FALSE RESP-EVER
----------------	------------------------------

We know it is difficult to remember all the things we have asked about and that your estimates may be off a little, but have you ever deliberately misled us with your answers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	79.2	1,366	1	No
1.1	0.9	15	2	Yes
	19.9	344	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3118-3119

INTERVIEWER OBSERVATIONS

Y7_1451 RESP'S ANXIETY BEFORE INTERVIEW

How anxious did the respondent seem to be about the study before the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	69.0	1,191	1	Not at all anxious
12.2	9.7	168	2	Somewhat anxious
1.1	0.9	15	3	Very anxious
	20.3	351	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3120-3121

Y7_1452 WAS RESPONDENT HOSTILE

Was the respondent at all hostile either before or during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	78.6	1,355	1	No
1.3	1.0	18	2	Yes
	20.4	352	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3122-3123

Y7_1453	RESPONDENT'S INTEREST
----------------	------------------------------

How great was the respondent's interest in the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Very low
8.4	6.7	115	2	Below average
50.6	40.2	694	3	Average
31.3	24.9	429	4	Above average
8.8	7.0	120	5	Very high
	20.5	354	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3124-3125

Y7_1454	PROBS-DIFFICULTY W/LANGUAGE
----------------	------------------------------------

Did you encounter any problems or circumstances that might have affected the interview . . .

Difficulty with the English language

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	Difficulty with language
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3126-3127

Y7_1455	PROBS-DIFFICULTY W/QUESTIONS
----------------	-------------------------------------

Did you encounter any problems or circumstances that might have affected the interview . . .

Lots of difficulty understanding questions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	45	1	Difficulty with questions
	97.4	1,680	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3128-3129

Y7_1456	PROBS-INTERRUPTIONS
----------------	----------------------------

Did you encounter any problems or circumstances that might have affected the interview . . .

Many interruptions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.7	98	1	Interruptions
	94.3	1,627	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3130-3131

Y7_1457	PROBS-TEMPORARY BREAKOFF
----------------	---------------------------------

Did you encounter any problems or circumstances that might have affected the interview . . .

Temporary breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	82	1	Temporary breakoff
	95.2	1,643	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3132-3133

Y7_1458	PROBS-BREAKOFF
----------------	-----------------------

Did you encounter any problems or circumstances that might have affected the interview . . .

Breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	13	1	Breakoff
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3134-3135

Y7_1459 PROBS-OTHER

Did you encounter any problems or circumstances that might have affected the interview . . .

Other (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.0	190	1	Other (all other unclassifiable)
	89.0	1,535	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 3136-3137

Y7_1460 RESP'S ANXIETY AFTER INTERVIEW

How did the respondent seem at the end of the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	75.0	1,294	1	Relaxed
3.4	2.7	46	2	Tense
2.1	1.7	29	3	Other
	20.6	356	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 3138-3139

Y7_1461 ADDITIONAL COMMENTS

Thumbnail Sketch and Comments:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.2	20	1	No
98.6	79.0	1,363	2	Yes
	19.8	342	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 3140-3141

ADDITIONAL SELF-REPORTED DELINQUENCY -- 1984 AND 1985

Y7_1466 BEEN IN GANG FIGHTS-1984

During 1984 did you . . .

Get involved in a gang fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3142-3143

Y7_1467 BEEN IN GANG FIGHTS-1985

During 1985 did you . . .

Get involved in a gang fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3144-3145

Y7_1468	STEAL SOMETHING > \$50-1984
----------------	---------------------------------------

During 1984 did you . . .

Steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3146-3147

Y7_1469	STEAL SOMETHING > \$50-1985
----------------	---------------------------------------

During 1985 did you . . .

Steal something worth more than \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3148-3149

Y7_1470	ATTACK SOMEONE-1984
----------------	----------------------------

During 1984 did you . . .

Attack someone with the idea of seriously hurting or killing them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	32.3	557	1	No
0.4	0.1	2	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3150-3151

Y7_1471	ATTACK SOMEONE-1985
----------------	----------------------------

During 1985 did you . . .

Attack someone with the idea of seriously hurting or killing them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	32.3	557	1	No
0.4	0.1	2	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3152-3153

Y7_1472	STEAL MOTOR VEHICLE-1984
----------------	---------------------------------

During 1984 did you . . .

Steal or try to steal a motor vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3154-3155

Y7_1473	STEAL MOTOR VEHICLE-1985
----------------	---------------------------------

During 1985 did you . . .

Steal or try to steal a motor vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3156-3157

Y7_1474	USED FORCE ON ANYONE-1984
----------------	----------------------------------

During 1984 did you . . .

Use force or strongarm methods to get money or things from people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3158-3159

Y7_1475	USED FORCE ON ANYONE-1985
----------------	----------------------------------

During 1985 did you . . .

Use force or strongarm methods to get money or things from people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3160-3161

Y7_1476	BREAK INTO BUILDING-1984
----------------	---------------------------------

During 1984 did you . . .

Break into or try to break into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3162-3163

Y7_1477	BREAK INTO BUILDING-1985
----------------	---------------------------------

During 1985 did you . . .

Break into or try to break into a building or vehicle to steal something or just to look around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3164-3165

Y7_1478	SEX RELATIONS AGAINST WILL-1984
---------	---------------------------------

During 1984 did you . . .

Have or try to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3166-3167

Y7_1479	SEX RELATIONS AGAINST WILL-1985
---------	---------------------------------

During 1985 did you . . .

Have or try to have sexual relations with someone against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3168-3169

Y7_1480	BOUGHT STOLEN GOODS-1984
----------------	---------------------------------

During 1984 did you . . .

Knowingly buy, sell, or hold stolen goods or try to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	32.3	558	1	No
0.2	0.1	1	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3170-3171

Y7_1481	BOUGHT STOLEN GOODS-1985
----------------	---------------------------------

During 1985 did you . . .

Knowingly buy, sell, or hold stolen goods or try to do any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.4	559	1	No
0.0	0.0	0	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3172-3173

Y7_1482	USED ALCOHOL > 3 TIMES-1984
----------------	---------------------------------------

During 1984 did you . . .

Use alcohol more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	9.9	170	1	No
69.6	22.6	389	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3174-3175

Y7_1483	USED ALCOHOL > 3 TIMES-1985
----------------	---------------------------------------

During 1985 did you . . .

Use alcohol more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	9.7	168	1	No
69.9	22.7	391	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3176-3177

Y7_1484	USED MARIJUANA > 3 TIMES-1984
----------------	---

During 1984 did you . . .

Use marijuana more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	27.6	476	1	No
14.8	4.8	83	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3178-3179

Y7_1485	USED MARIJUANA > 3 TIMES-1985
----------------	---

During 1985 did you . . .

Use marijuana more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	27.8	480	1	No
14.1	4.6	79	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3180-3181

Y7_1486 ILLICIT DRUGS > 3 TIMES-1984

During 1984 did you . . .

Use other illicit drugs more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	31.8	549	1	No
1.8	0.6	10	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3182-3183

Y7_1487 ILLICIT DRUGS > 3 TIMES-1985

During 1985 did you . . .

Use other illicit drugs more than 3 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	31.7	546	1	No
2.3	0.8	13	2	Yes
	67.6	1,166	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3184-3185

Y7_1730 NYS URB SSAMPLURB RURAL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.4	369	0	
26.1	26.1	451	1	Urban
39.4	39.4	679	2	Suburban
13.1	13.1	226	3	Rural
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 3186-3187

APPENDIX A: ORIGINAL CODEBOOK

NATIONAL YOUTH SURVEY [UNITED STATES]: WAVE VII, 1987

PLEASE NOTE: See the codebook which begins on page 3 for the appropriate column locations for the data.

The variable names in the re-formatted codebook, (the codebook which begins on page 3), have been assigned sequentially, (i.e., V1, V2, ..., VN). For matching purposes, the variable labels in the re-formatted codebook include the original variable names (i.e., Y6-1, Y6-2, ..., Y6-N).

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1	1		** Administration code Wave 7A: 1=Face to Face Interview 2=Telephone Interview Wave 7B: 3=Telephone Interview 4=Face to Face Interview Blank=Not eligible for Interview
Y7-2	2	1	* Sex 1=Male 2=Female
Y7-3	3- 4	2	* Ethnicity 1=Anglo 2=Black 3=Hispanic 4=American Indian 5=Asian 6=Other
Y7-4-6	5-10	3	* Birthdate
Y7-4	5- 6		01-12=Month
Y7-5	7- 8		01-31=Day
Y7-6	9-10		59-66=Year
Y7-7	11-12	4	* Age (20-29) In the military?
	13	5a(1)	During 1984 1=No, 2=Yes
	14	5a(2)	During 1985 1=No, 2=Yes
Y7-10	15	5a(3)	During 1986 1=No, 2=Yes
Y7-11	16	5b	What branch? 1=Army 2=Navy 3=Air Force 4=Marines 5=Coast Guard 6=Inactive (Reserves, National Guard..)

** Wave 7A Partial Sample: Item Numbers unique to Wave 7A are followed by an asterisk (*).

Wave 7B Remainder of Sample: Item Numbers unique to Wave 7B are followed by a numeric sign (#). Due to funding arrangements, the seventh wave of the NYS was conducted separately for two different subsamples (7A and 7B). The first subsample was interviewed primarily with face-to-face interviews, supplemented by telephone interviews when necessary (e.g. when respondents were overseas). The second subsample was primarily interviewed by telephone. Tests of differences in responses due to mode of administration have been made and indicate no major mode of administration effect.

* Demographic data (sex, ethnicity, birthdate, age) are available for all subjects from earlier data waves, and are present in the data file whether or not a seventh wave interview was completed.

SEVENTH WAVE NYS DATA
CARD 1/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-12	17	6	Current marital status? 1=Single 2=Married 3=Divorced (include annulled) 4=Separated 5=Widowed
Y7-13	18	6a	IF SINGLE: Ever Married? 1=No 2=Yes IF YES: Married during...
Y7-14	19	6b(1)	1984? 1=No, 2=Yes
Y7-15	20	6b(2)	1985? 1=No, 2=Yes
Y7-16	21	6b(3)	1986? 1=No, 2=Yes

Questionnaire item 7 asks respondents questions regarding serious events which may have occurred to them or their spouses (if married) during the years 1984-1986, and for the date of the most recent of any disruptive event. Where the respondent is uncertain about the exact date of an event the following rules have been applied:			
99=Don't Know 13=Winter 14=Spring 15=Summer 16=Fall 17=All Year			

		7(a-e)	Events during 1984, 1985 or 1986: IF MARRIED, spouse events: Serious accident? 1=No, 2=Yes 01-12=Month 84-86=Year Serious illness? 1=No, 2=Yes 01-12=Month 84-86=Year Spouse Unemployed? 1=No, 2=Yes IF YES: Number of months (00-12) in: 1984 1985 1986
Y7-17	22	7a(1)	
Y7-18	23-24	7a(2)	
Y7-19	25-26		
Y7-20	27	7b(1)	
Y7-21	28-29	7b(2)	
Y7-22	30-31		
Y7-23	32	7c(1)	
Y7-24	33-34	7c(2)	
Y7-25	35-36	7c(3)	
Y7-26	37-38	7c(4)	
Y7-27	39	7d(1)	Respondent events: Serious accident? 1=No, 2=Yes

SEVENTH WAVE NYS DATA
 CARD 1/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-28	40-41	7d(2)	01-12=Month
Y7-29	42-43		84-86=Year
Y7-30	44	7e(1)	Serious illness? 1=No, 2=Yes
Y7-31	45-46	7e(2)	01-12=Month
Y7-32	47-48		84-86=Year

 Disruptive Events for Parents - Questionnaire item 8 asks respondents to indicate which of a number of events have occurred to their parents during the past three years (1984, 1985, 1986). Items are scored dichotomously by year.

Y7-33-50	49-66/CARD 1	8a-f	Events happened to parents?
Y7-51-56	1- 6/CARD 2	8g-h	1=No 2=Yes

Y7-33	49	8a(1)	Divorce: 1984?
Y7-34	50	8a(2)	1985?
Y7-35	51	8a(3)	1986?
Y7-36	52	8b(1)	Separation: 1984?
Y7-37	53	8b(2)	1985?
Y7-38	54	8b(3)	1986?
Y7-39	55	8c(1)	Remarriage: 1984?
Y7-40	56	8c(2)	1985?
Y7-41	57	8c(3)	1986?
Y7-42	58	8d(1)	Death: 1984?
Y7-43	59	8d(2)	1985?
Y7-44	60	8d(3)	1986?
Y7-45	61	8e(1)	Serious accident: 1984?
Y7-46	62	8e(2)	1985?
Y7-47	63	8e(3)	1986?
Y7-48	64	8f(1)	Serious illness: 1984?
Y7-49	65	8f(2)	1985?
Y7-50	66	8f(3)	1986?
	67		Blank
	68-71		Data Set Number (0183)
	72		Subsamples*
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (01)

SEVENTH WAVE NYS DATA
CARD 2/35

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-51	1	8g(1)	Father lost job: 1984?
Y7-52	2	8g(2)	1985?
Y7-53	3	8g(3)	1986?
Y7-54	4	8h(1)	Mother lost job: 1984?
Y7-55	5	8h(2)	1985?
Y7-56	6	8h(3)	1986?
* Subsample codes refer to funding agency designations at Wave 2 and Wave 3.			
Y7-57-59	7-12	9(a-c)	Lived with whom in 1986? 1=Mother and Father 2=Mother only 3=Father only 4=Mother and Stepfather 5=Father and Stepmother 6=Spouse 7=Roommate 8=Boyfriend/girlfriend (opposite sex, intimate relationship) 9=Alone 10=Military 11=Other 12=Mother and other (related or not) 13=Father and other (related or not) 14=Mother, father & other (related or not) 15=Relatives (not parents) 16=In-laws 17=Spouse and in-laws 18=Prison 19=Spouse and parents 20=Boyfriend/girlfriend and parents 21=Boyfriend/girlfriend and in-laws 22=Boyfriend/girlfriend (same sex, intimate relationship) 23=Alone with own children
Y7-57	7- 8	9a	Lived with the longest
Y7-58	9-10	9b	Lived with next longest (0=No others)
Y7-59	11-12	9c	Lived with next longest (0=No others)

 Neighborhood Problems - Questionnaire item 10 asks respondents to describe how much of a problem each of fifteen different situations is in their neighborhood. Items are scored so that a higher score reflects a perception of more problems in the neighborhood.

SEVENTH WAVE NYS DATA

CARD 2/35 (continued)

			Questionnaire		
Variable	Column	Item Number	Variable Description and Coding		
Y7-60-74	13-27	10(a-o)	3=Big problem 2=Somewhat of a problem 1=Not a problem		

Y7-60	13	10(a)	High unemployment		
Y7-61	14	10(b)	Racial conflict		
Y7-62	15	10(c)	Vandalism		
Y7-63	16	10(d)	Lawlessness		
Y7-64	17	10(e)	Winos and junkies		
Y7-65	18	10(f)	Prostitution		
Y7-66	19	10(g)	Traffic		
Y7-67	20	10(h)	Abandoned houses		
Y7-68	21	10(i)	Sexual assaults or rapes		
Y7-69	22	10(j)	Burglaries and thefts		
Y7-70	23	10(k)	Gambling		
Y7-71	24	10(l)	Run down and poorly kept buildings		
Y7-72	25	10(m)	Organized crime		
Y7-73	26	10(n)	Assaults and muggings		
Y7-74	27	10(o)	Delinquent gangs		
Y7-75	28	11(1)	Particular group of friends? 1=No 2=Yes		
Y7-76	29	11(2)	Any close friends? 1=No 2=Yes		
Y7-77	30	12	Blank=Yes response to item 11(1) How important is it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all		
Y7-78	31	13	Stress from not having friends? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little		
Y7-79	32	15	Afternoons/weekday spent with friends 0-5 (0=everything less than once a week)		
Y7-80	33	16	Evenings/weekday spent with friends 0-5 (0=everything less than once a week)		
Y7-81	34	17	Time spent with friends on weekends: 5=A great deal 4=Quite a bit		

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			3=Some 2=Not too much 1=Very little
Y7-82	35-36	18	Hours per week spent with friends: (0-99)
Y7-83	37	19	Friends' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-84	38	20	Want to be like closest friends? 5=In all ways 4=In most ways 3=In some ways 2=In a few ways 1=Not at all
Y7-85	39	21	How important was it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-86	40	22	How satisfied with group of friends? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=very dissatisfied
Y7-87	41	23	Interests and activities shared with friends: 5=All 4=Most 3=Some 2=A few 1=None
Y7-88	42	24	In relationships with friends, how much: Stress/pressure in the relationships? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-89	43	25	Warmth/affection from friends? (coded the same as item 24)
Y7-90	44	26	Support/encouragement from friends? (coded the same as item 24)
Y7-91	45	27	Loyalty for one another?

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-92	46	28	(coded the same as item 24) Respondent in any kind of education program in 1986? 1=Academic Program 2=Business/Vocational School 3=Other 4=No IF 2, 3 or 4: ask questions (a-e) regarding past academic education experience:
Y7-93	47-48	28(a)	Highest grade completed? 5-17=Number of grade
Y7-94	49-50	28(b)	Last year in school? 74-85, 99=Don't Remember
Y7-95	51	28(c)	Satisfied with educational experience? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=Very dissatisfied
Y7-96	52	28(d)	Importance of past educational experience? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-97	53	28(e)	Stress/pressure from significant others about lack of education? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-98	54-55	29	IF IN Academic Program in 1986(Q28=1): Highest grade completed in 1986: 5-16=Number of grade 17=Graduate School
Y7-99	56	30	Grade point average 5=Mostly A's/Excellent 4=Mostly B's 3=Mostly C's/Satisfactory/Passing 2=Mostly D's 1=Mostly F's/Non-Satisfactory/Fail
Y7-100	57	31	Afternoons/school week spent studying? 0-5 (0=everything less than once a week)

SEVENTH WAVE NYS DATA
CARD 2/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-101	58	32	Evenings/school week spent studying? 0-5 (0=everything less than once a week)
Y7-102	59	33	Time spent studying on weekends 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-103	60-61	34	Hours per week spent studying (0-99, 99=99 or more)
Y7-104	62	35	How important has school/college work been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-105	63	36	Satisfied with educational experience? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=Very dissatisfied
Y7-106	64	37	Stress/pressure from being in school/college? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-107	65	38	Any jobs in the past year? 1=No 2=Yes
Y7-108	66	39	Looked and couldn't find a job? 1=No 2=Yes

If the respondent had been unable to find a job, s/he was asked if any of the following things were involved in the failure to get a job:

Y7-109-11367-71/CARD 2	39(a-e)	1=No
Y7-114-120 1- 7/CARD 3	39(f-1)	2=Yes

Y7-109	67	39(a)	Lacked necessary skills
Y7-110	68	39(b)	Lacked experience
Y7-111	69	39(c)	Lacked educational requirements
Y7-112	70	39(d)	Racial discrimination
Y7-113	71	39(e)	Sexual discrimination

SEVENTH WAVE NYS DATA

CARD 3/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (02)

CARD 3/35

Y7-114	1	39(f)	Job didn't pay enough
Y7-115	2	39(g)	No jobs available
Y7-116	3	39(h)	Prison record
Y7-117	4	39(i)	Transportation problems
Y7-118	5	39(j)	Too young
Y7-119	6	39(k)	Timing problems (couldn't meet work schedule)
Y7-120	7	39(l)	Other
Y7-121	8	40	Received welfare or public assistance? 1=No 2=Yes
Y7-122	9	41	How important to have a job? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-123	10	42	How much stress/pressure from significant others to get a job? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-124	11-12	43	Total number of jobs reported: (01-10)

 For respondents who reported having a job or jobs in 1986, five jobs are each described and coded as follows:

Y7-125-14513-53	43(1-5)	(a) Duncan Socioeconomic Index (00-96) (b) Number of weeks worked (0-52) *(c) Hours/week worked (0-99) *(d) Hourly wage (\$0-\$99, 0=less than \$1)
-----------------	---------	--

*Note: For these items (c,d) Blank=Refused or Don't Know. In the case of Don't Know, some jobs were such that the Respondent was unable to

SEVENTH WAVE NYS DATA

CARD 3/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

give an estimate. Such jobs usually involved employment with varying time commitment and pay rates unrelated to time spent working, e.g.: bidding on construction work, certain kinds of commission, some kinds of consulting jobs.

Variable	Column	Item Number	Variable Description and Coding
		43(1)	Principal job:
Y7-125	13-14	43(1a)	Duncan Socioeconomic Index
Y7-126	15	43(1aH)	Hollingshead code (1-7)
Y7-127	16-17	43(1b)	Weeks worked
Y7-128	18-19	43(1c)	Hours per week
Y7-129	20-21	43(1d)	Hourly wage
		43(2)	Second job:
Y7-130	22-23	43(2a)	Duncan Socioeconomic Index
Y7-131	24-25	43(2b)	Weeks worked
Y7-132	26-27	43(2c)	Hours per week
Y7-133	28-29	43(2d)	Hourly wage
		43(3)	Third job:
Y7-134	30-31	43(3a)	Duncan Socioeconomic Index
Y7-135	32-33	43(3b)	Weeks worked
Y7-136	34-35	43(3c)	Hours per week
Y7-137	36-37	43(3d)	Hourly wage
		43(4)	Fourth job:
Y7-138	38-39	43(4a)	Duncan Socioeconomic Index
Y7-139	40-41	43(4b)	Weeks worked
Y7-140	42-43	43(4c)	Hours per week
Y7-141	44-45	43(4d)	Hourly wage
		43(5)	Fifth job:
Y7-142	46-47	43(5a)	Duncan Socioeconomic Index
Y7-143	48-49	43(5b)	Weeks worked
Y7-144	50-51	43(5c)	Hours per week
Y7-145	52-53	43(5d)	Hourly wage
Y7-146	54-55	43E	Total weeks worked from any other job(s): 0-99
Y7-147	56-57	43F	Mean number of hours/week worked for all other jobs: 0-52
Y7-148	58-59	43G	Average hourly wage for all other job(s): 0-99
Y7-149	60	46	How important was major job? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-150	61	47	How satisfied with major job? 5=Very satisfied 4=Somewhat satisfied

SEVENTH WAVE NYS DATA
CARD 3/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
Y7-151	62	48	3=Neither 2=Somewhat dissatisfied 1=Very dissatisfied How much pressure/stress at work? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-152	63	49	Looked, couldn't find a job in 1986? 1=No 2=Yes

If there had been a time in 1986 when the respondent had looked and been unable to find a job s/he was asked if any of the following things were involved in the failure to get a job:			
Y7-153-16064-71/CARD 3		49(a-h)	1=No
Y7-161-1641-4/CARD 4		49(i-l)	2=Yes

Y7-153	64	49(a)	Lacked necessary skills
Y7-154	65	49(b)	Lacked experience
Y7-155	66	49(c)	Lacked educational requirements
Y7-156	67	49(d)	Racial discrimination
Y7-157	68	49(e)	Sexual discrimination
Y7-158	69	49(f)	Job didn't pay enough
Y7-159	70	49(g)	No jobs available
Y7-160	71	49(h)	Prison record
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (03)
CARD 4/35			
Y7-161	1	49(i)	Transportation problems
Y7-162	2	49(j)	Too young
Y7-163	3	49(k)	Timing problems (couldn't meet work schedule)
Y7-164	4	49(l)	Other
Y7-165	5	50	Welfare or public assistance? 1=No 2=Yes

SEVENTH WAVE NYS DATA
CARD 4/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
Y7-166	6	51	Been fired/laid off in the past year? 1=No 2=Yes

If fired or laid off, were any of the following things involved in the termination?

Y7-167-177	7-17	51A(a-k)	1=No 2=Yes
------------	------	----------	---------------

Y7-167	7	51A(a)	Reduction in force?
Y7-168	8	51A(b)	Low seniority?
Y7-169	9	51A(c)	For violation of company rules?
Y7-170	10	51A(d)	Racial discrimination?
Y7-171	11	51A(e)	Sexual discrimination?
Y7-172	12	51A(f)	Lack of skills for the job?
Y7-173	13	51A(g)	Personality conflict?
Y7-174	14	51A(h)	Using alcohol/drugs on the job?
Y7-175	15	51A(i)	Using alcohol/drugs off the job?
Y7-176	16	51A(j)	Theft of company cash/property?
Y7-177	17	51A(k)	Sexual harrassment?
Y7-178	18	51B	Was termination justified? 1=No 2=Yes

Were chances for promotion or advancement at work seriously limited by any of the following things?

Y7-179-18519-25		52(a-g)	1=No 2=Yes
-----------------	--	---------	---------------

Y7-179	19	52(a)	Interpersonal skills?
Y7-180	20	52(b)	Job skills?
Y7-181	21	52(c)	Level of educational achievement?
Y7-182	22	52(d)	Amount of job experience?
Y7-183	23	52(e)	Sexual discrimination?
Y7-184	24	52(f)	Racial discrimination?
Y7-185	25	52(g)	Appearance?
Y7-186	26-30	53	Amount of income other than job earnings (\$0-\$99999)
Y7-187	31	54	Employed during 1985? 1=No 2=Yes
Y7-188	32-33	55	IF YES: Number of jobs in 1985 (01-10)

For respondents who reported having a job or jobs in 1985, as many as five jobs are described and coded as follows:

SEVENTH WAVE NYS DATA

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
Y7-189-20734-70/CARD 4		55(1-5)	(a) Duncan Socioeconomic Index (00-96)
Y7-208-2091-4/CARD 5			(b) Number of weeks worked (0-52)
			(c) Hours/week worked (0-99)
			(d) Hourly wage (\$0-\$99)

		55(1)	Principal job:
Y7-189	34-35	55(1a)	Duncan Socioeconomic Index
Y7-190	36	55(1aH)	Hollingshead code (1-7)
Y7-191	37-38	55(1b)	Weeks worked
Y7-192	39-40	55(1c)	Hours per week
Y7-193	41-42	55(1d)	Hourly wage
		55(2)	Second job:
Y7-194	43-44	55(2a)	Duncan Socioeconomic Index
Y7-195	45-46	55(2b)	Weeks worked
Y7-196	47-48	55(2c)	Hours per week
Y7-197	49-50	55(2d)	Hourly wage
		55(3)	Third job:
Y7-198	51-52	55(3a)	Duncan Socioeconomic Index
Y7-199	53-54	55(3b)	Weeks worked
Y7-200	55-56	55(3c)	Hours per week
Y7-201	57-58	55(3d)	Hourly wage
		55(4)	Fourth job:
Y7-202	59-60	55(4a)	Duncan Socioeconomic Index
Y7-203	61-62	55(4b)	Weeks worked
Y7-204	63-64	55(4c)	Hours per week
Y7-205	65-66	55(4d)	Hourly wage
		55(5)	Fifth job:
Y7-206	67-68	55(5a)	Duncan Socioeconomic Index
Y7-207	69-70	55(5b)	Weeks worked
	71		Blank
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, 02-09)
	79-80		Card Number (04)

CARD 5/35 Fifth Job in 1985 (continued):

Y7-208	1- 2	55(5c)	Hours per week
Y7-209	3- 4	55(5d)	Hourly wage
Y7-210	5	56	Employed during 1984?
			1=No
			2=Yes

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
Y7-211	6- 7	57	IF YES: Number of jobs in 1984: (01-10)

For respondents who reported having a job or jobs in 1984, as many as five jobs are described and coded as follows:			
Y7-212-23208-48		57(1-5)	(a) Duncan Socioeconomic Index (00-96) (b) Number of weeks worked (0-52) (c) Hours/week worked (0-99) (d) Hourly wage (\$0-\$99)

		57(1)	Principal job:
Y7-212	8- 9	57(1a)	Duncan Socioeconomic Index
Y7-213	10	57(1aH)	Hollingshead code (1-7)
Y7-214	11-12	57(1b)	Weeks worked
Y7-215	13-14	57(1c)	Hours per week
Y7-216	15-16	57(1d)	Hourly wage
		57(2)	Second job:
Y7-217	17-18	57(2a)	Duncan Socioeconomic Index
Y7-218	19-20	57(2b)	Weeks worked
Y7-219	21-22	57(2c)	Hours per week
Y7-220	23-24	57(2d)	Hourly wage
		57(3)	Third job:
Y7-221	25-26	57(3a)	Duncan Socioeconomic Index
Y7-222	27-28	57(3b)	Weeks worked
Y7-223	29-30	57(3c)	Hours per week
Y7-224	31-32	57(3d)	Hourly wage
		57(4)	Fourth job:
Y7-225	33-34	57(4a)	Duncan Socioeconomic Index
Y7-226	35-36	57(4b)	Weeks worked
Y7-227	37-38	57(4c)	Hours per week
Y7-228	39-40	57(4d)	Hourly wage
		57(5)	Fifth job:
Y7-229	41-42	57(5a)	Duncan Socioeconomic Index
Y7-230	43-44	57(5b)	Weeks worked
Y7-231	45-46	57(5c)	Hours per week
Y7-232	47-48	57(5d)	Hourly wage
			IF LIVED WITH BOTH SPOUSE AND BOY /GIRLFRIEND
Y7-233	49	58	DURING THE YEAR:Most recent partner? 1=Spouse 2=Girlfriend/boyfriend (opp. sex) 3=Girlfriend/boyfriend (same sex)
Y7-234	50-51	59	Months lived with partner: 01-12 (01=One month or less)

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)

			Questionnaire
Variable	Column	Item Number	Variable Description and Coding
Y7-235	52	60	How important have activities with partner been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-236	53	61	Partner's influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-237	54	62	Want to be like partner? 5=In all ways 4=In most ways 3=In some ways 2=In a few ways 1=Not at all
Y7-238	55	63	How satisfied with relationship with partner? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=very dissatisfied
Y7-239	56	64	Interests and activities shared with partner: 5=All 4=Most 3=Some 2=A few 1=None
Y7-240	57	65	How much warmth/affection from partner? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-241	58	66	How satisfied with quality of sexual relations? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=very dissatisfied

SEVENTH WAVE NYS DATA
CARD 5/35 (continued)

Questionnaire			
Variable	Column	Item Number	Variable Description and Coding
Y7-242	59	67	How much support/encouragement from partner? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-243	60	68	How much loyalty between you and partner? (coded same as item 67)
Y7-244	61	69	How much stress/pressure in your relationship?(coded same as item 67)
Y7-245	62	70	Has partner tried to influence you to do wrong? 0=No 1=Once 2=Two or three times 3=Four or more times
Y7-246	63	71	Was partner employed during 1986? 1=No 2=Yes
Y7-247	64-65	71a	Number of jobs partner had in 1986 (01-10)
		71(1)	Principal job:
Y7-248	66-67	71(1Aa)	Duncan Socioeconomic Index (00-96)
Y7-249	68	71(1Ab)	Hollingshead Occupational code (1-7)
Y7-250	69-70	71(1B)	Weeks worked at principal job (0-52)
	71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID # , (02-09)
	79-80		Card Number (05)

CARD 6/35

Principal job (continued)			
Y7-251	1- 2	71(1C)	Hours per week at principal job (00-99)

For spouses who were reported having more than one job, as many as three other jobs are described and coded as follows:

Y7-252-260	3-20	71(2-4)	(A) Duncan Socioeconomic Index (00-96) (B) Number of weeks worked (0-52) (C) Hours/week worked (0-99)
------------	------	---------	---

Second job:			
Y7-252	3- 4	71(2A)	Duncan Socioeconomic Index
Y7-253	5- 6	71(2B)	Weeks worked
Y7-254	7- 8	71(2C)	Hours per week

SEVENTH WAVE NYS DATA
CARD 6/35 (continued)

			Questionnaire
Variable	Column	Item Number	Variable Description and Coding
		71(3)	Third job:
Y7-255	9-10	71(3A)	Duncan Socioeconomic Index
Y7-256	11-12	71(3B)	Weeks worked
Y7-257	13-14	71(3C)	Hours per week
		71(4)	Fourth job:
Y7-258	15-16	71(4A)	Duncan Socioeconomic Index
Y7-259	17-18	71(4B)	Weeks worked
Y7-260	19-20	71(4C)	Hours per week
Y7-261	21-22	72	Highest grade partner has completed 6-16, grade in school 16=Bachelors degree 17=Graduate degrees 99=Don't Know
Y7-262	23-27	73	Partner's total income in 1986: \$0-\$99999 (Blank = Not applicable, Don't know or Refused)
Y7-263	28	73a	Accuracy of the amount given for partner's income: 1=Amount given is only a guess
Y7-264	29	74	Frequency of participation in family activities? 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-265	30-31	75	Number of months lived with family: 00-12
Y7-266	32	76	Frequency of contact with family: 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-267	33	77	Parents' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-268	34	78	Importance of family activities: 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all

SEVENTH WAVE NYS DATA

CARD 6/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
Y7-269	35	79	How satisfied with relationship with parents? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=very dissatisfied
Y7-270	36	80	How much stress/pressure in your relationship with your parents? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-271	37	81	Frequency of participation in partners family activities? 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-272	38-39	82	Number of months lived with partner's family: (00-12)
Y7-273	40	83	Frequency of contact with partner's family: 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-274	41	84	Partner's parents' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-275	42	85	Importance of partner's family activities: 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-276	43	86	How much stress/pressure in your relationship with partner's parents? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-277	44	87	How satisfied with relationship with partner's parents?

SEVENTH WAVE NYS DATA
CARD 6/35 (continued)

Variable	Column	Item Number	Questionnaire Variable Description and Coding
			5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied 1=Very dissatisfied
Y7-278	45	88	Weekday afternoons spent with your family (parents, brothers, sisters)? 0-5 (0=everything less than once a week)
Y7-279	46	89	Weekday evenings spent with family? 0-5 (0=everything less than once a week)
Y7-280	47	90	Time on weekends spent with family? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-281	48	91	Frequency of participation in family activities? 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-282	49-50	92	Number of months lived with family: 00-12
Y7-283	51	93	Frequency of contact with family: 1=Never 2=Once or twice 3=3 or 4 times 4=Monthly 5=Weekly (or more often)
Y7-284	52	94	Parents' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-285	53	95	Importance of family activities: 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y7-286	54	96	How satisfied with relationship with parents? 5=Very satisfied 4=Somewhat satisfied 3=Neither

2=Somewhat dissatisfied
 1=very dissatisfied
 Y7-287 55 97 Much warmth/affection from parents?
 5=A great deal
 4=Quite a bit
 3=Some
 2=Not too much
 1=Very little
 Y7-288 56 98 How much support/encouragement from
 parents? (coded the same as item 97)
 Y7-289 57 99 How much stress/pressure in your
 relationship with parents?
 (coded same as item 97)

SEVENTH WAVE NYS DATA

CARD 6/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-290	58	100	Have any children(incl. stepchildren)? 1=No 2=Yes

 Questionnaire items 101 and 102 ask for the following coded information regarding the respondent's children:

Y7-291-299	59-71/CARD 6	101(a-b),102(a)	(1)Month of birth (01-12, 99=Don't know)
Y7-300-320	1-29/CARD 7	101(c-f),102(b-f)	(2)Year of birth (70-87, 99=Don't know)
			(3)Sex of child 1=Boy 2=Girl
			(4)Living with respondent? 1=Yes 2=No
		102(a-f)	(5)Is this your biological child? 1=No 2=Yes 9=Don't Know

		101a	a. Oldest child?
Y7-291	59-60	101a(1)	Month of birth
Y7-292	61-62	101a(2)	Year of birth
Y7-293	63	101a(3)	Sex
Y7-294	64	101a(4)	Living with Respondent?
Y7-295	65	102a(5)	Biological?
		101b	b. Next oldest child
Y7-296	66-67	101b(1)	Month of birth
Y7-297	68-69	101b(2)	Year of birth
Y7-298	70	101b(3)	Sex
Y7-299	71	101b(4)	Living with Respondent?
	72		Subsamples (see page 3) 1=NIMH

73-76 2=LEEA
 77-78 Household ID #
 79-80 Respondent ID #, (02-09)
 Card Number (06)

CARD 7/35

Y7-300	1	102b(5)	Next oldest child (continued) Biological?
		101c	c. Next oldest child?
Y7-301	2- 3	101c(1)	Month of birth
Y7-302	4- 5	101c(2)	Year of birth
Y7-303	6	101c(3)	Sex
Y7-304	7	101c(4)	Living with Respondent?
Y7-305	8	102c(5)	Biological?

SEVENTH WAVE NYS DATA

CARD 7/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
		101d	d. Next oldest child
Y7-306	9-10	101d(1)	Month of birth
Y7-307	11-12	101d(2)	Year of birth
Y7-308	13	101d(3)	Sex
Y7-309	14	101d(4)	Living with Respondent?
Y7-310	15	102d(5)	Biological?
		101e	e. Next oldest child?
Y7-311	16-17	101e(1)	Month of birth
Y7-312	18-19	101e(2)	Year of birth
Y7-313	20	101e(3)	Sex
Y7-314	21	101e(4)	Living with Respondent?
Y7-315	22	102e(5)	Biological?
		101f	f. Next oldest child
Y7-316	23-24	101f(1)	Month of birth
Y7-317	25-26	101f(2)	Year of birth
Y7-318	27	101f(3)	Sex
Y7-319	28	101f(4)	Living with Respondent?
Y7-320	29	102f(5)	Biological?
Y7-321	30-32	103	How much time spent with children? Hours per week (0-168)
Y7-322	33	104	Enjoyed being with children? 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-323	34	105	How satisfied with relationship with your children? 5=Very satisfied 4=Somewhat satisfied 3=Neither 2=Somewhat dissatisfied

Y7-324 35 106 1=very dissatisfied
How much stress/pressure in your
relationship with children?
5=A great deal
4=Quite a bit
3=Some
2=Not too much
1=Very little

Y7-325 36 107 Attendance at religious services
5=Several times a week
4=Once a week
3=Once or twice a month
2=Several times a year
1=Never (Once or twice)

SEVENTH WAVE NYS DATA

CARD 7/35 (continued)

Variable	Column	Item Number	Questionnaire	Variable Description and Coding
Y7-326	37	108	Importance of religion	5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all

Aspirations/Current Success - Questionnaire items 109 through 117 ask respondents about a variety of social, family and educational goals. Each question consists of 2 parts. The first part asks how important each goal is to the respondent; the second part asks how well he is doing at that goal if it is seen as very or somewhat important. For scaling, items are scored so that a higher score reflects greater importance and greater success.

Y7-327-34438-55		109-117	(1) 5=Very important 3=Somewhat important 1=Not important at all (2) 5=Good 3=Fair 1=Poor 8=Already achieved Blank=Don't know or Not applicable
-----------------	--	---------	--

Y7-327	38	109	Be a success in your work?
Y7-328	39	109(1)	How important?
		109(2)	How are you doing?
Y7-329	40	110	Use your abilities in your work?
Y7-330	41	110(1)	How important?
		110(2)	How are you doing?
		111	Get ahead in work or career?

Y7-331	42	111(1)	How important?
Y7-332	43	111(2)	How are you doing?
		112	Have a good job or career?
Y7-333	44	112(1)	How important?
Y7-334	45	112(2)	How are you doing?
		113	Graduate from college?
Y7-335	46	113(1)	How important?
Y7-336	47	113(2)	How are you doing?
		114	IF NOT MARRIED: Get married?
Y7-337	48	114(1)	How important?
Y7-338	49	114(2)	How are you doing?
		115	Have long term intimate relationship?
Y7-339	50	115(1)	How important?
Y7-340	51	115(2)	How are you doing?
		116	Have children?
Y7-341	52	116(1)	How important?
Y7-342	53	116(2)	How are you doing?

SEVENTH WAVE NYS DATA

CARD 7/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Aspirations/Current Success (continued)

		117	Earn \$20,000 annual salary?
Y7-343	54	117(1)	How important?
Y7-344	55	117(2)	How are you doing?

Normlessness - Questionnaire items 118 through 138 ask for respondents' level of agreement with a series of statements reflecting the normlessness variant of alienation. Items are scored so that a higher score reflects a greater perception of normlessness.

Y7-345-36056-71/Card 7	118-133	5=Strongly agree
Y7-361-365 1- 5/Card 8	134-138	4=Agree
		3=Neither agree nor disagree
		2=Disagree
		1=Strongly disagree
		Blank=Don't know

Y7-345	56	118	Can succeed at work without cheating
Y7-346	57	119	Lie to partner to avoid arguments
Y7-347	58	120	Lie to get a job
Y7-348	59	121	With friends, good impression foremost
Y7-349	60	122	To avoid trouble, lie to teachers
Y7-350	61	123	With parents, good impression foremost
Y7-351	62	124	Liking of workers requires covering up
Y7-352	63	125	Lying OK if keeps partner out of trouble
Y7-353	64	126	Can succeed in school without cheating

Y7-354	65	127	Important to be honest with parents
Y7-355	66	128	To be popular, must break rules
Y7-356	67	129	Doing own work more important than being liked
Y7-357	68	130	Beat up kids - gain respect of friends
Y7-358	69	131	Break rules to succeed at work
Y7-359	70	132	To have good relationship must deceive partner
Y7-360	71	133	Play dirty to win at school
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (07)

CARD 8/35

Y7-361	1	134	Lie to parents to keep trust
Y7-362	2	135	With teachers, good impression foremost
Y7-363	3	136	Break promises-get along with partner
Y7-364	4	137	Lie OK if keep friends out of trouble
Y7-365	5	138	Break parents' rules to keep friends

SEVENTH WAVE NYS DATA

CARD 8/35 (continued)

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Labeling by Parents-Questionnaire items 139 through 150 ask respondents to indicate the extent to which their parents would agree with each set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y7-366-377	6-17	139-150	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree Blank=Don't know
------------	------	---------	--

Y7-366	6	139	Well-liked
Y7-367	7	140	Need help
Y7-368	8	141	Bad kid
Y7-369	9	142	Often upset
Y7-370	10	143	Good citizen
Y7-371	11	144	Get along well with others
Y7-372	12	145	Messed up
Y7-373	13	146	Break rules
Y7-374	14	147	Personal problems
Y7-375	15	148	Get into trouble
Y7-376	16	149	Likely to succeed
Y7-377	17	150	Do things against the law

 Perceived Disapproval/Parents - Questionnaire items 151 through 160 ask respondents the extent to which their parents would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y7-378-387 18-27 151-160 5=Strongly disapprove
 4=Disapprove
 3=Neither approve nor disapprove
 2=Approve
 1=Strongly approve
 Blank=Don't know

Y7-378	18	151	Cheated on income tax
Y7-379	19	152	Stole something worth less than \$5
Y7-380	20	153	Sold hard drugs
Y7-381	21	154	Used marijuana
Y7-382	22	155	Stole something worth more than \$50
Y7-383	23	156	Hit someone
Y7-384	24	157	Used alcohol
Y7-385	25	158	Destroyed property
Y7-386	26	159	Broke into vehicle
Y7-387	27	160	Deliberately injured spouse/partner

SEVENTH WAVE NYS DATA

CARD 8/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

 Perceived Disapproval/Peers - Questionnaire items 161 through 172 ask respondents the extent to which their peers would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y7-388-39928-39 161-172 5=Strongly disapprove
 4=Disapprove
 3=Neither approve nor disapprove
 2=Approve
 1=Strongly approve
 Blank=Don't know

Y7-388	28	161	Cheated on income tax
Y7-389	29	162	Stole something worth less than \$5
Y7-390	30	163	Sold hard drugs
Y7-391	31	164	Used marijuana
Y7-392	32	165	Stole something worth more than \$50
Y7-393	33	166	Hit someone
Y7-394	34	167	Used alcohol
Y7-395	35	168	Pressured someone sexually
Y7-396	36	169	Destroyed property
Y7-397	37	170	Broke into vehicle
Y7-398	38	171	Had sexual intercourse
Y7-399	39	172	Deliberately injured spouse/partner

 Perceived Disapproval/People at Work - Questionnaire items 173 through 182 ask respondents the extent to which their coworkers would disapprove

of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval. (Asked only if R was employed in 1986.)

Y7-400-409	40-49	173-182	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve Blank=Don't know

Y7-400	40	173	Cheated on income tax
Y7-401	41	174	Stole something worth less than \$5
Y7-402	42	175	Sold hard drugs
Y7-403	43	176	Used marijuana
Y7-404	44	177	Stole something worth more than \$50
Y7-405	45	178	Hit someone
Y7-406	46	179	Used alcohol
Y7-407	47	180	Destroyed property
Y7-408	48	181	Broke into vehicle
Y7-409	49	182	Deliberately injured spouse/partner

SEVENTH WAVE NYS DATA

CARD 8/35 (continued)

Variable	Column	Item Number	Variable Description and Coding

Perceived Disapproval/Partner - Questionnaire items 183 through 192 ask respondent the extent to which their partner would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval. (Asked only if R married or cohabiting in 1986.)			
Y7-410-419	50-59	183-192	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve Blank=Don't know

Y7-410	50	183	Cheated on income tax
Y7-411	51	184	Stole something worth less than \$5
Y7-412	52	185	Sold hard drugs
Y7-413	53	186	Used marijuana
Y7-414	54	187	Stole something worth more than \$50
Y7-415	55	188	Hit someone
Y7-416	56	189	Used alcohol
Y7-417	57	190	Destroyed property
Y7-418	58	191	Broke into vehicle
Y7-419	59	192	Deliberately injured him/her

Attitudes Toward Deviance - Questionnaire items 193 through 208 ask respondents for their estimates of how wrong each of a set of deviant

behaviors is for someone their age. Items are scored so that a higher score represents a greater perceived wrongness.

Y7-420-431 60-71/CARD 8 193-204 4=Very wrong
 Y7-432-435 1- 4/CARD 9 205-208 3=Wrong
 2=A little bit wrong
 1=Not wrong at all
 Blank=Don't know

			How wrong is it to:
Y7-420	60	193	Cheat on income tax
Y7-421	61	194	Destroy property
Y7-422	62	195	Use marijuana
Y7-423	63	196	Steal something (less than \$5)
Y7-424	64	197	Hit someone
Y7-425	65	198	Use alcohol
Y7-426	66	199	Break into vehicle
Y7-427	67	200	Sell hard drugs
Y7-428	68	201	Steal something (more than \$50)
Y7-429	69	202	Get drunk
Y7-430	70	203	Use prescription drugs
Y7-431	71	204	Give or sell alcohol

SEVENTH WAVE NYS DATA

CARD 8/35(continued)

		Questionnaire	
Variable	Column	Item Number	Variable Description and Coding
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (08)

CARD 9/35

Attitudes Toward Deviance (continued)

Y7-432	1	205	Attack someone to hurt or kill?
Y7-433	2	206	Exceed speed limit by 10-20 mph?
Y7-434	3	207	Strongarm other people?
Y7-435	4	208	Deliberately injured spouse/partner

Exposure to Delinquent Peers - Questionnaire items 209 through 222 ask respondents how many of their close friends have engaged in each of a set of deviant behaviors in the past year. Items are scored so that a higher score represents a higher proportion of friends committing each act.

Y7-436-449 5-18 209-222 5=All of them
 4=Most of them
 3=Some of them
 2=Very few of them

1=None of them
Blank=Don't know

			How many of your friends have:
Y7-436	5	209	Cheated on income tax
Y7-437	6	210	Destroyed property
Y7-438	7	211	Used marijuana
Y7-439	8	212	Stolen something (less than \$5)
Y7-440	9	213	Hit someone
Y7-441	10	214	Used alcohol
Y7-442	11	215	Broken into vehicle
Y7-443	12	216	Sold hard drugs
Y7-444	13	217	Stolen something (more than \$50)
Y7-445	14	218	Suggested you break the law
Y7-446	15	219	Gotten drunk
Y7-447	16	220	Used prescription drugs
Y7-448	17	221	Given or sold alcohol
Y7-449	18	222	Pressured someone sexually

SEVENTH WAVE NYS DATA

CARD 9/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Self-Reported Delinquency - Questionnaire items 223a through 260a ask respondents to report the frequency with which they engaged in each of a variety of behaviors during the previous year. Each question consists of two parts. The first part asks for an absolute frequency of each behavior; the second part asks for an estimate of the rate of occurrence of the behavior on a 6-point scale for initial responses indicating a frequency of 10 or more. A combined rate of occurrence measure, scored 1=never through 9=2-3 times a day, is then constructed. Items are scored so that a higher score reflects greater frequency or rate of involvement in each behavior.

Y7-450-475	19-70/CARD 9	223a-235a	(1) 0-999 -- Number of times
Y7-476-509	1-68/CARD 10	236a-252a	in last year
Y7-510-525	1-32/CARD 11	253a-260a	(2) 1=Never
			2=Once or twice
			3=Once every 2-3 months
			4=Once a month
			5=Once every 2-3 weeks
			6=Once a week
			7=2-3 times a week
			8=Once a day
			9=2-3 times a day

		223a	Damaged family property
Y7-450	19-21	223a(1)	Frequency
Y7-451	22	223a(2)	Rate
		224a	Damaged employer's property
Y7-452	23-25	224a(1)	Frequency
Y7-453	26	224a(2)	Rate

		225a	Damaged other property
Y7-454	27-29	225a(1)	Frequency
Y7-455	30	225a(2)	Rate
		226a	Stolen motor vehicle
Y7-456	31-33	226a(1)	Frequency
Y7-457	34	226a(2)	Rate
		227a	Stolen something more than \$50
Y7-458	35-37	227a(1)	Frequency
Y7-459	38	227a(2)	Rate
		228a	Bought stolen goods
Y7-460	39-41	228a(1)	Frequency
Y7-461	42	228a(2)	Rate
		229a	Set fire to property
Y7-462	43-45	229a(1)	Frequency
Y7-463	46	229a(2)	Rate
		230a	Carried a hidden weapon
Y7-464	47-49	230a(1)	Frequency
Y7-465	50	230a(2)	Rate

SEVENTH WAVE NYS DATA

CARD 9/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Self-Reported Delinquency (continued)

		231a	Stolen something less than \$5
Y7-466	51-53	231a(1)	Frequency
Y7-467	54	231a(2)	Rate
		232a	Attacked someone
Y7-468	55-57	232a(1)	Frequency
Y7-469	58	232a(2)	Rate
		233a	Been paid for sexual relations
Y7-470	59-61	233a(1)	Frequency
Y7-471	62	233a(2)	Rate
		234a	Paid someone for sexual relations
Y7-472	63-65	234a(1)	Frequency
Y7-473	66	234a(2)	Rate
		235a	Been in gang fights
Y7-474	67-69	235a(1)	Frequency
Y7-475	70	235a(2)	Rate
	71		Blank
	72		Subsamples (see page 3)

		1=NIMH	
		2=LEAA	
	73-76	Household ID #	
	77-78	Respondent ID #, (02-09)	
	79-80	Card Number (09)	

CARD 10/35

		236a	Used checks illegally
Y7-476	1- 3	236a(1)	Frequency
Y7-477	4	236a(2)	Rate
		237a	Sold marijuana
Y7-478	5- 7	237a(1)	Frequency
Y7-479	8	237a(2)	Rate
		238a	Hitchhiked where illegal
Y7-480	9-11	238a(1)	Frequency
Y7-481	12	238a(2)	Rate
		239a	Stolen money from family
Y7-482	13-15	239a(1)	Frequency
Y7-483	16	239a(2)	Rate
		240a	Stolen money from employer
Y7-484	17-19	240a(1)	Frequency
Y7-485	20	240a(2)	Rate

SEVENTH WAVE NYS DATA

CARD 10/35 (continued)

		Questionnaire	
Variable	Column	Item Number	Variable Description and Coding

Self-Reported Delinquency (continued)

		241a	Had sexual relations against someone's will
Y7-486	21-23	241a(1)	Frequency
Y7-487	24	241a(2)	Rate
		242a	Hit parent
Y7-488	25-27	242a(1)	Frequency
Y7-489	28	242a(2)	Rate
		243a	Hit someone at work
Y7-490	29-31	243a(1)	Frequency
Y7-491	32	243a(2)	Rate
		244a	Hit anyone else
Y7-492	33-35	244a(1)	Frequency
Y7-493	36	244a(2)	Rate
		245a	Been loud, rowdy
Y7-494	37-39	245a(1)	Frequency
Y7-495	40	245a(2)	Rate

		246a	Sold hard drugs
Y7-496	41-43	246a(1)	Frequency
Y7-497	44	246a(2)	Rate
		247a	Tried to sell something
			worthless
Y7-498	45-47	247a(1)	Frequency
Y7-499	48	247a(2)	Rate
		248a	Taken vehicle
Y7-500	49-51	248a(1)	Frequency
Y7-501	52	248a(2)	Rate
		249a	Bought liquor for a minor
Y7-502	53-55	249a(1)	Frequency
Y7-503	56	249a(2)	Rate
		250a	Used force on anyone
Y7-504	57-59	250a(1)	Frequency
Y7-505	60	250a(2)	Rate
		251a	Avoided paying for things
Y7-506	61-63	251a(1)	Frequency
Y7-507	64	251a(2)	Rate
		252a	Been drunk
Y7-508	65-67	252a(1)	Frequency
Y7-509	68	252a(2)	Rate

SEVENTH WAVE NYS DATA

CARD 10/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Self-Reported Delinquency (continued)

69-71	Blank
72	Subsamples (see page 3)
	1=NIMH
	2=LEAA
73-76	Household ID #
77-78	Respondent ID #, (02-09)
79-80	Card Number (10)

CARD 11/35

		253a	Stolen things (\$5-50)
Y7-510	1- 3	253a(1)	Frequency
Y7-511	4	253a(2)	Rate
		254a	Broken into building
Y7-512	5- 7	254a(1)	Frequency
Y7-513	8	254a(2)	Rate

		255a	Begged for money
Y7-514	9-11	255a(1)	Frequency
Y7-515	12	255a(2)	Rate
		256a	Failed to return change
Y7-516	13-15	256a(1)	Frequency
Y7-517	16	256a(2)	Rate
		257a	Used credit cards without permission
Y7-518	17-19	257a(1)	Frequency
Y7-519	20	257a(2)	Rate
		258a	Obscene phone calls
Y7-520	21-23	258a(1)	Frequency
Y7-521	24	258a(2)	Rate
		259a	Picked someone's pocket
Y7-522	25-27	259a(1)	Frequency
Y7-523	28	259a(2)	Rate
		260a	Embezzled money or funds
Y7-524	29-31	260a(1)	Frequency
Y7-525	32	260a(2)	Rate

SEVENTH WAVE NYS DATA

CARD 11/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

Self-reported Delinquency - Appropriateness Codes: Questionnaire items 223b-232b, 235b-237b, 239b-244b, 246b-248b, 250b, 253b-254b, 257b, and 259b-260b represent ratings of appropriateness for each incident reported in the follow-up questions for reported behaviors:

Y7-526-56433-71/CARD 11		223b..254b	1=Inappropriate
Y7-565-567 1- 3/CARD 12		257b..260b	2=Appropriate but trivial 3=Appropriate and nontrivial

Y7-526	33	223b	Damaged family property
Y7-527	34	224b	Damaged employer's property
Y7-528	35	225b	Damaged other property
		226b	Stolen motor vehicle
Y7-529	36	226b(1)	The last time
Y7-530	37	226b(2)	Next to last time
Y7-531	38	226b(3)	Time before that
		227b	Stolen something more than \$50
Y7-532	39	227b(1)	The last time
Y7-533	40	227b(2)	Next to last time
Y7-534	41	227b(3)	Time before that
Y7-535	42	228b	Bought stolen goods
Y7-536	43	229b	Set fire to property
Y7-537	44	230b	Carried a hidden weapon
Y7-538	45	231b	Stolen something less than \$5 (Coded 1 or 3 only)
		232b	Attacked someone
Y7-539	46	232b(1)	The last time

SEVENTH WAVE NYS DATA
CARD 11/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding
SRD Appropriateness Codes (continued)

Y7-540	47	232b(2)	Next to last time
Y7-541	48	232b(3)	Time before that
		235b	Been in gang fights
Y7-542	49	235b(1)	The last time
Y7-543	50	235b(2)	Next to last time
Y7-544	51	235b(3)	Time before that
Y7-545	52	236b	Used checks illegally
Y7-546	53	237b	Sold marijuana
Y7-547	54	239b	Stolen money from family
Y7-548	55	240b	Stolen money from employer
		241b	Had sexual relations against someone's will
Y7-549	56	241b(1)	The last time
Y7-550	57	241b(2)	Next to last time
Y7-551	58	241b(3)	Time before that
Y7-552	59	242b	Hit parent
Y7-553	60	243b	Hit someone at work
Y7-554	61	244b	Hit anyone else
Y7-555	62	246b	Sold hard drugs
Y7-556	63	247b	Tried to sell something worthless
Y7-557	64	248b	Taken vehicle
		250b	Used force on anyone
Y7-558	65	250b(1)	The last time
Y7-559	66	250b(2)	Next to last time
Y7-560	67	250b(3)	Time before that
Y7-561	68	253b	Stolen things (\$5-50)
		254b	Broken into building
Y7-562	69	254b(1)	The last time
Y7-563	70	254b(2)	Next to last time
Y7-564	71	254b(3)	Time before that
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (11)

CARD 12/35

Y7-565	1	257b	Used credit cards without permission
Y7-566	2	259b	Picked someone's pocket
Y7-567	3	260b	Embezzled money or funds

Self-reported Delinquency Follow-up Questions: Questionnaire items
223c-232c, 235c-237c, 239c-244c, 246c-248c, 250c, 253c-254c, 257c, and
259c-260c ask respondents a supplementary set of questions to describe

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding
SRD Follow-up Questions (continued)

the most recent instance(s) of each behavior which they have reported to have engaged in one or more times during the previous year.

Frequencies and rates for all self-reported delinquency items (223a through 260a) are recorded on cards 9, 10, and 11. Appropriateness ratings for follow-up sets are recorded on cards 11(columns 33-71) and 12(columns 1-3).

Note: For dollar values the upper limit refers to the specific value or more.

Variable	Column	Item Number	Variable Description and Coding
		223c	Damaged family property
Y7-568	4- 6	223c(b)	How much was it worth? Value(\$0-\$999)
Y7-569	7	223c(c)	Others involved? 0-9, 0=Alone
		223c(d)	This event reported for another SRD question?
Y7-570	8-10		First item number, 0=No
Y7-571	11-13		Second item number, 0=No
		224c	Damaged employer's property
Y7-572	14-17	224c(b)	How much was it worth? Value(\$0-\$9999)
Y7-573	18	224c(c)	Others involved? 0-9, 0=Alone
		224c(d)	This event reported for another SRD question?
Y7-574	19-21		First item number, 0=No
Y7-575	22-24		Second item number, 0=No
		225c	Damaged other property
Y7-576	25-27	225c(b)	How much was it worth? Value(\$0-\$999)
Y7-577	28	225c(c)	Others involved? 0-9, 0=Alone
		225c(d)	This event reported for another SRD question?
Y7-578	29-31		First item number, 0=No
Y7-579	32-34		Second item number, 0=No
		226c(1-3)	Stolen motor vehicle-Three events
Y7-580	35	226c(1)	1. The last time:
		226c(1a)	Kind of vehicle? 1=Car 2=Truck 3=Motorcycle 4=Other
Y7-581	36	226c(1b)	Actually steal? 1=No

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)

			Questionnaire		
Variable	Column	Item Number	Variable Description and Coding		
SRD Follow-up Questions (continued)					
Y7-582	37	226c(1c)	2=Yes Vehicle Owner: 1=Family member 2=Friend 3=Other		
Y7-583	38	226c(1d)	Started vehicle: 1=Had keys 2=Hot wired 3=Keys in ignition 4=Other		
Y7-584	39	226c(1e)	Intent? 1=Riding 2=Keep 3=Keep parts 4=Sell 5=Sell parts 6=Other		
Y7-585	40	226c(1f)	Others involved? 0-9, 0=Alone		
Y7-586	41	226c(1g)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs		
		226c(1h)	This event reported for another SRD question?		
Y7-587	42-44		First item number, 0=No		
Y7-588	45-47		Second item number, 0=No		
Stolen vehicle - (continued)					
Y7-589	48	226c(2) 226c(2a)	2. Next to last time: Kind of vehicle? 1=Car 2=Truck 3=Motorcycle 4=Other		
Y7-590	49	226c(2b)	Actually steal? 1=No 2=Yes		
Y7-591	50	226c(2c)	Vehicle Owner: 1=Family member 2=Friend 3=Other		
Y7-592	51	226c(2d)	Started vehicle? 1=Had keys 2=Hot wired 3=Keys in ignition 4=Other		
Y7-593	52	226c(2e)	Intent?		

SEVENTH WAVE NYS DATA
CARD 12/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

			1=Riding 2=Keep 3=Keep parts 4=Sell 5=Sell parts 6=Other
Y7-594	53	226c(2f)	Others involved? 0-9, 0=Alone
Y7-595	54	226c(2g)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		226c(2h)	This event reported for another SRD question?
Y7-596	55-57		First item number, 0=No
Y7-597	58-60		Second item number, 0=No
		226c(3)	3. Time before that:
Y7-598	61	226c(3a)	Kind of vehicle? 1=Car 2=Truck 3=Motorcycle 4=Other
Y7-599	62	226c(3b)	Actually steal? 1=No 2=Yes
Y7-600	63	226c(3c)	Vehicle Owner: 1=Family member 2=Friend 3=Other Stolen vehicle - Time before that
Y7-601	64	226c(3d)	Started vehicle? 1=Had keys 2=Hot wired 3=Keys in ignition 4=Other
Y7-602	65	226c(3e)	Intent? 1=Riding 2=Keep 3=Keep parts 4=Sell 5=Sell parts 6=Other
Y7-603	66	226c(3f)	Others involved? 0-9, 0=Alone
Y7-604	67	226c(3g)	Drinking or using drugs?

SEVENTH WAVE NYS DATA
 CARD 12/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

0=No
 1=Drinking
 2=Using drugs
 3=Drinking and drugs

68-71 Blank
 72 Subsamples (see page 3)
 1=NIMH
 2=LEAA
 73-76 Household ID #
 77-78 Respondent ID #, (02-09)
 79-80 Card Number (12)

CARD 13/35

		226c(3h)	Stolen vehicle - Time before that This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-605	1- 3		
Y7-606	4- 6		
		227c(1-3) 227c(1)	Stolen something GT \$50-Three events 1. The last time:
Y7-607	7- 9	227c(1b)	Value (\$0-\$999)
Y7-608	10	227c(1c)	Actually steal? 1=No 2=Yes
Y7-609	11	227c(1d)	Stolen from: 1=Retail store 2=Private home 3=Auto 4=Work place 5=College/school 6=Construction site 7=Warehouse 8=Other
			Stolen something GT \$50-The last time
Y7-610	12	227c(1e)	Others involved? 0-9, 0=Alone
Y7-611	13	227c(1f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		227c(1g)	This event reported for another SRD question?

SEVENTH WAVE NYS DATA
CARD 13/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

Y7-612	14-16		First item number, 0=No
Y7-613	17-19		Second item number, 0=No
		227c(2)	
Y7-614	20-22	227c(2b)	2. Next to last time: Value (\$0-\$999)
Y7-615	23	227c(2c)	Actually steal? 1=No 2=Yes
Y7-616	24	227c(2d)	Stolen from: 1=Retail store 2=Private home 3=Auto 4=Work place 5=College/school 6=Construction site 7=Warehouse 8=Other
Y7-617	25	227c(2e)	Others involved? 0-9, 0=Alone
Y7-618	26	227c(2f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		227c(2g)	This event reported for another SRD question?
Y7-619	27-29		First item number, 0=No
Y7-620	30-32		Second item number, 0=No
		227c(3)	
Y7-621	33-35	227c(3b)	3. Time before that: Value (\$0-\$999)
Y7-622	36	227c(3c)	Actually steal? 1=No 2=Yes
Y7-623	37	227c(3d)	Stolen from: 1=Retail store 2=Private home 3=Auto 4=Work place 5=College/school 6=Construction site 7=Warehouse 8=Other
			Stolen GT \$50-Time before that
(continued)			
Y7-624	38	227c(3e)	Others involved? 0-9, 0=Alone

Y7-625	39	227c(3f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		227c(3g)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-626	40-42		
Y7-627	43-45		
		228c	Bought stolen goods
Y7-628	46	228c(a)	What did you do? 1=Try to buy 2=Try to sell 3=Try to hold 4=Buy 5=Sell 6=Hold 7=Other
Y7-629	47-50	228c(c)	Value (\$0-\$9999)
Y7-630	51	228c(d)	Others involved? 0-9, 0=Alone
		228c(e)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-631	52-54		
Y7-632	55-57		
		229c	Set fire to property
Y7-633	58	229c(b)	Actually set it on fire? 1=No, 2=Yes
Y7-634	59	229c(c)	Others involved? 0-9, 0=Alone
Y7-635	60	229c(d)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		229c(e)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-636	61-63		
Y7-637	64-66		
		230c	Carried a hidden weapon
Y7-638	67		Kind of weapon: 1=Knife, cutting/stabbing thing 2=Chain, bat/hitting thing 3=Hard knuckles/numchucks 4=Gun and other firearm 5=Other 6=Mixed weapons excluding gun 7=Mixed weapons including gun 8=Mixed weapons - no gun or knife types

SEVENTH WAVE NYS DATA
CARD 13/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

		231c	Stolen something less than \$5
Y7-639	68	231c(b)	Value (\$0-\$9)
Y7-640	69	231c(c)	Actually steal? 1=No 2=Yes
Y7-641	70	231c(d)	Others involved? 0-9, 0=Alone
Y7-642	71	231c(e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (13)

CARD 14/35

		231c(f)	Stolen something less than \$5 This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-643	1- 3		
Y7-644	4- 6		
		232c(1-3)	Attacked someone-Three events
		232c(1)	1. The last time:
Y7-645	7	232c(1a)	Form of attack? 1=Hit 2=Beat/choked 3=Attacked with weapon 4=Other
Y7-646	8	232c(1b)	If any injury, how serious? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-647	9	232c(1c)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
SRD Follow-up Questions (continued)			
Y7-648	10	232c(1d)	Others involved? 0-9, 0=Alone
Y7-649	11	232c(1e)	Attacked someone - The last time Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		232c(1f)	This event reported for another SRD question?
Y7-650	12-14		First item number, 0=No
Y7-651	15-17		Second item number, 0=No
Y7-652	18	232c(2) 232c(2a)	2. Next to last time: Form of attack? 1=Hit 2=Beat/choked 3=Attacked with weapon 4=Other
Y7-653	19	232c(2b)	If any injury, how serious: 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-654	20	232c(2c)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other
Y7-655	21	232c(2d)	Others involved? 0-9, 0=Alone
Y7-656	22	232c(2e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		232c(2f)	This event reported for another SRD question?
Y7-657	23-25		First item number, 0=No
Y7-658	26-28		Second item number, 0=No

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)

			Questionnaire	
Variable	Column	Item Number	Variable Description and Coding	
SRD Follow-up Questions (continued)				
Y7-659	29	232c(3) 232c(3a)	3. Time before that: Form of attack? 1=Hit 2=Beat/choked 3=Attacked with weapon 4=Other	
Y7-660	30	232c(3b)	Attacked someone-Time before that (continued) If any injury, how serious: 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other	
Y7-661	31	232c(3c)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other	
Y7-662	32	232c(3d)	Others involved? 0-9, 0=Alone	
Y7-663	33	232c(3e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs	
Y7-664	34-36	232c(3f)	This event reported for another SRD question? First item number, 0=No	
Y7-665	37-39		Second item number, 0=No	
Y7-666	40	235c(1-3) 235c(1) 235c(1a)	Been in gang fights-Three events 1. The last time: Number in your group? 1=1-2 people 2=3-5 3=More than 5 people	
Y7-667	41	235c(1b)	Number in other group? 1=1-2 people 2=3-5 3=More than 5 people	
Y7-668	42	235c(1c)	If weapons, what kind? 0=No weapons 1=Knives, cutting/stabbing things 2=Chains, bats/hitting things	

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)

			Questionnaire	
Variable	Column	Item Number	Variable Description and Coding	
SRD Follow-up Questions (continued)				
			3=Hard knuckles/numchucks	
			4=Guns and other firearms	
			5=Other	
			6=Mixed weapons excluding guns	
			7=Mixed weapons including guns	
			8=Mixed weapon - no gun or knife types	
Y7-669	43	235c(1d)	Gang fights-The last time (continued)	
			If any injury, how serious?	
			0=No injury	
			1=Knocked down	
			2=Bruised	
			3=Cut/bleeding	
			4=Unconscious	
			5=Hospitalized	
			6=Required medical treatment	
			7=Other	
Y7-670	44	235c(1e)	Drinking or using drugs?	
			0=No	
			1=Drinking	
			2=Using drugs	
			3=Drinking and drugs	
		235c(1f)	This event reported for another SRD question?	
Y7-671	45-47		First item number, 0=No	
Y7-672	48-50		Second item number, 0=No	
		235c(2)		
Y7-673	51	235c(2a)	2. Next to last time: Number in your group?	
			1=1-2 people	
			2=3-5	
			3=More than 5 people	
Y7-674	52	235c(2b)	Number in other group?	
			1=1-2 people	
			2=3-5	
			3=More than 5 people	
Y7-675	53	235c(2c)	If weapons, what kind?	
			0=No weapons	
			1=Knives, cutting/stabbing things	
			2=Chains, bats/hitting things	
			3=Hard knuckles/numchucks	
			4=Guns and other firearms	
			5=Other	
			6=Mixed weapons excluding guns	
			7=Mixed weapons including guns	
			8=Mixed weapon - no gun or knife type	
Y7-676	54	235c(2d)	If any injury, how serious?	

- 0=No injury
- 1=Knocked down
- 2=Bruised
- 3=Cut/bleeding
- 4=Unconscious
- 5=Hospitalized
- 6=Required medical treatment
- 7=Other

Y7-677 55 235c(2e)

- Drinking or using drugs?
- 0=No
 - 1=Drinking
 - 2=Using drugs
 - 3=Drinking and drugs

SEVENTH WAVE NYS DATA

CARD 14/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

Variable	Column	Item Number	Variable Description and Coding
(continued)			Gang fights - Next to last time
		235c(2f)	This event reported for another SRD question?
Y7-678	56-58		First item number, 0=No
Y7-679	59-61		Second item number, 0=No
		235c(3)	3. Time before that:
Y7-680	62	235c(3a)	Number in your group?
			1=1-2 people
			2=3-5
			3=More than 5 people
Y7-681	63	235c(3b)	Number in other group?
			1=1-2 people
			2=3-5
			3=More than 5 people
Y7-682	64	235c(3c)	If weapons, what kind?
			0=No weapons
			1=Knives, cutting/stabbing things
			2=Chains, bats/hitting things
			3=Hard knuckles/numchucks
			4=Guns and other firearms
			5=Other
			6=Mixed weapons excluding guns
			7=Mixed weapons including guns
			8=Mixed weapon-no gun or knife types
Y7-683	65	235c(3d)	If any injury, how serious?
			0=No injury
			1=Knocked down
			2=Bruised
			3=Cut/bleeding
			4=Unconscious
			5=Hospitalized
			6=Required medical treatment
			7=Other

SEVENTH WAVE NYS DATA
CARD 14/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding
SRD Follow-up Questions (continued)

Variable	Column	Item Number	Variable Description and Coding
Y7-684	66	235c(3e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		235c(3f)	This event reported for another SRD question?
Y7-685	67-69		First item number, 0=No
	70-71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID#, (02-09)
	79-80		Card Number (14)

CARD 15/35

Y7-686	1- 3	235c(3f)(cont.)	Second item number, 0=No
		236c	Used checks illegally
Y7-687	4	236c(a)	How used? 1=Overdraft 2=Forged check 3=Cashed someone's check 4=Counterfeit money 5=Other
Y7-688	5- 7	236c(b)	Value(\$0-\$999)
Y7-689	8	236c(c)	Others involved? 0-9, 0=Alone
		236c(d)	This event reported for another SRD question?
Y7-690	9-11		First item number, 0=No
Y7-691	12-14		Second item number, 0=No
		237c	Sold marijuana
Y7-692	15-19	237c(a)	Value(\$0-\$99999)
Y7-693	20-24	237c(b)	Amount(F5.2) ounces 000.00-999.00, 999.99=large quantity, specific amount unknown -e.g. 1/2 bale
Y7-694	25	237c(c)	Others involved? 0-9, 0=Alone
		237c(d)	This event reported for another SRD question?
Y7-695	26-28		First item number, 0=No
Y7-696	29-31		Second item number, 0=No

SEVENTH WAVE NYS DATA
CARD 15/35 (continued)

			Questionnaire		
Variable	Column	Item Number	Variable Description and Coding		
SRD Follow-up Questions (continued)					
Y7-697	32	239c 239c(a1)	Stolen from family What did you steal? 1=Money 2=Other 3=Both		
Y7-698	33-35	239c(a2)	Amount stolen (\$0-\$999)		
Y7-699	36-38	239c(a3)	Value of other (\$0-\$999)		
Y7-700	39	239c(a4)	Planned to do with it? 1=Use it yourself 2=Give it away 3=Sell it 4=Other		
Y7-701	40	239c(b)	Others involved? 0-9, 0=Alone		
Y7-702	41	239c(c)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs		
		239c(d)	This event reported for another SRD question?		
Y7-703	42-44		First item number, 0=No		
Y7-704	45-47		Second item number, 0=No		
Y7-705	48	240c 240c(a1)	Stolen from employer What did you steal? 1=Money 2=Other 3=Both		
Y7-706	49-51	240c(a2)	Amount stolen (\$0-\$999)		
Y7-707	52-54	240c(a3)	Value of other (\$0-\$999)		
Y7-708	55	240c(b)	Others involved? 0-9, 0=Alone		
Y7-709	56	240c(c)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs		
		240c(d)	This event reported for another SRD question?		
Y7-710	57-59		First item number, 0=No		
Y7-711	60-62		Second item number, 0=No		
		241c(1-3)	Had sexual relations against someone's will - Three events		
		241c(1)	1.The Last time:		
Y7-712	63	241c(1a)	Outcome of attempt? 1=Actually forced 2=Tried but didn't succeed		

Y7-713	64	241c(1b)	Means of force? 1=Verbal threats of injury 2=Mild roughness 3=Physical beating/choking 4=Threat of weapon 5=Used a weapon 6=Other
Y7-714	65	241c(1c)	If any injury, how serious? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-715	66	241c(1d)	Others involved? 0-9, 0=Alone
Y7-716	67	241c(1e)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other
Y7-717	68	241c(1f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs

SEVENTH WAVE NYS DATA

CARD 15/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

			Forced sexual relations-Last time
		241c(1g)	This event reported for another SRD question?
Y7-718	69-71		First item number, 0=No
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (15)

CARD 16/35

Y7-719	1- 3	241c(1g)(cont.)	Second item number, 0=No
		241c(2)	2. Next to last time:
Y7-720	4	241c(2a)	Outcome of attempt?

Y7-721	5	241c(2b)	1=Actually forced 2=Tried but didn't succeed Means of force? 1=Verbal threats of injury 2=Mild roughness 3=Physical beating/choking 4=Threat of weapon 5=Used a weapon 6=Other
Y7-722	6	241c(2c)	If any injury, how serious? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-723	7	241c(2d)	Others involved? 0-9, 0=Alone
Y7-724	8	241c(2e)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other
Y7-725	9	241c(2f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		241c(2g)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-726	10-12		
Y7-727	13-15		
SEVENTH WAVE NYS DATA			

CARD 16/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

Variable	Column	Item Number	Variable Description and Coding
			Forced sexual relations (continued)
Y7-728	16	241c(3) 241c(3a)	3.Time before that: Outcome of attempt? 1=Actually forced 2=Tried but didn't succeed
Y7-729	17	241c(3b)	Means of force? 1=Verbal threats of injury 2=Mild roughness 3=Physical beating/choking 4=Threat of weapon 5=Used a weapon 6=Other
Y7-730	18	241c(3c)	If any injury, how serious? 0=No injury

			1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-731	19	241c(3d)	Others involved? 0-9, 0=Alone
Y7-732	20	241c(3e)	Was the person: 1=A stranger 2=An acquaintance 3=A friend 4=Family member 5=Other
Y7-733	21	241c(3f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		241c(3g)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-734	22-24		
Y7-735	25-27		
		242c	Hit parents
Y7-736	28	242c(a1)	Outcome of attempt? 1=Actually hit 2=Tried, didn't succeed 3=Only threatened to hit
Y7-737	29	242c(a2)	If any injury, how serious? 0=No injury 1=Pushed or slapped 2=Caused pain 3=knocked down 4=Bruised 5=Cut/bleeding 6=Unconscious 7=Hospitalized 8=Required medical treatment 9=Other

SEVENTH WAVE NYS DATA

CARD 16/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

			Hit parents (continued)
Y7-738	30	242c(b)	Others involved? 0-9, 0=Alone
Y7-739	31	242c(c)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs

		242c(d)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-740	32-34		
Y7-741	35-37		
		243c	Hit someone at work
Y7-742	38	243c(a1)	Outcome of attempt? 1=Actually hit 2=Tried, didn't succeed 3=Only threatened to hit
Y7-743	39	243c(a2)	If any injury, how serious? 0=No injury 1=Pushed or slapped 2=Caused pain 3=knocked down 4=Bruised 5=Cut/bleeding 6=Unconscious 7=Hospitalized 8=Required medical treatment 9=Other
Y7-744	40	243c(b)	Others involved? 0-9, 0=Alone
Y7-745	41	243c(c)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		243c(d)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-746	42-44		
Y7-747	45-47		
		244c	Hit anyone else
Y7-748	48	244c(a1)	Outcome of attempt? 1=Actually hit 2=Tried, didn't succeed 3=Only threatened to hit

SEVENTH WAVE NYS DATA

CARD 16/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	---------------------------	---------------------------------

SRD Follow-up Questions (continued)

			Hit anyone else (continued)
Y7-749	49	244c(a2)	If any injury, how serious? 0=No injury 1=Pushed or slapped 2=Caused pain 3=knocked down 4=Bruised 5=Cut/bleeding 6=Unconscious 7=Hospitalized

			8=required medical treatment 9=Other
Y7-750	50	244c(b)	Others involved? 0-9, 0=Alone
Y7-751	51	244c(c)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		244c(d)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-752	52-54		
Y7-753	55-57		
		246c	Sold hard drugs
Y7-754	58	246c(a)	What drugs? 1=Marijuana 2=Pills 3=Cocaine 4=Heroin 5=Other
Y7-755	59-63	246c(b)	Value(\$0-\$99998, and 99999=Other than money)
Y7-756	64	246c(c)	Others involved? 0-9, 0=Alone
		246c(d)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-757	65-67		
Y7-758	68-70		
	71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (16)

SEVENTH WAVE NYS DATA

CARD 17/35

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

		247c	Sold something worthless
Y7-759	1	247c(c)	Sold to whom?

Variable	Column	Item Number	Variable Description and Coding
			1=Stranger 2=Family member 3=Friend 4=Other
Y7-760	2- 5	247c(d)	Real value (\$0-\$9999)
Y7-761	6- 9	247c(e)	Asking price (\$0-\$9999)
Y7-762	10	247c(f)	Outcome of attempt? 1=Actually sold it 2=Tried to sell it
Y7-763	11	247c(g)	Others involved? 0-9, 0=Alone
		247c(h)	This event reported for another SRD question?
Y7-764	12-14		First item number, 0=No
Y7-765	15-17		Second item number, 0=No
		248c	Taken vehicle
Y7-766	18	248c(a)	Kind of vehicle? 1=Car 2=Truck 3=Motorcycle 4=Other
Y7-767	19	248c(b)	Vehicle Owner? 1=Family member 2=Friend 3=Other
Y7-768	20	248c(c)	Started vehicle? 1=Had keys 2=Hot wired 3=Keys in ignition 4=Other
Y7-769	21	248c(d)	Others involved? 0-9, 0=Alone
Y7-770	22	248c(e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		248c(f)	This event reported for another SRD question?
Y7-771	23-25		First item number, 0=No
Y7-772	26-28		Second item number, 0=No
		250c(1-3)	Used force on people-Three events
		250c(1)	1. The last time:
Y7-773	29	250c(1a)	Type of force 1=Punched 2=Physical beating 3=Other

SEVENTH WAVE NYS DATA

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

CARD 17/35 (continued)

			Used force-The last time (continued)
Y7-774	30	250c(1b)	If weapons, what kind? 0=No weapons 1=Knives, cutting/stabbing things 2=Chains, bats/hitting things 3=Hard knuckles/numchucks 4=Guns and other firearms 5=Other 6=Mixed weapons excluding guns 7=Mixed weapons including guns 8=Mixed weapon-no gun/knifetypes
Y7-775	31	250c(1c)	Purpose? 1=Money 2=Other
Y7-776	32	250c(1d)	If any injury, how serious? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-777	33	250c(1e)	Others involved? 0-9, 0=Alone
Y7-778	34	250c(1f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		250c(1g)	This event reported for another SRD question? First item number, 0=No Second item number, 0=No
Y7-779	35-37	250c(2)	
Y7-780	38-40	250c(2a)	2. Next to last time: Type of force? 1=Punched 2=Physical beating 3=Other
Y7-782	42	250c(2b)	If weapons, what kind? 0=No weapons 1=Knives, cutting/stabbing things 2=Chains, bats/hitting things 3=Hard knuckles/numchucks 4=Guns and other firearms 5=Other 6=Mixed weapons excluding guns 7=Mixed weapons including guns 8=Mixed weapons-no gun or knife types
Y7-783	43	250c(2c)	Purpose? 1=Money 2=Other

CARD 17/35 (continued)

SEVENTH WAVE NYS DATA

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

Variable	Column	Item Number	Variable Description and Coding
			Used force-Next to last time (continued)
Y7-784	44	250c(2d)	If any injury, how serious? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other
Y7-785	45	250c(2e)	Others involved? 0-9, 0=Alone
Y7-786	46	250c(2f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		250c(2g)	This event reported for another SRD question?
Y7-787	47-49		First item number, 0=No
Y7-788	50-52		Second item number, 0=No
		250c(3)	3.Time before that:
Y7-789	53	250c(3a)	Type of force? 1=Punched 2=Physical beating 3=Other
Y7-790	54	250c(3b)	If weapons, what kind? 0=No weapons 1=Knives, cutting/stabbing things 2=Chains, bats/hitting things 3=Hard knuckles/numchucks 4=Guns and other firearms 5=Other 6=Mixed weapons excluding guns 7=Mixed weapons including guns 8=Mixed weapon-no gun/knifetypes
Y7-791	55	250c(3c)	Purpose? 1=Money 2=Other
Y7-792	56	250c(3d)	Extent of injury? 0=No injury 1=Knocked down 2=Bruised 3=Cut/bleeding 4=Unconscious 5=Hospitalized 6=Required medical treatment 7=Other

SEVENTH WAVE NYS DATA
CARD 17/35 (continued)

Questionnaire			Variable Description and Coding
Variable	Column	Item Number	
SRD Follow-up Questions (continued)			
Y7-793	57	250c(3e)	Others involved? 0-9, 0=Alone
Y7-794	58	250c(3f)	Used force-Time before that(cont.) Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		250c(3g)	This event reported for another SRD question?
Y7-795	59-61		First item number, 0=No
Y7-796	62-64		Second item number, 0=No
		253c	Stolen things (\$5-\$50)
Y7-797	65-66	253c(b)	Value (\$0-\$99)
Y7-798	67	253c(c)	Stolen from: 1=Retail store 2=Private home 3=Auto 4=Work place 5=School/college 6=Construction site 7=Warehouse 8=Other
Y7-799	68	253c(d)	Actually steal? 1=No 2=Yes
Y7-800	69	253c(e)	Others involved? 0-9, 0=Alone
Y7-801	70	253c(f)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
	71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (17)

CARD 18/35

SEVENTH WAVE NYS DATA

Questionnaire

Variable Column Item Number Variable Description and Coding

SRD Follow-up Questions (continued)

Variable	Column	Item Number	Variable Description and Coding
		253c(g)	Stolen things (\$5-\$50) (continued) This event reported for another SRD question?
Y7-802	1-	3	First item number, 0=No
Y7-803	4-	6	Second item number, 0=No
		254c(1-3)	Broken into building-Three events
		254c(1)	1.The last time:
Y7-804	7	254c(1a)	Broke into what? 1=Building 2=Vehicle 3=House 4=Other
Y7-805	8	254c(1b)	Actually break in? 1=Broke in 2=Tried 3=Door open
Y7-806	9	254c(1c)	Reason? 1=Look around 2=Steal 3=Other
Y7-807	10	254c(1d)	Others involved? 0-9, 0=Alone
Y7-808	11	254c(1e)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		254c(1f)	This event reported for another SRD question?
Y7-809	12-14		First item number, 0=No
Y7-810	15-17		Second item number, 0=No
		254c(2)	2. Next to last time:
Y7-811	18	254c(2a)	Broke into what? 1=Building 2=Vehicle 3=House 4=Other
Y7-812	19	254c(2b)	Actually break in? 1=Broke in 2=Tried 3=Door open
Y7-813	20	254c(2c)	Reason? 1=Look around 2=Steal 3=Other
Y7-814	21	254c(2d)	Others involved? 0-9, 0=Alone
Y7-815	22	254c(2e)	Drinking or using drugs? 0=No

			1=Drinking 2=Using drugs 3=Drinking and drugs
		254c(2f)	This event reported for another SRD question?
Y7-816	23-25		First item number, 0=No
Y7-817	26-28		Second item number, 0=No
SEVENTH WAVE NYS DATA			
CARD 18/35 (continued)			
Questionnaire			
Variable	Column	Item Number	Variable Description and Coding
SRD Follow-up Questions (continued)			
			Broken into building (continued)
		254c(3)	3. Time before that:
Y7-818	29	254c(3a)	Broke into what?
			1=Building 2=Vehicle 3=House 4=Other
Y7-819	30	254c(3b)	Actually break in?
			1=Broke in 2=Tried 3=Door open
Y7-820	31	254c(3c)	Reason?
			1=Look around 2=Steal 3=Other
Y7-821	32	254c(3d)	Others involved?
			0-9, 0=Alone
Y7-822	33	254c(3e)	Drinking or using drugs?
			0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		254c(3f)	This event reported for another SRD question?
Y7-823	34-36		First item number, 0=No
Y7-824	37-39		Second item number, 0=No
		257c	Used credit cards without permission
Y7-825	40	257c(a)	Whose card?
			1=Stranger 2=Family member 3=Friend 4=Other
Y7-826	41-43	257c(b)	Amount charged(\$0-\$999)
Y7-827	44	257c(c)	Others involved? 0-9, 0=Alone
		257c(d)	This event reported for another SRD question?
Y7-828	45-47		First item number, 0=No
Y7-829	48-50		Second item number, 0=No

SEVENTH WAVE NYS DATA

CARD 18/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

SRD Follow-up Questions (continued)

Y7-830	51	259c	Picked someone's pocket
		259c(a)	What did you do? 1=urse snatching 2=Pick pocket 3=Other
		259c(b1-b4)	What was taken? 1=No 2=Yes
Y7-831	52	259c(b1)	(1)Money
Y7-832	53	259c(b2)	(2)Credit cards
Y7-833	54	259c(b3)	(3)Checks
Y7-834	55	259c(b4)	(4)Other
Y7-835	56	259c(c)	Others involved? 0-9, 0=Alone
Y7-836	57	259c(d)	Drinking or using drugs? 0=No 1=Drinking 2=Using drugs 3=Drinking and drugs
		259c(e)	This event reported for another SRD question?
Y7-837	58-60		First item number, 0=No
Y7-838	61-63		Second item number, 0=No
		260c	Embezzled money or funds
Y7-839	64-66	260c(a)	Value(\$0-\$999)
		260c(d)	This event reported for another SRD question?
Y7-840	67-69		First item number, 0=No
	70-71		Blank
	72		Subsamples (see page 3) 1=NIMH, 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (18)

CARD 19/35

Y7-841	1- 3	260c(d)(cont.)	Embezzled money or funds (continued) Second item number, 0=No
--------	------	----------------	---

SEVENTH WAVE NYS DATA

CARD 19/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
<p>Drug or Alcohol Use - Questionnaire items 261-265, 267, 269, 271, and 273-279 ask respondents about a number of substances they may have used in the past year. For each substance used, the respondent is asked to give an absolute frequency of use, and for responses of 10 or more an estimate of the rate of occurrence has been asked. A combined rate of occurrence measure, scored 1=never through 9=2-3 times a day, is then constructed.</p>			
Y7-842-877	4-68/Card 19	261...274 (1)	How many times in the past year?
Y7-878-893	1-27/Card 20	275...279	Frequency (0-999)
		(2)	How often in the past year?
			1=Never
			2=Once or twice
			3=Once every 2-3 months
			4=Once a month
			5=Once every 2-3 weeks
			6=Once a week
			7=2-3 times a week
			8=Once a day
			9=2-3 times a day
		(3)	Episodic Usage
			Blank=Use not episodic
			1=LT 2 weeks
			2=2 to 4 weeks
			3=GT 1 to 2 months
			4=GT 2 to 3 months
			5=GT 3 to 4 months
			6=GT 4 to 6 months
			7=GT 6 months

		261	Alcoholic beverages
Y7-842	4- 6	261(1)	Frequency
Y7-843	7	261(2)	Rate
Y7-844	8	261(3)	Episodic
		262	Tobacco
Y7-845	9	262	Used tobacco?
			1=No
			2=Yes
Y7-846	10	262(3)	Episodic
			How much?
Y7-847	11-12	262a	# of cigarettes per day(0-99)
Y7-848	13-14	262b	# of cigars/pipes per day(0-99)
Y7-849	15-16	262c	Cans of chewing tobacco/mo.(0-99)
		263	Marijuana
Y7-850	17-19	263(1)	Frequency
Y7-851	20	263(2)	Rate
Y7-852	21	263(3)	Episodic
		264	Hallucinogens
Y7-853	22-24	264(1)	Frequency
Y7-854	25	264(2)	Rate
Y7-855	26	264(3)	Episodic

SEVENTH WAVE NYS DATA

CARD 19/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Use of Drugs (continued)			
		265	Tranquilizers
Y7-856	27-29	265(1)	Frequency
Y7-857	30	265(2)	Rate
Y7-858	31	265(3)	Episodic
Y7-859	32-34	266	IF SOME USE: How many of these times were prescribed by a doctor? Frequency (0-999)
		267	Amphetamines
Y7-860	35-37	267(1)	Frequency
Y7-861	38	267(2)	Rate
Y7-862	39	267(3)	Episodic
Y7-863	40-42	268	IF SOME USE: How many of these times were prescribed by a doctor? Frequency (0-999)
		269	Barbiturates
Y7-864	43-45	269(1)	Frequency
Y7-865	46	269(2)	Rate
Y7-866	47	269(3)	Episodic
Y7-867	48-50	270	IF SOME USE: How many of these times were prescribed by a doctor? Frequency (0-999)
		271	Codeine
Y7-868	51-53	271(1)	Frequency
Y7-869	54	271(2)	Rate
Y7-870	55	271(3)	Episodic
Y7-871	56-58	272	IF SOME USE: How many of these times were prescribed by a doctor? Frequency (0-999)
		273	Heroin
Y7-872	59-61	273(1)	Frequency
Y7-873	62	273(2)	Rate
Y7-874	63	273(3)	Episodic
		274	Crack
Y7-875	64-66	274(1)	Frequency
Y7-876	67	274(2)	Rate
Y7-877	68	274(3)	Episodic
	69-71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)

79-80
SEVENTH WAVE NYS DATA

Card Number (19)

CARD 20/35

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Use of Drugs (continued)

		275	Cocaine
Y7-878	1- 3	275(1)	Frequency
Y7-879	4	275(2)	Rate
Y7-880	5	275(3)	Episodic
		276	Inhalants
Y7-881	6- 8	276(1)	Frequency
Y7-882	9	276(2)	Rate
Y7-883	10	276(3)	Episodic
		277	Angel Dust
Y7-884	11-13	277(1)	Frequency
Y7-885	14	277(2)	Rate
Y7-886	15	277(3)	Episodic
		278	Other drugs
Y7-887	16-17	278a	Substance: 01=THC 02=Quaaludes 03=Cough medicine 04=Robitussin 05=Sominex 06=Sudafed 07=No-Doze 08=Demerol 09=Weight control pills 10=Coricidin 11=Mushrooms 12=MDA 13=Pam 99=Other
Y7-888	18-20	278(1)	Frequency
Y7-889	21	278(2)	Rate
Y7-890	22	278(3)	Episodic
		279	Used any drugs in excess of your doctor's prescription?
Y7-891	23-25	279(1)	Frequency
Y7-892	26	279(2)	Rate
Y7-893	27	279(3)	Episodic
Y7-894	28	280a	Ever injected illicit drugs? 0=No 1=Heroin 2=Cocaine 3=Other drugs 4=Heroin and cocaine

5=Other combinations including
heroin but excluding cocaine
6=Other combination including
cocain but excluding heroin
7=Combinations including heroin
and cocaine

SEVENTH WAVE NYTA

CARD 20/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Use of Drugs (continued)

Y7-895	29	280b	Ever shared a needle with someone without sterilizing it between uses? 1=No 2=Yes
--------	----	------	--

Problem Behavior Resulting from Drug or Alcohol Use -Questionnaire
items 281 through 288 ask respondents to report the number of times
they have experienced various problems as a result of drug or alcohol
use.

Y7-896-919	30-53	281-288(1-3)	1=Never 2=Once or twice 3=Three or four times 4=Five or six times 5=More than six times
------------	-------	--------------	---

		281	Trouble with girlfriend/boyfriend
Y7-896	30	281(1)	Alcohol
Y7-897	31	281(2)	Marijuana
Y7-898	32	281(3)	Drugs
		282	Trouble with friends
Y7-899	33	282(1)	Alcohol
Y7-900	34	282(2)	Marijuana
Y7-901	35	282(3)	Drugs
		283	Problems with family
Y7-902	36	283(1)	Alcohol
Y7-903	37	283(2)	Marijuana
Y7-904	38	283(3)	Drugs
		284	Gotten into fights
Y7-905	39	284(1)	Alcohol
Y7-906	40	284(2)	Marijuana
Y7-907	41	284(3)	Drugs
		285	Problems with physical health
Y7-908	42	285(1)	Alcohol
Y7-909	43	285(2)	Marijuana
Y7-910	44	285(3)	Drugs
		286	Trouble with the police

SEVENTH WAVE NYS DATA
CARD 21/35

Questionnaire

Variable Column Item Number Variable Description and Coding

 Questions 290-292 ask respondents for an absolute frequency of how many times, in the last year, they have been high on alcohol and drugs and how many times they have been high while driving and at work.

Y7-935-943 1-27 290-292 Frequency(0-999)

Y7-935	1- 3	290a	Drunk on alcohol in the past year
Y7-936	4- 6	290b	Drunk while driving
Y7-937	7- 9	290c	Drunk while at work
Y7-938	10-12	291a	High on marijuana in the past year
Y7-939	13-15	291b	High on marijuana while driving
Y7-940	16-18	291c	High on marijuana while at work
Y7-941	19-21	292a	High on other drugs in past year
Y7-942	22-24	292b	High on other drugs while driving
Y7-943	25-27	292c	High on other drugs while at work

 Questionnaire items 293-303 ask Respondents if they have ever in their lifetime engaged in a selected list of behaviors and if so how old they were the first time they did.

Y7-944-965 28-60 293-303 (1) Ever in your lifetime?
 1=No
 2=Yes
 (2)How old the first time?Age in years
 99=Can't remember

		293	Stolen motor vehicle
Y7-944	28	293(1)	Ever in your lifetime?
Y7-945	29-30	293(2)	How old?
		294	Stolen something more than \$50
Y7-946	31	294(1)	Ever in your lifetime?
Y7-947	32-33	294(2)	How old?
		295	Set fire to property
Y7-948	34	295(1)	Ever in your lifetime?
Y7-949	35-36	295(2)	How old?
		296	Attacked someone
Y7-950	37	296(1)	Ever in your lifetime?
Y7-951	38-39	296(2)	How old?
		297	Been in gang fights
Y7-952	40	297(1)	Ever in your lifetime?
Y7-953	41-42	297(2)	How old?
		298	Sexual relations against someones will
Y7-954	43	298(1)	Ever in your lifetime?

Y7-955	44-45	298(2)	How old?
		299	Broken into building
Y7-956	46	299(1)	Ever in your lifetime?
Y7-957	47-48	299(2)	How old?
		300	Used force on someone
Y7-958	49	300(1)	Ever in your lifetime?
Y7-959	50-51	300(2)	How old?
		301	Physically hurt someone to get sex
Y7-960	52	301(1)	Ever in your lifetime?
Y7-961	53-54	301(2)	How old?
		302	Sold hard drugs
Y7-962	55	302(1)	Ever in your lifetime?
Y7-963	56-57	302(2)	How old?
		303	Injured spouse/partner
Y7-964	58	303(1)	Ever in your lifetime?
Y7-965	59-60	303(2)	How old?

SEVENTH WAVE NYS DATA

CARD 21/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

 Self-Reported Delinquency - During 1984 and 1985: Questionnaire items 304-334 ask respondents how often they engaged in a variety of behaviors, including the use of some drugs, during 1984 and 1985. (The Yes - No responses in this section were filters only and are not included in the data set.) This set of items is unique to the Partial Sample (Wave 7A) and each item is, therefore, indicated by an asterisk (*).

Y7-966-975	61-70/Card 21	304*-308*	1=Never
Y7-976-1029	1-54/Card 22	309*-334*	2=1-2 Times
			3=3-11 Times
			4=12 or More Times

		304*	Stolen motor vehicle
Y7-966	61	304a*	During 1984?
Y7-967	62	304b*	During 1985?
		305*	Stolen something more than \$50
Y7-968	63	305a*	During 1984?
Y7-969	64	305b*	During 1985?
		306*	Bought stolen goods
Y7-970	65	306a*	During 1984?
Y7-971	66	306b*	During 1985?
		307*	Set fire to property
Y7-972	67	307a*	During 1984?
Y7-973	68	307b*	During 1985?

		308*	Carried a hidden weapon
Y7-974	69	308a*	During 1984?
Y7-975	70	308b*	During 1985?
	71		Blank
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (21)

CARD 22/35

		309*	Stolen something less than \$5
Y7-976	1	309a*	During 1984?
Y7-977	2	309b*	During 1985?
		310*	Attacked someone
Y7-978	3	310a*	During 1984?
Y7-979	4	310b*	During 1985?
		311*	Been paid for sexual relations
Y7-980	5	311a*	During 1984?
Y7-981	6	311b*	During 1985?

SEVENTH WAVE NYS DATA

CARD 22/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Self-Reported Delinquency-1984/1985 (continued)

		312*	Pay someone for sexual relations
Y7-982	7	312a*	During 1984?
Y7-983	8	312b*	During 1985?
		313*	Been in gang fights
Y7-984	9	313a*	During 1984?
Y7-985	10	313b*	During 1985?
		314*	Used checks illegally
Y7-986	11	314a*	During 1984?
Y7-987	12	314b*	During 1985?
		315*	Sold marijuana
Y7-988	13	315a*	During 1984?
Y7-989	14	315b*	During 1985?
		316*	Had sexual relations against someone's will
Y7-990	15	316a*	During 1984?
Y7-991	16	316b*	During 1985?
		317*	Hit parent

Y7-992	17	317a*	During 1984?
Y7-993	18	317b*	During 1985?
		318*	Hit someone at work
Y7-994	19	318a*	During 1984?
Y7-995	20	318b*	During 1985?
		318(a)*	Hit anyone else
Y7-996	21	318(a)a*	During 1984?
Y7-997	22	318(a)b*	During 1985?
		319*	Sold hard drugs
Y7-998	23	319a*	During 1984?
Y7-999	24	319b*	During 1985?
		320*	Tried to sell something worthless
Y7-1000	25	320a*	During 1984?
Y7-1001	26	320b*	During 1985?
		321*	Taken vehicle
Y7-1002	27	321a*	During 1984?
Y7-1003	28	321b*	During 1985?
		322*	Used force on anyone
Y7-1004	29	322a*	During 1984?
Y7-1005	30	322b*	During 1985?
		323*	Stolen things (\$5-50)
Y7-1006	31	323a*	During 1984?
Y7-1007	32	323b*	During 1985?

SEVENTH WAVE NYS DATA

CARD 22/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Self-Reported Delinquency-1984/1985 (continued)

		324*	Broken into building
Y7-1008	33	324a*	During 1984?
Y7-1009	34	324b*	During 1985?
		325*	Used credit cards without permission
Y7-1010	35	325a*	During 1984?
Y7-1011	36	325b*	During 1985?
		326*	Picked someone's pocket
Y7-1012	37	326a*	During 1984?
Y7-1013	38	326b*	During 1985?
		327*	Embezzled money or funds
Y7-1014	39	327a*	During 1984?
Y7-1015	40	327b*	During 1985?
		328*	Used alcoholic beverages

Y7-1016	41	328a*	During 1984?
Y7-1017	42	328b*	During 1985?
		329*	Used marijuana
Y7-1018	43	329a*	During 1984?
Y7-1019	44	329b*	During 1985?
		330*	Used hallucinogens
Y7-1020	45	330a*	During 1984?
Y7-1021	46	330b*	During 1985?
		331*	Used tranquilizers
Y7-1022	47	331a*	During 1984?
Y7-1023	48	331b*	During 1985?
		332*	Used amphetamines
Y7-1024	49	332a*	During 1984?
Y7-1025	50	332b*	During 1985?
		333*	Used barbiturates
Y7-1026	51	333a*	During 1984?
Y7-1027	52	333b*	During 1985?
		334*	Used cocaine
Y7-1028	53	334a*	During 1984?
Y7-1029	54	334b*	During 1985?

SEVENTH WAVE NYS DATA

CARD 22/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1030	55-56	335	Since January 1984, ever arrested? 0=No 1-99=Number of times
		336-338	Information on arrests (3 events)
Y7-1031	57-58	336 336(a1)	1. The most recent time arrested: Month (01-12) 13=Winter 14=Spring 15=Summer 16=Fall 99=Unknown
Y7-1032	59-60	336(a2) 336(b1-3)	Year (84-86) What were you doing? (3 coded) (01-86) see Appendix A
Y7-1033	61-62	336(b1)	First thing
Y7-1034	63-64	336(b2)	Second thing
Y7-1035	65-66	336(b3)	Third thing
	67-71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA

73-76	Household ID #
77-78	Respondent ID #, (02-09)
79-80	Card Number (22)

CARD 23/35

		336(c1-3)	Police charge? (3 coded) (01-86) see Appendix A
Y7-1036	1- 2	336(c1)	First charge
Y7-1037	3- 4	336(c2)	Second charge
Y7-1038	5- 6	336(c3)	Third charge
Y7-1039	7	336(d)	Really do what police charged? 1=No 2=Yes
		337	2. The time before that:
Y7-1040	8- 9	337(a1)	Month (01-12) 13=Winter 14=Spring 15=Summer 16=Fall 99=Unknown
Y7-1041	10-11	337(a2) 337(b1-3)	Year (84-86) What were you doing? (01-86) see Appendix A
Y7-1042	12-13	337(b1)	First thing
Y7-1043	14-15	337(b2)	Second thing
Y7-1044	16-17	337(b3)	Third thing

SEVENTH WAVE NYS DATA

CARD 23/35 (continued)

		Questionnaire	
Variable	Column	Item Number	Variable Description and Coding

Information on arrests (continued)

		337(c1-3)	The time before that (continued) Police charge? (01-86) see Appendix A
Y7-1045	18-19	337(c1)	First charge
Y7-1046	20-21	337(c2)	Second charge
Y7-1047	22-23	337(c3)	Third charge
Y7-1048	24	337(d)	Really do what police charged? 1=No 2=Yes
		338	3. And the time before that:
Y7-1049	25-26	338(a1)	Month (01-12) 13=Winter 14=Spring 15=Summer 16=Fall 99=Unknown
Y7-1050	27-28	338(a2) 338(b1-3)	Year (84-86) What were you doing? (01-86) see Appendix A

Y7-1051	29-30	338(b1)	First thing
Y7-1052	31-32	338(b2)	Second thing
Y7-1053	33-34	338(b3)	Third thing
		338(c1-3)	Police charge?
			(01-86) see Appendix A
Y7-1054	35-36	338(c1)	First charge
Y7-1055	37-38	338(c2)	Second charge
Y7-1056	39-40	338(c3)	Third charge
Y7-1057	41	338(d)	Really do what police charged?
			1=No
			2=Yes
			Since January 1984, ever been questioned?
Y7-1058	42-43	339	0=No, 1-99=Number of times
		340-342	Questioned by police (3 events)
		340	1. The most recent time questioned:
Y7-1059	44-45	340(a1)	Month (01-12)
			13=Winter
			14=Spring
			15=Summer
			16=Fall
			99=Unknown
Y7-1060	46-47	340(a2)	Year (84-86)
Y7-1061	48-49	340(b)	Questioned about what?
			(01-86) see Appendix A
Y7-1062	50	340(c1)	Had you committed any offense?
			1=No
			2=Yes
Y7-1063	51-52	340(c2)	IF YES: What did you do?
			(01-86) see Appendix A

SEVENTH WAVE NYS DATA

CARD 23/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1064	53	340(d)	Most recent questioning (continued) What did police do? 1=No police action 2=Asked questions, no action 3=Took Respondent home, no action 4=Investigation report/complaint 5=Temporarily detained/questioned 6=Arrested/released on bail 7=Placed in custody/jailed 9=Other
Y7-1065	54-55	341 341(a1)	2. The time before that questioned: Month (01-12) 13=Winter 14=Spring 15=Summer 16=Fall 99=Unknown

Y7-1066	56-57	341(a2)	Year (84-86)
Y7-1067	58-59	341(b)	Questioned about what? (01-86) see Appendix A
Y7-1068	60	341(c1)	Had you committed any offense? 1=No 2=Yes
Y7-1069	61-62	341(c2)	If YES: What did you do? (01-86) see Appendix A
Y7-1070	63	341(d)	What did police do? Coded the same as Item 340(d)
		342	
Y7-1071	64-65	342(a1)	3. And the time before that: Month (01-12) 13=Winter 14=Spring 15=Summer 16=Fall 99=Unknown
Y7-1072	66-67	342(a2)	Year (84-86)
Y7-1073	68-69	342(b)	Questioned about what? (01-86) see Appendix A
Y7-1074	70	342(c1)	Had you committed any offense? 1=No 2=Yes
	71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (23)

SEVENTH WAVE NYS DATA

CARD 24/35

		Questionnaire		
Variable	Column	Item Number	Variable Description and Coding	
Questioned by Police (continued)				
			Time before that questioned (cont.)	
Y7-1075	1- 2	342(c2)	If YES: What did you do? (01-86) see Appendix A	
Y7-1076	3	342(d)	What did police do? 1=No police action 2=Asked questions, no action 3=Took Respondent home, no action 4=Investigation report/complaint 5=Temporarily detained/questioned 6=Arrested/released on bail 7=Placed in custody/jailed 9=Other	
Y7-1077	4	343a	Ever been to court for a crime? 0=No 1=Juvenile Court 2=Adult Court	

Variable	Column	Item Number	Variable Description and Coding
			3=Both
Y7-1078	5- 6	343b	How old at first court appearance? Age in years
Y7-1079	7- 8	343c1	If ever convicted, how many times? 0-99 0=Never convicted
		343c2(1-3)	If CONVICTED: What were the charges? Allow for 3 offenses (01-86) see Appendix A
Y7-1080	9-10	343c2(1)	First offense
Y7-1081	11-12	343c2(2)	Second offense
Y7-1082	13-14	343c2(3)	Third offense
Y7-1083	15	343c3	Ever serve time for any offense? 1=No 2=Yes

Y7-1084-1091	16-32	343c3(1-4)	IF YES: How long in what type of facility: (Responses coded in two parts:) (a) Days or months up to the time of the interview 0=less than 1 (b) Year first sentence began Blank=Don't remember

		343c3(1)	Detention Center:
Y7-1084	16-17	343c3(1a)	Days (0-99)
Y7-1085	18-19	343c3(1b)	Year (0-87)
		343c3(2)	Training school
Y7-1086	20-21	343c3(2a)	Months (0-99)
Y7-1087	22-23	343c3(2b)	Year (0-87)
		343c3(3)	Jail
Y7-1088	24-26	343c3(3a)	Days (0-999)
Y7-1089	27-28	343c3(3b)	Year (0-87)
		343c3(4)	Prison
Y7-1090	29-30	343c3(4a)	Months (0-99)
Y7-1091	31-32	343c3(4b)	Year (0-87)

SEVENTH WAVE NYS DATA

CARD 24/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Questionnaire items 344 through 350 ask respondents what they think the chances are that they would be arrested if they committed certain acts.

Y7-1092-1098	33-46	344-350	0=0% chance 1=10% chance 2=20% chance 3=30% chance 4=40% chance 5=50% chance 6=60% chance 7=70% chance 8=80% chance 9=90% chance
--------------	-------	---------	---

10=100% chance

Y7-1092	33-34	344	Exceed speed limit by 10-20 mph
Y7-1093	35-36	345	Steal something less than \$5
Y7-1094	37-38	346	Steal something more than \$50
Y7-1095	39-40	347	Break into a building
Y7-1096	41-42	348	Strongarm others
Y7-1097	43-44	349	Attack someone
Y7-1098	45-46	350	Deliberate your spouse/partner

Questionnaire items 351 through 356 ask Respondents what they think would be the most likely punishment if they were ticketed or arrested for certain acts.

Y7-1099-1104	47-52	351-356	1=Released without charges 2=Dismissed at court 3=Fined and released 4=Probation/suspended sentence 5=Short time in jail 6=Long time in jail Probes to "Don't Know": 7=Serious punishment 8=Nonserious punishment 9=No punishment
--------------	-------	---------	--

Y7-1099	47	351	Exceed speed limit by 10-20 mph
Y7-1100	48	352	Steal something less than \$5
Y7-1101	49	353	Steal something more than \$50
Y7-1102	50	354	Break into a building
Y7-1103	51	355	Strongarm others
Y7-1104	52	356	Attack someone

SEVENTH WAVE NYS DATA

CARD 24/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Questionnaire items 357 through 368 ask Respondents how much guilt, remorse or personal discomfort they would experience if they committed certain acts.

Y7-1105-1116	53-64	357-368	5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
--------------	-------	---------	--

Y7-1105	53	357	Exceed speed limit by 10-20 mph
Y7-1106	54	358	Steal something less than \$5
Y7-1107	55	359	Steal something more than \$50
Y7-1108	56	360	Break into a building
Y7-1109	57	361	Strongarm others
Y7-1110	58	362	Attack someone

Y7-1111	59	363	Exceed speed limit by 10-20 mph to help someone
Y7-1112	60	364	Steal something less than \$5 from store that overcharges
Y7-1113	61	365	Steal something over \$50 that is covered by insurance
Y7-1114	62	366	Break into a building owned by a known crook
Y7-1115	63	367	Strongarm someone to get something you need but can't pay for
Y7-1116	64	368	Attack someone because of argument over girl/boyfriend

Victimization - Questionnaire items 369 through 379 ask respondents to report how often in the past year they have been the victim of various acts. The exact number of times is recorded in each case. Items 370, 371, 372, 375 and 378 include sets of additional questions.

Y7-1117-1119	65-71/CARD 24	369-370(a)	Number of times in the past year
Y7-1120-1172	1-71/CARD 25	370(b)-378	(0-999)
Y7-1173-1176	1-6/CARD 26	378(a)-379	

Y7-1117	65-67	369	Things taken directly from you
Y7-1118	68-70	370	Beaten up by parent
Y7-1119	71	370(a)	Forced sex attempted? 1=No 2=Yes
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (24)

SEVENTH WAVE NYS DATA

CARD 25/35

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Victimization (continued)			
		370(b1-3)	Beaten up by parent (continued) If forced sex attempted, were you: (1=No, 2=Yes)
Y7-1120	1	370(b1)	(1)Threatened/injured by weapon?
Y7-1121	2	370(b2)	(2)Seriously injured?
Y7-1122	3	370(b3)	(3)Forced to have sexual relations
Y7-1123	4- 6	371	Threatened with/beaten up by others
Y7-1124	7- 9	371(a) 371(b1-10)	How many times actually beaten up? Relation of attacker(s): (1=No, 2=Yes)
Y7-1125	10	371(b1)	Brother
Y7-1126	11	371(b2)	Sister

Y7-1127	12	371(b3)	Teacher
Y7-1128	13	371(b4)	Spouse
Y7-1129	14	371(b5)	Student
Y7-1130	15	371(b6)	Gang
Y7-1131	16	371(b7)	Other adult
Y7-1132	17	371(b8)	Boy/girlfriend
Y7-1133	18	371(b9)	Other youth
Y7-1134	19	371(b10)	Other
Y7-1135	20	371(c)	Forced sex attempted? 1=No 2=Yes
		371(d1-3)	If forced sex attempted, were you: (1=No, 2=Yes)
Y7-1136	21	371(d1)	(1)Threatened/injured by weapon?
Y7-1137	22	371(d2)	(2)Seriously injured?
Y7-1138	23	371(d3)	(3)Forced to have sexual relations
Y7-1139	24-26	372	Attacked with weapon
		372(a1-10)	Relation of attacker(s): (1=No, 2=Yes)
Y7-1140	27	372(a1)	Brother
Y7-1141	28	372(a2)	Sister
Y7-1142	29	372(a3)	Teacher
Y7-1143	30	372(a4)	Spouse
Y7-1144	31	372(a5)	Student
Y7-1145	32	372(a6)	Gang
Y7-1146	33	372(a7)	Other adult
Y7-1147	34	372(a8)	Boy/girlfriend
Y7-1148	35	372(a9)	Other youth
Y7-1149	36	372(a10)	Other
Y7-1150	37	372(b)	Forced sex attempted? 1=No 2=Yes
		372(c1-3)	If forced sex attempted, were you: (1=No, 2=Yes)
Y7-1151	38	372(c1)	(1)Threatened/injured by weapon?
Y7-1152	39	372(c2)	(2)Seriously injured?
Y7-1153	40	372(c3)	(3)Forced sexual relations

SEVENTH WAVE NYS DATA

CARD 25/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Victimization (continued)

Y7-1154	41-43	373	Motor vehicle or bike stolen
Y7-1155	44-46	374	Things taken from car
Y7-1156	47-49	375	Sexually attacked
		375(a1-10)	Relation of attacker(s): (1=No, 2=Yes)
Y7-1157	50	375(a1)	Brother
Y7-1158	51	375(a2)	Sister
Y7-1159	52	375(a3)	Teacher

Y7-1160	53	375(a4)	Spouse
Y7-1161	54	375(a5)	Student
Y7-1162	55	375(a6)	Gang
Y7-0163	56	375(a7)	Other adult
Y7-1164	57	375(a8)	Boy/girlfriend
Y7-1165	58	375(a9)	Other youth
Y7-1166	59	375(a10)	Other
		375(b1-3)	During event, were you: (1=No, 2=Yes)
Y7-1167	60	375(b1)	(1)Threatened/injured by weapon?
Y7-1168	61	375(b2)	(2)Seriously injured?
Y7-1169	62	375(b3)	(3)Forced to have sexual relations
Y7-1170	63-65	376	Things damaged
Y7-1171	66-68	377	Things stolen from public place
Y7-1172	69-71	378	Sexually pressured
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (25)

CARD 26/35

			Sexually pressured (continued)
		378(a1-3)	During event, were you: (1=No, 2=Yes)
Y7-1173	1	378(a1)	(1)Threatened/injured by weapon?
Y7-1174	2	378(a2)	(2)Seriously injured?
Y7-1175	3	378(a3)	(3)Forced to have sexual relations
Y7-1176	4- 6	379	Pocket picked

SEVENTH WAVE NYS DATA

CARD 26/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1177	7	380 380(1)	Sexual assaults: Any assault reported in more than one boxed item? 1=No 2=Yes
Y7-1178	8- 9	380(2)	Number nonredundant sexual assaults of which respondent was a victim (01-99)
Y7-1179	10-12	380(3)	Item number of most recent event (001-999)
Y7-1180	13-15	381	What is your current weight? (001-999 Pounds)

Y7-1181	16-17	382	What is your height? (01-99 Inches)

			Codes for items 383a-383f: 5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree

Y7-1182	18	383a	Eat well balanced meals?
Y7-1183	19	383b	Eat fresh vegetables and fruit?
Y7-1184	20	383c	Eat too much junk food?
Y7-1185	21	383d	Eat junk food instead of meals?
Y7-1186	22	383e	Take daily vitamin supplement?
Y7-1187	23	383f	Exercise on a regular basis?
Y7-1188	24	384	Physical problems which restrict activities? 1=Yes 2=No
Y7-1189-1192	25-32	384(a-d)	IF YES: Physical problems codes (Allow for up to four problems) 0=No problem 1=Orthopedic problems 2=Endocrinology problems 3=Ear/eye/nose/throat 4=Heart disease 5=Blood/circulatory 6=Urological 7=Skin problems 8=Neurological 9=Pulmonary 10=Cancer 11=Other
Y7-1189	25-26	384a	First physical problem
Y7-1190	27-28	384b	Second problem
Y7-1191	29-30	384c	Third problem
Y7-1192	31-32	384d	Fourth problem

SEVENTH WAVE NYS DATA

CARD 26/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1193	33	385	Ever had a venereal disease? 1=Yes 2=No 8=Don't know
Y7-1194	34	385a	IF YES: What type of V.D.? 1=Gonorrhea 2=Genital herpes 3=Syphilis 4=Clap 5=Other
Y7-1195	35	385b(1)	Problems because of it?

			1=Yes 2=No Blank
Y7-1196	36	385b(2)	
Y7-1197	37	386	Ever been tested for AIDS? 1=No 2=Yes
Y7-1198	38	386a	IF YES: Test result? 1=Negative 2=Positive 3=Outcome unknown 4=Refused
Y7-1199	39	387	General physical health? 1=Excellent 2=Very good 3=Good 4=Fair 5=Poor
Y7-1200	40-41	388	How old at first period? Age in years 88=Can't remember Blank=Male respondent
Y7-1201	42	389	Pregnant during 1984, 1985 or 1986? 1=Yes 2=No Blank=Male respondent

SEVENTH WAVE NYS DATA

CARD 26/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

 Dates and other information for as many as three pregnancies:

Y7-1202-1216	43-66	389(1-3)	a. Year(83-86) b. Outcome? 1=Live birth 2=Abortion 3=Miscarriage 4=Stillbirth 5=Currently pregnant 8=Other c. Problems? (Coded 2 problems for each pregnancy listed) 0=No 1=Difficult labor/delivery 2=C-section 3=Urological problems 4=Respiratory/cardiac distress for infant 5=Atopic pregnancy 6=Miscarriage (or threat of) 7=Difficult presentation
--------------	-------	----------	---

8=Drug addiction
 9=Phlebitis, hemorrhoids
 10=Hemorrhaging during delivery
 11=Other

d. If abortion/miscarriage, was it:
 1=Involuntary
 2=Voluntary

		389(1a-d)	First pregnancy
Y7-1202	43-44	389(1a)	Year
Y7-1203	45	389(1b)	Outcome
Y7-1204	46-47	389(1c1)	First problem
Y7-1205	48-49	389(1c2)	Second problem
Y7-1206	50	389(1d)	Voluntary abortion?
		389(2a-d)	Second pregnancy
Y7-1207	51-52	389(2a)	Year
Y7-1208	53	389(2b)	Outcome
Y7-1209	54-55	389(2c1)	First problem
Y7-1210	56-57	389(2c2)	Second problem
Y7-1211	58	389(2d)	Voluntary abortion?
		389(3a-d)	Third pregnancy
Y7-1212	59-60	389(3a)	Year
Y7-1213	61	389(3b)	Outcome
Y7-1214	62-63	389(3c1)	First problem
Y7-1215	64-65	389(3c2)	Second problem
Y7-1216	66	389(3d)	Voluntary abortion?

SEVENTH WAVE NYS DATA

CARD 26/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Questionnaire items 390(1-2) and 391ask Repondents who have reported having had an abortion, miscarriage or loss of a baby if they have had any physical or psychological effects from the event(s).

Y7-1217-1219	67-71/CARD 26	390(1)ab	Had any effects?
Y7-1220-1228	1-16/CARD 27	390(1c-2),391	1=No, 2=Yes
			Physical and psychological effects (Up to 3 effects listed)
			0=No effect
			1=Hemorrhaging/blood disorders
			2=Hysterectomy
			3=Infections
			4=Depression
			5=Guilt
			6=Fatigue
			7=Fear of pregnancy/intercourse
			8=Husband/boyfriend upset
			9=Never get another abortion
			10=Relieved
			11=Other problem
			12=Other benefit
			13=Anger

Y7-1217	67	390(1)	Effects from first reported event?
Y7-1218	68-69	390(1)a	First effect
Y7-1219	70-71	390(1)b	Second effect
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (26)

CARD 27/35

Y7-1220	1- 2	390(1)c	Third effect
Y7-1221	3	390(2)	Effects from second event reported?
Y7-1222	4- 5	390(2)a	One effect
Y7-1223	6- 7	390(2)b	Second effect
Y7-1224	8- 9	390(2)c	Third effect
Y7-1225	10	391	Effects at present from event(s)?
Y7-1226	11-12	391a	First effect
Y7-1227	13-14	391b	Second effect
Y7-1228	15-16	391c	Third effect

SEVENTH WAVE NYS DATA

CARD 27/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1229	17	392	Been depressed for two weeks or more during 1984-1986? 1=No 2=Yes

Depression - Questionnaire items 393 through 408 ask respondents one or more questions about seven areas of mental health to assess the presence of symptoms of depression. For each set of questions relating to an area of health, following the scoring procedures of the D.I.S., a summary code is given.

Y7-1230-1253	18-41	393-408, (S)=Summary	Presence of symptoms? 1=Symptom not present 5=Symptom present Summary score 1=No symptom(s) 5=Symptom in at least one category
--------------	-------	-------------------------	---

		393-395	Appetite
Y7-1230	18	393	Loss of appetite
Y7-1231	19	394	Loss of weight
Y7-1232	20	395	Weight gain
Y7-1233	21	(S)	Appetite summary
		396-397	Sleep

Y7-1234	22	396	Insomnia
Y7-1235	23	397	Sleep too much
Y7-1236	24	(S)	Sleep summary
		398	Tired
Y7-1237	25	398	Tired all the time
Y7-1238	26	(S)	Tired summary
		399-400	Slow/Restless
Y7-1239	27	399	Talked/moved slower than usual
Y7-1240	28	400	Unable to be still
Y7-1241	29	(S)	Slow/Restless summary
		401	Lost Interest
Y7-1242	30	401	Lost interest in sex
Y7-1243	31	(S)	Lost Interest summary
		402-403	Trouble Thinking
Y7-1244	32	402	Trouble concentrating
Y7-1245	33	403	Thoughts slow/mixed up
Y7-1246	34	(S)	Trouble Thinking summary
		404	Worthless
Y7-1247	35	404	Felt worthless/guilty
Y7-1248	36	(S)	Worthless summary

SEVENTH WAVE NYS DATA

CARD 27/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
		405-408	Thought of Death
Y7-1249	37	405	Thought about death in general
Y7-1250	38	406	Wanted to die
Y7-1251	39	407	Thought of suicide
Y7-1252	40	408	Attempted suicide
Y7-1253	41	(S)	Thought of Death summary
Y7-1254	42	(Box)	Flag for Depression 1=No: less than 3 summaries=5 2=Yes: 3 or more summaries=5
Y7-1255	43	409a	Any time during 1984-1986 depression and other problems occurred together? 1=Yes 2=No
Y7-1256	44	409b	IF NO: Really haven't been blue plus any other symptoms, is that correct? 1=Yes (No correction) 2=No (Depression with symptoms)
	45-51	410(a-d)	Longest time depressed plus other problem symptoms:
Y7-1257	45	410a	Years (0-3)
Y7-1258	46-47	410b	Months (0-36)
Y7-1259	48-49	410c	Weeks (0-52)

Y7-1260	50-51	410d	Days (0-99)
Y7-1261	52-53	411	Number of episodes when depressed plus other problems (01-99)
Y7-1262	54	412	Tell a doctor about any of those episodes? 5=Yes 1=No
Y7-1263	55	413	Tell any professional about any of those episodes? 5=Yes 1=No
Y7-1264	56	414	Take medicine more than once for any of those episodes? 5=Yes 1=No
Y7-1265	57	415	Episodes interfere a lot with life or activities? 5=Yes 1=No

SEVENTH WAVE NYS DATA

CARD 27/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1266	58	416a	Any episode occur after death of a loved one? 1=No 2=Yes
Y7-1267	59	416b	Any episode not associated with a death? 2=Only due to a death 5=Not due to a death
Y7-1268-1271	60-65	417(a-e)	Current state of mental health:
Y7-1268	60	417a	Depressed plus other symptoms now? 1=Yes 2=No
Y7-1269	61	417b	When last such episode ended? 1=Within last 2 weeks 2=Within last month 3=Within last 6 months 4=Within last year 5=More than 1 year ago
Y7-1270	62-63	417c	IF 5: How old then? Age in years
Y7-1271	64	417d	Seeing a professional, now, for this episode? 1=Yes 2=No

Y7-1272	65	417e	Unuseable code
	66-71		Blank
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (27)

SEVENTH WAVE NYS DATA

CARD 28/35

Variable	Column	Item Number	Questionnaire	Variable Description and Coding

Use of Outpatient Services-Questionnaire item 418(a-q) asks respondents about their use, in the past three years, of a number of different kinds of people and places which offer help for problems in the area of mental health. (Three year prevalence can be determined from a combination of last year frequency and code 999.)				
				B. How many times past year?
Y7-1273-1307	1-70/Card	28	418a-418g	0-998=Number of times in 1986
Y7-1308-1342	1-70/Card	29	418h-418n	999=If used 1984 or 1985 only
Y7-1343-1357	1-30/Card	30	418o-418q	C. IF USED/1986: What problem(s) (up to 3):
				0=No problem
				1=Drugs
				2=Alcohol
				3=Family relationships
				4=Depression
				5=Sexual relationships
				6=Trouble with the law
				7=Emotional stress/nerves
				8=Problem with boy/girlfriend
				9=Work/school problems
				10=Problems with friends
				11=Physical health/illness
				12=Financial problems
				13=Death of friend/relative
				99=Other
				D. How much help did you get?
				5=A great deal
				4=A fair amount
				3=Some
				2=Only a little
				1=None at all

Variable	Column	Item Number	Questionnaire	Variable Description and Coding
				Have you gone for help to:
				A friend or relative
Y7-1273	1- 3		418a	Frequency
Y7-1274	4- 5		418a(B)	First Problem
Y7-1275	6- 7		418a(C1)	Second Problem
Y7-1276	8- 9		418a(C2)	Third Problem
Y7-1277	10		418a(C3)	Amount of help

		418b	A minister/rabbi
Y7-1278	11-13	418b(B)	Frequency
Y7-1279	14-15	418b(C1)	First Problem
Y7-1280	16-17	418b(C2)	Second Problem
Y7-1281	18-19	418b(C3)	Third Problem
Y7-1282	20	418b(D)	Amount of help
		418c	A psychiatrist/counselor
Y7-1283	21-23	418c(B)	Frequency
Y7-1284	24-25	418c(C1)	First Problem
Y7-1285	26-27	418c(C2)	Second Problem
Y7-1286	28-29	418c(C3)	Third Problem
Y7-1287	30	418c(D)	Amount of help

SEVENTH WAVE NYS DATA

CARD 28/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Use of Outpatient Services (continued)

		418d	A medical doctor
Y7-1288	31-33	418d(B)	Frequency
Y7-1289	34-35	418d(C1)	First Problem
Y7-1290	36-37	418d(C2)	Second Problem
Y7-1291	38-39	418d(C3)	Third Problem
Y7-1292	40	418d(D)	Amount of help
		418e	A spiritualist/healer
Y7-1293	41-43	418e(B)	Frequency
Y7-1294	44-45	418e(C1)	First Problem
Y7-1295	46-47	418e(C2)	Second Problem
Y7-1296	48-49	418e(C3)	Third Problem
Y7-1297	50	418e(D)	Amount of help
		418f	Anyone else?
Y7-1298	51-53	418f(B)	Frequency
Y7-1299	54-55	418f(C1)	First Problem
Y7-1300	56-57	418f(C2)	Second Problem
Y7-1301	58-59	418f(C3)	Third Problem
Y7-1302	60	418f(D)	Amount of help
		418g	Mental health center
Y7-1303	61-63	418g(B)	Frequency
Y7-1304	64-65	418g(C1)	First Problem
Y7-1305	66-67	418g(C2)	Second Problem
Y7-1306	68-69	418g(C3)	Third Problem
Y7-1307	70	418g(D)	Amount of help
	71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)

79-80

Card Number (28)

CARD 29/35

		418h	Psychiatric outpatient clinic of a general hospital
Y7-1308	1- 3	418h(B)	Frequency
Y7-1309	4- 5	418h(C1)	First Problem
Y7-1310	6- 7	418h(C2)	Second Problem
Y7-1311	8- 9	418h(C3)	Third Problem
Y7-1312	10	418h(D)	Amount of help

SEVENTH WAVE NYS DATA

CARD 29/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Use of Outpatient Services (continued)

		418i	Outpatient clinic of a psychiatric hospital
Y7-1313	11-13	418i(B)	Frequency
Y7-1314	14-15	418i(C1)	First Problem
Y7-1315	16-17	418i(C2)	Second Problem
Y7-1316	18-19	418i(C3)	Third Problem
Y7-1317	20	418i(D)	Amount of help

		418j	Drug clinic
Y7-1318	21-23	418j(B)	Frequency
Y7-1319	24-25	418j(C1)	First Problem
Y7-1320	26-27	418j(C2)	Second Problem
Y7-1321	28-29	418j(C3)	Third Problem
Y7-1322	30	418j(D)	Amount of help

		418k	Alcohol clinic
Y7-1323	31-33	418k(B)	Frequency
Y7-1324	34-35	418k(C1)	First Problem
Y7-1325	36-37	418k(C2)	Second Problem
Y7-1326	38-39	418k(C3)	Third Problem
Y7-1327	40	418k(D)	Amount of help

		418l	An emergency room
Y7-1328	41-43	418l(B)	Frequency
Y7-1329	44-45	418l(C1)	First Problem
Y7-1330	46-47	418l(C2)	Second Problem
Y7-1331	48-49	418l(C3)	Third Problem
Y7-1332	50	418l(D)	Amount of help

		418m	Family/social Service agency
Y7-1333	51-53	418m(B)	Frequency
Y7-1334	54-55	418m(C1)	First Problem
Y7-1335	56-57	418m(C2)	Second Problem
Y7-1336	58-59	418m(C3)	Third Problem
Y7-1337	60	418m(D)	Amount of help

		418n	Self-help group
--	--	------	-----------------

Y7-1338	61-63	418n(B)	Frequency
Y7-1339	64-65	418n(C1)	First Problem
Y7-1340	66-67	418n(C2)	Second Problem
Y7-1341	68-69	418n(C3)	Third Problem
Y7-1342	70	418n(D)	Amount of help
	71		Blank
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (29)

SEVENTH WAVE NYS DATA

CARD 30/35

Variable	Column	Questionnaire Item Number	Variable Description and Coding
----------	--------	------------------------------	---------------------------------

Use of Outpatient Services (continued)

		418o	Crisis center/hotline
Y7-1343	1- 3	418o(B)	Frequency
Y7-1344	4- 5	418o(C1)	First Problem
Y7-1345	6- 7	418o(C2)	Second Problem
Y7-1346	8- 9	418o(C3)	Third Problem
Y7-1347	10	418o(D)	Amount of help
		418p	Any other agency/program?
Y7-1348	11-13	418p(B)	Frequency
Y7-1349	14-15	418p(C1)	First Problem
Y7-1350	16-17	418p(C2)	Second Problem
Y7-1351	18-19	418p(C3)	Third Problem
Y7-1352	20	418p(D)	Amount of help
		418q	Been admitted to a hospital because of emotional/drug type problems
Y7-1353	21-23	418q(B)	Frequency
Y7-1354	24-25	418q(C1)	First Problem
Y7-1355	26-27	418q(C2)	Second Problem
Y7-1356	28-29	418q(C3)	Third Problem
Y7-1357	30	418q(D)	Amount of help

 Spouse Violence - Questionnaire items 419 through 428 ask Respondents, who are married or living with a partner, if in the past year they have done any of the following things which couples may do in an effort to deal with their frustrations and settle differences.

Y7-1358-1367	31-40/Card 30	419-428	0=Never
			1=Once
			2=Twice
			3=3-5 Times
			4=6-10 Times
			5=11-20 Times
			6=More Than 20 Times

Y7-1358	31	419	Insulted or swore at partner
Y7-1359	32	420	Threatened to hit or throw something
Y7-1360	33	421	Threw something at partner
Y7-1361	34	422	Pushed, grabbed or shoved
Y7-1362	35	423	Slapped partner
Y7-1363	36	424	Kicked, bit or hit partner
Y7-1364	37	425	Hit partner with something
Y7-1365	38	426	Beat up partner
Y7-1366	39	427	Threatened with a gun
Y7-1367	40	428	Used knife or fired a gun

SEVENTH WAVE NYS DATA

CARD 30/35 (continued)

Questionnaire

Variable Column Item Number Variable Description and Coding

Spouse Violence by Partner - Questionnaire items 429 through 438 ask Respondents, who are married or living with a partner, if in the past year their partner has done any of the following things which couples may do in an effort to deal with their frustrations and settle differences.

Y7-1368-1377 41-50 429-438

0=Never
 1=Once
 2=Twice
 3=3-5 Times
 4=6-10 Times
 5=11-20 Times
 6=More Than 20 Times

Y7-1368	41	429	Insulted or swore at you
Y7-1369	42	430	Threatened to hit or throw something
Y7-1370	43	431	Threw something at you
Y7-1371	44	432	Pushed, grabbed or shoved you
Y7-1372	45	433	Slapped you
Y7-1373	46	434	Kicked, bit or hit you
Y7-1374	47	435	Hit you with something
Y7-1375	48	436	Beat you up
Y7-1376	49	437	Threatened you with a gun
Y7-1377	50	438	Used knife or fired a gun

Y7-1378 51-53 439

How many separate fights during the past year?
 0-999

Y7-1379 54-56 440a

In how many of the fights were you physically injured?
 0-999

IF INJURED: How many times you had to go to doctor/hospital for treatment?
 0-99

Y7-1380 57-58 440b

In how many of the fights was spouse/partner physically injured?

Y7-1381	59-61	441a	0-999 IF INJURED: how many times had to go to a doctor/hospital for treatment
Y7-1382	62-63	441b	0-99
Y7-1383	64	442	Sexual intercourse/opposite sex? 1=No 2=Yes

SEVENTH WAVE NYS DATA

CARD 30/35 (continued)

Questionnaire			
Variable	Column	Item Number	Variable Description and Coding

Sexual Activity - Questionnaire items 443, 444, 446, 454, and 470 ask Respondent the frequency of sexual activities in the past year. For responses of 10 or more they are also asked to give an estimate of rate.			
			(1) Frequency (0-999)
			(2) Rate
			4=Once a month
			5=Once every 2-3 weeks
			6=Once a week
			7=2-3 times a week
			8=Once a day
			9=2-3 times a day

		443	Sexual intercourse (not spouse)
Y7-1384	65-67	443(1)	Frequency
Y7-1385	68	443(2)	Rate
	69-71		Blank
	72		Subsamples (see page 3)
			1=NIMH
			2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (30)

CARD 31/35

		444	Sexual intercourse (spouse)
Y7-1386	1- 3	444(1)	Frequency
Y7-1387	4	444(2)	Rate
Y7-1388	5- 6	445	How many sexual partners? (0-99)
		446	Pressured sexually
Y7-1389	7- 9	446(1)	Frequency
Y7-1390	10	446(2)	Rate
Y7-1391	11	447	Relationship to person(s) pressured?
			1=Boy/girlfriend
			2=Date
			3=Friend
			4=Acquaintance
			5=Stranger

6=Spouse
 7=Relative
 8=Other

Y7-1392 12 448 Sex of person(s) pressured?
 1=Male
 2=Female
 3=Both

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1393	13	449	Pressured sexually (continued) Kind of pressure/force used? 1=Verbal persuasion 2=Verbal threats of injury 3=Hit, slap, mild roughness 4=Physical beating/choking 5=Threat to use weapon 6=Used a weapon
Y7-1394	14-15	450	Others involved with you in pressuring? (0-99, 0=No)
Y7-1395	16	451	Was the person injured? 1=No 2=Yes
Y7-1396	17	452	Succeed in forcing sexual relations? 1=No 2=Yes
Y7-1397	18-20	453	This event reported for any other Questionnaire item? (0-999, 0=No)
Y7-1398	21-23	454	Threatened for sex
Y7-1399	24	454(1)	Frequency
Y7-1400	25	454(2)	Rate
Y7-1400	25	455	Relationship to person(s) threatened? 1=Boy/girlfriend 2=Date 3=Friend 4=Acquaintance 5=Stranger 6=Spouse 7=Relative 8=Other
Y7-1401	26	456	Sex of person(s) threatened? 1=Male 2=Female 3=Both
Y7-1402	27	457	Kind of pressure/force used? 1=Verbal persuasion 2=Verbal threats of injury 3=Hit, slap, mild roughness 4=Physical beating/choking 5=Threat to use weapon

Variable	Column	Item Number	Variable Description and Coding
Y7-1403	28-29	458	6=Used a weapon Others involved with you in threatening? (0-99, 0=No)
Y7-1404	30	459	Was the person injured? 1=No 2=Yes
SEVENTH WAVE NYS DATA			
CARD 31/35 (continued)			
Questionnaire			
Variable	Column	Item Number	Variable Description and Coding
Y7-1405	31	460	Threatened for sex (continued) Succeed in forcing sexual relations? 1=No 2=Yes
Y7-1406	32-34	461	This event reported for any other Questionnaire item? (0-999, 0=No)
Y7-1407	35-36	462	Age at first sexual intercourse with someone of opposite sex (00-99)
Y7-1408	37	463	Relationship to that person? 1=Husband/wife 2=Fiance/fiancee 3=Steady dating partner 4=Friend 5=Teacher 6=Casual acquaintance 7=Relative 8=Complete stranger 9=Prostitute
Y7-1409	38	464	First experience voluntary? 1=Forced 2=Voluntary
Y7-1410	39	465	Feelings about that experience: 1=Very positive 2=Positive 3=Both positive and negative 4=Neither positive or negative 5=Negative 6=Very negative
Y7-1411	40	466	Sexual relations with same sex? 1=No 2=Yes
Y7-1412	41-42	467	Age first time relations with someone of same sex (00-99)
Y7-1413	43	468	First experience voluntary? 1=Forced 2=Voluntary
Y7-1414	44	469	Feelings about that experience: 1=Very positive

2=Positive
 3=Both positive and negative
 4=Neither positive or negative
 5=Negative
 6=Very negative

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
		470	How often sexual relations with same sex
Y7-1415	45-47	470(1)	Frequency
Y7-1416	48	470(2)	Rate
Y7-1417	49-50	471	Number of same-sex sexual partners in last year? (0-99)
Y7-1418	51	472	Sexual identity: 1=Heterosexual 2=Bisexual 3=Gay 4=Uncertain 9=Don't know (Respondent did not understand the words)
Y7-1419	52	473	Satisfied with sex life? 5=Very satisfied 4=Somewhat satisfied 3=Neither satisfied nor dissatisfied 2=Somewhat dissatisfied 1=Very dissatisfied
Y7-1420	53	474	Amount of stress/pressure in sex life: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y7-1421	54	475	Ever experienced serious functional sex problems? 1=No 2=Yes
Y7-1422	55-56	475a	IF YES: Number of times sexual behavior was affected by these problems in past year 0-99

 Questionnaire item 476 asks Respondents if they have ever engaged in any of the following behaviors and if so, how many times.

Y7-1423-1427	57-71/CARD	31	476(a-e)	How many times in the last year?
Y7-1428	1-3/CARD	32	476(f)	0=Not in past year 1-998=Times in past year 999=Some time,not in past year

Variable	Column	Item Number	Variable Description and Coding
Y7-1423	57-59	476a	Peeped at others who were dressing or engaged in sex?
Y7-1424	60-62	476b	Tried to engage children in sexual activity?
Y7-1425	63-65	476c	Sexually exposed self to strangers?
Y7-1426	66-68	476d	Watched pornographic movies or other materials?
Y7-1427	69-71	476e	Been cruel and hurtful to sex partner?

SEVENTH WAVE NYS DATA

CARD 31/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (31)

CARD 32/35

Y7-1428	1- 3	476f	Sought cruelty and pain from sex partner?
			Debriefing
Y7-1429	4		Further explanation of answers 1=No (code blanks as "no") 2=Yes Uncomfortable questions?
Y7-1430	5		1=Drugs
Y7-1431	6		1=Sex
Y7-1432	7		1=Mental health
Y7-1433	8		1=Criminal behavior
Y7-1434	9		1=Spouse violence
Y7-1435	10-12		Specific item #
Y7-1436	13-15		Specific item #
Y7-1437	16		Ever deliberately gave false responses? 1=No, 2=Yes

Variables Y7-1438 through Y7-1450, are not used in the data set.

17-29 Blank

Interviewer Observations

Y7-1451	30	1	Respondent's anxiety before interview 1=Not at all anxious 2=Somewhat anxious 3=Very anxious
Y7-1452	31	2	Was respondent hostile? 1=No, 2=Yes

Y7-1453	32	3	Respondent's interest 1=Very low 2=Below average 3=Average 4=Above average 5=Very high
		4	Problems encountered
Y7-1454	33		1=Difficulty with language
Y7-1455	34		1=Difficulty with questions
Y7-1456	35		1=Interruptions
Y7-1457	36		1=Temporary breakoff
Y7-1458	37		1=Breakoff
Y7-1459	38		1=Other (all other unclassifiable)

SEVENTH WAVE NYS DATA

CARD 32/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y7-1460	39	5	Respondent's anxiety after interview 1=Relaxed 2=Tense 3=Other
Y7-1461	40	6	Additional comments 1=No 2=Yes

Variables Y7-1462 through Y7-1465, are not used in the data set.

41-45 Blank

 Self-Reported Delinquency - During 1984 and 1985: Questionnaire items 479 thru 489 ask respondents if they engaged in a variety of behaviors, including the use of some drugs, during 1984 and 1985. These questions were asked only of the Remainder of the Sample (Wave 7B), as indicated by the numeric symbol (#), and were physically located in the schedule in the same position as the Self-Reported Delinquency-During 1984 and 1985 section given to the first Partial Sample (Wave 7A).

Y7-1466-1487	46-67	479-489	1=No 2=Yes
--------------	-------	---------	---------------

			Did you...
		479#	Get involved in a gang fight
Y7-1466	46	479a#	During 1984?
Y7-1467	47	479b#	During 1985?
		480#	Steal something more than \$50
Y7-1468	48	480a#	During 1984?
Y7-1469	49	480b#	During 1985?
		481#	Attack someone
Y7-1470	50	481a#	During 1984?
Y7-1471	51	481b#	During 1985?

		482#	Steal a motor vehicle
Y7-1472	52	482a#	During 1984?
Y7-1473	53	482b#	During 1985?
		483#	Use force on anyone
Y7-1474	54	483a#	During 1984?
Y7-1475	55	483b#	During 1985?
		484#	Break into a building
Y7-1476	56	484a#	During 1984?
Y7-1477	57	484b#	During 1985?
		485#	Have sexual relation relations against someone's will
Y7-1478	58	485a#	During 1984?
Y7-1479	59	485b#	During 1985?

SEVENTH WAVE NYS DATA

CARD 32/35 (continued)

Questionnaire

Variable	Column	Item Number	Variable Description and Coding
----------	--------	-------------	---------------------------------

Self-Reported Delinquency-1984/1985 (continued)

		486#	Buy stolen goods
Y7-1480	60	486a#	During 1984?
Y7-1481	61	486b#	During 1985?
		487#	Use alcohol more than 3 times
Y7-1482	62	487a#	During 1984?
Y7-1483	63	487b#	During 1985?
		488#	Use marijuana more than 3 times
Y7-1484	64	488a#	During 1984?
Y7-1485	65	488b#	During 1985?
		489#	Use other illicit drugs more than 3 times
Y7-1486	66	489a#	During 1984?
Y7-1487	67	489b#	During 1985?

Variables Y7-1488 through Y7-1597, are not used in the data set.

68-71	Blank
72	Subsamples (see page 3) 1=NIMH 2=LEAA
73-76	Household ID #
77-78	Respondent ID #, (02-09)
79-80	Card Number (32)

CARD33/35

provided information and/or provide missing information regarding their marital status for each month of each year for 1976 through 1986.

Y7-1598-1657 1-60/CARD 33 478a-478e 0=Never married
 Y7-1658-1717 1-60/CARD 34 478f-478j 1=Married
 Y7-1718-1729 1-12/CARD 35 478k 2=Remarried
 3=Divorced
 4=Separated
 5=Widowed

 Marital status in 1976, January
 through December

Y7-1598	1	478a1	January
Y7-1599	2	478a2	February
Y7-1600	3	478a3	March
Y7-1601	4	478a4	April
Y7-1602	5	478a5	May
Y7-1603	6	478a6	June
Y7-1604	7	478a7	July
Y7-1605	8	478a8	August
Y7-1606	9	478a9	September
Y7-1607	10	478a10	October
Y7-1608	11	478a11	November
Y7-1609	12	478a12	December

SEVENTH WAVE NYS DATA

CARD 33/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			Marital status in 1977, January through December
Y7-1610	13	478b1	January
Y7-1611	14	478b2	February
Y7-1612	15	478b3	March
Y7-1613	16	478b4	April
Y7-1614	17	478b5	May
Y7-1615	18	478b6	June
Y7-1616	19	478b7	July
Y7-1617	20	478b8	August
Y7-1618	21	478b9	September
Y7-1619	22	478b10	October
Y7-1620	23	478b11	November
Y7-1621	24	478b12	December
			Marital status in 1978, January through December
Y7-1622	25	478c1	January
Y7-1623	26	478c2	February
Y7-1624	27	478c3	March
Y7-1625	28	478c4	April
Y7-1626	29	478c5	May
Y7-1627	30	478c6	June
Y7-1628	31	478c7	July
Y7-1629	32	478c8	August
Y7-1630	33	478c9	September
Y7-1631	34	478c10	October
Y7-1632	35	478c11	November

Y7-1633	36	478c12	December
			Marital status in 1979, January through December
Y7-1634	37	478d1	January
Y7-1635	38	478d2	February
Y7-1636	39	478d3	March
Y7-1637	40	478d4	April
Y7-1638	41	478d5	May
Y7-1639	42	478d6	June
Y7-1640	43	478d7	July
Y7-1641	44	478d8	August
Y7-1642	45	478d9	September
Y7-1643	46	478d10	October
Y7-1644	47	478d11	November
Y7-1645	48	478d12	December

SEVENTH WAVE NYS DATA

CARD 33/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			Marital status in 1980, January through December
Y7-1646	49	478e1	January
Y7-1647	50	478e2	February
Y7-1648	51	478e3	March
Y7-1649	52	478e4	April
Y7-1650	53	478e5	May
Y7-1651	54	478e6	June
Y7-1652	55	478e7	July
Y7-1653	56	478e8	August
Y7-1654	57	478e9	September
Y7-1655	58	478e10	October
Y7-1656	59	478e11	November
Y7-1657	60	478e12	December
	61-71		Blank
	72		Subsamples (see page 3) 1=NIMH 2=LEAA
	73-76		Household ID #
	77-78		Respondent ID #, (02-09)
	79-80		Card Number (33)

CARD 34/35

			Marital status in 1981, January through December
Y7-1658	1	478f1	January
Y7-1659	2	478f2	February
Y7-1660	3	478f3	March
Y7-1661	4	478f4	April
Y7-1662	5	478f5	May
Y7-1663	6	478f6	June
Y7-1664	7	478f7	July

Y7-1665	8	478f8	August
Y7-1666	9	478f9	September
Y7-1667	10	478f10	October
Y7-1668	11	478f11	November
Y7-1669	12	478f12	December

Marital status in 1982, January
through December

Y7-1670	13	478g1	January
Y7-1671	14	478g2	February
Y7-1672	15	478g3	March
Y7-1673	16	478g4	April
Y7-1674	17	478g5	May
Y7-1675	18	478g6	June
Y7-1676	19	478g7	July
Y7-1677	20	478g8	August
Y7-1678	21	478g9	September
Y7-1679	22	478g10	October
Y7-1680	23	478g11	November
Y7-1681	24	478g12	December

SEVENTH WAVE NYS DATA

CARD 34/35 (continued)

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			Marital status in 1983, January through December
Y7-1682	25	478h1	January
Y7-1683	26	478h2	February
Y7-1684	27	478h3	March
Y7-1685	28	478h4	April
Y7-1686	29	478h5	May
Y7-1687	30	478h6	June
Y7-1688	31	478h7	July
Y7-1689	32	478h8	August
Y7-1690	33	478h9	September
Y7-1691	34	478h10	October
Y7-1692	35	478h11	November
Y7-1693	36	478h12	December
			Marital status in 1984, January through December
Y7-1694	37	478i1	January
Y7-1695	38	478i2	February
Y7-1696	39	478i3	March
Y7-1697	40	478i4	April
Y7-1698	41	478i5	May
Y7-1699	42	478i6	June
Y7-1700	43	478i7	July
Y7-1701	44	478i8	August
Y7-1702	45	478i9	September
Y7-1703	46	478i10	October
Y7-1704	47	478i11	November
Y7-1705	48	478i12	December

			Marital status in 1985, January through December
Y7-1706	49	478j1	January
Y7-1707	50	478j2	February
Y7-1708	51	478j3	March
Y7-1709	52	478j4	April
Y7-1710	53	478j5	May
Y7-1711	54	478j6	June
Y7-1712	55	478j7	July
Y7-1713	56	478j8	August
Y7-1714	57	478j9	September
Y7-1715	58	478j10	October
Y7-1716	59	478j11	November
Y7-1717	60	478j12	December

61-71

Blank

72

Subsamples (see page 3)

1=NIMH

2=LEAA

73-76

Household ID #

77-78

Respondent ID #, (02-09)

79-80

Card Number (34)

SEVENTH WAVE NYS DATA

CARD 35/35

Variable	Column	Questionnaire Item Number	Variable Description and Coding
			Marital status in 1986, January through December
Y7-1718	1	478k1	January
Y7-1719	2	478k2	February
Y7-1720	3	478k3	March
Y7-1721	4	478k4	April
Y7-1722	5	478k5	May
Y7-1723	6	478k6	June
Y7-1724	7	478k7	July
Y7-1725	8	478k8	August
Y7-1726	9	478k9	September
Y7-1727	10	478k10	October
Y7-1728	11	478k11	November
Y7-1729	12	478k12	December
Y7-1730	13		**NYS Urban Suburban Rural Code
			1=Urban:
			Central city of SMSA or urban area with population 100,000 or more
			2=Suburban:
			Central city of SMSA or urban area with population less than 100,000
			Any part of SMSA not classified as urban
			Any other community with population 25,000 or more
			3=Rural:

	Not part of SMSA or urban area and population less than 25,000
14-71	Blank
72	Subsamples (see page 3) 1=NIMH 2=LEAA
73-76	Household ID #
77-78	Respondent ID #, (02-09)
79-80	Card Number (35)

**1980 Census Codes were used for the Wave 7 USR coding - there are differences in the SMSA code, Place code and Place size

Appendix B

NYS Wave 7 OFFICIAL POLICE CODES - SELF-REPORTED ARREST CODES

1. Arson, possession of explosives
2. Assault/Aggravated - with weapon, to inflict serious injury / kill, manslaughter
3. Assault/Simple - any other assault (if not clear, assume less serious), simple battery, assault and battery, domestic violence
4. Assault/Sexual
5. Auto Theft - not normal access to
6. Bought Liquor for Minor/Contributing to Delinquency of a Minor
7. Burglary/Breaking and entering/Possession of burglary tools
8. Concealed Weapon - carrying loaded weapon, possession of deadly weapon, unlawful use of weapon
9. Disorderly Conduct, disturbing the peace, profanity, fighting
10. Drunkenness - public intoxication
11. Evaded Payment - sneaking into places without paying
12. Fraud/Counterfeiting
13. Fraud/Credit Card
14. Fraud/Bad Checks/Forgery/Fake I.D.
15. Fraud/Other - selling something worthless, violation of promise, criminal impersonation (use of ID or credit card)
16. Hitchhiking - soliciting rides
17. Joyriding - taking car without legal access
18. Obscene Phone Calls/harassing phone calls
19. Panhandling
20. Prostitution/solicitation
21. Robbery
22. Runaway/missing person
23. Possession of Illegal Substances/Alcohol - consumption underage, violation state liquor law, open bottle, illegal transportation
24. Possession of Illegal Substances/Marijuana/paraphernalia
25. Possession of Illegal Substances/Other - hard drugs/paraphernalia
26. Selling Drugs - delivering controlled substance
27. Stolen Goods - receiving, holding, buying, selling, possession of stolen property, concealing
28. Grand Theft - over \$50.00
29. Petty Theft - less than \$50.00, shoplifting
30. Unspecified Theft - if no way to determine value
31. Truancy
32. Traffic - parking, speeding, driving without license, expired tag, leaving scene of accident, hit and run
33. Curfew/loitering
34. Vandalism/criminal mischief - prowling, destroying property, animal mistreatment, tampering, throwing rocks
35. Trespassing
36. Harrassment - threatening to hurt someone, taking lunch money, menacing
37. Other Sex Offense - (excludes sexual assault and prostitution) indecent exposure, homosexuality
38. Other Offense - false report, false alarm, deceiving officer
39. Selling without a licence
40. Desertion from military - AWOL

41. Suspicious of an offense - suspicious activity
 42. No Record - no codes in file
 43. Non-Offense
 44. Purged - No codes in file
 45. Arrest/Contact not specified - juvenile offender
 46. No Search/Unknown reason ("Blank")(No codes in file)
 - 47.
 48. No Search/Records not available (No codes in file)
 49. Drunk driving, reckless driving, fleeing and evading, careless driving
 50. Civil violations - fireworks, false alarms, jay walking, sleeping in parked car, paternity, non-support, illegal hunting /fishing, noise laws
 51. Violation against court - probation/parole violation, violation of house arrest, failure to pay fine, failure to appear, contempt of court, warrant
 52. Possession of controlled substance - violation of controlled substance act, or conspiracy to violate act
 53. Conspiracy
 54. Under influence of drugs - controlled substance, sniffing, drug use
 55. Smuggling/black market
 56. Organized crime
 57. Homicide
 80. Accessory to felony
 81. Accessory to misdemeanor
 82. Accessory to petty theft
 83. Kidnapping
 84. Evading arrest - escape, fugitive, resisting arrest, obstructing justice, interfering with police officer during arrest
 85. Incurigibility - unruly, CHINS
 86. Mistaken identity
- Blank = Don't know