

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Treatment Episode Data Set -- Admissions (TEDS-A) -- Concatenated, 1992 to 2012

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Center for Behavioral Health Statistics and
Quality.*

Codebook: 1992 to 1994

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS (TEDS-A) – CONCATENATED, 1992 TO 2012

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring between 1992 to 2012. This concatenated file combines the 21 individual years of TEDS-A into five parts to facilitate research on year-to-year trends. The file was split into multiple parts in order to produce the standard suite of files available for download, and to make it easier for the user in downloading the data files. As new years of data become available they will be added to Part 5 until it contains the years 2010 to 2014.

<u>Part #</u>	<u>Year Range</u>
1	1992 to 1994
2	1995 to 1999
3	2000 to 2004
4	2005 to 2009
5	2010 to 2012

TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in Appendix A of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for

special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

This edition of the TEDS-A Concatenated data file includes data from 1992 to 2012. Each year of the data includes 100 percent of the client records reported to TEDS as follows:

<u>Year(s) of Data</u>	<u>Extraction Date</u>
2002 to 2012	10/17/2013
2001	10/15/2012
2000	10/10/2011
1999	04/11/2005
1992 to 1998	05/11/2004

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.
- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data. Below is listed how many cases belong to each year and which states did not report any usable data for that year.

<u>Year</u>	<u># of Cases</u>	<u>States that did not report</u>
1992	1,548,753	Arizona, District of Columbia, Kentucky, Mississippi
1993	1,610,005	Arizona, District of Columbia, Kentucky, Mississippi
1994	1,662,880	Arizona, Kentucky, Mississippi, West Virginia

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file.

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the SAMHSA Web site.

Requesting a Customized Subset

Whereas the downloadable files have been broken up into five parts, the SDA file remains in one part. As such, some features of the SDA online data analysis system are affected by the unusually large size of the TEDS Concatenated data file (over 36 million records). Due to technical problems caused by the increased size of the data file, online customized subsetting is not available for the TEDS Concatenated file. However, you may email us with your request and we will be glad to send you the customized subset. You can obtain the entire data set or select a subset of cases and/or variables. We can make the files available to you through a special Web link where you can access them directly. This is the quickest and easiest way for you to get the data you request. However, we can send you a CD of the files as well.

Please email us the following information at samhda-support@samhsa.hhs.gov

1. Data File Delimiter (choose one of the following):

None -- the preferred delimiter for analyzing the data using SAS, SPSS, or Stata.

Blank -- one of two delimiters for using Excel, Access, or other similar package to analyze the data.

Comma -- another delimiter for using Excel, Access, or other similar package to analyze the data.

2. Type of setup file(s) (choose one or more of the following):

SAS

SPSS

Stata

DDI (XML)

SDA (DDL)

3. Cases: Please indicate if all cases or a subset of cases is desired. One common example of a subset would be to request only those cases for a given state. You may also request more than one filter to define a subset (e.g., males in the 12-14 year old age group.) Please refer to the TEDS codebook when considering filters. Please note that some variables, such as age, are categorized and therefore only allow for certain specific age ranges.
4. Variables: Please indicate if all variables or a subset of variables are desired. If you request a subset of variables, please refer to the TEDS codebook when choosing variables for the subset. We prefer that you make your requests using Variable Groups (e.g., CLIENT CHARACTERISTICS, SUBSTANCES OF ABUSE: ORIGINAL VARIABLES, etc.).

As soon as we get this information from you, we will begin to process your request. We will email you instructions on how to retrieve the file from the Web site.

Treatment Episode Data Set -- Admissions (TEDS-A)

--Concatenated, 1992 to 2012

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

1992 to 1994

CASEID: CASE IDENTIFICATION NUMBER

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

Location: 1-11 (width: 11; decimal: 0)

Variable Type: numeric

YEAR: YEAR OF ADMISSION

Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%
1992	-	1548753	32.1 %
1993	-	1610005	33.4 %
1994	-	1662880	34.5 %
	Missing Data		
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Mean: 1993.02
- Median: 1993.00
- Mode: 1994.00
- Minimum: 1992.00
- Maximum: 1994.00
- Standard Deviation: 0.82

Location: 12-15 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	67746	1.4 %
3	15-17	231665	4.8 %
4	18-20	220623	4.6 %
5	21-24	486861	10.1 %
6	25-29	857869	17.8 %
7	30-34	1021179	21.2 %
8	35-39	823407	17.1 %

Value	Label	Unweighted Frequency	%
9	40-44	521174	10.8 %
10	45-49	274766	5.7 %
11	50-54	150769	3.1 %
12	55 AND OVER	165579	3.4 %
	Missing Data		
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	3443426	71.4 %
2	FEMALE	1352202	28.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	26010	0.5 %
	Total	4,821,638	100%

Based upon 4,795,628 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original

people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.

- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	15575	0.3 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	103452	2.1 %
3	ASIAN OR PACIFIC ISLANDER	28926	0.6 %
4	BLACK OR AFRICAN AMERICAN	1288445	26.7 %
5	WHITE	2904955	60.2 %
13	ASIAN	0	0.0 %
20	OTHER SINGLE RACE	407012	8.4 %
21	TWO OR MORE RACES	0	0.0 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	0	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	73273	1.5 %
	Total	4,821,638	100%

Based upon 4,748,365 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:
- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	166015	3.4 %
2	MEXICAN	236871	4.9 %
3	CUBAN	13891	0.3 %
4	OTHER SPECIFIC HISPANIC	88318	1.8 %
5	NOT OF HISPANIC ORIGIN	3994585	82.8 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	0	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	321958	6.7 %
	Total	4,821,638	100%

Based upon 4,499,680 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	1827727	37.9 %
2	NOW MARRIED	758414	15.7 %
3	SEPARATED	309156	6.4 %
4	DIVORCED, WIDOWED	748444	15.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1177897	24.4 %
	Total	4,821,638	100%

Based upon 3,643,741 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	466028	9.7 %
2	9-11	1452108	30.1 %
3	12	1888488	39.2 %

Value	Label	Unweighted Frequency	%
4	13-15	710390	14.7 %
5	16 OR MORE	201315	4.2 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	103309	2.1 %
Total		4,821,638	100%

Based upon 4,718,329 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	1168825	24.2 %
2	PART TIME	306499	6.4 %
3	UNEMPLOYED	1249896	25.9 %
4	NOT IN LABOR FORCE	1810219	37.5 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	286199	5.9 %
Total		4,821,638	100%

Based upon 4,535,439 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DET NFL: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	76395	1.6 %
2	STUDENT	161625	3.4 %
3	RETIRED, DISABLED	175541	3.6 %
5	INMATE OF INSTITUTION	44587	0.9 %
6	OTHER	341642	7.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4021848	83.4 %
Total		4,821,638	100%

Based upon 799,790 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	51841	1.1 %
2	NO	1011964	21.0 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3757833	77.9 %
Total		4,821,638	100%

Based upon 1,063,805 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-33 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	290034	6.0 %
2	NO	2215191	45.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2316413	48.0 %
	Total	4,821,638	100%

Based upon 2,505,225 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENT

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents,

relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	498917	10.3 %
2	DEPENDENT LIVING	688927	14.3 %
3	INDEPENDENT LIVING	2079163	43.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1554631	32.2 %
Total		4,821,638	100%

Based upon 3,267,007 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	729437	15.1 %
2	PUBLIC ASSISTANCE	419201	8.7 %
3	RETIREMENT/PENSION, DISABILITY	98188	2.0 %
20	OTHER	349507	7.2 %
21	NONE	326331	6.8 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2898974	60.1 %
Total		4,821,638	100%

Based upon 1,922,664 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARRESTS: NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	DATA NOT COLLECTED FOR THIS YEAR	4821638	100.0 %
	Total	4,821,638	100%

Based upon 0 valid cases out of 4,821,638 total cases.

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	40964	0.8 %
2	ALASKA	20971	0.4 %
4	ARIZONA	0	0.0 %
5	ARKANSAS	22881	0.5 %
6	CALIFORNIA	502835	10.4 %
8	COLORADO	173684	3.6 %
9	CONNECTICUT	131029	2.7 %
10	DELAWARE	14424	0.3 %
11	DIST OF COLUMBIA	1351	0.0 %
12	FLORIDA	240350	5.0 %
13	GEORGIA	83318	1.7 %
15	HAWAII	11103	0.2 %
16	IDAHO	11088	0.2 %
17	ILLINOIS	140819	2.9 %
18	INDIANA	58711	1.2 %
19	IOWA	44603	0.9 %
20	KANSAS	68784	1.4 %
21	KENTUCKY	0	0.0 %
22	LOUISIANA	67632	1.4 %
23	MAINE	27279	0.6 %
24	MARYLAND	173357	3.6 %
25	MASSACHUSETTS	183718	3.8 %
26	MICHIGAN	230167	4.8 %
27	MINNESOTA	92804	1.9 %
28	MISSISSIPPI	0	0.0 %
29	MISSOURI	76388	1.6 %
30	MONTANA	21390	0.4 %
31	NEBRASKA	54464	1.1 %
32	NEVADA	18845	0.4 %

Value	Label	Unweighted Frequency	%
33	NEW HAMPSHIRE	7370	0.2 %
34	NEW JERSEY	194541	4.0 %
35	NEW MEXICO	23298	0.5 %
36	NEW YORK	683865	14.2 %
37	NORTH CAROLINA	130227	2.7 %
38	NORTH DAKOTA	7069	0.1 %
39	OHIO	203708	4.2 %
40	OKLAHOMA	53912	1.1 %
41	OREGON	120975	2.5 %
42	PENNSYLVANIA	145635	3.0 %
44	RHODE ISLAND	28926	0.6 %
45	SOUTH CAROLINA	99073	2.1 %
46	SOUTH DAKOTA	27262	0.6 %
47	TENNESSEE	40698	0.8 %
48	TEXAS	159319	3.3 %
49	UTAH	44622	0.9 %
50	VERMONT	15195	0.3 %
51	VIRGINIA	101224	2.1 %
53	WASHINGTON	128400	2.7 %
54	WEST VIRGINIA	13762	0.3 %
55	WISCONSIN	40053	0.8 %
	Missing Data		
	Total	4,821,638	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 72.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %

Value	Label	Unweighted Frequency	%
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	2830	0.1 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	1243	0.0 %
10420	AKRON, OH METRO	18663	0.4 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	1843	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	42462	0.9 %
10620	ALBEMARLE, NC MICRO	0	0.0 %
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	6266	0.1 %
10780	ALEXANDRIA, LA METRO	10138	0.2 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	2100	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	9641	0.2 %
10940	ALMA, MI MICRO	0	0.0 %
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	1841	0.0 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	2880	0.1 %
11140	AMERICUS, GA MICRO	0	0.0 %
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	7709	0.2 %
11300	ANDERSON, IN METRO	401	0.0 %
11340	ANDERSON, SC METRO	4348	0.1 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	6143	0.1 %
11500	ANNISTON-OXFORD, AL METRO	1365	0.0 %
11540	APPLETON, WI METRO	969	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	9295	0.2 %
11740	ASHLAND, OH MICRO	0	0.0 %

Value	Label	Unweighted Frequency	%
11780	ASHTABULA, OH MICRO	1942	0.0 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	3218	0.1 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	848298	17.6 %
	Total	4,821,638	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,973,340 valid cases out of 4,821,638 total cases.

- Minimum: 10180.00
- Maximum: 49700.00

Location: 44-48 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	2830	0.1 %
60	AGUADILLA, PR MSA	1243	0.0 %
80	AKRON, OH PMSA	18663	0.4 %
120	ALBANY, GA MSA	1843	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	42462	0.9 %
200	ALBUQUERQUE, NM MSA	6266	0.1 %
220	ALEXANDRIA, LA MSA	10138	0.2 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	7040	0.1 %
280	ALTOONA, PA MSA	1841	0.0 %
320	AMARILLO, TX MSA	2880	0.1 %
380	ANCHORAGE, AK MSA	7709	0.2 %
440	ANN ARBOR, MI PMSA	8300	0.2 %
450	ANNISTON, AL MSA	1365	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	2106	0.0 %
470	ARECIBO, PR PMSA	3733	0.1 %

Value	Label	Unweighted Frequency	%
480	ASHEVILLE, NC MSA	9295	0.2 %
500	ATHENS, GA MSA	3218	0.1 %
520	ATLANTA, GA MSA	31900	0.7 %
560	ATLANTIC-CAPE MAY, NJ PMSA	9974	0.2 %
580	AUBURN-OPELIKA, AL MSA	1033	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	8941	0.2 %
640	AUSTIN-SAN MARCOS, TX MSA	17346	0.4 %
680	BAKERSFIELD, CA MSA	10264	0.2 %
720	BALTIMORE, MD PMSA	98705	2.0 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	8380	0.2 %
760	BATON ROUGE, LA MSA	11548	0.2 %
840	BEAUMONT-PORT ARTHUR, TX MSA	4362	0.1 %
860	BELLINGHAM, WA MSA	3905	0.1 %
870	BENTON HARBOR, MI MSA	3920	0.1 %
875	BERGEN-PASSAIC, NJ PMSA	23253	0.5 %
880	BILLINGS, MT MSA	2767	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	0	0.0 %
960	BINGHAMTON, NY MSA	9041	0.2 %
1000	BIRMINGHAM, AL MSA	12355	0.3 %
1010	BISMARCK, ND MSA	0	0.0 %
1020	BLOOMINGTON, IN MSA	3590	0.1 %
1040	BLOOMINGTON-NORMAL, IL MSA	2632	0.1 %
1080	BOISE CITY, ID MSA	3487	0.1 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	144817	3.0 %
1125	BOULDER-LONGMONT, CO PMSA	9457	0.2 %
1145	BRAZORIA, TX PMSA	1894	0.0 %
1150	BREMERTON, WA PMSA	7021	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	2888	0.1 %
1260	BRYAN-COLLEGE STATION, TX MSA	976	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	53533	1.1 %
1303	BURLINGTON, VT NECMA	5952	0.1 %
1310	CAGUAS, PR PMSA	3139	0.1 %
1320	CANTON-MASSILLON, OH MSA	10851	0.2 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	848298	17.6 %
	Total	4,821,638	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,973,340 valid cases out of 4,821,638 total cases.

- Minimum: 40.00
- Maximum: 9340.00

Location: 49-52 (width: 4; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	29089	0.6 %
1	NORTHEAST	1417558	29.4 %
2	MIDWEST	1044832	21.7 %
3	SOUTH	1242492	25.8 %
4	WEST	1087667	22.6 %
	Missing Data		
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 53-54 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	29089	0.6 %
1	NEW ENGLAND	393517	8.2 %
2	MID-ATLANTIC	1024041	21.2 %
3	EAST NORTH CENTRAL	673458	14.0 %
4	WEST NORTH CENTRAL	371374	7.7 %
5	SOUTH ATLANTIC	857086	17.8 %
6	EAST SOUTH CENTRAL	81662	1.7 %
7	WEST SOUTH CENTRAL	303744	6.3 %
8	MOUNTAIN	303383	6.3 %
9	PACIFIC	784284	16.3 %
	Missing Data		
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SERVSETA: SERVICE SETTING AT ADMISSION

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:
As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY - NON-INTENSIVE OUTPATIENT:
Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY - DETOXIFICATION:
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	316316	6.6 %

Value	Label	Unweighted Frequency	%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	784794	16.3 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	69643	1.4 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	360941	7.5 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	365727	7.6 %
6	AMBULATORY, INTENSIVE OUTPATIENT	288329	6.0 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	2436597	50.5 %
8	AMBULATORY, DETOXIFICATION	198532	4.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	759	0.0 %
Total		4,821,638	100%

Based upon 4,820,879 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	335619	7.0 %
2	NO	4251800	88.2 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	234219	4.9 %
Total		4,821,638	100%

Based upon 4,587,419 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions

requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	355951	7.4 %
1	-	28658	0.6 %
2	-	14134	0.3 %
3	-	12993	0.3 %
4	-	9591	0.2 %
5	-	13603	0.3 %
6	-	7662	0.2 %
7	-	17522	0.4 %
8	-	5598	0.1 %
9	-	3898	0.1 %
10	-	7814	0.2 %
11	-	2416	0.1 %
12	-	3380	0.1 %
13	-	2910	0.1 %
14	-	8145	0.2 %
15	-	3887	0.1 %
16	-	1797	0.0 %
17	-	1465	0.0 %
18	-	1556	0.0 %
19	-	1409	0.0 %
20	-	3063	0.1 %
21	-	3599	0.1 %
22	-	1383	0.0 %
23	-	957	0.0 %
24	-	923	0.0 %
25	-	1145	0.0 %
26	-	897	0.0 %
27	-	1092	0.0 %
28	-	1494	0.0 %
29	-	835	0.0 %
30	-	5007	0.1 %
31	-	671	0.0 %
32	-	634	0.0 %
33	-	599	0.0 %
34	-	649	0.0 %
35	-	929	0.0 %
36	-	499	0.0 %
37	-	435	0.0 %

Value	Label	Unweighted Frequency	%
38	-	349	0.0 %
39	-	335	0.0 %
40	-	698	0.0 %
41	-	411	0.0 %
42	-	525	0.0 %
43	-	286	0.0 %
44	-	229	0.0 %
45	-	703	0.0 %
46	-	225	0.0 %
47	-	250	0.0 %
48	-	295	0.0 %
49	-	272	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4277689	88.7 %
	Total	4,821,638	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 543,949 valid cases out of 4,821,638 total cases.

- Mean: 5.14
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 21.01

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.

- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	1689576	35.0 %
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	613730	12.7 %
3	OTHER HEALTH CARE PROVIDER	337255	7.0 %
4	SCHOOL (EDUCATIONAL)	67039	1.4 %
5	EMPLOYER/EAP	74975	1.6 %
6	OTHER COMMUNITY REFERRAL	350520	7.3 %
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	1538728	31.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	149815	3.1 %
	Total	4,821,638	100%

Based upon 4,671,823 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%
1	STATE/FEDERAL COURT, OTHER COURT	193871	4.0 %
3	PROBATION/PAROLE	347596	7.2 %
5	DIVERSIONARY PROGRAM	41147	0.9 %
6	PRISON	48875	1.0 %
7	DUI/DWI	221852	4.6 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	134949	2.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3833348	79.5 %
	Total	4,821,638	100%

Based upon 988,290 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	1843851	38.2 %
1	1 PRIOR TREATMENT EPISODES	953185	19.8 %
2	2 PRIOR TREATMENT EPISODES	481044	10.0 %
3	3 PRIOR TREATMENT EPISODES	261831	5.4 %
4	4 PRIOR TREATMENT EPISODES	147878	3.1 %
5	5 OR MORE PRIOR TREATMENT EPISODES	453080	9.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	680769	14.1 %
	Total	4,821,638	100%

Based upon 4,140,869 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine

- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	81925	1.7 %
2	ALCOHOL	2718110	56.4 %
3	COCAINE/CRACK	845954	17.5 %
4	MARIJUANA/HASHISH	344753	7.2 %
5	HEROIN	580928	12.0 %
6	NON-PRESCRIPTION METHADONE	3871	0.1 %
7	OTHER OPIATES AND SYNTHETICS	39230	0.8 %
8	PCP	9572	0.2 %
9	OTHER HALLUCINOGENS	8924	0.2 %
10	METHAMPHETAMINE	68657	1.4 %
11	OTHER AMPHETAMINES	24628	0.5 %
12	OTHER STIMULANTS	2646	0.1 %
13	BENZODIAZEPINES	9079	0.2 %

Value	Label	Unweighted Frequency	%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	4606	0.1 %
15	BARBITURATES	4783	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	6086	0.1 %
17	INHALANTS	8209	0.2 %
18	OVER-THE-COUNTER MEDICATIONS	1608	0.0 %
20	OTHER	10463	0.2 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	47606	1.0 %
Total		4,821,638	100%

Based upon 4,774,032 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	2672719	55.4 %
2	SMOKING	975014	20.2 %
3	INHALATION	302843	6.3 %
4	INJECTION (IV OR INTRAMUSCULAR)	508231	10.5 %
20	OTHER	13710	0.3 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	349121	7.2 %
Total		4,821,638	100%

Based upon 4,472,517 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	958466	19.9 %

Value	Label	Unweighted Frequency	%
2	1-3 TIMES IN THE PAST MONTH	474340	9.8 %
3	1-2 TIMES IN THE PAST WEEK	440735	9.1 %
4	3-6 TIMES IN THE PAST WEEK	576462	12.0 %
5	DAILY	1892213	39.2 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	479422	9.9 %
Total		4,821,638	100%

Based upon 4,342,216 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	412318	8.6 %
2	12-14	941731	19.5 %
3	15-17	1264701	26.2 %
4	18-20	745876	15.5 %
5	21-24	413710	8.6 %
6	25-29	315993	6.6 %
7	30-34	164989	3.4 %
8	35-39	78164	1.6 %
9	40-44	31994	0.7 %
10	45-49	11968	0.2 %
11	50-54	5213	0.1 %
12	55 AND OVER	4199	0.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	430782	8.9 %
Total		4,821,638	100%

Based upon 4,390,856 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription

medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	1690473	35.1 %
2	ALCOHOL	718403	14.9 %
3	COCAINE/CRACK	694143	14.4 %
4	MARIJUANA/HASHISH	720147	14.9 %
5	HEROIN	87940	1.8 %
6	NON-PRESCRIPTION METHADONE	9176	0.2 %
7	OTHER OPIATES AND SYNTHETICS	32472	0.7 %
8	PCP	9301	0.2 %
9	OTHER HALLUCINOGENS	19637	0.4 %
10	METHAMPHETAMINE	42286	0.9 %
11	OTHER AMPHETAMINES	28003	0.6 %
12	OTHER STIMULANTS	7272	0.2 %
13	BENZODIAZEPINES	22039	0.5 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	11546	0.2 %
15	BARBITURATES	9176	0.2 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	10364	0.2 %
17	INHALANTS	6002	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	3478	0.1 %
20	OTHER	13186	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	686594	14.2 %
	Total	4,821,638	100%

Based upon 4,135,044 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	826136	17.1 %
2	SMOKING	1021747	21.2 %
3	INHALATION	224331	4.7 %

Value	Label	Unweighted Frequency	%
4	INJECTION (IV OR INTRAMUSCULAR)	246615	5.1 %
20	OTHER	6273	0.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2496536	51.8 %
Total		4,821,638	100%

Based upon 2,325,102 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	747604	15.5 %
2	1-3 TIMES IN THE PAST MONTH	329410	6.8 %
3	1-2 TIMES IN THE PAST WEEK	290559	6.0 %
4	3-6 TIMES IN THE PAST WEEK	303979	6.3 %
5	DAILY	669087	13.9 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2480999	51.5 %
Total		4,821,638	100%

Based upon 2,340,639 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	300413	6.2 %
2	12-14	504646	10.5 %
3	15-17	644402	13.4 %
4	18-20	368494	7.6 %

Value	Label	Unweighted Frequency	%
5	21-24	202791	4.2 %
6	25-29	171105	3.5 %
7	30-34	97453	2.0 %
8	35-39	50719	1.1 %
9	40-44	22077	0.5 %
10	45-49	8432	0.2 %
11	50-54	3294	0.1 %
12	55 AND OVER	1925	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2445887	50.7 %
	Total	4,821,638	100%

Based upon 2,375,751 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA,

phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	2602282	54.0 %
2	ALCOHOL	233811	4.8 %
3	COCAINE/CRACK	207196	4.3 %
4	MARIJUANA/HASHISH	311369	6.5 %
5	HEROIN	43874	0.9 %
6	NON-PRESCRIPTION METHADONE	6118	0.1 %
7	OTHER OPIATES AND SYNTHETICS	17808	0.4 %
8	PCP	9200	0.2 %
9	OTHER HALLUCINOGENS	38447	0.8 %
10	METHAMPHETAMINE	24629	0.5 %
11	OTHER AMPHETAMINES	26318	0.5 %
12	OTHER STIMULANTS	6251	0.1 %
13	BENZODIAZEPINES	17285	0.4 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	10022	0.2 %
15	BARBITURATES	9205	0.2 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	8010	0.2 %
17	INHALANTS	7878	0.2 %

Value	Label	Unweighted Frequency	%
18	OVER-THE-COUNTER MEDICATIONS	3399	0.1 %
20	OTHER	12335	0.3 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1226201	25.4 %
Total		4,821,638	100%

Based upon 3,595,437 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	316463	6.6 %
2	SMOKING	334119	6.9 %
3	INHALATION	111510	2.3 %
4	INJECTION (IV OR INTRAMUSCULAR)	62268	1.3 %
20	OTHER	3941	0.1 %
Missing Data			
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3993337	82.8 %
Total		4,821,638	100%

Based upon 828,301 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	421555	8.7 %
2	1-3 TIMES IN THE PAST MONTH	131258	2.7 %
3	1-2 TIMES IN THE PAST WEEK	95358	2.0 %
4	3-6 TIMES IN THE PAST WEEK	82223	1.7 %
5	DAILY	164566	3.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3926678	81.4 %
	Total	4,821,638	100%

Based upon 894,960 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	246695	5.1 %
2	12-14	196876	4.1 %
3	15-17	248750	5.2 %
4	18-20	136121	2.8 %
5	21-24	69206	1.4 %
6	25-29	53745	1.1 %
7	30-34	28350	0.6 %
8	35-39	13584	0.3 %
9	40-44	5545	0.1 %
10	45-49	1948	0.0 %
11	50-54	630	0.0 %
12	55 AND OVER	317	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3819871	79.2 %
	Total	4,821,638	100%

Based upon 1,001,767 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	121820	2.5 %
1	-	2254795	46.8 %
2	-	1460031	30.3 %
3	-	984992	20.4 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	4066870	84.3 %
1	IDU REPORTED	633060	13.1 %
	Missing Data		
-8	NO SUBSTANCES REPORTED	121708	2.5 %
	Total	4,821,638	100%

Based upon 4,699,930 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1154955	24.0 %
1	SUBSTANCE REPORTED	3666683	76.0 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 98-98 (width: 1; decimal: 0)
 Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	3100655	64.3 %
1	SUBSTANCE REPORTED	1720983	35.7 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 99-99 (width: 1; decimal: 0)
 Variable Type: numeric

MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	3446981	71.5 %
1	SUBSTANCE REPORTED	1374657	28.5 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 100-100 (width: 1; decimal: 0)
 Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4109441	85.2 %
1	SUBSTANCE REPORTED	712197	14.8 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4802488	99.6 %
1	SUBSTANCE REPORTED	19150	0.4 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4732608	98.2 %
1	SUBSTANCE REPORTED	89030	1.8 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4793566	99.4 %
1	SUBSTANCE REPORTED	28072	0.6 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-104 (width: 1; decimal: 0)
 Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4754717	98.6 %
1	SUBSTANCE REPORTED	66921	1.4 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 105-105 (width: 1; decimal: 0)
 Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4686124	97.2 %
1	SUBSTANCE REPORTED	135514	2.8 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 106-106 (width: 1; decimal: 0)
 Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4742747	98.4 %
1	SUBSTANCE REPORTED	78891	1.6 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4805512	99.7 %
1	SUBSTANCE REPORTED	16126	0.3 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4773395	99.0 %
1	SUBSTANCE REPORTED	48243	1.0 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4795480	99.5 %
1	SUBSTANCE REPORTED	26158	0.5 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4798489	99.5 %
1	SUBSTANCE REPORTED	23149	0.5 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4797198	99.5 %
1	SUBSTANCE REPORTED	24440	0.5 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4799575	99.5 %
1	SUBSTANCE REPORTED	22063	0.5 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4813168	99.8 %
1	SUBSTANCE REPORTED	8470	0.2 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4785805	99.3 %
1	SUBSTANCE REPORTED	35833	0.7 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	121820	2.5 %
1	ALCOHOL ONLY	1652138	34.3 %
2	OTHER DRUGS ONLY	1033135	21.4 %
3	ALCOHOL AND OTHER DRUGS	2014545	41.8 %
	Total	4,821,638	100%

Based upon 4,821,638 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	3526	0.1 %
1	ALCOHOL-INDUCED DISORDER	6491	0.1 %
2	SUBSTANCE-INDUCED DISORDER	3785	0.1 %
3	ALCOHOL INTOXICATION	140486	2.9 %
4	ALCOHOL DEPENDENCE	310074	6.4 %
5	OPIOID DEPENDENCE	133900	2.8 %
6	COCAINE DEPENDENCE	128424	2.7 %
7	CANNABIS DEPENDENCE	31083	0.6 %
8	OTHER SUBSTANCE DEPENDENCE	50829	1.1 %
9	ALCOHOL ABUSE	131171	2.7 %
10	CANNABIS ABUSE	23493	0.5 %
11	OTHER SUBSTANCE ABUSE	23073	0.5 %
12	OPIOID ABUSE	2250	0.0 %
13	COCAINE ABUSE	33273	0.7 %
14	ANXIETY DISORDERS	990	0.0 %
15	DEPRESSIVE DISORDERS	4747	0.1 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	1854	0.0 %
17	BIPOLAR DISORDERS	953	0.0 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1345	0.0 %
19	OTHER MENTAL HEALTH CONDITION	9139	0.2 %
20	OTHER CONDITION	30188	0.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3750564	77.8 %
	Total	4,821,638	100%

Based upon 1,071,074 valid cases out of 4,821,638 total cases.

- Minimum: 0.00
- Maximum: 20.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	325700	6.8 %
2	NO	2406318	49.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2089620	43.3 %
	Total	4,821,638	100%

Based upon 2,732,018 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	332032	6.9 %
2	MEDICAID	300121	6.2 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	160163	3.3 %
4	NONE	1408493	29.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2620829	54.4 %
	Total	4,821,638	100%

Based upon 2,200,809 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	490379	10.2 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	127153	2.6 %
3	MEDICARE, WORKER'S COMPENSATION	14688	0.3 %
4	MEDICAID	176167	3.7 %
5	OTHER GOVERNMENT PAYMENTS	264179	5.5 %
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	199524	4.1 %
9	OTHER	88983	1.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3460565	71.8 %
	Total	4,821,638	100%

Based upon 1,361,073 valid cases out of 4,821,638 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	16	17	AGE (RECODED)
ALCDRUG	Added	Num	2	116	117	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	98	98	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	107	107	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDS	Num	2	40	41	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	111	111	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	109	109	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	11	1	11	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	44	48	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	99	99	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	61	63	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	66	67	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	30	31	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	55	56	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	118	119	DSM DIAGNOSIS
EDUC	MDS	Num	2	26	27	EDUCATION
EMPLOY	MDS	Num	2	28	29	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	22	23	ETHNICITY (HISPANIC ORIGIN)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ1	MDS	Num	2	74	75	FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num	2	82	83	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	90	91	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	76	77	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	84	85	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	92	93	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	18	19	SEX
HALLFLG	Added	Num	1	105	105	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	101	101	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	122	123	HEALTH INSURANCE
IDU	Added	Num	2	96	97	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	113	113	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	36	37	LIVING ARRANGEMENT
MARFLG	Added	Num	1	100	100	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	24	25	MARITAL STATUS
METHFLG	Added	Num	1	102	102	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	59	60	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	106	106	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	68	69	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	94	95	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	103	103	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	114	114	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num	1	115	115	OTHER DRUG REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PCPFLG	Added	Num	1	104	104	PCP REPORTED AT ADM.
PMSA	Added	Num	4	49	52	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	32	33	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	38	39	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	124	125	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	64	65	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	120	121	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	20	21	RACE
REGION	Added	Num	2	53	54	CENSUS REGION
ROUTE1	MDS	Num	2	72	73	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	80	81	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	88	89	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	112	112	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num	2	57	58	SERVICE SETTING AT ADMISSION
STFIPS	Added	Num	2	42	43	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	108	108	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	70	71	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	78	79	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	86	87	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	110	110	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	34	35	VETERAN STATUS
YEAR	Added	Num	4	12	15	YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Note: Please refer to the single-year codebooks for the percentage distributions of the original categorical variables.

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
ARRESTS Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
MARSTAT Marital Status	1 Never Married 2 Now Married 3 Separated 4 Divorced 5 Widowed	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous (0-25)	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFL Detailed 'Not in Labor' Force	1 Homemaker 2 Student 3 Retired 4 Disabled 5 Inmate of Institution 6 Other	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension 4 Disability 20 Other 21 None	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court 2 Other Court 3 Probation/Parole 4 Other Recognized Legal Entity 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) 2 Blue Cross / Blue Shield (BC/BS) 3 Medicare 4 Medicaid 6 Health Maintenance Organization (HMO) 20 Other (e.g. TriCare, Champus) 21 None	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay 2 Blue Cross / Blue Shield 3 Medicare 4 Medicaid 5 Other Government Payments 6 Worker's Compensation 7 Other Health Insurance Companies 8 No charge (Free, Charity, Special Research or Teaching) 9 Other	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	