

Treatment Episode Data Set --Admissions (TEDS-A) --Concatenated, 1992 to 2012

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality.

Codebook: 2010 to 2012



Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for reidentification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (<u>samhda-support@samhsa.hhs.gov</u>)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS (TEDS-A) – CONCATENATED, 1992 TO 2012

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring between 1992 to 2012. This concatenated file combines the 21 individual years of TEDS-A into five parts to facilitate research on year-to-year trends. The file was split into multiple parts in order to produce the standard suite of files available for download, and to make it easier for the user in downloading the data files. As new years of data become available they will be added to Part 5 until it contains the years 2010 to 2014.

Part #	Year Range
1	1992 to 1994
2	1995 to 1999
3	2000 to 2004
4	2005 to 2009
5	2010 to 2012

TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in Appendix A of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the <u>TEDS Crosswalks</u> available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The <u>"Treatment Episode Data Set State Instruction Manual – Admissions Data"</u> is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the publicuse file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for

special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

This edition of the TEDS-A Concatenated data file includes data from 1992 to 2012. Each year of the data includes 100 percent of the client records reported to TEDS as follows:

Year(s) of Data	Extraction Date
2002 to 2012	10/17/2013
2001	10/15/2012
2000	10/10/2011
1999	04/11/2005
1992 to 1998	05/11/2004

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.*DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services.* DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- TEDS includes treatment admissions and in many states the files may *include multiple* admissions for the same client. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.
- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data. Below is listed how many cases belong to each year and which states did not report any usable data for that year.

<u>Year</u>	# of Cases	States that did not report
2010	1,925,345	Mississippi, District of Columbia,
2011	1,928,675	Mississippi
2012	1,749,767	Mississippi, Pennsylvania, West Virginia

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file.

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has other published <u>TEDS reports</u> on the SAMHSA Web site.

Requesting a Customized Subset

Whereas the downloadable files have been broken up into five parts, the SDA file remains in one part. As such, some features of the SDA online data analysis system are affected by the unusually large size of the TEDS Concatenated data file (over 36 million records). Due to technical problems caused by the increased size of the data file, online customized subsetting is not available for the TEDS Concatenated file. However, you may email us with your request and we will be glad to send you the customized subset. You can obtain the entire data set or select a subset of cases and/or variables. We can make the files available to you through a special Web link where you can access them directly. This is the quickest and easiest way for you to get the data you request. However, we can send you a CD of the files as well.

Please email us the following information at samhda-support@samhsa.hhs.gov

1. Data File Delimiter (choose one of the following):

None -- the preferred delimiter for analyzing the data using SAS, SPSS, or Stata. Blank -- one of two delimiters for using Excel, Access, or other similar package to analyze the data.

Comma -- another delimiter for using Excel, Access, or other similar package to analyze the data.

2. Type of setup file(s) (choose one or more of the following):

SAS SPSS Stata DDI (XML) SDA (DDL)

- 3. Cases: Please indicate if all cases or a subset of cases is desired. One common example of a subset would be to request only those cases for a given state. You may also request more than one filter to define a subset (e.g., males in the 12-14 year old age group.) Please refer to the TEDS codebook when considering filters. Please note that some variables, such as age, are categorized and therefore only allow for certain specific age ranges.
- 4. Variables: Please indicate if all variables or a subset of variables are desired. If you request a subset of variables, please refer to the TEDS codebook when choosing variables for the subset. We prefer that you make your requests using Variable Groups (e.g., CLIENT CHARACTERISTICS, SUBSTANCES OF ABUSE: ORIGINAL VARIABLES, etc.).

As soon as we get this information from you, we will begin to process your request. We will email you instructions on how to retrieve the file from the Web site.

Treatment Episode Data Set -- Admissions (TEDS-A) --Concatenated, 1992 to 2012 Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

2010 to 2012

CASEID: CASE IDENTIFICATION NUMBER

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Location: 1-11 (width: 11; decimal: 0)

Variable Type: numeric

YEAR: YEAR OF ADMISSION

Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%
2010	-	1925345	34.4 %
2011		1928675	34.4 %
2012	-	1749767	31.2 %
	Missing Data		
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Mean: 2010.97
Median: 2011.00
Mode: 2011.00
Minimum: 2010.00
Maximum: 2012.00
Standard Deviation: 0.81

Location: 12-15 (width: 4; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	68129	1.2 %
3	15-17	338560	6.0 %
4	18-20	357778	6.4 %
5	21-24	691652	12.3 %
6	25-29	875935	15.6 %
7	30-34	726171	13.0 %
8	35-39	556995	9.9 %

Value	Label	Unweighted Frequency	%
9	40-44	595042	10.6 %
10	45-49	598793	10.7 %
11	50-54	441332	7.9 %
12	55 AND OVER	353400	6.3 %
	Missing Data		
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 2.00Maximum: 12.00

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	3738116	66.7 %
2	FEMALE	1857415	33.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	8256	0.1 %
	Total	5,603,787	100%

Based upon 5,595,531 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 2.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original

people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.

- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	11836	0.2 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	123638	2.2 %
3	ASIAN OR PACIFIC ISLANDER	5536	0.1 %
4	BLACK OR AFRICAN AMERICAN	1153158	20.6 %
5	WHITE	3678994	65.7 %
13	ASIAN	33231	0.6 %
20	OTHER SINGLE RACE	437599	7.8 %
21	TWO OR MORE RACES	75775	1.4 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	25658	0.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	58362	1.0 %
	Total	5,603,787	100%

Based upon 5,545,425 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 23.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:
- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	212714	3.8 %
2	MEXICAN	252054	4.5 %
3	CUBAN	16415	0.3 %
4	OTHER SPECIFIC HISPANIC	153842	2.7 %
5	NOT OF HISPANIC ORIGIN	4753933	84.8 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	134373	2.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	80456	1.4 %
	Total	5,603,787	100%

Based upon 5,523,331 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 6.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	2873934	51.3 %
2	NOW MARRIED	645638	11.5 %
3	SEPARATED	278770	5.0 %
4	DIVORCED, WIDOWED	713774	12.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1091671	19.5 %
	Total	5,603,787	100%

Based upon 4,512,116 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 4.00

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	427586	7.6 %
2	9-11	1473514	26.3 %
3	12	2275950	40.6 %

Value	Label	Unweighted Frequency	%
4	13-15	1032487	18.4 %
5	16 OR MORE	275800	4.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	118450	2.1 %
	Total	5,603,787	100%

Based upon 5,485,337 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 5.00

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	789216	14.1 %
2	PART TIME	399716	7.1 %
3	UNEMPLOYED	2149586	38.4 %
4	NOT IN LABOR FORCE	2146584	38.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	118685	2.1 %
	Total	5,603,787	100%

Based upon 5,485,102 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 4.00

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

DETNLF: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	56726	1.0 %
2	STUDENT	331420	5.9 %
3	RETIRED, DISABLED	431887	7.7 %
5	INMATE OF INSTITUTION	118539	2.1 %
6	OTHER	884510	15.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3780705	67.5 %
	Total	5,603,787	100%

Based upon 1,823,082 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 6.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	68794	1.2 %
2	NO	1690342	30.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3844651	68.6 %
	Total	5,603,787	100%

Based upon 1,759,136 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 2.00

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	170437	3.0 %
2	NO	4778747	85.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	654603	11.7 %
	Total	5,603,787	100%

Based upon 4,949,184 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENT

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents,

relatives, or guardians or in foster care.

 INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	701349	12.5 %
2	DEPENDENT LIVING	1138801	20.3 %
3	INDEPENDENT LIVING	3563095	63.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	200542	3.6 %
	Total	5,603,787	100%

Based upon 5,403,245 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 3.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	1000525	17.9 %
2	PUBLIC ASSISTANCE	331641	5.9 %
3	RETIREMENT/PENSION, DISABILITY	231623	4.1 %
20	OTHER	751779	13.4 %
21	NONE	1328121	23.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1960098	35.0 %
	Total	5,603,787	100%

Based upon 3,643,689 valid cases out of 5,603,787 total cases.

Minimum: 1.00 Maximum: 21.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

ARRESTS: NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

Note: Data began being collected for arrests starting in 2008. Data on arrests is not available prior to that.

Value	Label	Unweighted Frequency	%
0	NONE	4643118	82.9 %
1	ONCE	410914	7.3 %
2	2 OR MORE TIMES	68707	1.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	481048	8.6 %
	Total	5,603,787	100%

Based upon 5,122,739 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	39333	0.7 %
2	ALASKA	19618	0.4 %
4	ARIZONA	74333	1.3 %
5	ARKANSAS	38013	0.7 %
6	CALIFORNIA	489995	8.7 %
8	COLORADO	244371	4.4 %
9	CONNECTICUT	176258	3.1 %
10	DELAWARE	21460	0.4 %
11	DIST OF COLUMBIA	13232	0.2 %
12	FLORIDA	225114	4.0 %
13	GEORGIA	130569	2.3 %
15	HAWAII	20278	0.4 %
16	IDAHO	14753	0.3 %

Value	Label	Unweighted Frequency	%
17	ILLINOIS	166228	3.0 %
18	INDIANA	79431	1.4 %
19	IOWA	88738	1.6 %
20	KANSAS	42013	0.7 %
21	KENTUCKY	59309	1.1 %
22	LOUISIANA	65877	1.2 %
23	MAINE	40830	0.7 %
24	MARYLAND	173816	3.1 %
25	MASSACHUSETTS	254240	4.5 %
26	MICHIGAN	173703	3.1 %
27	MINNESOTA	155447	2.8 %
28	MISSISSIPPI	0	0.0 %
29	MISSOURI	139286	2.5 %
30	MONTANA	25534	0.5 %
31	NEBRASKA	51332	0.9 %
32	NEVADA	27082	0.5 %
33	NEW HAMPSHIRE	16059	0.3 %
34	NEW JERSEY	216061	3.9 %
35	NEW MEXICO	23086	0.4 %
36	NEW YORK	910438	16.2 %
37	NORTH CAROLINA	172643	3.1 %
38	NORTH DAKOTA	6882	0.1 %
39	OHIO	223337	4.0 %
40	OKLAHOMA	41859	0.7 %
41	OREGON	146453	2.6 %
42	PENNSYLVANIA	114052	2.0 %
44	RHODE ISLAND	32309	0.6 %
45	SOUTH CAROLINA	66935	1.2 %
46	SOUTH DAKOTA	43376	0.8 %
47	TENNESSEE	38703	0.7 %
48	TEXAS	126831	2.3 %
49	UTAH	42887	0.8 %
50	VERMONT	24987	0.4 %
51	VIRGINIA	81288	1.5 %
53	WASHINGTON	109266	1.9 %
54	WEST VIRGINIA	6727	0.1 %
55	WISCONSIN	85461	1.5 %
	Missing Data		
	Total	5,603,787	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 72.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	655	0.0 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	66	0.0 %
10420	AKRON, OH METRO	15326	0.3 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	3	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	54576	1.0 %
10620	ALBEMARLE, NC MICRO	0	0.0 %
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	4752	0.1 %
10780	ALEXANDRIA, LA METRO	3680	0.1 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	702	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	6540	0.1 %
10940	ALMA, MI MICRO	0	0.0 %
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	8094	0.1 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	1044	0.0 %
11140	AMERICUS, GA MICRO	0	0.0 %

Value	Label	Unweighted Frequency	%
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	5209	0.1 %
11300	ANDERSON, IN METRO	0	0.0 %
11340	ANDERSON, SC METRO	2527	0.0 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	2720	0.0 %
11500	ANNISTON-OXFORD, AL METRO	355	0.0 %
11540	APPLETON, WI METRO	0	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	7849	0.1 %
11740	ASHLAND, OH MICRO	0	0.0 %
11780	ASHTABULA, OH MICRO	2185	0.0 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	6	0.0 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	1597484	28.5 %
	Total	5,603,787	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,006,303 valid cases out of 5,603,787 total cases.

Minimum: 10180.00Maximum: 49700.00

Location: 44-48 (width: 5; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	655	0.0 %
60	AGUADILLA, PR MSA	66	0.0 %
80	AKRON, OH PMSA	15326	0.3 %
120	ALBANY, GA MSA	3	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	54576	1.0 %
200	ALBUQUERQUE, NM MSA	4752	0.1 %
220	ALEXANDRIA, LA MSA	3680	0.1 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	3656	0.1 %
280	ALTOONA, PA MSA	8094	0.1 %
320	AMARILLO, TX MSA	1044	0.0 %
380	ANCHORAGE, AK MSA	5209	0.1 %
440	ANN ARBOR, MI PMSA	3045	0.1 %
450	ANNISTON, AL MSA	355	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	0	0.0 %
470	ARECIBO, PR PMSA	1053	0.0 %
480	ASHEVILLE, NC MSA	7849	0.1 %
500	ATHENS, GA MSA	6	0.0 %
520	ATLANTA, GA MSA	2139	0.0 %
560	ATLANTIC-CAPE MAY, NJ PMSA	14624	0.3 %
580	AUBURN-OPELIKA, AL MSA	363	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	2042	0.0 %
640	AUSTIN-SAN MARCOS, TX MSA	6704	0.1 %
680	BAKERSFIELD, CA MSA	5980	0.1 %
720	BALTIMORE, MD PMSA	84113	1.5 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	15129	0.3 %
760	BATON ROUGE, LA MSA	6605	0.1 %
840	BEAUMONT-PORT ARTHUR, TX MSA	4219	0.1 %
860	BELLINGHAM, WA MSA	4253	0.1 %
870	BENTON HARBOR, MI MSA	2092	0.0 %
875	BERGEN-PASSAIC, NJ PMSA	21185	0.4 %
880	BILLINGS, MT MSA	3056	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	0	0.0 %
960	BINGHAMTON, NY MSA	9018	0.2 %
1000	BIRMINGHAM, AL MSA	5670	0.1 %
1010	BISMARCK, ND MSA	0	0.0 %
1020	BLOOMINGTON, IN MSA	0	0.0 %
1040	BLOOMINGTON-NORMAL, IL MSA	3940	0.1 %
1080	BOISE CITY, ID MSA	5066	0.1 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	212799	3.8 %
1125	BOULDER-LONGMONT, CO PMSA	10485	0.2 %
1145	BRAZORIA, TX PMSA	2082	0.0 %

Value	Label	Unweighted Frequency	%
1150	BREMERTON, WA PMSA	3696	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	2065	0.0 %
1260	BRYAN-COLLEGE STATION, TX MSA	668	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	56954	1.0 %
1303	BURLINGTON, VT NECMA	8966	0.2 %
1310	CAGUAS, PR PMSA	459	0.0 %
1320	CANTON-MASSILLON, OH MSA	9471	0.2 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	1597484	28.5 %
	Total	5,603,787	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,006,303 valid cases out of 5,603,787 total cases.

Minimum: 40.00Maximum: 9340.00

Location: 49-52 (width: 4; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division

(Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	7474	0.1 %
1	NORTHEAST	1785234	31.9 %
2	MIDWEST	1255234	22.4 %
3	SOUTH	1301709	23.2 %
4	WEST	1254136	22.4 %
	Missing Data		
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 4.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	7474	0.1 %
1	NEW ENGLAND	544683	9.7 %
2	MID-ATLANTIC	1240551	22.1 %
3	EAST NORTH CENTRAL	728160	13.0 %
4	WEST NORTH CENTRAL	527074	9.4 %
5	SOUTH ATLANTIC	891784	15.9 %
6	EAST SOUTH CENTRAL	137345	2.5 %
7	WEST SOUTH CENTRAL	272580	4.9 %
8	MOUNTAIN	468526	8.4 %
9	PACIFIC	785610	14.0 %
	Missing Data		
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 9.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

SERVSETA: SERVICE SETTING AT ADMISSION

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
 24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
 24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL HOSPITAL (OTHER THAN DETOX):
 24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL SHORT TERM (30 DAYS OR FEWER): Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL LONG TERM (MORE THAN 30 DAYS):
 Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY INTENSIVE OUTPATIENT: As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY NON-INTENSIVE OUTPATIENT: Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY DETOXIFICATION:
 Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	198543	3.5 %
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	962410	17.2 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	18461	0.3 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	504266	9.0 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	418185	7.5 %
6	AMBULATORY, INTENSIVE OUTPATIENT	654746	11.7 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	2786375	49.7 %
8	AMBULATORY, DETOXIFICATION	60103	1.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	698	0.0 %
	Total	5,603,787	100%

Based upon 5,603,089 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 8.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	347897	6.2 %
2	NO	5017913	89.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	237977	4.2 %
	Total	5,603,787	100%

Based upon 5,365,810 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	1701487	30.4 %
1	-	246146	4.4 %
2	-	88132	1.6 %
3	-	71596	1.3 %
4	-	57561	1.0 %
5	-	74467	1.3 %
6	-	54147	1.0 %
7	-	95470	1.7 %
8	-	37942	0.7 %
9	-	25154	0.4 %
10	-	34847	0.6 %
11	-	16811	0.3 %
12	-	20315	0.4 %
13	-	21650	0.4 %
14	-	46018	0.8 %
15	-	22479	0.4 %
16	-	11584	0.2 %
17	-	9595	0.2 %
18	-	9042	0.2 %

Value	Label	Unweighted Frequency	%
19	-	9167	0.2 %
20	-	15767	0.3 %
21	-	18845	0.3 %
22	-	9463	0.2 %
23	-	6626	0.1 %
24	-	5526	0.1 %
25	-	6421	0.1 %
26	-	5804	0.1 %
27	-	7277	0.1 %
28	-	8938	0.2 %
29	-	5777	0.1 %
30	-	21732	0.4 %
31	-	3626	0.1 %
32	-	3440	0.1 %
33	-	3637	0.1 %
34	-	4443	0.1 %
35	-	5752	0.1 %
36	-	3519	0.1 %
37	-	2631	0.0 %
38	-	2157	0.0 %
39	-	2037	0.0 %
40	-	3555	0.1 %
41	-	2841	0.1 %
42	-	3400	0.1 %
43	-	2333	0.0 %
44	-	1742	0.0 %
45	-	4061	0.1 %
46	-	1524	0.0 %
47	-	1652	0.0 %
48	-	1946	0.0 %
49	-	2119	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2700315	48.2 %
	Total	5,603,787	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,903,472 valid cases out of 5,603,787 total cases.

Mean: 8.62Minimum: 0.00Maximum: 996.00

• Standard Deviation: 48.22

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	1909583	34.1 %

Value	Label	Unweighted Frequency	%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	527054	9.4 %
3	OTHER HEALTH CARE PROVIDER	385297	6.9 %
4	SCHOOL (EDUCATIONAL)	65140	1.2 %
5	EMPLOYER/EAP	25404	0.5 %
6	OTHER COMMUNITY REFERRAL	668087	11.9 %
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	1911110	34.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	112112	2.0 %
	Total	5,603,787	100%

Based upon 5,491,675 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 7.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

٧	alue	Label	Unweighted Frequency	%
	1	STATE/FEDERAL COURT, OTHER COURT	402787	7.2 %
	3	PROBATION/PAROLE	480881	8.6 %

Value	Label	Unweighted Frequency	%
5	DIVERSIONARY PROGRAM	34019	0.6 %
6	PRISON	31490	0.6 %
7	DUI/DWI	144359	2.6 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	289517	5.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4220734	75.3 %
	Total	5,603,787	100%

Based upon 1,383,053 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 8.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	2097458	37.4 %
1	1 PRIOR TREATMENT EPISODES	1126138	20.1 %
2	2 PRIOR TREATMENT EPISODES	632425	11.3 %
3	3 PRIOR TREATMENT EPISODES	375211	6.7 %
4	4 PRIOR TREATMENT EPISODES	215148	3.8 %
5	5 OR MORE PRIOR TREATMENT EPISODES	653052	11.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	504355	9.0 %
	Total	5,603,787	100%

Based upon 5,099,432 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 5.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	55277	1.0 %
2	ALCOHOL	2218518	39.6 %
3	COCAINE/CRACK	431473	7.7 %
4	MARIJUANA/HASHISH	1015580	18.1 %
5	HEROIN	834591	14.9 %
6	NON-PRESCRIPTION METHADONE	18899	0.3 %
7	OTHER OPIATES AND SYNTHETICS	513178	9.2 %
8	PCP	16128	0.3 %
9	OTHER HALLUCINOGENS	5821	0.1 %
10	METHAMPHETAMINE	333356	5.9 %
11	OTHER AMPHETAMINES	25754	0.5 %
12	OTHER STIMULANTS	3811	0.1 %
13	BENZODIAZEPINES	52414	0.9 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1350	0.0 %
15	BARBITURATES	3087	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	8608	0.2 %
17	INHALANTS	3918	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	4629	0.1 %
20	OTHER	38687	0.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	18708	0.3 %
	Total	5,603,787	100%

Based upon 5,585,079 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	2662587	47.5 %

Value	Label	Unweighted Frequency	%
2	SMOKING	1580667	28.2 %
3	INHALATION	470347	8.4 %
4	INJECTION (IV OR INTRAMUSCULAR)	768547	13.7 %
20	OTHER	24660	0.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	96979	1.7 %
	Total	5,603,787	100%

Based upon 5,506,808 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	1561789	27.9 %
2	1-3 TIMES IN THE PAST MONTH	680946	12.2 %
3	1-2 TIMES IN THE PAST WEEK	491656	8.8 %
4	3-6 TIMES IN THE PAST WEEK	616854	11.0 %
5	DAILY	2138827	38.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	113715	2.0 %
	Total	5,603,787	100%

Based upon 5,490,072 valid cases out of 5,603,787 total cases.

Minimum: 1.00 Maximum: 5.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	384175	6.9 %
2	12-14	1226408	21.9 %

Value	Label	Unweighted Frequency	%
3	15-17	1574457	28.1 %
4	18-20	967385	17.3 %
5	21-24	545881	9.7 %
6	25-29	361139	6.4 %
7	30-34	186215	3.3 %
8	35-39	106593	1.9 %
9	40-44	62078	1.1 %
10	45-49	34433	0.6 %
11	50-54	16818	0.3 %
12	55 AND OVER	9120	0.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	129085	2.3 %
	Total	5,603,787	100%

Based upon 5,474,702 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 12.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	2416852	43.1 %
2	ALCOHOL	759848	13.6 %
3	COCAINE/CRACK	580954	10.4 %
4	MARIJUANA/HASHISH	853780	15.2 %
5	HEROIN	132845	2.4 %
6	NON-PRESCRIPTION METHADONE	15608	0.3 %
7	OTHER OPIATES AND SYNTHETICS	253591	4.5 %
8	PCP	10959	0.2 %
9	OTHER HALLUCINOGENS	11145	0.2 %
10	METHAMPHETAMINE	140343	2.5 %
11	OTHER AMPHETAMINES	27573	0.5 %
12	OTHER STIMULANTS	4175	0.1 %
13	BENZODIAZEPINES	163599	2.9 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2999	0.1 %
15	BARBITURATES	3260	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	16677	0.3 %

Value	Label	Unweighted Frequency	%
17	INHALANTS	3517	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	4397	0.1 %
20	OTHER	91716	1.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	109949	2.0 %
	Total	5,603,787	100%

Based upon 5,493,838 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	1176871	21.0 %
2	SMOKING	1325503	23.7 %
3	INHALATION	330063	5.9 %
4	INJECTION (IV OR INTRAMUSCULAR)	224239	4.0 %
20	OTHER	19560	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2527551	45.1 %
	Total	5,603,787	100%

Based upon 3,076,236 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	1273109	22.7 %
2	1-3 TIMES IN THE PAST MONTH	482683	8.6 %
3	1-2 TIMES IN THE PAST WEEK	316275	5.6 %
4	3-6 TIMES IN THE PAST WEEK	305429	5.5 %

Value	Label	Unweighted Frequency	%
5	DAILY	855710	15.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2370581	42.3 %
	Total	5,603,787	100%

Based upon 3,233,206 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 5.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	213997	3.8 %
2	12-14	717754	12.8 %
3	15-17	887386	15.8 %
4	18-20	502118	9.0 %
5	21-24	280877	5.0 %
6	25-29	205111	3.7 %
7	30-34	111350	2.0 %
8	35-39	65943	1.2 %
9	40-44	42036	0.8 %
10	45-49	25350	0.5 %
11	50-54	13378	0.2 %
12	55 AND OVER	7046	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2531441	45.2 %
	Total	5,603,787	100%

Based upon 3,072,346 valid cases out of 5,603,787 total cases.

Minimum: 1.00 Maximum: 12.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL,

ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	3637057	64.9 %
2	ALCOHOL	256186	4.6 %
3	COCAINE/CRACK	237713	4.2 %
4	MARIJUANA/HASHISH	300217	5.4 %
5	HEROIN	46998	0.8 %
6	NON-PRESCRIPTION METHADONE	7237	0.1 %
7	OTHER OPIATES AND SYNTHETICS	102988	1.8 %
8	PCP	6726	0.1 %
9	OTHER HALLUCINOGENS	16425	0.3 %
10	METHAMPHETAMINE	54438	1.0 %
11	OTHER AMPHETAMINES	21988	0.4 %
12	OTHER STIMULANTS	4088	0.1 %
13	BENZODIAZEPINES	95568	1.7 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2561	0.0 %
15	BARBITURATES	2274	0.0 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	10773	0.2 %
17	INHALANTS	3608	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	3831	0.1 %
20	OTHER	72044	1.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	721067	12.9 %
	Total	5,603,787	100%

Based upon 4,882,720 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	498744	8.9 %
2	SMOKING	477550	8.5 %
3	INHALATION	159502	2.8 %
4	INJECTION (IV OR INTRAMUSCULAR)	74938	1.3 %
20	OTHER	15367	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4377686	78.1 %
	Total	5,603,787	100%

Based upon 1,226,101 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 20.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	773762	13.8 %
2	1-3 TIMES IN THE PAST MONTH	203985	3.6 %
3	1-2 TIMES IN THE PAST WEEK	118473	2.1 %
4	3-6 TIMES IN THE PAST WEEK	103104	1.8 %
5	DAILY	316951	5.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4087512	72.9 %
	Total	5,603,787	100%

Based upon 1,516,275 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 5.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	148546	2.7 %
2	12-14	284524	5.1 %
3	15-17	346200	6.2 %
4	18-20	198463	3.5 %
5	21-24	106586	1.9 %
6	25-29	76652	1.4 %

Value	Label	Unweighted Frequency	%
7	30-34	42128	0.8 %
8	35-39	24549	0.4 %
9	40-44	16404	0.3 %
10	45-49	9479	0.2 %
11	50-54	4668	0.1 %
12	55 AND OVER	2190	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4343398	77.5 %
	Total	5,603,787	100%

Based upon 1,260,389 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 12.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	71189	1.3 %
1	-	2424648	43.3 %
2	-	1896047	33.8 %
3	-	1211903	21.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Mean: 1.76Median: 2.00Mode: 1.00Minimum: 0.00Maximum: 3.00

• Standard Deviation: 0.80

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	4629405	82.6 %
1	IDU REPORTED	903259	16.1 %
	Missing Data		
-8	NO SUBSTANCES REPORTED	71123	1.3 %
	Total	5,603,787	100%

Based upon 5,532,664 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	2370747	42.3 %
1	SUBSTANCE REPORTED	3233040	57.7 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4383889	78.2 %
1	SUBSTANCE REPORTED	1219898	21.8 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	3438884	61.4 %
1	SUBSTANCE REPORTED	2164903	38.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4589906	81.9 %
1	SUBSTANCE REPORTED	1013881	18.1 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00 Maximum: 1.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5562202	99.3 %
1	SUBSTANCE REPORTED	41585	0.7 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	4766224	85.1 %
1	SUBSTANCE REPORTED	837563	14.9 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5569976	99.4 %
1	SUBSTANCE REPORTED	33811	0.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5570583	99.4 %
1	SUBSTANCE REPORTED	33204	0.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5075853	90.6 %
1	SUBSTANCE REPORTED	527934	9.4 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5528642	98.7 %
1	SUBSTANCE REPORTED	75145	1.3 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00 Maximum: 1.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5591739	99.8 %
1	SUBSTANCE REPORTED	12048	0.2 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5295329	94.5 %
1	SUBSTANCE REPORTED	308458	5.5 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5596885	99.9 %
1	SUBSTANCE REPORTED	6902	0.1 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5595171	99.8 %
1	SUBSTANCE REPORTED	8616	0.2 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5567781	99.4 %
1	SUBSTANCE REPORTED	36006	0.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5592766	99.8 %
1	SUBSTANCE REPORTED	11021	0.2 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5590958	99.8 %
1	SUBSTANCE REPORTED	12829	0.2 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00 Maximum: 1.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	5403306	96.4 %
1	SUBSTANCE REPORTED	200481	3.6 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 1.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	71189	1.3 %
1	ALCOHOL ONLY	1222196	21.8 %
2	OTHER DRUGS ONLY	2299558	41.0 %
3	ALCOHOL AND OTHER DRUGS	2010844	35.9 %
	Total	5,603,787	100%

Based upon 5,603,787 valid cases out of 5,603,787 total cases.

Minimum: 0.00Maximum: 3.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	7991	0.1 %
1	ALCOHOL-INDUCED DISORDER	23675	0.4 %

Value	Label	Unweighted Frequency	%
2	SUBSTANCE-INDUCED DISORDER	51943	0.9 %
3	ALCOHOL INTOXICATION	156285	2.8 %
4	ALCOHOL DEPENDENCE	535211	9.6 %
5	OPIOID DEPENDENCE	434477	7.8 %
6	COCAINE DEPENDENCE	144193	2.6 %
7	CANNABIS DEPENDENCE	227305	4.1 %
8	OTHER SUBSTANCE DEPENDENCE	245814	4.4 %
9	ALCOHOL ABUSE	198714	3.5 %
10	CANNABIS ABUSE	174172	3.1 %
11	OTHER SUBSTANCE ABUSE	30287	0.5 %
12	OPIOID ABUSE	21578	0.4 %
13	COCAINE ABUSE	36272	0.6 %
14	ANXIETY DISORDERS	6852	0.1 %
15	DEPRESSIVE DISORDERS	19474	0.3 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	5935	0.1 %
17	BIPOLAR DISORDERS	11081	0.2 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	4406	0.1 %
19	OTHER MENTAL HEALTH CONDITION	12265	0.2 %
20	OTHER CONDITION	55678	1.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3200179	57.1 %
	Total	5,603,787	100%

Based upon 2,403,608 valid cases out of 5,603,787 total cases.

Minimum: 0.00 Maximum: 20.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	1277467	22.8 %
2	NO	2791639	49.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1534681	27.4 %
	Total	5,603,787	100%

Based upon 4,069,106 valid cases out of 5,603,787 total cases.

• Minimum: 1.00

• Maximum: 2.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	301930	5.4 %
2	MEDICAID	522591	9.3 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	203051	3.6 %
4	NONE	1378335	24.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3197880	57.1 %
	Total	5,603,787	100%

Based upon 2,405,907 valid cases out of 5,603,787 total cases.

Minimum: 1.00Maximum: 4.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	314500	5.6 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	121431	2.2 %
3	MEDICARE, WORKER'S COMPENSATION	14158	0.3 %
4	MEDICAID	309420	5.5 %
5	OTHER GOVERNMENT PAYMENTS	767991	13.7 %
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	128284	2.3 %
9	OTHER	209020	3.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3738983	66.7 %

Value	Label	Unweighted Frequency	%
	Total	5,603,787	100%

Based upon 1,864,804 valid cases out of 5,603,787 total cases.

Minimum: 1.00 Maximum: 9.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric (Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u>	Type	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	16	17	AGE (RECODED)
ALCDRUG	Added	Num	2	116	117	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	98	98	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	107	107	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDS	Num	2	40	41	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	111	111	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	109	109	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	11	1	11	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	44	48	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	99	99	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	61	63	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	66	67	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	30	31	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	55	56	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	118	119	DSM DIAGNOSIS
EDUC	MDS	Num	2	26	27	EDUCATION
EMPLOY	MDS	Num	2	28	29	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	22	23	ETHNICITY (HISPANIC ORIGIN)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	Source ³	Type	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ1	MDS	Num	2	74	75	FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num	2	82	83	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	90	91	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	76	77	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	84	85	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	92	93	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	18	19	SEX
HALLFLG	Added	Num	1	105	105	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	101	101	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	122	123	HEALTH INSURANCE
IDU	Added	Num	2	96	97	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	113	113	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	36	37	LIVING ARRANGEMENT
MARFLG	Added	Num	1	100	100	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	24	25	MARITAL STATUS
METHFLG	Added	Num	1	102	102	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	59	60	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	106	106	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	68	69	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	94	95	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	103	103	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	114	114	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num	1	115	115	OTHER DRUG REPORTED AT ADM.

<u>Variable</u>	Source ²	Type	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PCPFLG	Added	Num	1	104	104	PCP REPORTED AT ADM.
PMSA	Added	Num	4	49	52	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	32	33	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	38	39	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	124	125	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	64	65	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	120	121	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	20	21	RACE
REGION	Added	Num	2	53	54	CENSUS REGION
ROUTE1	MDS	Num	2	72	73	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	80	81	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	88	89	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	112	112	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num	2	57	58	SERVICE SETTING AT ADMISSION
STFIPS	Added	Num	2	42	43	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	108	108	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	70	71	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	78	79	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	86	87	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	110	110	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	34	35	VETERAN STATUS
YEAR	Added	Num	4	12	15	YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Note: Please refer to the single-year codebooks for the percentage distributions of the original categorical variables.

Variable	Original Codes (original percentage)	Recodes
AGE	Continuous (12-99)	12-14
		15-17
Age (Recoded)		18-20
,		21-24
		25-29
		30-34
		35-39
		40-44
		45-49
		50-54
		55 and Over
ARRESTS	Continuous (0-96)	0 None
		1 Once
Number of Arrests Prior		2 Two or More Times
to Admission		
MARSTAT	1 Never Married	1 Never Married
	2 Now Married	2 Now Married
Marital Status	3 Separated	3 Separated
	4 Divorced	4 Divorced, Widowed
	5 Widowed	, in the second
EDUC	Continuous (0-25)	1 8 Years or Less
		2 9-11
Education		3 12
		4 13-15
		5 16 or More

Variable	Original Codes (original percentage)	Recodes
DETNLF	1 Homemaker	1 Homemaker
	2 Student	2 Student
Detailed 'Not in Labor' Force	3 Retired	3 Retired, Disabled
	4 Disabled	5 Inmate of Institution
	5 Inmate of Institution	6 Other
	6 Other	
PRIMINC	1 Wages/Salary	1 Wages/Salary
	2 Public Assistance	2 Public Assistance
Source of Income / Support	3 Retirement/Pension	3 Retirement/Pension, Disability
	4 Disability	20 Other
	20 Other	21 None
	21 None	
PMSA	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data
		combined into a single specification.
FIPS 1990 MSA Code		
		When either PMSA or CBSA describes a
CBSA		population less than 100,000, or one of the
		codes falls into the combined missing category,
FIPS 2000 CBSA Code		records are recoded into:
		"UNDESIGNATED AREA /MISSING/
		UNKNOWN/NOT COLLECTED/ INVALID"
DETCRIM	1 State/Federal Court	1 State/Federal Court, Other Court
	2 Other Court	3 Probation/Parole
Detailed Criminal Justice Referral	3 Probation/Parole	5 Diversionary Program
	4 Other Recognized Legal Entity	6 Prison
	5 Diversionary Program	7 DUI/DWI
	6 Prison	8 Other Recognized Legal Entity, Other
	7 DUI/DWI	
	8 Other	

Variable	Original Codes (original percentage)	Recodes
HLTHINS	1 Private Insurance (Other Than BC/BS or HMO)	1 Private Insurance, BC/BS, HMO 2 Medicaid
Health Insurance	2 Blue Cross / Blue Shield (BC/BS)	3 Medicare/Other (e.g. Tricare, Champus)
	3 Medicare	4 None
	4 Medicaid	
	6 Health Maintenance Organization	
	(HMO)	
	20 Other (e.g. TriCare, Champus)	
	21 None	
PRIMPAY	1 Self-Pay	1 Self-Pay
	2 Blue Cross / Blue Shield	2 Blue Cross / Blue Shield, Other Health
Expected/Actual Payment Source	3 Medicare	Insurance Companies
of Payment	4 Medicaid	3 Medicare, Worker's Compensation
	5 Other Government Payments	4 Medicaid
	6 Worker's Compensation	5 Other Government Payments
	7 Other Health Insurance Companies	8 No charge (Free, Charity, Special
	8 No charge (Free, Charity, Special	Research or Teaching)
	Research or Teaching)	9 Other
	9 Other	
FRSTUSE1	Continuous (0-99)	11 and Under
		12-14
Age at First Use (Primary)		15-17
ED CHELICES		18-20
FRSTUSE2		21-24
A so at First Use (Caser dam)		25-29 30-34
Age at First Use (Secondary)		35-39
FRSTUSE3		40-44
INSTUBES		45-49
Age at First Use (Tertiary)		50-54
		55 and Over
	<u>l</u>	L

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
Ü	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99,	8 Other Substance Abuse Dependence
	305.10 – 305.19 305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 - 293.82, 295.00 - 295.99, 297.10 - 297.19, 297.30 - 297.39, 298.80 - 298.89, 298.90 - 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 - 312.81, 312.90 - 312.99, 313.81, 314.00 - 314.01, 314.90 - 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing