

Treatment Episode Data Set -- Admissions (TEDS-A), 1994

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1994

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1994. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1994 that were received and processed through May 11, 2004.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 46 states plus the District of Columbia and Puerto Rico. The following states did not report usable data for the year 1994: Arizona, Kentucky, Mississippi, and West Virginia.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1994 are as follows:

Filename: da02186-0001.txt

Number of observations: 1,662,880

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1994

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1994

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	14
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	16
LIVARAG	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	19
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	36
DIVISION	CENSUS DIVISION	37

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETA	SERVICE SETTING AT ADMISSION	38
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	39
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	40

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	40
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	42

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	43
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
FREQ1	FREQUENCY OF USE (PRIMARY)	45
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	46
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
FREQ2	FREQUENCY OF USE (SECONDARY)	48
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	49
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
FREQ3	FREQUENCY OF USE (TERTIARY)	51
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	53
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	53
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	53
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	54
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
PCPFLG	PCP REPORTED AT ADM.	54
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	55
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	55
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	55
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
BARBFLG	BARBITURATES REPORTED AT ADM.	56
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFGL	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
OTHERFLG	OTHER DRUG REPORTED AT ADM.	57
ALCDRUG	SUBSTANCE ABUSE TYPE	57

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	59
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1662880 valid cases out of 1662880 total cases.

YEAR YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1994	-	1662880	100.0 %	100.0%

Based upon 1662880 valid cases out of 1662880 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	24081	1.4 %	1.4%
3	15-17	85042	5.1 %	5.1%
4	18-20	74189	4.5 %	4.5%
5	21-24	158148	9.5 %	9.5%
6	25-29	279269	16.8 %	16.8%
7	30-34	350508	21.1 %	21.1%
8	35-39	294091	17.7 %	17.7%
9	40-44	190187	11.4 %	11.4%
10	45-49	100152	6.0 %	6.0%
11	50-54	52555	3.2 %	3.2%
12	55 AND OVER	54658	3.3 %	3.3%

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	5446	0.3 %	0.3%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	33957	2.0 %	2.1%
3	ASIAN OR PACIFIC ISLANDER	10723	0.6 %	0.7%
4	BLACK OR AFRICAN AMERICAN	451775	27.2 %	27.5%
5	WHITE	991634	59.6 %	60.4%
20	OTHER SINGLE RACE	148751	8.9 %	9.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	20594	1.2 %	-

Based upon 1642286 valid cases out of 1662880 total cases.

ETHNIC

ETHNICITY (HISPANIC ORIGIN)

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	60760	3.7 %	3.9%
2	MEXICAN	84727	5.1 %	5.5%
3	CUBAN	4800	0.3 %	0.3%
4	OTHER SPECIFIC HISPANIC	32040	1.9 %	2.1%
5	NOT OF HISPANIC ORIGIN	1366734	82.2 %	88.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	113819	6.8 %	-

Based upon 1549061 valid cases out of 1662880 total cases.

MARSTAT	MARITAL STATUS
----------------	-----------------------

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	644314	38.7 %	50.9%
2	NOW MARRIED	254739	15.3 %	20.1%
3	SEPARATED	107086	6.4 %	8.5%
4	DIVORCED, WIDOWED	259879	15.6 %	20.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	396862	23.9 %	-

Based upon 1266018 valid cases out of 1662880 total cases.

EDUC	EDUCATION
-------------	------------------

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	8 YEARS OR LESS	159084	9.6 %	9.8%
2	9-11	501103	30.1 %	30.8%
3	12	651112	39.2 %	40.1%
4	13-15	243982	14.7 %	15.0%
5	16 OR MORE	69554	4.2 %	4.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	38045	2.3 %	-

Based upon 1624835 valid cases out of 1662880 total cases.

EMPLOY

EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	400299	24.1 %	25.4%
2	PART TIME	104760	6.3 %	6.7%
3	UNEMPLOYED	424508	25.5 %	27.0%
4	NOT IN LABOR FORCE	643766	38.7 %	40.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	89547	5.4 %	-

Based upon 1573333 valid cases out of 1662880 total cases.

DETNLF DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	27355	1.6 %	9.3%
2	STUDENT	58559	3.5 %	20.0%
3	RETIRED, DISABLED	66227	4.0 %	22.6%
5	INMATE OF INSTITUTION	14584	0.9 %	5.0%
6	OTHER	126415	7.6 %	43.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1369740	82.4 %	-

Based upon 293140 valid cases out of 1662880 total cases.

PREG PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client was pregnant at the time of admission.

 Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17994	1.1 %	4.6%
2	NO	369858	22.2 %	95.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1275028	76.7 %	-

Based upon 387852 valid cases out of 1662880 total cases.

VET VETERAN STATUS

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	93307	5.6 %	10.7%
2	NO	781119	47.0 %	89.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	788454	47.4 %	-

Based upon 874426 valid cases out of 1662880 total cases.

LIVARAG LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	174054	10.5 %	15.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DEPENDENT LIVING	239767	14.4 %	20.9%
3	INDEPENDENT LIVING	731043	44.0 %	63.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	518016	31.2 %	-

Based upon 1144864 valid cases out of 1662880 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	254828	15.3 %	37.3%
2	PUBLIC ASSISTANCE	147717	8.9 %	21.6%
3	RETIREMENT/PENSION, DISABILITY	37139	2.2 %	5.4%
20	OTHER	130217	7.8 %	19.0%
21	NONE	114064	6.9 %	16.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	978915	58.9 %	-

Based upon 683965 valid cases out of 1662880 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	11564	0.7 %	0.7%
2	ALASKA	7704	0.5 %	0.5%
5	ARKANSAS	8308	0.5 %	0.5%
6	CALIFORNIA	182736	11.0 %	11.0%
8	COLORADO	57387	3.5 %	3.5%
9	CONNECTICUT	45707	2.7 %	2.7%
10	DELAWARE	4815	0.3 %	0.3%
11	DIST OF COLUMBIA	1351	0.1 %	0.1%
12	FLORIDA	80308	4.8 %	4.8%
13	GEORGIA	23890	1.4 %	1.4%
15	HAWAII	3801	0.2 %	0.2%
16	IDAHO	3684	0.2 %	0.2%
17	ILLINOIS	42479	2.6 %	2.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	INDIANA	22041	1.3 %	1.3%
19	IOWA	18734	1.1 %	1.1%
20	KANSAS	23273	1.4 %	1.4%
22	LOUISIANA	20590	1.2 %	1.2%
23	MAINE	8799	0.5 %	0.5%
24	MARYLAND	56898	3.4 %	3.4%
25	MASSACHUSETTS	66686	4.0 %	4.0%
26	MICHIGAN	81044	4.9 %	4.9%
27	MINNESOTA	33511	2.0 %	2.0%
29	MISSOURI	27158	1.6 %	1.6%
30	MONTANA	7207	0.4 %	0.4%
31	NEBRASKA	17841	1.1 %	1.1%
32	NEVADA	5737	0.3 %	0.3%
33	NEW HAMPSHIRE	2665	0.2 %	0.2%
34	NEW JERSEY	66589	4.0 %	4.0%
35	NEW MEXICO	7095	0.4 %	0.4%
36	NEW YORK	235469	14.2 %	14.2%
37	NORTH CAROLINA	44477	2.7 %	2.7%
38	NORTH DAKOTA	2409	0.1 %	0.1%
39	OHIO	73751	4.4 %	4.4%
40	OKLAHOMA	18939	1.1 %	1.1%
41	OREGON	40244	2.4 %	2.4%
42	PENNSYLVANIA	59725	3.6 %	3.6%
44	RHODE ISLAND	9274	0.6 %	0.6%
45	SOUTH CAROLINA	33097	2.0 %	2.0%
46	SOUTH DAKOTA	8110	0.5 %	0.5%
47	TENNESSEE	15025	0.9 %	0.9%
48	TEXAS	58962	3.5 %	3.5%
49	UTAH	15789	0.9 %	0.9%
50	VERMONT	4483	0.3 %	0.3%
51	VIRGINIA	35759	2.2 %	2.2%
53	WASHINGTON	44249	2.7 %	2.7%
55	WISCONSIN	15558	0.9 %	0.9%
56	WYOMING	2263	0.1 %	0.1%
72	PUERTO RICO	5695	0.3 %	0.3%

Based upon 1662880 valid cases out of 1662880 total cases.

CBSA

FIPS 2000 CBSA CODE

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1030	0.1 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	359	0.0 %	0.0%
10420	AKRON, OH METRO	7268	0.4 %	0.5%
10500	ALBANY, GA METRO	556	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	15410	0.9 %	1.1%
10740	ALBUQUERQUE, NM METRO	2009	0.1 %	0.1%
10780	ALEXANDRIA, LA METRO	3564	0.2 %	0.3%
10880	ALLEGAN, MI MICRO	715	0.0 %	0.1%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3351	0.2 %	0.2%
11020	ALTOONA, PA METRO	1277	0.1 %	0.1%
11100	AMARILLO, TX METRO	955	0.1 %	0.1%
11260	ANCHORAGE, AK METRO	2870	0.2 %	0.2%
11300	ANDERSON, IN METRO	170	0.0 %	0.0%
11340	ANDERSON, SC METRO	1489	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	2019	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	295	0.0 %	0.0%
11540	APPLETON, WI METRO	385	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	3078	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	717	0.0 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	1118	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	7827	0.5 %	0.6%
12100	ATLANTIC CITY, NJ METRO	3053	0.2 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	313	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	2584	0.2 %	0.2%
12420	AUSTIN-ROUND ROCK, TX METRO	6548	0.4 %	0.5%
12540	BAKERSFIELD, CA METRO	4180	0.3 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	33449	2.0 %	2.4%
12700	BARNSTABLE TOWN, MA METRO	2767	0.2 %	0.2%
12940	BATON ROUGE, LA METRO	3106	0.2 %	0.2%
12980	BATTLE CREEK, MI METRO	868	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13020	BAY CITY, MI METRO	1050	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1810	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	1521	0.1 %	0.1%
13740	BILLINGS, MT METRO	948	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3009	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	3882	0.2 %	0.3%
14020	BLOOMINGTON, IN METRO	1473	0.1 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	770	0.0 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	1187	0.1 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	36486	2.2 %	2.6%
14500	BOULDER, CO METRO	2974	0.2 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2370	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	11433	0.7 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	1232	0.1 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	18317	1.1 %	1.3%
15500	BURLINGTON, NC METRO	614	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	1748	0.1 %	0.1%
15940	CANTON-MASSILLON, OH METRO	3480	0.2 %	0.3%
15980	CAPE CORAL-FORT MYERS, FL METRO	3631	0.2 %	0.3%
16300	CEDAR RAPIDS, IA METRO	1562	0.1 %	0.1%
16580	CHAMPAIGN-URBANA, IL METRO	1090	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4491	0.3 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	8732	0.5 %	0.6%
16820	CHARLOTTESVILLE, VA METRO	394	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1861	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	27433	1.6 %	2.0%
17020	CHICO, CA METRO	571	0.0 %	0.0%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	7250	0.4 %	0.5%
17300	CLARKSVILLE, TN-KY METRO	174	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	11537	0.7 %	0.8%
17780	COLLEGE STATION-BRYAN, TX METRO	348	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	4645	0.3 %	0.3%
17860	COLUMBIA, MO METRO	522	0.0 %	0.0%
17900	COLUMBIA, SC METRO	4323	0.3 %	0.3%
17980	COLUMBUS, GA-AL METRO	799	0.0 %	0.1%
18140	COLUMBUS, OH METRO	9299	0.6 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18580	CORPUS CHRISTI, TX METRO	1625	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	972	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	9204	0.6 %	0.7%
19260	DANVILLE, VA METRO	412	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	139	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3268	0.2 %	0.2%
19380	DAYTON, OH METRO	4984	0.3 %	0.4%
19460	DECATUR, AL METRO	406	0.0 %	0.0%
19500	DECATUR, IL METRO	617	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2754	0.2 %	0.2%
19740	DENVER-AURORA, CO METRO	34765	2.1 %	2.5%
19780	DES MOINES, IA METRO	2870	0.2 %	0.2%
19820	DETROIT-WARREN-LIVONIA, MI METRO	31008	1.9 %	2.2%
20020	DOTHAN, AL METRO	563	0.0 %	0.0%
20100	DOVER, DE METRO	429	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1692	0.1 %	0.1%
20500	DURHAM, NC METRO	2140	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	741	0.0 %	0.1%
20740	EAU CLAIRE, WI METRO	789	0.0 %	0.1%
21140	ELKHART-GOSHEN, IN METRO	327	0.0 %	0.0%
21340	EL PASO, TX METRO	2929	0.2 %	0.2%
21500	ERIE, PA METRO	2148	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	4578	0.3 %	0.3%
21780	EVANSVILLE, IN-KY METRO	2657	0.2 %	0.2%
22020	FARGO, ND-MN METRO	383	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1797	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	800	0.0 %	0.1%
22420	FLINT, MI METRO	3951	0.2 %	0.3%
22460	FLORENCE, AL METRO	210	0.0 %	0.0%
22500	FLORENCE, SC METRO	1717	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	383	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	388	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	696	0.0 %	0.1%
23060	FORT WAYNE, IN METRO	1757	0.1 %	0.1%
23420	FRESNO, CA METRO	9117	0.5 %	0.7%
23460	GADSDEN, AL METRO	454	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23540	GAINESVILLE, FL METRO	1706	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1170	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	684	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	1451	0.1 %	0.1%
24340	GRAND RAPIDS-WYOMING, MI METRO	7292	0.4 %	0.5%
24540	GREELEY, CO METRO	2769	0.2 %	0.2%
24580	GREEN BAY, WI METRO	334	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	1947	0.1 %	0.1%
24780	GREENVILLE, NC METRO	2384	0.1 %	0.2%
24860	GREENVILLE, SC METRO	4484	0.3 %	0.3%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1405	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3138	0.2 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	19980	1.2 %	1.4%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1751	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1664	0.1 %	0.1%
26180	HONOLULU, HI METRO	2945	0.2 %	0.2%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1317	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	15685	0.9 %	1.1%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	159	0.0 %	0.0%
26620	HUNTSVILLE, AL METRO	816	0.0 %	0.1%
26900	INDIANAPOLIS, IN METRO	5548	0.3 %	0.4%
26980	IOWA CITY, IA METRO	1140	0.1 %	0.1%
27100	JACKSON, MI METRO	765	0.0 %	0.1%
27180	JACKSON, TN METRO	1384	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	4216	0.3 %	0.3%
27340	JACKSONVILLE, NC METRO	944	0.1 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1160	0.1 %	0.1%
27500	JANESVILLE, WI METRO	496	0.0 %	0.0%
27740	JOHNSON, CITYTN METRO	1044	0.1 %	0.1%
27780	JOHNSTOWN, PA METRO	674	0.0 %	0.0%
27900	JOPLIN, MO METRO	1288	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	4671	0.3 %	0.3%
28100	KANKAKEE-BRADLEY, IL METRO	489	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	9556	0.6 %	0.7%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	976	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	1274	0.1 %	0.1%
28700	KINGSPORT-BRISTOL, TN-VA METRO	1077	0.1 %	0.1%
28940	KNOXVILLE, TN METRO	2696	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29100	LA CROSSE, WI-MN METRO	218	0.0 %	0.0%
29140	LAFAYETTE, IN METRO	466	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	333	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	1581	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	1719	0.1 %	0.1%
29540	LANCASTER, PA METRO	1901	0.1 %	0.1%
29620	LANSING-EAST LANSING, MI METRO	3771	0.2 %	0.3%
29700	LAREDO, TX METRO	320	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	314	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	3496	0.2 %	0.3%
30020	LAWTON, OK METRO	908	0.1 %	0.1%
30140	LEBANON, PA METRO	320	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	758	0.0 %	0.1%
30620	LIMA, OH METRO	659	0.0 %	0.0%
30700	LINCOLN, NE METRO	7973	0.5 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	2110	0.1 %	0.2%
30980	LONGVIEW, TX METRO	576	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	59998	3.6 %	4.4%
31140	LOUISVILLE, KY-IN METRO	1183	0.1 %	0.1%
31180	LUBBOCK, TX METRO	969	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	1379	0.1 %	0.1%
31420	MACON, GA METRO	805	0.0 %	0.1%
31460	MADERA, CA METRO	755	0.0 %	0.1%
31540	MADISON, WI METRO	31	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	940	0.1 %	0.1%
31900	MANSFIELD, OH METRO	861	0.1 %	0.1%
32420	MAYAGUEZ, PR METRO	641	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	510	0.0 %	0.0%
32780	MEDFORD, OR METRO	2726	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2235	0.1 %	0.2%
32900	MERCED, CA METRO	808	0.0 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	27955	1.7 %	2.0%
33260	MIDLAND, TX METRO	305	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	889	0.1 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	22205	1.3 %	1.6%
33660	MOBILE, AL METRO	686	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33700	MODESTO, CA METRO	1295	0.1 %	0.1%
33740	MONROE, LA METRO	1046	0.1 %	0.1%
33780	MONROE, MI METRO	810	0.0 %	0.1%
33860	MONTGOMERY, AL METRO	916	0.1 %	0.1%
34620	MUNCIE, IN METRO	990	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	3387	0.2 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1021	0.1 %	0.1%
34900	NAPA, CA METRO	691	0.0 %	0.1%
34940	NAPLES-MARCO ISLAND, FL METRO	2086	0.1 %	0.2%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2425	0.1 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	6816	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	4473	0.3 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	183050	11.0 %	13.3%
35660	NILES-BENTON HARBOR, MI METRO	1149	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4283	0.3 %	0.3%
36100	OCALA, FL METRO	2106	0.1 %	0.2%
36140	OCEAN CITY, NJ METRO	997	0.1 %	0.1%
36220	ODESSA, TX METRO	720	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	2388	0.1 %	0.2%
36420	OKLAHOMA CITY, OK METRO	6428	0.4 %	0.5%
36500	OLYMPIA, WA METRO	853	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	6224	0.4 %	0.5%
36740	ORLANDO, FL METRO	8690	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	385	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3283	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	934	0.1 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	560	0.0 %	0.0%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	299	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1855	0.1 %	0.1%
37900	PEORIA, IL METRO	1500	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	34060	2.0 %	2.5%
38300	PITTSBURGH, PA METRO	9583	0.6 %	0.7%
38660	PONCE, PR METRO	798	0.0 %	0.1%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	2314	0.1 %	0.2%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	18179	1.1 %	1.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38940	PORT ST. LUCIE, FL METRO	1884	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9561	0.6 %	0.7%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	14659	0.9 %	1.1%
39340	PROVO-OREM, UT METRO	962	0.1 %	0.1%
39380	PUEBLO, CO METRO	5368	0.3 %	0.4%
39460	PUNTA GORDA, FL METRO	342	0.0 %	0.0%
39540	RACINE, WI METRO	650	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3054	0.2 %	0.2%
39740	READING, PA METRO	2589	0.2 %	0.2%
39820	REDDING, CA METRO	1027	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1174	0.1 %	0.1%
40060	RICHMOND, VA METRO	2895	0.2 %	0.2%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	13763	0.8 %	1.0%
40220	ROANOKE, VA METRO	2198	0.1 %	0.2%
40340	ROCHESTER, MN METRO	707	0.0 %	0.1%
40380	ROCHESTER, NY METRO	10279	0.6 %	0.7%
40420	ROCKFORD, IL METRO	1141	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	1101	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9478	0.6 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1702	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	853	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	1223	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	8707	0.5 %	0.6%
41420	SALEM, OR METRO	3807	0.2 %	0.3%
41500	SALINAS, CA METRO	1544	0.1 %	0.1%
41580	SALISBURY, NC MICRO	9	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	10515	0.6 %	0.8%
41660	SAN ANGELO, TX METRO	474	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	4060	0.2 %	0.3%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	14014	0.8 %	1.0%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	33744	2.0 %	2.4%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	5454	0.3 %	0.4%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	3633	0.2 %	0.3%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	777	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	3276	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1887	0.1 %	0.1%
42140	SANTA FE, NM METRO	551	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	4039	0.2 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1678	0.1 %	0.1%
42340	SAVANNAH, GA METRO	1862	0.1 %	0.1%
42540	SCRANTON--WILKES-BARRE-, PA METRO	3410	0.2 %	0.2%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	21358	1.3 %	1.5%
43100	SHEBOYGAN, WI METRO	473	0.0 %	0.0%
43300	SHERMAN-DENISON, TX METRO	201	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1835	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1325	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	1684	0.1 %	0.1%
43780	SOUTH BEND-MISHAWAKA, IN-MI METRO	1302	0.1 %	0.1%
43900	SPARTANBURG, SC METRO	1987	0.1 %	0.1%
44060	SPOKANE, WA METRO	4208	0.3 %	0.3%
44100	SPRINGFIELD, IL METRO	786	0.0 %	0.1%
44140	SPRINGFIELD, MA METRO	8177	0.5 %	0.6%
44180	SPRINGFIELD, MO METRO	2333	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1399	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	347	0.0 %	0.0%
44700	STOCKTON, CA METRO	2247	0.1 %	0.2%
44940	SUMTER, SC METRO	1042	0.1 %	0.1%
45060	SYRACUSE, NY METRO	11131	0.7 %	0.8%
45220	TALLAHASSEE, FL METRO	1027	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	12192	0.7 %	0.9%
45460	TERRE HAUTE, IN METRO	50	0.0 %	0.0%
45500	TEXARKANA TX-TEXARKANA, AR METRO	249	0.0 %	0.0%
45780	TOLEDO, OH METRO	4574	0.3 %	0.3%
45820	TOPEKA, KS METRO	3432	0.2 %	0.2%
45940	TRENTON-EWING, NJ METRO	2547	0.2 %	0.2%
46140	TULSA, OK METRO	4329	0.3 %	0.3%
46220	TUSCALOOSA, AL METRO	831	0.0 %	0.1%
46340	TYLER, TX METRO	838	0.1 %	0.1%
46540	UTICA-ROME, NY METRO	3440	0.2 %	0.2%
46700	VALLEJO-FAIRFIELD, CA METRO	1165	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	1964	0.1 %	0.1%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	13530	0.8 %	1.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47300	VISALIA-PORTERVILLE, CA METRO	1904	0.1 %	0.1%
47360	WACO, TX METRO	831	0.0 %	0.1%
47580	WARNER ROBINS, GA METRO	2	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	25690	1.5 %	1.9%
47940	WATERLOO-CEDAR FALLS, IA METRO	918	0.1 %	0.1%
48140	WAUSAU, WI METRO	917	0.1 %	0.1%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	202	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	618	0.0 %	0.0%
48620	WICHITA, KS METRO	6733	0.4 %	0.5%
48660	WICHITA FALLS, TX METRO	497	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	518	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1060	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	3085	0.2 %	0.2%
49340	WORCESTER, MA METRO	9769	0.6 %	0.7%
49420	YAKIMA, WA METRO	3526	0.2 %	0.3%
49620	YORK-HANOVER, PA METRO	986	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	7168	0.4 %	0.5%
49700	YUBA CITY-MARYSVILLE, CA METRO	381	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	283678	17.1 %	-

Based upon 1379202 valid cases out of 1662880 total cases.

PMSA	FIPS 1990 MSA CODE
-------------	---------------------------

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1030	0.1 %	0.1%
60	AGUADILLA, PR MSA	359	0.0 %	0.0%
80	AKRON, OH PMSA	7268	0.4 %	0.5%
120	ALBANY, GA MSA	556	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	15410	0.9 %	1.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
200	ALBUQUERQUE, NM MSA	2009	0.1 %	0.1%
220	ALEXANDRIA, LA MSA	3564	0.2 %	0.3%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2481	0.1 %	0.2%
280	ALTOONA, PA MSA	1277	0.1 %	0.1%
320	AMARILLO, TX MSA	955	0.1 %	0.1%
380	ANCHORAGE, AK MSA	2870	0.2 %	0.2%
440	ANN ARBOR, MI PMSA	2904	0.2 %	0.2%
450	ANNISTON, AL MSA	295	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	770	0.0 %	0.1%
470	ARECIBO, PR PMSA	910	0.1 %	0.1%
480	ASHEVILLE, NC MSA	3078	0.2 %	0.2%
500	ATHENS, GA MSA	1118	0.1 %	0.1%
520	ATLANTA, GA MSA	7827	0.5 %	0.6%
560	ATLANTIC-CAPE MAY, NJ PMSA	4050	0.2 %	0.3%
580	AUBURN-OPELIKA, AL MSA	313	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	2584	0.2 %	0.2%
640	AUSTIN-SAN MARCOS, TX MSA	6548	0.4 %	0.5%
680	BAKERSFIELD, CA MSA	4180	0.3 %	0.3%
720	BALTIMORE, MD PMSA	33449	2.0 %	2.4%
743	BARNSTABLE-YARMOUTH, MA NECMA	2767	0.2 %	0.2%
760	BATON ROUGE, LA MSA	3106	0.2 %	0.2%
840	BEAUMONT-PORT ARTHUR, TX MSA	1810	0.1 %	0.1%
860	BELLINGHAM, WA MSA	1521	0.1 %	0.1%
870	BENTON HARBOR, MI MSA	1149	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	8520	0.5 %	0.6%
880	BILLINGS, MT MSA	948	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3009	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	3882	0.2 %	0.3%
1020	BLOOMINGTON, IN MSA	1473	0.1 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	770	0.0 %	0.1%
1080	BOISE CITY, ID MSA	1187	0.1 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	52868	3.2 %	3.8%
1125	BOULDER-LONGMONT, CO PMSA	2974	0.2 %	0.2%
1145	BRAZORIA, TX PMSA	864	0.1 %	0.1%
1150	BREMERTON, WA PMSA	2370	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	1232	0.1 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	348	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	18317	1.1 %	1.3%
1303	BURLINGTON, VT NECMA	1748	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1310	CAGUAS, PR PMSA	713	0.0 %	0.1%
1320	CANTON-MASSILLON, OH MSA	3480	0.2 %	0.3%
1360	CEDAR RAPIDS, IA MSA	1562	0.1 %	0.1%
1400	CHAMPAIGN-URBANA, IL MSA	1090	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4491	0.3 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	8741	0.5 %	0.6%
1540	CHARLOTTESVILLE, VA MSA	394	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1861	0.1 %	0.1%
1600	CHICAGO, IL PMSA	24013	1.4 %	1.7%
1620	CHICO-PARADISE, CA MSA	571	0.0 %	0.0%
1640	CINCINNATI, OH-KY-IN PMSA	6543	0.4 %	0.5%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	174	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	12254	0.7 %	0.9%
1720	COLORADO SPRINGS, CO MSA	4645	0.3 %	0.3%
1740	COLUMBIA, MO MSA	522	0.0 %	0.0%
1760	COLUMBIA, SC MSA	4323	0.3 %	0.3%
1800	COLUMBUS, GA-AL MSA	799	0.0 %	0.1%
1840	COLUMBUS, OH MSA	9299	0.6 %	0.7%
1880	CORPUS CHRISTI, TX MSA	1625	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	972	0.1 %	0.1%
1920	DALLAS, TX PMSA	5762	0.3 %	0.4%
1950	DANVILLE, VA MSA	412	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3268	0.2 %	0.2%
2000	DAYTON-SPRINGFIELD, OH MSA	6383	0.4 %	0.5%
2020	DAYTONA BEACH, FL MSA	2754	0.2 %	0.2%
2030	DECATUR, AL MSA	406	0.0 %	0.0%
2040	DECATUR, IL MSA	617	0.0 %	0.0%
2080	DENVER, CO PMSA	34765	2.1 %	2.5%
2120	DES MOINES, IA MSA	2870	0.2 %	0.2%
2160	DETROIT, MI PMSA	30933	1.9 %	2.2%
2180	DOTHAN, AL MSA	563	0.0 %	0.0%
2190	DOVER, DE MSA	429	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1692	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	5861	0.4 %	0.4%
2290	EAU CLAIRE, WI MSA	789	0.0 %	0.1%
2320	EL PASO, TX MSA	2929	0.2 %	0.2%
2330	ELKHART-GOSHEN, IN MSA	327	0.0 %	0.0%
2360	ERIE, PA MSA	2148	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	4578	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2440	EVANSVILLE-HENDERSON, IN-KY MSA	2657	0.2 %	0.2%
2520	FARGO-MOORHEAD, ND-MN MSA	383	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1797	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	800	0.0 %	0.1%
2640	FLINT, MI PMSA	3951	0.2 %	0.3%
2650	FLORENCE, AL MSA	210	0.0 %	0.0%
2655	FLORENCE, SC MSA	1717	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	383	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	9849	0.6 %	0.7%
2700	FORT MYERS-CAPE CORAL, FL MSA	3631	0.2 %	0.3%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	1884	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	388	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	696	0.0 %	0.1%
2760	FORT WAYNE, IN MSA	1757	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	3442	0.2 %	0.2%
2840	FRESNO, CA MSA	9872	0.6 %	0.7%
2880	GADSDEN, AL MSA	454	0.0 %	0.0%
2900	GAINESVILLE, FL MSA	1706	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	449	0.0 %	0.0%
2960	GARY, IN PMSA	2997	0.2 %	0.2%
2975	GLENS FALLS, NY MSA	1170	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	684	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	1451	0.1 %	0.1%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	13058	0.8 %	0.9%
3060	GREELEY, CO PMSA	2769	0.2 %	0.2%
3080	GREEN BAY, WI MSA	334	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6404	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2384	0.1 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7960	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1405	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	707	0.0 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3458	0.2 %	0.3%
3283	HARTFORD, CT NECMA	19980	1.2 %	1.4%
3290	HICKORY-MORGANTON, NC MSA	1751	0.1 %	0.1%
3320	HONOLULU, HI MSA	2945	0.2 %	0.2%
3350	HOUMA, LA MSA	1317	0.1 %	0.1%
3360	HOUSTON, TX PMSA	14372	0.9 %	1.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	159	0.0 %	0.0%
3440	HUNTSVILLE, AL MSA	816	0.0 %	0.1%
3480	INDIANAPOLIS, IN MSA	5718	0.3 %	0.4%
3500	IOWA CITY, IA MSA	1140	0.1 %	0.1%
3520	JACKSON, MI MSA	765	0.0 %	0.1%
3580	JACKSON, TN MSA	1384	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	4216	0.3 %	0.3%
3605	JACKSONVILLE, NC MSA	944	0.1 %	0.1%
3610	JAMESTOWN, NY MSA	1160	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	496	0.0 %	0.0%
3640	JERSEY CITY, NJ PMSA	4523	0.3 %	0.3%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	2121	0.1 %	0.2%
3680	JOHNSTOWN, PA MSA	674	0.0 %	0.0%
3710	JOPLIN, MO MSA	1288	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	5539	0.3 %	0.4%
3740	KANKAKEE, IL PMSA	489	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	9556	0.6 %	0.7%
3800	KENOSHA, WI PMSA	423	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	1274	0.1 %	0.1%
3840	KNOXVILLE, TN MSA	2696	0.2 %	0.2%
3870	LA CROSSE, WI-MN MSA	218	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	333	0.0 %	0.0%
3920	LAFAYETTE, IN MSA	466	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	1581	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	1719	0.1 %	0.1%
4000	LANCASTER, PA MSA	1901	0.1 %	0.1%
4040	LANSING-EAST LANSING, MI MSA	3771	0.2 %	0.3%
4080	LAREDO, TX MSA	320	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	314	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	3496	0.2 %	0.3%
4200	LAWTON, OK MSA	908	0.1 %	0.1%
4320	LIMA, OH MSA	659	0.0 %	0.0%
4360	LINCOLN, NE MSA	7973	0.5 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	2110	0.1 %	0.2%
4420	LONGVIEW-MARSHALL, TX MSA	576	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	44784	2.7 %	3.2%
4520	LOUISVILLE, KY-IN MSA	1183	0.1 %	0.1%
4600	LUBBOCK, TX MSA	969	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	1379	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4680	MACON, GA MSA	807	0.0 %	0.1%
4720	MADISON, WI MSA	31	0.0 %	0.0%
4800	MANSFIELD, OH MSA	861	0.1 %	0.1%
4840	MAYAGUEZ, PR MSA	641	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	510	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2726	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	934	0.1 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2235	0.1 %	0.2%
4940	MERCED, CA MSA	808	0.0 %	0.1%
5000	MIAMI, FL PMSA	11797	0.7 %	0.9%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	7417	0.4 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	889	0.1 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	22205	1.3 %	1.6%
5160	MOBILE, AL MSA	825	0.0 %	0.1%
5170	MODESTO, CA MSA	1295	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	7180	0.4 %	0.5%
5200	MONROE, LA MSA	1046	0.1 %	0.1%
5240	MONTGOMERY, AL MSA	916	0.1 %	0.1%
5280	MUNCIE, IN MSA	990	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1021	0.1 %	0.1%
5345	NAPLES, FL MSA	2086	0.1 %	0.2%
5360	NASHVILLE, TN MSA	2425	0.1 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	26751	1.6 %	1.9%
5483	NEW HAVENBRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	18249	1.1 %	1.3%
5523	NEW LONDON-NORWICH, CT NECMA	4283	0.3 %	0.3%
5560	NEW ORLEANS, LA MSA	4473	0.3 %	0.3%
5600	NEW YORK, NY PMSA	108637	6.5 %	7.9%
5640	NEWARK, NJ PMSA	20780	1.2 %	1.5%
5660	NEWBURGH, NY-PA PMSA	3812	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	13530	0.8 %	1.0%
5775	OAKLAND, CA PMSA	17609	1.1 %	1.3%
5790	OCALA, FL MSA	2106	0.1 %	0.2%
5800	ODESSA-MIDLAND, TX MSA	1025	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	6428	0.4 %	0.5%
5910	OLYMPIA, WA PMSA	853	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	6224	0.4 %	0.5%
5945	ORANGE COUNTY, CA PMSA	15214	0.9 %	1.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5960	ORLANDO, FL MSA	8690	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	560	0.0 %	0.0%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	299	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1855	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1500	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	29965	1.8 %	2.2%
6280	PITTSBURGH, PA MSA	9583	0.6 %	0.7%
6360	PONCE, PR MSA	798	0.0 %	0.1%
6403	PORTLAND, ME NECMA	2314	0.1 %	0.2%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	18179	1.1 %	1.3%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	8986	0.5 %	0.7%
6520	PROVO-OREM, UT MSA	962	0.1 %	0.1%
6560	PUEBLO, CO MSA	5368	0.3 %	0.4%
6580	PUNTA GORDA, FL MSA	342	0.0 %	0.0%
6600	RACINE, WI PMSA	650	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5194	0.3 %	0.4%
6680	READING, PA MSA	2589	0.2 %	0.2%
6690	REDDING, CA MSA	1027	0.1 %	0.1%
6720	RENO, NV MSA	1174	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	976	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	2895	0.2 %	0.2%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	13763	0.8 %	1.0%
6800	ROANOKE, VA MSA	2198	0.1 %	0.2%
6820	ROCHESTER, MN MSA	707	0.0 %	0.1%
6840	ROCHESTER, NY MSA	10279	0.6 %	0.7%
6880	ROCKFORD, IL MSA	1141	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	1101	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	8464	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2752	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	853	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	1223	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	8707	0.5 %	0.6%
7080	SALEM, OR PMSA	3807	0.2 %	0.3%
7120	SALINAS, CA MSA	1544	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	12903	0.8 %	0.9%
7200	SAN ANGELO, TX MSA	474	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	4060	0.2 %	0.3%
7320	SAN DIEGO, CA MSA	14014	0.8 %	1.0%
7360	SAN FRANCISCO, CA PMSA	16135	1.0 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7400	SAN JOSE, CA PMSA	5454	0.3 %	0.4%
7440	SAN JUAN-BAYAMON, PR PMSA	2010	0.1 %	0.1%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	777	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	3276	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1887	0.1 %	0.1%
7490	SANTA FE, NM MSA	551	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	4039	0.2 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	1678	0.1 %	0.1%
7520	SAVANNAH, GA MSA	1862	0.1 %	0.1%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	3410	0.2 %	0.2%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	15793	0.9 %	1.1%
7610	SHARON, PA MSA	997	0.1 %	0.1%
7620	SHEBOYGAN, WI MSA	473	0.0 %	0.0%
7640	SHERMAN-DENISON, TX MSA	201	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1835	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1325	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	1684	0.1 %	0.1%
7800	SOUTH BEND, IN MSA	1302	0.1 %	0.1%
7840	SPOKANE, WA MSA	4208	0.3 %	0.3%
7880	SPRINGFIELD, IL MSA	786	0.0 %	0.1%
7920	SPRINGFIELD, MO MSA	2333	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	8177	0.5 %	0.6%
8050	STATE COLLEGE, PA MSA	347	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	202	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2247	0.1 %	0.2%
8140	SUMTER, SC MSA	1042	0.1 %	0.1%
8160	SYRACUSE, NY MSA	11131	0.7 %	0.8%
8200	TACOMA, WA PMSA	5565	0.3 %	0.4%
8240	TALLAHASSEE, FL MSA	1027	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	12192	0.7 %	0.9%
8320	TERRE HAUTE, IN MSA	50	0.0 %	0.0%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	249	0.0 %	0.0%
8400	TOLEDO, OH MSA	4574	0.3 %	0.3%
8440	TOPEKA, KS MSA	3432	0.2 %	0.2%
8480	TRENTON, NJ PMSA	2547	0.2 %	0.2%
8560	TULSA, OK MSA	4329	0.3 %	0.3%
8600	TUSCALOOSA, AL MSA	831	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8640	TYLER, TX MSA	838	0.1 %	0.1%
8680	UTICA-ROME, NY MSA	3440	0.2 %	0.2%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1856	0.1 %	0.1%
8735	VENTURA, CA PMSA	3283	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	1964	0.1 %	0.1%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1904	0.1 %	0.1%
8800	WACO, TX MSA	831	0.0 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	25690	1.5 %	1.9%
8920	WATERLOO-CEDAR FALLS, IA MSA	918	0.1 %	0.1%
8940	WAUSAU, WI MSA	917	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	6309	0.4 %	0.5%
9000	WHEELING, WV-OH MSA	618	0.0 %	0.0%
9040	WICHITA, KS MSA	6733	0.4 %	0.5%
9080	WICHITA FALLS, TX MSA	497	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	518	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4095	0.2 %	0.3%
9200	WILMINGTON, NC MSA	1060	0.1 %	0.1%
9260	YAKIMA, WA MSA	3526	0.2 %	0.3%
9270	YOLO, CA PMSA	1014	0.1 %	0.1%
9280	YORK, PA MSA	986	0.1 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	6912	0.4 %	0.5%
9340	YUBA CITY, CA MSA	381	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	283678	17.1 %	-

Based upon 1379202 valid cases out of 1662880 total cases.

REGION

CENSUS REGION

Location: 48-49 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana,

Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	5695	0.3 %	0.3%
1	NORTHEAST	499397	30.0 %	30.0%
2	MIDWEST	365909	22.0 %	22.0%
3	SOUTH	413983	24.9 %	24.9%
4	WEST	377896	22.7 %	22.7%

Based upon 1662880 valid cases out of 1662880 total cases.

DIVISION

CENSUS DIVISION

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	5695	0.3 %	0.3%
1	NEW ENGLAND	137614	8.3 %	8.3%
2	MID-ATLANTIC	361783	21.8 %	21.8%
3	EAST NORTH CENTRAL	234873	14.1 %	14.1%
4	WEST NORTH CENTRAL	131036	7.9 %	7.9%
5	SOUTH ATLANTIC	280595	16.9 %	16.9%
6	EAST SOUTH CENTRAL	26589	1.6 %	1.6%
7	WEST SOUTH CENTRAL	106799	6.4 %	6.4%
8	MOUNTAIN	99162	6.0 %	6.0%
9	PACIFIC	278734	16.8 %	16.8%

Based upon 1662880 valid cases out of 1662880 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting

with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	107835	6.5 %	6.5%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	264364	15.9 %	15.9%
3	REHAB/RES, HOSPITAL (NON-DETOX)	24205	1.5 %	1.5%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	128448	7.7 %	7.7%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	130417	7.8 %	7.8%
6	AMBULATORY, INTENSIVE OUTPATIENT	105645	6.4 %	6.4%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	829176	49.9 %	49.9%
8	AMBULATORY, DETOXIFICATION	72527	4.4 %	4.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	263	0.0 %	-

Based upon 1662617 valid cases out of 1662880 total cases.

METHUSE

MEDICATION-ASSISTED OPIOID THERAPY

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	124262	7.5 %	7.8%
2	NO	1466098	88.2 %	92.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	72520	4.4 %	-

Based upon 1590360 valid cases out of 1662880 total cases.

DAYWAIT	DAYS WAITING TO ENTER TREATMENT
----------------	--

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 180493 valid cases out of 1662880 total cases.

- Mean: 4.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 19.39

PSOURCE	PRINCIPAL SOURCE OF REFERRAL
----------------	-------------------------------------

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.

- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	592956	35.7 %	36.5%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	214417	12.9 %	13.2%
3	OTHER HEALTH CARE PROVIDER	116181	7.0 %	7.2%
4	SCHOOL (EDUCATIONAL)	23592	1.4 %	1.5%
5	EMPLOYER/EAP	25567	1.5 %	1.6%
6	OTHER COMMUNITY REFERRAL	119240	7.2 %	7.3%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	531428	32.0 %	32.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	39499	2.4 %	-

Based upon 1623381 valid cases out of 1662880 total cases.

DETCRIM

DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	62833	3.8 %	18.5%
3	PROBATION/PAROLE	124023	7.5 %	36.5%
5	DIVERSIONARY PROGRAM	17095	1.0 %	5.0%
6	PRISON	19237	1.2 %	5.7%
7	DUI/DWI	70680	4.3 %	20.8%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	46215	2.8 %	13.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1322797	79.5 %	-

Based upon 340083 valid cases out of 1662880 total cases.

NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	620969	37.3 %	43.1%
1	1 PRIOR TREATMENT EPISODES	332097	20.0 %	23.0%
2	2 PRIOR TREATMENT EPISODES	171215	10.3 %	11.9%
3	3 PRIOR TREATMENT EPISODES	94700	5.7 %	6.6%
4	4 PRIOR TREATMENT EPISODES	53703	3.2 %	3.7%
5	5 OR MORE PRIOR TREATMENT EPISODES	169439	10.2 %	11.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	220757	13.3 %	-

Based upon 1442123 valid cases out of 1662880 total cases.

SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide,

clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	29431	1.8 %	1.8%
2	ALCOHOL	879885	52.9 %	53.5%
3	COCAINE/CRACK	296405	17.8 %	18.0%
4	MARIJUANA/HASHISH	142075	8.5 %	8.6%
5	HEROIN	216067	13.0 %	13.1%
6	NON-PRESCRIPTION METHADONE	1398	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	14131	0.8 %	0.9%
8	PCP	3433	0.2 %	0.2%
9	OTHER HALLUCINOGENS	2671	0.2 %	0.2%
10	METHAMPHETAMINE	33381	2.0 %	2.0%
11	OTHER AMPHETAMINES	10943	0.7 %	0.7%
12	OTHER STIMULANTS	754	0.0 %	0.0%
13	BENZODIAZEPINES	3239	0.2 %	0.2%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1393	0.1 %	0.1%
15	BARBITURATES	1561	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	1901	0.1 %	0.1%
17	INHALANTS	2596	0.2 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	571	0.0 %	0.0%
20	OTHER	4007	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	17038	1.0 %	-

Based upon 1645842 valid cases out of 1662880 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%	Valid %
1	ORAL	871449	52.4 %	56.4%
2	SMOKING	370788	22.3 %	24.0%
3	INHALATION	115961	7.0 %	7.5%
4	INJECTION (IV OR INTRAMUSCULAR)	183117	11.0 %	11.9%
20	OTHER	3955	0.2 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	117610	7.1 %	-

Based upon 1545270 valid cases out of 1662880 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%	Valid %
1	NO USE IN THE PAST MONTH	333006	20.0 %	22.0%
2	1-3 TIMES IN THE PAST MONTH	161925	9.7 %	10.7%
3	1-2 TIMES IN THE PAST WEEK	149631	9.0 %	9.9%
4	3-6 TIMES IN THE PAST WEEK	194806	11.7 %	12.9%
5	DAILY	674404	40.6 %	44.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	149108	9.0 %	-

Based upon 1513772 valid cases out of 1662880 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	135614	8.2 %	9.0%
2	12-14	323410	19.4 %	21.5%
3	15-17	427880	25.7 %	28.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	18-20	250692	15.1 %	16.7%
5	21-24	142458	8.6 %	9.5%
6	25-29	111305	6.7 %	7.4%
7	30-34	60277	3.6 %	4.0%
8	35-39	29323	1.8 %	2.0%
9	40-44	12126	0.7 %	0.8%
10	45-49	4612	0.3 %	0.3%
11	50-54	1853	0.1 %	0.1%
12	55 AND OVER	1418	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	161912	9.7 %	-

Based upon 1500968 valid cases out of 1662880 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	563362	33.9 %	39.2%
2	ALCOHOL	265464	16.0 %	18.5%
3	COCAINE/CRACK	246921	14.8 %	17.2%
4	MARIJUANA/HASHISH	249263	15.0 %	17.4%
5	HEROIN	30465	1.8 %	2.1%
6	NON-PRESCRIPTION METHADONE	3054	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	11412	0.7 %	0.8%
8	PCP	3205	0.2 %	0.2%
9	OTHER HALLUCINOGENS	6771	0.4 %	0.5%
10	METHAMPHETAMINE	18468	1.1 %	1.3%
11	OTHER AMPHETAMINES	9764	0.6 %	0.7%
12	OTHER STIMULANTS	2558	0.2 %	0.2%
13	BENZODIAZEPINES	7804	0.5 %	0.5%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3519	0.2 %	0.2%
15	BARBITURATES	2965	0.2 %	0.2%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3416	0.2 %	0.2%
17	INHALANTS	2006	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	OVER-THE-COUNTER MEDICATIONS	1222	0.1 %	0.1%
20	OTHER	4854	0.3 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	226387	13.6 %	-

Based upon 1436493 valid cases out of 1662880 total cases.

ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	300540	18.1 %	36.1%
2	SMOKING	366451	22.0 %	44.1%
3	INHALATION	79451	4.8 %	9.6%
4	INJECTION (IV OR INTRAMUSCULAR)	83129	5.0 %	10.0%
20	OTHER	2031	0.1 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	831278	50.0 %	-

Based upon 831602 valid cases out of 1662880 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	261003	15.7 %	31.2%
2	1-3 TIMES IN THE PAST MONTH	118576	7.1 %	14.2%
3	1-2 TIMES IN THE PAST WEEK	103977	6.3 %	12.4%
4	3-6 TIMES IN THE PAST WEEK	106872	6.4 %	12.8%
5	DAILY	247401	14.9 %	29.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	825051	49.6 %	-

Based upon 837829 valid cases out of 1662880 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	108019	6.5 %	12.8%
2	12-14	183449	11.0 %	21.7%
3	15-17	227019	13.7 %	26.8%
4	18-20	128454	7.7 %	15.2%
5	21-24	70637	4.2 %	8.3%
6	25-29	60758	3.7 %	7.2%
7	30-34	35537	2.1 %	4.2%
8	35-39	19127	1.2 %	2.3%
9	40-44	8371	0.5 %	1.0%
10	45-49	3302	0.2 %	0.4%
11	50-54	1288	0.1 %	0.2%
12	55 AND OVER	706	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	816213	49.1 %	-

Based upon 846667 valid cases out of 1662880 total cases.

SUB3

SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	910372	54.7 %	71.9%
2	ALCOHOL	86696	5.2 %	6.8%
3	COCAINE/CRACK	72548	4.4 %	5.7%
4	MARIJUANA/HASHISH	111800	6.7 %	8.8%
5	HEROIN	14929	0.9 %	1.2%
6	NON-PRESCRIPTION METHADONE	2119	0.1 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	6259	0.4 %	0.5%
8	PCP	3251	0.2 %	0.3%
9	OTHER HALLUCINOGENS	13056	0.8 %	1.0%
10	METHAMPHETAMINE	10263	0.6 %	0.8%
11	OTHER AMPHETAMINES	8625	0.5 %	0.7%
12	OTHER STIMULANTS	2238	0.1 %	0.2%
13	BENZODIAZEPINES	6299	0.4 %	0.5%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3079	0.2 %	0.2%
15	BARBITURATES	2886	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2659	0.2 %	0.2%
17	INHALANTS	2938	0.2 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1286	0.1 %	0.1%
20	OTHER	4676	0.3 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	396901	23.9 %	-

Based upon 1265979 valid cases out of 1662880 total cases.

ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	113125	6.8 %	38.3%
2	SMOKING	121806	7.3 %	41.2%
3	INHALATION	38714	2.3 %	13.1%
4	INJECTION (IV OR INTRAMUSCULAR)	20436	1.2 %	6.9%
20	OTHER	1437	0.1 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1367362	82.2 %	-

Based upon 295518 valid cases out of 1662880 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	144353	8.7 %	45.4%
2	1-3 TIMES IN THE PAST MONTH	47835	2.9 %	15.1%
3	1-2 TIMES IN THE PAST WEEK	34728	2.1 %	10.9%
4	3-6 TIMES IN THE PAST WEEK	29604	1.8 %	9.3%
5	DAILY	61187	3.7 %	19.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1345173	80.9 %	-

Based upon 317707 valid cases out of 1662880 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	90860	5.5 %	25.3%
2	12-14	71928	4.3 %	20.0%
3	15-17	87719	5.3 %	24.4%
4	18-20	47044	2.8 %	13.1%
5	21-24	23640	1.4 %	6.6%
6	25-29	18700	1.1 %	5.2%
7	30-34	10531	0.6 %	2.9%
8	35-39	5131	0.3 %	1.4%
9	40-44	2186	0.1 %	0.6%
10	45-49	801	0.0 %	0.2%
11	50-54	229	0.0 %	0.1%
12	55 AND OVER	131	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1303980	78.4 %	-

Based upon 358900 valid cases out of 1662880 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	42615	2.6 %	2.6%
1	746995	44.9 %	44.9%
2	521656	31.4 %	31.4%
3	351614	21.1 %	21.1%

Based upon 1662880 valid cases out of 1662880 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1396728	84.0 %	86.2%
1	IDU REPORTED	223554	13.4 %	13.8%
-8 (M)	NO SUBSTANCES REPORTED	42598	2.6 %	-

Based upon 1620282 valid cases out of 1662880 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	432117	26.0 %	26.0%
1	SUBSTANCE REPORTED	1230763	74.0 %	74.0%

Based upon 1662880 valid cases out of 1662880 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1055979	63.5 %	63.5%
1	SUBSTANCE REPORTED	606901	36.5 %	36.5%

Based upon 1662880 valid cases out of 1662880 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1160217	69.8 %	69.8%
1	SUBSTANCE REPORTED	502663	30.2 %	30.2%

Based upon 1662880 valid cases out of 1662880 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1401610	84.3 %	84.3%
1	SUBSTANCE REPORTED	261270	15.7 %	15.7%

Based upon 1662880 valid cases out of 1662880 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1656317	99.6 %	99.6%
1	SUBSTANCE REPORTED	6563	0.4 %	0.4%

Based upon 1662880 valid cases out of 1662880 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1631231	98.1 %	98.1%
1	SUBSTANCE REPORTED	31649	1.9 %	1.9%

Based upon 1662880 valid cases out of 1662880 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1652991	99.4 %	99.4%
1	SUBSTANCE REPORTED	9889	0.6 %	0.6%

Based upon 1662880 valid cases out of 1662880 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1640415	98.6 %	98.6%
1	SUBSTANCE REPORTED	22465	1.4 %	1.4%

Based upon 1662880 valid cases out of 1662880 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1600799	96.3 %	96.3%
1	SUBSTANCE REPORTED	62081	3.7 %	3.7%

Based upon 1662880 valid cases out of 1662880 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1633560	98.2 %	98.2%
1	SUBSTANCE REPORTED	29320	1.8 %	1.8%

Based upon 1662880 valid cases out of 1662880 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1657333	99.7 %	99.7%
1	SUBSTANCE REPORTED	5547	0.3 %	0.3%

Based upon 1662880 valid cases out of 1662880 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1645583	99.0 %	99.0%
1	SUBSTANCE REPORTED	17297	1.0 %	1.0%

Based upon 1662880 valid cases out of 1662880 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1654894	99.5 %	99.5%
1	SUBSTANCE REPORTED	7986	0.5 %	0.5%

Based upon 1662880 valid cases out of 1662880 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1655471	99.6 %	99.6%
1	SUBSTANCE REPORTED	7409	0.4 %	0.4%

Based upon 1662880 valid cases out of 1662880 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1654914	99.5 %	99.5%
1	SUBSTANCE REPORTED	7966	0.5 %	0.5%

Based upon 1662880 valid cases out of 1662880 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1655343	99.5 %	99.5%
1	SUBSTANCE REPORTED	7537	0.5 %	0.5%

Based upon 1662880 valid cases out of 1662880 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1659804	99.8 %	99.8%
1	SUBSTANCE REPORTED	3076	0.2 %	0.2%

Based upon 1662880 valid cases out of 1662880 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1649388	99.2 %	99.2%
1	SUBSTANCE REPORTED	13492	0.8 %	0.8%

Based upon 1662880 valid cases out of 1662880 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 111-112 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	42615	2.6 %	2.6%
1	ALCOHOL ONLY	517876	31.1 %	31.1%
2	OTHER DRUGS ONLY	389502	23.4 %	23.4%
3	ALCOHOL AND OTHER DRUGS	712887	42.9 %	42.9%

Based upon 1662880 valid cases out of 1662880 total cases.

DSMCRIT DSM DIAGNOSIS

Location: 113-114 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: The diagnosis of the substance abuse problem from the American

Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	1255	0.1 %	0.3%
1	ALCOHOL-INDUCED DISORDER	1925	0.1 %	0.5%
2	SUBSTANCE-INDUCED DISORDER	1056	0.1 %	0.3%
3	ALCOHOL INTOXICATION	45102	2.7 %	12.1%
4	ALCOHOL DEPENDENCE	112912	6.8 %	30.3%
5	OPIOID DEPENDENCE	47817	2.9 %	12.8%
6	COCAINE DEPENDENCE	50324	3.0 %	13.5%
7	CANNABIS DEPENDENCE	13888	0.8 %	3.7%
8	OTHER SUBSTANCE DEPENDENCE	19333	1.2 %	5.2%
9	ALCOHOL ABUSE	40642	2.4 %	10.9%
10	CANNABIS ABUSE	10381	0.6 %	2.8%
11	OTHER SUBSTANCE ABUSE	4771	0.3 %	1.3%
12	OPIOID ABUSE	869	0.1 %	0.2%
13	COCAINE ABUSE	10195	0.6 %	2.7%
14	ANXIETY DISORDERS	419	0.0 %	0.1%
15	DEPRESSIVE DISORDERS	1888	0.1 %	0.5%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	656	0.0 %	0.2%
17	BIPOLAR DISORDERS	390	0.0 %	0.1%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	370	0.0 %	0.1%
19	OTHER MENTAL HEALTH CONDITION	3105	0.2 %	0.8%
20	OTHER CONDITION	5943	0.4 %	1.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1289639	77.6 %	-

Based upon 373241 valid cases out of 1662880 total cases.

PSYPROB

PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	117298	7.1 %	12.4%
2	NO	827380	49.8 %	87.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	718202	43.2 %	-

Based upon 944678 valid cases out of 1662880 total cases.

HLTHINS

HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	107542	6.5 %	14.4%
2	MEDICAID	109976	6.6 %	14.7%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	55250	3.3 %	7.4%
4	NONE	475540	28.6 %	63.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	914572	55.0 %	-

Based upon 748308 valid cases out of 1662880 total cases.

PRIMPAY

EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	163397	9.8 %	33.8%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	43809	2.6 %	9.1%
3	MEDICARE, WORKER'S COMPENSATION	5157	0.3 %	1.1%
4	MEDICAID	70842	4.3 %	14.7%
5	OTHER GOVERNMENT PAYMENTS	97953	5.9 %	20.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	67552	4.1 %	14.0%
9	OTHER	34260	2.1 %	7.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1179910	71.0 %	-

Based upon 482970 valid cases out of 1662880 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (50.9%) 2 Now Married (20.1%) 3 Separated (8.5%) 4 Divorced (18.7%) 5 Widowed (1.8%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFLF Detailed „Not in Labor“ Force	1 Homemaker (9.3%) 2 Student (20.0%) 3 Retired (2.7%) 4 Disabled (19.9%) 5 Inmate of Institution (5.0%) 6 Other (43.1%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary (37.2%) 2 Public Assistance (21.6%) 3 Retirement/Pension (<1%) 4 Disability (4.5%) 20 Other (19.0%) 21 None (16.7%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court (15.6%) 2 Other Court (2.9%) 3 Probation/Parole (36.5%) 4 Other Recognized Legal Entity (10.1%) 5 Diversionary Program (5.0%) 6 Prison (5.7%) 7 DUI/DWI (20.8%) 8 Other (3.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (8.1%) 2 Blue Cross / Blue Shield (BC/BS) (3.5%) 3 Medicare (1.7%) 4 Medicaid (14.7%) 6 Health Maintenance Organization (HMO) (2.8%) 20 Other (e.g. TriCare, Champus) (5.7%) 21 None (63.5%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (33.8%) 2 Blue Cross / Blue Shield (2.5%) 3 Medicare (1.0%) 4 Medicaid (14.7%) 5 Other Government Payments (20.3%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.5%) 8 No charge (Free, Charity, Special Research or Teaching) (14.0%) 9 Other (7.1%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1994																						
"Y" = Collected, "-" = Not collected																						
Based on administrative data reported to TEDS by 46 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, Mississippi, and West Virginia did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	-	-	Y	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	-	-	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	-	Y	Y	Y	Y	Y	Y	Y	Y	-	-	Y	Y	-	-	Y	Y	-	-	Y	Y	
DELAWARE	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-	Y	Y	Y	-	Y	
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Items collected/not-collected by State: TEDS Minimum Data Set 1994

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 46 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, Mississippi, and West Virginia did not report any data;
Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1994												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 46 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, Mississippi, and West Virginia did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	Y	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	--	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	--	--	Y	Y	Y	--	--	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	--
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	--
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--

Items collected/not-collected by State: TEDS Supplemental Data Set 1993

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 46 reporting States, the District of Columbia, and Puerto Rico;
 Arizona, Kentucky, Mississippi, and West Virginia did not report any data;
 Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSISSIPPI	--	--	--	--	--	--	--	--	--	--	--	--
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	--	Y	Y	Y	--	--	Y	--	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	--	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	--	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	--	Y	Y	Y	--	--	--	--	Y	Y	Y	--
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	--	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	--	--	Y	--	Y	--	Y	Y	Y	--
UTAH	--	Y	Y	--	Y	Y	Y	Y	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y