

## Treatment Episode Data Set -- Admissions (TEDS-A), 1995

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Office of Applied Studies*

Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

---

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1995

### Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1995. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

### **Data Collection**

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

### **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

### **Universe**

The universe for TEDS-A is admissions in calendar year 1995 that were received and processed through May 11, 2004.

## Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.<sup>1</sup>

## Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

---

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

---

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).  
  
do if (STFIPS eq 2).  
  compute AKSTATE=1.  
else.  
  compute AKSTATE=2.  
end if.  
  
variable labels  AKSTATE "ALASKA STATE INDICATOR".  
  
value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".  
  
format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus the District of Columbia and Puerto Rico. The following states did not report usable data for the year 1995: Arizona, Kentucky, and Wyoming.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1995 are as follows:

Filename: da02187-0001.txt

Number of observations: 1,673,088

Number of variables: 62

Records per case: 1

Logical record length: 120

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

Substance Abuse and Mental Health Services Administration, Office of Applied Studies.  
*Treatment Episode Data Set (TEDS): 1992-1995. [National Admissions](#) to Substance Abuse Treatment Services.* Advance Report No. 12. DHHS Publication No. (SMA) 97-3128. Rockville, MD, 1997.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

# **Treatment Episode Data Set -- Admissions (TEDS-A), 1995**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Treatment Episode Data Set -- Admissions (TEDS-A), 1995

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">IDENTIFICATION</a>	IDENTIFICATION	8
<a href="#">CLIENT CHARACTERISTICS</a>	CLIENT CHARACTERISTICS	8
<a href="#">GEOGRAPHIC</a>	GEOGRAPHIC	9
<a href="#">TREATMENT SERVICE CHARACTERISTICS</a>	TREATMENT SERVICE CHARACTERISTICS	9
<a href="#">REFERRAL SOURCES</a>	REFERRAL SOURCES	9
<a href="#">PRIOR SUBSTANCE ABUSE TREATMENT</a>	PRIOR SUBSTANCE ABUSE TREATMENT	9
<a href="#">SUBSTANCES OF ABUSE: ORIGINAL VARIABLES</a>	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
<a href="#">SUBSTANCES OF ABUSE: CREATED VARIABLES</a>	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
<a href="#">MENTAL HEALTH</a>	MENTAL HEALTH	10
<a href="#">INSURANCE/PAYMENT</a>	INSURANCE/PAYMENT	10

#### IDENTIFICATION

#### IDENTIFICATION

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	11
<a href="#">YEAR</a>	YEAR OF ADMISSION	11

#### CLIENT CHARACTERISTICS

#### CLIENT CHARACTERISTICS

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">AGE</a>	AGE (RECODED)	11
<a href="#">GENDER</a>	SEX	12
<a href="#">RACE</a>	RACE	12
<a href="#">ETHNIC</a>	ETHNICITY (HISPANIC ORIGIN)	13
<a href="#">MARSTAT</a>	MARITAL STATUS	14
<a href="#">EDUC</a>	EDUCATION	14
<a href="#">EMPLOY</a>	EMPLOYMENT STATUS	15
<a href="#">DETNLF</a>	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
<a href="#">PREG</a>	PREGNANT AT TIME OF ADMISSION	16
<a href="#">VET</a>	VETERAN STATUS	16
<a href="#">LIVARAG</a>	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PRIMINC</a>	SOURCE OF INCOME/SUPPORT	18

**GEOGRAPHIC**

**GEOGRAPHIC**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">STFIPS</a>	CENSUS STATE FIPS CODE	18
<a href="#">CBSA</a>	FIPS 2000 CBSA CODE	19
<a href="#">PMSA</a>	FIPS 1990 MSA CODE	28
<a href="#">REGION</a>	CENSUS REGION	36
<a href="#">DIVISION</a>	CENSUS DIVISION	37

**TREATMENT SERVICE CHARACTERISTICS**

**TREATMENT SERVICE CHARACTERISTICS**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SERVSETA</a>	SERVICE SETTING AT ADMISSION	38
<a href="#">METHUSE</a>	MEDICATION-ASSISTED OPIOID THERAPY	39
<a href="#">DAYWAIT</a>	DAYS WAITING TO ENTER TREATMENT	40

**REFERRAL SOURCES**

**REFERRAL SOURCES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PSOURCE</a>	PRINCIPAL SOURCE OF REFERRAL	40
<a href="#">DETCRIM</a>	DETAILED CRIMINAL JUSTICE REFERRAL	42

**PRIOR SUBSTANCE ABUSE TREATMENT**

**PRIOR SUBSTANCE ABUSE TREATMENT**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NOPRIOR</a>	NUMBER OF PRIOR TREATMENT EPISODES	42

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB1</a>	SUBSTANCE PROBLEM CODE (PRIMARY)	43
<a href="#">ROUTE1</a>	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
<a href="#">FREQ1</a>	FREQUENCY OF USE (PRIMARY)	45
<a href="#">FRSTUSE1</a>	AGE AT FIRST USE (PRIMARY)	46
<a href="#">SUB2</a>	SUBSTANCE PROBLEM CODE (SECONDARY)	46
<a href="#">ROUTE2</a>	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
<a href="#">FREQ2</a>	FREQUENCY OF USE (SECONDARY)	48
<a href="#">FRSTUSE2</a>	AGE AT FIRST USE (SECONDARY)	49

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB3</a>	SUBSTANCE PROBLEM CODE (TERTIARY)	49
<a href="#">ROUTE3</a>	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
<a href="#">FREQ3</a>	FREQUENCY OF USE (TERTIARY)	51
<a href="#">FRSTUSE3</a>	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:  
CREATED VARIABLES**

**SUBSTANCES OF ABUSE: CREATED VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NUMSUBS</a>	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
<a href="#">IDU</a>	CURRENT IV DRUG USE REPORTED AT ADM.	53
<a href="#">ALCFLG</a>	ALCOHOL REPORTED AT ADM.	53
<a href="#">COKEFLG</a>	COCAINE/CRACK REPORTED AT ADM.	53
<a href="#">MARFLG</a>	MARIJUANA/HASHISH REPORTED AT ADM.	53
<a href="#">HERFLG</a>	HEROIN REPORTED AT ADM.	54
<a href="#">METHFLG</a>	NON-RX METHADONE REPORTED AT ADM.	54
<a href="#">OPSYNFLG</a>	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
<a href="#">PCPFLG</a>	PCP REPORTED AT ADM.	54
<a href="#">HALLFLG</a>	OTHER HALLUCINOGENS REPORTED AT ADM.	55
<a href="#">MTHAMFLG</a>	METHAMPHETAMINE REPORTED AT ADM.	55
<a href="#">AMPHFLG</a>	OTHER AMPHETAMINES REPORTED AT ADM.	55
<a href="#">STIMFLG</a>	OTHER STIMULANTS REPORTED AT ADM.	55
<a href="#">BENZFLG</a>	BENZODIAZEPINES REPORTED AT ADM.	56
<a href="#">TRNQFLG</a>	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
<a href="#">BARBFLG</a>	BARBITURATES REPORTED AT ADM.	56
<a href="#">SEDHPFLG</a>	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
<a href="#">INHFLG</a>	INHALANTS REPORTED AT ADM.	57
<a href="#">OTCFLG</a>	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
<a href="#">OTHERFLG</a>	OTHER DRUG REPORTED AT ADM.	57
<a href="#">ALCDRUG</a>	SUBSTANCE ABUSE TYPE	57

**MENTAL HEALTH**

**MENTAL HEALTH**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">DSMCRIT</a>	DSM DIAGNOSIS	58
<a href="#">PSYPROB</a>	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	59

**INSURANCE/PAYMENT**

**INSURANCE/PAYMENT**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">HLTHINS</a>	HEALTH INSURANCE	59
<a href="#">PRIMPAY</a>	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

**CASEID CASE IDENTIFICATION NUMBER**

Location: 1-8 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Based upon 1673088 valid cases out of 1673088 total cases.

**YEAR YEAR OF ADMISSION**

Location: 9-12 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1995	-	1673088	100.0 %	100.0%

Based upon 1673088 valid cases out of 1673088 total cases.

**AGE AGE (RECODED)**

Location: 13-14 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Calculated from date of birth and date of admission and categorized.  
 Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	25985	1.6 %	1.6%
3	15-17	96925	5.8 %	5.8%
4	18-20	81445	4.9 %	4.9%
5	21-24	149489	8.9 %	8.9%
6	25-29	264738	15.8 %	15.8%
7	30-34	339702	20.3 %	20.3%
8	35-39	301417	18.0 %	18.0%
9	40-44	200020	12.0 %	12.0%
10	45-49	107222	6.4 %	6.4%
11	50-54	53220	3.2 %	3.2%
12	55 AND OVER	52925	3.2 %	3.2%



- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	5801	0.3 %	0.4%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	33159	2.0 %	2.0%
3	ASIAN OR PACIFIC ISLANDER	10665	0.6 %	0.6%
4	BLACK OR AFRICAN AMERICAN	447571	26.8 %	27.1%
5	WHITE	1010720	60.4 %	61.1%
20	OTHER SINGLE RACE	145986	8.7 %	8.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	19186	1.1 %	-

Based upon 1653902 valid cases out of 1673088 total cases.

<b>ETHNIC</b>	<b>ETHNICITY (HISPANIC ORIGIN)</b>
---------------	------------------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:





<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	403445	24.1 %	25.3%
2	PART TIME	105931	6.3 %	6.6%
3	UNEMPLOYED	410864	24.6 %	25.7%
4	NOT IN LABOR FORCE	676953	40.5 %	42.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	75895	4.5 %	-

Based upon 1597193 valid cases out of 1673088 total cases.

**DET NFL**      **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	25247	1.5 %	8.8%
2	STUDENT	68055	4.1 %	23.7%
3	RETIRED, DISABLED	69771	4.2 %	24.3%
5	INMATE OF INSTITUTION	16729	1.0 %	5.8%
6	OTHER	107021	6.4 %	37.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1386265	82.9 %	-

Based upon 286823 valid cases out of 1673088 total cases.

**PREG**      **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies whether the client was pregnant at the time of admission.  
  
 Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17954	1.1 %	4.2%
2	NO	409180	24.5 %	95.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1245954	74.5 %	-

Based upon 427134 valid cases out of 1673088 total cases.

**VET**      **VETERAN STATUS**

Location: 31-32 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%	Valid %
1	YES	92832	5.5 %	9.9%
2	NO	840421	50.2 %	90.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	739835	44.2 %	-

Based upon 933253 valid cases out of 1673088 total cases.

**LIVARAG LIVING ARRANGEMENT**

Location: 33-34 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%	Valid %
1	HOMELESS	133371	8.0 %	10.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DEPENDENT LIVING	282180	16.9 %	22.7%
3	INDEPENDENT LIVING	826093	49.4 %	66.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	431444	25.8 %	-

Based upon 1241644 valid cases out of 1673088 total cases.

**PRIMINC SOURCE OF INCOME/SUPPORT**

Location: 35-36 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	301245	18.0 %	38.5%
2	PUBLIC ASSISTANCE	140911	8.4 %	18.0%
3	RETIREMENT/PENSION, DISABILITY	35783	2.1 %	4.6%
20	OTHER	155615	9.3 %	19.9%
21	NONE	147985	8.8 %	18.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	891549	53.3 %	-

Based upon 781539 valid cases out of 1673088 total cases.

**STFIPS CENSUS STATE FIPS CODE**

Location: 37-38 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	15722	0.9 %	0.9%
2	ALASKA	7326	0.4 %	0.4%
5	ARKANSAS	10251	0.6 %	0.6%
6	CALIFORNIA	183260	11.0 %	11.0%
8	COLORADO	53539	3.2 %	3.2%
9	CONNECTICUT	46241	2.8 %	2.8%
10	DELAWARE	5140	0.3 %	0.3%
11	DIST OF COLUMBIA	1471	0.1 %	0.1%
12	FLORIDA	69321	4.1 %	4.1%
13	GEORGIA	21223	1.3 %	1.3%
15	HAWAII	4902	0.3 %	0.3%
16	IDAHO	5419	0.3 %	0.3%
17	ILLINOIS	44312	2.6 %	2.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	INDIANA	19159	1.1 %	1.1%
19	IOWA	27905	1.7 %	1.7%
20	KANSAS	24039	1.4 %	1.4%
22	LOUISIANA	18507	1.1 %	1.1%
23	MAINE	8325	0.5 %	0.5%
24	MARYLAND	59058	3.5 %	3.5%
25	MASSACHUSETTS	71381	4.3 %	4.3%
26	MICHIGAN	86196	5.2 %	5.2%
27	MINNESOTA	35968	2.1 %	2.1%
28	MISSISSIPPI	3056	0.2 %	0.2%
29	MISSOURI	29877	1.8 %	1.8%
30	MONTANA	6886	0.4 %	0.4%
31	NEBRASKA	17565	1.0 %	1.0%
32	NEVADA	6429	0.4 %	0.4%
33	NEW HAMPSHIRE	2929	0.2 %	0.2%
34	NEW JERSEY	64436	3.9 %	3.9%
35	NEW MEXICO	7141	0.4 %	0.4%
36	NEW YORK	230351	13.8 %	13.8%
37	NORTH CAROLINA	46974	2.8 %	2.8%
38	NORTH DAKOTA	2321	0.1 %	0.1%
39	OHIO	82749	4.9 %	4.9%
40	OKLAHOMA	19750	1.2 %	1.2%
41	OREGON	41827	2.5 %	2.5%
42	PENNSYLVANIA	63050	3.8 %	3.8%
44	RHODE ISLAND	7699	0.5 %	0.5%
45	SOUTH CAROLINA	31571	1.9 %	1.9%
46	SOUTH DAKOTA	7905	0.5 %	0.5%
47	TENNESSEE	9454	0.6 %	0.6%
48	TEXAS	45500	2.7 %	2.7%
49	UTAH	16990	1.0 %	1.0%
50	VERMONT	4494	0.3 %	0.3%
51	VIRGINIA	36999	2.2 %	2.2%
53	WASHINGTON	45321	2.7 %	2.7%
54	WEST VIRGINIA	3246	0.2 %	0.2%
55	WISCONSIN	14606	0.9 %	0.9%
72	PUERTO RICO	5297	0.3 %	0.3%

Based upon 1673088 valid cases out of 1673088 total cases.

**CBSA**

**FIPS 2000 CBSA CODE**

Location:

39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	936	0.1 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	346	0.0 %	0.0%
10420	AKRON, OH METRO	7902	0.5 %	0.6%
10500	ALBANY, GA METRO	628	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	17666	1.1 %	1.3%
10740	ALBUQUERQUE, NM METRO	2133	0.1 %	0.2%
10780	ALEXANDRIA, LA METRO	3099	0.2 %	0.2%
10880	ALLEGAN, MI MICRO	710	0.0 %	0.1%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3550	0.2 %	0.3%
11020	ALTOONA, PA METRO	1424	0.1 %	0.1%
11100	AMARILLO, TX METRO	618	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	2687	0.2 %	0.2%
11300	ANDERSON, IN METRO	177	0.0 %	0.0%
11340	ANDERSON, SC METRO	1438	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1676	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	339	0.0 %	0.0%
11540	APPLETON, WI METRO	327	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	3000	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	837	0.1 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	888	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	6974	0.4 %	0.5%
12100	ATLANTIC CITY, NJ METRO	2925	0.2 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	259	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	2337	0.1 %	0.2%
12420	AUSTIN-ROUND ROCK, TX METRO	4426	0.3 %	0.3%
12540	BAKERSFIELD, CA METRO	4809	0.3 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	35929	2.1 %	2.6%
12700	BARNSTABLE TOWN, MA METRO	2906	0.2 %	0.2%
12940	BATON ROUGE, LA METRO	2992	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12980	BATTLE CREEK, MI METRO	739	0.0 %	0.1%
13020	BAY CITY, MI METRO	1119	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1191	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	2149	0.1 %	0.2%
13740	BILLINGS, MT METRO	838	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	2736	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	5167	0.3 %	0.4%
14020	BLOOMINGTON, IN METRO	1534	0.1 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	684	0.0 %	0.0%
14260	BOISE CITY-NAMPA, ID METRO	1954	0.1 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	41172	2.5 %	3.0%
14500	BOULDER, CO METRO	2845	0.2 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2483	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	10659	0.6 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	1035	0.1 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	20902	1.2 %	1.5%
15500	BURLINGTON, NC METRO	684	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	1845	0.1 %	0.1%
15940	CANTON-MASSILLON, OH METRO	3557	0.2 %	0.3%
15980	CAPE CORAL-FORT MYERS, FL METRO	2397	0.1 %	0.2%
16300	CEDAR RAPIDS, IA METRO	2640	0.2 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	895	0.1 %	0.1%
16620	CHARLESTON, WV METRO	621	0.0 %	0.0%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4104	0.2 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	9787	0.6 %	0.7%
16820	CHARLOTTESVILLE, VA METRO	306	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1722	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	28334	1.7 %	2.1%
17020	CHICO, CA METRO	1058	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	8013	0.5 %	0.6%
17300	CLARKSVILLE, TN-KY METRO	46	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	14461	0.9 %	1.0%
17780	COLLEGE STATION-BRYAN, TX METRO	282	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	4589	0.3 %	0.3%
17860	COLUMBIA, MO METRO	975	0.1 %	0.1%
17900	COLUMBIA, SC METRO	4904	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17980	COLUMBUS, GA-AL METRO	768	0.0 %	0.1%
18140	COLUMBUS, OH METRO	10816	0.6 %	0.8%
18580	CORPUS CHRISTI, TX METRO	1128	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	1033	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	7210	0.4 %	0.5%
19260	DANVILLE, VA METRO	797	0.0 %	0.1%
19300	DAPHNE-FAIRHOPE, AL MICRO	174	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3655	0.2 %	0.3%
19380	DAYTON, OH METRO	5994	0.4 %	0.4%
19460	DECATUR, AL METRO	618	0.0 %	0.0%
19500	DECATUR, IL METRO	656	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	1616	0.1 %	0.1%
19740	DENVER-AURORA, CO METRO	30152	1.8 %	2.2%
19780	DES MOINES, IA METRO	3863	0.2 %	0.3%
19820	DETROIT-WARREN-LIVONIA, MI METRO	34275	2.0 %	2.5%
20020	DOTHAN, AL METRO	608	0.0 %	0.0%
20100	DOVER, DE METRO	419	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1674	0.1 %	0.1%
20500	DURHAM, NC METRO	2285	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	1050	0.1 %	0.1%
20740	EAU CLAIRE, WI METRO	695	0.0 %	0.1%
21140	ELKHART-GOSHEN, IN METRO	187	0.0 %	0.0%
21340	EL PASO, TX METRO	2106	0.1 %	0.2%
21500	ERIE, PA METRO	2107	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	4551	0.3 %	0.3%
21780	EVANSVILLE, IN-KY METRO	1485	0.1 %	0.1%
22020	FARGO, ND-MN METRO	300	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1946	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	835	0.0 %	0.1%
22420	FLINT, MI METRO	4039	0.2 %	0.3%
22460	FLORENCE, AL METRO	484	0.0 %	0.0%
22500	FLORENCE, SC METRO	1664	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	373	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	428	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	561	0.0 %	0.0%
23060	FORT WAYNE, IN METRO	1491	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23420	FRESNO, CA METRO	9501	0.6 %	0.7%
23460	GADSDEN, AL METRO	911	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1451	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1175	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	734	0.0 %	0.1%
24300	GRAND JUNCTION, CO METRO	1318	0.1 %	0.1%
24340	GRAND RAPIDS-WYOMING, MI METRO	7977	0.5 %	0.6%
24540	GREELEY, CO METRO	3155	0.2 %	0.2%
24580	GREEN BAY, WI METRO	31	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	2269	0.1 %	0.2%
24780	GREENVILLE, NC METRO	2259	0.1 %	0.2%
24860	GREENVILLE, SC METRO	4107	0.2 %	0.3%
25060	GULFPORT-BILOXI, MS METRO	292	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1335	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3457	0.2 %	0.3%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	21269	1.3 %	1.5%
25620	HATTIESBURG, MS METRO	1	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1707	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1885	0.1 %	0.1%
26180	HONOLULU, HI METRO	3742	0.2 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAU, LA METRO	1243	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	13298	0.8 %	1.0%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	813	0.0 %	0.1%
26620	HUNTSVILLE, AL METRO	613	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	5859	0.4 %	0.4%
26980	IOWA CITY, IA METRO	1558	0.1 %	0.1%
27100	JACKSON, MI METRO	1063	0.1 %	0.1%
27140	JACKSON, MS METRO	566	0.0 %	0.0%
27180	JACKSON, TN METRO	812	0.0 %	0.1%
27260	JACKSONVILLE, FL METRO	4706	0.3 %	0.3%
27340	JACKSONVILLE, NC METRO	789	0.0 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1143	0.1 %	0.1%
27500	JANESVILLE, WI METRO	861	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	169	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	698	0.0 %	0.1%
27900	JOPLIN, MO METRO	1716	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	5147	0.3 %	0.4%
28100	KANKAKEE-BRADLEY, IL METRO	519	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28140	KANSAS CITY, MO-KS METRO	11249	0.7 %	0.8%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1128	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	735	0.0 %	0.1%
28700	KINGSPORT-BRISTOL, TN-VA METRO	186	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	2051	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	225	0.0 %	0.0%
29140	LAFAYETTE, IN METRO	872	0.1 %	0.1%
29180	LAFAYETTE, LA METRO	288	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	1482	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	1437	0.1 %	0.1%
29540	LANCASTER, PA METRO	2231	0.1 %	0.2%
29620	LANSING-EAST LANSING, MI METRO	3554	0.2 %	0.3%
29700	LAREDO, TX METRO	271	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	140	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	4036	0.2 %	0.3%
30020	LAWTON, OK METRO	1022	0.1 %	0.1%
30140	LEBANON, PA METRO	463	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	805	0.0 %	0.1%
30620	LIMA, OH METRO	888	0.1 %	0.1%
30700	LINCOLN, NE METRO	7730	0.5 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	2941	0.2 %	0.2%
30980	LONGVIEW, TX METRO	370	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	57201	3.4 %	4.1%
31140	LOUISVILLE, KY-IN METRO	1158	0.1 %	0.1%
31180	LUBBOCK, TX METRO	550	0.0 %	0.0%
31340	LYNCHBURG, VA METRO	1399	0.1 %	0.1%
31420	MACON, GA METRO	747	0.0 %	0.1%
31460	MADERA, CA METRO	754	0.0 %	0.1%
31540	MADISON, WI METRO	48	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	854	0.1 %	0.1%
31900	MANSFIELD, OH METRO	958	0.1 %	0.1%
32420	MAYAGUEZ, PR METRO	763	0.0 %	0.1%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	285	0.0 %	0.0%
32780	MEDFORD, OR METRO	2760	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2155	0.1 %	0.2%
32900	MERCED, CA METRO	947	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	21893	1.3 %	1.6%
33260	MIDLAND, TX METRO	255	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	656	0.0 %	0.0%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	24089	1.4 %	1.7%
33660	MOBILE, AL METRO	1528	0.1 %	0.1%
33700	MODESTO, CA METRO	1471	0.1 %	0.1%
33740	MONROE, LA METRO	664	0.0 %	0.0%
33780	MONROE, MI METRO	962	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	344	0.0 %	0.0%
34620	MUNCIE, IN METRO	900	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	2762	0.2 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1009	0.1 %	0.1%
34900	NAPA, CA METRO	883	0.1 %	0.1%
34940	NAPLES-MARCO ISLAND, FL METRO	1443	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1756	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	6669	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	4336	0.3 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	174336	10.4 %	12.6%
35660	NILES-BENTON HARBOR, MI METRO	1236	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4456	0.3 %	0.3%
36100	OCALA, FL METRO	1484	0.1 %	0.1%
36140	OCEAN CITY, NJ METRO	758	0.0 %	0.1%
36220	ODESSA, TX METRO	636	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	2206	0.1 %	0.2%
36420	OKLAHOMA CITY, OK METRO	6112	0.4 %	0.4%
36500	OLYMPIA, WA METRO	990	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	6711	0.4 %	0.5%
36740	ORLANDO, FL METRO	8149	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	368	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3190	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	786	0.0 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	360	0.0 %	0.0%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	581	0.0 %	0.0%
37700	PASCAGOULA, MS METRO	113	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1218	0.1 %	0.1%
37900	PEORIA, IL METRO	1551	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	32959	2.0 %	2.4%
38300	PITTSBURGH, PA METRO	9060	0.5 %	0.7%
38660	PONCE, PR METRO	646	0.0 %	0.0%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	2263	0.1 %	0.2%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	19068	1.1 %	1.4%
38940	PORT ST. LUCIE, FL METRO	1804	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9652	0.6 %	0.7%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	12948	0.8 %	0.9%
39340	PROVO-OREM, UT METRO	957	0.1 %	0.1%
39380	PUEBLO, CO METRO	6140	0.4 %	0.4%
39460	PUNTA GORDA, FL METRO	295	0.0 %	0.0%
39540	RACINE, WI METRO	592	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3167	0.2 %	0.2%
39740	READING, PA METRO	3135	0.2 %	0.2%
39820	REDDING, CA METRO	1183	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	769	0.0 %	0.1%
40060	RICHMOND, VA METRO	3939	0.2 %	0.3%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	12966	0.8 %	0.9%
40220	ROANOKE, VA METRO	2268	0.1 %	0.2%
40340	ROCHESTER, MN METRO	804	0.0 %	0.1%
40380	ROCHESTER, NY METRO	11702	0.7 %	0.8%
40420	ROCKFORD, IL METRO	1327	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	991	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	10117	0.6 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1607	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1026	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	863	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	9214	0.6 %	0.7%
41420	SALEM, OR METRO	4215	0.3 %	0.3%
41500	SALINAS, CA METRO	1803	0.1 %	0.1%
41580	SALISBURY, NC MICRO	1	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	11821	0.7 %	0.9%
41660	SAN ANGELO, TX METRO	275	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	2835	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	13213	0.8 %	1.0%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	33783	2.0 %	2.5%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	5675	0.3 %	0.4%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	3542	0.2 %	0.3%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	816	0.0 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2847	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1929	0.1 %	0.1%
42140	SANTA FE, NM METRO	664	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	4693	0.3 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1336	0.1 %	0.1%
42340	SAVANNAH, GA METRO	1506	0.1 %	0.1%
42540	SCRANTON--WILKES-BARRE-, PA METRO	4314	0.3 %	0.3%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	20615	1.2 %	1.5%
43100	SHEBOYGAN, WI METRO	467	0.0 %	0.0%
43300	SHERMAN-DENISON, TX METRO	126	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1661	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1537	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2017	0.1 %	0.1%
43780	SOUTH BEND-MISHAWAKA, IN-MI METRO	1355	0.1 %	0.1%
43900	SPARTANBURG, SC METRO	2070	0.1 %	0.2%
44060	SPOKANE, WA METRO	3700	0.2 %	0.3%
44100	SPRINGFIELD, IL METRO	945	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	8118	0.5 %	0.6%
44180	SPRINGFIELD, MO METRO	2507	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1042	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	497	0.0 %	0.0%
44700	STOCKTON, CA METRO	2766	0.2 %	0.2%
44940	SUMTER, SC METRO	939	0.1 %	0.1%
45060	SYRACUSE, NY METRO	9414	0.6 %	0.7%
45220	TALLAHASSEE, FL METRO	587	0.0 %	0.0%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	12603	0.8 %	0.9%
45460	TERRE HAUTE, IN METRO	47	0.0 %	0.0%
45500	TEXARKANA TX-TEXARKANA, AR METRO	245	0.0 %	0.0%
45780	TOLEDO, OH METRO	5326	0.3 %	0.4%
45820	TOPEKA, KS METRO	3374	0.2 %	0.2%
45940	TRENTON-EWING, NJ METRO	2900	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
46140	TULSA, OK METRO	4464	0.3 %	0.3%
46220	TUSCALOOSA, AL METRO	1212	0.1 %	0.1%
46340	TYLER, TX METRO	682	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	2360	0.1 %	0.2%
46700	VALLEJO-FAIRFIELD, CA METRO	1355	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2280	0.1 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	11793	0.7 %	0.9%
47300	VISALIA-PORTERVILLE, CA METRO	2072	0.1 %	0.2%
47360	WACO, TX METRO	665	0.0 %	0.0%
47580	WARNER ROBINS, GA METRO	1	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	25450	1.5 %	1.8%
47940	WATERLOO-CEDAR FALLS, IA METRO	1726	0.1 %	0.1%
48140	WAUSAU, WI METRO	477	0.0 %	0.0%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	476	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	533	0.0 %	0.0%
48620	WICHITA, KS METRO	6519	0.4 %	0.5%
48660	WICHITA FALLS, TX METRO	373	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	397	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1424	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	3275	0.2 %	0.2%
49340	WORCESTER, MA METRO	10031	0.6 %	0.7%
49420	YAKIMA, WA METRO	4197	0.3 %	0.3%
49620	YORK-HANOVER, PA METRO	1235	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	7449	0.4 %	0.5%
49700	YUBA CITY-MARYSVILLE, CA METRO	735	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	294218	17.6 %	-

Based upon 1378870 valid cases out of 1673088 total cases.

**PMSA**

**FIPS 1990 MSA CODE**

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical

area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	936	0.1 %	0.1%
60	AGUADILLA, PR MSA	346	0.0 %	0.0%
80	AKRON, OH PMSA	7902	0.5 %	0.6%
120	ALBANY, GA MSA	628	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	17666	1.1 %	1.3%
200	ALBUQUERQUE, NM MSA	2133	0.1 %	0.2%
220	ALEXANDRIA, LA MSA	3099	0.2 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2839	0.2 %	0.2%
280	ALTOONA, PA MSA	1424	0.1 %	0.1%
320	AMARILLO, TX MSA	618	0.0 %	0.0%
380	ANCHORAGE, AK MSA	2687	0.2 %	0.2%
440	ANN ARBOR, MI PMSA	2819	0.2 %	0.2%
450	ANNISTON, AL MSA	339	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	695	0.0 %	0.1%
470	ARECIBO, PR PMSA	954	0.1 %	0.1%
480	ASHEVILLE, NC MSA	3000	0.2 %	0.2%
500	ATHENS, GA MSA	888	0.1 %	0.1%
520	ATLANTA, GA MSA	6974	0.4 %	0.5%
560	ATLANTIC-CAPE MAY, NJ PMSA	3683	0.2 %	0.3%
580	AUBURN-OPELIKA, AL MSA	259	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	2337	0.1 %	0.2%
640	AUSTIN-SAN MARCOS, TX MSA	4426	0.3 %	0.3%
680	BAKERSFIELD, CA MSA	4809	0.3 %	0.3%
720	BALTIMORE, MD PMSA	35929	2.1 %	2.6%
743	BARNSTABLE-YARMOUTH, MA NECMA	2906	0.2 %	0.2%
760	BATON ROUGE, LA MSA	2992	0.2 %	0.2%
840	BEAUMONT-PORT ARTHUR, TX MSA	1191	0.1 %	0.1%
860	BELLINGHAM, WA MSA	2149	0.1 %	0.2%
870	BENTON HARBOR, MI MSA	1236	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7797	0.5 %	0.6%
880	BILLINGS, MT MSA	838	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	405	0.0 %	0.0%
960	BINGHAMTON, NY MSA	2736	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	5167	0.3 %	0.4%
1020	BLOOMINGTON, IN MSA	1534	0.1 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	684	0.0 %	0.0%
1080	BOISE CITY, ID MSA	1954	0.1 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	57551	3.4 %	4.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1125	BOULDER-LONGMONT, CO PMSA	2845	0.2 %	0.2%
1145	BRAZORIA, TX PMSA	724	0.0 %	0.1%
1150	BREMERTON, WA PMSA	2483	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	1035	0.1 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	282	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	20902	1.2 %	1.5%
1303	BURLINGTON, VT NECMA	1845	0.1 %	0.1%
1310	CAGUAS, PR PMSA	621	0.0 %	0.0%
1320	CANTON-MASSILLON, OH MSA	3557	0.2 %	0.3%
1360	CEDAR RAPIDS, IA MSA	2640	0.2 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	895	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4104	0.2 %	0.3%
1480	CHARLESTON, WV MSA	621	0.0 %	0.0%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	9788	0.6 %	0.7%
1540	CHARLOTTESVILLE, VA MSA	306	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1722	0.1 %	0.1%
1600	CHICAGO, IL PMSA	25535	1.5 %	1.9%
1620	CHICO-PARADISE, CA MSA	1058	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	6858	0.4 %	0.5%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	46	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	15298	0.9 %	1.1%
1720	COLORADO SPRINGS, CO MSA	4589	0.3 %	0.3%
1740	COLUMBIA, MO MSA	975	0.1 %	0.1%
1760	COLUMBIA, SC MSA	4904	0.3 %	0.4%
1800	COLUMBUS, GA-AL MSA	768	0.0 %	0.1%
1840	COLUMBUS, OH MSA	10816	0.6 %	0.8%
1880	CORPUS CHRISTI, TX MSA	1128	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1033	0.1 %	0.1%
1920	DALLAS, TX PMSA	4444	0.3 %	0.3%
1950	DANVILLE, VA MSA	797	0.0 %	0.1%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3655	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	7036	0.4 %	0.5%
2020	DAYTONA BEACH, FL MSA	1616	0.1 %	0.1%
2030	DECATUR, AL MSA	618	0.0 %	0.0%
2040	DECATUR, IL MSA	656	0.0 %	0.0%
2080	DENVER, CO PMSA	30152	1.8 %	2.2%
2120	DES MOINES, IA MSA	3863	0.2 %	0.3%
2160	DETROIT, MI PMSA	34094	2.0 %	2.5%
2180	DOTHAN, AL MSA	608	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2190	DOVER, DE MSA	419	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1674	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	5639	0.3 %	0.4%
2290	EAU CLAIRE, WI MSA	695	0.0 %	0.1%
2320	EL PASO, TX MSA	2106	0.1 %	0.2%
2330	ELKHART-GOSHEN, IN MSA	187	0.0 %	0.0%
2360	ERIE, PA MSA	2107	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	4551	0.3 %	0.3%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	1485	0.1 %	0.1%
2520	FARGO-MOORHEAD, ND-MN MSA	300	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1946	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	835	0.0 %	0.1%
2640	FLINT, MI PMSA	4039	0.2 %	0.3%
2650	FLORENCE, AL MSA	484	0.0 %	0.0%
2655	FLORENCE, SC MSA	1664	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	373	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	7560	0.5 %	0.5%
2700	FORT MYERS-CAPE CORAL, FL MSA	2397	0.1 %	0.2%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	1804	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	428	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	561	0.0 %	0.0%
2760	FORT WAYNE, IN MSA	1491	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	2766	0.2 %	0.2%
2840	FRESNO, CA MSA	10255	0.6 %	0.7%
2880	GADSDEN, AL MSA	911	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1451	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	371	0.0 %	0.0%
2960	GARY, IN PMSA	2377	0.1 %	0.2%
2975	GLENS FALLS, NY MSA	1175	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	734	0.0 %	0.1%
2995	GRAND JUNCTION, CO MSA	1318	0.1 %	0.1%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	13334	0.8 %	1.0%
3060	GREELEY, CO PMSA	3155	0.2 %	0.2%
3080	GREEN BAY, WI MSA	31	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	7033	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2259	0.1 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7615	0.5 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3180	HAGERSTOWN, MD PMSA	1335	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1155	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3920	0.2 %	0.3%
3283	HARTFORD, CT NECMA	21269	1.3 %	1.5%
3285	HATTIESBURG, MS MSA	1	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1707	0.1 %	0.1%
3320	HONOLULU, HI MSA	3742	0.2 %	0.3%
3350	HOUMA, LA MSA	1243	0.1 %	0.1%
3360	HOUSTON, TX PMSA	12203	0.7 %	0.9%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	813	0.0 %	0.1%
3440	HUNTSVILLE, AL MSA	613	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	6036	0.4 %	0.4%
3500	IOWA CITY, IA MSA	1558	0.1 %	0.1%
3520	JACKSON, MI MSA	1063	0.1 %	0.1%
3560	JACKSON, MS MSA	566	0.0 %	0.0%
3580	JACKSON, TN MSA	812	0.0 %	0.1%
3600	JACKSONVILLE, FL MSA	4706	0.3 %	0.3%
3605	JACKSONVILLE, NC MSA	789	0.0 %	0.1%
3610	JAMESTOWN, NY MSA	1143	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	861	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	4404	0.3 %	0.3%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	355	0.0 %	0.0%
3680	JOHNSTOWN, PA MSA	698	0.0 %	0.1%
3710	JOPLIN, MO MSA	1716	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	5886	0.4 %	0.4%
3740	KANKAKEE, IL PMSA	519	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	11249	0.7 %	0.8%
3800	KENOSHA, WI PMSA	422	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	735	0.0 %	0.1%
3840	KNOXVILLE, TN MSA	2051	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	225	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	288	0.0 %	0.0%
3920	LAFAYETTE, IN MSA	872	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	1482	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	1437	0.1 %	0.1%
4000	LANCASTER, PA MSA	2231	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	3554	0.2 %	0.3%
4080	LAREDO, TX MSA	271	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	140	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4120	LAS VEGAS, NV-AZ MSA	4036	0.2 %	0.3%
4200	LAWTON, OK MSA	1022	0.1 %	0.1%
4320	LIMA, OH MSA	888	0.1 %	0.1%
4360	LINCOLN, NE MSA	7730	0.5 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	2941	0.2 %	0.2%
4420	LONGVIEW-MARSHALL, TX MSA	370	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	43822	2.6 %	3.2%
4520	LOUISVILLE, KY-IN MSA	1158	0.1 %	0.1%
4600	LUBBOCK, TX MSA	550	0.0 %	0.0%
4640	LYNCHBURG, VA MSA	1399	0.1 %	0.1%
4680	MACON, GA MSA	748	0.0 %	0.1%
4720	MADISON, WI MSA	48	0.0 %	0.0%
4800	MANSFIELD, OH MSA	958	0.1 %	0.1%
4840	MAYAGUEZ, PR MSA	763	0.0 %	0.1%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	285	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2760	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	786	0.0 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2155	0.1 %	0.2%
4940	MERCED, CA MSA	947	0.1 %	0.1%
5000	MIAMI, FL PMSA	9105	0.5 %	0.7%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	7035	0.4 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	656	0.0 %	0.0%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	24089	1.4 %	1.7%
5160	MOBILE, AL MSA	1702	0.1 %	0.1%
5170	MODESTO, CA MSA	1471	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	6959	0.4 %	0.5%
5200	MONROE, LA MSA	664	0.0 %	0.0%
5240	MONTGOMERY, AL MSA	344	0.0 %	0.0%
5280	MUNCIE, IN MSA	900	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1009	0.1 %	0.1%
5345	NAPLES, FL MSA	1443	0.1 %	0.1%
5360	NASHVILLE, TN MSA	1756	0.1 %	0.1%
5380	NASSAU-SUFFOLK, NY PMSA	27797	1.7 %	2.0%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	17328	1.0 %	1.3%
5523	NEW LONDON-NORWICH, CT NECMA	4456	0.3 %	0.3%
5560	NEW ORLEANS, LA MSA	4336	0.3 %	0.3%
5600	NEW YORK, NY PMSA	99879	6.0 %	7.2%
5640	NEWARK, NJ PMSA	21042	1.3 %	1.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5660	NEWBURGH, NY-PA PMSA	4147	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	11793	0.7 %	0.9%
5775	OAKLAND, CA PMSA	19849	1.2 %	1.4%
5790	OCALA, FL MSA	1484	0.1 %	0.1%
5800	ODESSA-MIDLAND, TX MSA	891	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	6112	0.4 %	0.4%
5910	OLYMPIA, WA PMSA	990	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	6711	0.4 %	0.5%
5945	ORANGE COUNTY, CA PMSA	13379	0.8 %	1.0%
5960	ORLANDO, FL MSA	8149	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	360	0.0 %	0.0%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	581	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1218	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1551	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	28434	1.7 %	2.1%
6280	PITTSBURGH, PA MSA	9060	0.5 %	0.7%
6360	PONCE, PR MSA	646	0.0 %	0.0%
6403	PORTLAND, ME NECMA	2263	0.1 %	0.2%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	19068	1.1 %	1.4%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	7454	0.4 %	0.5%
6520	PROVO-OREM, UT MSA	957	0.1 %	0.1%
6560	PUEBLO, CO MSA	6140	0.4 %	0.4%
6580	PUNTA GORDA, FL MSA	295	0.0 %	0.0%
6600	RACINE, WI PMSA	592	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5452	0.3 %	0.4%
6680	READING, PA MSA	3135	0.2 %	0.2%
6690	REDDING, CA MSA	1183	0.1 %	0.1%
6720	RENO, NV MSA	769	0.0 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1128	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	3939	0.2 %	0.3%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	12966	0.8 %	0.9%
6800	ROANOKE, VA MSA	2268	0.1 %	0.2%
6820	ROCHESTER, MN MSA	804	0.0 %	0.1%
6840	ROCHESTER, NY MSA	11702	0.7 %	0.8%
6880	ROCKFORD, IL MSA	1327	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	991	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	8434	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2726	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	1026	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7000	ST. JOSEPH, MO MSA	863	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	9214	0.6 %	0.7%
7080	SALEM, OR PMSA	4215	0.3 %	0.3%
7120	SALINAS, CA MSA	1803	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	14027	0.8 %	1.0%
7200	SAN ANGELO, TX MSA	275	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	2835	0.2 %	0.2%
7320	SAN DIEGO, CA MSA	13213	0.8 %	1.0%
7360	SAN FRANCISCO, CA PMSA	13934	0.8 %	1.0%
7400	SAN JOSE, CA PMSA	5675	0.3 %	0.4%
7440	SAN JUAN-BAYAMON, PR PMSA	1967	0.1 %	0.1%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	816	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2847	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1929	0.1 %	0.1%
7490	SANTA FE, NM MSA	664	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	4693	0.3 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	1336	0.1 %	0.1%
7520	SAVANNAH, GA MSA	1506	0.1 %	0.1%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	4314	0.3 %	0.3%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	14886	0.9 %	1.1%
7610	SHARON, PA MSA	860	0.1 %	0.1%
7620	SHEBOYGAN, WI MSA	467	0.0 %	0.0%
7640	SHERMAN-DENISON, TX MSA	126	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1661	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1537	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2017	0.1 %	0.1%
7800	SOUTH BEND, IN MSA	1355	0.1 %	0.1%
7840	SPOKANE, WA MSA	3700	0.2 %	0.3%
7880	SPRINGFIELD, IL MSA	945	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	2507	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	8118	0.5 %	0.6%
8050	STATE COLLEGE, PA MSA	497	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	476	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2766	0.2 %	0.2%
8140	SUMTER, SC MSA	939	0.1 %	0.1%
8160	SYRACUSE, NY MSA	9414	0.6 %	0.7%
8200	TACOMA, WA PMSA	5729	0.3 %	0.4%
8240	TALLAHASSEE, FL MSA	587	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	12603	0.8 %	0.9%
8320	TERRE HAUTE, IN MSA	47	0.0 %	0.0%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	245	0.0 %	0.0%
8400	TOLEDO, OH MSA	5326	0.3 %	0.4%
8440	TOPEKA, KS MSA	3374	0.2 %	0.2%
8480	TRENTON, NJ PMSA	2900	0.2 %	0.2%
8560	TULSA, OK MSA	4464	0.3 %	0.3%
8600	TUSCALOOSA, AL MSA	1212	0.1 %	0.1%
8640	TYLER, TX MSA	682	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	2360	0.1 %	0.2%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	2238	0.1 %	0.2%
8735	VENTURA, CA PMSA	3190	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2280	0.1 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	2072	0.1 %	0.2%
8800	WACO, TX MSA	665	0.0 %	0.0%
8840	WASHINGTON, DC-MD-VA-WV PMSA	25450	1.5 %	1.8%
8920	WATERLOO-CEDAR FALLS, IA MSA	1726	0.1 %	0.1%
8940	WAUSAU, WI MSA	477	0.0 %	0.0%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	5228	0.3 %	0.4%
9000	WHEELING, WV-OH MSA	533	0.0 %	0.0%
9040	WICHITA, KS MSA	6519	0.4 %	0.5%
9080	WICHITA FALLS, TX MSA	373	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	397	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4525	0.3 %	0.3%
9200	WILMINGTON, NC MSA	1424	0.1 %	0.1%
9260	YAKIMA, WA MSA	4197	0.3 %	0.3%
9270	YOLO, CA PMSA	1683	0.1 %	0.1%
9280	YORK, PA MSA	1235	0.1 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	7639	0.5 %	0.6%
9340	YUBA CITY, CA MSA	735	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	294218	17.6 %	-

Based upon 1378870 valid cases out of 1673088 total cases.

<b>REGION</b>	<b>CENSUS REGION</b>
---------------	----------------------

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	5297	0.3 %	0.3%
1	NORTHEAST	498906	29.8 %	29.8%
2	MIDWEST	392602	23.5 %	23.5%
3	SOUTH	397243	23.7 %	23.7%
4	WEST	379040	22.7 %	22.7%

Based upon 1673088 valid cases out of 1673088 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 50-51 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	5297	0.3 %	0.3%
1	NEW ENGLAND	141069	8.4 %	8.4%
2	MID-ATLANTIC	357837	21.4 %	21.4%
3	EAST NORTH CENTRAL	247022	14.8 %	14.8%
4	WEST NORTH CENTRAL	145580	8.7 %	8.7%
5	SOUTH ATLANTIC	275003	16.4 %	16.4%
6	EAST SOUTH CENTRAL	28232	1.7 %	1.7%
7	WEST SOUTH CENTRAL	94008	5.6 %	5.6%
8	MOUNTAIN	96404	5.8 %	5.8%
9	PACIFIC	282636	16.9 %	16.9%

Based upon 1673088 valid cases out of 1673088 total cases.

**SERVSETA**

**SERVICE SETTING AT ADMISSION**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:  
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical

complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:  
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):  
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):  
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):  
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:  
As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY - NON-INTENSIVE OUTPATIENT:  
Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY - DETOXIFICATION:  
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	92094	5.5 %	5.5%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	262564	15.7 %	15.7%
3	REHAB/RES, HOSPITAL (NON-DETOX)	22833	1.4 %	1.4%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	133450	8.0 %	8.0%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	128091	7.7 %	7.7%
6	AMBULATORY, INTENSIVE OUTPATIENT	118825	7.1 %	7.1%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	847413	50.6 %	50.7%
8	AMBULATORY, DETOXIFICATION	67480	4.0 %	4.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	338	0.0 %	-

Based upon 1672750 valid cases out of 1673088 total cases.

Location: 54-55 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	109092	6.5 %	6.8%
2	NO	1489742	89.0 %	93.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	74254	4.4 %	-

Based upon 1598834 valid cases out of 1673088 total cases.

**DAYWAIT DAYS WAITING TO ENTER TREATMENT**

Location: 56-58 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 257892 valid cases out of 1673088 total cases.

- Mean: 5.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 21.93

**PSOURCE PRINCIPAL SOURCE OF REFERRAL**

Location: 59-60 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would

not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	578956	34.6 %	35.5%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	214969	12.8 %	13.2%
3	OTHER HEALTH CARE PROVIDER	117243	7.0 %	7.2%
4	SCHOOL (EDUCATIONAL)	23340	1.4 %	1.4%
5	EMPLOYER/EAP	25916	1.5 %	1.6%
6	OTHER COMMUNITY REFERRAL	126933	7.6 %	7.8%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	541620	32.4 %	33.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	44111	2.6 %	-



in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	629473	37.6 %	42.6%
1	1 PRIOR TREATMENT EPISODES	333605	19.9 %	22.6%
2	2 PRIOR TREATMENT EPISODES	174127	10.4 %	11.8%
3	3 PRIOR TREATMENT EPISODES	98255	5.9 %	6.6%
4	4 PRIOR TREATMENT EPISODES	55917	3.3 %	3.8%
5	5 OR MORE PRIOR TREATMENT EPISODES	186569	11.2 %	12.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	195142	11.7 %	-

Based upon 1477946 valid cases out of 1673088 total cases.

**SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	25181	1.5 %	1.5%
2	ALCOHOL	856102	51.2 %	51.7%
3	COCAINE/CRACK	277601	16.6 %	16.8%
4	MARIJUANA/HASHISH	170552	10.2 %	10.3%
5	HEROIN	227702	13.6 %	13.7%
6	NON-PRESCRIPTION METHADONE	1344	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	14703	0.9 %	0.9%
8	PCP	3509	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3029	0.2 %	0.2%
10	METHAMPHETAMINE	47625	2.8 %	2.9%
11	OTHER AMPHETAMINES	14662	0.9 %	0.9%
12	OTHER STIMULANTS	841	0.1 %	0.1%
13	BENZODIAZEPINES	3205	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1170	0.1 %	0.1%
15	BARBITURATES	1479	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	1796	0.1 %	0.1%
17	INHALANTS	2228	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	541	0.0 %	0.0%
20	OTHER	3868	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	15950	1.0 %	-

Based upon 1657138 valid cases out of 1673088 total cases.

**ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)**

Location: 67-68 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	851137	50.9 %	54.7%
2	SMOKING	392610	23.5 %	25.2%
3	INHALATION	127347	7.6 %	8.2%
4	INJECTION (IV OR INTRAMUSCULAR)	181746	10.9 %	11.7%
20	OTHER	3848	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	116400	7.0 %	-

Based upon 1556688 valid cases out of 1673088 total cases.

**FREQ1 FREQUENCY OF USE (PRIMARY)**

Location: 69-70 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	350380	20.9 %	22.9%
2	1-3 TIMES IN THE PAST MONTH	165834	9.9 %	10.8%
3	1-2 TIMES IN THE PAST WEEK	148281	8.9 %	9.7%
4	3-6 TIMES IN THE PAST WEEK	191523	11.4 %	12.5%
5	DAILY	676689	40.4 %	44.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	140381	8.4 %	-

Based upon 1532707 valid cases out of 1673088 total cases.

**FRSTUSE1 AGE AT FIRST USE (PRIMARY)**

Location: 71-72 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	138788	8.3 %	8.9%
2	12-14	342790	20.5 %	22.0%
3	15-17	441450	26.4 %	28.4%
4	18-20	257887	15.4 %	16.6%
5	21-24	144694	8.6 %	9.3%
6	25-29	115425	6.9 %	7.4%
7	30-34	62605	3.7 %	4.0%
8	35-39	31765	1.9 %	2.0%
9	40-44	13077	0.8 %	0.8%
10	45-49	4940	0.3 %	0.3%
11	50-54	1933	0.1 %	0.1%
12	55 AND OVER	1535	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	116199	6.9 %	-

Based upon 1556889 valid cases out of 1673088 total cases.

**SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)**

Location: 73-74 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	540172	32.3 %	37.5%
2	ALCOHOL	274925	16.4 %	19.1%
3	COCAINE/CRACK	251280	15.0 %	17.4%
4	MARIJUANA/HASHISH	253621	15.2 %	17.6%
5	HEROIN	31176	1.9 %	2.2%
6	NON-PRESCRIPTION METHADONE	2733	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	11717	0.7 %	0.8%
8	PCP	3271	0.2 %	0.2%
9	OTHER HALLUCINOGENS	8275	0.5 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	METHAMPHETAMINE	25044	1.5 %	1.7%
11	OTHER AMPHETAMINES	10404	0.6 %	0.7%
12	OTHER STIMULANTS	2476	0.1 %	0.2%
13	BENZODIAZEPINES	8287	0.5 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3047	0.2 %	0.2%
15	BARBITURATES	2568	0.2 %	0.2%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3249	0.2 %	0.2%
17	INHALANTS	1938	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1088	0.1 %	0.1%
20	OTHER	5833	0.3 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	231984	13.9 %	-

Based upon 1441104 valid cases out of 1673088 total cases.

**ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)**

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	310567	18.6 %	36.2%
2	SMOKING	381175	22.8 %	44.5%
3	INHALATION	83969	5.0 %	9.8%
4	INJECTION (IV OR INTRAMUSCULAR)	78827	4.7 %	9.2%
20	OTHER	2681	0.2 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	815869	48.8 %	-

Based upon 857219 valid cases out of 1673088 total cases.

**FREQ2 FREQUENCY OF USE (SECONDARY)**

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	279165	16.7 %	32.1%
2	1-3 TIMES IN THE PAST MONTH	124772	7.5 %	14.3%
3	1-2 TIMES IN THE PAST WEEK	106181	6.3 %	12.2%
4	3-6 TIMES IN THE PAST WEEK	106373	6.4 %	12.2%

Value	Label	Unweighted Frequency	%	Valid %
5	DAILY	253900	15.2 %	29.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	802697	48.0 %	-

Based upon 870391 valid cases out of 1673088 total cases.

**FRSTUSE2 AGE AT FIRST USE (SECONDARY)**

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	133531	8.0 %	14.6%
2	12-14	200595	12.0 %	21.9%
3	15-17	238640	14.3 %	26.1%
4	18-20	133470	8.0 %	14.6%
5	21-24	73911	4.4 %	8.1%
6	25-29	62772	3.8 %	6.9%
7	30-34	37395	2.2 %	4.1%
8	35-39	20574	1.2 %	2.2%
9	40-44	9255	0.6 %	1.0%
10	45-49	3458	0.2 %	0.4%
11	50-54	1314	0.1 %	0.1%
12	55 AND OVER	703	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	757470	45.3 %	-

Based upon 915618 valid cases out of 1673088 total cases.

**SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)**

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN

- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	885010	52.9 %	70.4%
2	ALCOHOL	92037	5.5 %	7.3%
3	COCAINE/CRACK	73222	4.4 %	5.8%
4	MARIJUANA/HASHISH	114359	6.8 %	9.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	HEROIN	15350	0.9 %	1.2%
6	NON-PRESCRIPTION METHADONE	1955	0.1 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	6554	0.4 %	0.5%
8	PCP	3161	0.2 %	0.3%
9	OTHER HALLUCINOGENS	15427	0.9 %	1.2%
10	METHAMPHETAMINE	14295	0.9 %	1.1%
11	OTHER AMPHETAMINES	8675	0.5 %	0.7%
12	OTHER STIMULANTS	2356	0.1 %	0.2%
13	BENZODIAZEPINES	6681	0.4 %	0.5%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2768	0.2 %	0.2%
15	BARBITURATES	2741	0.2 %	0.2%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2622	0.2 %	0.2%
17	INHALANTS	2896	0.2 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1283	0.1 %	0.1%
20	OTHER	6009	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	415687	24.8 %	-

Based upon 1257401 valid cases out of 1673088 total cases.

**ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)**

Location: 83-84 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	118102	7.1 %	38.2%
2	SMOKING	127601	7.6 %	41.3%
3	INHALATION	39900	2.4 %	12.9%
4	INJECTION (IV OR INTRAMUSCULAR)	21228	1.3 %	6.9%
20	OTHER	2332	0.1 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1363925	81.5 %	-

Based upon 309163 valid cases out of 1673088 total cases.

**FREQ3 FREQUENCY OF USE (TERTIARY)**

Location: 85-86 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	160421	9.6 %	46.8%
2	1-3 TIMES IN THE PAST MONTH	51307	3.1 %	15.0%
3	1-2 TIMES IN THE PAST WEEK	36428	2.2 %	10.6%
4	3-6 TIMES IN THE PAST WEEK	29779	1.8 %	8.7%
5	DAILY	64794	3.9 %	18.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1330359	79.5 %	-

Based upon 342729 valid cases out of 1673088 total cases.

**FRSTUSE3 AGE AT FIRST USE (TERTIARY)**

Location: 87-88 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	134570	8.0 %	31.7%
2	12-14	80919	4.8 %	19.1%
3	15-17	95058	5.7 %	22.4%
4	18-20	49226	2.9 %	11.6%
5	21-24	24767	1.5 %	5.8%
6	25-29	19646	1.2 %	4.6%
7	30-34	10898	0.7 %	2.6%
8	35-39	5679	0.3 %	1.3%
9	40-44	2407	0.1 %	0.6%
10	45-49	822	0.0 %	0.2%
11	50-54	282	0.0 %	0.1%
12	55 AND OVER	158	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1248656	74.6 %	-

Based upon 424432 valid cases out of 1673088 total cases.

**NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.**

Location: 89-90 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	39804	2.4 %	2.4%
1	730421	43.7 %	43.7%
2	533730	31.9 %	31.9%

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	369133	22.1 %	22.1%

Based upon 1673088 valid cases out of 1673088 total cases.

**IDU CURRENT IV DRUG USE REPORTED AT ADM.**

Location: 91-92 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , -8  
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1411708	84.4 %	86.4%
1	IDU REPORTED	221595	13.2 %	13.6%
-8 (M)	NO SUBSTANCES REPORTED	39785	2.4 %	-

Based upon 1633303 valid cases out of 1673088 total cases.

**ALCFLG ALCOHOL REPORTED AT ADM.**

Location: 93-93 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	451154	27.0 %	27.0%
1	SUBSTANCE REPORTED	1221934	73.0 %	73.0%

Based upon 1673088 valid cases out of 1673088 total cases.

**COKEFLG COCAINE/CRACK REPORTED AT ADM.**

Location: 94-94 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1079063	64.5 %	64.5%
1	SUBSTANCE REPORTED	594025	35.5 %	35.5%

Based upon 1673088 valid cases out of 1673088 total cases.

**MARFLG MARIJUANA/HASHISH REPORTED AT ADM.**

Location: 95-95 (width: 1; decimal: 0)  
 Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1135006	67.8 %	67.8%
1	SUBSTANCE REPORTED	538082	32.2 %	32.2%

Based upon 1673088 valid cases out of 1673088 total cases.

**HERFLG HEROIN REPORTED AT ADM.**

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1399061	83.6 %	83.6%
1	SUBSTANCE REPORTED	274027	16.4 %	16.4%

Based upon 1673088 valid cases out of 1673088 total cases.

**METHFLG NON-RX METHADONE REPORTED AT ADM.**

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1667067	99.6 %	99.6%
1	SUBSTANCE REPORTED	6021	0.4 %	0.4%

Based upon 1673088 valid cases out of 1673088 total cases.

**OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1640358	98.0 %	98.0%
1	SUBSTANCE REPORTED	32730	2.0 %	2.0%

Based upon 1673088 valid cases out of 1673088 total cases.

**PCPFLG PCP REPORTED AT ADM.**

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1663150	99.4 %	99.4%
1	SUBSTANCE REPORTED	9938	0.6 %	0.6%

Based upon 1673088 valid cases out of 1673088 total cases.

**HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1646398	98.4 %	98.4%
1	SUBSTANCE REPORTED	26690	1.6 %	1.6%

Based upon 1673088 valid cases out of 1673088 total cases.

**MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1586174	94.8 %	94.8%
1	SUBSTANCE REPORTED	86914	5.2 %	5.2%

Based upon 1673088 valid cases out of 1673088 total cases.

**AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1639406	98.0 %	98.0%
1	SUBSTANCE REPORTED	33682	2.0 %	2.0%

Based upon 1673088 valid cases out of 1673088 total cases.

**STIMFLG OTHER STIMULANTS REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1667424	99.7 %	99.7%
1	SUBSTANCE REPORTED	5664	0.3 %	0.3%

Based upon 1673088 valid cases out of 1673088 total cases.

**BENZFLG      BENZODIAZEPINES REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1654955	98.9 %	98.9%
1	SUBSTANCE REPORTED	18133	1.1 %	1.1%

Based upon 1673088 valid cases out of 1673088 total cases.

**TRNQFLG      OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1666104	99.6 %	99.6%
1	SUBSTANCE REPORTED	6984	0.4 %	0.4%

Based upon 1673088 valid cases out of 1673088 total cases.

**BARBFLG      BARBITURATES REPORTED AT ADM.**

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1666300	99.6 %	99.6%
1	SUBSTANCE REPORTED	6788	0.4 %	0.4%

Based upon 1673088 valid cases out of 1673088 total cases.

**SEDHPFLG      OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1665425	99.5 %	99.5%
1	SUBSTANCE REPORTED	7663	0.5 %	0.5%

Based upon 1673088 valid cases out of 1673088 total cases.

**INHFLG INHALANTS REPORTED AT ADM.**

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1666029	99.6 %	99.6%
1	SUBSTANCE REPORTED	7059	0.4 %	0.4%

Based upon 1673088 valid cases out of 1673088 total cases.

**OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1670177	99.8 %	99.8%
1	SUBSTANCE REPORTED	2911	0.2 %	0.2%

Based upon 1673088 valid cases out of 1673088 total cases.

**OTHERFLG OTHER DRUG REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1657473	99.1 %	99.1%
1	SUBSTANCE REPORTED	15615	0.9 %	0.9%

Based upon 1673088 valid cases out of 1673088 total cases.

**ALCDRUG SUBSTANCE ABUSE TYPE**

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	39804	2.4 %	2.4%
1	ALCOHOL ONLY	493254	29.5 %	29.5%
2	OTHER DRUGS ONLY	411350	24.6 %	24.6%
3	ALCOHOL AND OTHER DRUGS	728680	43.6 %	43.6%

Based upon 1673088 valid cases out of 1673088 total cases.

**DSMCRIT**

**DSM DIAGNOSIS**

Location:

113-114 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	2681	0.2 %	0.7%
1	ALCOHOL-INDUCED DISORDER	1049	0.1 %	0.3%
2	SUBSTANCE-INDUCED DISORDER	1087	0.1 %	0.3%
3	ALCOHOL INTOXICATION	37899	2.3 %	9.9%
4	ALCOHOL DEPENDENCE	117607	7.0 %	30.9%
5	OPIOID DEPENDENCE	43315	2.6 %	11.4%
6	COCAINE DEPENDENCE	54380	3.3 %	14.3%
7	CANNABIS DEPENDENCE	19244	1.2 %	5.0%
8	OTHER SUBSTANCE DEPENDENCE	19192	1.1 %	5.0%
9	ALCOHOL ABUSE	43707	2.6 %	11.5%
10	CANNABIS ABUSE	14914	0.9 %	3.9%
11	OTHER SUBSTANCE ABUSE	3999	0.2 %	1.0%
12	OPIOID ABUSE	1146	0.1 %	0.3%
13	COCAINE ABUSE	9339	0.6 %	2.4%
14	ANXIETY DISORDERS	417	0.0 %	0.1%
15	DEPRESSIVE DISORDERS	1887	0.1 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	698	0.0 %	0.2%
17	BIPOLAR DISORDERS	482	0.0 %	0.1%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	484	0.0 %	0.1%
19	OTHER MENTAL HEALTH CONDITION	2570	0.2 %	0.7%
20	OTHER CONDITION	5089	0.3 %	1.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1291902	77.2 %	-

Based upon 381186 valid cases out of 1673088 total cases.

**PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM**

Location: 115-116 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	144773	8.7 %	13.7%
2	NO	909279	54.3 %	86.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	619036	37.0 %	-

Based upon 1054052 valid cases out of 1673088 total cases.

**HLTHINS HEALTH INSURANCE**

Location: 117-118 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	117515	7.0 %	15.0%
2	MEDICAID	110190	6.6 %	14.1%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	65678	3.9 %	8.4%
4	NONE	490395	29.3 %	62.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	889310	53.2 %	-

Based upon 783778 valid cases out of 1673088 total cases.

**PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT**

Location: 119-120 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	173098	10.3 %	32.5%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	50496	3.0 %	9.5%
3	MEDICARE, WORKER'S COMPENSATION	6303	0.4 %	1.2%
4	MEDICAID	77237	4.6 %	14.5%
5	OTHER GOVERNMENT PAYMENTS	114613	6.9 %	21.5%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	71437	4.3 %	13.4%
9	OTHER	39821	2.4 %	7.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1140083	68.1 %	-

Based upon 533005 valid cases out of 1673088 total cases.

# APPENDIX



## APPENDIX A

### TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

---

<sup>3</sup> MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION



## APPENDIX B

### Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
<b>MARSTAT</b>  Marital Status	1 Never Married (52.1%) 2 Now Married (19.3%) 3 Separated (8.4%) 4 Divorced (18.5%) 5 Widowed (1.7%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DET NFLF</b>  Detailed 'Not in Labor' Force	1 Homemaker (8.8%) 2 Student (23.7%) 3 Retired (2.8%) 4 Disabled (21.5%) 5 Inmate of Institution (5.8%) 6 Other (37.3%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIM INC</b>  Source of Income / Support	1 Wages/Salary (38.5%) 2 Public Assistance (18.0%) 3 Retirement/Pension (<1%) 4 Disability (3.7%) 20 Other (19.9%) 21 None (18.9%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b>  FIPS 1990 MSA Code  <b>CBSA</b>  FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
<b>DETCRIM</b>  Detailed Criminal Justice Referral	1 State/Federal Court (16.6%) 2 Other Court (2.6%) 3 Probation/Parole (36.8%) 4 Other Recognized Legal Entity (9.5%) 5 Diversionary Program (4.4%) 6 Prison (5.7%) 7 DUI/DWI (20.4%) 8 Other (4.0%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>HLTHINS</b> Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (8.0%) 2 Blue Cross / Blue Shield (BC/BS) (3.6%) 3 Medicare (1.8%) 4 Medicaid (14.1%) 6 Health Maintenance Organization (HMO) (3.4%) 20 Other (e.g. TriCare, Champus) (6.6%) 21 None (62.6%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
<b>PRIMPAY</b> Expected/Actual Payment Source of Payment	1 Self-Pay (32.5%) 2 Blue Cross / Blue Shield (2.6%) 3 Medicare (1.0%) 4 Medicaid (14.5%) 5 Other Government Payments (21.5%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.8%) 8 No charge (Free, Charity, Special Research or Teaching) (13.4%) 9 Other (7.5%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
<b>FRSTUSE1</b> Age at First Use (Primary)  <b>FRSTUSE2</b> Age at First Use (Secondary)  <b>FRSTUSE3</b> Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

**APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES**

<b>Items collected/not-collected by State: TEDS Minimum Data Set 1995</b>																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	

**Items collected/not-collected by State: TEDS Minimum Data Set 1995**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data;  
Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone	
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use			
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES**

<b>Items collected/not-collected by State: TEDS Supplemental Data Set 1995</b>												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	Y	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	Y	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	--
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	--
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--

**Items collected/not-collected by State: TEDS Supplemental Data Set 1995**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico;  
 Arizona, Kentucky, and Wyoming did not report any data;  
 Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	--	Y	Y	Y	--	--	Y	--	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	--	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	--	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	--	Y	Y	Y	--	--	--	--	Y	Y	Y	--
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	--	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	--	--	Y	--	Y	--	Y	Y	Y	--
UTAH	--	Y	Y	--	Y	Y	Y	Y	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	Y	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	--	--	--	--	--	--	--	--	--	--	--	--