

Treatment Episode Data Set -- Admissions (TEDS-A), 1998

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1998

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1998. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1998 that were received and processed through May 11, 2004.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).  
  
do if (STFIPS eq 2).  
  compute AKSTATE=1.  
else.  
  compute AKSTATE=2.  
end if.  
  
variable labels  AKSTATE "ALASKA STATE INDICATOR".  
  
value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".  
  
format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 49 states plus the District of Columbia. The following states did not report usable data for the year 1998: West Virginia. Puerto Rico did not report usable data in 1998 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1998 are as follows:

Filename: da03024-0001.txt

Number of observations: 1,704,606

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1993-1998*. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Information Series: S-11. DHHS Publication No. (SMA) 00-3465. Rockville, MD, 2000.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1998

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1998

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	15
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	17
LIVARAG	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	20
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	35
DIVISION	CENSUS DIVISION	36

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETA	SERVICE SETTING AT ADMISSION	37
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	38
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	39

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	39
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	41

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	42
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
FREQ1	FREQUENCY OF USE (PRIMARY)	44
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	45
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47
FREQ2	FREQUENCY OF USE (SECONDARY)	47
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	48
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
FREQ3	FREQUENCY OF USE (TERTIARY)	50
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	51
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	52
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	52
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	52
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	53
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
PCPFLG	PCP REPORTED AT ADM.	53
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	54
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	54
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	54
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
BARBFLG	BARBITURATES REPORTED AT ADM.	55
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	55
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFGL	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
OTHERFLG	OTHER DRUG REPORTED AT ADM.	56
ALCDRUG	SUBSTANCE ABUSE TYPE	56

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	58
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	58

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1704606 valid cases out of 1704606 total cases.

YEAR YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1998	-	1704606	100.0 %	100.0%

Based upon 1704606 valid cases out of 1704606 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	25898	1.5 %	1.5%
3	15-17	113231	6.6 %	6.6%
4	18-20	105107	6.2 %	6.2%
5	21-24	140401	8.2 %	8.2%
6	25-29	226010	13.3 %	13.3%
7	30-34	291287	17.1 %	17.1%
8	35-39	315770	18.5 %	18.5%
9	40-44	233984	13.7 %	13.7%
10	45-49	135198	7.9 %	7.9%
11	50-54	62013	3.6 %	3.6%
12	55 AND OVER	55707	3.3 %	3.3%

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8577	0.5 %	0.5%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	35597	2.1 %	2.1%
3	ASIAN OR PACIFIC ISLANDER	12296	0.7 %	0.7%
4	BLACK OR AFRICAN AMERICAN	424373	24.9 %	25.3%
5	WHITE	1031812	60.5 %	61.4%
13	ASIAN	21	0.0 %	0.0%
20	OTHER SINGLE RACE	167178	9.8 %	10.0%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	57	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	24695	1.4 %	-

Based upon 1679911 valid cases out of 1704606 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
---------------	------------------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of

race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	72525	4.3 %	4.6%
2	MEXICAN	75355	4.4 %	4.7%
3	CUBAN	4001	0.2 %	0.3%
4	OTHER SPECIFIC HISPANIC	43480	2.6 %	2.7%
5	NOT OF HISPANIC ORIGIN	1396806	81.9 %	87.7%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	278	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	112161	6.6 %	-

Based upon 1592445 valid cases out of 1704606 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	718252	42.1 %	54.7%
2	NOW MARRIED	235376	13.8 %	17.9%
3	SEPARATED	98917	5.8 %	7.5%
4	DIVORCED, WIDOWED	261138	15.3 %	19.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	390923	22.9 %	-

Based upon 1313683 valid cases out of 1704606 total cases.

EDUC EDUCATION

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	150491	8.8 %	9.1%
2	9-11	513542	30.1 %	31.2%
3	12	666179	39.1 %	40.4%
4	13-15	249873	14.7 %	15.2%
5	16 OR MORE	67420	4.0 %	4.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	57101	3.3 %	-

Based upon 1647505 valid cases out of 1704606 total cases.

EMPLOY EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example,

Based upon 450866 valid cases out of 1704606 total cases.

VET VETERAN STATUS

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%	Valid %
1	YES	72706	4.3 %	7.8%
2	NO	863188	50.6 %	92.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	768712	45.1 %	-

Based upon 935894 valid cases out of 1704606 total cases.

LIVARAG LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	153233	9.0 %	11.5%
2	DEPENDENT LIVING	289382	17.0 %	21.8%
3	INDEPENDENT LIVING	886624	52.0 %	66.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	375367	22.0 %	-

Based upon 1329239 valid cases out of 1704606 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	323515	19.0 %	37.2%
2	PUBLIC ASSISTANCE	107456	6.3 %	12.4%
3	RETIREMENT/PENSION, DISABILITY	38300	2.2 %	4.4%
20	OTHER	187918	11.0 %	21.6%
21	NONE	212025	12.4 %	24.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	835392	49.0 %	-

Based upon 869214 valid cases out of 1704606 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	19918	1.2 %	1.2%
2	ALASKA	7722	0.5 %	0.5%
4	ARIZONA	13941	0.8 %	0.8%
5	ARKANSAS	11920	0.7 %	0.7%
6	CALIFORNIA	157562	9.2 %	9.2%
8	COLORADO	63256	3.7 %	3.7%
9	CONNECTICUT	51600	3.0 %	3.0%
10	DELAWARE	6140	0.4 %	0.4%
11	DIST OF COLUMBIA	3618	0.2 %	0.2%
12	FLORIDA	63045	3.7 %	3.7%
13	GEORGIA	14010	0.8 %	0.8%
15	HAWAII	5745	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	IDAHO	8179	0.5 %	0.5%
17	ILLINOIS	36885	2.2 %	2.2%
18	INDIANA	20528	1.2 %	1.2%
19	IOWA	25049	1.5 %	1.5%
20	KANSAS	14156	0.8 %	0.8%
21	KENTUCKY	15450	0.9 %	0.9%
22	LOUISIANA	18246	1.1 %	1.1%
23	MAINE	9821	0.6 %	0.6%
24	MARYLAND	57335	3.4 %	3.4%
25	MASSACHUSETTS	73400	4.3 %	4.3%
26	MICHIGAN	90453	5.3 %	5.3%
27	MINNESOTA	41466	2.4 %	2.4%
28	MISSISSIPPI	6799	0.4 %	0.4%
29	MISSOURI	36112	2.1 %	2.1%
30	MONTANA	6732	0.4 %	0.4%
31	NEBRASKA	8736	0.5 %	0.5%
32	NEVADA	8811	0.5 %	0.5%
33	NEW HAMPSHIRE	6016	0.4 %	0.4%
34	NEW JERSEY	58192	3.4 %	3.4%
35	NEW MEXICO	9815	0.6 %	0.6%
36	NEW YORK	285360	16.7 %	16.7%
37	NORTH CAROLINA	45829	2.7 %	2.7%
38	NORTH DAKOTA	2657	0.2 %	0.2%
39	OHIO	92037	5.4 %	5.4%
40	OKLAHOMA	14267	0.8 %	0.8%
41	OREGON	48051	2.8 %	2.8%
42	PENNSYLVANIA	50877	3.0 %	3.0%
44	RHODE ISLAND	11164	0.7 %	0.7%
45	SOUTH CAROLINA	26359	1.5 %	1.5%
46	SOUTH DAKOTA	9540	0.6 %	0.6%
47	TENNESSEE	13323	0.8 %	0.8%
48	TEXAS	32258	1.9 %	1.9%
49	UTAH	11452	0.7 %	0.7%
50	VERMONT	5137	0.3 %	0.3%
51	VIRGINIA	10078	0.6 %	0.6%
53	WASHINGTON	53782	3.2 %	3.2%
55	WISCONSIN	17322	1.0 %	1.0%
56	WYOMING	4455	0.3 %	0.3%

Based upon 1704606 valid cases out of 1704606 total cases.

CBSA	FIPS 2000 CBSA CODE
------	---------------------

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1328	0.1 %	0.1%
10420	AKRON, OH METRO	11566	0.7 %	0.9%
10500	ALBANY, GA METRO	505	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	19395	1.1 %	1.5%
10740	ALBUQUERQUE, NM METRO	2062	0.1 %	0.2%
10780	ALEXANDRIA, LA METRO	2165	0.1 %	0.2%
10880	ALLEGAN, MI MICRO	641	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	2846	0.2 %	0.2%
11020	ALTOONA, PA METRO	1815	0.1 %	0.1%
11100	AMARILLO, TX METRO	308	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	2299	0.1 %	0.2%
11300	ANDERSON, IN METRO	259	0.0 %	0.0%
11340	ANDERSON, SC METRO	1298	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1816	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	562	0.0 %	0.0%
11540	APPLETON, WI METRO	410	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	3190	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	1204	0.1 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	990	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	4413	0.3 %	0.3%
12100	ATLANTIC CITY, NJ METRO	2449	0.1 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	594	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	1438	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	3249	0.2 %	0.3%
12540	BAKERSFIELD, CA METRO	3283	0.2 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	32794	1.9 %	2.5%
12700	BARNSTABLE TOWN, MA METRO	4117	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12940	BATON ROUGE, LA METRO	2588	0.2 %	0.2%
12980	BATTLE CREEK, MI METRO	1094	0.1 %	0.1%
13020	BAY CITY, MI METRO	980	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	814	0.0 %	0.1%
13380	BELLINGHAM, WA METRO	2366	0.1 %	0.2%
13740	BILLINGS, MT METRO	1182	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	4178	0.2 %	0.3%
13820	BIRMINGHAM-HOOVER, AL METRO	7189	0.4 %	0.6%
14060	BLOOMINGTON-NORMAL, IL METRO	355	0.0 %	0.0%
14260	BOISE CITY-NAMPA, ID METRO	2092	0.1 %	0.2%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	40397	2.4 %	3.1%
14740	BREMERTON-SILVERDALE, WA METRO	2270	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	10482	0.6 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	449	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	22402	1.3 %	1.7%
15500	BURLINGTON, NC METRO	711	0.0 %	0.1%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2228	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2695	0.2 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	2049	0.1 %	0.2%
16300	CEDAR RAPIDS, IA METRO	2044	0.1 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	1189	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4061	0.2 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	11083	0.7 %	0.9%
16860	CHATTANOOGA, TN-GA METRO	1868	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	21404	1.3 %	1.6%
17020	CHICO, CA METRO	857	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	9877	0.6 %	0.8%
17300	CLARKSVILLE, TN-KY METRO	1024	0.1 %	0.1%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	18251	1.1 %	1.4%
17780	COLLEGE STATION-BRYAN, TX METRO	277	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	84	0.0 %	0.0%
17860	COLUMBIA, MO METRO	1313	0.1 %	0.1%
17900	COLUMBIA, SC METRO	3399	0.2 %	0.3%
17980	COLUMBUS, GA-AL METRO	562	0.0 %	0.0%
18140	COLUMBUS, OH METRO	13125	0.8 %	1.0%
18580	CORPUS CHRISTI, TX METRO	1420	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19060	CUMBERLAND, MD-WV METRO	1209	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	6723	0.4 %	0.5%
19260	DANVILLE, VA METRO	372	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	249	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4154	0.2 %	0.3%
19380	DAYTON, OH METRO	5855	0.3 %	0.5%
19460	DECATUR, AL METRO	342	0.0 %	0.0%
19500	DECATUR, IL METRO	750	0.0 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2618	0.2 %	0.2%
19740	DENVER-AURORA, CO METRO	656	0.0 %	0.1%
19780	DES MOINES, IA METRO	4147	0.2 %	0.3%
19820	DETROIT-WARREN-LIVONIA, MI METRO	37233	2.2 %	2.9%
20020	DOTHAN, AL METRO	732	0.0 %	0.1%
20100	DOVER, DE METRO	651	0.0 %	0.1%
20260	DULUTH, MN-WI METRO	2005	0.1 %	0.2%
20500	DURHAM, NC METRO	2007	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	823	0.0 %	0.1%
20740	EAU CLAIRE, WI METRO	665	0.0 %	0.1%
21340	EL PASO, TX METRO	2200	0.1 %	0.2%
21500	ERIE, PA METRO	1338	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	5323	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	81	0.0 %	0.0%
22020	FARGO, ND-MN METRO	406	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1619	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	683	0.0 %	0.1%
22420	FLINT, MI METRO	3916	0.2 %	0.3%
22460	FLORENCE, AL METRO	531	0.0 %	0.0%
22500	FLORENCE, SC METRO	986	0.1 %	0.1%
22900	FORT SMITH, AR-OK METRO	603	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	835	0.0 %	0.1%
23420	FRESNO, CA METRO	5204	0.3 %	0.4%
23460	GADSDEN, AL METRO	1161	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1001	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	824	0.0 %	0.1%
24140	GOLDSBORO, NC METRO	590	0.0 %	0.0%
24340	GRAND RAPIDS-WYOMING, MI METRO	9665	0.6 %	0.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24540	GREELEY, CO METRO	448	0.0 %	0.0%
24580	GREEN BAY, WI METRO	159	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	2064	0.1 %	0.2%
24780	GREENVILLE, NC METRO	2470	0.1 %	0.2%
24860	GREENVILLE, SC METRO	2995	0.2 %	0.2%
25060	GULFPORT-BILOXI, MS METRO	293	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1080	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	2940	0.2 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	24001	1.4 %	1.8%
25620	HATTIESBURG, MS METRO	203	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1628	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1845	0.1 %	0.1%
26180	HONOLULU, HI METRO	4294	0.3 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1245	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	6912	0.4 %	0.5%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	837	0.0 %	0.1%
26620	HUNTSVILLE, AL METRO	804	0.0 %	0.1%
26900	INDIANAPOLIS, IN METRO	987	0.1 %	0.1%
26980	IOWA CITY, IA METRO	1634	0.1 %	0.1%
27100	JACKSON, MI METRO	1448	0.1 %	0.1%
27140	JACKSON, MS METRO	1467	0.1 %	0.1%
27180	JACKSON, TN METRO	1024	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	7343	0.4 %	0.6%
27340	JACKSONVILLE, NC METRO	1114	0.1 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1372	0.1 %	0.1%
27500	JANESVILLE, WI METRO	906	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	346	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	714	0.0 %	0.1%
27900	JOPLIN, MO METRO	1549	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	3527	0.2 %	0.3%
28100	KANKAKEE-BRADLEY, IL METRO	384	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	9673	0.6 %	0.7%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1290	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	175	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	2946	0.2 %	0.2%
29100	LA CROSSE, WI-MN METRO	328	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	473	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	913	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29460	LAKELAND-WINTER HAVEN, FL METRO	1361	0.1 %	0.1%
29540	LANCASTER, PA METRO	1655	0.1 %	0.1%
29620	LANSING-EAST LANSING, MI METRO	3092	0.2 %	0.2%
29700	LAREDO, TX METRO	290	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	967	0.1 %	0.1%
29820	LAS VEGAS-PARADISE, NV METRO	5367	0.3 %	0.4%
30020	LAWTON, OK METRO	508	0.0 %	0.0%
30140	LEBANON, PA METRO	473	0.0 %	0.0%
30460	LEXINGTON-FAYETTE, KY METRO	666	0.0 %	0.1%
30540	LEXINGTON-THOMASVILLE, NC MICRO	586	0.0 %	0.0%
30620	LIMA, OH METRO	659	0.0 %	0.1%
30700	LINCOLN, NE METRO	1775	0.1 %	0.1%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	3381	0.2 %	0.3%
30980	LONGVIEW, TX METRO	180	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	54283	3.2 %	4.2%
31140	LOUISVILLE, KY-IN METRO	2069	0.1 %	0.2%
31180	LUBBOCK, TX METRO	1094	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	8	0.0 %	0.0%
31420	MACON, GA METRO	691	0.0 %	0.1%
31460	MADERA, CA METRO	551	0.0 %	0.0%
31540	MADISON, WI METRO	58	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	2226	0.1 %	0.2%
31900	MANSFIELD, OH METRO	1234	0.1 %	0.1%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	705	0.0 %	0.1%
32780	MEDFORD, OR METRO	3244	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2518	0.1 %	0.2%
32900	MERCED, CA METRO	789	0.0 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	17690	1.0 %	1.4%
33260	MIDLAND, TX METRO	18	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	1178	0.1 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	27701	1.6 %	2.1%
33660	MOBILE, AL METRO	1366	0.1 %	0.1%
33700	MODESTO, CA METRO	1496	0.1 %	0.1%
33740	MONROE, LA METRO	1435	0.1 %	0.1%
33780	MONROE, MI METRO	917	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	1806	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34740	MUSKEGON-NORTON SHORES, MI METRO	2360	0.1 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	853	0.1 %	0.1%
34900	NAPA, CA METRO	628	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	800	0.0 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2761	0.2 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	7940	0.5 %	0.6%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	3889	0.2 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	207984	12.2 %	16.0%
35660	NILES-BENTON HARBOR, MI METRO	2593	0.2 %	0.2%
35980	NORWICH-NEW LONDON, CT METRO	4895	0.3 %	0.4%
36100	OCALA, FL METRO	437	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	723	0.0 %	0.1%
36220	ODESSA, TX METRO	323	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	1102	0.1 %	0.1%
36420	OKLAHOMA CITY, OK METRO	5023	0.3 %	0.4%
36500	OLYMPIA, WA METRO	1758	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	4134	0.2 %	0.3%
36740	ORLANDO, FL METRO	5106	0.3 %	0.4%
36780	OSHKOSH-NEENAH, WI METRO	374	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2100	0.1 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	1158	0.1 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	906	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	56	0.0 %	0.0%
37700	PASCAGOULA, MS METRO	91	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	2038	0.1 %	0.2%
37900	PEORIA, IL METRO	1237	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	28884	1.7 %	2.2%
38300	PITTSBURGH, PA METRO	5844	0.3 %	0.4%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	3331	0.2 %	0.3%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	21018	1.2 %	1.6%
38940	PORT ST. LUCIE, FL METRO	1940	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	10560	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	17104	1.0 %	1.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
39340	PROVO-OREM, UT METRO	142	0.0 %	0.0%
39460	PUNTA GORDA, FL METRO	338	0.0 %	0.0%
39540	RACINE, WI METRO	648	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3242	0.2 %	0.2%
39740	READING, PA METRO	2224	0.1 %	0.2%
39820	REDDING, CA METRO	1118	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1568	0.1 %	0.1%
40060	RICHMOND, VA METRO	8	0.0 %	0.0%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	11282	0.7 %	0.9%
40340	ROCHESTER, MN METRO	889	0.1 %	0.1%
40380	ROCHESTER, NY METRO	16468	1.0 %	1.3%
40420	ROCKFORD, IL METRO	1651	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	770	0.0 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	7455	0.4 %	0.6%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	2144	0.1 %	0.2%
41060	SAINT CLOUD, MN METRO	1230	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	1026	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	11655	0.7 %	0.9%
41420	SALEM, OR METRO	5065	0.3 %	0.4%
41500	SALINAS, CA METRO	1178	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	8446	0.5 %	0.7%
41660	SAN ANGELO, TX METRO	154	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	1802	0.1 %	0.1%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	13943	0.8 %	1.1%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	25219	1.5 %	1.9%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	6533	0.4 %	0.5%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	680	0.0 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2319	0.1 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1601	0.1 %	0.1%
42140	SANTA FE, NM METRO	478	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	5275	0.3 %	0.4%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1328	0.1 %	0.1%
42340	SAVANNAH, GA METRO	582	0.0 %	0.0%
42540	SCRANTON--WILKES-BARRE-, PA METRO	2937	0.2 %	0.2%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	20699	1.2 %	1.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
43100	SHEBOYGAN, WI METRO	458	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1594	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1598	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2633	0.2 %	0.2%
43900	SPARTANBURG, SC METRO	2450	0.1 %	0.2%
44060	SPOKANE, WA METRO	4798	0.3 %	0.4%
44100	SPRINGFIELD, IL METRO	1011	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	5172	0.3 %	0.4%
44180	SPRINGFIELD, MO METRO	2164	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	2084	0.1 %	0.2%
44300	STATE COLLEGE, PA METRO	359	0.0 %	0.0%
44700	STOCKTON, CA METRO	2481	0.1 %	0.2%
44940	SUMTER, SC METRO	869	0.1 %	0.1%
45060	SYRACUSE, NY METRO	11057	0.6 %	0.9%
45220	TALLAHASSEE, FL METRO	1358	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	9610	0.6 %	0.7%
45500	TEXARKANA TX-TEXARKANA, AR METRO	95	0.0 %	0.0%
45780	TOLEDO, OH METRO	4734	0.3 %	0.4%
45820	TOPEKA, KS METRO	1811	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1917	0.1 %	0.1%
46140	TULSA, OK METRO	2738	0.2 %	0.2%
46220	TUSCALOOSA, AL METRO	1112	0.1 %	0.1%
46340	TYLER, TX METRO	71	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4048	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	934	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2283	0.1 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	5092	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	1625	0.1 %	0.1%
47360	WACO, TX METRO	588	0.0 %	0.0%
47580	WARNER ROBINS, GA METRO	32	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	19820	1.2 %	1.5%
47940	WATERLOO-CEDAR FALLS, IA METRO	1866	0.1 %	0.1%
48140	WAUSAU, WI METRO	762	0.0 %	0.1%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	494	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	788	0.0 %	0.1%
48620	WICHITA, KS METRO	4626	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	189	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	460	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
48900	WILMINGTON, NC METRO	1125	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	3061	0.2 %	0.2%
49340	WORCESTER, MA METRO	13090	0.8 %	1.0%
49420	YAKIMA, WA METRO	5473	0.3 %	0.4%
49620	YORK-HANOVER, PA METRO	825	0.0 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	5417	0.3 %	0.4%
49700	YUBA CITY-MARYSVILLE, CA METRO	658	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	405749	23.8 %	-

Based upon 1298857 valid cases out of 1704606 total cases.

PMSA	FIPS 1990 MSA CODE
-------------	---------------------------

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1328	0.1 %	0.1%
80	AKRON, OH PMSA	11566	0.7 %	0.9%
120	ALBANY, GA MSA	505	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	19395	1.1 %	1.5%
200	ALBUQUERQUE, NM MSA	2062	0.1 %	0.2%
220	ALEXANDRIA, LA MSA	2165	0.1 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2187	0.1 %	0.2%
280	ALTOONA, PA MSA	1815	0.1 %	0.1%
320	AMARILLO, TX MSA	308	0.0 %	0.0%
380	ANCHORAGE, AK MSA	2299	0.1 %	0.2%
440	ANN ARBOR, MI PMSA	2372	0.1 %	0.2%
450	ANNISTON, AL MSA	562	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	784	0.0 %	0.1%
480	ASHEVILLE, NC MSA	3190	0.2 %	0.2%
500	ATHENS, GA MSA	990	0.1 %	0.1%
520	ATLANTA, GA MSA	4413	0.3 %	0.3%
560	ATLANTIC-CAPE MAY, NJ PMSA	3172	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
580	AUBURN-OPELIKA, AL MSA	594	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	1438	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	3249	0.2 %	0.3%
680	BAKERSFIELD, CA MSA	3283	0.2 %	0.3%
720	BALTIMORE, MD PMSA	32794	1.9 %	2.5%
743	BARNSTABLE-YARMOUTH, MA NECMA	4117	0.2 %	0.3%
760	BATON ROUGE, LA MSA	2588	0.2 %	0.2%
840	BEAUMONT-PORT ARTHUR, TX MSA	814	0.0 %	0.1%
860	BELLINGHAM, WA MSA	2366	0.1 %	0.2%
870	BENTON HARBOR, MI MSA	2593	0.2 %	0.2%
875	BERGEN-PASSAIC, NJ PMSA	7795	0.5 %	0.6%
880	BILLINGS, MT MSA	1182	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	384	0.0 %	0.0%
960	BINGHAMTON, NY MSA	4178	0.2 %	0.3%
1000	BIRMINGHAM, AL MSA	7189	0.4 %	0.6%
1040	BLOOMINGTON-NORMAL, IL MSA	355	0.0 %	0.0%
1080	BOISE CITY, ID MSA	2092	0.1 %	0.2%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	62110	3.6 %	4.8%
1145	BRAZORIA, TX PMSA	1349	0.1 %	0.1%
1150	BREMERTON, WA PMSA	2270	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	449	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	277	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	22402	1.3 %	1.7%
1303	BURLINGTON, VT NECMA	2228	0.1 %	0.2%
1320	CANTON-MASSILLON, OH MSA	2695	0.2 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2044	0.1 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	1189	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4061	0.2 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	11083	0.7 %	0.9%
1560	CHATTANOOGA, TN-GA MSA	1868	0.1 %	0.1%
1600	CHICAGO, IL PMSA	21020	1.2 %	1.6%
1620	CHICO-PARADISE, CA MSA	857	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	8225	0.5 %	0.6%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	1024	0.1 %	0.1%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	19455	1.1 %	1.5%
1720	COLORADO SPRINGS, CO MSA	84	0.0 %	0.0%
1740	COLUMBIA, MO MSA	1313	0.1 %	0.1%
1760	COLUMBIA, SC MSA	3399	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1800	COLUMBUS, GA-AL MSA	562	0.0 %	0.0%
1840	COLUMBUS, OH MSA	13125	0.8 %	1.0%
1880	CORPUS CHRISTI, TX MSA	1420	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1209	0.1 %	0.1%
1920	DALLAS, TX PMSA	4031	0.2 %	0.3%
1950	DANVILLE, VA MSA	372	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4154	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	7939	0.5 %	0.6%
2020	DAYTONA BEACH, FL MSA	2618	0.2 %	0.2%
2030	DECATUR, AL MSA	342	0.0 %	0.0%
2040	DECATUR, IL MSA	750	0.0 %	0.1%
2080	DENVER, CO PMSA	656	0.0 %	0.1%
2120	DES MOINES, IA MSA	4147	0.2 %	0.3%
2160	DETROIT, MI PMSA	37594	2.2 %	2.9%
2180	DOTHAN, AL MSA	732	0.0 %	0.1%
2190	DOVER, DE MSA	651	0.0 %	0.1%
2240	DULUTH-SUPERIOR, MN-WI MSA	2005	0.1 %	0.2%
2281	DUTCHESS COUNTY, NY PMSA	6221	0.4 %	0.5%
2290	EAU CLAIRE, WI MSA	665	0.0 %	0.1%
2320	EL PASO, TX MSA	2200	0.1 %	0.2%
2360	ERIE, PA MSA	1338	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	5323	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	81	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	406	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1619	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	683	0.0 %	0.1%
2640	FLINT, MI PMSA	3916	0.2 %	0.3%
2650	FLORENCE, AL MSA	531	0.0 %	0.0%
2655	FLORENCE, SC MSA	986	0.1 %	0.1%
2680	FORT LAUDERDALE, FL PMSA	5266	0.3 %	0.4%
2700	FORT MYERS-CAPE CORAL, FL MSA	2049	0.1 %	0.2%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	1940	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	603	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	835	0.0 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	2692	0.2 %	0.2%
2840	FRESNO, CA MSA	5755	0.3 %	0.4%
2880	GADSDEN, AL MSA	1161	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1001	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	645	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2975	GLENS FALLS, NY MSA	824	0.0 %	0.1%
2980	GOLDSBORO, NC MSA	590	0.0 %	0.0%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	14511	0.9 %	1.1%
3060	GREELEY, CO PMSA	448	0.0 %	0.0%
3080	GREEN BAY, WI MSA	159	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6422	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2470	0.1 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	6743	0.4 %	0.5%
3180	HAGERSTOWN, MD PMSA	1080	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1652	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3413	0.2 %	0.3%
3283	HARTFORD, CT NECMA	24001	1.4 %	1.8%
3285	HATTIESBURG, MS MSA	203	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1628	0.1 %	0.1%
3320	HONOLULU, HI MSA	4294	0.3 %	0.3%
3350	HOUMA, LA MSA	1245	0.1 %	0.1%
3360	HOUSTON, TX PMSA	4918	0.3 %	0.4%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	837	0.0 %	0.1%
3440	HUNTSVILLE, AL MSA	804	0.0 %	0.1%
3480	INDIANAPOLIS, IN MSA	1246	0.1 %	0.1%
3500	IOWA CITY, IA MSA	1634	0.1 %	0.1%
3520	JACKSON, MI MSA	1448	0.1 %	0.1%
3560	JACKSON, MS MSA	1467	0.1 %	0.1%
3580	JACKSON, TN MSA	1024	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	7343	0.4 %	0.6%
3605	JACKSONVILLE, NC MSA	1114	0.1 %	0.1%
3610	JAMESTOWN, NY MSA	1372	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	906	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	5612	0.3 %	0.4%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	346	0.0 %	0.0%
3680	JOHNSTOWN, PA MSA	714	0.0 %	0.1%
3710	JOPLIN, MO MSA	1549	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	4621	0.3 %	0.4%
3740	KANKAKEE, IL PMSA	384	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	9673	0.6 %	0.7%
3800	KENOSHA, WI PMSA	384	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	175	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3840	KNOXVILLE, TN MSA	2946	0.2 %	0.2%
3870	LA CROSSE, WI-MN MSA	328	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	473	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	913	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	1361	0.1 %	0.1%
4000	LANCASTER, PA MSA	1655	0.1 %	0.1%
4040	LANSING-EAST LANSING, MI MSA	3092	0.2 %	0.2%
4080	LAREDO, TX MSA	290	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	967	0.1 %	0.1%
4120	LAS VEGAS, NV-AZ MSA	5367	0.3 %	0.4%
4200	LAWTON, OK MSA	508	0.0 %	0.0%
4280	LEXINGTON, KY MSA	666	0.0 %	0.1%
4320	LIMA, OH MSA	659	0.0 %	0.1%
4360	LINCOLN, NE MSA	1775	0.1 %	0.1%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	3381	0.2 %	0.3%
4420	LONGVIEW-MARSHALL, TX MSA	180	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	42833	2.5 %	3.3%
4520	LOUISVILLE, KY-IN MSA	2069	0.1 %	0.2%
4600	LUBBOCK, TX MSA	1094	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	8	0.0 %	0.0%
4680	MACON, GA MSA	723	0.0 %	0.1%
4720	MADISON, WI MSA	58	0.0 %	0.0%
4800	MANSFIELD, OH MSA	1234	0.1 %	0.1%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	705	0.0 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	3244	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	1158	0.1 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2518	0.1 %	0.2%
4940	MERCED, CA MSA	789	0.0 %	0.1%
5000	MIAMI, FL PMSA	6940	0.4 %	0.5%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	4934	0.3 %	0.4%
5080	MILWAUKEE-WAUKESHA, WI PMSA	1178	0.1 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	27701	1.6 %	2.1%
5160	MOBILE, AL MSA	1615	0.1 %	0.1%
5170	MODESTO, CA MSA	1496	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	7929	0.5 %	0.6%
5200	MONROE, LA MSA	1435	0.1 %	0.1%
5240	MONTGOMERY, AL MSA	1806	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	853	0.1 %	0.1%
5345	NAPLES, FL MSA	800	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5360	NASHVILLE, TN MSA	2761	0.2 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	33858	2.0 %	2.6%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	18422	1.1 %	1.4%
5523	NEW LONDON-NORWICH, CT NECMA	4895	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	3889	0.2 %	0.3%
5600	NEW YORK, NY PMSA	131330	7.7 %	10.1%
5640	NEWARK, NJ PMSA	17036	1.0 %	1.3%
5660	NEWBURGH, NY-PA PMSA	4488	0.3 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	5092	0.3 %	0.4%
5775	OAKLAND, CA PMSA	12999	0.8 %	1.0%
5790	OCALA, FL MSA	437	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	341	0.0 %	0.0%
5880	OKLAHOMA CITY, OK MSA	5023	0.3 %	0.4%
5910	OLYMPIA, WA PMSA	1758	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	4134	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	11450	0.7 %	0.9%
5960	ORLANDO, FL MSA	5106	0.3 %	0.4%
6015	PANAMA CITY, FL MSA	906	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	56	0.0 %	0.0%
6080	PENSACOLA, FL MSA	2038	0.1 %	0.2%
6120	PEORIA-PEKIN, IL MSA	1237	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	23783	1.4 %	1.8%
6280	PITTSBURGH, PA MSA	5844	0.3 %	0.4%
6403	PORTLAND, ME NECMA	3331	0.2 %	0.3%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	21018	1.2 %	1.6%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	10707	0.6 %	0.8%
6520	PROVO-OREM, UT MSA	142	0.0 %	0.0%
6580	PUNTA GORDA, FL MSA	338	0.0 %	0.0%
6600	RACINE, WI PMSA	648	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5249	0.3 %	0.4%
6680	READING, PA MSA	2224	0.1 %	0.2%
6690	REDDING, CA MSA	1118	0.1 %	0.1%
6720	RENO, NV MSA	1568	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1290	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	8	0.0 %	0.0%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	11282	0.7 %	0.9%
6820	ROCHESTER, MN MSA	889	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6840	ROCHESTER, NY MSA	16468	1.0 %	1.3%
6880	ROCKFORD, IL MSA	1651	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	770	0.0 %	0.1%
6920	SACRAMENTO, CA PMSA	5949	0.3 %	0.5%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	3124	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	1230	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	1026	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	11655	0.7 %	0.9%
7080	SALEM, OR PMSA	5065	0.3 %	0.4%
7120	SALINAS, CA MSA	1178	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	9548	0.6 %	0.7%
7200	SAN ANGELO, TX MSA	154	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	1802	0.1 %	0.1%
7320	SAN DIEGO, CA MSA	13943	0.8 %	1.1%
7360	SAN FRANCISCO, CA PMSA	12220	0.7 %	0.9%
7400	SAN JOSE, CA PMSA	6533	0.4 %	0.5%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	680	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2319	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1601	0.1 %	0.1%
7490	SANTA FE, NM MSA	478	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	5275	0.3 %	0.4%
7510	SARASOTA-BRADENTON, FL MSA	1328	0.1 %	0.1%
7520	SAVANNAH, GA MSA	582	0.0 %	0.0%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	2937	0.2 %	0.2%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	14636	0.9 %	1.1%
7610	SHARON, PA MSA	720	0.0 %	0.1%
7620	SHEBOYGAN, WI MSA	458	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1594	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1598	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2633	0.2 %	0.2%
7840	SPOKANE, WA MSA	4798	0.3 %	0.4%
7880	SPRINGFIELD, IL MSA	1011	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	2164	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	5172	0.3 %	0.4%
8050	STATE COLLEGE, PA MSA	359	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	494	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2481	0.1 %	0.2%
8140	SUMTER, SC MSA	869	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8160	SYRACUSE, NY MSA	11057	0.6 %	0.9%
8200	TACOMA, WA PMSA	6063	0.4 %	0.5%
8240	TALLAHASSEE, FL MSA	1358	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	9610	0.6 %	0.7%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	95	0.0 %	0.0%
8400	TOLEDO, OH MSA	4734	0.3 %	0.4%
8440	TOPEKA, KS MSA	1811	0.1 %	0.1%
8480	TRENTON, NJ PMSA	1917	0.1 %	0.1%
8560	TULSA, OK MSA	2738	0.2 %	0.2%
8600	TUSCALOOSA, AL MSA	1112	0.1 %	0.1%
8640	TYLER, TX MSA	71	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4048	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1562	0.1 %	0.1%
8735	VENTURA, CA PMSA	2100	0.1 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2283	0.1 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1625	0.1 %	0.1%
8800	WACO, TX MSA	588	0.0 %	0.0%
8840	WASHINGTON, DC-MD-VA-WV PMSA	19820	1.2 %	1.5%
8920	WATERLOO-CEDAR FALLS, IA MSA	1866	0.1 %	0.1%
8940	WAUSAU, WI MSA	762	0.0 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	5484	0.3 %	0.4%
9000	WHEELING, WV-OH MSA	788	0.0 %	0.1%
9040	WICHITA, KS MSA	4626	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	189	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	460	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	5101	0.3 %	0.4%
9200	WILMINGTON, NC MSA	1125	0.1 %	0.1%
9260	YAKIMA, WA MSA	5473	0.3 %	0.4%
9270	YOLO, CA PMSA	1506	0.1 %	0.1%
9280	YORK, PA MSA	825	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	5520	0.3 %	0.4%
9340	YUBA CITY, CA MSA	658	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	405749	23.8 %	-

Based upon 1298857 valid cases out of 1704606 total cases.

REGION	CENSUS REGION
--------	---------------

Location: 48-49 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST	551567	32.4 %	32.4%
2	MIDWEST	394941	23.2 %	23.2%
3	SOUTH	358595	21.0 %	21.0%
4	WEST	399503	23.4 %	23.4%

Based upon 1704606 valid cases out of 1704606 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEW ENGLAND	157138	9.2 %	9.2%
2	MID-ATLANTIC	394429	23.1 %	23.1%
3	EAST NORTH CENTRAL	257225	15.1 %	15.1%
4	WEST NORTH CENTRAL	137716	8.1 %	8.1%
5	SOUTH ATLANTIC	226414	13.3 %	13.3%
6	EAST SOUTH CENTRAL	55490	3.3 %	3.3%
7	WEST SOUTH CENTRAL	76691	4.5 %	4.5%
8	MOUNTAIN	126641	7.4 %	7.4%
9	PACIFIC	272862	16.0 %	16.0%

Based upon 1704606 valid cases out of 1704606 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT: 24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:
As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY - NON-INTENSIVE OUTPATIENT:
Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY - DETOXIFICATION:
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	73253	4.3 %	4.3%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	299898	17.6 %	17.6%
3	REHAB/RES, HOSPITAL (NON-DETOX)	15486	0.9 %	0.9%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	141542	8.3 %	8.3%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	134158	7.9 %	7.9%
6	AMBULATORY, INTENSIVE OUTPATIENT	162372	9.5 %	9.5%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	825784	48.4 %	48.5%
8	AMBULATORY, DETOXIFICATION	51838	3.0 %	3.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	275	0.0 %	-

Based upon 1704331 valid cases out of 1704606 total cases.

Location: 54-55 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	102558	6.0 %	6.4%
2	NO	1506059	88.4 %	93.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	95989	5.6 %	-

Based upon 1608617 valid cases out of 1704606 total cases.

DAYWAIT DAYS WAITING TO ENTER TREATMENT

Location: 56-58 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 350893 valid cases out of 1704606 total cases.

- Mean: 32.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 166.36

PSOURCE PRINCIPAL SOURCE OF REFERRAL

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would

not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	556585	32.7 %	34.4%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	204827	12.0 %	12.7%
3	OTHER HEALTH CARE PROVIDER	121460	7.1 %	7.5%
4	SCHOOL (EDUCATIONAL)	19125	1.1 %	1.2%
5	EMPLOYER/EAP	19915	1.2 %	1.2%
6	OTHER COMMUNITY REFERRAL	142868	8.4 %	8.8%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	551597	32.4 %	34.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	88229	5.2 %	-

Based upon 1616377 valid cases out of 1704606 total cases.

DETCRIM DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	58274	3.4 %	19.2%
3	PROBATION/PAROLE	128003	7.5 %	42.3%
5	DIVERSIONARY PROGRAM	6623	0.4 %	2.2%
6	PRISON	10975	0.6 %	3.6%
7	DUI/DWI	45168	2.6 %	14.9%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	53920	3.2 %	17.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1401643	82.2 %	-

Based upon 302963 valid cases out of 1704606 total cases.

NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes

in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	566383	33.2 %	41.3%
1	1 PRIOR TREATMENT EPISODES	315205	18.5 %	23.0%
2	2 PRIOR TREATMENT EPISODES	170030	10.0 %	12.4%
3	3 PRIOR TREATMENT EPISODES	96048	5.6 %	7.0%
4	4 PRIOR TREATMENT EPISODES	55344	3.2 %	4.0%
5	5 OR MORE PRIOR TREATMENT EPISODES	166893	9.8 %	12.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	334703	19.6 %	-

Based upon 1369903 valid cases out of 1704606 total cases.

SUB1

SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	15681	0.9 %	0.9%
2	ALCOHOL	826853	48.5 %	49.4%
3	COCAINE/CRACK	253839	14.9 %	15.2%
4	MARIJUANA/HASHISH	219429	12.9 %	13.1%
5	HEROIN	246788	14.5 %	14.7%
6	NON-PRESCRIPTION METHADONE	1570	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	18300	1.1 %	1.1%
8	PCP	1839	0.1 %	0.1%
9	OTHER HALLUCINOGENS	2367	0.1 %	0.1%
10	METHAMPHETAMINE	56411	3.3 %	3.4%
11	OTHER AMPHETAMINES	13990	0.8 %	0.8%
12	OTHER STIMULANTS	822	0.0 %	0.0%
13	BENZODIAZEPINES	4507	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	838	0.0 %	0.1%
15	BARBITURATES	1229	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2221	0.1 %	0.1%
17	INHALANTS	1563	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	482	0.0 %	0.0%
20	OTHER	6206	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29671	1.7 %	-

Based upon 1674935 valid cases out of 1704606 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	834544	49.0 %	52.7%
2	SMOKING	428141	25.1 %	27.0%
3	INHALATION	133035	7.8 %	8.4%
4	INJECTION (IV OR INTRAMUSCULAR)	182814	10.7 %	11.5%
20	OTHER	6272	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	119800	7.0 %	-

Based upon 1584806 valid cases out of 1704606 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	367220	21.5 %	23.4%
2	1-3 TIMES IN THE PAST MONTH	171014	10.0 %	10.9%
3	1-2 TIMES IN THE PAST WEEK	145808	8.6 %	9.3%
4	3-6 TIMES IN THE PAST WEEK	188574	11.1 %	12.0%
5	DAILY	695822	40.8 %	44.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	136168	8.0 %	-

Based upon 1568438 valid cases out of 1704606 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	143187	8.4 %	8.9%
2	12-14	364540	21.4 %	22.7%
3	15-17	450979	26.5 %	28.1%
4	18-20	260992	15.3 %	16.3%
5	21-24	143613	8.4 %	8.9%
6	25-29	112445	6.6 %	7.0%
7	30-34	65661	3.9 %	4.1%
8	35-39	36589	2.1 %	2.3%
9	40-44	16809	1.0 %	1.0%
10	45-49	6476	0.4 %	0.4%
11	50-54	2492	0.1 %	0.2%
12	55 AND OVER	1689	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	99134	5.8 %	-

Based upon 1605472 valid cases out of 1704606 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	543890	31.9 %	37.0%
2	ALCOHOL	292017	17.1 %	19.9%
3	COCAINE/CRACK	249186	14.6 %	17.0%
4	MARIJUANA/HASHISH	260580	15.3 %	17.7%
5	HEROIN	33759	2.0 %	2.3%
6	NON-PRESCRIPTION METHADONE	2770	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	12821	0.8 %	0.9%
8	PCP	2196	0.1 %	0.1%
9	OTHER HALLUCINOGENS	6330	0.4 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	METHAMPHETAMINE	27927	1.6 %	1.9%
11	OTHER AMPHETAMINES	9760	0.6 %	0.7%
12	OTHER STIMULANTS	2473	0.1 %	0.2%
13	BENZODIAZEPINES	10026	0.6 %	0.7%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2282	0.1 %	0.2%
15	BARBITURATES	1977	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3698	0.2 %	0.3%
17	INHALANTS	1351	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	891	0.1 %	0.1%
20	OTHER	6172	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	234500	13.8 %	-

Based upon 1470106 valid cases out of 1704606 total cases.

ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	325069	19.1 %	37.0%
2	SMOKING	395989	23.2 %	45.1%
3	INHALATION	84653	5.0 %	9.6%
4	INJECTION (IV OR INTRAMUSCULAR)	67916	4.0 %	7.7%
20	OTHER	4008	0.2 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	826971	48.5 %	-

Based upon 877635 valid cases out of 1704606 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	326321	19.1 %	35.2%
2	1-3 TIMES IN THE PAST MONTH	133106	7.8 %	14.4%
3	1-2 TIMES IN THE PAST WEEK	110342	6.5 %	11.9%
4	3-6 TIMES IN THE PAST WEEK	100695	5.9 %	10.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	DAILY	256959	15.1 %	27.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	777183	45.6 %	-

Based upon 927423 valid cases out of 1704606 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	131501	7.7 %	13.9%
2	12-14	214873	12.6 %	22.7%
3	15-17	249615	14.6 %	26.4%
4	18-20	136078	8.0 %	14.4%
5	21-24	73799	4.3 %	7.8%
6	25-29	61687	3.6 %	6.5%
7	30-34	37733	2.2 %	4.0%
8	35-39	22982	1.3 %	2.4%
9	40-44	11198	0.7 %	1.2%
10	45-49	4369	0.3 %	0.5%
11	50-54	1512	0.1 %	0.2%
12	55 AND OVER	774	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	758485	44.5 %	-

Based upon 946121 valid cases out of 1704606 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN

- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	910837	53.4 %	71.2%
2	ALCOHOL	91017	5.3 %	7.1%
3	COCAINE/CRACK	77205	4.5 %	6.0%
4	MARIJUANA/HASHISH	109044	6.4 %	8.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	HEROIN	16257	1.0 %	1.3%
6	NON-PRESCRIPTION METHADONE	1737	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	7442	0.4 %	0.6%
8	PCP	2140	0.1 %	0.2%
9	OTHER HALLUCINOGENS	12490	0.7 %	1.0%
10	METHAMPHETAMINE	17195	1.0 %	1.3%
11	OTHER AMPHETAMINES	7450	0.4 %	0.6%
12	OTHER STIMULANTS	2046	0.1 %	0.2%
13	BENZODIAZEPINES	7962	0.5 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2123	0.1 %	0.2%
15	BARBITURATES	1880	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3041	0.2 %	0.2%
17	INHALANTS	1972	0.1 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	887	0.1 %	0.1%
20	OTHER	7057	0.4 %	0.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	424824	24.9 %	-

Based upon 1279782 valid cases out of 1704606 total cases.

ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	112971	6.6 %	36.4%
2	SMOKING	130328	7.6 %	42.0%
3	INHALATION	41973	2.5 %	13.5%
4	INJECTION (IV OR INTRAMUSCULAR)	21472	1.3 %	6.9%
20	OTHER	3213	0.2 %	1.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1394649	81.8 %	-

Based upon 309957 valid cases out of 1704606 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	218161	12.8 %	54.0%
2	1-3 TIMES IN THE PAST MONTH	51539	3.0 %	12.8%
3	1-2 TIMES IN THE PAST WEEK	37440	2.2 %	9.3%
4	3-6 TIMES IN THE PAST WEEK	28734	1.7 %	7.1%
5	DAILY	68129	4.0 %	16.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1300603	76.3 %	-

Based upon 404003 valid cases out of 1704606 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	124669	7.3 %	29.5%
2	12-14	83056	4.9 %	19.7%
3	15-17	96309	5.6 %	22.8%
4	18-20	49978	2.9 %	11.8%
5	21-24	25051	1.5 %	5.9%
6	25-29	19574	1.1 %	4.6%
7	30-34	11759	0.7 %	2.8%
8	35-39	6838	0.4 %	1.6%
9	40-44	3166	0.2 %	0.8%
10	45-49	1118	0.1 %	0.3%
11	50-54	372	0.0 %	0.1%
12	55 AND OVER	159	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1282557	75.2 %	-

Based upon 422049 valid cases out of 1704606 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	44244	2.6 %	2.6%
1	730787	42.9 %	42.9%
2	565097	33.2 %	33.2%

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	364478	21.4 %	21.4%

Based upon 1704606 valid cases out of 1704606 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1439076	84.4 %	86.7%
1	IDU REPORTED	221392	13.0 %	13.3%
-8 (M)	NO SUBSTANCES REPORTED	44138	2.6 %	-

Based upon 1660468 valid cases out of 1704606 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	496113	29.1 %	29.1%
1	SUBSTANCE REPORTED	1208493	70.9 %	70.9%

Based upon 1704606 valid cases out of 1704606 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1132659	66.4 %	66.4%
1	SUBSTANCE REPORTED	571947	33.6 %	33.6%

Based upon 1704606 valid cases out of 1704606 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1116045	65.5 %	65.5%
1	SUBSTANCE REPORTED	588561	34.5 %	34.5%

Based upon 1704606 valid cases out of 1704606 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1408072	82.6 %	82.6%
1	SUBSTANCE REPORTED	296534	17.4 %	17.4%

Based upon 1704606 valid cases out of 1704606 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1698530	99.6 %	99.6%
1	SUBSTANCE REPORTED	6076	0.4 %	0.4%

Based upon 1704606 valid cases out of 1704606 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1666256	97.8 %	97.8%
1	SUBSTANCE REPORTED	38350	2.2 %	2.2%

Based upon 1704606 valid cases out of 1704606 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1698437	99.6 %	99.6%
1	SUBSTANCE REPORTED	6169	0.4 %	0.4%

Based upon 1704606 valid cases out of 1704606 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1683456	98.8 %	98.8%
1	SUBSTANCE REPORTED	21150	1.2 %	1.2%

Based upon 1704606 valid cases out of 1704606 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1603120	94.0 %	94.0%
1	SUBSTANCE REPORTED	101486	6.0 %	6.0%

Based upon 1704606 valid cases out of 1704606 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1673479	98.2 %	98.2%
1	SUBSTANCE REPORTED	31127	1.8 %	1.8%

Based upon 1704606 valid cases out of 1704606 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1699276	99.7 %	99.7%
1	SUBSTANCE REPORTED	5330	0.3 %	0.3%

Based upon 1704606 valid cases out of 1704606 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1682196	98.7 %	98.7%
1	SUBSTANCE REPORTED	22410	1.3 %	1.3%

Based upon 1704606 valid cases out of 1704606 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1699367	99.7 %	99.7%
1	SUBSTANCE REPORTED	5239	0.3 %	0.3%

Based upon 1704606 valid cases out of 1704606 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1699525	99.7 %	99.7%
1	SUBSTANCE REPORTED	5081	0.3 %	0.3%

Based upon 1704606 valid cases out of 1704606 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1695649	99.5 %	99.5%
1	SUBSTANCE REPORTED	8957	0.5 %	0.5%

Based upon 1704606 valid cases out of 1704606 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1699729	99.7 %	99.7%
1	SUBSTANCE REPORTED	4877	0.3 %	0.3%

Based upon 1704606 valid cases out of 1704606 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1702348	99.9 %	99.9%
1	SUBSTANCE REPORTED	2258	0.1 %	0.1%

Based upon 1704606 valid cases out of 1704606 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1685252	98.9 %	98.9%
1	SUBSTANCE REPORTED	19354	1.1 %	1.1%

Based upon 1704606 valid cases out of 1704606 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	44244	2.6 %	2.6%
1	ALCOHOL ONLY	461965	27.1 %	27.1%
2	OTHER DRUGS ONLY	451869	26.5 %	26.5%
3	ALCOHOL AND OTHER DRUGS	746528	43.8 %	43.8%

Based upon 1704606 valid cases out of 1704606 total cases.

DSMCRIT

DSM DIAGNOSIS

Location:

113-114 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	10157	0.6 %	2.1%
1	ALCOHOL-INDUCED DISORDER	5047	0.3 %	1.1%
2	SUBSTANCE-INDUCED DISORDER	3925	0.2 %	0.8%
3	ALCOHOL INTOXICATION	28104	1.6 %	5.9%
4	ALCOHOL DEPENDENCE	133545	7.8 %	28.0%
5	OPIOID DEPENDENCE	59762	3.5 %	12.5%
6	COCAINE DEPENDENCE	62177	3.6 %	13.0%
7	CANNABIS DEPENDENCE	33213	1.9 %	7.0%
8	OTHER SUBSTANCE DEPENDENCE	24596	1.4 %	5.2%
9	ALCOHOL ABUSE	54831	3.2 %	11.5%
10	CANNABIS ABUSE	23675	1.4 %	5.0%
11	OTHER SUBSTANCE ABUSE	2963	0.2 %	0.6%
12	OPIOID ABUSE	901	0.1 %	0.2%
13	COCAINE ABUSE	7496	0.4 %	1.6%
14	ANXIETY DISORDERS	1154	0.1 %	0.2%
15	DEPRESSIVE DISORDERS	4107	0.2 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	1918	0.1 %	0.4%
17	BIPOLAR DISORDERS	1462	0.1 %	0.3%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	620	0.0 %	0.1%
19	OTHER MENTAL HEALTH CONDITION	3103	0.2 %	0.7%
20	OTHER CONDITION	14194	0.8 %	3.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1227656	72.0 %	-

Based upon 476950 valid cases out of 1704606 total cases.

PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	181170	10.6 %	17.6%
2	NO	850626	49.9 %	82.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	672810	39.5 %	-

Based upon 1031796 valid cases out of 1704606 total cases.

HLTHINS HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	113491	6.7 %	13.8%
2	MEDICAID	94226	5.5 %	11.5%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	82002	4.8 %	10.0%
4	NONE	531312	31.2 %	64.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	883575	51.8 %	-

Based upon 821031 valid cases out of 1704606 total cases.

PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	168593	9.9 %	31.4%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	44242	2.6 %	8.2%
3	MEDICARE, WORKER'S COMPENSATION	5433	0.3 %	1.0%
4	MEDICAID	57346	3.4 %	10.7%
5	OTHER GOVERNMENT PAYMENTS	136086	8.0 %	25.3%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	64731	3.8 %	12.1%
9	OTHER	60471	3.5 %	11.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1167704	68.5 %	-

Based upon 536902 valid cases out of 1704606 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (54.7%) 2 Now Married (17.9%) 3 Separated (7.5%) 4 Divorced (18.2%) 5 Widowed (1.6%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFL Detailed 'Not in Labor' Force	1 Homemaker (4.6%) 2 Student (25.6%) 3 Retired (2.7%) 4 Disabled (22.2%) 5 Inmate of Institution (8.1%) 6 Other (36.8%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary (37.2%) 2 Public Assistance (12.4%) 3 Retirement/Pension (<1%) 4 Disability (3.6%) 20 Other (21.6%) 21 None (24.4%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court (17.3%) 2 Other Court (1.9%) 3 Probation/Parole (42.2%) 4 Other Recognized Legal Entity (11.4%) 5 Diversionary Program (2.2%) 6 Prison (3.6%) 7 DUI/DWI (14.9%) 8 Other (6.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.8%) 2 Blue Cross / Blue Shield (BC/BS) (3.1%) 3 Medicare (1.7%) 4 Medicaid (11.5%) 6 Health Maintenance Organization (HMO) (4.0%) 20 Other (e.g. TriCare, Champus) (8.3%) 21 None (64.7%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (31.4%) 2 Blue Cross / Blue Shield (2.1%) 3 Medicare (<1%) 4 Medicaid (10.7%) 5 Other Government Payments (25.3%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.2%) 8 No charge (Free, Charity, Special Research or Teaching) (12.1%) 9 Other (11.3%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1998																						
"Y" = Collected, "-" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia and Puerto Rico did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	

Items collected/not-collected by State: TEDS Minimum Data Set 1998

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia and Puerto Rico did not report any data;
Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone	
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use			
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1998												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia and Puerto Rico did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	Y	--	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
ARKANSAS	--	--	--	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	Y	--	--	Y	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
MARYLAND	--	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 1998

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia and Puerto Rico did not report any data;
Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	Y
UTAH	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	--	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y