



Treatment Episode Data Set -- Admissions (TEDS-A), 1999

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1999

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1999. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1999 that were received and processed through April 11, 2005.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 50 states plus the District of Columbia. Puerto Rico did not report usable data in 1999.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional

commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1999 are as follows:

Filename: da03314-0001.txt

Number of observations: 1,715,336

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS) 1994-1999*. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Administration System Series: S-14. DHHS Publication No. (SMA) 01-3550. Rockville, MD, Office of Applied Studies, SAMHSA, 2001.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1999

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1999

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	15
EMPLOY	EMPLOYMENT STATUS	15
DETDLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	17
LIVARRAG	LIVING ARRANGEMENT	17

Variables within this Variable Group		
Variable	Variable Label	Page
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	20
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	36
DIVISION	CENSUS DIVISION	36

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

Variables within this Variable Group		
Variable	Variable Label	Page
SERVSETA	SERVICE SETTING AT ADMISSION	38
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	39
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	39

REFERRAL SOURCES

REFERRAL SOURCES

Variables within this Variable Group		
Variable	Variable Label	Page
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	40
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

Variables within this Variable Group		
Variable	Variable Label	Page
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	42

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

Variables within this Variable Group		
Variable	Variable Label	Page
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	42
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
FREQ1	FREQUENCY OF USE (PRIMARY)	44
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	45
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47
FREQ2	FREQUENCY OF USE (SECONDARY)	48
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	48
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
FREQ3	FREQUENCY OF USE (TERTIARY)	51
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	51
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	52
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	52
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	53
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	53
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
PCPFLG	PCP REPORTED AT ADM.	54
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	54
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	54
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	55
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
BARBFLG	BARBITURATES REPORTED AT ADM.	55
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
OTHERFLG	OTHER DRUG REPORTED AT ADM.	56
ALCDRUG	SUBSTANCE ABUSE TYPE	57

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

Variables within this Variable Group		
Variable	Variable Label	Page
HLTHINS	HEALTH INSURANCE	58
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	58

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 1715336 valid cases out of 1715336 total cases.

YEAR	YEAR OF ADMISSION
------	-------------------

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%	Valid %
1999	-	1715336	100.0 %	100.0%

Based upon 1715336 valid cases out of 1715336 total cases.

AGE	AGE (RECODED)
-----	---------------

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%	Valid %
2	12-14	25608	1.5 %	1.5%
3	15-17	111988	6.5 %	6.5%
4	18-20	108928	6.4 %	6.4%
5	21-24	149280	8.7 %	8.7%
6	25-29	213835	12.5 %	12.5%
7	30-34	274559	16.0 %	16.0%
8	35-39	314697	18.3 %	18.3%
9	40-44	244952	14.3 %	14.3%
10	45-49	144957	8.5 %	8.5%
11	50-54	68581	4.0 %	4.0%
12	55 AND OVER	57951	3.4 %	3.4%

Based upon 1715336 valid cases out of 1715336 total cases.

GENDER	SEX																				
Location:	15-16 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-9																				
Question:	Identifies client's gender.																				
	<table><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th><th>Valid %</th></tr><tr><td>1</td><td>MALE</td><td>1208724</td><td>70.5 %</td><td>70.5%</td></tr><tr><td>2</td><td>FEMALE</td><td>504806</td><td>29.4 %</td><td>29.5%</td></tr><tr><td>-9 (M)</td><td>MISSING/UNKNOWN/NOT COLLECTED/INVALID</td><td>1806</td><td>0.1 %</td><td></td></tr></table>	Value	Label	Unweighted Frequency	%	Valid %	1	MALE	1208724	70.5 %	70.5%	2	FEMALE	504806	29.4 %	29.5%	-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1806	0.1 %	
Value	Label	Unweighted Frequency	%	Valid %																	
1	MALE	1208724	70.5 %	70.5%																	
2	FEMALE	504806	29.4 %	29.5%																	
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1806	0.1 %																		

Based upon 1713530 valid cases out of 1715336 total cases.

RACE	RACE
Location:	17-18 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Specifies the client's race:
	<ul style="list-style-type: none"> - ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska. - AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment. - ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands. - BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa. - WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East. - ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam. - OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8626	0.5 %	0.5%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	35823	2.1 %	2.1%
3	ASIAN OR PACIFIC ISLANDER	14289	0.8 %	0.8%
4	BLACK OR AFRICAN AMERICAN	419249	24.4 %	24.8%
5	WHITE	1037323	60.5 %	61.3%
13	ASIAN	447	0.0 %	0.0%
20	OTHER SINGLE RACE	176650	10.3 %	10.4%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	264	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	22665	1.3 %	-

Based upon 1692671 valid cases out of 1715336 total cases.

ETHNIC

ETHNICITY (HISPANIC ORIGIN)

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of

race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	77122	4.5 %	4.8%
2	MEXICAN	82180	4.8 %	5.1%
3	CUBAN	4571	0.3 %	0.3%
4	OTHER SPECIFIC HISPANIC	43657	2.5 %	2.7%
5	NOT OF HISPANIC ORIGIN	1411827	82.3 %	87.1%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	1457	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	94522	5.5 %	-

Based upon 1620814 valid cases out of 1715336 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	721049	42.0 %	55.3%
2	NOW MARRIED	230291	13.4 %	17.7%
3	SEPARATED	93803	5.5 %	7.2%
4	DIVORCED, WIDOWED	258457	15.1 %	19.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	411736	24.0 %	-

Based upon 1303600 valid cases out of 1715336 total cases.

EDUC	EDUCATION
------	-----------

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	156576	9.1 %	9.4%
2	9-11	518273	30.2 %	31.2%
3	12	672011	39.2 %	40.4%
4	13-15	249632	14.6 %	15.0%
5	16 OR MORE	67287	3.9 %	4.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	51557	3.0 %	-

Based upon 1663779 valid cases out of 1715336 total cases.

EMPLOY	EMPLOYMENT STATUS
--------	-------------------

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETDLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example,

if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	419410	24.5 %	25.6%
2	PART TIME	114604	6.7 %	7.0%
3	UNEMPLOYED	383106	22.3 %	23.4%
4	NOT IN LABOR FORCE	719197	41.9 %	44.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	79019	4.6 %	-

Based upon 1636317 valid cases out of 1715336 total cases.

DET NFL DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	11344	0.7 %	4.0%
2	STUDENT	70663	4.1 %	24.7%
3	RETIRED, DISABLED	65925	3.8 %	23.1%
5	INMATE OF INSTITUTION	26493	1.5 %	9.3%
6	OTHER	111208	6.5 %	38.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1429703	83.3 %	-

Based upon 285633 valid cases out of 1715336 total cases.

PREG PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17240	1.0 %	3.9%
2	NO	429274	25.0 %	96.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1268822	74.0 %	-

Based upon 446514 valid cases out of 1715336 total cases.

VET	VETERAN STATUS
-----	----------------

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%	Valid %
1	YES	69334	4.0 %	7.1%
2	NO	906977	52.9 %	92.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	739025	43.1 %	-

Based upon 976311 valid cases out of 1715336 total cases.

LIVARAG	LIVING ARRANGEMENT
---------	--------------------

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	154016	9.0 %	11.6%
2	DEPENDENT LIVING	303526	17.7 %	22.8%
3	INDEPENDENT LIVING	873963	50.9 %	65.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	383831	22.4 %	-

Based upon 1331505 valid cases out of 1715336 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	338278	19.7 %	37.3%
2	PUBLIC ASSISTANCE	94086	5.5 %	10.4%
3	RETIREMENT/PENSION, DISABILITY	43187	2.5 %	4.8%
20	OTHER	194233	11.3 %	21.4%
21	NONE	237209	13.8 %	26.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	808343	47.1 %	-

Based upon 906993 valid cases out of 1715336 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	19121	1.1 %	1.1%
2	ALASKA	6498	0.4 %	0.4%
4	ARIZONA	13530	0.8 %	0.8%
5	ARKANSAS	13735	0.8 %	0.8%
6	CALIFORNIA	181289	10.6 %	10.6%
8	COLORADO	59000	3.4 %	3.4%
9	CONNECTICUT	50062	2.9 %	2.9%
10	DELAWARE	7009	0.4 %	0.4%
11	DIST OF COLUMBIA	6049	0.4 %	0.4%
12	FLORIDA	83852	4.9 %	4.9%
13	GEORGIA	18870	1.1 %	1.1%
15	HAWAII	5786	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	IDAHO	9793	0.6 %	0.6%
17	ILLINOIS	41763	2.4 %	2.4%
18	INDIANA	26011	1.5 %	1.5%
19	IOWA	26374	1.5 %	1.5%
20	KANSAS	12985	0.8 %	0.8%
21	KENTUCKY	16107	0.9 %	0.9%
22	LOUISIANA	13134	0.8 %	0.8%
23	MAINE	9339	0.5 %	0.5%
24	MARYLAND	56207	3.3 %	3.3%
25	MASSACHUSETTS	71864	4.2 %	4.2%
26	MICHIGAN	57893	3.4 %	3.4%
27	MINNESOTA	40998	2.4 %	2.4%
28	MISSISSIPPI	8812	0.5 %	0.5%
29	MISSOURI	41760	2.4 %	2.4%
30	MONTANA	6587	0.4 %	0.4%
31	NEBRASKA	7187	0.4 %	0.4%
32	NEVADA	10488	0.6 %	0.6%
33	NEW HAMPSHIRE	5697	0.3 %	0.3%
34	NEW JERSEY	53680	3.1 %	3.1%
35	NEW MEXICO	6589	0.4 %	0.4%
36	NEW YORK	285720	16.7 %	16.7%
37	NORTH CAROLINA	32474	1.9 %	1.9%
38	NORTH DAKOTA	2113	0.1 %	0.1%
39	OHIO	67318	3.9 %	3.9%
40	OKLAHOMA	12160	0.7 %	0.7%
41	OREGON	49784	2.9 %	2.9%
42	PENNSYLVANIA	54398	3.2 %	3.2%
44	RHODE ISLAND	12288	0.7 %	0.7%
45	SOUTH CAROLINA	30202	1.8 %	1.8%
46	SOUTH DAKOTA	9060	0.5 %	0.5%
47	TENNESSEE	7222	0.4 %	0.4%
48	TEXAS	34683	2.0 %	2.0%
49	UTAH	18280	1.1 %	1.1%
50	VERMONT	5908	0.3 %	0.3%
51	VIRGINIA	18314	1.1 %	1.1%
53	WASHINGTON	56283	3.3 %	3.3%
54	WEST VIRGINIA	10112	0.6 %	0.6%
55	WISCONSIN	16840	1.0 %	1.0%
56	WYOMING	4108	0.2 %	0.2%

Based upon 1715336 valid cases out of 1715336 total cases.

CBSA	FIPS 2000 CBSA CODE
------	---------------------

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%	Valid %
10180	ABILENE, TX METRO	1613	0.1 %	0.1%
10420	AKRON, OH METRO	5391	0.3 %	0.4%
10500	ALBANY, GA METRO	596	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	19401	1.1 %	1.5%
10740	ALBUQUERQUE, NM METRO	995	0.1 %	0.1%
10780	ALEXANDRIA, LA METRO	1233	0.1 %	0.1%
10880	ALLEGAN, MI MICRO	250	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	2790	0.2 %	0.2%
11020	ALTOONA, PA METRO	1707	0.1 %	0.1%
11100	AMARILLO, TX METRO	638	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	2003	0.1 %	0.2%
11300	ANDERSON, IN METRO	368	0.0 %	0.0%
11340	ANDERSON, SC METRO	1668	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	612	0.0 %	0.0%
11500	ANNISTON-OXFORD, AL METRO	580	0.0 %	0.0%
11540	APPLETON, WI METRO	396	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	2797	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	972	0.1 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	962	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	4558	0.3 %	0.4%
12100	ATLANTIC CITY, NJ METRO	1886	0.1 %	0.1%
12220	AUBURN-OPELIKA, AL METRO	646	0.0 %	0.1%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	1641	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	2942	0.2 %	0.2%
12540	BAKERSFIELD, CA METRO	3237	0.2 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	33474	2.0 %	2.6%
12700	BARNSTABLE TOWN, MA METRO	3877	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12940	BATON ROUGE, LA METRO	2189	0.1 %	0.2%
12980	BATTLE CREEK, MI METRO	446	0.0 %	0.0%
13020	BAY CITY, MI METRO	512	0.0 %	0.0%
13140	BEAUMONT-PORT ARTHUR, TX METRO	926	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	2396	0.1 %	0.2%
13740	BILLINGS, MT METRO	1190	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3900	0.2 %	0.3%
13820	BIRMINGHAM-HOOVER, AL METRO	6222	0.4 %	0.5%
14060	BLOOMINGTON-NORMAL, IL METRO	554	0.0 %	0.0%
14260	BOISE CITY-NAMPA, ID METRO	581	0.0 %	0.0%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	41195	2.4 %	3.2%
14500	BOULDER, CO METRO	209	0.0 %	0.0%
14740	BREMERTON-SILVERDALE, WA METRO	2183	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	10040	0.6 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	610	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	20625	1.2 %	1.6%
15500	BURLINGTON, NC METRO	519	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2261	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2384	0.1 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	3067	0.2 %	0.2%
16300	CEDAR RAPIDS, IA METRO	2479	0.1 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	1285	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	3965	0.2 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	6754	0.4 %	0.5%
16820	CHARLOTTESVILLE, VA METRO	365	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1495	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	24094	1.4 %	1.9%
17020	CHICO, CA METRO	1087	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	9972	0.6 %	0.8%
17300	CLARKSVILLE, TN-KY METRO	723	0.0 %	0.1%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	17384	1.0 %	1.3%
17780	COLLEGE STATION-BRYAN, TX METRO	290	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	22	0.0 %	0.0%
17860	COLUMBIA, MO METRO	1576	0.1 %	0.1%
17900	COLUMBIA, SC METRO	3878	0.2 %	0.3%
17980	COLUMBUS, GA-AL METRO	923	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18140	COLUMBUS, OH METRO	9084	0.5 %	0.7%
18580	CORPUS CHRISTI, TX METRO	1713	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	1237	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	4791	0.3 %	0.4%
19260	DANVILLE, VA METRO	465	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	294	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4100	0.2 %	0.3%
19380	DAYTON, OH METRO	5522	0.3 %	0.4%
19460	DECATUR, AL METRO	332	0.0 %	0.0%
19500	DECATUR, IL METRO	809	0.0 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	3596	0.2 %	0.3%
19740	DENVER-AURORA, CO METRO	259	0.0 %	0.0%
19780	DES MOINES, IA METRO	4305	0.3 %	0.3%
19820	DETROIT-WARREN-LIVONIA, MI METRO	20233	1.2 %	1.6%
20020	DOTHAN, AL METRO	786	0.0 %	0.1%
20100	DOVER, DE METRO	641	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1933	0.1 %	0.1%
20500	DURHAM, NC METRO	1059	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	251	0.0 %	0.0%
20740	EAU CLAIRE, WI METRO	769	0.0 %	0.1%
21340	EL PASO, TX METRO	2371	0.1 %	0.2%
21500	ERIE, PA METRO	1755	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	5861	0.3 %	0.5%
21780	EVANSVILLE, IN-KY METRO	102	0.0 %	0.0%
22020	FARGO, ND-MN METRO	477	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1352	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	978	0.1 %	0.1%
22420	FLINT, MI METRO	4656	0.3 %	0.4%
22460	FLORENCE, AL METRO	596	0.0 %	0.0%
22500	FLORENCE, SC METRO	1303	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	25	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	582	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	1292	0.1 %	0.1%
23420	FRESNO, CA METRO	5097	0.3 %	0.4%
23460	GADSDEN, AL METRO	1093	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1184	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24020	GLENS FALLS, NY METRO	982	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	437	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	2	0.0 %	0.0%
24340	GRAND RAPIDS-WYOMING, MI METRO	6508	0.4 %	0.5%
24540	GREELEY, CO METRO	369	0.0 %	0.0%
24580	GREEN BAY, WI METRO	156	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	1304	0.1 %	0.1%
24780	GREENVILLE, NC METRO	1493	0.1 %	0.1%
24860	GREENVILLE, SC METRO	3568	0.2 %	0.3%
25060	GULFPORT-BILOXI, MS METRO	463	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1150	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3510	0.2 %	0.3%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	24030	1.4 %	1.9%
25620	HATTIESBURG, MS METRO	637	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1219	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1550	0.1 %	0.1%
26180	HONOLULU, HI METRO	4097	0.2 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1013	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	8475	0.5 %	0.7%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	1055	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	778	0.0 %	0.1%
26900	INDIANAPOLIS, IN METRO	916	0.1 %	0.1%
26980	IOWA CITY, IA METRO	1773	0.1 %	0.1%
27100	JACKSON, MI METRO	416	0.0 %	0.0%
27140	JACKSON, MS METRO	2315	0.1 %	0.2%
27180	JACKSON, TN METRO	632	0.0 %	0.0%
27260	JACKSONVILLE, FL METRO	7892	0.5 %	0.6%
27340	JACKSONVILLE, NC METRO	680	0.0 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1199	0.1 %	0.1%
27500	JANESVILLE, WI METRO	923	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	639	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	1104	0.1 %	0.1%
27900	JOPLIN, MO METRO	1537	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	1231	0.1 %	0.1%
28100	KANKAKEE-BRADLEY, IL METRO	515	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	9964	0.6 %	0.8%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1450	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	178	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28940	KNOXVILLE, TN METRO	1076	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	331	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	803	0.0 %	0.1%
29340	LAKE CHARLES, LA METRO	615	0.0 %	0.0%
29460	LAKELAND-WINTER HAVEN, FL METRO	851	0.0 %	0.1%
29540	LANCASTER, PA METRO	2033	0.1 %	0.2%
29620	LANSING-EAST LANSING, MI METRO	1679	0.1 %	0.1%
29700	LAREDO, TX METRO	519	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	667	0.0 %	0.1%
29820	LAS VEGAS-PARADISE, NV METRO	5817	0.3 %	0.5%
30020	LAWTON, OK METRO	623	0.0 %	0.0%
30140	LEBANON, PA METRO	463	0.0 %	0.0%
30460	LEXINGTON-FAYETTE, KY METRO	620	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	593	0.0 %	0.0%
30620	LIMA, OH METRO	440	0.0 %	0.0%
30700	LINCOLN, NE METRO	1071	0.1 %	0.1%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	3910	0.2 %	0.3%
30980	LONGVIEW, TX METRO	304	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	62073	3.6 %	4.8%
31140	LOUISVILLE, KY-IN METRO	2328	0.1 %	0.2%
31180	LUBBOCK, TX METRO	1139	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	1	0.0 %	0.0%
31420	MACON, GA METRO	954	0.1 %	0.1%
31460	MADERA, CA METRO	712	0.0 %	0.1%
31540	MADISON, WI METRO	584	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	1989	0.1 %	0.2%
31900	MANSFIELD, OH METRO	553	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	1046	0.1 %	0.1%
32780	MEDFORD, OR METRO	3640	0.2 %	0.3%
32820	MEMPHIS, TN-MS-AR METRO	1646	0.1 %	0.1%
32900	MERCED, CA METRO	1016	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	21561	1.3 %	1.7%
33260	MIDLAND, TX METRO	42	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	1061	0.1 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	26696	1.6 %	2.1%
33660	MOBILE, AL METRO	1234	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33700	MODESTO, CA METRO	1896	0.1 %	0.1%
33740	MONROE, LA METRO	550	0.0 %	0.0%
33780	MONROE, MI METRO	521	0.0 %	0.0%
33860	MONTGOMERY, AL METRO	1906	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	1390	0.1 %	0.1%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1062	0.1 %	0.1%
34900	NAPA, CA METRO	509	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	805	0.0 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1157	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	7558	0.4 %	0.6%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	2289	0.1 %	0.2%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	207529	12.1 %	16.1%
35660	NILES-BENTON HARBOR, MI METRO	1853	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	3677	0.2 %	0.3%
36100	OCALA, FL METRO	678	0.0 %	0.1%
36140	OCEAN CITY, NJ METRO	661	0.0 %	0.1%
36220	ODESSA, TX METRO	331	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	2274	0.1 %	0.2%
36420	OKLAHOMA CITY, OK METRO	3398	0.2 %	0.3%
36500	OLYMPIA, WA METRO	1388	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	3514	0.2 %	0.3%
36740	ORLANDO, FL METRO	8517	0.5 %	0.7%
36780	OSHKOSH-NEENAH, WI METRO	349	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2768	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	2174	0.1 %	0.2%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	1434	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	24	0.0 %	0.0%
37700	PASCAGOULA, MS METRO	348	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	3931	0.2 %	0.3%
37900	PEORIA, IL METRO	1579	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	27164	1.6 %	2.1%
38300	PITTSBURGH, PA METRO	6241	0.4 %	0.5%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	3285	0.2 %	0.3%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	20511	1.2 %	1.6%
38940	PORT ST. LUCIE, FL METRO	2339	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	10834	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	17042	1.0 %	1.3%
39340	PROVO-OREM, UT METRO	1255	0.1 %	0.1%
39460	PUNTA GORDA, FL METRO	488	0.0 %	0.0%
39540	RACINE, WI METRO	640	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	2299	0.1 %	0.2%
39740	READING, PA METRO	2302	0.1 %	0.2%
39820	REDDING, CA METRO	1419	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	2684	0.2 %	0.2%
40060	RICHMOND, VA METRO	680	0.0 %	0.1%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	11958	0.7 %	0.9%
40220	ROANOKE, VA METRO	209	0.0 %	0.0%
40340	ROCHESTER, MN METRO	922	0.1 %	0.1%
40380	ROCHESTER, NY METRO	17673	1.0 %	1.4%
40420	ROCKFORD, IL METRO	2132	0.1 %	0.2%
40580	ROCKY MOUNT, NC METRO	624	0.0 %	0.0%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9241	0.5 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1687	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1366	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	978	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	13534	0.8 %	1.0%
41420	SALEM, OR METRO	4663	0.3 %	0.4%
41500	SALINAS, CA METRO	1126	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	11816	0.7 %	0.9%
41660	SAN ANGELO, TX METRO	136	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	2147	0.1 %	0.2%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	15769	0.9 %	1.2%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	30645	1.8 %	2.4%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	8037	0.5 %	0.6%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	557	0.0 %	0.0%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2214	0.1 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1897	0.1 %	0.1%
42140	SANTA FE, NM METRO	243	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
42220	SANTA ROSA, CA METRO	6903	0.4 %	0.5%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1809	0.1 %	0.1%
42340	SAVANNAH, GA METRO	278	0.0 %	0.0%
42540	SCRANTON--WILKES-BARRE-, PA METRO	3524	0.2 %	0.3%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	21577	1.3 %	1.7%
43100	SHEBOYGAN, WI METRO	417	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1151	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1429	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2582	0.2 %	0.2%
43900	SPARTANBURG, SC METRO	2828	0.2 %	0.2%
44060	SPOKANE, WA METRO	4456	0.3 %	0.3%
44100	SPRINGFIELD, IL METRO	1059	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	4613	0.3 %	0.4%
44180	SPRINGFIELD, MO METRO	3588	0.2 %	0.3%
44220	SPRINGFIELD, OH METRO	1755	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	365	0.0 %	0.0%
44700	STOCKTON, CA METRO	2339	0.1 %	0.2%
44940	SUMTER, SC METRO	885	0.1 %	0.1%
45060	SYRACUSE, NY METRO	10687	0.6 %	0.8%
45220	TALLAHASSEE, FL METRO	1569	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	11687	0.7 %	0.9%
45500	TEXARKANA TX-TEXARKANA, AR METRO	579	0.0 %	0.0%
45780	TOLEDO, OH METRO	2158	0.1 %	0.2%
45820	TOPEKA, KS METRO	1483	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1548	0.1 %	0.1%
46140	TULSA, OK METRO	3081	0.2 %	0.2%
46220	TUSCALOOSA, AL METRO	925	0.1 %	0.1%
46340	TYLER, TX METRO	67	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	3912	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	1034	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2534	0.1 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	6405	0.4 %	0.5%
47300	VISALIA-PORTERVILLE, CA METRO	1858	0.1 %	0.1%
47360	WACO, TX METRO	699	0.0 %	0.1%
47580	WARNER ROBINS, GA METRO	26	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	25275	1.5 %	2.0%
47940	WATERLOO-CEDAR FALLS, IA METRO	1998	0.1 %	0.2%
48140	WAUSAU, WI METRO	661	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	192	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	495	0.0 %	0.0%
48620	WICHITA, KS METRO	4172	0.2 %	0.3%
48660	WICHITA FALLS, TX METRO	310	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	552	0.0 %	0.0%
48900	WILMINGTON, NC METRO	966	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2352	0.1 %	0.2%
49340	WORCESTER, MA METRO	12938	0.8 %	1.0%
49420	YAKIMA, WA METRO	6079	0.4 %	0.5%
49620	YORK-HANOVER, PA METRO	980	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	2373	0.1 %	0.2%
49700	YUBA CITY-MARYSVILLE, CA METRO	730	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	425339	24.8 %	-

Based upon 1289997 valid cases out of 1715336 total cases.

PMSA

FIPS 1990 MSA CODE

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1613	0.1 %	0.1%
80	AKRON, OH PMSA	5391	0.3 %	0.4%
120	ALBANY, GA MSA	596	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	19401	1.1 %	1.5%
200	ALBUQUERQUE, NM MSA	995	0.1 %	0.1%
220	ALEXANDRIA, LA MSA	1233	0.1 %	0.1%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2100	0.1 %	0.2%
280	ALTOONA, PA MSA	1707	0.1 %	0.1%
320	AMARILLO, TX MSA	638	0.0 %	0.0%
380	ANCHORAGE, AK MSA	2003	0.1 %	0.2%
440	ANN ARBOR, MI PMSA	731	0.0 %	0.1%
450	ANNISTON, AL MSA	580	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
460	APPLETON-OSHKOSH-NEENAH, WI MSA	745	0.0 %	0.1%
480	ASHEVILLE, NC MSA	2797	0.2 %	0.2%
500	ATHENS, GA MSA	962	0.1 %	0.1%
520	ATLANTA, GA MSA	4558	0.3 %	0.4%
560	ATLANTIC-CAPE MAY, NJ PMSA	2547	0.1 %	0.2%
580	AUBURN-OPELIKA, AL MSA	646	0.0 %	0.1%
600	AUGUSTA-AIKEN, GA-SC MSA	1641	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2942	0.2 %	0.2%
680	BAKERSFIELD, CA MSA	3237	0.2 %	0.3%
720	BALTIMORE, MD PMSA	33474	2.0 %	2.6%
743	BARNSTABLE-YARMOUTH, MA NECMA	3877	0.2 %	0.3%
760	BATON ROUGE, LA MSA	2189	0.1 %	0.2%
840	BEAUMONT-PORT ARTHUR, TX MSA	926	0.1 %	0.1%
860	BELLINGHAM, WA MSA	2396	0.1 %	0.2%
870	BENTON HARBOR, MI MSA	1853	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7663	0.4 %	0.6%
880	BILLINGS, MT MSA	1190	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	811	0.0 %	0.1%
960	BINGHAMTON, NY MSA	3900	0.2 %	0.3%
1000	BIRMINGHAM, AL MSA	6222	0.4 %	0.5%
1040	BLOOMINGTON-NORMAL, IL MSA	554	0.0 %	0.0%
1080	BOISE CITY, ID MSA	581	0.0 %	0.0%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	61419	3.6 %	4.8%
1125	BOULDER-LONGMONT, CO PMSA	209	0.0 %	0.0%
1145	BRAZORIA, TX PMSA	1888	0.1 %	0.1%
1150	BREMERTON, WA PMSA	2183	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	610	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	290	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	20625	1.2 %	1.6%
1303	BURLINGTON, VT NECMA	2261	0.1 %	0.2%
1320	CANTON-MASSILLON, OH MSA	2384	0.1 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2479	0.1 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	1285	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	3965	0.2 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	6754	0.4 %	0.5%
1540	CHARLOTTESVILLE, VA MSA	365	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1495	0.1 %	0.1%
1600	CHICAGO, IL PMSA	23751	1.4 %	1.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1620	CHICO-PARADISE, CA MSA	1087	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	8451	0.5 %	0.7%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	723	0.0 %	0.1%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	18356	1.1 %	1.4%
1720	COLORADO SPRINGS, CO MSA	22	0.0 %	0.0%
1740	COLUMBIA, MO MSA	1576	0.1 %	0.1%
1760	COLUMBIA, SC MSA	3878	0.2 %	0.3%
1800	COLUMBUS, GA-AL MSA	923	0.1 %	0.1%
1840	COLUMBUS, OH MSA	9084	0.5 %	0.7%
1880	CORPUS CHRISTI, TX MSA	1713	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1237	0.1 %	0.1%
1920	DALLAS, TX PMSA	2409	0.1 %	0.2%
1950	DANVILLE, VA MSA	465	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4100	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	7277	0.4 %	0.6%
2020	DAYTONA BEACH, FL MSA	3596	0.2 %	0.3%
2030	DECATUR, AL MSA	332	0.0 %	0.0%
2040	DECATUR, IL MSA	809	0.0 %	0.1%
2080	DENVER, CO PMSA	259	0.0 %	0.0%
2120	DES MOINES, IA MSA	4305	0.3 %	0.3%
2160	DETROIT, MI PMSA	20635	1.2 %	1.6%
2180	DOTHAN, AL MSA	786	0.0 %	0.1%
2190	DOVER, DE MSA	641	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1933	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	6160	0.4 %	0.5%
2290	EAU CLAIRE, WI MSA	769	0.0 %	0.1%
2320	EL PASO, TX MSA	2371	0.1 %	0.2%
2360	ERIE, PA MSA	1755	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	5861	0.3 %	0.5%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	102	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	477	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1352	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	978	0.1 %	0.1%
2640	FLINT, MI PMSA	4656	0.3 %	0.4%
2650	FLORENCE, AL MSA	596	0.0 %	0.0%
2655	FLORENCE, SC MSA	1303	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	25	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	4403	0.3 %	0.3%
2700	FORT MYERS-CAPE CORAL, FL MSA	3067	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	2339	0.1 %	0.2%
2720	FORT SMITH, AR-OK MSA	582	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	1292	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	2382	0.1 %	0.2%
2840	FRESNO, CA MSA	5809	0.3 %	0.5%
2880	GADSDEN, AL MSA	1093	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1184	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	656	0.0 %	0.1%
2975	GLENS FALLS, NY MSA	982	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	437	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	2	0.0 %	0.0%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	9698	0.6 %	0.8%
3060	GREELEY, CO PMSA	369	0.0 %	0.0%
3080	GREEN BAY, WI MSA	156	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	4768	0.3 %	0.4%
3150	GREENVILLE, NC MSA	1493	0.1 %	0.1%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	8064	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1150	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1521	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3973	0.2 %	0.3%
3283	HARTFORD, CT NECMA	24030	1.4 %	1.9%
3285	HATTIESBURG, MS MSA	637	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1219	0.1 %	0.1%
3320	HONOLULU, HI MSA	4097	0.2 %	0.3%
3350	HOUMA, LA MSA	1013	0.1 %	0.1%
3360	HOUSTON, TX PMSA	5931	0.3 %	0.5%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	1055	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	778	0.0 %	0.1%
3480	INDIANAPOLIS, IN MSA	1284	0.1 %	0.1%
3500	IOWA CITY, IA MSA	1773	0.1 %	0.1%
3520	JACKSON, MI MSA	416	0.0 %	0.0%
3560	JACKSON, MS MSA	2315	0.1 %	0.2%
3580	JACKSON, TN MSA	632	0.0 %	0.0%
3600	JACKSONVILLE, FL MSA	7892	0.5 %	0.6%
3605	JACKSONVILLE, NC MSA	680	0.0 %	0.1%
3610	JAMESTOWN, NY MSA	1199	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	923	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	5780	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	639	0.0 %	0.0%
3680	JOHNSTOWN, PA MSA	1104	0.1 %	0.1%
3710	JOPLIN, MO MSA	1537	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	1677	0.1 %	0.1%
3740	KANKAKEE, IL PMSA	515	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	9964	0.6 %	0.8%
3800	KENOSHA, WI PMSA	343	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	178	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1076	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	331	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	803	0.0 %	0.1%
3960	LAKE CHARLES, LA MSA	615	0.0 %	0.0%
3980	LAKELAND-WINTER HAVEN, FL MSA	851	0.0 %	0.1%
4000	LANCASTER, PA MSA	2033	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	1679	0.1 %	0.1%
4080	LAREDO, TX MSA	519	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	667	0.0 %	0.1%
4120	LAS VEGAS, NV-AZ MSA	5817	0.3 %	0.5%
4200	LAWTON, OK MSA	623	0.0 %	0.0%
4280	LEXINGTON, KY MSA	620	0.0 %	0.0%
4320	LIMA, OH MSA	440	0.0 %	0.0%
4360	LINCOLN, NE MSA	1071	0.1 %	0.1%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	3910	0.2 %	0.3%
4420	LONGVIEW-MARSHALL, TX MSA	304	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	49426	2.9 %	3.8%
4520	LOUISVILLE, KY-IN MSA	2328	0.1 %	0.2%
4600	LUBBOCK, TX MSA	1139	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	1	0.0 %	0.0%
4680	MACON, GA MSA	980	0.1 %	0.1%
4720	MADISON, WI MSA	584	0.0 %	0.0%
4800	MANSFIELD, OH MSA	553	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	1046	0.1 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	3640	0.2 %	0.3%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	2174	0.1 %	0.2%
4920	MEMPHIS, TN-AR-MS MSA	1646	0.1 %	0.1%
4940	MERCED, CA MSA	1016	0.1 %	0.1%
5000	MIAMI, FL PMSA	8971	0.5 %	0.7%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	4263	0.2 %	0.3%
5080	MILWAUKEE-WAUKESHA, WI PMSA	1061	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	26696	1.6 %	2.1%
5160	MOBILE, AL MSA	1528	0.1 %	0.1%
5170	MODESTO, CA MSA	1896	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	7679	0.4 %	0.6%
5200	MONROE, LA MSA	550	0.0 %	0.0%
5240	MONTGOMERY, AL MSA	1906	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1062	0.1 %	0.1%
5345	NAPLES, FL MSA	805	0.0 %	0.1%
5360	NASHVILLE, TN MSA	1157	0.1 %	0.1%
5380	NASSAU-SUFFOLK, NY PMSA	32326	1.9 %	2.5%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	17598	1.0 %	1.4%
5523	NEW LONDON-NORWICH, CT NECMA	3677	0.2 %	0.3%
5560	NEW ORLEANS, LA MSA	2289	0.1 %	0.2%
5600	NEW YORK, NY PMSA	134594	7.8 %	10.4%
5640	NEWARK, NJ PMSA	15790	0.9 %	1.2%
5660	NEWBURGH, NY-PA PMSA	4798	0.3 %	0.4%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	6405	0.4 %	0.5%
5775	OAKLAND, CA PMSA	13815	0.8 %	1.1%
5790	OCALA, FL MSA	678	0.0 %	0.1%
5800	ODESSA-MIDLAND, TX MSA	373	0.0 %	0.0%
5880	OKLAHOMA CITY, OK MSA	3398	0.2 %	0.3%
5910	OLYMPIA, WA PMSA	1388	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	3514	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	12647	0.7 %	1.0%
5960	ORLANDO, FL MSA	8517	0.5 %	0.7%
6015	PANAMA CITY, FL MSA	1434	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	24	0.0 %	0.0%
6080	PENSACOLA, FL MSA	3931	0.2 %	0.3%
6120	PEORIA-PEKIN, IL MSA	1579	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	21076	1.2 %	1.6%
6280	PITTSBURGH, PA MSA	6241	0.4 %	0.5%
6403	PORTLAND, ME NECMA	3285	0.2 %	0.3%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	20511	1.2 %	1.6%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	11745	0.7 %	0.9%
6520	PROVO-OREM, UT MSA	1255	0.1 %	0.1%
6580	PUNTA GORDA, FL MSA	488	0.0 %	0.0%
6600	RACINE, WI PMSA	640	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	3358	0.2 %	0.3%
6680	READING, PA MSA	2302	0.1 %	0.2%
6690	REDDING, CA MSA	1419	0.1 %	0.1%
6720	RENO, NV MSA	2684	0.2 %	0.2%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1450	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	680	0.0 %	0.1%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	11958	0.7 %	0.9%
6800	ROANOKE, VA MSA	209	0.0 %	0.0%
6820	ROCHESTER, MN MSA	922	0.1 %	0.1%
6840	ROCHESTER, NY MSA	17673	1.0 %	1.4%
6880	ROCKFORD, IL MSA	2132	0.1 %	0.2%
6895	ROCKY MOUNT, NC MSA	624	0.0 %	0.0%
6920	SACRAMENTO, CA PMSA	7759	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2199	0.1 %	0.2%
6980	ST. CLOUD, MN MSA	1366	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	978	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	13534	0.8 %	1.0%
7080	SALEM, OR PMSA	4663	0.3 %	0.4%
7120	SALINAS, CA MSA	1126	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	14090	0.8 %	1.1%
7200	SAN ANGELO, TX MSA	136	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	2147	0.1 %	0.2%
7320	SAN DIEGO, CA MSA	15769	0.9 %	1.2%
7360	SAN FRANCISCO, CA PMSA	16830	1.0 %	1.3%
7400	SAN JOSE, CA PMSA	8037	0.5 %	0.6%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	557	0.0 %	0.0%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2214	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1897	0.1 %	0.1%
7490	SANTA FE, NM MSA	243	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	6903	0.4 %	0.5%
7510	SARASOTA-BRADENTON, FL MSA	1809	0.1 %	0.1%
7520	SAVANNAH, GA MSA	278	0.0 %	0.0%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	3524	0.2 %	0.3%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	16008	0.9 %	1.2%
7610	SHARON, PA MSA	556	0.0 %	0.0%
7620	SHEBOYGAN, WI MSA	417	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1151	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1429	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7760	SIOUX FALLS, SD MSA	2582	0.2 %	0.2%
7840	SPOKANE, WA MSA	4456	0.3 %	0.3%
7880	SPRINGFIELD, IL MSA	1059	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	3588	0.2 %	0.3%
8003	SPRINGFIELD, MA NECMA	4613	0.3 %	0.4%
8050	STATE COLLEGE, PA MSA	365	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	192	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2339	0.1 %	0.2%
8140	SUMTER, SC MSA	885	0.1 %	0.1%
8160	SYRACUSE, NY MSA	10687	0.6 %	0.8%
8200	TACOMA, WA PMSA	5569	0.3 %	0.4%
8240	TALLAHASSEE, FL MSA	1569	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	11687	0.7 %	0.9%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	579	0.0 %	0.0%
8400	TOLEDO, OH MSA	2158	0.1 %	0.2%
8440	TOPEKA, KS MSA	1483	0.1 %	0.1%
8480	TRENTON, NJ PMSA	1548	0.1 %	0.1%
8560	TULSA, OK MSA	3081	0.2 %	0.2%
8600	TUSCALOOSA, AL MSA	925	0.1 %	0.1%
8640	TYLER, TX MSA	67	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	3912	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1543	0.1 %	0.1%
8735	VENTURA, CA PMSA	2768	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2534	0.1 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1858	0.1 %	0.1%
8800	WACO, TX MSA	699	0.0 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	25275	1.5 %	2.0%
8920	WATERLOO-CEDAR FALLS, IA MSA	1998	0.1 %	0.2%
8940	WAUSAU, WI MSA	661	0.0 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	8187	0.5 %	0.6%
9000	WHEELING, WV-OH MSA	495	0.0 %	0.0%
9040	WICHITA, KS MSA	4172	0.2 %	0.3%
9080	WICHITA FALLS, TX MSA	310	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	552	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	6088	0.4 %	0.5%
9200	WILMINGTON, NC MSA	966	0.1 %	0.1%
9260	YAKIMA, WA MSA	6079	0.4 %	0.5%
9270	YOLO, CA PMSA	1482	0.1 %	0.1%
9280	YORK, PA MSA	980	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9320	YOUNGSTOWN-WARREN, OH MSA	2068	0.1 %	0.2%
9340	YUBA CITY, CA MSA	730	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	425339	24.8 %	-

Based upon 1289997 valid cases out of 1715336 total cases.

REGION	CENSUS REGION
--------	---------------

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST	548956	32.0 %	32.0%
2	MIDWEST	350302	20.4 %	20.4%
3	SOUTH	388063	22.6 %	22.6%
4	WEST	428015	25.0 %	25.0%

Based upon 1715336 valid cases out of 1715336 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 50-51 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEW ENGLAND	155158	9.0 %	9.0%
2	MID-ATLANTIC	393798	23.0 %	23.0%
3	EAST NORTH CENTRAL	209825	12.2 %	12.2%
4	WEST NORTH CENTRAL	140477	8.2 %	8.2%
5	SOUTH ATLANTIC	263089	15.3 %	15.3%
6	EAST SOUTH CENTRAL	51262	3.0 %	3.0%
7	WEST SOUTH CENTRAL	73712	4.3 %	4.3%
8	MOUNTAIN	128375	7.5 %	7.5%
9	PACIFIC	299640	17.5 %	17.5%

Based upon 1715336 valid cases out of 1715336 total cases.

SERVSETA	SERVICE SETTING AT ADMISSION
----------	------------------------------

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%	Valid %
1	DETOX, 24 HR, HOSPITAL INPATIENT	74573	4.3 %	4.3%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	304337	17.7 %	17.7%
3	REHAB/RES, HOSPITAL (NON-DETOX)	16542	1.0 %	1.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	135251	7.9 %	7.9%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	137284	8.0 %	8.0%
6	AMBULATORY, INTENSIVE OUTPATIENT	157886	9.2 %	9.2%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	835839	48.7 %	48.7%
8	AMBULATORY, DETOXIFICATION	53394	3.1 %	3.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	230	0.0 %	-

Based upon 1715106 valid cases out of 1715336 total cases.

METHUSE

MEDICATION-ASSISTED OPIOID THERAPY

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	104078	6.1 %	6.5%
2	NO	1508247	87.9 %	93.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	103011	6.0 %	-

Based upon 1612325 valid cases out of 1715336 total cases.

DAYWAIT

DAYS WAITING TO ENTER TREATMENT

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 414322 valid cases out of 1715336 total cases.

- Mean: 29.76
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 149.44

PSOURCE	PRINCIPAL SOURCE OF REFERRAL
Location:	59-60 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p data-bbox="480 552 1081 611">Describes the person or agency referring the client to the alcohol or drug abuse treatment program:</p> <ul style="list-style-type: none"> <li data-bbox="480 648 1192 770">- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI. <li data-bbox="480 808 1206 959">- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment. <li data-bbox="480 997 1162 1119">- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home. <li data-bbox="480 1157 1144 1245">- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency. <li data-bbox="480 1283 1122 1308">- EMPLOYER/EAP: A supervisor or an employee counselor. <li data-bbox="480 1346 1187 1564">- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category. <li data-bbox="480 1602 1206 1971">- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice

Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	564309	32.9 %	34.3%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	189656	11.1 %	11.5%
3	OTHER HEALTH CARE PROVIDER	124902	7.3 %	7.6%
4	SCHOOL (EDUCATIONAL)	17983	1.0 %	1.1%
5	EMPLOYER/EAP	17955	1.0 %	1.1%
6	OTHER COMMUNITY REFERRAL	148800	8.7 %	9.1%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	580159	33.8 %	35.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	71572	4.2 %	-

Based upon 1643764 valid cases out of 1715336 total cases.

DETCRIM

DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	60227	3.5 %	19.0%
3	PROBATION/PAROLE	138785	8.1 %	43.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	DIVERSIONARY PROGRAM	8665	0.5 %	2.7%
6	PRISON	16045	0.9 %	5.0%
7	DUI/DWI	37252	2.2 %	11.7%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	56763	3.3 %	17.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1397599	81.5 %	-

Based upon 317737 valid cases out of 1715336 total cases.

NOPRIOR

NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	578680	33.7 %	42.0%
1	1 PRIOR TREATMENT EPISODES	306972	17.9 %	22.3%
2	2 PRIOR TREATMENT EPISODES	164396	9.6 %	11.9%
3	3 PRIOR TREATMENT EPISODES	94346	5.5 %	6.8%
4	4 PRIOR TREATMENT EPISODES	54032	3.1 %	3.9%
5	5 OR MORE PRIOR TREATMENT EPISODES	179799	10.5 %	13.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	337111	19.7 %	-

Based upon 1378225 valid cases out of 1715336 total cases.

SUB1

SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	15657	0.9 %	0.9%
2	ALCOHOL	823059	48.0 %	48.7%
3	COCAINE/CRACK	241602	14.1 %	14.3%
4	MARIJUANA/HASHISH	231224	13.5 %	13.7%
5	HEROIN	257208	15.0 %	15.2%
6	NON-PRESCRIPTION METHADONE	1593	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	20916	1.2 %	1.2%
8	PCP	2318	0.1 %	0.1%
9	OTHER HALLUCINOGENS	2779	0.2 %	0.2%
10	METHAMPHETAMINE	58721	3.4 %	3.5%
11	OTHER AMPHETAMINES	13877	0.8 %	0.8%
12	OTHER STIMULANTS	870	0.1 %	0.1%
13	BENZODIAZEPINES	5015	0.3 %	0.3%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	862	0.1 %	0.1%
15	BARBITURATES	1142	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2295	0.1 %	0.1%
17	INHALANTS	1379	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1085	0.1 %	0.1%
20	OTHER	9290	0.5 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	24444	1.4 %	-

Based upon 1690892 valid cases out of 1715336 total cases.

ROUTE1

USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	832905	48.6 %	52.2%
2	SMOKING	430215	25.1 %	27.0%
3	INHALATION	131453	7.7 %	8.2%
4	INJECTION (IV OR INTRAMUSCULAR)	191696	11.2 %	12.0%
20	OTHER	8212	0.5 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	120855	7.0 %	-

Based upon 1594481 valid cases out of 1715336 total cases.

FREQ1

FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	385840	22.5 %	24.3%
2	1-3 TIMES IN THE PAST MONTH	176368	10.3 %	11.1%
3	1-2 TIMES IN THE PAST WEEK	144358	8.4 %	9.1%
4	3-6 TIMES IN THE PAST WEEK	172331	10.0 %	10.9%
5	DAILY	707655	41.3 %	44.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	128784	7.5 %	-

Based upon 1586552 valid cases out of 1715336 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	147837	8.6 %	9.1%
2	12-14	365135	21.3 %	22.5%
3	15-17	461725	26.9 %	28.4%
4	18-20	263709	15.4 %	16.2%
5	21-24	143643	8.4 %	8.9%
6	25-29	110302	6.4 %	6.8%
7	30-34	64784	3.8 %	4.0%
8	35-39	37465	2.2 %	2.3%
9	40-44	17284	1.0 %	1.1%
10	45-49	6945	0.4 %	0.4%
11	50-54	2548	0.1 %	0.2%
12	55 AND OVER	1570	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	92389	5.4 %	-

Based upon 1622947 valid cases out of 1715336 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL,

ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	531963	31.0 %	36.5%
2	ALCOHOL	291319	17.0 %	20.0%
3	COCAINE/CRACK	247959	14.5 %	17.0%
4	MARIJUANA/HASHISH	257386	15.0 %	17.7%
5	HEROIN	35183	2.1 %	2.4%
6	NON-PRESCRIPTION METHADONE	2964	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	13872	0.8 %	1.0%
8	PCP	2427	0.1 %	0.2%
9	OTHER HALLUCINOGENS	6709	0.4 %	0.5%
10	METHAMPHETAMINE	27945	1.6 %	1.9%
11	OTHER AMPHETAMINES	8985	0.5 %	0.6%
12	OTHER STIMULANTS	2352	0.1 %	0.2%
13	BENZODIAZEPINES	11584	0.7 %	0.8%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2235	0.1 %	0.2%
15	BARBITURATES	1959	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3792	0.2 %	0.3%
17	INHALANTS	1230	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1049	0.1 %	0.1%
20	OTHER	6870	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	257553	15.0 %	-

Based upon 1457783 valid cases out of 1715336 total cases.

ROUTE2

USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	327798	19.1 %	37.3%
2	SMOKING	390799	22.8 %	44.5%
3	INHALATION	85197	5.0 %	9.7%
4	INJECTION (IV OR INTRAMUSCULAR)	67603	3.9 %	7.7%
20	OTHER	6378	0.4 %	0.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	837561	48.8 %	-

Based upon 877775 valid cases out of 1715336 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	329029	19.2 %	35.8%
2	1-3 TIMES IN THE PAST MONTH	132536	7.7 %	14.4%
3	1-2 TIMES IN THE PAST WEEK	104786	6.1 %	11.4%
4	3-6 TIMES IN THE PAST WEEK	94930	5.5 %	10.3%
5	DAILY	258312	15.1 %	28.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	795743	46.4 %	-

Based upon 919593 valid cases out of 1715336 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	125134	7.3 %	13.3%
2	12-14	213076	12.4 %	22.7%
3	15-17	248953	14.5 %	26.6%
4	18-20	137131	8.0 %	14.6%
5	21-24	74025	4.3 %	7.9%
6	25-29	60864	3.5 %	6.5%
7	30-34	37038	2.2 %	4.0%
8	35-39	23015	1.3 %	2.5%
9	40-44	11195	0.7 %	1.2%
10	45-49	4709	0.3 %	0.5%
11	50-54	1683	0.1 %	0.2%
12	55 AND OVER	830	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	777683	45.3 %	-

Based upon 937653 valid cases out of 1715336 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

Question:

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	906158	52.8 %	71.1%
2	ALCOHOL	90716	5.3 %	7.1%
3	COCAINE/CRACK	77926	4.5 %	6.1%
4	MARIJUANA/HASHISH	106284	6.2 %	8.3%
5	HEROIN	15979	0.9 %	1.3%
6	NON-PRESCRIPTION METHADONE	1785	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	8047	0.5 %	0.6%
8	PCP	2233	0.1 %	0.2%
9	OTHER HALLUCINOGENS	13036	0.8 %	1.0%
10	METHAMPHETAMINE	17744	1.0 %	1.4%
11	OTHER AMPHETAMINES	7073	0.4 %	0.6%
12	OTHER STIMULANTS	2365	0.1 %	0.2%
13	BENZODIAZEPINES	8525	0.5 %	0.7%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2081	0.1 %	0.2%
15	BARBITURATES	1796	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2919	0.2 %	0.2%
17	INHALANTS	1818	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1068	0.1 %	0.1%
20	OTHER	6849	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	440934	25.7 %	-

Based upon 1274402 valid cases out of 1715336 total cases.

ROUTE3

USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	113111	6.6 %	36.6%
2	SMOKING	127331	7.4 %	41.2%
3	INHALATION	42092	2.5 %	13.6%
4	INJECTION (IV OR INTRAMUSCULAR)	20809	1.2 %	6.7%
20	OTHER	5692	0.3 %	1.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1406301	82.0 %	-

Based upon 309035 valid cases out of 1715336 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	212711	12.4 %	54.1%
2	1-3 TIMES IN THE PAST MONTH	49819	2.9 %	12.7%
3	1-2 TIMES IN THE PAST WEEK	34596	2.0 %	8.8%
4	3-6 TIMES IN THE PAST WEEK	27012	1.6 %	6.9%
5	DAILY	69029	4.0 %	17.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1322169	77.1 %	-

Based upon 393167 valid cases out of 1715336 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	113710	6.6 %	27.9%
2	12-14	80599	4.7 %	19.8%
3	15-17	95521	5.6 %	23.4%
4	18-20	49687	2.9 %	12.2%
5	21-24	24836	1.4 %	6.1%
6	25-29	19560	1.1 %	4.8%
7	30-34	11883	0.7 %	2.9%
8	35-39	6942	0.4 %	1.7%
9	40-44	3442	0.2 %	0.8%
10	45-49	1173	0.1 %	0.3%
11	50-54	419	0.0 %	0.1%
12	55 AND OVER	163	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1307401	76.2 %	-

Based upon 407935 valid cases out of 1715336 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric

Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	39220	2.3 %	2.3%
1	745565	43.5 %	43.5%
2	567919	33.1 %	33.1%
3	362632	21.1 %	21.1%

Based upon 1715336 valid cases out of 1715336 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1445671	84.3 %	86.3%
1	IDU REPORTED	230469	13.4 %	13.7%
-8 (M)	NO SUBSTANCES REPORTED	39196	2.3 %	-

Based upon 1676140 valid cases out of 1715336 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	511415	29.8 %	29.8%
1	SUBSTANCE REPORTED	1203921	70.2 %	70.2%

Based upon 1715336 valid cases out of 1715336 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1157348	67.5 %	67.5%
1	SUBSTANCE REPORTED	557988	32.5 %	32.5%

Based upon 1715336 valid cases out of 1715336 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1120927	65.3 %	65.3%
1	SUBSTANCE REPORTED	594409	34.7 %	34.7%

Based upon 1715336 valid cases out of 1715336 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1407260	82.0 %	82.0%
1	SUBSTANCE REPORTED	308076	18.0 %	18.0%

Based upon 1715336 valid cases out of 1715336 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1708995	99.6 %	99.6%
1	SUBSTANCE REPORTED	6341	0.4 %	0.4%

Based upon 1715336 valid cases out of 1715336 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1672716	97.5 %	97.5%
1	SUBSTANCE REPORTED	42620	2.5 %	2.5%

Based upon 1715336 valid cases out of 1715336 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1708364	99.6 %	99.6%
1	SUBSTANCE REPORTED	6972	0.4 %	0.4%

Based upon 1715336 valid cases out of 1715336 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1692853	98.7 %	98.7%
1	SUBSTANCE REPORTED	22483	1.3 %	1.3%

Based upon 1715336 valid cases out of 1715336 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1610954	93.9 %	93.9%
1	SUBSTANCE REPORTED	104382	6.1 %	6.1%

Based upon 1715336 valid cases out of 1715336 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1685529	98.3 %	98.3%
1	SUBSTANCE REPORTED	29807	1.7 %	1.7%

Based upon 1715336 valid cases out of 1715336 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1709750	99.7 %	99.7%
1	SUBSTANCE REPORTED	5586	0.3 %	0.3%

Based upon 1715336 valid cases out of 1715336 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1690321	98.5 %	98.5%
1	SUBSTANCE REPORTED	25015	1.5 %	1.5%

Based upon 1715336 valid cases out of 1715336 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1710159	99.7 %	99.7%
1	SUBSTANCE REPORTED	5177	0.3 %	0.3%

Based upon 1715336 valid cases out of 1715336 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1710441	99.7 %	99.7%
1	SUBSTANCE REPORTED	4895	0.3 %	0.3%

Based upon 1715336 valid cases out of 1715336 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1706339	99.5 %	99.5%
1	SUBSTANCE REPORTED	8997	0.5 %	0.5%

Based upon 1715336 valid cases out of 1715336 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1710916	99.7 %	99.7%
1	SUBSTANCE REPORTED	4420	0.3 %	0.3%

Based upon 1715336 valid cases out of 1715336 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1712158	99.8 %	99.8%
1	SUBSTANCE REPORTED	3178	0.2 %	0.2%

Based upon 1715336 valid cases out of 1715336 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1692573	98.7 %	98.7%
1	SUBSTANCE REPORTED	22763	1.3 %	1.3%

Based upon 1715336 valid cases out of 1715336 total cases.

ALCDRUG	SUBSTANCE ABUSE TYPE
---------	----------------------

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	39220	2.3 %	2.3%
1	ALCOHOL ONLY	460472	26.8 %	26.8%
2	OTHER DRUGS ONLY	472195	27.5 %	27.5%
3	ALCOHOL AND OTHER DRUGS	743449	43.3 %	43.3%

Based upon 1715336 valid cases out of 1715336 total cases.

DSMCRIT	DSM DIAGNOSIS
---------	---------------

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	14682	0.9 %	3.2%
1	ALCOHOL-INDUCED DISORDER	5150	0.3 %	1.1%
2	SUBSTANCE-INDUCED DISORDER	4664	0.3 %	1.0%
3	ALCOHOL INTOXICATION	39877	2.3 %	8.8%
4	ALCOHOL DEPENDENCE	112728	6.6 %	24.8%
5	OPIOID DEPENDENCE	66840	3.9 %	14.7%
6	COCAINE DEPENDENCE	46613	2.7 %	10.2%
7	CANNABIS DEPENDENCE	29792	1.7 %	6.5%
8	OTHER SUBSTANCE DEPENDENCE	23423	1.4 %	5.1%
9	ALCOHOL ABUSE	53076	3.1 %	11.7%
10	CANNABIS ABUSE	21980	1.3 %	4.8%
11	OTHER SUBSTANCE ABUSE	2760	0.2 %	0.6%
12	OPIOID ABUSE	887	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13	COCAINE ABUSE	5078	0.3 %	1.1%
14	ANXIETY DISORDERS	1047	0.1 %	0.2%
15	DEPRESSIVE DISORDERS	4522	0.3 %	1.0%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	2084	0.1 %	0.5%
17	BIPOLAR DISORDERS	1931	0.1 %	0.4%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	862	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	2766	0.2 %	0.6%
20	OTHER CONDITION	14093	0.8 %	3.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1260481	73.5 %	-

Based upon 454855 valid cases out of 1715336 total cases.

PSYPROB

PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	195083	11.4 %	18.3%
2	NO	873540	50.9 %	81.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	646713	37.7 %	-

Based upon 1068623 valid cases out of 1715336 total cases.

HLTHINS

HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	108382	6.3 %	12.6%
2	MEDICAID	117112	6.8 %	13.6%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	79678	4.6 %	9.3%
4	NONE	553573	32.3 %	64.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	856591	49.9 %	-

Based upon 858745 valid cases out of 1715336 total cases.

PRIMPAY

EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	168034	9.8 %	31.5%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	45276	2.6 %	8.5%
3	MEDICARE, WORKER'S COMPENSATION	5730	0.3 %	1.1%
4	MEDICAID	61549	3.6 %	11.5%
5	OTHER GOVERNMENT PAYMENTS	142116	8.3 %	26.7%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	58540	3.4 %	11.0%
9	OTHER	51725	3.0 %	9.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1182366	68.9 %	-

Based upon 532970 valid cases out of 1715336 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (55.3%) 2 Now Married (17.7%) 3 Separated (7.2%) 4 Divorced (18.0%) 5 Widowed (1.9%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker (4.0%) 2 Student (24.7%) 3 Retired (2.6%) 4 Disabled (20.5%) 5 Inmate of Institution (9.3%) 6 Other (38.9%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary (37.3%) 2 Public Assistance (10.4%) 3 Retirement/Pension (<1%) 4 Disability (3.9%) 20 Other (21.4%) 21 None (26.2%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court (16.1%) 2 Other Court (2.9%) 3 Probation/Parole (43.7%) 4 Other Recognized Legal Entity (12.4%) 5 Diversionary Program (2.7%) 6 Prison (5.0%) 7 DUI/DWI (11.7%) 8 Other (5.5%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.4%) 2 Blue Cross / Blue Shield (BC/BS) (2.2%) 3 Medicare (1.7%) 4 Medicaid (13.6%) 6 Health Maintenance Organization (HMO) (4.0%) 20 Other (e.g. TriCare, Champus) (7.6%) 21 None (64.5%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (31.5%) 2 Blue Cross / Blue Shield (2.2%) 3 Medicare (1.0%) 4 Medicaid (11.6%) 5 Other Government Payments (26.7%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.3%) 8 No charge (Free, Charity, Special Research or Teaching) (11.0%) 9 Other (9.7%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1999																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 50 reporting States, and the District of Columbia; Puerto Rico did not report any data																						
Revised per 04/11/05 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Minimum Data Set 1999																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 50 reporting States, and the District of Columbia; Puerto Rico did not report any data																						
Revised per 04/11/05 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	--	--	--	Y	--
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1999												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 50 reporting States, and the District of Columbia; Puerto Rico did not report any data												
Revised per 04/11/05 data extract												
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	Y	--	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
ARKANSAS	--	--	--	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	--	Y	Y	--	--	Y	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	--	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	Y
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 1999												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 50 reporting States, and the District of Columbia; Puerto Rico did not report any data												
Revised per 04/11/05 data extract												
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	Y	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	Y	Y	Y	Y	--	--	Y	--	Y	--
TEXAS	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	Y
UTAH	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	--	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y