



## **Treatment Episode Data Set -- Admissions (TEDS-A), 2000**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Office of Applied Studies*

Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

---

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

### CBHSQ

Center for Behavioral Health Statistics and Quality

### Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

### Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

### SAMHDA

Substance Abuse and Mental Health Data Archive

### SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 2000**

### **Introduction**

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 2000. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

## **Data Collection**

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

## **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

## **Universe**

The universe for TEDS-A is admissions in calendar year 2000 that were received and processed through October 10, 2011.

## Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.<sup>1</sup>

## Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.



- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 49 states plus the District of Columbia. The following states did not report usable data for the year 2000: West Virginia. Puerto Rico did not report usable data in 2000 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2000 are as follows:

Filename: da03672-0001.txt

Number of observations: 1,749,726

Number of variables: 62

Records per case: 1

Logical record length: 120

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

Substance Abuse and Mental Health Services Administration. Office of Applied Studies. *Treatment Episode Data Set (TEDS) 1992-2000*. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Information System Series: S-17. DHHS Publication No. (SMA) 02-3727. Rockville MD, 2002.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

# **Treatment Episode Data Set -- Admissions (TEDS-A), 2000**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Treatment Episode Data Set -- Admissions (TEDS-A), 2000

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">IDENTIFICATION</a>	IDENTIFICATION	8
<a href="#">CLIENT CHARACTERISTICS</a>	CLIENT CHARACTERISTICS	8
<a href="#">GEOGRAPHIC</a>	GEOGRAPHIC	9
<a href="#">TREATMENT SERVICE CHARACTERISTICS</a>	TREATMENT SERVICE CHARACTERISTICS	9
<a href="#">REFERRAL SOURCES</a>	REFERRAL SOURCES	9
<a href="#">PRIOR SUBSTANCE ABUSE TREATMENT</a>	PRIOR SUBSTANCE ABUSE TREATMENT	9
<a href="#">SUBSTANCES OF ABUSE: ORIGINAL VARIABLES</a>	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
<a href="#">SUBSTANCES OF ABUSE: CREATED VARIABLES</a>	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
<a href="#">MENTAL HEALTH</a>	MENTAL HEALTH	10
<a href="#">INSURANCE/PAYMENT</a>	INSURANCE/PAYMENT	10

#### IDENTIFICATION

#### IDENTIFICATION

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	11
<a href="#">YEAR</a>	YEAR OF ADMISSION	11

#### CLIENT CHARACTERISTICS

#### CLIENT CHARACTERISTICS

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">AGE</a>	AGE (RECODED)	11
<a href="#">GENDER</a>	SEX	12
<a href="#">RACE</a>	RACE	12
<a href="#">ETHNIC</a>	ETHNICITY (HISPANIC ORIGIN)	13
<a href="#">MARSTAT</a>	MARITAL STATUS	14
<a href="#">EDUC</a>	EDUCATION	15
<a href="#">EMPLOY</a>	EMPLOYMENT STATUS	15
<a href="#">DETDLF</a>	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
<a href="#">PREG</a>	PREGNANT AT TIME OF ADMISSION	16
<a href="#">VET</a>	VETERAN STATUS	17
<a href="#">LIVARRAG</a>	LIVING ARRANGEMENT	17

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">PRIMINC</a>	SOURCE OF INCOME/SUPPORT	18

## GEOGRAPHIC

## GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">STFIPS</a>	CENSUS STATE FIPS CODE	18
<a href="#">CBSA</a>	FIPS 2000 CBSA CODE	20
<a href="#">PMSA</a>	FIPS 1990 MSA CODE	28
<a href="#">REGION</a>	CENSUS REGION	36
<a href="#">DIVISION</a>	CENSUS DIVISION	36

## TREATMENT SERVICE CHARACTERISTICS

## TREATMENT SERVICE CHARACTERISTICS

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">SERVSETA</a>	SERVICE SETTING AT ADMISSION	37
<a href="#">METHUSE</a>	MEDICATION-ASSISTED OPIOID THERAPY	39
<a href="#">DAYWAIT</a>	DAYS WAITING TO ENTER TREATMENT	39

## REFERRAL SOURCES

## REFERRAL SOURCES

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">PSOURCE</a>	PRINCIPAL SOURCE OF REFERRAL	40
<a href="#">DETCRIM</a>	DETAILED CRIMINAL JUSTICE REFERRAL	41

## PRIOR SUBSTANCE ABUSE TREATMENT

## PRIOR SUBSTANCE ABUSE TREATMENT

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">NOPRIOR</a>	NUMBER OF PRIOR TREATMENT EPISODES	42

## SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

## SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">SUB1</a>	SUBSTANCE PROBLEM CODE (PRIMARY)	42
<a href="#">ROUTE1</a>	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
<a href="#">FREQ1</a>	FREQUENCY OF USE (PRIMARY)	44
<a href="#">FRSTUSE1</a>	AGE AT FIRST USE (PRIMARY)	45
<a href="#">SUB2</a>	SUBSTANCE PROBLEM CODE (SECONDARY)	45
<a href="#">ROUTE2</a>	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47
<a href="#">FREQ2</a>	FREQUENCY OF USE (SECONDARY)	47
<a href="#">FRSTUSE2</a>	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB3</a>	SUBSTANCE PROBLEM CODE (TERTIARY)	48
<a href="#">ROUTE3</a>	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
<a href="#">FREQ3</a>	FREQUENCY OF USE (TERTIARY)	51
<a href="#">FRSTUSE3</a>	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:  
CREATED VARIABLES**

**SUBSTANCES OF ABUSE: CREATED VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NUMSUBS</a>	NUMBER OF SUBSTANCES REPORTED AT ADM.	51
<a href="#">IDU</a>	CURRENT IV DRUG USE REPORTED AT ADM.	52
<a href="#">ALCFLG</a>	ALCOHOL REPORTED AT ADM.	52
<a href="#">COKEFLG</a>	COCAINE/CRACK REPORTED AT ADM.	52
<a href="#">MARFLG</a>	MARIJUANA/HASHISH REPORTED AT ADM.	52
<a href="#">HERFLG</a>	HEROIN REPORTED AT ADM.	53
<a href="#">METHFLG</a>	NON-RX METHADONE REPORTED AT ADM.	53
<a href="#">OPSYNFLG</a>	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
<a href="#">PCPFLG</a>	PCP REPORTED AT ADM.	53
<a href="#">HALLFLG</a>	OTHER HALLUCINOGENS REPORTED AT ADM.	54
<a href="#">MTHAMFLG</a>	METHAMPHETAMINE REPORTED AT ADM.	54
<a href="#">AMPHFLG</a>	OTHER AMPHETAMINES REPORTED AT ADM.	54
<a href="#">STIMFLG</a>	OTHER STIMULANTS REPORTED AT ADM.	54
<a href="#">BENZFLG</a>	BENZODIAZEPINES REPORTED AT ADM.	55
<a href="#">TRNQFLG</a>	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
<a href="#">BARBFLG</a>	BARBITURATES REPORTED AT ADM.	55
<a href="#">SEDHPFLG</a>	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	55
<a href="#">INHFLG</a>	INHALANTS REPORTED AT ADM.	56
<a href="#">OTCFLG</a>	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
<a href="#">OTHERFLG</a>	OTHER DRUG REPORTED AT ADM.	56
<a href="#">ALCDRUG</a>	SUBSTANCE ABUSE TYPE	56

**MENTAL HEALTH**

**MENTAL HEALTH**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">DSMCRT</a>	DSM DIAGNOSIS	57
<a href="#">PSYPROB</a>	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

**INSURANCE/PAYMENT**

**INSURANCE/PAYMENT**

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">HLTHINS</a>	HEALTH INSURANCE	58
<a href="#">PRIMPAY</a>	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	58

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 1749726 valid cases out of 1749726 total cases.

YEAR	YEAR OF ADMISSION
------	-------------------

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%	Valid %
2000	-	1749726	100.0 %	100.0%

Based upon 1749726 valid cases out of 1749726 total cases.

AGE	AGE (RECODED)
-----	---------------

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%	Valid %
2	12-14	25012	1.4 %	1.4%
3	15-17	112758	6.4 %	6.4%
4	18-20	115041	6.6 %	6.6%
5	21-24	162518	9.3 %	9.3%
6	25-29	206712	11.8 %	11.8%
7	30-34	266270	15.2 %	15.2%
8	35-39	313170	17.9 %	17.9%
9	40-44	257134	14.7 %	14.7%
10	45-49	155890	8.9 %	8.9%
11	50-54	75109	4.3 %	4.3%
12	55 AND OVER	60112	3.4 %	3.4%

Based upon 1749726 valid cases out of 1749726 total cases.

GENDER	SEX																				
Location:	15-16 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-9																				
Question:	Identifies client's gender.																				
	<table><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th><th>Valid %</th></tr><tr><td>1</td><td>MALE</td><td>1224001</td><td>70.0 %</td><td>70.1%</td></tr><tr><td>2</td><td>FEMALE</td><td>522301</td><td>29.9 %</td><td>29.9%</td></tr><tr><td>-9 (M)</td><td>MISSING/UNKNOWN/NOT COLLECTED/INVALID</td><td>3424</td><td>0.2 %</td><td>-</td></tr></table>	Value	Label	Unweighted Frequency	%	Valid %	1	MALE	1224001	70.0 %	70.1%	2	FEMALE	522301	29.9 %	29.9%	-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3424	0.2 %	-
Value	Label	Unweighted Frequency	%	Valid %																	
1	MALE	1224001	70.0 %	70.1%																	
2	FEMALE	522301	29.9 %	29.9%																	
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3424	0.2 %	-																	

Based upon 1746302 valid cases out of 1749726 total cases.

RACE	RACE
Location:	17-18 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Specifies the client's race:
	<ul style="list-style-type: none"> <li>- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.</li> <li>- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.</li> <li>- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.</li> <li>- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.</li> <li>- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.</li> <li>- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.</li> <li>- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)</li> </ul>



- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8098	0.5 %	0.5%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	34065	1.9 %	2.0%
3	ASIAN OR PACIFIC ISLANDER	14840	0.8 %	0.9%
4	BLACK OR AFRICAN AMERICAN	442083	25.3 %	25.6%
5	WHITE	1043534	59.6 %	60.4%
13	ASIAN	819	0.0 %	0.0%
20	OTHER SINGLE RACE	184955	10.6 %	10.7%
21	TWO OR MORE RACES	4	0.0 %	0.0%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	347	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	20981	1.2 %	-

Based upon 1728745 valid cases out of 1749726 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
--------	-----------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain),

other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	79210	4.5 %	4.8%
2	MEXICAN	83365	4.8 %	5.0%
3	CUBAN	4728	0.3 %	0.3%
4	OTHER SPECIFIC HISPANIC	46806	2.7 %	2.8%
5	NOT OF HISPANIC ORIGIN	1443963	82.5 %	87.0%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	2487	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	89167	5.1 %	-

Based upon 1660559 valid cases out of 1749726 total cases.

## MARSTAT

## MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	765056	43.7 %	56.6%
2	NOW MARRIED	231415	13.2 %	17.1%
3	SEPARATED	96482	5.5 %	7.1%
4	DIVORCED, WIDOWED	258881	14.8 %	19.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	397892	22.7 %	-

Based upon 1351834 valid cases out of 1749726 total cases.

EDUC	EDUCATION
------	-----------

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	162745	9.3 %	9.6%
2	9-11	532215	30.4 %	31.3%
3	12	687773	39.3 %	40.4%
4	13-15	251680	14.4 %	14.8%
5	16 OR MORE	66996	3.8 %	3.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	48317	2.8 %	-

Based upon 1701409 valid cases out of 1749726 total cases.

EMPLOY	EMPLOYMENT STATUS
--------	-------------------

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETDLF).

Guidelines: Seasonal workers are coded in this category based

on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	423672	24.2 %	25.5%
2	PART TIME	116263	6.6 %	7.0%
3	UNEMPLOYED	383698	21.9 %	23.1%
4	NOT IN LABOR FORCE	738242	42.2 %	44.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	87851	5.0 %	-

Based upon 1661875 valid cases out of 1749726 total cases.

#### DET NFL

#### DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	10016	0.6 %	3.4%
2	STUDENT	71430	4.1 %	24.0%
3	RETIRED, DISABLED	67699	3.9 %	22.7%
5	INMATE OF INSTITUTION	27109	1.5 %	9.1%
6	OTHER	121365	6.9 %	40.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1452107	83.0 %	-

Based upon 297619 valid cases out of 1749726 total cases.

#### PREG

#### PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17597	1.0 %	3.8%
2	NO	443938	25.4 %	96.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1288191	73.6 %	-

Based upon 461535 valid cases out of 1749726 total cases.

VET	VETERAN STATUS
-----	----------------

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	68631	3.9 %	6.7%
2	NO	961116	54.9 %	93.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	719979	41.1 %	-

Based upon 1029747 valid cases out of 1749726 total cases.

LIVARAG	LIVING ARRANGEMENT
---------	--------------------

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others

without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	151619	8.7 %	11.1%
2	DEPENDENT LIVING	315884	18.1 %	23.1%
3	INDEPENDENT LIVING	898304	51.3 %	65.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	383919	21.9 %	-

Based upon 1365807 valid cases out of 1749726 total cases.

# **PRIMINC SOURCE OF INCOME/SUPPORT**

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	347465	19.9 %	36.8%
2	PUBLIC ASSISTANCE	94175	5.4 %	10.0%
3	RETIREMENT/PENSION, DISABILITY	46477	2.7 %	4.9%
20	OTHER	199954	11.4 %	21.2%
21	NONE	255258	14.6 %	27.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	806397	46.1 %	-

Based upon 943329 valid cases out of 1749726 total cases.

# **STFIPS CENSUS STATE FIPS CODE**

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	17520	1.0 %	1.0%
2	ALASKA	5153	0.3 %	0.3%
4	ARIZONA	13549	0.8 %	0.8%
5	ARKANSAS	13389	0.8 %	0.8%
6	CALIFORNIA	183490	10.5 %	10.5%
8	COLORADO	55019	3.1 %	3.1%
9	CONNECTICUT	50863	2.9 %	2.9%
10	DELAWARE	6727	0.4 %	0.4%
11	DIST OF COLUMBIA	6019	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	FLORIDA	79516	4.5 %	4.5%
13	GEORGIA	30226	1.7 %	1.7%
15	HAWAII	6649	0.4 %	0.4%
16	IDAHO	5891	0.3 %	0.3%
17	ILLINOIS	63102	3.6 %	3.6%
18	INDIANA	38231	2.2 %	2.2%
19	IOWA	25924	1.5 %	1.5%
20	KANSAS	14330	0.8 %	0.8%
21	KENTUCKY	18471	1.1 %	1.1%
22	LOUISIANA	27926	1.6 %	1.6%
23	MAINE	10452	0.6 %	0.6%
24	MARYLAND	55679	3.2 %	3.2%
25	MASSACHUSETTS	70137	4.0 %	4.0%
26	MICHIGAN	57325	3.3 %	3.3%
27	MINNESOTA	40014	2.3 %	2.3%
28	MISSISSIPPI	9579	0.5 %	0.5%
29	MISSOURI	44305	2.5 %	2.5%
30	MONTANA	7026	0.4 %	0.4%
31	NEBRASKA	8504	0.5 %	0.5%
32	NEVADA	10792	0.6 %	0.6%
33	NEW HAMPSHIRE	5773	0.3 %	0.3%
34	NEW JERSEY	52852	3.0 %	3.0%
35	NEW MEXICO	7138	0.4 %	0.4%
36	NEW YORK	300524	17.2 %	17.2%
37	NORTH CAROLINA	35085	2.0 %	2.0%
38	NORTH DAKOTA	1954	0.1 %	0.1%
39	OHIO	48959	2.8 %	2.8%
40	OKLAHOMA	13592	0.8 %	0.8%
41	OREGON	52595	3.0 %	3.0%
42	PENNSYLVANIA	64013	3.7 %	3.7%
44	RHODE ISLAND	11773	0.7 %	0.7%
45	SOUTH CAROLINA	28268	1.6 %	1.6%
46	SOUTH DAKOTA	9143	0.5 %	0.5%
47	TENNESSEE	7644	0.4 %	0.4%
48	TEXAS	29334	1.7 %	1.7%
49	UTAH	19375	1.1 %	1.1%
50	VERMONT	7140	0.4 %	0.4%
51	VIRGINIA	23491	1.3 %	1.3%
53	WASHINGTON	30659	1.8 %	1.8%
55	WISCONSIN	20354	1.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
56	WYOMING	4252	0.2 %	0.2%

Based upon 1749726 valid cases out of 1749726 total cases.

<b>CBSA</b>	<b>FIPS 2000 CBSA CODE</b>
-------------	----------------------------

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1282	0.1 %	0.1%
10420	AKRON, OH METRO	1948	0.1 %	0.1%
10500	ALBANY, GA METRO	559	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	18661	1.1 %	1.4%
10740	ALBUQUERQUE, NM METRO	820	0.0 %	0.1%
10780	ALEXANDRIA, LA METRO	2946	0.2 %	0.2%
10880	ALLEGAN, MI MICRO	235	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3259	0.2 %	0.2%
11020	ALTOONA, PA METRO	3051	0.2 %	0.2%
11100	AMARILLO, TX METRO	541	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	1998	0.1 %	0.2%
11300	ANDERSON, IN METRO	870	0.0 %	0.1%
11340	ANDERSON, SC METRO	1498	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	345	0.0 %	0.0%
11500	ANNISTON-OXFORD, AL METRO	593	0.0 %	0.0%
11540	APPLETON, WI METRO	296	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	2352	0.1 %	0.2%
11780	ASHTABULA, OH MICRO	779	0.0 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	1731	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	8498	0.5 %	0.6%
12100	ATLANTIC CITY, NJ METRO	1818	0.1 %	0.1%
12220	AUBURN-OPELIKA, AL METRO	624	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	1549	0.1 %	0.1%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12420	AUSTIN-ROUND ROCK, TX METRO	2163	0.1 %	0.2%
12540	BAKERSFIELD, CA METRO	3516	0.2 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	32263	1.8 %	2.5%
12700	BARNSTABLE TOWN, MA METRO	3884	0.2 %	0.3%
12940	BATON ROUGE, LA METRO	4877	0.3 %	0.4%
12980	BATTLE CREEK, MI METRO	693	0.0 %	0.1%
13020	BAY CITY, MI METRO	308	0.0 %	0.0%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1151	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	1255	0.1 %	0.1%
13740	BILLINGS, MT METRO	1095	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3619	0.2 %	0.3%
13820	BIRMINGHAM-HOOVER, AL METRO	3838	0.2 %	0.3%
14060	BLOOMINGTON-NORMAL, IL METRO	1014	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	106	0.0 %	0.0%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	37963	2.2 %	2.9%
14500	BOULDER, CO METRO	1803	0.1 %	0.1%
14740	BREMERTON-SILVERDALE, WA METRO	1278	0.1 %	0.1%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	8387	0.5 %	0.6%
15180	BROWNSVILLE-HARLINGEN, TX METRO	499	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	20325	1.2 %	1.5%
15500	BURLINGTON, NC METRO	204	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2934	0.2 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2600	0.1 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	3108	0.2 %	0.2%
16300	CEDAR RAPIDS, IA METRO	2545	0.1 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	1152	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	3469	0.2 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	7906	0.5 %	0.6%
16820	CHARLOTTESVILLE, VA METRO	595	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1205	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	38133	2.2 %	2.9%
17020	CHICO, CA METRO	810	0.0 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	10073	0.6 %	0.8%
17300	CLARKSVILLE, TN-KY METRO	768	0.0 %	0.1%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	11197	0.6 %	0.9%
17780	COLLEGE STATION-BRYAN, TX METRO	303	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17820	COLORADO SPRINGS, CO METRO	7	0.0 %	0.0%
17860	COLUMBIA, MO METRO	1753	0.1 %	0.1%
17900	COLUMBIA, SC METRO	3336	0.2 %	0.3%
17980	COLUMBUS, GA-AL METRO	575	0.0 %	0.0%
18140	COLUMBUS, OH METRO	5655	0.3 %	0.4%
18580	CORPUS CHRISTI, TX METRO	1597	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	1126	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	2517	0.1 %	0.2%
19260	DANVILLE, VA METRO	371	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	234	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4345	0.2 %	0.3%
19380	DAYTON, OH METRO	5542	0.3 %	0.4%
19460	DECATUR, AL METRO	244	0.0 %	0.0%
19500	DECATUR, IL METRO	1377	0.1 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	4496	0.3 %	0.3%
19740	DENVER-AURORA, CO METRO	31	0.0 %	0.0%
19780	DES MOINES, IA METRO	3742	0.2 %	0.3%
19820	DETROIT-WARREN-LIVONIA, MI METRO	21480	1.2 %	1.6%
20020	DOTHAN, AL METRO	631	0.0 %	0.0%
20100	DOVER, DE METRO	523	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	2037	0.1 %	0.2%
20500	DURHAM, NC METRO	1532	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	395	0.0 %	0.0%
20740	EAU CLAIRE, WI METRO	822	0.0 %	0.1%
21340	EL PASO, TX METRO	1898	0.1 %	0.1%
21500	ERIE, PA METRO	1984	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	6094	0.3 %	0.5%
21780	EVANSVILLE, IN-KY METRO	141	0.0 %	0.0%
22020	FARGO, ND-MN METRO	518	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1021	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	961	0.1 %	0.1%
22420	FLINT, MI METRO	5980	0.3 %	0.5%
22460	FLORENCE, AL METRO	531	0.0 %	0.0%
22500	FLORENCE, SC METRO	1274	0.1 %	0.1%
22900	FORT SMITH, AR-OK METRO	560	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	1806	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23420	FRESNO, CA METRO	6598	0.4 %	0.5%
23460	GADSDEN, AL METRO	948	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1189	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1035	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	468	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	17	0.0 %	0.0%
24340	GRAND RAPIDS-WYOMING, MI METRO	3737	0.2 %	0.3%
24540	GREELEY, CO METRO	280	0.0 %	0.0%
24580	GREEN BAY, WI METRO	134	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	2526	0.1 %	0.2%
24780	GREENVILLE, NC METRO	1330	0.1 %	0.1%
24860	GREENVILLE, SC METRO	3791	0.2 %	0.3%
25060	GULFPORT-BILOXI, MS METRO	530	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1337	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3620	0.2 %	0.3%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	23120	1.3 %	1.8%
25620	HATTIESBURG, MS METRO	717	0.0 %	0.1%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1556	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1648	0.1 %	0.1%
26180	HONOLULU, HI METRO	4645	0.3 %	0.4%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1895	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	7650	0.4 %	0.6%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	902	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	553	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	870	0.0 %	0.1%
26980	IOWA CITY, IA METRO	1771	0.1 %	0.1%
27100	JACKSON, MI METRO	714	0.0 %	0.1%
27140	JACKSON, MS METRO	2692	0.2 %	0.2%
27180	JACKSON, TN METRO	607	0.0 %	0.0%
27260	JACKSONVILLE, FL METRO	9727	0.6 %	0.7%
27340	JACKSONVILLE, NC METRO	627	0.0 %	0.0%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1228	0.1 %	0.1%
27500	JANESVILLE, WI METRO	1048	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	1120	0.1 %	0.1%
27780	JOHNSTOWN, PA METRO	968	0.1 %	0.1%
27900	JOPLIN, MO METRO	1658	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	1705	0.1 %	0.1%
28100	KANKAKEE-BRADLEY, IL METRO	936	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28140	KANSAS CITY, MO-KS METRO	10767	0.6 %	0.8%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	695	0.0 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	127	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	987	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	274	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	1771	0.1 %	0.1%
29340	LAKE CHARLES, LA METRO	1518	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	479	0.0 %	0.0%
29540	LANCASTER, PA METRO	2461	0.1 %	0.2%
29620	LANSING-EAST LANSING, MI METRO	1516	0.1 %	0.1%
29700	LAREDO, TX METRO	640	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	694	0.0 %	0.1%
29820	LAS VEGAS-PARADISE, NV METRO	6757	0.4 %	0.5%
30020	LAWTON, OK METRO	880	0.1 %	0.1%
30140	LEBANON, PA METRO	759	0.0 %	0.1%
30460	LEXINGTON-FAYETTE, KY METRO	746	0.0 %	0.1%
30540	LEXINGTON-THOMASVILLE, NC MICRO	743	0.0 %	0.1%
30620	LIMA, OH METRO	183	0.0 %	0.0%
30700	LINCOLN, NE METRO	1157	0.1 %	0.1%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	3552	0.2 %	0.3%
30980	LONGVIEW, TX METRO	304	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	61852	3.5 %	4.7%
31140	LOUISVILLE, KY-IN METRO	2133	0.1 %	0.2%
31180	LUBBOCK, TX METRO	1026	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	23	0.0 %	0.0%
31420	MACON, GA METRO	1402	0.1 %	0.1%
31460	MADERA, CA METRO	806	0.0 %	0.1%
31540	MADISON, WI METRO	1830	0.1 %	0.1%
31700	MANCHESTER-NASHUA, NH METRO	2213	0.1 %	0.2%
31900	MANSFIELD, OH METRO	178	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	723	0.0 %	0.1%
32780	MEDFORD, OR METRO	3643	0.2 %	0.3%
32820	MEMPHIS, TN-MS-AR METRO	1408	0.1 %	0.1%
32900	MERCED, CA METRO	1144	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	24004	1.4 %	1.8%
33260	MIDLAND, TX METRO	47	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	1252	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	25260	1.4 %	1.9%
33660	MOBILE, AL METRO	1052	0.1 %	0.1%
33700	MODESTO, CA METRO	2803	0.2 %	0.2%
33740	MONROE, LA METRO	1426	0.1 %	0.1%
33780	MONROE, MI METRO	290	0.0 %	0.0%
33860	MONTGOMERY, AL METRO	2131	0.1 %	0.2%
34740	MUSKEGON-NORTON SHORES, MI METRO	2006	0.1 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	811	0.0 %	0.1%
34900	NAPA, CA METRO	415	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	929	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1157	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	7603	0.4 %	0.6%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	5304	0.3 %	0.4%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	216278	12.4 %	16.4%
35660	NILES-BENTON HARBOR, MI METRO	1914	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	6117	0.3 %	0.5%
36100	OCALA, FL METRO	489	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	684	0.0 %	0.1%
36220	ODESSA, TX METRO	362	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	2367	0.1 %	0.2%
36420	OKLAHOMA CITY, OK METRO	3941	0.2 %	0.3%
36500	OLYMPIA, WA METRO	816	0.0 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	3917	0.2 %	0.3%
36740	ORLANDO, FL METRO	8013	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	268	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2994	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	2169	0.1 %	0.2%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	1654	0.1 %	0.1%
37700	PASCAGOULA, MS METRO	486	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	3513	0.2 %	0.3%
37900	PEORIA, IL METRO	1780	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	32346	1.8 %	2.5%
38300	PITTSBURGH, PA METRO	7626	0.4 %	0.6%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	3172	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	21798	1.2 %	1.7%
38940	PORT ST. LUCIE, FL METRO	684	0.0 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	11648	0.7 %	0.9%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	15931	0.9 %	1.2%
39340	PROVO-OREM, UT METRO	1507	0.1 %	0.1%
39460	PUNTA GORDA, FL METRO	691	0.0 %	0.1%
39540	RACINE, WI METRO	497	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	2126	0.1 %	0.2%
39740	READING, PA METRO	1883	0.1 %	0.1%
39820	REDDING, CA METRO	1363	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1919	0.1 %	0.1%
40060	RICHMOND, VA METRO	2051	0.1 %	0.2%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	12497	0.7 %	1.0%
40220	ROANOKE, VA METRO	1896	0.1 %	0.1%
40340	ROCHESTER, MN METRO	877	0.1 %	0.1%
40380	ROCHESTER, NY METRO	17816	1.0 %	1.4%
40420	ROCKFORD, IL METRO	3058	0.2 %	0.2%
40580	ROCKY MOUNT, NC METRO	841	0.0 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9111	0.5 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1273	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1537	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	702	0.0 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	16162	0.9 %	1.2%
41420	SALEM, OR METRO	5490	0.3 %	0.4%
41500	SALINAS, CA METRO	1090	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	12103	0.7 %	0.9%
41660	SAN ANGELO, TX METRO	151	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	1759	0.1 %	0.1%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	17272	1.0 %	1.3%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	28666	1.6 %	2.2%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	6726	0.4 %	0.5%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	616	0.0 %	0.0%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2600	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1631	0.1 %	0.1%
42140	SANTA FE, NM METRO	2186	0.1 %	0.2%
42220	SANTA ROSA, CA METRO	7753	0.4 %	0.6%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1713	0.1 %	0.1%
42340	SAVANNAH, GA METRO	52	0.0 %	0.0%
42540	SCRANTON--WILKES-BARRE-, PA METRO	4190	0.2 %	0.3%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	11963	0.7 %	0.9%
43100	SHEBOYGAN, WI METRO	302	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	2980	0.2 %	0.2%
43580	SIOUX CITY, IA-NE-SD METRO	1418	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2882	0.2 %	0.2%
43900	SPARTANBURG, SC METRO	2939	0.2 %	0.2%
44060	SPOKANE, WA METRO	2370	0.1 %	0.2%
44100	SPRINGFIELD, IL METRO	1531	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	7686	0.4 %	0.6%
44180	SPRINGFIELD, MO METRO	3519	0.2 %	0.3%
44220	SPRINGFIELD, OH METRO	2287	0.1 %	0.2%
44300	STATE COLLEGE, PA METRO	291	0.0 %	0.0%
44700	STOCKTON, CA METRO	2651	0.2 %	0.2%
44940	SUMTER, SC METRO	882	0.1 %	0.1%
45060	SYRACUSE, NY METRO	10451	0.6 %	0.8%
45220	TALLAHASSEE, FL METRO	1592	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	7856	0.4 %	0.6%
45500	TEXARKANA TX-TEXARKANA, AR METRO	666	0.0 %	0.1%
45780	TOLEDO, OH METRO	73	0.0 %	0.0%
45820	TOPEKA, KS METRO	1696	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1495	0.1 %	0.1%
46140	TULSA, OK METRO	3080	0.2 %	0.2%
46220	TUSCALOOSA, AL METRO	734	0.0 %	0.1%
46340	TYLER, TX METRO	129	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4305	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	1187	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2149	0.1 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	5841	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	1778	0.1 %	0.1%
47360	WACO, TX METRO	723	0.0 %	0.1%
47580	WARNER ROBINS, GA METRO	45	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	26643	1.5 %	2.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47940	WATERLOO-CEDAR FALLS, IA METRO	2246	0.1 %	0.2%
48140	WAUSAU, WI METRO	649	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	555	0.0 %	0.0%
48620	WICHITA, KS METRO	4744	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	440	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	547	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1058	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2254	0.1 %	0.2%
49340	WORCESTER, MA METRO	12246	0.7 %	0.9%
49420	YAKIMA, WA METRO	2784	0.2 %	0.2%
49620	YORK-HANOVER, PA METRO	810	0.0 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	865	0.0 %	0.1%
49700	YUBA CITY-MARYSVILLE, CA METRO	771	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	434635	24.8 %	-

Based upon 1315091 valid cases out of 1749726 total cases.

#### PMSA

#### FIPS 1990 MSA CODE

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1282	0.1 %	0.1%
80	AKRON, OH PMSA	1948	0.1 %	0.1%
120	ALBANY, GA MSA	559	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	18661	1.1 %	1.4%
200	ALBUQUERQUE, NM MSA	820	0.0 %	0.1%
220	ALEXANDRIA, LA MSA	2946	0.2 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2256	0.1 %	0.2%
280	ALTOONA, PA MSA	3051	0.2 %	0.2%
320	AMARILLO, TX MSA	541	0.0 %	0.0%
380	ANCHORAGE, AK MSA	1998	0.1 %	0.2%
440	ANN ARBOR, MI PMSA	435	0.0 %	0.0%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
450	ANNISTON, AL MSA	593	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	564	0.0 %	0.0%
480	ASHEVILLE, NC MSA	2352	0.1 %	0.2%
500	ATHENS, GA MSA	1731	0.1 %	0.1%
520	ATLANTA, GA MSA	8498	0.5 %	0.6%
560	ATLANTIC-CAPE MAY, NJ PMSA	2502	0.1 %	0.2%
580	AUBURN-OPELIKA, AL MSA	624	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	1549	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2163	0.1 %	0.2%
680	BAKERSFIELD, CA MSA	3516	0.2 %	0.3%
720	BALTIMORE, MD PMSA	32263	1.8 %	2.5%
743	BARNSTABLE-YARMOUTH, MA NECMA	3884	0.2 %	0.3%
760	BATON ROUGE, LA MSA	4877	0.3 %	0.4%
840	BEAUMONT-PORT ARTHUR, TX MSA	1151	0.1 %	0.1%
860	BELLINGHAM, WA MSA	1255	0.1 %	0.1%
870	BENTON HARBOR, MI MSA	1914	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7951	0.5 %	0.6%
880	BILLINGS, MT MSA	1095	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	1016	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3619	0.2 %	0.3%
1000	BIRMINGHAM, AL MSA	3838	0.2 %	0.3%
1040	BLOOMINGTON-NORMAL, IL MSA	1014	0.1 %	0.1%
1080	BOISE CITY, ID MSA	106	0.0 %	0.0%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	57198	3.3 %	4.3%
1125	BOULDER-LONGMONT, CO PMSA	1803	0.1 %	0.1%
1145	BRAZORIA, TX PMSA	898	0.1 %	0.1%
1150	BREMERTON, WA PMSA	1278	0.1 %	0.1%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	499	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	303	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	20325	1.2 %	1.5%
1303	BURLINGTON, VT NECMA	2934	0.2 %	0.2%
1320	CANTON-MASSILLON, OH MSA	2600	0.1 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2545	0.1 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	1152	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	3469	0.2 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	7906	0.5 %	0.6%
1540	CHARLOTTESVILLE, VA MSA	595	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1205	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1600	CHICAGO, IL PMSA	37975	2.2 %	2.9%
1620	CHICO-PARADISE, CA MSA	810	0.0 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	8247	0.5 %	0.6%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	768	0.0 %	0.1%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	11976	0.7 %	0.9%
1720	COLORADO SPRINGS, CO MSA	7	0.0 %	0.0%
1740	COLUMBIA, MO MSA	1753	0.1 %	0.1%
1760	COLUMBIA, SC MSA	3336	0.2 %	0.3%
1800	COLUMBUS, GA-AL MSA	575	0.0 %	0.0%
1840	COLUMBUS, OH MSA	5655	0.3 %	0.4%
1880	CORPUS CHRISTI, TX MSA	1597	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1126	0.1 %	0.1%
1920	DALLAS, TX PMSA	180	0.0 %	0.0%
1950	DANVILLE, VA MSA	371	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4345	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	7829	0.4 %	0.6%
2020	DAYTONA BEACH, FL MSA	4496	0.3 %	0.3%
2030	DECATUR, AL MSA	244	0.0 %	0.0%
2040	DECATUR, IL MSA	1377	0.1 %	0.1%
2080	DENVER, CO PMSA	31	0.0 %	0.0%
2120	DES MOINES, IA MSA	3742	0.2 %	0.3%
2160	DETROIT, MI PMSA	21680	1.2 %	1.6%
2180	DOTHAN, AL MSA	631	0.0 %	0.0%
2190	DOVER, DE MSA	523	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	2037	0.1 %	0.2%
2281	DUTCHESS COUNTY, NY PMSA	6570	0.4 %	0.5%
2290	EAU CLAIRE, WI MSA	822	0.0 %	0.1%
2320	EL PASO, TX MSA	1898	0.1 %	0.1%
2360	ERIE, PA MSA	1984	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	6094	0.3 %	0.5%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	141	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	518	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1021	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	961	0.1 %	0.1%
2640	FLINT, MI PMSA	5980	0.3 %	0.5%
2650	FLORENCE, AL MSA	531	0.0 %	0.0%
2655	FLORENCE, SC MSA	1274	0.1 %	0.1%
2680	FORT LAUDERDALE, FL PMSA	8003	0.5 %	0.6%
2700	FORT MYERS-CAPE CORAL, FL MSA	3108	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	684	0.0 %	0.1%
2720	FORT SMITH, AR-OK MSA	560	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	1806	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	2337	0.1 %	0.2%
2840	FRESNO, CA MSA	7404	0.4 %	0.6%
2880	GADSDEN, AL MSA	948	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1189	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	607	0.0 %	0.0%
2975	GLENS FALLS, NY MSA	1035	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	468	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	17	0.0 %	0.0%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	7626	0.4 %	0.6%
3060	GREELEY, CO PMSA	280	0.0 %	0.0%
3080	GREEN BAY, WI MSA	134	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	5727	0.3 %	0.4%
3150	GREENVILLE, NC MSA	1330	0.1 %	0.1%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	8228	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1337	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1826	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	4379	0.3 %	0.3%
3283	HARTFORD, CT NECMA	23120	1.3 %	1.8%
3285	HATTIESBURG, MS MSA	717	0.0 %	0.1%
3290	HICKORY-MORGANTON, NC MSA	1556	0.1 %	0.1%
3320	HONOLULU, HI MSA	4645	0.3 %	0.4%
3350	HOUMA, LA MSA	1895	0.1 %	0.1%
3360	HOUSTON, TX PMSA	6145	0.4 %	0.5%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	902	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	553	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	1740	0.1 %	0.1%
3500	IOWA CITY, IA MSA	1771	0.1 %	0.1%
3520	JACKSON, MI MSA	714	0.0 %	0.1%
3560	JACKSON, MS MSA	2692	0.2 %	0.2%
3580	JACKSON, TN MSA	607	0.0 %	0.0%
3600	JACKSONVILLE, FL MSA	9727	0.6 %	0.7%
3605	JACKSONVILLE, NC MSA	627	0.0 %	0.0%
3610	JAMESTOWN, NY MSA	1228	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	1048	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	5319	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	1120	0.1 %	0.1%
3680	JOHNSTOWN, PA MSA	968	0.1 %	0.1%
3710	JOPLIN, MO MSA	1658	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	2398	0.1 %	0.2%
3740	KANKAKEE, IL PMSA	936	0.1 %	0.1%
3760	KANSAS CITY, MO-KS MSA	10767	0.6 %	0.8%
3800	KENOSHA, WI PMSA	158	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	127	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	987	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	274	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	1771	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	1518	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	479	0.0 %	0.0%
4000	LANCASTER, PA MSA	2461	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	1516	0.1 %	0.1%
4080	LAREDO, TX MSA	640	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	694	0.0 %	0.1%
4120	LAS VEGAS, NV-AZ MSA	6757	0.4 %	0.5%
4200	LAWTON, OK MSA	880	0.1 %	0.1%
4280	LEXINGTON, KY MSA	746	0.0 %	0.1%
4320	LIMA, OH MSA	183	0.0 %	0.0%
4360	LINCOLN, NE MSA	1157	0.1 %	0.1%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	3552	0.2 %	0.3%
4420	LONGVIEW-MARSHALL, TX MSA	304	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	49128	2.8 %	3.7%
4520	LOUISVILLE, KY-IN MSA	2133	0.1 %	0.2%
4600	LUBBOCK, TX MSA	1026	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	23	0.0 %	0.0%
4680	MACON, GA MSA	1447	0.1 %	0.1%
4720	MADISON, WI MSA	1830	0.1 %	0.1%
4800	MANSFIELD, OH MSA	178	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	723	0.0 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	3643	0.2 %	0.3%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	2169	0.1 %	0.2%
4920	MEMPHIS, TN-AR-MS MSA	1408	0.1 %	0.1%
4940	MERCED, CA MSA	1144	0.1 %	0.1%
5000	MIAMI, FL PMSA	10494	0.6 %	0.8%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	3961	0.2 %	0.3%
5080	MILWAUKEE-WAUKESHA, WI PMSA	1252	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	25260	1.4 %	1.9%
5160	MOBILE, AL MSA	1286	0.1 %	0.1%
5170	MODESTO, CA MSA	2803	0.2 %	0.2%
5190	MONMOUTH-OCEAN, NJ PMSA	6724	0.4 %	0.5%
5200	MONROE, LA MSA	1426	0.1 %	0.1%
5240	MONTGOMERY, AL MSA	2131	0.1 %	0.2%
5330	MYRTLE BEACH, SC MSA	811	0.0 %	0.1%
5345	NAPLES, FL MSA	929	0.1 %	0.1%
5360	NASHVILLE, TN MSA	1157	0.1 %	0.1%
5380	NASSAU-SUFFOLK, NY PMSA	31933	1.8 %	2.4%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	15990	0.9 %	1.2%
5523	NEW LONDON-NORWICH, CT NECMA	6117	0.3 %	0.5%
5560	NEW ORLEANS, LA MSA	5304	0.3 %	0.4%
5600	NEW YORK, NY PMSA	144794	8.3 %	11.0%
5640	NEWARK, NJ PMSA	16521	0.9 %	1.3%
5660	NEWBURGH, NY-PA PMSA	5156	0.3 %	0.4%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	5841	0.3 %	0.4%
5775	OAKLAND, CA PMSA	12195	0.7 %	0.9%
5790	OCALA, FL MSA	489	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	409	0.0 %	0.0%
5880	OKLAHOMA CITY, OK MSA	3941	0.2 %	0.3%
5910	OLYMPIA, WA PMSA	816	0.0 %	0.1%
5920	OMAHA, NE-IA MSA	3917	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	12724	0.7 %	1.0%
5960	ORLANDO, FL MSA	8013	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	1654	0.1 %	0.1%
6080	PENSACOLA, FL MSA	3513	0.2 %	0.3%
6120	PEORIA-PEKIN, IL MSA	1780	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	26239	1.5 %	2.0%
6280	PITTSBURGH, PA MSA	7626	0.4 %	0.6%
6403	PORTLAND, ME NECMA	3172	0.2 %	0.2%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	21798	1.2 %	1.7%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	11155	0.6 %	0.8%
6520	PROVO-OREM, UT MSA	1507	0.1 %	0.1%
6580	PUNTA GORDA, FL MSA	691	0.0 %	0.1%
6600	RACINE, WI PMSA	497	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	3658	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6680	READING, PA MSA	1883	0.1 %	0.1%
6690	REDDING, CA MSA	1363	0.1 %	0.1%
6720	RENO, NV MSA	1919	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	695	0.0 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	2051	0.1 %	0.2%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	12497	0.7 %	1.0%
6800	ROANOKE, VA MSA	1896	0.1 %	0.1%
6820	ROCHESTER, MN MSA	877	0.1 %	0.1%
6840	ROCHESTER, NY MSA	17816	1.0 %	1.4%
6880	ROCKFORD, IL MSA	3058	0.2 %	0.2%
6895	ROCKY MOUNT, NC MSA	841	0.0 %	0.1%
6920	SACRAMENTO, CA PMSA	7715	0.4 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	1581	0.1 %	0.1%
6980	ST. CLOUD, MN MSA	1537	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	702	0.0 %	0.1%
7040	ST. LOUIS, MO-IL MSA	16162	0.9 %	1.2%
7080	SALEM, OR PMSA	5490	0.3 %	0.4%
7120	SALINAS, CA MSA	1090	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	14470	0.8 %	1.1%
7200	SAN ANGELO, TX MSA	151	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	1759	0.1 %	0.1%
7320	SAN DIEGO, CA MSA	17272	1.0 %	1.3%
7360	SAN FRANCISCO, CA PMSA	16471	0.9 %	1.3%
7400	SAN JOSE, CA PMSA	6726	0.4 %	0.5%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	616	0.0 %	0.0%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2600	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1631	0.1 %	0.1%
7490	SANTA FE, NM MSA	2186	0.1 %	0.2%
7500	SANTA ROSA, CA PMSA	7753	0.4 %	0.6%
7510	SARASOTA-BRADENTON, FL MSA	1713	0.1 %	0.1%
7520	SAVANNAH, GA MSA	52	0.0 %	0.0%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	4190	0.2 %	0.3%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	9322	0.5 %	0.7%
7610	SHARON, PA MSA	471	0.0 %	0.0%
7620	SHEBOYGAN, WI MSA	302	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	2980	0.2 %	0.2%
7720	SIOUX CITY, IA-NE MSA	1418	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2882	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7840	SPOKANE, WA MSA	2370	0.1 %	0.2%
7880	SPRINGFIELD, IL MSA	1531	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	3519	0.2 %	0.3%
8003	SPRINGFIELD, MA NECMA	7686	0.4 %	0.6%
8050	STATE COLLEGE, PA MSA	291	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2651	0.2 %	0.2%
8140	SUMTER, SC MSA	882	0.1 %	0.1%
8160	SYRACUSE, NY MSA	10451	0.6 %	0.8%
8200	TACOMA, WA PMSA	2641	0.2 %	0.2%
8240	TALLAHASSEE, FL MSA	1592	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	7856	0.4 %	0.6%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	666	0.0 %	0.1%
8400	TOLEDO, OH MSA	73	0.0 %	0.0%
8440	TOPEKA, KS MSA	1696	0.1 %	0.1%
8480	TRENTON, NJ PMSA	1495	0.1 %	0.1%
8560	TULSA, OK MSA	3080	0.2 %	0.2%
8600	TUSCALOOSA, AL MSA	734	0.0 %	0.1%
8640	TYLER, TX MSA	129	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4305	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1602	0.1 %	0.1%
8735	VENTURA, CA PMSA	2994	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2149	0.1 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1778	0.1 %	0.1%
8800	WACO, TX MSA	723	0.0 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	26643	1.5 %	2.0%
8920	WATERLOO-CEDAR FALLS, IA MSA	2246	0.1 %	0.2%
8940	WAUSAU, WI MSA	649	0.0 %	0.0%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	5507	0.3 %	0.4%
9000	WHEELING, WV-OH MSA	555	0.0 %	0.0%
9040	WICHITA, KS MSA	4744	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	440	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	547	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	6107	0.3 %	0.5%
9200	WILMINGTON, NC MSA	1058	0.1 %	0.1%
9260	YAKIMA, WA MSA	2784	0.2 %	0.2%
9270	YOLO, CA PMSA	1396	0.1 %	0.1%
9280	YORK, PA MSA	810	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	789	0.0 %	0.1%
9340	YUBA CITY, CA MSA	771	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	434635	24.8 %	-

Based upon 1315091 valid cases out of 1749726 total cases.

REGION	CENSUS REGION
--------	---------------

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST	573527	32.8 %	32.8%
2	MIDWEST	372145	21.3 %	21.3%
3	SOUTH	402466	23.0 %	23.0%
4	WEST	401588	23.0 %	23.0%

Based upon 1749726 valid cases out of 1749726 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric



Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEW ENGLAND	156138	8.9 %	8.9%
2	MID-ATLANTIC	417389	23.9 %	23.9%
3	EAST NORTH CENTRAL	227971	13.0 %	13.0%
4	WEST NORTH CENTRAL	144174	8.2 %	8.2%
5	SOUTH ATLANTIC	265011	15.1 %	15.1%
6	EAST SOUTH CENTRAL	53214	3.0 %	3.0%
7	WEST SOUTH CENTRAL	84241	4.8 %	4.8%
8	MOUNTAIN	123042	7.0 %	7.0%
9	PACIFIC	278546	15.9 %	15.9%

Based upon 1749726 valid cases out of 1749726 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	85202	4.9 %	4.9%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	300630	17.2 %	17.2%
3	REHAB/RES, HOSPITAL (NON-DETOX)	16981	1.0 %	1.0%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	139835	8.0 %	8.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	140298	8.0 %	8.0%
6	AMBULATORY, INTENSIVE OUTPATIENT	162409	9.3 %	9.3%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	851875	48.7 %	48.7%
8	AMBULATORY, DETOXIFICATION	52255	3.0 %	3.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	241	0.0 %	-

Based upon 1749485 valid cases out of 1749726 total cases.

#### METHUSE

#### MEDICATION-ASSISTED OPIOID THERAPY

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	111330	6.4 %	6.6%
2	NO	1565717	89.5 %	93.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	72679	4.2 %	-

Based upon 1677047 valid cases out of 1749726 total cases.

#### DAYWAIT

#### DAYS WAITING TO ENTER TREATMENT

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 425476 valid cases out of 1749726 total cases.

- Mean: 28.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00

- Standard Deviation: 154.61

PSOURCE	PRINCIPAL SOURCE OF REFERRAL
Location:	59-60 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p>Describes the person or agency referring the client to the alcohol or drug abuse treatment program:</p> <ul style="list-style-type: none"> <li>- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.</li> <li>- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.</li> <li>- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.</li> <li>- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.</li> <li>- EMPLOYER/EAP: A supervisor or an employee counselor.</li> <li>- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.</li> <li>- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).</li> </ul>

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	597872	34.2 %	35.3%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	199142	11.4 %	11.7%
3	OTHER HEALTH CARE PROVIDER	126033	7.2 %	7.4%
4	SCHOOL (EDUCATIONAL)	17463	1.0 %	1.0%
5	EMPLOYER/EAP	16853	1.0 %	1.0%
6	OTHER COMMUNITY REFERRAL	149004	8.5 %	8.8%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	589573	33.7 %	34.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	53786	3.1 %	-

Based upon 1695940 valid cases out of 1749726 total cases.

# DETCRIM

## DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	59510	3.4 %	18.7%
3	PROBATION/PAROLE	147614	8.4 %	46.5%
5	DIVERSIONARY PROGRAM	10584	0.6 %	3.3%
6	PRISON	16112	0.9 %	5.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	DUI/DWI	29090	1.7 %	9.2%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	54794	3.1 %	17.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1432022	81.8 %	-

Based upon 317704 valid cases out of 1749726 total cases.

# **NOPRIOR**

## **NUMBER OF PRIOR TREATMENT EPISODES**

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	645455	36.9 %	43.8%
1	1 PRIOR TREATMENT EPISODES	323216	18.5 %	21.9%
2	2 PRIOR TREATMENT EPISODES	171678	9.8 %	11.7%
3	3 PRIOR TREATMENT EPISODES	97452	5.6 %	6.6%
4	4 PRIOR TREATMENT EPISODES	55383	3.2 %	3.8%
5	5 OR MORE PRIOR TREATMENT EPISODES	180323	10.3 %	12.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	276219	15.8 %	-

Based upon 1473507 valid cases out of 1749726 total cases.

# **SUB1**

## **SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	15279	0.9 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ALCOHOL	810927	46.3 %	47.0%
3	COCAINE/CRACK	238080	13.6 %	13.8%
4	MARIJUANA/HASHISH	249388	14.3 %	14.5%
5	HEROIN	269891	15.4 %	15.7%
6	NON-PRESCRIPTION METHADONE	1860	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	26466	1.5 %	1.5%
8	PCP	2835	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3118	0.2 %	0.2%
10	METHAMPHETAMINE	64273	3.7 %	3.7%
11	OTHER AMPHETAMINES	15670	0.9 %	0.9%
12	OTHER STIMULANTS	1234	0.1 %	0.1%
13	BENZODIAZEPINES	5748	0.3 %	0.3%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	869	0.0 %	0.1%
15	BARBITURATES	1240	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2403	0.1 %	0.1%
17	INHALANTS	1285	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	763	0.0 %	0.0%
20	OTHER	12331	0.7 %	0.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	26066	1.5 %	-

Based upon 1723660 valid cases out of 1749726 total cases.

#### ROUTE1

#### USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	826600	47.2 %	50.8%
2	SMOKING	451989	25.8 %	27.8%
3	INHALATION	142080	8.1 %	8.7%
4	INJECTION (IV OR INTRAMUSCULAR)	193636	11.1 %	11.9%
20	OTHER	12589	0.7 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	122832	7.0 %	-

Based upon 1626894 valid cases out of 1749726 total cases.

#### FREQ1

#### FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric



Range of Missing Values (M):

-9

Question:

Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	389247	22.2 %	24.2%
2	1-3 TIMES IN THE PAST MONTH	181049	10.3 %	11.3%
3	1-2 TIMES IN THE PAST WEEK	142933	8.2 %	8.9%
4	3-6 TIMES IN THE PAST WEEK	170921	9.8 %	10.6%
5	DAILY	724136	41.4 %	45.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	141440	8.1 %	-

Based upon 1608286 valid cases out of 1749726 total cases.

## FRSTUSE1

## AGE AT FIRST USE (PRIMARY)

Location:

71-72 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	146634	8.4 %	9.9%
2	12-14	334741	19.1 %	22.6%
3	15-17	425592	24.3 %	28.7%
4	18-20	237220	13.6 %	16.0%
5	21-24	125162	7.2 %	8.4%
6	25-29	96360	5.5 %	6.5%
7	30-34	56665	3.2 %	3.8%
8	35-39	33439	1.9 %	2.3%
9	40-44	15892	0.9 %	1.1%
10	45-49	6392	0.4 %	0.4%
11	50-54	2442	0.1 %	0.2%
12	55 AND OVER	1593	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	267594	15.3 %	-

Based upon 1482132 valid cases out of 1749726 total cases.

## SUB2

## SUBSTANCE PROBLEM CODE (SECONDARY)

Location:

73-74 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

This field identifies the client's secondary substance problem.

(1) NONE

- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	549691	31.4 %	37.1%
2	ALCOHOL	294932	16.9 %	19.9%
3	COCAINE/CRACK	241300	13.8 %	16.3%
4	MARIJUANA/HASHISH	258894	14.8 %	17.5%
5	HEROIN	37583	2.1 %	2.5%
6	NON-PRESCRIPTION METHADONE	3078	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	16282	0.9 %	1.1%
8	PCP	2667	0.2 %	0.2%
9	OTHER HALLUCINOGENS	6967	0.4 %	0.5%
10	METHAMPHETAMINE	28142	1.6 %	1.9%
11	OTHER AMPHETAMINES	9499	0.5 %	0.6%
12	OTHER STIMULANTS	2932	0.2 %	0.2%
13	BENZODIAZEPINES	12985	0.7 %	0.9%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2027	0.1 %	0.1%
15	BARBITURATES	1973	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3946	0.2 %	0.3%
17	INHALANTS	1101	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1364	0.1 %	0.1%
20	OTHER	7432	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	266931	15.3 %	-

Based upon 1482795 valid cases out of 1749726 total cases.

## ROUTE2

## USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	342157	19.6 %	37.7%
2	SMOKING	396144	22.6 %	43.7%
3	INHALATION	86653	5.0 %	9.6%
4	INJECTION (IV OR INTRAMUSCULAR)	63086	3.6 %	7.0%
20	OTHER	18919	1.1 %	2.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	842767	48.2 %	-

Based upon 906959 valid cases out of 1749726 total cases.

## FREQ2

## FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	316704	18.1 %	34.5%
2	1-3 TIMES IN THE PAST MONTH	133655	7.6 %	14.6%
3	1-2 TIMES IN THE PAST WEEK	104686	6.0 %	11.4%
4	3-6 TIMES IN THE PAST WEEK	93699	5.4 %	10.2%
5	DAILY	269281	15.4 %	29.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	831701	47.5 %	-

Based upon 918025 valid cases out of 1749726 total cases.

### FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	132458	7.6 %	15.6%
2	12-14	185197	10.6 %	21.7%
3	15-17	223777	12.8 %	26.3%
4	18-20	121523	6.9 %	14.3%
5	21-24	64552	3.7 %	7.6%
6	25-29	53274	3.0 %	6.3%
7	30-34	32902	1.9 %	3.9%
8	35-39	20868	1.2 %	2.4%
9	40-44	10478	0.6 %	1.2%
10	45-49	4421	0.3 %	0.5%
11	50-54	1540	0.1 %	0.2%
12	55 AND OVER	823	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	897913	51.3 %	-

Based upon 851813 valid cases out of 1749726 total cases.

### SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL,

ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	935498	53.5 %	72.7%
2	ALCOHOL	86536	4.9 %	6.7%
3	COCAINE/CRACK	73059	4.2 %	5.7%
4	MARIJUANA/HASHISH	98718	5.6 %	7.7%
5	HEROIN	15258	0.9 %	1.2%
6	NON-PRESCRIPTION METHADONE	1714	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	8847	0.5 %	0.7%
8	PCP	2258	0.1 %	0.2%
9	OTHER HALLUCINOGENS	12198	0.7 %	0.9%
10	METHAMPHETAMINE	17146	1.0 %	1.3%
11	OTHER AMPHETAMINES	6994	0.4 %	0.5%
12	OTHER STIMULANTS	2637	0.2 %	0.2%
13	BENZODIAZEPINES	9217	0.5 %	0.7%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1943	0.1 %	0.2%
15	BARBITURATES	1704	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3090	0.2 %	0.2%
17	INHALANTS	1664	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1464	0.1 %	0.1%
20	OTHER	7278	0.4 %	0.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	462503	26.4 %	-

Based upon 1287223 valid cases out of 1749726 total cases.

### ROUTE3

### USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	112590	6.4 %	35.1%
2	SMOKING	123206	7.0 %	38.4%
3	INHALATION	41325	2.4 %	12.9%
4	INJECTION (IV OR INTRAMUSCULAR)	18858	1.1 %	5.9%
20	OTHER	25245	1.4 %	7.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1428502	81.6 %	-

Based upon 321224 valid cases out of 1749726 total cases.

**FREQ3 FREQUENCY OF USE (TERTIARY)**

Location: 85-86 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	179540	10.3 %	50.4%
2	1-3 TIMES IN THE PAST MONTH	46841	2.7 %	13.2%
3	1-2 TIMES IN THE PAST WEEK	33245	1.9 %	9.3%
4	3-6 TIMES IN THE PAST WEEK	25887	1.5 %	7.3%
5	DAILY	70410	4.0 %	19.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1393803	79.7 %	-

Based upon 355923 valid cases out of 1749726 total cases.

**FRSTUSE3 AGE AT FIRST USE (TERTIARY)**

Location: 87-88 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	126148	7.2 %	30.8%
2	12-14	75944	4.3 %	18.6%
3	15-17	91560	5.2 %	22.4%
4	18-20	48438	2.8 %	11.8%
5	21-24	24166	1.4 %	5.9%
6	25-29	18934	1.1 %	4.6%
7	30-34	11460	0.7 %	2.8%
8	35-39	6898	0.4 %	1.7%
9	40-44	3463	0.2 %	0.8%
10	45-49	1350	0.1 %	0.3%
11	50-54	430	0.0 %	0.1%
12	55 AND OVER	173	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1340762	76.6 %	-

Based upon 408964 valid cases out of 1749726 total cases.

**NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.**

Location: 89-90 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	40052	2.3 %	2.3%
1	771351	44.1 %	44.1%
2	593110	33.9 %	33.9%
3	345213	19.7 %	19.7%

Based upon 1749726 valid cases out of 1749726 total cases.

<b>IDU</b>	<b>CURRENT IV DRUG USE REPORTED AT ADM.</b>
------------	---

Location: 91-92 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , -8  
Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1477784	84.5 %	86.4%
1	IDU REPORTED	231911	13.3 %	13.6%
-8 (M)	NO SUBSTANCES REPORTED	40031	2.3 %	-

Based upon 1709695 valid cases out of 1749726 total cases.

<b>ALCFLG</b>	<b>ALCOHOL REPORTED AT ADM.</b>
---------------	---------------------------------

Location: 93-93 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	558689	31.9 %	31.9%
1	SUBSTANCE REPORTED	1191037	68.1 %	68.1%

Based upon 1749726 valid cases out of 1749726 total cases.

<b>COKEFLG</b>	<b>COCAINE/CRACK REPORTED AT ADM.</b>
----------------	---------------------------------------

Location: 94-94 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1204499	68.8 %	68.8%
1	SUBSTANCE REPORTED	545227	31.2 %	31.2%

Based upon 1749726 valid cases out of 1749726 total cases.

<b>MARFLG</b>	<b>MARIJUANA/HASHISH REPORTED AT ADM.</b>
---------------	---



Location: 95-95 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1143175	65.3 %	65.3%
1	SUBSTANCE REPORTED	606551	34.7 %	34.7%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **HERFLG HEROIN REPORTED AT ADM.**

Location: 96-96 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1427351	81.6 %	81.6%
1	SUBSTANCE REPORTED	322375	18.4 %	18.4%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **METHFLG NON-RX METHADONE REPORTED AT ADM.**

Location: 97-97 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1743079	99.6 %	99.6%
1	SUBSTANCE REPORTED	6647	0.4 %	0.4%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 98-98 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1698520	97.1 %	97.1%
1	SUBSTANCE REPORTED	51206	2.9 %	2.9%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **PCPFLG PCP REPORTED AT ADM.**

Location: 99-99 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1741972	99.6 %	99.6%
1	SUBSTANCE REPORTED	7754	0.4 %	0.4%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1727516	98.7 %	98.7%
1	SUBSTANCE REPORTED	22210	1.3 %	1.3%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1640208	93.7 %	93.7%
1	SUBSTANCE REPORTED	109518	6.3 %	6.3%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1717693	98.2 %	98.2%
1	SUBSTANCE REPORTED	32033	1.8 %	1.8%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **STIMFLG OTHER STIMULANTS REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1742931	99.6 %	99.6%
1	SUBSTANCE REPORTED	6795	0.4 %	0.4%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **BENZFLG BENZODIAZEPINES REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1721910	98.4 %	98.4%
1	SUBSTANCE REPORTED	27816	1.6 %	1.6%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1744889	99.7 %	99.7%
1	SUBSTANCE REPORTED	4837	0.3 %	0.3%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **BARBFLG BARBITURATES REPORTED AT ADM.**

Location: 106-106 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1744815	99.7 %	99.7%
1	SUBSTANCE REPORTED	4911	0.3 %	0.3%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 107-107 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1740296	99.5 %	99.5%
1	SUBSTANCE REPORTED	9430	0.5 %	0.5%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **INHFLG INHALANTS REPORTED AT ADM.**

Location: 108-108 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1745684	99.8 %	99.8%
1	SUBSTANCE REPORTED	4042	0.2 %	0.2%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 109-109 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1746244	99.8 %	99.8%
1	SUBSTANCE REPORTED	3482	0.2 %	0.2%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **OTHERFLG OTHER DRUG REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1723502	98.5 %	98.5%
1	SUBSTANCE REPORTED	26224	1.5 %	1.5%

Based upon 1749726 valid cases out of 1749726 total cases.

#### **ALCDRUG SUBSTANCE ABUSE TYPE**

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	40052	2.3 %	2.3%
1	ALCOHOL ONLY	453120	25.9 %	25.9%
2	OTHER DRUGS ONLY	518637	29.6 %	29.6%
3	ALCOHOL AND OTHER DRUGS	737917	42.2 %	42.2%

Based upon 1749726 valid cases out of 1749726 total cases.

# **DSMCRIT DSM DIAGNOSIS**

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	19450	1.1 %	4.1%
1	ALCOHOL-INDUCED DISORDER	5767	0.3 %	1.2%
2	SUBSTANCE-INDUCED DISORDER	5898	0.3 %	1.2%
3	ALCOHOL INTOXICATION	40807	2.3 %	8.5%
4	ALCOHOL DEPENDENCE	116289	6.6 %	24.4%
5	OPIOID DEPENDENCE	70164	4.0 %	14.7%
6	COCAINE DEPENDENCE	45144	2.6 %	9.5%
7	CANNABIS DEPENDENCE	33973	1.9 %	7.1%
8	OTHER SUBSTANCE DEPENDENCE	28219	1.6 %	5.9%
9	ALCOHOL ABUSE	52151	3.0 %	10.9%
10	CANNABIS ABUSE	23746	1.4 %	5.0%
11	OTHER SUBSTANCE ABUSE	3853	0.2 %	0.8%
12	OPIOID ABUSE	1251	0.1 %	0.3%
13	COCAINE ABUSE	5126	0.3 %	1.1%
14	ANXIETY DISORDERS	1200	0.1 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
15	DEPRESSIVE DISORDERS	4387	0.3 %	0.9%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	1959	0.1 %	0.4%
17	BIPOLAR DISORDERS	1770	0.1 %	0.4%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1015	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	2593	0.1 %	0.5%
20	OTHER CONDITION	12522	0.7 %	2.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1272442	72.7 %	-

Based upon 477284 valid cases out of 1749726 total cases.

#### PSYPROB

#### PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	205595	11.8 %	18.1%
2	NO	927420	53.0 %	81.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	616711	35.2 %	-

Based upon 1133015 valid cases out of 1749726 total cases.

#### HLTHINS

#### HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	102690	5.9 %	12.1%
2	MEDICAID	117105	6.7 %	13.8%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	65816	3.8 %	7.8%
4	NONE	561310	32.1 %	66.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	902805	51.6 %	-

Based upon 846921 valid cases out of 1749726 total cases.

#### PRIMPAY

#### EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	150888	8.6 %	28.5%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	43981	2.5 %	8.3%
3	MEDICARE, WORKER'S COMPENSATION	5789	0.3 %	1.1%
4	MEDICAID	68603	3.9 %	13.0%
5	OTHER GOVERNMENT PAYMENTS	154099	8.8 %	29.1%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	68657	3.9 %	13.0%
9	OTHER	36841	2.1 %	7.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1220868	69.8 %	-

Based upon 528858 valid cases out of 1749726 total cases.





# APPENDIX



## APPENDIX A

### TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

<sup>3</sup> MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION



## APPENDIX B

### Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
<b>MARSTAT</b>  Marital Status	1 Never Married (56.6%) 2 Now Married (17.1%) 3 Separated (7.1%) 4 Divorced (17.4%) 5 Widowed (1.7%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
<b>DETNLF</b>  Detailed 'Not in Labor' Force	1 Homemaker (3.4%) 2 Student (24.0%) 3 Retired (2.8%) 4 Disabled (20.0%) 5 Inmate of Institution (9.1%) 6 Other (40.8%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIMINC</b>  Source of Income / Support	1 Wages/Salary (36.8%) 2 Public Assistance (10.0%) 3 Retirement/Pension (<1%) 4 Disability (4.1%) 20 Other (21.2%) 21 None (27.1%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b>  FIPS 1990 MSA Code  <b>CBSA</b>  FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
<b>DETCRIM</b>  Detailed Criminal Justice Referral	1 State/Federal Court (16.7%) 2 Other Court (2.0%) 3 Probation/Parole (46.5%) 4 Other Recognized Legal Entity (12.8%) 5 Diversionary Program (3.3%) 6 Prison (5.1%) 7 DUI/DWI (9.2%) 8 Other (4.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other



Variable	Original Codes (original percentage)	Recodes
<b>HLTHINS</b>  Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.1%) 2 Blue Cross / Blue Shield (BC/BS) (2.0%) 3 Medicare (1.7%) 4 Medicaid (13.8%) 6 Health Maintenance Organization (HMO) (4.0%) 20 Other (e.g. TriCare, Champus) (6.1%) 21 None (66.3%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
<b>PRIMPAY</b>  Expected/Actual Payment Source of Payment	1 Self-Pay (28.5%) 2 Blue Cross / Blue Shield (2.0%) 3 Medicare (1.0%) 4 Medicaid (13.0%) 5 Other Government Payments (29.1%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.3%) 8 No charge (Free, Charity, Special Research or Teaching) (13.0%) 9 Other (7.0%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
<b>FRSTUSE1</b>  Age at First Use (Primary)  <b>FRSTUSE2</b>  Age at First Use (Secondary)  <b>FRSTUSE3</b>  Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

## APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 2000																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia, and Puerto Rico did not report any data; Revised per 10/10/11 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	--	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Minimum Data Set 2000																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia, and Puerto Rico did not report any data; Revised per 10/10/11 data extract																						
State or jurisdiction	Prior trmt	Ref- erral	Age	Sex	Race	Eth- nicity	Edu- cation	Employ- ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth- adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

## APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 2000												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia, and Puerto Rico did not report any data; Revised per 10/10/11 data extract												
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	Y	--	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
CALIFORNIA	--	Y	Y	Y	Y	--	--	--	--	Y	--	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	Y	--	Y	Y	--	--	--	--	--	--	Y	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	--	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	Y
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 2000												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 49 reporting States, and the District of Columbia; West Virginia, and Puerto Rico did not report any data; Revised per 10/10/11 data extract												
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	--
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	Y	Y	Y	Y	--	--	Y	--	Y	--
TEXAS	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y