



SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

## **Treatment Episode Data Set -- Admissions (TEDS-A), 2002**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Office of Applied Studies*

Codebook

**SAMHDA**

is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**

Substance Abuse and Mental Health Services Administration

[www.samhsa.gov](http://www.samhsa.gov)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE**

#### **WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 2002**

### **Introduction**

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 2002. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

### **Data Collection**

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

### **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

### **Universe**

The universe for TEDS-A is admissions in calendar year 2002 that were received and processed through October 17, 2013.

## Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.<sup>1</sup>

## Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

---

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

---

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 49 states plus Puerto Rico and the District of Columbia. The following states did not report usable data for the year 2002: West Virginia.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2002 are as follows:

Filename: da04022-0001.txt  
Number of observations: 1,887,989  
Number of variables: 62  
Records per case: 1  
Logical record length: 120

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

Substance Abuse Mental Health Services Administration. Office of Applied Studies. *Treatment Episode Data Set (TEDS) 1992-2002. [National Admissions](#) to Substance Abuse Treatment Services*. Drug and Alcohol Services Information System Series: S-23. DHHS Publication No. (SMA) 04-3965. Rockville MD, 2004.

Substance Abuse Mental Health Services Administration. Office of Applied Studies. *Treatment Episode Data Set (TEDS) [Highlights](#) 2002. National Admissions to Substance Abuse Treatment Services*. Drug and Alcohol Services Information System Series: S-22. DHHS Publication No. (SMA) 04-3946. Rockville MD, 2004.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

# **Treatment Episode Data Set -- Admissions (TEDS-A), 2002**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

---

---

## CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

*Location:* 1-8 (width: 8; decimal: 0)

*Variable Type:* numeric

---

## YEAR: YEAR OF ADMISSION

Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%
2002	-	1887989	100.0 %
	Missing Data		
	Total	1,887,989	100%

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Mean: 2002.00
- Median: 2002.00
- Mode: 2002.00
- Minimum: 2002.00
- Maximum: 2002.00
- Standard Deviation: 0.00

*Location:* 9-12 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	27719	1.5 %
3	15-17	130195	6.9 %
4	18-20	125217	6.6 %
5	21-24	198497	10.5 %
6	25-29	214260	11.3 %
7	30-34	259689	13.8 %
8	35-39	305189	16.2 %
9	40-44	282066	14.9 %
10	45-49	185946	9.8 %
11	50-54	92336	4.9 %
12	55 AND OVER	66875	3.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	Total	1,887,989	100%

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 2.00
- Maximum: 12.00

*Location:* 13-14 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	1318308	69.8 %
2	FEMALE	569157	30.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	524	0.0 %
	Total	1,887,989	100%

Based upon 1,887,465 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 15-16 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.

- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8453	0.4 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	35836	1.9 %
3	ASIAN OR PACIFIC ISLANDER	15126	0.8 %
4	BLACK OR AFRICAN AMERICAN	463632	24.6 %
5	WHITE	1152465	61.0 %
13	ASIAN	1057	0.1 %
20	OTHER SINGLE RACE	187844	9.9 %
21	TWO OR MORE RACES	24	0.0 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1625	0.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	21927	1.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,866,062 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 23.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:
- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	82773	4.4 %
2	MEXICAN	101587	5.4 %
3	CUBAN	5824	0.3 %
4	OTHER SPECIFIC HISPANIC	52590	2.8 %
5	NOT OF HISPANIC ORIGIN	1553441	82.3 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	3883	0.2 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	87891	4.7 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,800,098 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## MARSTAT: MARITAL STATUS

Describes the client's marital status. The following

categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	850898	45.1 %
2	NOW MARRIED	247670	13.1 %
3	SEPARATED	97135	5.1 %
4	DIVORCED, WIDOWED	272445	14.4 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	419841	22.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,468,148 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 21-22 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	159079	8.4 %
2	9-11	570818	30.2 %
3	12	743715	39.4 %
4	13-15	272603	14.4 %
5	16 OR MORE	74492	3.9 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	67282	3.6 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,820,707 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 23-24 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	390215	20.7 %
2	PART TIME	127156	6.7 %
3	UNEMPLOYED	496129	26.3 %
4	NOT IN LABOR FORCE	775467	41.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	99022	5.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,788,967 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## DET NFL: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	10134	0.5 %
2	STUDENT	70056	3.7 %
3	RETIRED, DISABLED	74613	4.0 %
5	INMATE OF INSTITUTION	27936	1.5 %
6	OTHER	131011	6.9 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1574239	83.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 313,750 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	19100	1.0 %
2	NO	483389	25.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1385500	73.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 502,489 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## VET: VETERAN STATUS

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	65385	3.5 %
2	NO	1040366	55.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	782238	41.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,105,751 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## LIVARAG: LIVING ARRANGEMENT

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	166734	8.8 %
2	DEPENDENT LIVING	305319	16.2 %
3	INDEPENDENT LIVING	899062	47.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	516874	27.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,371,115 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 33-34 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	359756	19.1 %
2	PUBLIC ASSISTANCE	93524	5.0 %
3	RETIREMENT/PENSION, DISABILITY	58768	3.1 %
20	OTHER	235266	12.5 %
21	NONE	312034	16.5 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	828641	43.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,059,348 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 21.00

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	19492	1.0 %
2	ALASKA	5147	0.3 %
4	ARIZONA	18508	1.0 %

Value	Label	Unweighted Frequency	%
5	ARKANSAS	13838	0.7 %
6	CALIFORNIA	213575	11.3 %
8	COLORADO	67684	3.6 %
9	CONNECTICUT	46699	2.5 %
10	DELAWARE	6954	0.4 %
11	DIST OF COLUMBIA	5652	0.3 %
12	FLORIDA	87095	4.6 %
13	GEORGIA	34080	1.8 %
15	HAWAII	6447	0.3 %
16	IDAHO	4956	0.3 %
17	ILLINOIS	80261	4.3 %
18	INDIANA	30410	1.6 %
19	IOWA	27069	1.4 %
20	KANSAS	14702	0.8 %
21	KENTUCKY	26238	1.4 %
22	LOUISIANA	28634	1.5 %
23	MAINE	11883	0.6 %
24	MARYLAND	68266	3.6 %
25	MASSACHUSETTS	67533	3.6 %
26	MICHIGAN	63653	3.4 %
27	MINNESOTA	40911	2.2 %
28	MISSISSIPPI	11404	0.6 %
29	MISSOURI	41176	2.2 %
30	MONTANA	6956	0.4 %
31	NEBRASKA	9265	0.5 %
32	NEVADA	10512	0.6 %
33	NEW HAMPSHIRE	4572	0.2 %
34	NEW JERSEY	54495	2.9 %
35	NEW MEXICO	6697	0.4 %
36	NEW YORK	312608	16.6 %
37	NORTH CAROLINA	30049	1.6 %
38	NORTH DAKOTA	3282	0.2 %
39	OHIO	68131	3.6 %
40	OKLAHOMA	17564	0.9 %
41	OREGON	55732	3.0 %
42	PENNSYLVANIA	62661	3.3 %
44	RHODE ISLAND	12972	0.7 %
45	SOUTH CAROLINA	28564	1.5 %
46	SOUTH DAKOTA	9020	0.5 %
47	TENNESSEE	9776	0.5 %
48	TEXAS	35536	1.9 %
49	UTAH	11458	0.6 %

Value	Label	Unweighted Frequency	%
50	VERMONT	7651	0.4 %
51	VIRGINIA	34215	1.8 %
53	WASHINGTON	28176	1.5 %
54	WEST VIRGINIA	0	0.0 %
55	WISCONSIN	20506	1.1 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 72.00

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	1498	0.1 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	0	0.0 %
10420	AKRON, OH METRO	6208	0.3 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	864	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	20875	1.1 %
10620	ALBEMARLE, NC MICRO	0	0.0 %
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	849	0.0 %

Value	Label	Unweighted Frequency	%
10780	ALEXANDRIA, LA METRO	2733	0.1 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	494	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	2844	0.2 %
10940	ALMA, MI MICRO	0	0.0 %
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	2828	0.1 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	468	0.0 %
11140	AMERICUS, GA MICRO	0	0.0 %
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	1433	0.1 %
11300	ANDERSON, IN METRO	970	0.1 %
11340	ANDERSON, SC METRO	1743	0.1 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	1985	0.1 %
11500	ANNISTON-OXFORD, AL METRO	458	0.0 %
11540	APPLETON, WI METRO	473	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	1712	0.1 %
11740	ASHLAND, OH MICRO	0	0.0 %
11780	ASHTABULA, OH MICRO	1154	0.1 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	1887	0.1 %
	<b>Missing Data</b>		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	470290	24.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,417,699 valid cases out of 1,887,989 total cases.

- Minimum: 10180.00
- Maximum: 49700.00

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	1498	0.1 %
60	AGUADILLA, PR MSA	0	0.0 %
80	AKRON, OH PMSA	6208	0.3 %
120	ALBANY, GA MSA	864	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	20875	1.1 %
200	ALBUQUERQUE, NM MSA	849	0.0 %
220	ALEXANDRIA, LA MSA	2733	0.1 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	1842	0.1 %
280	ALTOONA, PA MSA	2828	0.1 %
320	AMARILLO, TX MSA	468	0.0 %
380	ANCHORAGE, AK MSA	1433	0.1 %
440	ANN ARBOR, MI PMSA	2140	0.1 %
450	ANNISTON, AL MSA	458	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	640	0.0 %
470	ARECIBO, PR PMSA	0	0.0 %
480	ASHEVILLE, NC MSA	1712	0.1 %
500	ATHENS, GA MSA	1887	0.1 %
520	ATLANTA, GA MSA	10682	0.6 %
560	ATLANTIC-CAPE MAY, NJ PMSA	2566	0.1 %
580	AUBURN-OPELIKA, AL MSA	525	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	1244	0.1 %
640	AUSTIN-SAN MARCOS, TX MSA	2320	0.1 %
680	BAKERSFIELD, CA MSA	4815	0.3 %
720	BALTIMORE, MD PMSA	38867	2.1 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	4054	0.2 %
760	BATON ROUGE, LA MSA	5899	0.3 %
840	BEAUMONT-PORT ARTHUR, TX MSA	1171	0.1 %
860	BELLINGHAM, WA MSA	1272	0.1 %
870	BENTON HARBOR, MI MSA	1520	0.1 %
875	BERGEN-PASSAIC, NJ PMSA	9475	0.5 %
880	BILLINGS, MT MSA	1255	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	1142	0.1 %

Value	Label	Unweighted Frequency	%
960	BINGHAMTON, NY MSA	3591	0.2 %
1000	BIRMINGHAM, AL MSA	4168	0.2 %
1010	BISMARCK, ND MSA	0	0.0 %
1020	BLOOMINGTON, IN MSA	0	0.0 %
1040	BLOOMINGTON-NORMAL, IL MSA	1249	0.1 %
1080	BOISE CITY, ID MSA	459	0.0 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	52860	2.8 %
1125	BOULDER-LONGMONT, CO PMSA	810	0.0 %
1145	BRAZORIA, TX PMSA	958	0.1 %
1150	BREMERTON, WA PMSA	1151	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	173	0.0 %
1260	BRYAN-COLLEGE STATION, TX MSA	293	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	19344	1.0 %
1303	BURLINGTON, VT NECMA	3109	0.2 %
1310	CAGUAS, PR PMSA	0	0.0 %
1320	CANTON-MASSILLON, OH MSA	2130	0.1 %
	<b>Missing Data</b>		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	470290	24.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,417,699 valid cases out of 1,887,989 total cases.

- Minimum: 40.00
- Maximum: 9340.00

*Location:* 44-47 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division

(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	39	0.0 %
1	NORTHEAST	581074	30.8 %
2	MIDWEST	408386	21.6 %
3	SOUTH	457357	24.2 %
4	WEST	441133	23.4 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 48-49 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -9

---

## DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	39	0.0 %
1	NEW ENGLAND	151310	8.0 %
2	MID-ATLANTIC	429764	22.8 %
3	EAST NORTH CENTRAL	262961	13.9 %
4	WEST NORTH CENTRAL	145425	7.7 %
5	SOUTH ATLANTIC	294875	15.6 %
6	EAST SOUTH CENTRAL	66910	3.5 %
7	WEST SOUTH CENTRAL	95572	5.1 %
8	MOUNTAIN	132056	7.0 %
9	PACIFIC	309077	16.4 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 50-51 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## SERVSETA: SERVICE SETTING AT ADMISSION

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:  
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:  
24 hour per day services in non-hospital setting providing

for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	86358	4.6 %
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	327868	17.4 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	14437	0.8 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	147638	7.8 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	149552	7.9 %
6	AMBULATORY, INTENSIVE OUTPATIENT	173646	9.2 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	945342	50.1 %
8	AMBULATORY, DETOXIFICATION	42908	2.3 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	240	0.0 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,749 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	113763	6.0 %
2	NO	1704635	90.3 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	69591	3.7 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,818,398 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 54-55 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	293521	15.5 %
1	-	34469	1.8 %
2	-	13498	0.7 %
3	-	13300	0.7 %
4	-	9628	0.5 %
5	-	12473	0.7 %
6	-	9181	0.5 %
7	-	16154	0.9 %
8	-	6196	0.3 %
9	-	4246	0.2 %
10	-	5871	0.3 %
11	-	2916	0.2 %
12	-	3264	0.2 %

Value	Label	Unweighted Frequency	%
13	-	3237	0.2 %
14	-	6163	0.3 %
15	-	3305	0.2 %
16	-	1656	0.1 %
17	-	1562	0.1 %
18	-	1541	0.1 %
19	-	1489	0.1 %
20	-	2806	0.1 %
21	-	2563	0.1 %
22	-	1402	0.1 %
23	-	994	0.1 %
24	-	888	0.0 %
25	-	992	0.1 %
26	-	930	0.0 %
27	-	1032	0.1 %
28	-	1348	0.1 %
29	-	876	0.0 %
30	-	2629	0.1 %
31	-	526	0.0 %
32	-	588	0.0 %
33	-	582	0.0 %
34	-	646	0.0 %
35	-	825	0.0 %
36	-	570	0.0 %
37	-	371	0.0 %
38	-	378	0.0 %
39	-	338	0.0 %
40	-	518	0.0 %
41	-	435	0.0 %
42	-	514	0.0 %
43	-	345	0.0 %
44	-	273	0.0 %
45	-	521	0.0 %
46	-	209	0.0 %
47	-	229	0.0 %
48	-	305	0.0 %
49	-	315	0.0 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1399455	74.1 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 488,534 valid cases out of 1,887,989 total cases.

- Mean: 28.79
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 152.52

*Location:* 56-58 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC.

Client need not be officially designated as "on parole."  
Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	643847	34.1 %
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	191659	10.2 %
3	OTHER HEALTH CARE PROVIDER	125222	6.6 %
4	SCHOOL (EDUCATIONAL)	20966	1.1 %
5	EMPLOYER/EAP	16436	0.9 %
6	OTHER COMMUNITY REFERRAL	172267	9.1 %
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	664501	35.2 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	53091	2.8 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,834,898 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as

Missing.

Value	Label	Unweighted Frequency	%
1	STATE/FEDERAL COURT, OTHER COURT	70545	3.7 %
3	PROBATION/PAROLE	151977	8.0 %
5	DIVERSIONARY PROGRAM	10519	0.6 %
6	PRISON	16486	0.9 %
7	DUI/DWI	31500	1.7 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	60506	3.2 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1546456	81.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 341,533 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	716796	38.0 %
1	1 PRIOR TREATMENT EPISODES	366444	19.4 %
2	2 PRIOR TREATMENT EPISODES	195117	10.3 %
3	3 PRIOR TREATMENT EPISODES	109277	5.8 %
4	4 PRIOR TREATMENT EPISODES	59872	3.2 %
5	5 OR MORE PRIOR TREATMENT EPISODES	171095	9.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	269388	14.3 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,618,601 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 5.00

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes

chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	19794	1.0 %
2	ALCOHOL	811893	43.0 %
3	COCAINE/CRACK	245457	13.0 %
4	MARIJUANA/HASHISH	288320	15.3 %
5	HEROIN	285041	15.1 %
6	NON-PRESCRIPTION METHADONE	2540	0.1 %
7	OTHER OPIATES AND SYNTHETICS	43419	2.3 %
8	PCP	3939	0.2 %
9	OTHER HALLUCINOGENS	2703	0.1 %
10	METHAMPHETAMINE	102723	5.4 %
11	OTHER AMPHETAMINES	20122	1.1 %
12	OTHER STIMULANTS	1359	0.1 %
13	BENZODIAZEPINES	6929	0.4 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	916	0.0 %
15	BARBITURATES	1257	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2828	0.1 %
17	INHALANTS	1183	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	636	0.0 %
20	OTHER	9258	0.5 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	37672	2.0 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,850,317 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	841991	44.6 %
2	SMOKING	530819	28.1 %
3	INHALATION	161591	8.6 %
4	INJECTION (IV OR INTRAMUSCULAR)	207715	11.0 %
20	OTHER	10914	0.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	134959	7.1 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,753,030 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	443245	23.5 %
2	1-3 TIMES IN THE PAST MONTH	197639	10.5 %
3	1-2 TIMES IN THE PAST WEEK	154197	8.2 %
4	3-6 TIMES IN THE PAST WEEK	185181	9.8 %
5	DAILY	761126	40.3 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	146601	7.8 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,741,388 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	148233	7.9 %
2	12-14	358382	19.0 %
3	15-17	456680	24.2 %
4	18-20	256621	13.6 %
5	21-24	137283	7.3 %
6	25-29	104716	5.5 %
7	30-34	61610	3.3 %
8	35-39	38507	2.0 %
9	40-44	19369	1.0 %
10	45-49	8261	0.4 %
11	50-54	3091	0.2 %
12	55 AND OVER	1809	0.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	293427	15.5 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,594,562 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP,

hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	608954	32.3 %
2	ALCOHOL	317974	16.8 %
3	COCAINE/CRACK	253892	13.4 %
4	MARIJUANA/HASHISH	277764	14.7 %
5	HEROIN	40810	2.2 %
6	NON-PRESCRIPTION METHADONE	3753	0.2 %
7	OTHER OPIATES AND SYNTHETICS	27352	1.4 %
8	PCP	3294	0.2 %
9	OTHER HALLUCINOGENS	5711	0.3 %
10	METHAMPHETAMINE	37120	2.0 %
11	OTHER AMPHETAMINES	11120	0.6 %
12	OTHER STIMULANTS	3691	0.2 %
13	BENZODIAZEPINES	16536	0.9 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1977	0.1 %

Value	Label	Unweighted Frequency	%
15	BARBITURATES	2016	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	4905	0.3 %
17	INHALANTS	1099	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	1417	0.1 %
20	OTHER	11932	0.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	256672	13.6 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,631,317 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	370313	19.6 %
2	SMOKING	441384	23.4 %
3	INHALATION	96758	5.1 %
4	INJECTION (IV OR INTRAMUSCULAR)	67078	3.6 %
20	OTHER	26001	1.4 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	886455	47.0 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,001,534 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	349915	18.5 %
2	1-3 TIMES IN THE PAST MONTH	147323	7.8 %

Value	Label	Unweighted Frequency	%
3	1-2 TIMES IN THE PAST WEEK	112474	6.0 %
4	3-6 TIMES IN THE PAST WEEK	100680	5.3 %
5	DAILY	293198	15.5 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	884399	46.8 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,003,590 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	99756	5.3 %
2	12-14	194148	10.3 %
3	15-17	238982	12.7 %
4	18-20	130218	6.9 %
5	21-24	70794	3.7 %
6	25-29	57552	3.0 %
7	30-34	35274	1.9 %
8	35-39	22494	1.2 %
9	40-44	12322	0.7 %
10	45-49	5780	0.3 %
11	50-54	2057	0.1 %
12	55 AND OVER	936	0.0 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1017676	53.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 870,313 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription

medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	1046283	55.4 %
2	ALCOHOL	100001	5.3 %
3	COCAINE/CRACK	78643	4.2 %
4	MARIJUANA/HASHISH	105676	5.6 %
5	HEROIN	15009	0.8 %
6	NON-PRESCRIPTION METHADONE	2215	0.1 %
7	OTHER OPIATES AND SYNTHETICS	14219	0.8 %
8	PCP	2706	0.1 %
9	OTHER HALLUCINOGENS	9540	0.5 %
10	METHAMPHETAMINE	19417	1.0 %
11	OTHER AMPHETAMINES	7628	0.4 %
12	OTHER STIMULANTS	2811	0.1 %
13	BENZODIAZEPINES	12473	0.7 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1758	0.1 %
15	BARBITURATES	1732	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3643	0.2 %
17	INHALANTS	1350	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	1635	0.1 %
20	OTHER	11890	0.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	449360	23.8 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,438,629 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	125249	6.6 %
2	SMOKING	135869	7.2 %
3	INHALATION	43831	2.3 %

Value	Label	Unweighted Frequency	%
4	INJECTION (IV OR INTRAMUSCULAR)	20148	1.1 %
20	OTHER	34105	1.8 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1528787	81.0 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 359,202 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 20.00

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	177254	9.4 %
2	1-3 TIMES IN THE PAST MONTH	51173	2.7 %
3	1-2 TIMES IN THE PAST WEEK	36405	1.9 %
4	3-6 TIMES IN THE PAST WEEK	29024	1.5 %
5	DAILY	79464	4.2 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1514669	80.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 373,320 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

### FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	76540	4.1 %
2	12-14	83052	4.4 %
3	15-17	100764	5.3 %
4	18-20	52976	2.8 %

Value	Label	Unweighted Frequency	%
5	21-24	26834	1.4 %
6	25-29	20512	1.1 %
7	30-34	12303	0.7 %
8	35-39	7928	0.4 %
9	40-44	4238	0.2 %
10	45-49	1775	0.1 %
11	50-54	563	0.0 %
12	55 AND OVER	190	0.0 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1500314	79.5 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 387,675 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	55595	2.9 %
1	-	805313	42.7 %
2	-	641324	34.0 %
3	-	385757	20.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	1585128	84.0 %
1	IDU REPORTED	247411	13.1 %
	<b>Missing Data</b>		
-8	NO SUBSTANCES REPORTED	55450	2.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,832,539 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 91-92 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	658856	34.9 %
1	SUBSTANCE REPORTED	1229133	65.1 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 93-93 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1317401	69.8 %
1	SUBSTANCE REPORTED	570588	30.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 94-94 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1216548	64.4 %
1	SUBSTANCE REPORTED	671441	35.6 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

---

## HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1547412	82.0 %
1	SUBSTANCE REPORTED	340577	18.0 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

---

## METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1879487	99.5 %
1	SUBSTANCE REPORTED	8502	0.5 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

---

## OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1803631	95.5 %
1	SUBSTANCE REPORTED	84358	4.5 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 98-98 (width: 1; decimal: 0)  
*Variable Type:* numeric

---

## PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1878054	99.5 %
1	SUBSTANCE REPORTED	9935	0.5 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 99-99 (width: 1; decimal: 0)  
*Variable Type:* numeric

---

## HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1870088	99.1 %
1	SUBSTANCE REPORTED	17901	0.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 100-100 (width: 1; decimal: 0)  
*Variable Type:* numeric

---

## MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1728788	91.6 %
1	SUBSTANCE REPORTED	159201	8.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 101-101 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1849284	97.9 %
1	SUBSTANCE REPORTED	38705	2.1 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 102-102 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1880137	99.6 %
1	SUBSTANCE REPORTED	7852	0.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 103-103 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1852216	98.1 %
1	SUBSTANCE REPORTED	35773	1.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 104-104 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1883343	99.8 %
1	SUBSTANCE REPORTED	4646	0.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 105-105 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1882987	99.7 %
1	SUBSTANCE REPORTED	5002	0.3 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 106-106 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1876625	99.4 %
1	SUBSTANCE REPORTED	11364	0.6 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 107-107 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1884367	99.8 %
1	SUBSTANCE REPORTED	3622	0.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 108-108 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1884350	99.8 %
1	SUBSTANCE REPORTED	3639	0.2 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 109-109 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1855944	98.3 %
1	SUBSTANCE REPORTED	32045	1.7 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 110-110 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	55595	2.9 %
1	ALCOHOL ONLY	447943	23.7 %
2	OTHER DRUGS ONLY	603261	32.0 %
3	ALCOHOL AND OTHER DRUGS	781190	41.4 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,887,989 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	11409	0.6 %
1	ALCOHOL-INDUCED DISORDER	6251	0.3 %

Value	Label	Unweighted Frequency	%
2	SUBSTANCE-INDUCED DISORDER	9322	0.5 %
3	ALCOHOL INTOXICATION	71718	3.8 %
4	ALCOHOL DEPENDENCE	137325	7.3 %
5	OPIOID DEPENDENCE	102700	5.4 %
6	COCAINE DEPENDENCE	55510	2.9 %
7	CANNABIS DEPENDENCE	46361	2.5 %
8	OTHER SUBSTANCE DEPENDENCE	37234	2.0 %
9	ALCOHOL ABUSE	55233	2.9 %
10	CANNABIS ABUSE	31240	1.7 %
11	OTHER SUBSTANCE ABUSE	4772	0.3 %
12	OPIOID ABUSE	1423	0.1 %
13	COCAINE ABUSE	7043	0.4 %
14	ANXIETY DISORDERS	1978	0.1 %
15	DEPRESSIVE DISORDERS	6857	0.4 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	2983	0.2 %
17	BIPOLAR DISORDERS	3034	0.2 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1239	0.1 %
19	OTHER MENTAL HEALTH CONDITION	3880	0.2 %
20	OTHER CONDITION	12154	0.6 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1278323	67.7 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 609,666 valid cases out of 1,887,989 total cases.

- Minimum: 0.00
- Maximum: 20.00

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	245586	13.0 %
2	NO	1001998	53.1 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	640405	33.9 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 1,247,584 valid cases out of 1,887,989 total cases.

- Minimum: 1.00

- Maximum: 2.00

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	114037	6.0 %
2	MEDICAID	134198	7.1 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	63815	3.4 %
4	NONE	554728	29.4 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1021211	54.1 %
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 866,778 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	167562	8.9 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	47182	2.5 %
3	MEDICARE, WORKER'S COMPENSATION	6610	0.4 %
4	MEDICAID	84643	4.5 %
5	OTHER GOVERNMENT PAYMENTS	154481	8.2 %
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	78011	4.1 %
9	OTHER	43961	2.3 %
	<b>Missing Data</b>		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1305539	69.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,887,989</b>	<b>100%</b>

Based upon 582,450 valid cases out of 1,887,989 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9



# APPENDIX



# APPENDIX A

## TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

---

<sup>3</sup> MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION



# APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
<b>MARSTAT</b>  Marital Status	1 Never Married (58.0%) 2 Now Married (16.9%) 3 Separated (6.6%) 4 Divorced (17.0%) 5 Widowed (1.6%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DETNLF</b>  Detailed 'Not in Labor' Force	1 Homemaker (3.2%) 2 Student (22.3%) 3 Retired (2.5%) 4 Disabled (21.3%) 5 Inmate of Institution (8.9%) 6 Other (41.8%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIMINC</b>  Source of Income / Support	1 Wages/Salary (34.0%) 2 Public Assistance (8.8%) 3 Retirement/Pension (1.0%) 4 Disability (4.6%) 20 Other (22.2%) 21 None (29.5%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b>  FIPS 1990 MSA Code  <b>CBSA</b>  FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
<b>DETCRIM</b>  Detailed Criminal Justice Referral	1 State/Federal Court (17.7%) 2 Other Court (2.9%) 3 Probation/Parole (44.5%) 4 Other Recognized Legal Entity (9.3%) 5 Diversionary Program (3.1%) 6 Prison (4.8%) 7 DUI/DWI (9.2%) 8 Other (8.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
<b>HLTHINS</b>  Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (7.8%) 2 Blue Cross / Blue Shield (BC/BS) (1.7%) 3 Medicare (1.6%) 4 Medicaid (15.5%) 6 Health Maintenance Organization (HMO) (3.6%) 20 Other (e.g. TriCare, Champus) (5.7%) 21 None (64.0%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
<b>PRIMPAY</b>  Expected/Actual Payment Source of Payment	1 Self-Pay (28.8%) 2 Blue Cross / Blue Shield (1.9%) 3 Medicare (1.1%) 4 Medicaid (14.5%) 5 Other Government Payments (26.5%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (6.2%) 8 No charge (Free, Charity, Special Research or Teaching) (13.4%) 9 Other (7.5%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
<b>FRSTUSE1</b>  Age at First Use (Primary)  <b>FRSTUSE2</b>  Age at First Use (Secondary)  <b>FRSTUSE3</b>  Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing



## APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 2002																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; West Virginia did not report any data; Revised per 10/17/13 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	--	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

<b>Items collected/not-collected by State: TEDS Minimum Data Set 2002</b>					
<b>Item</b>	<b>Collected</b>	<b>Not Collected</b>	<b>State</b>	<b>Notes</b>	<b>Comments</b>
1. Child's sex	X		All states		
2. Child's race	X		All states		
3. Child's ethnicity	X		All states		
4. Child's age	X		All states		
5. Child's birth date	X		All states		
6. Child's birth weight	X		All states		
7. Child's birth length	X		All states		
8. Child's head circumference	X		All states		
9. Child's gestational age at birth	X		All states		
10. Child's Apgar score at 1 minute	X		All states		
11. Child's Apgar score at 5 minutes	X		All states		
12. Child's mother's education level	X		All states		
13. Child's mother's occupation	X		All states		
14. Child's father's education level	X		All states		
15. Child's father's occupation	X		All states		
16. Child's family income	X		All states		
17. Child's family size	X		All states		
18. Child's family type	X		All states		
19. Child's family stability	X		All states		
20. Child's family history of substance abuse	X		All states		
21. Child's family history of mental health problems	X		All states		
22. Child's family history of physical health problems	X		All states		
23. Child's family history of criminal behavior	X		All states		
24. Child's family history of social problems	X		All states		
25. Child's family history of educational problems	X		All states		
26. Child's family history of behavioral problems	X		All states		
27. Child's family history of emotional problems	X		All states		
28. Child's family history of cognitive problems	X		All states		
29. Child's family history of communication problems	X		All states		
30. Child's family history of motor skills problems	X		All states		
31. Child's family history of sensory perception problems	X		All states		
32. Child's family history of self-concept problems	X		All states		
33. Child's family history of social interaction problems	X		All states		
34. Child's family history of academic achievement problems	X		All states		
35. Child's family history of problem behaviors	X		All states		
36. Child's family history of mental health service utilization	X		All states		
37. Child's family history of physical health service utilization	X		All states		
38. Child's family history of criminal justice system involvement	X		All states		
39. Child's family history of social service utilization	X		All states		
40. Child's family history of educational service utilization	X		All states		
41. Child's family history of behavioral service utilization	X		All states		
42. Child's family history of emotional service utilization	X		All states		
43. Child's family history of cognitive service utilization	X		All states		
44. Child's family history of communication service utilization	X		All states		
45. Child's family history of motor skills service utilization	X		All states		
46. Child's family history of sensory perception service utilization	X		All states		
47. Child's family history of self-concept service utilization	X		All states		
48. Child's family history of social interaction service utilization	X		All states		
49. Child's family history of academic achievement service utilization	X		All states		
50. Child's family history of problem behavior service utilization	X		All states		

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; West Virginia did not report any data;

Revised per 10/17/13 data extract

[illegible]

## APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

[illegible]

## Items collected/not-collected by State: TEDS Supplemental Data Set 2002

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; West Virginia did not report any data;

Revised per 10/17/13 data extract

[illegible]