



SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Treatment Episode Data Set -- Admissions (TEDS-A), 2007

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 2007

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 2007. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 2007 that were received and processed through October 17, 2013.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 49 states plus Puerto Rico and the District of Columbia. The following states did not report usable data for the year 2007: Alabama.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2007 are as follows:

Filename: da24280-0001.txt

Number of observations: 1,965,194

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
Treatment Episode Data Set (TEDS): 1997-2007. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Information System Series: S-47. DHHS Publication No. (SMA) 09-4379. Rockville MD, 2009.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
Treatment Episode Data Set (TEDS). [Highlights](#) - 2007. National Admissions to Substance Abuse Treatment Services. Drug and Alcohol Services Information System Series: S-45. DHHS Publication No. (SMA) 09-4360. Rockville MD, 2009.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 2007

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

YEAR: YEAR OF ADMISSION

Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%
2007	-	1965194	100.0 %
	Missing Data		
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Mean: 2007.00
- Median: 2007.00
- Mode: 2007.00
- Minimum: 2007.00
- Maximum: 2007.00
- Standard Deviation: 0.00

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	23775	1.2 %
3	15-17	122147	6.2 %
4	18-20	128416	6.5 %
5	21-24	230481	11.7 %
6	25-29	283903	14.4 %
7	30-34	219902	11.2 %
8	35-39	244812	12.5 %
9	40-44	262171	13.3 %
10	45-49	225633	11.5 %
11	50-54	131462	6.7 %
12	55 AND OVER	92491	4.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1	0.0 %
	Total	1,965,194	100%

Based upon 1,965,193 valid cases out of 1,965,194 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	1328343	67.6 %
2	FEMALE	636312	32.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	539	0.0 %
	Total	1,965,194	100%

Based upon 1,964,655 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black

racial groups of Africa.

- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	3313	0.2 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	44166	2.2 %
3	ASIAN OR PACIFIC ISLANDER	1902	0.1 %
4	BLACK OR AFRICAN AMERICAN	419099	21.3 %
5	WHITE	1249980	63.6 %
13	ASIAN	11175	0.6 %
20	OTHER SINGLE RACE	181516	9.2 %
21	TWO OR MORE RACES	17554	0.9 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	7421	0.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29068	1.5 %
	Total	1,965,194	100%

Based upon 1,936,126 valid cases out of 1,965,194 total cases.

- Minimum: 1.00

- Maximum: 23.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:
- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	73558	3.7 %
2	MEXICAN	114217	5.8 %
3	CUBAN	4124	0.2 %
4	OTHER SPECIFIC HISPANIC	51197	2.6 %
5	NOT OF HISPANIC ORIGIN	1651213	84.0 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	29469	1.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	41416	2.1 %
	Total	1,965,194	100%

Based upon 1,923,778 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	925982	47.1 %
2	NOW MARRIED	242028	12.3 %
3	SEPARATED	88602	4.5 %
4	DIVORCED, WIDOWED	268876	13.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	439706	22.4 %
	Total	1,965,194	100%

Based upon 1,525,488 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	163097	8.3 %
2	9-11	549703	28.0 %
3	12	799561	40.7 %
4	13-15	325293	16.6 %

Value	Label	Unweighted Frequency	%
5	16 OR MORE	91444	4.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	36096	1.8 %
	Total	1,965,194	100%

Based upon 1,929,098 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFL).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	403500	20.5 %
2	PART TIME	142936	7.3 %
3	UNEMPLOYED	643765	32.8 %
4	NOT IN LABOR FORCE	749073	38.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	25920	1.3 %
	Total	1,965,194	100%

Based upon 1,939,274 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DETNLF: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	19439	1.0 %
2	STUDENT	102692	5.2 %
3	RETIRED, DISABLED	123018	6.3 %
5	INMATE OF INSTITUTION	37044	1.9 %
6	OTHER	323460	16.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1359541	69.2 %
	Total	1,965,194	100%

Based upon 605,653 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	24444	1.2 %
2	NO	578300	29.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1362450	69.3 %
	Total	1,965,194	100%

Based upon 602,744 valid cases out of 1,965,194 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	70308	3.6 %
2	NO	1603509	81.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	291377	14.8 %
	Total	1,965,194	100%

Based upon 1,673,817 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENT

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	248733	12.7 %
2	DEPENDENT LIVING	398299	20.3 %
3	INDEPENDENT LIVING	1199878	61.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	118284	6.0 %
	Total	1,965,194	100%

Based upon 1,846,910 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	398988	20.3 %
2	PUBLIC ASSISTANCE	89814	4.6 %
3	RETIREMENT/PENSION, DISABILITY	66300	3.4 %
20	OTHER	251246	12.8 %
21	NONE	390676	19.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	768170	39.1 %
	Total	1,965,194	100%

Based upon 1,197,024 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	0	0.0 %
2	ALASKA	3968	0.2 %
4	ARIZONA	21160	1.1 %
5	ARKANSAS	15010	0.8 %
6	CALIFORNIA	203076	10.3 %
8	COLORADO	79391	4.0 %
9	CONNECTICUT	44757	2.3 %
10	DELAWARE	8424	0.4 %
11	DIST OF COLUMBIA	1938	0.1 %
12	FLORIDA	52657	2.7 %
13	GEORGIA	42309	2.2 %
15	HAWAII	6969	0.4 %
16	IDAHO	6233	0.3 %
17	ILLINOIS	71067	3.6 %
18	INDIANA	29021	1.5 %
19	IOWA	26927	1.4 %
20	KANSAS	15032	0.8 %
21	KENTUCKY	24076	1.2 %
22	LOUISIANA	24427	1.2 %
23	MAINE	15985	0.8 %
24	MARYLAND	67420	3.4 %
25	MASSACHUSETTS	91399	4.7 %
26	MICHIGAN	66937	3.4 %
27	MINNESOTA	49537	2.5 %
28	MISSISSIPPI	7072	0.4 %
29	MISSOURI	47254	2.4 %
30	MONTANA	9681	0.5 %
31	NEBRASKA	16509	0.8 %
32	NEVADA	9847	0.5 %
33	NEW HAMPSHIRE	5646	0.3 %
34	NEW JERSEY	60471	3.1 %
35	NEW MEXICO	11967	0.6 %
36	NEW YORK	308601	15.7 %
37	NORTH CAROLINA	23339	1.2 %
38	NORTH DAKOTA	2423	0.1 %
39	OHIO	101406	5.2 %
40	OKLAHOMA	16461	0.8 %
41	OREGON	52705	2.7 %
42	PENNSYLVANIA	71343	3.6 %
44	RHODE ISLAND	11368	0.6 %
45	SOUTH CAROLINA	26329	1.3 %
46	SOUTH DAKOTA	15774	0.8 %

Value	Label	Unweighted Frequency	%
47	TENNESSEE	10295	0.5 %
48	TEXAS	44578	2.3 %
49	UTAH	14251	0.7 %
50	VERMONT	8138	0.4 %
51	VIRGINIA	31488	1.6 %
53	WASHINGTON	38073	1.9 %
54	WEST VIRGINIA	14129	0.7 %
55	WISCONSIN	29820	1.5 %
	Missing Data		
	Total	1,965,194	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 2.00
- Maximum: 72.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	1447	0.1 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	82	0.0 %
10420	AKRON, OH METRO	8192	0.4 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	0	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	19254	1.0 %
10620	ALBEMARLE, NC MICRO	0	0.0 %

Value	Label	Unweighted Frequency	%
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	4019	0.2 %
10780	ALEXANDRIA, LA METRO	2143	0.1 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	433	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	2772	0.1 %
10940	ALMA, MI MICRO	0	0.0 %
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	3711	0.2 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	416	0.0 %
11140	AMERICUS, GA MICRO	0	0.0 %
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	919	0.0 %
11300	ANDERSON, IN METRO	1131	0.1 %
11340	ANDERSON, SC METRO	1160	0.1 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	1446	0.1 %
11500	ANNISTON-OXFORD, AL METRO	0	0.0 %
11540	APPLETON, WI METRO	0	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	1958	0.1 %
11740	ASHLAND, OH MICRO	0	0.0 %
11780	ASHTABULA, OH MICRO	1112	0.1 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	0	0.0 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	538956	27.4 %
	Total	1,965,194	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,426,238 valid cases out of 1,965,194 total cases.

- Minimum: 10180.00
- Maximum: 49700.00

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	1447	0.1 %
60	AGUADILLA, PR MSA	82	0.0 %
80	AKRON, OH PMSA	8192	0.4 %
120	ALBANY, GA MSA	0	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	19254	1.0 %
200	ALBUQUERQUE, NM MSA	4019	0.2 %
220	ALEXANDRIA, LA MSA	2143	0.1 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	1909	0.1 %
280	ALTOONA, PA MSA	3711	0.2 %
320	AMARILLO, TX MSA	416	0.0 %
380	ANCHORAGE, AK MSA	919	0.0 %
440	ANN ARBOR, MI PMSA	1509	0.1 %
450	ANNISTON, AL MSA	0	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	0	0.0 %
470	ARECIBO, PR PMSA	983	0.1 %
480	ASHEVILLE, NC MSA	1958	0.1 %
500	ATHENS, GA MSA	0	0.0 %
520	ATLANTA, GA MSA	624	0.0 %
560	ATLANTIC-CAPE MAY, NJ PMSA	3843	0.2 %
580	AUBURN-OPELIKA, AL MSA	0	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	978	0.0 %
640	AUSTIN-SAN MARCOS, TX MSA	2719	0.1 %
680	BAKERSFIELD, CA MSA	3202	0.2 %
720	BALTIMORE, MD PMSA	34582	1.8 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	6413	0.3 %
760	BATON ROUGE, LA MSA	5102	0.3 %
840	BEAUMONT-PORT ARTHUR, TX MSA	1769	0.1 %
860	BELLINGHAM, WA MSA	1481	0.1 %

Value	Label	Unweighted Frequency	%
870	BENTON HARBOR, MI MSA	1332	0.1 %
875	BERGEN-PASSAIC, NJ PMSA	8949	0.5 %
880	BILLINGS, MT MSA	1711	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	0	0.0 %
960	BINGHAMTON, NY MSA	3238	0.2 %
1000	BIRMINGHAM, AL MSA	0	0.0 %
1010	BISMARCK, ND MSA	0	0.0 %
1020	BLOOMINGTON, IN MSA	0	0.0 %
1040	BLOOMINGTON-NORMAL, IL MSA	1273	0.1 %
1080	BOISE CITY, ID MSA	1569	0.1 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	75274	3.8 %
1125	BOULDER-LONGMONT, CO PMSA	302	0.0 %
1145	BRAZORIA, TX PMSA	920	0.0 %
1150	BREMERTON, WA PMSA	1298	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	390	0.0 %
1260	BRYAN-COLLEGE STATION, TX MSA	326	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	18641	0.9 %
1303	BURLINGTON, VT NECMA	2309	0.1 %
1310	CAGUAS, PR PMSA	371	0.0 %
1320	CANTON-MASSILLON, OH MSA	3401	0.2 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	538956	27.4 %
	Total	1,965,194	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,426,238 valid cases out of 1,965,194 total cases.

- Minimum: 40.00
- Maximum: 9340.00

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	3696	0.2 %
1	NORTHEAST	617708	31.4 %
2	MIDWEST	471707	24.0 %
3	SOUTH	409952	20.9 %
4	WEST	462131	23.5 %
	Missing Data		
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and

Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	3696	0.2 %
1	NEW ENGLAND	177293	9.0 %
2	MID-ATLANTIC	440415	22.4 %
3	EAST NORTH CENTRAL	298251	15.2 %
4	WEST NORTH CENTRAL	173456	8.8 %
5	SOUTH ATLANTIC	268033	13.6 %
6	EAST SOUTH CENTRAL	41443	2.1 %
7	WEST SOUTH CENTRAL	100476	5.1 %
8	MOUNTAIN	157340	8.0 %
9	PACIFIC	304791	15.5 %
	Missing Data		
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SERVSETA: SERVICE SETTING AT ADMISSION

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital

setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	75100	3.8 %
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	304974	15.5 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	7619	0.4 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	191523	9.7 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	147495	7.5 %
6	AMBULATORY, INTENSIVE OUTPATIENT	210001	10.7 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	1001906	51.0 %
8	AMBULATORY, DETOXIFICATION	26390	1.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	186	0.0 %
	Total	1,965,194	100%

Based upon 1,965,008 valid cases out of 1,965,194 total cases.

- Minimum: 1.00

- Maximum: 8.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	102136	5.2 %
2	NO	1713497	87.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	149561	7.6 %
	Total	1,965,194	100%

Based upon 1,815,633 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	601796	30.6 %
1	-	63890	3.3 %
2	-	26181	1.3 %
3	-	21683	1.1 %
4	-	16312	0.8 %
5	-	20293	1.0 %
6	-	14323	0.7 %
7	-	27918	1.4 %
8	-	9966	0.5 %

Value	Label	Unweighted Frequency	%
9	-	6559	0.3 %
10	-	10439	0.5 %
11	-	4598	0.2 %
12	-	5727	0.3 %
13	-	5967	0.3 %
14	-	13867	0.7 %
15	-	6546	0.3 %
16	-	3232	0.2 %
17	-	2750	0.1 %
18	-	2658	0.1 %
19	-	2648	0.1 %
20	-	4975	0.3 %
21	-	5759	0.3 %
22	-	2607	0.1 %
23	-	1752	0.1 %
24	-	1591	0.1 %
25	-	1909	0.1 %
26	-	1685	0.1 %
27	-	1870	0.1 %
28	-	2555	0.1 %
29	-	1653	0.1 %
30	-	8265	0.4 %
31	-	1024	0.1 %
32	-	973	0.0 %
33	-	1053	0.1 %
34	-	1133	0.1 %
35	-	1496	0.1 %
36	-	941	0.0 %
37	-	698	0.0 %
38	-	569	0.0 %
39	-	574	0.0 %
40	-	1054	0.1 %
41	-	728	0.0 %
42	-	888	0.0 %
43	-	533	0.0 %
44	-	457	0.0 %
45	-	1179	0.1 %
46	-	392	0.0 %
47	-	422	0.0 %
48	-	529	0.0 %
49	-	572	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1027268	52.3 %
	Total	1,965,194	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 937,926 valid cases out of 1,965,194 total cases.

- Mean: 7.34
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 48.29

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other

person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	630272	32.1 %
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	198876	10.1 %
3	OTHER HEALTH CARE PROVIDER	133617	6.8 %
4	SCHOOL (EDUCATIONAL)	19726	1.0 %
5	EMPLOYER/EAP	12312	0.6 %
6	OTHER COMMUNITY REFERRAL	217551	11.1 %
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	722011	36.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	30829	1.6 %
	Total	1,965,194	100%

Based upon 1,934,365 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency,

corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%
1	STATE/FEDERAL COURT, OTHER COURT	127373	6.5 %
3	PROBATION/PAROLE	228849	11.6 %
5	DIVERSIONARY PROGRAM	17726	0.9 %
6	PRISON	12403	0.6 %
7	DUI/DWI	51007	2.6 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	108888	5.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1418948	72.2 %
	Total	1,965,194	100%

Based upon 546,246 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	769832	39.2 %
1	1 PRIOR TREATMENT EPISODES	384679	19.6 %
2	2 PRIOR TREATMENT EPISODES	210859	10.7 %
3	3 PRIOR TREATMENT EPISODES	123750	6.3 %
4	4 PRIOR TREATMENT EPISODES	69657	3.5 %

Value	Label	Unweighted Frequency	%
5	5 OR MORE PRIOR TREATMENT EPISODES	208498	10.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	197919	10.1 %
	Total	1,965,194	100%

Based upon 1,767,275 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	30968	1.6 %
2	ALCOHOL	802809	40.9 %
3	COCAINE/CRACK	259548	13.2 %
4	MARIJUANA/HASHISH	315094	16.0 %
5	HEROIN	262711	13.4 %
6	NON-PRESCRIPTION METHADONE	5851	0.3 %
7	OTHER OPIATES AND SYNTHETICS	94773	4.8 %
8	PCP	3205	0.2 %
9	OTHER HALLUCINOGENS	1647	0.1 %
10	METHAMPHETAMINE	142952	7.3 %
11	OTHER AMPHETAMINES	6597	0.3 %
12	OTHER STIMULANTS	1921	0.1 %
13	BENZODIAZEPINES	11006	0.6 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	535	0.0 %
15	BARBITURATES	1089	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3482	0.2 %
17	INHALANTS	1134	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	917	0.0 %
20	OTHER	6585	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	12370	0.6 %
	Total	1,965,194	100%

Based upon 1,952,824 valid cases out of 1,965,194 total cases.

• Minimum: 1.00

- Maximum: 20.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	895296	45.6 %
2	SMOKING	601413	30.6 %
3	INHALATION	176906	9.0 %
4	INJECTION (IV OR INTRAMUSCULAR)	214686	10.9 %
20	OTHER	8013	0.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	68880	3.5 %
	Total	1,965,194	100%

Based upon 1,896,314 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	548415	27.9 %
2	1-3 TIMES IN THE PAST MONTH	243434	12.4 %
3	1-2 TIMES IN THE PAST WEEK	177972	9.1 %
4	3-6 TIMES IN THE PAST WEEK	222622	11.3 %
5	DAILY	712800	36.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	59951	3.1 %
	Total	1,965,194	100%

Based upon 1,905,243 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	146759	7.5 %
2	12-14	420865	21.4 %
3	15-17	545555	27.8 %
4	18-20	329434	16.8 %
5	21-24	179893	9.2 %
6	25-29	125228	6.4 %
7	30-34	72287	3.7 %
8	35-39	43713	2.2 %
9	40-44	24694	1.3 %
10	45-49	12536	0.6 %
11	50-54	4925	0.3 %
12	55 AND OVER	2490	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	56815	2.9 %
	Total	1,965,194	100%

Based upon 1,908,379 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine,

codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	805627	41.0 %
2	ALCOHOL	305247	15.5 %
3	COCAINE/CRACK	273580	13.9 %
4	MARIJUANA/HASHISH	298685	15.2 %
5	HEROIN	37845	1.9 %
6	NON-PRESCRIPTION METHADONE	5203	0.3 %
7	OTHER OPIATES AND SYNTHETICS	51972	2.6 %
8	PCP	2739	0.1 %

Value	Label	Unweighted Frequency	%
9	OTHER HALLUCINOGENS	3528	0.2 %
10	METHAMPHETAMINE	49917	2.5 %
11	OTHER AMPHETAMINES	7184	0.4 %
12	OTHER STIMULANTS	1714	0.1 %
13	BENZODIAZEPINES	28074	1.4 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	915	0.0 %
15	BARBITURATES	1387	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	6448	0.3 %
17	INHALANTS	955	0.0 %
18	OVER-THE-COUNTER MEDICATIONS	1297	0.1 %
20	OTHER	12314	0.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	70563	3.6 %
	Total	1,965,194	100%

Based upon 1,894,631 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	404574	20.6 %
2	SMOKING	485184	24.7 %
3	INHALATION	120474	6.1 %
4	INJECTION (IV OR INTRAMUSCULAR)	68538	3.5 %
20	OTHER	5569	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	880855	44.8 %
	Total	1,965,194	100%

Based upon 1,084,339 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	473410	24.1 %
2	1-3 TIMES IN THE PAST MONTH	173477	8.8 %
3	1-2 TIMES IN THE PAST WEEK	116206	5.9 %
4	3-6 TIMES IN THE PAST WEEK	114076	5.8 %
5	DAILY	282591	14.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	805434	41.0 %
	Total	1,965,194	100%

Based upon 1,159,760 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	76805	3.9 %
2	12-14	250884	12.8 %
3	15-17	309369	15.7 %
4	18-20	171562	8.7 %
5	21-24	94353	4.8 %
6	25-29	70462	3.6 %
7	30-34	41250	2.1 %
8	35-39	26167	1.3 %
9	40-44	16102	0.8 %
10	45-49	8709	0.4 %
11	50-54	3918	0.2 %
12	55 AND OVER	1814	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	893799	45.5 %
	Total	1,965,194	100%

Based upon 1,071,395 valid cases out of 1,965,194 total cases.

- Minimum: 1.00

- Maximum: 12.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue,

nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	1250670	63.6 %
2	ALCOHOL	95088	4.8 %
3	COCAINE/CRACK	88196	4.5 %
4	MARIJUANA/HASHISH	105705	5.4 %
5	HEROIN	14883	0.8 %
6	NON-PRESCRIPTION METHADONE	2751	0.1 %
7	OTHER OPIATES AND SYNTHETICS	25565	1.3 %
8	PCP	1766	0.1 %
9	OTHER HALLUCINOGENS	5801	0.3 %
10	METHAMPHETAMINE	17765	0.9 %
11	OTHER AMPHETAMINES	5531	0.3 %
12	OTHER STIMULANTS	1839	0.1 %
13	BENZODIAZEPINES	19372	1.0 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	768	0.0 %
15	BARBITURATES	1135	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	4307	0.2 %
17	INHALANTS	1087	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	1452	0.1 %
20	OTHER	16560	0.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	304953	15.5 %
	Total	1,965,194	100%

Based upon 1,660,241 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	159486	8.1 %
2	SMOKING	162819	8.3 %
3	INHALATION	56988	2.9 %
4	INJECTION (IV OR INTRAMUSCULAR)	20888	1.1 %
20	OTHER	3797	0.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1561216	79.4 %
	Total	1,965,194	100%

Based upon 403,978 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	306719	15.6 %
2	1-3 TIMES IN THE PAST MONTH	66240	3.4 %
3	1-2 TIMES IN THE PAST WEEK	40504	2.1 %
4	3-6 TIMES IN THE PAST WEEK	36043	1.8 %
5	DAILY	98729	5.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1416959	72.1 %
	Total	1,965,194	100%

Based upon 548,235 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	40256	2.0 %

Value	Label	Unweighted Frequency	%
2	12-14	98573	5.0 %
3	15-17	118114	6.0 %
4	18-20	65331	3.3 %
5	21-24	33338	1.7 %
6	25-29	24612	1.3 %
7	30-34	14321	0.7 %
8	35-39	9030	0.5 %
9	40-44	5787	0.3 %
10	45-49	2947	0.1 %
11	50-54	1280	0.1 %
12	55 AND OVER	455	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1551150	78.9 %
	Total	1,965,194	100%

Based upon 414,044 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	41832	2.1 %
1	-	829436	42.2 %
2	-	690783	35.2 %
3	-	403143	20.5 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Mean: 1.74
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.80

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	1669574	85.0 %
1	IDU REPORTED	253823	12.9 %
	Missing Data		
-8	NO SUBSTANCES REPORTED	41797	2.1 %
	Total	1,965,194	100%

Based upon 1,923,397 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	765219	38.9 %
1	SUBSTANCE REPORTED	1199975	61.1 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1361886	69.3 %
1	SUBSTANCE REPORTED	603308	30.7 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1248189	63.5 %
1	SUBSTANCE REPORTED	717005	36.5 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1650207	84.0 %
1	SUBSTANCE REPORTED	314987	16.0 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1951424	99.3 %
1	SUBSTANCE REPORTED	13770	0.7 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1797828	91.5 %
1	SUBSTANCE REPORTED	167366	8.5 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1957539	99.6 %
1	SUBSTANCE REPORTED	7655	0.4 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1954310	99.4 %
1	SUBSTANCE REPORTED	10884	0.6 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1755562	89.3 %
1	SUBSTANCE REPORTED	209632	10.7 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1945953	99.0 %
1	SUBSTANCE REPORTED	19241	1.0 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1959907	99.7 %
1	SUBSTANCE REPORTED	5287	0.3 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1907544	97.1 %
1	SUBSTANCE REPORTED	57650	2.9 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1963003	99.9 %
1	SUBSTANCE REPORTED	2191	0.1 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1961608	99.8 %
1	SUBSTANCE REPORTED	3586	0.2 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1951017	99.3 %
1	SUBSTANCE REPORTED	14177	0.7 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1962042	99.8 %
1	SUBSTANCE REPORTED	3152	0.2 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1961589	99.8 %
1	SUBSTANCE REPORTED	3605	0.2 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1930138	98.2 %
1	SUBSTANCE REPORTED	35056	1.8 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	41832	2.1 %
1	ALCOHOL ONLY	445333	22.7 %
2	OTHER DRUGS ONLY	723387	36.8 %
3	ALCOHOL AND OTHER DRUGS	754642	38.4 %
	Total	1,965,194	100%

Based upon 1,965,194 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific

substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	226	0.0 %
1	ALCOHOL-INDUCED DISORDER	9426	0.5 %
2	SUBSTANCE-INDUCED DISORDER	15038	0.8 %
3	ALCOHOL INTOXICATION	55144	2.8 %
4	ALCOHOL DEPENDENCE	168902	8.6 %
5	OPIOID DEPENDENCE	93600	4.8 %
6	COCAINE DEPENDENCE	77483	3.9 %
7	CANNABIS DEPENDENCE	62442	3.2 %
8	OTHER SUBSTANCE DEPENDENCE	73436	3.7 %
9	ALCOHOL ABUSE	68654	3.5 %
10	CANNABIS ABUSE	45347	2.3 %
11	OTHER SUBSTANCE ABUSE	9356	0.5 %
12	OPIOID ABUSE	3368	0.2 %
13	COCAINE ABUSE	15016	0.8 %
14	ANXIETY DISORDERS	3132	0.2 %
15	DEPRESSIVE DISORDERS	11494	0.6 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	3805	0.2 %
17	BIPOLAR DISORDERS	6447	0.3 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	2131	0.1 %
19	OTHER MENTAL HEALTH CONDITION	7556	0.4 %
20	OTHER CONDITION	24763	1.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1208428	61.5 %
	Total	1,965,194	100%

Based upon 756,766 valid cases out of 1,965,194 total cases.

- Minimum: 0.00
- Maximum: 20.00

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	376273	19.1 %
2	NO	953130	48.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	635791	32.4 %
	Total	1,965,194	100%

Based upon 1,329,403 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	115202	5.9 %
2	MEDICAID	166269	8.5 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	83174	4.2 %
4	NONE	512235	26.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1088314	55.4 %
	Total	1,965,194	100%

Based upon 876,880 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	134008	6.8 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	40196	2.0 %

Value	Label	Unweighted Frequency	%
3	MEDICARE, WORKER'S COMPENSATION	5081	0.3 %
4	MEDICAID	97364	5.0 %
5	OTHER GOVERNMENT PAYMENTS	230645	11.7 %
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	80980	4.1 %
9	OTHER	64878	3.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1312042	66.8 %
	Total	1,965,194	100%

Based upon 653,152 valid cases out of 1,965,194 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num	4	44	47	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	29	30	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	35	36	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	119	120	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	59	60	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	115	116	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	17	18	RACE
REGION	Added	Num	2	48	49	CENSUS REGION
ROUTE1	MDS	Num	2	67	68	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	75	76	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	83	84	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	107	107	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num	2	52	53	SERVICE SETTING AT ADMISSION
STFIPS	Added	Num	2	37	38	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	103	103	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	65	66	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	73	74	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	81	82	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	105	105	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	31	32	VETERAN STATUS
YEAR	Added	Num	4	9	12	YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (60.9%) 2 Now Married (15.9%) 3 Separated (5.8%) 4 Divorced (16.1%) 5 Widowed (1.5%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker (3.2%) 2 Student (17.0%) 3 Retired (2.1%) 4 Disabled (18.3%) 5 Inmate of Institution (6.1%) 6 Other (53.4%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary (33.3%) 2 Public Assistance (7.5%) 3 Retirement/Pension (<1%) 4 Disability (4.7%) 20 Other (21.0%) 21 None (32.6%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court (12.7%) 2 Other Court (10.7%) 3 Probation/Parole (41.9%) 4 Other Recognized Legal Entity (5.5%) 5 Diversionary Program (3.2%) 6 Prison (2.3%) 7 DUI/DWI (9.3%) 8 Other (14.5%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.4%) 2 Blue Cross / Blue Shield (BC/BS) (3.1%) 3 Medicare (1.8%) 4 Medicaid (19.0%) 6 Health Maintenance Organization (HMO) (3.6%) 20 Other (e.g. TriCare, Champus) (7.7%) 21 None (58.4%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (20.5%) 2 Blue Cross / Blue Shield (1.6%) 3 Medicare (<1%) 4 Medicaid (14.9%) 5 Other Government Payments (35.3%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (4.5%) 8 No charge (Free, Charity, Special Research or Teaching) (12.4%) 9 Other (9.9%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 2007																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; Alabama did not report any data;																						
Revised per 10/17/13 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Minimum Data Set 2007					
Item	Collected	Not Collected	Total States	% of States Collecting Item	Notes
1. Child's gender	X		50	100%	
2. Child's race	X		50	100%	
3. Child's ethnicity	X		50	100%	
4. Child's date of birth	X		50	100%	
5. Child's sex assigned at birth	X		50	100%	
6. Child's current address	X		50	100%	
7. Child's current residence type	X		50	100%	
8. Child's current caregiver(s)	X		50	100%	
9. Child's current caregiver(s) occupation	X		50	100%	
10. Child's current caregiver(s) education level	X		50	100%	
11. Child's current caregiver(s) marital status	X		50	100%	
12. Child's current caregiver(s) income	X		50	100%	
13. Child's current caregiver(s) employment status	X		50	100%	
14. Child's current caregiver(s) health insurance status	X		50	100%	
15. Child's current caregiver(s) health insurance type	X		50	100%	
16. Child's current caregiver(s) health insurance plan name	X		50	100%	
17. Child's current caregiver(s) health insurance provider	X		50	100%	
18. Child's current caregiver(s) health insurance policy number	X		50	100%	
19. Child's current caregiver(s) health insurance premium amount	X		50	100%	
20. Child's current caregiver(s) health insurance deductible amount	X		50	100%	
21. Child's current caregiver(s) health insurance co-insurance percentage	X		50	100%	
22. Child's current caregiver(s) health insurance out-of-pocket maximum amount	X		50	100%	
23. Child's current caregiver(s) health insurance network type	X		50	100%	
24. Child's current caregiver(s) health insurance preferred provider list (PDL)	X		50	100%	
25. Child's current caregiver(s) health insurance plan year	X		50	100%	
26. Child's current caregiver(s) health insurance renewal date	X		50	100%	
27. Child's current caregiver(s) health insurance contact information	X		50	100%	
28. Child's current caregiver(s) health insurance agent/broker name	X		50	100%	
29. Child's current caregiver(s) health insurance agent/broker phone number	X		50	100%	
30. Child's current caregiver(s) health insurance agent/broker email address	X		50	100%	
31. Child's current caregiver(s) health insurance agent/broker website URL	X		50	100%	
32. Child's current caregiver(s) health insurance agent/broker license number	X		50	100%	
33. Child's current caregiver(s) health insurance agent/broker state of licensure	X		50	100%	
34. Child's current caregiver(s) health insurance agent/broker business address	X		50	100%	
35. Child's current caregiver(s) health insurance agent/broker business phone number	X		50	100%	
36. Child's current caregiver(s) health insurance agent/broker business email address	X		50	100%	
37. Child's current caregiver(s) health insurance agent/broker business website URL	X		50	100%	
38. Child's current caregiver(s) health insurance agent/broker business license expiration date	X		50	100%	
39. Child's current caregiver(s) health insurance agent/broker business license renewal date	X		50	100%	
40. Child's current caregiver(s) health insurance agent/broker business license contact information	X		50	100%	
41. Child's current caregiver(s) health insurance agent/broker business license agent/broker name	X		50	100%	
42. Child's current caregiver(s) health insurance agent/broker business license agent/broker phone number	X		50	100%	
43. Child's current caregiver(s) health insurance agent/broker business license agent/broker email address	X		50	100%	
44. Child's current caregiver(s) health insurance agent/broker business license agent/broker website URL	X		50	100%	
45. Child's current caregiver(s) health insurance agent/broker business license agent/broker license number	X		50	100%	
46. Child's current caregiver(s) health insurance agent/broker business license agent/broker state of licensure	X		50	100%	
47. Child's current caregiver(s) health insurance agent/broker business license agent/broker business address	X		50	100%	
48. Child's current caregiver(s) health insurance agent/broker business license agent/broker business phone number	X		50	100%	
49. Child's current caregiver(s) health insurance agent/broker business license agent/broker business email address	X		50	100%	
50. Child's current caregiver(s) health insurance agent/broker business license agent/broker business website URL	X		50	100%	
51. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license expiration date	X		50	100%	
52. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license renewal date	X		50	100%	
53. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license contact information	X		50	100%	
54. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker name	X		50	100%	
55. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker phone number	X		50	100%	
56. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker email address	X		50	100%	
57. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker website URL	X		50	100%	
58. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker license number	X		50	100%	
59. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker state of licensure	X		50	100%	
60. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker business address	X		50	100%	
61. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker business phone number	X		50	100%	
62. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker business email address	X		50	100%	
63. Child's current caregiver(s) health insurance agent/broker business license agent/broker business license agent/broker business website URL	X		50	100%	
64. Child					

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; Alabama did not report any data;

Revised per 10/17/13 data extract

[illegible]

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

[illegible]

Items collected/not-collected by State: TEDS Supplemental Data Set 2007

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 49 reporting States, Puerto Rico, and the District of Columbia; Alabama did not report any data;

Revised per 10/17/13 data extract

[illegible]

