

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Survey of Substance Abuse Treatment Services (N-SSATS) -- Concatenated, 1997 to 2011

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS) CONCATENATED FILE, 1997 TO 2011

This file includes data from the 12 National Surveys of Substance Abuse Treatment Services (N-SSATS), conducted from 1997 through 2011.¹ It combines the 13 public-use files that SAMHDA currently offers into one concatenated dataset. N-SSATS was designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 states, the District of Columbia, and other U.S. jurisdictions.² The Center for Behavioral Health Statistics and Quality³, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities⁴ in the United States, both public and private, that provide substance abuse treatment. It provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multi-purpose data that can be used to:

- Assist SAMHSA and state and local governments in assessing the nature and extent of services provided in State-supported and other substance abuse treatment facilities, and in forecasting substance abuse treatment resource requirements.
- Update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS),⁵ which includes all known drug and alcohol abuse treatment facilities.
- Analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and States.

¹ In 1997 and 1998, the survey was named the Uniform Facility Data Set (UFDS). It was redesigned during 1999 and conducted as an abbreviated telephone survey that year. The survey reference date was changed between the 2000 and 2002 surveys. Thus survey data are not available for 1999 or 2001.

² The jurisdictions include American Samoa, the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

³ Data collected from 1997 to 2009 was collected under the Office of Applied Studies. In the fall of 2010 its name was changed to the Center for Behavioral Health Statistics and Quality.

⁴ In this document, entities responding to N-SSATS are referred to as "facilities." As discussed later, a "facility" may be a program-level, clinic-level, or multi-site respondent.

⁵ In 1997 and 1998, this database was named the National Master Facility Inventory (NMFI).

- Generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment.
- Update the information in SAMHSA's Substance Abuse [Treatment Facility Locator](#),⁶ a searchable database of facilities approved by state substance abuse agencies for the provision of substance abuse treatment.

DATA COLLECTION PROCEDURES FOR N-SSATS

Field period and reference dates

The field period typically lasts six months beginning on the reference date. The reference date for the years 1997, 1998, and 2000 was October 1. Beginning in 2002, the reference date has been the last business day in March. Please refer to *Survey History* and Table 1 for details about each year's field period and reference date.

Survey Universe

The universe for N-SSATS includes all active treatment facilities on SAMHSA's I-SATS at a point six weeks before the survey reference date. Facilities added by State substance abuse agencies or through annual frame enhancement or discovered during the first three weeks of the survey are also included in the survey universe for each year.

Content

N-SSATS questionnaires have been significantly revised and expanded over time with additions of major topics occurring in 2000 and 2006. Additions to topics items and slight variations in wording occurred in other years. Major topics included from 1997 through 2011:

- Facility identification information
- Facility operating entity
- Facility focus of activity
- Type of care provided
 - Hospital in-patient treatment services (inpatient treatment, inpatient detoxification)
 - Residential (non-hospital) treatment services (detoxification, short term – 30 days or fewer, long-term – more than 30 days)

⁶ <http://findtreatment.samhsa.gov>

- Outpatient treatment services (detoxification, methadone/buprenorphine/LAAM maintenance, day treatment or partial hospitalization, intensive outpatient treatment, regular outpatient treatment)
- Services offered (assessment and pre-treatment services, testing, transitional services, counseling, ancillary services, pharmacotherapies, and counseling)
- Special programs or groups provided for specific client types
- Services provided in sign language or in languages other than English
- Client hotline
- Facility funding (public funding, agreements or contracts with managed care organizations)
- Clients in treatment on reference date by type of care setting (individual services, total, clients under age 18, clients receiving methadone, and clients receiving buprenorphine (from 2005))
- Annual admissions
- Percentage of clients in treatment on the reference date for abuse of both alcohol and drugs, alcohol abuse only, and drug abuse only
- Number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on the reference date

Major topics added to the 2000 survey included:

- Licensure, certification, or accreditation bodies
- Payment options accepted, including use of sliding fee scale and/or treatment at no charge
- Operation of an Opioid Treatment Program (OTP) regulated by the FDA (prior to 2001) or certified by (SAMHSA (after 2001) and offering maintenance and/or detoxification with methadone and/or buprenorphine (added in 2005)

Major topics added to the 2006 survey included:

- Clinical/therapeutic approaches
- Standard operating procedures
- Detoxification from alcohol, benzodiazepines, opiates, cocaine, methamphetamine, or other drugs, and routine use of medication during detoxification
- Annual admissions funded by Access to Recovery (ATR) vouchers
- Percentage of clients in treatment on the reference date with diagnosed co-occurring substance abuse and mental health disorders

Data Collection

Two primary data collection modes were employed – a paper questionnaire sent by mail and (from 2002) a secure Web-based questionnaire. Respondents could select either method to complete the survey. Six weeks before the survey reference date, letters were mailed to all facilities to alert them to expect the survey. The letters also served to update records with new address information received from the Post Office. On the reference date, data collection packets (including the questionnaire, SAMHSA cover letter, state-specific letter of endorsement, information on completing the survey on the Web, and a sheet of Frequently Asked Questions) were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the Web was also available. Four to five weeks after the initial questionnaire mailing, thank you / reminder letters were sent to all facilities. Approximately eight weeks after the initial questionnaire mailing, non-responding facilities were mailed a second questionnaire packet. About four to five weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within two to three weeks of the reminder call were telephoned and asked to complete the survey by computer-assisted telephone interview (CATI).

Facility Status and Response Rate

Questionnaires were mailed to those facilities believed to be actively providing substance abuse treatment services, an average of about 17,500 facilities each survey year from 1997 through 2011. Of those facilities, approximately 12 percent each survey year were found to be ineligible for the survey because they had either closed or did not provide substance abuse or detoxification services on the reference date. Of the eligible facilities, an average of 94 percent completed the survey each survey year from 1997 through 2011. Please see Table 2 for an exact breakdown for each year.

Quality Assurance

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to clarify questionable responses and to obtain missing data. If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review. Item non-response was minimized through careful editing and extensive follow-up. The Web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Facility Selection for Annual Report and Public Use File

The N-SSATS serves several purposes, as noted earlier. Some respondents provide information but are deemed to be out of the scope of the N-SSATS *Annual Report* and public use files. On average, 5 percent of responding facilities were excluded from the N-SSATS *Annual Report* and public use files each survey year from 1997 through 2011. The excluded facilities and reasons for exclusion fall into four categories:


- Halfway houses that do not provide substance abuse treatment. These facilities are included in the survey for listing in the *Directory* and the Treatment Facility Locator.
- Solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they be included in the survey. Those not identified for inclusion are excluded from the *Annual Report* and public use files and from subsequent surveys.
- Jails, prisons, or other organizations that treat incarcerated clients exclusively.
- Facilities whose response indicates that their client counts are included in the counts provided by another facility and that did not report facility characteristics are excluded from facility counts, although their client counts are included in those of the reporting facility.

This concatenated file includes 173,590 records representing 31,477 individual treatment facilities. On average, each facility reported in about 6 of the 13 survey years.

Survey Response Mode

Table 3 and Figure 1. The proportion of facilities using the Web survey to respond to N-SSATS has increased steadily since introduction of the option in 2002. The Web option was introduced in a pilot test in 2000. The percentage of facilities responding via the Web has increased from 20 percent in 2002 to 79 percent in 2011. In the meantime mail response has declined from 57 percent in 2002 to 8 percent in 2011. Telephone response, which represents follow-up of facilities that have not responded by mail or Web, has slowly changed, decreasing from 23 percent in 2002 to 12 percent in 2011. Please see Table 3 for exact percentages for the response mode by year.

Figure 1. Survey Response Mode



Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for facility non-response (averaging 6 percent in each survey year from 1997 through 2011).
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- As question wording and definitions may vary slightly from year to year, the individual questionnaires should be consulted in any analysis.

SURVEY HISTORY

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, and clients in treatment by type of care, and

inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey; alcoholism treatment facilities were added; and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. In 1999, the survey was redesigned, and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001. In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS IN THE CONTEXT OF DASIS

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS),⁷ a continuously updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and state-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals. I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its state substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (about 80 percent of all active I-SATS facilities) includes those that are licensed, certified, or otherwise approved by the State substance abuse agency to provide

⁷ Formerly named the National Master Facility Inventory (NMFI).

substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for federally operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by state substance abuse agencies

This group of facilities (about 20 percent of all active I-SATS facilities) represents the SAMHSA effort since the mid-1990s to make I-SATS as comprehensive as possible by including treatment facilities that state substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See “Special efforts to improve survey coverage” below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

SURVEY COVERAGE

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some states, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate state licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other states, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in state systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether or not they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index and the annual American Hospital Association survey, the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the state substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities included in the N-SSATS *Annual Report* between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). Between 2004 and 2011, the number of facilities remained constant, at between 13,300 and 13,800. In any given year, almost 90 percent of facilities responded to the prior year's survey, while 10-12 percent are new to the survey, replacing a similar number of facilities that became ineligible (closed, merged, or stopped providing substance abuse treatment) between surveys.

Data collection

Until 1996, state substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility

survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with facility directors or their designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2011, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 94 to 96 percent.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998. Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.⁸ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files. I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the state substance abuse agency explicitly requests that they be included. Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the [Treatment Facility Locator](#). These facilities are excluded from analyses and public-use data files.

Changes in Survey Content

Table 4 shows the major content areas for the survey. SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving buprenorphine were added in 2004. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007.

⁸ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased after 2002. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types.

National Survey of Substance Abuse Treatment Services (N-SSATS) -- Concatenated, 1997 to 2011 Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case Identification Number

Based upon 173,590 valid cases out of 173,590 total cases.

Location: 1-6 (width: 6; decimal: 0)

Variable Type: numeric

FAC_NO: Dummy Facility ID

Based upon 173,590 valid cases out of 173,590 total cases.

- Mean: 50071.57
- Minimum: 2
- Maximum: 99998
- Standard Deviation: 28873.44

Location: 7-11 (width: 5; decimal: 0)

Variable Type: numeric

YEAR: Basic: Survey year

Year of survey administration.

Value	Label	Unweighted Frequency	%
1997	-	10860	6.3 %
1998	-	13455	7.8 %
2000	-	13428	7.7 %
2002	-	13720	7.9 %
2003	-	13623	7.8 %
2004	-	13454	7.8 %
2005	-	13371	7.7 %
2006	-	13771	7.9 %
2007	-	13648	7.9 %
2008	-	13688	7.9 %
2009	-	13513	7.8 %
2010	-	13339	7.7 %
2011	-	13720	7.9 %
	Total	173,590	100%

Based upon 173,590 valid cases out of 173,590 total cases.

- Mean: 2004.74
- Median: 2005.00
- Mode: 2006.00
- Minimum: 1997
- Maximum: 2011
- Standard Deviation: 4.23

Location: 12-15 (width: 4; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone	33804	19.5 %
2	Mail	80094	46.1 %
9	Web	59692	34.4 %
	Total	173,590	100%

Based upon 173,590 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 9

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	1659	1.0 %
2	ALASKA	965	0.6 %
4	ARIZONA	2724	1.6 %
5	ARKANSAS	744	0.4 %
6	CALIFORNIA	21460	12.4 %
8	COLORADO	4927	2.8 %
9	CONNECTICUT	2850	1.6 %
10	DELAWARE	544	0.3 %
11	DIST OF COLUMBIA	616	0.4 %
12	FLORIDA	7902	4.6 %
13	GEORGIA	3242	1.9 %
15	HAWAII	1291	0.7 %
16	IDAHO	887	0.5 %
17	ILLINOIS	7587	4.4 %
18	INDIANA	3972	2.3 %
19	IOWA	1552	0.9 %
20	KANSAS	2664	1.5 %
21	KENTUCKY	3809	2.2 %
22	LOUISIANA	2035	1.2 %
23	MAINE	2352	1.4 %
24	MARYLAND	4538	2.6 %
25	MASSACHUSETTS	4234	2.4 %
26	MICHIGAN	7116	4.1 %
27	MINNESOTA	3552	2.0 %
28	MISSISSIPPI	1398	0.8 %

Value	Label	Unweighted Frequency	%
29	MISSOURI	3199	1.8 %
30	MONTANA	714	0.4 %
31	NEBRASKA	1417	0.8 %
32	NEVADA	1070	0.6 %
33	NEW HAMPSHIRE	781	0.4 %
34	NEW JERSEY	4230	2.4 %
35	NEW MEXICO	1621	0.9 %
36	NEW YORK	14027	8.1 %
37	NORTH CAROLINA	4259	2.5 %
38	NORTH DAKOTA	695	0.4 %
39	OHIO	5787	3.3 %
40	OKLAHOMA	2162	1.2 %
41	OREGON	2843	1.6 %
42	PENNSYLVANIA	6501	3.7 %
44	RHODE ISLAND	744	0.4 %
45	SOUTH CAROLINA	1280	0.7 %
46	SOUTH DAKOTA	744	0.4 %
47	TENNESSEE	2483	1.4 %
48	TEXAS	7006	4.0 %
49	UTAH	1730	1.0 %
50	VERMONT	514	0.3 %
51	VIRGINIA	2635	1.5 %
53	WASHINGTON	4948	2.9 %
54	WEST VIRGINIA	1116	0.6 %
55	WISCONSIN	3775	2.2 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 173,590 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 78

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population.

They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	1983	1.1 %
1	Northeast	36233	20.9 %
2	Midwest	42060	24.2 %
3	South	47428	27.3 %
4	West	45886	26.4 %
	Total	173,590	100%

Based upon 173,590 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 4

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	1983	1.1 %
1	New England	11475	6.6 %
2	Mid-Atlantic	24758	14.3 %
3	East North Central	28237	16.3 %
4	West North Central	13823	8.0 %
5	South Atlantic	26132	15.1 %
6	East South Central	9349	5.4 %
7	West South Central	11947	6.9 %
8	Mountain	14379	8.3 %
9	Pacific	31507	18.2 %
	Total	173,590	100%

Based upon 173,590 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 9

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

OTHNONTX: Basic type: Intake, assessment, or referral

Which of the following substance abuse services are offered by this facility at this location?

Intake, assessment, or referral

Value	Label	Unweighted Frequency	%
0	No	9372	5.4 %
1	Yes	137037	78.9 %
Missing Data			
-9	Not in survey	27148	15.6 %
-5	Multiple Responses	1	0.0 %
-2	Missing	21	0.0 %
-1	Don't Know	11	0.0 %
Total		173,590	100%

Based upon 146,409 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETOX: Basic type: Detoxification

Which of the following substance abuse services are offered by this facility at this location?

Detoxification

Value	Label	Unweighted Frequency	%
0	No	114319	65.9 %
1	Yes	30303	17.5 %
Missing Data			
-9	Not in survey	13428	7.7 %
-8	Not in mode	1902	1.1 %
-6	Logical Skip	13637	7.9 %
-1	Don't Know	1	0.0 %
Total		173,590	100%

Based upon 144,622 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TREATMT: Basic type: Substance abuse treatment

Which of the following substance abuse services are offered by this facility at this location?

Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

Value	Label	Unweighted Frequency	%
0	No	2073	1.2 %
1	Yes	158088	91.1 %
	Missing Data		
-9	Not in survey	13428	7.7 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 160,161 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ADMIN: Basic type: Any other substance services

Which of the following substance abuse services are offered by this facility at this location?

Any other substance abuse services

Value	Label	Unweighted Frequency	%
0	No	61456	35.4 %
1	Yes	65859	37.9 %
	Missing Data		
-9	Not in survey	27148	15.6 %
-8	Not in mode	16663	9.6 %
-5	Multiple Responses	2	0.0 %
-2	Missing	2418	1.4 %
-1	Don't Know	44	0.0 %
	Total	173,590	100%

Based upon 127,315 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 32-34 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TX_DETTOX: Basic type: Substance treatment or detox

On October 1, 2000, did this facility offer at this location either substance abuse treatment or detoxification services?

By treatment, we mean services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse. It does NOT include drug or alcohol education programs or self-help groups, such as AA or NA.

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	13367	7.7 %
Missing Data			
-9	Not in survey	160162	92.3 %
-2	Missing	61	0.0 %
Total		173,590	100%

Based upon 13,367 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 1

Location: 35-37 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXALC: Detoxification: Alcohol

Does this facility detoxify clients from . . .

. . . alcohol?

Value	Label	Unweighted Frequency	%
0	No	14291	8.2 %
1	Yes	8749	5.0 %
Missing Data			
-9	Not in survey	105682	60.9 %
-6	Logical Skip	43924	25.3 %
-2	Missing	944	0.5 %
Total		173,590	100%

Based upon 23,040 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXBEN: Detoxification: Benzodiazepines

Does this facility detoxify clients from . . .

. . . benzodiazepines?

Value	Label	Unweighted Frequency	%
0	No	14571	8.4 %
1	Yes	6267	3.6 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-6	Logical Skip	33128	19.1 %
-2	Missing	287	0.2 %
-1	Don't Know	7	0.0 %
	Total	173,590	100%

Based upon 20,838 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXCOC: Detoxification: Cocaine

Does this facility detoxify clients from . . .

. . . cocaine?

Value	Label	Unweighted Frequency	%
0	No	15821	9.1 %
1	Yes	7158	4.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	43924	25.3 %
-2	Missing	994	0.6 %
-1	Don't Know	11	0.0 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Based upon 22,979 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXMET: Detoxification: Methamphetamines

Does this facility detoxify clients from . . .

. . . methamphetamines?

Value	Label	Unweighted Frequency	%
0	No	15241	8.8 %
1	Yes	5583	3.2 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-6	Logical Skip	33128	19.1 %
-2	Missing	301	0.2 %
-1	Don't Know	7	0.0 %
	Total	173,590	100%

Based upon 20,824 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXOP: Detoxification: Opiates

Does this facility detoxify clients from . . .

. . . opiates?

Value	Label	Unweighted Frequency	%
0	No	12166	7.0 %
1	Yes	11044	6.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Not in survey	105682	60.9 %
-6	Logical Skip	43877	25.3 %
-5	Multiple Responses	2	0.0 %
-2	Missing	809	0.5 %
-1	Don't Know	10	0.0 %
	Total	173,590	100%

Based upon 23,210 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXOTH: Detoxification: Other substances

Does this facility detoxify clients from . . .

. . . other?

Value	Label	Unweighted Frequency	%
0	No	20271	11.7 %
1	Yes	2201	1.3 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	43924	25.3 %
-2	Missing	1505	0.9 %
-1	Don't Know	7	0.0 %
	Total	173,590	100%

Based upon 22,472 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXMED: Detoxification: Routine use of medication

Does this facility routinely use medications during detoxification?

Value	Label	Unweighted Frequency	%
0	No	13344	7.7 %

Value	Label	Unweighted Frequency	%
1	Yes	9726	5.6 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	43924	25.3 %
-2	Missing	907	0.5 %
-1	Don't Know	7	0.0 %
	Total	173,590	100%

Based upon 23,070 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FOCUS: Basic setting: Primary focus

What is the primary focus of this facility at this location?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Substance abuse treatment services	104746	60.3 %
2	Mental health services	13585	7.8 %
3	Mix of mental health and substance abuse	44814	25.8 %
4	General health care	4791	2.8 %
5	Other	5593	3.2 %
	Missing Data		
-5	Multiple Responses	20	0.0 %
-2	Missing	41	0.0 %
	Total	173,590	100%

Based upon 173,529 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OWNERSHP: Basic setting: Ownership/operation

Is this facility operated by . . . ?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	47488	27.4 %
2	Private non-profit organization	101893	58.7 %
3	State government	5744	3.3 %
4	Local, county, or community government	11878	6.8 %
5	Tribal government	2339	1.3 %
6	Federal government	4248	2.4 %
	Missing Data		
	Total	173,590	100%

Based upon 173,590 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 6

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEDOWN: Basic setting: Federal government agency

Which Federal Government agency?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Department of Veterans Affairs	2407	1.4 %
2	Department of Defense	1310	0.8 %
3	Indian Health Service	468	0.3 %
4	Other	63	0.0 %
	Missing Data		
-6	Logical Skip	169342	97.6 %
	Total	173,590	100%

Based upon 4,248 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC15: Basic setting: Solo practice (State-approved)

Is this facility a solo practice, meaning, an office with a single practitioner or therapist?

Value	Label	Unweighted Frequency	%
0	No	134416	77.4 %
1	Yes	10498	6.0 %
Missing Data			
-7	Not Applicable	1	0.0 %
-6	Logical Skip	28171	16.2 %
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	475	0.3 %
-1	Don't Know	26	0.0 %
Total		173,590	100%

Based upon 144,914 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RELIG: Basic setting: Affiliated with religious organization

Is this facility affiliated with a religious organization?

Value	Label	Unweighted Frequency	%
0	No	108821	62.7 %
1	Yes	8360	4.8 %
Missing Data			
-9	Not in survey	37743	21.7 %
-6	Logical Skip	18218	10.5 %
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	411	0.2 %
-1	Don't Know	34	0.0 %
Total		173,590	100%

Based upon 117,181 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPITAL: Basic setting: Located in/operated by hospital

Is this facility located in, or operated by, a hospital?

Value	Label	Unweighted Frequency	%
0	No	150176	86.5 %
1	Yes	23111	13.3 %
Missing Data			
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	285	0.2 %
-1	Don't Know	14	0.0 %
Total		173,590	100%

Based upon 173,287 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOCS: Basic setting: Hospital type

What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (including VA)	17443	10.0 %
2	Psychiatric hospital	4101	2.4 %
3	Other specialty hospital	1481	0.9 %
Missing Data			
-11	Survey Ineligible	9160	5.3 %
-6	Logical Skip	141316	81.4 %
-5	Multiple Responses	5	0.0 %
-2	Missing	71	0.0 %
-1	Don't Know	13	0.0 %
Total		173,590	100%

Based upon 23,025 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 3

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOTYN: Basic amenities: Hotline

Does this facility operate a hotline that responds to substance abuse problems?

A hotline is a telephone service that provides information, referral, or immediate counseling, frequently in a crisis situation.

If this facility is part of a group of facilities that operates a central hotline to respond to substance abuse problems, you should mark "yes."

DO NOT consider 911 or the local police number a hotline for the purpose of this survey.

Value	Label	Unweighted Frequency	%
0	No	134640	77.6 %
1	Yes	38615	22.2 %
	Missing Data		
-4	Refused	3	0.0 %
-2	Missing	238	0.1 %
-1	Don't Know	94	0.1 %
	Total	173,590	100%

Based upon 173,255 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC89: Assessment: SA screening

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Screening for substance abuse

Value	Label	Unweighted Frequency	%
0	No	5824	3.4 %
1	Yes	75605	43.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	242	0.1 %
-1	Don't Know	8	0.0 %
	Total	173,590	100%

Based upon 81,429 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC90: Assessment: MH screening

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Screening for mental health disorders

Value	Label	Unweighted Frequency	%
0	No	30118	17.4 %
1	Yes	50532	29.1 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	1017	0.6 %
-1	Don't Know	12	0.0 %
	Total	173,590	100%

Based upon 80,650 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC1: Assessment: Comprehensive SA

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Comprehensive substance abuse assessment or diagnosis

Value	Label	Unweighted Frequency	%
0	No	14797	8.5 %
1	Yes	153393	88.4 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	3	0.0 %
-2	Missing	475	0.3 %
-1	Don't Know	46	0.0 %
	Total	173,590	100%

Based upon 168,190 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC2: Assessment: Comprehensive MH

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Comprehensive mental health assessment or diagnosis
(for example, psychological or psychiatric evaluation and testing)

Value	Label	Unweighted Frequency	%
0	No	92670	53.4 %
1	Yes	72660	41.9 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3346	1.9 %
-1	Don't Know	35	0.0 %
	Total	173,590	100%

Based upon 165,330 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC107: Assessmt: Tobacco screening

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:

Sceneing for tobacco use

Value	Label	Unweighted Frequency	%
0	No	5227	3.0 %
1	Yes	6830	3.9 %
	Missing Data		
-9	Not in survey	159870	92.1 %
-2	Missing	1661	1.0 %
-1	Don't Know	2	0.0 %
	Total	173,590	100%

Based upon 12,057 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC91: Assessment: Outreach

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:

Outreach to persons in the community who may need treatment

Value	Label	Unweighted Frequency	%
0	No	51740	29.8 %

Value	Label	Unweighted Frequency	%
1	Yes	48104	27.7 %
	Missing Data		
-9	Not in survey	67596	38.9 %
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	1230	0.7 %
-1	Don't Know	44	0.0 %
	Total	173,590	100%

Based upon 99,844 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC93: Assessment: Interim services

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Interim services for clients when immediate admission is not possible

Value	Label	Unweighted Frequency	%
0	No	47056	27.1 %
1	Yes	33106	19.1 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-4	Refused	11	0.0 %
-2	Missing	1359	0.8 %
-1	Don't Know	147	0.1 %
	Total	173,590	100%

Based upon 80,162 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC92: Assessment: Brief intervention

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Assessment and Pre-Treatment Services:
Brief intervention for substance users who are not yet dependent, usually 1-5 sessions

Value	Label	Unweighted Frequency	%
0	No	6709	3.9 %
1	Yes	6812	3.9 %
	Missing Data		
-9	Not in survey	159819	92.1 %
-2	Missing	241	0.1 %
-1	Don't Know	9	0.0 %
	Total	173,590	100%

Based upon 13,521 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC10: Testing: Blood/alcohol

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:
Breathalyzer or other blood alcohol testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	77858	44.9 %
1	Yes	89851	51.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	3	0.0 %
-2	Missing	954	0.5 %
-1	Don't Know	48	0.0 %
	Total	173,590	100%

Based upon 167,709 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC11: Testing: Drug/alcohol urine screen

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:

Drug or alcohol urine screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	31652	18.2 %
1	Yes	136739	78.8 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	305	0.2 %
-1	Don't Know	16	0.0 %
	Total	173,590	100%

Based upon 168,391 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC73: Testing: Hepatitis B

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:

Screening for Hepatitis B

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	93209	53.7 %
1	Yes	26737	15.4 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	2072	1.2 %
-1	Don't Know	106	0.1 %
	Total	173,590	100%

Based upon 119,946 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC74: Testing: Hepatitis C

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:

Screening for Hepatitis C

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	92146	53.1 %

Value	Label	Unweighted Frequency	%
1	Yes	27930	16.1 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1936	1.1 %
-1	Don't Know	112	0.1 %
	Total	173,590	100%

Based upon 120,076 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC14: Testing: HIV

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:
HIV testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	115514	66.5 %
1	Yes	51311	29.6 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1828	1.1 %
-1	Don't Know	59	0.0 %
	Total	173,590	100%

Based upon 166,825 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 119-121 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC15: Testing: STD

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:
 STD testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	129871	74.8 %
1	Yes	36443	21.0 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	2305	1.3 %
-1	Don't Know	93	0.1 %
	Total	173,590	100%

Based upon 166,314 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-124 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC16: Testing: TB screen

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:
 TB screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	107341	61.8 %
1	Yes	59510	34.3 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1790	1.0 %
-1	Don't Know	71	0.0 %
	Total	173,590	100%

Based upon 166,851 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC12: Testing: Hair analysis

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:

Hair analysis

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	19136	11.0 %
1	Yes	295	0.2 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	9	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,431 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-130 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC13: Testing: Hepatitis

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Testing:
 Hepatitis

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	35950	20.7 %
1	Yes	10395	6.0 %
	Missing Data		
-9	Not in survey	122127	70.4 %
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-2	Missing	210	0.1 %
-1	Don't Know	33	0.0 %
	Total	173,590	100%

Based upon 46,345 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 131-133 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC37: Transitional: Discharge Planning

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Transitional Services:
 Discharge planning

Value	Label	Unweighted Frequency	%
0	No	23543	13.6 %

Value	Label	Unweighted Frequency	%
1	Yes	144833	83.4 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	294	0.2 %
-1	Don't Know	42	0.0 %
	Total	173,590	100%

Based upon 168,376 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC27: Transitional: Aftercare counseling

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Transitional Services:
Aftercare / continuing care

Value	Label	Unweighted Frequency	%
0	No	35386	20.4 %
1	Yes	132210	76.2 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	1082	0.6 %
-1	Don't Know	34	0.0 %
	Total	173,590	100%

Based upon 167,596 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC8: Transitional: Relapse prevention

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Transitional Services:
Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	No	21855	12.6 %
1	Yes	78189	45.0 %
	Missing Data		
-9	Not in survey	67908	39.1 %
-8	Not in mode	4874	2.8 %
-4	Refused	3	0.0 %
-2	Missing	735	0.4 %
-1	Don't Know	26	0.0 %
	Total	173,590	100%

Based upon 100,044 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC28: Transitional: Alumni(ae) groups

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Transitional Services:
Alumni(ae) groups

Value	Label	Unweighted Frequency	%
0	No	14852	8.6 %
1	Yes	4580	2.6 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC40: Transitional: Transitional Referral

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Transitional Services:

Other

Value	Label	Unweighted Frequency	%
0	No	7995	4.6 %
1	Yes	38546	22.2 %
	Missing Data		
-9	Not in survey	122127	70.4 %
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-2	Missing	41	0.0 %
-1	Don't Know	6	0.0 %
	Total	173,590	100%

Based upon 46,541 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC49: Ancillary: Case management

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Case management services

Value	Label	Unweighted Frequency	%
0	No	50009	28.8 %
1	Yes	118170	68.1 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	480	0.3 %
-1	Don't Know	54	0.0 %
	Total	173,590	100%

Based upon 168,179 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC96: Ancillary: Social skills

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Social skills development

Value	Label	Unweighted Frequency	%
0	No	26391	15.2 %
1	Yes	54835	31.6 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	441	0.3 %
-1	Don't Know	12	0.0 %
	Total	173,590	100%

Based upon 81,226 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-154 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC97: Ancillary: Mentoring/peer support

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Mentoring / peer support

Value	Label	Unweighted Frequency	%
0	No	43261	24.9 %
1	Yes	37702	21.7 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-4	Refused	1	0.0 %
-2	Missing	693	0.4 %
-1	Don't Know	22	0.0 %
	Total	173,590	100%

Based upon 80,963 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 155-157 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC50: Ancillary: Child care

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Child care for clients' children

Value	Label	Unweighted Frequency	%
0	No	153166	88.2 %
1	Yes	14077	8.1 %
	Missing Data		
-8	Not in mode	4874	2.8 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1456	0.8 %
-1	Don't Know	14	0.0 %
	Total	173,590	100%

Based upon 167,243 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC36: Ancillary: Social services assistance

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Assistance with obtaining social services (for example, Medicaid, WIC, SSI, SSDI)

Value	Label	Unweighted Frequency	%
0	No	79667	45.9 %
1	Yes	88120	50.8 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	872	0.5 %
-1	Don't Know	53	0.0 %
	Total	173,590	100%

Based upon 167,787 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC38: Ancillary: Employment assistance

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Employment counseling or training for clients

Value	Label	Unweighted Frequency	%
0	No	108647	62.6 %
1	Yes	58825	33.9 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	1211	0.7 %
-1	Don't Know	29	0.0 %
	Total	173,590	100%

Based upon 167,472 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC39: Ancillary: Housing assistance

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Assistance in locating housing for clients

Value	Label	Unweighted Frequency	%
0	No	98294	56.6 %
1	Yes	69241	39.9 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1140	0.7 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	38	0.0 %
	Total	173,590	100%

Based upon 167,535 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC52: Ancillary: Domestic violence

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Domestic violence-family or partner violence services
(physical, sexual, and emotional abuse)

Value	Label	Unweighted Frequency	%
0	No	110610	63.7 %
1	Yes	56920	32.8 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1122	0.6 %
-1	Don't Know	61	0.0 %
	Total	173,590	100%

Based upon 167,530 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC98: Ancillary: HIV Intervention

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Early intervention for HIV

Value	Label	Unweighted Frequency	%
0	No	60736	35.0 %
1	Yes	20066	11.6 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	813	0.5 %
-1	Don't Know	64	0.0 %
	Total	173,590	100%

Based upon 80,802 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC24: Ancillary: HIV/AIDS education

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
HIV or AIDS education, counseling, or support

Value	Label	Unweighted Frequency	%
0	No	74548	42.9 %
1	Yes	93295	53.7 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	812	0.5 %
-1	Don't Know	58	0.0 %
	Total	173,590	100%

Based upon 167,843 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-178 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC99: Ancillary: Health education

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Health education other than HIV / AIDS

Value	Label	Unweighted Frequency	%
0	No	50195	28.9 %
1	Yes	50262	29.0 %
	Missing Data		
-9	Not in survey	67596	38.9 %
-8	Not in mode	4874	2.8 %
-4	Refused	1	0.0 %
-2	Missing	644	0.4 %
-1	Don't Know	18	0.0 %
	Total	173,590	100%

Based upon 100,457 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 179-181 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC100: Ancillary: Substance abuse education

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Substance abuse education

Value	Label	Unweighted Frequency	%
0	No	11729	6.8 %
1	Yes	89256	51.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Not in survey	67596	38.9 %
-8	Not in mode	4874	2.8 %
-2	Missing	133	0.1 %
-1	Don't Know	2	0.0 %
	Total	173,590	100%

Based upon 100,985 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC59: Ancillary: Transportation assistance

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	No	106480	61.3 %
1	Yes	61142	35.2 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1051	0.6 %
-1	Don't Know	40	0.0 %
	Total	173,590	100%

Based upon 167,622 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC101: Ancillary: Mental health services

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Mental health services

Value	Label	Unweighted Frequency	%
0	No	35676	20.6 %
1	Yes	45453	26.2 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	540	0.3 %
-1	Don't Know	10	0.0 %
	Total	173,590	100%

Based upon 81,129 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC48: Ancillary: Acupuncture

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Acupuncture

Value	Label	Unweighted Frequency	%
0	No	159248	91.7 %
1	Yes	7792	4.5 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1647	0.9 %
-1	Don't Know	26	0.0 %
	Total	173,590	100%

Based upon 167,040 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC75: Ancillary: Residential beds for client children

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	115659	66.6 %
1	Yes	4946	2.8 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-4	Refused	2	0.0 %
-2	Missing	1516	0.9 %
-1	Don't Know	4	0.0 %
	Total	173,590	100%

Based upon 120,605 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC102: Ancillary: Self-help groups

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Self-help groups (for example, AA, NA, Smart Recovery)

Value	Label	Unweighted Frequency	%
0	No	51982	29.9 %
1	Yes	48355	27.9 %
Missing Data			
-9	Not in survey	67596	38.9 %
-8	Not in mode	4874	2.8 %
-4	Refused	1	0.0 %
-2	Missing	770	0.4 %
-1	Don't Know	12	0.0 %
Total		173,590	100%

Based upon 100,337 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC18: Ancillary: Family planning

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Family planning

Value	Label	Unweighted Frequency	%
0	No	18135	10.4 %
1	Yes	1298	0.7 %
Missing Data			
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	7	0.0 %
-1	Don't Know	1	0.0 %
Total		173,590	100%

Based upon 19,433 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC19: Ancillary: Medical care (incl physical exams)

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Medical care (including physical exams)

Value	Label	Unweighted Frequency	%
0	No	14053	8.1 %
1	Yes	5381	3.1 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	6	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,434 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC20: Ancillary: Prenatal care

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Prenatal care

Value	Label	Unweighted Frequency	%
0	No	18101	10.4 %
1	Yes	1332	0.8 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	7	0.0 %
-1	Don't Know	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Based upon 19,433 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC21: Ancillary: Perinatal care

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Perinatal care

Value	Label	Unweighted Frequency	%
0	No	18512	10.7 %
1	Yes	921	0.5 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	7	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,433 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC22: Ancillary: TB treatment

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

TB treatment

Value	Label	Unweighted Frequency	%
0	No	17479	10.1 %
1	Yes	1954	1.1 %
Missing Data			
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	7	0.0 %
-1	Don't Know	1	0.0 %
Total		173,590	100%

Based upon 19,433 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC44: Ancillary: Media presentations

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Media presentations (T.V., radio, brochures)

Value	Label	Unweighted Frequency	%
0	No	11897	6.9 %
1	Yes	7535	4.3 %
Missing Data			
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
Total		173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC45: Ancillary: Membership in a community partnership

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Membership in a community partnership program

Value	Label	Unweighted Frequency	%
0	No	13020	7.5 %
1	Yes	6412	3.7 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC47: Ancillary: Academic education/GED classes

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Academic education / GED classes

Value	Label	Unweighted Frequency	%
0	No	16508	9.5 %
1	Yes	2925	1.7 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %

Value	Label	Unweighted Frequency	%
-2	Missing	7	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,433 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC51: Ancillary: Communication skills

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Communication skills

Value	Label	Unweighted Frequency	%
0	No	12666	7.3 %
1	Yes	6766	3.9 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC53: Ancillary: Home visits

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Home visits

Value	Label	Unweighted Frequency	%
0	No	15575	9.0 %
1	Yes	3857	2.2 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC54: Ancillary: Life skills for independent living

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Life skills for independent living

Value	Label	Unweighted Frequency	%
0	No	13045	7.5 %
1	Yes	6387	3.7 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 230-232 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC56: Ancillary: Parenting/family skills development

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Parenting/family skills development

Value	Label	Unweighted Frequency	%
0	No	12086	7.0 %
1	Yes	7345	4.2 %
	Missing Data		
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	9	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,431 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 233-235 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC58: Ancillary: Socialization/recreational services

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
 Socialization / recreational services (for example, scheduled activities such as camping, sporting events)

Value	Label	Unweighted Frequency	%
0	No	12986	7.5 %
1	Yes	6446	3.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Not in survey	149275	86.0 %
-8	Not in mode	4874	2.8 %
-2	Missing	8	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 19,432 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC104: Ancillary: Hepatitis Education

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:

Hepatitis education, counseling, or support

Value	Label	Unweighted Frequency	%
0	No	13160	7.6 %
1	Yes	11191	6.4 %
	Missing Data		
-9	Not in survey	146531	84.4 %
-2	Missing	2699	1.6 %
-1	Don't Know	9	0.0 %
	Total	173,590	100%

Based upon 24,351 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC105: Ancillary: Smoking cessation program

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Ancillary Services:
Smoking cessation program

Value	Label	Unweighted Frequency	%
0	No	32209	18.6 %
1	Yes	12122	7.0 %
	Missing Data		
-9	Not in survey	122216	70.4 %
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-2	Missing	2163	1.2 %
-1	Don't Know	5	0.0 %
	Total	173,590	100%

Based upon 44,331 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC70: Pharmacotherapies: Antabuse

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Antabuse

Value	Label	Unweighted Frequency	%
0	No	112587	64.9 %
1	Yes	22041	12.7 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-4	Refused	4	0.0 %
-2	Missing	1009	0.6 %
-1	Don't Know	206	0.1 %
	Total	173,590	100%

Based upon 134,628 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC71: Pharmacotherapies: Naltrexone

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Naltrexone

Value	Label	Unweighted Frequency	%
0	No	115082	66.3 %
1	Yes	19178	11.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-4	Refused	4	0.0 %
-2	Missing	1149	0.7 %
-1	Don't Know	434	0.3 %
	Total	173,590	100%

Based upon 134,260 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC108: Pharmacother: Vivitrol (inject Naltrexone)

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Vivitrol (injectible Naltrexone)

Value	Label	Unweighted Frequency	%
0	No	10291	5.9 %
1	Yes	1093	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Not in survey	159870	92.1 %
-2	Missing	2320	1.3 %
-1	Don't Know	16	0.0 %
	Total	173,590	100%

Based upon 11,384 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC88: Pharmacotherapies: Campral

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Campral

Value	Label	Unweighted Frequency	%
0	No	79192	45.6 %
1	Yes	14622	8.4 %
	Missing Data		
-9	Not in survey	78540	45.2 %
-4	Refused	4	0.0 %
-2	Missing	911	0.5 %
-1	Don't Know	321	0.2 %
	Total	173,590	100%

Based upon 93,814 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC94: Pharmacotherapies: Nicotine replacement

Which of the following services are provided by this

facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Nicotine replacement

Value	Label	Unweighted Frequency	%
0	No	66361	38.2 %
1	Yes	14546	8.4 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	690	0.4 %
-1	Don't Know	82	0.0 %
	Total	173,590	100%

Based upon 80,907 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC95: Pharmacotherapies: For psych disorders

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Medications for psychiatric disorders

Value	Label	Unweighted Frequency	%
0	No	52946	30.5 %
1	Yes	28323	16.3 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-2	Missing	384	0.2 %
-1	Don't Know	26	0.0 %
	Total	173,590	100%

Based upon 81,269 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC85: Pharmacotherapies: Methadone

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Methadone

Value	Label	Unweighted Frequency	%
0	No	96351	55.5 %
1	Yes	11108	6.4 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-4	Refused	3	0.0 %
-2	Missing	970	0.6 %
-1	Don't Know	72	0.0 %
	Total	173,590	100%

Based upon 107,459 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC86: Pharmacotherapies: Buprenorphine - Subutex

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Buprenorphine - Subutex

Value	Label	Unweighted Frequency	%
0	No	86414	49.8 %
1	Yes	7321	4.2 %
	Missing Data		
-9	Not in survey	78540	45.2 %

Value	Label	Unweighted Frequency	%
-4	Refused	3	0.0 %
-2	Missing	1001	0.6 %
-1	Don't Know	311	0.2 %
	Total	173,590	100%

Based upon 93,735 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC87: Pharmacotherapies: Buprenorphine - Suboxone

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Buprenorphine - Suboxone

Value	Label	Unweighted Frequency	%
0	No	80471	46.4 %
1	Yes	13451	7.7 %
	Missing Data		
-9	Not in survey	78540	45.2 %
-4	Refused	4	0.0 %
-2	Missing	853	0.5 %
-1	Don't Know	271	0.2 %
	Total	173,590	100%

Based upon 93,922 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC7: Pharmacotherapies: Prescription medication

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Prescription medication

Value	Label	Unweighted Frequency	%
0	No	19464	11.2 %
1	Yes	13384	7.7 %
	Missing Data		
-9	Not in survey	135847	78.3 %
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-2	Missing	14	0.0 %
-1	Don't Know	6	0.0 %
	Total	173,590	100%

Based upon 32,848 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC72: Pharmacotherapies: Buprenorphine

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:
Buprenorphine

Value	Label	Unweighted Frequency	%
0	No	24972	14.4 %
1	Yes	1676	1.0 %
	Missing Data		
-9	Not in survey	146513	84.4 %
-4	Refused	1	0.0 %
-2	Missing	281	0.2 %
-1	Don't Know	147	0.1 %
	Total	173,590	100%

Based upon 26,648 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC106: Pharmacotherapies: Smoking cessation medications

Which of the following services are provided by this facility at this location?

MARK ALL THAT APPLY

Pharmacotherapies:

Smoking cessation medications (non-nicotine)

Value	Label	Unweighted Frequency	%
0	No	20804	12.0 %
1	Yes	4155	2.4 %
	Missing Data		
-9	Not in survey	146531	84.4 %
-2	Missing	2068	1.2 %
-1	Don't Know	32	0.0 %
	Total	173,590	100%

Based upon 24,959 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

MAINTTYP: OTP: Maintenance: Methadone-Buprenorphine-Both-Neither

Does this facility operate a methadone maintenance or buprenorphine maintenance program at this location?

MARK ONE ONLY

- 1. Yes, a methadone maintenance program
- 2. Yes, a buprenorphine maintenance program (Subutex and/or Suboxone)
- 3. Yes, both a methadone maintenance and a buprenorphine maintenance program
- 0. No, neither type of maintenance program

Value	Label	Unweighted Frequency	%
0	Neither	2014	1.2 %
1	Methadone	1334	0.8 %
2	Burprenorphine	1592	0.9 %
3	Methadone & Burprenorphine	799	0.5 %
	Missing Data		
-9	Not in survey	146389	84.3 %
-6	Logical Skip	21462	12.4 %
	Total	173,590	100%

Based upon 5,739 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 3

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

MAINTALL: OTP: All clients in maintenance program

Are ALL of the substance abuse clients at this facility currently in the maintenance program?

Value	Label	Unweighted Frequency	%
0	No	1590	0.9 %
1	Yes	1309	0.8 %
	Missing Data		
-9	Not in survey	146389	84.3 %
-6	Logical Skip	24299	14.0 %
-2	Missing	2	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 2,899 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETXTYPE: OTP: Detox: Methadone-Buprenorphine-Both-Neither

Does this facility operate a detoxification program at this location, that is, a program that uses methadone or buprenorphine to detoxify clients from other opiates?

MARK ONE ONLY

- 1. Yes, a methadone detoxification program
- 2. Yes, a buprenorphine detoxification program (Subutex and/or Suboxone)
- 3. Yes, both a methadone detoxification and a buprenorphine detoxification program
- 0. No, neither type of detoxification program

Value	Label	Unweighted Frequency	%
0	Neither	2695	1.6 %
1	Methadone	935	0.5 %
2	Burprenorphine	1433	0.8 %
3	Methadone & Burprenorphine	673	0.4 %
Missing Data			
-9	Not in survey	146389	84.3 %
-6	Logical Skip	21463	12.4 %
-1	Don't Know	2	0.0 %
Total		173,590	100%

Based upon 5,736 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 3

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTP: OTP: Certified Opioid Treatment Program

Does this facility operate a methadone maintenance or methadone detoxification program at this location?

Value	Label	Unweighted Frequency	%
0	Not an OTP	124656	71.8 %
1	OTP	12176	7.0 %
2	Reporting for an OTP	7	0.0 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	12367	7.1 %
-2	Missing	18	0.0 %
-1	Don't Know	51	0.0 %
Total		173,590	100%

Based upon 136,839 valid cases out of 173,590 total cases.

- Minimum: 0

- Maximum: 2

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPALL: OTP: All clients in OTP

Are ALL of the substance abuse clients at this facility currently in the methadone program?

Value	Label	Unweighted Frequency	%
0	No	4735	2.7 %
1	Yes	6460	3.7 %
	Missing Data		
-9	Not in survey	51516	29.7 %
-6	Logical Skip	110853	63.9 %
-2	Missing	23	0.0 %
-1	Don't Know	3	0.0 %
	Total	173,590	100%

Based upon 11,195 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPTYPE: OTP: Maintenance-Detox-Both

Is the methadone program at this location a maintenance program, a detoxification program, or both?

Value	Label	Unweighted Frequency	%
1	Maintenance Program	3394	2.0 %
2	Detoxification Program	1004	0.6 %
3	Both	5389	3.1 %
	Missing Data		
-9	Not in survey	64944	37.4 %
-6	Logical Skip	98852	56.9 %
-4	Refused	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	5	0.0 %
	Total	173,590	100%

Based upon 9,787 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 3

Location: 296-298 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

METLAM: OTP: Dispenses methadone or LAAM

Does this facility dispense Methadone or LAAM at this location?

Value	Label	Unweighted Frequency	%
0	No	22214	12.8 %
1	Yes	2884	1.7 %
	Missing Data		
-9	Not in survey	135847	78.3 %
-6	Logical Skip	12643	7.3 %
-2	Missing	2	0.0 %
	Total	173,590	100%

Based upon 25,098 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 299-301 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC6: Counseling: Individual

Does this facility use individual counseling as part of its substance abuse treatment program?

Value	Label	Unweighted Frequency	%
0	No	7312	4.2 %
1	Yes	160898	92.7 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-5	Multiple Responses	9	0.0 %
-4	Refused	5	0.0 %
-2	Missing	474	0.3 %
-1	Don't Know	18	0.0 %
	Total	173,590	100%

Based upon 168,210 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 302-304 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC6PCT: % Clients in individual counseling

During the course of treatment, approximately what percent of substance abuse clients receive individual counseling?

Value	Label	Unweighted Frequency	%
1	25% or Less	7135	4.1 %
2	26% to 50%	5185	3.0 %
3	51% to 75%	4928	2.8 %
4	More than 75%	48423	27.9 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	1911	1.1 %
-5	Multiple Responses	10	0.0 %
-4	Refused	1	0.0 %
-2	Missing	280	0.2 %
-1	Don't Know	35	0.0 %
	Total	173,590	100%

Based upon 65,671 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 305-307 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC5: Counseling: Group

Does this facility use group counseling as part of its substance abuse treatment program?

Value	Label	Unweighted Frequency	%
0	No	15646	9.0 %
1	Yes	152299	87.7 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-5	Multiple Responses	16	0.0 %
-4	Refused	5	0.0 %
-2	Missing	730	0.4 %
-1	Don't Know	20	0.0 %
	Total	173,590	100%

Based upon 167,945 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC5PCT: % Clients in group counseling

During the course of treatment, approximately what percent of substance abuse clients receive group counseling?

Value	Label	Unweighted Frequency	%
1	25% or Less	5066	2.9 %
2	26% to 50%	4327	2.5 %
3	51% to 75%	5902	3.4 %
4	More than 75%	47303	27.2 %
Missing Data			
-9	Not in survey	105682	60.9 %
-6	Logical Skip	4876	2.8 %
-5	Multiple Responses	17	0.0 %
-4	Refused	1	0.0 %
-2	Missing	382	0.2 %
-1	Don't Know	34	0.0 %
Total		173,590	100%

Based upon 62,598 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC4: Counseling: Family

Does this facility use family counseling as part of its substance abuse treatment program?

Value	Label	Unweighted Frequency	%
0	No	39514	22.8 %
1	Yes	127973	73.7 %
Missing Data			
-8	Not in mode	4874	2.8 %
-5	Multiple Responses	9	0.0 %
-4	Refused	6	0.0 %
-2	Missing	1197	0.7 %
-1	Don't Know	17	0.0 %
Total		173,590	100%

Based upon 167,487 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC4PCT: % Clients in family counseling

During the course of treatment, approximately what percent of substance abuse clients receive family counseling?

Value	Label	Unweighted Frequency	%
1	25% or Less	26651	15.4 %
2	26% to 50%	10036	5.8 %
3	51% to 75%	5743	3.3 %
4	More than 75%	9294	5.4 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	15516	8.9 %
-5	Multiple Responses	9	0.0 %
-4	Refused	4	0.0 %
-2	Missing	561	0.3 %
-1	Don't Know	94	0.1 %
	Total	173,590	100%

Based upon 51,724 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC103: Counseling: Marital/couples

Does this facility use marital/couples counseling as part of its substance abuse treatment program?

Value	Label	Unweighted Frequency	%
0	No	31818	18.3 %
1	Yes	35314	20.3 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	6	0.0 %
-4	Refused	2	0.0 %
-2	Missing	751	0.4 %
-1	Don't Know	17	0.0 %
	Total	173,590	100%

Based upon 67,132 valid cases out of 173,590 total cases.

- Minimum: 0

- Maximum: 1

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC103P: % Clients in marital/couples counseling

During the course of treatment, approximately what percent of substance abuse clients receive marital/couples counseling?

Value	Label	Unweighted Frequency	%
1	25% or Less	25564	14.7 %
2	26% to 50%	5766	3.3 %
3	51% to 75%	1985	1.1 %
4	More than 75%	1838	1.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-6	Logical Skip	31979	18.4 %
-5	Multiple Responses	6	0.0 %
-4	Refused	1	0.0 %
-2	Missing	707	0.4 %
-1	Don't Know	62	0.0 %
	Total	173,590	100%

Based upon 35,153 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SACNSL: Approach: Substance abuse counseling

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Substance abuse counseling

Value	Label	Unweighted Frequency	%
1	Never	97	0.1 %
2	Rarely	456	0.3 %
3	Sometimes	2021	1.2 %
4	Always or Often	64862	37.4 %
5	Approach unfamiliar	111	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	6	0.0 %
-4	Refused	2	0.0 %
-2	Missing	347	0.2 %
-1	Don't Know	6	0.0 %
	Total	173,590	100%

Based upon 67,547 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TWELVEST: Approach: 12-step

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

12-step facilitation

Value	Label	Unweighted Frequency	%
1	Never	1930	1.1 %
2	Rarely	10114	5.8 %
3	Sometimes	16337	9.4 %
4	Always or Often	38579	22.2 %
5	Approach unfamiliar	108	0.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	7	0.0 %
-4	Refused	3	0.0 %
-2	Missing	815	0.5 %
-1	Don't Know	15	0.0 %
	Total	173,590	100%

Based upon 67,068 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

BRINTRV: Approach: Brief intervention

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Brief intervention

Value	Label	Unweighted Frequency	%
1	Never	1404	0.8 %
2	Rarely	10089	5.8 %
3	Sometimes	30260	17.4 %
4	Always or Often	24742	14.3 %
5	Approach unfamiliar	171	0.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	25	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1201	0.7 %
-1	Don't Know	14	0.0 %
	Total	173,590	100%

Based upon 66,666 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COGBEH: Approach: Cognitive-behavioral therapy

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Cognitive-behavioral therapy

Value	Label	Unweighted Frequency	%
1	Never	936	0.5 %
2	Rarely	4385	2.5 %

Value	Label	Unweighted Frequency	%
3	Sometimes	16511	9.5 %
4	Always or Often	45162	26.0 %
5	Approach unfamiliar	126	0.1 %
Missing Data			
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	27	0.0 %
-4	Refused	1	0.0 %
-2	Missing	735	0.4 %
-1	Don't Know	25	0.0 %
Total		173,590	100%

Based upon 67,120 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CONTMGT: Approach: Contingency management

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Contingency management / motivational incentives

Value	Label	Unweighted Frequency	%
1	Never	6965	4.0 %
2	Rarely	19889	11.5 %
3	Sometimes	22173	12.8 %
4	Always or Often	16804	9.7 %
5	Approach unfamiliar	583	0.3 %
Missing Data			
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	22	0.0 %
-4	Refused	4	0.0 %
-2	Missing	1428	0.8 %
-1	Don't Know	40	0.0 %
Total		173,590	100%

Based upon 66,414 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

MOTVINT: Approach: Motivational interviewing

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Motivational interviewing

Value	Label	Unweighted Frequency	%
1	Never	1681	1.0 %
2	Rarely	7269	4.2 %
3	Sometimes	20239	11.7 %
4	Always or Often	37620	21.7 %
5	Approach unfamiliar	198	0.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	28	0.0 %
-4	Refused	2	0.0 %
-2	Missing	856	0.5 %
-1	Don't Know	15	0.0 %
	Total	173,590	100%

Based upon 67,007 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TRAUMA: Approach: Trauma-related counseling

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Trauma-related counseling

Value	Label	Unweighted Frequency	%
1	Never	2668	1.5 %
2	Rarely	19126	11.0 %
3	Sometimes	29545	17.0 %
4	Always or Often	15181	8.7 %
5	Approach unfamiliar	141	0.1 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	11	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1211	0.7 %
-1	Don't Know	23	0.0 %
	Total	173,590	100%

Based upon 66,661 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ANGER: Approach: Anger management

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Anger management

Value	Label	Unweighted Frequency	%
1	Never	1234	0.7 %
2	Rarely	9089	5.2 %
3	Sometimes	29932	17.2 %
4	Always or Often	26759	15.4 %
5	Approach unfamiliar	78	0.0 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	28	0.0 %
-4	Refused	1	0.0 %
-2	Missing	776	0.4 %
-1	Don't Know	11	0.0 %
	Total	173,590	100%

Based upon 67,092 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

MATRIX: Approach: Matrix model

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Matrix model

Value	Label	Unweighted Frequency	%
1	Never	12118	7.0 %
2	Rarely	19022	11.0 %
3	Sometimes	10879	6.3 %
4	Always or Often	8874	5.1 %
5	Approach unfamiliar	2054	1.2 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-5	Multiple Responses	14	0.0 %
-4	Refused	4	0.0 %
-2	Missing	1283	0.7 %
-1	Don't Know	12	0.0 %
	Total	173,590	100%

Based upon 52,947 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COMMREIN: Approach: Community reinforcement plus vouchers

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Community reinforcement plus vouchers

Value	Label	Unweighted Frequency	%
1	Never	15608	9.0 %
2	Rarely	28482	16.4 %
3	Sometimes	5004	2.9 %
4	Always or Often	2575	1.5 %
5	Approach unfamiliar	1348	0.8 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-5	Multiple Responses	25	0.0 %
-4	Refused	4	0.0 %
-2	Missing	1198	0.7 %
-1	Don't Know	16	0.0 %
	Total	173,590	100%

Based upon 53,017 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REBT: Approach: Rational emotive behavioral therapy (REBT)

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Rational emotive behavioral therapy (REBT)

Value	Label	Unweighted Frequency	%
1	Never	6733	3.9 %
2	Rarely	19422	11.2 %
3	Sometimes	17200	9.9 %
4	Always or Often	9131	5.3 %
5	Approach unfamiliar	654	0.4 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-5	Multiple Responses	17	0.0 %
-4	Refused	2	0.0 %
-2	Missing	1089	0.6 %
-1	Don't Know	12	0.0 %
	Total	173,590	100%

Based upon 53,140 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RELPS: Approach: Relapse prevention

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Relapse prevention

Value	Label	Unweighted Frequency	%
1	Never	393	0.2 %
2	Rarely	1147	0.7 %
3	Sometimes	6332	3.6 %
4	Always or Often	59034	34.0 %
5	Approach unfamiliar	314	0.2 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	9	0.0 %
-4	Refused	2	0.0 %
-2	Missing	663	0.4 %
-1	Don't Know	14	0.0 %
	Total	173,590	100%

Based upon 67,220 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

APPROTH: Approach: Other treatment approach

Listed below are a variety of clinical/therapeutic approaches used by substance abuse treatment facilities. For each, please mark the box that best describes how often the practice is used at this facility.

Other treatment approach

Value	Label	Unweighted Frequency	%
1	Never	11928	6.9 %
2	Rarely	45138	26.0 %
3	Sometimes	3202	1.8 %
4	Always or Often	7623	4.4 %
5	Approach unfamiliar	0	0.0 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-1	Don't Know	15	0.0 %
	Total	173,590	100%

Based upon 67,891 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CONTED: Std prac: Required continuing education for staff

Are any of the following practices part of this facility's standard operating procedures?

Required continuing education for staff

Value	Label	Unweighted Frequency	%
0	No	2248	1.3 %
1	Yes	65558	37.8 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-2	Missing	96	0.1 %
-1	Don't Know	6	0.0 %
	Total	173,590	100%

Based upon 67,806 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DRUGTST: Std prac: Periodic drug testing of clients

Are any of the following practices part of this facility's standard operating procedures?

Periodic drug testing of clients

Value	Label	Unweighted Frequency	%
0	No	10168	5.9 %
1	Yes	57620	33.2 %
Missing Data			
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	1	0.0 %
-2	Missing	111	0.1 %
-1	Don't Know	8	0.0 %
Total		173,590	100%

Based upon 67,788 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CASEREV: Std prac: Regularly scheduled case review with a supervisor

Are any of the following practices part of this facility's standard operating procedures?

Regularly scheduled case review with a supervisor

Value	Label	Unweighted Frequency	%
0	No	3897	2.2 %
1	Yes	63875	36.8 %
Missing Data			
-9	Not in survey	105682	60.9 %
-2	Missing	129	0.1 %
-1	Don't Know	7	0.0 %
Total		173,590	100%

Based upon 67,772 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

QUALREV: Std prac: Case review by appointed quality review committee

Are any of the following practices part of this facility's standard operating procedures?

Case review by an appointed quality review committee

Value	Label	Unweighted Frequency	%
0	No	20325	11.7 %
1	Yes	47335	27.3 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	3	0.0 %
-2	Missing	194	0.1 %
-1	Don't Know	51	0.0 %
	Total	173,590	100%

Based upon 67,660 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 374-376 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OUTFUP: Std prac: Outcome follow-up after discharge

Are any of the following practices part of this facility's standard operating procedures?

Outcome follow-up after discharge

Value	Label	Unweighted Frequency	%
0	No	73199	42.2 %
1	Yes	94821	54.6 %
	Missing Data		
-8	Not in mode	4874	2.8 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	572	0.3 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	120	0.1 %
	Total	173,590	100%

Based upon 168,020 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

UTREV: Std prac: Periodic utilization review

Are any of the following practices part of this facility's standard operating procedures?

Periodic utilization review

Value	Label	Unweighted Frequency	%
0	No	10521	6.1 %
1	Yes	57015	32.8 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	200	0.1 %
-1	Don't Know	170	0.1 %
	Total	173,590	100%

Based upon 67,536 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SATSUR: Std prac: Periodic client satisfaction surveys by facility

Are any of the following practices part of this facility's standard operating procedures?

Periodic client satisfaction surveys conducted by the facility

Value	Label	Unweighted Frequency	%
0	No	5870	3.4 %
1	Yes	61873	35.6 %
Missing Data			
-9	Not in survey	105682	60.9 %
-5	Multiple Responses	3	0.0 %
-2	Missing	133	0.1 %
-1	Don't Know	29	0.0 %
Total		173,590	100%

Based upon 67,743 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DUI_DWI: Special Program: DUI/DWI

Does this facility, at this location, offer a specially designed program or group intended exclusively for DUI/DWI or other drunk driver offenders?

Value	Label	Unweighted Frequency	%
0	No	101936	58.7 %
1	Yes	46568	26.8 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	2	0.0 %
-4	Refused	5	0.0 %
-2	Missing	742	0.4 %
-1	Don't Know	22	0.0 %
Total		173,590	100%

Based upon 148,504 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ONLYDUI: Basic setting: Facility services only DUI clients

Does this facility serve only DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	54926	31.6 %
1	Yes	2331	1.3 %
Missing Data			
-9	Not in survey	13455	7.8 %
-6	Logical Skip	102706	59.2 %
-2	Missing	167	0.1 %
-1	Don't Know	5	0.0 %
Total		173,590	100%

Based upon 57,257 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SIGNLANG: Language: Treatment in sign language

Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	97317	56.1 %
1	Yes	38050	21.9 %
Missing Data			
-9	Not in survey	37743	21.7 %
-5	Multiple Responses	8	0.0 %
-4	Refused	3	0.0 %
-2	Missing	401	0.2 %
-1	Don't Know	68	0.0 %
Total		173,590	100%

Based upon 135,367 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 392-394 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG: Language: Tx in language other than English

Does this facility provide substance abuse treatment services in a language other than English at this location?

Value	Label	Unweighted Frequency	%
0	No	85080	49.0 %
1	Yes	64031	36.9 %
Missing Data			
-9	Not in survey	24315	14.0 %
-4	Refused	3	0.0 %
-2	Missing	131	0.1 %
-1	Don't Know	30	0.0 %
Total		173,590	100%

Based upon 149,111 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 395-397 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANGPROV: Language: Services provided by Counselor-Interpreter-Both

At this facility, who provides substance abuse treatment services in a language other than English?

MARK ONE ONLY

- 1. Staff counselor who speaks a language other than English
- 2. On-call interpreter (in person or by phone) brought in when needed
- 3. BOTH staff counselor and on-call interpreter

Value	Label	Unweighted Frequency	%
1	Staff counselor	21010	12.1 %
2	On-call interpreter	17354	10.0 %
3	Both	10058	5.8 %
Missing Data			
-9	Not in survey	65086	37.5 %
-6	Logical Skip	59945	34.5 %
-2	Missing	127	0.1 %
-1	Don't Know	10	0.0 %
Total		173,590	100%

Based upon 48,422 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 3

Location: 398-400 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG1: Language: Hopi

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

Hopi

Value	Label	Unweighted Frequency	%
0	No	41478	23.9 %
1	Yes	335	0.2 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	698	0.4 %
-1	Don't Know	65	0.0 %
	Total	173,590	100%

Based upon 41,813 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 401-403 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG2: Language: Lakota

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

Dakota

Value	Label	Unweighted Frequency	%
0	No	41344	23.8 %
1	Yes	462	0.3 %
Missing Data			
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	700	0.4 %
-1	Don't Know	70	0.0 %
Total		173,590	100%

Based upon 41,806 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 404-406 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG3: Language: Navajo

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

Navajo

Value	Label	Unweighted Frequency	%
0	No	40992	23.6 %
1	Yes	757	0.4 %
Missing Data			
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	761	0.4 %
-1	Don't Know	66	0.0 %
Total		173,590	100%

Based upon 41,749 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 407-409 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG4: Language: Yupik

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:
Yupik

Value	Label	Unweighted Frequency	%
0	No	41390	23.8 %
1	Yes	318	0.2 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	798	0.5 %
-1	Don't Know	70	0.0 %
	Total	173,590	100%

Based upon 41,708 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG5: Language: Other American Indian/Alaska Native

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:
Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	40897	23.6 %
1	Yes	936	0.5 %
	Missing Data		
-9	Not in survey	37743	21.7 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	680	0.4 %
-1	Don't Know	63	0.0 %
	Total	173,590	100%

Based upon 41,833 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 413-415 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG6: Language: Arabic

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

Arabic

Value	Label	Unweighted Frequency	%
0	No	40351	23.2 %
1	Yes	1291	0.7 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	875	0.5 %
-1	Don't Know	59	0.0 %
	Total	173,590	100%

Based upon 41,642 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 416-418 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG7: Language: Chinese

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Chinese

Value	Label	Unweighted Frequency	%
0	No	40133	23.1 %
1	Yes	1519	0.9 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	869	0.5 %
-1	Don't Know	55	0.0 %
	Total	173,590	100%

Based upon 41,652 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 419-421 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG8: Language: Creole

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Creole

Value	Label	Unweighted Frequency	%
0	No	40182	23.1 %
1	Yes	1444	0.8 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	873	0.5 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	77	0.0 %
	Total	173,590	100%

Based upon 41,626 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 422-424 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG9: Language: French

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

French

Value	Label	Unweighted Frequency	%
0	No	38674	22.3 %
1	Yes	3006	1.7 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	844	0.5 %
-1	Don't Know	52	0.0 %
	Total	173,590	100%

Based upon 41,680 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 425-427 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG10: Language: German

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
German

Value	Label	Unweighted Frequency	%
0	No	39930	23.0 %
1	Yes	1725	1.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	866	0.5 %
-1	Don't Know	55	0.0 %
	Total	173,590	100%

Based upon 41,655 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 428-430 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG11: Language: Hmong

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Hmong

Value	Label	Unweighted Frequency	%
0	No	40677	23.4 %
1	Yes	898	0.5 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	913	0.5 %
-1	Don't Know	88	0.1 %
	Total	173,590	100%

Based upon 41,575 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 431-433 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG19: Language: Italian

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Italian

Value	Label	Unweighted Frequency	%
0	No	14005	8.1 %
1	Yes	322	0.2 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-6	Logical Skip	39087	22.5 %
-4	Refused	1	0.0 %
-2	Missing	841	0.5 %
-1	Don't Know	4	0.0 %
	Total	173,590	100%

Based upon 14,327 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 434-436 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG12: Language: Korean

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Korean

Value	Label	Unweighted Frequency	%
0	No	40326	23.2 %

Value	Label	Unweighted Frequency	%
1	Yes	1263	0.7 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	926	0.5 %
-1	Don't Know	61	0.0 %
	Total	173,590	100%

Based upon 41,589 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 437-439 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG13: Language: Polish

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

Polish

Value	Label	Unweighted Frequency	%
0	No	39871	23.0 %
1	Yes	1726	1.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	909	0.5 %
-1	Don't Know	70	0.0 %
	Total	173,590	100%

Based upon 41,597 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 440-442 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG14: Language: Portuguese

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Portuguese

Value	Label	Unweighted Frequency	%
0	No	39772	22.9 %
1	Yes	1791	1.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	940	0.5 %
-1	Don't Know	73	0.0 %
	Total	173,590	100%

Based upon 41,563 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 443-445 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG15: Language: Russian

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Russian

Value	Label	Unweighted Frequency	%
0	No	39146	22.6 %
1	Yes	2476	1.4 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	888	0.5 %
-1	Don't Know	66	0.0 %
	Total	173,590	100%

Based upon 41,622 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 446-448 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG16: Language: Spanish

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Spanish

Value	Label	Unweighted Frequency	%
0	No	2943	1.7 %
1	Yes	42900	24.7 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	103074	59.4 %
-4	Refused	3	0.0 %
-2	Missing	320	0.2 %
-1	Don't Know	35	0.0 %
	Total	173,590	100%

Based upon 45,843 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 449-451 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG20: Language: Tagalog

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Tagalog

Value	Label	Unweighted Frequency	%
0	No	13843	8.0 %
1	Yes	398	0.2 %
	Missing Data		
-9	Not in survey	119330	68.7 %
-6	Logical Skip	39087	22.5 %
-4	Refused	1	0.0 %
-2	Missing	928	0.5 %
-1	Don't Know	3	0.0 %
	Total	173,590	100%

Based upon 14,241 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 452-454 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG17: Language: Vietnamese

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:
Vietnamese

Value	Label	Unweighted Frequency	%
0	No	39861	23.0 %
1	Yes	1732	1.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	93268	53.7 %
-4	Refused	3	0.0 %
-2	Missing	922	0.5 %
-1	Don't Know	61	0.0 %
	Total	173,590	100%

Based upon 41,593 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 455-457 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG18: Language: Other language

In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

Other language

Value	Label	Unweighted Frequency	%
0	No	37199	21.4 %
1	Yes	4256	2.5 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	105909	61.0 %
-4	Refused	1	0.0 %
-2	Missing	1861	1.1 %
-1	Don't Know	49	0.0 %
	Total	173,590	100%

Based upon 41,455 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC30: Special Program: Adolescents

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Adolescents

Value	Label	Unweighted Frequency	%
0	No	54517	31.4 %
1	Yes	56501	32.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	62118	35.8 %
-5	Multiple Responses	2	0.0 %
-4	Refused	4	0.0 %
-2	Missing	427	0.2 %
-1	Don't Know	21	0.0 %
	Total	173,590	100%

Based upon 111,018 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC31: Special Program: Dually-diagnosed

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	93405	53.8 %
1	Yes	69619	40.1 %
	Missing Data		
-6	Logical Skip	9617	5.5 %
-5	Multiple Responses	11	0.0 %
-4	Refused	6	0.0 %
-2	Missing	895	0.5 %
-1	Don't Know	37	0.0 %
	Total	173,590	100%

Based upon 163,024 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC61: Special Program: Criminal justice clients

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	94003	54.2 %
1	Yes	42591	24.5 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	11837	6.8 %
-5	Multiple Responses	10	0.0 %
-4	Refused	3	0.0 %
-2	Missing	806	0.5 %
-1	Don't Know	25	0.0 %
	Total	173,590	100%

Based upon 136,594 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 467-469 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC32: Special Program: Persons with HIV/AIDS

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	144083	83.0 %
1	Yes	22708	13.1 %
	Missing Data		
-6	Logical Skip	5896	3.4 %
-5	Multiple Responses	6	0.0 %
-4	Refused	6	0.0 %
-2	Missing	862	0.5 %
-1	Don't Know	29	0.0 %
	Total	173,590	100%

Based upon 166,791 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 470-472 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC62: Special Program: Gays/lesbians

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Gays or lesbians

Value	Label	Unweighted Frequency	%
0	No	133720	77.0 %
1	Yes	10679	6.2 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	3953	2.3 %
-5	Multiple Responses	4	0.0 %
-4	Refused	8	0.0 %
-2	Missing	887	0.5 %
-1	Don't Know	24	0.0 %
Total		173,590	100%

Based upon 144,399 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 473-475 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC63: Special Program: Seniors

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	121924	70.2 %

Value	Label	Unweighted Frequency	%
1	Yes	12690	7.3 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	13738	7.9 %
-5	Multiple Responses	3	0.0 %
-4	Refused	7	0.0 %
-2	Missing	892	0.5 %
-1	Don't Know	21	0.0 %
	Total	173,590	100%

Based upon 134,614 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 476-478 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC34: Special Program: Women

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Adult women

Value	Label	Unweighted Frequency	%
0	No	101106	58.2 %
1	Yes	53527	30.8 %
	Missing Data		
-8	Not in mode	1902	1.1 %
-6	Logical Skip	16168	9.3 %
-5	Multiple Responses	9	0.0 %
-4	Refused	7	0.0 %
-2	Missing	844	0.5 %
-1	Don't Know	27	0.0 %
	Total	173,590	100%

Based upon 154,633 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 479-481 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC33: Special Program: Pregnant/postpartum women

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	125069	72.0 %
1	Yes	26641	15.3 %
	Missing Data		
-6	Logical Skip	21050	12.1 %
-5	Multiple Responses	2	0.0 %
-4	Refused	7	0.0 %
-2	Missing	803	0.5 %
-1	Don't Know	18	0.0 %
	Total	173,590	100%

Based upon 151,710 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 482-484 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC64: Special Program: Men

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Adult men

Value	Label	Unweighted Frequency	%
0	No	92885	53.5 %
1	Yes	38945	22.4 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	16385	9.4 %
-5	Multiple Responses	9	0.0 %
-4	Refused	6	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	1029	0.6 %
-1	Don't Know	16	0.0 %
	Total	173,590	100%

Based upon 131,830 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 485-487 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC35: Special Program: Other groups

Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Specially designed programs or groups for any other types of clients

Value	Label	Unweighted Frequency	%
0	No	153096	88.2 %
1	Yes	19127	11.0 %
	Missing Data		
-6	Logical Skip	2	0.0 %
-5	Multiple Responses	7	0.0 %
-4	Refused	3	0.0 %
-2	Missing	1319	0.8 %
-1	Don't Know	36	0.0 %
	Total	173,590	100%

Based upon 172,223 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 488-490 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE4: Hospital care offered

Does this facility offer HOSPITAL INPATIENT substance abuse services at this location?

Value	Label	Unweighted Frequency	%
0	No	138973	80.1 %
1	Yes	10291	5.9 %
Missing Data			
-9	Not in survey	24315	14.0 %
-4	Refused	4	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	5	0.0 %
Total		173,590	100%

Based upon 149,264 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 491-493 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEHI1: Hospital-Detox care offered

Which of the following HOSPITAL INPATIENT services are offered by this facility?

Hospital inpatient detoxification, similar to ASAM Levels IV-D and III.7-D. (Medically managed or monitored inpatient detoxification)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	51505	29.7 %
1	Yes	9082	5.2 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	88685	51.1 %
-2	Missing	2	0.0 %
-1	Don't Know	1	0.0 %
Total		173,590	100%

Based upon 60,587 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 494-496 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEHI2: Hospital-Rehab care offered

Which of the following HOSPITAL INPATIENT services are offered by this facility?

Hospital inpatient treatment, similar to ASAM Levels IV and III.7. (Medically managed or monitored intensive inpatient treatment)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	53830	31.0 %
1	Yes	6741	3.9 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	88691	51.1 %
-2	Missing	2	0.0 %
-1	Don't Know	11	0.0 %
	Total	173,590	100%

Based upon 60,571 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE7: Residential care offered

Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location?

Value	Label	Unweighted Frequency	%
0	No	109071	62.8 %
1	Yes	40196	23.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-4	Refused	3	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	3	0.0 %
	Total	173,590	100%

Based upon 149,267 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 500-502 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC1: Residential-Detox care offered

Which of the following RESIDENTIAL services are offered by this facility?

Residential detoxification, similar to ASAM Level III.2-D.
(Clinically managed residential detoxification or social detoxification)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	69091	39.8 %
1	Yes	10458	6.0 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	69707	40.2 %
-4	Refused	1	0.0 %
-2	Missing	12	0.0 %
-1	Don't Know	6	0.0 %
	Total	173,590	100%

Based upon 79,549 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 503-505 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC2: Residential-Rehab care offered

Which of the following RESIDENTIAL services are offered by this facility?

Residential rehabilitation

Value	Label	Unweighted Frequency	%
0	No	399	0.2 %
1	Yes	7028	4.0 %
	Missing Data		
-9	Not in survey	146442	84.4 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	19721	11.4 %
	Total	173,590	100%

Based upon 7,427 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 506-508 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC3: Residential-Short term care offered

Which of the following RESIDENTIAL services are offered by this facility?

Residential short-term treatment, similar to ASAM Level III.5. (Clinically managed high-intensity residential treatment, typically 30 days or less)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	57203	33.0 %
1	Yes	14944	8.6 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	49978	28.8 %
-2	Missing	1	0.0 %
-1	Don't Know	1	0.0 %
	Total	173,590	100%

Based upon 72,147 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 509-511 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC4: Residential-Long term care offered

Which of the following RESIDENTIAL services are offered by this facility?

Residential long-term treatment, similar to ASAM Levels

III.3 and III.1. (Clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	45226	26.1 %
1	Yes	26923	15.5 %
Missing Data			
-9	Not in survey	51463	29.6 %
-6	Logical Skip	49975	28.8 %
-1	Don't Know	3	0.0 %
Total		173,590	100%

Based upon 72,149 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 512-514 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE1: Outpatient care offered

Does this facility offer OUTPATIENT substance abuse services at this location?

Value	Label	Unweighted Frequency	%
0	No	28739	16.6 %
1	Yes	120526	69.4 %
Missing Data			
-9	Not in survey	24315	14.0 %
-4	Refused	1	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	7	0.0 %
Total		173,590	100%

Based upon 149,265 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 515-517 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE6: Outpatient-Detox care offered

Which of the following OUTPATIENT services are

offered by this facility?

Outpatient detoxification, similar to ASAM Levels I-D and II-D. (Ambulatory detoxification)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	114851	66.2 %
1	Yes	15974	9.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	18415	10.6 %
-4	Refused	3	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	28	0.0 %
	Total	173,590	100%

Based upon 130,825 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 518-520 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEML: Outpatient-Opioid maintenance care offered

Which of the following OUTPATIENT services are offered by this facility?

Outpatient methadone/buprenorphine maintenance (Opioid maintenance therapy)

Value	Label	Unweighted Frequency	%
0	No	107472	61.9 %
1	Yes	12414	7.2 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	15945	9.2 %
-4	Refused	1	0.0 %
-1	Don't Know	15	0.0 %
	Total	173,590	100%

Based upon 119,886 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 521-523 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEOP: Outpatient-Day treatment/partial hospital care offered

Which of the following OUTPATIENT services are offered by this facility?

Outpatient day treatment or partial hospitalization, similar to ASAM Level II.5. (20 or more hours per week)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	109744	63.2 %
1	Yes	21112	12.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	18405	10.6 %
-4	Refused	2	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	11	0.0 %
	Total	173,590	100%

Based upon 130,856 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 524-526 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE2: Outpatient-Intensive care offered

Which of the following OUTPATIENT services are offered by this facility?

Intensive outpatient treatment, similar to ASAM Level II.1. (9 or more hours per week)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	65047	37.5 %

Value	Label	Unweighted Frequency	%
1	Yes	65839	37.9 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	18374	10.6 %
-4	Refused	1	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	11	0.0 %
	Total	173,590	100%

Based upon 130,886 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 527-529 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE3: Outpatient-Regular non-intensive care offered

Which of the following OUTPATIENT services are offered by this facility?

Regular outpatient treatment, similar to ASAM Level I.
(Outpatient treatment, non-intensive)

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	No	20357	11.7 %
1	Yes	110558	63.7 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	18346	10.6 %
-4	Refused	2	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.0 %
	Total	173,590	100%

Based upon 130,915 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 530-532 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEESCALE: Payment: Sliding fee scale

Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	54209	31.2 %
1	Yes	94486	54.4 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-7	Not Applicable	7	0.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	8	0.0 %
-4	Refused	6	0.0 %
-2	Missing	362	0.2 %
-1	Don't Know	196	0.1 %
	Total	173,590	100%

Based upon 148,695 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 533-535 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

PAYASST: Payment: Assistance other than sliding fee scale

Other than a sliding fee scale, does this facility offer any type of payment assistance for clients receiving substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	No	16895	9.7 %
1	Yes	9859	5.7 %
	Missing Data		
-9	Not in survey	146442	84.4 %
-7	Not Applicable	7	0.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	4	0.0 %
-4	Refused	2	0.0 %
-2	Missing	300	0.2 %
-1	Don't Know	80	0.0 %
	Total	173,590	100%

Based upon 26,754 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 536-538 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NOCHARGE: Payment: Tx at no charge

Does this facility offer treatment at no charge to clients who cannot afford to pay?

Value	Label	Unweighted Frequency	%
0	No	57431	33.1 %
1	Yes	64088	36.9 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-7	Not Applicable	1	0.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	5	0.0 %
-4	Refused	7	0.0 %
-2	Missing	422	0.2 %
-1	Don't Know	172	0.1 %
	Total	173,590	100%

Based upon 121,519 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 539-541 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

EARMARK: Funding: Fed/State/county/local funds for SA tx

Does this facility receive any funding or grants from the Federal Government, or state, county or local governments, to support its substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance.

Value	Label	Unweighted Frequency	%
0	No	71549	41.2 %
1	Yes	96337	55.5 %
	Missing Data		
-7	Not Applicable	7	0.0 %
-6	Logical Skip	1317	0.8 %
-5	Multiple Responses	5	0.0 %
-4	Refused	14	0.0 %
-2	Missing	366	0.2 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	3995	2.3 %
	Total	173,590	100%

Based upon 167,886 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 542-544 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK3: Payment: Free tx for all clients

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	116889	67.3 %
1	Yes	4773	2.7 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	1	0.0 %
-4	Refused	5	0.0 %
-2	Missing	158	0.1 %
-1	Don't Know	300	0.2 %
	Total	173,590	100%

Based upon 121,662 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 545-547 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK1: Payment: Cash or self-payment

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	13586	7.8 %
1	Yes	134337	77.4 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	5	0.0 %
-4	Refused	6	0.0 %
-2	Missing	180	0.1 %
-1	Don't Know	1160	0.7 %
Total		173,590	100%

Based upon 147,923 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 548-550 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK8: Payment: Medicare

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Medicare

Value	Label	Unweighted Frequency	%
0	No	92335	53.2 %
1	Yes	50425	29.0 %
Missing Data			
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	22	0.0 %
-4	Refused	5	0.0 %
-2	Missing	232	0.1 %
-1	Don't Know	6255	3.6 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Based upon 142,760 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 551-553 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK5: Payment: Medicaid

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Medicaid

Value	Label	Unweighted Frequency	%
0	No	65031	37.5 %
1	Yes	79701	45.9 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	15	0.0 %
-4	Refused	6	0.0 %
-2	Missing	224	0.1 %
-1	Don't Know	4297	2.5 %
	Total	173,590	100%

Based upon 144,732 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 554-556 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK10: Payment: State financed health ins

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

A state-financed health insurance plan other than Medicaid

Value	Label	Unweighted Frequency	%
0	No	83073	47.9 %
1	Yes	53019	30.5 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	14	0.0 %
-4	Refused	7	0.0 %
-2	Missing	217	0.1 %
-1	Don't Know	12944	7.5 %
	Total	173,590	100%

Based upon 136,092 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 557-559 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK15: Payment: Federal military insurance

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	85896	49.5 %
1	Yes	48963	28.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	22	0.0 %
-4	Refused	9	0.0 %
-2	Missing	225	0.1 %
-1	Don't Know	14159	8.2 %
	Total	173,590	100%

Based upon 134,859 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 560-562 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2: Payment: Private health insurance

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Private health insurance

Value	Label	Unweighted Frequency	%
0	No	47841	27.6 %
1	Yes	97582	56.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	14	0.0 %
-4	Refused	7	0.0 %
-2	Missing	198	0.1 %
-1	Don't Know	3632	2.1 %
	Total	173,590	100%

Based upon 145,423 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 563-565 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK16: Payment: ATR vouchers

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Access to Recovery (ATR) vouchers

Value	Label	Unweighted Frequency	%
0	No	28113	16.2 %
1	Yes	9516	5.5 %
	Missing Data		
-9	Not in survey	91911	52.9 %
-7	Not Applicable	30224	17.4 %
-6	Logical Skip	8053	4.6 %
-5	Multiple Responses	3	0.0 %
-4	Refused	7	0.0 %
-2	Missing	356	0.2 %
-1	Don't Know	5407	3.1 %
	Total	173,590	100%

Based upon 37,629 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 566-568 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK17: IHS/638 contract care funds

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

IHS/638 contract care funds

Value	Label	Unweighted Frequency	%
0	No	7551	4.3 %
1	Yes	454	0.3 %
	Missing Data		
-9	Not in survey	159870	92.1 %
-4	Refused	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	5713	3.3 %
	Total	173,590	100%

Based upon 8,005 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 569-571 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2A: Payment: Other payment types

Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Other

Value	Label	Unweighted Frequency	%
0	No	105925	61.0 %
1	Yes	5040	2.9 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	2	0.0 %
-4	Refused	2	0.0 %
-2	Missing	4491	2.6 %
-1	Don't Know	20386	11.7 %
	Total	173,590	100%

Based upon 110,965 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 572-574 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

WRITARRA: Funding: Managed care agreements/contracts

Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Value	Label	Unweighted Frequency	%
0	No	63255	36.4 %
1	Yes	64624	37.2 %
	Missing Data		
-9	Not in survey	40572	23.4 %
-7	Not Applicable	8	0.0 %
-6	Logical Skip	171	0.1 %
-5	Multiple Responses	8	0.0 %
-4	Refused	4	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	487	0.3 %
-1	Don't Know	4461	2.6 %
	Total	173,590	100%

Based upon 127,879 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 575-577 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ADMINLNK: Basic setting: Organization with multiple facilities or sites

Is this facility part of an organization with multiple facilities or sites that provide substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	No	21853	12.6 %
1	Yes	29556	17.0 %
	Missing Data		
-9	Not in survey	122127	70.4 %
-7	Not Applicable	1	0.0 %
-2	Missing	14	0.0 %
-1	Don't Know	39	0.0 %
	Total	173,590	100%

Based upon 51,409 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 578-580 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACONLY: Report level: This facility only

The rest of the questions should be answered for those services, activities, etc. provided at this site. Parent organizations or master sites should not include affiliate sites in their responses. Can you respond for only the services, activities, etc. provided at this site?

Value	Label	Unweighted Frequency	%
0	No	595	0.3 %
1	Yes	10231	5.9 %
	Missing Data		
-9	Not in survey	162730	93.7 %
-2	Missing	34	0.0 %
	Total	173,590	100%

Based upon 10,826 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 581-583 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHNUM: Report level: # of facilities reported for

If responding for only this site is not possible, for approximately how many sites will you be reporting in total?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	2 sites	252	0.1 %
2	3 to 5 sites	243	0.1 %
3	6 to 10 sites	79	0.0 %
4	More than 10 sites	15	0.0 %
	Missing Data		
-9	Not in survey	162730	93.7 %
-2	Missing	10271	5.9 %
	Total	173,590	100%

Based upon 589 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 4

Location: 584-586 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC: Report level: Other facilities included in client count

The following questions ask about the number of clients in treatment. SAMHSA would prefer to get this information separately for this facility. However, we understand there are situations when this is not possible.

How many facilities will be included in the client counts reported in the following questions.

- 1. Only this facility
- 2. This facility plus others
- 3. Client counts for this facility will be reported

by another facility

Value	Label	Unweighted Frequency	%
1	Reporting for self	135342	78.0 %
2	Reporting for self and others	7551	4.3 %
3	Client counts reported by another facility	12361	7.1 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-6	Logical Skip	7476	4.3 %
	Total	173,590	100%

Based upon 155,254 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 3

Location: 587-589 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACNUM: Report level: # of facilities in client count data

Enter the number of facilities that will be included in the client counts you report.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	47221	27.2 %
2	-	4195	2.4 %
3	-	1686	1.0 %
4	-	729	0.4 %
5	-	331	0.2 %
6	-	217	0.1 %
7	-	133	0.1 %
8	-	66	0.0 %
9	-	34	0.0 %
10	-	52	0.0 %
11	-	31	0.0 %
12	-	15	0.0 %
13	-	11	0.0 %
14	-	7	0.0 %
15	-	3	0.0 %
16	-	5	0.0 %
17	-	7	0.0 %
18	-	8	0.0 %
19	-	2	0.0 %

Value	Label	Unweighted Frequency	%
20	-	5	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
27	-	2	0.0 %
29	-	4	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-6	Logical Skip	107929	62.2 %
-2	Missing	26	0.0 %
	Total	173,590	100%

Based upon 54,775 valid cases out of 173,590 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 31
- Standard Deviation: 1.08

Location: 590-592 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE4: Hospital care on ref date

On (REFERENCE DATE), did any patients receive HOSPITAL INPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	151011	87.0 %
1	Yes	11448	6.6 %
	Missing Data		
-6	Logical Skip	11056	6.4 %
-4	Refused	15	0.0 %
-2	Missing	5	0.0 %
-1	Don't Know	55	0.0 %
	Total	173,590	100%

Based upon 162,459 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 593-595 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI1: Hospital-Detox clients - ref date

On (REFERENCE DATE), how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

Hospital inpatient detoxification, similar to ASAM Levels IV-D and III.7-D. (Medically managed or monitored inpatient detoxification)

COUNT a patient in one service only, even if the patient received both services.

DO NOT count family members, friends, or other non-treatment patients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	12603	7.3 %
1	-	920	0.5 %
2	-	1176	0.7 %
3	-	1037	0.6 %
4	-	860	0.5 %
5	-	905	0.5 %
6	-	601	0.3 %
7	-	411	0.2 %
8	-	471	0.3 %
9	-	205	0.1 %
10	-	550	0.3 %
11	-	137	0.1 %
12	-	272	0.2 %
13	-	124	0.1 %
14	-	102	0.1 %
15	-	233	0.1 %
16	-	118	0.1 %
17	-	69	0.0 %
18	-	105	0.1 %
19	-	54	0.0 %
20	-	166	0.1 %
21	-	33	0.0 %
22	-	48	0.0 %
23	-	16	0.0 %
24	-	48	0.0 %

Value	Label	Unweighted Frequency	%
25	-	64	0.0 %
26	-	21	0.0 %
27	-	16	0.0 %
28	-	38	0.0 %
29	-	14	0.0 %
30	-	57	0.0 %
31	-	14	0.0 %
32	-	23	0.0 %
33	-	10	0.0 %
34	-	14	0.0 %
35	-	11	0.0 %
36	-	9	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	21	0.0 %
41	-	9	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	2	0.0 %
45	-	17	0.0 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	11	0.0 %
49	-	6	0.0 %
	Missing Data		
-8	Not in mode	7	0.0 %
-6	Logical Skip	151656	87.4 %
-4	Refused	13	0.0 %
-2	Missing	42	0.0 %
-1	Don't Know	72	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 21,800 valid cases out of 173,590 total cases.

- Mean: 3.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 13.50

Location: 596-599 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI2: Hospital-Rehab clients - ref date

On (REFERENCE DATE), how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

Hospital inpatient treatment, similar to ASAM Levels IV and III.7. (Medically managed or monitored intensive inpatient treatment)

COUNT a patient in one service only, even if the patient received both services.

DO NOT count family members, friends, or other non-treatment patients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	15188	8.7 %
1	-	410	0.2 %
2	-	502	0.3 %
3	-	362	0.2 %
4	-	356	0.2 %
5	-	376	0.2 %
6	-	239	0.1 %
7	-	215	0.1 %
8	-	258	0.1 %
9	-	146	0.1 %
10	-	336	0.2 %
11	-	117	0.1 %
12	-	223	0.1 %
13	-	100	0.1 %
14	-	124	0.1 %
15	-	215	0.1 %
16	-	136	0.1 %
17	-	81	0.0 %
18	-	130	0.1 %
19	-	83	0.0 %
20	-	220	0.1 %
21	-	41	0.0 %
22	-	60	0.0 %
23	-	60	0.0 %

Value	Label	Unweighted Frequency	%
24	-	78	0.0 %
25	-	75	0.0 %
26	-	34	0.0 %
27	-	39	0.0 %
28	-	78	0.0 %
29	-	31	0.0 %
30	-	122	0.1 %
31	-	21	0.0 %
32	-	40	0.0 %
33	-	17	0.0 %
34	-	20	0.0 %
35	-	55	0.0 %
36	-	23	0.0 %
37	-	13	0.0 %
38	-	19	0.0 %
39	-	19	0.0 %
40	-	71	0.0 %
41	-	12	0.0 %
42	-	17	0.0 %
43	-	15	0.0 %
44	-	16	0.0 %
45	-	23	0.0 %
46	-	8	0.0 %
47	-	11	0.0 %
48	-	10	0.0 %
49	-	13	0.0 %
	Missing Data		
-6	Logical Skip	152200	87.7 %
-4	Refused	13	0.0 %
-2	Missing	29	0.0 %
-1	Don't Know	66	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 21,282 valid cases out of 173,590 total cases.

- Mean: 5.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 600
- Standard Deviation: 17.66

Location: 600-602 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIHI: Hospital-Total clients - ref date

On (REFERENCE DATE), how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a patient in one service only, even if the patient received both services.

DO NOT count family members, friends, or other non-treatment patients.

Value	Label	Unweighted Frequency	%
0	-	10962	6.3 %
1	-	660	0.4 %
2	-	877	0.5 %
3	-	793	0.5 %
4	-	637	0.4 %
5	-	675	0.4 %
6	-	550	0.3 %
7	-	416	0.2 %
8	-	488	0.3 %
9	-	271	0.2 %
10	-	608	0.4 %
11	-	241	0.1 %
12	-	408	0.2 %
13	-	240	0.1 %
14	-	215	0.1 %
15	-	355	0.2 %
16	-	254	0.1 %
17	-	155	0.1 %
18	-	236	0.1 %
19	-	141	0.1 %
20	-	329	0.2 %
21	-	97	0.1 %
22	-	133	0.1 %
23	-	73	0.0 %
24	-	166	0.1 %
25	-	143	0.1 %
26	-	86	0.0 %

Value	Label	Unweighted Frequency	%
27	-	68	0.0 %
28	-	102	0.1 %
29	-	63	0.0 %
30	-	160	0.1 %
31	-	36	0.0 %
32	-	75	0.0 %
33	-	44	0.0 %
34	-	35	0.0 %
35	-	66	0.0 %
36	-	49	0.0 %
37	-	26	0.0 %
38	-	44	0.0 %
39	-	33	0.0 %
40	-	95	0.1 %
41	-	23	0.0 %
42	-	26	0.0 %
43	-	27	0.0 %
44	-	23	0.0 %
45	-	53	0.0 %
46	-	26	0.0 %
47	-	14	0.0 %
48	-	22	0.0 %
49	-	13	0.0 %
	Missing Data		
-6	Logical Skip	151422	87.2 %
-4	Refused	13	0.0 %
-2	Missing	52	0.0 %
-1	Don't Know	63	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 22,040 valid cases out of 173,590 total cases.

- Mean: 8.70
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 23.48

Location: 603-606 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

H_AGE1: Hospital-Clients under 18 - ref date

How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	31289	18.0 %
1	-	409	0.2 %
2	-	256	0.1 %
3	-	116	0.1 %
4	-	101	0.1 %
5	-	98	0.1 %
6	-	51	0.0 %
7	-	38	0.0 %
8	-	46	0.0 %
9	-	24	0.0 %
10	-	75	0.0 %
11	-	9	0.0 %
12	-	47	0.0 %
13	-	12	0.0 %
14	-	28	0.0 %
15	-	57	0.0 %
16	-	27	0.0 %
17	-	19	0.0 %
18	-	26	0.0 %
19	-	9	0.0 %
20	-	33	0.0 %
21	-	6	0.0 %
22	-	9	0.0 %
23	-	4	0.0 %
24	-	10	0.0 %
25	-	6	0.0 %
26	-	6	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
30	-	12	0.0 %
32	-	7	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	4	0.0 %
36	-	3	0.0 %
37	-	3	0.0 %
40	-	9	0.0 %
41	-	2	0.0 %
42	-	3	0.0 %

Value	Label	Unweighted Frequency	%
43	-	3	0.0 %
44	-	1	0.0 %
49	-	2	0.0 %
50	-	6	0.0 %
52	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
69	-	2	0.0 %
	Missing Data		
-6	Logical Skip	140559	81.0 %
-4	Refused	12	0.0 %
-2	Missing	51	0.0 %
-1	Don't Know	63	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 32,905 valid cases out of 173,590 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 290
- Standard Deviation: 4.04

Location: 607-609 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIMETNUM: Hospital-Methadone clients - ref date

How many of the patients from the HOSPITAL INPATIENT
TOTAL BOX received . . .

. . . Methadone dispensed by this facility?

Include patients who received these drugs for detoxification
or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	18395	10.6 %

Value	Label	Unweighted Frequency	%
1	-	200	0.1 %
2	-	149	0.1 %
3	-	100	0.1 %
4	-	94	0.1 %
5	-	114	0.1 %
6	-	65	0.0 %
7	-	36	0.0 %
8	-	58	0.0 %
9	-	33	0.0 %
10	-	56	0.0 %
11	-	16	0.0 %
12	-	40	0.0 %
13	-	19	0.0 %
14	-	15	0.0 %
15	-	27	0.0 %
16	-	17	0.0 %
17	-	6	0.0 %
18	-	18	0.0 %
19	-	8	0.0 %
20	-	13	0.0 %
21	-	6	0.0 %
22	-	13	0.0 %
23	-	6	0.0 %
24	-	7	0.0 %
25	-	10	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	16	0.0 %
31	-	1	0.0 %
32	-	6	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %
35	-	7	0.0 %
36	-	4	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	7	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
55	-	2	0.0 %
60	-	5	0.0 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-8	Not in mode	165	0.1 %
-7	Not Applicable	11	0.0 %
-6	Logical Skip	142811	82.3 %
-4	Refused	7	0.0 %
-2	Missing	64	0.0 %
-1	Don't Know	57	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19,615 valid cases out of 173,590 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 300
- Standard Deviation: 5.42

Location: 610-612 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HILAMNUM: Hospital-LAAM clients - ref date

How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received . . .

. . . LAAM dispensed by this facility?

Include patients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	2482	1.4 %
1	-	6	0.0 %

Value	Label	Unweighted Frequency	%
2	-	2	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
12	-	2	0.0 %
Missing Data			
-9	Not in survey	119364	68.8 %
-7	Not Applicable	11	0.0 %
-6	Logical Skip	51630	29.7 %
-4	Refused	1	0.0 %
-2	Missing	57	0.0 %
-1	Don't Know	29	0.0 %
Total		173,590	100%

Based upon 2,498 valid cases out of 173,590 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 12
- Standard Deviation: 0.52

Location: 613-615 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIBUPNUM: Hospital-Buprenorphine clients - ref date

How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received . . .

. . . Buprenorphine dispensed by this facility?

Include patients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	4571	2.6 %
1	-	276	0.2 %
2	-	246	0.1 %
3	-	179	0.1 %
4	-	117	0.1 %

Value	Label	Unweighted Frequency	%
5	-	136	0.1 %
6	-	86	0.0 %
7	-	37	0.0 %
8	-	50	0.0 %
9	-	18	0.0 %
10	-	72	0.0 %
11	-	11	0.0 %
12	-	27	0.0 %
13	-	6	0.0 %
14	-	10	0.0 %
15	-	18	0.0 %
16	-	8	0.0 %
17	-	1	0.0 %
18	-	4	0.0 %
19	-	1	0.0 %
20	-	18	0.0 %
22	-	2	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	4	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
45	-	3	0.0 %
50	-	3	0.0 %
60	-	1	0.0 %
75	-	1	0.0 %
90	-	1	0.0 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-8	Not in mode	99	0.1 %
-6	Logical Skip	102366	59.0 %
-4	Refused	13	0.0 %
-2	Missing	11	0.0 %
-1	Don't Know	94	0.1 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Based upon 5,921 valid cases out of 173,590 total cases.

- Mean: 1.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 90
- Standard Deviation: 3.91

Location: 616-618 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPBED: Hospital - Designated beds

On (REFERENCE DATE), how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	2780	1.6 %
1	-	42	0.0 %
2	-	148	0.1 %
3	-	99	0.1 %
4	-	285	0.2 %
5	-	237	0.1 %
6	-	355	0.2 %
7	-	104	0.1 %
8	-	322	0.2 %
9	-	60	0.0 %
10	-	632	0.4 %
11	-	98	0.1 %
12	-	465	0.3 %
13	-	117	0.1 %
14	-	267	0.2 %
15	-	286	0.2 %
16	-	408	0.2 %
17	-	111	0.1 %
18	-	348	0.2 %
19	-	107	0.1 %
20	-	645	0.4 %
21	-	68	0.0 %
22	-	176	0.1 %
23	-	72	0.0 %
24	-	325	0.2 %

Value	Label	Unweighted Frequency	%
25	-	128	0.1 %
26	-	121	0.1 %
27	-	44	0.0 %
28	-	156	0.1 %
29	-	43	0.0 %
30	-	312	0.2 %
31	-	34	0.0 %
32	-	111	0.1 %
33	-	35	0.0 %
34	-	91	0.1 %
35	-	76	0.0 %
36	-	82	0.0 %
37	-	17	0.0 %
38	-	30	0.0 %
39	-	39	0.0 %
40	-	178	0.1 %
41	-	20	0.0 %
42	-	39	0.0 %
43	-	21	0.0 %
44	-	57	0.0 %
45	-	55	0.0 %
46	-	35	0.0 %
47	-	14	0.0 %
48	-	59	0.0 %
49	-	10	0.0 %
	Missing Data		
-7	Not Applicable	2	0.0 %
-6	Logical Skip	161453	93.0 %
-4	Refused	16	0.0 %
-2	Missing	930	0.5 %
-1	Don't Know	130	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,059 valid cases out of 173,590 total cases.

- Mean: 17.89
- Median: 12.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1160
- Standard Deviation: 27.72

Location: 619-622 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE7: Residential care on ref date

On (REFERENCE DATE), did any clients receive RESIDENTIAL (non-hospital) substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	118446	68.2 %
1	Yes	44036	25.4 %
	Missing Data		
-6	Logical Skip	11050	6.4 %
-4	Refused	21	0.0 %
-2	Missing	8	0.0 %
-1	Don't Know	29	0.0 %
	Total	173,590	100%

Based upon 162,482 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 623-625 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI3: Residential-Detox clients - ref date

On (REFERENCE DATE), how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential detoxification, similar to ASAM Level III.2-D.
(Clinically managed residential detoxification or social detoxification)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	38263	22.0 %
1	-	881	0.5 %
2	-	1090	0.6 %
3	-	752	0.4 %
4	-	694	0.4 %

Value	Label	Unweighted Frequency	%
5	-	625	0.4 %
6	-	621	0.4 %
7	-	367	0.2 %
8	-	425	0.2 %
9	-	225	0.1 %
10	-	447	0.3 %
11	-	167	0.1 %
12	-	304	0.2 %
13	-	145	0.1 %
14	-	174	0.1 %
15	-	214	0.1 %
16	-	158	0.1 %
17	-	76	0.0 %
18	-	113	0.1 %
19	-	64	0.0 %
20	-	163	0.1 %
21	-	69	0.0 %
22	-	76	0.0 %
23	-	31	0.0 %
24	-	84	0.0 %
25	-	69	0.0 %
26	-	40	0.0 %
27	-	42	0.0 %
28	-	62	0.0 %
29	-	40	0.0 %
30	-	80	0.0 %
31	-	34	0.0 %
32	-	39	0.0 %
33	-	26	0.0 %
34	-	29	0.0 %
35	-	29	0.0 %
36	-	15	0.0 %
37	-	9	0.0 %
38	-	18	0.0 %
39	-	14	0.0 %
40	-	45	0.0 %
41	-	9	0.0 %
42	-	16	0.0 %
43	-	5	0.0 %
44	-	4	0.0 %
45	-	18	0.0 %
46	-	4	0.0 %

Value	Label	Unweighted Frequency	%
47	-	7	0.0 %
48	-	11	0.0 %
49	-	6	0.0 %
	Missing Data		
-8	Not in mode	302	0.2 %
-6	Logical Skip	126117	72.7 %
-4	Refused	14	0.0 %
-2	Missing	28	0.0 %
-1	Don't Know	26	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 47,103 valid cases out of 173,590 total cases.

- Mean: 2.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1400
- Standard Deviation: 13.23

Location: 626-629 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI4: Residential-Rehab clients - ref date

On (REFERENCE DATE), how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential rehabilitation

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8689	5.0 %
1	-	86	0.0 %
2	-	132	0.1 %
3	-	155	0.1 %
4	-	221	0.1 %
5	-	307	0.2 %

Value	Label	Unweighted Frequency	%
6	-	486	0.3 %
7	-	273	0.2 %
8	-	477	0.3 %
9	-	305	0.2 %
10	-	528	0.3 %
11	-	280	0.2 %
12	-	601	0.3 %
13	-	305	0.2 %
14	-	423	0.2 %
15	-	475	0.3 %
16	-	500	0.3 %
17	-	285	0.2 %
18	-	400	0.2 %
19	-	220	0.1 %
20	-	462	0.3 %
21	-	206	0.1 %
22	-	240	0.1 %
23	-	164	0.1 %
24	-	275	0.2 %
25	-	238	0.1 %
26	-	169	0.1 %
27	-	121	0.1 %
28	-	188	0.1 %
29	-	109	0.1 %
30	-	247	0.1 %
31	-	85	0.0 %
32	-	134	0.1 %
33	-	90	0.1 %
34	-	81	0.0 %
35	-	170	0.1 %
36	-	111	0.1 %
37	-	72	0.0 %
38	-	84	0.0 %
39	-	49	0.0 %
40	-	170	0.1 %
41	-	48	0.0 %
42	-	68	0.0 %
43	-	43	0.0 %
44	-	63	0.0 %
45	-	95	0.1 %
46	-	53	0.0 %
47	-	52	0.0 %

Value	Label	Unweighted Frequency	%
48	-	85	0.0 %
49	-	31	0.0 %
	Missing Data		
-9	Not in survey	122127	70.4 %
-6	Logical Skip	30563	17.6 %
-4	Refused	1	0.0 %
-2	Missing	34	0.0 %
-1	Don't Know	4	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 20,861 valid cases out of 173,590 total cases.

- Mean: 18.09
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 63.94

Location: 630-633 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI9: Residential-Short term clients - ref date

On (REFERENCE DATE), how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential short-term treatment, similar to ASAM Level III.5. (Clinically managed high-intensity residential treatment, typically 30 days or less)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	18502	10.7 %
1	-	393	0.2 %
2	-	549	0.3 %
3	-	449	0.3 %
4	-	430	0.2 %
5	-	528	0.3 %

Value	Label	Unweighted Frequency	%
6	-	457	0.3 %
7	-	360	0.2 %
8	-	468	0.3 %
9	-	285	0.2 %
10	-	618	0.4 %
11	-	208	0.1 %
12	-	440	0.3 %
13	-	247	0.1 %
14	-	307	0.2 %
15	-	471	0.3 %
16	-	344	0.2 %
17	-	194	0.1 %
18	-	254	0.1 %
19	-	157	0.1 %
20	-	409	0.2 %
21	-	156	0.1 %
22	-	193	0.1 %
23	-	131	0.1 %
24	-	184	0.1 %
25	-	251	0.1 %
26	-	130	0.1 %
27	-	98	0.1 %
28	-	139	0.1 %
29	-	74	0.0 %
30	-	228	0.1 %
31	-	63	0.0 %
32	-	119	0.1 %
33	-	70	0.0 %
34	-	66	0.0 %
35	-	104	0.1 %
36	-	90	0.1 %
37	-	53	0.0 %
38	-	61	0.0 %
39	-	43	0.0 %
40	-	134	0.1 %
41	-	43	0.0 %
42	-	41	0.0 %
43	-	30	0.0 %
44	-	29	0.0 %
45	-	64	0.0 %
46	-	28	0.0 %
47	-	21	0.0 %

Value	Label	Unweighted Frequency	%
48	-	38	0.0 %
49	-	22	0.0 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	92475	53.3 %
-4	Refused	14	0.0 %
-2	Missing	5	0.0 %
-1	Don't Know	23	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 29,610 valid cases out of 173,590 total cases.

- Mean: 7.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 873
- Standard Deviation: 18.58

Location: 634-636 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI10: Residential-Long term clients - ref date

On (REFERENCE DATE), how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential long-term treatment, similar to ASAM Levels III.3 and III.1. (Clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	6818	3.9 %
1	-	290	0.2 %
2	-	419	0.2 %
3	-	419	0.2 %

Value	Label	Unweighted Frequency	%
4	-	575	0.3 %
5	-	643	0.4 %
6	-	1119	0.6 %
7	-	557	0.3 %
8	-	899	0.5 %
9	-	553	0.3 %
10	-	1236	0.7 %
11	-	527	0.3 %
12	-	1164	0.7 %
13	-	571	0.3 %
14	-	815	0.5 %
15	-	1030	0.6 %
16	-	931	0.5 %
17	-	510	0.3 %
18	-	702	0.4 %
19	-	354	0.2 %
20	-	957	0.6 %
21	-	341	0.2 %
22	-	421	0.2 %
23	-	331	0.2 %
24	-	529	0.3 %
25	-	531	0.3 %
26	-	305	0.2 %
27	-	238	0.1 %
28	-	336	0.2 %
29	-	193	0.1 %
30	-	503	0.3 %
31	-	147	0.1 %
32	-	246	0.1 %
33	-	136	0.1 %
34	-	148	0.1 %
35	-	237	0.1 %
36	-	180	0.1 %
37	-	109	0.1 %
38	-	149	0.1 %
39	-	87	0.1 %
40	-	291	0.2 %
41	-	81	0.0 %
42	-	136	0.1 %
43	-	106	0.1 %
44	-	109	0.1 %
45	-	194	0.1 %

Value	Label	Unweighted Frequency	%
46	-	98	0.1 %
47	-	88	0.1 %
48	-	130	0.1 %
49	-	57	0.0 %
	Missing Data		
-9	Not in survey	51463	29.6 %
-6	Logical Skip	91286	52.6 %
-4	Refused	14	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	25	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 30,796 valid cases out of 173,590 total cases.

- Mean: 21.59
- Minimum: 0
- Maximum: 1037
- Standard Deviation: 34.45

Location: 637-640 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIRC: Residential-Total clients - ref date

On (REFERENCE DATE), how many clients received the following RESIDENTIAL substance abuse services at this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8984	5.2 %
1	-	209	0.1 %
2	-	401	0.2 %
3	-	431	0.2 %
4	-	690	0.4 %
5	-	899	0.5 %
6	-	1796	1.0 %

Value	Label	Unweighted Frequency	%
7	-	919	0.5 %
8	-	1490	0.9 %
9	-	1001	0.6 %
10	-	1916	1.1 %
11	-	956	0.6 %
12	-	2047	1.2 %
13	-	1041	0.6 %
14	-	1465	0.8 %
15	-	1709	1.0 %
16	-	1786	1.0 %
17	-	927	0.5 %
18	-	1287	0.7 %
19	-	749	0.4 %
20	-	1620	0.9 %
21	-	693	0.4 %
22	-	874	0.5 %
23	-	648	0.4 %
24	-	1024	0.6 %
25	-	917	0.5 %
26	-	658	0.4 %
27	-	498	0.3 %
28	-	704	0.4 %
29	-	419	0.2 %
30	-	922	0.5 %
31	-	344	0.2 %
32	-	516	0.3 %
33	-	317	0.2 %
34	-	324	0.2 %
35	-	506	0.3 %
36	-	414	0.2 %
37	-	255	0.1 %
38	-	353	0.2 %
39	-	229	0.1 %
40	-	640	0.4 %
41	-	199	0.1 %
42	-	298	0.2 %
43	-	173	0.1 %
44	-	234	0.1 %
45	-	335	0.2 %
46	-	215	0.1 %
47	-	174	0.1 %
48	-	301	0.2 %

Value	Label	Unweighted Frequency	%
49	-	132	0.1 %
	Missing Data		
-6	Logical Skip	120977	69.7 %
-4	Refused	15	0.0 %
-2	Missing	43	0.0 %
-1	Don't Know	24	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 52,531 valid cases out of 173,590 total cases.

- Mean: 25.95
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 52.66

Location: 641-644 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

R_AGE1: Residential-Clients under 18 - ref date

How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	53223	30.7 %
1	-	773	0.4 %
2	-	515	0.3 %
3	-	349	0.2 %
4	-	315	0.2 %
5	-	317	0.2 %
6	-	402	0.2 %
7	-	205	0.1 %
8	-	277	0.2 %
9	-	220	0.1 %
10	-	349	0.2 %
11	-	198	0.1 %
12	-	326	0.2 %
13	-	193	0.1 %
14	-	272	0.2 %
15	-	296	0.2 %
16	-	279	0.2 %
17	-	143	0.1 %
18	-	216	0.1 %

Value	Label	Unweighted Frequency	%
19	-	108	0.1 %
20	-	267	0.2 %
21	-	86	0.0 %
22	-	124	0.1 %
23	-	79	0.0 %
24	-	115	0.1 %
25	-	118	0.1 %
26	-	93	0.1 %
27	-	49	0.0 %
28	-	92	0.1 %
29	-	36	0.0 %
30	-	107	0.1 %
31	-	37	0.0 %
32	-	62	0.0 %
33	-	28	0.0 %
34	-	34	0.0 %
35	-	63	0.0 %
36	-	35	0.0 %
37	-	19	0.0 %
38	-	35	0.0 %
39	-	17	0.0 %
40	-	73	0.0 %
41	-	14	0.0 %
42	-	23	0.0 %
43	-	18	0.0 %
44	-	21	0.0 %
45	-	27	0.0 %
46	-	15	0.0 %
47	-	10	0.0 %
48	-	26	0.0 %
49	-	7	0.0 %
	Missing Data		
-6	Logical Skip	112379	64.7 %
-4	Refused	17	0.0 %
-2	Missing	65	0.0 %
-1	Don't Know	43	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 61,086 valid cases out of 173,590 total cases.

- Mean: 2.13

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 687
- Standard Deviation: 9.92

Location: 645-647 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCMETNUM: Residential-Methadone clients - ref date

How many of the clients from the RESIDENTIAL TOTAL BOX
received . . .

. . . Methadone dispensed by this facility?

Include clients who received these drugs for detoxification
or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	37102	21.4 %
1	-	132	0.1 %
2	-	127	0.1 %
3	-	79	0.0 %
4	-	61	0.0 %
5	-	58	0.0 %
6	-	32	0.0 %
7	-	24	0.0 %
8	-	24	0.0 %
9	-	17	0.0 %
10	-	46	0.0 %
11	-	11	0.0 %
12	-	17	0.0 %
13	-	10	0.0 %
14	-	17	0.0 %
15	-	32	0.0 %
16	-	24	0.0 %
17	-	14	0.0 %
18	-	16	0.0 %
19	-	6	0.0 %
20	-	38	0.0 %
21	-	10	0.0 %
22	-	9	0.0 %
23	-	3	0.0 %
24	-	7	0.0 %

Value	Label	Unweighted Frequency	%
25	-	13	0.0 %
26	-	3	0.0 %
27	-	8	0.0 %
28	-	12	0.0 %
29	-	4	0.0 %
30	-	10	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	5	0.0 %
35	-	10	0.0 %
36	-	4	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %
40	-	11	0.0 %
41	-	3	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	3	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	8	0.0 %
52	-	1	0.0 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-8	Not in mode	976	0.6 %
-7	Not Applicable	8	0.0 %
-6	Logical Skip	123536	71.2 %
-4	Refused	4	0.0 %
-2	Missing	100	0.1 %
-1	Don't Know	23	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 38,083 valid cases out of 173,590 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0

- Maximum: 233
- Standard Deviation: 4.04

Location: 648-650 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCLAMNUM: Residential-LAAM clients - ref date

How many of the clients from the RESIDENTIAL TOTAL BOX received . . .

. . . LAAM dispensed by this facility?

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	8998	5.2 %
1	-	3	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
-9	Not in survey	119364	68.8 %
-7	Not Applicable	8	0.0 %
-6	Logical Skip	45158	26.0 %
-4	Refused	1	0.0 %
-2	Missing	47	0.0 %
-1	Don't Know	8	0.0 %
	Total	173,590	100%

Based upon 9,004 valid cases out of 173,590 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 12
- Standard Deviation: 0.13

Location: 651-653 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCBUPNUM: Residential-Buprenorphine clients - ref date

How many of the clients from the RESIDENTIAL TOTAL BOX received . . .

. . . Buprenorphine dispensed by this facility?

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	21533	12.4 %
1	-	382	0.2 %
2	-	376	0.2 %
3	-	231	0.1 %
4	-	191	0.1 %
5	-	149	0.1 %
6	-	98	0.1 %
7	-	49	0.0 %
8	-	54	0.0 %
9	-	31	0.0 %
10	-	69	0.0 %
11	-	9	0.0 %
12	-	36	0.0 %
13	-	10	0.0 %
14	-	14	0.0 %
15	-	23	0.0 %
16	-	9	0.0 %
17	-	9	0.0 %
18	-	9	0.0 %
19	-	1	0.0 %
20	-	13	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	9	0.0 %
27	-	3	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
32	-	4	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.0 %
41	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
60	-	4	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
77	-	1	0.0 %
85	-	1	0.0 %
179	-	1	0.0 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-8	Not in mode	861	0.5 %
-6	Logical Skip	84212	48.5 %
-4	Refused	14	0.0 %
-2	Missing	11	0.0 %
-1	Don't Know	50	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,356 valid cases out of 173,590 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 943
- Standard Deviation: 6.78

Location: 654-656 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RESBED: Residential - Designated beds

On (REFERENCE DATE), how many residential beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	1814	1.0 %
1	-	29	0.0 %
2	-	99	0.1 %

Value	Label	Unweighted Frequency	%
3	-	92	0.1 %
4	-	275	0.2 %
5	-	372	0.2 %
6	-	1858	1.1 %
7	-	364	0.2 %
8	-	1303	0.8 %
9	-	507	0.3 %
10	-	1823	1.1 %
11	-	425	0.2 %
12	-	2334	1.3 %
13	-	594	0.3 %
14	-	1361	0.8 %
15	-	1599	0.9 %
16	-	2438	1.4 %
17	-	522	0.3 %
18	-	1222	0.7 %
19	-	358	0.2 %
20	-	2312	1.3 %
21	-	451	0.3 %
22	-	862	0.5 %
23	-	392	0.2 %
24	-	1651	1.0 %
25	-	960	0.6 %
26	-	675	0.4 %
27	-	352	0.2 %
28	-	708	0.4 %
29	-	223	0.1 %
30	-	1569	0.9 %
31	-	202	0.1 %
32	-	750	0.4 %
33	-	275	0.2 %
34	-	310	0.2 %
35	-	504	0.3 %
36	-	599	0.3 %
37	-	165	0.1 %
38	-	296	0.2 %
39	-	127	0.1 %
40	-	1071	0.6 %
41	-	148	0.1 %
42	-	393	0.2 %
43	-	126	0.1 %
44	-	259	0.1 %

Value	Label	Unweighted Frequency	%
45	-	344	0.2 %
46	-	210	0.1 %
47	-	120	0.1 %
48	-	389	0.2 %
49	-	96	0.1 %
Missing Data			
-7	Not Applicable	3	0.0 %
-6	Logical Skip	128952	74.3 %
-4	Refused	19	0.0 %
-2	Missing	684	0.4 %
-1	Don't Know	63	0.0 %
Total		173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 43,869 valid cases out of 173,590 total cases.

- Mean: 33.37
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 57.07

Location: 657-660 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE1: Outpatient care on ref date

During the month of (REFERENCE DATE), did any clients receive OUTPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	34221	19.7 %
1	Yes	128250	73.9 %
Missing Data			
-6	Logical Skip	11057	6.4 %
-4	Refused	16	0.0 %
-2	Missing	11	0.0 %
-1	Don't Know	35	0.0 %
Total		173,590	100%

Based upon 162,471 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 661-663 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI7: Outpatient-Detox clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Outpatient detoxification, similar to ASAM Levels I-D and II-D. (Ambulatory detoxification)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	93508	53.9 %
1	-	879	0.5 %
2	-	1240	0.7 %
3	-	790	0.5 %
4	-	479	0.3 %
5	-	842	0.5 %
6	-	339	0.2 %
7	-	201	0.1 %
8	-	244	0.1 %
9	-	143	0.1 %
10	-	688	0.4 %
11	-	86	0.0 %
12	-	185	0.1 %
13	-	67	0.0 %
14	-	79	0.0 %
15	-	257	0.1 %
16	-	88	0.1 %
17	-	51	0.0 %
18	-	69	0.0 %
19	-	48	0.0 %
20	-	279	0.2 %
21	-	55	0.0 %
22	-	58	0.0 %

Value	Label	Unweighted Frequency	%
23	-	38	0.0 %
24	-	27	0.0 %
25	-	169	0.1 %
26	-	33	0.0 %
27	-	39	0.0 %
28	-	29	0.0 %
29	-	22	0.0 %
30	-	182	0.1 %
31	-	18	0.0 %
32	-	26	0.0 %
33	-	18	0.0 %
34	-	19	0.0 %
35	-	30	0.0 %
36	-	18	0.0 %
37	-	25	0.0 %
38	-	17	0.0 %
39	-	15	0.0 %
40	-	102	0.1 %
41	-	16	0.0 %
42	-	16	0.0 %
43	-	10	0.0 %
44	-	11	0.0 %
45	-	38	0.0 %
46	-	13	0.0 %
47	-	9	0.0 %
48	-	16	0.0 %
49	-	5	0.0 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-8	Not in mode	899	0.5 %
-6	Logical Skip	59253	34.1 %
-4	Refused	20	0.0 %
-2	Missing	22	0.0 %
-1	Don't Know	65	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 102,471 valid cases out of 173,590 total cases.

- Mean: 1.70
- Median: 0.00
- Mode: 0.00

- Minimum: 0
- Maximum: 2500
- Standard Deviation: 17.15

Location: 664-667 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIML: Outpatient-Opioid maintenance clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Outpatient methadone/buprenorphine maintenance
(Opioid maintenance therapy)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	81037	46.7 %
1	-	148	0.1 %
2	-	181	0.1 %
3	-	114	0.1 %
4	-	65	0.0 %
5	-	133	0.1 %
6	-	70	0.0 %
7	-	45	0.0 %
8	-	61	0.0 %
9	-	16	0.0 %
10	-	142	0.1 %
11	-	17	0.0 %
12	-	64	0.0 %
13	-	19	0.0 %
14	-	15	0.0 %
15	-	75	0.0 %
16	-	19	0.0 %
17	-	15	0.0 %
18	-	27	0.0 %
19	-	10	0.0 %

Value	Label	Unweighted Frequency	%
20	-	96	0.1 %
21	-	17	0.0 %
22	-	38	0.0 %
23	-	16	0.0 %
24	-	11	0.0 %
25	-	50	0.0 %
26	-	11	0.0 %
27	-	15	0.0 %
28	-	11	0.0 %
29	-	15	0.0 %
30	-	92	0.1 %
31	-	9	0.0 %
32	-	12	0.0 %
33	-	12	0.0 %
34	-	12	0.0 %
35	-	48	0.0 %
36	-	11	0.0 %
37	-	12	0.0 %
38	-	19	0.0 %
39	-	7	0.0 %
40	-	64	0.0 %
41	-	11	0.0 %
42	-	19	0.0 %
43	-	17	0.0 %
44	-	8	0.0 %
45	-	43	0.0 %
46	-	8	0.0 %
47	-	13	0.0 %
48	-	21	0.0 %
49	-	7	0.0 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-6	Logical Skip	43873	25.3 %
-4	Refused	17	0.0 %
-2	Missing	14	0.0 %
-1	Don't Know	27	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 91,916 valid cases out of 173,590 total cases.

- Mean: 27.52

- Minimum: 0
- Maximum: 2225
- Standard Deviation: 104.60

Location: 668-671 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI8: Outpatient-Day tx/part hosp clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Outpatient day treatment or partial hospitalization, similar to ASAM Level II.5. (20 or more hours per week)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	89272	51.4 %
1	-	789	0.5 %
2	-	958	0.6 %
3	-	696	0.4 %
4	-	600	0.3 %
5	-	836	0.5 %
6	-	571	0.3 %
7	-	378	0.2 %
8	-	548	0.3 %
9	-	248	0.1 %
10	-	857	0.5 %
11	-	187	0.1 %
12	-	510	0.3 %
13	-	151	0.1 %
14	-	197	0.1 %
15	-	625	0.4 %
16	-	195	0.1 %
17	-	143	0.1 %
18	-	184	0.1 %

Value	Label	Unweighted Frequency	%
19	-	91	0.1 %
20	-	627	0.4 %
21	-	111	0.1 %
22	-	165	0.1 %
23	-	80	0.0 %
24	-	128	0.1 %
25	-	341	0.2 %
26	-	84	0.0 %
27	-	89	0.1 %
28	-	76	0.0 %
29	-	34	0.0 %
30	-	336	0.2 %
31	-	57	0.0 %
32	-	69	0.0 %
33	-	31	0.0 %
34	-	41	0.0 %
35	-	154	0.1 %
36	-	46	0.0 %
37	-	38	0.0 %
38	-	44	0.0 %
39	-	33	0.0 %
40	-	196	0.1 %
41	-	26	0.0 %
42	-	47	0.0 %
43	-	31	0.0 %
44	-	17	0.0 %
45	-	92	0.1 %
46	-	32	0.0 %
47	-	15	0.0 %
48	-	29	0.0 %
49	-	20	0.0 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	46911	27.0 %
-4	Refused	18	0.0 %
-2	Missing	15	0.0 %
-1	Don't Know	41	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 102,290 valid cases out of 173,590 total cases.

- Mean: 2.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1974
- Standard Deviation: 16.64

Location: 672-675 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI6: Outpatient-Intensive clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Intensive outpatient treatment, similar to ASAM Level II.1. (9 or more hours per week)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	65617	37.8 %
1	-	1322	0.8 %
2	-	1886	1.1 %
3	-	1915	1.1 %
4	-	1695	1.0 %
5	-	2662	1.5 %
6	-	1916	1.1 %
7	-	1355	0.8 %
8	-	2170	1.3 %
9	-	1138	0.7 %
10	-	3928	2.3 %
11	-	957	0.6 %
12	-	2567	1.5 %
13	-	822	0.5 %
14	-	992	0.6 %
15	-	2918	1.7 %

Value	Label	Unweighted Frequency	%
16	-	1001	0.6 %
17	-	721	0.4 %
18	-	1040	0.6 %
19	-	527	0.3 %
20	-	2887	1.7 %
21	-	581	0.3 %
22	-	708	0.4 %
23	-	510	0.3 %
24	-	757	0.4 %
25	-	1748	1.0 %
26	-	491	0.3 %
27	-	423	0.2 %
28	-	426	0.2 %
29	-	268	0.2 %
30	-	2034	1.2 %
31	-	266	0.2 %
32	-	426	0.2 %
33	-	289	0.2 %
34	-	286	0.2 %
35	-	835	0.5 %
36	-	400	0.2 %
37	-	227	0.1 %
38	-	288	0.2 %
39	-	176	0.1 %
40	-	1192	0.7 %
41	-	175	0.1 %
42	-	265	0.2 %
43	-	183	0.1 %
44	-	148	0.1 %
45	-	642	0.4 %
46	-	148	0.1 %
47	-	149	0.1 %
48	-	187	0.1 %
49	-	125	0.1 %
	Missing Data		
-6	Logical Skip	49875	28.7 %
-4	Refused	16	0.0 %
-2	Missing	30	0.0 %
-1	Don't Know	106	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 123,563 valid cases out of 173,590 total cases.

- Mean: 14.45
- Minimum: 0
- Maximum: 3437
- Standard Deviation: 45.17

Location: 676-679 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI5: Outpatient-Regular clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Regular outpatient treatment, similar to ASAM Level I.
(Outpatient treatment, non-intensive)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Note: ASAM is the American Society of Addiction Medicine

Value	Label	Unweighted Frequency	%
0	-	23913	13.8 %
1	-	1215	0.7 %
2	-	1842	1.1 %
3	-	1762	1.0 %
4	-	1644	0.9 %
5	-	2740	1.6 %
6	-	1836	1.1 %
7	-	1122	0.6 %
8	-	1760	1.0 %
9	-	892	0.5 %
10	-	4031	2.3 %
11	-	776	0.4 %
12	-	2189	1.3 %
13	-	788	0.5 %

Value	Label	Unweighted Frequency	%
14	-	994	0.6 %
15	-	3170	1.8 %
16	-	988	0.6 %
17	-	763	0.4 %
18	-	977	0.6 %
19	-	601	0.3 %
20	-	3643	2.1 %
21	-	694	0.4 %
22	-	848	0.5 %
23	-	674	0.4 %
24	-	786	0.5 %
25	-	2675	1.5 %
26	-	616	0.4 %
27	-	635	0.4 %
28	-	632	0.4 %
29	-	441	0.3 %
30	-	3159	1.8 %
31	-	449	0.3 %
32	-	689	0.4 %
33	-	450	0.3 %
34	-	473	0.3 %
35	-	1592	0.9 %
36	-	513	0.3 %
37	-	472	0.3 %
38	-	501	0.3 %
39	-	334	0.2 %
40	-	2454	1.4 %
41	-	333	0.2 %
42	-	524	0.3 %
43	-	408	0.2 %
44	-	315	0.2 %
45	-	1350	0.8 %
46	-	363	0.2 %
47	-	359	0.2 %
48	-	504	0.3 %
49	-	274	0.2 %
	Missing Data		
-9	Not in survey	13455	7.8 %
-6	Logical Skip	37717	21.7 %
-4	Refused	19	0.0 %
-2	Missing	12	0.0 %
-1	Don't Know	60	0.0 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 122,327 valid cases out of 173,590 total cases.

- Mean: 60.42
- Minimum: 0
- Maximum: 12145
- Standard Deviation: 126.71

Location: 680-684 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_OPTH: Outpatient-other clients - ref date

As of (REFERENCE DATE), how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

Other outpatient care (excluding intensive)

ONLY INCLUDE clients who received treatment in (REFERENCE MONTH) AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	872	0.5 %
1	-	106	0.1 %
2	-	190	0.1 %
3	-	157	0.1 %
4	-	154	0.1 %
5	-	214	0.1 %
6	-	140	0.1 %
7	-	116	0.1 %
8	-	138	0.1 %
9	-	77	0.0 %
10	-	272	0.2 %
11	-	69	0.0 %
12	-	153	0.1 %

Value	Label	Unweighted Frequency	%
13	-	78	0.0 %
14	-	79	0.0 %
15	-	222	0.1 %
16	-	68	0.0 %
17	-	69	0.0 %
18	-	78	0.0 %
19	-	68	0.0 %
20	-	283	0.2 %
21	-	50	0.0 %
22	-	69	0.0 %
23	-	60	0.0 %
24	-	54	0.0 %
25	-	185	0.1 %
26	-	54	0.0 %
27	-	46	0.0 %
28	-	69	0.0 %
29	-	42	0.0 %
30	-	200	0.1 %
31	-	37	0.0 %
32	-	59	0.0 %
33	-	51	0.0 %
34	-	40	0.0 %
35	-	108	0.1 %
36	-	37	0.0 %
37	-	36	0.0 %
38	-	50	0.0 %
39	-	23	0.0 %
40	-	181	0.1 %
41	-	30	0.0 %
42	-	46	0.0 %
43	-	38	0.0 %
44	-	24	0.0 %
45	-	90	0.1 %
46	-	27	0.0 %
47	-	37	0.0 %
48	-	39	0.0 %
49	-	23	0.0 %
	Missing Data		
-9	Not in survey	160135	92.2 %
-6	Logical Skip	4554	2.6 %
-4	Refused	5	0.0 %
-2	Missing	25	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	72	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,799 valid cases out of 173,590 total cases.

- Mean: 78.05
- Minimum: 0
- Maximum: 2500
- Standard Deviation: 146.23

Location: 685-688 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIOP: Outpatient-Total clients - ref date

How many clients received OUTPATIENT substance abuse services at this facility during (REFERENCE DATE)?

_____ OUTPATIENT TOTAL

ONLY INCLUDE clients who received treatment in March AND were still enrolled in treatment on (REFERENCE DATE).

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	6671	3.8 %
1	-	990	0.6 %
2	-	1434	0.8 %
3	-	1481	0.9 %
4	-	1454	0.8 %
5	-	2075	1.2 %
6	-	1710	1.0 %
7	-	1290	0.7 %
8	-	1747	1.0 %
9	-	1084	0.6 %
10	-	3201	1.8 %
11	-	1032	0.6 %
12	-	2250	1.3 %

Value	Label	Unweighted Frequency	%
13	-	1063	0.6 %
14	-	1305	0.8 %
15	-	2823	1.6 %
16	-	1329	0.8 %
17	-	1088	0.6 %
18	-	1348	0.8 %
19	-	874	0.5 %
20	-	3174	1.8 %
21	-	959	0.6 %
22	-	1175	0.7 %
23	-	928	0.5 %
24	-	1102	0.6 %
25	-	2611	1.5 %
26	-	920	0.5 %
27	-	873	0.5 %
28	-	987	0.6 %
29	-	658	0.4 %
30	-	2943	1.7 %
31	-	692	0.4 %
32	-	960	0.6 %
33	-	698	0.4 %
34	-	683	0.4 %
35	-	1926	1.1 %
36	-	753	0.4 %
37	-	723	0.4 %
38	-	716	0.4 %
39	-	551	0.3 %
40	-	2408	1.4 %
41	-	548	0.3 %
42	-	779	0.4 %
43	-	603	0.3 %
44	-	534	0.3 %
45	-	1642	0.9 %
46	-	552	0.3 %
47	-	573	0.3 %
48	-	688	0.4 %
49	-	423	0.2 %
	Missing Data		
-6	Logical Skip	40439	23.3 %
-4	Refused	17	0.0 %
-2	Missing	37	0.0 %
-1	Don't Know	113	0.1 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 132,984 valid cases out of 173,590 total cases.

- Mean: 96.52
- Minimum: 0
- Maximum: 12588
- Standard Deviation: 164.39

Location: 689-693 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

O_AGE1: Outpatient-Clients under 18 - ref date

How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	78389	45.2 %
1	-	5374	3.1 %
2	-	5560	3.2 %
3	-	3936	2.3 %
4	-	3000	1.7 %
5	-	3848	2.2 %
6	-	2347	1.4 %
7	-	1553	0.9 %
8	-	1872	1.1 %
9	-	1050	0.6 %
10	-	3289	1.9 %
11	-	832	0.5 %
12	-	1598	0.9 %
13	-	653	0.4 %
14	-	740	0.4 %
15	-	2170	1.3 %
16	-	655	0.4 %
17	-	574	0.3 %
18	-	640	0.4 %
19	-	384	0.2 %
20	-	1965	1.1 %
21	-	379	0.2 %
22	-	426	0.2 %
23	-	348	0.2 %
24	-	367	0.2 %

Value	Label	Unweighted Frequency	%
25	-	1167	0.7 %
26	-	276	0.2 %
27	-	298	0.2 %
28	-	313	0.2 %
29	-	206	0.1 %
30	-	1019	0.6 %
31	-	202	0.1 %
32	-	230	0.1 %
33	-	185	0.1 %
34	-	146	0.1 %
35	-	504	0.3 %
36	-	169	0.1 %
37	-	138	0.1 %
38	-	174	0.1 %
39	-	137	0.1 %
40	-	621	0.4 %
41	-	85	0.0 %
42	-	145	0.1 %
43	-	105	0.1 %
44	-	84	0.0 %
45	-	295	0.2 %
46	-	87	0.1 %
47	-	78	0.0 %
48	-	103	0.1 %
49	-	75	0.0 %
	Missing Data		
-7	Not Applicable	1	0.0 %
-6	Logical Skip	39919	23.0 %
-4	Refused	39	0.0 %
-2	Missing	223	0.1 %
-1	Don't Know	192	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 133,216 valid cases out of 173,590 total cases.

- Mean: 7.49
- Minimum: 0
- Maximum: 3000
- Standard Deviation: 25.30

Location: 694-697 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPMETNUM: Outpatient-Methadone clients - ref date

How many of the clients from the OUTPATIENT TOTAL BOX received . . .

. . . Methadone dispensed by this facility?

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	78384	45.2 %
1	-	83	0.0 %
2	-	71	0.0 %
3	-	33	0.0 %
4	-	34	0.0 %
5	-	47	0.0 %
6	-	20	0.0 %
7	-	24	0.0 %
8	-	25	0.0 %
9	-	16	0.0 %
10	-	40	0.0 %
11	-	12	0.0 %
12	-	21	0.0 %
13	-	10	0.0 %
14	-	10	0.0 %
15	-	19	0.0 %
16	-	14	0.0 %
17	-	12	0.0 %
18	-	17	0.0 %
19	-	12	0.0 %
20	-	27	0.0 %
21	-	12	0.0 %
22	-	18	0.0 %
23	-	12	0.0 %
24	-	9	0.0 %
25	-	24	0.0 %
26	-	8	0.0 %
27	-	10	0.0 %
28	-	8	0.0 %
29	-	7	0.0 %
30	-	32	0.0 %

Value	Label	Unweighted Frequency	%
31	-	8	0.0 %
32	-	10	0.0 %
33	-	8	0.0 %
34	-	14	0.0 %
35	-	24	0.0 %
36	-	4	0.0 %
37	-	12	0.0 %
38	-	9	0.0 %
39	-	12	0.0 %
40	-	47	0.0 %
41	-	12	0.0 %
42	-	16	0.0 %
43	-	19	0.0 %
44	-	13	0.0 %
45	-	43	0.0 %
46	-	17	0.0 %
47	-	13	0.0 %
48	-	19	0.0 %
49	-	12	0.0 %
	Missing Data		
-9	Not in survey	10860	6.3 %
-8	Not in mode	2803	1.6 %
-7	Not Applicable	56	0.0 %
-6	Logical Skip	70012	40.3 %
-4	Refused	21	0.0 %
-2	Missing	221	0.1 %
-1	Don't Know	91	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 89,526 valid cases out of 173,590 total cases.

- Mean: 32.43
- Minimum: 0
- Maximum: 2700
- Standard Deviation: 114.00

Location: 698-701 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPLAMNUM: Outpatient-LAAM clients - ref date

How many of the clients from the OUTPATIENT TOTAL BOX received . . .

. . . LAAM dispensed by this facility?

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	25910	14.9 %
1	-	51	0.0 %
2	-	52	0.0 %
3	-	40	0.0 %
4	-	28	0.0 %
5	-	56	0.0 %
6	-	23	0.0 %
7	-	17	0.0 %
8	-	24	0.0 %
9	-	18	0.0 %
10	-	44	0.0 %
11	-	15	0.0 %
12	-	24	0.0 %
13	-	9	0.0 %
14	-	12	0.0 %
15	-	23	0.0 %
16	-	12	0.0 %
17	-	6	0.0 %
18	-	13	0.0 %
19	-	7	0.0 %
20	-	31	0.0 %
21	-	6	0.0 %
22	-	12	0.0 %
23	-	2	0.0 %
24	-	5	0.0 %
25	-	13	0.0 %
26	-	7	0.0 %
27	-	4	0.0 %
28	-	6	0.0 %
29	-	4	0.0 %
30	-	17	0.0 %
31	-	3	0.0 %
32	-	4	0.0 %
33	-	4	0.0 %

Value	Label	Unweighted Frequency	%
34	-	2	0.0 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	2	0.0 %
40	-	5	0.0 %
42	-	6	0.0 %
45	-	6	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	8	0.0 %
52	-	3	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
-9	Not in survey	119364	68.8 %
-7	Not Applicable	56	0.0 %
-6	Logical Skip	27430	15.8 %
-4	Refused	2	0.0 %
-2	Missing	50	0.0 %
-1	Don't Know	74	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 26,614 valid cases out of 173,590 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 674
- Standard Deviation: 6.89

Location: 702-704 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPBUPNUM: Outpatient-Buprenorphine clients - ref date

How many of the clients from the OUTPATIENT TOTAL BOX received . . .

. . . Buprenorphine dispensed by this facility?

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	63763	36.7 %
1	-	456	0.3 %
2	-	558	0.3 %
3	-	384	0.2 %
4	-	244	0.1 %
5	-	385	0.2 %
6	-	199	0.1 %
7	-	114	0.1 %
8	-	168	0.1 %
9	-	74	0.0 %
10	-	347	0.2 %
11	-	47	0.0 %
12	-	145	0.1 %
13	-	49	0.0 %
14	-	42	0.0 %
15	-	207	0.1 %
16	-	51	0.0 %
17	-	27	0.0 %
18	-	46	0.0 %
19	-	23	0.0 %
20	-	228	0.1 %
21	-	31	0.0 %
22	-	44	0.0 %
23	-	20	0.0 %
24	-	25	0.0 %
25	-	100	0.1 %
26	-	19	0.0 %
27	-	26	0.0 %
28	-	33	0.0 %
29	-	17	0.0 %
30	-	169	0.1 %
31	-	12	0.0 %
32	-	12	0.0 %
33	-	9	0.0 %
34	-	8	0.0 %
35	-	58	0.0 %
36	-	13	0.0 %
37	-	7	0.0 %

Value	Label	Unweighted Frequency	%
38	-	16	0.0 %
39	-	3	0.0 %
40	-	63	0.0 %
41	-	10	0.0 %
42	-	16	0.0 %
43	-	5	0.0 %
44	-	8	0.0 %
45	-	31	0.0 %
46	-	5	0.0 %
47	-	6	0.0 %
48	-	9	0.0 %
49	-	7	0.0 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-8	Not in mode	2592	1.5 %
-6	Logical Skip	36873	21.2 %
-4	Refused	22	0.0 %
-2	Missing	62	0.0 %
-1	Don't Know	81	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 68,874 valid cases out of 173,590 total cases.

- Mean: 1.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 528
- Standard Deviation: 9.97

Location: 705-707 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

B_PCT: % Clients treated for alcohol & drug abuse

Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on (REFERENCE DATE), including hospital inpatient, residential, and/or outpatient, were being treated for . . .

. . . BOTH alcohol AND drug abuse?

Value	Label	Unweighted Frequency	%
0.00	-	12139	7.0 %
1.00	-	553	0.3 %
2.00	-	612	0.4 %
3.00	-	393	0.2 %
4.00	-	260	0.1 %
5.00	-	1949	1.1 %
6.00	-	283	0.2 %
7.00	-	290	0.2 %
8.00	-	390	0.2 %
9.00	-	248	0.1 %
10.00	-	4684	2.7 %
11.00	-	297	0.2 %
12.00	-	396	0.2 %
13.00	-	297	0.2 %
14.00	-	336	0.2 %
15.00	-	2299	1.3 %
16.00	-	315	0.2 %
17.00	-	343	0.2 %
18.00	-	374	0.2 %
19.00	-	276	0.2 %
20.00	-	6009	3.5 %
21.00	-	291	0.2 %
22.00	-	383	0.2 %
23.00	-	371	0.2 %
24.00	-	326	0.2 %
25.00	-	4927	2.8 %
26.00	-	305	0.2 %
27.00	-	319	0.2 %
28.00	-	372	0.2 %
29.00	-	362	0.2 %
30.00	-	6244	3.6 %
31.00	-	295	0.2 %
32.00	-	379	0.2 %
33.00	-	1063	0.6 %
34.00	-	1033	0.6 %
35.00	-	2218	1.3 %
36.00	-	386	0.2 %
37.00	-	358	0.2 %
38.00	-	475	0.3 %
39.00	-	300	0.2 %
40.00	-	6646	3.8 %
41.00	-	300	0.2 %

Value	Label	Unweighted Frequency	%
42.00	-	393	0.2 %
43.00	-	412	0.2 %
44.00	-	335	0.2 %
45.00	-	1971	1.1 %
46.00	-	365	0.2 %
47.00	-	376	0.2 %
48.00	-	381	0.2 %
49.00	-	280	0.2 %
	Missing Data		
-7.00	Not Applicable	2	0.0 %
-6.00	Logical Skip	14527	8.4 %
-4.00	Refused	57	0.0 %
-2.00	Missing	240	0.1 %
-1.00	Don't Know	508	0.3 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 158,256 valid cases out of 173,590 total cases.

- Mean: 52.99
- Median: 52.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 31.33

Location: 708-715 (width: 8; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -11.00 , -10.00 , -9.00 , -8.00 , -7.00 , -6.00 , -5.00 , -4.00 , -2.00 , -1.00

A_PCT: % Clients treated for alcohol abuse only

Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on (REFERENCE DATE), including hospital inpatient, residential, and/or outpatient, were being treated for . . .

. . . ONLY alcohol abuse?

Value	Label	Unweighted Frequency	%
0.0	-	33348	19.2 %
1.0	-	1643	0.9 %
2.0	-	1900	1.1 %

Value	Label	Unweighted Frequency	%
2.5	-	2	0.0 %
3.0	-	1171	0.7 %
4.0	-	668	0.4 %
5.0	-	9075	5.2 %
6.0	-	696	0.4 %
7.0	-	768	0.4 %
8.0	-	1113	0.6 %
9.0	-	526	0.3 %
10.0	-	18112	10.4 %
11.0	-	547	0.3 %
12.0	-	1069	0.6 %
13.0	-	760	0.4 %
14.0	-	671	0.4 %
15.0	-	7609	4.4 %
16.0	-	492	0.3 %
17.0	-	681	0.4 %
18.0	-	648	0.4 %
19.0	-	416	0.2 %
20.0	-	13903	8.0 %
21.0	-	479	0.3 %
22.0	-	598	0.3 %
23.0	-	543	0.3 %
24.0	-	441	0.3 %
25.0	-	11249	6.5 %
26.0	-	399	0.2 %
27.0	-	449	0.3 %
28.0	-	409	0.2 %
29.0	-	443	0.3 %
30.0	-	7465	4.3 %
31.0	-	340	0.2 %
32.0	-	429	0.2 %
33.0	-	1727	1.0 %
34.0	-	427	0.2 %
35.0	-	2096	1.2 %
36.0	-	348	0.2 %
37.0	-	326	0.2 %
38.0	-	431	0.2 %
39.0	-	271	0.2 %
40.0	-	4823	2.8 %
41.0	-	241	0.1 %
42.0	-	325	0.2 %
43.0	-	331	0.2 %

Value	Label	Unweighted Frequency	%
44.0	-	245	0.1 %
45.0	-	1175	0.7 %
46.0	-	237	0.1 %
47.0	-	253	0.1 %
48.0	-	262	0.2 %
	Missing Data		
-7.0	Not Applicable	2	0.0 %
-6.0	Logical Skip	14527	8.4 %
-4.0	Refused	56	0.0 %
-2.0	Missing	244	0.1 %
-1.0	Don't Know	505	0.3 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 158,256 valid cases out of 173,590 total cases.

- Mean: 23.05
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 24.26

Location: 716-723 (width: 8; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -11.0 , -10.0 , -9.0 , -8.0 , -7.0 , -6.0 , -5.0 , -4.0 , -2.0 , -1.0

D_PCT: % Clients treated for drug abuse only

Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on (REFERENCE DATE), including hospital inpatient, residential, and/or outpatient, were being treated for . . .

. . . ONLY drug abuse?

Value	Label	Unweighted Frequency	%
0.0	-	34148	19.7 %
1.0	-	1255	0.7 %
2.0	-	1547	0.9 %
2.5	-	2	0.0 %
3.0	-	1025	0.6 %
4.0	-	654	0.4 %

Value	Label	Unweighted Frequency	%
5.0	-	9424	5.4 %
6.0	-	610	0.4 %
7.0	-	784	0.5 %
8.0	-	1025	0.6 %
9.0	-	571	0.3 %
10.0	-	18940	10.9 %
11.0	-	648	0.4 %
12.0	-	1027	0.6 %
13.0	-	810	0.5 %
14.0	-	746	0.4 %
15.0	-	8279	4.8 %
16.0	-	543	0.3 %
17.0	-	784	0.5 %
18.0	-	686	0.4 %
19.0	-	506	0.3 %
20.0	-	14398	8.3 %
21.0	-	516	0.3 %
22.0	-	633	0.4 %
23.0	-	551	0.3 %
24.0	-	519	0.3 %
25.0	-	11279	6.5 %
26.0	-	461	0.3 %
27.0	-	464	0.3 %
28.0	-	453	0.3 %
29.0	-	434	0.3 %
30.0	-	6906	4.0 %
31.0	-	396	0.2 %
32.0	-	402	0.2 %
33.0	-	1455	0.8 %
34.0	-	506	0.3 %
35.0	-	1904	1.1 %
36.0	-	342	0.2 %
37.0	-	285	0.2 %
38.0	-	368	0.2 %
39.0	-	214	0.1 %
40.0	-	3901	2.2 %
41.0	-	207	0.1 %
42.0	-	278	0.2 %
43.0	-	301	0.2 %
44.0	-	240	0.1 %
45.0	-	973	0.6 %
46.0	-	213	0.1 %

Value	Label	Unweighted Frequency	%
47.0	-	230	0.1 %
48.0	-	219	0.1 %
	Missing Data		
-7.0	Not Applicable	2	0.0 %
-6.0	Logical Skip	14527	8.4 %
-4.0	Refused	56	0.0 %
-2.0	Missing	247	0.1 %
-1.0	Don't Know	512	0.3 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 158,246 valid cases out of 173,590 total cases.

- Mean: 23.84
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.85

Location: 724-731 (width: 8; decimal: 2)

Variable Type: numeric

(Range of Missing Values: -11.0 , -10.0 , -9.0 , -8.0 , -7.0 , -6.0 , -5.0 , -4.0 , -2.0 , -1.0)

COD_PCT: % Clients with diagnosed SA & MH disorder

Approximately what percent of the substance abuse treatment clients enrolled at this facility on (REFERENCE DATE), had a diagnosed co-occurring substance abuse and mental health disorder?

Value	Label	Unweighted Frequency	%
0	-	6215	3.6 %
1	-	810	0.5 %
2	-	1019	0.6 %
3	-	566	0.3 %
4	-	270	0.2 %
5	-	2140	1.2 %
6	-	162	0.1 %
7	-	184	0.1 %
8	-	253	0.1 %
9	-	106	0.1 %
10	-	3673	2.1 %
11	-	100	0.1 %
12	-	314	0.2 %
13	-	118	0.1 %

Value	Label	Unweighted Frequency	%
14	-	110	0.1 %
15	-	1859	1.1 %
16	-	118	0.1 %
17	-	141	0.1 %
18	-	171	0.1 %
19	-	75	0.0 %
20	-	3474	2.0 %
21	-	109	0.1 %
22	-	151	0.1 %
23	-	138	0.1 %
24	-	115	0.1 %
25	-	3392	2.0 %
26	-	100	0.1 %
27	-	133	0.1 %
28	-	160	0.1 %
29	-	83	0.0 %
30	-	2975	1.7 %
31	-	99	0.1 %
32	-	137	0.1 %
33	-	469	0.3 %
34	-	96	0.1 %
35	-	1393	0.8 %
36	-	121	0.1 %
37	-	103	0.1 %
38	-	140	0.1 %
39	-	59	0.0 %
40	-	2956	1.7 %
41	-	60	0.0 %
42	-	132	0.1 %
43	-	131	0.1 %
44	-	90	0.1 %
45	-	1030	0.6 %
46	-	87	0.1 %
47	-	93	0.1 %
48	-	136	0.1 %
49	-	44	0.0 %
	Missing Data		
-9	Not in survey	105682	60.9 %
-7	Not Applicable	38	0.0 %
-6	Logical Skip	5412	3.1 %
-4	Refused	9	0.0 %
-2	Missing	388	0.2 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	250	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 61,811 valid cases out of 173,590 total cases.

- Mean: 40.61
- Median: 35.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 31.39

Location: 732-734 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADMIS: Annual: Total annual admissions

In the 12 months beginning (YEAR PRIOR TO REFERENCE DATE), and ending (REFERENCE DATE), how many ADMISSIONS for substance abuse treatment did this facility have? Count every admission and re-admission in this 12-month period. If a person was admitted 3 times, count this as 3 admissions.

- FOR OUTPATIENT CLIENTS, consider an admission to be the initiation of a treatment program or course of treatment. Count admissions into treatment, not individual treatment visits.

- IF DATA FOR THIS TIME PERIOD are not available, use the most recent 12-month period for which you have data.

- IF THIS IS A MENTAL HEALTH FACILITY, count all admissions in which clients received substance abuse treatment, even if substance abuse was their secondary diagnosis.

_____ Substance abuse admissions in 12-month period

Value	Label	Unweighted Frequency	%
	Missing Data		
-11	Survey Ineligible	-	-
-10	Elsewhere	-	-
-9	Not in survey	-	-
-8	Not in mode	-	-
-7	Not Applicable	-	-
-6	Logical Skip	-	-

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	-	-
-4	Refused	-	-
-2	Missing	-	-
-1	Don't Know	-	-
	Total	173,590	100%

Based upon 159,197 valid cases out of 173,590 total cases.

- Mean: 306.20
- Minimum: 0
- Maximum: 59520
- Standard Deviation: 631.64

Location: 735-742 (width: 8; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ATRADMIS: Annual: Admissions funded by ATR vouchers

How many of the 12-month treatment admissions included in TOTADMIS were funded by ATR vouchers?

Value	Label	Unweighted Frequency	%
0	-	11028	6.4 %
1	-	63	0.0 %
2	-	63	0.0 %
3	-	53	0.0 %
4	-	28	0.0 %
5	-	54	0.0 %
6	-	30	0.0 %
7	-	17	0.0 %
8	-	22	0.0 %
9	-	14	0.0 %
10	-	77	0.0 %
11	-	12	0.0 %
12	-	25	0.0 %
13	-	6	0.0 %
14	-	4	0.0 %
15	-	45	0.0 %
16	-	10	0.0 %
17	-	4	0.0 %
18	-	6	0.0 %
19	-	3	0.0 %
20	-	71	0.0 %
21	-	5	0.0 %
22	-	11	0.0 %

Value	Label	Unweighted Frequency	%
23	-	5	0.0 %
24	-	6	0.0 %
25	-	41	0.0 %
26	-	2	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	5	0.0 %
30	-	29	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	7	0.0 %
34	-	2	0.0 %
35	-	20	0.0 %
36	-	5	0.0 %
37	-	3	0.0 %
38	-	6	0.0 %
40	-	19	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	14	0.0 %
46	-	4	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
50	-	41	0.0 %
	Missing Data		
-9	Not in survey	146254	84.3 %
-7	Not Applicable	12454	7.2 %
-6	Logical Skip	2365	1.4 %
-5	Multiple Responses	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	113	0.1 %
-1	Don't Know	90	0.1 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,310 valid cases out of 173,590 total cases.

- Mean: 7.33
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 1445
- Standard Deviation: 49.76

Location: 743-746 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTHI: Actual or estimate: Hospital inpatient clients

For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

- Mark "N/A" for any type of care not provided by this facility on (REFERENCE DATE).

MARK "ACTUAL," "ESTIMATE," OR "N/A" FOR EACH.

Hospital inpatient clients

Value	Label	Unweighted Frequency	%
1	Actual	3574	2.1 %
2	Estimate	2977	1.7 %
	Missing Data		
-9	Not in survey	64887	37.4 %
-7	Not Applicable	81513	47.0 %
-6	Logical Skip	20306	11.7 %
-5	Multiple Responses	1	0.0 %
-4	Refused	15	0.0 %
-2	Missing	133	0.1 %
-1	Don't Know	184	0.1 %
	Total	173,590	100%

Based upon 6,551 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 2

Location: 747-749 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTRES: Actual or estimate: Residential clients

For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

- Mark "N/A" for any type of care not provided by this facility on (REFERENCE DATE).

MARK "ACTUAL," "ESTIMATE," OR "N/A" FOR EACH.

Residential clients

Value	Label	Unweighted Frequency	%
1	Actual	18799	10.8 %
2	Estimate	7796	4.5 %
	Missing Data		
-9	Not in survey	64887	37.4 %
-7	Not Applicable	63611	36.6 %
-6	Logical Skip	17738	10.2 %
-5	Multiple Responses	3	0.0 %
-4	Refused	17	0.0 %
-2	Missing	352	0.2 %
-1	Don't Know	387	0.2 %
	Total	173,590	100%

Based upon 26,595 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 2

Location: 750-752 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTOP: Actual or estimate: Outpatient clients

For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

- Mark "N/A" for any type of care not provided by this facility on (REFERENCE DATE).

MARK "ACTUAL," "ESTIMATE," OR "N/A" FOR EACH.

Outpatient clients

Value	Label	Unweighted Frequency	%
1	Actual	37996	21.9 %
2	Estimate	38529	22.2 %
	Missing Data		
-9	Not in survey	64887	37.4 %
-7	Not Applicable	19155	11.0 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	11284	6.5 %
-5	Multiple Responses	4	0.0 %
-4	Refused	80	0.0 %
-2	Missing	892	0.5 %
-1	Don't Know	763	0.4 %
	Total	173,590	100%

Based upon 76,525 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 2

Location: 753-755 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NUMEST: Actual or estimate: Total clients

Are the numbers entered in the Total box actual active client counts or your best estimate?

Value	Label	Unweighted Frequency	%
1	Actual	6777	3.9 %
2	Estimate	3586	2.1 %
	Missing Data		
-9	Not in survey	162730	93.7 %
-7	Not Applicable	497	0.3 %
	Total	173,590	100%

Based upon 10,363 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 2

Location: 756-758 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADEST: Actual or estimate: Annual admissions

For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

- Mark "N/A" for any type of care not provided by this facility on (REFERENCE DATE).

MARK "ACTUAL," "ESTIMATE," OR "N/A" FOR EACH.

12-month admissions

Value	Label	Unweighted Frequency	%
1	Actual	47019	27.1 %
2	Estimate	56035	32.3 %
Missing Data			
-9	Not in survey	54027	31.1 %
-7	Not Applicable	2575	1.5 %
-6	Logical Skip	8576	4.9 %
-5	Multiple Responses	4	0.0 %
-4	Refused	106	0.1 %
-2	Missing	3199	1.8 %
-1	Don't Know	2049	1.2 %
Total		173,590	100%

Based upon 103,054 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 2

Location: 759-761 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC5: Basic setting: Halfway house

Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location?

Value	Label	Unweighted Frequency	%
0	No	152141	87.6 %
1	Yes	17431	10.0 %
Missing Data			
-6	Logical Skip	3624	2.1 %
-4	Refused	42	0.0 %
-2	Missing	240	0.1 %
-1	Don't Know	112	0.1 %
Total		173,590	100%

Based upon 169,572 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 762-764 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SMOKEPOL: Smoking policy

Which statement below BEST describes this

facility's smoking policy?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Not permitted	4674	2.7 %
2	Outdoor	7468	4.3 %
3	Outdoor & desig indoor	1415	0.8 %
4	No restriction	19	0.0 %
5	Other - specify	61	0.0 %
	Missing Data		
-9	Not in survey	159870	92.1 %
-5	Multiple Responses	8	0.0 %
-2	Missing	75	0.0 %
	Total	173,590	100%

Based upon 13,637 valid cases out of 173,590 total cases.

- Minimum: 1
- Maximum: 5

Location: 765-767 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENSED: Lic/cert/accred by State substance abuse agency

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

State substance abuse agency

Value	Label	Unweighted Frequency	%
0	No	23123	13.3 %
1	Yes	121906	70.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-7	Not Applicable	387	0.2 %
-6	Logical Skip	1	0.0 %

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	19	0.0 %
-4	Refused	22	0.0 %
-2	Missing	232	0.1 %
-1	Don't Know	3585	2.1 %
	Total	173,590	100%

Based upon 145,029 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 768-770 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENMH: Lic/cert/accred by State mental health department

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

State mental health department

Value	Label	Unweighted Frequency	%
0	No	83696	48.2 %
1	Yes	46239	26.6 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-7	Not Applicable	1	0.0 %
-5	Multiple Responses	21	0.0 %
-4	Refused	22	0.0 %
-2	Missing	162	0.1 %
-1	Don't Know	5706	3.3 %
	Total	173,590	100%

Based upon 129,935 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 771-773 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENPH: Lic/cert/accred by State public health department

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

State department of health

Value	Label	Unweighted Frequency	%
0	No	75892	43.7 %
1	Yes	51394	29.6 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-7	Not Applicable	1	0.0 %
-5	Multiple Responses	14	0.0 %
-4	Refused	18	0.0 %
-2	Missing	173	0.1 %
-1	Don't Know	8355	4.8 %
	Total	173,590	100%

Based upon 127,286 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 774-776 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENHOS: Lic/cert/accred by Hospital licensing authority

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service

licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Hospital licensing authority

Value	Label	Unweighted Frequency	%
0	No	117872	67.9 %
1	Yes	10909	6.3 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-5	Multiple Responses	18	0.0 %
-4	Refused	17	0.0 %
-2	Missing	176	0.1 %
-1	Don't Know	6855	3.9 %
	Total	173,590	100%

Based upon 128,781 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 777-779 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

JCAHO: Lic/cert/accred by JCAHO

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Joint Commission (JCAHO)

Value	Label	Unweighted Frequency	%
0	No	109776	63.2 %
1	Yes	32952	19.0 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	10	0.0 %
-4	Refused	21	0.0 %
-2	Missing	283	0.2 %
-1	Don't Know	6232	3.6 %
	Total	173,590	100%

Based upon 142,728 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 780-782 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CARF: Lic/cert/accred by CARF

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Commission on Accreditation of Rehabilitation Facilities (CARF)

Value	Label	Unweighted Frequency	%
0	No	114474	65.9 %
1	Yes	25655	14.8 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	10	0.0 %
-4	Refused	21	0.0 %
-2	Missing	315	0.2 %
-1	Don't Know	8799	5.1 %
	Total	173,590	100%

Based upon 140,129 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 783-785 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NCQA: Lic/cert/accred by NCQA

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

National Committee for Quality Assurance (NCQA)

Value	Label	Unweighted Frequency	%
0	No	131365	75.7 %
1	Yes	3848	2.2 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	7	0.0 %
-4	Refused	23	0.0 %
-2	Missing	348	0.2 %
-1	Don't Know	13683	7.9 %
	Total	173,590	100%

Based upon 135,213 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 786-788 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COA: Lic/cert/accred by COA

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service

licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Council on Accreditation (COA)

Value	Label	Unweighted Frequency	%
0	No	118273	68.1 %
1	Yes	6374	3.7 %
	Missing Data		
-9	Not in survey	37743	21.7 %
-7	Not Applicable	2	0.0 %
-5	Multiple Responses	3	0.0 %
-4	Refused	20	0.0 %
-2	Missing	184	0.1 %
-1	Don't Know	10991	6.3 %
	Total	173,590	100%

Based upon 124,647 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 789-791 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHSTATE: Lic/cert/accred by Other organization/agency

Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

- Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

- Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

Another state or local agency or other organization

Value	Label	Unweighted Frequency	%
0	No	109773	63.2 %
1	Yes	15509	8.9 %
	Missing Data		
-9	Not in survey	24315	14.0 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	11161	6.4 %
-5	Multiple Responses	3	0.0 %
-4	Refused	20	0.0 %
-2	Missing	691	0.4 %
-1	Don't Know	12118	7.0 %
	Total	173,590	100%

Based upon 125,282 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 792-794 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HASWEB: Basic amenities: Website

Does this facility have a Web site or web page with information about the facility's substance abuse treatment programs?

Value	Label	Unweighted Frequency	%
0	No	56543	32.6 %
1	Yes	90205	52.0 %
	Missing Data		
-9	Not in survey	24315	14.0 %
-7	Not Applicable	2	0.0 %
-6	Logical Skip	1	0.0 %
-5	Multiple Responses	5	0.0 %
-4	Refused	50	0.0 %
-2	Missing	852	0.5 %
-1	Don't Know	1617	0.9 %
	Total	173,590	100%

Based upon 146,748 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 795-797 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

INTERNET: Basic amenities: Internet access

Does this facility have Internet access?

Value	Label	Unweighted Frequency	%
0	No	5547	3.2 %

Value	Label	Unweighted Frequency	%
1	Yes	48379	27.9 %
	Missing Data		
-9	Not in survey	119422	68.8 %
-5	Multiple Responses	1	0.0 %
-4	Refused	22	0.0 %
-2	Missing	93	0.1 %
-1	Don't Know	126	0.1 %
	Total	173,590	100%

Based upon 53,926 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 798-800 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

UNROLLED: Distributed client count

Value	Label	Unweighted Frequency	%
0	No	118	0.1 %
1	Yes	1220	0.7 %
	Missing Data		
-9	Not in survey	159870	92.1 %
-7	Not Applicable	12382	7.1 %
	Total	173,590	100%

Based upon 1,338 valid cases out of 173,590 total cases.

- Minimum: 0
- Maximum: 1

Location: 801-803 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI11: Total - Clients - ref date

Value	Label	Unweighted Frequency	%
0	-	2841	1.6 %
1	-	906	0.5 %
2	-	1401	0.8 %
3	-	1514	0.9 %
4	-	1653	1.0 %
5	-	2394	1.4 %

Value	Label	Unweighted Frequency	%
6	-	2879	1.7 %
7	-	1816	1.0 %
8	-	2572	1.5 %
9	-	1667	1.0 %
10	-	4090	2.4 %
11	-	1729	1.0 %
12	-	3466	2.0 %
13	-	1789	1.0 %
14	-	2320	1.3 %
15	-	3859	2.2 %
16	-	2525	1.5 %
17	-	1788	1.0 %
18	-	2283	1.3 %
19	-	1464	0.8 %
20	-	4172	2.4 %
21	-	1474	0.8 %
22	-	1810	1.0 %
23	-	1420	0.8 %
24	-	1884	1.1 %
25	-	3162	1.8 %
26	-	1475	0.8 %
27	-	1251	0.7 %
28	-	1527	0.9 %
29	-	1017	0.6 %
30	-	3474	2.0 %
31	-	1007	0.6 %
32	-	1336	0.8 %
33	-	1030	0.6 %
34	-	1024	0.6 %
35	-	2202	1.3 %
36	-	1115	0.6 %
37	-	955	0.6 %
38	-	1034	0.6 %
39	-	795	0.5 %
40	-	2808	1.6 %
41	-	755	0.4 %
42	-	1053	0.6 %
43	-	789	0.5 %
44	-	800	0.5 %
45	-	1826	1.1 %
46	-	787	0.5 %
47	-	757	0.4 %

Value	Label	Unweighted Frequency	%
48	-	947	0.5 %
49	-	563	0.3 %
	Missing Data		
-6	Logical Skip	11721	6.8 %
-2	Missing	1	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 161,868 valid cases out of 173,590 total cases.

- Mean: 88.91
- Minimum: 0
- Maximum: 12629
- Standard Deviation: 155.65

Location: 804-808 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIJUV: Total - Clients under 18 - ref date

Value	Label	Unweighted Frequency	%
0	-	100099	57.7 %
1	-	5970	3.4 %
2	-	5916	3.4 %
3	-	4160	2.4 %
4	-	3194	1.8 %
5	-	4027	2.3 %
6	-	2624	1.5 %
7	-	1699	1.0 %
8	-	2053	1.2 %
9	-	1202	0.7 %
10	-	3477	2.0 %
11	-	981	0.6 %
12	-	1840	1.1 %
13	-	809	0.5 %
14	-	958	0.6 %
15	-	2367	1.4 %
16	-	870	0.5 %
17	-	697	0.4 %
18	-	803	0.5 %
19	-	486	0.3 %
20	-	2133	1.2 %

Value	Label	Unweighted Frequency	%
21	-	463	0.3 %
22	-	546	0.3 %
23	-	422	0.2 %
24	-	460	0.3 %
25	-	1252	0.7 %
26	-	379	0.2 %
27	-	349	0.2 %
28	-	406	0.2 %
29	-	236	0.1 %
30	-	1097	0.6 %
31	-	233	0.1 %
32	-	291	0.2 %
33	-	230	0.1 %
34	-	200	0.1 %
35	-	566	0.3 %
36	-	218	0.1 %
37	-	165	0.1 %
38	-	223	0.1 %
39	-	160	0.1 %
40	-	694	0.4 %
41	-	108	0.1 %
42	-	174	0.1 %
43	-	127	0.1 %
44	-	108	0.1 %
45	-	320	0.2 %
46	-	108	0.1 %
47	-	96	0.1 %
48	-	131	0.1 %
49	-	90	0.1 %
	Missing Data		
-6	Logical Skip	12285	7.1 %
-2	Missing	1	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 161,304 valid cases out of 173,590 total cases.

- Mean: 7.08
- Minimum: 0
- Maximum: 3060
- Standard Deviation: 24.32

Location: 809-812 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METH: Total - Methadone clients - ref date

Value	Label	Unweighted Frequency	%
0	-	95627	55.1 %
1	-	361	0.2 %
2	-	286	0.2 %
3	-	188	0.1 %
4	-	171	0.1 %
5	-	191	0.1 %
6	-	106	0.1 %
7	-	76	0.0 %
8	-	104	0.1 %
9	-	65	0.0 %
10	-	121	0.1 %
11	-	40	0.0 %
12	-	67	0.0 %
13	-	29	0.0 %
14	-	44	0.0 %
15	-	75	0.0 %
16	-	54	0.0 %
17	-	33	0.0 %
18	-	46	0.0 %
19	-	24	0.0 %
20	-	81	0.0 %
21	-	23	0.0 %
22	-	31	0.0 %
23	-	20	0.0 %
24	-	27	0.0 %
25	-	41	0.0 %
26	-	15	0.0 %
27	-	22	0.0 %
28	-	20	0.0 %
29	-	15	0.0 %
30	-	61	0.0 %
31	-	14	0.0 %
32	-	18	0.0 %
33	-	16	0.0 %
34	-	17	0.0 %
35	-	44	0.0 %
36	-	12	0.0 %
37	-	20	0.0 %

Value	Label	Unweighted Frequency	%
38	-	14	0.0 %
39	-	14	0.0 %
40	-	73	0.0 %
41	-	21	0.0 %
42	-	19	0.0 %
43	-	29	0.0 %
44	-	19	0.0 %
45	-	51	0.0 %
46	-	22	0.0 %
47	-	19	0.0 %
48	-	23	0.0 %
49	-	13	0.0 %
	Missing Data		
-6	Logical Skip	64298	37.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 109,292 valid cases out of 173,590 total cases.

- Mean: 28.09
- Minimum: 0
- Maximum: 3457
- Standard Deviation: 106.43

Location: 813-816 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_LAAM: Total - LAAM clients - ref date

Value	Label	Unweighted Frequency	%
0	-	33521	19.3 %
1	-	56	0.0 %
2	-	60	0.0 %
3	-	50	0.0 %
4	-	30	0.0 %
5	-	70	0.0 %
6	-	30	0.0 %
7	-	28	0.0 %
8	-	29	0.0 %
9	-	22	0.0 %
10	-	48	0.0 %
11	-	14	0.0 %

Value	Label	Unweighted Frequency	%
12	-	25	0.0 %
13	-	11	0.0 %
14	-	12	0.0 %
15	-	29	0.0 %
16	-	15	0.0 %
17	-	6	0.0 %
18	-	13	0.0 %
19	-	7	0.0 %
20	-	37	0.0 %
21	-	7	0.0 %
22	-	13	0.0 %
23	-	3	0.0 %
24	-	6	0.0 %
25	-	17	0.0 %
26	-	9	0.0 %
27	-	5	0.0 %
28	-	6	0.0 %
29	-	4	0.0 %
30	-	20	0.0 %
31	-	4	0.0 %
32	-	5	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	6	0.0 %
42	-	6	0.0 %
45	-	7	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	9	0.0 %
52	-	3	0.0 %
53	-	1	0.0 %
	Missing Data		
-9	Not in survey	108504	62.5 %
-6	Logical Skip	30736	17.7 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 34,350 valid cases out of 173,590 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 7000
- Standard Deviation: 38.70

Location: 817-820 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_BUPR: Total - Buprenorphine clients - ref date

Value	Label	Unweighted Frequency	%
0	-	78151	45.0 %
1	-	861	0.5 %
2	-	947	0.5 %
3	-	671	0.4 %
4	-	494	0.3 %
5	-	562	0.3 %
6	-	336	0.2 %
7	-	171	0.1 %
8	-	250	0.1 %
9	-	127	0.1 %
10	-	438	0.3 %
11	-	86	0.0 %
12	-	197	0.1 %
13	-	77	0.0 %
14	-	67	0.0 %
15	-	237	0.1 %
16	-	74	0.0 %
17	-	49	0.0 %
18	-	62	0.0 %
19	-	33	0.0 %
20	-	249	0.1 %
21	-	39	0.0 %
22	-	57	0.0 %
23	-	26	0.0 %
24	-	37	0.0 %

Value	Label	Unweighted Frequency	%
25	-	102	0.1 %
26	-	24	0.0 %
27	-	32	0.0 %
28	-	31	0.0 %
29	-	19	0.0 %
30	-	156	0.1 %
31	-	17	0.0 %
32	-	29	0.0 %
33	-	20	0.0 %
34	-	16	0.0 %
35	-	62	0.0 %
36	-	14	0.0 %
37	-	11	0.0 %
38	-	17	0.0 %
39	-	5	0.0 %
40	-	62	0.0 %
41	-	12	0.0 %
42	-	17	0.0 %
43	-	10	0.0 %
44	-	13	0.0 %
45	-	32	0.0 %
46	-	8	0.0 %
47	-	10	0.0 %
48	-	13	0.0 %
49	-	8	0.0 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-6	Logical Skip	22907	13.2 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 85,597 valid cases out of 173,590 total cases.

- Mean: 1.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 946
- Standard Deviation: 9.81

Location: 821-823 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METLAM: Total - Methadone & LAAM clients - ref date

Value	Label	Unweighted Frequency	%
0	-	29767	17.1 %
1	-	154	0.1 %
2	-	139	0.1 %
3	-	85	0.0 %
4	-	74	0.0 %
5	-	76	0.0 %
6	-	48	0.0 %
7	-	41	0.0 %
8	-	56	0.0 %
9	-	28	0.0 %
10	-	49	0.0 %
11	-	16	0.0 %
12	-	30	0.0 %
13	-	13	0.0 %
14	-	16	0.0 %
15	-	29	0.0 %
16	-	22	0.0 %
17	-	16	0.0 %
18	-	18	0.0 %
19	-	17	0.0 %
20	-	38	0.0 %
21	-	9	0.0 %
22	-	13	0.0 %
23	-	6	0.0 %
24	-	10	0.0 %
25	-	15	0.0 %
26	-	11	0.0 %
27	-	17	0.0 %
28	-	6	0.0 %
29	-	8	0.0 %
30	-	19	0.0 %
31	-	3	0.0 %
32	-	9	0.0 %
33	-	7	0.0 %
34	-	7	0.0 %
35	-	12	0.0 %
36	-	4	0.0 %
37	-	6	0.0 %
38	-	5	0.0 %
39	-	6	0.0 %

Value	Label	Unweighted Frequency	%
40	-	25	0.0 %
41	-	9	0.0 %
42	-	8	0.0 %
43	-	14	0.0 %
44	-	6	0.0 %
45	-	25	0.0 %
46	-	12	0.0 %
47	-	10	0.0 %
48	-	9	0.0 %
49	-	5	0.0 %
	Missing Data		
-11	Survey Ineligible	9861	5.7 %
-9	Not in survey	108504	62.5 %
-6	Logical Skip	20724	11.9 %
-2	Missing	1	0.0 %
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 34,500 valid cases out of 173,590 total cases.

- Mean: 27.13
- Minimum: 0
- Maximum: 7129
- Standard Deviation: 108.11

Location: 824-827 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METBUP: Total - Methadone & buprenorphine clients - ref date

Value	Label	Unweighted Frequency	%
0	-	72563	41.8 %
1	-	689	0.4 %
2	-	774	0.4 %
3	-	588	0.3 %
4	-	481	0.3 %
5	-	497	0.3 %
6	-	303	0.2 %
7	-	186	0.1 %
8	-	260	0.1 %
9	-	134	0.1 %
10	-	370	0.2 %

Value	Label	Unweighted Frequency	%
11	-	88	0.1 %
12	-	194	0.1 %
13	-	81	0.0 %
14	-	81	0.0 %
15	-	236	0.1 %
16	-	87	0.1 %
17	-	57	0.0 %
18	-	88	0.1 %
19	-	34	0.0 %
20	-	215	0.1 %
21	-	43	0.0 %
22	-	67	0.0 %
23	-	33	0.0 %
24	-	45	0.0 %
25	-	99	0.1 %
26	-	26	0.0 %
27	-	30	0.0 %
28	-	39	0.0 %
29	-	23	0.0 %
30	-	149	0.1 %
31	-	23	0.0 %
32	-	30	0.0 %
33	-	27	0.0 %
34	-	26	0.0 %
35	-	76	0.0 %
36	-	21	0.0 %
37	-	22	0.0 %
38	-	23	0.0 %
39	-	8	0.0 %
40	-	84	0.0 %
41	-	24	0.0 %
42	-	28	0.0 %
43	-	24	0.0 %
44	-	25	0.0 %
45	-	48	0.0 %
46	-	19	0.0 %
47	-	19	0.0 %
48	-	19	0.0 %
49	-	14	0.0 %
	Missing Data		
-9	Not in survey	65086	37.5 %
-6	Logical Skip	21574	12.4 %

Value	Label	Unweighted Frequency	%
	Total	173,590	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 86,930 valid cases out of 173,590 total cases.

- Mean: 26.21
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 103.00

Location: 828-831 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -11 , -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TABLES

TABLE 1: FIELD PERIOD AND REFERENCE DATE

<u>Year</u>	<u>Field Period</u>	<u>Reference Date</u>
1997	October 1, 1997 to March 31, 1998	October 1, 1997
1998	October 1, 1998 to March 31, 1999	October 1, 1998
2000	October 1, 2000 to April 30, 2001	October 1, 2000
2002	March 29, 2002 to October 1, 2002	March 29, 2002
2003	March 31, 2003 to October 1, 2003	March 31, 2003
2004	March 31, 2004 to October 1, 2004	March 31, 2004
2005	March 31, 2005 to October 1, 2005	March 31, 2005
2006	March 31, 2006 to October 3, 2006	March 31, 2006
2007	March 30, 2007 to October 17, 2007	March 30, 2007
2008	March 31, 2008 to October 17, 2008	March 31, 2008
2009	March 31, 2009 to October 17, 2009	March 31, 2009
2010	March 31, 2010 to October 18, 2010	March 31, 2010
2011	March 31, 2011 to October 24, 2011	March 31, 2011

TABLE 2: YEARLY RESPONSE RATES

<u>Year</u>	<u>Total Forms Mailed</u>	<u>Percent Closed / Ineligible</u> ¹	<u>Total Facilities Eligible</u>	<u>Total Completed Surveys</u>	<u>Final Response Percent</u> ²	<u>Number Excluded From Annual Report and Datafile</u> ³	<u>Final Data File Sample Size</u>
1997	19,956	10.3%	17,897	15,495	86.6%	4,635	10,860
1998	21,825	12.1%	19,174	17,321	90.3%	3,866	13,455
2000	17,341	14.5%	14,823	13,950	94.1%	522	13,428
2002	18,204	15.1%	15,459	14,756	95.5%	1,036	13,720
2003	17,787	15.0%	15,124	14,503	95.9%	880	13,623
2004	16,651	11.2%	14,779	14,167	95.9%	713	13,454
2005	16,418	10.2%	14,747	14,047	95.3%	676	13,371
2006	17,143	11.9%	15,109	14,577	96.5%	806	13,771
2007	16,773	9.4%	15,188	14,359	94.5%	711	13,648
2008	17,323	11.5%	15,335	14,423	94.1%	735	13,688
2009	17,226	11.7%	15,213	14,209	93.4%	696	13,513
2010	17,204	10.5%	15,390	14,060	91.4%	721	13,339
2011	17,376	12.4%	15,222	14,302	94.0%	582	13,720

¹The percent closed/ineligible is derived from the total facilities eligible divided by the total forms mailed.

²The final response is derived from the total completed surveys divided by the total facilities eligible.

³N-SSATS serves multiple purposes, and completed surveys for some categories of facilities are deemed out of scope for the Annual Report and data file, although their information is used for other purposes. These include halfway houses that do not

provide treatment, solo practitioners, and facilities reporting incarcerated clients only. Facilities whose client counts were reported by another facility and who did not provide client characteristics are also excluded from the Annual Report and data file.

TABLE 3: SURVEY RESPONSE MODE

<u>YEAR</u>	<u>PHONE</u>	<u>MAIL</u>	<u>WEB</u>
1997	18%	82%	N/A
1998	22%	78%	N/A
2000	23%	76%	1%
2002	23%	57%	20%
2003	24%	49%	27%
2004	22%	48%	30%
2005	22%	45%	33%
2006	23%	41%	36%
2007	21%	35%	44%
2008	19%	33%	48%
2009	13%	29%	58%
2010	13%	26%	61%
2011	12%	8%	79%

SECTION / VARIABLE LABEL	VARIABLE	1997	1998	2000	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
GENERAL SERVICES OFFERED (CONTINUED)														
Ancillary: Employment assistance	SRVC38	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: Housing assistance	SRVC39	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: Domestic violence	SRVC52	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: HIV Intervention	SRVC98								X	X	X	X	X	X
Ancillary: HIV/AIDS education	SRVC24	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: Health education	SRVC99	X	X						X	X	X	X	X	X
Ancillary: Substance abuse education	SRVC100	X	X						X	X	X	X	X	X
Ancillary: Transportation assistance	SRVC59	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: Mental health services	SRVC101								X	X	X	X	X	X
Ancillary: Acupuncture	SRVC48	X	X	X	X	X	X	X	X	X	X	X	X	X
Ancillary: Residential beds for client children	SRVC75					X	X	X	X	X	X	X	X	X
Ancillary: Self-help groups	SRVC102	X	X						X	X	X	X	X	X
Ancillary: Family planning	SRVC18	X	X											
Ancillary: Medical care (incl physical exams)	SRVC19	X	X											
Ancillary: Prenatal care	SRVC20	X	X											
Ancillary: Perinatal care	SRVC21	X	X											
Ancillary: TB treatment	SRVC22	X	X											
Ancillary: Media presentations	SRVC44	X	X											
Ancillary: Membership in a community partnership	SRVC45	X	X											
Ancillary: Academic education/GED classes	SRVC47	X	X											
Ancillary: Communication skills	SRVC51	X	X											
Ancillary: Home visits	SRVC53	X	X											
Ancillary: Life skills for independent living	SRVC54	X	X											
Ancillary: Parenting/family skills development	SRVC56	X	X											
Ancillary: Socialization/recreational services	SRVC58	X	X											
Ancillary: Hepatitis Education	SRVC104												X	X
Ancillary: Smoking cessation	SRVC105	X	X										X	X
Pharmacotherapies: Antabuse	SRVC70				X	X	X	X	X	X	X	X	X	X
Pharmacotherapies: Naltrexone	SRVC71				X	X	X	X	X	X	X	X	X	X
Pharmacotherapies: Vivitrol	SRVC108													X
Pharmacotherapies: Campral	SRVC88							X	X	X	X	X	X	X
Pharmacotherapies: Nicotine replacement	SRVC94								X	X	X	X	X	X
Pharmacotherapies: For psych disorders	SRVC95								X	X	X	X	X	X
Pharmacotherapies: Methadone	SRVC85						X	X	X	X	X	X	X	X
Pharmacotherapies: Buprenorphine - Subutex	SRVC86							X	X	X	X	X	X	X

SECTION / VARIABLE LABEL	VARIABLE	1997	1998	2000	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
GENERAL SERVICES OFFERED (CONTINUED)														
Pharmacotherapies: Buprenorphine - Suboxone	SRVC87							X	X	X	X	X	X	X
Pharmacotherapies: Prescription medication	SRVC7	X	X	X										
Pharmacotherapies: Buprenorphine	SRVC72					X	X							
Pharmacotherapies: Smoking cessation medication	SRVC106												X	X
FOCUSED TREATMENT PROGRAMS														
OTP: Maintenance: Methadone-Buprenorphine-Both-Neither	MAINTTYP										X	X		
OTP: All clients in maintenance program	MAINTALL										X	X		
OTP: Detox: Methadone-Buprenorphine-Both-Neither	DETXTYPE										X	X		
OTP: Certified Opioid Treatment Program	OTP			X	X	X	X	X	X	X	X	X	X	X
OTP: All clients in OTP	OTPAL			X	X	X	X	X	X	X			X	X
OTP: Maintenance-Detox-Both	OTPTYPE				X	X	X	X	X	X			X	X
OTP: Dispenses methadone or LAAM	METLAM	X	X	X										
COUNSELING AS PART OF PROGRAM														
Counseling: Individual	SRVC6	X	X	X	X	X	X	X	X	X	X	X	X	X
% Clients in individual counseling	SRVC6PCT									X	X	X	X	X
Counseling: Group	SRVC5	X	X	X	X	X	X	X	X	X	X	X	X	X
% Clients in group counseling	SRVC5PCT									X	X	X	X	X
Counseling: Family	SRVC4	X	X	X	X	X	X	X	X	X	X	X	X	X
% Clients in family counseling	SRVC4PCT									X	X	X	X	X
Counseling: Marital/couples	SRVC103									X	X	X	X	
% Clients in marital/couples counseling	SRVC103P									X	X	X	X	X
CLINICAL / THERAPEUTIC APPROACHES USED														
Approach: Substance abuse counseling	SACNSL									X	X	X	X	X
Approach: 12-step	TWELVEST									X	X	X	X	X
Approach: Brief intervention	BRINTRV									X	X	X	X	X
Approach: Cognitive-behavioral therapy	COGBEH									X	X	X	X	X
Approach: Contingency management	CONTMGT									X	X	X	X	X
Approach: Motivational interviewing	MOTVINT									X	X	X	X	X
Approach: Trauma-related counseling	TRAUMA									X	X	X	X	X
Approach: Anger management	ANGER									X	X	X	X	X
Approach: Matrix model	MATRIX										X	X	X	X
Approach: Community reinforcement plus vouchers	COMMREIN										X	X	X	X
Approach: Rational emotive behavioral therapy (REBT)	REBT										X	X	X	X
Approach: Relapse prevention	RELPS									X	X	X	X	X
Approach: Other treatment approach	APPROTH									X	X	X	X	X

